





COMPONENTS




<b>A</b>	M4x12mm	x4
<b>B</b>	M5x12mm	x4
<b>C</b>	M6x12mm	x3
<b>D</b>	6.5x13x1.8	x8
<b>E</b>	4x4mm	x1
<b>F</b>	5x5mm	x1
<b>1</b>	Grommet support	x1
<b>2</b>	Grommet support screw	x1
<b>3</b>	Grommet support washer	x1
<b>4</b>	Grommet support knob	x1
<b>5</b>	Clamp support	x1
<b>6</b>	Clamp support knob	x1
<b>7</b>	Cable cover	x1
<b>8</b>	Anti-slip rubber 1	x1
<b>9</b>	Anti-slip rubber 2	x1
<b>10</b>	Anti-slip rubber 3	x2
<b>11</b>	M6 Box wrench	x1

## INSTALLATION

### Step 1


Preparations before installing monitor:

1. Make sure there are 100x100mm or 75x75mm VESA holes in the monitor.  
If not, the mount can't be installed.
2. Remove the original fixed base of monitor, taking care not to scratch the screen.




## Step 2

### Option 1 – Clamp




### Option 2 – Grommet







### Step 3

Install the monitor to the plate




### Step 4

Install the monitor to the plate



## USING CORD MANAGEMENT



This product contains small items that could be a choking hazard if swallowed. Keep these items away from young children.

- Make sure these instructions are read and completely understood before attempting installation. If you are unsure of any part of this installation, please contact a professional installer for assistance.
- The desk or mounting surface must be capable of supporting the combined weight of the mount and the display, otherwise the structure must be reinforced.
- Safety gear and proper tools must be used. A minimum of two people are required for this installation. Failure to use safety gear can result in property damage, serious injury or death.
- Please check joint parts every two months, making sure the screws aren't loose.
- This product was designed to be installed on a desk. Before installing, make sure the mount will support the combined load of the equipment and hardware.

Never exceed the maximum load capacity 9 KG, or it may result in product failure or personal injury.

**NOTE:** This product is intended for indoor use only. Use of this product outdoors could lead to product failure or personal injury.

**Warning:** This product contains high pressure gas spring parts, please do not put it into fire, high temperature, or disassemble it, which will lead to unexpected personal injury. The obsolete products can be sent back to the manufacturer or handed over to professional institutions. To ensure the sealing performance of the gas spring, it is suggested to have complete adjustment to the upper arm (with spring) one time or several times every month.

Please contact [cc@amqsolutions.com](mailto:cc@amqsolutions.com) if you are missing any parts, have difficulty with assembly, or have any product related questions.