


ACTIV DT Riser | height adjustable desktop converter




STATEMENT OF LINE




ACTIV DT Riser

Optional




Keyboard Tray
Attachment



Dual Monitor Mount

FINISHES



Worksurface / Column / Base / Power Cord



White



Black

Faceplate



Reflective
Platinum

INSTALLATION TIME

15 minutes

CARE & MAINTENANCE INSTRUCTIONS

Wipe with a damp cloth using water or gentle, unabrasive cleaner. For guaranteed safety, patch test with diluted cleaner before wiping entire surface. Wipe dry with a clean cloth.

WARRANTY


10 years, including parts.

CERTIFICATIONS

UL 962
Indoor Advantage Gold™

SPECIFICATIONS

Handset	Push button digital handset with 2 memory presets
Safety	Anti-collision technology
Unit Weight	34 lbs
Base Dimensions	19"W x 15.75"D
Primary Worksurface	25.2"w x 18.1"d
Keyboard Surface	25.2"w x 7.9"d
Lifting Range	17.3"
Lifting Column Height Range	18.2" - 35.5" (above desktop)
Lifting Column Capacity	175 lbs
Primary Worksurface Height Range	3.3" - 20.6" (above desktop)
Primary Worksurface Weight Capacity	55 lbs (excludes monitor)
Keyboard Surface Weight Capacity	13.5 lbs
Keyboard Tray Weight	3 lbs
Dual Monitor Mount Weight	2 lbs
Speed	1.2in/s
Active Consumption	200W
Standby Consumption	.1W
Decibel Rating	46db
Monitor Mount Weight Capacity	20 lbs
Maximum Monitor Width	44" (single mount), 24" (dual mount)
VESA Mount	75mm & 100mm
Gauge of Steel	Inner tube: 2mm / Middle/Outer tube 1.5mm
USB	5V;2A
UL	UL962
Warranty	10 years plus approved labor



FEATURES



Compact footprint easily adds height adjustability to any workstation



Optional snap-in keyboard attachment



Push button digital handset with 2 memory presets



Single or Dual monitor mounts



Anti-Collision Technology



Two built-in USB chargers