SCS ENGINEERS

15 de julio de 2025

Karen Gork
Jefa Especialista en Salud Ambiental
Agencia de Cumplimiento Local del Condado de Los Ángeles
5050 Commerce Drive
Baldwin Park, California 91706

Asunto: Informe Mensual de junio de 2025 Conforme a los Objetivos 1A-3 y 5 de la Orden de Cumplimiento de la LEA del 6 de junio de 2024 y a la Carta del 30 de julio de 2024, Vertedero de Chiquita Canyon, Castaic, California

Estimada Sra. Gork:

SCS Engineers (SCS), en nombre de Chiquita Canyon, LLC (Chiquita), mediante el presente le proporciona al Programa de Gestión de Desechos Sólidos del Departamento de Salud Pública del Condado de Los Ángeles, que actúa como Agencia de Cumplimiento Local (LEA), un informe mensual, en cumplimiento con los Objetivos 1A-3 y 5 de la Orden de Cumplimiento de la LEA con fecha 6 de junio de 2024 (Orden de Cumplimiento) y la correspondencia posterior relacionada recibida de la LEA. Este informe abarca el período mensual de junio de 2025.

Chiquita Canyon Landfill (CCL o el Vertedero) es un vertedero/centro de disposición de desechos sólido, ubicado en 29201 Henry Mayo Drive en Castaic, California. Con relación al Vertedero, Chiquita opera un sistema de recolección y control de biogás. SCS elaboró y presentó el Informe Resumido sobre las Lecturas de Monóxido de carbono e Hidrógeno (Informe Resumido) a la LEA el 6 de junio de 2024 en nombre de Chiquita, en respuesta a las directivas indicadas en las cartas de la LEA con fecha 5 de abril de 2024 y 28 de mayo de 2024, sobre la toma de datos de biogás y conforme al Objetivo 1A-2 de la Orden de Cumplimiento. La LEA, en colaboración con el Departamento de Recursos, Reciclaje y Recuperación de California (CalRecycle), revisó el Informe Resumido y determinó que cumplía con el Objetivo 1A-2. La LEA estableció varios requerimientos nuevos para que Chiquita cumpla con el Objetivo 1A-3 en la correspondencia de seguimiento con fecha 30 de julio de 2024.

Este informe fue elaborado según los Objetivos 1A-3 y 5 de la Orden de Cumplimiento, la correspondencia de seguimiento de la LEA con fecha 30 de julio de 2024, la carta de Chiquita con fecha 3 de septiembre de 2024, la reunión del 12 de septiembre de 2024 con la LEA y la correspondencia de seguimiento de la LEA con fecha 19 y 27 de noviembre y 3 de diciembre de 2024.

Se debe tener en cuenta que el 26 de junio de 2025 personal de Chiquita fue evacuado del Vertedero debido al Incendio de Jasper, que comenzó del lado oeste de Chiquito Canyon Road en Val Verde, California, que se expandió hacia el sitio, causando cortes de luz del lazo oeste del Vertedero. Chiquita dio aviso a la LEA ese mismo día y estaremos presentando un aviso de seguimiento

sobre cualquier impacto en las obligaciones indicadas en las Órdenes de Cumplimiento de la LEA del 6 de junio de 2024 o del 1 de mayo de 2025.

Puntos de Cumplimiento con el Objetivo 1A-3

1. Presentar los resultados de los análisis de laboratorio de las muestras mensuales de monóxido de carbono (CO) e hidrógeno (H2) tomadas de un set de pozos de biogás (LFG) seleccionados por la LEA. Consulte en la Tabla 1, las columnas rotuladas "CO" y "H2".

Los resultados de los pozos monitoreados se muestran en el **Adjunto A**.[1] Los datos se están presentando a la LEA en un informe independiente firmado por un ingeniero matriculado, conforme al Objetivo 1A-3 de la Orden de Cumplimiento. Como se indicó en correspondencias previas de Chiquita y en los informes mensuales, este informe no incluye datos de los pozos CV-100, CV-1420, CV-1532, CV-2202, H-1774S, TC-2385A y TC-2385S, ya que esos pozos fueron abandonados, ni del pozo CV-2332, ya que ese pozo no se instaló nunca. Todos los demás pozos se evaluaron durante el mes de junio de 2025.

Como se trató en la reunión del 12 de septiembre de 2024 y como se informó previamente, los gráficos que muestran las tendencias de CO y H2 se proporcionan en el **Adjunto D** y se tratan en mayor detalle a continuación.

2. Proporcionar datos de lecturas de gases fijos (CH4, O2 y CO2) entre un set de pozos de LFG seleccionado por la LEA. Consulte en la Tabla 1 la columna rotulada "Gas Fijo CH4, O2, CO2".

Los resultados de los pozos monitoreados se proporcionan en el **Adjunto A**.

3. Tomar temperaturas pozo abajo en 34 pozos, para confirmar las lecturas de las temperaturas de los cabezales de los pozos de gas según el requerimiento de los Estándares de Rendimiento de Fuentes Nuevas (NSPS). Consulte en la Tabla 1 en la columna rotulada "Monitoreo de Temperatura Pozo Abajo".

Chiquita entiende de la correspondencia de la LEA del 27 de noviembre de 2024 y como se indica en los informes mensuales previos, que en este momento solo debe tomar muestras de los pozos a la frecuencia anual indicada en los protocolos NSPS, pero que la LEA podrá requerir monitoreos más frecuentes de hasta diez (10) pozos seleccionados por la LEA. Chiquita está a la espera de la selección de la LEA de esos pozos.

Chiquita proporciona de todos modos en el **Adjunto B** los gráficos de las temperaturas pozo abajo[2] relacionados con los siguientes pozos, desde lugares fijos, que contienen el Sistema de Bombeo Lorentz con los sensores de temperatura integrales: CV-2302, CV-2303, CV-2315, CV-2350, CV-2351, CV-2352 CV-24017, CV-24065 y CV-24095.

[1] Los laboratorios informaron datos de otros pozos de LFG fuera de los seleccionados para que la LEA tome muestras; los datos adicionales están relacionados con requerimientos de informes separados del Distrito de Gestión de la Calidad del Aire de la Costa Sur (AQMD de la Costa Sur) y por lo tanto pueden desestimarse para los propósitos de este informe.
[2] Cada gráfico indica un punto de datos de temperatura único debido a cambios en el software.

Se debe tener en cuenta que el sistema de monitoreo de temperatura Lorentz para las bombas CV-2301, CV- 2302 (fuera de línea desde el 26-6), CV-2303 (fuera de línea desde el 7-6), CV-2351, CV-2352 (fuera de línea desde el 18-6) y CV-24095 (fuera de línea desde el 4-6) actualmente están fuera de línea y están en el proceso de ser reparadas (Consulte la Lista de Monitoreos del adjunto B para más detalles sobre las reparaciones).

Como se indicó previamente, SCS continuará tomando las temperaturas pozo abajo todos los años e informará los resultados a medida que vaya obteniendo datos de cada lugar. El 2 de junio de 2025, SCS realizó monitoreos de temperatura pozo abajo en CV-2002 para el monitoreo anual de 2025: *(Consulte* el **Adjunto B**). Al 2 de junio de 2025, SCS ha completado el monitoreo anual de temperaturas pozo abajo de 2025 en todos los lugares solicitados.

4. Tomar muestras de los 40 pozos seleccionados para analizar VOCs utilizando el método TO-15. Consulte en la Tabla 1, la columna rotulada "VOC (TO-15)".

Los resultados de los pozos monitoreados se proporcionan en el Adjunto A.[3]

5. Continuar tomando muestras y monitoreando los 6 pozos horizontales indicados en el Adjunto 1 donde los números de los pozos están resaltados en amarillo. En este momento podrán liberarse 42 pozos horizontales de las tomas de muestras continuas, pero estos pozos podrán ser incluidos más adelante, dependiendo de las futuras presentaciones de datos. Consulte en la Tabla 1 los números de pozo resaltados en azul.

Como se indicó en la carta del 3 de septiembre y se informó en los informes mensuales previos, dos (2) de los seis (6) pozos horizontales (H-1774S y H-1560S) fueron abandonados cuando se instalaron los nuevos pozos de extracción vertical y por lo tanto los datos de esos pozos no están incluidos. Los datos de los otros cuatro (4) pozos horizontales están en el **Adjunto A**.

6. Agregar 20 pozos verticales a los protocolos de toma de muestras mensuales de temperatura en el cabezal y de LFG. Consulte en la Tabla 1 los números de pozo resaltados en verde.

Como lo transmitió la LEA durante nuestra reunión del 12 de septiembre de 2024 y se volvió a indicar en nuestro informe mensual, comprendemos que la LEA está requiriendo datos analíticos de laboratorio para gases fijos, CO y H2, como también datos de campo. Los resultados del laboratorio están en el **Adjunto A**. Los datos de campo con las temperaturas del gas en el cabezal del pozo se muestran en la Tabla 2 en el **Adjunto A**.

Comprendemos de la correspondencia de la LEA del 27 de noviembre de 2024 que se requerirán datos analíticos del laboratorio para los gases fijos especificados.

Se debe tener en cuenta que nuevamente no se volvieron a tomar muestras en los siguientes pozos en junio de 2025 por los siguientes motivos indicados en los informes mensuales previos:

CV-1420 – Abandonado durante la Expansión del GCCS en 2024 debido a la reducción de los flujos de gas.
CV-2202 – Abandonado durante la Expansión del GCCS en 2024 debido a la reducción de los flujos de gas.

[3] El Pozo CV-24142 aparece dos veces en la Tabla 1 de la carta de la LEA del 30 de julio - uno requiere tomas de muestras de VOC y el otro no. Chiquita tomó muestras de este pozo para analizar los VOCs.

CV-2332 – Este pozo no existe. Este pozo fue propuesto para instalación en otoño de 2023, pero se instalaron otros pozos en la zona en lugar del CV-2332 cuando la cantidad de pozos aumentó según la Orden de Depuración Estipulada (la Orden Estipulada) del Sur avanzando sin esfuerzo AQMD de la Costa Sur.

7. Trazar en el mapa del sitio denominado "Mapa de GCCS Existentes - Pozos de Extracción Vertical de LFG" con fecha 06/06/2024 las ubicaciones de los siguientes 19 pozos: CV-24002, CV-24003, CV-24007, CV-24017, CV-24053, CV-24055, CV-24065, CV-24071, CV-24075, CV-24077, CV-24079, CV-24082, CV-24083, CV-24088, CV-24095, CV-24096, CV-24097, CV-24098 y H-1403W. Para el pozo H-1403W, proporcionar la ubicación horizontal de las tuberías y un estimativo sobre dónde es más probable que ocurran temperaturas elevadas (195°F). Consultar en la Tabla 1 los números de pozo resaltados en rojo y H-1403W (resaltado en amarillo).

Las ubicaciones de los pozos arriba identificados se muestran en el Mapa en el **Adjunto C**.[4]

8. Incluir en el informe mensual un mapa del asentamiento/calor como se muestra a continuación, comenzando con los datos del mapa de calor más antiguo disponible para cada mes hasta el presente. Si es posible, los mapas topográficos deberán mostrar intervalos de contornos de 2 pies.

La LEA aclaró en su correspondencia con fecha 27 de noviembre y 3 de diciembre de 2024 que, en lugar de esta solicitud, Chiquita podrá presentar mapas trimestrales junto a sus resúmenes mensuales de las fisuras y grietas por tensión, que se presentan el segundo martes de cada mes. La LEA le indicó a Chiquita el 2 de junio de 2025 que en su lugar presente el mapa isopáquico mensualmente. Para facilidad de referencia, estamos presentando como **Adjunto F** una copia del mapa isopáquico más reciente presentado el 8 de julio de 2025.

9. Proporcionar los resultados de las tomas de muestras en un informe independiente apropiado con el análisis, tablas, AQ/QC y métodos, firmado por un profesional registrado, etc., como se describe en los Objetivos 1A-2 y 1A-3 de la Orden de Cumplimiento.

CCL ha proporcionado la información arriba solicitada y los datos crudos en el **Adjunto A**, como también una figura con la zona reactiva indicada en base a datos, que incorpora datos de asentamientos Consulte el Adjunto A (consulte el **Adjunto F**). Se proporcionan los gráficos de las temperaturas de los pozos con bombas Lorentz (9 lugares).

El 2 de junio de 2025 se realizó el monitoreo de temperatura anual pozo abajo final restante en el pozo de extracción de LFG CV-2002; no se prevén otros monitoreos anuales para 2025.

Se debe tener en cuenta que además de los pozos indicados en respuesta a la solicitud con fecha 30 de julio de 2024 en la Tabla 1 que no pudieron ser testeados, tampoco pudieron testearse los siguientes pozos que solo requerían datos analíticos, como se informó previamente, porque fueron abandonados durante la expansión del GCCS de 2024 debido a la reducción de flujos de gas, conforme a los requerimientos del NSPS:

[4] La LEA reconoció en su correspondencia del 20 de noviembre de 2024 que no están ocurriendo temperaturas altas en el pozo H-1403W. Por lo tanto, no trazamos la temperatura máxima en el pozo H-1403W.

CV-100, CV-1532, H-1560S, H-1774S, TC-2385A, TC-2385S, CV-2202 y CV-1420. Finalmente, Como también se informó previamente, nunca se instaló el CV-2332.

Procedimientos para la Toma de Muestras

Se tomaron muestras de gas utilizando bolsas Tedlar/Mylar, como se describe en la carta del Chiquita del 3 de septiembre de 2024 y en los informes mensuales que se entregaron a laboratorios certificados para su análisis. Todos los datos de gases permanentes (CH4, CO2, O2, N2, CO y H2) fueron analizados dentro de las 24 horas solicitadas desde la toma de las muestras. SCS continúa creyendo que el uso del tiempo de retención de 72 horas aprobado por EPA para estas muestras sería apropiado y correcto. Sin embargo, en respuesta a la correspondencia de la LEA del 17 de marzo de 2025, SCS continuará solicitando tiempos de retención de 24 horas para todos los gases fijos, que incluyen CO, H2 y VOCs tomados utilizando bolsas Mylar o Tedlar. No obstante, si se requieren más muestras o si los laboratorios tienen un cambio en la carga de trabajo, este tiempo de retención podrá cambiar, caso en el que se le informará a la LEA como corresponda. Durante junio de 2025, se testearon los VOCs de todos los pozos (método TO-15 de la EPA) y los gases permanentes (métodos 1946 y Alt-144 de la EPA) dentro de las 24 horas, proporcionándole al laboratorio muestras en bolsas duplicadas como se requiere para análisis de VOC.

Se tomaron otros datos de los gases y las presiones utilizando un Medidor de Gas Envision Irwin o un dispositivo de monitoreo de Gases Landtec GEM 5000. Estos instrumentos miden las concentraciones de gas combustible en el aire, directamente en una de dos escalas: la primera, como un porcentaje por volumen del límite explosivo inferior (LEL) de gas metano en el aire (0 a 5 por ciento) y el otro como un porcentaje por volumen (0 a 100 por ciento) en el gas tomado como muestra. El límite de detección de estos instrumentos es de aproximadamente 0.10 por ciento por volumen.

Los procedimientos para testear el monitoreo de gases fueron los siguientes:

- Conectar la tubería de toma de muestras, abrir la válvula de prueba, observar la presión y registrar los datos.
- Encender la bomba de las muestras, purgar un mínimo de un volumen de la sonda y observar y registrar las concentraciones de metano, oxígeno y dióxido de carbono en el gas cuando se hayan estabilizado las lecturas.
- Cerrar la válvula de prueba, desconectar los instrumentos de toma de muestras y resguardar la ubicación de la muestra.

Conclusiones del Objetivo 1A-3

En junio de 2025 se realizó el undécimo monitoreo en cumplimiento con el Objetivo 1A-3 de la Orden de Cumplimiento. Los datos tomados en junio de 2025 y evaluados para este informe son consistentes con los datos tomados los meses anteriores desde agosto de 2024 hasta mayo de 2025, como también los datos tomados y evaluados por el Comité de la Reacción establecidos bajo la supervisión del Distrito de Gestión de la Calidad del Aire de la Costa Sur (SCAQMD) y conforme a la Orden Estipulada para evaluar la zona reactiva, que incluyen los datos de junio de 2025 más recientemente evaluados por el Comité de la Reacción el 10 de julio de 2025, como lo requiere la Condición 9(b) de la Orden Estipulada. *Consulte* el **Adjunto E**.

Por los motivos descritos en el informe adjunto del Comité de la Reacción del 10 de junio de 2025, la alineación del alcance estimado de las condiciones del vertedero de temperaturas elevadas (ETLF) exhibidas en el Vertedero (a las que se hace referencia como límites de la "Zona Reactiva") e identificadas en ese informe continúa igual a las identificadas en el informe del Comité de la Reacción de junio de 2025. El Comité de la Reacción determinó que no se justificaba realizar ningún ajuste y que no se habían expandido las condiciones de ETLF. No hubo evidencia de condiciones de la reacción ni gas de la reacción presente fuera del límite de la zona reactiva actualmente delineada.

Como los niveles de líquidos por la instalación de otras Bombas Eléctricas y Neumáticas Lorentz continúan cambiando, continuamos viendo los cambios previstos en porcentajes de Gases Permanentes, Monóxido de Carbono e Hidrógeno y los cambios en las temperaturas ya que puede pasarse extraerse por los pozos de extracción a medida que se van reduciendo los niveles de líquido. Esto se continúa demostrando en los gráficos de los pozos a varias escalas en el Adjunto D, que incluyen gráficos de los gases permanentes, temperatura y otras tendencias en un período de seis (6) meses. Se debe tener en cuenta que los gráficos fueron creados utilizando resultados de equipos de monitoreo de biogás estándar y los resultados no contienen datos de laboratorio. SCS también incluyó gráficos de Hidrógeno y Monóxido de Carbono separados utilizando los resultados del laboratorio, para su uso y revisión de cada pozo.

Además, la instalación de tuberías de mayor diámetro ha mejorado la recolección de otros gases de todo el Vertedero. Desde marzo de 2025, los índices de flujo de biogás que queman los dispositivos de depuración aumentaron de 13,500 cfm a 15,150 cfm. Se debe tener en cuenta que, durante junio de 2025, la extracción de gas general del Vertedero fue de aproximadamente 654,307,000 pies cúbicos. Se espera que este índice de extracción y los futuros aumentos previstos a medida que continúan expandiéndose los sistemas de recolección, mejorarán la composición del gas de los pozos en la zona reactiva a medida que más vacío y el movimiento de gas resultante vaya permitiendo que se extraiga más gas de la reacción y del vertedero normal.

Chiquita continuará evaluando los datos en futuros informes mensuales, a medida que se vayan tomando más datos.

Puntos de Cumplimiento con el Objetivo 5

Este informe incluye en el Adjunto D mapas individuales superpuestos con los siguientes datos para junio de 2025, en un formato fácil de comprender, conforme al Objetivo 5 de la Orden de Cumplimiento.

- Zona reactiva definida;
- Expansión de la zona reactiva, si hubiera;
- Datos semanales de TMP; y
- Datos de LFG que incluyen, de forma enunciativa más no limitativa, datos de CH_4, CO_2, O_2, Temperatura CO y de H_2.

El Objetivo 5 además requiere "asentamiento con mapas de calor", pero como se analizó al principio de este informe y conforme a la correspondencia de la LEA con fecha 27 de noviembre y 3 de diciembre de 2024, este requerimiento se cumple con la presentación de Chiquita de su mapa isopáquico de junio de 2025, presentado a la LEA el 8 de julio de 2025. Para practicidad de la LEA, este mapa se incluye aquí nuevamente como Adjunto F.

Los abajo firmantes son un profesional matriculado y un Gerente Regional, Vicepresidente de SCS Engineers.

Atentamente,

William C. Haley, PE
Director del Proyecto
SCS Engineers

Arthur E Jones Jr.
Vicepresidente
SCS Engineers

Adjuntos:

Adjunto A - Análisis de Laboratorio y Datos de los Instrumentos de Extracción de LFG de los Pozos y de los Datos de las Temperaturas
Adjunto B – Temperaturas Pozo Abajo y Lista de Pozos para Monitoreo
Adjunto C – Punto 7 - Mapa de Ubicación de Pozos
Adjunto D - Datos de Cumplimiento con el Objetivo 5
Adjunto E – Informe del Comité de la Reacción del 28 de julio de 2025
Adjunto F – Mapa Isopáquico del 10 de junio de 2025 presentado el 8 de julio de 2025

Los Datos Electrónicos de los Resultados del Laboratorio estén en formato Excel, con PDFs adicionales para los datos de los pozos de gas.

cc: John Perkey, Waste Connections
Steve Cassulo, Waste Connections
Kate Logan, Waste Connections
Nicole Ward, Waste Connections
Amanda Froman, Waste Connections
Mark Adams, Waste Connections
Pat Sullivan, SCS Engineers
Robert Ragland, Departamento de Salud Pública del Condado de Los Ángeles
Liza Frías, Departamento de Salud Pública del Condado de Los Ángeles
Nichole Quick, M.D., Departamento de Salud Pública del Condado de Los Ángeles
Shikari Nakagawa-Ota, Departamento de Salud Pública del Condado de Los Ángeles
Ken Habaradas, LEA del Condado de Los Ángeles
Eric Morofuji, LEA del Condado de Los Ángeles
Renee Jensen, Asesor de LEA
Blaine McPhillips, Asesor Suplente Sénior del Condado
Emiko Thompson, Departamento de Obras Públicas del Condado de Los Ángeles
Alex Garcia, Departamento de Planificación Regional del Condado de Los Ángeles

Phillip Chen, Departamento de Planificación Regional del Condado de Los Ángeles
Steven Jareb, Departamento de Planificación Regional del Condado de Los Ángeles
Wes Mindermann, CalRecycle
Todd Thalhamer, CalRecycle
Emel Wadhwani, CalRecycle
Jeff Linberg, Junta de Recursos de Aire de California
Nancy Fletcher, Junta de Recursos de Aire de California
Jack Cheng, Consejo de Gestión de la Calidad del Aire de la Costa Sur
Larry Israel, Consejo de Gestión de la Calidad del Aire de la Costa Sur
Enrique Casas, Junta Regional de Control de Calidad del Agua de Los Ángeles
Joshua Wirtschafter, Agencia de Protección Ambiental de Estados Unidos
Laura Friedli, Agencia de Protección Ambiental de Estados Unidos
Tyler Holybee, Agencia de Protección Ambiental de Estados Unidos
Mark Anthony Relon, Agencia de Protección Ambiental de Estados Unidos
Tim Crick, Departamento de Control de Sustancias Tóxicas
Pete Ruttan, Departamento de Control de Sustancias Tóxicas

Attachment A

Laboratory Analysis

And

LFG Extraction Well Instrument and Temperature Data

Air TECHNOLOGY Laboratories, Inc.

June 18, 2025

SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C, ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S060206-01/15

Enclosed are the results for sample(s) received 6/2/25 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA Method TO-15 – Samples collected in Mylar bags. Quadratic regression calibration was required for vinyl acetate, benzyl chloride and 1,2,4-trichlorobenzene.
- Ethyl acetate exhibited high recovery in the initial calibration verification indicating possible high bias. Results above the reporting limit were flagged with the Q qualifier.
- Bromoform exhibited low recovery in the initial calibration verification indicating possible low bias. Results were flagged with the Q qualifier.
- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim and Ali Ferrara on 6/10/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

CHAIN OF CUSTODY RECORD

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 **OF**

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.:	07-SO05310
Bill to:	
	07FSAccountspayable@scsengineers.com
	3900 Kilroy Airport Way, Suite 100
	Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
S060206-01	CV-24138	6/2/2025	10:04am	1L	Gas	N	X	X	X	X	MW 6/2/25 +110	
-02	CV-2344	**6/2/2025**	9:05an	1L	Gas	N	X	X	X			
-03	CV-108-52	6/2/2025	9:25am	1L	Gas	N	X	X	X	X		
-04	CV-2345	6/2/2025	9:00am	1L	Gas	N	X	X	X			
-05	CV-24140	6/2/2025	9:55am	1L	Gas	N	X	X	X	X		
-06	CV-24140	6/2/2025	9:56am	1L	Gas	N	X	X	X	X		
-07	CV-2347	6/2/2025	8:50am	1L	Gas	N	X	X	X			
-08	CV-24143	6/2/2025	9:45am	1L	Gas	N	X	X	X	X		
-09	CV-24143	**6/2/2025**	9:46am	1L	Gas	N	X	X	X	X		
-10	CV-24139	6/2/2025	10:01am	1L	Gas	N	X	X	X	X		

AUTHORIZATION TO PERFORM WORK	COMPANY	DATE/TIME
SAMPLED BY Robert Vargas	COMPANY SCS	DATE/TIME 06-02-25 10:50am
RELINQUISHED BY Robert Vargas	DATE/TIME 6.02.25	RECEIVED BY Trevor	DATE/TIME 6-2-25 11:14
RELINQUISHED BY Trevor	DATE/TIME 6/2/25 12:28	RECEIVED BY	DATE/TIME 6-2-25 12:28
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

CHAIN OF CUSTODY RECORD

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 **OF**

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.:	07-SO05310
Bill to:	
	07FSAccountspayable@scsengineers.com
	3900 Kilroy Airport Way, Suite 100
	Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
S060206- 11	CV-24138	6/2/2025	10:03am	1L	Gas	N	X	X	X	X		
-12	CV-24139	6/2/2025	10:00am	1L	Gas	N	X	X	X	X		
-13	CV-108-~~42~~ 52 HD 6/2/25	6/2/2025	9:25am	1L	Gas	N	X	X	X	X		
-14	CV-2348	6/2/2025	8:45am	1L	Gas	N	X	X	X			
-15	CV-2346	6/2/2025	8:55am	1L	Gas	N	X	X	X			
		6/2/2025		1L	Gas	N						
		6/2/2025		1L	Gas	N						
		6/2/2025		1L	Gas	N						
		6/2/2025		1L	Gas	N						
		6/2/2025		1L	Gas	N						

AUTHORIZATION TO PERFORM WORK	COMPANY	DATE/TIME	
SAMPLED BY: Robert Vargas	COMPANY: SCS	DATE/TIME: 06/02/25 10:58am	
RELINQUISHED BY: Robert Vargas	DATE/TIME: 06/02/25	RECEIVED BY: Fedex	DATE/TIME: 6/2/25 10:14
RELINQUISHED BY: Fedex	DATE/TIME: 6/2/25 12:28	RECEIVED BY:	DATE/TIME: 6-2-25 12:20
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060206-01		S060206-02		S060206-03		S060206-04	
Client Sample I.D.:	CV-24138		CV-2344		CV-108-52		CV-2345	
Date/Time Sampled:	6/2/25 10:04		6/2/25 9:05		6/2/25 9:25		6/2/25 9:00	
Date/Time Analyzed:	6/2/25 14:57		6/2/25 15:11		6/2/25 15:26		6/2/25 15:40	
QC Batch No.:	250602GC8A2		250602GC8A2		250602GC8A2		250602GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	31	10	2,100	10	1,400	10	620	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060206-05		S060206-07		S060206-08		S060206-10	
Client Sample I.D.:	CV-24140		CV-2347		CV-24143		CV-24139	
Date/Time Sampled:	6/2/25 9:55		6/2/25 8:50		6/2/25 9:45		6/2/25 10:01	
Date/Time Analyzed:	6/2/25 15:55		6/2/25 16:09		6/2/25 16:24		6/2/25 16:38	
QC Batch No.:	250602GC8A2		250602GC8A2		250602GC8A2		250602GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	1,300	10	1,200	10	1,100	10	84	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/9/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060206-14		S060206-15					
Client Sample I.D.:	CV-2348		CV-2346					
Date/Time Sampled:	6/2/25 8:45		6/2/25 8:55					
Date/Time Analyzed:	6/2/25 17:19		6/2/25 17:33					
QC Batch No.:	250602GC8A2		250602GC8A2					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv				
Carbon Monoxide	37	10	3,100	10				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250602GC8A2
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/2/25 14:13			6/2/25 13:15		6/2/25 13:29					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,070	106	1,060	105	1.1	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/9/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060206-01			S060206-02			S060206-03			S060206-04		
Client Sample I.D.:	CV-24138			CV-2344			CV-108-52			CV-2345		
Date/Time Sampled:	6/2/25 10:04			6/2/25 9:05			6/2/25 9:25			6/2/25 9:00		
Date/Time Analyzed:	6/2/25 14:57			6/2/25 15:11			6/2/25 15:26			6/2/25 15:40		
QC Batch No.:	250602GC8A2			250602GC8A2			250602GC8A2			250602GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	0.65 J	1.0	0.059	8.1	1.0	0.059	4.8	1.0	0.059	3.3	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060206-05			S060206-07			S060206-08			S060206-10		
Client Sample I.D.:	CV-24140			CV-2347			CV-24143			CV-24139		
Date/Time Sampled:	6/2/25 9:55			6/2/25 8:50			6/2/25 9:45			6/2/25 10:01		
Date/Time Analyzed:	6/2/25 15:55			6/2/25 16:09			6/2/25 16:24			6/2/25 16:38		
QC Batch No.:	250602GC8A2			250602GC8A2			250602GC8A2			250602GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	18	1.0	0.059	5.2	1.0	0.059	9.0	1.0	0.059	1.3	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060206-14			S060206-15								
Client Sample I.D.:	CV-2348			CV-2346								
Date/Time Sampled:	6/2/25 8:45			6/2/25 8:55								
Date/Time Analyzed:	6/2/25 17:19			6/2/25 17:33								
QC Batch No.:	250602GC8A2			250602GC8A2								
Analyst Initials:	KD			KD								
Dilution Factor:	1.0			1.0								
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v						
Hydrogen	0.55 J	1.0	0.059	9.5	1.0	0.059						

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ **Date** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250602GC8A2
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/2/25 14:13				6/2/25 13:15		6/2/25 13:29					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	0.19 J	1.0	0.059	5.0	5.76	112	5.68	110	1.4	70	130	30

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ **Date** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060206-01		S060206-02		S060206-03		S060206-04	
Client Sample I.D.:	CV-24138		CV-2344		CV-108-52		CV-2345	
Date/Time Sampled:	6/2/25 10:04		6/2/25 9:05		6/2/25 9:25		6/2/25 9:00	
Date/Time Analyzed:	6/2/25 14:57		6/2/25 15:11		6/2/25 15:26		6/2/25 15:40	
QC Batch No.:	250602GC8A2		250602GC8A2		250602GC8A2		250602GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	2.5	0.010	76	0.010	60	0.010	71	0.010
Oxygen/Argon	20	0.50	0.81	0.50	0.85	0.50	0.63	0.50
Nitrogen	76	1.0	3.7	1.0	3.1	1.0	3.0	1.0
Methane	0.19	0.0010	11	0.0010	31	0.0010	21	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060206-05		S060206-07		S060206-08		S060206-10	
Client Sample I.D.:	CV-24140		CV-2347		CV-24143		CV-24139	
Date/Time Sampled:	6/2/25 9:55		6/2/25 8:50		6/2/25 9:45		6/2/25 10:01	
Date/Time Analyzed:	6/2/25 15:55		6/2/25 16:09		6/2/25 16:24		6/2/25 16:38	
QC Batch No.:	250602GC8A2		250602GC8A2		250602GC8A2		250602GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	72	0.010	74	0.010	49	0.010	ND	0.010
Oxygen/Argon	0.90	0.50	1.1	0.50	7.7	0.50	20	0.50
Nitrogen	3.3	1.0	6.6	1.0	31	1.0	75	1.0
Methane	3.0	0.0010	12	0.0010	1.6	0.0010	0.14	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date: 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060206-14		S060206-15					
Client Sample I.D.:	CV-2348		CV-2346					
Date/Time Sampled:	6/2/25 8:45		6/2/25 8:55					
Date/Time Analyzed:	6/2/25 17:19		6/2/25 17:33					
QC Batch No.:	250602GC8A2		250602GC8A2					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**				
Carbon Dioxide	46	0.010	76	0.010				
Oxygen/Argon	2.6	0.50	1.9	0.50				
Nitrogen	22	1.0	7.0	1.0				
Methane	28	0.0010	4.4	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250602GC8A2
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/2/25 14:13			6/2/25 13:15		6/2/25 13:29					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.8	107	10.8	108	0.6	70	130	30
Oxygen/Argon	ND	0.50	15	15.3	101	15.3	102	0.4	70	130	30
Nitrogen	ND	1.0	70	74.0	106	74.3	106	0.4	70	130	30
Methane	ND	0.0010	0.10	0.101	100	0.0995	99	1.1	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/9/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060206-06		S060206-09		S060206-11		S060206-12	
Client Sample I.D.:	CV-24140		CV-24143		CV-24138		CV-24139	
Date/Time Sampled:	6/2/25 9:56		6/2/25 9:46		6/2/25 10:03		6/2/25 10:00	
Date/Time Analyzed:	6/2/25 19:10		6/2/25 19:49		6/2/25 20:26		6/2/25 21:04	
QC Batch No.:	250602MS2A1		250602MS2A1		250602MS2A1		250602MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	9,000		13,000		3,000		3,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Chloromethane	13,000	9,000	ND	13,000	ND	3,000	ND	3,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Vinyl Chloride	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Bromomethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Chloroethane	ND	45,000	ND	65,000	ND	15,000	ND	15,000
Trichlorofluoromethane (11)	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,1-Dichloroethene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Carbon Disulfide	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Acetone	1,000,000	45,000	1,600,000	65,000	220,000	15,000	230,000	15,000
Methylene Chloride	ND	9,000	ND	13,000	ND	3,000	ND	3,000
t-1,2-Dichloroethene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,1-Dichloroethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Vinyl Acetate	ND	9,000	ND	13,000	ND	3,000	ND	3,000
c-1,2-Dichloroethene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
2-Butanone	550,000	45,000	690,000	65,000	110,000	15,000	150,000	15,000
t-Butyl Methyl Ether (MTBE)	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Chloroform	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,1,1-Trichloroethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Carbon Tetrachloride	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Benzene	190,000	9,000	180,000	13,000	22,000	3,000	40,000	3,000
1,2-Dichloroethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Trichloroethene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,2-Dichloropropane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Bromodichloromethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
c-1,3-Dichloropropene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
4-Methyl-2-Pentanone	9,500	9,000	ND	13,000	ND	3,000	3,300	3,000
Toluene	14,000	9,000	14,000	13,000	ND	3,000	3,000	3,000
t-1,3-Dichloropropene	ND	18,000	ND	26,000	ND	6,000	ND	6,000
1,1,2-Trichloroethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Tetrachloroethene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
2-Hexanone	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Dibromochloromethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060206-06		S060206-09		S060206-11		S060206-12	
Client Sample I.D.:	CV-24140		CV-24143		CV-24138		CV-24139	
Date/Time Sampled:	6/2/25 9:56		6/2/25 9:46		6/2/25 10:03		6/2/25 10:00	
Date/Time Analyzed:	6/2/25 19:10		6/2/25 19:49		6/2/25 20:26		6/2/25 21:04	
QC Batch No.:	250602MS2A1		250602MS2A1		250602MS2A1		250602MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	9,000		13,000		3,000		3,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Chlorobenzene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Ethylbenzene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
p,&m-Xylene	ND	18,000	ND	26,000	ND	6,000	ND	6,000
o-Xylene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Styrene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Bromoform	ND Q	9,000	ND Q	13,000	ND Q	3,000	ND Q	3,000
1,1,2,2-Tetrachloroethane	ND	9,000	ND	13,000	ND	3,000	ND	3,000
Benzyl Chloride	ND	9,000	ND	13,000	ND	3,000	ND	3,000
4-Ethyl Toluene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,3,5-Trimethylbenzene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,2,4-Trimethylbenzene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,3-Dichlorobenzene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,4-Dichlorobenzene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,2-Dichlorobenzene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,2,4-Trichlorobenzene	ND	18,000	ND	26,000	ND	6,000	ND	6,000
Hexachlorobutadiene	ND	9,000	ND	13,000	ND	3,000	ND	3,000
1,3-Butadiene	ND	45,000	ND	65,000	ND	15,000	ND	15,000
Isopropanol	190,000	45,000	230,000	65,000	44,000	15,000	63,000	15,000
n-Hexane	ND	45,000	ND	65,000	ND	15,000	ND	15,000
Ethyl Acetate	47,000 Q	45,000	ND	65,000	ND	15,000	ND	15,000
Tetrahydrofuran	520,000	45,000	700,000	65,000	81,000	15,000	120,000	15,000
Cyclohexane	ND	45,000	ND	65,000	ND	15,000	ND	15,000
Heptane	ND	45,000	ND	65,000	ND	15,000	ND	15,000
1,4-Dioxane	ND	45,000	ND	65,000	ND	15,000	ND	15,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ **Date** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060206-13
Client Sample I.D.:	CV-108-52
Date/Time Sampled:	6/2/25 9:25
Date/Time Analyzed:	6/2/25 21:41
QC Batch No.:	250602MS2A1
Analyst Initials:	AS
Dilution Factor:	2,000

ANALYTE	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	2,000
Chloromethane	ND	2,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	2,000
Vinyl Chloride	ND	2,000
Bromomethane	ND	2,000
Chloroethane	ND	10,000
Trichlorofluoromethane (11)	ND	2,000
1,1-Dichloroethene	ND	2,000
Carbon Disulfide	ND	2,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	2,000
Acetone	190,000	10,000
Methylene Chloride	ND	2,000
t-1,2-Dichloroethene	ND	2,000
1,1-Dichloroethane	ND	2,000
Vinyl Acetate	ND	2,000
c-1,2-Dichloroethene	ND	2,000
2-Butanone	100,000	10,000
t-Butyl Methyl Ether (MTBE)	ND	2,000
Chloroform	ND	2,000
1,1,1-Trichloroethane	ND	2,000
Carbon Tetrachloride	ND	2,000
Benzene	130,000	2,000
1,2-Dichloroethane	ND	2,000
Trichloroethene	ND	2,000
1,2-Dichloropropane	ND	2,000
Bromodichloromethane	ND	2,000
c-1,3-Dichloropropene	ND	2,000
4-Methyl-2-Pentanone	3,100	2,000
Toluene	4,200	2,000
t-1,3-Dichloropropene	ND	4,000
1,1,2-Trichloroethane	ND	2,000
Tetrachloroethene	ND	2,000
2-Hexanone	ND	2,000
Dibromochloromethane	ND	2,000

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060206-13
Client Sample I.D.:	CV-108-52
Date/Time Sampled:	6/2/25 9:25
Date/Time Analyzed:	6/2/25 21:41
QC Batch No.:	250602MS2A1
Analyst Initials:	AS
Dilution Factor:	2,000

ANALYTE	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	2,000
Chlorobenzene	ND	2,000
Ethylbenzene	ND	2,000
p,&m-Xylene	ND	4,000
o-Xylene	ND	2,000
Styrene	ND	2,000
Bromoform	ND Q	2,000
1,1,2,2-Tetrachloroethane	ND	2,000
Benzyl Chloride	ND	2,000
4-Ethyl Toluene	ND	2,000
1,3,5-Trimethylbenzene	ND	2,000
1,2,4-Trimethylbenzene	ND	2,000
1,3-Dichlorobenzene	ND	2,000
1,4-Dichlorobenzene	ND	2,000
1,2-Dichlorobenzene	ND	2,000
1,2,4-Trichlorobenzene	ND	4,000
Hexachlorobutadiene	ND	2,000
1,3-Butadiene	ND	10,000
Isopropanol	86,000	10,000
n-Hexane	ND	10,000
Ethyl Acetate	17,000 Q	10,000
Tetrahydrofuran	130,000	10,000
Cyclohexane	ND	10,000
Heptane	ND	10,000
1,4-Dioxane	ND	10,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ **Date** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK
Client Sample I.D.:	-
Date/Time Sampled:	-
Date/Time Analyzed:	6/2/25 11:43
QC Batch No.:	250602MS2A1
Analyst Initials:	AS
Dilution Factor:	0.20

ANALYTE	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	0.20
Chloromethane	ND	0.20
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20
Vinyl Chloride	ND	0.20
Bromomethane	ND	0.20
Chloroethane	ND	1.0
Trichlorofluoromethane (11)	ND	0.20
1,1-Dichloroethene	ND	0.20
Carbon Disulfide	ND	0.20
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20
Acetone	ND	1.0
Methylene Chloride	ND	0.20
t-1,2-Dichloroethene	ND	0.20
1,1-Dichloroethane	ND	0.20
Vinyl Acetate	ND	0.20
c-1,2-Dichloroethene	ND	0.20
2-Butanone	ND	1.0
t-Butyl Methyl Ether (MTBE)	ND	0.20
Chloroform	ND	0.20
1,1,1-Trichloroethane	ND	0.20
Carbon Tetrachloride	ND	0.20
Benzene	ND	0.20
1,2-Dichloroethane	ND	0.20
Trichloroethene	ND	0.20
1,2-Dichloropropane	ND	0.20
Bromodichloromethane	ND	0.20
c-1,3-Dichloropropene	ND	0.20
4-Methyl-2-Pentanone	ND	0.20
Toluene	ND	0.20
t-1,3-Dichloropropene	ND	0.40
1,1,2-Trichloroethane	ND	0.20
Tetrachloroethene	ND	0.20
2-Hexanone	ND	0.20
Dibromochloromethane	ND	0.20

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/02/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK
Client Sample I.D.:	-
Date/Time Sampled:	-
Date/Time Analyzed:	6/2/25 11:43
QC Batch No.:	250602MS2A1
Analyst Initials:	AS
Dilution Factor:	0.20

ANALYTE	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	0.20
Chlorobenzene	ND	0.20
Ethylbenzene	ND	0.20
p,&m-Xylene	ND	0.40
o-Xylene	ND	0.20
Styrene	ND	0.20
Bromoform	ND Q	0.20
1,1,2,2-Tetrachloroethane	ND	0.20
Benzyl Chloride	ND	0.20
4-Ethyl Toluene	ND	0.20
1,3,5-Trimethylbenzene	ND	0.20
1,2,4-Trimethylbenzene	ND	0.20
1,3-Dichlorobenzene	ND	0.20
1,4-Dichlorobenzene	ND	0.20
1,2-Dichlorobenzene	ND	0.20
1,2,4-Trichlorobenzene	ND	0.40
Hexachlorobutadiene	ND	0.20
1,3-Butadiene	ND	1.0
Isopropanol	ND	1.0
n-Hexane	ND	1.0
Ethyl Acetate	ND	1.0
Tetrahydrofuran	ND	1.0
Cyclohexane	ND	1.0
Heptane	ND	1.0
1,4-Dioxane	ND	1.0

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ Date 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250602MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/2/25 11:43			6/2/25 10:27		6/2/25 11:05					
Analyst Initials:	AS			AS		AS					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	10.00	100	9.82	98	1.8	70	130	30
Methylene Chloride	ND	0.20	10	10.3	103	9.95	100	3.2	70	130	30
Trichloroethene	ND	0.20	10	9.78	98	9.38	94	4.3	70	130	30
Toluene	ND	0.20	10	9.63	96	9.23	92	4.2	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	9.69	97	9.46	95	2.4	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Air TECHNOLOGY Laboratories, Inc.

June 18, 2025

SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C, ASTM D1946, RSK-175

TX Cert T104704450-14-6
EPA Methods TO14A, TO15

UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175

ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S060301-01/10

Enclosed are the results for sample(s) received 6/3/25 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA Method TO-15 – Samples collected in Mylar bags. Quadratic regression calibration was required for vinyl acetate, benzyl chloride and 1,2,4-trichlorobenzene.
- Ethyl acetate exhibited high recovery in the initial calibration verification indicating possible high bias. Results above the reporting limit were flagged with the Q qualifier.
- Bromoform exhibited low recovery in the initial calibration verification indicating possible low bias. Results were flagged with the Q qualifier.
- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 6/12/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

CHAIN OF CUSTODY RECORD

TURNAROUND TIME

Standard ■ 48 hours ☐
Same Day ☐ 72 hours ☐
24 hours ☐ 96 hours ☐
Other:

DELIVERABLES

EDD ■
EDF ☐
Level 3 ☐
Level 4 ☐

PAGE: 1 OF

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.: 07-SO05310
Bill to:
07FSAccountspayable@scsengineers.com
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
SO60301-01	CV-2351	6/3/2025	8:39AM	2-1L	Gas	N	x	x	x	X		
-02	CV-2315	6/3/2025	10:11AM	2-1L	Gas	N	X	X	X	X		
-03	CV-1532A	6/3/2025	8:10AM	2-1L	Gas	N	x	x	x	x		
-04	CV-2312	6/3/2025	10:02AM	2-1L	Gas	N	X	X	X	X		
-05	CV-2302	6/3/2025	9:23AM	2-1L	Gas	N	X	X	X	X		
-06	CV-~~23028~~ 2328 mdl 6/4/25 per J.KIM	6/3/2025	9:48AM	1L	Gas	N	x	x	x			
-07	CV-24071	6/3/2025	9:40AM	1L	Gas	N	x	x	x			
-08	CV-2353	6/3/2025	8:20AM	1L	Gas	N	x	x	x			
-09	CV-2352	6/3/2025	8:34AM	1L	Gas	N	x	x	x			
-16	CV-24141	6/3/2025	8:48AM	1L	Gas	N	x	x	x			

	COMPANY	DATE/TIME
AUTHORIZATION TO PERFORM WORK		
SAMPLED BY: Robert Vargas	SCS	6.03.25 11:45am
RELINQUISHED BY: Robert Vargas	DATE/TIME: 06.03.25	RECEIVED BY: L Ferrer — DATE/TIME: 6/3/25 11:54
RELINQUISHED BY: L Ferrer	DATE/TIME: 6/3/25 12:53	RECEIVED BY: A. Sotelo Sanchez — DATE/TIME: 6/3/25 12:59
RELINQUISHED BY	DATE/TIME	RECEIVED BY — DATE/TIME

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060301-01		S060301-02		S060301-03		S060301-04	
Client Sample I.D.:	CV-2351		CV-2315		CV-1532A		CV-2312	
Date/Time Sampled:	6/3/25 8:39		6/3/25 10:11		6/3/25 8:10		6/3/25 10:02	
Date/Time Analyzed:	6/3/25 17:47		6/3/25 18:01		6/3/25 18:16		6/3/25 18:30	
QC Batch No.:	250603GC8A2		250603GC8A2		250603GC8A2		250603GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	330	10	1,200	10	1,600	10	2,000	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-11-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060301-05		S060301-06		S060301-07		S060301-08	
Client Sample I.D.:	CV-2302		CV-2328		CV-24071		CV-2353	
Date/Time Sampled:	6/3/25 9:23		6/3/25 9:48		6/3/25 9:40		6/3/25 8:20	
Date/Time Analyzed:	6/3/25 18:45		6/3/25 18:59		6/3/25 19:14		6/3/25 19:28	
QC Batch No.:	250603GC8A2		250603GC8A2		250603GC8A2		250603GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	96	10	820	10	100	10	580	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Amika Sotelo-Sanchez
Mark Johnson
Operations Manager

Date 6-11-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060301-09		S060301-10					
Client Sample I.D.:	CV-2352		CV-24141					
Date/Time Sampled:	6/3/25 8:34		6/3/25 8:48					
Date/Time Analyzed:	6/3/25 19:43		6/3/25 19:57					
QC Batch No.:	250603GC8A2		250603GC8A2					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv				
Carbon Monoxide	170	10	31	10				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-11-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250603GC8A2
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/3/25 17:32			6/3/25 16:34		6/3/25 16:49					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,100	109	1,100	108	0.7	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Amika Sotelo-Sanchez
Mark Johnson
Operations Manager

Date 6-11-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060301-01			S060301-02			S060301-03			S060301-04		
Client Sample I.D.:	CV-2351			CV-2315			CV-1532A			CV-2312		
Date/Time Sampled:	6/3/25 8:39			6/3/25 10:11			6/3/25 8:10			6/3/25 10:02		
Date/Time Analyzed:	6/3/25 17:47			6/3/25 18:01			6/3/25 18:16			6/3/25 18:30		
QC Batch No.:	250603GC8A2			250603GC8A2			250603GC8A2			250603GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	2.3	1.0	0.059	5.8	1.0	0.059	22	1.0	0.059	11	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6-11-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060301-05			S060301-06			S060301-07			S060301-08		
Client Sample I.D.:	CV-2302			CV-2328			CV-24071			CV-2353		
Date/Time Sampled:	6/3/25 9:23			6/3/25 9:48			6/3/25 9:40			6/3/25 8:20		
Date/Time Analyzed:	6/3/25 18:45			6/3/25 18:59			6/3/25 19:14			6/3/25 19:28		
QC Batch No.:	250603GC8A2			250603GC8A2			250603GC8A2			250603GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	1.8	1.0	0.059	6.5	1.0	0.059	1.3	1.0	0.059	11	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6-11-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060301-09			S060301-10								
Client Sample I.D.:	CV-2352			CV-24141								
Date/Time Sampled:	6/3/25 8:34			6/3/25 8:48								
Date/Time Analyzed:	6/3/25 19:43			6/3/25 19:57								
QC Batch No.:	250603GC8A2			250603GC8A2								
Analyst Initials:	KD			KD								
Dilution Factor:	1.0			1.0								
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v						
Hydrogen	2.5	1.0	0.059	0.15 J	1.0	0.059						

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-11-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250603GC8A2
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/3/25 17:32				6/3/25 16:34		6/3/25 16:49					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	5.31	107	4.93	99	7.3	70	130	30

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-11-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060301-01		S060301-02		S060301-03		S060301-04	
Client Sample I.D.:	CV-2351		CV-2315		CV-1532A		CV-2312	
Date/Time Sampled:	6/3/25 8:39		6/3/25 10:11		6/3/25 8:10		6/3/25 10:02	
Date/Time Analyzed:	6/3/25 17:47		6/3/25 18:01		6/3/25 18:16		6/3/25 18:30	
QC Batch No.:	250603GC8A2		250603GC8A2		250603GC8A2		250603GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**
Carbon Dioxide	10	0.010	71	0.010	61	0.010	76	0.010
Oxygen/Argon	18	0.50	1.7	0.50	3.0	0.50	0.95	0.50
Nitrogen	69	1.0	8.4	1.0	13	1.0	3.5	1.0
Methane	0.15	0.0010	12	0.0010	0.51	0.0010	7.3	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-11-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060301-05		S060301-06		S060301-07		S060301-08	
Client Sample I.D.:	CV-2302		CV-2328		CV-24071		CV-2353	
Date/Time Sampled:	6/3/25 9:23		6/3/25 9:48		6/3/25 9:40		6/3/25 8:20	
Date/Time Analyzed:	6/3/25 18:45		6/3/25 18:59		6/3/25 19:14		6/3/25 19:28	
QC Batch No.:	250603GC8A2		250603GC8A2		250603GC8A2		250603GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	47	0.010	76	0.010	49	0.010	32	0.010
Oxygen/Argon	0.81	0.50	0.58	0.50	2.0	0.50	12	0.50
Nitrogen	3.0	1.0	2.2	1.0	7.4	1.0	44	1.0
Methane	47	0.0010	14	0.0010	40	0.0010	0.83	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-11-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060301-09		S060301-10					
Client Sample I.D.:	CV-2352		CV-24141					
Date/Time Sampled:	6/3/25 8:34		6/3/25 8:48					
Date/Time Analyzed:	6/3/25 19:43		6/3/25 19:57					
QC Batch No.:	250603GC8A2		250603GC8A2					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**				
Carbon Dioxide	9.3	0.010	45	0.010				
Oxygen/Argon	18	0.50	1.7	0.50				
Nitrogen	69	1.0	6.5	1.0				
Methane	0.21	0.0010	46	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____
Mark Johnson
Operations Manager

Date 6-11-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250603GC8A2
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/3/25 17:32			6/3/25 16:34		6/3/25 16:49					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	11.2	111	11.1	111	0.0	70	130	30
Oxygen/Argon	ND	0.50	15	16.2	108	16.2	108	0.0	70	130	30
Nitrogen	ND	1.0	70	78.4	112	78.3	112	0.1	70	130	30
Methane	ND	0.0010	0.10	0.104	103	0.103	102	1.0	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Monika Sotelo Sanchez

Date 6-11-25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060301-01		S060301-02		S060301-03		S060301-04	
Client Sample I.D.:	CV-2351		CV-2315		CV-1532A		CV-2312	
Date/Time Sampled:	6/3/25 8:39		6/3/25 10:11		6/3/25 8:10		6/3/25 10:02	
Date/Time Analyzed:	6/3/25 14:39		6/3/25 15:16		6/3/25 15:54		6/3/25 16:32	
QC Batch No.:	250603MS2A1		250603MS2A1		250603MS2A1		250603MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	3,000		3,000		13,000		7,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Chloromethane	ND	3,000	ND	3,000	17,000	13,000	ND	7,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Vinyl Chloride	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Bromomethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Chloroethane	ND	15,000	ND	15,000	ND	65,000	ND	35,000
Trichlorofluoromethane (11)	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,1-Dichloroethene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Carbon Disulfide	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Acetone	440,000	15,000	400,000	15,000	370,000	65,000	250,000	35,000
Methylene Chloride	ND	3,000	ND	3,000	ND	13,000	ND	7,000
t-1,2-Dichloroethene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,1-Dichloroethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Vinyl Acetate	ND	3,000	ND	3,000	ND	13,000	ND	7,000
c-1,2-Dichloroethene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
2-Butanone	230,000	15,000	220,000	15,000	200,000	65,000	160,000	35,000
t-Butyl Methyl Ether (MTBE)	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Chloroform	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,1,1-Trichloroethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Carbon Tetrachloride	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Benzene	43,000	3,000	160,000	3,000	200,000	13,000	110,000	7,000
1,2-Dichloroethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Trichloroethene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,2-Dichloropropane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Bromodichloromethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
c-1,3-Dichloropropene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
4-Methyl-2-Pentanone	4,100	3,000	4,400	3,000	ND	13,000	ND	7,000
Toluene	ND	3,000	5,400	3,000	ND	13,000	ND	7,000
t-1,3-Dichloropropene	ND	6,000	ND	6,000	ND	26,000	ND	14,000
1,1,2-Trichloroethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Tetrachloroethene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
2-Hexanone	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Dibromochloromethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060301-01		S060301-02		S060301-03		S060301-04	
Client Sample I.D.:	CV-2351		CV-2315		CV-1532A		CV-2312	
Date/Time Sampled:	6/3/25 8:39		6/3/25 10:11		6/3/25 8:10		6/3/25 10:02	
Date/Time Analyzed:	6/3/25 14:39		6/3/25 15:16		6/3/25 15:54		6/3/25 16:32	
QC Batch No.:	250603MS2A1		250603MS2A1		250603MS2A1		250603MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	3,000		3,000		13,000		7,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Chlorobenzene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Ethylbenzene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
p,&m-Xylene	ND	6,000	ND	6,000	ND	26,000	ND	14,000
o-Xylene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Styrene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Bromoform	ND Q	3,000	ND Q	3,000	ND Q	13,000	ND Q	7,000
1,1,2,2-Tetrachloroethane	ND	3,000	ND	3,000	ND	13,000	ND	7,000
Benzyl Chloride	ND	3,000	ND	3,000	ND	13,000	ND	7,000
4-Ethyl Toluene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,3,5-Trimethylbenzene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,2,4-Trimethylbenzene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,3-Dichlorobenzene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,4-Dichlorobenzene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,2-Dichlorobenzene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,2,4-Trichlorobenzene	ND	6,000	ND	6,000	ND	26,000	ND	14,000
Hexachlorobutadiene	ND	3,000	ND	3,000	ND	13,000	ND	7,000
1,3-Butadiene	ND	15,000	ND	15,000	ND	65,000	ND	35,000
Isopropanol	93,000	15,000	140,000	15,000	ND	65,000	150,000	35,000
n-Hexane	ND	15,000	ND	15,000	ND	65,000	ND	35,000
Ethyl Acetate	15,000 Q	15,000	25,000 Q	15,000	ND	65,000	ND	35,000
Tetrahydrofuran	200,000	15,000	210,000	15,000	140,000	65,000	220,000	35,000
Cyclohexane	ND	15,000	ND	15,000	ND	65,000	ND	35,000
Heptane	ND	15,000	ND	15,000	ND	65,000	ND	35,000
1,4-Dioxane	ND	15,000	ND	15,000	ND	65,000	ND	35,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ **Date** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060301-05
Client Sample I.D.:	CV-2302
Date/Time Sampled:	6/3/25 9:23
Date/Time Analyzed:	6/3/25 17:10
QC Batch No.:	250603MS2A1
Analyst Initials:	AS
Dilution Factor:	3,000

ANALYTE	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	3,000
Chloromethane	ND	3,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	3,000
Vinyl Chloride	ND	3,000
Bromomethane	ND	3,000
Chloroethane	ND	15,000
Trichlorofluoromethane (11)	ND	3,000
1,1-Dichloroethene	ND	3,000
Carbon Disulfide	ND	3,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	3,000
Acetone	170,000	15,000
Methylene Chloride	ND	3,000
t-1,2-Dichloroethene	ND	3,000
1,1-Dichloroethane	ND	3,000
Vinyl Acetate	ND	3,000
c-1,2-Dichloroethene	ND	3,000
2-Butanone	130,000	15,000
t-Butyl Methyl Ether (MTBE)	ND	3,000
Chloroform	ND	3,000
1,1,1-Trichloroethane	ND	3,000
Carbon Tetrachloride	ND	3,000
Benzene	71,000	3,000
1,2-Dichloroethane	ND	3,000
Trichloroethene	ND	3,000
1,2-Dichloropropane	ND	3,000
Bromodichloromethane	ND	3,000
c-1,3-Dichloropropene	ND	3,000
4-Methyl-2-Pentanone	ND	3,000
Toluene	4,100	3,000
t-1,3-Dichloropropene	ND	6,000
1,1,2-Trichloroethane	ND	3,000
Tetrachloroethene	ND	3,000
2-Hexanone	ND	3,000
Dibromochloromethane	ND	3,000

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060301-05
Client Sample I.D.:	CV-2302
Date/Time Sampled:	6/3/25 9:23
Date/Time Analyzed:	6/3/25 17:10
QC Batch No.:	250603MS2A1
Analyst Initials:	AS
Dilution Factor:	3,000

ANALYTE	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	3,000
Chlorobenzene	ND	3,000
Ethylbenzene	ND	3,000
p,&m-Xylene	ND	6,000
o-Xylene	ND	3,000
Styrene	ND	3,000
Bromoform	ND Q	3,000
1,1,2,2-Tetrachloroethane	ND	3,000
Benzyl Chloride	ND	3,000
4-Ethyl Toluene	ND	3,000
1,3,5-Trimethylbenzene	ND	3,000
1,2,4-Trimethylbenzene	ND	3,000
1,3-Dichlorobenzene	ND	3,000
1,4-Dichlorobenzene	ND	3,000
1,2-Dichlorobenzene	ND	3,000
1,2,4-Trichlorobenzene	ND	6,000
Hexachlorobutadiene	ND	3,000
1,3-Butadiene	ND	15,000
Isopropanol	96,000	15,000
n-Hexane	ND	15,000
Ethyl Acetate	15,000 Q	15,000
Tetrahydrofuran	120,000	15,000
Cyclohexane	ND	15,000
Heptane	ND	15,000
1,4-Dioxane	ND	15,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ **Date** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK
Client Sample I.D.:	-
Date/Time Sampled:	-
Date/Time Analyzed:	6/3/25 5:59
QC Batch No.:	250603MS2A1
Analyst Initials:	AS
Dilution Factor:	0.20

ANALYTE	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	0.20
Chloromethane	ND	0.20
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20
Vinyl Chloride	ND	0.20
Bromomethane	ND	0.20
Chloroethane	ND	1.0
Trichlorofluoromethane (11)	ND	0.20
1,1-Dichloroethene	ND	0.20
Carbon Disulfide	ND	0.20
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20
Acetone	ND	1.0
Methylene Chloride	ND	0.20
t-1,2-Dichloroethene	ND	0.20
1,1-Dichloroethane	ND	0.20
Vinyl Acetate	ND	0.20
c-1,2-Dichloroethene	ND	0.20
2-Butanone	ND	1.0
t-Butyl Methyl Ether (MTBE)	ND	0.20
Chloroform	ND	0.20
1,1,1-Trichloroethane	ND	0.20
Carbon Tetrachloride	ND	0.20
Benzene	ND	0.20
1,2-Dichloroethane	ND	0.20
Trichloroethene	ND	0.20
1,2-Dichloropropane	ND	0.20
Bromodichloromethane	ND	0.20
c-1,3-Dichloropropene	ND	0.20
4-Methyl-2-Pentanone	ND	0.20
Toluene	ND	0.20
t-1,3-Dichloropropene	ND	0.40
1,1,2-Trichloroethane	ND	0.20
Tetrachloroethene	ND	0.20
2-Hexanone	ND	0.20
Dibromochloromethane	ND	0.20

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK
Client Sample I.D.:	-
Date/Time Sampled:	-
Date/Time Analyzed:	6/3/25 5:59
QC Batch No.:	250603MS2A1
Analyst Initials:	AS
Dilution Factor:	0.20

ANALYTE	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	0.20
Chlorobenzene	ND	0.20
Ethylbenzene	ND	0.20
p,&m-Xylene	ND	0.40
o-Xylene	ND	0.20
Styrene	ND	0.20
Bromoform	ND Q	0.20
1,1,2,2-Tetrachloroethane	ND	0.20
Benzyl Chloride	ND	0.20
4-Ethyl Toluene	ND	0.20
1,3,5-Trimethylbenzene	ND	0.20
1,2,4-Trimethylbenzene	ND	0.20
1,3-Dichlorobenzene	ND	0.20
1,4-Dichlorobenzene	ND	0.20
1,2-Dichlorobenzene	ND	0.20
1,2,4-Trichlorobenzene	ND	0.40
Hexachlorobutadiene	ND	0.20
1,3-Butadiene	ND	1.0
Isopropanol	ND	1.0
n-Hexane	ND	1.0
Ethyl Acetate	ND	1.0
Tetrahydrofuran	ND	1.0
Cyclohexane	ND	1.0
Heptane	ND	1.0
1,4-Dioxane	ND	1.0

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ **Date** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250603MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/3/25 5:59			6/3/25 4:42		6/3/25 5:20					
Analyst Initials:	AS			AS		AS					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	9.56	96	9.49	95	0.7	70	130	30
Methylene Chloride	ND	0.20	10	9.77	98	9.69	97	0.8	70	130	30
Trichloroethene	ND	0.20	10	9.27	93	9.33	93	0.6	70	130	30
Toluene	ND	0.20	10	9.33	93	9.35	93	0.2	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	9.15	91	9.20	92	0.6	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6/9/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Air TECHNOLOGY Laboratories, Inc.

June 19, 2025

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C, ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S060403-01/10

Enclosed are the results for sample(s) received 6/4/25 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA Method TO-15 – Samples collected in Mylar bags. Quadratic regression calibration was required for vinyl acetate, benzyl chloride and 1,2,4-trichlorobenzene.
- Bromoform exhibited low recovery in the initial calibration verification indicating a possible low bias. Results are flagged with the Q qualifier.
- Ethyl acetate exhibited high recovery in the initial calibration verification indicating a possible high bias. Detected results are flagged with the Q qualifier.
- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim Art Jones, and Ali Ferrara on 6/16/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

CHAIN OF CUSTODY RECORD

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 OF

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.:	07-SO05310
Bill to:	
	07FSAccountspayable@scsengineers.com
	3900 Kilroy Airport Way, Suite 100
	Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
4 no 6/4/25												
S060403-01	CV-2001	6/4/2025	10:00am	2-1L	Gas	N	X	X	X	X		
-02	CV-2002	6/4/2025	10:20am	2-1L	Gas	N	X	X	X	X		
-03	CV-2007	6/4/2025	8:22am	2-1L	Gas	N	X	X	X	X		
-04	CV-24127	6/4/2025	8:06am	2-1L	Gas	N	X	X	X	X		
-05	CV-1902A	6/4/2025	9:50am	2-1L	Gas	N	X	X	X	X		
-06	CV-24125	6/4/2025	8:53am	1L	Gas	N	X	X	X			
-07	CV-24126	6/4/2025	9:06am	1L	Gas	N	X					
-08	CV-24128	6/4/2025	8:45am	1L	Gas	N	X	X	X			
-09	CV-24064	6/4/2025	9:16am	1L	Gas	N	X	X	X			
-10	CV-24123	6/4/2025	8:36am	1L	Gas	N	X			no 6/4/25		

	COMPANY	DATE/TIME
AUTHORIZATION TO PERFORM WORK		
SAMPLED BY: Robert Vargas	SCS	6.04.25
RELINQUISHED BY: Robert Vargas 6.04.25	RECEIVED BY: S Fenner	6/4/25 11:42
RELINQUISHED BY: S Fenner 6/4/25 12:44	RECEIVED BY:	6/4/25 12:44
RELINQUISHED BY	RECEIVED BY	

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060403-01		S060403-02		S060403-03		S060403-04	
Client Sample I.D.:	CV-2001		CV-2002		CV-2007		CV-24127	
Date/Time Sampled:	6/4/25 10:00		6/4/25 10:20		6/4/25 8:22		6/4/25 8:06	
Date/Time Analyzed:	6/4/25 15:05		6/4/25 15:19		6/4/25 15:34		6/4/25 15:48	
QC Batch No.:	250604GC8A1		250604GC8A1		250604GC8A1		250604GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	100	10	100	10	120	10	790	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 6-16-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060403-05		S060403-06		S060403-08		S060403-09	
Client Sample I.D.:	CV-1902A		CV-24125		CV-24128		CV-24064	
Date/Time Sampled:	6/4/25 9:50		6/4/25 8:53		6/4/25 8:45		6/4/25 9:16	
Date/Time Analyzed:	6/4/25 16:03		6/4/25 16:17		6/4/25 16:46		6/4/25 17:01	
QC Batch No.:	250604GC8A1		250604GC8A1		250604GC8A1		250604GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	1,200	10	50	10	440	10	2,200	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-16-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250604GC8A1
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/4/25 10:01			6/4/25 9:17		6/4/25 9:32					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,100	109	1,100	108	0.7	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6-16-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060403-01			S060403-02			S060403-03			S060403-04		
Client Sample I.D.:	CV-2001			CV-2002			CV-2007			CV-24127		
Date/Time Sampled:	6/4/25 10:00			6/4/25 10:20			6/4/25 8:22			6/4/25 8:06		
Date/Time Analyzed:	6/4/25 15:05			6/4/25 15:19			6/4/25 15:34			6/4/25 15:48		
QC Batch No.:	250604GC8A1			250604GC8A1			250604GC8A1			250604GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	0.86 J	1.0	0.059	0.12 J	1.0	0.059	0.58 J	1.0	0.059	6.0	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6-16-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060403-05			S060403-06			S060403-08			S060403-09		
Client Sample I.D.:	CV-1902A			CV-24125			CV-24128			CV-24064		
Date/Time Sampled:	6/4/25 9:50			6/4/25 8:53			6/4/25 8:45			6/4/25 9:16		
Date/Time Analyzed:	6/4/25 16:03			6/4/25 16:17			6/4/25 16:46			6/4/25 17:01		
QC Batch No.:	250604GC8A1			250604GC8A1			250604GC8A1			250604GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	17	1.0	0.059	0.28 J	1.0	0.059	3.5	1.0	0.059	6.9	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250604GC8A1
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/4/25 10:01				6/4/25 9:17		6/4/25 9:32					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	5.04	101	4.97	100	1.5	70	130	30

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Monika Sotelo Sanchez

Mark Johnson
Operations Manager

Date 6-16-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060403-01		S060403-02		S060403-03		S060403-04	
Client Sample I.D.:	CV-2001		CV-2002		CV-2007		CV-24127	
Date/Time Sampled:	6/4/25 10:00		6/4/25 10:20		6/4/25 8:22		6/4/25 8:06	
Date/Time Analyzed:	6/4/25 15:05		6/4/25 15:19		6/4/25 15:34		6/4/25 15:48	
QC Batch No.:	250604GC8A1		250604GC8A1		250604GC8A1		250604GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	70	0.010	48	0.010	25	0.010	50	0.010
Oxygen/Argon	4.0	0.50	1.7	0.50	14	0.50	2.3	0.50
Nitrogen	15	1.0	6.4	1.0	53	1.0	19	1.0
Methane	9.9	0.0010	43	0.0010	7.5	0.0010	22	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-16-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060403-05		S060403-06		S060403-07		S060403-08	
Client Sample I.D.:	CV-1902A		CV-24125		CV-24126		CV-24128	
Date/Time Sampled:	6/4/25 9:50		6/4/25 8:53		6/4/25 9:06		6/4/25 8:45	
Date/Time Analyzed:	6/4/25 16:03		6/4/25 16:17		6/4/25 16:32		6/4/25 16:46	
QC Batch No.:	250604GC8A1		250604GC8A1		250604GC8A1		250604GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**
Carbon Dioxide	72	0.010	15	0.010	27	0.010	47	0.010
Oxygen/Argon	1.7	0.50	15	0.50	11	0.50	2.6	0.50
Nitrogen	6.1	1.0	57	1.0	51	1.0	12	1.0
Methane	1.9	0.0010	13	0.0010	8.1	0.0010	34	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anita Sotelo Sanchez f. Date 6-16-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060403-09		S060403-10					
Client Sample I.D.:	CV-24064		CV-24123					
Date/Time Sampled:	6/4/25 9:16		6/4/25 8:36					
Date/Time Analyzed:	6/4/25 17:01		6/4/25 17:15					
QC Batch No.:	250604GC8A1		250604GC8A1					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**				
Carbon Dioxide	76	0.010	40	0.010				
Oxygen/Argon	2.4	0.50	4.0	0.50				
Nitrogen	9.8	1.0	15	1.0				
Methane	4.1	0.0010	41	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-16-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250604GC8A1
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/4/25 10:01			6/4/25 9:17		6/4/25 9:32					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	11.0	109	11.0	109	0.1	70	130	30
Oxygen/Argon	ND	0.50	15	16.2	108	16.2	108	0.3	70	130	30
Nitrogen	ND	1.0	70	78.3	112	78.5	113	0.3	70	130	30
Methane	ND	0.0010	0.10	0.105	104	0.104	103	0.6	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anita Sotelo Sanchez f. **Date** 6-16-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060403-01		S060403-02		S060403-03		S060403-04	
Client Sample I.D.:	CV-2001		CV-2002		CV-2007		CV-24127	
Date/Time Sampled:	6/4/25 10:00		6/4/25 10:20		6/4/25 8:22		6/4/25 8:06	
Date/Time Analyzed:	6/4/25 15:11		6/4/25 15:50		6/4/25 16:29		6/4/25 17:07	
QC Batch No.:	250604MS2A1		250604MS2A1		250604MS2A1		250604MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	4,000		2,500		1,000		1,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Chloromethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Vinyl Chloride	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Bromomethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Chloroethane	ND	20,000	ND	13,000	ND	5,000	ND	5,000
Trichlorofluoromethane (11)	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,1-Dichloroethene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Carbon Disulfide	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Acetone	400,000	20,000	260,000	13,000	120,000	5,000	140,000	5,000
Methylene Chloride	ND	4,000	ND	2,500	ND	1,000	ND	1,000
t-1,2-Dichloroethene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,1-Dichloroethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Vinyl Acetate	ND	4,000	ND	2,500	ND	1,000	ND	1,000
c-1,2-Dichloroethene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
2-Butanone	190,000	20,000	140,000	13,000	69,000	5,000	72,000	5,000
t-Butyl Methyl Ether (MTBE)	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Chloroform	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,1,1-Trichloroethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Carbon Tetrachloride	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Benzene	15,000	4,000	17,000	2,500	52,000	1,000	40,000	1,000
1,2-Dichloroethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Trichloroethene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,2-Dichloropropane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Bromodichloromethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
c-1,3-Dichloropropene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
4-Methyl-2-Pentanone	ND	4,000	ND	2,500	1,300	1,000	1,500	1,000
Toluene	ND	4,000	ND	2,500	1,300	1,000	1,100	1,000
t-1,3-Dichloropropene	ND	8,000	ND	5,000	ND	2,000	ND	2,000
1,1,2-Trichloroethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Tetrachloroethene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
2-Hexanone	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Dibromochloromethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060403-01		S060403-02		S060403-03		S060403-04	
Client Sample I.D.:	CV-2001		CV-2002		CV-2007		CV-24127	
Date/Time Sampled:	6/4/25 10:00		6/4/25 10:20		6/4/25 8:22		6/4/25 8:06	
Date/Time Analyzed:	6/4/25 15:11		6/4/25 15:50		6/4/25 16:29		6/4/25 17:07	
QC Batch No.:	250604MS2A1		250604MS2A1		250604MS2A1		250604MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	4,000		2,500		1,000		1,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Chlorobenzene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Ethylbenzene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
p,&m-Xylene	ND	8,000	ND	5,000	ND	2,000	ND	2,000
o-Xylene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Styrene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Bromoform	ND Q	4,000	ND Q	2,500	ND Q	1,000	ND Q	1,000
1,1,2,2-Tetrachloroethane	ND	4,000	ND	2,500	ND	1,000	ND	1,000
Benzyl Chloride	ND	4,000	ND	2,500	ND	1,000	ND	1,000
4-Ethyl Toluene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,3,5-Trimethylbenzene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,2,4-Trimethylbenzene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,3-Dichlorobenzene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,4-Dichlorobenzene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,2-Dichlorobenzene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,2,4-Trichlorobenzene	ND	8,000	ND	5,000	ND	2,000	ND	2,000
Hexachlorobutadiene	ND	4,000	ND	2,500	ND	1,000	ND	1,000
1,3-Butadiene	ND	20,000	ND	13,000	ND	5,000	ND	5,000
Isopropanol	75,000	20,000	69,000	13,000	40,000	5,000	47,000	5,000
n-Hexane	ND	20,000	ND	13,000	ND	5,000	ND	5,000
Ethyl Acetate	ND	20,000	ND	13,000	ND	5,000	6,200 Q	5,000
Tetrahydrofuran	120,000	20,000	80,000	13,000	50,000	5,000	53,000	5,000
Cyclohexane	ND	20,000	ND	13,000	ND	5,000	ND	5,000
Heptane	ND	20,000	ND	13,000	ND	5,000	ND	5,000
1,4-Dioxane	ND	20,000	ND	13,000	ND	5,000	ND	5,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ Date 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060403-05							
Client Sample I.D.:	CV-1902A							
Date/Time Sampled:	6/4/25 9:50							
Date/Time Analyzed:	6/4/25 17:45							
QC Batch No.:	250604MS2A1							
Analyst Initials:	AS							
Dilution Factor:	5,000							
ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	5,000						
Chloromethane	9,000	5,000						
1,2-Cl-1,1,2,2-F ethane (114)	ND	5,000						
Vinyl Chloride	ND	5,000						
Bromomethane	ND	5,000						
Chloroethane	ND	25,000						
Trichlorofluoromethane (11)	ND	5,000						
1,1-Dichloroethene	ND	5,000						
Carbon Disulfide	ND	5,000						
1,1,2-Cl 1,2,2-F ethane (113)	ND	5,000						
Acetone	1,000,000	25,000						
Methylene Chloride	ND	5,000						
t-1,2-Dichloroethene	ND	5,000						
1,1-Dichloroethane	ND	5,000						
Vinyl Acetate	ND	5,000						
c-1,2-Dichloroethene	ND	5,000						
2-Butanone	590,000	25,000						
t-Butyl Methyl Ether (MTBE)	ND	5,000						
Chloroform	ND	5,000						
1,1,1-Trichloroethane	ND	5,000						
Carbon Tetrachloride	ND	5,000						
Benzene	220,000	5,000						
1,2-Dichloroethane	ND	5,000						
Trichloroethene	ND	5,000						
1,2-Dichloropropane	ND	5,000						
Bromodichloromethane	ND	5,000						
c-1,3-Dichloropropene	ND	5,000						
4-Methyl-2-Pentanone	9,600	5,000						
Toluene	13,000	5,000						
t-1,3-Dichloropropene	ND	10,000						
1,1,2-Trichloroethane	ND	5,000						
Tetrachloroethene	ND	5,000						
2-Hexanone	ND	5,000						
Dibromochloromethane	ND	5,000						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060403-05
Client Sample I.D.:	CV-1902A
Date/Time Sampled:	6/4/25 9:50
Date/Time Analyzed:	6/4/25 17:45
QC Batch No.:	250604MS2A1
Analyst Initials:	AS
Dilution Factor:	5,000

ANALYTE	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	5,000
Chlorobenzene	ND	5,000
Ethylbenzene	ND	5,000
p,&m-Xylene	ND	10,000
o-Xylene	ND	5,000
Styrene	ND	5,000
Bromoform	ND Q	5,000
1,1,2,2-Tetrachloroethane	ND	5,000
Benzyl Chloride	ND	5,000
4-Ethyl Toluene	ND	5,000
1,3,5-Trimethylbenzene	ND	5,000
1,2,4-Trimethylbenzene	ND	5,000
1,3-Dichlorobenzene	ND	5,000
1,4-Dichlorobenzene	ND	5,000
1,2-Dichlorobenzene	ND	5,000
1,2,4-Trichlorobenzene	ND	10,000
Hexachlorobutadiene	ND	5,000
1,3-Butadiene	ND	25,000
Isopropanol	71,000	25,000
n-Hexane	ND	25,000
Ethyl Acetate	40,000 Q	25,000
Tetrahydrofuran	440,000	25,000
Cyclohexane	ND	25,000
Heptane	ND	25,000
1,4-Dioxane	ND	25,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ Date 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK							
Client Sample I.D.:	-							
Date/Time Sampled:	-							
Date/Time Analyzed:	6/4/25 5:59							
QC Batch No.:	250604MS2A1							
Analyst Initials:	AS							
Dilution Factor:	0.20							

ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	1.0						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	1.0						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	1.0						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.40						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/04/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK
Client Sample I.D.:	-
Date/Time Sampled:	-
Date/Time Analyzed:	6/4/25 5:59
QC Batch No.:	250604MS2A1
Analyst Initials:	AS
Dilution Factor:	0.20

ANALYTE	Result ppbv		RL ppbv
1,2-Dibromoethane	ND		0.20
Chlorobenzene	ND		0.20
Ethylbenzene	ND		0.20
p,&m-Xylene	ND		0.40
o-Xylene	ND		0.20
Styrene	ND		0.20
Bromoform	ND	Q	0.20
1,1,2,2-Tetrachloroethane	ND		0.20
Benzyl Chloride	ND		0.20
4-Ethyl Toluene	ND		0.20
1,3,5-Trimethylbenzene	ND		0.20
1,2,4-Trimethylbenzene	ND		0.20
1,3-Dichlorobenzene	ND		0.20
1,4-Dichlorobenzene	ND		0.20
1,2-Dichlorobenzene	ND		0.20
1,2,4-Trichlorobenzene	ND		0.40
Hexachlorobutadiene	ND		0.20
1,3-Butadiene	ND		1.0
Isopropanol	ND		1.0
n-Hexane	ND		1.0
Ethyl Acetate	ND		1.0
Tetrahydrofuran	ND		1.0
Cyclohexane	ND		1.0
Heptane	ND		1.0
1,4-Dioxane	ND		1.0

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ Date 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250604MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/4/25 5:59			6/4/25 4:42		6/4/25 5:20					
Analyst Initials:	AS			AS		AS					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	10.0	100	10.3	103	2.5	70	130	30
Methylene Chloride	ND	0.20	10	10.2	102	10.4	104	2.2	70	130	30
Trichloroethene	ND	0.20	10	9.67	97	9.79	98	1.2	70	130	30
Toluene	ND	0.20	10	9.55	95	9.50	95	0.5	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	9.75	98	9.92	99	1.7	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6/10/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Air TECHNOLOGY Laboratories, Inc.

June 19, 2025

SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C, ASTM D1946, RSK-175

TX Cert T104704450-14-6
EPA Methods TO14A, TO15

UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175

ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S060504-01/10

Enclosed are the results for sample(s) received 6/5/25 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA Method TO-15 – Samples collected in Mylar bags. Quadratic regression calibration was required for vinyl acetate, benzyl chloride and 1,2,4-trichlorobenzene.
- Bromoform exhibited low recovery in the initial calibration verification indicating a possible low bias. Results are flagged with the Q qualifier.
- Ethyl acetate exhibited high recovery in the initial calibration verification indicating a possible high bias. Detected results are flagged with the Q qualifier.
- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim and Ali Ferrara on 6/17/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

CHAIN OF CUSTODY RECORD

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 **OF**

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.:	07-SO05310
Bill to:	
	07FSAccountspayable@scsengineers.com
	3900 Kilroy Airport Way, Suite 100
	Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
SO60504-01	CV-24122	6/5/2025	8:00am	2-1L	Gas	N	X	X	X	X		
-02	CV-2301	6/5/2025	9:40am	2-1L	Gas	N	X	X	X	X		
-03	CV-2303	6/5/2025	10:00am	2-1L	Gas	N	X	X	X	X		
-04	CV-24007	6/5/2025	10:26am	2-1L	Gas	N	X	X	X	X		
-05	CV-2350	6/5/2025	10:10am	2-1L	Gas	N	X	X	X	X		
-06	CV-24121	6/5/2025	8:17am	1L	Gas	N	X	X	X			
-07	CV-24102	6/5/2025	8:30am	1L	Gas	N	X	X	X			
-08	CV-24120	6/5/2025	9:30am	1L	Gas	N	X	X	X			
-09	CV-24070	6/5/2025	9:05am	1L	Gas	N	X	X	X			
-10	CV-24069	6/5/2025	8:50am	1L	Gas	N	X	X	X			

	COMPANY	DATE/TIME
AUTHORIZATION TO PERFORM WORK		
SAMPLED BY: Robert Vargas	SCS	6.05.25 11:58am
RELINQUISHED BY: Robert Vargas	DATE/TIME: 6.05.25	RECEIVED BY: S Fenner DATE/TIME: 6/5/25 11:58
RELINQUISHED BY: S Fenner	DATE/TIME: 6/5/25 1:11	RECEIVED BY: DATE/TIME: 6/5/25 13:11
RELINQUISHED BY	DATE/TIME	RECEIVED BY DATE/TIME

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060504-01		S060504-02		S060504-03		S060504-04	
Client Sample I.D.:	CV-24122		CV-2301		CV-2303		CV-24007	
Date/Time Sampled:	6/5/25 8:00		6/5/25 9:40		6/5/25 10:00		6/5/25 10:26	
Date/Time Analyzed:	6/5/25 18:54		6/5/25 19:09		6/5/25 19:23		6/5/25 19:38	
QC Batch No.:	250605GC8A1		250605GC8A1		250605GC8A1		250605GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	12	10	520	10	1,600	10	540	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-17-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060504-05		S060504-06		S060504-07		S060504-08	
Client Sample I.D.:	CV-2350		CV-24121		CV-24102		CV-24120	
Date/Time Sampled:	6/5/25 10:10		6/5/25 8:17		6/5/25 8:30		6/5/25 9:30	
Date/Time Analyzed:	6/5/25 19:52		6/5/25 20:07		6/5/25 20:21		6/5/25 20:36	
QC Batch No.:	250605GC8A1		250605GC8A1		250605GC8A1		250605GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	2,100	10	220	10	32	10	63	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Amika Sotelo Sanchez f. Date 6-17-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S060504-09		S060504-10					
Client Sample I.D.:	CV-24070		CV-24069					
Date/Time Sampled:	6/5/25 9:05		6/5/25 8:50					
Date/Time Analyzed:	6/5/25 20:50		6/5/25 21:05					
QC Batch No.:	250605GC8A1		250605GC8A1					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv				
Carbon Monoxide	240	10	170	10				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Amika Sotelo-Sanchez f. Date 6-17-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250605GC8A1
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/5/25 10:48			6/5/25 9:50		6/5/25 10:04					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,100	109	1,080	107	1.2	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 6-17-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060504-01			S060504-02			S060504-03			S060504-04		
Client Sample I.D.:	CV-24122			CV-2301			CV-2303			CV-24007		
Date/Time Sampled:	6/5/25 8:00			6/5/25 9:40			6/5/25 10:00			6/5/25 10:26		
Date/Time Analyzed:	6/5/25 18:54			6/5/25 19:09			6/5/25 19:23			6/5/25 19:38		
QC Batch No.:	250605GC8A1			250605GC8A1			250605GC8A1			250605GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	0.19 J	1.0	0.059	5.9	1.0	0.059	12	1.0	0.059	2.7	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Anika Sotelo Sanchez
Mark Johnson
Operations Manager

Date 6-17-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060504-05			S060504-06			S060504-07			S060504-08		
Client Sample I.D.:	CV-2350			CV-24121			CV-24102			CV-24120		
Date/Time Sampled:	6/5/25 10:10			6/5/25 8:17			6/5/25 8:30			6/5/25 9:30		
Date/Time Analyzed:	6/5/25 19:52			6/5/25 20:07			6/5/25 20:21			6/5/25 20:36		
QC Batch No.:	250605GC8A1			250605GC8A1			250605GC8A1			250605GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	7.9	1.0	0.059	1.4	1.0	0.059	0.18 J	1.0	0.059	0.19 J	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-17-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060504-09			S060504-10								
Client Sample I.D.:	CV-24070			CV-24069								
Date/Time Sampled:	6/5/25 9:05			6/5/25 8:50								
Date/Time Analyzed:	6/5/25 20:50			6/5/25 21:05								
QC Batch No.:	250605GC8A1			250605GC8A1								
Analyst Initials:	KD			KD								
Dilution Factor:	1.0			1.0								
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v						
Hydrogen	2.7	1.0	0.059	1.5	1.0	0.059						

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-17-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250605GC8A1
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/5/25 10:48				6/5/25 9:50		6/5/25 10:04					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	4.60	93	4.60	93	0.0	70	130	30

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-17-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060504-01		S060504-02		S060504-03		S060504-04	
Client Sample I.D.:	CV-24122		CV-2301		CV-2303		CV-24007	
Date/Time Sampled:	6/5/25 8:00		6/5/25 9:40		6/5/25 10:00		6/5/25 10:26	
Date/Time Analyzed:	6/5/25 18:54		6/5/25 19:09		6/5/25 19:23		6/5/25 19:38	
QC Batch No.:	250605GC8A1		250605GC8A1		250605GC8A1		250605GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	27	0.010	46	0.010	68	0.010	77	0.010
Oxygen/Argon	7.9	0.50	6.2	0.50	3.5	0.50	1.6	0.50
Nitrogen	30	1.0	25	1.0	13	1.0	5.8	1.0
Methane	35	0.0010	16	0.0010	2.2	0.0010	12	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-17-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060504-05		S060504-06		S060504-07		S060504-08	
Client Sample I.D.:	CV-2350		CV-24121		CV-24102		CV-24120	
Date/Time Sampled:	6/5/25 10:10		6/5/25 8:17		6/5/25 8:30		6/5/25 9:30	
Date/Time Analyzed:	6/5/25 19:52		6/5/25 20:07		6/5/25 20:21		6/5/25 20:36	
QC Batch No.:	250605GC8A1		250605GC8A1		250605GC8A1		250605GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	75	0.010	28	0.010	25	0.010	ND	0.010
Oxygen/Argon	1.2	0.50	14	0.50	8.1	0.50	19	0.50
Nitrogen	4.6	1.0	51	1.0	38	1.0	73	1.0
Methane	10	0.0010	5.9	0.0010	29	0.0010	1.3	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Amika Sotelo Sanchez f. Date 6-17-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S060504-09		S060504-10					
Client Sample I.D.:	CV-24070		CV-24069					
Date/Time Sampled:	6/5/25 9:05		6/5/25 8:50					
Date/Time Analyzed:	6/5/25 20:50		6/5/25 21:05					
QC Batch No.:	250605GC8A1		250605GC8A1					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**				
Carbon Dioxide	61	0.010	36	0.010				
Oxygen/Argon	2.0	0.50	5.1	0.50				
Nitrogen	8.5	1.0	33	1.0				
Methane	26	0.0010	24	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-17-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250605GC8A1
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/5/25 10:48			6/5/25 9:50		6/5/25 10:04					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.7	107	10.7	106	0.3	70	130	30
Oxygen/Argon	ND	0.50	15	16.3	109	16.3	108	0.2	70	130	30
Nitrogen	ND	1.0	70	78.6	113	78.5	113	0.1	70	130	30
Methane	ND	0.0010	0.10	0.105	104	0.104	103	1.3	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 6-17-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060504-01		S060504-02		S060504-03		S060504-04	
Client Sample I.D.:	CV-24122		CV-2301		CV-2303		CV-24007	
Date/Time Sampled:	6/5/25 8:00		6/5/25 9:40		6/5/25 10:00		6/5/25 10:26	
Date/Time Analyzed:	6/5/25 19:11		6/6/25 8:19		6/5/25 20:29		6/5/25 21:09	
QC Batch No.:	250605MS2A1		250606MS2A1		250605MS2A1		250605MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	1,000		3,000		5,000		2,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Chloromethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Vinyl Chloride	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Bromomethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Chloroethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Trichlorofluoromethane (11)	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,1-Dichloroethene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Carbon Disulfide	ND	1,000	5,600	3,000	ND	5,000	ND	2,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Acetone	110,000	1,000	420,000	3,000	690,000	5,000	280,000	2,000
Methylene Chloride	ND	1,000	ND	3,000	ND	5,000	ND	2,000
t-1,2-Dichloroethene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,1-Dichloroethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Vinyl Acetate	ND	1,000	ND	3,000	ND	5,000	ND	2,000
c-1,2-Dichloroethene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
2-Butanone	47,000	2,000	190,000	6,000	310,000	10,000	180,000	4,000
t-Butyl Methyl Ether (MTBE)	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Chloroform	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,1,1-Trichloroethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Carbon Tetrachloride	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Benzene	4,300	1,000	140,000	3,000	150,000	5,000	240,000	2,000
1,2-Dichloroethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Trichloroethene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,2-Dichloropropane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Bromodichloromethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
c-1,3-Dichloropropene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
4-Methyl-2-Pentanone	ND	1,000	ND	3,000	ND	5,000	3,100	2,000
Toluene	ND	1,000	4,400	3,000	ND	5,000	5,000	2,000
t-1,3-Dichloropropene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,1,2-Trichloroethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Tetrachloroethene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
2-Hexanone	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Dibromochloromethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060504-01		S060504-02		S060504-03		S060504-04	
Client Sample I.D.:	CV-24122		CV-2301		CV-2303		CV-24007	
Date/Time Sampled:	6/5/25 8:00		6/5/25 9:40		6/5/25 10:00		6/5/25 10:26	
Date/Time Analyzed:	6/5/25 19:11		6/6/25 8:19		6/5/25 20:29		6/5/25 21:09	
QC Batch No.:	250605MS2A1		250606MS2A1		250605MS2A1		250605MS2A1	
Analyst Initials:	AS		AS		AS		AS	
Dilution Factor:	1,000		3,000		5,000		2,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Chlorobenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Ethylbenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
p,&m-Xylene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
o-Xylene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Styrene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Bromoform	ND Q	1,000	ND Q	3,000	ND Q	5,000	ND Q	2,000
1,1,2,2-Tetrachloroethane	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Benzyl Chloride	ND	1,000	ND	3,000	ND	5,000	ND	2,000
4-Ethyl Toluene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,3,5-Trimethylbenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,2,4-Trimethylbenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,3-Dichlorobenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,4-Dichlorobenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,2-Dichlorobenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,2,4-Trichlorobenzene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
Hexachlorobutadiene	ND	1,000	ND	3,000	ND	5,000	ND	2,000
1,3-Butadiene	ND	5,000	ND	15,000	ND	25,000	10,000	10,000
Isopropanol	31,000	5,000	42,000	15,000	61,000	25,000	79,000	10,000
n-Hexane	ND	5,000	ND	15,000	ND	25,000	ND	10,000
Ethyl Acetate	ND	5,000	34,000	15,000	28,000	25,000	15,000	10,000
Tetrahydrofuran	27,000	5,000	170,000	15,000	220,000	25,000	220,000	10,000
Cyclohexane	ND	5,000	ND	15,000	ND	25,000	ND	10,000
Heptane	ND	5,000	ND	15,000	ND	25,000	ND	10,000
1,4-Dioxane	ND	5,000	ND	15,000	ND	25,000	ND	10,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ Date 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060504-05							
Client Sample I.D.:	CV-2350							
Date/Time Sampled:	6/5/25 10:10							
Date/Time Analyzed:	6/5/25 21:49							
QC Batch No.:	250605MS2A1							
Analyst Initials:	AS							
Dilution Factor:	3,000							

ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	3,000						
Chloromethane	ND	3,000						
1,2-Cl-1,1,2,2-F ethane (114)	ND	3,000						
Vinyl Chloride	ND	3,000						
Bromomethane	ND	3,000						
Chloroethane	ND	3,000						
Trichlorofluoromethane (11)	ND	3,000						
1,1-Dichloroethene	ND	3,000						
Carbon Disulfide	ND	3,000						
1,1,2-Cl 1,2,2-F ethane (113)	ND	3,000						
Acetone	430,000	3,000						
Methylene Chloride	ND	3,000						
t-1,2-Dichloroethene	ND	3,000						
1,1-Dichloroethane	ND	3,000						
Vinyl Acetate	ND	3,000						
c-1,2-Dichloroethene	ND	3,000						
2-Butanone	200,000	6,000						
t-Butyl Methyl Ether (MTBE)	ND	3,000						
Chloroform	ND	3,000						
1,1,1-Trichloroethane	ND	3,000						
Carbon Tetrachloride	ND	3,000						
Benzene	42,000	3,000						
1,2-Dichloroethane	ND	3,000						
Trichloroethene	ND	3,000						
1,2-Dichloropropane	ND	3,000						
Bromodichloromethane	ND	3,000						
c-1,3-Dichloropropene	ND	3,000						
4-Methyl-2-Pentanone	ND	3,000						
Toluene	ND	3,000						
t-1,3-Dichloropropene	ND	3,000						
1,1,2-Trichloroethane	ND	3,000						
Tetrachloroethene	ND	3,000						
2-Hexanone	ND	3,000						
Dibromochloromethane	ND	3,000						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S060504-05
Client Sample I.D.:	CV-2350
Date/Time Sampled:	6/5/25 10:10
Date/Time Analyzed:	6/5/25 21:49
QC Batch No.:	250605MS2A1
Analyst Initials:	AS
Dilution Factor:	3,000

ANALYTE	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	3,000
Chlorobenzene	ND	3,000
Ethylbenzene	ND	3,000
p,&m-Xylene	ND	3,000
o-Xylene	ND	3,000
Styrene	ND	3,000
Bromoform	ND Q	3,000
1,1,2,2-Tetrachloroethane	ND	3,000
Benzyl Chloride	ND	3,000
4-Ethyl Toluene	ND	3,000
1,3,5-Trimethylbenzene	ND	3,000
1,2,4-Trimethylbenzene	ND	3,000
1,3-Dichlorobenzene	ND	3,000
1,4-Dichlorobenzene	ND	3,000
1,2-Dichlorobenzene	ND	3,000
1,2,4-Trichlorobenzene	ND	3,000
Hexachlorobutadiene	ND	3,000
1,3-Butadiene	ND	15,000
Isopropanol	68,000	15,000
n-Hexane	ND	15,000
Ethyl Acetate	ND	15,000
Tetrahydrofuran	140,000	15,000
Cyclohexane	ND	15,000
Heptane	ND	15,000
1,4-Dioxane	ND	15,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ Date 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK		METHOD_BLANK					
Client Sample I.D.:	-		-					
Date/Time Sampled:	-		-					
Date/Time Analyzed:	6/5/25 7:54		6/6/25 7:40					
QC Batch No.:	250605MS2A1		250606MS2A1					
Analyst Initials:	AS		AS					
Dilution Factor:	0.20		0.20					
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv				
Dichlorodifluoromethane (12)	ND	0.20	ND	0.20				
Chloromethane	ND	0.20	ND	0.20				
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20	ND	0.20				
Vinyl Chloride	ND	0.20	ND	0.20				
Bromomethane	ND	0.20	ND	0.20				
Chloroethane	ND	0.20	ND	0.20				
Trichlorofluoromethane (11)	ND	0.20	ND	0.20				
1,1-Dichloroethene	ND	0.20	ND	0.20				
Carbon Disulfide	ND	0.20	ND	0.20				
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20	ND	0.20				
Acetone	ND	0.20	ND	0.20				
Methylene Chloride	ND	0.20	ND	0.20				
t-1,2-Dichloroethene	ND	0.20	ND	0.20				
1,1-Dichloroethane	ND	0.20	ND	0.20				
Vinyl Acetate	ND	0.20	ND	0.20				
c-1,2-Dichloroethene	ND	0.20	ND	0.20				
2-Butanone	ND	0.40	ND	0.40				
t-Butyl Methyl Ether (MTBE)	ND	0.20	ND	0.20				
Chloroform	ND	0.20	ND	0.20				
1,1,1-Trichloroethane	ND	0.20	ND	0.20				
Carbon Tetrachloride	ND	0.20	ND	0.20				
Benzene	ND	0.20	ND	0.20				
1,2-Dichloroethane	ND	0.20	ND	0.20				
Trichloroethene	ND	0.20	ND	0.20				
1,2-Dichloropropane	ND	0.20	ND	0.20				
Bromodichloromethane	ND	0.20	ND	0.20				
c-1,3-Dichloropropene	ND	0.20	ND	0.20				
4-Methyl-2-Pentanone	ND	0.20	ND	0.20				
Toluene	ND	0.20	ND	0.20				
t-1,3-Dichloropropene	ND	0.20	ND	0.20				
1,1,2-Trichloroethane	ND	0.20	ND	0.20				
Tetrachloroethene	ND	0.20	ND	0.20				
2-Hexanone	ND	0.20	ND	0.20				
Dibromochloromethane	ND	0.20	ND	0.20				

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/05/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK		METHOD_BLANK					
Client Sample I.D.:	-		-					
Date/Time Sampled:	-		-					
Date/Time Analyzed:	6/5/25 7:54		6/6/25 7:40					
QC Batch No.:	250605MS2A1		250606MS2A1					
Analyst Initials:	AS		AS					
Dilution Factor:	0.20		0.20					
ANALYTE	**Result ppbv**	**RL ppbv**	**Result ppbv**	**RL ppbv**				
1,2-Dibromoethane	ND	0.20	ND	0.20				
Chlorobenzene	ND	0.20	ND	0.20				
Ethylbenzene	ND	0.20	ND	0.20				
p,&m-Xylene	ND	0.20	ND	0.20				
o-Xylene	ND	0.20	ND	0.20				
Styrene	ND	0.20	ND	0.20				
Bromoform	ND Q	0.20	ND Q	0.20				
1,1,2,2-Tetrachloroethane	ND	0.20	ND	0.20				
Benzyl Chloride	ND	0.20	ND	0.20				
4-Ethyl Toluene	ND	0.20	ND	0.20				
1,3,5-Trimethylbenzene	ND	0.20	ND	0.20				
1,2,4-Trimethylbenzene	ND	0.20	ND	0.20				
1,3-Dichlorobenzene	ND	0.20	ND	0.20				
1,4-Dichlorobenzene	ND	0.20	ND	0.20				
1,2-Dichlorobenzene	ND	0.20	ND	0.20				
1,2,4-Trichlorobenzene	ND	0.20	ND	0.20				
Hexachlorobutadiene	ND	0.20	ND	0.20				
1,3-Butadiene	ND	1.0	ND	1.0				
Isopropanol	ND	1.0	ND	1.0				
n-Hexane	ND	1.0	ND	1.0				
Ethyl Acetate	ND	1.0	ND	1.0				
Tetrahydrofuran	ND	1.0	ND	1.0				
Cyclohexane	ND	1.0	ND	1.0				
Heptane	ND	1.0	ND	1.0				
1,4-Dioxane	ND	1.0	ND	1.0				

RL = Reporting Limit
ND = Not Detected (below RL)
Q = See report narrative

Reviewed/Approved By: _____ Date 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250605MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/5/25 7:54			6/5/25 5:57		6/5/25 6:35					
Analyst Initials:	AS			AS		AS					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	**10.7**	107	**10.6**	106	1.1	**70**	**130**	30
Methylene Chloride	ND	0.20	10	**10.7**	107	**10.6**	106	0.9	**70**	**130**	30
Trichloroethene	ND	0.20	10	**9.95**	100	**9.90**	99	0.5	**70**	**130**	30
Toluene	ND	0.20	10	**9.79**	98	**9.67**	97	1.2	**70**	**130**	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	**9.79**	98	**10.1**	101	3.1	**70**	**130**	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250606MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/6/25 7:40			6/6/25 10:15		6/6/25 11:02					
Analyst Initials:	AS			AS		AS					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	**Result ppbv**	**RL ppbv**	**AMT. ppbv**	**Result ppbv**	**% Rec.**	**Result ppbv**	**% Rec.**	**RPD**	**Low %Rec**	**High %Rec**	**Max. RPD**
1,1-Dichloroethene	ND	0.20	10	**10.3**	103	**10.3**	103	0.4	**70**	**130**	30
Methylene Chloride	ND	0.20	10	**10.7**	107	**10.7**	107	0.3	**70**	**130**	30
Trichloroethene	ND	0.20	10	**9.88**	99	**9.88**	99	0.1	**70**	**130**	30
Toluene	ND	0.20	10	**10.2**	102	**10.3**	103	1.0	**70**	**130**	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	**9.77**	98	**9.86**	99	0.9	**70**	**130**	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6/16/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

CHAIN OF CUSTODY RECORD

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 OF

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.: 07-SO05310
Bill to:
07FSAccountspayable@scsengineers.com
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
SO60901-01	CV-24142	6/9/2025	8:10AM	2-1L	Gas	N	X	X	X	X		
-02	CV-24053	6/9/2025	10:30AM	2-1L	Gas	N	X	X	X	X		
-03	CV-24017	6/9/2025	10:15AM	2-1L	Gas	N	X	X	X	X		
-04	H-2165W	6/9/2025	8:30AM	2-1L	Gas	N	X	X	X	X		
-05	H-2273W	6/9/2025	8:50AM	2-1L	Gas	N	X	X	X	X		
-06	CV-24144	6/9/2025	8:20AM	1L	Gas	N	X					
-07	CV-24062	6/9/2025	9:17AM	1L	Gas	N	X	X	X			
-08	CV-2333	6/9/2025	9:37AM	1L	Gas	N	X	X	X			
-09	CV-2334	6/092025	9:40AM	1L	Gas	N	X	X	X			
-10	CV-24063	6/092025	9:23AM	1L	Gas	N	X	X	X			

AUTHORIZATION TO PERFORM WORK	COMPANY	DATE/TIME	
SAMPLED BY: Robert Vargas	COMPANY: SCS	DATE/TIME: 6.09.25	
RELINQUISHED BY: Robert Vargas	DATE/TIME: 6.09.25	RECEIVED BY: Steven	DATE/TIME: 6-9-25 12:11
RELINQUISHED BY: Steven	DATE/TIME: 6/9/25 1:17	RECEIVED BY	DATE/TIME: 6/9/25 13:17
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppbv**

EPA Method TO-15

Lab No.:	S060901-01		S060901-02		S060901-03		S060901-04	
Client Sample I.D.:	CV-24142		CV-24053		CV-24017		H-2165W	
Date/Time Sampled:	6/9/25 8:10		6/9/25 10:30		6/9/25 10:15		6/9/25 8:30	
Date/Time Analyzed:	6/10/25 0:28		6/10/25 1:07		6/10/25 1:45		6/10/25 2:24	
QC Batch No.:	250609MS2A1		250609MS2A1		250609MS2A1		250609MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	5,000		5,000		10,000		2,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Chloromethane	**11,000**	5,000	ND	5,000	**28,000**	10,000	ND	2,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Vinyl Chloride	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Bromomethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Chloroethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Trichlorofluoromethane (11)	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,1-Dichloroethene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Carbon Disulfide	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Acetone	**640,000**	5,000	**530,000**	5,000	**910,000**	10,000	**210,000**	2,000
Methylene Chloride	ND	5,000	ND	5,000	ND	10,000	ND	2,000
t-1,2-Dichloroethene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,1-Dichloroethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Vinyl Acetate	ND	5,000	ND	5,000	ND	10,000	ND	2,000
c-1,2-Dichloroethene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
2-Butanone	**250,000**	10,000	**280,000**	10,000	**490,000**	20,000	**80,000**	4,000
t-Butyl Methyl Ether (MTBE)	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Chloroform	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,1,1-Trichloroethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Carbon Tetrachloride	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Benzene	**110,000**	5,000	**120,000**	5,000	**270,000**	10,000	**17,000**	2,000
1,2-Dichloroethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Trichloroethene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,2-Dichloropropane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Bromodichloromethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
c-1,3-Dichloropropene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
4-Methyl-2-Pentanone	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Toluene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
t-1,3-Dichloropropene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,1,2-Trichloroethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Tetrachloroethene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
2-Hexanone	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Dibromochloromethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppbv**

EPA Method TO-15

Lab No.:	S060901-01		S060901-02		S060901-03		S060901-04	
Client Sample I.D.:	CV-24142		CV-24053		CV-24017		H-2165W	
Date/Time Sampled:	6/9/25 8:10		6/9/25 10:30		6/9/25 10:15		6/9/25 8:30	
Date/Time Analyzed:	6/10/25 0:28		6/10/25 1:07		6/10/25 1:45		6/10/25 2:24	
QC Batch No.:	250609MS2A1		250609MS2A1		250609MS2A1		250609MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	5,000		5,000		10,000		2,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Chlorobenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Ethylbenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
p,&m-Xylene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
o-Xylene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Styrene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Bromoform	ND Q	5,000	ND Q	5,000	ND Q	10,000	ND Q	2,000
1,1,2,2-Tetrachloroethane	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Benzyl Chloride	ND	5,000	ND	5,000	ND	10,000	ND	2,000
4-Ethyl Toluene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,3,5-Trimethylbenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,2,4-Trimethylbenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,3-Dichlorobenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,4-Dichlorobenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,2-Dichlorobenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,2,4-Trichlorobenzene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
Hexachlorobutadiene	ND	5,000	ND	5,000	ND	10,000	ND	2,000
1,3-Butadiene	ND	25,000	ND	25,000	ND	50,000	ND	10,000
Isopropanol	40,000	25,000	190,000	25,000	180,000	50,000	34,000	10,000
n-Hexane	ND	25,000	ND	25,000	ND	50,000	ND	10,000
Ethyl Acetate	43,000 Q	25,000	36,000 Q	25,000	58,000 Q	50,000	17,000 Q	10,000
Tetrahydrofuran	200,000	25,000	260,000	25,000	460,000	50,000	62,000	10,000
Cyclohexane	ND	25,000	ND	25,000	ND	50,000	ND	10,000
Heptane	ND	25,000	ND	25,000	ND	50,000	ND	10,000
1,4-Dioxane	ND	25,000	ND	25,000	ND	50,000	ND	10,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-18-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppbv**

EPA Method TO-15

Lab No.:	**S060901-05**							
Client Sample I.D.:	**H-2273W**							
Date/Time Sampled:	**6/9/25 8:50**							
Date/Time Analyzed:	**6/10/25 3:03**							
QC Batch No.:	**250609MS2A1**							
Analyst Initials:	**RC**							
Dilution Factor:	**1,000**							
ANALYTE	**Result ppbv**	**RL ppbv**						
Dichlorodifluoromethane (12)	ND	1,000						
Chloromethane	ND	1,000						
1,2-Cl-1,1,2,2-F ethane (114)	ND	1,000						
Vinyl Chloride	ND	1,000						
Bromomethane	ND	1,000						
Chloroethane	ND	1,000						
Trichlorofluoromethane (11)	ND	1,000						
1,1-Dichloroethene	ND	1,000						
Carbon Disulfide	ND	1,000						
1,1,2-Cl 1,2,2-F ethane (113)	ND	1,000						
Acetone	120,000	1,000						
Methylene Chloride	ND	1,000						
t-1,2-Dichloroethene	ND	1,000						
1,1-Dichloroethane	ND	1,000						
Vinyl Acetate	ND	1,000						
c-1,2-Dichloroethene	ND	1,000						
2-Butanone	67,000	2,000						
t-Butyl Methyl Ether (MTBE)	ND	1,000						
Chloroform	ND	1,000						
1,1,1-Trichloroethane	ND	1,000						
Carbon Tetrachloride	ND	1,000						
Benzene	19,000	1,000						
1,2-Dichloroethane	ND	1,000						
Trichloroethene	ND	1,000						
1,2-Dichloropropane	ND	1,000						
Bromodichloromethane	ND	1,000						
c-1,3-Dichloropropene	ND	1,000						
4-Methyl-2-Pentanone	1,200	1,000						
Toluene	1,100	1,000						
t-1,3-Dichloropropene	ND	1,000						
1,1,2-Trichloroethane	ND	1,000						
Tetrachloroethene	ND	1,000						
2-Hexanone	ND	1,000						
Dibromochloromethane	ND	1,000						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppbv**

EPA Method TO-15

Lab No.:	**S060901-05**	
Client Sample I.D.:	**H-2273W**	
Date/Time Sampled:	**6/9/25 8:50**	
Date/Time Analyzed:	**6/10/25 3:03**	
QC Batch No.:	**250609MS2A1**	
Analyst Initials:	**RC**	
Dilution Factor:	**1,000**	

ANALYTE	Result ppbv		RL ppbv
1,2-Dibromoethane	ND		1,000
Chlorobenzene	ND		1,000
Ethylbenzene	ND		1,000
p,&m-Xylene	ND		1,000
o-Xylene	ND		1,000
Styrene	ND		1,000
Bromoform	ND	Q	1,000
1,1,2,2-Tetrachloroethane	ND		1,000
Benzyl Chloride	ND		1,000
4-Ethyl Toluene	ND		1,000
1,3,5-Trimethylbenzene	ND		1,000
1,2,4-Trimethylbenzene	ND		1,000
1,3-Dichlorobenzene	ND		1,000
1,4-Dichlorobenzene	ND		1,000
1,2-Dichlorobenzene	ND		1,000
1,2,4-Trichlorobenzene	ND		1,000
Hexachlorobutadiene	ND		1,000
1,3-Butadiene	ND		5,000
Isopropanol	49,000		5,000
n-Hexane	ND		5,000
Ethyl Acetate	12,000	Q	5,000
Tetrahydrofuran	41,000		5,000
Cyclohexane	ND		5,000
Heptane	ND		5,000
1,4-Dioxane	ND		5,000

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: Anita Sahlstrand for M. J. **Date** 6-18-25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppbv**

EPA Method TO-15

Lab No.:	METHOD_BLANK
Client Sample I.D.:	--
Date/Time Sampled:	--
Date/Time Analyzed:	6/9/25 10:54
QC Batch No.:	250609MS2A1
Analyst Initials:	RC
Dilution Factor:	0.20

ANALYTE	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	0.20
Chloromethane	ND	0.20
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20
Vinyl Chloride	ND	0.20
Bromomethane	ND	0.20
Chloroethane	ND	0.20
Trichlorofluoromethane (11)	ND	0.20
1,1-Dichloroethene	ND	0.20
Carbon Disulfide	ND	0.20
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20
Acetone	ND	0.20
Methylene Chloride	ND	0.20
t-1,2-Dichloroethene	ND	0.20
1,1-Dichloroethane	ND	0.20
Vinyl Acetate	ND	0.20
c-1,2-Dichloroethene	ND	0.20
2-Butanone	ND	0.40
t-Butyl Methyl Ether (MTBE)	ND	0.20
Chloroform	ND	0.20
1,1,1-Trichloroethane	ND	0.20
Carbon Tetrachloride	ND	0.20
Benzene	ND	0.20
1,2-Dichloroethane	ND	0.20
Trichloroethene	ND	0.20
1,2-Dichloropropane	ND	0.20
Bromodichloromethane	ND	0.20
c-1,3-Dichloropropene	ND	0.20
4-Methyl-2-Pentanone	ND	0.20
Toluene	ND	0.20
t-1,3-Dichloropropene	ND	0.20
1,1,2-Trichloroethane	ND	0.20
Tetrachloroethene	ND	0.20
2-Hexanone	ND	0.20
Dibromochloromethane	ND	0.20

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppbv**

EPA Method TO-15

Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	6/9/25 10:54							
QC Batch No.:	250609MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							

ANALYTE	Result ppbv	RL ppbv						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.20						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND Q	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.20						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: _____ Date 6-18-25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250609MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/9/25 10:54			6/9/25 8:31		6/9/25 9:09					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	10.9	109	10.8	108	1.6	70	130	30
Methylene Chloride	ND	0.20	10	11.1	111	11.1	111	0.1	70	130	30
Trichloroethene	ND	0.20	10	10.4	104	10.5	105	0.7	70	130	30
Toluene	ND	0.20	10	10.2	102	10.3	103	1.0	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	10.2	102	10.3	103	0.9	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6-19-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**% v/v**

ASTM D1946

Lab No.:	S060901-01		S060901-02		S060901-03		S060901-04	
Client Sample I.D.:	CV-24142		CV-24053		CV-24017		H-2165W	
Date/Time Sampled:	6/9/25 8:10		6/9/25 10:30		6/9/25 10:15		6/9/25 8:30	
Date/Time Analyzed:	6/9/25 17:23		6/9/25 17:38		6/9/25 17:52		6/9/25 18:07	
QC Batch No.:	250609GC8A2		250609GC8A2		250609GC8A2		250609GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**
Carbon Dioxide	60	0.010	49	0.010	72	0.010	63	0.010
Oxygen/Argon	3.9	0.50	4.2	0.50	1.3	0.50	1.5	0.50
Nitrogen	14	1.0	16	1.0	4.5	1.0	5.4	1.0
Methane	3.6	0.0010	21	0.0010	7.6	0.0010	29	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/20/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**% v/v**

ASTM D1946

Lab No.:	S060901-05		S060901-06		S060901-07		S060901-08	
Client Sample I.D.:	H-2273W		CV-24144		CV-24062		CV-2333	
Date/Time Sampled:	6/9/25 8:50		6/9/25 8:20		6/9/25 9:17		6/9/25 9:37	
Date/Time Analyzed:	6/9/25 18:21		6/9/25 18:36		6/9/25 18:50		6/9/25 19:05	
QC Batch No.:	250609GC8A2		250609GC8A2		250609GC8A2		250609GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**
Carbon Dioxide	41	0.010	ND	0.010	67	0.010	62	0.010
Oxygen/Argon	3.6	0.50	19	0.50	1.7	0.50	4.7	0.50
Nitrogen	15	1.0	69	1.0	6.2	1.0	17	1.0
Methane	38	0.0010	2.3	0.0010	12	0.0010	2.2	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/20/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**% v/v**

ASTM D1946

Lab No.:	S060901-09		S060901-10					
Client Sample I.D.:	CV-2334		CV-24063					
Date/Time Sampled:	6/9/25 9:40		6/9/25 9:23					
Date/Time Analyzed:	6/9/25 19:19		6/9/25 19:34					
QC Batch No.:	250609GC8A1		250609GC8A1					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**				
Carbon Dioxide	47	0.010	70	0.010				
Oxygen/Argon	4.6	0.50	1.7	0.50				
Nitrogen	17	1.0	6.1	1.0				
Methane	30	0.0010	13	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/20/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppmv**

EPA Alt-144 (CO by FID)

Lab No.:	S060901-01		S060901-02		S060901-03		S060901-04	
Client Sample I.D.:	CV-24142		CV-24053		CV-24017		H-2165W	
Date/Time Sampled:	6/9/25 8:10		6/9/25 10:30		6/9/25 10:15		6/9/25 8:30	
Date/Time Analyzed:	6/9/25 17:23		6/9/25 17:38		6/9/25 17:52		6/9/25 18:07	
QC Batch No.:	250609GC8A2		250609GC8A2		250609GC8A2		250609GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	2,300	10	540	10	1,700	10	65	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/10/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppmv**

EPA Alt-144 (CO by FID)

Lab No.:	S060901-05		S060901-07		S060901-08		S060901-09	
Client Sample I.D.:	H-2273W		CV-24062		CV-2333		CV-2334	
Date/Time Sampled:	6/9/25 8:50		6/9/25 9:17		6/9/25 9:37		6/9/25 9:40	
Date/Time Analyzed:	6/9/25 18:21		6/9/25 18:50		6/9/25 19:05		6/9/25 19:19	
QC Batch No.:	250609GC8A2		250609GC8A2		250609GC8A2		250609GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	49	10	900	10	2,500	10	230	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/10/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client:	**SCS Engineers**
Attn:	**Cornelius Fong**
Project Name:	**Chiquita Canyon Landfill**
Project No.:	**07224200.24 Task 1**
Date Received:	**06/09/25**
Matrix:	**Air**
Reporting Units:	**ppmv**

EPA Alt-144 (CO by FID)

Lab No.:	**S060901-10**							
Client Sample I.D.:	**CV-24063**							
Date/Time Sampled:	**6/9/25 9:23**							
Date/Time Analyzed:	**6/9/25 19:34**							
QC Batch No.:	**250609GC8A1**							
Analyst Initials:	**KD**							
Dilution Factor:	**1.0**							
ANALYTE	**Result ppmv**	**RL ppmv**						
Carbon Monoxide	1,200	10						

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/20/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/09/25
Matrix: Air
Reporting Units: % v/v

EPA Alt-144 (CO by FID)

Lab No.:	S060901-01			S060901-02			S060901-03			S060901-04		
Client Sample I.D.:	CV-24142			CV-24053			CV-24017			H-2165W		
Date/Time Sampled:	6/9/25 8:10			6/9/25 10:30			6/9/25 10:15			6/9/25 8:30		
Date/Time Analyzed:	6/9/25 17:23			6/9/25 17:38			6/9/25 17:52			6/9/25 18:07		
QC Batch No.:	250609GC8A2			250609GC8A2			250609GC8A2			250609GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	17	1.0	0.059	9.1	1.0	0.059	14	1.0	0.059	1.1	1.0	0.059

Results normalized including non-methane hydrocarbons

ND = Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.
MDL = Method Detection Limit

Reviewed/Approved By: _____ **Date** 6/10/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/09/25
Matrix: Air
Reporting Units: % v/v

EPA Alt-144 (CO by FID)

Lab No.:	S060901-05			S060901-07			S060901-08			S060901-09		
Client Sample I.D.:	H-2273W			CV-24062			CV-2333			CV-2334		
Date/Time Sampled:	6/9/25 8:50			6/9/25 9:17			6/9/25 9:37			6/9/25 9:40		
Date/Time Analyzed:	6/9/25 18:21			6/9/25 18:50			6/9/25 19:05			6/9/25 19:19		
QC Batch No.:	250609GC8A2			250609GC8A2			250609GC8A2			250609GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	0.87 J	1.0	0.059	12	1.0	0.059	13	1.0	0.059	1.5	1.0	0.059

Results normalized including non-methane hydrocarbons

ND = Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.
MDL = Method Detection Limit

Reviewed/Approved By: _____ **Date** 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/09/25
Matrix: Air
Reporting Units: % v/v

EPA Alt-144 (CO by FID)

Lab No.:	S060901-10		
Client Sample I.D.:	CV-24063		
Date/Time Sampled:	6/9/25 9:23		
Date/Time Analyzed:	6/9/25 19:34		
QC Batch No.:	250609GC8A1		
Analyst Initials:	KD		
Dilution Factor:	1.0		

ANALYTE	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	8.3	1.0	0.059

Results normalized including non-methane hydrocarbons

ND = Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.
MDL = Method Detection Limit

Reviewed/Approved By: _____ Date 6/10/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250609GC8A2

Matrix: Air

Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/9/25 16:39			6/9/25 16:54		6/9/25 17:08					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.4	104	10.5	104	0.1	70	130	30
Oxygen/Argon	ND	0.50	15	15.0	100	15.0	100	0.4	70	130	30
Nitrogen	ND	1.0	70	72.4	104	72.6	104	0.3	70	130	30
Methane	ND	0.0010	0.10	0.101	100	0.0989	98	1.8	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____ Date _____

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

QC Batch No: 250609GC8A2

Matrix: Air

Reporting Units: ppmv

EPA Alt-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/9/25 16:39			6/9/25 16:54		6/9/25 17:08					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,000	1,070	106	1,050	104	1.9	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/20/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

QC Batch No: 250609GC8A2
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/9/25 16:39				6/9/25 16:54		6/9/25 17:08					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	5.76	116	5.73	115	0.7	70	130	30

ND = Not Detected (below MDL)
RL = Reporting Limit
MDL = Method Detection Limit

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY
Laboratories, Inc.

June 23, 2025

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C, ASTM D1946, RSK-175

TX Cert T104704450-14-6
EPA Methods TO14A, TO15

UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175

ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S061001-01/10

Enclosed are the results for sample(s) received 6/10/25 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA Method TO-15 – Samples collected in Mylar bags. Quadratic regression calibration was required for vinyl acetate, benzyl chloride, and 1,2,4-trichlorobenzene.
- Bromoform exhibited low recovery in the initial calibration verification indicating low bias. Results were flagged with the Q qualifier.
- Ethyl acetate exhibited high recovery in the initial calibration verification indicating high bias. Results were flagged with the Q qualifier.
- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 6/20/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

CHAIN OF CUSTODY RECORD

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 OF

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.:	07-SO05310
Bill to:	
	07FSAccountspayable@scsengineers.com
	3900 Kilroy Airport Way, Suite 100
	Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
S061001-01	CV-24065	6/10/2025	8:05AM	2-1L	Gas	N	X	X	X	X		
-02	CV-24095	6/10/2025	8:30AM	2-1L	Gas	N	X	X	X	X		
-03	CV-24101	6/10/2025	8:45AM	2-1L	Gas	N	X	X	X	X		
-04	CV-1535	6/10/2025	8:50AM	2-1L	Gas	N	X	X	X	X		
-05	CV-113	6/10/2025	9:40AM	2-1L	Gas	N	X	X	X	X		
-06	CV-2349	6/10/2025	8:20AM	1L	Gas	N	X	X	X			
-07	CV-24100	6/10/2025	8:40AM	1L	Gas	N	X	X	X			
-08	CV-114	6/10/2025	9:50AM	1L	Gas	N	X	X	X			
-09	CV-24066	6/10/2025	10:10AM	1L	Gas	N	X	X	X			
-10	CV-24055	6/10/2025	10:20AM	1L	Gas	N	X	X	X			

AUTHORIZATION TO PERFORM WORK	COMPANY	DATE/TIME			
SAMPLED BY: Robert Vargas	COMPANY: SCS	DATE/TIME: 6.10.25 11:00am			
RELINQUISHED BY: Robert Vargas	DATE/TIME: 6.10.25 11:00AM	RECEIVED BY: S. Ferrer	DATE/TIME: 11:46 6/10/25		
RELINQUISHED BY: S. Ferrer	DATE/TIME: 6/10/25 12:52	RECEIVED BY:	DATE/TIME: 6/10/25 12:52		
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME		

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061001-01		S061001-02		S061001-03		S061001-04	
Client Sample I.D.:	CV-24065		CV-24095		CV-24101		CV-1535	
Date/Time Sampled:	6/10/25 8:05		6/10/25 8:30		6/10/25 8:45		6/10/25 8:50	
Date/Time Analyzed:	6/11/25 2:37		6/11/25 3:16		6/11/25 3:56		6/11/25 4:35	
QC Batch No.:	250610MS2A1		250610MS2A1		250610MS2A1		250610MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	500		5,000		500		500	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	500	ND	5,000	ND	500	ND	500
Chloromethane	ND	500	ND	5,000	ND	500	ND	500
1,2-Cl-1,1,2,2-F ethane (114)	ND	500	ND	5,000	ND	500	ND	500
Vinyl Chloride	ND	500	ND	5,000	ND	500	ND	500
Bromomethane	ND	500	ND	5,000	ND	500	ND	500
Chloroethane	ND	2,500	ND	25,000	ND	2,500	ND	2,500
Trichlorofluoromethane (11)	ND	500	ND	5,000	ND	500	ND	500
1,1-Dichloroethene	ND	500	ND	5,000	ND	500	ND	500
Carbon Disulfide	520	500	ND	5,000	ND	500	ND	500
1,1,2-Cl 1,2,2-F ethane (113)	ND	500	ND	5,000	ND	500	ND	500
Acetone	23,000	2,500	94,000	25,000	57,000	2,500	45,000	2,500
Methylene Chloride	ND	500	ND	5,000	ND	500	ND	500
t-1,2-Dichloroethene	ND	500	ND	5,000	ND	500	ND	500
1,1-Dichloroethane	ND	500	ND	5,000	ND	500	ND	500
Vinyl Acetate	ND	500	ND	5,000	ND	500	ND	500
c-1,2-Dichloroethene	ND	500	ND	5,000	ND	500	ND	500
2-Butanone	10,000	2,500	53,000	25,000	34,000	2,500	27,000	2,500
t-Butyl Methyl Ether (MTBE)	ND	500	ND	5,000	ND	500	ND	500
Chloroform	ND	500	ND	5,000	ND	500	ND	500
1,1,1-Trichloroethane	ND	500	ND	5,000	ND	500	ND	500
Carbon Tetrachloride	ND	500	ND	5,000	ND	500	ND	500
Benzene	1,600	500	65,000	5,000	14,000	500	15,000	500
1,2-Dichloroethane	ND	500	ND	5,000	ND	500	ND	500
Trichloroethene	ND	500	ND	5,000	ND	500	ND	500
1,2-Dichloropropane	ND	500	ND	5,000	ND	500	ND	500
Bromodichloromethane	ND	500	ND	5,000	ND	500	ND	500
c-1,3-Dichloropropene	ND	500	ND	5,000	ND	500	ND	500
4-Methyl-2-Pentanone	ND	500	ND	5,000	630	500	ND	500
Toluene	ND	500	ND	5,000	950	500	600	500
t-1,3-Dichloropropene	ND	1,000	ND	10,000	ND	1,000	ND	1,000
1,1,2-Trichloroethane	ND	500	ND	5,000	ND	500	ND	500
Tetrachloroethene	ND	500	ND	5,000	ND	500	ND	500
2-Hexanone	ND	500	ND	5,000	ND	500	ND	500
Dibromochloromethane	ND	500	ND	5,000	ND	500	ND	500

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061001-01		S061001-02		S061001-03		S061001-04	
Client Sample I.D.:	CV-24065		CV-24095		CV-24101		CV-1535	
Date/Time Sampled:	6/10/25 8:05		6/10/25 8:30		6/10/25 8:45		6/10/25 8:50	
Date/Time Analyzed:	6/11/25 2:37		6/11/25 3:16		6/11/25 3:56		6/11/25 4:35	
QC Batch No.:	250610MS2A1		250610MS2A1		250610MS2A1		250610MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	500		5,000		500		500	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	500	ND	5,000	ND	500	ND	500
Chlorobenzene	ND	500	ND	5,000	ND	500	ND	500
Ethylbenzene	ND	500	ND	5,000	ND	500	ND	500
p,&m-Xylene	ND	1,000	ND	10,000	ND	1,000	ND	1,000
o-Xylene	ND	500	ND	5,000	ND	500	ND	500
Styrene	ND	500	ND	5,000	ND	500	ND	500
Bromoform	ND Q	500	ND Q	5,000	ND Q	500	ND Q	500
1,1,2,2-Tetrachloroethane	ND	500	ND	5,000	ND	500	ND	500
Benzyl Chloride	ND	500	ND	5,000	ND	500	ND	500
4-Ethyl Toluene	ND	500	ND	5,000	ND	500	ND	500
1,3,5-Trimethylbenzene	ND	500	ND	5,000	ND	500	ND	500
1,2,4-Trimethylbenzene	ND	500	ND	5,000	ND	500	ND	500
1,3-Dichlorobenzene	ND	500	ND	5,000	ND	500	ND	500
1,4-Dichlorobenzene	ND	500	ND	5,000	ND	500	ND	500
1,2-Dichlorobenzene	ND	500	ND	5,000	ND	500	ND	500
1,2,4-Trichlorobenzene	ND	1,000	ND	10,000	ND	1,000	ND	1,000
Hexachlorobutadiene	ND	500	ND	5,000	ND	500	ND	500
1,3-Butadiene	ND	2,500	ND	25,000	ND	2,500	ND	2,500
Isopropanol	15,000	2,500	46,000	25,000	61,000	2,500	53,000	2,500
n-Hexane	ND	2,500	ND	25,000	ND	2,500	ND	2,500
Ethyl Acetate	ND	2,500	ND	25,000	11,000 Q	2,500	5,600 Q	2,500
Tetrahydrofuran	7,200	2,500	62,000	25,000	30,000	2,500	23,000	2,500
Cyclohexane	ND	2,500	ND	25,000	ND	2,500	ND	2,500
Heptane	ND	2,500	ND	25,000	ND	2,500	ND	2,500
1,4-Dioxane	ND	2,500	ND	25,000	ND	2,500	ND	2,500

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061001-05
Client Sample I.D.:	CV-113
Date/Time Sampled:	6/10/25 9:40
Date/Time Analyzed:	6/11/25 5:15
QC Batch No.:	250610MS2A1
Analyst Initials:	RC
Dilution Factor:	4,000

ANALYTE	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	4,000
Chloromethane	ND	4,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	4,000
Vinyl Chloride	ND	4,000
Bromomethane	ND	4,000
Chloroethane	ND	20,000
Trichlorofluoromethane (11)	ND	4,000
1,1-Dichloroethene	ND	4,000
Carbon Disulfide	ND	4,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	4,000
Acetone	370,000	20,000
Methylene Chloride	ND	4,000
t-1,2-Dichloroethene	ND	4,000
1,1-Dichloroethane	ND	4,000
Vinyl Acetate	ND	4,000
c-1,2-Dichloroethene	ND	4,000
2-Butanone	250,000	20,000
t-Butyl Methyl Ether (MTBE)	ND	4,000
Chloroform	ND	4,000
1,1,1-Trichloroethane	ND	4,000
Carbon Tetrachloride	ND	4,000
Benzene	210,000	4,000
1,2-Dichloroethane	ND	4,000
Trichloroethene	ND	4,000
1,2-Dichloropropane	ND	4,000
Bromodichloromethane	ND	4,000
c-1,3-Dichloropropene	ND	4,000
4-Methyl-2-Pentanone	ND	4,000
Toluene	7,100	4,000
t-1,3-Dichloropropene	ND	8,000
1,1,2-Trichloroethane	ND	4,000
Tetrachloroethene	ND	4,000
2-Hexanone	ND	4,000
Dibromochloromethane	ND	4,000

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061001-05							
Client Sample I.D.:	CV-113							
Date/Time Sampled:	6/10/25 9:40							
Date/Time Analyzed:	6/11/25 5:15							
QC Batch No.:	250610MS2A1							
Analyst Initials:	RC							
Dilution Factor:	4,000							
ANALYTE	**Result ppbv**	**RL ppbv**						
1,2-Dibromoethane	ND	4,000						
Chlorobenzene	ND	4,000						
Ethylbenzene	ND	4,000						
p,&m-Xylene	ND	8,000						
o-Xylene	ND	4,000						
Styrene	ND	4,000						
Bromoform	ND Q	4,000						
1,1,2,2-Tetrachloroethane	ND	4,000						
Benzyl Chloride	ND	4,000						
4-Ethyl Toluene	ND	4,000						
1,3,5-Trimethylbenzene	ND	4,000						
1,2,4-Trimethylbenzene	ND	4,000						
1,3-Dichlorobenzene	ND	4,000						
1,4-Dichlorobenzene	ND	4,000						
1,2-Dichlorobenzene	ND	4,000						
1,2,4-Trichlorobenzene	ND	8,000						
Hexachlorobutadiene	ND	4,000						
1,3-Butadiene	ND	20,000						
Isopropanol	91,000	20,000						
n-Hexane	ND	20,000						
Ethyl Acetate	ND	20,000						
Tetrahydrofuran	240,000	20,000						
Cyclohexane	ND	20,000						
Heptane	ND	20,000						
1,4-Dioxane	ND	20,000						

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	6/10/25 9:59							
QC Batch No.:	250610MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							

ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	1.0						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	1.0						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	1.0						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.40						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	6/10/25 9:59							
QC Batch No.:	250610MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	**Result ppbv**	**RL ppbv**						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.40						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.40						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250610MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/10/25 9:59			6/10/25 11:16		6/10/25 11:54					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	11.3	113	11.3	113	0.1	70	130	30
Methylene Chloride	ND	0.20	10	11.6	116	11.2	112	3.8	70	130	30
Trichloroethene	ND	0.20	10	10.5	105	10.7	107	1.4	70	130	30
Toluene	ND	0.20	10	10.6	106	10.7	107	1.3	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	10.4	104	10.3	103	0.8	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6/10/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061001-01		S061001-02		S061001-03		S061001-04	
Client Sample I.D.:	CV-24065		CV-24095		CV-24101		CV-1535	
Date/Time Sampled:	6/10/25 8:05		6/10/25 8:30		6/10/25 8:45		6/10/25 8:50	
Date/Time Analyzed:	6/10/25 20:08		6/10/25 20:22		6/10/25 20:37		6/10/25 20:51	
QC Batch No.:	250610GC8A3		250610GC8A3		250610GC8A3		250610GC8A3	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	41	0.010	56	0.010	41	0.010	41	0.010
Oxygen/Argon	8.0	0.50	5.3	0.50	2.7	0.50	4.3	0.50
Nitrogen	35	1.0	20	1.0	22	1.0	19	1.0
Methane	15	0.0010	7.3	0.0010	33	0.0010	35	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061001-05		S061001-06		S061001-07		S061001-08	
Client Sample I.D.:	CV-113		CV-2349		CV-24100		CV-114	
Date/Time Sampled:	6/10/25 9:40		6/10/25 8:20		6/10/25 8:40		6/10/25 9:50	
Date/Time Analyzed:	6/10/25 21:06		6/10/25 21:20		6/10/25 21:35		6/10/25 21:49	
QC Batch No.:	250610GC8A3		250610GC8A3		250610GC8A3		250610GC8A3	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	62	0.010	73	0.010	65	0.010	ND	0.010
Oxygen/Argon	5.4	0.50	2.3	0.50	2.0	0.50	21	0.50
Nitrogen	20	1.0	8.6	1.0	7.3	1.0	78	1.0
Methane	2.9	0.0010	6.2	0.0010	24	0.0010	0.036	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/10/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061001-09		S061001-10					
Client Sample I.D.:	CV-24066		CV-24055					
Date/Time Sampled:	6/10/25 10:10		6/10/25 10:20					
Date/Time Analyzed:	6/10/25 22:04		6/10/25 22:18					
QC Batch No.:	250610GC8A3		250610GC8A3					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**				
Carbon Dioxide	42	0.010	36	0.010				
Oxygen/Argon	3.1	0.50	5.6	0.50				
Nitrogen	26	1.0	43	1.0				
Methane	26	0.0010	8.3	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250610GC8A3
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/10/25 19:39			6/10/25 18:55		6/10/25 19:09					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.2	102	10.3	103	0.8	70	130	30
Oxygen/Argon	ND	0.50	15	15.2	101	15.3	102	0.6	70	130	30
Nitrogen	ND	1.0	70	73.0	105	73.4	105	0.6	70	130	30
Methane	ND	0.0010	0.10	0.101	100	0.101	100	0.5	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppmv

ASTM D1946

Lab No.:	S061001-01		S061001-02		S061001-03		S061001-04	
Client Sample I.D.:	CV-24065		CV-24095		CV-24101		CV-1535	
Date/Time Sampled:	6/10/25 8:05		6/10/25 8:30		6/10/25 8:45		6/10/25 8:50	
Date/Time Analyzed:	6/10/25 20:08		6/10/25 20:22		6/10/25 20:37		6/10/25 20:51	
QC Batch No.:	250610GC8A3		250610GC8A3		250610GC8A3		250610GC8A3	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	100	10	3,900	10	27	10	44	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppmv

EPA Alt-144 (CO by FID)

Lab No.:	S061001-05		S061001-06		S061001-07		S061001-08	
Client Sample I.D.:	CV-113		CV-2349		CV-24100		CV-114	
Date/Time Sampled:	6/10/25 9:40		6/10/25 8:20		6/10/25 8:40		6/10/25 9:50	
Date/Time Analyzed:	6/10/25 21:06		6/10/25 21:20		6/10/25 21:35		6/10/25 21:49	
QC Batch No.:	250610GC8A3		250610GC8A3		250610GC8A3		250610GC8A3	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	1,400	10	2,800	10	360	10	ND	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: ppmv

EPA Alt-144 (CO by FID)

Lab No.:	S061001-09		S061001-10					
Client Sample I.D.:	CV-24066		CV-24055					
Date/Time Sampled:	6/10/25 10:10		6/10/25 10:20					
Date/Time Analyzed:	6/10/25 22:04		6/10/25 22:18					
QC Batch No.:	250610GC8A3		250610GC8A3					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv				
Carbon Monoxide	190	10	780	10				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250610GC8A3
Matrix: Air
Reporting Units: % v/v

EPA Alt-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/10/25 19:39			6/10/25 18:55		6/10/25 19:09					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	0.0010	0.10	0.108	107	0.108	107	0.8	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061001-01			S061001-02			S061001-03			S061001-04		
Client Sample I.D.:	CV-24065			CV-24095			CV-24101			CV-1535		
Date/Time Sampled:	6/10/25 8:05			6/10/25 8:30			6/10/25 8:45			6/10/25 8:50		
Date/Time Analyzed:	6/10/25 20:08			6/10/25 20:22			6/10/25 20:37			6/10/25 20:51		
QC Batch No.:	250610GC8A3			250610GC8A3			250610GC8A3			250610GC8A3		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	0.38 J	1.0	0.059	11	1.0	0.059	1.1	1.0	0.059	0.74 J	1.0	0.059

Results normalized including non-methane hydrocarbons

ND = Not Detected (below MDL)
RL = Reporting Limit
MDL = Method Detection Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061001-05			S061001-06			S061001-07			S061001-08		
Client Sample I.D.:	CV-113			CV-2349			CV-24100			CV-114		
Date/Time Sampled:	6/10/25 9:40			6/10/25 8:20			6/10/25 8:40			6/10/25 9:50		
Date/Time Analyzed:	6/10/25 21:06			6/10/25 21:20			6/10/25 21:35			6/10/25 21:49		
QC Batch No.:	250610GC8A3			250610GC8A3			250610GC8A3			250610GC8A3		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	8.8	1.0	0.059	9.1	1.0	0.059	1.5	1.0	0.059	0.25 J	1.0	0.059

Results normalized including non-methane hydrocarbons

ND = Not Detected (below MDL)
RL = Reporting Limit
MDL = Method Detection Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/25/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061001-09			S061001-10								
Client Sample I.D.:	CV-24066			CV-24055								
Date/Time Sampled:	6/10/25 10:10			6/10/25 10:20								
Date/Time Analyzed:	6/10/25 22:04			6/10/25 22:18								
QC Batch No.:	250610GC8A3			250610GC8A3								
Analyst Initials:	KD			KD								
Dilution Factor:	1.0			1.0								
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v						
Hydrogen	2.2	1.0	0.059	6.9	1.0	0.059						

Results normalized including non-methane hydrocarbons

ND = Not Detected (below MDL)
RL = Reporting Limit
MDL = Method Detection Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/20/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250610GC8A3
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/10/25 19:39				6/10/25 18:55		6/10/25 19:09					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	5.46	110	5.49	110	0.5	70	130	30

ND = Not Detected (below MDL)
RL = Reporting Limit
MDL = Method Detection Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ **Date** 6/10/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Air TECHNOLOGY
Laboratories, Inc.

June 26, 2025

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C, ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S061101-01/10

Enclosed are the results for sample(s) received 6/11/25 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA Method TO-15 – Samples collected in Mylar bags. Quadratic regression calibration was required for vinyl acetate, benzyl chloride, and 1,2,4-trichlorobenzene.
- Bromoform exhibited low recovery in the initial calibration verification indicating low bias. Results were flagged with the Q qualifier.
- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 6/23/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

CHAIN OF CUSTODY RECORD

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 OF

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.:	07-SO05310
Bill to:	
	07FSAccountspayable@scsengineers.com
	3900 Kilroy Airport Way, Suite 100
	Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
SO61101-01	CV-24134	6/11/2025	11:05am	1L	Gas	N	X					
-02	CV-24084	6/11/2025	9:15am	1L	Gas	N	X					
-03	CV-24099	6/11/2025	9:30am	1L	Gas	N	X					
-04	TC-2383S	6/11/2025	9:55am	1L	Gas	N	X					
-05	CV-99	6/11/2025	10:55am	1L	Gas	N	X	X	X			
-06	CV-24049	6/11/2025	11:15am	1L	Gas	N	X	X	X			
-07	CV-24055	6/11/2025	11:10am	1L	Gas	N	X	X	X			
-08	H-1403W * Cancelled tbo 6/11/25	6/11/2025	10:15am	2-1L	Gas	N	~~X~~	~~X~~	~~X~~	~~X~~	tbo 6/11/25	
-09	CV-103	6/11/2025	9:00am	2-1L	Gas	N	X	X	X	X		
-10	CV-2305	6/11/2025	8:45am	1L	Gas	N	X	X	X			

AUTHORIZATION TO PERFORM WORK	COMPANY	DATE/TIME	
SAMPLED BY Eric Arias	COMPANY SCS	DATE/TIME 06/11/25	11:50am
RELINQUISHED BY	DATE/TIME 06/11/25 12:00	RECEIVED BY S Fenner	DATE/TIME 6/11/25 12:05
RELINQUISHED BY S Fenner	DATE/TIME 6/11/25 1:59	RECEIVED BY	DATE/TIME 6/11/25 13:59
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE
* per Jenny Kim sample has been Cancelled. tbo 6/11/25

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S061101-05		S061101-06		S061101-07		S061101-09	
Client Sample I.D.:	CV-99		CV-24049		CV-24055		CV-103	
Date/Time Sampled:	6/11/25 10:55		6/11/25 11:15		6/11/25 11:10		6/11/25 9:00	
Date/Time Analyzed:	6/12/25 6:07		6/12/25 6:21		6/12/25 6:36		6/12/25 6:50	
QC Batch No.:	250611GC8A3		250611GC8A3		250611GC8A3		250611GC8A3	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	22	10	1,100	10	900	10	150	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	**S061101-10**							
Client Sample I.D.:	**CV-2305**							
Date/Time Sampled:	**6/11/25 8:45**							
Date/Time Analyzed:	**6/12/25 7:05**							
QC Batch No.:	**250611GC8A3**							
Analyst Initials:	**KD**							
Dilution Factor:	**1.0**							
ANALYTE	**Result ppmv**	**RL ppmv**						
Carbon Monoxide	2,000	10						

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez f **Date** 6-23-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250611GC8A3
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/12/25 4:54			6/12/25 7:19		6/12/25 7:34					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,090	108	1,080	107	0.5	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez f
Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061101-05			S061101-06			S061101-07			S061101-09		
Client Sample I.D.:	CV-99			CV-24049			CV-24055			CV-103		
Date/Time Sampled:	6/11/25 10:55			6/11/25 11:15			6/11/25 11:10			6/11/25 9:00		
Date/Time Analyzed:	6/12/25 6:07			6/12/25 6:21			6/12/25 6:36			6/12/25 6:50		
QC Batch No.:	250611GC8A3			250611GC8A3			250611GC8A3			250611GC8A3		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	0.58 J	1.0	0.059	7.4	1.0	0.059	7.6	1.0	0.059	0.79 J	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Anika Schlesinger for
Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061101-10		
Client Sample I.D.:	CV-2305		
Date/Time Sampled:	6/11/25 8:45		
Date/Time Analyzed:	6/12/25 7:05		
QC Batch No.:	250611GC8A3		
Analyst Initials:	KD		
Dilution Factor:	1.0		

ANALYTE	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	8.9	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Anika Sotelo Sanchez f.
Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250611GC8A3
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/12/25 4:54				6/12/25 7:19		6/12/25 7:34					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	4.87	98	4.87	98	0.0	70	130	30

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061101-01		S061101-02		S061101-03		S061101-04	
Client Sample I.D.:	CV-24134		CV-24084		CV-24099		TC-2383S	
Date/Time Sampled:	6/11/25 11:05		6/11/25 9:15		6/11/25 9:30		6/11/25 9:55	
Date/Time Analyzed:	6/12/25 5:09		6/12/25 5:23		6/12/25 5:38		6/12/25 5:52	
QC Batch No.:	250611GC8A3		250611GC8A3		250611GC8A3		250611GC8A3	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	59	0.010	66	0.010	44	0.010	4.9	0.010
Oxygen/Argon	3.8	0.50	3.1	0.50	9.7	0.50	19	0.50
Nitrogen	14	1.0	11	1.0	36	1.0	75	1.0
Methane	13	0.0010	10	0.0010	9.4	0.0010	0.81	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6-23-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061101-05		S061101-06		S061101-07		S061101-09	
Client Sample I.D.:	CV-99		CV-24049		CV-24055		CV-103	
Date/Time Sampled:	6/11/25 10:55		6/11/25 11:15		6/11/25 11:10		6/11/25 9:00	
Date/Time Analyzed:	6/12/25 6:07		6/12/25 6:21		6/12/25 6:36		6/12/25 6:50	
QC Batch No.:	250611GC8A3		250611GC8A3		250611GC8A3		250611GC8A3	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	37	0.010	49	0.010	41	0.010	36	0.010
Oxygen/Argon	7.7	0.50	6.1	0.50	5.2	0.50	4.6	0.50
Nitrogen	30	1.0	29	1.0	37	1.0	17	1.0
Methane	25	0.0010	7.9	0.0010	8.3	0.0010	42	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	**S061101-10**							
Client Sample I.D.:	**CV-2305**							
Date/Time Sampled:	**6/11/25 8:45**							
Date/Time Analyzed:	**6/12/25 7:05**							
QC Batch No.:	**250611GC8A3**							
Analyst Initials:	**KD**							
Dilution Factor:	**1.0**							
ANALYTE	**Result % v/v**	**RL % v/v**						
Carbon Dioxide	**59**	0.010						
Oxygen/Argon	**5.4**	0.50						
Nitrogen	**22**	1.0						
Methane	**4.0**	0.0010						

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6-23-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250611GC8A3
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/12/25 4:54			6/12/25 7:19		6/12/25 7:34					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	9.87	99	9.78	98	0.9	70	130	30
Oxygen/Argon	ND	0.50	15	15.6	104	15.5	103	0.5	70	130	30
Nitrogen	ND	1.0	70	74.3	106	73.9	106	0.5	70	130	30
Methane	ND	0.0010	0.10	0.103	102	0.102	101	0.4	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6-23-25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061101-09							
Client Sample I.D.:	CV-103							
Date/Time Sampled:	6/11/25 9:00							
Date/Time Analyzed:	6/11/25 23:26							
QC Batch No.:	250611MS2A1							
Analyst Initials:	RC							
Dilution Factor:	300							
ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	300						
Chloromethane	ND	300						
1,2-Cl-1,1,2,2-F ethane (114)	ND	300						
Vinyl Chloride	ND	300						
Bromomethane	ND	300						
Chloroethane	ND	1,500						
Trichlorofluoromethane (11)	ND	300						
1,1-Dichloroethene	ND	300						
Carbon Disulfide	850	300						
1,1,2-Cl 1,2,2-F ethane (113)	ND	300						
Acetone	25,000	1,500						
Methylene Chloride	ND	300						
t-1,2-Dichloroethene	ND	300						
1,1-Dichloroethane	ND	300						
Vinyl Acetate	ND	300						
c-1,2-Dichloroethene	ND	300						
2-Butanone	17,000	1,500						
t-Butyl Methyl Ether (MTBE)	ND	300						
Chloroform	ND	300						
1,1,1-Trichloroethane	ND	300						
Carbon Tetrachloride	ND	300						
Benzene	9,400	300						
1,2-Dichloroethane	ND	300						
Trichloroethene	ND	300						
1,2-Dichloropropane	ND	300						
Bromodichloromethane	ND	300						
c-1,3-Dichloropropene	ND	300						
4-Methyl-2-Pentanone	ND	300						
Toluene	590	300						
t-1,3-Dichloropropene	ND	600						
1,1,2-Trichloroethane	ND	300						
Tetrachloroethene	ND	300						
2-Hexanone	ND	300						
Dibromochloromethane	ND	300						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061101-09	
Client Sample I.D.:	CV-103	
Date/Time Sampled:	6/11/25 9:00	
Date/Time Analyzed:	6/11/25 23:26	
QC Batch No.:	250611MS2A1	
Analyst Initials:	RC	
Dilution Factor:	300	

ANALYTE	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	300
Chlorobenzene	ND	300
Ethylbenzene	ND	300
p,&m-Xylene	ND	600
o-Xylene	ND	300
Styrene	ND	300
Bromoform	ND Q	300
1,1,2,2-Tetrachloroethane	ND	300
Benzyl Chloride	ND	300
4-Ethyl Toluene	ND	300
1,3,5-Trimethylbenzene	ND	300
1,2,4-Trimethylbenzene	ND	300
1,3-Dichlorobenzene	ND	300
1,4-Dichlorobenzene	ND	300
1,2-Dichlorobenzene	ND	300
1,2,4-Trichlorobenzene	ND	600
Hexachlorobutadiene	ND	300
1,3-Butadiene	ND	1,500
Isopropanol	39,000	1,500
n-Hexane	ND	1,500
Ethyl Acetate	ND	1,500
Tetrahydrofuran	11,000	1,500
Cyclohexane	ND	1,500
Heptane	ND	1,500
1,4-Dioxane	ND	1,500

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	6/11/25 8:40							
QC Batch No.:	250611MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							

ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	1.0						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	1.0						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	1.0						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.40						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/11/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	6/11/25 8:40							
QC Batch No.:	250611MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	**Result ppbv**	**RL ppbv**						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.40						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND Q	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.40						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 6-23-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250611MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/11/25 8:40			6/11/25 13:36		6/11/25 14:14					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	9.62	96	9.45	95	1.7	70	130	30
Methylene Chloride	ND	0.20	10	10.0	100	10.0	100	0.4	70	130	30
Trichloroethene	ND	0.20	10	9.45	94	9.44	94	0.0	70	130	30
Toluene	ND	0.20	10	9.58	96	9.33	93	2.7	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	8.82	88	8.38	84	5.1	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: Anika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date: 6-23-25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Air TECHNOLOGY Laboratories, Inc.

June 26, 2025

SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C, ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
UT Cert CA0133332015-3
EPA Methods TO3, TO14A, TO15, RSK-175
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S061207-01/06

Enclosed are the results for sample(s) received 6/12/25 by Air Technology Laboratories. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA Method TO-15 – Samples collected in Mylar bags. Quadratic regression calibration was required for vinyl acetate, benzyl chloride, and 1,2,4-trichlorobenzene.
- Bromoform exhibited low recovery in the initial calibration verification indicating low bias. Results were flagged with the Q qualifier.
- Unless otherwise noted in the report, sample analyses were performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 6/24/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

CHAIN OF CUSTODY RECORD

TURNAROUND TIME

Standard	■	48 hours	☐
Same Day	☐	72 hours	☐
24 hours	☐	96 hours	☐
Other:			

DELIVERABLES

EDD	■
EDF	☐
Level 3	☐
Level 4	☐

PAGE: 1 **OF**

Condition upon receipt:
Sealed Yes ☐ No ☐
Intact Yes ☐ No ☐
Chilled _____ deg C

Project No.:	07224200.24 Task 1
Project Name:	Chiquita Canyon Landfill
Report To:	Cornelius Fong
Company:	SCS Engineers
Street:	3900 Kilroy Airport Way, Suite 100
City/State/Zip:	Long Beach, CA 90806-6816
Phone& Fax:	562-743-7895
e-mail:	cfong@scsengineers.com

BILLING

P.O. No.: 07-SO05310
Bill to:
07FSAccountspayable@scsengineers.com
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806-6816

ANALYSIS REQUEST

LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
S061207-01	H-1770N	6/12/2025	8:55am	2-1L	Gas	N	X	X	X	X		
-02	CV-2337	6/12/2025	8:45am	1L	Gas	N	X	X	X			
-03	CV-2341	6/12/2025	8:30am	1L	Gas	N	X	X	X			
-04	CV-1423	6/12/2025	9:05am	1L	Gas	N	X	X	X			
-05	CV-2314	6/12/2025	9:35am	1L	Gas	N	X	X	X			
-06	CV-2354	6/12/2025	9:50am	1L	Gas	N	X	X	X			
				1L	Gas	N						
				1L	Gas	N						
				1L	Gas	N						
				1L	Gas	N						

AUTHORIZATION TO PERFORM WORK — COMPANY — DATE/TIME

SAMPLED BY Eric Arias — COMPANY SCS — DATE/TIME 6/12/2025 10:30am

RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Eric Arias	6/12/25 mtg	C Fong	6/12/25 12:18
C Fong	6/13/25 1:29	[illegible]	6/12/[illegible] 1329
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS **Courier** ATLI Other_____

COMMENTS
Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: **H**=HCl **N**=None / Container: **B**=Bag **C**=Can **V**=VOA **O**=Other *Rev. 03 - 5/7/09*

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S061207-01		S061207-02		S061207-03		S061207-04	
Client Sample I.D.:	H-1770N		CV-2337		CV-2341		CV-1423	
Date/Time Sampled:	6/12/25 8:55		6/12/25 8:45		6/12/25 8:30		6/12/25 9:05	
Date/Time Analyzed:	6/12/25 20:46		6/12/25 21:00		6/12/25 21:15		6/12/25 21:29	
QC Batch No.:	250612GC8A1		250612GC8A1		250612GC8A1		250612GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
Carbon Monoxide	130	10	780	10	670	10	22	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/17/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S061207-05		S061207-06					
Client Sample I.D.:	CV-2314		CV-2354					
Date/Time Sampled:	6/12/25 9:35		6/12/25 9:50					
Date/Time Analyzed:	6/12/25 21:44		6/12/25 21:58					
QC Batch No.:	250612GC8A1		250612GC8A1					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv				
Carbon Monoxide	1,700	10	2,300	10				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/13/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250612GC8A1
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/12/25 11:49			6/12/25 11:06		6/12/25 11:20					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,090	108	1,090	108	0.2	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/24/25

Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061207-01			S061207-02			S061207-03			S061207-04		
Client Sample I.D.:	H-1770N			CV-2337			CV-2341			CV-1423		
Date/Time Sampled:	6/12/25 8:55			6/12/25 8:45			6/12/25 8:30			6/12/25 9:05		
Date/Time Analyzed:	6/12/25 20:46			6/12/25 21:00			6/12/25 21:15			6/12/25 21:29		
QC Batch No.:	250612GC8A1			250612GC8A1			250612GC8A1			250612GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	1.5	1.0	0.059	7.7	1.0	0.059	12	1.0	0.059	0.21 J	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061207-05			S061207-06								
Client Sample I.D.:	CV-2314			CV-2354								
Date/Time Sampled:	6/12/25 9:35			6/12/25 9:50								
Date/Time Analyzed:	6/12/25 21:44			6/12/25 21:58								
QC Batch No.:	250612GC8A1			250612GC8A1								
Analyst Initials:	KD			KD								
Dilution Factor:	1.0			1.0								
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v						
Hydrogen	8.9	1.0	0.059	11	1.0	0.059						

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____
Mark Johnson
Operations Manager

Date 6/24/25

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250612GC8A1
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	6/12/25 11:49				6/12/25 11:06		6/12/25 11:20					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	4.82	97	4.79	96	0.8	70	130	30

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: _____ Date 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061207-01		S061207-02		S061207-03		S061207-04	
Client Sample I.D.:	H-1770N		CV-2337		CV-2341		CV-1423	
Date/Time Sampled:	6/12/25 8:55		6/12/25 8:45		6/12/25 8:30		6/12/25 9:05	
Date/Time Analyzed:	6/12/25 20:46		6/12/25 21:00		6/12/25 21:15		6/12/25 21:29	
QC Batch No.:	250612GC8A1		250612GC8A1		250612GC8A1		250612GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	52	0.010	26	0.010	51	0.010	39	0.010
Oxygen/Argon	5.5	0.50	13	0.50	4.0	0.50	6.3	0.50
Nitrogen	20	1.0	49	1.0	15	1.0	24	1.0
Methane	21	0.0010	4.1	0.0010	18	0.0010	31	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S061207-05		S061207-06					
Client Sample I.D.:	CV-2314		CV-2354					
Date/Time Sampled:	6/12/25 9:35		6/12/25 9:50					
Date/Time Analyzed:	6/12/25 21:44		6/12/25 21:58					
QC Batch No.:	250612GC8A1		250612GC8A1					
Analyst Initials:	KD		KD					
Dilution Factor:	1.0		1.0					
ANALYTE	**Result % v/v**	**RL % v/v**	**Result % v/v**	**RL % v/v**				
Carbon Dioxide	57	0.010	51	0.010				
Oxygen/Argon	5.3	0.50	5.2	0.50				
Nitrogen	21	1.0	19	1.0				
Methane	7.5	0.0010	13	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date: 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 250612GC8A1
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	6/12/25 11:49			6/12/25 11:06		6/12/25 11:20					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0			Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	9.70	97	9.68	97	0.3	70	130	30
Oxygen/Argon	ND	0.50	15	15.5	103	15.5	103	0.2	70	130	30
Nitrogen	ND	1.0	70	73.8	106	73.7	106	0.2	70	130	30
Methane	ND	0.0010	0.10	0.102	101	0.102	101	0.0	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date** 6/12/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061207-01							
Client Sample I.D.:	H-1770N							
Date/Time Sampled:	6/12/25 8:55							
Date/Time Analyzed:	6/12/25 21:16							
QC Batch No.:	250612MS2A1							
Analyst Initials:	RC							
Dilution Factor:	300							

ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	300						
Chloromethane	ND	300						
1,2-Cl-1,1,2,2-F ethane (114)	ND	300						
Vinyl Chloride	ND	300						
Bromomethane	ND	300						
Chloroethane	ND	1,500						
Trichlorofluoromethane (11)	ND	300						
1,1-Dichloroethene	ND	300						
Carbon Disulfide	500	300						
1,1,2-Cl 1,2,2-F ethane (113)	ND	300						
Acetone	37,000	1,500						
Methylene Chloride	ND	300						
t-1,2-Dichloroethene	ND	300						
1,1-Dichloroethane	ND	300						
Vinyl Acetate	ND	300						
c-1,2-Dichloroethene	ND	300						
2-Butanone	22,000	1,500						
t-Butyl Methyl Ether (MTBE)	560	300						
Chloroform	ND	300						
1,1,1-Trichloroethane	ND	300						
Carbon Tetrachloride	ND	300						
Benzene	73,000 d	300						
1,2-Dichloroethane	ND	300						
Trichloroethene	ND	300						
1,2-Dichloropropane	ND	300						
Bromodichloromethane	ND	300						
c-1,3-Dichloropropene	ND	300						
4-Methyl-2-Pentanone	ND	300						
Toluene	1,300	300						
t-1,3-Dichloropropene	ND	600						
1,1,2-Trichloroethane	ND	300						
Tetrachloroethene	ND	300						
2-Hexanone	ND	300						
Dibromochloromethane	ND	300						

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S061207-01							
Client Sample I.D.:	H-1770N							
Date/Time Sampled:	6/12/25 8:55							
Date/Time Analyzed:	6/12/25 21:16							
QC Batch No.:	250612MS2A1							
Analyst Initials:	RC							
Dilution Factor:	300							
ANALYTE	**Result ppbv**	**RL ppbv**						
1,2-Dibromoethane	ND	300						
Chlorobenzene	ND	300						
Ethylbenzene	ND	300						
p,&m-Xylene	ND	600						
o-Xylene	ND	300						
Styrene	ND	300						
Bromoform	ND Q	300						
1,1,2,2-Tetrachloroethane	ND	300						
Benzyl Chloride	ND	300						
4-Ethyl Toluene	ND	300						
1,3,5-Trimethylbenzene	ND	300						
1,2,4-Trimethylbenzene	ND	300						
1,3-Dichlorobenzene	ND	300						
1,4-Dichlorobenzene	ND	300						
1,2-Dichlorobenzene	ND	300						
1,2,4-Trichlorobenzene	ND	600						
Hexachlorobutadiene	ND	300						
1,3-Butadiene	4,600	1,500						
Isopropanol	39,000	1,500						
n-Hexane	1,500	1,500						
Ethyl Acetate	4,300 Q	1,500						
Tetrahydrofuran	19,000	1,500						
Cyclohexane	ND	1,500						
Heptane	ND	1,500						
1,4-Dioxane	ND	1,500						

RL = Reporting Limit
ND = Not Detected (below RL)
d = Result obtained from secondary dilution. Batch No.:250613MS2A1
Q = Refer to Report Narrative

Reviewed/Approved By: _____ Date 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK		METHOD_BLANK					
Client Sample I.D.:	-		-					
Date/Time Sampled:	--		--					
Date/Time Analyzed:	6/12/25 6:49		6/13/25 7:39					
QC Batch No.:	250612MS2A1		250613MS2A1					
Analyst Initials:	RC		RC					
Dilution Factor:	0.20		1.0					
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv				
Dichlorodifluoromethane (12)	ND	0.20	ND	1.0				
Chloromethane	ND	0.20	ND	1.0				
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20	ND	1.0				
Vinyl Chloride	ND	0.20	ND	1.0				
Bromomethane	ND	0.20	ND	1.0				
Chloroethane	ND	1.0	ND	5.0				
Trichlorofluoromethane (11)	ND	0.20	ND	1.0				
1,1-Dichloroethene	ND	0.20	ND	1.0				
Carbon Disulfide	ND	0.20	ND	1.0				
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20	ND	1.0				
Acetone	ND	1.0	ND	5.0				
Methylene Chloride	ND	0.20	ND	1.0				
t-1,2-Dichloroethene	ND	0.20	ND	1.0				
1,1-Dichloroethane	ND	0.20	ND	1.0				
Vinyl Acetate	ND	0.20	ND	1.0				
c-1,2-Dichloroethene	ND	0.20	ND	1.0				
2-Butanone	ND	1.0	ND	5.0				
t-Butyl Methyl Ether (MTBE)	ND	0.20	ND	1.0				
Chloroform	ND	0.20	ND	1.0				
1,1,1-Trichloroethane	ND	0.20	ND	1.0				
Carbon Tetrachloride	ND	0.20	ND	1.0				
Benzene	ND	0.20	ND	1.0				
1,2-Dichloroethane	ND	0.20	ND	1.0				
Trichloroethene	ND	0.20	ND	1.0				
1,2-Dichloropropane	ND	0.20	ND	1.0				
Bromodichloromethane	ND	0.20	ND	1.0				
c-1,3-Dichloropropene	ND	0.20	ND	1.0				
4-Methyl-2-Pentanone	ND	0.20	ND	1.0				
Toluene	ND	0.20	ND	1.0				
t-1,3-Dichloropropene	ND	0.40	ND	2.0				
1,1,2-Trichloroethane	ND	0.20	ND	1.0				
Tetrachloroethene	ND	0.20	ND	1.0				
2-Hexanone	ND	0.20	ND	1.0				
Dibromochloromethane	ND	0.20	ND	1.0				

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 06/12/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK		METHOD_BLANK					
Client Sample I.D.:	-		-					
Date/Time Sampled:	--		--					
Date/Time Analyzed:	6/12/25 6:49		6/13/25 7:39					
QC Batch No.:	250612MS2A1		250613MS2A1					
Analyst Initials:	RC		RC					
Dilution Factor:	0.20		1.0					
ANALYTE	**Result ppbv**	**RL ppbv**	**Result ppbv**	**RL ppbv**				
1,2-Dibromoethane	ND	0.20	ND	1.0				
Chlorobenzene	ND	0.20	ND	1.0				
Ethylbenzene	ND	0.20	ND	1.0				
p,&m-Xylene	ND	0.40	ND	2.0				
o-Xylene	ND	0.20	ND	1.0				
Styrene	ND	0.20	ND	1.0				
Bromoform	ND Q	0.20	ND Q	1.0				
1,1,2,2-Tetrachloroethane	ND	0.20	ND	1.0				
Benzyl Chloride	ND	0.20	ND	1.0				
4-Ethyl Toluene	ND	0.20	ND	1.0				
1,3,5-Trimethylbenzene	ND	0.20	ND	1.0				
1,2,4-Trimethylbenzene	ND	0.20	ND	1.0				
1,3-Dichlorobenzene	ND	0.20	ND	1.0				
1,4-Dichlorobenzene	ND	0.20	ND	1.0				
1,2-Dichlorobenzene	ND	0.20	ND	1.0				
1,2,4-Trichlorobenzene	ND	0.40	ND	2.0				
Hexachlorobutadiene	ND	0.20	ND	1.0				
1,3-Butadiene	ND	1.0	ND	5.0				
Isopropanol	ND	1.0	ND	5.0				
n-Hexane	ND	1.0	ND	5.0				
Ethyl Acetate	ND	1.0	ND	5.0				
Tetrahydrofuran	ND	1.0	ND	5.0				
Cyclohexane	ND	1.0	ND	5.0				
Heptane	ND	1.0	ND	5.0				
1,4-Dioxane	ND	1.0	ND	5.0				

RL = Reporting Limit
ND = Not Detected (below RL)
Q = Refer to Report Narrative

Reviewed/Approved By: _____ **Date** 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250612MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/12/25 6:49			6/12/25 3:19		6/12/25 3:57					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	9.16	92	9.14	91	0.2	70	130	30
Methylene Chloride	ND	0.20	10	9.84	98	9.97	100	1.3	70	130	30
Trichloroethene	ND	0.20	10	9.29	93	9.50	95	2.2	70	130	30
Toluene	ND	0.20	10	9.41	94	9.28	93	1.4	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	8.12	81	8.21	82	1.1	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ Date: 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 250313MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	6/13/25 7:39			6/13/25 10:12		6/13/25 10:50					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	1.0			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	1.0	10	9.64	96	9.73	97	0.9	70	130	30
Methylene Chloride	ND	1.0	10	9.99	100	10.1	101	1.0	70	130	30
Trichloroethene	ND	1.0	10	9.51	95	9.32	93	2.1	70	130	30
Toluene	ND	1.0	10	9.20	92	9.02	90	2.0	70	130	30
1,1,2,2-Tetrachloroethane	ND	1.0	10	8.41	84	8.22	82	2.4	70	130	30

ND = Not Detected (below RL)
RL = Reporting Limit

Reviewed/Approved By: _____ **Date:** 6/24/25
Mark Johnson
Operations Manager

The cover letter is an integral part of this analytical report

AirTECHNOLOGY Laboratories, Inc.
18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-103	6/4/2025 3:11:59 PM	52.4	47.2	0.0	0.4			117.9	118.4	0.04	-0.07	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-103	6/4/2025 3:13:03 PM	52.6	46.2	0.0	1.2			118.9	119.0	-0.13	-0.16	
CV-103	6/11/2025 9:00:00 AM						7900					Air Technology; [User entered 0.79%]
CV-103	6/11/2025 9:00:00 AM					150						Air Technology
CV-108-52	6/1/2025 2:02:49 PM	32.7	62.6	0.0	4.7			119.0	123.2	-1.07	-0.92	
CV-108-52	6/1/2025 2:02:53 PM	32.7	62.6	0.0	4.7			119.0	123.2	-1.07	-0.92	
CV-108-52	6/1/2025 2:04:00 PM	34.1	64.1	0.0	1.8			123.9	123.9	-0.96	-0.93	Barely Open
CV-108-52	6/2/2025 9:25:00 AM						48000					Air Technology; [User entered 4.8%]
CV-108-52	6/2/2025 9:25:00 AM					1400						Air Technology
CV-108-52	6/18/2025 2:22:55 PM	38.2	61.8	0.0	0.0			125.8	126.3	-0.97	-0.99	
CV-113	6/5/2025 4:32:51 PM	2.4	14.3	18.6	64.7			84.0	84.4	-6.91	-6.83	NSPS/EG CAI,Barely Open
CV-113	6/5/2025 4:33:48 PM	2.3	14.3	18.5	64.9			85.1	85.2	-6.79	-6.83	
CV-113	6/10/2025 9:40:00 AM						88000					Air Technology; [User entered 8.8%]
CV-113	6/10/2025 9:40:00 AM					1400						Air Technology
CV-113	6/20/2025 2:16:47 PM	1.5	10.1	17.3	71.1			87.7	89.2	-7.58	-7.49	NSPS/EG CAI
CV-113	6/20/2025 2:21:13 PM	3.0	19.6	15.9	61.5			89.4	89.4	-7.48	-7.47	
CV-113	6/25/2025 11:01:32 AM	4.7	20.8	14.6	59.9			86.6	90.1	-7.34	-0.01	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-113	6/25/2025 11:03:59 AM	1.9	7.3	18.2	72.7			91.4	91.6	-0.48	-0.43	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-114	6/10/2025 9:50:00 AM						2500					Air Technology; [User entered 0.25%]
CV-114	6/10/2025 9:50:00 AM					0						Air Technology
CV-1423	6/5/2025 12:14:44 PM	50.8	49.2	0.0	0.0			132.5	132.6	-0.14	-0.10	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-1423	6/5/2025 12:15:19 PM	49.5	50.5	0.0	0.0			132.7	132.7	-0.15	-0.15	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-1423	6/12/2025 9:05:00 AM					22						Air Technology
CV-1423	6/12/2025 9:05:00 AM						2100					Air Technology; [User entered 0.21%]
CV-1532A	6/3/2025 8:10:00 AM						220000					Air Technology; [User entered 22%]
CV-1532A	6/3/2025 8:10:00 AM					1600						Air Technology
CV-1532A	6/4/2025 12:50:28 PM	3.7	59.9	2.1	34.3			132.4	132.0	-0.98	-1.19	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-1532A	6/25/2025 10:59:12 AM	3.6	46.3	9.6	40.5			132.2	132.0	-2.05	-1.52	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header;Well Condition:Good
CV-1532A	6/25/2025 11:00:09 AM	1.8	45.0	9.5	43.7			132.0	132.0	-1.32	-1.20	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Valve 100% Open;Well Condition:Fair

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-1535	6/1/2025 1:43:05 PM	45.1	49.9	0.0	5.0			112.6	113.3	-0.47	-0.43	
CV-1535	6/10/2025 8:50:00 AM						7400					Air Technology; [User entered 0.74%]
CV-1535	6/10/2025 8:50:00 AM					44						Air Technology
CV-1535	6/18/2025 2:09:56 PM	51.1	48.9	0.0	0.0			117.0	117.3	-0.28	-0.29	
CV-1902A	6/4/2025 6:04:00 AM					1200						Air Technology
CV-1902A	6/4/2025 9:50:00 AM						170000					Air Technology; [User entered 17%]
CV-1902A	6/5/2025 9:48:35 AM	7.1	80.8	0.0	12.1			171.1	171.6	-0.42	-0.56	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-1902A	6/5/2025 9:50:00 AM						164500					AtmAA; [User entered 16.45%]
CV-1902A	6/5/2025 9:50:00 AM					1410						AtmAA
CV-1902A	6/12/2025 9:09:51 AM	2.8	79.9	0.0	17.3			180.9	180.1	-3.69	-3.74	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-1902A	6/12/2025 9:10:00 AM					2040						AtmAA
CV-1902A	6/18/2025 9:14:04 AM	3.5	77.5	0.0	19.0			176.1	174.9	-4.48	-2.54	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-1902A	6/26/2025 8:55:40 AM	3.6	79.6	0.0	16.8			180.6	174.4	-2.04	-0.54	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2001	6/1/2025 10:06:41 AM	13.9	84.5	0.0	1.6			135.0	135.7	-0.17	-0.15	NSPS/EG CAI
CV-2001	6/1/2025 10:07:48 AM	13.7	84.9	0.0	1.4			135.1	135.2	-0.08	-0.08	
CV-2001	6/4/2025 10:00:00 AM						8600					Air Technology; [User entered 0.86%]
CV-2001	6/4/2025 10:00:00 AM					100						Air Technology
CV-2001	6/18/2025 9:14:11 AM	11.3	77.4	2.0	9.3			128.4	129.1	-1.01	-1.00	
CV-2002	6/1/2025 10:35:46 AM	43.6	53.0	0.0	3.4			119.3	119.4	-2.64	-2.63	
CV-2002	6/4/2025 10:20:00 AM					100						Air Technology
CV-2002	6/18/2025 9:42:57 AM	45.2	51.5	0.3	3.0			121.7	121.6	-6.91	-4.81	
CV-2007	6/4/2025 8:22:00 AM					120						Air Technology
CV-2007	6/8/2025 9:07:15 AM	28.8	64.1	0.9	6.2			118.0	118.2	-0.44	-0.42	
CV-2007	6/21/2025 11:22:21 AM	29.0	65.0	0.8	5.2			121.3	121.1	-0.15	-0.14	Valve Comment:unable to reach system;Valve Adjustment:Barely Open;Well Condition:Good
CV-2301	6/4/2025 8:56:38 AM	21.1	57.5	2.6	18.8			181.0	181.0	-5.08	-4.97	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2301	6/4/2025 9:00:00 AM						65900					AtmAA; [User entered 6.59%]
CV-2301	6/4/2025 9:00:00 AM					990						AtmAA
CV-2301	6/5/2025 9:40:00 AM						59000					Air Technology; [User entered 5.9%]
CV-2301	6/5/2025 9:40:00 AM					520						Air Technology

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2301	6/11/2025 8:13:32 AM	5.1	84.6	0.0	10.3			173.0	173.0	1.23	1.29	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2301	6/11/2025 8:14:14 AM	4.4	84.4	0.0	11.2			173.0	173.0	1.28	1.23	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2301	6/11/2025 8:15:00 AM					2260						AtmAA
CV-2301	6/19/2025 8:50:03 AM	24.2	56.3	2.2	17.3			179.0	179.0	-3.75	-3.81	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2302	6/3/2025 9:23:00 AM						18000					Air Technology; [User entered 1.8%]
CV-2302	6/3/2025 9:23:00 AM					96						Air Technology
CV-2302	6/4/2025 1:38:41 PM	49.5	46.3	0.0	4.2			119.6	119.4	-0.02	-0.18	
CV-2302	6/17/2025 2:07:22 PM	47.3	47.0	0.0	5.7			124.2	123.7	-0.18	-0.16	Valve Adjustment:No Adjustment Made,Surging Liquid in Header
CV-2303	6/3/2025 11:51:57 AM	10.1	81.9	0.0	8.0			187.3	187.5	-3.55	-3.63	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2303	6/3/2025 11:55:00 AM						138800					AtmAA; [User entered 13.88%]
CV-2303	6/3/2025 11:55:00 AM					2840						AtmAA
CV-2303	6/5/2025 10:00:00 AM						120000					Air Technology; [User entered 12%]
CV-2303	6/5/2025 10:00:00 AM					1600						Air Technology
CV-2303	6/10/2025 10:15:07 AM	4.8	82.0	0.0	13.2			190.2	190.1	-2.73	-2.79	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-2303	6/10/2025 10:20:00 AM					2555						AtmAA
CV-2303	6/17/2025 10:05:37 AM	7.4	84.1	0.0	8.5			188.7	188.8	-4.13	-4.11	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2303	6/24/2025 2:00:37 PM	5.0	82.1	0.0	12.9			189.1	188.8	-4.22	-4.07	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2305	6/7/2025 2:48:02 PM	2.1	90.4	0.0	7.5			131.8	136.8	0.26	-0.02	NSPS/EG CAI,High Temp,Increased Flow/Vacuum,Barely Open
CV-2305	6/7/2025 2:49:37 PM	1.6	91.8	0.0	6.6			137.5	137.6	-0.05	-0.04	Barely Open
CV-2305	6/11/2025 8:45:00 AM						89000					Air Technology; [User entered 8.9%]
CV-2305	6/11/2025 8:45:00 AM					2000						Air Technology
CV-2305	6/18/2025 2:05:13 PM	14.1	61.0	0.1	24.8			132.8	132.9	-0.06	-0.05	
CV-2312	6/3/2025 10:02:00 AM						110000					Air Technology; [User entered 11%]
CV-2312	6/3/2025 10:02:00 AM					2000						Air Technology
CV-2312	6/4/2025 8:12:45 AM	12.1	78.5	0.0	9.4			143.6	143.6	-0.55	-0.51	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [ ]	Adj Temp [ ]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2312	6/4/2025 8:13:18 AM	11.6	78.3	0.0	10.1			143.7	143.3	-0.50	-0.50	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-2312	6/19/2025 1:30:36 PM	11.1	76.2	0.0	12.7			142.7	142.4	-0.47	-0.47	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2312	6/19/2025 1:31:10 PM	11.1	76.4	0.0	12.5			141.8	141.8	-0.40	-0.32	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2314	6/7/2025 1:55:47 PM	5.3	89.6	0.0	5.1			141.5	142.2	-2.75	-0.81	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2314	6/7/2025 1:57:05 PM	5.2	92.4	0.0	2.4			142.2	142.2	-0.65	-0.70	
CV-2314	6/12/2025 9:35:00 AM					1700						Air Technology
CV-2314	6/12/2025 9:35:00 AM						89000					Air Technology; [User entered 8.9%]
CV-2314	6/20/2025 11:19:59 AM	6.5	85.8	0.0	7.7			140.1	139.8	-0.35	-0.34	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2314	6/20/2025 11:20:29 AM	6.1	86.3	0.0	7.6			139.8	139.8	-0.31	-0.31	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2315	6/3/2025 10:11:00 AM						58000					Air Technology; [User entered 5.8%]
CV-2315	6/3/2025 10:11:00 AM					1200						Air Technology
CV-2315	6/4/2025 7:00:47 AM	32.4	67.6	0.0	0.0			157.8	157.9	-6.25	-6.26	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-2315	6/4/2025 7:05:00 AM						55750					AtmAA; [User entered 5.575%]
CV-2315	6/4/2025 7:05:00 AM					1775						AtmAA
CV-2315	6/10/2025 1:10:20 PM	7.2	83.8	0.0	9.0			165.3	165.3	-0.64	-0.59	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2315	6/10/2025 1:15:00 PM					2290						AtmAA
CV-2315	6/19/2025 8:00:06 AM	9.0	83.9	0.0	7.1			161.6	161.6	-3.39	-3.19	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-2315	6/25/2025 9:20:15 AM	8.2	82.7	0.0	9.1			159.3	159.3	-3.50	-3.52	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open;Well Condition:Fair
CV-2328	6/3/2025 9:48:00 AM						65000					Air Technology; [User entered 6.5%]
CV-2328	6/3/2025 9:48:00 AM					820						Air Technology
CV-2328	6/4/2025 8:18:08 AM	14.1	79.2	0.0	6.7			171.2	171.3	-0.12	-0.12	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2328	6/4/2025 8:20:00 AM						67100					AtmAA; [User entered 6.71%]
CV-2328	6/4/2025 8:20:00 AM					1450						AtmAA

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2328	6/11/2025 8:38:55 AM	14.0	79.3	0.0	6.7			170.8	170.8	-0.33	-0.31	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-2328	6/11/2025 8:45:00 AM					1140						AtmAA
CV-2328	6/18/2025 10:38:16 AM	14.3	79.7	0.0	6.0			167.2	167.1	1.09	1.10	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-2328	6/18/2025 10:39:14 AM	16.0	80.9	0.0	3.1			167.3	167.2	1.08	1.08	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Good
CV-2328	6/25/2025 8:20:37 AM	39.9	57.0	0.0	3.1			149.1	148.6	-5.73	-4.00	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Good
CV-2333	6/8/2025 9:22:13 AM	1.9	72.9	1.8	23.4			119.7	120.1	-3.99	-3.94	
CV-2333	6/9/2025 9:37:00 AM						130000					Air Technology; [User entered 13%]
CV-2333	6/9/2025 9:37:00 AM					2500						Air Technology
CV-2333	6/21/2025 10:14:54 AM	1.6	78.1	1.5	18.8			127.3	126.0	-3.37	-0.31	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-2334	6/9/2025 9:40:00 AM						15000					Air Technology; [User entered 1.5%]
CV-2334	6/9/2025 9:40:00 AM					230						Air Technology
CV-2334	6/21/2025 10:05:51 AM	40.3	55.4	0.8	3.5			124.3	124.3	-0.46	-0.45	Valve Adjustment:Barely Open;Well Comment:Unable to reach system;Well Condition:Good
CV-2337	6/12/2025 8:45:00 AM					780						Air Technology
CV-2337	6/12/2025 8:45:00 AM						77000					Air Technology; [User entered 7.7%]
CV-2341	6/5/2025 9:21:18 AM	18.4	63.6	0.9	17.1			138.0	134.5	-2.20	-4.73	NSPS/EG CAI
CV-2341	6/5/2025 9:22:31 AM	17.4	65.0	1.2	16.4			129.7	130.0	-4.58	-5.10	
CV-2341	6/12/2025 8:30:00 AM					670						Air Technology
CV-2341	6/12/2025 8:30:00 AM						120000					Air Technology; [User entered 12%]
CV-2341	6/19/2025 9:02:42 AM	25.2	60.9	0.7	13.2			134.9	135.3	-4.19	-3.48	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2341	6/19/2025 9:04:34 AM	23.6	62.6	0.5	13.3			130.8	130.8	-3.76	-3.74	
CV-2344	6/1/2025 1:46:23 PM	20.1	69.5	0.0	10.4			127.0	128.4	-1.32	-1.35	
CV-2344	6/2/2025 9:05:00 AM						81000					Air Technology; [User entered 8.1%]
CV-2344	6/2/2025 9:05:00 AM					2100						Air Technology
CV-2344	6/18/2025 1:57:43 PM	20.2	79.1	0.0	0.7			142.3	142.7	-1.06	-1.03	NSPS/EG CAI
CV-2344	6/18/2025 1:59:26 PM	20.5	66.0	0.0	13.5			144.3	144.3	-0.94	-0.92	
CV-2345	6/1/2025 1:34:32 PM	26.4	71.8	0.0	1.8			132.8	134.6	-1.30	-1.07	Decreased Flow/Vacuum
CV-2345	6/1/2025 1:36:02 PM	26.5	71.8	0.0	1.7			134.8	134.9	-1.14	-1.13	

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2345	6/2/2025 9:00:00 AM						33000					Air Technology; [User entered 3.3%]
CV-2345	6/2/2025 9:00:00 AM					620						Air Technology
CV-2345	6/18/2025 1:52:42 PM	30.2	69.8	0.0	0.0			135.2	137.7	-1.52	-1.25	Decreased Flow/Vacuum
CV-2346	6/1/2025 1:29:25 PM	7.5	85.1	0.0	7.4			131.3	132.3	0.09	-0.02	NSPS/EG CAI
CV-2346	6/1/2025 1:30:21 PM	7.1	87.5	0.0	5.4			130.5	130.4	-0.15	-0.12	
CV-2346	6/2/2025 8:55:00 AM						95000					Air Technology; [User entered 9.5%]
CV-2346	6/2/2025 8:55:00 AM					3100						Air Technology
CV-2346	6/18/2025 1:46:09 PM	12.6	81.7	0.0	5.7			129.0	129.6	-0.61	-0.55	
CV-2347	6/1/2025 2:23:40 PM	19.4	70.0	0.0	10.6			113.5	113.7	-1.41	-1.19	Decreased Flow/Vacuum
CV-2347	6/2/2025 8:50:00 AM					1200						Air Technology
CV-2347	6/2/2025 9:55:00 AM						52000					Air Technology; [User entered 5.2%]
CV-2347	6/18/2025 1:20:51 PM	22.0	67.3	0.0	10.7			111.2	111.1	-1.23	-1.22	
CV-2348	6/1/2025 1:08:39 PM	31.7	48.2	0.0	20.1			121.3	121.7	-1.73	-1.73	
CV-2348	6/2/2025 8:45:00 AM						5500					Air Technology; [User entered 0.55%]
CV-2348	6/2/2025 8:45:00 AM					37						Air Technology
CV-2348	6/18/2025 2:41:02 PM	41.6	52.3	0.0	6.1			120.9	121.0	-1.33	-1.31	
CV-2349	6/1/2025 11:13:24 AM	9.9	77.9	0.0	12.2			142.0	143.0	2.59	2.52	NSPS/EG CAI
CV-2349	6/1/2025 11:14:38 AM	6.5	83.9	0.0	9.6			143.7	143.8	2.54	2.60	
CV-2349	6/10/2025 8:20:00 AM						91000					Air Technology; [User entered 9.1%]
CV-2349	6/10/2025 8:20:00 AM					2800						Air Technology
CV-2349	6/18/2025 10:24:01 AM	9.4	80.9	0.0	9.7			145.4	145.7	4.52	4.16	NSPS/EG CAI
CV-2349	6/18/2025 10:25:26 AM	6.4	85.6	0.0	8.0			146.3	146.4	4.44	4.37	
CV-2349	6/25/2025 2:21:08 PM	6.4	84.5	0.0	9.1			142.0	141.7	5.75	4.75	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2349	6/25/2025 2:22:09 PM	6.4	83.7	0.0	9.9			140.6	142.0	4.76	4.77	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2350	6/1/2025 10:31:36 AM	12.4	78.9	0.0	8.7			123.3	124.0	-1.24	-1.23	
CV-2350	6/5/2025 10:10:00 AM						79000					Air Technology; [User entered 7.9%]
CV-2350	6/5/2025 10:10:00 AM					2100						Air Technology
CV-2350	6/18/2025 9:34:45 AM	12.7	80.4	0.0	6.9			128.2	129.2	-1.58	-1.56	
CV-2351	6/3/2025 8:39:00 AM					330						Air Technology
CV-2351	6/3/2025 8:39:00 AM						23000					Air Technology; [User entered 2.3%]
CV-2351	6/8/2025 2:10:08 PM	2.7	24.2	13.5	59.6			91.8	91.8	-3.09	-3.04	NSPS/EG CAI
CV-2351	6/8/2025 2:11:03 PM	3.5	29.1	12.1	55.3			92.5	92.5	-2.99	-2.97	
CV-2351	6/25/2025 2:12:56 PM	1.4	59.6	4.4	34.6			99.9	100.5	-3.45	-3.43	Valve Adjustment:NSPS/EG CAC,Audible Flow;Well Condition:Good

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2352	6/3/2025 8:34:00 AM					170						Air Technology
CV-2352	6/3/2025 8:34:00 AM						25000					Air Technology; [User entered 2.5%]
CV-2352	6/4/2025 1:09:15 PM	1.0	6.7	18.3	74.0			106.1	105.9	-2.87	-2.61	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Condition:Good
CV-2352	6/4/2025 1:09:57 PM	1.2	7.1	18.1	73.6			106.2	106.2	-2.61	-2.60	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Condition:Good
CV-2352	6/18/2025 11:02:00 AM	0.4	6.5	17.5	75.6			110.2	110.1	-3.89	-3.86	NSPS/EG CAI
CV-2352	6/18/2025 11:02:44 AM	0.5	5.9	17.6	76.0			110.3	110.5	-3.98	-3.24	
CV-2353-PLR	6/3/2025 8:20:00 AM						110000					Air Technology; [User entered 11%]
CV-2353-PLR	6/3/2025 8:20:00 AM					580						Air Technology
CV-2353-PLR	6/4/2025 1:02:19 PM	4.4	69.3	1.6	24.7			126.6	126.9	-4.82	-4.83	Valve Adjustment:NSPS/EG CAC,Audible Flow,Surging Liquid in Header;Well Condition:Good
CV-2353-PLR	6/25/2025 11:13:46 AM	15.2	67.3	2.6	14.9			130.3	130.4	-5.11	-5.03	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2353-PLR	6/25/2025 11:14:25 AM	15.2	67.8	2.6	14.4			130.5	130.7	-4.70	-4.70	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2354	6/4/2025 1:24:29 PM	28.3	65.6	0.5	5.6			129.4	129.6	-0.21	-0.24	Valve Adjustment:NSPS/EG CAC,Audible Flow,Barely Open;Well Condition:Good
CV-2354	6/12/2025 9:50:00 AM					2300						Air Technology
CV-2354	6/12/2025 9:50:00 AM						110000					Air Technology; [User entered 11%]
CV-2354	6/18/2025 10:34:52 AM	16.5	68.9	0.0	14.6			110.9	111.4	0.43	0.43	NSPS/EG CAI
CV-2354	6/18/2025 10:35:34 AM	17.9	72.1	0.0	10.0			112.5	112.5	0.78	0.79	
CV-24002	6/5/2025 4:00:22 PM	37.3	57.4	0.0	5.3			102.1	102.9	-1.36	-1.30	
CV-24002	6/19/2025 2:15:31 PM	35.9	62.9	0.0	1.2			104.9	105.5	-1.20	-1.19	
CV-24003	6/5/2025 10:32:54 AM	35.7	64.3	0.0	0.0			108.2	108.7	-1.06	-1.00	Decreased Flow/Vacuum
CV-24003	6/18/2025 3:26:24 PM	36.0	64.0	0.0	0.0			112.6	113.2	-0.60	-0.56	
CV-24007	6/5/2025 10:26:00 AM						27000					Air Technology; [User entered 2.7%]
CV-24007	6/5/2025 10:26:00 AM					540						Air Technology
CV-24007	6/8/2025 8:32:38 AM	14.8	82.9	0.1	2.2			117.3	117.4	-0.24	-0.23	
CV-24007	6/26/2025 9:09:50 AM	13.2	78.8	1.3	6.7			119.7	126.2	0.39	-0.02	NSPS/EG CAI
CV-24007	6/26/2025 9:11:51 AM	13.7	81.9	1.0	3.4			126.4	126.2	-0.10	-0.09	
CV-24007	6/26/2025 9:11:51 AM	13.7	81.9	1.0	3.4			126.4	126.2	-0.10	-0.09	
CV-24017	6/3/2025 10:56:28 AM	11.9	81.1	0.0	7.0			165.9	165.4	-0.51	-0.51	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24017	6/3/2025 11:00:00 AM						115100					AtmAA; [User entered 11.51%]
CV-24017	6/3/2025 11:00:00 AM					3040						AtmAA
CV-24017	6/9/2025 10:15:00 AM					1700						Air Technology

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24017	6/9/2025 10:15:00 AM						140000					Air Technology; [User entered 14%]
CV-24017	6/10/2025 9:11:11 AM	7.3	89.5	0.0	3.2			174.6	174.6	-0.42	-0.37	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24017	6/10/2025 9:15:00 AM					2040						AtmAA
CV-24017	6/17/2025 9:18:58 AM	20.1	73.2	0.4	6.3			167.1	167.0	-2.05	-1.99	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24017	6/24/2025 11:01:04 AM	22.2	71.4	1.0	5.4			140.5	140.2	-3.10	-0.54	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24017	6/30/2025 11:05:34 AM	24.3	75.7	0.0	0.0			177.8	178.0	-0.14	-0.14	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24049	6/3/2025 1:53:18 PM	42.2	57.8	0.0	0.0			173.9	173.8	-2.83	-2.57	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/3/2025 1:55:00 PM						93500					AtmAA; [User entered 9.35%]
CV-24049	6/3/2025 1:55:00 PM					4370						AtmAA
CV-24049	6/10/2025 10:50:00 AM					1560						AtmAA
CV-24049	6/10/2025 10:55:00 AM	17.8	66.4	0.0	15.8			173.5	173.2	-4.28	-4.14	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/11/2025 11:15:00 AM					1100						Air Technology
CV-24049	6/11/2025 11:15:00 AM						74000					Air Technology; [User entered 7.4%]
CV-24049	6/17/2025 1:56:13 PM	12.8	68.3	0.0	18.9			176.6	176.5	-1.84	-1.52	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/25/2025 9:29:15 AM	12.3	72.1	0.2	15.4			175.5	175.7	-1.30	-0.80	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/30/2025 8:46:19 AM	10.8	78.5	0.2	10.5			173.6	173.9	-1.30	-1.29	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24053	6/5/2025 2:19:18 PM	14.1	27.5	12.8	45.6			83.8	83.9	-0.61	-0.59	NSPS/EG CAI
CV-24053	6/5/2025 2:20:44 PM	15.0	26.0	12.5	46.5			84.6	84.7	-0.65	-0.64	
CV-24053	6/9/2025 10:30:00 AM					540						Air Technology
CV-24053	6/9/2025 10:30:00 AM						91000					Air Technology; [User entered 9.1%]
CV-24053	6/19/2025 12:52:54 PM	6.7	19.7	14.8	58.8			89.0	89.0	-0.47	-0.47	Valve Adjustment:NSPS/EG CAI,Audible Flow,High O2,Barely Open;Well Condition:Good
CV-24053	6/19/2025 12:53:21 PM	6.7	19.8	14.6	58.9			89.1	89.2	-0.51	-0.53	Valve Adjustment:NSPS/EG CAI,Audible Flow,High O2,Barely Open;Well Condition:Good
CV-24053	6/19/2025 2:46:17 PM	8.9	23.3	13.5	54.3			90.1	90.3	-0.40	-0.49	
CV-24053	6/19/2025 2:47:43 PM	8.8	20.5	13.9	56.8			92.1	92.1	-0.78	-0.78	
CV-24055	6/5/2025 2:05:08 PM	9.4	46.7	2.7	41.2			126.2	125.3	-0.11	-0.10	Valve Adjustment:Barely Open

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24055	6/10/2025 10:20:00 AM					780						Air Technology
CV-24055	6/10/2025 10:20:00 AM						69000					Air Technology; [User entered 6.9%]
CV-24055	6/11/2025 11:10:00 AM						76000					Air Technology; [User entered 7.6%]
CV-24055	6/11/2025 11:10:00 AM					900						Air Technology
CV-24055	6/21/2025 11:17:13 AM	7.2	42.3	3.8	46.7			129.6	129.4	-0.17	-0.17	Valve Adjustment:Barely Open;Well Condition:Good
CV-24062	6/4/2025 7:25:00 AM						102800					AtmAA; [User entered 10.28%]
CV-24062	6/4/2025 7:25:00 AM					1250						AtmAA
CV-24062	6/4/2025 7:25:52 AM	22.2	67.6	0.0	10.2			174.7	175.1	-0.36	-0.36	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24062	6/9/2025 8:50:00 AM						120000					Air Technology; [User entered 12%]
CV-24062	6/9/2025 9:17:00 AM					900						Air Technology
CV-24062	6/11/2025 9:46:47 AM	17.8	77.0	0.0	5.2			180.3	180.0	-0.89	-0.87	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24062	6/11/2025 9:50:00 AM					1250						AtmAA
CV-24062	6/18/2025 10:48:36 AM	31.5	67.4	0.0	1.1			174.1	173.7	-4.16	-0.64	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24062	6/25/2025 8:27:33 AM	12.7	78.0	0.0	9.3			181.7	181.7	-0.57	-0.54	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24063	6/4/2025 7:34:25 AM	20.8	69.8	0.0	9.4			158.8	158.9	-0.26	-0.29	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24063	6/4/2025 7:35:00 AM					1510						AtmAA
CV-24063	6/4/2025 7:35:00 AM						68300					AtmAA; [User entered 6.83%]
CV-24063	6/9/2025 9:23:00 AM					1200						Air Technology
CV-24063	6/9/2025 9:23:00 AM						83000					Air Technology; [User entered 8.3%]
CV-24063	6/10/2025 1:19:24 PM	15.9	77.8	0.0	6.3			157.5	157.6	-0.08	-0.12	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-24063	6/10/2025 1:25:00 PM					2320						AtmAA
CV-24063	6/19/2025 8:16:23 AM	22.5	72.9	0.0	4.6			158.4	158.6	-0.37	-0.39	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24063	6/25/2025 8:45:20 AM	17.5	75.6	0.0	6.9			158.7	158.8	-0.37	-0.36	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24064	6/4/2025 7:46:01 AM	5.4	84.3	0.0	10.3			176.9	177.3	-6.32	-3.04	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Good

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init °F Temp [ ]	Adj °F Temp [ ]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24064	6/4/2025 7:50:00 AM						71600					AtmAA; [User entered 7.16%]
CV-24064	6/4/2025 7:50:00 AM					4540						AtmAA
CV-24064	6/4/2025 8:45:00 AM						69000					Air Technology; [User entered 6.9%]
CV-24064	6/4/2025 9:16:00 AM					2200						Air Technology
CV-24064	6/10/2025 1:01:48 PM	2.9	86.2	0.0	10.9			178.7	178.8	-1.02	-0.90	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-24064	6/10/2025 1:05:00 PM					2750						AtmAA
CV-24064	6/19/2025 8:08:00 AM	2.8	86.2	0.0	11.0			183.6	183.5	-5.52	-1.63	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24064	6/25/2025 9:14:09 AM	2.6	89.3	0.0	8.1			183.5	183.3	-1.92	-0.63	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24065-TP17	6/5/2025 2:10:17 PM	22.6	68.2	0.2	9.0			121.5	121.2	-4.40	-3.45	Valve Adjustment:Decreased Flow/Vacuum
CV-24065-TP17	6/10/2025 8:05:00 AM						3800					Air Technology; [User entered 0.38%]
CV-24065-TP17	6/10/2025 8:05:00 AM					100						Air Technology
CV-24065-TP17	6/25/2025 10:23:45 AM	22.0	74.2	0.0	3.8			87.2	88.3	-2.58	-0.93	Valve Adjustment:Decreased Flow/Vacuum
CV-24066	6/5/2025 8:57:26 AM	24.2	44.5	2.0	29.3			97.7	100.7	-1.44	-1.34	
CV-24066	6/10/2025 9:50:00 AM						22000					Air Technology; [User entered 2.2%]
CV-24066	6/10/2025 10:10:00 AM					190						Air Technology
CV-24066	6/19/2025 8:48:36 AM	25.0	40.7	1.9	32.4			107.4	107.4	-1.29	-1.29	
CV-24066	6/25/2025 10:29:47 AM	8.1	78.3	0.1	13.5			140.1	143.1	-0.17	-0.15	Valve Adjustment:High Temp
CV-24069	6/4/2025 2:34:18 PM	27.8	51.1	0.4	20.7			116.9	118.7	-3.93	-3.93	
CV-24069	6/5/2025 8:50:00 AM						15000					Air Technology; [User entered 1.5%]
CV-24069	6/5/2025 8:50:00 AM					170						Air Technology
CV-24069	6/21/2025 11:26:54 AM	27.2	51.1	0.1	21.6			111.3	112.1	-3.85	-3.84	
CV-24070	6/4/2025 2:45:58 PM	33.7	63.9	0.0	2.4			138.6	135.6	-0.93	-0.06	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24070	6/4/2025 2:48:06 PM	29.8	66.7	0.0	3.5			135.2	135.2	-0.02	-0.07	
CV-24070	6/5/2025 9:05:00 AM						27000					Air Technology; [User entered 2.7%]
CV-24070	6/5/2025 9:05:00 AM					240						Air Technology
CV-24070	6/22/2025 10:00:27 AM	29.3	69.4	0.0	1.3			135.8	130.5	-0.66	-0.02	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24070	6/22/2025 10:05:05 AM	27.3	71.6	0.0	1.1			129.4	129.5	-0.01	-0.01	Barely Open
CV-24071	6/3/2025 9:40:00 AM						13000					Air Technology; [User entered 1.3%]
CV-24071	6/3/2025 9:40:00 AM					100						Air Technology
CV-24071	6/6/2025 9:28:18 AM	46.5	53.4	0.0	0.1			130.9	130.9	-4.84	-4.85	

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24071	6/18/2025 9:22:17 AM	47.3	51.5	0.0	1.2			127.3	127.4	-0.13	-0.10	
CV-24071	6/18/2025 9:22:18 AM	47.3	51.5	0.0	1.2			127.3	127.4	-0.13	-0.10	
CV-24075-TP15	6/4/2025 7:52:05 AM	4.2	85.4	0.0	10.4			170.1	170.4	-3.01	-3.03	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24075-TP15	6/4/2025 7:55:00 AM					4160						AtmAA
CV-24075-TP15	6/4/2025 7:55:00 AM						105400					AtmAA; [User entered 10.54%]
CV-24075-TP15	6/10/2025 12:55:18 PM	1.1	87.9	0.0	11.0			176.7	176.7	-0.46	-0.41	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24075-TP15	6/10/2025 1:00:00 PM					4390						AtmAA
CV-24075-TP15	6/19/2025 8:24:04 AM	5.7	87.4	0.0	6.9			186.6	186.6	-0.42	-0.43	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Fair
CV-24075-TP15	6/25/2025 9:05:17 AM	6.0	87.6	0.0	6.4			181.3	181.6	-0.30	-0.30	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24077	6/5/2025 8:50:35 AM	31.2	40.9	0.3	27.6			118.0	118.8	-2.06	-2.05	
CV-24077	6/19/2025 8:19:32 AM	35.7	43.7	0.1	20.5			122.3	123.2	-2.12	-2.08	
CV-24079-TP8	6/4/2025 8:36:03 AM	16.2	75.1	0.0	8.7			157.4	155.6	-1.44	-0.70	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24079-TP8	6/4/2025 8:40:00 AM						57700					AtmAA; [User entered 5.77%]
CV-24079-TP8	6/4/2025 8:40:00 AM					1890						AtmAA
CV-24079-TP8	6/11/2025 7:57:35 AM	17.2	74.7	0.0	8.1			159.5	159.3	-0.72	-0.72	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24079-TP8	6/11/2025 8:00:00 AM					1750						AtmAA
CV-24079-TP8	6/19/2025 8:39:10 AM	15.7	76.0	0.0	8.3			159.8	159.6	-0.48	-0.46	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24079-TP8	6/25/2025 9:55:07 AM	23.6	72.8	0.0	3.6			151.1	152.6	-1.43	-0.78	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Good
CV-24082	6/6/2025 9:13:58 AM	41.9	56.5	0.1	1.5			121.3	121.4	-1.29	-1.27	
CV-24082	6/21/2025 11:05:43 AM	43.1	52.6	0.0	4.3			116.6	117.0	-1.14	-1.17	
CV-24083	6/3/2025 2:38:30 PM	36.9	63.1	0.0	0.0			167.5	166.6	-2.39	-1.09	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24083	6/3/2025 2:40:00 PM						77100					AtmAA; [User entered 7.71%]
CV-24083	6/3/2025 2:40:00 PM					2260						AtmAA
CV-24083	6/11/2025 8:23:59 AM	16.1	76.1	0.0	7.8			168.1	168.1	-0.12	-0.12	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24083	6/11/2025 8:25:00 AM					1990						AtmAA
CV-24083	6/17/2025 1:00:59 PM	41.0	59.0	0.0	0.0			160.6	158.8	-1.31	-1.06	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24083	6/26/2025 9:34:44 AM	36.5	63.5	0.0	0.0			148.7	148.2	-2.34	-0.83	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24084-TP11	6/4/2025 8:29:17 AM	3.9	87.7	0.0	8.4			142.9	142.0	-1.63	-1.30	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24084-TP11	6/4/2025 8:31:11 AM	4.0	87.8	0.0	8.2			141.4	141.8	-1.13	-0.45	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24084-TP11	6/11/2025 8:30:24 AM	4.8	85.2	0.0	10.0			163.0	163.2	-0.10	-0.22	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Fair
CV-24084-TP11	6/11/2025 8:35:00 AM					3570						AtmAA
CV-24084-TP11	6/17/2025 12:52:55 PM	18.3	80.4	0.0	1.3			162.4	162.5	0.77	0.73	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open;Well Condition:Good
CV-24084-TP11	6/17/2025 12:53:30 PM	19.9	80.1	0.0	0.0			162.6	162.5	0.75	0.76	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Good
CV-24084-TP11	6/25/2025 8:08:47 AM	26.3	68.0	0.0	5.7			157.3	157.2	-4.86	-0.96	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24088	6/6/2025 10:28:01 AM	38.3	61.7	0.0	0.0			97.5	109.1	3.19	-0.66	NSPS/EG CAI,Barely Open
CV-24088	6/6/2025 10:29:25 AM	40.7	59.0	0.3	0.0			107.7	107.6	-0.95	-1.33	
CV-24088	6/22/2025 11:18:45 AM	44.8	52.8	0.0	2.4			114.6	114.6	-0.57	-0.56	
CV-24095	6/1/2025 11:23:37 AM	11.0	68.4	1.2	19.4			108.9	111.3	-3.54	-4.03	
CV-24095	6/9/2025 8:30:00 AM					3900						Air Technology
CV-24095	6/10/2025 8:30:00 AM						110000					Air Technology; [User entered 11%]
CV-24095	6/18/2025 10:30:37 AM	8.6	62.2	3.7	25.5			112.9	113.2	-4.07	-2.96	
CV-24096	6/1/2025 11:09:10 AM	48.5	44.5	0.0	7.0			104.1	105.5	-3.78	-3.60	Decreased Flow/Vacuum
CV-24096	6/18/2025 10:17:04 AM	50.0	47.1	0.0	2.9			107.0	106.8	-3.93	-3.93	
CV-24097	6/1/2025 11:03:09 AM	42.8	53.6	0.1	3.5			88.7	88.0	-4.39	-4.36	
CV-24097	6/18/2025 10:12:05 AM	42.0	53.5	0.4	4.1			91.6	91.6	-4.89	-4.32	Decreased Flow/Vacuum
CV-24098	6/1/2025 10:42:07 AM	38.3	56.4	0.0	5.3			101.3	101.4	-2.10	-2.09	
CV-24098	6/18/2025 9:49:07 AM	39.3	58.7	0.0	2.0			90.9	91.0	-2.43	-2.46	
CV-24099	6/1/2025 10:18:32 AM	20.0	77.4	0.1	2.5			90.8	91.0	-1.76	-1.73	
CV-24099	6/18/2025 9:23:54 AM	19.8	77.0	0.5	2.7			95.6	95.9	-1.83	-1.82	
CV-24100	6/1/2025 9:52:42 AM	30.1	64.7	0.0	5.2			143.6	146.1	-0.79	-0.73	

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24100	6/1/2025 9:54:03 AM	28.9	68.7	0.0	2.4			148.1	148.4	-0.71	-0.71	
CV-24100	6/4/2025 1:29:07 PM	40.3	59.7	0.0	0.0			144.2	143.5	-0.26	-0.24	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair;Well Repairs:Sample Port
CV-24100	6/10/2025 8:40:00 AM					360						Air Technology
CV-24100	6/18/2025 9:03:09 AM	29.1	69.7	0.0	1.2			145.3	145.7	-0.43	-0.39	NSPS/EG CAI,High Temp
CV-24100	6/18/2025 9:05:32 AM	28.3	71.4	0.0	0.3			147.9	148.0	-0.22	-0.20	
CV-24100	6/25/2025 2:27:22 PM	29.9	70.1	0.0	0.0			149.2	149.0	-0.08	-0.11	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair;Well Repairs:Sample Port
CV-24100	6/25/2025 2:27:47 PM	30.0	70.0	0.0	0.0			148.9	149.3	-0.09	-0.10	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-24101	6/1/2025 9:48:03 AM	34.7	42.5	1.8	21.0			110.5	111.9	-1.45	-1.41	
CV-24101	6/10/2025 8:45:00 AM					27						Air Technology
CV-24101	6/10/2025 8:45:00 AM						11000					Air Technology; [User entered 1.1%]
CV-24101	6/18/2025 8:59:30 AM	28.9	37.8	1.2	32.1			106.2	108.8	-1.19	-1.19	
CV-24102	6/1/2025 9:29:12 AM	37.5	34.4	0.6	27.5			103.7	108.0	-4.45	-4.43	Decreased Flow/Vacuum
CV-24102	6/5/2025 8:30:00 AM						1800					Air Technology; [User entered 0.18%]
CV-24102	6/5/2025 8:30:00 AM					32						Air Technology
CV-24102	6/17/2025 2:39:57 PM	37.8	37.1	0.1	25.0			108.9	109.3	-4.04	-2.00	Decreased Flow/Vacuum
CV-24120	6/5/2025 9:30:00 AM					63						Air Technology
CV-24120	6/5/2025 9:30:00 AM						1900					Air Technology; [User entered 0.19%]
CV-24120	6/5/2025 4:43:07 PM	0.6	9.1	20.4	69.9			82.3	84.1	-4.58	-3.31	Decreased Flow/Vacuum,NSPS/EG CAI,High O2
CV-24120	6/5/2025 4:44:09 PM	0.7	7.7	20.6	71.0			84.7	84.8	-2.43	-2.45	
CV-24120	6/20/2025 2:34:39 PM	0.5	7.9	19.0	72.6			85.7	87.2	-5.10	-4.66	NSPS/EG CAI,Decreased Flow/Vacuum
CV-24120	6/20/2025 2:36:12 PM	0.6	6.0	19.5	73.9			87.7	87.7	-4.35	-4.39	
CV-24121	6/5/2025 8:17:00 AM						14000					Air Technology; [User entered 1.4%]
CV-24121	6/5/2025 8:17:00 AM					220						Air Technology
CV-24121	6/5/2025 4:37:12 PM	2.2	25.4	14.8	57.6			85.8	86.4	-5.15	-3.88	Decreased Flow/Vacuum,NSPS/EG CAI
CV-24121	6/5/2025 4:38:26 PM	2.0	26.3	15.1	56.6			87.3	87.3	-2.63	-2.65	
CV-24121	6/20/2025 2:25:56 PM	1.6	22.2	15.0	61.2			86.3	86.4	-4.21	-1.31	NSPS/EG CAI
CV-24121	6/20/2025 2:28:10 PM	5.2	68.8	3.8	22.2			91.6	91.7	-2.45	-3.72	
CV-24122	6/5/2025 8:00:00 AM						1900					Air Technology; [User entered 0.19%]
CV-24122	6/5/2025 8:00:00 AM					12						Air Technology
CV-24122	6/8/2025 2:29:06 PM	56.3	43.5	0.1	0.1			121.2	121.3	-6.03	-5.97	
CV-24122	6/25/2025 11:50:59 AM	52.0	42.7	0.4	4.9			121.9	121.7	-5.66	-6.11	Valve Adjustment:Increased Flow/Vacuum
CV-24122	6/25/2025 12:21:34 PM	53.3	42.1	0.1	4.6			121.8	121.8	-6.40	-6.36	Valve Comment:bolted down flange to minimize oxygen intrusion

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24123	6/3/2025 12:36:00 PM	51.6	46.6	0.0	1.8			111.5	111.4	-0.71	-0.72	Valve Adjustment:Audible Flow
CV-24125-TP20	6/4/2025 8:53:00 AM						2800					Air Technology; [User entered 0.28%]
CV-24125-TP20	6/4/2025 8:53:00 AM					50						Air Technology
CV-24125-TP20	6/5/2025 4:29:02 PM	38.6	52.5	0.0	8.9			110.1	113.0	-5.31	-5.14	Decreased Flow/Vacuum
CV-24126	6/5/2025 11:54:40 AM	16.7	57.0	4.1	22.2			143.2	142.4	-0.15	-0.15	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24126	6/5/2025 11:55:12 AM	16.5	58.0	4.1	21.4			142.3	142.5	-0.17	-0.17	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24126	6/16/2025 2:36:43 PM	4.3	72.8	1.5	21.4			152.0	152.2	-0.06	-0.05	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-24126	6/16/2025 2:37:45 PM	4.8	71.7	2.0	21.5			152.3	152.3	-0.08	-0.09	
CV-24126	6/17/2025 1:37:14 PM	3.8	76.7	0.0	19.5			157.2	157.5	-0.08	-0.13	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24126	6/24/2025 9:16:46 AM	4.9	24.4	11.2	59.5			147.3	147.7	-0.10	-0.08	NSPS/EG CAI,Decreased Flow/Vacuum
CV-24126	6/26/2025 9:19:53 AM	1.1	83.3	0.0	15.6			142.1	142.3	-0.05	-0.02	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24126	6/30/2025 8:10:27 AM	1.3	78.3	0.9	19.5			161.7	163.2	-0.02	-0.03	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24127	6/4/2025 8:06:00 AM					790						Air Technology
CV-24127	6/4/2025 8:06:00 AM						60000					Air Technology; [User entered 6.0%]
CV-24127	6/5/2025 11:47:35 AM	46.8	53.2	0.0	0.0			115.1	116.1	-1.16	-1.16	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24128	6/4/2025 8:45:00 AM						35000					Air Technology; [User entered 3.5%]
CV-24128	6/4/2025 8:45:00 AM					440						Air Technology
CV-24128	6/5/2025 4:51:05 PM	32.8	57.8	0.0	9.4			116.6	117.3	-0.32	-0.31	Barely Open
CV-24134-TP19	6/4/2025 12:21:29 PM	24.3	64.7	0.0	11.0			146.8	145.6	-2.15	-0.30	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24134-TP19	6/4/2025 12:25:00 PM						108800					AtmAA; [User entered 10.88%]
CV-24134-TP19	6/4/2025 12:25:00 PM					1450						AtmAA
CV-24134-TP19	6/10/2025 12:38:04 PM	17.7	72.5	0.0	9.8			148.4	148.6	-1.64	-0.75	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24134-TP19	6/10/2025 12:40:00 PM					2090						AtmAA
CV-24134-TP19	6/17/2025 1:25:39 PM	30.7	69.3	0.0	0.0			149.1	148.7	-2.04	-0.97	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well Condition:Good
CV-24134-TP19	6/24/2025 9:00:39 AM	18.2	73.4	0.0	8.4			143.6	143.2	-3.91	-0.11	NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum
CV-24134-TP19	6/30/2025 1:26:43 PM	12.9	71.2	0.0	15.9			146.3	146.7	-0.59	-0.59	Valve Adjustment:NSPS/EG CAI,High Temp

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24138	6/2/2025 10:04:00 AM					31						Air Technology
CV-24138	6/2/2025 10:04:00 AM						6500					Air Technology; [User entered 0.65%]
CV-24138	6/8/2025 1:53:38 PM	1.2	2.2	19.2	77.4			89.6	88.9	-4.26	-4.27	NSPS/EG CAI,High O2
CV-24138	6/8/2025 1:54:40 PM	1.3	1.8	19.3	77.6			86.7	86.6	-4.43	-4.46	
CV-24138	6/17/2025 10:55:08 AM	1.6	65.7	4.9	27.7			139.5	140.7	-3.79	-3.92	Valve Adjustment:High Temp
CV-24138	6/17/2025 10:55:55 AM	1.2	55.1	4.6	39.2			141.4	141.6	-4.07	-3.62	Valve Adjustment:High Temp,Surging Liquid in Header
CV-24139	6/2/2025 10:01:00 AM						13000					Air Technology; [User entered 1.3%]
CV-24139	6/2/2025 10:01:00 AM					84						Air Technology
CV-24139	6/5/2025 4:18:36 PM	23.8	55.2	1.7	19.3			108.1	108.7	-5.57	-5.54	
CV-24139	6/17/2025 11:13:03 AM	0.1	0.1	20.1	79.8			118.3	118.3	-3.72	-0.97	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-24139	6/17/2025 11:14:10 AM	0.1	0.1	20.0	79.8			118.4	118.4	-1.05	-1.01	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-24139	6/17/2025 2:38:06 PM	1.7	59.6	4.8	33.9			161.1	165.2	-4.35	-4.48	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24139	6/17/2025 2:39:55 PM	2.2	61.4	4.5	32.0			168.0	168.1	-4.24	-4.09	Valve Adjustment:High Temp
CV-24139	6/25/2025 11:38:11 AM	2.4	0.8	20.3	76.5			123.2	123.3	-4.90	-0.94	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Good
CV-24139	6/25/2025 11:40:47 AM	2.4	1.4	20.0	76.2			123.4	123.4	-1.02	-1.07	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Condition:Good;Well Repairs:Valve,Surging
CV-24140	6/2/2025 9:55:00 AM					1300						Air Technology
CV-24140	6/2/2025 9:55:00 AM						180000					Air Technology; [User entered 18%]
CV-24140	6/4/2025 1:13:37 PM	9.1	75.1	0.3	15.5			156.1	156.8	-1.05	-1.05	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24140	6/4/2025 1:15:00 PM					2060						AtmAA
CV-24140	6/4/2025 1:15:00 PM						178900					AtmAA; [User entered 17.89%]
CV-24140	6/12/2025 8:43:26 AM	4.1	77.1	0.3	18.5			155.7	155.9	-0.93	-0.92	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24140	6/12/2025 8:50:00 AM					2270						AtmAA
CV-24140	6/18/2025 8:38:09 AM	3.6	73.4	1.5	21.5			166.1	165.6	-1.16	-0.72	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24140	6/25/2025 11:22:31 AM	14.8	76.6	0.0	8.6			179.2	180.4	-2.42	-1.31	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24141	6/3/2025 8:48:00 AM					31						Air Technology
CV-24141	6/3/2025 8:48:00 AM						1500					Air Technology; [User entered 0.15%]
CV-24141	6/8/2025 2:14:19 PM	56.2	41.1	2.7	0.0			92.2	92.3	-2.59	-2.56	

Table 2. LEA Selected Wells - June 2025
Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24141	6/18/2025 11:06:53 AM	47.1	42.5	2.0	8.4			102.1	102.2	-3.69	-3.62	
CV-24142	6/4/2025 1:18:55 PM	9.6	65.6	2.2	22.6			160.9	161.0	-1.52	-1.52	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24142	6/4/2025 1:20:00 PM						172000					AtmAA; [User entered 17.2%]
CV-24142	6/4/2025 1:20:00 PM					3820						AtmAA
CV-24142	6/9/2025 8:10:00 AM					2300						Air Technology
CV-24142	6/9/2025 8:10:00 AM						170000					Air Technology; [User entered 17%]
CV-24142	6/12/2025 8:36:48 AM	5.0	83.7	0.9	10.4			163.2	164.3	-2.99	-2.81	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24142	6/12/2025 8:40:00 AM					3300						AtmAA
CV-24142	6/18/2025 8:46:51 AM	6.4	71.0	0.8	21.8			148.0	147.5	-3.20	-1.20	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24142	6/25/2025 11:43:51 AM	17.0	77.3	0.0	5.7			165.5	165.6	-0.42	-0.49	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24143	6/2/2025 9:45:00 AM					1100						Air Technology
CV-24143	6/2/2025 9:45:00 AM						90000					Air Technology; [User entered 9.0%]
CV-24143	6/8/2025 2:05:20 PM	5.7	42.6	8.9	42.8			91.9	93.5	-2.15	-2.06	Decreased Flow/Vacuum
CV-24143	6/8/2025 2:06:15 PM	9.0	40.7	9.2	41.1			93.5	93.4	-2.09	-2.12	
CV-24143	6/18/2025 10:56:42 AM	0.4	14.6	15.2	69.8			97.3	98.0	-2.14	-2.07	NSPS/EG CAI,Decreased Flow/Vacuum
CV-24143	6/18/2025 10:58:23 AM	0.4	12.8	15.5	71.3			100.3	100.3	-2.07	-1.58	
CV-24144	6/1/2025 10:46:20 AM	54.6	39.9	0.0	5.5			95.3	95.3	-4.14	-4.13	
CV-24144	6/18/2025 9:55:32 AM	52.7	37.4	1.2	8.7			113.0	113.2	-4.52	-4.53	
CV-99	6/5/2025 4:24:45 PM	32.5	62.6	0.0	4.9			86.2	90.7	8.57	-0.51	NSPS/EG CAI,Increased Flow/Vacuum
CV-99	6/5/2025 4:25:49 PM	32.4	67.6	0.0	0.0			91.7	91.7	-1.04	-1.08	
CV-99	6/11/2025 10:55:00 AM						5800					Air Technology; [User entered 0.58%]
CV-99	6/11/2025 10:55:00 AM					22						Air Technology
H-1770N	6/5/2025 10:36:28 AM	31.5	64.8	0.3	3.4			86.4	88.2	-0.77	-0.75	Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
H-1770N	6/12/2025 8:55:00 AM					130						Air Technology
H-1770N	6/12/2025 8:55:00 AM						15000					Air Technology; [User entered 1.5%]
H-1770N	6/18/2025 3:29:40 PM	30.5	69.5	0.0	0.0			103.9	103.9	-0.38	-0.38	
H-2165W	6/1/2025 10:02:02 AM	30.0	67.6	0.0	2.4			93.6	93.9	-0.07	-0.06	
H-2165W	6/9/2025 8:30:00 AM					65						Air Technology
H-2165W	6/9/2025 8:30:00 PM						11000					Air Technology; [User entered 1.1%]
H-2165W	6/18/2025 9:10:39 AM	30.1	66.4	0.0	3.5			95.5	94.8	-0.70	-0.33	
H-2273W	6/1/2025 2:19:52 PM	47.0	53.0	0.0	0.0			129.3	129.8	-0.31	-0.25	Barely Open

Table 2. LEA Selected Wells - June 2025

Chiquita Canyon

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO [ppmv]	H2 [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
H-2273W	6/9/2025 8:50:00 AM						8700					Air Technology; [User entered 0.87%]
H-2273W	6/9/2025 8:50:00 AM					49						Air Technology
H-2273W	6/18/2025 2:36:07 PM	50.4	49.6	0.0	0.0			123.4	125.9	-0.10	-0.09	
TC-2383S	6/1/2025 10:54:59 AM	0.9	10.3	15.7	73.1			98.4	98.4	-1.53	-1.50	NSPS/EG CAI
TC-2383S	6/1/2025 10:57:35 AM	0.1	4.3	18.6	77.0			99.1	99.1	-0.84	-0.84	
TC-2383S	6/18/2025 10:04:57 AM	0.4	10.4	13.5	75.7			104.9	105.0	-1.15	-1.08	NSPS/EG CAI
TC-2383S	6/18/2025 10:05:49 AM	0.4	9.6	14.7	75.3			104.8	104.9	-1.38	-1.35	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init °F Temp [ ]	Adj °F Temp [ ]	Max Gas °F Temp [ ]	Init Stat Press ["H2O]
A-01	6/11/2025 10:08:25 AM	53.7	41.6	0.0	4.7	0.0	1.3			86.2	86.3	86.3	-22.09
A-02	6/11/2025 10:11:39 AM	52.2	37.2	0.0	10.6	0.0	1.4			99.9	100.2	100.2	-21.57
A-03	6/11/2025 10:15:20 AM	56.0	40.0	0.7	3.3	4.7	1.4			80.2	80.3	80.3	-21.31
A-04	6/11/2025 10:18:15 AM	58.7	38.4	0.0	2.9	0.0	1.5			94.8	94.8	94.8	-14.23
A-05	6/11/2025 10:21:15 AM	53.6	37.0	0.0	9.4	0.0	1.4			89.9	90.5	90.5	-19.96
B-01	6/3/2025 11:10:22 AM	0.0	0.1	20.6	79.3	3.8	0.0			84.1	85.2	85.2	-0.01
B-01	6/3/2025 11:10:43 AM	0.0	0.1	20.4	79.5	3.9	0.0			85.8	85.8	85.8	-0.03
B-01	6/19/2025 12:03:09 PM	33.0	12.0	4.9	50.1	10.2	2.8			88.5	88.5	88.5	-0.07
B-02R	6/3/2025 11:14:42 AM	6.1	4.4	16.7	72.8	4.4	1.4			79.9	79.7	79.9	-7.23
B-02R	6/3/2025 11:15:12 AM	5.7	4.4	17.8	72.1	4.1	1.3			80.1	80.1	80.1	-7.38
B-02R	6/19/2025 4:05:03 PM	57.5	30.2	0.0	12.3	0.0	1.9			88.6	90.9	90.9	0.01
B-02R	6/19/2025 4:06:26 PM	55.3	30.9	0.0	13.8	0.0	1.8			92.9	92.9	92.9	-0.24
B-03R	6/24/2025 11:34:43 AM	32.6	25.2	2.7	39.5	14.6	1.3			85.3	86.9	86.9	0.04
B-03R	6/24/2025 11:36:46 AM	32.2	26.0	2.6	39.2	15.1	1.2			87.8	87.8	87.8	-0.03
B-05	6/5/2025 11:09:51 AM	30.4	26.9	2.5	40.2	16.1	1.1			78.4	78.4	78.4	-1.63
B-06	6/5/2025 11:24:24 AM	33.0	30.6	0.8	35.6	44.5	1.1			80.1	80.1	80.1	-0.35
B-07R	6/5/2025 10:44:28 AM	25.3	25.6	0.2	48.9	244.5	1.0			97.0	96.1	97	-4.70
B-07R	6/5/2025 10:50:55 AM	24.3	25.2	0.0	50.5	0.0	1.0			92.6	92.3	92.6	-1.40

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
B-08	6/3/2025 1:39:13 PM	6.4	19.4	1.8	72.4	40.2	0.3			107.8	104.1	107.8	-3.61
B-09	6/3/2025 2:25:02 PM	14.7	24.8	1.3	59.2	45.5	0.6			105.7	105.7	105.7	-2.24
B-10	6/3/2025 1:27:30 PM	3.9	19.6	0.2	76.3	381.5	0.2			97.1	96.6	97.1	-0.88
B-11	6/3/2025 2:04:21 PM	19.1	25.8	1.0	54.1	54.1	0.7			104.8	104.8	104.8	-0.32
B-12	6/23/2025 1:54:12 PM	50.4	37.4	0.0	12.2	0.0	1.3			92.0	93.7	93.7	0.09
B-12	6/23/2025 1:57:16 PM	50.0	37.5	0.0	12.5	0.0	1.3			94.3	94.4	94.4	-0.18
B-13	6/5/2025 11:02:06 AM	17.8	26.2	0.2	55.8	279.0	0.7			90.2	90.3	90.3	-0.57
B-14	6/3/2025 2:09:11 PM	10.9	24.4	0.2	64.5	322.5	0.4			105.8	105.7	105.8	-0.46
C-03	6/25/2025 2:48:55 PM	59.2	37.7	0.0	3.1	0.0	1.6			89.7	89.8	89.8	-10.78
C-07	6/11/2025 10:24:55 AM	60.0	40.0	0.0	0.0	0.0	1.5			87.4	86.9	87.4	-19.98
C-08	6/11/2025 10:28:31 AM	59.8	40.2	0.0	0.0	0.0	1.5			88.9	89.1	89.1	-18.85
C-10	6/11/2025 10:40:26 AM	57.3	38.5	0.0	4.2	0.0	1.5			96.8	97.1	97.1	-17.74
C-11	6/24/2025 1:54:51 PM	57.1	37.4	0.0	5.5	0.0	1.5			98.6	98.6	98.6	-10.37
C-12	6/21/2025 8:20:16 AM	60.1	39.9	0.0	0.0	0.0	1.5			80.8	80.7	80.8	-9.06
C-15	6/21/2025 8:25:19 AM	59.2	39.3	0.0	1.5	0.0	1.5			81.1	81.8	81.8	-8.85
C-17B	6/21/2025 9:21:55 AM	56.7	39.3	0.0	4.0	0.0	1.4			109.7	109.7	109.7	-7.73
C-18	6/21/2025 9:07:26 AM	55.1	38.5	0.0	6.4	0.0	1.4			91.5	91.7	91.7	-7.95
C-19	6/21/2025 9:15:58 AM	56.3	40.4	0.0	3.3	0.0	1.4			91.7	91.8	91.8	-8.05

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
C-20	6/21/2025 9:13:11 AM	55.0	39.2	0.0	5.8	0.0	1.4			85.5	86.0	86	-8.05
C-23	6/21/2025 9:09:13 AM	55.4	38.9	0.0	5.7	0.0	1.4			113.0	113.1	113.1	-7.41
C-24	6/21/2025 9:18:26 AM	48.1	35.8	1.4	14.7	10.5	1.3			103.5	103.6	103.6	-8.05
C-25	6/21/2025 8:36:38 AM	57.0	39.5	0.0	3.5	0.0	1.4			116.2	116.3	116.3	-6.04
C-26	6/21/2025 8:31:08 AM	33.5	45.7	1.3	19.5	15.0	0.7			99.0	99.1	99.1	-7.73
C-27	6/21/2025 8:22:39 AM	59.4	40.4	0.0	0.2	0.0	1.5			97.9	97.9	97.9	-5.05
C-28	6/21/2025 8:12:59 AM	58.9	39.2	0.0	1.9	0.0	1.5			102.0	102.1	102.1	-11.74
C-29	6/11/2025 10:46:36 AM	54.4	39.0	0.3	6.3	21.0	1.4			106.9	107.0	107	-12.04
C-30	6/11/2025 10:36:27 AM	54.3	41.1	0.0	4.6	0.0	1.3			129.7	129.7	129.7	-1.58
CV-02	6/5/2025 3:47:31 PM	52.4	40.3	0.0	7.3	0.0	1.3			124.3	125.5	125.5	-0.33
CV-03	6/5/2025 3:49:41 PM	54.8	38.0	0.0	7.2	0.0	1.4			118.9	118.9	118.9	-6.07
CV-04	6/25/2025 12:53:48 PM	53.2	43.2	0.0	3.6	0.0	1.2			116.3	116.3	116.3	-2.06
CV-05	6/4/2025 1:15:34 PM	56.9	42.8	0.0	0.3	0.0	1.3			84.8	84.9	84.9	-11.12
CV-05	6/5/2025 3:51:52 PM	55.1	38.1	0.0	6.8	0.0	1.4			116.4	116.4	116.4	-2.53
CV-06	6/12/2025 10:45:47 AM	52.7	44.4	0.1	2.8	28.0	1.2			82.5	83.2	83.2	-0.46
CV-09	6/18/2025 3:53:32 PM	59.4	40.6	0.0	0.0	0.0	1.5			105.8	105.8	105.8	-0.16
CV-103	6/4/2025 3:11:59 PM	52.4	47.2	0.0	0.4	0.0	1.1			117.9	118.4	118.4	0.04
CV-103	6/4/2025 3:13:03 PM	52.6	46.2	0.0	1.2	0.0	1.1			118.9	119.0	119	-0.13
CV-103	6/11/2025 9:00:00 AM												
CV-103	6/11/2025 9:00:00 AM							150					
CV-108-52	6/1/2025 2:02:49 PM	32.7	62.6	0.0	4.7	0.0	0.5			119.0	123.2	123.2	-1.07
CV-108-52	6/1/2025 2:02:53 PM	32.7	62.6	0.0	4.7	0.0	0.5			119.0	123.2	123.2	-1.07

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-108-52	6/1/2025 2:04:00 PM	34.1	64.1	0.0	1.8	0.0	0.5			123.9	123.9	123.9	-0.96
CV-108-52	6/2/2025 9:25:00 AM							1400					
CV-108-52	6/2/2025 9:25:00 AM												
CV-108-52	6/18/2025 2:22:55 PM	38.2	61.8	0.0	0.0	0.0	0.6			125.8	126.3	126.3	-0.97
CV-113	6/5/2025 4:32:51 PM	2.4	14.3	18.6	64.7	3.5	0.2			84.0	84.4	84.4	-6.91
CV-113	6/5/2025 4:33:48 PM	2.3	14.3	18.5	64.9	3.5	0.2			85.1	85.2	85.2	-6.79
CV-113	6/10/2025 9:40:00 AM												
CV-113	6/10/2025 9:40:00 AM							1400					
CV-113	6/20/2025 2:16:47 PM	1.5	10.1	17.3	71.1	4.1	0.1			87.7	89.2	89.2	-7.58
CV-113	6/20/2025 2:21:13 PM	3.0	19.6	15.9	61.5	3.9	0.2			89.4	89.4	89.4	-7.48
CV-113	6/25/2025 11:01:32 AM	4.7	20.8	14.6	59.9	4.1	0.2			86.6	90.1	90.1	-7.34
CV-113	6/25/2025 11:03:59 AM	1.9	7.3	18.2	72.7	4.0	0.3			91.4	91.6	91.6	-0.48
CV-114	6/10/2025 9:50:00 AM												
CV-114	6/10/2025 9:50:00 AM							0					
CV-1421	6/7/2025 2:54:27 PM	29.9	55.7	0.0	14.4	0.0	0.5			118.8	118.8	118.8	-0.21
CV-1421	6/25/2025 10:11:28 AM	27.2	48.3	0.0	24.5	0.0	0.6			119.3	119.3	119.3	-0.31
CV-1423	6/5/2025 12:14:44 PM	50.8	49.2	0.0	0.0	0.0	1.0			132.5	132.6	132.6	-0.14
CV-1423	6/5/2025 12:15:19 PM	49.5	50.5	0.0	0.0	0.0	1.0			132.7	132.7	132.7	-0.15
CV-1423	6/12/2025 9:05:00 AM							22					
CV-1423	6/12/2025 9:05:00 AM												
CV-1424	6/10/2025 11:03:40 AM	2.2	81.9	0.0	15.9	0.0	0.0			127.9	124.1	127.9	-7.17
CV-1425	6/6/2025 1:15:29 PM	5.8	7.3	17.2	69.7	4.1	0.8			86.9	86.8	86.9	-0.14
CV-1425	6/6/2025 1:17:02 PM	5.8	6.0	17.4	70.8	4.1	1.0			85.9	85.8	85.9	-0.20
CV-1425	6/18/2025 10:08:34 AM	3.4	6.9	17.6	72.1	4.1	0.5			101.5	101.3	101.5	-0.49

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-1425	6/18/2025 10:10:47 AM	3.4	6.2	17.5	72.9	4.2	0.5			101.0	100.8	101	-0.34
CV-1426	6/6/2025 3:53:37 PM	50.0	47.8	0.0	2.2	0.0	1.0			111.5	111.7	111.7	-1.63
CV-1426	6/24/2025 2:49:20 PM	50.9	44.9	0.0	4.2	0.0	1.1			111.8	111.8	111.8	-1.49
CV-1426	6/30/2025 1:18:02 PM	34.5	59.4	0.0	6.2	0.0	0.6			117.5	117.4	117.5	-1.22
CV-1532A	6/3/2025 8:10:00 AM												
CV-1532A	6/3/2025 8:10:00 AM							1600					
CV-1532A	6/4/2025 12:50:28 PM	3.7	59.9	2.1	34.3	16.3	0.1			132.4	132.0	132.4	-0.98
CV-1532A	6/25/2025 10:59:12 AM	3.6	46.3	9.6	40.5	4.2	0.1			132.2	132.0	132.2	-2.05
CV-1532A	6/25/2025 11:00:09 AM	1.8	45.0	9.5	43.7	4.6	0.0			132.0	132.0	132	-1.32
CV-1532A	6/25/2025 2:58:28 PM												
CV-1534A-PLR	6/4/2025 12:42:00 PM	1.8	75.0	0.8	22.4	28.0	0.0			187.6	187.2	187.6	-1.09
CV-1534A-PLR	6/4/2025 12:45:00 PM												
CV-1534A-PLR	6/4/2025 12:45:00 PM							3710					
CV-1534A-PLR	6/12/2025 8:20:14 AM	1.5	77.1	0.5	20.9	41.8	0.0			185.9	185.7	185.9	-0.54
CV-1534A-PLR	6/12/2025 8:25:00 AM							3335					
CV-1534A-PLR	6/18/2025 8:18:05 AM	1.6	77.1	0.3	21.0	70.0	0.0			189.3	189.1	189.3	-1.59
CV-1534A-PLR	6/25/2025 10:46:56 AM	1.9	89.9	0.0	8.2	0.0	0.0			191.8	191.5	191.8	-0.27
CV-1535	6/1/2025 1:43:05 PM	45.1	49.9	0.0	5.0	0.0	0.9			112.6	113.3	113.3	-0.47

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-1535	6/10/2025 8:50:00 AM							44					
CV-1535	6/10/2025 8:50:00 AM												
CV-1535	6/18/2025 2:09:56 PM	51.1	48.9	0.0	0.0	0.0	1.0			117.0	117.3	117.3	-0.28
CV-1601D	6/4/2025 12:36:19 PM	48.0	51.4	0.0	0.6	0.0	0.9			111.8	111.8	111.8	-0.07
CV-1601D	6/4/2025 12:38:44 PM	47.5	51.6	0.0	0.9	0.0	0.9			111.7	111.3	111.7	-0.08
CV-1601D	6/20/2025 8:50:33 AM	47.3	50.9	0.0	1.8	0.0	0.9			107.4	107.9	107.9	-1.02
CV-1601S	6/4/2025 12:20:20 PM	33.4	64.1	0.0	2.5	0.0	0.5			104.9	103.9	104.9	-0.17
CV-1601S	6/4/2025 12:27:21 PM	33.4	64.3	0.0	2.3	0.0	0.5			105.0	105.3	105.3	-0.17
CV-1601S	6/20/2025 8:54:30 AM	34.5	61.3	0.0	4.2	0.0	0.6			100.8	101.0	101	-1.11
CV-1603	6/11/2025 11:20:56 AM	54.7	41.9	0.0	3.4	0.0	1.3			106.0	106.0	106	-10.74
CV-1604	6/11/2025 2:36:38 PM	43.4	43.2	0.0	13.4	0.0	1.0			129.3	129.6	129.6	-4.44
CV-1605	6/8/2025 11:53:25 AM	56.2	43.8	0.0	0.0	0.0	1.3			89.7	89.5	89.7	-0.41
CV-1605	6/22/2025 12:38:36 PM	51.1	45.8	0.2	2.9	15.1	1.1			94.1		94.1	0.16
CV-1701D	6/11/2025 3:55:30 PM	19.3	46.9	0.1	33.7	337.0	0.4			105.3	106.2	106.2	-1.37
CV-1701S	6/11/2025 3:51:08 PM	36.2	57.2	0.0	6.6	0.0	0.6			140.4	139.9	140.4	-2.03
CV-1701S	6/11/2025 3:52:15 PM	35.8	57.5	0.0	6.7	0.0	0.6			139.1	139.3	139.3	-1.61
CV-1701S	6/12/2025 8:44:37 AM	35.9	54.5	0.1	9.5	95.0	0.7			136.8	125.8	136.8	-1.30
CV-1701S	6/12/2025 8:49:01 AM	35.2	54.8	0.1	9.9	99.0	0.6			123.2	123.6	123.6	-0.02
CV-1901	6/5/2025 3:28:35 PM	38.0	59.3	0.2	2.5	12.5	0.6			96.1	96.5	96.5	0.82
CV-1901	6/5/2025 3:30:37 PM	36.7	61.3	0.0	2.0	0.0	0.6			96.6	96.6	96.6	-0.94
CV-1901	6/19/2025 9:27:44 AM	37.0	61.3	0.0	1.7	0.0	0.6			104.3	104.8	104.8	-1.74

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-1902A	6/4/2025 6:04:00 AM							1200					
CV-1902A	6/4/2025 9:50:00 AM												
CV-1902A	6/5/2025 9:48:35 AM	7.1	80.8	0.0	12.1	0.0	0.1			171.1	171.6	171.6	-0.42
CV-1902A	6/5/2025 9:50:00 AM												
CV-1902A	6/5/2025 9:50:00 AM							1410					
CV-1902A	6/12/2025 9:09:51 AM	2.8	79.9	0.0	17.3	0.0	0.0			180.9	180.1	180.9	-3.69
CV-1902A	6/12/2025 9:10:00 AM							2040					
CV-1902A	6/18/2025 9:14:04 AM	3.5	77.5	0.0	19.0	0.0	0.0			176.1	174.9	176.1	-4.48
CV-1902A	6/26/2025 8:55:40 AM	3.6	79.6	0.0	16.8	0.0	0.0			180.6	174.4	180.6	-2.04
CV-1903	6/5/2025 10:50:46 AM	17.7	24.2	0.4	57.7	144.3	0.7			108.4	108.7	108.7	-0.70
CV-1903	6/17/2025 1:25:59 PM	22.6	35.4	0.0	42.0	0.0	0.6			112.3	112.4	112.4	-0.22
CV-1905	6/7/2025 1:41:35 PM	53.5	46.5	0.0	0.0	0.0	1.2			106.0	106.2	106.2	-2.03
CV-1906	6/7/2025 2:08:45 PM	1.7	18.3	1.0	79.0	79.0	0.1			82.4	84.3	84.3	-4.85
CV-1906	6/20/2025 11:25:55 AM	3.9	22.4	0.0	73.7	0.0	0.2			86.3	86.6	86.6	-4.99
CV-2001	6/1/2025 10:06:41 AM	13.9	84.5	0.0	1.6	0.0	0.2			135.0	135.7	135.7	-0.17
CV-2001	6/1/2025 10:07:48 AM	13.7	84.9	0.0	1.4	0.0	0.2			135.1	135.2	135.2	-0.08
CV-2001	6/4/2025 10:00:00 AM							100					
CV-2001	6/4/2025 10:00:00 AM												
CV-2001	6/18/2025 9:14:11 AM	11.3	77.4	2.0	9.3	4.7	0.1			128.4	129.1	129.1	-1.01
CV-2001	6/24/2025 10:56:32 AM												
CV-2001	6/25/2025 3:20:19 PM												
CV-2002	6/1/2025 10:35:46 AM	43.6	53.0	0.0	3.4	0.0	0.8			119.3	119.4	119.4	-2.64
CV-2002	6/4/2025 10:20:00 AM							100					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2002	6/18/2025 9:42:57 AM	45.2	51.5	0.3	3.0	10.0	0.9			121.7	121.6	121.7	-6.91
CV-2003	6/1/2025 1:59:32 PM	29.7	67.1	0.0	3.2	0.0	0.4			117.2	117.4	117.4	-1.29
CV-2003	6/18/2025 2:20:25 PM	30.6	69.4	0.0	0.0	0.0	0.4			124.0	125.5	125.5	-1.06
CV-2006	6/5/2025 10:01:17 AM	5.6	78.0	0.0	16.4	0.0	0.1			187.7	187.8	187.8	-3.11
CV-2006	6/5/2025 10:05:00 AM												
CV-2006	6/5/2025 10:05:00 AM							3885					
CV-2006	6/12/2025 9:24:37 AM	1.7	80.5	0.0	17.8	0.0	0.0			187.4	187.8	187.8	-0.91
CV-2006	6/12/2025 9:30:00 AM							4700					
CV-2006	6/18/2025 9:29:05 AM	2.5	83.5	0.0	14.0	0.0	0.0			187.1	187.6	187.6	-0.41
CV-2006	6/26/2025 9:09:30 AM	1.9	80.5	0.0	17.6	0.0	0.0			187.6	187.5	187.6	-0.70
CV-2007	6/3/2025 10:01:11 AM												
CV-2007	6/4/2025 7:58:33 AM												
CV-2007	6/4/2025 8:22:00 AM							120					
CV-2007	6/5/2025 8:11:37 AM												
CV-2007	6/6/2025 2:42:26 PM												
CV-2007	6/8/2025 9:07:15 AM	28.8	64.1	0.9	6.2	6.9	0.4			118.0	118.2	118.2	-0.44
CV-2007	6/9/2025 8:23:50 AM												
CV-2007	6/11/2025 9:32:48 AM												
CV-2007	6/12/2025 8:34:38 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2007	6/16/2025 9:41:10 AM												
CV-2007	6/17/2025 9:16:33 AM												
CV-2007	6/18/2025 10:57:37 AM												
CV-2007	6/21/2025 11:22:21 AM	29.0	65.0	0.8	5.2	6.5	0.4			121.3	121.1	121.3	-0.15
CV-2007	6/23/2025 8:15:24 AM												
CV-2007	6/25/2025 8:53:51 AM												
CV-2007	6/26/2025 7:49:30 AM												
CV-2007	6/30/2025 2:49:54 PM												
CV-2008	6/5/2025 2:59:14 PM	24.5	73.2	0.0	2.3	0.0	0.3			113.0	112.3	113	-3.84
CV-2009	6/5/2025 2:41:30 PM	46.5	47.0	0.0	6.5	0.0	1.0			128.8	129.2	129.2	-1.73
CV-2009A	6/25/2025 10:49:44 AM	45.2	54.8	0.0	0.0	0.0	0.8			127.1	126.7	127.1	-0.62
CV-2010	6/23/2025 7:08:19 AM	42.6	52.2	0.5	4.7	9.4	0.8			65.8	65.9	65.9	-1.41
CV-2010A	6/12/2025 2:48:55 PM	33.5	51.9	0.3	14.3	49.3	0.6			144.0	142.3	144	-1.54
CV-2010A	6/12/2025 2:59:05 PM	30.5	53.7	0.1	15.8	175.4	0.6			141.9	143.0	143	0.46
CV-2010A	6/12/2025 3:03:17 PM	30.8	54.4	0.1	14.7	112.8	0.6			143.6	143.6	143.6	-0.36
CV-2011	6/11/2025 9:10:52 AM	48.1	43.6	0.0	8.3	0.0	1.1			122.8	121.4	122.8	-4.18
CV-2011A	6/11/2025 1:25:20 PM	32.0	49.0	0.1	18.9	189.0	0.7			148.9	148.6	148.9	-6.42
CV-2011A	6/11/2025 1:26:25 PM	29.8	49.9	0.0	20.3	0.0	0.6			149.1	149.1	149.1	-0.16
CV-2011A	6/17/2025 12:25:22 PM	48.2	49.3	0.0	2.5	0.0	1.0			154.3	154.1	154.3	-1.93
CV-2011A	6/17/2025 12:26:05 PM	47.0	48.6	0.0	4.4	0.0	1.0			154.0	153.9	154	-1.20

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2011A	6/18/2025 7:58:30 AM	33.1	49.4	0.0	17.5	0.0	0.7			153.2	152.1	153.2	-4.55
CV-2011A	6/18/2025 8:00:10 AM	32.0	48.6	0.0	19.4	0.0	0.7			152.4	152.2	152.4	-0.76
CV-2012	6/11/2025 1:01:34 PM	43.8	50.2	0.0	6.0	0.0	0.9			135.0	133.7	135	-3.33
CV-2012	6/11/2025 1:02:43 PM	42.7	52.7	0.0	4.6	0.0	0.8			134.2	134.2	134.2	-0.44
CV-2201-PLR	6/3/2025 2:23:51 PM	20.1	75.0	0.6	4.3	7.2	0.3			117.1	117.7	117.7	-6.64
CV-2201-PLR	6/19/2025 10:57:01 AM	11.5	76.5	0.0	12.0	0.0	0.2			179.0	179.6	179.6	-6.69
CV-2201-PLR	6/19/2025 10:57:45 AM	15.1	81.9	0.0	3.0	0.0	0.2			181.7	181.7	181.7	-6.64
CV-2201-PLR	6/24/2025 2:19:20 PM	17.6	81.5	0.0	0.9	0.0	0.2			160.7	158.9	160.7	-6.04
CV-2201-PLR	6/30/2025 9:34:13 AM	17.2	81.2	0.0	1.6	0.0	0.2			178.7	179.6	179.6	-6.42
CV-2204-PLR	6/3/2025 1:45:35 PM	31.3	68.7	0.0	0.0	0.0	0.5			189.2	189.3	189.3	-5.67
CV-2204-PLR	6/3/2025 1:50:00 PM												
CV-2204-PLR	6/3/2025 1:50:00 PM							3030					
CV-2204-PLR	6/12/2025 1:17:10 PM	8.6	79.9	0.0	11.5	0.0	0.1			189.7	189.8	189.8	-4.31
CV-2204-PLR	6/12/2025 1:25:00 PM							2985					
CV-2204-PLR	6/18/2025 2:15:09 PM	2.4	79.9	0.0	17.7	0.0	0.0			190.2	190.2	190.2	-2.81
CV-2204-PLR	6/25/2025 9:37:37 AM	2.1	89.1	0.0	8.8	0.0	0.0			191.0	191.0	191	-4.95

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2204-PLR	6/30/2025 8:42:00 AM	1.7	87.3	0.0	11.0	0.0	0.0			190.8	190.9	190.9	-5.20
CV-2205	6/17/2025 8:37:01 AM	28.2	45.8	0.0	26.0	0.0	0.6			137.1	134.1	137.1	-3.47
CV-2205	6/17/2025 8:42:18 AM	25.6	54.4	0.0	20.0	0.0	0.5			134.9	136.3	136.3	-0.01
CV-2205	6/17/2025 2:21:06 PM												
CV-2205	6/17/2025 2:22:37 PM	24.6	54.6	0.0	20.8	0.0	0.5			141.1	141.9	141.9	-0.11
CV-2206-PLR	6/8/2025 8:01:10 AM	1.3	46.0	9.1	43.6	4.8	0.0			80.7	80.9	80.9	-7.73
CV-2206-PLR	6/8/2025 8:02:22 AM	1.5	48.8	8.4	41.3	4.9	0.0			82.7	82.7	82.7	-7.60
CV-2206-PLR	6/19/2025 11:15:19 AM	6.5	19.7	14.9	58.9	4.0	0.3			92.7	92.8	92.8	-7.57
CV-2206-PLR	6/19/2025 11:16:03 AM	8.6	20.3	14.8	56.3	3.8	0.4			93.5	93.6	93.6	-7.28
CV-2207	6/12/2025 2:00:00 PM	43.4	55.9	0.0	0.7	0.0	0.8			121.6	122.7	122.7	0.12
CV-2207	6/12/2025 2:02:59 PM	43.8	55.4	0.0	0.8	0.0	0.8			123.2	122.6	123.2	-0.13
CV-2208A	6/4/2025 12:12:46 PM	17.2	61.2	0.0	21.6	0.0	0.3			156.8	156.1	156.8	-2.88
CV-2208A	6/4/2025 12:15:00 PM												
CV-2208A	6/4/2025 12:15:00 PM							772					
CV-2208A	6/10/2025 12:22:16 PM	26.7	54.5	0.0	18.8	0.0	0.5			155.4	154.1	155.4	-4.28
CV-2208A	6/10/2025 12:25:00 PM							514					
CV-2208A	6/17/2025 1:16:35 PM	29.3	59.7	0.0	11.0	0.0	0.5			158.5	158.2	158.5	-5.60
CV-2208A	6/24/2025 8:46:19 AM	24.6	57.5	0.1	17.8	178.0	0.4			154.6	151.7	154.6	-4.80
CV-2208A	6/30/2025 1:16:56 PM	18.4	59.2	0.0	22.4	0.0	0.3			155.6	157.0	157	-0.75

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2301	6/4/2025 8:56:38 AM	21.1	57.5	2.6	18.8	7.2	0.4			181.0	181.0	181	-5.08
CV-2301	6/4/2025 9:00:00 AM												
CV-2301	6/4/2025 9:00:00 AM							990					
CV-2301	6/5/2025 9:40:00 AM												
CV-2301	6/5/2025 9:40:00 AM							520					
CV-2301	6/11/2025 8:13:32 AM	5.1	84.6	0.0	10.3	0.0	0.1			173.0	173.0	173	1.23
CV-2301	6/11/2025 8:14:14 AM	4.4	84.4	0.0	11.2	0.0	0.1			173.0	173.0	173	1.28
CV-2301	6/11/2025 8:15:00 AM							2260					
CV-2301	6/19/2025 8:50:03 AM	24.2	56.3	2.2	17.3	7.9	0.4			179.0	179.0	179	-3.75
CV-2302	6/3/2025 9:23:00 AM												
CV-2302	6/3/2025 9:23:00 AM							96					
CV-2302	6/4/2025 1:38:41 PM	49.5	46.3	0.0	4.2	0.0	1.1			119.6	119.4	119.6	-0.02
CV-2302	6/17/2025 2:07:22 PM	47.3	47.0	0.0	5.7	0.0	1.0			124.2	123.7	124.2	-0.18
CV-2303	6/3/2025 11:51:57 AM	10.1	81.9	0.0	8.0	0.0	0.1			187.3	187.5	187.5	-3.55
CV-2303	6/3/2025 11:55:00 AM							2840					
CV-2303	6/3/2025 11:55:00 AM												
CV-2303	6/5/2025 10:00:00 AM												
CV-2303	6/5/2025 10:00:00 AM							1600					
CV-2303	6/10/2025 10:15:07 AM	4.8	82.0	0.0	13.2	0.0	0.1			190.2	190.1	190.2	-2.73
CV-2303	6/10/2025 10:20:00 AM							2555					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2303	6/17/2025 10:05:37 AM	7.4	84.1	0.0	8.5	0.0	0.1			188.7	188.8	188.8	-4.13
CV-2303	6/24/2025 2:00:37 PM	5.0	82.1	0.0	12.9	0.0	0.1			189.1	188.8	189.1	-4.22
CV-2304	6/5/2025 2:33:02 PM	7.0	78.5	0.0	14.5	0.0	0.1			118.4	119.1	119.1	26.14
CV-2304	6/5/2025 2:33:41 PM	8.5	84.3	0.0	7.2	0.0	0.1			121.5	121.7	121.7	25.81
CV-2304	6/19/2025 3:15:57 PM	3.2	75.7	0.0	21.1	0.0	0.0			128.0	128.8	128.8	23.69
CV-2304	6/19/2025 3:17:08 PM	3.7	82.8	0.0	13.5	0.0	0.0			132.2	132.2	132.2	24.68
CV-2305	6/3/2025 10:15:46 AM												
CV-2305	6/4/2025 8:58:27 AM												
CV-2305	6/5/2025 9:18:31 AM												
CV-2305	6/7/2025 2:48:02 PM	2.1	90.4	0.0	7.5	0.0	0.0			131.8	136.8	136.8	0.26
CV-2305	6/7/2025 2:49:37 PM	1.6	91.8	0.0	6.6	0.0	0.0			137.5	137.6	137.6	-0.05
CV-2305	6/9/2025 10:56:55 AM												
CV-2305	6/11/2025 8:45:00 AM							2000					
CV-2305	6/11/2025 8:45:00 AM												
CV-2305	6/16/2025 9:53:42 AM												
CV-2305	6/17/2025 9:29:24 AM												
CV-2305	6/18/2025 11:31:56 AM												
CV-2305	6/18/2025 2:05:13 PM	14.1	61.0	0.1	24.8	248.0	0.2			132.8	132.9	132.9	-0.06
CV-2305	6/23/2025 9:16:50 AM												
CV-2305	6/24/2025 1:35:02 PM												
CV-2306	6/3/2025 1:28:48 PM	14.6	76.9	0.0	8.5	0.0	0.2			171.0	171.0	171	-3.51
CV-2306	6/3/2025 1:30:00 PM							2335					
CV-2306	6/3/2025 1:30:00 PM												
CV-2306	6/12/2025 12:58:34 PM	4.3	84.4	0.0	11.3	0.0	0.1			182.0	182.0	182	-1.44

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2306	6/12/2025 1:00:00 PM							2080					
CV-2306	6/18/2025 2:04:09 PM	22.5	77.5	0.0	0.0	0.0	0.3			183.0	183.0	183	-0.41
CV-2306	6/24/2025 9:43:07 AM	2.1	85.9	0.0	12.0	0.0	0.0			177.0	177.0	177	-1.90
CV-2306	6/30/2025 8:40:00 AM	1.9	85.4	0.0	12.7	0.0	0.0			180.0	90.0	180	-1.71
CV-2308-PLR	6/3/2025 2:26:13 PM	23.8	76.2	0.0	0.0	0.0	0.3			154.1	154.8	154.8	3.55
CV-2308-PLR	6/3/2025 2:26:37 PM	24.0	76.0	0.0	0.0	0.0	0.3			154.5	154.5	154.5	3.52
CV-2308-PLR	6/3/2025 2:30:00 PM							2760					
CV-2308-PLR	6/3/2025 2:30:00 PM												
CV-2308-PLR	6/10/2025 10:38:15 AM	3.4	79.5	0.0	17.1	0.0	0.0			162.7	162.4	162.7	6.63
CV-2308-PLR	6/10/2025 10:39:04 AM	3.2	82.6	0.0	14.2	0.0	0.0			161.8	162.4	162.4	6.38
CV-2308-PLR	6/10/2025 10:40:00 AM							2680					
CV-2308-PLR	6/18/2025 1:29:31 PM	5.5	82.9	0.0	11.6	0.0	0.1			167.9	168.2	168.2	4.31
CV-2308-PLR	6/18/2025 1:30:05 PM	5.2	81.8	0.0	13.0	0.0	0.1			168.8	168.2	168.8	4.25
CV-2308-PLR	6/25/2025 1:32:46 PM	3.0	79.0	0.0	18.0	0.0	0.0			155.5	156.2	156.2	4.42
CV-2308-PLR	6/25/2025 1:33:42 PM	1.8	81.6	0.0	16.6	0.0	0.0			157.0	157.3	157.3	4.02

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2308-PLR	6/30/2025 9:36:38 AM	14.9	80.4	0.0	4.7	0.0	0.2			152.3	151.3	152.3	-113.16
CV-2308-PLR	6/30/2025 9:39:16 AM	14.0	80.2	0.5	5.3	10.6	0.2			150.3	149.4	150.3	3.85
CV-2308-PLR	6/30/2025 10:38:28 AM	11.0	81.6	0.0	7.4	0.0	0.1			149.4	149.4	149.4	3.92
CV-2310-PLR	6/3/2025 11:42:16 AM	10.3	80.0	0.0	9.7	0.0	0.1			191.0	191.0	191	-0.55
CV-2310-PLR	6/3/2025 11:45:00 AM												
CV-2310-PLR	6/3/2025 11:45:00 AM							3070					
CV-2310-PLR	6/10/2025 10:06:58 AM	5.8	84.1	0.0	10.1	0.0	0.1			193.1	193.1	193.1	4.83
CV-2310-PLR	6/10/2025 10:09:09 AM	5.2	85.5	0.0	9.3	0.0	0.1			193.1	193.0	193.1	3.50
CV-2310-PLR	6/10/2025 10:10:00 AM							2120					
CV-2310-PLR	6/17/2025 9:53:08 AM	5.3	74.4	0.0	20.3	0.0	0.1			188.0	188.0	188	2.54
CV-2310-PLR	6/17/2025 9:54:02 AM	4.4	83.9	0.0	11.7	0.0	0.1			188.0	188.0	188	2.07
CV-2310-PLR	6/24/2025 2:10:08 PM	6.4	70.3	0.0	23.3	0.0	0.1			186.0	186.0	186	3.86
CV-2310-PLR	6/24/2025 2:10:54 PM	7.0	85.6	0.0	7.4	0.0	0.1			186.0	186.0	186	4.59
CV-2310-PLR	6/30/2025 1:39:18 PM	1.2	71.3	1.4	26.1	18.6	0.0			176.0	176.0	176	2.68

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2310-PLR	6/30/2025 1:40:43 PM	1.3	75.8	0.6	22.3	37.2	0.0			176.0	176.0	176	4.63
CV-2311	6/8/2025 8:23:01 AM	2.4	77.2	0.9	19.5	21.7	0.0			109.5	109.5	109.5	-2.89
CV-2311	6/25/2025 11:16:20 AM	1.2	77.9	0.1	20.8	208.0	0.0			141.0	141.0	141	-0.35
CV-2311	6/25/2025 11:19:35 AM	1.4	79.5	0.0	19.1	0.0	0.0			141.0	141.0	141	-0.23
CV-2312	6/3/2025 10:02:00 AM												
CV-2312	6/3/2025 10:02:00 AM							2000					
CV-2312	6/4/2025 8:12:45 AM	12.1	78.5	0.0	9.4	0.0	0.2			143.6	143.6	143.6	-0.55
CV-2312	6/4/2025 8:13:18 AM	11.6	78.3	0.0	10.1	0.0	0.1			143.7	143.3	143.7	-0.50
CV-2312	6/19/2025 1:30:36 PM	11.1	76.2	0.0	12.7	0.0	0.1			142.7	142.4	142.7	-0.47
CV-2312	6/19/2025 1:31:10 PM	11.1	76.4	0.0	12.5	0.0	0.1			141.8	141.8	141.8	-0.40
CV-2314	6/3/2025 10:18:56 AM												
CV-2314	6/4/2025 8:52:00 AM												
CV-2314	6/5/2025 8:33:24 AM												
CV-2314	6/7/2025 1:55:47 PM	5.3	89.6	0.0	5.1	0.0	0.1			141.5	142.2	142.2	-2.75
CV-2314	6/7/2025 1:57:05 PM	5.2	92.4	0.0	2.4	0.0	0.1			142.2	142.2	142.2	-0.65
CV-2314	6/9/2025 11:17:11 AM												
CV-2314	6/12/2025 9:10:39 AM												
CV-2314	6/12/2025 9:35:00 AM							1700					
CV-2314	6/12/2025 9:35:00 AM												
CV-2314	6/17/2025 9:35:51 AM												
CV-2314	6/18/2025 11:25:24 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2314	6/20/2025 11:19:59 AM	6.5	85.8	0.0	7.7	0.0	0.1			140.1	139.8	140.1	-0.35
CV-2314	6/20/2025 11:20:29 AM	6.1	86.3	0.0	7.6	0.0	0.1			139.8	139.8	139.8	-0.31
CV-2314	6/23/2025 9:10:33 AM												
CV-2314	6/24/2025 10:50:58 AM												
CV-2315	6/3/2025 10:11:00 AM												
CV-2315	6/3/2025 10:11:00 AM							1200					
CV-2315	6/4/2025 7:00:47 AM	32.4	67.6	0.0	0.0	0.0	0.5			157.8	157.9	157.9	-6.25
CV-2315	6/4/2025 7:05:00 AM												
CV-2315	6/4/2025 7:05:00 AM							1775					
CV-2315	6/10/2025 1:10:20 PM	7.2	83.8	0.0	9.0	0.0	0.1			165.3	165.3	165.3	-0.64
CV-2315	6/10/2025 1:15:00 PM							2290					
CV-2315	6/19/2025 8:00:06 AM	9.0	83.9	0.0	7.1	0.0	0.1			161.6	161.6	161.6	-3.39
CV-2315	6/25/2025 9:20:15 AM	8.2	82.7	0.0	9.1	0.0	0.1			159.3	159.3	159.3	-3.50
CV-2316	6/3/2025 10:06:42 AM												
CV-2316	6/4/2025 8:07:00 AM												
CV-2316	6/5/2025 8:25:00 AM												
CV-2316	6/6/2025 2:49:21 PM												
CV-2316	6/9/2025 8:41:14 AM												
CV-2316	6/12/2025 9:27:30 AM												
CV-2316	6/17/2025 9:25:12 AM												
CV-2316	6/19/2025 8:19:32 AM												
CV-2316	6/23/2025 8:32:42 AM												
CV-2316	6/25/2025 10:04:19 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2316	6/26/2025 8:08:54 AM												
CV-2316	6/26/2025 1:27:48 PM	16.0	78.1	0.0	5.9	0.0	0.2			144.5	144.7	144.7	-0.09
CV-2316	6/26/2025 1:30:44 PM	15.9	78.2	0.0	5.9	0.0	0.2			144.8	144.8	144.8	-0.14
CV-2319	6/7/2025 3:20:13 PM	33.2	61.8	0.3	4.7	15.7	0.5			126.6	127.8	127.8	-5.12
CV-2319	6/18/2025 2:20:48 PM	12.4	83.2	0.0	4.4	0.0	0.1			116.4	116.5	116.5	-0.11
CV-2321	6/3/2025 10:22:52 AM												
CV-2321	6/4/2025 8:47:00 AM												
CV-2321	6/5/2025 8:39:38 AM												
CV-2321	6/9/2025 11:04:45 AM												
CV-2321	6/12/2025 9:02:39 AM												
CV-2321	6/12/2025 1:05:28 PM	6.3	82.3	0.0	11.4	0.0	0.1			135.6	139.3	139.3	0.99
CV-2321	6/12/2025 1:09:18 PM	7.7	81.1	0.0	11.3	0.0	0.1			140.1	140.2	140.2	-0.02
CV-2321	6/17/2025 9:42:52 AM												
CV-2321	6/18/2025 11:15:12 AM												
CV-2321	6/23/2025 9:02:20 AM												
CV-2321	6/24/2025 10:42:13 AM												
CV-2321	6/25/2025 10:10:14 AM												
CV-2321	6/26/2025 8:21:01 AM												
CV-2322	6/8/2025 8:57:23 AM	2.2	69.3	3.0	25.5	8.5	0.0			79.4	79.7	79.7	-7.60
CV-2322	6/19/2025 12:57:02 PM	1.7	74.7	1.1	22.5	20.5	0.0			94.6	94.7	94.7	-4.51
CV-2324	6/12/2025 1:06:54 PM	6.9	81.4	0.0	11.7	0.0	0.1			139.9	139.9	139.9	-0.06
CV-2324	6/13/2025 3:40:52 PM	52.3	39.7	0.0	8.0	0.0	1.3			122.4	122.4	122.4	-1.21
CV-2326	6/5/2025 11:05:00 AM	12.3	74.0	0.0	13.7	0.0	0.2			70.0	70.0	70	-0.04
CV-2326	6/26/2025 9:34:10 AM	8.5	83.8	0.0	7.7	0.0	0.1			90.2	90.5	90.5	-0.16

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2327	6/4/2025 7:14:01 AM	25.7	74.3	0.0	0.0	0.0	0.3			161.9	162.0	162	-6.71
CV-2327	6/4/2025 7:15:00 AM												
CV-2327	6/4/2025 7:15:00 AM							1910					
CV-2327	6/11/2025 9:40:33 AM	11.2	78.0	0.0	10.8	0.0	0.1			162.5	162.5	162.5	-3.08
CV-2327	6/11/2025 9:45:00 AM							523					
CV-2327	6/18/2025 10:56:11 AM	19.2	76.1	0.0	4.7	0.0	0.3			160.6	160.6	160.6	-5.05
CV-2327	6/25/2025 8:33:31 AM	13.3	81.1	0.0	5.6	0.0	0.2			161.0	161.2	161.2	-6.20
CV-2328	6/3/2025 9:48:00 AM												
CV-2328	6/3/2025 9:48:00 AM							820					
CV-2328	6/4/2025 8:18:08 AM	14.1	79.2	0.0	6.7	0.0	0.2			171.2	171.3	171.3	-0.12
CV-2328	6/4/2025 8:20:00 AM							1450					
CV-2328	6/4/2025 8:20:00 AM												
CV-2328	6/11/2025 8:38:55 AM	14.0	79.3	0.0	6.7	0.0	0.2			170.8	170.8	170.8	-0.33
CV-2328	6/11/2025 8:45:00 AM							1140					
CV-2328	6/18/2025 10:38:16 AM	14.3	79.7	0.0	6.0	0.0	0.2			167.2	167.1	167.2	1.09
CV-2328	6/18/2025 10:39:14 AM	16.0	80.9	0.0	3.1	0.0	0.2			167.3	167.2	167.3	1.08

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2328	6/25/2025 8:20:37 AM	39.9	57.0	0.0	3.1	0.0	0.7			149.1	148.6	149.1	-5.73
CV-2333	6/8/2025 9:22:13 AM	1.9	72.9	1.8	23.4	13.0	0.0			119.7	120.1	120.1	-3.99
CV-2333	6/9/2025 8:44:48 AM												
CV-2333	6/9/2025 9:37:00 AM												
CV-2333	6/9/2025 9:37:00 AM							2500					
CV-2333	6/12/2025 8:31:06 AM												
CV-2333	6/13/2025 2:28:28 PM												
CV-2333	6/21/2025 10:14:54 AM	1.6	78.1	1.5	18.8	12.5	0.0			127.3	126.0	127.3	-3.37
CV-2333	6/24/2025 8:39:34 AM												
CV-2333	6/27/2025 9:25:02 AM												
CV-2334	6/9/2025 9:40:00 AM							230					
CV-2334	6/9/2025 9:40:00 AM												
CV-2334	6/11/2025 8:43:03 AM												
CV-2334	6/12/2025 8:10:11 AM												
CV-2334	6/13/2025 2:22:38 PM												
CV-2334	6/17/2025 8:58:51 AM												
CV-2334	6/21/2025 10:05:51 AM	40.3	55.4	0.8	3.5	4.4	0.7			124.3	124.3	124.3	-0.46
CV-2334	6/24/2025 8:33:50 AM												
CV-2334	6/27/2025 9:14:40 AM												
CV-2335	6/5/2025 3:44:01 PM	49.1	41.5	0.6	8.8	14.7	1.2			94.6	94.4	94.6	-4.67
CV-2335	6/19/2025 1:59:59 PM	50.7	40.1	0.8	8.4	10.5	1.3			104.7	105.7	105.7	-4.97
CV-2336	6/5/2025 11:34:01 AM												
CV-2336	6/5/2025 3:35:19 PM	24.5	28.3	10.1	37.1	3.7	0.9			89.5	89.5	89.5	-0.14
CV-2336	6/5/2025 3:36:44 PM	3.5	10.5	19.5	66.5	3.4	0.3			89.5	89.5	89.5	-0.63
CV-2336	6/9/2025 2:29:03 PM												
CV-2336	6/19/2025 9:40:29 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2336	6/19/2025 1:20:56 PM	58.6	37.9	3.5	0.0	0.0	1.5			95.3	95.3	95.3	-0.16
CV-2336	6/23/2025 11:44:47 AM												
CV-2336	6/25/2025 2:55:09 PM												
CV-2337	6/12/2025 8:45:00 AM												
CV-2337	6/12/2025 8:45:00 AM							780					
CV-2338	6/5/2025 9:50:00 AM												
CV-2338	6/5/2025 9:54:49 AM	5.1	81.0	0.1	13.8	138.0	0.1			172.8	171.8	172.8	-2.69
CV-2338	6/5/2025 9:55:00 AM							2760					
CV-2338	6/12/2025 9:17:48 AM	2.3	76.3	1.7	19.7	11.6	0.0			172.1	172.2	172.2	-3.48
CV-2338	6/12/2025 9:20:00 AM							1770					
CV-2338	6/18/2025 9:21:53 AM	2.5	78.2	0.8	18.5	23.1	0.0			176.8	174.3	176.8	-4.16
CV-2338	6/26/2025 9:01:43 AM	2.9	76.8	0.6	19.7	32.8	0.0			182.0	180.4	182	-4.03
CV-2339	6/5/2025 9:35:41 AM	2.3	62.1	3.9	31.7	8.1	0.0			94.7	94.7	94.7	-4.44
CV-2339	6/19/2025 9:17:50 AM	2.6	64.8	2.3	30.3	13.2	0.0			109.3	109.9	109.9	-3.93
CV-2341	6/5/2025 9:21:18 AM	18.4	63.6	0.9	17.1	19.0	0.3			138.0	134.5	138	-2.20
CV-2341	6/5/2025 9:22:31 AM	17.4	65.0	1.2	16.4	13.7	0.3			129.7	130.0	130	-4.58
CV-2341	6/12/2025 8:30:00 AM							670					
CV-2341	6/12/2025 8:30:00 AM												
CV-2341	6/19/2025 9:02:42 AM	25.2	60.9	0.7	13.2	18.9	0.4			134.9	135.3	135.3	-4.19
CV-2341	6/19/2025 9:04:34 AM	23.6	62.6	0.5	13.3	26.6	0.4			130.8	130.8	130.8	-3.76
CV-2341	6/25/2025 2:36:33 PM												
CV-2342A-PLR	6/4/2025 12:54:01 PM	4.3	77.2	0.0	18.5	0.0	0.1			185.1	185.6	185.6	-4.95
CV-2342A-PLR	6/4/2025 12:55:00 PM							1510					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2342A-PLR	6/4/2025 12:55:00 PM												
CV-2342A-PLR	6/12/2025 8:27:48 AM	2.9	79.2	0.0	17.9	0.0	0.0			185.0	185.1	185.1	-5.54
CV-2342A-PLR	6/12/2025 8:35:00 AM							1190					
CV-2342A-PLR	6/18/2025 8:26:10 AM	3.6	76.3	0.0	20.1	0.0	0.0			186.0	187.4	187.4	-6.27
CV-2342A-PLR	6/25/2025 11:03:09 AM	5.8	79.1	0.0	15.1	0.0	0.1			190.3	190.2	190.3	-5.03
CV-2343	6/1/2025 1:56:08 PM	1.3	86.5	0.0	12.2	0.0	0.0			129.0	129.1	129.1	-3.24
CV-2343	6/18/2025 2:15:57 PM	4.1	85.3	0.0	10.6	0.0	0.0			131.0	132.5	132.5	-1.89
CV-2343	6/18/2025 2:17:01 PM	3.6	86.3	0.0	10.1	0.0	0.0			134.2	134.3	134.3	-2.16
CV-2344	6/1/2025 1:46:23 PM	20.1	69.5	0.0	10.4	0.0	0.3			127.0	128.4	128.4	-1.32
CV-2344	6/2/2025 9:05:00 AM												
CV-2344	6/2/2025 9:05:00 AM							2100					
CV-2344	6/18/2025 1:57:43 PM	20.2	79.1	0.0	0.7	0.0	0.3			142.3	142.7	142.7	-1.06
CV-2344	6/18/2025 1:59:26 PM	20.5	66.0	0.0	13.5	0.0	0.3			144.3	144.3	144.3	-0.94
CV-2345	6/1/2025 1:34:32 PM	26.4	71.8	0.0	1.8	0.0	0.4			132.8	134.6	134.6	-1.30
CV-2345	6/1/2025 1:36:02 PM	26.5	71.8	0.0	1.7	0.0	0.4			134.8	134.9	134.9	-1.14
CV-2345	6/2/2025 9:00:00 AM												
CV-2345	6/2/2025 9:00:00 AM							620					
CV-2345	6/18/2025 1:52:42 PM	30.2	69.8	0.0	0.0	0.0	0.4			135.2	137.7	137.7	-1.52
CV-2346	6/1/2025 1:29:25 PM	7.5	85.1	0.0	7.4	0.0	0.1			131.3	132.3	132.3	0.09
CV-2346	6/1/2025 1:30:21 PM	7.1	87.5	0.0	5.4	0.0	0.1			130.5	130.4	130.5	-0.15
CV-2346	6/2/2025 8:55:00 AM												
CV-2346	6/2/2025 8:55:00 AM							3100					
CV-2346	6/18/2025 1:46:09 PM	12.6	81.7	0.0	5.7	0.0	0.2			129.0	129.6	129.6	-0.61
CV-2347	6/1/2025 2:23:40 PM	19.4	70.0	0.0	10.6	0.0	0.3			113.5	113.7	113.7	-1.41
CV-2347	6/2/2025 8:50:00 AM							1200					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2347	6/2/2025 9:55:00 AM												
CV-2347	6/18/2025 1:20:51 PM	22.0	67.3	0.0	10.7	0.0	0.3			111.2	111.1	111.2	-1.23
CV-2348	6/1/2025 1:08:39 PM	31.7	48.2	0.0	20.1	0.0	0.7			121.3	121.7	121.7	-1.73
CV-2348	6/2/2025 8:45:00 AM												
CV-2348	6/2/2025 8:45:00 AM							37					
CV-2348	6/18/2025 2:41:02 PM	41.6	52.3	0.0	6.1	0.0	0.8			120.9	121.0	121	-1.33
CV-2349	6/1/2025 11:13:24 AM	9.9	77.9	0.0	12.2	0.0	0.1			142.0	143.0	143	2.59
CV-2349	6/1/2025 11:14:38 AM	6.5	83.9	0.0	9.6	0.0	0.1			143.7	143.8	143.8	2.54
CV-2349	6/10/2025 8:20:00 AM												
CV-2349	6/10/2025 8:20:00 AM							2800					
CV-2349	6/18/2025 10:24:01 AM	9.4	80.9	0.0	9.7	0.0	0.1			145.4	145.7	145.7	4.52
CV-2349	6/18/2025 10:25:26 AM	6.4	85.6	0.0	8.0	0.0	0.1			146.3	146.4	146.4	4.44
CV-2349	6/25/2025 2:21:08 PM	6.4	84.5	0.0	9.1	0.0	0.1			142.0	141.7	142	5.75
CV-2349	6/25/2025 2:22:09 PM	6.4	83.7	0.0	9.9	0.0	0.1			140.6	142.0	142	4.76
CV-2350	6/1/2025 10:31:36 AM	12.4	78.9	0.0	8.7	0.0	0.2			123.3	124.0	124	-1.24
CV-2350	6/5/2025 10:10:00 AM							2100					
CV-2350	6/5/2025 10:10:00 AM												
CV-2350	6/18/2025 9:34:45 AM	12.7	80.4	0.0	6.9	0.0	0.2			128.2	129.2	129.2	-1.58
CV-2351	6/3/2025 8:39:00 AM												
CV-2351	6/3/2025 8:39:00 AM							330					
CV-2351	6/8/2025 2:10:08 PM	2.7	24.2	13.5	59.6	4.4	0.1			91.8	91.8	91.8	-3.09
CV-2351	6/8/2025 2:11:03 PM	3.5	29.1	12.1	55.3	4.6	0.1			92.5	92.5	92.5	-2.99
CV-2351	6/25/2025 2:12:56 PM	1.4	59.6	4.4	34.6	7.9	0.0			99.9	100.5	100.5	-3.45
CV-2352	6/3/2025 8:34:00 AM							170					
CV-2352	6/3/2025 8:34:00 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2352	6/4/2025 1:09:15 PM	1.0	6.7	18.3	74.0	4.0	0.1			106.1	105.9	106.1	-2.87
CV-2352	6/4/2025 1:09:57 PM	1.2	7.1	18.1	73.6	4.1	0.2			106.2	106.2	106.2	-2.61
CV-2352	6/18/2025 11:02:00 AM	0.4	6.5	17.5	75.6	4.3	0.1			110.2	110.1	110.2	-3.89
CV-2352	6/18/2025 11:02:44 AM	0.5	5.9	17.6	76.0	4.3	0.1			110.3	110.5	110.5	-3.98
CV-2353-PLR	6/3/2025 8:20:00 AM												
CV-2353-PLR	6/3/2025 8:20:00 AM							580					
CV-2353-PLR	6/4/2025 1:02:19 PM	4.4	69.3	1.6	24.7	15.4	0.1			126.6	126.9	126.9	-4.82
CV-2353-PLR	6/25/2025 11:13:46 AM	15.2	67.3	2.6	14.9	5.7	0.2			130.3	130.4	130.4	-5.11
CV-2353-PLR	6/25/2025 11:14:25 AM	15.2	67.8	2.6	14.4	5.5	0.2			130.5	130.7	130.7	-4.70
CV-2354	6/4/2025 1:24:29 PM	28.3	65.6	0.5	5.6	11.2	0.4			129.4	129.6	129.6	-0.21
CV-2354	6/12/2025 9:50:00 AM							2300					
CV-2354	6/12/2025 9:50:00 AM												
CV-2354	6/18/2025 10:34:52 AM	16.5	68.9	0.0	14.6	0.0	0.2			110.9	111.4	111.4	0.43
CV-2354	6/18/2025 10:35:34 AM	17.9	72.1	0.0	10.0	0.0	0.2			112.5	112.5	112.5	0.78
CV-24001	6/5/2025 3:48:22 PM	46.0	39.1	0.1	14.8	148.0	1.2			94.3	97.1	97.1	-4.18
CV-24001	6/19/2025 2:03:52 PM	48.4	44.4	0.1	7.1	71.0	1.1			99.7	100.1	100.1	-4.13
CV-24002	6/5/2025 4:00:22 PM	37.3	57.4	0.0	5.3	0.0	0.6			102.1	102.9	102.9	-1.36
CV-24002	6/19/2025 2:15:31 PM	35.9	62.9	0.0	1.2	0.0	0.6			104.9	105.5	105.5	-1.20
CV-24003	6/5/2025 10:32:54 AM	35.7	64.3	0.0	0.0	0.0	0.6			108.2	108.7	108.7	-1.06
CV-24003	6/18/2025 3:26:24 PM	36.0	64.0	0.0	0.0	0.0	0.6			112.6	113.2	113.2	-0.60
CV-24004	6/5/2025 10:29:14 AM	39.1	53.5	1.4	6.0	4.3	0.7			106.7	106.6	106.7	-1.13
CV-24004	6/18/2025 3:21:36 PM	44.6	54.7	0.7	0.0	0.0	0.8			112.8	112.9	112.9	-0.63
CV-24006	6/3/2025 1:56:44 PM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24006	6/4/2025 2:51:31 PM												
CV-24006	6/5/2025 10:54:01 AM	32.9	57.5	0.0	9.6	0.0	0.6			127.1	127.8	127.8	-1.27
CV-24006	6/9/2025 2:07:16 PM												
CV-24006	6/16/2025 2:40:19 PM												
CV-24006	6/17/2025 9:42:56 AM												
CV-24006	6/18/2025 3:20:10 PM												
CV-24006	6/19/2025 9:52:30 AM	32.0	66.7	0.2	1.1	5.5	0.5			127.8	128.4	128.4	-0.76
CV-24006	6/23/2025 2:18:04 PM												
CV-24006	6/24/2025 1:55:49 PM												
CV-24006	6/25/2025 2:11:13 PM												
CV-24006	6/30/2025 2:38:56 PM												
CV-24007	6/3/2025 1:55:44 PM												
CV-24007	6/5/2025 10:26:00 AM												
CV-24007	6/5/2025 10:26:00 AM							540					
CV-24007	6/8/2025 8:32:38 AM	14.8	82.9	0.1	2.2	22.0	0.2			117.3	117.4	117.4	-0.24
CV-24007	6/9/2025 2:05:52 PM												
CV-24007	6/16/2025 2:41:46 PM												
CV-24007	6/17/2025 9:44:59 AM												
CV-24007	6/18/2025 3:21:06 PM												
CV-24007	6/23/2025 2:17:03 PM												
CV-24007	6/24/2025 1:57:10 PM												
CV-24007	6/25/2025 2:10:04 PM												
CV-24007	6/26/2025 9:09:50 AM	13.2	78.8	1.3	6.7	5.2	0.2			119.7	126.2	126.2	0.39
CV-24007	6/26/2025 9:11:51 AM	13.7	81.9	1.0	3.4	3.4	0.2			126.4	126.2	126.4	-0.10
CV-24007	6/26/2025 9:11:51 AM	13.7	81.9	1.0	3.4	3.4	0.2			126.4	126.2	126.4	-0.10
CV-24007	6/30/2025 2:37:49 PM												
CV-24008	6/3/2025 1:42:37 PM												
CV-24008	6/4/2025 2:46:50 PM												
CV-24008	6/8/2025 8:41:54 AM	3.8	62.1	4.8	29.3	6.1	0.1			102.8	104.7	104.7	0.24
CV-24008	6/8/2025 8:43:06 AM	5.2	64.6	4.1	26.1	6.4	0.1			105.1	105.2	105.2	0.13

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24008	6/9/2025 1:59:09 PM												
CV-24008	6/13/2025 2:45:35 PM												
CV-24008	6/16/2025 2:56:31 PM												
CV-24008	6/18/2025 3:23:06 PM												
CV-24008	6/23/2025 2:32:58 PM												
CV-24008	6/24/2025 1:59:20 PM												
CV-24008	6/26/2025 9:50:42 AM	0.4	14.3	16.4	68.9	4.2	0.0			87.9	87.8	87.9	1.05
CV-24008	6/26/2025 9:52:13 AM	0.8	23.6	14.0	61.6	4.4	0.0			89.4	89.4	89.4	1.13
CV-24008	6/30/2025 2:40:49 PM												
CV-24009	6/3/2025 1:40:33 PM												
CV-24009	6/4/2025 10:07:09 AM	25.7	70.0	0.0	4.3	0.0	0.4			151.8	151.3	151.8	-1.72
CV-24009	6/4/2025 10:10:00 AM												
CV-24009	6/4/2025 2:39:05 PM												
CV-24009	6/4/2025 10:10:00 PM							947					
CV-24009	6/9/2025 8:49:31 AM												
CV-24009	6/12/2025 10:46:00 AM	23.0	73.2	0.0	3.8	0.0	0.3			159.7	159.7	159.7	-0.40
CV-24009	6/12/2025 10:50:00 AM							942					
CV-24009	6/16/2025 3:03:38 PM												
CV-24009	6/18/2025 1:10:11 PM	28.0	69.5	0.4	2.1	5.3	0.4			160.6	160.5	160.6	-0.30
CV-24009	6/18/2025 3:24:59 PM												
CV-24009	6/23/2025 2:31:05 PM												
CV-24009	6/25/2025 1:21:43 PM	24.6	67.5	0.0	7.9	0.0	0.4			154.4	154.0	154.4	-0.82
CV-24009	6/30/2025 2:42:03 PM												
CV-24010	6/5/2025 4:09:51 PM	17.8	46.1	7.0	29.1	4.2	0.4			87.5	87.7	87.7	-6.70
CV-24010	6/5/2025 4:11:30 PM	18.5	47.5	6.5	27.5	4.2	0.4			88.9	89.0	89	-6.45
CV-24010	6/29/2025 10:33:48 AM	17.9	51.7	3.6	26.8	7.4	0.3			110.6	110.9	110.9	-6.54

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24011	6/3/2025 10:21:08 AM	14.6	72.5	0.0	12.9	0.0	0.2			155.9	155.8	155.9	-1.02
CV-24011	6/3/2025 10:25:00 AM												
CV-24011	6/3/2025 10:25:00 AM							5240					
CV-24011	6/10/2025 8:43:58 AM	7.6	79.6	0.0	12.8	0.0	0.1			162.0	162.0	162	-0.12
CV-24011	6/10/2025 8:45:00 AM							3770					
CV-24011	6/17/2025 8:52:01 AM	14.8	78.7	0.0	6.5	0.0	0.2			157.2	156.5	157.2	-1.74
CV-24011	6/17/2025 9:35:44 AM												
CV-24011	6/24/2025 10:48:35 AM	19.2	74.5	0.0	6.3	0.0	0.3			159.4	158.4	159.4	-1.83
CV-24011	6/30/2025 10:41:19 AM	12.1	80.3	0.0	7.6	0.0	0.2			162.7	163.1	163.1	-0.05
CV-24012	6/3/2025 10:35:00 AM							2980					
CV-24012	6/3/2025 10:35:00 AM												
CV-24012	6/3/2025 10:35:13 AM	1.8	77.6	0.0	20.6	0.0	0.0			172.8	172.7	172.8	-0.62
CV-24012	6/3/2025 1:58:57 PM												
CV-24012	6/10/2025 8:58:17 AM	2.0	79.4	0.0	18.6	0.0	0.0			185.9	186.0	186	-0.86
CV-24012	6/10/2025 9:00:00 AM							2150					
CV-24012	6/16/2025 2:43:26 PM												
CV-24012	6/17/2025 9:06:24 AM	1.6	80.1	0.0	18.3	0.0	0.0			184.5	182.0	184.5	-3.17
CV-24012	6/18/2025 3:29:19 PM												
CV-24012	6/23/2025 2:20:45 PM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24012	6/24/2025 11:15:27 AM	7.5	80.1	0.0	12.4	0.0	0.1			162.2	160.7	162.2	-3.71
CV-24012	6/24/2025 2:04:10 PM												
CV-24012	6/25/2025 2:13:55 PM												
CV-24012	6/30/2025 10:53:21 AM	10.7	78.7	0.3	10.3	34.3	0.1			179.1	179.2	179.2	-0.78
CV-24012	6/30/2025 2:38:05 PM												
CV-24014	6/3/2025 10:06:42 AM	10.3	77.1	0.0	12.6	0.0	0.1			161.9	162.0	162	-0.57
CV-24014	6/3/2025 10:10:00 AM												
CV-24014	6/3/2025 10:10:00 AM							2270					
CV-24014	6/3/2025 1:36:02 PM												
CV-24014	6/4/2025 1:33:22 PM												
CV-24014	6/5/2025 1:57:27 PM												
CV-24014	6/9/2025 1:49:21 PM												
CV-24014	6/10/2025 8:24:30 AM	3.8	78.2	0.0	18.0	0.0	0.0			167.1	167.1	167.1	-0.15
CV-24014	6/10/2025 8:25:00 AM							2300					
CV-24014	6/13/2025 2:37:49 PM												
CV-24014	6/18/2025 3:12:14 PM												
CV-24014	6/19/2025 10:06:13 AM	13.0	73.8	0.0	13.2	0.0	0.2			162.3	161.8	162.3	-2.00
CV-24014	6/19/2025 2:25:47 PM												
CV-24014	6/23/2025 2:27:31 PM												
CV-24014	6/30/2025 2:44:03 PM												
CV-24015	6/3/2025 9:59:37 AM	2.1	74.3	0.2	23.4	117.0	0.0			185.3	185.0	185.3	-6.75
CV-24015	6/3/2025 10:00:00 AM												
CV-24015	6/3/2025 10:00:00 AM							2530					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24015	6/10/2025 8:11:21 AM	1.3	69.2	0.1	29.4	294.0	0.0			186.0	185.8	186	-3.57
CV-24015	6/10/2025 8:15:00 AM							3330					
CV-24015	6/17/2025 8:19:49 AM	2.1	80.8	0.5	16.6	33.2	0.0			186.1	185.7	186.1	-5.45
CV-24015	6/27/2025 2:25:19 PM	2.1	78.4	0.4	19.1	47.8	0.0			185.9	185.2	185.9	-6.09
CV-24016	6/5/2025 11:08:03 AM	18.0	57.5	0.0	24.5	0.0	0.3			117.0	118.3	118.3	-3.00
CV-24016	6/19/2025 10:02:44 AM	23.0	59.2	0.0	17.8	0.0	0.4			131.8	132.7	132.7	-2.65
CV-24016	6/19/2025 10:04:43 AM	16.4	69.1	0.0	14.5	0.0	0.2			132.7	132.8	132.8	-1.26
CV-24017	6/3/2025 10:56:28 AM	11.9	81.1	0.0	7.0	0.0	0.1			165.9	165.4	165.9	-0.51
CV-24017	6/3/2025 11:00:00 AM							3040					
CV-24017	6/3/2025 11:00:00 AM												
CV-24017	6/9/2025 10:15:00 AM							1700					
CV-24017	6/9/2025 10:15:00 AM												
CV-24017	6/10/2025 9:11:11 AM	7.3	89.5	0.0	3.2	0.0	0.1			174.6	174.6	174.6	-0.42
CV-24017	6/10/2025 9:15:00 AM							2040					
CV-24017	6/17/2025 9:18:58 AM	20.1	73.2	0.4	6.3	15.8	0.3			167.1	167.0	167.1	-2.05
CV-24017	6/24/2025 11:01:04 AM	22.2	71.4	1.0	5.4	5.4	0.3			140.5	140.2	140.5	-3.10
CV-24017	6/30/2025 11:05:34 AM	24.3	75.7	0.0	0.0	0.0	0.3			177.8	178.0	178	-0.14
CV-24018	6/5/2025 11:23:06 AM	17.0	72.2	0.0	10.8	0.0	0.2			134.3	134.6	134.6	-2.01
CV-24018	6/19/2025 10:13:24 AM	17.5	77.3	0.0	5.2	0.0	0.2			131.5	131.4	131.5	-1.32
CV-24018	6/19/2025 10:14:20 AM	16.6	78.9	0.0	4.5	0.0	0.2			131.5	131.5	131.5	-1.16

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24019	6/3/2025 10:28:09 AM	4.8	83.2	0.0	12.0	0.0	0.1			171.3	170.6	171.3	-3.59
CV-24019	6/3/2025 10:30:00 AM							3170					
CV-24019	6/3/2025 10:30:00 AM												
CV-24019	6/10/2025 8:50:53 AM	2.4	80.3	0.0	17.3	0.0	0.0			182.0	182.0	182	-0.36
CV-24019	6/10/2025 8:55:00 AM							2490					
CV-24019	6/17/2025 8:58:22 AM	3.1	83.4	0.0	13.5	0.0	0.0			183.1	183.4	183.4	-2.28
CV-24019	6/24/2025 10:29:49 AM	4.6	79.1	0.0	16.3	0.0	0.1			172.4	172.4	172.4	-0.92
CV-24019	6/24/2025 11:23:14 AM	13.4	81.5	0.0	5.1	0.0	0.2			165.7	164.9	165.7	-3.78
CV-24019	6/30/2025 10:47:34 AM	5.1	79.9	0.1	14.9	149.0	0.1			180.0	179.7	180	-0.89
CV-24020	6/5/2025 11:44:49 AM	0.3	6.9	18.3	74.5	4.1	0.0			83.1	83.5	83.5	-1.80
CV-24020	6/19/2025 10:39:33 AM	0.3	3.5	19.5	76.7	3.9	0.1			96.4	96.8	96.8	-2.73
CV-24020	6/19/2025 10:41:28 AM	0.3	1.9	20.0	77.8	3.9	0.2			97.5	97.7	97.7	-2.89
CV-24021	6/3/2025 1:59:39 PM												
CV-24021	6/5/2025 11:47:40 AM	4.2	64.1	2.9	28.8	9.9	0.1			141.6	142.4	142.4	-1.50
CV-24021	6/5/2025 11:49:26 AM	4.2	64.7	2.7	28.4	10.5	0.1			144.5	144.2	144.5	-1.47
CV-24021	6/16/2025 2:44:19 PM												
CV-24021	6/18/2025 3:30:25 PM												
CV-24021	6/19/2025 10:47:58 AM	5.9	62.8	3.3	28.0	8.5	0.1			136.5	137.0	137	-1.88
CV-24021	6/19/2025 10:47:59 AM	5.9	62.8	3.3	28.0	8.5	0.1			136.5	137.0	137	-1.88
CV-24021	6/19/2025 10:49:55 AM	6.3	63.2	3.0	27.5	9.2	0.1			138.2	138.1	138.2	-2.97
CV-24021	6/23/2025 2:22:26 PM												
CV-24021	6/24/2025 2:05:07 PM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24021	6/25/2025 2:14:44 PM												
CV-24021	6/30/2025 2:39:22 PM												
CV-24022-PLR	6/3/2025 10:13:40 AM	12.2	71.4	1.9	14.5	7.6	0.2			127.2	127.2	127.2	-6.28
CV-24022-PLR	6/10/2025 8:29:34 AM	12.3	74.4	0.3	13.0	43.3	0.2			110.8	110.7	110.8	-2.20
CV-24022-PLR	6/17/2025 7:48:56 AM	1.5	81.4	0.0	17.1	0.0	0.0			190.2	190.3	190.3	-6.84
CV-24022-PLR	6/17/2025 7:49:34 AM	1.3	80.1	0.0	18.6	0.0	0.0			190.5	190.6	190.6	-6.23
CV-24022-PLR	6/24/2025 10:21:08 AM	2.4	77.4	0.0	20.2	0.0	0.0			181.5	182.3	182.3	-5.52
CV-24023	6/3/2025 8:50:00 AM							2940					
CV-24023	6/3/2025 8:50:00 AM												
CV-24023	6/3/2025 8:50:18 AM	0.7	61.5	3.5	34.3	9.8	0.0			190.0	188.4	190	-7.26
CV-24023	6/10/2025 8:05:31 AM	0.8	65.8	2.5	30.9	12.4	0.0			189.8	188.7	189.8	-4.96
CV-24023	6/10/2025 8:10:00 AM							4040					
CV-24023	6/17/2025 8:08:15 AM	0.8	62.2	2.5	34.5	13.8	0.0			186.9	186.4	186.9	-7.15
CV-24025	6/3/2025 11:05:00 AM							2010					
CV-24025	6/3/2025 11:05:00 AM												
CV-24025	6/3/2025 11:05:26 AM	6.5	70.5	1.4	21.6	15.4	0.1			158.4	158.5	158.5	-4.84
CV-24025	6/10/2025 9:29:51 AM	6.4	72.2	0.5	20.9	41.8	0.1			160.2	160.2	160.2	-2.72

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24025	6/10/2025 9:30:00 AM							2760					
CV-24025	6/17/2025 10:13:20 AM	14.2	76.0	0.6	9.2	15.3	0.2			160.2	160.3	160.3	-3.88
CV-24025	6/24/2025 1:54:59 PM	8.3	61.4	2.2	28.1	12.8	0.1			157.4	157.4	157.4	-4.75
CV-24026	6/8/2025 8:12:19 AM	0.4	10.7	18.1	70.8	3.9	0.0			69.4	69.8	69.8	-0.78
CV-24026	6/8/2025 8:13:48 AM	0.3	5.9	19.1	74.7	3.9	0.1			70.8	70.9	70.9	-0.82
CV-24026	6/19/2025 10:29:13 AM	0.5	12.5	17.4	69.6	4.0	0.0			85.5	85.6	85.6	-0.83
CV-24026	6/19/2025 10:30:24 AM	0.3	7.5	18.4	73.8	4.0	0.0			86.1	86.1	86.1	-0.73
CV-24027	6/5/2025 11:54:45 AM	1.3	73.5	0.0	25.2	0.0	0.0			89.5	90.6	90.6	11.11
CV-24027	6/5/2025 11:56:18 AM	0.7	35.4	10.9	53.0	4.9	0.0			87.0	87.0	87	-6.91
CV-24027	6/5/2025 11:57:23 AM	0.6	20.4	14.7	64.3	4.4	0.0			86.4	86.4	86.4	-6.79
CV-24027	6/13/2025 2:00:21 PM	2.2	71.4	2.4	24.0	10.0	0.0			114.4	114.9	114.9	-1.65
CV-24027	6/16/2025 9:56:33 AM	0.1	16.0	16.1	67.9	4.2	0.0			94.0	94.8	94.8	-6.37
CV-24027	6/16/2025 10:00:33 AM	0.3	52.2	9.0	38.5	4.3	0.0			95.4	95.5	95.5	-0.82
CV-24027	6/23/2025 2:23:49 PM												
CV-24027	6/24/2025 2:06:38 PM												
CV-24027	6/25/2025 2:15:52 PM												
CV-24027	6/30/2025 2:40:49 PM												
CV-24028	6/3/2025 8:27:18 AM	1.6	73.7	1.4	23.3	16.6	0.0			189.0	189.4	189.4	-5.80
CV-24028	6/3/2025 8:30:00 AM												
CV-24028	6/3/2025 8:30:00 AM							1320					
CV-24028	6/10/2025 8:32:40 AM	2.8	76.7	0.0	20.5	0.0	0.0			192.4	192.8	192.8	-2.89
CV-24028	6/10/2025 8:35:00 AM							2520					
CV-24028	6/17/2025 7:57:56 AM	1.6	78.4	0.0	20.0	0.0	0.0			192.1	192.0	192.1	-6.11

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24028	6/24/2025 10:11:15 AM	3.1	78.8	0.0	18.1	0.0	0.0			193.8	193.8	193.8	-6.61
CV-24028	6/30/2025 8:27:12 AM	1.4	82.6	0.0	16.0	0.0	0.0			193.9	193.9	193.9	-6.80
CV-24029	6/8/2025 9:37:14 AM	1.9	62.5	3.9	31.7	8.1	0.0			80.8	81.2	81.2	-6.87
CV-24029	6/28/2025 1:40:41 PM	4.4	52.6	6.3	36.7	5.8	0.1			105.7	105.7	105.7	-0.13
CV-24029	6/28/2025 1:42:08 PM	6.6	52.9	6.4	34.1	5.3	0.1			106.0	105.9	106	-0.13
CV-24031	6/5/2025 3:02:59 PM		66.2	0.2						110.7	112.4	112.4	-3.87
CV-24031	6/5/2025 3:03:40 PM	33.9	66.1	0.0	0.0	0.0	0.5			116.8	117.0	117	-3.49
CV-24031	6/19/2025 3:39:42 PM	40.3	54.5	0.1	5.1	51.0	0.7			118.7	119.1	119.1	-3.96
CV-24032	6/3/2025 11:14:09 AM	3.6	85.8	0.0	10.6	0.0	0.0			177.3	177.8	177.8	-4.20
CV-24032	6/3/2025 11:15:00 AM							3640					
CV-24032	6/3/2025 11:15:00 AM												
CV-24032	6/10/2025 9:36:41 AM	3.6	87.9	0.5	8.0	16.0	0.0			177.5	177.4	177.5	-2.89
CV-24032	6/10/2025 9:40:00 AM							3370					
CV-24032	6/17/2025 10:20:02 AM	10.7	72.6	2.8	13.9	5.0	0.1			176.4	175.7	176.4	-3.08
CV-24032	6/24/2025 2:46:13 PM	29.0	71.0	0.0	0.0	0.0	0.4			186.0	186.0	186	-0.46
CV-24033	6/3/2025 11:48:48 AM	11.9	82.3	0.3	5.5	18.3	0.1			132.9	133.4	133.4	-0.36
CV-24033	6/3/2025 11:49:36 AM	11.8	81.9	0.2	6.1	30.5	0.1			133.9	133.3	133.9	-0.35
CV-24033	6/17/2025 10:00:05 AM	8.1	83.7	0.0	8.2	0.0	0.1			149.9	149.2	149.9	-0.34

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24033	6/24/2025 2:06:42 PM	5.9	86.3	0.0	7.8	0.0	0.1			139.5	140.7	140.7	-1.80
CV-24033	6/24/2025 2:07:34 PM	5.5	84.1	0.0	10.4	0.0	0.1			141.4	140.4	141.4	-0.75
CV-24034	6/3/2025 1:36:46 PM	30.6	58.0	4.5	6.9	1.5	0.5			178.8	177.0	178.8	-6.89
CV-24034	6/3/2025 1:40:00 PM							1280					
CV-24034	6/3/2025 1:40:00 PM												
CV-24034	6/12/2025 1:10:23 PM	4.1	36.2	11.8	47.9	4.1	0.1			172.8	170.5	172.8	-6.39
CV-24034	6/12/2025 1:11:18 PM	3.5	35.1	11.6	49.8	4.3	0.1			161.3	160.9	161.3	-4.43
CV-24034	6/12/2025 1:15:00 PM							1180					
CV-24034	6/18/2025 1:47:51 PM	20.8	61.9	3.7	13.6	3.7	0.3			182.4	182.3	182.4	-0.53
CV-24034	6/24/2025 10:03:07 AM	0.9	36.6	11.4	51.1	4.5	0.0			159.0	158.7	159	-5.01
CV-24035	6/3/2025 8:12:40 AM	1.8	79.2	0.0	19.0	0.0	0.0			190.7	190.8	190.8	-5.86
CV-24035	6/3/2025 8:15:00 AM												
CV-24035	6/3/2025 8:15:00 AM							2455					
CV-24035	6/10/2025 7:57:07 AM	1.8	76.3	0.0	21.9	0.0	0.0			191.2	191.8	191.8	-9.94
CV-24035	6/10/2025 8:00:00 AM							2980					
CV-24035	6/17/2025 7:37:16 AM	2.5	74.5	0.0	23.0	0.0	0.0			191.9	192.1	192.1	-6.21

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24035	6/25/2025 1:46:04 PM	2.0	83.0	0.0	15.0	0.0	0.0			187.9	188.5	188.5	-6.46
CV-24035	6/30/2025 8:21:37 AM	1.4	85.7	0.0	12.9	0.0	0.0			192.5	192.5	192.5	-3.50
CV-24036	6/5/2025 2:54:47 PM	54.5	39.6	3.3	2.6	0.8	1.4			95.6	95.9	95.9	-3.95
CV-24036	6/19/2025 3:33:03 PM	1.0	4.6	19.7	74.7	3.8	0.2			88.4	89.0	89	-5.56
CV-24036	6/19/2025 3:34:33 PM	25.2	15.7	12.5	46.6	3.7	1.6			89.3	89.4	89.4	-4.87
CV-24037	6/3/2025 11:20:54 AM	20.2	66.7	3.3	9.8	3.0	0.3			125.7	126.0	126	-0.41
CV-24037	6/3/2025 11:23:02 AM	21.0	64.6	3.4	11.0	3.2	0.3			122.0	122.6	122.6	-0.42
CV-24037	6/10/2025 9:44:42 AM	20.6	72.4	0.1	6.9	69.0	0.3			127.8	128.8	128.8	-0.07
CV-24037	6/19/2025 3:45:10 PM	18.9	54.4	4.9	21.8	4.4	0.3			134.0	134.3	134.3	-0.52
CV-24037	6/19/2025 3:47:26 PM	22.5	58.3	3.9	15.3	3.9	0.4			132.3	133.4	133.4	-0.64
CV-24038	6/1/2025 11:33:17 AM	0.8	9.7	19.0	70.5	3.7	0.1			94.5	94.2	94.5	-4.67
CV-24038	6/1/2025 11:34:15 AM	0.1	3.7	20.1	76.1	3.8	0.0			91.7	91.6	91.7	-4.61
CV-24038	6/3/2025 11:33:49 AM	6.8	84.9	0.0	8.3	0.0	0.1			185.8	184.6	185.8	22.17
CV-24038	6/3/2025 11:34:29 AM	8.9	83.8	0.0	7.3	0.0	0.1			185.1	184.8	185.1	21.49
CV-24038	6/3/2025 11:35:00 AM							1856					
CV-24038	6/3/2025 11:35:00 AM												
CV-24038	6/10/2025 9:59:30 AM	3.9	83.2	0.0	12.9	0.0	0.0			189.0	188.7	189	28.19
CV-24038	6/10/2025 10:00:00 AM							2500					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24038	6/10/2025 10:00:09 AM	3.8	82.5	0.0	13.7	0.0	0.0			189.2	188.8	189.2	28.06
CV-24038	6/17/2025 10:27:29 AM	10.6	86.9	0.0	2.5	0.0	0.1			189.1	190.2	190.2	25.64
CV-24038	6/17/2025 10:28:04 AM	12.1	85.1	0.0	2.8	0.0	0.1			190.6	190.5	190.6	25.50
CV-24038	6/23/2025 1:45:57 PM												
CV-24038	6/24/2025 2:33:18 PM	18.7	78.3	0.0	3.0	0.0	0.2			186.4	187.2	187.2	21.79
CV-24038	6/24/2025 2:33:59 PM	22.7	77.3	0.0	0.0	0.0	0.3			188.7	188.9	188.9	22.28
CV-24038	6/30/2025 9:13:48 AM	1.7	81.2	0.0	17.1	0.0	0.0			187.6	188.9	188.9	21.62
CV-24039	6/5/2025 2:00:03 PM	0.3	1.5	20.8	77.4	3.7	0.2			87.7	87.7	87.7	-6.04
CV-24039	6/5/2025 2:01:49 PM	0.3	0.6	21.1	78.0	3.7	0.5			87.5	87.4	87.5	-5.92
CV-24039	6/17/2025 9:42:48 AM	2.2	79.5	0.4	17.9	44.8	0.0			165.3	166.7	166.7	-4.98
CV-24039	6/17/2025 9:44:15 AM	2.4	76.5	0.3	20.8	69.3	0.0			165.8	164.1	165.8	-0.53
CV-24039	6/24/2025 2:27:37 PM	11.8	78.0	0.7	9.5	13.6	0.2			164.0	163.5	164	-5.81
CV-24039	6/30/2025 9:24:28 AM	2.6	78.3	0.0	19.1	0.0	0.0			181.0	181.8	181.8	-1.66
CV-24040	6/5/2025 2:05:39 PM	1.0	65.1	2.8	31.1	11.1	0.0			89.5	89.2	89.5	-4.16
CV-24040	6/19/2025 11:09:19 AM	6.5	28.5	11.3	53.7	4.8	0.2			89.8	89.5	89.8	-7.31

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24040	6/19/2025 11:11:48 AM	4.9	15.6	15.4	64.1	4.2	0.3			89.7	89.6	89.7	-6.53
CV-24040	6/23/2025 1:40:36 PM												
CV-24041	6/5/2025 2:10:12 PM	0.5	19.8	17.1	62.6	3.7	0.0			96.5	96.5	96.5	-7.09
CV-24041	6/5/2025 2:11:37 PM	0.3	14.0	18.1	67.6	3.7	0.0			96.5	96.5	96.5	-6.99
CV-24041	6/19/2025 2:36:08 PM	0.3	25.9	14.2	59.6	4.2	0.0			102.4	102.4	102.4	-2.78
CV-24041	6/19/2025 2:37:34 PM	0.6	27.5	13.5	58.4	4.3	0.0			102.4	102.4	102.4	-0.35
CV-24042	6/3/2025 1:23:42 PM	11.9	78.9	0.0	9.2	0.0	0.2			93.6	93.7	93.7	1.20
CV-24042	6/3/2025 1:24:33 PM	11.8	79.1	0.0	9.1	0.0	0.1			92.8	92.3	92.8	1.22
CV-24042	6/10/2025 10:48:30 AM	11.3	50.2	1.8	36.7	20.4	0.2			172.8	172.6	172.8	-2.98
CV-24042	6/10/2025 10:50:00 AM							1520					
CV-24042	6/17/2025 1:49:18 PM	9.0	48.3	1.5	41.2	27.5	0.2			175.4	175.3	175.4	-1.88
CV-24042	6/24/2025 9:25:56 AM	7.5	58.1	1.7	32.7	19.2	0.1			177.1	177.1	177.1	-0.48
CV-24042	6/30/2025 8:17:05 AM	1.3	82.9	0.0	15.8	0.0	0.0			191.3	191.3	191.3	-0.02
CV-24043	6/4/2025 2:08:03 PM	48.4	49.8	0.0	1.8	0.0	1.0			103.5	103.7	103.7	-0.37
CV-24043	6/20/2025 8:31:36 AM	53.4	44.9	0.0	1.7	0.0	1.2			102.8	103.1	103.1	-1.57
CV-24044	6/5/2025 2:51:20 PM	46.6	51.1	2.3	0.0	0.0	0.9			89.6	89.9	89.9	-4.78
CV-24044	6/19/2025 3:27:59 PM	39.9	45.8	2.9	11.4	3.9	0.9			98.3	98.3	98.3	-4.86
CV-24045	6/3/2025 11:26:14 AM	10.7	82.3	0.0	7.0	0.0	0.1			166.2	165.8	166.2	-0.98
CV-24045	6/3/2025 11:30:00 AM							1750					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24045	6/3/2025 11:30:00 AM												
CV-24045	6/10/2025 9:46:57 AM	7.3	79.8	0.0	12.9	0.0	0.1			175.7	176.0	176	4.11
CV-24045	6/10/2025 9:47:43 AM	6.8	79.6	0.0	13.6	0.0	0.1			175.2	176.1	176.1	3.86
CV-24045	6/10/2025 9:50:00 AM							1960					
CV-24045	6/17/2025 2:05:34 PM	6.3	79.4	0.0	14.3	0.0	0.1			174.7	175.0	175	-1.03
CV-24045	6/24/2025 2:39:59 PM	30.7	69.3	0.0	0.0	0.0	0.4			173.2	173.4	173.4	-0.96
CV-24045	6/30/2025 9:19:44 AM	6.5	81.5	0.0	12.0	0.0	0.1			178.8		178.8	-0.54
CV-24046	6/5/2025 2:28:40 PM	5.8	68.3	0.5	25.4	50.8	0.1			121.2	121.4	121.4	-4.82
CV-24046	6/19/2025 3:00:11 PM	3.7	73.0	0.0	23.3	0.0	0.1			146.6	146.7	146.7	-4.24
CV-24046	6/19/2025 3:00:59 PM	2.5	79.3	0.0	18.2	0.0	0.0			147.6	147.9	147.9	-4.18
CV-24048	6/5/2025 2:14:38 PM	27.8	71.1	1.1	0.0	0.0	0.4			90.1	90.1	90.1	-3.12
CV-24048	6/19/2025 1:00:05 PM	22.6	67.4	0.4	9.6	24.0	0.3			95.9	96.1	96.1	-1.85
CV-24048	6/19/2025 2:42:11 PM	27.5	72.2	0.4			0.4			96.5	96.5	96.5	-2.86
CV-24049	6/3/2025 1:53:18 PM	42.2	57.8	0.0	0.0	0.0	0.7			173.9	173.8	173.9	-2.83
CV-24049	6/3/2025 1:55:00 PM							4370					
CV-24049	6/3/2025 1:55:00 PM												
CV-24049	6/10/2025 10:50:00 AM							1560					
CV-24049	6/10/2025 10:55:00 AM	17.8	66.4	0.0	15.8	0.0	0.3			173.5	173.2	173.5	-4.28
CV-24049	6/11/2025 11:15:00 AM							1100					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24049	6/11/2025 11:15:00 AM												
CV-24049	6/17/2025 1:56:13 PM	12.8	68.3	0.0	18.9	0.0	0.2			176.6	176.5	176.6	-1.84
CV-24049	6/25/2025 9:29:15 AM	12.3	72.1	0.2	15.4	77.0	0.2			175.5	175.7	175.7	-1.30
CV-24049	6/30/2025 8:46:19 AM	10.8	78.5	0.2	10.5	52.5	0.1			173.6	173.9	173.9	-1.30
CV-24050	6/4/2025 2:01:42 PM	40.0	53.3	0.0	6.7	0.0	0.8			127.8	127.4	127.8	-1.97
CV-24050	6/19/2025 8:54:28 AM	40.0	51.3	0.0	8.7	0.0	0.8			125.7	129.3	129.3	-2.73
CV-24051	6/5/2025 2:37:08 PM	39.3	60.7	0.0	0.0	0.0	0.6			86.3	86.3	86.3	1.38
CV-24051	6/5/2025 2:38:18 PM	39.6	60.4	0.0	0.0	0.0	0.7			86.2	86.3	86.3	0.61
CV-24051	6/19/2025 3:21:22 PM	43.3	56.7	0.0	0.0	0.0	0.8			92.8	93.0	93	1.34
CV-24051	6/19/2025 3:23:24 PM	43.9	56.1	0.0	0.0	0.0	0.8			93.9	93.9	93.9	1.29
CV-24052	6/5/2025 2:24:05 PM	20.6	31.2	10.3	37.9	3.7	0.7			96.6	96.5	96.6	-0.99
CV-24052	6/5/2025 2:25:45 PM	19.9	30.5	10.5	39.1	3.7	0.7			96.2	96.3	96.3	-0.99
CV-24052	6/19/2025 12:48:54 PM	25.1	48.2	3.8	22.9	6.0	0.5			110.1	109.7	110.1	-4.26
CV-24052	6/19/2025 2:52:08 PM	26.8	45.5	3.4	24.3	7.1	0.6			111.7	113.3	113.3	-5.15
CV-24053	6/5/2025 2:19:18 PM	14.1	27.5	12.8	45.6	3.6	0.5			83.8	83.9	83.9	-0.61
CV-24053	6/5/2025 2:20:44 PM	15.0	26.0	12.5	46.5	3.7	0.6			84.6	84.7	84.7	-0.65
CV-24053	6/9/2025 10:30:00 AM							540					
CV-24053	6/9/2025 10:30:00 AM												
CV-24053	6/19/2025 12:52:54 PM	6.7	19.7	14.8	58.8	4.0	0.3			89.0	89.0	89	-0.47
CV-24053	6/19/2025 12:53:21 PM	6.7	19.8	14.6	58.9	4.0	0.3			89.1	89.2	89.2	-0.51
CV-24053	6/19/2025 2:46:17 PM	8.9	23.3	13.5	54.3	4.0	0.4			90.1	90.3	90.3	-0.40

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24053	6/19/2025 2:47:43 PM	8.8	20.5	13.9	56.8	4.1	0.4			92.1	92.1	92.1	-0.78
CV-24054	6/4/2025 12:29:50 PM	12.4	79.1	0.0	8.5	0.0	0.2			142.7	140.6	142.7	-1.31
CV-24054	6/12/2025 10:23:54 AM	6.8	86.4	0.0	6.8	0.0	0.1			142.3	142.4	142.4	-0.15
CV-24054	6/26/2025 11:01:51 AM	5.9	83.8	0.3	10.0	33.3	0.1			165.5	165.5	165.5	-0.03
CV-24054	6/26/2025 11:03:24 AM	5.9	84.2	0.2	9.7	48.5	0.1			165.4	165.4	165.4	-0.09
CV-24055	6/5/2025 2:05:08 PM	9.4	46.7	2.7	41.2	15.3	0.2			126.2	125.3	126.2	-0.11
CV-24055	6/10/2025 10:20:00 AM												
CV-24055	6/10/2025 10:20:00 AM							780					
CV-24055	6/11/2025 11:10:00 AM							900					
CV-24055	6/11/2025 11:10:00 AM												
CV-24055	6/21/2025 11:17:13 AM	7.2	42.3	3.8	46.7	12.3	0.2			129.6	129.4	129.6	-0.17
CV-24056	6/5/2025 9:40:29 AM	34.0	61.4	0.0	4.6	0.0	0.6			172.2	172.2	172.2	-0.94
CV-24056	6/5/2025 9:45:00 AM												
CV-24056	6/5/2025 9:45:00 AM							3140					
CV-24056	6/12/2025 8:58:25 AM	18.6	68.6	0.0	12.8	0.0	0.3			178.1	177.7	178.1	-1.08
CV-24056	6/12/2025 9:05:00 AM							2860					
CV-24056	6/18/2025 9:02:51 AM	28.9	63.1	0.0	8.0	0.0	0.5			173.2	172.9	173.2	-1.53
CV-24056	6/19/2025 10:13:04 AM												
CV-24056	6/26/2025 8:00:00 AM	32.0	56.4	0.0	11.6	0.0	0.6			172.6	172.6	172.6	-1.58
CV-24057	6/5/2025 9:04:29 AM	43.0	48.8	0.0	8.2	0.0	0.9			117.9	118.4	118.4	-4.64
CV-24057	6/22/2025 9:23:23 AM	45.5	44.1	0.0	10.4	0.0	1.0			120.5	120.7	120.7	-4.69

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24058	6/4/2025 2:13:49 PM	46.1	42.4	0.0	11.5	0.0	1.1			90.3	90.7	90.7	-1.28
CV-24058	6/17/2025 2:02:55 PM	45.7	41.1	0.0	13.2	0.0	1.1			107.3	107.3	107.3	-1.08
CV-24059	6/4/2025 2:27:04 PM	48.6	46.8	0.0	4.6	0.0	1.0			140.8	136.2	140.8	-0.89
CV-24059	6/4/2025 2:28:17 PM	48.7	46.3	0.0	5.0	0.0	1.1			135.3	135.2	135.3	-0.03
CV-24059	6/22/2025 9:38:26 AM	34.5	37.4	4.5	23.6	5.2	0.9			139.2	128.7	139.2	-2.80
CV-24059	6/22/2025 9:47:01 AM	35.4	38.6	4.5	21.5	4.8	0.9			126.1	125.9	126.1	-0.67
CV-24060	6/4/2025 3:50:16 PM	36.6	59.3	0.0	4.1	0.0	0.6			139.3	138.5	139.3	-2.75
CV-24060	6/7/2025 1:25:17 PM	45.2	41.9	2.1	10.8	5.1	1.1			109.7	106.7	109.7	-2.80
CV-24060	6/17/2025 2:20:25 PM	33.3	62.8	0.0	3.9	0.0	0.5			141.0	142.1	142.1	1.89
CV-24060	6/17/2025 2:21:12 PM	30.6	64.7	0.0	4.7	0.0	0.5			142.0	142.0	142	-0.18
CV-24061	6/4/2025 3:01:58 PM	45.7	48.0	0.0	6.3	0.0	1.0			107.3	107.5	107.5	-2.67
CV-24061	6/19/2025 1:47:06 PM	47.9	46.9	0.0	5.2	0.0	1.0			99.2	99.0	99.2	-0.05
CV-24061	6/20/2025 11:26:07 AM												
CV-24062	6/4/2025 7:25:00 AM							1250					
CV-24062	6/4/2025 7:25:00 AM												
CV-24062	6/4/2025 7:25:52 AM	22.2	67.6	0.0	10.2	0.0	0.3			174.7	175.1	175.1	-0.36
CV-24062	6/9/2025 8:50:00 AM												
CV-24062	6/9/2025 9:17:00 AM							900					
CV-24062	6/11/2025 9:46:47 AM	17.8	77.0	0.0	5.2	0.0	0.2			180.3	180.0	180.3	-0.89
CV-24062	6/11/2025 9:50:00 AM							1250					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24062	6/18/2025 10:48:36 AM	31.5	67.4	0.0	1.1	0.0	0.5			174.1	173.7	174.1	-4.16
CV-24062	6/25/2025 8:27:33 AM	12.7	78.0	0.0	9.3	0.0	0.2			181.7	181.7	181.7	-0.57
CV-24063	6/4/2025 7:34:25 AM	20.8	69.8	0.0	9.4	0.0	0.3			158.8	158.9	158.9	-0.26
CV-24063	6/4/2025 7:35:00 AM												
CV-24063	6/4/2025 7:35:00 AM							1510					
CV-24063	6/9/2025 9:23:00 AM												
CV-24063	6/9/2025 9:23:00 AM							1200					
CV-24063	6/10/2025 1:19:24 PM	15.9	77.8	0.0	6.3	0.0	0.2			157.5	157.6	157.6	-0.08
CV-24063	6/10/2025 1:25:00 PM							2320					
CV-24063	6/19/2025 8:16:23 AM	22.5	72.9	0.0	4.6	0.0	0.3			158.4	158.6	158.6	-0.37
CV-24063	6/25/2025 8:45:20 AM	17.5	75.6	0.0	6.9	0.0	0.2			158.7	158.8	158.8	-0.37
CV-24064	6/4/2025 7:46:01 AM	5.4	84.3	0.0	10.3	0.0	0.1			176.9	177.3	177.3	-6.32
CV-24064	6/4/2025 7:50:00 AM							4540					
CV-24064	6/4/2025 7:50:00 AM												
CV-24064	6/4/2025 8:45:00 AM												
CV-24064	6/4/2025 9:16:00 AM							2200					
CV-24064	6/10/2025 1:01:48 PM	2.9	86.2	0.0	10.9	0.0	0.0			178.7	178.8	178.8	-1.02
CV-24064	6/10/2025 1:05:00 PM							2750					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24064	6/19/2025 8:08:00 AM	2.8	86.2	0.0	11.0	0.0	0.0			183.6	183.5	183.6	-5.52
CV-24064	6/25/2025 9:14:09 AM	2.6	89.3	0.0	8.1	0.0	0.0			183.5	183.3	183.5	-1.92
CV-24065-TP17	6/5/2025 2:10:17 PM	22.6	68.2	0.2	9.0	45.0	0.3			121.5	121.2	121.5	-4.40
CV-24065-TP17	6/10/2025 8:05:00 AM												
CV-24065-TP17	6/10/2025 8:05:00 AM							100					
CV-24065-TP17	6/25/2025 10:23:45 AM	22.0	74.2	0.0	3.8	0.0	0.3			87.2	88.3	88.3	-2.58
CV-24066	6/5/2025 8:57:26 AM	24.2	44.5	2.0	29.3	14.7	0.5			97.7	100.7	100.7	-1.44
CV-24066	6/5/2025 9:53:35 AM												
CV-24066	6/10/2025 9:50:00 AM												
CV-24066	6/10/2025 10:10:00 AM							190					
CV-24066	6/19/2025 8:48:36 AM	25.0	40.7	1.9	32.4	17.1	0.6			107.4	107.4	107.4	-1.29
CV-24066	6/19/2025 10:15:51 AM												
CV-24066	6/25/2025 10:12:55 AM												
CV-24066	6/25/2025 10:29:47 AM	8.1	78.3	0.1	13.5	135.0	0.1			140.1	143.1	143.1	-0.17
CV-24067	6/5/2025 9:01:38 AM	4.6	76.0	1.1	18.3	16.6	0.1			111.0	111.4	111.4	-2.54
CV-24067	6/27/2025 11:13:14 AM	3.9	75.8	0.3	20.0	66.7	0.1			123.4	124.0	124	-2.14
CV-24068	6/4/2025 8:45:57 AM	9.4	81.4	0.0	9.2	0.0	0.1			147.1	146.6	147.1	-0.17
CV-24068	6/4/2025 8:50:00 AM												
CV-24068	6/4/2025 8:50:00 AM							2455					
CV-24068	6/11/2025 8:04:49 AM	11.4	78.5	0.0	10.1	0.0	0.1			155.1	154.9	155.1	-0.04
CV-24068	6/11/2025 8:05:00 AM							2125					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24068	6/19/2025 8:44:19 AM	11.7	74.3	0.0	14.0	0.0	0.2			153.6	153.7	153.7	-0.11
CV-24068	6/25/2025 10:06:39 AM	17.6	78.8	0.0	3.6	0.0	0.2			150.1	150.1	150.1	-0.08
CV-24069	6/4/2025 2:34:18 PM	27.8	51.1	0.4	20.7	51.8	0.5			116.9	118.7	118.7	-3.93
CV-24069	6/5/2025 8:50:00 AM												
CV-24069	6/5/2025 8:50:00 AM							170					
CV-24069	6/21/2025 11:26:54 AM	27.2	51.1	0.1	21.6	216.0	0.5			111.3	112.1	112.1	-3.85
CV-24070	6/4/2025 2:45:58 PM	33.7	63.9	0.0	2.4	0.0	0.5			138.6	135.6	138.6	-0.93
CV-24070	6/4/2025 2:48:06 PM	29.8	66.7	0.0	3.5	0.0	0.4			135.2	135.2	135.2	-0.02
CV-24070	6/5/2025 9:05:00 AM												
CV-24070	6/5/2025 9:05:00 AM							240					
CV-24070	6/22/2025 10:00:27 AM	29.3	69.4	0.0	1.3	0.0	0.4			135.8	130.5	135.8	-0.66
CV-24070	6/22/2025 10:05:05 AM	27.3	71.6	0.0	1.1	0.0	0.4			129.4	129.5	129.5	-0.01
CV-24071	6/3/2025 9:40:00 AM												
CV-24071	6/3/2025 9:40:00 AM							100					
CV-24071	6/6/2025 9:28:18 AM	46.5	53.4	0.0	0.1	0.0	0.9			130.9	130.9	130.9	-4.84
CV-24071	6/18/2025 9:22:17 AM	47.3	51.5	0.0	1.2	0.0	0.9			127.3	127.4	127.4	-0.13
CV-24071	6/18/2025 9:22:18 AM	47.3	51.5	0.0	1.2	0.0	0.9			127.3	127.4	127.4	-0.13
CV-24072	6/8/2025 10:26:57 AM	45.0	54.3	0.0	0.7	0.0	0.8			101.5	103.5	103.5	0.09
CV-24072	6/8/2025 10:28:04 AM	44.6	55.4	0.0	0.0	0.0	0.8			103.9	104.2	104.2	-0.34
CV-24072	6/20/2025 1:58:40 PM	44.3	55.7	0.0	0.0	0.0	0.8			97.8	98.0	98	-0.66
CV-24072	6/25/2025 8:15:23 AM	37.5	62.5	0.0	0.0	0.0	0.6			97.0	97.2	97.2	-0.84
CV-24073-TP13	6/8/2025 10:12:01 AM	32.2	65.5	0.1	2.2	22.0	0.5			143.4	143.8	143.8	-1.68
CV-24073-TP13	6/8/2025 10:14:06 AM	31.8	66.0	0.0	2.2	0.0	0.5			144.0	144.4	144.4	-1.47

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24073-TP13	6/19/2025 1:19:05 PM	41.2	50.1	0.0	8.7	0.0	0.8			133.3	129.4	133.3	-2.42
CV-24074	6/3/2025 11:42:46 AM												
CV-24074	6/8/2025 10:17:41 AM	37.7	40.6	3.1	18.6	6.0	0.9			96.4	96.9	96.9	-1.77
CV-24074	6/19/2025 1:26:25 PM	39.6	46.5	0.9	13.0	14.4	0.9			99.4	99.8	99.8	-3.39
CV-24075-TP15	6/4/2025 7:52:05 AM	4.2	85.4	0.0	10.4	0.0	0.0			170.1	170.4	170.4	-3.01
CV-24075-TP15	6/4/2025 7:55:00 AM							4160					
CV-24075-TP15	6/4/2025 7:55:00 AM												
CV-24075-TP15	6/10/2025 12:55:18 PM	1.1	87.9	0.0	11.0	0.0	0.0			176.7	176.7	176.7	-0.46
CV-24075-TP15	6/10/2025 1:00:00 PM							4390					
CV-24075-TP15	6/19/2025 8:24:04 AM	5.7	87.4	0.0	6.9	0.0	0.1			186.6	186.6	186.6	-0.42
CV-24075-TP15	6/25/2025 9:05:17 AM	6.0	87.6	0.0	6.4	0.0	0.1			181.3	181.6	181.6	-0.30
CV-24076	6/7/2025 2:35:39 PM	19.4	74.5	0.0	6.1	0.0	0.3			124.6	124.9	124.9	-0.48
CV-24076	6/12/2025 10:47:19 AM	18.1	73.5	0.0	8.4	0.0	0.2			122.7	120.7	122.7	-0.74
CV-24076	6/18/2025 1:14:22 PM	16.1	73.7	0.1	10.1	101.0	0.2			129.6	129.4	129.6	-0.14
CV-24077	6/4/2025 9:07:00 AM												
CV-24077	6/5/2025 8:50:35 AM	31.2	40.9	0.3	27.6	92.0	0.8			118.0	118.8	118.8	-2.06
CV-24077	6/5/2025 9:44:01 AM												
CV-24077	6/19/2025 8:19:32 AM	35.7	43.7	0.1	20.5	205.0	0.8			122.3	123.2	123.2	-2.12
CV-24077	6/19/2025 10:29:59 AM												
CV-24077	6/25/2025 9:59:28 AM												
CV-24078	6/5/2025 8:53:54 AM	28.0	68.3	0.0	3.7	0.0	0.4			115.5	116.5	116.5	-0.22

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24078	6/9/2025 9:05:20 AM												
CV-24078	6/19/2025 8:24:03 AM	38.5	50.1	0.2	11.2	56.0	0.8			118.5	119.4	119.4	-0.78
CV-24078	6/19/2025 10:24:29 AM												
CV-24078	6/25/2025 10:02:18 AM												
CV-24079-TP8	6/4/2025 8:36:03 AM	16.2	75.1	0.0	8.7	0.0	0.2			157.4	155.6	157.4	-1.44
CV-24079-TP8	6/4/2025 8:40:00 AM												
CV-24079-TP8	6/4/2025 8:40:00 AM							1890					
CV-24079-TP8	6/11/2025 7:57:35 AM	17.2	74.7	0.0	8.1	0.0	0.2			159.5	159.3	159.5	-0.72
CV-24079-TP8	6/11/2025 8:00:00 AM							1750					
CV-24079-TP8	6/19/2025 8:39:10 AM	15.7	76.0	0.0	8.3	0.0	0.2			159.8	159.6	159.8	-0.48
CV-24079-TP8	6/25/2025 9:55:07 AM	23.6	72.8	0.0	3.6	0.0	0.3			151.1	152.6	152.6	-1.43
CV-24080	6/6/2025 8:36:36 AM	47.2	52.2	0.0	0.6	0.0	0.9			104.1	104.2	104.2	-0.85
CV-24080	6/22/2025 8:59:11 AM	8.3	11.0	15.8	64.9	4.1	0.8			79.3	80.0	80	-0.37
CV-24080	6/22/2025 9:02:22 AM	27.5	23.1	9.9	39.5	4.0	1.2			81.1	81.2	81.2	-0.37
CV-24081-TP10	6/6/2025 8:54:19 AM	46.8	53.1	0.0	0.1	0.0	0.9			114.1	116.6	116.6	-5.79
CV-24081-TP10	6/21/2025 11:19:02 AM	44.3	54.0	0.0	1.7	0.0	0.8			112.7	114.1	114.1	-4.21
CV-24082	6/6/2025 9:13:58 AM	41.9	56.5	0.1	1.5	15.0	0.7			121.3	121.4	121.4	-1.29
CV-24082	6/21/2025 11:05:43 AM	43.1	52.6	0.0	4.3	0.0	0.8			116.6	117.0	117	-1.14
CV-24083	6/3/2025 2:38:30 PM	36.9	63.1	0.0	0.0	0.0	0.6			167.5	166.6	167.5	-2.39
CV-24083	6/3/2025 2:40:00 PM												
CV-24083	6/3/2025 2:40:00 PM							2260					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24083	6/11/2025 8:23:59 AM	16.1	76.1	0.0	7.8	0.0	0.2			168.1	168.1	168.1	-0.12
CV-24083	6/11/2025 8:25:00 AM							1990					
CV-24083	6/17/2025 1:00:59 PM	41.0	59.0	0.0	0.0	0.0	0.7			160.6	158.8	160.6	-1.31
CV-24083	6/26/2025 9:34:44 AM	36.5	63.5	0.0	0.0	0.0	0.6			148.7	148.2	148.7	-2.34
CV-24084-TP11	6/4/2025 8:29:17 AM	3.9	87.7	0.0	8.4	0.0	0.0			142.9	142.0	142.9	-1.63
CV-24084-TP11	6/4/2025 8:31:11 AM	4.0	87.8	0.0	8.2	0.0	0.0			141.4	141.8	141.8	-1.13
CV-24084-TP11	6/11/2025 8:30:24 AM	4.8	85.2	0.0	10.0	0.0	0.1			163.0	163.2	163.2	-0.10
CV-24084-TP11	6/11/2025 8:35:00 AM							3570					
CV-24084-TP11	6/17/2025 12:52:55 PM	18.3	80.4	0.0	1.3	0.0	0.2			162.4	162.5	162.5	0.77
CV-24084-TP11	6/17/2025 12:53:30 PM	19.9	80.1	0.0	0.0	0.0	0.2			162.6	162.5	162.6	0.75
CV-24084-TP11	6/25/2025 8:08:47 AM	26.3	68.0	0.0	5.7	0.0	0.4			157.3	157.2	157.3	-4.86
CV-24085	6/4/2025 11:01:40 AM	28.7	37.3	0.0	34.0	0.0	0.8			123.1	113.6	123.1	-1.19
CV-24085	6/19/2025 11:06:25 AM	43.0	39.1	0.0	17.9	0.0	1.1			122.8	122.8	122.8	-0.31
CV-24086	6/6/2025 8:45:48 AM	41.7	48.0	0.0	10.3	0.0	0.9			118.2	117.4	118.2	-1.85
CV-24086	6/18/2025 1:31:13 PM	45.4	49.7	0.0	4.9	0.0	0.9			116.7	116.7	116.7	-0.30

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24087	6/6/2025 8:15:14 AM	38.6	61.3	0.1	0.0	0.0	0.6			62.0	62.0	62	0.15
CV-24087	6/6/2025 8:16:32 AM	37.8	62.2	0.0	0.0	0.0	0.6			61.5	61.5	61.5	0.20
CV-24087	6/22/2025 8:25:24 AM	17.8	33.6	9.7	38.9	4.0	0.5			75.0	75.0	75	0.01
CV-24087	6/22/2025 8:28:31 AM	17.1	32.5	10.1	40.3	4.0	0.5			74.5	74.6	74.6	0.01
CV-24087	6/25/2025 10:03:29 AM	45.2	51.9	0.0	2.9	0.0	0.9			112.5	112.1	112.5	-0.14
CV-24087	6/25/2025 10:04:47 AM	45.5	52.0	0.0	2.6	0.0	0.9			112.1	112.6	112.6	-0.35
CV-24088	6/6/2025 10:28:01 AM	38.3	61.7	0.0	0.0	0.0	0.6			97.5	109.1	109.1	3.19
CV-24088	6/6/2025 10:29:25 AM	40.7	59.0	0.3	0.0	0.0	0.7			107.7	107.6	107.7	-0.95
CV-24088	6/22/2025 11:18:45 AM	44.8	52.8	0.0	2.4	0.0	0.8			114.6	114.6	114.6	-0.57
CV-24089	6/5/2025 1:41:18 PM	45.0	44.8	0.0	10.2	0.0	1.0			122.5	123.5	123.5	0.12
CV-24089	6/5/2025 1:43:19 PM	43.1	44.9	0.0	12.0	0.0	1.0			123.9	123.9	123.9	-0.14
CV-24089	6/20/2025 11:20:53 AM	44.4	45.2	0.0	10.4	0.0	1.0			120.3	121.4	121.4	-0.66
CV-24090	6/5/2025 9:03:18 AM	32.5	39.1	1.9	26.5	13.9	0.8			93.5	89.8	93.5	-1.48
CV-24090	6/20/2025 9:59:30 AM	34.6	38.3	0.0	27.1	0.0	0.9			104.8	105.2	105.2	-2.83
CV-24091	6/6/2025 2:59:55 PM	51.6	44.9	0.0	3.5	0.0	1.1			124.8	126.1	126.1	-1.15
CV-24091	6/17/2025 3:22:16 PM												
CV-24091	6/22/2025 1:35:46 PM	51.5	44.9	0.0	3.6	0.0	1.1			127.1	127.1	127.1	-0.96
CV-24091	6/23/2025 7:37:33 AM	52.7	44.7	0.0	2.6	0.0	1.2			125.9	126.2	126.2	-1.38
CV-24092	6/22/2025 1:14:32 PM	51.6	42.5	0.0	5.9	0.0	1.2			118.4	118.5	118.5	-0.48
CV-24092	6/23/2025 7:31:39 AM	52.7	44.0	0.4	2.9	7.3	1.2			112.3	112.7	112.7	-1.01
CV-24093	6/7/2025 1:16:10 PM	50.4	48.4	0.0	1.2	0.0	1.0			113.7	114.0	114	-0.22
CV-24093	6/22/2025 12:48:29 AM	49.3	46.8	0.0	3.9	0.0	1.1			116.9	117.0	117	-0.15

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24093	6/23/2025 7:19:53 AM	39.6	37.5	4.6	18.3	4.0	1.1			105.0	105.0	105	-0.13
CV-24093	6/30/2025 12:33:51 PM	50.9	46.0	0.0	3.2	0.0	1.1			121.0	123.5	123.5	0.13
CV-24093	6/30/2025 12:37:14 PM	49.7	46.5	0.1	3.7	33.6	1.1			124.2	124.2	124.2	-0.16
CV-24094	6/6/2025 3:39:31 PM	41.6	58.3	0.0	0.1	0.0	0.7			110.8	110.7	110.8	-1.09
CV-24094	6/25/2025 10:02:11 AM	11.6	88.4	0.0	0.0	0.0	0.1			99.6	99.5	99.6	-0.96
CV-24094	6/30/2025 12:01:37 PM	18.9	75.0	0.1	6.1	86.9	0.3			115.4	115.3	115.4	-1.03
CV-24094	6/30/2025 12:06:03 PM	15.5	78.3	0.1	6.1	87.6	0.2			114.7	114.6	114.7	-0.88
CV-24095	6/1/2025 11:23:37 AM	11.0	68.4	1.2	19.4	16.2	0.2			108.9	111.3	111.3	-3.54
CV-24095	6/9/2025 8:30:00 AM							3900					
CV-24095	6/10/2025 8:30:00 AM												
CV-24095	6/18/2025 10:30:37 AM	8.6	62.2	3.7	25.5	6.9	0.1			112.9	113.2	113.2	-4.07
CV-24096	6/1/2025 11:09:10 AM	48.5	44.5	0.0	7.0	0.0	1.1			104.1	105.5	105.5	-3.78
CV-24096	6/18/2025 10:17:04 AM	50.0	47.1	0.0	2.9	0.0	1.1			107.0	106.8	107	-3.93
CV-24097	6/1/2025 11:03:09 AM	42.8	53.6	0.1	3.5	35.0	0.8			88.7	88.0	88.7	-4.39
CV-24097	6/18/2025 10:12:05 AM	42.0	53.5	0.4	4.1	10.3	0.8			91.6	91.6	91.6	-4.89
CV-24098	6/1/2025 10:42:07 AM	38.3	56.4	0.0	5.3	0.0	0.7			101.3	101.4	101.4	-2.10
CV-24098	6/18/2025 9:49:07 AM	39.3	58.7	0.0	2.0	0.0	0.7			90.9	91.0	91	-2.43
CV-24098	6/23/2025 2:09:57 PM												
CV-24098	6/25/2025 3:15:17 PM												
CV-24099	6/1/2025 10:18:32 AM	20.0	77.4	0.1	2.5	25.0	0.3			90.8	91.0	91	-1.76
CV-24099	6/18/2025 9:23:54 AM	19.8	77.0	0.5	2.7	5.4	0.3			95.6	95.9	95.9	-1.83
CV-24099	6/23/2025 2:07:12 PM												
CV-24099	6/24/2025 11:05:56 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24100	6/1/2025 9:52:42 AM	30.1	64.7	0.0	5.2	0.0	0.5			143.6	146.1	146.1	-0.79
CV-24100	6/1/2025 9:54:03 AM	28.9	68.7	0.0	2.4	0.0	0.4			148.1	148.4	148.4	-0.71
CV-24100	6/4/2025 1:29:07 PM	40.3	59.7	0.0	0.0	0.0	0.7			144.2	143.5	144.2	-0.26
CV-24100	6/10/2025 8:40:00 AM							360					
CV-24100	6/18/2025 9:03:09 AM	29.1	69.7	0.0	1.2	0.0	0.4			145.3	145.7	145.7	-0.43
CV-24100	6/18/2025 9:05:32 AM	28.3	71.4	0.0	0.3	0.0	0.4			147.9	148.0	148	-0.22
CV-24100	6/25/2025 2:27:22 PM	29.9	70.1	0.0	0.0	0.0	0.4			149.2	149.0	149.2	-0.08
CV-24100	6/25/2025 2:27:47 PM	30.0	70.0	0.0	0.0	0.0	0.4			148.9	149.3	149.3	-0.09
CV-24101	6/1/2025 9:48:03 AM	34.7	42.5	1.8	21.0	11.7	0.8			110.5	111.9	111.9	-1.45
CV-24101	6/10/2025 8:45:00 AM							27					
CV-24101	6/10/2025 8:45:00 AM												
CV-24101	6/18/2025 8:59:30 AM	28.9	37.8	1.2	32.1	26.8	0.8			106.2	108.8	108.8	-1.19
CV-24101	6/23/2025 2:03:34 PM												
CV-24101	6/24/2025 9:41:04 AM												
CV-24101	6/25/2025 3:22:46 PM												
CV-24102	6/1/2025 9:29:12 AM	37.5	34.4	0.6	27.5	45.8	1.1			103.7	108.0	108	-4.45
CV-24102	6/5/2025 8:30:00 AM												
CV-24102	6/5/2025 8:30:00 AM							32					
CV-24102	6/17/2025 2:39:57 PM	37.8	37.1	0.1	25.0	250.0	1.0			108.9	109.3	109.3	-4.04
CV-24103	6/4/2025 12:51:56 PM	49.3	50.1	0.0	0.7	0.0	1.0			117.1	116.9	117.1	-0.17
CV-24103	6/4/2025 12:58:58 PM	49.3	49.2	0.0	1.5	0.0	1.0			117.5	117.6	117.6	-0.03
CV-24103	6/20/2025 9:09:19 AM	46.8	52.6	0.0	0.6	0.0	0.9			113.3	113.2	113.3	-0.69

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24104	6/4/2025 1:28:11 PM	48.2	49.7	0.0	2.1	0.0	1.0			111.6	109.1	111.6	-0.49
CV-24104	6/4/2025 1:30:05 PM	47.5	50.5	0.0	2.0	0.0	0.9			110.0	110.0	110	-0.16
CV-24104	6/20/2025 9:29:47 AM	47.0	51.3	0.0	1.7	0.0	0.9			104.7	104.8	104.8	-0.70
CV-24104	6/20/2025 2:34:05 PM	49.5	47.2	0.0	3.3	0.0	1.0			109.2	109.2	109.2	-2.59
CV-24105	6/4/2025 2:07:47 PM	42.4	56.2	0.0	1.4	0.0	0.8			109.9	109.6	109.9	-0.24
CV-24105	6/4/2025 2:11:04 PM	41.8	56.5	0.0	1.7	0.0	0.7			109.8	109.5	109.8	-0.18
CV-24105	6/20/2025 9:41:02 AM	43.1	56.2	0.0	0.7	0.0	0.8			106.1	106.3	106.3	-0.26
CV-24105	6/20/2025 2:44:05 PM	48.5	51.5	0.0	0.0	0.0	0.9			109.5	109.9	109.9	-0.05
CV-24106	6/5/2025 8:30:43 AM	42.2	42.3	0.0	15.6	0.0	1.0			124.7	118.3	124.7	-2.07
CV-24106	6/8/2025 11:36:52 AM	55.8	41.1	0.1	3.0	30.0	1.4			119.1	119.3	119.3	-0.43
CV-24106	6/20/2025 10:30:01 AM	49.1	42.9	0.0	8.0	0.0	1.1			116.8	116.9	116.9	-0.13
CV-24106	6/20/2025 2:18:26 PM	49.5	40.8	0.0	9.7	0.0	1.2			122.7	123.1	123.1	-0.26
CV-24106	6/20/2025 2:21:08 PM	52.1	42.7	0.0	5.2	0.0	1.2			124.7	124.9	124.9	-2.13
CV-24107	6/20/2025 2:14:38 PM	47.2	44.3	0.0	8.5	0.0	1.1			118.4	118.5	118.5	-1.10
CV-24108	6/3/2025 10:28:35 AM												
CV-24108	6/4/2025 8:40:53 AM												
CV-24108	6/5/2025 9:06:34 AM												
CV-24108	6/9/2025 10:57:56 AM												
CV-24108	6/11/2025 9:59:18 AM												
CV-24108	6/11/2025 12:41:35 PM	50.8	45.3	0.2	3.8	19.8	1.1			129.4	129.5	129.5	-2.18
CV-24108	6/12/2025 10:41:47 AM												
CV-24108	6/13/2025 2:18:30 PM												
CV-24108	6/16/2025 11:04:10 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24108	6/17/2025 9:54:44 AM												
CV-24108	6/19/2025 2:23:48 PM												
CV-24108	6/23/2025 9:40:38 AM												
CV-24108	6/24/2025 10:33:39 AM												
CV-24108	6/25/2025 9:23:04 AM												
CV-24108	6/26/2025 10:27:52 AM												
CV-24108	6/27/2025 9:56:55 AM												
CV-24109	6/3/2025 10:23:54 AM												
CV-24109	6/4/2025 8:24:32 AM												
CV-24109	6/5/2025 8:44:42 AM												
CV-24109	6/6/2025 3:05:06 PM	36.5	43.0	0.0	20.5	0.0	0.8			104.2	104.0	104.2	-3.02
CV-24109	6/9/2025 11:23:12 AM												
CV-24109	6/11/2025 9:46:52 AM												
CV-24109	6/12/2025 10:20:18 AM												
CV-24109	6/16/2025 10:55:49 AM												
CV-24109	6/17/2025 9:51:19 AM												
CV-24109	6/19/2025 1:54:36 PM												
CV-24109	6/23/2025 9:27:09 AM												
CV-24109	6/24/2025 10:24:33 AM												
CV-24109	6/25/2025 9:10:20 AM												
CV-24109	6/26/2025 10:22:14 AM												
CV-24110	6/12/2025 1:15:50 PM	48.7	48.4	0.0	2.9	0.0	1.0			124.0	124.1	124.1	-0.19
CV-24111	6/3/2025 10:09:17 AM												
CV-24111	6/4/2025 9:02:13 AM												
CV-24111	6/9/2025 11:01:18 AM												
CV-24111	6/10/2025 10:57:21 AM	49.2	46.0	0.1	4.7	47.0	1.1			111.1	111.1	111.1	-3.23
CV-24111	6/12/2025 9:22:28 AM												
CV-24112	6/25/2025 10:58:11 AM	46.9	44.7	0.0	8.4	0.0	1.0			123.6	124.0	124	-0.48
CV-24113	6/1/2025 9:07:18 AM	54.8	38.6	0.2	6.4	32.0	1.4			98.7	98.7	98.7	-5.44

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24114	6/10/2025 9:44:54 AM	56.7	41.8	0.0	1.5	0.0	1.4			118.1	118.1	118.1	-0.63
CV-24115	6/8/2025 12:57:58 PM	59.3	40.4	0.3	0.0	0.0	1.5			90.5	91.6	91.6	-8.01
CV-24115	6/22/2025 11:39:49 AM	56.8	40.0	0.2	3.0	17.8	1.4			102.6	102.7	102.7	-7.07
CV-24116	6/11/2025 3:15:34 PM	36.0	38.6	0.2	25.2	126.0	0.9			125.4	122.9	125.4	-9.77
CV-24117	6/10/2025 2:32:12 PM	23.1	33.2	0.0	43.7	0.0	0.7			123.7	118.5	123.7	-8.71
CV-24118	6/16/2025 2:43:38 PM												
CV-24118	6/23/2025 9:38:38 AM	20.6	40.2	3.0	36.2	12.1	0.5			129.2	127.3	129.2	-9.27
CV-24119	6/23/2025 8:00:11 AM	37.2	41.0	0.0	21.8	0.0	0.9			134.9	129.3	134.9	-10.00
CV-24119	6/23/2025 8:03:08 AM	37.6	41.4	0.0	21.0	0.0	0.9			129.1	125.8	129.1	-4.59
CV-24119	6/24/2025 3:11:49 PM	44.3	42.5	0.0	13.2	0.0	1.0			123.4	123.2	123.4	-0.21
CV-24120	6/5/2025 9:30:00 AM												
CV-24120	6/5/2025 9:30:00 AM							63					
CV-24120	6/5/2025 4:43:07 PM	0.6	9.1	20.4	69.9	3.4	0.1			82.3	84.1	84.1	-4.58
CV-24120	6/5/2025 4:44:09 PM	0.7	7.7	20.6	71.0	3.4	0.1			84.7	84.8	84.8	-2.43
CV-24120	6/20/2025 2:34:39 PM	0.5	7.9	19.0	72.6	3.8	0.1			85.7	87.2	87.2	-5.10
CV-24120	6/20/2025 2:36:12 PM	0.6	6.0	19.5	73.9	3.8	0.1			87.7	87.7	87.7	-4.35
CV-24121	6/5/2025 8:17:00 AM												
CV-24121	6/5/2025 8:17:00 AM							220					
CV-24121	6/5/2025 4:37:12 PM	2.2	25.4	14.8	57.6	3.9	0.1			85.8	86.4	86.4	-5.15
CV-24121	6/5/2025 4:38:26 PM	2.0	26.3	15.1	56.6	3.7	0.1			87.3	87.3	87.3	-2.63
CV-24121	6/11/2025 8:20:56 AM												
CV-24121	6/12/2025 8:12:23 AM												
CV-24121	6/20/2025 2:25:56 PM	1.6	22.2	15.0	61.2	4.1	0.1			86.3	86.4	86.4	-4.21
CV-24121	6/20/2025 2:28:10 PM	5.2	68.8	3.8	22.2	5.8	0.1			91.6	91.7	91.7	-2.45
CV-24122	6/5/2025 8:00:00 AM												
CV-24122	6/5/2025 8:00:00 AM							12					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24122	6/8/2025 2:29:06 PM	56.3	43.5	0.1	0.1	1.0	1.3			121.2	121.3	121.3	-6.03
CV-24122	6/25/2025 11:50:59 AM	52.0	42.7	0.4	4.9	13.7	1.2			121.9	121.7	121.9	-5.66
CV-24122	6/25/2025 12:21:34 PM	53.3	42.1	0.1	4.6	57.6	1.3			121.8	121.8	121.8	-6.40
CV-24123	6/3/2025 12:36:00 PM	51.6	46.6	0.0	1.8	0.0	1.1			111.5	111.4	111.5	-0.71
CV-24124	6/20/2025 2:44:32 PM	13.7	77.1	0.2	9.0	45.0	0.2			104.5	104.6	104.6	-0.20
CV-24125-TP20	6/4/2025 8:53:00 AM												
CV-24125-TP20	6/4/2025 8:53:00 AM							50					
CV-24125-TP20	6/5/2025 4:29:02 PM	38.6	52.5	0.0	8.9	0.0	0.7			110.1	113.0	113	-5.31
CV-24125-TP20	6/11/2025 8:13:04 AM												
CV-24125-TP20	6/12/2025 8:05:31 AM												
CV-24125-TP20	6/17/2025 8:43:01 AM												
CV-24125-TP20	6/23/2025 9:17:52 AM												
CV-24125-TP20	6/25/2025 8:33:25 AM												
CV-24126	6/5/2025 8:10:19 AM												
CV-24126	6/5/2025 11:54:40 AM	16.7	57.0	4.1	22.2	5.4	0.3			143.2	142.4	143.2	-0.15
CV-24126	6/5/2025 11:55:12 AM	16.5	58.0	4.1	21.4	5.2	0.3			142.3	142.5	142.5	-0.17
CV-24126	6/6/2025 2:40:32 PM												
CV-24126	6/9/2025 8:21:10 AM												
CV-24126	6/11/2025 8:55:17 AM												
CV-24126	6/12/2025 8:28:54 AM												
CV-24126	6/16/2025 9:35:37 AM												
CV-24126	6/16/2025 2:36:43 PM	4.3	72.8	1.5	21.4	14.3	0.1			152.0	152.2	152.2	-0.06
CV-24126	6/16/2025 2:37:45 PM	4.8	71.7	2.0	21.5	10.8	0.1			152.3	152.3	152.3	-0.08
CV-24126	6/17/2025 9:12:48 AM												
CV-24126	6/17/2025 1:37:14 PM	3.8	76.7	0.0	19.5	0.0	0.0			157.2	157.5	157.5	-0.08

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24126	6/18/2025 10:56:17 AM												
CV-24126	6/23/2025 8:12:36 AM												
CV-24126	6/24/2025 9:16:46 AM	4.9	24.4	11.2	59.5	5.3	0.2			147.3	147.7	147.7	-0.10
CV-24126	6/25/2025 8:50:34 AM												
CV-24126	6/26/2025 7:47:48 AM												
CV-24126	6/26/2025 9:19:53 AM	1.1	83.3	0.0	15.6	0.0	0.0			142.1	142.3	142.3	-0.05
CV-24126	6/30/2025 8:10:27 AM	1.3	78.3	0.9	19.5	21.7	0.0			161.7	163.2	163.2	-0.02
CV-24126	6/30/2025 2:49:34 PM												
CV-24127	6/3/2025 9:57:45 AM												
CV-24127	6/4/2025 7:55:41 AM												
CV-24127	6/4/2025 8:06:00 AM												
CV-24127	6/4/2025 8:06:00 AM							790					
CV-24127	6/5/2025 8:10:34 AM												
CV-24127	6/5/2025 11:47:35 AM	46.8	53.2	0.0	0.0	0.0	0.9			115.1	116.1	116.1	-1.16
CV-24127	6/6/2025 2:38:33 PM												
CV-24127	6/9/2025 8:14:18 AM												
CV-24127	6/11/2025 8:48:56 AM												
CV-24127	6/12/2025 8:27:18 AM												
CV-24127	6/16/2025 9:33:14 AM												
CV-24127	6/17/2025 9:14:35 AM												
CV-24127	6/23/2025 8:13:55 AM												
CV-24127	6/25/2025 8:49:13 AM												
CV-24127	6/26/2025 7:45:52 AM												
CV-24127	6/30/2025 2:51:10 PM												
CV-24128	6/4/2025 8:45:00 AM												
CV-24128	6/4/2025 8:45:00 AM							440					
CV-24128	6/5/2025 4:51:05 PM	32.8	57.8	0.0	9.4	0.0	0.6			116.6	117.3	117.3	-0.32
CV-24129	6/5/2025 4:54:48 PM	24.2	56.0	3.3	16.5	5.0	0.4			106.6	122.3	122.3	1.49

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24129	6/5/2025 4:56:15 PM	32.3	62.5	0.3	4.9	16.3	0.5			125.4	125.8	125.8	-0.53
CV-24129	6/9/2025 8:23:13 AM												
CV-24129	6/11/2025 8:35:59 AM												
CV-24129	6/12/2025 8:07:25 AM												
CV-24129	6/13/2025 2:18:26 PM												
CV-24129	6/17/2025 8:51:39 AM												
CV-24129	6/24/2025 8:30:02 AM												
CV-24129	6/25/2025 8:42:17 AM												
CV-24129	6/27/2025 9:07:39 AM												
CV-24130	6/11/2025 8:04:42 AM												
CV-24130	6/12/2025 8:00:42 AM												
CV-24130	6/17/2025 8:33:01 AM												
CV-24130	6/20/2025 2:03:31 PM	24.3	56.8	1.4	17.5	12.5	0.4			114.3	114.9	114.9	-6.43
CV-24130	6/23/2025 9:13:06 AM												
CV-24130	6/25/2025 8:27:40 AM												
CV-24130	6/27/2025 8:14:20 AM												
CV-24131	6/9/2025 8:34:29 AM												
CV-24131	6/11/2025 7:58:24 AM												
CV-24131	6/12/2025 8:19:59 AM												
CV-24131	6/17/2025 8:26:41 AM												
CV-24131	6/23/2025 8:59:29 AM												
CV-24131	6/25/2025 8:21:10 AM												
CV-24131	6/25/2025 11:26:28 AM	41.7	48.5	0.4	9.5	23.1	0.9			132.7	130.9	132.7	-0.58
CV-24131	6/25/2025 11:28:53 AM	39.8	50.5	0.0	9.7	0.0	0.8			130.4	130.9	130.9	-0.02
CV-24131	6/26/2025 7:43:50 AM												
CV-24131	6/27/2025 8:07:42 AM												
CV-24132	6/5/2025 3:09:26 PM	51.2	40.7	0.0	8.1	0.0	1.3			128.3	128.3	128.3	-4.37
CV-24133	6/21/2025 9:35:47 AM	53.5	39.1	0.0	7.4	0.0	1.4			120.9	120.9	120.9	-2.55

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24134-TP19	6/4/2025 12:21:29 PM	24.3	64.7	0.0	11.0	0.0	0.4			146.8	145.6	146.8	-2.15
CV-24134-TP19	6/4/2025 12:25:00 PM												
CV-24134-TP19	6/4/2025 12:25:00 PM							1450					
CV-24134-TP19	6/10/2025 12:38:04 PM	17.7	72.5	0.0	9.8	0.0	0.2			148.4	148.6	148.6	-1.64
CV-24134-TP19	6/10/2025 12:40:00 PM							2090					
CV-24134-TP19	6/17/2025 1:25:39 PM	30.7	69.3	0.0	0.0	0.0	0.4			149.1	148.7	149.1	-2.04
CV-24134-TP19	6/24/2025 9:00:39 AM	18.2	73.4	0.0	8.4	0.0	0.2			143.6	143.2	143.6	-3.91
CV-24134-TP19	6/30/2025 1:26:43 PM	12.9	71.2	0.0	15.9	0.0	0.2			146.3	146.7	146.7	-0.59
CV-24135	6/5/2025 2:54:28 PM	36.8	62.6	0.0	0.6	0.0	0.6			134.4	133.2	134.4	-0.08
CV-24135	6/5/2025 2:55:21 PM	36.3	62.6	0.0	1.1	0.0	0.6			133.8	132.7	133.8	-0.05
CV-24136	6/5/2025 2:11:50 PM	24.0	34.7	0.2	41.1	205.5	0.7			121.0	116.7	121	-3.62
CV-24137	6/12/2025 2:24:47 PM	35.9	41.2	0.0	22.9	0.0	0.9			136.2	130.5	136.2	-7.57
CV-24137	6/12/2025 2:26:43 PM	33.3	50.1	0.0	16.6	0.0	0.7			130.1	130.5	130.5	-1.77
CV-24138	6/2/2025 10:04:00 AM							31					
CV-24138	6/2/2025 10:04:00 AM												
CV-24138	6/8/2025 1:53:38 PM	1.2	2.2	19.2	77.4	4.0	0.5			89.6	88.9	89.6	-4.26
CV-24138	6/8/2025 1:54:40 PM	1.3	1.8	19.3	77.6	4.0	0.7			86.7	86.6	86.7	-4.43
CV-24138	6/11/2025 9:19:30 AM												
CV-24138	6/17/2025 10:55:08 AM	1.6	65.7	4.9	27.7	5.6	0.0			139.5	140.7	140.7	-3.79

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24138	6/17/2025 10:55:55 AM	1.2	55.1	4.6	39.2	8.6	0.0			141.4	141.6	141.6	-4.07
CV-24138	6/25/2025 3:11:30 PM												
CV-24139	6/2/2025 10:01:00 AM							84					
CV-24139	6/2/2025 10:01:00 AM												
CV-24139	6/5/2025 4:18:36 PM	23.8	55.2	1.7	19.3	11.4	0.4			108.1	108.7	108.7	-5.57
CV-24139	6/17/2025 11:13:03 AM	0.1	0.1	20.1	79.8	4.0	1.8			118.3	118.3	118.3	-3.72
CV-24139	6/17/2025 11:14:10 AM	0.1	0.1	20.0	79.8	4.0	2.0			118.4	118.4	118.4	-1.05
CV-24139	6/17/2025 2:38:06 PM	1.7	59.6	4.8	33.9	7.0	0.0			161.1	165.2	165.2	-4.35
CV-24139	6/17/2025 2:39:55 PM	2.2	61.4	4.5	32.0	7.2	0.0			168.0	168.1	168.1	-4.24
CV-24139	6/19/2025 2:37:22 PM												
CV-24139	6/25/2025 11:38:11 AM	2.4	0.8	20.3	76.5	3.8	3.0			123.2	123.3	123.3	-4.90
CV-24139	6/25/2025 11:40:47 AM	2.4	1.4	20.0	76.2	3.8	1.7			123.4	123.4	123.4	-1.02
CV-24139	6/25/2025 3:09:23 PM												
CV-24140	6/2/2025 9:55:00 AM							1300					
CV-24140	6/2/2025 9:55:00 AM												
CV-24140	6/4/2025 1:13:37 PM	9.1	75.1	0.3	15.5	51.7	0.1			156.1	156.8	156.8	-1.05
CV-24140	6/4/2025 1:15:00 PM							2060					
CV-24140	6/4/2025 1:15:00 PM												
CV-24140	6/12/2025 8:43:26 AM	4.1	77.1	0.3	18.5	61.7	0.1			155.7	155.9	155.9	-0.93
CV-24140	6/12/2025 8:50:00 AM							2270					

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24140	6/18/2025 8:38:09 AM	3.6	73.4	1.5	21.5	14.3	0.0			166.1	165.6	166.1	-1.16
CV-24140	6/19/2025 2:38:05 PM												
CV-24140	6/25/2025 11:22:31 AM	14.8	76.6	0.0	8.6	0.0	0.2			179.2	180.4	180.4	-2.42
CV-24140	6/25/2025 3:06:21 PM												
CV-24141	6/3/2025 8:48:00 AM												
CV-24141	6/3/2025 8:48:00 AM							31					
CV-24141	6/8/2025 2:14:19 PM	56.2	41.1	2.7	0.0	0.0	1.4			92.2	92.3	92.3	-2.59
CV-24141	6/18/2025 11:06:53 AM	47.1	42.5	2.0	8.4	4.2	1.1			102.1	102.2	102.2	-3.69
CV-24142	6/4/2025 1:18:55 PM	9.6	65.6	2.2	22.6	10.3	0.1			160.9	161.0	161	-1.52
CV-24142	6/4/2025 1:20:00 PM												
CV-24142	6/4/2025 1:20:00 PM							3820					
CV-24142	6/9/2025 8:10:00 AM												
CV-24142	6/9/2025 8:10:00 AM							2300					
CV-24142	6/12/2025 8:36:48 AM	5.0	83.7	0.9	10.4	11.6	0.1			163.2	164.3	164.3	-2.99
CV-24142	6/12/2025 8:40:00 AM							3300					
CV-24142	6/18/2025 8:46:51 AM	6.4	71.0	0.8	21.8	27.3	0.1			148.0	147.5	148	-3.20
CV-24142	6/25/2025 11:43:51 AM	17.0	77.3	0.0	5.7	0.0	0.2			165.5	165.6	165.6	-0.42
CV-24143	6/2/2025 9:45:00 AM												
CV-24143	6/2/2025 9:45:00 AM							1100					
CV-24143	6/8/2025 2:05:20 PM	5.7	42.6	8.9	42.8	4.8	0.1			91.9	93.5	93.5	-2.15

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24143	6/8/2025 2:06:15 PM	9.0	40.7	9.2	41.1	4.5	0.2			93.5	93.4	93.5	-2.09
CV-24143	6/18/2025 10:56:42 AM	0.4	14.6	15.2	69.8	4.6	0.0			97.3	98.0	98	-2.14
CV-24143	6/18/2025 10:58:23 AM	0.4	12.8	15.5	71.3	4.6	0.0			100.3	100.3	100.3	-2.07
CV-24143	6/25/2025 3:03:42 PM												
CV-24144	6/1/2025 10:46:20 AM	54.6	39.9	0.0	5.5	0.0	1.4			95.3	95.3	95.3	-4.14
CV-24144	6/18/2025 9:55:32 AM	52.7	37.4	1.2	8.7	7.3	1.4			113.0	113.2	113.2	-4.52
CV-24145	6/3/2025 10:42:37 AM	20.0	75.5	0.0	4.5	0.0	0.3			172.8	172.9	172.9	-4.62
CV-24145	6/3/2025 10:45:00 AM							1505					
CV-24145	6/3/2025 10:45:00 AM												
CV-24145	6/10/2025 9:04:38 AM	12.1	77.4	0.0	10.5	0.0	0.2			181.6	181.6	181.6	-1.61
CV-24145	6/10/2025 9:05:00 AM							1650					
CV-24145	6/17/2025 9:12:22 AM	21.5	72.9	0.0	5.6	0.0	0.3			175.2	175.0	175.2	-3.31
CV-24145	6/24/2025 11:08:02 AM	26.5	72.1	0.0	1.4	0.0	0.4			177.6	175.2	177.6	-2.80
CV-24145	6/30/2025 10:59:48 AM	15.3	78.8	0.0	5.9	0.0	0.2			189.0	190.6	190.6	-0.13
CV-24146	6/3/2025 11:58:32 AM	55.9	41.0	0.0	3.1	0.0	1.4			111.8	111.7	111.8	-2.39
CV-24146	6/25/2025 12:43:15 PM	54.5	41.8	0.0	3.7	0.0	1.3			112.6	112.4	112.6	-2.30
CV-24146	6/25/2025 12:45:12 PM	54.8	43.0	0.0	2.2	0.0	1.3			112.7	112.7	112.7	-2.37
CV-24147	6/3/2025 12:05:24 PM	52.4	39.5	1.3	6.8	5.2	1.3			113.7	113.6	113.7	-1.41
CV-24147	6/3/2025 12:19:31 PM	52.6	40.2	1.4	5.8	4.2	1.3			114.1	113.9	114.1	-1.70
CV-24147	6/20/2025 3:04:33 PM	53.0	42.3	0.4	4.3	10.8	1.3			115.9	116.5	116.5	-1.28

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24148	6/6/2025 1:31:57 PM	4.2	82.9	0.1	12.8	128.0	0.1			116.5	119.8	119.8	-0.66
CV-24148	6/12/2025 10:54:38 AM	3.0	86.8	0.0	10.3	0.0	0.0			117.0	117.0	117	-0.29
CV-24148	6/18/2025 1:05:18 PM	2.6	83.9	0.1	13.4	134.0	0.0			128.8	128.2	128.8	-0.46
CV-24149	6/6/2025 1:37:55 PM	33.5	50.9	0.0	15.6	0.0	0.7			111.1	110.9	111.1	-1.35
CV-24149	6/19/2025 1:08:52 PM	38.9	47.2	0.0	13.9	0.0	0.8			112.1	112.2	112.2	-0.65
CV-24150	6/6/2025 3:48:50 PM	45.6	51.0	0.0	3.4	0.0	0.9			104.1	104.3	104.3	-1.07
CV-24150	6/26/2025 10:21:18 AM	45.5	47.5	0.9	6.1	6.8	1.0			108.6	108.9	108.9	-3.86
CV-24150	6/26/2025 10:21:18 AM	45.5	47.5	0.9	6.1	6.8	1.0			108.6	108.9	108.9	-3.86
CV-24150	6/30/2025 1:34:40 PM	45.7	48.5	0.3	5.6	19.9	0.9			108.6	107.7	108.6	-3.15
CV-24151	6/5/2025 3:19:32 PM	53.0	45.3	0.0	1.7	0.0	1.2			109.0	109.1	109.1	-2.46
CV-24151	6/19/2025 1:14:53 PM	46.0	49.4	0.0	4.6	0.0	0.9			108.2	108.7	108.7	-2.40
CV-24152	6/6/2025 1:54:07 PM	28.1	68.7	0.0	3.2	0.0	0.4			116.1	116.2	116.2	-0.86
CV-24152	6/19/2025 1:12:28 PM	28.0	66.3	0.0	5.7	0.0	0.4			119.2	119.2	119.2	-0.26
CV-24152	6/24/2025 1:09:20 PM	30.3	63.0	0.0	6.8	0.0	0.5			117.7	116.1	117.7	-0.49
CV-24153	6/7/2025 2:21:17 PM	52.5	46.5	0.0	1.0	0.0	1.1			103.7	104.0	104	-0.69
CV-24153	6/16/2025 11:13:19 AM	53.5	43.3	0.0	3.2	0.0	1.2			112.3	112.3	112.3	-0.73
CV-24153	6/30/2025 12:18:29 PM	55.2	41.6	0.0	3.2	0.0	1.3			108.3	109.8	109.8	-0.67
CV-24154	6/7/2025 11:22:40 AM	37.2	42.5	3.6	16.7	4.6	0.9			96.0	96.7	96.7	-0.59
CV-24154	6/16/2025 11:06:52 AM	41.5	46.5	1.2	10.8	9.0	0.9			113.1	113.8	113.8	-0.16
CV-24154	6/30/2025 12:23:44 PM	37.9	49.1	1.8	11.2	6.2	0.8			104.9	104.9	104.9	-0.12
CV-24155	6/7/2025 2:17:58 PM	41.0	45.8	0.0	13.2	0.0	0.9			110.7	112.0	112	-1.01
CV-24155	6/20/2025 11:27:55 AM	45.3	51.3	0.0	3.4	0.0	0.9			112.3	112.4	112.4	-1.42
CV-24156	6/6/2025 9:46:23 AM	42.8	57.2	0.0	0.0	0.0	0.7			117.8	118.6	118.6	0.04
CV-24156	6/6/2025 9:49:06 AM	42.5	57.5	0.0	0.0	0.0	0.7			118.8	118.8	118.8	-0.17

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24156	6/18/2025 9:12:45 AM	49.9	50.1	0.1			1.0			116.9	117.0	117	-1.02
CV-24157	6/6/2025 11:39:40 AM	50.3	49.7	0.0	0.0	0.0	1.0			82.2	107.1	107.1	1.50
CV-24157	6/6/2025 11:41:35 AM	50.1	49.9	0.0	0.0	0.0	1.0			109.2	109.3	109.3	-2.01
CV-24157	6/22/2025 11:47:12 AM	51.2	44.0	0.0	4.8	0.0	1.2			113.9	114.1	114.1	-3.56
CV-24158	6/6/2025 2:09:29 PM	49.3	50.7	0.0	0.0	0.0	1.0			119.1	119.1	119.1	-0.07
CV-24158	6/22/2025 11:57:27 AM	48.4	47.6	0.0	4.0	0.0	1.0			119.9	120.3	120.3	-0.72
CV-24159	6/7/2025 1:06:54 PM	50.8	47.8	0.1	1.3	13.0	1.1			120.1	120.3	120.3	-0.01
CV-24159	6/22/2025 12:37:37 AM	49.4	47.5	0.0	3.1	0.0	1.0			113.0	117.6	117.6	-0.02
CV-24160	6/8/2025 10:42:16 AM	56.3	39.3	1.5	2.9	1.9	1.4			105.2	105.3	105.3	-0.34
CV-24160	6/22/2025 1:01:20 PM	52.6	43.6	0.0	3.8	0.0	1.2			119.7	119.7	119.7	-0.04
CV-24160	6/23/2025 7:26:32 AM	47.7	39.5	2.4	10.4	4.3	1.2			115.4	115.6	115.6	-0.57
CV-24161	6/10/2025 11:30:39 AM	39.5	48.9	1.3	10.3	7.9	0.8			116.2	112.8	116.2	-1.78
CV-24162	6/3/2025 10:26:30 AM												
CV-24162	6/4/2025 8:28:56 AM												
CV-24162	6/5/2025 8:53:31 AM												
CV-24162	6/6/2025 2:57:31 PM	33.1	37.9	0.0	29.0	0.0	0.9			104.5	105.6	105.6	-5.09
CV-24162	6/9/2025 11:31:12 AM												
CV-24162	6/11/2025 9:51:23 AM												
CV-24162	6/12/2025 10:35:48 AM												
CV-24162	6/16/2025 11:02:38 AM												
CV-24162	6/19/2025 2:13:33 PM												
CV-24162	6/23/2025 9:35:40 AM												
CV-24162	6/24/2025 10:28:20 AM												
CV-24162	6/25/2025 9:15:26 AM												
CV-24162	6/26/2025 10:29:01 AM												
CV-24163	6/3/2025 11:36:14 AM												
CV-24163	6/3/2025 1:53:23 PM	42.5	57.5	0.0	0.0	0.0	0.7			102.9	102.3	102.9	-0.30
CV-24163	6/9/2025 9:29:56 AM												

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24163	6/11/2025 9:49:00 AM	41.2	51.6	0.0	7.2	0.0	0.8			116.4	117.0	117	-2.71
CV-24163	6/13/2025 3:24:01 PM	38.7	60.5	0.0	0.8	0.0	0.6			117.4	117.1	117.4	-0.84
CV-24164	6/6/2025 10:17:22 AM	20.9	79.0	0.1	0.0	0.0	0.3			82.0	122.4	122.4	2.60
CV-24164	6/6/2025 10:18:40 AM	23.4	76.6	0.0	0.0	0.0	0.3			124.1	124.2	124.2	-0.31
CV-24164	6/6/2025 10:18:41 AM	23.4	76.6	0.0	0.0	0.0	0.3			124.1	124.2	124.2	-0.31
CV-24164	6/22/2025 11:25:10 AM	37.1	62.6	0.0	0.3	0.0	0.6			130.9	131.5	131.5	-0.79
CV-24165	6/6/2025 11:21:51 AM	40.0	59.9	0.0	0.1	0.0	0.7			120.5	121.5	121.5	-4.44
CV-24165	6/16/2025 2:03:30 PM	37.7	58.1	0.0	4.2	0.0	0.6			131.4	130.5	131.4	-3.33
CV-24165	6/16/2025 2:04:22 PM	38.0	57.9	0.0	4.1	0.0	0.7			130.2	130.5	130.5	-0.13
CV-24166	6/1/2025 1:30:25 PM	54.8	45.2	0.0	0.0	0.0	1.2			104.6	104.5	104.6	-3.02
CV-24166	6/18/2025 9:51:58 AM	56.0	44.0	0.0	0.0	0.0	1.3			100.3	100.5	100.5	-3.38
CV-24167	6/1/2025 1:21:29 PM	47.2	43.8	0.0	9.1	0.0	1.1			109.5	108.8	109.5	-2.92
CV-24167	6/16/2025 1:41:25 PM	52.3	41.3	0.0	6.4	0.0	1.3			115.7	115.9	115.9	-0.24
CV-24168	6/6/2025 11:07:10 AM	34.8	53.4	0.0	11.8	0.0	0.7			110.4	112.0	112	-2.29
CV-24168	6/16/2025 2:08:21 PM	33.6	57.0	0.0	9.4	0.0	0.6			125.6	124.9	125.6	-0.52
CV-24169	6/6/2025 10:56:17 AM	34.1	65.9	0.0	0.0	0.0	0.5			82.3	106.2	106.2	0.10
CV-24169	6/6/2025 10:57:32 AM	31.3	68.7	0.0	0.0	0.0	0.5			110.9	111.2	111.2	-0.11
CV-24169	6/16/2025 2:13:23 PM	41.3	54.5	0.0	4.2	0.0	0.8			127.0	127.3	127.3	-0.05
CV-24170	6/6/2025 8:27:40 AM	29.8	69.3	0.2	0.7	3.5	0.4			129.8	128.3	129.8	-0.89
CV-24170	6/22/2025 8:48:08 AM	24.7	73.9	0.1	1.3	13.0	0.3			128.9	128.9	128.9	-0.32
CV-24171	6/6/2025 2:44:19 PM	53.1	45.8	0.0	1.1	0.0	1.2			120.2	120.2	120.2	-2.96
CV-24171	6/22/2025 1:27:33 PM	52.7	42.4	0.0	4.9	0.0	1.2			119.2	119.9	119.9	-2.69
CV-24172	6/6/2025 3:12:25 PM	27.3	27.1	8.5	37.1	4.4	1.0			112.8	112.6	112.8	-0.13
CV-24172	6/6/2025 3:14:42 PM	35.6	35.4	5.2	23.8	4.6	1.0			111.1	111.1	111.1	-0.14
CV-24172	6/22/2025 1:52:01 PM	47.5	49.7	0.0	2.8	0.0	1.0			113.5	114.1	114.1	-0.02

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24173	6/6/2025 3:25:56 PM	42.3	55.2	0.0	2.5	0.0	0.8			126.1	126.1	126.1	-0.97
CV-24173	6/22/2025 2:01:13 PM	41.0	50.6	0.0	8.4	0.0	0.8			125.5	125.4	125.5	-1.04
CV-24174	6/5/2025 9:15:43 AM	29.7	65.9	0.0	4.4	0.0	0.4			107.3	107.1	107.3	-0.46
CV-24174	6/18/2025 1:24:50 PM	28.9	70.3	0.0	0.8	0.0	0.4			105.1	105.4	105.4	-0.01
CV-24175	6/5/2025 9:26:59 AM	32.4	45.4	0.3	22.0	84.6	0.7			120.7	116.3	120.7	-1.35
CV-24175	6/22/2025 2:17:33 PM	38.6	60.8	0.0	0.6	0.0	0.6			125.2	129.5	129.5	0.08
CV-24175	6/22/2025 2:19:20 PM	38.2	60.9	0.0	0.9	0.0	0.6			130.9	131.2	131.2	-0.11
CV-24176	6/5/2025 8:46:49 AM	32.3	31.7	1.6	34.4	21.5	1.0			115.3	113.2	115.3	-2.12
CV-24176	6/24/2025 12:32:51 PM	44.0	41.9	0.1	14.0	107.7	1.1			116.0	116.0	116	-0.49
CV-24176	6/24/2025 12:38:32 PM	44.7	41.1	0.0	14.2	0.0	1.1			116.0	116.1	116.1	-0.46
CV-24177	6/1/2025 1:03:48 PM	23.6	33.5	2.1	40.8	19.4	0.7			114.4	114.9	114.9	-0.30
CV-24177	6/18/2025 1:14:55 PM	32.5	36.0	2.1	29.4	14.0	0.9			119.1	119.7	119.7	-0.41
CV-24178	6/5/2025 9:49:01 AM	42.0	47.3	0.0	10.7	0.0	0.9			106.6	107.5	107.5	-0.36
CV-24178	6/20/2025 11:06:32 AM	38.9	42.1	0.0	19.0	0.0	0.9			126.2	126.3	126.3	-1.32
CV-24179	6/1/2025 12:56:31 PM	35.7	59.6	0.1	4.6	46.0	0.6			126.2	126.2	126.2	-0.27
CV-24179	6/19/2025 10:58:05 AM	20.9	73.0	0.0	6.2	0.0	0.3			91.2	96.8	96.8	0.03
CV-24179	6/19/2025 11:00:02 AM	20.7	73.8	0.0	5.5	0.0	0.3			102.7	102.8	102.8	-0.05
CV-24180	6/5/2025 9:53:48 AM	37.6	62.4	0.0	0.0	0.0	0.6			68.0	68.0	68	-0.14
CV-24180	6/24/2025 12:15:04 PM	37.7	59.3	0.0	3.0	0.0	0.6			89.7	94.5	94.5	0.12
CV-24180	6/24/2025 12:16:06 PM	37.8	59.8	0.0	2.4	0.0	0.6			94.4	94.5	94.5	-0.03
CV-24181	6/5/2025 10:17:51 AM	37.3	47.8	0.0	14.9	0.0	0.8			122.8	120.2	122.8	-2.28
CV-24181	6/11/2025 1:31:13 PM	43.8	51.6	0.0	4.6	0.0	0.8			112.0	112.5	112.5	-0.11

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24181	6/20/2025 11:11:00 AM	45.0	49.4	0.0	5.6	0.0	0.9			109.9	110.3	110.3	-0.53
CV-24184	6/5/2025 8:44:01 AM	9.8	11.2	16.0	63.0	3.9	0.9			108.5	103.2	108.5	-0.47
CV-24184	6/5/2025 8:44:50 AM	9.5	11.0	16.3	63.3	3.9	0.9			100.2	99.9	100.2	-0.06
CV-24184	6/20/2025 9:52:41 AM	16.6	15.0	13.0	55.4	4.3	1.1			103.4	103.0	103.4	-0.33
CV-24184	6/20/2025 9:53:56 AM	16.3	14.7	13.2	55.8	4.2	1.1			99.5	99.5	99.5	-0.16
CV-24185	6/5/2025 1:58:35 PM	48.4	43.2	0.0	8.5	0.0	1.1			82.2	82.3	82.3	-0.08
CV-24185	6/20/2025 10:04:17 AM	42.8	40.3	0.0	16.9	0.0	1.1			112.4	112.6	112.6	-0.90
CV-24186	6/8/2025 11:06:29 AM	48.3	36.0	0.6	15.1	25.2	1.3			120.1	120.2	120.2	-0.79
CV-24186	6/20/2025 10:19:14 AM	45.0	42.2	0.0	12.8	0.0	1.1			125.4	125.9	125.9	-0.41
CV-24187	6/4/2025 10:14:01 AM	44.5	48.7	0.0	6.9	0.0	0.9			112.0	112.0	112	-0.44
CV-24187	6/4/2025 10:17:17 AM	45.0	50.5	0.0	4.6	0.0	0.9			112.0	70.8	112	-0.10
CV-24187	6/19/2025 10:50:05 AM	49.2	45.1	0.0	5.7	0.0	1.1			108.9	108.9	108.9	-0.21
CV-24188	6/1/2025 9:43:40 AM	39.8	38.0	0.0	22.2	0.0	1.0			114.3	114.8	114.8	-2.19
CV-24188	6/18/2025 8:49:29 AM	46.6	38.7	0.0	14.7	0.0	1.2			115.2	115.1	115.2	-2.03
CV-24189	6/1/2025 9:24:13 AM	42.8	39.0	0.0	18.2	0.0	1.1			114.3	113.5	114.3	-1.16
CV-24189	6/18/2025 8:40:23 AM	49.5	38.6	0.2	11.7	58.5	1.3			115.6	115.7	115.7	-0.97
CV-24190	6/4/2025 9:51:26 AM	53.5	44.6	0.0	1.9	0.0	1.2			119.6	119.6	119.6	-4.19
CV-24190	6/19/2025 10:41:53 AM	52.2	42.6	0.4	4.8	12.3	1.2			120.4	120.5	120.5	-4.34
CV-24192	6/4/2025 9:45:36 AM	54.2	44.2	0.0	1.6	0.0	1.2			114.5	114.7	114.7	-2.12
CV-24192	6/19/2025 10:33:16 AM	54.5	42.5	0.0	3.1	0.0	1.3			116.7	118.6	118.6	-2.49
CV-24193	6/3/2025 1:15:47 PM	53.9	43.4	0.0	2.7	0.0	1.2			108.8	108.9	108.9	-1.10
CV-24193	6/5/2025 10:00:40 AM	53.6	45.6	0.0	0.8	0.0	1.2			107.2	107.8	107.8	-1.74
CV-24193	6/19/2025 10:24:16 AM	54.9	41.8	0.0	3.3	0.0	1.3			110.9	111.7	111.7	-2.02

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24194	6/4/2025 1:17:06 PM	54.3	43.7	0.0	2.0	0.0	1.2			116.6	116.6	116.6	-1.37
CV-24194	6/20/2025 9:24:45 AM	52.2	45.9	0.0	1.9	0.0	1.1			113.2	113.7	113.7	-2.86
CV-24195	6/4/2025 1:39:58 PM	45.0	54.3	0.0	0.7	0.0	0.8			115.6	114.9	115.6	-0.42
CV-24195	6/4/2025 1:42:20 PM	44.1	54.9	0.0	1.0	0.0	0.8			115.1	114.0	115.1	-0.30
CV-24195	6/20/2025 9:35:54 AM	46.1	53.0	0.0	0.9	0.0	0.9			110.8	110.8	110.8	-0.29
CV-24195	6/20/2025 2:39:47 PM	50.0	48.9	0.0	1.1	0.0	1.0			114.9	115.3	115.3	-0.05
CV-24196	6/8/2025 12:39:39 PM	55.0	44.8	0.2	0.0	0.0	1.2			122.9	123.5	123.5	-2.20
CV-24196	6/20/2025 9:46:45 AM	51.1	47.6	0.0	1.3	0.0	1.1			124.1	124.2	124.2	-2.70
CV-24196	6/20/2025 2:47:27 PM	53.6	43.9	0.0	2.5	0.0	1.2			124.9	124.9	124.9	-2.09
CV-24197	6/8/2025 11:25:41 AM	48.8	41.7	0.0	9.5	0.0	1.2			113.9	114.4	114.4	-0.55
CV-24197	6/25/2025 1:35:15 PM	47.6	42.9	0.0	9.5	0.0	1.1			121.6	122.4	122.4	-0.45
CV-24198	6/4/2025 1:55:50 PM	55.0	44.2	0.0	0.8	0.0	1.2			114.0	115.4	115.4	0.17
CV-24198	6/4/2025 1:59:29 PM	53.9	44.9	0.0	1.2	0.0	1.2			115.8	115.6	115.8	-0.06
CV-24198	6/20/2025 10:44:10 AM	51.5	46.5	0.0	2.0	0.0	1.1			113.9	114.3	114.3	-0.18
CV-24198	6/20/2025 2:27:38 PM	54.1	43.1	0.0	2.8	0.0	1.3			116.3	116.8	116.8	-0.06
CV-24199	6/4/2025 2:20:03 PM	53.0	45.4	0.0	1.6	0.0	1.2			125.1	125.2	125.2	-1.15
CV-24199	6/20/2025 10:39:19 AM	51.0	45.9	0.0	3.1	0.0	1.1			123.0	123.6	123.6	-1.27
CV-24199	6/20/2025 2:24:01 PM	51.5	41.9	0.0	6.6	0.0	1.2			124.9	125.0	125	-0.69
CV-24200	6/8/2025 12:23:46 PM	57.9	42.1	0.0	0.0	0.0	1.4			113.0	113.6	113.6	-0.16
CV-24200	6/22/2025 11:52:20 AM	57.0	41.9	0.0	1.1	0.0	1.4			116.1	116.1	116.1	0.07

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24200	6/22/2025 11:54:37 AM	55.9	42.1	0.0	2.1	0.0	1.3			116.5	116.6	116.6	-0.20
CV-24201	6/8/2025 12:13:30 PM	50.6	35.0	2.7	11.7	4.3	1.4			112.8	112.8	112.8	-1.47
CV-24201	6/22/2025 12:02:18 PM	43.0	36.5	2.9	17.6	6.1	1.2			116.2	116.4	116.4	-0.73
CV-24202	6/3/2025 10:42:30 AM												
CV-24202	6/8/2025 12:00:51 PM	50.5	43.9	0.1	5.5	55.0	1.2			110.5	110.9	110.9	-0.81
CV-24202	6/16/2025 11:31:09 AM												
CV-24202	6/17/2025 3:24:11 PM												
CV-24202	6/22/2025 12:20:39 PM	45.8	45.8	0.0	8.4	0.0	1.0			113.5	113.6	113.6	-0.32
CV-24202	6/23/2025 11:06:22 AM												
CV-24202	6/25/2025 9:49:16 AM												
CV-24202	6/27/2025 10:16:14 AM												
CV-24203	6/8/2025 1:23:13 PM	57.5	42.5	0.0	0.0	0.0	1.4			124.0	124.9	124.9	-1.87
CV-24203	6/22/2025 12:57:26 PM	52.0	43.7	0.0	4.3	0.0	1.2			126.6	126.7	126.7	-1.36
CV-24204	6/8/2025 1:27:28 PM	53.6	46.3	0.1	0.0	0.0	1.2			123.6	124.5	124.5	-1.55
CV-24204	6/22/2025 1:02:01 PM	50.7	48.2	0.0	1.1	0.0	1.1			127.2	127.2	127.2	-1.21
CV-24205	6/8/2025 1:11:20 PM	57.9	41.9	0.2	0.0	0.0	1.4			118.3	118.5	118.5	-3.93
CV-24205	6/22/2025 1:07:28 PM	52.9	44.2	0.1	2.8	31.0	1.2			120.9	120.9	120.9	-2.97
CV-24206	6/3/2025 10:38:40 AM												
CV-24206	6/8/2025 1:35:26 PM	44.4	35.7	1.1	18.8	17.1	1.2			99.3	100.0	100	-0.43
CV-24206	6/16/2025 11:08:59 AM												
CV-24206	6/22/2025 11:47:32 AM	31.9	33.0	2.1	33.0	15.7	1.0			98.0	97.6	98	-0.65
CV-24206	6/23/2025 11:12:15 AM												
CV-24206	6/25/2025 9:39:12 AM												
CV-24206	6/27/2025 10:24:10 AM												
CV-24207	6/6/2025 2:30:41 PM	51.5	48.5	0.0	0.0	0.0	1.1			128.8	128.9	128.9	-3.07
CV-24207	6/18/2025 11:09:32 AM	50.9	46.3	0.0	2.8	0.0	1.1			126.7	126.7	126.7	-2.74
CV-24208	6/11/2025 3:27:00 PM	46.9	52.1	0.0	1.0	0.0	0.9			129.1	129.6	129.6	0.07
CV-24208	6/11/2025 3:28:20 PM	47.2	52.7	0.0	0.1	0.0	0.9			130.3	130.4	130.4	-0.05

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24209	6/3/2025 11:01:00 AM												
CV-24209	6/11/2025 10:25:10 AM												
CV-24209	6/11/2025 2:55:29 PM	19.3	46.5	0.6	33.6	56.0	0.4			126.9	127.5	127.5	-5.09
CV-24209	6/16/2025 11:34:05 AM												
CV-24209	6/17/2025 3:20:11 PM												
CV-24209	6/23/2025 10:58:04 AM												
CV-24209	6/25/2025 9:36:04 AM												
CV-24209	6/27/2025 10:03:52 AM												
CV-24210	6/3/2025 10:34:47 AM												
CV-24210	6/5/2025 9:11:39 AM												
CV-24210	6/9/2025 11:39:46 AM												
CV-24210	6/10/2025 1:45:49 PM	28.3	32.2	3.3	36.2	11.0	0.9			114.1	107.5	114.1	-2.83
CV-24210	6/11/2025 10:10:20 AM												
CV-24210	6/13/2025 2:35:01 PM												
CV-24210	6/16/2025 11:06:10 AM												
CV-24210	6/17/2025 9:58:38 AM												
CV-24210	6/19/2025 2:31:20 PM												
CV-24210	6/23/2025 10:53:13 AM												
CV-24210	6/25/2025 9:26:13 AM												
CV-24210	6/26/2025 10:29:36 AM												
CV-24210	6/27/2025 10:00:48 AM												
CV-24211	6/20/2025 2:59:03 PM	37.6	58.5	0.0	3.9	0.0	0.6			124.6	124.9	124.9	-1.33
CV-24212	6/20/2025 3:04:25 PM	19.2	52.0	3.4	25.4	7.5	0.4			106.9	105.5	106.9	-2.46
CV-24213	6/5/2025 3:21:41 PM	49.6	40.7	0.0	9.7	0.0	1.2			117.3	117.1	117.3	-4.80
CV-24214	6/5/2025 2:05:46 PM	34.6	37.5	0.9	27.0	30.0	0.9			122.8	122.9	122.9	-0.74
CV-24215	6/21/2025 9:51:59 AM	46.3	42.1	1.2	10.4	8.7	1.1			110.3	110.2	110.3	-0.72

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24216	6/5/2025 3:17:57 PM	43.2	38.4	0.0	18.4	0.0	1.1			107.2	107.6	107.6	-5.70
CV-24217	6/5/2025 2:31:24 PM	34.6	41.8	0.6	23.0	38.3	0.8			121.0	121.0	121	-2.80
CV-24218	6/5/2025 2:20:30 PM	45.8	52.7	0.0	1.5	0.0	0.9			122.0	122.0	122	-0.66
CV-24219	6/7/2025 3:01:17 PM	33.1	63.1	0.0	3.8	0.0	0.5			113.0	113.4	113.4	-3.04
CV-24219	6/18/2025 1:34:35 PM	33.6	62.5	0.0	3.9	0.0	0.5			119.7	119.6	119.7	-2.37
CV-24220	6/3/2025 11:42:09 AM												
CV-24220	6/11/2025 9:33:35 AM	19.8	58.4	0.1	21.7	217.0	0.3			143.4	143.9	143.9	-2.36
CV-24220	6/11/2025 9:34:47 AM	18.6	61.4	0.1	19.9	199.0	0.3			146.4	147.4	147.4	-2.41
CV-24220	6/13/2025 3:07:16 PM	31.4	68.6	0.0	0.0	0.0	0.5			134.3	138.0	138	1.24
CV-24220	6/13/2025 3:12:58 PM	20.4	53.7	4.5	21.4	4.8	0.4			139.4	140.1	140.1	-0.18
CV-24222	6/23/2025 7:53:10 AM	56.8	43.0	0.0	0.2	0.0	1.3			122.3	122.1	122.3	-4.83
CV-24223	6/23/2025 8:49:14 AM	23.4	30.2	4.8	41.6	8.7	0.8			109.0	109.6	109.6	-1.39
CV-24224	6/3/2025 1:59:08 PM	46.8	53.0	0.1	0.1	1.0	0.9			136.8	134.8	136.8	-0.48
CV-24224	6/3/2025 2:00:28 PM	46.9	53.1	0.0	0.0	0.0	0.9			135.6	136.2	136.2	-0.21
CV-24225	6/20/2025 2:55:10 PM	51.1	40.2	1.0	7.7	7.7	1.3			125.9	125.7	125.9	-0.37
CV-24226	6/23/2025 8:57:56 AM	54.0	45.3	0.0	0.7	0.0	1.2			109.9	110.0	110	-1.85
CV-24227	6/1/2025 9:10:13 AM	51.4	41.3	0.0	7.3	0.0	1.2			114.4	114.9	114.9	-3.11
CV-24231	6/12/2025 8:35:21 AM	39.1	46.6	1.1	13.2	11.6	0.8			118.9	115.9	118.9	-5.10
CV-24236	6/1/2025 7:49:10 AM	41.7	37.5	0.0	20.8	0.0	1.1			102.9	102.3	102.9	-4.74
CV-24236	6/13/2025 10:58:54 AM	57.0	40.3	0.0	2.7	0.0	1.4			103.6	103.9	103.9	-1.28
CV-24237	6/1/2025 8:45:42 AM	40.0	34.3	0.0	25.7	0.0	1.2			109.4	108.4	109.4	-2.87

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-24243	6/11/2025 8:09:28 AM	19.1	19.6	10.6	50.7	4.8	1.0			106.0	101.4	106	-0.45
CV-24243	6/11/2025 8:12:18 AM	29.9	29.0	7.0	34.1	4.9	1.0			98.1	98.1	98.1	-0.02
CV-24244	6/11/2025 8:22:46 AM	43.5	42.6	0.3	13.6	45.5	1.0			108.3	102.0	108.3	-0.93
CV-24245	6/11/2025 8:00:12 AM	53.8	43.9	0.0	2.2	0.0	1.2			108.7	108.6	108.7	-0.85
CV-24246	6/11/2025 7:54:31 AM	46.5	38.1	2.7	12.7	4.7	1.2			106.7	106.7	106.7	-0.90
CV-25	6/21/2025 8:42:45 AM	46.3	40.4	0.1	13.2	132.0	1.1			111.0	111.2	111.2	-8.15
CV-2501	6/8/2025 10:22:49 AM	54.0	45.0	0.0	1.0	0.0	1.2			120.7	120.6	120.7	0.76
CV-2501	6/8/2025 10:23:42 AM	54.1	45.0	0.0	0.9	0.0	1.2			120.8	120.9	120.9	0.71
CV-2501	6/10/2025 10:35:32 AM	55.4	43.0	0.0	1.6	0.0	1.3			121.8	123.9	123.9	0.47
CV-2501	6/10/2025 10:37:31 AM	53.8	44.7	0.0	1.5	0.0	1.2			124.0	123.9	124	-0.17
CV-2501	6/10/2025 12:47:04 PM	54.7	43.0	0.0	2.3	0.0	1.3			123.6	123.8	123.8	0.02
CV-2502	6/8/2025 10:08:54 AM	54.8	45.2	0.0	0.0	0.0	1.2			106.6	110.2	110.2	0.57
CV-2502	6/8/2025 10:11:08 AM	53.6	45.4	0.0	1.0	0.0	1.2			111.3	111.5	111.5	0.47
CV-2502	6/10/2025 9:23:45 AM	53.2	45.3	0.0	1.6	0.0	1.2			117.0	117.0	117	-0.90
CV-2502	6/10/2025 9:25:08 AM	51.7	46.4	0.0	1.9	0.0	1.1			116.9	116.9	116.9	-0.85
CV-2503	6/10/2025 10:18:51 AM	55.3	43.8	0.0	0.9	0.0	1.3			116.7	117.1	117.1	0.21
CV-2503	6/10/2025 10:20:03 AM	54.1	43.9	0.0	2.0	0.0	1.2			117.3	117.3	117.3	-0.07

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2503	6/10/2025 12:40:03 PM	55.7	42.1	0.0	2.3	0.0	1.3			119.7	119.8	119.8	0.05
CV-2504	6/8/2025 1:13:39 PM	56.1	43.9	0.0	0.0	0.0	1.3			117.1	117.2	117.2	1.01
CV-2504	6/8/2025 1:15:26 PM	55.8	43.6	0.0	0.6	0.0	1.3			117.3	117.5	117.5	0.95
CV-2504	6/9/2025 3:36:28 PM	53.6	41.4	0.0	5.1	0.0	1.3			118.6	118.6	118.6	-0.05
CV-2504	6/9/2025 3:37:52 PM	53.4	41.9	0.0	4.7	0.0	1.3			118.6	118.6	118.6	-0.05
CV-2505	6/8/2025 1:05:29 PM	57.5	42.5	0.0	0.0	0.0	1.4			125.4	125.7	125.7	0.92
CV-2505	6/8/2025 1:06:28 PM	57.8	42.2	0.0	0.0	0.0	1.4			125.7	125.6	125.7	0.82
CV-2505	6/9/2025 11:28:50 AM	58.6	41.4	0.0	0.0	0.0	1.4			124.5	126.1	126.1	0.89
CV-2505	6/9/2025 11:31:06 AM	58.5	41.5	0.0	0.0	0.0	1.4			126.3	126.2	126.3	-0.20
CV-2506	6/8/2025 12:56:03 PM	57.9	42.1	0.0	0.0	0.0	1.4			123.8	123.9	123.9	1.02
CV-2506	6/8/2025 12:57:14 PM	57.8	42.3	0.0	0.0	0.0	1.4			123.9	123.9	123.9	0.91
CV-2506	6/9/2025 11:14:06 AM	59.5	40.5	0.0	0.0	0.0	1.5			123.5	124.8	124.8	1.07
CV-2506	6/9/2025 11:15:47 AM	59.2	40.8	0.0	0.0	0.0	1.4			124.9	124.9	124.9	-0.11
CV-2507	6/8/2025 10:48:05 AM	55.8	44.2	0.0	0.0	0.0	1.3			82.3	100.9	100.9	3.79
CV-2507	6/8/2025 10:49:06 AM	55.2	43.8	0.0	1.0	0.0	1.3			103.8	104.4	104.4	3.27
CV-2507	6/8/2025 12:51:28 PM	57.0	43.1	0.0	0.0	0.0	1.3			115.3	116.1	116.1	3.03

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2507	6/9/2025 10:51:39 AM	55.7	44.3	0.0	0.0	0.0	1.3			117.4	121.3	121.3	2.81
CV-2507	6/23/2025 10:07:52 AM	52.9	42.9	0.4	3.9	11.2	1.2			118.8	118.8	118.8	-2.37
CV-2508	6/1/2025 11:01:46 AM	53.1	47.0	0.0	0.0	0.0	1.1			117.5	117.6	117.6	3.27
CV-2508	6/1/2025 11:02:57 AM	52.3	47.8	0.0	0.0	0.0	1.1			117.5	117.6	117.6	3.07
CV-2508	6/1/2025 1:00:08 PM	53.9	46.1	0.0	0.0	0.0	1.2			117.4	117.3	117.4	3.01
CV-2508	6/3/2025 9:18:37 AM	53.4	45.1	0.0	1.6	0.0	1.2			116.8	116.9	116.9	2.49
CV-2508	6/3/2025 1:27:03 PM	54.7	43.1	0.0	2.2	0.0	1.3			116.9	116.8	116.9	2.26
CV-2508	6/4/2025 9:31:06 AM	55.4	43.2	0.0	1.4	0.0	1.3			116.4	116.4	116.4	1.83
CV-2508	6/5/2025 8:03:30 AM	54.6	43.6	0.0	1.8	0.0	1.3			116.3	116.2	116.3	1.36
CV-2508	6/8/2025 12:43:12 PM	56.2	43.8	0.0	0.0	0.0	1.3			116.7	116.6	116.7	1.41
CV-2508	6/9/2025 10:40:54 AM	54.7	45.4	0.0	0.0	0.0	1.2			116.6	116.7	116.7	0.69
CV-2508	6/9/2025 10:42:41 AM	54.9	45.1	0.0	0.0	0.0	1.2			116.7	116.7	116.7	-0.12
CV-2509	6/1/2025 10:43:43 AM	52.8	47.2	0.0	0.0	0.0	1.1			109.9	109.9	109.9	-0.30
CV-2509	6/1/2025 10:46:52 AM	52.0	48.0	0.0	0.0	0.0	1.1			109.8	109.8	109.8	-0.05
CV-2510	6/1/2025 10:51:16 AM	52.7	47.3	0.0	0.0	0.0	1.1			106.8	106.8	106.8	-0.15
CV-2510	6/1/2025 10:52:22 AM	52.0	48.0	0.0	0.0	0.0	1.1			106.9	106.9	106.9	-0.11
CV-2511	6/1/2025 9:20:37 AM	53.4	46.1	0.0	0.5	0.0	1.2			109.8	110.2	110.2	-0.09
CV-2512	6/12/2025 8:24:20 AM	52.1	44.7	0.0	3.3	0.0	1.2			115.9	115.9	115.9	-0.67
CV-2513	6/1/2025 10:37:38 AM	53.5	46.5	0.0	0.0	0.0	1.1			116.4	116.4	116.4	-0.13
CV-2513	6/1/2025 10:39:24 AM	52.6	47.0	0.0	0.4	0.0	1.1			116.3	116.4	116.4	-0.14
CV-2514	6/1/2025 10:29:58 AM	52.1	46.5	0.0	1.3	0.0	1.1			120.3	120.4	120.4	-0.83

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-2540	6/21/2025 10:47:27 AM	38.1	58.6	0.0	3.3	0.0	0.7			95.1	95.4	95.4	-0.99
CV-2540	6/22/2025 9:18:05 AM	40.0	59.2	0.0	0.8	0.0	0.7			99.5	96.1	99.5	-0.95
CV-2541	6/21/2025 3:48:07 PM	1.3	85.2	0.0	13.5	0.0	0.0			186.3	193.5	193.5	3.25
CV-2541	6/21/2025 3:50:42 PM	1.5	85.4	0.0	13.1	0.0	0.0			189.3	190.3	190.3	1.61
CV-2541	6/25/2025 10:24:12 AM	1.9	92.1	0.0	6.0	0.0	0.0			121.6	129.6	129.6	6.90
CV-2541	6/25/2025 10:32:12 AM	1.8	91.8	0.0	6.4	0.0	0.0			135.2	133.1	135.2	3.85
CV-2541	6/25/2025 10:33:34 AM	1.8	97.6	0.0	0.6	0.0	0.0			131.6	131.5	131.6	3.48
CV-2554	6/26/2025 10:36:04 AM	34.6	59.0	0.0	6.4	0.0	0.6			113.1	111.2	113.1	-1.97
CV-48R	6/3/2025 12:40:07 PM	54.7	42.8	0.0	2.6	0.0	1.3			124.4	124.5	124.5	-2.83
CV-55R	6/11/2025 1:42:30 PM	29.0	51.5	0.0	19.5	0.0	0.6			137.8	148.7	148.7	1.43
CV-55R	6/11/2025 1:44:54 PM	32.6	52.6	0.0	14.8	0.0	0.6			150.8	150.1	150.8	-0.50
CV-55R	6/17/2025 12:36:25 PM	54.7	45.3	0.0	0.0	0.0	1.2			153.0	153.0	153	-0.50
CV-55R	6/17/2025 12:37:18 PM	54.8	45.2	0.0	0.0	0.0	1.2			153.4	153.5	153.5	-0.31
CV-55R	6/25/2025 2:46:45 PM	31.7	52.6	0.0	15.7	0.0	0.6			151.2	151.2	151.2	-0.03
CV-55R	6/25/2025 2:48:05 PM	31.2	50.0	0.0	18.8	0.0	0.6			151.2	150.7	151.2	-0.04
CV-56D	6/11/2025 1:51:16 PM	44.3	44.7	0.1	10.9	109.0	1.0			121.0	121.2	121.2	-0.29
CV-56D	6/11/2025 4:00:17 PM	40.9	41.5	0.5	17.1	34.2	1.0			124.0	124.1	124.1	-3.45
CV-56S	6/11/2025 1:52:57 PM	40.8	41.3	0.0	17.9	0.0	1.0			116.9	117.0	117	-0.27

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
CV-56S	6/11/2025 4:05:48 PM	37.2	37.7	0.1	25.0	250.0	1.0			119.4	119.5	119.5	-2.23
CV-57R	6/11/2025 9:04:37 AM	36.8	36.6	0.0	26.6	0.0	1.0			118.2	115.0	118.2	-5.50
CV-74R	6/6/2025 9:59:43 AM	0.3	4.9	19.1	75.7	4.0	0.1			75.6	76.1	76.1	0.02
CV-74R	6/6/2025 10:01:15 AM	1.3	2.5	19.4	76.8	4.0	0.5			79.4	79.6	79.6	-0.05
CV-79R	6/3/2025 2:09:20 PM	53.4	46.1	0.0	0.5	0.0	1.2			129.6	129.4	129.6	-1.52
CV-84S	6/7/2025 1:31:02 PM	16.1	17.4	10.5	56.0	5.3	0.9			108.0	107.8	108	-0.23
CV-84S	6/7/2025 1:32:41 PM	14.7	15.8	11.1	58.4	5.3	0.9			105.2	105.2	105.2	-0.24
CV-85S	6/6/2025 2:51:30 PM	53.5	43.4	0.0	3.1	0.0	1.2			106.4	106.4	106.4	-2.50
CV-85S	6/22/2025 12:18:26 AM	47.4	47.8	0.2	4.6	23.0	1.0			106.6	106.8	106.8	-1.04
CV-94	6/27/2025 11:34:16 AM	41.1	37.4	0.3	21.2	70.7	1.1			121.2	121.6	121.6	-8.57
CV-95	6/11/2025 8:59:13 AM	25.7	30.5	0.0	43.8	0.0	0.8			119.7	119.5	119.7	-2.99
CV-99	6/5/2025 4:24:45 PM	32.5	62.6	0.0	4.9	0.0	0.5			86.2	90.7	90.7	8.57
CV-99	6/5/2025 4:25:49 PM	32.4	67.6	0.0	0.0	0.0	0.5			91.7	91.7	91.7	-1.04
CV-99	6/11/2025 10:55:00 AM							22					
CV-99	6/11/2025 10:55:00 AM												
D-02	6/11/2025 10:42:52 AM	55.8	38.4	0.0	5.8	0.0	1.5			87.3	87.4	87.4	-21.15
D-03	6/11/2025 10:45:21 AM	55.1	40.8	0.0	4.1	0.0	1.4			91.7	91.9	91.9	-8.16
D-04	6/11/2025 10:40:32 AM	59.5	34.5	0.0	6.0	0.0	1.7			83.7	83.6	83.7	-21.67
D-05	6/11/2025 10:36:29 AM	15.2	14.9	14.2	55.7	3.9	1.0			92.1	92.4	92.4	-1.24
D-05	6/11/2025 10:38:08 AM	16.5	13.9	14.0	55.6	4.0	1.2			92.3	92.3	92.3	-0.82
D-09	6/11/2025 11:45:50 AM	57.1	41.0	0.0	1.9	0.0	1.4			114.6	114.5	114.6	-12.09
D-10	6/11/2025 11:50:10 AM	56.8	40.1	0.0	3.1	0.0	1.4			107.7	107.6	107.7	-16.46
FP-001	6/5/2025 5:05:30 PM	17.7	28.7	7.4	46.2	6.2	0.6			85.6	86.5	86.5	-0.48
FP-001	6/20/2025 2:36:26 PM	13.7	25.6	7.5	53.2	7.1	0.5			91.2	91.3	91.3	-0.34
FP-002	6/5/2025 5:01:30 PM	21.9	33.5	4.5	40.1	8.9	0.7			88.6	88.7	88.7	-0.43
FP-002	6/5/2025 5:02:37 PM	22.2	34.4	5.0	38.4	7.7	0.6			89.5	89.7	89.7	-0.40

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
FP-003	6/5/2025 4:59:05 PM	5.2	20.4	13.0	61.4	4.7	0.3			87.6	87.8	87.8	-0.31
FP-005	6/29/2025 11:03:10 AM	5.2	27.1	8.8	58.9	6.7	0.2			101.8	101.9	101.9	-0.12
FP-006	6/27/2025 1:32:03 PM	2.2	36.0	8.2	53.6	6.5	0.1			100.4	100.4	100.4	-0.20
FP-008	6/27/2025 1:36:45 PM	2.4	16.8	15.2	65.6	4.3	0.1			99.1	99.1	99.1	-0.23
FP-009	6/11/2025 12:51:39 PM	15.7	54.2	3.3	26.8	8.1	0.3			95.4	95.4	95.4	-0.03
FP-011	6/30/2025 9:25:29 AM	0.1	1.2	20.0	78.8	3.9	0.1			98.7	99.0	99	0.00
FP-011	6/30/2025 9:26:26 AM	0.1	1.2	19.8	78.9	4.0	0.1			99.5	99.6	99.6	0.00
FP-012	6/5/2025 10:42:42 AM	19.6	60.4	1.7	18.3	10.8	0.3			75.4	75.3	75.4	-0.52
FP-013	6/5/2025 10:48:09 AM	8.1	18.3	12.0	61.6	5.1	0.4			75.5	75.7	75.7	-0.46
FP-015	6/28/2025 1:46:39 PM	11.9	58.3	4.4	25.4	5.8	0.2			124.4	124.8	124.8	-0.37
FP-016	6/29/2025 11:09:47 AM	15.0	29.4	8.2	47.4	5.8	0.5			112.3	112.4	112.4	-0.23
FP-017	6/12/2025 1:25:43 PM	24.4	38.2	4.7	32.7	7.0	0.6			90.6	89.2	90.6	-0.01
FP-018	6/5/2025 2:45:37 PM	9.0	82.9	0.0	8.1	0.0	0.1			93.2	93.4	93.4	-0.20
FP-019	6/11/2025 1:21:08 PM	4.9	78.6	0.0	16.5	0.0	0.1			110.6	107.9	110.6	-0.05
FP-020	6/11/2025 1:14:25 PM	13.9	72.3	0.0	13.8	0.0	0.2			94.0	94.7	94.7	-0.04
FP-021	6/11/2025 1:02:10 PM	7.8	73.1	0.4	18.7	46.8	0.1			91.4	91.8	91.8	-0.08
FP-022	6/11/2025 1:10:42 PM	13.7	78.7	0.0	7.6	0.0	0.2			99.5	99.7	99.7	-0.02
FP-023	6/12/2025 1:04:14 PM	28.9	62.0	0.5	8.6	17.2	0.5			119.6	119.6	119.6	-0.12
FP-024	6/21/2025 11:51:31 AM	17.6	37.0	6.3	39.1	6.2	0.5			88.6	88.6	88.6	-0.07
FP-025	6/21/2025 11:47:28 AM	2.1	7.3	15.2	75.4	5.0	0.3			89.6	89.6	89.6	-0.10
FP-026	6/21/2025 11:41:59 AM	16.6	42.4	5.1	35.9	7.0	0.4			92.5	94.2	94.2	-1.44
FP-027	6/21/2025 11:37:22 AM	4.2	19.9	12.8	63.1	4.9	0.2			93.0	93.8	93.8	-0.16
FP-028	6/21/2025 11:33:26 AM	1.7	15.7	14.8	67.8	4.6	0.1			99.0	99.1	99.1	-0.04
FP-029	6/12/2025 1:18:37 PM	49.9	43.7	0.4	6.0	15.0	1.1			113.1	113.3	113.3	-0.01
FP-029	6/20/2025 3:00:40 PM	29.2	31.1	3.0	36.7	12.2	0.9			103.7	103.6	103.7	-0.07
FP-030	6/5/2025 2:57:38 PM	45.4	34.9	1.3	18.4	14.2	1.3			87.6	88.0	88	-0.43
FP-031	6/5/2025 3:00:03 PM	24.2	16.7	11.7	47.4	4.1	1.4			85.0	85.4	85.4	-0.29
FP-032	6/5/2025 3:06:42 PM	9.7	8.8	17.2	64.3	3.7	1.1			85.9	86.1	86.1	-0.61
FP-033	6/11/2025 12:58:52 PM	13.0	64.4	1.7	20.9	12.3	0.2			89.8	89.8	89.8	-0.07
FP-034	6/5/2025 11:33:24 AM	20.6	33.6	6.3	39.5	6.3	0.6			85.9	85.8	85.9	-0.40

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
FP-035	6/5/2025 11:18:34 AM	19.4	27.9	4.5	48.2	10.7	0.7			76.6	76.6	76.6	-0.42
FP-036	6/5/2025 11:01:25 AM	15.1	19.5	7.7	57.7	7.5	0.8			77.9	77.9	77.9	-0.22
FP-037	6/5/2025 10:58:06 AM	1.6	8.4	16.1	73.9	4.6	0.2			77.1	77.1	77.1	-0.38
FP-038	6/30/2025 10:08:01 AM	32.2	29.5	3.9	34.4	8.8	1.1			88.7	89.6	89.6	-0.20
FP-039	6/30/2025 10:00:04 AM	32.2	31.9	2.6	33.4	13.0	1.0			89.9	89.5	89.9	-0.57
FP-039	6/30/2025 10:03:54 AM	31.8	33.1	2.5	32.6	13.2	1.0			89.5	89.6	89.6	-0.54
FP-040	6/26/2025 9:55:51 AM	12.2	58.2	4.4	25.2	5.7	0.2			92.2	92.2	92.2	-0.64
FP-041	6/26/2025 10:10:52 AM	34.4	36.9	3.0	25.7	8.6	0.9			84.3		84.3	-0.10
FP-042	6/1/2025 11:19:04 AM	10.5	41.2	7.9	40.4	5.1	0.3			92.7	94.4	94.4	0.13
FP-043	6/26/2025 10:06:17 AM	13.1	36.1	6.0	44.8	7.5	0.4			89.1	89.3	89.3	-0.23
FP-044	6/26/2025 10:01:43 AM	25.9	44.8	2.2	27.1	12.3	0.6			87.2	87.2	87.2	-0.07
H-01 (EXP-01)	6/3/2025 9:43:59 AM	13.7	49.5	0.0	36.9	0.0	0.3			89.8	90.8	90.8	0.02
H-01 (EXP-01)	6/3/2025 9:46:46 AM	13.2	50.9	0.0	35.9	0.0	0.3			92.8	93.6	93.6	-0.15
H-01 (EXP-01)	6/20/2025 3:31:58 PM	13.6	45.2	0.0	41.2	0.0	0.3			99.7	100.2	100.2	-0.34
H-02 (EXP-02)	6/3/2025 9:52:41 AM	14.1	51.7	0.0	34.1	0.0	0.3			107.7	108.4	108.4	0.06
H-02 (EXP-02)	6/3/2025 9:56:30 AM	13.9	51.7	0.0	34.4	0.0	0.3			109.4	107.5	109.4	-0.50
H-02 (EXP-02)	6/20/2025 3:28:13 PM	45.6	44.3	0.0	10.1	0.0	1.0			110.1	110.6	110.6	-6.62
H-03 (EXP-03)	6/3/2025 9:59:14 AM	51.2	47.9	0.0	0.9	0.0	1.1			120.2	120.2	120.2	-1.42
H-03 (EXP-03)	6/20/2025 3:26:16 PM	49.9	45.8	0.0	4.3	0.0	1.1			115.8	116.6	116.6	-1.04
H-04 (EXP-04)	6/3/2025 10:05:49 AM	3.1	57.1	0.0	39.8	0.0	0.1			130.7	129.8	130.7	-2.54
H-04 (EXP-04)	6/20/2025 3:24:47 PM	3.3	40.9	0.1	55.7	557.0	0.1			126.8	127.1	127.1	-0.04
H-08 (EXP-08)	6/3/2025 10:16:31 AM	50.4	49.6	0.0	0.0	0.0	1.0			118.6	118.5	118.6	-1.11
H-08 (EXP-08)	6/20/2025 2:57:33 PM	50.2	47.9	0.0	1.9	0.0	1.0			117.9	118.0	118	-0.74

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init °F Temp [ ]	Adj °F Temp [ ]	Max Gas °F Temp [ ]	Init Stat Press ["H2O]
H-10 (EXP-10)	6/3/2025 10:21:13 AM	18.5	67.7	0.0	13.8	0.0	0.3			126.7	126.5	126.7	-1.98
H-10 (EXP-10)	6/20/2025 3:01:05 PM	22.4	58.7	0.0	18.9	0.0	0.4			123.8	123.7	123.8	-5.75
H-101W	6/1/2025 8:02:57 AM	46.5	32.3	2.9	18.3	6.3	1.4			73.1	73.6	73.6	-6.71
H-101W	6/1/2025 8:04:59 AM	45.5	32.0	3.6	18.9	5.3	1.4			73.4	73.5	73.5	-2.93
H-102A	6/1/2025 8:12:59 AM	43.3	28.8	4.9	23.0	4.7	1.5			76.8	76.6	76.8	-3.89
H-104	6/1/2025 8:20:02 AM	3.9	5.1	19.0	72.0	3.8	0.8			73.2	73.2	73.2	-1.62
H-104	6/1/2025 8:21:16 AM	2.2	3.2	20.9	73.7	3.5	0.7			73.1	73.1	73.1	-1.22
H-1401W	6/1/2025 8:26:04 AM	53.6	32.5	2.2	11.7	5.3	1.6			75.0	75.2	75.2	-6.70
H-1404C	6/5/2025 10:34:17 AM	11.6	29.1	0.0	59.3	0.0	0.4			91.2	91.3	91.3	-0.06
H-1404C	6/20/2025 11:16:46 AM	32.4	37.1	0.0	30.5	0.0	0.9			102.9	103.4	103.4	-0.18
H-1405C	6/1/2025 1:15:10 PM	6.9	22.6	4.6	65.9	14.3	0.3			99.5	99.8	99.8	-0.07
H-1405C	6/18/2025 1:30:11 PM	12.0	25.6	0.6	61.8	103.0	0.5			107.9	108.0	108	-0.26
H-1406W	6/1/2025 10:14:33 AM	23.7	73.8	0.0	2.5	0.0	0.3			91.6	91.9	91.9	-3.60
H-1406W	6/18/2025 9:20:03 AM	22.3	77.7	0.0	0.0	0.0	0.3			93.8	91.5	93.8	-4.28
H-1408CR	6/10/2025 10:00:18 AM	31.9	46.2	0.0	21.9	0.0	0.7			115.0	114.3	115	-0.80
H-1408CR	6/10/2025 10:06:21 AM	30.2	46.9	0.0	22.8	0.0	0.6			113.6	112.3	113.6	-0.34
H-1408E	6/6/2025 11:16:32 AM	32.6	31.3	3.5	32.6	9.3	1.0			119.6	119.7	119.7	-0.63
H-1408E	6/18/2025 10:52:53 AM	34.5	32.6	2.5	30.4	12.2	1.1			118.3	118.3	118.3	-0.41
H-1408W	6/1/2025 9:18:19 AM	30.7	29.8	4.6	34.9	7.6	1.0			105.8	105.8	105.8	-0.01
H-1408W	6/17/2025 2:53:29 PM	55.7	44.3	0.0	0.0	0.0	1.3			114.6	115.0	115	-0.11
H-1409N	6/8/2025 10:53:47 AM	36.3	31.6	0.0	32.1	0.0	1.1			109.7	109.8	109.8	-0.43
H-1409N	6/20/2025 10:14:49 AM	35.4	34.9	0.0	29.7	0.0	1.0			111.1	112.1	112.1	-0.31
H-1410S	6/11/2025 11:17:40 AM	50.1	39.6	1.7	8.6	5.0	1.3			86.4	87.4	87.4	-10.39
H-1563N	6/4/2025 1:55:53 PM	53.5	43.9	0.0	2.6	0.0	1.2			104.6	104.1	104.6	-0.09
H-1563N	6/6/2025 11:11:47 AM	41.0	41.7	0.0	17.3	0.0	1.0			101.4	101.9	101.9	-0.66

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-1563N	6/18/2025 10:46:57 AM	44.9	40.5	0.0	14.6	0.0	1.1			107.3	107.2	107.3	-0.61
H-1563S	6/1/2025 1:12:10 PM	3.8	22.3	0.0	73.9	0.0	0.2			94.9	94.9	94.9	-0.13
H-1563S	6/18/2025 1:26:59 PM	5.5	24.5	0.0	70.0	0.0	0.2			104.4	104.4	104.4	-0.18
H-1565C	6/4/2025 3:07:10 PM	46.0	50.2	0.0	3.8	0.0	0.9			124.6	124.3	124.6	-3.70
H-1565C	6/22/2025 10:29:52 AM	48.7	47.3	0.0	4.0	0.0	1.0			123.5	122.2	123.5	-4.74
H-1565E	6/6/2025 11:25:18 AM	50.7	44.8	0.0	4.5	0.0	1.1			108.0	108.2	108.2	-1.88
H-1565E	6/18/2025 10:32:12 AM	52.9	43.2	0.0	3.9	0.0	1.2			106.6	106.6	106.6	-1.36
H-1568N	6/8/2025 10:34:31 AM	45.7	38.5	0.4	15.4	38.5	1.2			96.5	96.7	96.7	-0.60
H-1568N	6/22/2025 11:40:51 AM	41.3	40.3	0.0	18.4	0.0	1.0			106.7	107.4	107.4	-0.83
H-1571S	6/11/2025 2:30:49 PM	43.8	42.6	0.1	13.5	135.0	1.0			114.4	114.1	114.4	-1.30
H-1572N	6/11/2025 10:01:14 AM	42.0	38.9	0.6	18.5	30.8	1.1			76.8	76.9	76.9	-0.43
H-1572S	6/11/2025 2:44:42 PM	26.4	32.1	0.0	41.5	0.0	0.8			110.2	110.1	110.2	-0.50
H-1574N	6/1/2025 10:51:04 AM	32.5	47.9	1.1	18.5	16.8	0.7			96.2	96.3	96.3	-0.82
H-1574N	6/18/2025 10:00:54 AM	34.3	51.1	0.8	13.8	17.3	0.7			98.3	98.3	98.3	-1.01
H-1753S	6/4/2025 1:49:35 PM	55.3	41.8	0.0	2.9	0.0	1.3			94.0	94.3	94.3	-1.06
H-1753S	6/20/2025 8:28:25 AM	58.4	40.8	0.6	0.2	0.3	1.4			94.7	94.8	94.8	-0.51
H-1754S	6/4/2025 2:52:29 PM	48.2	48.8	0.3	2.7	9.0	1.0			83.9	84.2	84.2	-9.53
H-1755S	6/1/2025 10:26:17 AM	0.5	2.5	20.1	76.9	3.8	0.2			96.7	96.7	96.7	-1.15
H-1755S	6/1/2025 10:27:19 AM	0.5	2.3	19.9	77.3	3.9	0.2			96.3	96.3	96.3	-0.89
H-1755S	6/16/2025 10:58:02 AM	3.4	1.7	20.6	74.3	3.6	2.0			100.0	100.7	100.7	-0.13
H-1755S	6/16/2025 10:58:50 AM	3.1	1.4	20.5	75.0	3.7	2.2			103.6	103.7	103.7	-0.14
H-1756S	6/1/2025 2:14:37 PM	36.9	63.1	0.0	0.0	0.0	0.6			115.6	116.1	116.1	0.01
H-1756S	6/1/2025 2:15:42 PM	37.7	62.3	0.0	0.0	0.0	0.6			117.2	117.4	117.4	-0.08
H-1756S	6/18/2025 2:32:22 PM	42.8	57.2	0.0	0.0	0.0	0.7			120.4	120.6	120.6	-0.23
H-1757S	6/1/2025 1:19:20 PM	9.7	15.1	12.5	62.7	5.0	0.6			87.6	87.7	87.7	-0.30
H-1757S	6/1/2025 1:21:46 PM	1.8	5.2	19.8	73.2	3.7	0.3			88.9	88.9	88.9	-0.29

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-1757S	6/18/2025 1:38:30 PM	36.6	45.0	0.5	17.9	35.8	0.8			107.5	107.6	107.6	-0.22
H-1760S	6/5/2025 9:09:52 AM	22.8	40.5	0.0	36.7	0.0	0.6			79.1	77.5	79.1	-0.32
H-1760S	6/18/2025 1:18:52 PM	37.6	52.9	0.1	9.4	94.0	0.7			112.1	111.9	112.1	-1.21
H-1762N	6/3/2025 1:02:55 PM	56.1	42.0	0.0	1.9	0.0	1.3			110.3	109.9	110.3	-0.20
H-1762N	6/3/2025 1:03:57 PM	55.6	42.1	0.0	2.3	0.0	1.3			111.2	111.3	111.3	-0.49
H-1762N	6/16/2025 1:47:30 PM	51.5	41.0	0.0	7.5	0.0	1.3			109.5	110.3	110.3	-0.45
H-1763N	6/7/2025 1:37:21 PM	32.2	37.8	2.9	27.1	9.3	0.9			117.4	117.1	117.4	-0.57
H-1763S	6/10/2025 2:01:17 PM	21.1	32.3	0.2	46.4	232.0	0.7			107.8	107.8	107.8	-0.43
H-1764N	6/11/2025 1:51:19 PM	51.3	42.4	0.2	6.0	26.3	1.2			115.4	115.4	115.4	-7.72
H-1764S	6/11/2025 2:26:45 PM	39.6	39.3	2.3	18.8	8.2	1.0			95.1	95.4	95.4	-0.52
H-1767N	6/11/2025 3:40:14 PM	47.0	49.7	0.1	3.2	32.0	0.9			104.9	105.2	105.2	-0.46
H-1769N	6/5/2025 10:24:12 AM	17.7	44.2	0.0	38.1	0.0	0.4			97.5	98.6	98.6	-0.72
H-1769N	6/18/2025 3:17:06 PM	29.0	44.9	0.0	26.1	0.0	0.6			104.1	104.2	104.2	-0.37
H-1770A	6/5/2025 11:13:01 AM	32.6	66.1	0.0	1.3	0.0	0.5			124.2	124.8	124.8	-3.52
H-1770A	6/19/2025 9:58:23 AM	34.1	65.9	0.0	0.0	0.0	0.5			123.2	123.3	123.3	-3.01
H-1770N	6/5/2025 10:36:28 AM	31.5	64.8	0.3	3.4	11.3	0.5			86.4	88.2	88.2	-0.77
H-1770N	6/12/2025 8:55:00 AM							130					
H-1770N	6/12/2025 8:55:00 AM												
H-1770N	6/18/2025 3:29:40 PM	30.5	69.5	0.0	0.0	0.0	0.4			103.9	103.9	103.9	-0.38
H-1770S	6/1/2025 1:39:40 PM	33.9	47.4	0.0	18.7	0.0	0.7			114.1	114.4	114.4	-0.83
H-1770S	6/18/2025 2:03:11 PM	45.4	45.8	0.0	8.8	0.0	1.0			120.5	120.8	120.8	-0.51
H-1771A	6/5/2025 12:18:26 PM	55.9	43.9	0.2	0.0	0.0	1.3			120.4	121.3	121.3	-0.14
H-1771B	6/5/2025 2:15:27 PM	41.6	56.9	0.0	1.5	0.0	0.7			117.2	116.7	117.2	-1.29

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-1771N	6/7/2025 11:19:29 AM	44.2	34.7	3.4	17.7	5.2	1.3			81.6	81.5	81.6	-0.67
H-1771N	6/26/2025 8:12:34 AM	39.9	34.1	4.7	21.3	4.5	1.2			77.4	77.4	77.4	-0.50
H-1771N	6/30/2025 12:10:59 PM	42.6	35.6	3.0	18.7	6.2	1.2			95.9	95.9	95.9	-0.18
H-1772N	6/6/2025 1:22:36 PM	19.4	64.4	2.9	13.3	4.6	0.3			83.6	83.7	83.7	0.01
H-1772N	6/6/2025 1:26:45 PM	14.4	48.1	7.5	30.0	4.0	0.3			84.1	84.2	84.2	-0.67
H-1772N	6/18/2025 9:52:34 AM	19.6	69.7	1.6	9.1	5.7	0.3			98.2	98.6	98.6	-1.25
H-1774N	6/5/2025 3:57:11 PM	42.1	46.3	0.0	11.6	0.0	0.9			101.3	104.7	104.7	-1.30
H-1774N	6/19/2025 2:11:41 PM	42.3	53.0	0.0	4.7	0.0	0.8			105.0	105.3	105.3	-1.15
H-1801S	6/11/2025 9:39:33 AM	47.1	46.7	0.0	6.2	0.0	1.0			113.8	114.0	114	-1.14
H-1802S	6/3/2025 2:16:56 PM	56.0	44.0	0.0	0.0	0.0	1.3			94.6	100.0	100	-0.12
H-1802S	6/13/2025 2:46:46 PM	61.1	38.9	0.0	0.0	0.0	1.6			108.9	116.7	116.7	0.02
H-1802S	6/13/2025 2:48:11 PM	61.2	38.8	0.0	0.0	0.0	1.6			118.2	118.3	118.3	-0.10
H-1803N	6/5/2025 10:22:07 AM	7.9	72.4	1.0	18.7	18.7	0.1			191.7	191.7	191.7	-3.40
H-1803N	6/5/2025 10:25:00 AM							3000					
H-1803N	6/5/2025 10:25:00 AM												
H-1803N	6/10/2025 8:19:11 AM	1.5	73.2	1.3	24.0	18.5	0.0			192.0	192.1	192.1	-1.21
H-1803N	6/10/2025 8:20:00 AM							4710					
H-1803N	6/17/2025 8:29:30 AM	1.5	74.7	1.3	22.5	17.3	0.0			192.3	192.3	192.3	-0.60

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-1803N	6/27/2025 2:36:17 PM	1.4	66.4	3.2	29.0	9.1	0.0			193.4	193.6	193.6	-0.49
H-1804A	6/7/2025 3:12:27 PM	1.0	4.9	19.9	74.2	3.7	0.2			95.0	95.8	95.8	-5.63
H-1804A	6/7/2025 3:13:36 PM	0.5	2.0	20.8	76.7	3.7	0.3			95.4	95.4	95.4	-1.18
H-1804A	6/18/2025 2:26:28 PM	25.2	74.8	0.0	0.0	0.0	0.3			107.6	107.5	107.6	-0.48
H-1804B	6/9/2025 11:09:45 AM	57.6	39.8	0.1	2.5	25.0	1.4			107.5	107.8	107.8	-8.05
H-1804B	6/30/2025 12:45:40 PM	56.3	40.6	0.0	3.1	0.0	1.4			108.9	109.0	109	-4.00
H-1804B	6/30/2025 1:00:10 PM	54.8	40.9	0.2	4.2	28.1	1.3			109.5	109.5	109.5	-4.91
H-1804N	6/5/2025 2:45:23 PM	46.3	37.0	1.3	15.4	11.8	1.3			115.6	115.4	115.6	-5.70
H-1804S	6/11/2025 2:02:54 PM	52.5	43.8	0.1	3.7	40.6	1.2			92.3	94.3	94.3	-13.42
H-1804S	6/11/2025 2:07:39 PM	52.7	44.3	0.0	3.0	0.0	1.2			112.4	112.5	112.5	-16.78
H-1805A	6/10/2025 11:07:14 AM	26.9	68.3	0.0	4.8	0.0	0.4			130.4	130.6	130.6	-1.66
H-1805B	6/6/2025 3:10:02 PM	43.8	42.1	0.9	13.2	14.7	1.0			89.6	89.4	89.6	-4.02
H-1805S	6/20/2025 2:10:08 PM	56.1	40.6	0.0	3.3	0.0	1.4			125.1	125.5	125.5	-3.82
H-1806A	6/12/2025 2:14:21 PM	41.0	40.8	0.0	18.3	0.0	1.0			114.1	113.9	114.1	-0.62
H-1806A	6/12/2025 2:32:48 PM	40.6	39.6	0.0	19.8	0.0	1.0			112.7	112.8	112.8	-0.58
H-1806B	6/11/2025 10:08:09 AM	10.7	21.4	0.9	67.0	74.4	0.5			74.9	74.9	74.9	-0.52
H-1806N	6/5/2025 2:26:47 PM	47.9	42.9	0.0	9.2	0.0	1.1			129.0	129.2	129.2	-2.34
H-1806S	6/23/2025 9:18:49 AM	50.4	49.0	0.0	0.6	0.0	1.0			110.3	110.4	110.4	-0.46
H-1807A	6/11/2025 12:51:57 PM	54.0	43.9	0.0	2.1	0.0	1.2			116.6	116.9	116.9	-9.00
H-1807N	6/5/2025 2:01:13 PM	3.9	3.8	16.8	75.5	4.5	1.0			95.3	94.9	95.3	-0.38

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-1807N	6/5/2025 2:01:55 PM	4.0	3.9	16.7	75.4	4.5	1.0			93.8	93.6	93.8	-0.30
H-1807S	6/11/2025 9:24:28 AM	37.4	36.0	0.8	25.8	32.3	1.0			84.8	83.9	84.8	-5.52
H-1952S	6/4/2025 3:21:21 PM	51.9	45.9	0.0	2.2	0.0	1.1			115.7	117.1	117.1	0.57
H-1952S	6/4/2025 3:22:24 PM	52.1	46.9	0.0	1.0	0.0	1.1			118.1	118.2	118.2	-0.10
H-1952S	6/22/2025 11:09:17 AM	53.2	43.5	0.0	3.3	0.0	1.2			121.7	121.7	121.7	-4.63
H-1953N	6/5/2025 11:52:16 AM	44.2	54.7	1.1	0.0	0.0	0.8			127.9	128.0	128	-2.61
H-1954C	6/7/2025 3:05:09 PM	36.9	41.3	0.0	21.8	0.0	0.9			95.6	96.0	96	-1.08
H-1954C	6/18/2025 1:37:51 PM	43.2	43.2	0.0	13.6	0.0	1.0			108.5	108.7	108.7	-0.98
H-1955C	6/12/2025 1:47:52 PM	48.2	48.6	0.0	3.2	0.0	1.0			90.4	92.1	92.1	-0.81
H-1955N	6/5/2025 2:48:30 PM	30.9	33.0	0.0	36.1	0.0	0.9			97.2	96.9	97.2	-2.27
H-1956B	6/9/2025 11:23:43 AM	46.3	45.9	0.0	7.8	0.0	1.0			114.3	114.3	114.3	-2.39
H-1956N	6/5/2025 2:31:19 PM	34.7	33.9	0.0	31.4	0.0	1.0			115.2	114.9	115.2	-3.20
H-1956S	6/3/2025 2:05:10 PM	53.6	46.4	0.0	0.0	0.0	1.2			109.6	109.9	109.9	-0.80
H-1957B	6/11/2025 8:44:15 AM	35.3	30.4	2.7	31.6	11.7	1.2			103.5	103.3	103.5	-1.08
H-1957N	6/5/2025 2:17:02 PM	44.9	34.8	1.3	19.0	14.6	1.3			118.3	118.2	118.3	-1.21
H-1957S	6/11/2025 9:44:02 AM	43.3	49.7	0.0	7.0	0.0	0.9			115.9	116.7	116.7	-1.88
H-1958C	6/11/2025 12:45:41 PM	36.0	33.3	0.3	30.4	101.3	1.1			120.1	120.0	120.1	-0.76
H-1958N	6/5/2025 1:57:57 PM	11.7	21.6	0.3	66.4	221.3	0.5			108.9	108.9	108.9	-0.78
H-1958S	6/11/2025 9:16:45 AM	33.0	31.9	1.7	33.4	19.6	1.0			126.4	125.7	126.4	-2.13
H-1962N	6/5/2025 10:40:20 AM	15.9	84.1	0.0	0.0	0.0	0.2			101.4	101.7	101.7	-4.72
H-1962N	6/17/2025 1:20:33 PM	15.1	73.9	0.1	10.9	109.0	0.2			120.1	119.3	120.1	-4.63

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-1962N	6/18/2025 3:33:02 PM	15.3	84.7	0.0	0.0	0.0	0.2			107.6	108.0	108	-1.66
H-1963N	6/5/2025 10:21:11 AM	36.2	60.9	0.0	2.9	0.0	0.6			119.4	120.5	120.5	-1.14
H-1963N	6/18/2025 3:13:14 PM	38.8	61.2	0.0	0.0	0.0	0.6			122.7	122.8	122.8	-0.29
H-1964S	6/4/2025 2:56:49 PM	50.9	43.3	0.0	5.8	0.0	1.2			111.1	111.1	111.1	-0.06
H-1964S	6/17/2025 2:13:48 PM	49.0	45.8	0.0	5.2	0.0	1.1			120.7	124.8	124.8	0.16
H-1964S	6/17/2025 2:14:25 PM	50.5	44.3	0.0	5.2	0.0	1.1			125.3	125.3	125.3	-0.21
H-1965S	6/6/2025 10:38:16 AM	52.4	47.6	0.0	0.0	0.0	1.1			82.0	88.2	88.2	0.13
H-1965S	6/6/2025 10:39:32 AM	53.5	46.5	0.0	0.0	0.0	1.2			90.4	90.4	90.4	-0.04
H-1965S	6/22/2025 10:56:20 AM	35.2	33.7	0.0	31.1	0.0	1.0			110.6	111.1	111.1	-3.32
H-1966N	6/5/2025 3:53:19 PM	30.8	40.2	0.0	29.0	0.0	0.8			104.1	105.0	105	-0.34
H-1966N	6/19/2025 2:07:54 PM	32.9	44.5	0.0	22.6	0.0	0.7			106.7	107.4	107.4	-0.62
H-1967E	6/10/2025 1:31:38 PM	37.2	29.2	6.7	26.9	4.0	1.3			110.6	108.9	110.6	-11.41
H-1967E	6/10/2025 1:32:48 PM	35.9	28.8	7.2	28.1	3.9	1.2			108.8	108.8	108.8	-1.14
H-1967W	6/1/2025 7:41:51 AM	56.6	41.3	0.0	2.1	0.0	1.4			93.5	94.6	94.6	-0.83
H-2050E	6/11/2025 9:09:41 AM	56.8	41.4	0.0	1.9	0.0	1.4			103.9	103.6	103.9	-18.58
H-2050W	6/11/2025 7:35:37 AM	55.8	42.5	0.0	1.7	0.0	1.3			58.7	76.1	76.1	0.25
H-2050W	6/11/2025 7:38:47 AM	54.7	42.4	0.0	2.9	0.0	1.3			83.4	84.8	84.8	-0.08
H-2051W	6/25/2025 9:20:22 AM	56.7	42.6	0.0	0.7	0.0	1.3			82.4	82.0	82.4	-6.34
H-2053E	6/11/2025 12:00:52 PM	53.2	41.3	0.0	5.6	0.0	1.3			122.8	122.8	122.8	-7.72
H-2053W	6/1/2025 8:07:39 AM	57.4	38.5	0.0	4.1	0.0	1.5			94.6	94.9	94.9	-4.99
H-2055E	6/8/2025 12:05:22 PM	23.1	27.3	0.0	49.6	0.0	0.8			94.1	94.7	94.7	-0.35
H-2055E	6/22/2025 12:15:30 PM	18.4	30.2	0.0	51.4	0.0	0.6			101.0	101.2	101.2	-0.04
H-2056B	6/22/2025 10:16:25 AM	36.4	38.5	0.0	25.1	0.0	0.9			107.3	107.2	107.3	-2.27

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-2056B	6/22/2025 10:19:32 AM	36.9	40.4	0.0	22.7	0.0	0.9			106.9	106.9	106.9	-1.36
H-2056W	6/1/2025 7:38:12 AM	54.7	42.8	0.0	2.5	0.0	1.3			90.3	90.4	90.4	-4.33
H-2057E	6/11/2025 11:57:58 AM	54.7	40.4	0.3	4.6	14.3	1.4			94.8	94.9	94.9	-9.60
H-2057W	6/1/2025 7:56:09 AM	53.7	39.8	0.4	6.1	15.3	1.3			75.1	75.3	75.3	-4.37
H-2058E	6/11/2025 11:42:24 AM	53.1	39.3	0.0	7.6	0.0	1.4			109.4	109.5	109.5	-8.06
H-2058W	6/1/2025 7:32:48 AM	56.7	36.6	0.0	6.7	0.0	1.5			98.6	98.8	98.8	-2.21
H-2059E	6/11/2025 10:48:08 AM	52.8	40.3	0.7	6.1	8.2	1.3			119.4	119.4	119.4	-15.24
H-2059W	6/1/2025 8:52:35 AM	51.4	43.4	0.0	5.2	0.0	1.2			122.8	123.1	123.1	-2.81
H-2160E	6/11/2025 11:29:36 AM	54.6	42.4	0.0	3.0	0.0	1.3			122.2	122.2	122.2	-3.21
H-2161E	6/11/2025 10:53:30 AM	54.5	43.5	0.0	2.0	0.0	1.3			123.4	123.4	123.4	-1.66
H-2161W	6/1/2025 8:49:36 AM	56.2	40.8	0.0	3.0	0.0	1.4			111.5	110.5	111.5	-4.65
H-2162A	6/4/2025 10:30:10 AM	0.2	6.8	12.9	80.1	6.2	0.0			99.8	97.1	99.8	-0.08
H-2162A	6/4/2025 10:31:46 AM	0.2	6.6	13.3	79.9	6.0	0.0			89.6	89.4	89.6	-0.08
H-2162A	6/19/2025 11:17:22 AM	35.7	32.5	4.2	27.7	6.7	1.1			88.2	88.4	88.4	-0.04
H-2163C	6/4/2025 12:42:45 PM	36.2	61.8	0.0	2.0	0.0	0.6			106.6	106.6	106.6	-0.04
H-2163C	6/20/2025 9:03:36 AM	30.9	58.2	0.0	10.9	0.0	0.5			101.4	100.6	101.4	-0.84
H-2163W	6/1/2025 9:02:07 AM	42.4	44.9	0.0	12.7	0.0	0.9			119.4	119.6	119.6	-1.62
H-2163W	6/17/2025 2:48:35 PM	52.2	47.8	0.0	0.0	0.0	1.1			118.3	118.5	118.5	-0.01
H-2164A	6/4/2025 1:07:31 PM	33.8	63.5	0.0	2.7	0.0	0.5			91.5	90.0	91.5	-0.74
H-2164A	6/4/2025 1:10:25 PM	34.5	62.9	0.0	2.6	0.0	0.5			89.5	89.5	89.5	-0.04
H-2164A	6/20/2025 9:17:31 AM	40.6	57.5	0.0	1.9	0.0	0.7			86.8	87.0	87	-0.16
H-2164E	6/8/2025 11:51:25 AM	57.2	42.7	0.1	0.0	0.0	1.3			116.9	117.0	117	-0.45
H-2164E	6/22/2025 12:25:31 PM	30.9	36.2	0.2	32.8	218.7	0.9			119.5	119.4	119.5	-0.13

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-2165E	6/11/2025 3:22:07 PM	43.1	43.2	0.1	13.6	136.0	1.0			117.0	116.9	117	-1.24
H-2165W	6/1/2025 10:02:02 AM	30.0	67.6	0.0	2.4	0.0	0.4			93.6	93.9	93.9	-0.07
H-2165W	6/9/2025 8:30:00 AM							65					
H-2165W	6/9/2025 8:30:00 PM												
H-2165W	6/18/2025 9:10:39 AM	30.1	66.4	0.0	3.5	0.0	0.5			95.5	94.8	95.5	-0.70
H-2166C	6/5/2025 2:38:05 PM	38.4	40.3	0.0	21.3	0.0	1.0			116.0	116.0	116	-0.98
H-2166E	6/12/2025 1:42:50 PM	42.3	42.8	0.0	14.9	0.0	1.0			122.0	122.4	122.4	-1.45
H-2167A	6/7/2025 2:25:23 PM	34.4	65.6	0.0	0.0	0.0	0.5			108.9	109.2	109.2	-0.53
H-2167A	6/18/2025 1:09:32 PM	45.1	53.2	0.0	1.7	0.0	0.8			112.0	112.0	112	-0.32
H-2167A	6/30/2025 1:13:07 PM	37.9	58.1	0.0	4.0	0.0	0.7			113.1	112.9	113.1	-0.31
H-2167E	6/11/2025 8:29:26 AM	10.7	17.6	10.1	61.6	6.1	0.6			71.6	71.6	71.6	-0.66
H-2167E	6/11/2025 8:30:50 AM	5.5	10.0	16.3	68.2	4.2	0.6			71.5	71.5	71.5	-0.42
H-2167W	6/4/2025 7:32:06 AM	37.0	62.8	0.0	0.2	0.0	0.6			103.5	103.9	103.9	-1.07
H-2167W	6/19/2025 1:21:44 PM	39.5	57.1	0.0	3.4	0.0	0.7			110.7	111.1	111.1	-0.46
H-2168A	6/7/2025 2:02:54 PM	47.7	40.9	1.6	9.8	6.1	1.2			82.5	83.1	83.1	-0.32
H-2168A	6/16/2025 11:20:32 AM	46.8	35.5	2.9	14.8	5.1	1.3			92.5	92.5	92.5	-0.18
H-2168C	6/9/2025 11:19:29 AM	56.1	39.5	0.0	4.4	0.0	1.4			90.3	90.4	90.4	-5.37
H-2168E	6/11/2025 8:39:22 AM	27.7	42.6	0.1	29.6	296.0	0.7			117.2	118.0	118	-1.03
H-2169C	6/13/2025 3:27:48 PM	58.5	41.5	0.0	0.0	0.0	1.4			106.4	106.5	106.5	-0.87
H-2169E	6/11/2025 8:48:15 AM	22.7	27.5	0.0	49.8	0.0	0.8			100.9	101.0	101	-0.53
H-2169E	6/13/2025 2:28:47 PM	31.6	40.5	0.0	27.9	0.0	0.8			112.7	113.0	113	-0.15

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-2170N	6/5/2025 3:27:36 PM	50.3	39.5	0.0	10.2	0.0	1.3			117.8	118.2	118.2	-0.95
H-2170S	6/5/2025 3:43:29 PM	45.2	37.5	0.3	17.0	56.7	1.2			110.5	110.4	110.5	-5.38
H-2171A	6/21/2025 9:40:13 AM	46.7	36.3	0.0	17.0	0.0	1.3			101.1	101.5	101.5	-1.00
H-2171B	6/21/2025 9:30:54 AM	53.6	38.5	0.0	7.9	0.0	1.4			117.1	117.1	117.1	-1.40
H-2171N	6/21/2025 9:44:24 AM	34.3	32.5	1.0	32.2	32.2	1.1			117.9	117.9	117.9	-1.20
H-2171S	6/5/2025 3:29:51 PM	51.4	42.4	0.0	6.2	0.0	1.2			120.7	120.9	120.9	-1.33
H-2272W	6/1/2025 9:32:38 AM	45.1	43.5	0.0	11.4	0.0	1.0			116.4	116.6	116.6	-0.89
H-2272W	6/25/2025 8:58:07 AM	45.7	44.2	0.0	10.1	0.0	1.0			118.0	117.3	118	-0.85
H-2273W	6/1/2025 2:19:52 PM	47.0	53.0	0.0	0.0	0.0	0.9			129.3	129.8	129.8	-0.31
H-2273W	6/9/2025 8:50:00 AM												
H-2273W	6/9/2025 8:50:00 AM							49					
H-2273W	6/18/2025 2:36:07 PM	50.4	49.6	0.0	0.0	0.0	1.0			123.4	125.9	125.9	-0.10
H-2274B	6/8/2025 11:17:12 AM	56.1	43.2	0.0	0.7	0.0	1.3			113.9	114.1	114.1	-2.00
H-2274B	6/20/2025 10:23:50 AM	50.1	46.0	0.0	3.9	0.0	1.1			115.5	116.1	116.1	-1.80
H-2274W	6/1/2025 2:09:47 PM	42.9	52.0	0.0	5.1	0.0	0.8			125.2	125.6	125.6	-0.15
H-2274W	6/18/2025 2:29:06 PM	48.9	51.1	0.0	0.0	0.0	1.0			126.6	127.0	127	-0.22
H-2275C	6/5/2025 1:16:19 PM	40.9	55.5	0.1	3.5	38.7	0.7			103.3	103.5	103.5	-0.03
H-2275E	6/10/2025 1:55:46 PM	40.7	46.4	0.0	12.9	0.0	0.9			123.7	123.7	123.7	-1.88
H-2275W	6/1/2025 1:00:32 PM	13.0	28.1	0.5	58.4	116.8	0.5			115.7	115.7	115.7	-0.66
H-2275W	6/18/2025 1:04:14 PM	36.3	45.7	0.4	17.6	44.0	0.8			118.3	118.3	118.3	-0.53
H-2276A	6/29/2025 9:14:12 AM	50.7	43.5	0.0	5.8	0.0	1.2			97.3	97.4	97.4	-0.95
H-2276B	6/8/2025 10:50:20 AM	53.4	37.8	0.2	8.6	43.0	1.4			107.8	108.0	108	-1.12
H-2276B	6/20/2025 10:11:16 AM	47.2	40.4	0.0	12.4	0.0	1.2			108.9	109.7	109.7	-1.00
H-2276E	6/20/2025 2:07:52 PM	48.1	40.7	0.0	11.2	0.0	1.2			121.1	121.7	121.7	-0.25

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-2276W	6/1/2025 1:25:30 PM	35.0	61.4	0.0	3.6	0.0	0.6			88.8	88.9	88.9	-0.21
H-2276W	6/18/2025 1:42:24 PM	37.2	61.2	0.0	1.6	0.0	0.6			105.2	105.2	105.2	-0.28
H-2277A	6/29/2025 9:22:59 AM	53.1	43.4	2.0	1.5	0.8	1.2			92.1	92.2	92.2	-3.55
H-2277B	6/6/2025 2:55:06 PM	45.3	41.2	0.0	13.5	0.0	1.1			108.9	109.2	109.2	-0.98
H-2277B	6/22/2025 1:32:27 PM	46.4	38.7	0.0	14.9	0.0	1.2			108.8	108.9	108.9	-0.82
H-23 (EXP-23)	6/25/2025 9:08:31 AM	63.4	34.5	0.1	2.0	20.0	1.8			82.5	86.8	86.8	0.57
H-23 (EXP-23)	6/25/2025 9:09:18 AM	61.3	32.9	0.2	5.6	28.0	1.9			86.7	86.7	86.7	-2.70
H-2301E	6/23/2025 12:21:45 PM	51.4	43.4	0.3	5.0	17.2	1.2			111.6	111.6	111.6	-1.35
H-2301E	6/23/2025 12:27:25 PM	51.1	43.2	0.5	5.1	10.5	1.2			111.7	111.7	111.7	-1.51
H-2302C	6/11/2025 8:36:19 AM	56.6	40.6	0.0	2.8	0.0	1.4			106.9	107.1	107.1	-0.61
H-2302E	6/18/2025 4:18:16 PM	58.5	41.5	0.0	0.0	0.0	1.4			115.3	114.9	115.3	1.10
H-2302E	6/18/2025 4:25:01 PM	56.9	43.1	0.0	0.0	0.0	1.3			114.3	114.3	114.3	1.11
H-2303E	6/23/2025 12:10:27 PM	53.9	41.3	0.6	4.2	6.7	1.3			91.3	91.3	91.3	-1.35
H-2303N	6/11/2025 8:55:36 AM	53.1	42.6	0.0	4.3	0.0	1.2			98.3	98.4	98.4	-1.02
H-2304S	6/23/2025 12:41:19 PM	51.6	45.3	0.1	3.0	27.5	1.1			128.1	128.2	128.2	-0.29
H-2305N	6/11/2025 8:50:22 AM	54.3	43.4	0.0	2.3	0.0	1.3			82.8	83.0	83	-2.41
H-2305S	6/23/2025 12:47:30 PM	52.1	45.3	0.2	2.4	16.3	1.2			125.8	125.8	125.8	-0.17
H-2306N	6/11/2025 9:01:36 AM	51.1	41.6	0.0	7.3	0.0	1.2			110.8	110.9	110.9	-4.03
H-2306S	6/11/2025 9:20:15 AM	50.5	46.7	0.0	2.8	0.0	1.1			82.1	82.6	82.6	1.10
H-2306S	6/11/2025 9:22:08 AM	9.0	10.5	16.1	64.4	4.0	0.9			82.4	82.4	82.4	-0.24

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-2306S	6/11/2025 9:31:57 AM	40.5	33.2	4.6	21.7	4.8	1.2			82.4	81.3	82.4	1.74
H-2306S	6/11/2025 9:34:31 AM	38.0	36.3	4.6	21.2	4.6	1.0			82.3	83.0	83	-0.03
H-2309N	6/10/2025 9:39:17 AM	11.6	13.0	15.7	59.8	3.8	0.9			79.7	79.8	79.8	-0.10
H-2309N	6/10/2025 9:40:22 AM	11.9	13.5	15.4	59.2	3.8	0.9			79.9	79.9	79.9	-0.05
H-2309S	6/11/2025 8:41:50 AM	54.7	43.0	0.0	2.3	0.0	1.3			113.8	113.9	113.9	-1.20
H-2402N	6/4/2025 10:58:38 AM	51.4	44.7	0.1	3.8	38.0	1.1			100.3	100.1	100.3	-0.04
H-2402N	6/9/2025 10:07:37 AM	52.0	48.0	0.0	0.0	0.0	1.1			102.0	105.1	105.1	-0.04
H-2402S	6/23/2025 10:22:39 AM	50.3	42.7	0.4	6.6	17.3	1.2			105.9	106.0	106	-0.36
H-2403N	6/4/2025 11:09:05 AM	53.3	44.7	0.0	2.0	0.0	1.2			110.9	110.7	110.9	-0.02
H-2403N	6/8/2025 9:47:16 AM	54.9	43.8	0.0	1.3	0.0	1.3			107.4	107.5	107.5	-0.05
H-2404N	6/4/2025 1:10:01 PM	55.4	43.0	0.0	1.6	0.0	1.3			104.3	104.3	104.3	-0.23
H-2404S	6/11/2025 9:46:15 AM	56.2	42.4	0.0	1.4	0.0	1.3			105.4	105.4	105.4	-1.12
H-2405N	6/8/2025 10:30:30 AM	36.4	51.8	0.0	11.9	0.0	0.7			113.2	113.2	113.2	-0.40
H-2405N	6/8/2025 10:35:14 AM	37.4	51.5	0.0	11.1	0.0	0.7			111.7	110.7	111.7	-0.29
H-29	6/5/2025 3:37:51 PM	29.2	44.2	0.0	26.6	0.0	0.7			128.9	128.5	128.9	-1.89
H-31	6/21/2025 9:05:47 AM	50.1	37.3	0.2	12.4	62.0	1.3			74.0	74.3	74.3	-7.91
H-72	6/21/2025 9:57:55 AM	55.8	42.3	0.0	1.9	0.0	1.3			90.6	90.9	90.9	-0.15

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
H-74	6/5/2025 3:05:44 PM	51.8	42.9	0.0	5.3	0.0	1.2			98.5	98.5	98.5	-3.59
H-79	6/11/2025 1:33:13 PM	44.9	51.4	0.0	3.7	0.0	0.9			132.0	132.9	132.9	-0.99
H-79	6/11/2025 1:35:13 PM	47.1	51.6	0.0	1.3	0.0	0.9			133.4	133.4	133.4	-0.85
P-02R	6/6/2025 1:03:14 PM	24.4	27.3	0.0	48.3	0.0	0.9			84.1	84.1	84.1	-0.17
P-02R	6/6/2025 1:10:09 PM	11.7	21.3	0.3	66.7	222.3	0.5			93.0	93.1	93.1	-7.01
P-03R	6/6/2025 1:12:39 PM	41.6	30.6	0.0	27.8	0.0	1.4			98.5	98.6	98.6	-0.40
P-04	6/2/2025 10:56:07 AM	30.0	31.2	0.2	38.6	193.0	1.0			103.8	103.9	103.9	-1.67
P-05	6/2/2025 11:00:24 AM	39.9	34.9	0.0	25.2	0.0	1.1			100.0	100.0	100	-0.21
P-06R	6/6/2025 8:03:22 AM	46.8	34.6	0.0	18.6	0.0	1.4			107.0	107.4	107.4	-0.70
P-07R	6/6/2025 1:19:11 PM	43.2	27.6	0.0	29.2	0.0	1.6			87.2	87.3	87.3	-0.76
P-08R	6/6/2025 1:00:11 PM	53.8	35.4	0.0	10.8	0.0	1.5			99.8	99.8	99.8	-13.03
P-09	6/2/2025 12:38:15 PM	36.8	34.1	0.0	29.1	0.0	1.1			107.5	107.5	107.5	-1.49
P-10	6/2/2025 12:44:09 PM	32.9	33.7	0.0	33.4	0.0	1.0			94.4	94.7	94.7	-0.51
P-11	6/2/2025 12:50:36 PM	44.3	36.3	0.0	19.4	0.0	1.2			103.5	103.5	103.5	-0.24
P-12	6/6/2025 7:54:53 AM	53.5	36.2	0.0	10.3	0.0	1.5			82.8	82.8	82.8	-8.40
P-13	6/6/2025 7:58:23 AM	48.9	33.0	0.0	18.1	0.0	1.5			76.0	76.7	76.7	-0.60
P-14	6/2/2025 1:05:07 PM	27.6	27.4	0.4	44.6	111.5	1.0			87.4	87.4	87.4	-0.13
P-15R	6/2/2025 1:10:43 PM	47.8	34.4	0.0	17.8	0.0	1.4			94.4	94.2	94.4	-0.82

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
P-16	6/6/2025 8:15:07 AM	54.2	36.5	0.0	9.3	0.0	1.5			84.3	88.7	88.7	-1.25
P-17	6/2/2025 2:14:09 PM	42.4	34.2	0.0	23.4	0.0	1.2			109.7	109.7	109.7	-0.16
P-18RD	6/2/2025 2:09:13 PM	46.1	33.3	0.0	20.6	0.0	1.4			93.5	93.5	93.5	-0.43
P-18RS	6/2/2025 2:01:23 PM	45.9	35.8	0.0	18.3	0.0	1.3			94.6	94.6	94.6	-0.42
P-19	6/6/2025 8:19:25 AM	39.7	31.5	0.0	28.8	0.0	1.3			84.1	84.1	84.1	-0.90
P-20R	6/2/2025 1:54:17 PM	54.0	37.5	0.0	8.5	0.0	1.4			95.6	95.6	95.6	-0.08
P-21	6/2/2025 1:49:06 PM	45.4	34.5	0.1	20.0	200.0	1.3			94.4	94.4	94.4	-0.56
P-21RD	6/6/2025 8:30:55 AM	57.9	37.4	0.0	4.7	0.0	1.5			99.9	100.7	100.7	-0.81
P-21RD	6/18/2025 11:39:08 AM	50.1	39.3	0.5	10.2	22.6	1.3			105.1	106.6	106.6	-4.64
P-21RD	6/19/2025 2:07:41 PM	50.1	40.0	0.3	9.7	37.4	1.3			102.2	102.5	102.5	-6.11
P-21RD	6/21/2025 8:47:46 AM	48.5	38.7	0.1	12.7	127.0	1.3			99.5	99.7	99.7	-7.98
P-21RS	6/6/2025 8:28:40 AM	53.1	38.1	0.2	8.6	43.0	1.4			84.8	85.7	85.7	-1.39
P-21RS	6/18/2025 11:21:25 AM	54.2	41.9	0.0	4.0	0.0	1.3			110.1	111.2	111.2	-2.45
P-21RS	6/18/2025 11:28:01 AM	53.9	41.9	0.3	3.9	14.9	1.3			110.5	110.6	110.6	-2.72
P-21RS	6/19/2025 2:03:51 PM	54.4	42.4	0.0	3.2	0.0	1.3			109.2	109.2	109.2	-2.72
P-21RS	6/21/2025 8:43:41 AM	48.4	39.9	0.0	11.7	0.0	1.2			106.9	106.9	106.9	-3.80
P-22RD	6/6/2025 1:29:25 PM	51.0	41.3	0.0	7.7	0.0	1.2			115.1	115.0	115.1	-2.38
P-22RD	6/18/2025 9:31:59 AM	47.5	43.5	0.6	8.5	15.4	1.1			119.7	122.5	122.5	-3.57

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
P-22RD	6/19/2025 2:26:23 PM	49.8	44.0	0.2	6.0	27.2	1.1			122.6	122.4	122.6	-6.67
P-22RD	6/21/2025 9:46:49 AM	51.0	42.9	0.0	6.1	0.0	1.2			120.9	121.0	121	-8.78
P-22RS	6/6/2025 1:27:30 PM	47.3	35.9	0.0	16.8	0.0	1.3			115.6	116.4	116.4	-0.13
P-22RS	6/18/2025 9:21:01 AM	38.4	36.7	1.0	24.0	24.0	1.0			121.6	121.6	121.6	-4.07
P-22RS	6/19/2025 2:22:37 PM	37.6	36.2	0.2	26.0	136.9	1.0			119.8	119.9	119.9	-4.82
P-22RS	6/21/2025 9:31:11 AM	31.8	32.0	0.0	36.2	0.0	1.0			118.4	119.0	119	-6.07
P-23	6/2/2025 1:23:49 PM	40.1	33.7	0.0	26.2	0.0	1.2			98.6	98.7	98.7	-0.27
P-23	6/18/2025 11:47:21 AM	22.5	31.6	0.0	45.9	0.0	0.7			104.4	104.2	104.4	-0.88
P-23	6/19/2025 1:59:17 PM	17.2	29.6	0.4	52.8	142.6	0.6			103.3	103.3	103.3	-6.25
P-23	6/21/2025 8:37:24 AM	9.3	25.0	0.8	64.9	81.1	0.4			102.6	102.9	102.9	-8.76
P-23	6/21/2025 2:23:11 PM	10.4	23.8	0.6	65.2	108.7	0.4			102.8	102.2	102.8	-7.25
P-23	6/21/2025 2:38:43 PM	4.6	21.8	0.8	72.8	91.0	0.2			100.7	100.1	100.7	-1.40
P-24	6/6/2025 8:38:12 AM	50.3	37.4	0.0	12.3	0.0	1.3			82.2	82.2	82.2	-0.48
P-24	6/18/2025 7:54:09 AM	38.8	37.4	0.0	23.8	0.0	1.0			89.5	89.4	89.5	-1.63
P-24	6/18/2025 8:02:13 AM	38.3	37.5	0.0	24.2	0.0	1.0			89.1	89.2	89.2	-1.16
P-24	6/19/2025 2:12:27 PM	32.6	36.9	0.0	30.5	3050.0	0.9			92.2	92.2	92.2	-1.08
P-24	6/21/2025 12:02:48 AM	22.9	31.4	0.0	45.7	0.0	0.7			89.2	89.3	89.3	-1.78
P-24	6/21/2025 8:55:08 AM	23.8	32.8	0.0	43.4	0.0	0.7			88.1	88.4	88.4	-1.78
P-24	6/21/2025 2:33:53 PM	22.5	31.6	0.0	45.9	0.0	0.7			89.6	88.7	89.6	-2.15
P-26	6/6/2025 8:44:17 AM	50.2	34.3	0.0	15.5	0.0	1.5			83.0	83.1	83.1	-4.52

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
P-26	6/19/2025 2:44:05 PM	46.2	38.1	0.2	15.5	81.4	1.2			86.8	86.4	86.8	-3.48
P-26	6/21/2025 9:08:47 AM	45.5	37.1	0.0	17.4	0.0	1.2			84.1	83.5	84.1	-5.61
P-27	6/6/2025 8:47:22 AM	11.7	21.0	0.0	67.3	0.0	0.6			71.0	71.4	71.4	-0.71
P-28	6/6/2025 8:49:41 AM	48.6	34.3	0.0	17.1	0.0	1.4			90.9	91.1	91.1	-1.85
P-29R	6/6/2025 8:52:25 AM	48.0	34.4	0.0	17.6	0.0	1.4			90.8	90.6	90.8	-1.24
P-30R	6/6/2025 8:55:29 AM	54.3	37.7	0.0	8.0	0.0	1.4			75.9	76.0	76	-1.64
P-32R1	6/6/2025 8:58:59 AM	24.3	25.1	2.0	48.6	24.3	1.0			128.5	128.6	128.6	-7.82
P-32R2	6/6/2025 9:03:34 AM	26.0	25.2	0.0	48.8	0.0	1.0			95.5	95.7	95.7	-2.12
P-33	6/6/2025 9:06:51 AM	49.7	37.5	0.0	12.8	0.0	1.3			84.6	84.6	84.6	-2.10
P-36	6/6/2025 9:12:21 AM	23.8	28.3	0.2	47.7	238.5	0.8			110.9	110.9	110.9	-1.53
P-37	6/6/2025 9:16:56 AM	31.3	32.8	0.0	35.9	0.0	1.0			78.5	78.7	78.7	-0.30
P-38RD	6/6/2025 10:47:06 AM	46.4	36.3	0.0	17.3	0.0	1.3			107.4	107.6	107.6	-3.84
P-38RS	6/6/2025 10:49:05 AM	44.4	35.2	0.0	20.4	0.0	1.3			102.7	102.8	102.8	-0.36
P-39	6/6/2025 10:44:11 AM	55.9	41.3	0.0	2.8	0.0	1.4			83.8	84.1	84.1	-6.97
P-41	6/6/2025 10:40:44 AM	52.0	38.5	0.7	8.8	12.6	1.4			105.3	105.5	105.5	-2.62
P-42R	6/6/2025 10:37:31 AM	52.7	39.7	0.0	7.6	0.0	1.3			113.9	114.1	114.1	-5.03
P-43	6/6/2025 10:34:03 AM	44.0	33.5	0.0	22.5	0.0	1.3			88.4	94.4	94.4	-0.03
P-44RD	6/6/2025 10:28:50 AM	49.7	34.9	0.0	15.4	0.0	1.4			91.0	91.7	91.7	-7.43

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
P-44RS	6/6/2025 10:30:29 AM	47.2	36.0	0.0	16.8	0.0	1.3			116.2	116.9	116.9	-0.81
P-45RD	6/6/2025 10:22:24 AM	54.0	40.0	0.0	6.0	0.0	1.4			100.6	100.7	100.7	-1.01
P-45RS	6/6/2025 10:24:37 AM	17.6	25.1	0.0	57.3	0.0	0.7			114.6	114.6	114.6	-0.26
P-46RD	6/6/2025 10:15:40 AM	50.4	35.4	0.0	14.2	0.0	1.4			91.8	91.9	91.9	-2.33
P-46RS	6/6/2025 10:17:47 AM	36.7	31.7	0.0	31.6	0.0	1.2			116.2	116.3	116.3	-0.33
P-47	6/6/2025 1:23:24 PM	25.0	27.1	0.2	47.7	238.5	0.9			119.2	119.2	119.2	-0.16
P-47	6/18/2025 10:20:24 AM	16.2	25.6	0.8	57.4	76.6	0.6			118.5	123.1	123.1	-0.16
P-47	6/19/2025 2:34:58 PM	19.6	28.3	1.0	51.1	49.2	0.7			122.3	121.7	122.3	-1.07
P-48	6/6/2025 1:33:12 PM	33.2	30.2	0.0	36.6	0.0	1.1			124.2	124.3	124.3	-0.15
P-48	6/18/2025 10:35:19 AM	31.9	30.5	0.0	37.6	0.0	1.0			126.3	129.3	129.3	-0.17
P-48	6/19/2025 2:30:13 PM	25.7	30.6	0.0	43.7	0.0	0.8			129.9	129.9	129.9	-0.86
P-48	6/21/2025 2:06:16 PM	25.8	26.0	0.0	48.2	0.0	1.0			129.1	119.4	129.1	-1.05
P-49RD	6/6/2025 10:07:14 AM	35.2	30.4	0.0	34.4	0.0	1.2			114.3	114.4	114.4	-0.52
P-49RS	6/6/2025 10:05:28 AM	54.2	38.3	0.0	7.5	0.0	1.4			114.2	114.3	114.3	-6.04
P-52	6/6/2025 9:51:17 AM	30.8	29.5	0.0	39.7	0.0	1.0			118.2	118.2	118.2	-0.37
P-53	6/6/2025 9:47:35 AM	39.9	32.4	0.0	27.7	0.0	1.2			116.0	116.1	116.1	-0.66
P-54	6/6/2025 9:43:23 AM	52.3	37.4	0.0	10.3	0.0	1.4			105.5	105.5	105.5	-1.00
P-55	6/6/2025 9:35:40 AM	51.4	35.2	0.0	13.4	0.0	1.5			101.0	101.1	101.1	-0.42
P-56	6/6/2025 9:32:31 AM	23.0	27.1	0.5	49.4	98.8	0.8			107.6	107.6	107.6	-0.47
P-57	6/6/2025 9:38:59 AM	40.9	26.9	3.2	29.0	9.1	1.5			84.6	84.6	84.6	-1.59

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
P-60R	6/6/2025 9:27:44 AM	52.1	33.5	0.0	14.4	0.0	1.6			76.3	76.5	76.5	-3.05
P-61	6/6/2025 9:20:17 AM	42.3	32.3	0.0	25.4	0.0	1.3			84.9	85.3	85.3	-0.51
P-65	6/6/2025 9:24:39 AM	38.8	29.6	0.0	31.6	0.0	1.3			74.5	74.5	74.5	-0.74
P-71	6/6/2025 9:58:08 AM	35.4	30.0	0.0	34.6	0.0	1.2			86.2	86.4	86.4	-0.08
P-75	6/6/2025 1:42:41 PM	50.8	35.6	0.0	13.6	0.0	1.4			93.5	93.5	93.5	-2.78
P-76	6/6/2025 10:53:15 AM	33.1	29.7	0.0	37.2	0.0	1.1			90.7	91.1	91.1	-0.90
P-79	6/6/2025 8:10:40 AM	25.4	27.5	1.6	45.5	28.4	0.9			77.1	77.3	77.3	-0.18
SC-2000E	6/11/2025 11:26:17 AM	55.7	41.9	0.0	2.4	0.0	1.3			117.5	117.7	117.7	-6.38
SW-10	6/20/2025 9:55:50 AM	23.9	27.5	1.3	47.3	36.4	0.9			84.8	84.7	84.8	-5.66
SW-115	6/11/2025 10:44:09 AM	54.1	38.1	0.0	7.8	0.0	1.4			84.3	84.6	84.6	-9.35
SW-1445	6/3/2025 8:55:28 AM	2.8	5.5	16.1	75.6	4.7	0.5			86.6	86.7	86.7	-5.50
SW-1445	6/4/2025 9:06:21 AM	2.9	5.6	16.4	75.1	4.6	0.5			85.0	85.0	85	-5.71
SW-1445	6/9/2025 8:50:47 AM	4.0	5.2	16.5	74.4	4.5	0.8			85.3	85.3	85.3	-4.72
SW-1445	6/10/2025 8:16:46 AM	2.2	6.1	15.2	76.5	5.0	0.4			79.6	79.5	79.6	-2.66
SW-1445	6/12/2025 9:08:12 AM	2.8	4.6	15.8	76.7	4.9	0.6			88.1	88.2	88.2	-5.30
SW-1445	6/13/2025 9:59:35 AM	8.1	4.6	16.1	71.2	4.4	1.8			88.7	88.7	88.7	-5.70
SW-1445	6/18/2025 7:22:41 AM	2.7	5.1	16.0	76.2	4.8	0.5			86.9	86.9	86.9	-5.99
SW-1445	6/20/2025 8:26:13 AM	3.0	5.0	17.3	74.7	4.3	0.6			88.9	89.0	89	-6.17
SW-1445	6/25/2025 6:39:45 AM	2.0	5.6	17.1	75.3	4.4	0.4			85.3	85.3	85.3	-5.71
SW-1445	6/26/2025 8:48:46 AM	1.9	4.3	17.0	76.9	4.5	0.4			89.3	89.3	89.3	-5.35
SW-1445	6/27/2025 8:28:43 AM	2.0	6.0	15.8	76.2	4.8	0.3			88.8	88.9	88.9	-4.23
SW-1445	6/30/2025 8:49:10 AM	1.9	3.2	16.8	78.1	4.7	0.6			90.8	91.1	91.1	-5.40
SW-1455	6/3/2025 9:01:15 AM	10.7	10.2	14.0	65.1	4.7	1.0			87.4	87.4	87.4	-5.37
SW-1455	6/4/2025 9:11:52 AM	10.9	10.3	14.2	64.5	4.5	1.1			85.4	85.3	85.4	-5.71

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
SW-1455	6/9/2025 8:56:23 AM	12.7	10.1	14.4	62.8	4.4	1.3			85.8	85.7	85.8	-4.85
SW-1455	6/10/2025 8:11:45 AM	10.4	9.0	13.7	67.0	4.9	1.2			80.4	80.8	80.8	-2.63
SW-1455	6/12/2025 9:02:25 AM	10.6	14.2	13.2	62.0	4.7	0.7			87.7	87.6	87.7	-5.41
SW-1455	6/13/2025 9:57:24 AM	25.5	9.9	13.7	50.9	3.7	2.6			87.9	87.8	87.9	-5.70
SW-1455	6/18/2025 7:27:48 AM	10.7	10.0	13.9	65.4	4.7	1.1			86.2	86.3	86.3	-4.98
SW-1455	6/20/2025 8:22:04 AM	11.5	10.2	15.0	63.3	4.2	1.1			87.4	87.5	87.5	-6.00
SW-1455	6/25/2025 6:31:44 AM	9.6	8.9	15.3	66.3	4.3	1.1			83.7	83.6	83.7	-5.49
SW-1455	6/26/2025 8:34:24 AM	8.4	8.1	15.2	68.3	4.5	1.0			87.6	87.5	87.6	-5.37
SW-1455	6/26/2025 9:52:14 AM	1.8	2.7	19.1	76.3	4.0	0.7			89.8	88.8	89.8	-0.42
SW-1455	6/27/2025 8:16:11 AM	9.5	8.2	14.7	67.6	4.6	1.2			87.6	87.5	87.6	-4.34
SW-1455	6/30/2025 8:42:36 AM	9.6	8.3	14.4	67.7	4.7	1.2			88.8	89.1	89.1	-5.33
SW-154	6/20/2025 3:13:13 PM	0.3	4.8	19.1	75.8	4.0	0.1			90.3	90.4	90.4	-6.20
SW-17-135	6/3/2025 8:58:37 AM	26.6	22.2	3.9	47.3	12.0	1.2			80.3	80.3	80.3	-5.71
SW-17-135	6/4/2025 9:09:11 AM	26.1	22.3	4.2	47.4	11.3	1.2			73.9	73.9	73.9	-5.64
SW-17-135	6/9/2025 8:53:31 AM	30.5	23.2	4.1	42.2	10.3	1.3			76.6	76.7	76.7	-4.87
SW-17-135	6/10/2025 8:14:34 AM	28.4	24.6	1.1	45.9	40.6	1.2			67.2	67.2	67.2	-2.37
SW-17-135	6/12/2025 9:05:37 AM	25.4	21.2	4.1	49.3	11.9	1.2			82.5	82.6	82.6	-5.41
SW-17-135	6/13/2025 10:01:25 AM	39.2	21.6	4.2	35.0	8.3	1.8			82.8	83.1	83.1	-5.70
SW-17-135	6/18/2025 7:25:11 AM	26.3	21.1	4.2	48.4	11.4	1.2			76.3	76.4	76.4	-5.12
SW-17-135	6/20/2025 8:23:59 AM	29.0	20.6	4.6	45.8	10.0	1.4			80.8	81.1	81.1	-6.00
SW-17-135	6/25/2025 6:36:05 AM	25.3	20.7	4.8	49.2	10.2	1.2			68.0	68.0	68	-5.71
SW-17-135	6/25/2025 6:37:33 AM	25.0	21.3	4.8	49.0	10.3	1.2			68.0	68.0	68	-5.49
SW-17-135	6/26/2025 8:44:52 AM	22.5	19.4	6.0	52.2	8.7	1.2			82.3	84.9	84.9	-5.49
SW-17-135	6/27/2025 8:22:19 AM	24.5	21.5	3.7	50.3	13.6	1.1			83.2	83.3	83.3	-4.28
SW-17-135	6/30/2025 8:46:46 AM	24.6	19.8	4.7	50.9	10.9	1.2			87.4	87.9	87.9	-5.33
SW-187	6/3/2025 12:25:12 PM	25.2	28.5	4.8	41.5	8.7	0.9			79.2	79.2	79.2	-5.56
SW-1930	6/3/2025 8:05:18 AM	29.6	49.2	2.1	19.1	9.2	0.6			80.8	80.8	80.8	-5.30

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
SW-1930	6/4/2025 8:42:00 AM	30.2	50.2	2.0	17.6	8.7	0.6			77.4	77.4	77.4	-5.37
SW-1930	6/9/2025 8:38:58 AM	34.0	48.9	2.1	15.0	7.1	0.7			78.2	78.2	78.2	-4.98
SW-1930	6/10/2025 8:49:51 AM	28.9	45.0	3.0	23.0	7.6	0.6			79.9	79.8	79.9	-4.42
SW-1930	6/12/2025 10:27:04 AM	29.1	44.6	2.9	23.4	8.2	0.7			85.9	85.9	85.9	-5.37
SW-1930	6/13/2025 8:54:45 AM	42.6	44.1	3.0	10.3	3.4	1.0			79.3	79.3	79.3	-5.70
SW-1930	6/18/2025 6:56:24 AM	29.7	46.9	3.0	20.5	7.0	0.6			76.1	76.3	76.3	-5.67
SW-1930	6/20/2025 8:53:08 AM	32.9	44.4	2.8	19.9	7.1	0.7			83.1	83.4	83.4	-5.66
SW-1930	6/25/2025 7:06:31 AM	27.3	45.4	3.3	24.1	7.4	0.6			75.6	75.7	75.7	-5.04
SW-1930	6/26/2025 9:31:28 AM	26.1	46.4	3.7	23.9	6.6	0.6			86.4	86.5	86.5	-4.71
SW-1930	6/27/2025 9:31:11 AM	28.5	43.9	2.7	24.9	9.2	0.6			89.3	89.3	89.3	-4.72
SW-1930	6/30/2025 8:23:15 AM	26.5	42.0	4.3	27.3	6.4	0.6			85.2	85.3	85.3	-4.91
SW-20	6/6/2025 1:16:45 PM	0.6	4.4	15.9	79.1	5.0	0.1			86.1	86.1	86.1	-11.41
SW-25	6/3/2025 8:01:12 AM	21.4	40.6	1.0	37.1	38.6	0.5			74.9	75.0	75	-5.71
SW-25	6/4/2025 8:38:08 AM	17.1	36.4	3.4	43.2	12.9	0.5			70.5	70.5	70.5	-6.02
SW-25	6/9/2025 8:34:26 AM	9.4	13.4	13.3	63.8	4.8	0.7			71.4	73.2	73.2	-5.59
SW-25	6/10/2025 8:52:49 AM	9.6	14.8	7.9	67.7	8.6	0.6			71.2	71.8	71.8	-3.77
SW-25	6/12/2025 10:24:08 AM	12.2	22.9	7.2	57.8	8.1	0.5			85.2	85.3	85.3	-5.71
SW-25	6/13/2025 8:52:11 AM	37.6	38.9	1.1	22.4	20.4	1.0			75.0	75.0	75	-6.38
SW-25	6/18/2025 6:53:10 AM	22.4	38.0	1.3	38.3	28.8	0.6			65.0	65.0	65	-6.35
SW-25	6/20/2025 8:50:13 AM	25.1	36.3	1.2	37.4	31.2	0.7			78.6	79.2	79.2	-6.20
SW-25	6/25/2025 7:11:45 AM	18.1	36.8	1.6	43.5	27.9	0.5			64.1	64.4	64.4	-5.75
SW-25	6/26/2025 9:23:14 AM	18.9	37.0	1.9	42.3	22.7	0.5			84.4	84.5	84.5	-5.37
SW-25	6/27/2025 9:22:13 AM	19.5	34.4	1.3	44.8	34.5	0.6			89.7	89.8	89.8	-5.32
SW-25	6/30/2025 8:16:56 AM	19.3	34.2	2.7	43.7	16.0	0.6			79.1	79.5	79.5	-5.27
SW-30	6/3/2025 8:45:05 AM	13.8	66.6	4.8	14.8	3.1	0.2			81.3	81.4	81.4	-5.86
SW-30	6/4/2025 8:56:49 AM	11.6	56.3	7.3	24.8	3.4	0.2			68.2	68.2	68.2	-6.04
SW-30	6/9/2025 9:06:58 AM	15.9	59.6	6.7	17.8	2.6	0.3			77.7	77.8	77.8	-4.94

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
SW-30	6/10/2025 8:35:47 AM	12.1	59.4	6.4	22.1	3.4	0.2			69.4	69.5	69.5	-3.65
SW-30	6/12/2025 10:12:10 AM	14.5	68.2	3.6	13.7	3.8	0.2			88.9	89.0	89	-5.74
SW-30	6/13/2025 9:16:43 AM	22.9	59.4	5.5	12.2	2.2	0.4			79.0	79.4	79.4	-6.07
SW-30	6/18/2025 7:11:58 AM	10.7	53.8	8.1	27.4	3.4	0.2			68.7	68.7	68.7	-5.71
SW-30	6/20/2025 9:27:56 AM	18.0	68.8	3.2	10.0	3.1	0.3			85.5	85.9	85.9	-5.78
SW-30	6/25/2025 6:53:07 AM	10.1	49.4	8.9	31.6	3.5	0.2			61.9	62.0	62	-5.92
SW-30	6/26/2025 9:10:21 AM	13.2	71.7	4.1	11.0	2.7	0.2			88.9	88.9	88.9	-5.18
SW-30	6/27/2025 9:00:12 AM	14.6	70.9	2.7	11.8	4.4	0.2			89.9	90.2	90.2	-4.29
SW-30	6/30/2025 8:34:35 AM	12.5	65.3	5.3	17.0	3.2	0.2			90.0	90.4	90.4	-5.16
SW-32	6/3/2025 8:38:07 AM	6.2	9.0	17.9	67.0	3.8	0.7			83.6	84.5	84.5	-5.53
SW-32	6/4/2025 8:49:34 AM	5.2	7.7	18.8	68.5	3.7	0.7			64.5	64.5	64.5	-5.87
SW-32	6/9/2025 9:01:21 AM	7.1	7.0	18.1	67.8	3.7	1.0			74.1	74.1	74.1	-5.12
SW-32	6/10/2025 8:29:51 AM	4.7	7.0	18.0	70.4	3.9	0.7			65.3	67.0	67	-2.64
SW-32	6/12/2025 10:06:04 AM	8.0	9.6	16.8	65.6	3.9	0.8			87.1	86.2	87.1	-5.73
SW-32	6/13/2025 9:23:34 AM	10.4	8.5	17.7	63.4	3.6	1.2			72.2	71.9	72.2	-6.04
SW-32	6/18/2025 7:03:14 AM	4.7	6.7	18.7	69.9	3.7	0.7			63.6	63.6	63.6	-6.12
SW-32	6/20/2025 9:23:24 AM	8.6	14.1	17.0	60.3	3.5	0.6			81.0	81.0	81	-6.00
SW-32	6/25/2025 6:46:43 AM	4.5	6.1	19.0	70.4	3.7	0.7			55.6	55.6	55.6	-6.00
SW-32	6/26/2025 9:02:42 AM	8.2	11.7	16.4	63.7	3.9	0.7			87.3	87.3	87.3	-5.35
SW-32	6/27/2025 8:54:53 AM	8.6	13.1	15.7	62.6	4.0	0.7						
SW-32	6/30/2025 8:28:56 AM	7.1	10.2	16.7	66.0	4.0	0.7			87.3	87.3	87.3	-5.46
SW-64	6/3/2025 8:50:29 AM	6.6	21.8	15.3	56.4	3.7	0.3			84.0	84.0	84	-5.71
SW-64	6/4/2025 9:01:39 AM	6.2	19.6	16.1	58.1	3.6	0.3			65.6	65.6	65.6	-5.79
SW-64	6/9/2025 9:09:43 AM	6.9	14.4	16.3	62.4	3.8	0.5			80.9	80.9	80.9	-4.91
SW-64	6/10/2025 8:38:10 AM	6.0	22.4	15.5	56.2	3.6	0.3			68.4	68.5	68.5	-3.74
SW-64	6/12/2025 10:15:14 AM	6.6	17.1	15.3	61.1	4.0	0.4			89.4	89.4	89.4	-5.73

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init °F Temp [ ]	Adj °F Temp [ ]	Max Gas °F Temp [ ]	Init Stat Press ["H2O]
SW-64	6/13/2025 9:18:38 AM	8.7	13.5	17.8	60.0	3.4	0.6			80.8	81.0	81	-6.04
SW-64	6/18/2025 7:15:59 AM	8.0	26.0	14.6	51.4	3.5	0.3			71.4	71.4	71.4	-6.04
SW-64	6/20/2025 9:25:41 AM	8.2	22.9	15.2	53.7	3.5	0.4			84.7	85.0	85	-5.82
SW-64	6/25/2025 6:56:56 AM	6.2	19.6	16.3	57.9	3.5	0.3			55.7	55.6	55.7	-6.02
SW-64	6/26/2025 9:12:58 AM	5.1	19.9	15.3	59.8	3.9	0.3			88.3	88.5	88.5	-5.26
SW-64	6/27/2025 9:03:42 AM	9.9	31.8	11.2	47.1	4.2	0.3			94.5	94.8	94.8	-4.93
SW-64	6/30/2025 8:37:39 AM	6.7	21.4	14.6	57.4	3.9	0.3			92.1	92.2	92.2	-5.51
SW-65	6/11/2025 10:42:46 AM	49.7	37.4	0.0	12.9	0.0	1.3			87.2	87.2	87.2	-12.29
SW-66	6/20/2025 3:15:18 PM	12.4	12.5	10.8	64.3	6.0	1.0			87.4	87.4	87.4	-6.27
SW-68	6/3/2025 8:41:36 AM	11.8	63.6	5.9	18.8	3.2	0.2			81.3	81.3	81.3	-5.71
SW-68	6/4/2025 8:52:23 AM	10.8	56.4	7.7	25.1	3.3	0.2			68.5	68.6	68.6	-5.79
SW-68	6/9/2025 9:04:08 AM	14.4	57.9	7.3	20.3	2.8	0.2			76.4	76.5	76.5	-4.91
SW-68	6/10/2025 8:32:04 AM	11.8	64.9	5.3	18.0	3.4	0.2			70.4	70.4	70.4	-2.51
SW-68	6/12/2025 10:08:52 AM	12.8	64.3	4.6	18.2	3.9	0.2			86.6	86.7	86.7	-5.71
SW-68	6/13/2025 9:22:03 AM	19.5	57.9	6.8	15.8	2.3	0.3			80.2	80.2	80.2	-6.04
SW-68	6/18/2025 7:08:20 AM	9.6	50.8	9.3	30.3	3.2	0.2			69.3	69.4	69.4	-6.04
SW-68	6/20/2025 9:21:09 AM	14.8	60.9	5.2	19.1	3.7	0.2			85.9	86.0	86	-6.00
SW-68	6/25/2025 6:49:50 AM	9.2	51.4	9.5	29.8	3.1	0.2			63.7	63.6	63.7	-5.74
SW-68	6/26/2025 9:05:15 AM	11.3	63.9	6.2	18.6	3.0	0.2			87.2	87.4	87.4	-5.37
SW-68	6/27/2025 8:57:36 AM	12.5	63.7	4.7	19.1	4.1	0.2			90.5	90.8	90.8	-4.14
SW-68	6/30/2025 8:30:49 AM	11.3	58.4	6.6	23.7	3.6	0.2			86.7	87.2	87.2	-5.37
SW-7	6/3/2025 7:57:59 AM	0.1	3.3	19.7	77.0	3.9	0.0			76.1	76.1	76.1	-5.72
SW-7	6/4/2025 8:35:01 AM	0.2	2.1	20.6	77.2	3.8	0.1			73.0	72.0	73	-5.71
SW-7	6/9/2025 8:29:53 AM	0.7	0.3	20.1	79.0	3.9	2.3			71.0	70.6	71	-2.48
SW-7	6/10/2025 8:57:03 AM	0.0	1.3	19.5	79.2	4.1	0.0			73.3	73.5	73.5	-2.74
SW-7	6/12/2025 10:21:36 AM	0.0	1.1	20.1	78.9	3.9	0.0			82.4	82.5	82.5	-4.06

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO [ppmv]	H2S [ppmv]	Init Temp [°F]	Adj Temp [°F]	Max Gas Temp [°F]	Init Stat Press ["H2O]
SW-7	6/13/2025 8:50:07 AM	2.0	1.5	19.8	76.7	3.9	1.3			73.3	73.6	73.6	-6.19
SW-7	6/18/2025 6:50:03 AM	0.2	2.5	20.2	77.2	3.8	0.1			73.3	72.8	73.3	-6.33
SW-7	6/20/2025 8:48:04 AM	0.3	1.1	20.7	77.9	3.8	0.3			79.3	79.4	79.4	-6.33
SW-7	6/25/2025 7:14:47 AM	0.3	4.7	19.6	75.5	3.9	0.1			73.7	73.7	73.7	-5.94
SW-7	6/26/2025 9:20:55 AM	0.1	1.2	19.8	78.9	4.0	0.1			81.4	81.4	81.4	-5.53
SW-7	6/27/2025 9:26:28 AM	0.3	3.0	18.8	77.9	4.1	0.1			83.5	83.5	83.5	-5.38
SW-7	6/30/2025 8:19:43 AM	0.3	4.2	19.3	76.2	4.0	0.1			80.2	80.3	80.3	-5.30
SW-70	6/3/2025 12:27:54 PM	21.2	65.1	0.0	13.7	0.0	0.3			84.0	83.8	84	-5.76
SW-71	6/6/2025 8:41:20 AM	35.5	27.6	2.1	34.8	16.6	1.3			77.0	77.0	77	-5.70
SW-71	6/17/2025 12:46:59 PM	33.1	25.7	2.4	38.8	16.2	1.3			102.3	110.4	110.4	-5.74
SW-71	6/18/2025 12:59:22 PM	31.1	23.7	0.8	44.4	54.1	1.3			107.2	102.9	107.2	-0.06
SW-71	6/18/2025 1:28:38 PM	31.3	24.6	2.0	42.1	20.9	1.3						-7.05
SW-71	6/19/2025 2:15:41 PM	28.7	28.1	0.6	42.7	77.6	1.0			92.9	93.9	93.9	-0.30
SW-72	6/6/2025 9:09:39 AM	27.9	23.5	3.1	45.5	14.7	1.2			75.4	75.7	75.7	-4.07
SW-80	6/21/2025 9:00:46 AM	44.0	25.9	0.0	30.1	0.0	1.7			80.4	80.6	80.6	-5.03
SW-9	6/3/2025 12:30:31 PM	3.2	25.7	9.0	62.2	6.9	0.1			79.0	79.2	79.2	-5.78
TC-1961C	6/11/2025 2:23:24 PM	4.8	24.6	0.0	70.6	0.0	0.2			103.9	104.1	104.1	-0.43
TC-1961E	6/23/2025 9:31:25 AM	51.8	45.2	0.0	3.0	0.0	1.1			121.0	121.0	121	-1.62
TC-2383S	6/1/2025 10:54:59 AM	0.9	10.3	15.7	73.1	4.7	0.1			98.4	98.4	98.4	-1.53
TC-2383S	6/1/2025 10:57:35 AM	0.1	4.3	18.6	77.0	4.1	0.0			99.1	99.1	99.1	-0.84
TC-2383S	6/18/2025 10:04:57 AM	0.4	10.4	13.5	75.7	5.6	0.0			104.9	105.0	105	-1.15
TC-2383S	6/18/2025 10:05:49 AM	0.4	9.6	14.7	75.3	5.1	0.0			104.8	104.9	104.9	-1.38
VL-02	6/11/2025 10:32:51 AM	61.6	35.4	0.0	3.0	0.0	1.7			87.8	85.1	87.8	-22.61

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
A-01	6/11/2025 10:08:25 AM	-22.09	-22.09	22.173	22.179			-21.93	-21.94			34.4312055
A-02	6/11/2025 10:11:39 AM	-21.58	-21.57	21.628	21.648			-21.49	-21.63			34.4315920
A-03	6/11/2025 10:15:20 AM	-21.28	-21.28	21.450	21.423			-21.34	-21.31			34.4319652
A-04	6/11/2025 10:18:15 AM	-13.92	-13.92	14.127	13.880			-14.22	-13.71			34.4322012
A-05	6/11/2025 10:21:15 AM	-19.98	-19.96	19.995	20.004			0.00	0.00			34.4325053
B-01	6/3/2025 11:10:22 AM	-0.01	-0.01	0.003	0.004	0.2	0.2	-10.67	-12.32			34.4341100
B-01	6/3/2025 11:10:43 AM	-0.03	-0.03	0.006	0.005	0.2	0.2	-11.02	-10.45			34.4341155
B-01	6/19/2025 12:03:09 PM	-0.05	-0.05	-0.280	-0.283	0.0	0.0	-0.05		0.0	0.0	34.4338583
B-02R	6/3/2025 11:14:42 AM	-7.38	-7.23	0.006	0.005	0.2	0.2	-10.67	-11.37			34.4341253
B-02R	6/3/2025 11:15:12 AM	-7.09	-7.09	0.006	0.012	0.2	0.3	-10.53	-10.45			34.4341205
B-02R	6/19/2025 4:05:03 PM	-0.04	0.01	0.146	0.260	1.3	1.7	-11.02		44.5	59.3	34.4335663
B-02R	6/19/2025 4:06:26 PM	-0.23	-0.23	0.190	0.194	1.4	1.5	-11.06		48.2	48.8	34.4336590
B-03R	6/24/2025 11:34:43 AM	-0.04	0.04	0.005	0.002	0.2	0.1	-9.34	-9.53			34.4337788
B-03R	6/24/2025 11:36:46 AM	-0.03	-0.03	0.003	0.003	0.2	0.2	-9.37	-9.76			34.4337850
B-05	6/5/2025 11:09:51 AM	-1.63	-1.63	0.018	0.017			-10.88	-10.79			34.4344998
B-06	6/5/2025 11:24:24 AM	-0.35	-0.35	0.000	0.000			-10.59	-11.85			34.4340568
B-07R	6/5/2025 10:44:28 AM	-1.92	-1.92	0.276	0.025	1.6	0.5	-12.44	-11.49			34.4342812
B-07R	6/5/2025 10:50:55 AM	-1.20	-1.20	2.117	0.934	10.2	6.8	-13.00	-12.49			34.4342715

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
B-08	6/3/2025 1:39:13 PM	-0.61	-0.61	3.573	0.613			-5.95	-7.55			34.4337697
B-09	6/3/2025 2:25:02 PM	-1.61	-1.61	2.215	1.604			-8.16	-8.43			34.4342100
B-10	6/3/2025 1:27:30 PM	-0.53	-0.53	0.896	0.509			-5.15	-5.23			34.4340140
B-11	6/3/2025 2:04:21 PM	-0.30	-0.30	0.000	0.000			-8.20	-7.41			34.4348357
B-12	6/23/2025 1:54:12 PM	-0.10	0.09	0.040	1.701	0.6	4.0	-8.64	-8.76			34.4340745
B-12	6/23/2025 1:57:16 PM	-0.16	-0.16	1.528	1.587	3.8	3.9	-8.81	-8.98			34.4340560
B-13	6/5/2025 11:02:06 AM	-0.56	-0.56	0.034	0.026	12.9	11.3	-13.90	-13.79			34.4344395
B-14	6/3/2025 2:09:11 PM	-0.45	-0.45	1.549	1.634	3.8	3.9	-7.80	-7.95			34.4349318
C-03	6/25/2025 2:48:55 PM	-10.61	-10.61	10.898	10.763			0.61	0.61			34.4314020
C-07	6/11/2025 10:24:55 AM	-19.93	-19.93	20.072	20.029			0.00	0.00			34.4326213
C-08	6/11/2025 10:28:31 AM	-18.85	-18.85	18.969	18.933			0.03	0.00			34.4336515
C-10	6/11/2025 10:40:26 AM	-17.74	-17.74	17.726	17.745	51.8	51.8	0.00	0.00			34.4347208
C-11	6/24/2025 1:54:51 PM	-9.81	-9.81	0.031	0.019			-10.36	-10.35			34.4352787
C-12	6/21/2025 8:20:16 AM	-9.10	-9.06	0.091	0.030	3.9	2.2	-8.94	-8.97			34.4359937
C-15	6/21/2025 8:25:19 AM	-8.81	-8.81	0.022	0.038	3.1	4.1	-8.70	-8.70			34.4362725
C-17B	6/21/2025 9:21:55 AM	-7.76	-7.73	7.973	8.041			-4.97	-4.98			34.4373507
C-18	6/21/2025 9:07:26 AM	-7.96	-7.95	8.119	8.119			0.33	0.33			34.4379760
C-19	6/21/2025 9:15:58 AM	-8.05	-8.05	8.240	8.240			-5.92	-6.02			34.4375647

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
C-20	6/21/2025 9:13:11 AM	-8.05	-8.05	8.267	8.267			0.33	0.33			34.4377942
C-23	6/21/2025 9:09:13 AM	-7.46	-7.41	7.566	7.623			0.33	0.33			34.4379495
C-24	6/21/2025 9:18:26 AM	-8.05	-8.05	8.207	8.420			-1.12	-1.17			34.4375103
C-25	6/21/2025 8:36:38 AM	-6.04	-6.04	6.119	6.112			-8.29	-8.33			34.4370975
C-26	6/21/2025 8:31:08 AM	-7.72	-7.72	7.906	7.879			-7.70	-7.70			34.4366538
C-27	6/21/2025 8:22:39 AM	-5.03	-5.03	0.036	0.258			-8.74	-8.28			34.4361792
C-28	6/21/2025 8:12:59 AM	-11.74	-11.74	0.064	0.064			-11.44	-11.43			34.4354450
C-29	6/11/2025 10:46:36 AM	-12.04	-12.04	11.989	11.986			-17.42	-17.52			34.4348533
C-30	6/11/2025 10:36:27 AM	-1.58	-1.58	0.125	0.129	9.7	9.9	-18.35	-18.32			34.4342462
CV-02	6/5/2025 3:47:31 PM	-1.20	-0.33	0.306	0.092	1.7	0.9	-14.36	-13.99			34.4335860
CV-03	6/5/2025 3:49:41 PM	-6.04	-6.04	2.176	2.452	18.3	19.4	-14.32	-14.92			34.4333303
CV-04	6/25/2025 12:53:48 PM	-2.07	-2.06	0.033	0.057	12.5	16.4	-10.60	-10.05			34.4331470
CV-05	6/4/2025 1:15:34 PM	-11.05	-11.05	0.006	0.004	0.5	0.5	-13.89	-13.81			34.4328323
CV-05	6/5/2025 3:51:52 PM	-2.53	-2.53	0.076	0.079	1.9	1.9	-13.90	-13.89			34.4331533
CV-06	6/12/2025 10:45:47 AM	-1.90	-0.46	0.019	0.014	1.8	1.5	-9.56	-9.60			34.4326787
CV-09	6/18/2025 3:53:32 PM	-0.13	-0.13	-0.012	-0.006	0.0	0.0	-0.09		0.0	0.0	34.4318728
CV-103	6/4/2025 3:11:59 PM	-0.07	0.04	0.038	0.066	2.4	3.2	-5.42	-5.48			34.4338662
CV-103	6/4/2025 3:13:03 PM	-0.16	-0.13	0.121	0.132	4.4	4.6	-5.44	-5.56			34.4338710
CV-103	6/11/2025 9:00:00 AM											
CV-103	6/11/2025 9:00:00 AM											
CV-108-52	6/1/2025 2:02:49 PM	-0.92	-0.92	-0.017	0.000	0.0	0.4	-0.90		0.0	7.2	34.4334357
CV-108-52	6/1/2025 2:02:53 PM	-0.92	-0.92	-0.017	0.000	0.0	0.4	-0.90		0.0	7.2	34.4334345

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-108-52	6/1/2025 2:04:00 PM	-0.93	-0.93	0.006	0.003	1.5	1.1	-4.41		30.9	23.7	34.4334798
CV-108-52	6/2/2025 9:25:00 AM											
CV-108-52	6/2/2025 9:25:00 AM											
CV-108-52	6/18/2025 2:22:55 PM	-0.99	-0.97	-0.056	0.015	0.0	2.4	-4.54		0.0	55.6	34.4333190
CV-113	6/5/2025 4:32:51 PM	-6.83	-6.83	0.073	-0.063	0.0	0.0	-6.42		0.0	0.0	34.4370737
CV-113	6/5/2025 4:33:48 PM	-6.83	-6.79	-0.078	-0.076	0.0	0.0	-6.68		0.0	0.0	34.4369845
CV-113	6/10/2025 9:40:00 AM											
CV-113	6/10/2025 9:40:00 AM											
CV-113	6/20/2025 2:16:47 PM	-7.49	-7.49	0.008	-0.005	0.0	0.0	-7.52		0.0	0.0	34.4369430
CV-113	6/20/2025 2:21:13 PM	-7.47	-7.47	-0.006	-0.008	0.0	0.0	-7.72		0.0	0.0	34.4369640
CV-113	6/25/2025 11:01:32 AM	-0.01	-0.01	0.045	0.003	6.0	1.4	-7.53	-7.41			34.4369557
CV-113	6/25/2025 11:03:59 AM	-0.43	-0.43	0.006	0.002	2.2	1.1	-7.49	-7.60			34.4369725
CV-114	6/10/2025 9:50:00 AM											
CV-114	6/10/2025 9:50:00 AM											
CV-1421	6/7/2025 2:54:27 PM	-0.20	-0.20	0.235	0.236	9.7	9.7	-7.00		175.8	176.1	34.4353358
CV-1421	6/25/2025 10:11:28 AM	-0.31	-0.31	0.225	0.256	9.8	10.5	-4.74	-4.88			34.4353087
CV-1423	6/5/2025 12:14:44 PM	-0.10	-0.10	0.024	0.016	1.9	1.6	-7.93	-7.92			34.4362675
CV-1423	6/5/2025 12:15:19 PM	-0.15	-0.15	0.013	0.003	1.4	0.7	-7.71	-8.04			34.4362548
CV-1423	6/12/2025 9:05:00 AM											
CV-1423	6/12/2025 9:05:00 AM											
CV-1424	6/10/2025 11:03:40 AM	-0.61	-0.61	0.009	0.041	1.1	2.5	-10.42	-10.47			34.4351225
CV-1425	6/6/2025 1:15:29 PM	-0.13	-0.13	0.009	0.004	0.7	0.4	-6.66		2.3	1.5	34.4350262
CV-1425	6/6/2025 1:17:02 PM	-0.18	-0.18	-0.012	-0.012	0.0	0.0	-6.68		0.0	0.0	34.4350013
CV-1425	6/18/2025 10:08:34 AM	-0.47	-0.47	0.002	0.002	0.6	0.5	-6.57	-6.67			34.4349823

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-1425	6/18/2025 10:10:47 AM	-0.34	-0.34	0.002	0.002	0.5	0.5	-6.64	-6.73			34.4349723
CV-1426	6/6/2025 3:53:37 PM	-1.60	-1.60	1.824	1.534	28.7	26.3	-7.86		871.2	798.7	34.4347932
CV-1426	6/24/2025 2:49:20 PM	-1.48	-1.48	0.700	0.668	17.4	17.1	-5.58	-5.16			34.4347945
CV-1426	6/30/2025 1:18:02 PM	-1.09	-1.09	0.797	0.516	6.1	4.9	-5.07	-5.23			34.4347900
CV-1532A	6/3/2025 8:10:00 AM											
CV-1532A	6/3/2025 8:10:00 AM											
CV-1532A	6/4/2025 12:50:28 PM	-1.19	-0.98	1.688	1.197			0.00	0.00			34.4338988
CV-1532A	6/25/2025 10:59:12 AM	-1.52	-1.52	1.953	1.695			0.54	0.56			34.4338795
CV-1532A	6/25/2025 11:00:09 AM	-1.20	-1.20	1.082	1.224			0.54	0.54			34.4338795
CV-1532A	6/25/2025 2:58:28 PM											
CV-1534A-PLR	6/4/2025 12:42:00 PM	-0.87	-0.87	1.232	0.832			0.01	0.00			34.4336477
CV-1534A-PLR	6/4/2025 12:45:00 PM											
CV-1534A-PLR	6/4/2025 12:45:00 PM											
CV-1534A-PLR	6/12/2025 8:20:14 AM	-0.79	-0.54	0.317	0.814			0.11	0.06			34.4336515
CV-1534A-PLR	6/12/2025 8:25:00 AM											
CV-1534A-PLR	6/18/2025 8:18:05 AM	-1.76	-1.59	1.629	1.674			0.32	0.32			34.4336542
CV-1534A-PLR	6/25/2025 10:46:56 AM	-0.18	-0.18	0.216	0.144			0.53	0.53			34.4336468
CV-1535	6/1/2025 1:43:05 PM	-0.43	-0.43	-0.240	-0.121	0.0	0.0	-3.99		0.0	0.0	34.4333135

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-1535	6/10/2025 8:50:00 AM											
CV-1535	6/10/2025 8:50:00 AM											
CV-1535	6/18/2025 2:09:56 PM	-0.29	-0.28	-0.232	-0.163	0.0	0.0	-4.40		0.0	0.0	34.4333483
CV-1601D	6/4/2025 12:36:19 PM	-0.08	-0.07	0.377	0.401	1.2	1.2	-3.58	-3.67			34.4311218
CV-1601D	6/4/2025 12:38:44 PM	-0.02	-0.02	0.339	0.181	7.3	5.4	-3.47	-3.61			34.4311195
CV-1601D	6/20/2025 8:50:33 AM	-1.00	-1.00	0.496	0.397	1.4	1.2	-7.64		38.9	34.8	34.4311622
CV-1601S	6/4/2025 12:20:20 PM	-0.14	-0.14	0.116	1.429	4.3	15.2	-3.81	-3.76			34.4311197
CV-1601S	6/4/2025 12:27:21 PM	-0.16	-0.16	0.158	0.158	5.0	5.1	-3.71	-3.65			34.4311203
CV-1601S	6/20/2025 8:54:30 AM	-1.08	-1.08	0.530	0.476	8.8	8.3	-7.84		183.9	174.2	34.4309723
CV-1603	6/11/2025 11:20:56 AM	-10.74	-10.74	10.649	10.685			-10.70	-10.70			34.4311158
CV-1604	6/11/2025 2:36:38 PM	-3.18	-3.18	1.323	0.608	7.8	5.3	-19.38		206.4	140.1	34.4321790
CV-1605	6/8/2025 11:53:25 AM	-0.38	-0.38	0.233	0.236	1.0	1.0	-11.98		33.4	33.6	34.4319183
CV-1605	6/22/2025 12:38:36 PM		0.16	0.047		0.4		-8.62				34.4319337
CV-1701D	6/11/2025 3:55:30 PM	-1.35	-1.35	0.107	0.043	0.6	0.4	-7.30		7.1	4.5	34.4335355
CV-1701S	6/11/2025 3:51:08 PM	-1.76	-1.76	0.070	0.076	3.1	3.3	-9.90		68.7	71.6	34.4336193
CV-1701S	6/11/2025 3:52:15 PM	-1.60	-1.60	0.081	0.079	3.4	3.3	-9.83		72.9	72.0	34.4336115
CV-1701S	6/12/2025 8:44:37 AM	-0.29	-0.29	-0.083	-0.004	0.0	0.0	-11.29		0.0	0.0	34.4336328
CV-1701S	6/12/2025 8:49:01 AM	-0.05	-0.02	0.007	0.007	1.0	1.0	-11.34		20.9	20.9	34.4335952
CV-1901	6/5/2025 3:28:35 PM	-0.28	0.82	-0.118	-0.033	0.0	0.0	-3.95		0.0	0.0	34.4357458
CV-1901	6/5/2025 3:30:37 PM	-0.93	-0.93	-0.020	-0.020	0.0	0.0	-3.81		0.0	0.0	34.4357613
CV-1901	6/19/2025 9:27:44 AM	-0.71	-0.71	0.023	0.018	4.1	3.7	-5.49		93.0	82.4	34.4357623

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-1902A	6/4/2025 6:04:00 AM											
CV-1902A	6/4/2025 9:50:00 AM											
CV-1902A	6/5/2025 9:48:35 AM	-0.56	-0.42	0.366	0.586			-5.82	-5.45			34.4345932
CV-1902A	6/5/2025 9:50:00 AM											
CV-1902A	6/5/2025 9:50:00 AM											
CV-1902A	6/12/2025 9:09:51 AM	-3.74	-3.69	3.717	3.749			-4.52	-4.62			34.4346052
CV-1902A	6/12/2025 9:10:00 AM											
CV-1902A	6/18/2025 9:14:04 AM	-2.54	-2.54	4.415	2.565			-5.16	-4.90			34.4346257
CV-1902A	6/26/2025 8:55:40 AM	-0.54	-0.54	2.126	0.540			-2.26	-4.67			34.4346142
CV-1903	6/5/2025 10:50:46 AM	-0.68	-0.68	1.926	2.164	4.2	4.5	-4.72		45.6	48.3	34.4364092
CV-1903	6/17/2025 1:25:59 PM	-0.23	-0.22	1.320	1.366	7.9	8.1	-3.98	-4.07			34.4363915
CV-1905	6/7/2025 1:41:35 PM	-2.13	-2.03	0.277	0.463	6.8	8.8	-12.30		220.5	284.7	34.4335480
CV-1906	6/7/2025 2:08:45 PM	-4.84	-4.84	0.056	0.051	1.7	1.6	-5.62		1.7	1.6	34.4343493
CV-1906	6/20/2025 11:25:55 AM	-4.26	-4.26	0.031	0.023	1.2	1.1	-5.69	-5.58			34.4343420
CV-2001	6/1/2025 10:06:41 AM	-0.15	-0.15	0.391	0.436	15.2	16.0	-1.43		128.4	135.5	34.4323172
CV-2001	6/1/2025 10:07:48 AM	-0.08	-0.08	0.621	0.540	19.1	17.8	-1.31		159.3	148.5	34.4323090
CV-2001	6/4/2025 10:00:00 AM											
CV-2001	6/4/2025 10:00:00 AM											
CV-2001	6/18/2025 9:14:11 AM	-1.00	-1.00	0.034	0.054	4.6	5.7	-1.69		31.3	39.0	34.4323150
CV-2001	6/24/2025 10:56:32 AM											
CV-2001	6/25/2025 3:20:19 PM											
CV-2002	6/1/2025 10:35:46 AM	-2.63	-2.63	0.013	0.020	7.0	8.9	-4.58		186.1	234.9	34.4329398
CV-2002	6/4/2025 10:20:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2002	6/18/2025 9:42:57 AM	-4.81	-4.81	0.335	0.084	36.2	18.1	-4.07		993.5	497.9	34.4329048
CV-2003	6/1/2025 1:59:32 PM	-1.28	-1.28	0.016	0.014	2.5	2.3	-4.36		44.4	42.0	34.4333912
CV-2003	6/18/2025 2:20:25 PM	-0.92	-0.92	-0.079	0.022	0.0	2.8	-4.03		0.0	52.6	34.4334535
CV-2006	6/5/2025 10:01:17 AM	-1.87	-1.87	0.057	0.084	6.2	7.6	-4.61	-4.44			34.4352435
CV-2006	6/5/2025 10:05:00 AM											
CV-2006	6/5/2025 10:05:00 AM											
CV-2006	6/12/2025 9:24:37 AM	-0.87	-0.87	0.895	0.601	24.8	20.3	-1.57	-1.57			34.4352088
CV-2006	6/12/2025 9:30:00 AM											
CV-2006	6/18/2025 9:29:05 AM	-0.58	-0.41	0.251	0.276	13.1	13.8	-0.48	-0.31			34.4352358
CV-2006	6/26/2025 9:09:30 AM	-0.57	-0.57	0.085	0.153	7.6	10.2	-1.27	-1.26			34.4352212
CV-2007	6/3/2025 10:01:11 AM											
CV-2007	6/4/2025 7:58:33 AM											
CV-2007	6/4/2025 8:22:00 AM											
CV-2007	6/5/2025 8:11:37 AM											
CV-2007	6/6/2025 2:42:26 PM											
CV-2007	6/8/2025 9:07:15 AM	-0.42	-0.42	-0.022	-0.021	0.0	0.0	-8.24		0.0	0.0	34.4361587
CV-2007	6/9/2025 8:23:50 AM											
CV-2007	6/11/2025 9:32:48 AM											
CV-2007	6/12/2025 8:34:38 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2007	6/16/2025 9:41:10 AM											
CV-2007	6/17/2025 9:16:33 AM											
CV-2007	6/18/2025 10:57:37 AM											
CV-2007	6/21/2025 11:22:21 AM	-0.14	-0.14	0.006	0.001	3.1	1.2	0.36	0.52			34.4361993
CV-2007	6/23/2025 8:15:24 AM											
CV-2007	6/25/2025 8:53:51 AM											
CV-2007	6/26/2025 7:49:30 AM											
CV-2007	6/30/2025 2:49:54 PM											
CV-2008	6/5/2025 2:59:14 PM	-3.56	-3.56	0.135	0.128	10.3	10.1	-7.78	-7.98			34.4362688
CV-2009	6/5/2025 2:41:30 PM	-1.45	-1.45	0.068	0.087	7.2	8.1	-7.81	-7.80			34.4362878
CV-2009A	6/25/2025 10:49:44 AM	-0.62	-0.62	0.665	0.712	10.1	10.5	-5.41	-5.34			34.4359722
CV-2010	6/23/2025 7:08:19 AM	-1.40	-1.40	0.016	0.018	3.7	3.9	-7.17		96.1	101.9	34.4356708
CV-2010A	6/12/2025 2:48:55 PM	-0.30	-0.30	0.746	0.184	16.2	8.1	-4.29	-5.42			34.4357112
CV-2010A	6/12/2025 2:59:05 PM	-0.01	0.46	0.128	0.191	6.7	8.2	-5.38	-4.77			34.4357315
CV-2010A	6/12/2025 3:03:17 PM	-0.24	-0.24	0.140	0.196	7.0	8.3	-5.11	-5.68			34.4357482
CV-2011	6/11/2025 9:10:52 AM	-2.73	-2.73	0.365	0.455	17.2	19.3	-16.36		503.1	563.5	34.4341868
CV-2011A	6/11/2025 1:25:20 PM	-1.49	-1.49	0.342	0.112	34.7	20.0	-14.71		673.0	388.5	34.4346418
CV-2011A	6/11/2025 1:26:25 PM	-0.14	-0.14	0.128	0.134	21.3	21.8	-14.38		384.7	393.5	34.4344895
CV-2011A	6/17/2025 12:25:22 PM	-1.24	-1.24	0.559	0.293	44.8	32.5	-0.22	-0.26			34.4345487
CV-2011A	6/17/2025 12:26:05 PM	-1.24	-1.20	0.349	0.343	35.4	35.1	-0.12	-0.20			34.4345433

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2011A	6/18/2025 7:58:30 AM	-0.56	-0.56	0.265	0.095	30.7	18.5	-9.80	-9.94			34.4345407
CV-2011A	6/18/2025 8:00:10 AM	-0.75	-0.75	0.116	0.120	20.4	20.8	-9.74	-9.73			34.4345445
CV-2012	6/11/2025 1:01:34 PM	-0.06	-0.06	0.172	0.137	11.4	10.2	-11.93		303.7	272.0	34.4351053
CV-2012	6/11/2025 1:02:43 PM	-0.45	-0.44	0.195	0.190	12.1	12.0	-11.96		314.0	310.2	34.4350712
CV-2201-PLR	6/3/2025 2:23:51 PM	-6.64	-6.64	6.565	6.565			0.01	0.01			34.4355638
CV-2201-PLR	6/19/2025 10:57:01 AM	-6.28	-6.28	6.410	6.192	0.0	0.0			0.0	0.0	34.4355507
CV-2201-PLR	6/19/2025 10:57:45 AM	-6.65	-6.64	6.563	6.534	0.0	0.0			0.0	0.0	34.4356315
CV-2201-PLR	6/24/2025 2:19:20 PM	-5.43	-5.43	6.069	5.529			0.06	0.06			34.4355625
CV-2201-PLR	6/30/2025 9:34:13 AM	-6.42	-6.42	6.835	6.835			0.88	0.88			34.4355792
CV-2204-PLR	6/3/2025 1:45:35 PM	-5.69	-5.67	5.658	5.656			0.01	0.00			34.4357532
CV-2204-PLR	6/3/2025 1:50:00 PM											
CV-2204-PLR	6/3/2025 1:50:00 PM											
CV-2204-PLR	6/12/2025 1:17:10 PM	-4.33	-4.31	4.464	4.527			0.13	0.15			34.4357747
CV-2204-PLR	6/12/2025 1:25:00 PM											
CV-2204-PLR	6/18/2025 2:15:09 PM	-2.81	-2.81	2.872	2.865			-0.05	-0.05			34.4357825
CV-2204-PLR	6/25/2025 9:37:37 AM	-4.74	-4.74	5.057	4.989			0.53	0.53			34.4357682

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2204-PLR	6/30/2025 8:42:00 AM	-5.41	-5.20	5.418	5.603			0.41	0.35			34.4357690
CV-2205	6/17/2025 8:37:01 AM	-0.06	-0.06	0.048	0.165	13.4	25.0	-8.09	-7.83			34.4342470
CV-2205	6/17/2025 8:42:18 AM	-0.04	-0.01	0.054	0.051	14.3	13.9	-7.63	-7.61			34.4342467
CV-2205	6/17/2025 2:21:06 PM											
CV-2205	6/17/2025 2:22:37 PM	-0.10	-0.10	0.031	0.047	10.7	13.3	-7.61	-7.62			34.4342847
CV-2206-PLR	6/8/2025 8:01:10 AM	-7.65	-7.65	-7.928	-7.636	0.0	0.0	-7.65		0.0	0.0	34.4361813
CV-2206-PLR	6/8/2025 8:02:22 AM	-7.61	-7.60	-7.891	-7.817	0.0	0.0	-7.66		0.0	0.0	34.4360707
CV-2206-PLR	6/19/2025 11:15:19 AM	-7.52	-7.52	-7.738	-7.342	0.0	0.0	-7.12		0.0	0.0	34.4359448
CV-2206-PLR	6/19/2025 11:16:03 AM	-7.27	-7.27	-7.214	-7.668	0.0	0.0	-7.27		0.0	0.0	34.4360447
CV-2207	6/12/2025 2:00:00 PM	-0.04	0.12	0.026	0.012	10.0	7.0	-6.91	-6.91			34.4359818
CV-2207	6/12/2025 2:02:59 PM	-0.07	-0.07	0.023	0.008	0.5	0.3	-6.95	-7.02			34.4359762
CV-2208A	6/4/2025 12:12:46 PM	-2.40	-2.40	0.384	0.211	37.0	27.4	-7.35	-7.41			34.4365667
CV-2208A	6/4/2025 12:15:00 PM											
CV-2208A	6/4/2025 12:15:00 PM											
CV-2208A	6/10/2025 12:22:16 PM	-2.99	-2.99	0.236	0.166	29.0	24.4	-11.05	-11.11			34.4365550
CV-2208A	6/10/2025 12:25:00 PM											
CV-2208A	6/17/2025 1:16:35 PM	-2.79	-2.79	0.020	0.039	8.3	11.8	-6.55	-6.62			34.4365685
CV-2208A	6/24/2025 8:46:19 AM	-0.38	-0.38	-0.226	-0.009	0.0	0.0	-9.27		0.0	0.0	34.4365152
CV-2208A	6/30/2025 1:16:56 PM	-0.73	-0.73	0.013	0.019	6.9	8.3	-6.76	-6.71			34.4365580

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2301	6/4/2025 8:56:38 AM	-4.97	-4.97	5.101	4.936			0.33	0.33			34.4335085
CV-2301	6/4/2025 9:00:00 AM											
CV-2301	6/4/2025 9:00:00 AM											
CV-2301	6/5/2025 9:40:00 AM											
CV-2301	6/5/2025 9:40:00 AM											
CV-2301	6/11/2025 8:13:32 AM	1.29	1.29	0.000	0.000			0.29	0.24			34.4335080
CV-2301	6/11/2025 8:14:14 AM	1.23	1.28	0.000	0.000			0.10	0.22			34.4335097
CV-2301	6/11/2025 8:15:00 AM											
CV-2301	6/19/2025 8:50:03 AM	-3.81	-3.75	3.735	3.811			0.33	0.33			34.4335275
CV-2302	6/3/2025 9:23:00 AM											
CV-2302	6/3/2025 9:23:00 AM											
CV-2302	6/4/2025 1:38:41 PM	-0.18	-0.02	0.006	0.143			-0.40	-0.44			34.4340440
CV-2302	6/17/2025 2:07:22 PM	-0.16	-0.16	0.108	0.037			-0.68	-1.38			34.4340930
CV-2303	6/3/2025 11:51:57 AM	-3.63	-3.55	3.682	3.438			0.35	0.34			34.4353702
CV-2303	6/3/2025 11:55:00 AM											
CV-2303	6/3/2025 11:55:00 AM											
CV-2303	6/5/2025 10:00:00 AM											
CV-2303	6/5/2025 10:00:00 AM											
CV-2303	6/10/2025 10:15:07 AM	-2.79	-2.73	2.652	2.728			0.32	0.32			34.4353780
CV-2303	6/10/2025 10:20:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2303	6/17/2025 10:05:37 AM	-4.11	-4.11	4.120	4.035			0.30	0.37			34.4353630
CV-2303	6/24/2025 2:00:37 PM	-4.07	-4.07	4.239	4.029			0.16	0.12			34.4354050
CV-2304	6/5/2025 2:33:02 PM	25.56	26.14			0.0	0.0	25.74		0.0	0.0	34.4345575
CV-2304	6/5/2025 2:33:41 PM	25.24	25.81			0.0	0.0	26.24		0.0	0.0	34.4345422
CV-2304	6/19/2025 3:15:57 PM	22.95	23.69			0.0	0.0	23.43		0.0	0.0	34.4345945
CV-2304	6/19/2025 3:17:08 PM	22.84	24.68			0.0	0.0	23.75		0.0	0.0	34.4345772
CV-2305	6/3/2025 10:15:46 AM											
CV-2305	6/4/2025 8:58:27 AM											
CV-2305	6/5/2025 9:18:31 AM											
CV-2305	6/7/2025 2:48:02 PM	-0.02	0.26	0.037	0.224	10.1	24.9	-6.85		12.6	31.0	34.4352283
CV-2305	6/7/2025 2:49:37 PM	-0.04	-0.04	0.218	0.223	24.4	24.7	-6.80		23.9	24.1	34.4352222
CV-2305	6/9/2025 10:56:55 AM											
CV-2305	6/11/2025 8:45:00 AM											
CV-2305	6/11/2025 8:45:00 AM											
CV-2305	6/16/2025 9:53:42 AM											
CV-2305	6/17/2025 9:29:24 AM											
CV-2305	6/18/2025 11:31:56 AM											
CV-2305	6/18/2025 2:05:13 PM	-0.05	-0.05	0.217	0.220	26.6	26.8	-5.09		227.3	229.1	34.4352740
CV-2305	6/23/2025 9:16:50 AM											
CV-2305	6/24/2025 1:35:02 PM											
CV-2306	6/3/2025 1:28:48 PM	-3.43	-3.43	2.899	3.047			0.00	-0.01			34.4361035
CV-2306	6/3/2025 1:30:00 PM											
CV-2306	6/3/2025 1:30:00 PM											
CV-2306	6/12/2025 12:58:34 PM	-1.41	-1.41	2.804	1.442			0.09	0.09			34.4360938

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2306	6/12/2025 1:00:00 PM											
CV-2306	6/18/2025 2:04:09 PM	-0.32	-0.32	0.565	0.311			-0.03	-0.07			34.4360862
CV-2306	6/24/2025 9:43:07 AM	-1.59	-1.59	2.679	1.642	0.0	0.0	-1.98		0.0	0.0	34.4360802
CV-2306	6/30/2025 8:40:00 AM	-1.43	-1.43	1.762	1.922			0.54	0.54			34.4360647
CV-2308-PLR	6/3/2025 2:26:13 PM	3.57	3.57	0.000	0.000			0.00	0.00			34.4358832
CV-2308-PLR	6/3/2025 2:26:37 PM	3.52	3.52	0.000	0.000			0.00	0.00			34.4358882
CV-2308-PLR	6/3/2025 2:30:00 PM											
CV-2308-PLR	6/3/2025 2:30:00 PM											
CV-2308-PLR	6/10/2025 10:38:15 AM	6.56	6.63	0.000	0.000			0.00	0.01			34.4358825
CV-2308-PLR	6/10/2025 10:39:04 AM	6.38	6.38	0.000	0.000			0.04	0.02			34.4358902
CV-2308-PLR	6/10/2025 10:40:00 AM											
CV-2308-PLR	6/18/2025 1:29:31 PM	4.33	4.33	0.000	0.000			-0.04	-0.06			34.4359125
CV-2308-PLR	6/18/2025 1:30:05 PM	4.09	4.25	0.000	0.000			-0.01	0.13			34.4359140
CV-2308-PLR	6/25/2025 1:32:46 PM	4.38	4.42	0.000	0.000			-0.04	-0.04			34.4359295
CV-2308-PLR	6/25/2025 1:33:42 PM	4.02	4.02	0.000	0.000			-0.07	-0.07			34.4359005

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2308-PLR	6/30/2025 9:36:38 AM	-112.88	-112.88	33.156	33.156			0.84	0.84			34.4358882
CV-2308-PLR	6/30/2025 9:39:16 AM	3.98	3.98	0.000	0.000			0.85	0.86			34.4358823
CV-2308-PLR	6/30/2025 10:38:28 AM	3.99	3.99	0.000	0.000			0.88	0.84			34.4358920
CV-2310-PLR	6/3/2025 11:42:16 AM	-0.58	-0.55	0.500	0.585			0.38	0.33			34.4353083
CV-2310-PLR	6/3/2025 11:45:00 AM											
CV-2310-PLR	6/3/2025 11:45:00 AM											
CV-2310-PLR	6/10/2025 10:06:58 AM	4.03	4.83	0.000	0.000			0.32	0.32			34.4353360
CV-2310-PLR	6/10/2025 10:09:09 AM	3.35	3.50	0.000	0.000			0.32	0.32			34.4353275
CV-2310-PLR	6/10/2025 10:10:00 AM											
CV-2310-PLR	6/17/2025 9:53:08 AM	1.25	2.54	0.000	0.000			0.32	0.30			34.4353302
CV-2310-PLR	6/17/2025 9:54:02 AM	1.11	2.07	0.000	0.000			0.41	0.38			34.4353377
CV-2310-PLR	6/24/2025 2:10:08 PM	4.63	4.63	0.000	0.000			0.06	0.06			34.4353280
CV-2310-PLR	6/24/2025 2:10:54 PM	3.90	4.59	0.000	0.000			0.06	0.03			34.4353392
CV-2310-PLR	6/30/2025 1:39:18 PM	3.67	3.67	0.000	0.000			0.00	0.00			34.4353242

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2310-PLR	6/30/2025 1:40:43 PM	4.12	4.63	0.000	0.000			0.00	0.02			34.4353092
CV-2311	6/8/2025 8:23:01 AM	-2.85	-2.85	2.489	2.674	0.0	0.0	-2.82		0.0	0.0	34.4363697
CV-2311	6/25/2025 11:16:20 AM	-0.32	-0.32	0.373	0.269			-2.67	-2.82			34.4363293
CV-2311	6/25/2025 11:19:35 AM	-0.32	-0.23	0.235	0.506			-4.32	-4.52			34.4363362
CV-2312	6/3/2025 10:02:00 AM											
CV-2312	6/3/2025 10:02:00 AM											
CV-2312	6/4/2025 8:12:45 AM	-0.51	-0.51	0.167	0.145	24.7	23.1	-7.11	-6.88			34.4342440
CV-2312	6/4/2025 8:13:18 AM	-0.50	-0.50	0.121	0.115	21.1	20.5	-7.02	-7.22			34.4342422
CV-2312	6/19/2025 1:30:36 PM	-0.47	-0.47	0.018	0.014	8.1	7.1	-5.86	-6.01			34.4342252
CV-2312	6/19/2025 1:31:10 PM	-0.32	-0.32	0.015	0.003	7.3	3.3	-5.80	-5.55			34.4342105
CV-2314	6/3/2025 10:18:56 AM											
CV-2314	6/4/2025 8:52:00 AM											
CV-2314	6/5/2025 8:33:24 AM											
CV-2314	6/7/2025 1:55:47 PM	-0.81	-0.81	-2.737	-0.409	0.0	0.0	-6.68		0.0	0.0	34.4347290
CV-2314	6/7/2025 1:57:05 PM	-0.70	-0.65	-0.222	-0.734	0.0	0.0	-6.80		0.0	0.0	34.4347052
CV-2314	6/9/2025 11:17:11 AM											
CV-2314	6/12/2025 9:10:39 AM											
CV-2314	6/12/2025 9:35:00 AM											
CV-2314	6/12/2025 9:35:00 AM											
CV-2314	6/17/2025 9:35:51 AM											
CV-2314	6/18/2025 11:25:24 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2314	6/20/2025 11:19:59 AM	-0.34	-0.34	0.338	0.327	22.5	22.2	0.63	0.63			34.4346787
CV-2314	6/20/2025 11:20:29 AM	-0.31	-0.31	0.295	0.296	21.0	21.1	0.59	0.59			34.4346725
CV-2314	6/23/2025 9:10:33 AM											
CV-2314	6/24/2025 10:50:58 AM											
CV-2315	6/3/2025 10:11:00 AM											
CV-2315	6/3/2025 10:11:00 AM											
CV-2315	6/4/2025 7:00:47 AM	-6.26	-6.25	6.201	6.213	45.6	45.7	0.03	0.03			34.4355092
CV-2315	6/4/2025 7:05:00 AM											
CV-2315	6/4/2025 7:05:00 AM											
CV-2315	6/10/2025 1:10:20 PM	-0.59	-0.59	0.635	0.556	14.7	13.8	0.08	0.08			34.4355395
CV-2315	6/10/2025 1:15:00 PM											
CV-2315	6/19/2025 8:00:06 AM	-3.19	-3.19	3.391	3.281	33.8	33.3	0.31	0.33			34.4355308
CV-2315	6/25/2025 9:20:15 AM	-3.52	-3.50	3.529	3.599	34.6	35.0	0.53	0.53			34.4355340
CV-2316	6/3/2025 10:06:42 AM											
CV-2316	6/4/2025 8:07:00 AM											
CV-2316	6/5/2025 8:25:00 AM											
CV-2316	6/6/2025 2:49:21 PM											
CV-2316	6/9/2025 8:41:14 AM											
CV-2316	6/12/2025 9:27:30 AM											
CV-2316	6/17/2025 9:25:12 AM											
CV-2316	6/19/2025 8:19:32 AM											
CV-2316	6/23/2025 8:32:42 AM											
CV-2316	6/25/2025 10:04:19 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2316	6/26/2025 8:08:54 AM											
CV-2316	6/26/2025 1:27:48 PM	-0.18	-0.09	0.197	0.193	17.2	17.0	-6.77	-6.92			34.4360343
CV-2316	6/26/2025 1:30:44 PM	-0.05	-0.05	0.204	0.199	17.5	17.3	-6.84	-7.05			34.4360383
CV-2319	6/7/2025 3:20:13 PM	-1.77	-1.77	5.144	1.832	0.0	0.0	-7.41		0.0	0.0	34.4353177
CV-2319	6/18/2025 2:20:48 PM	-0.12	-0.11	-5.118	-5.159	0.0	0.0	-5.23		0.0	0.0	34.4353103
CV-2321	6/3/2025 10:22:52 AM											
CV-2321	6/4/2025 8:47:00 AM											
CV-2321	6/5/2025 8:39:38 AM											
CV-2321	6/9/2025 11:04:45 AM											
CV-2321	6/12/2025 9:02:39 AM											
CV-2321	6/12/2025 1:05:28 PM	-0.02	0.99	0.012	0.014	4.2	4.6	-7.73	-7.25			34.4346193
CV-2321	6/12/2025 1:09:18 PM	-0.02	-0.02	0.006	0.017	3.0	5.0	-7.36	-7.79			34.4346373
CV-2321	6/17/2025 9:42:52 AM											
CV-2321	6/18/2025 11:15:12 AM											
CV-2321	6/23/2025 9:02:20 AM											
CV-2321	6/24/2025 10:42:13 AM											
CV-2321	6/25/2025 10:10:14 AM											
CV-2321	6/26/2025 8:21:01 AM											
CV-2322	6/8/2025 8:57:23 AM	-7.57	-7.57	7.104	7.049	0.0	0.0	-7.17		0.0	0.0	34.4352703
CV-2322	6/19/2025 12:57:02 PM	-4.48	-4.48	4.506	4.467			0.18	0.13			34.4352808
CV-2324	6/12/2025 1:06:54 PM	-0.04	-0.04	0.010	0.001	3.9	1.3	-7.45	-7.46			34.4346253
CV-2324	6/13/2025 3:40:52 PM	-1.34	-1.21	0.172	0.207	16.3	17.9	-8.51	-8.22			34.4344703
CV-2326	6/5/2025 11:05:00 AM	-0.04	-0.04	-0.025	-0.034	0.0	0.0	-0.04		0.0	0.0	34.4361227
CV-2326	6/26/2025 9:34:10 AM	-0.35	-0.16	0.381	0.493	0.0	0.0	-5.31		0.0	0.0	34.4361275

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2327	6/4/2025 7:14:01 AM	-6.71	-6.71	6.661	6.763	153.3	154.5	0.00	0.00			34.4348912
CV-2327	6/4/2025 7:15:00 AM											
CV-2327	6/4/2025 7:15:00 AM											
CV-2327	6/11/2025 9:40:33 AM	-3.05	-3.05	3.110	3.088	105.6	105.2	0.33	0.29			34.4348932
CV-2327	6/11/2025 9:45:00 AM											
CV-2327	6/18/2025 10:56:11 AM	-5.03	-5.03	5.441	5.367	139.0	138.0	0.48	0.48			34.4349130
CV-2327	6/25/2025 8:33:31 AM	-6.07	-6.07	6.323	6.282	149.8	149.4	0.53	0.53			34.4348850
CV-2328	6/3/2025 9:48:00 AM											
CV-2328	6/3/2025 9:48:00 AM											
CV-2328	6/4/2025 8:18:08 AM	-0.12	-0.12	0.449	0.436	40.1	39.5	-5.37	-5.23			34.4343178
CV-2328	6/4/2025 8:20:00 AM											
CV-2328	6/4/2025 8:20:00 AM											
CV-2328	6/11/2025 8:38:55 AM	-0.31	-0.31	0.733	0.679	51.2	49.3	-3.22	-3.04			34.4343228
CV-2328	6/11/2025 8:45:00 AM											
CV-2328	6/18/2025 10:38:16 AM	1.10	1.10	0.598	0.583	46.4	45.8	0.60	0.58			34.4343377
CV-2328	6/18/2025 10:39:14 AM	1.08	1.08	0.558	0.581	44.8	45.7	0.65	0.62			34.4343495

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2328	6/25/2025 8:20:37 AM	-4.00	-4.00	0.278	0.023	31.9	9.1	-5.26	-5.31			34.4343248
CV-2333	6/8/2025 9:22:13 AM	-3.94	-3.94	0.038	0.025	6.8	5.5	-4.56		8.0	6.4	34.4365303
CV-2333	6/9/2025 8:44:48 AM											
CV-2333	6/9/2025 9:37:00 AM											
CV-2333	6/9/2025 9:37:00 AM											
CV-2333	6/12/2025 8:31:06 AM											
CV-2333	6/13/2025 2:28:28 PM											
CV-2333	6/21/2025 10:14:54 AM	-0.31	-0.31	0.015	0.006	4.8	2.9	-4.14	-3.95			34.4365288
CV-2333	6/24/2025 8:39:34 AM											
CV-2333	6/27/2025 9:25:02 AM											
CV-2334	6/9/2025 9:40:00 AM											
CV-2334	6/9/2025 9:40:00 AM											
CV-2334	6/11/2025 8:43:03 AM											
CV-2334	6/12/2025 8:10:11 AM											
CV-2334	6/13/2025 2:22:38 PM											
CV-2334	6/17/2025 8:58:51 AM											
CV-2334	6/21/2025 10:05:51 AM	-0.45	-0.45	0.046	0.071	4.1	5.1	0.33	0.33			34.4366888
CV-2334	6/24/2025 8:33:50 AM											
CV-2334	6/27/2025 9:14:40 AM											
CV-2335	6/5/2025 3:44:01 PM	-4.61	-4.61	4.512	4.438	0.0	0.0	-4.60		0.0	0.0	34.4364473
CV-2335	6/19/2025 1:59:59 PM	-4.93	-4.93	4.609	4.582	0.0	0.0	-5.05		0.0	0.0	34.4364185
CV-2336	6/5/2025 11:34:01 AM											
CV-2336	6/5/2025 3:35:19 PM	-0.72	-0.14	0.250	0.840	0.0	0.0	-4.27		0.0	0.0	34.4360768
CV-2336	6/5/2025 3:36:44 PM	-1.14	-0.63	0.962	1.074	0.0	0.0	-4.54		0.0	0.0	34.4360537
CV-2336	6/9/2025 2:29:03 PM											
CV-2336	6/19/2025 9:40:29 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2336	6/19/2025 1:20:56 PM	-0.11	-0.11	0.117	0.126	0.0	0.0	-5.51		0.0	0.0	34.4360837
CV-2336	6/23/2025 11:44:47 AM											
CV-2336	6/25/2025 2:55:09 PM											
CV-2337	6/12/2025 8:45:00 AM											
CV-2337	6/12/2025 8:45:00 AM											
CV-2338	6/5/2025 9:50:00 AM											
CV-2338	6/5/2025 9:54:49 AM	-1.85	-1.85	2.691	1.868			0.01	-0.03			34.4348702
CV-2338	6/5/2025 9:55:00 AM											
CV-2338	6/12/2025 9:17:48 AM	-3.59	-3.48	3.477	3.649			0.31	0.31			34.4348612
CV-2338	6/12/2025 9:20:00 AM											
CV-2338	6/18/2025 9:21:53 AM	-4.05	-4.05	4.256	4.084			0.32	0.36			34.4348755
CV-2338	6/26/2025 9:01:43 AM	-1.73	-1.73	4.090	1.745			0.33	0.33			34.4348578
CV-2339	6/5/2025 9:35:41 AM	-4.39	-4.39	4.323	4.239	0.0	0.0	-4.35		0.0		34.4341348
CV-2339	6/19/2025 9:17:50 AM	-3.92	-3.92	3.714	3.873	0.0	0.0	-3.94		0.0	0.0	34.4341657
CV-2341	6/5/2025 9:21:18 AM	-4.73	-2.20	2.207	4.670	0.0	0.0	-4.57		0.0	0.0	34.4336808
CV-2341	6/5/2025 9:22:31 AM	-5.10	-4.58	4.843	4.767	0.0	0.0	-4.99		0.0	0.0	34.4336485
CV-2341	6/12/2025 8:30:00 AM											
CV-2341	6/12/2025 8:30:00 AM											
CV-2341	6/19/2025 9:02:42 AM	-3.48	-3.48	4.272	3.630	0.0	0.0	-4.46		0.0	0.0	34.4336422
CV-2341	6/19/2025 9:04:34 AM	-3.74	-3.74	3.555	3.563	0.0	0.0	-4.20			0.0	34.4336078
CV-2341	6/25/2025 2:36:33 PM											
CV-2342A-PLR	6/4/2025 12:54:01 PM	-4.99	-4.95	5.001	5.088			0.01	0.00			34.4342427
CV-2342A-PLR	6/4/2025 12:55:00 PM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2342A-PLR	6/4/2025 12:55:00 PM											
CV-2342A-PLR	6/12/2025 8:27:48 AM	-5.54	-5.54	5.549	5.549			0.28	0.28			34.4342152
CV-2342A-PLR	6/12/2025 8:35:00 AM											
CV-2342A-PLR	6/18/2025 8:26:10 AM	-6.18	-6.18	6.348	6.401			0.32	0.32			34.4342330
CV-2342A-PLR	6/25/2025 11:03:09 AM	-4.95	-4.95	5.385	5.214			0.56	0.53			34.4342403
CV-2343	6/1/2025 1:56:08 PM	-2.13	-2.13	3.591	2.134	0.0	0.0	-3.11		0.0	0.0	34.4330652
CV-2343	6/18/2025 2:15:57 PM	-3.27	-1.89	3.836	2.912	0.0	0.0	-3.42		0.0	0.0	34.4331488
CV-2343	6/18/2025 2:17:01 PM	-1.99	-1.99	2.008	1.963	0.0	0.0	-3.27		0.0	0.0	34.4332153
CV-2344	6/1/2025 1:46:23 PM	-1.35	-1.32	1.461	1.470	0.0	0.0	-4.07		0.0	0.0	34.4329810
CV-2344	6/2/2025 9:05:00 AM											
CV-2344	6/2/2025 9:05:00 AM											
CV-2344	6/18/2025 1:57:43 PM	-1.03	-1.03	0.759	0.763	0.0	0.0	-4.79		0.0	0.0	34.4330052
CV-2344	6/18/2025 1:59:26 PM	-0.92	-0.92	0.702	0.701	0.0	0.0	-4.10		0.0	0.0	34.4329567
CV-2345	6/1/2025 1:34:32 PM	-1.07	-1.07	1.282	1.131	0.0	0.0	-4.28		0.0	0.0	34.4327418
CV-2345	6/1/2025 1:36:02 PM	-1.13	-1.13	1.148	1.156	0.0	0.0	-3.82		0.0	0.0	34.4326638
CV-2345	6/2/2025 9:00:00 AM											
CV-2345	6/2/2025 9:00:00 AM											
CV-2345	6/18/2025 1:52:42 PM	-1.25	-1.25	1.276	1.069	0.0	0.0	-4.20			0.0	34.4326943
CV-2346	6/1/2025 1:29:25 PM	-0.02	0.09	-0.141	0.098	0.0	0.0	-0.08		0.0	0.0	34.4325378
CV-2346	6/1/2025 1:30:21 PM	-0.12	-0.12	0.176	-0.024	0.0	0.0	-0.10		0.0	0.0	34.4325632
CV-2346	6/2/2025 8:55:00 AM											
CV-2346	6/2/2025 8:55:00 AM											
CV-2346	6/18/2025 1:46:09 PM	-0.55	-0.55	0.226	0.225	0.0	0.0	-0.42		0.0	0.0	34.4326250
CV-2347	6/1/2025 2:23:40 PM	-1.19	-1.19	1.154	1.126	0.0	0.0	-4.12		0.0	0.0	34.4324322
CV-2347	6/2/2025 8:50:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2347	6/2/2025 9:55:00 AM											
CV-2347	6/18/2025 1:20:51 PM	-1.22	-1.22	1.126	1.126	0.0	0.0	-3.70		0.0		34.4324185
CV-2348	6/1/2025 1:08:39 PM	-1.73	-1.73	1.758	1.842	0.0	0.0	-1.69		0.0	0.0	34.4320495
CV-2348	6/2/2025 8:45:00 AM											
CV-2348	6/2/2025 8:45:00 AM											
CV-2348	6/18/2025 2:41:02 PM	-1.31	-1.31	1.151	1.147	0.0	0.0	-1.30		0.0	0.0	34.4320090
CV-2349	6/1/2025 11:13:24 AM	2.52	2.59	-2.417	-2.359	0.0	0.0	-0.71		0.0	0.0	34.4331510
CV-2349	6/1/2025 11:14:38 AM	2.60	2.60	-2.520	-2.616	0.0	0.0	-0.42		0.0	0.0	34.4329885
CV-2349	6/10/2025 8:20:00 AM											
CV-2349	6/10/2025 8:20:00 AM											
CV-2349	6/18/2025 10:24:01 AM	4.16	4.52	-4.053	-3.995	0.0	0.0	1.25		0.0	0.0	34.4331853
CV-2349	6/18/2025 10:25:26 AM	4.37	4.44	-4.551	-4.152	0.0	0.0	-0.15		0.0	0.0	34.4330783
CV-2349	6/25/2025 2:21:08 PM	4.75	5.75	0.000	0.000			1.22	1.05			34.4331460
CV-2349	6/25/2025 2:22:09 PM	4.77	4.77	0.000	0.000			-0.33	-0.42			34.4331518
CV-2350	6/1/2025 10:31:36 AM	-1.23	-1.23	1.353	1.352	0.0	0.0	-2.02		0.0	0.0	34.4328890
CV-2350	6/5/2025 10:10:00 AM											
CV-2350	6/5/2025 10:10:00 AM											
CV-2350	6/18/2025 9:34:45 AM	-1.56	-1.56	1.560	1.480	0.0	0.0	-2.32		0.0	0.0	34.4327562
CV-2351	6/3/2025 8:39:00 AM											
CV-2351	6/3/2025 8:39:00 AM											
CV-2351	6/8/2025 2:10:08 PM	-3.04	-3.04	3.003	3.123	0.0	0.0	-3.01		0.0	0.0	34.4351753
CV-2351	6/8/2025 2:11:03 PM	-2.97	-2.97	3.067	2.874	0.0	0.0	-2.96		0.0	0.0	34.4351857
CV-2351	6/25/2025 2:12:56 PM	-3.43	-3.43	3.468	3.464			-0.13	-0.13			34.4351590
CV-2352	6/3/2025 8:34:00 AM											
CV-2352	6/3/2025 8:34:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2352	6/4/2025 1:09:15 PM	-2.61	-2.61	2.875	2.636			0.00	0.00			34.4348805
CV-2352	6/4/2025 1:09:57 PM	-2.60	-2.60	2.605	2.597			0.00	0.00			34.4348738
CV-2352	6/18/2025 11:02:00 AM	-3.86	-3.86	3.819	3.411	0.0	0.0	-3.84		0.0	0.0	34.4348775
CV-2352	6/18/2025 11:02:44 AM	-3.24	-3.24	3.213	3.284	0.0	0.0	-3.64		0.0	0.0	34.4349945
CV-2353-PLR	6/3/2025 8:20:00 AM											
CV-2353-PLR	6/3/2025 8:20:00 AM											
CV-2353-PLR	6/4/2025 1:02:19 PM	-4.83	-4.82	4.807	4.819			-0.01	-0.01			34.4345395
CV-2353-PLR	6/25/2025 11:13:46 AM	-5.03	-5.03	5.462	5.250			0.58	0.53			34.4345233
CV-2353-PLR	6/25/2025 11:14:25 AM	-4.70	-4.70	4.944	5.097			0.53	0.53			34.4345153
CV-2354	6/4/2025 1:24:29 PM	-0.24	-0.21	0.215	0.229			0.03	0.03			34.4337083
CV-2354	6/12/2025 9:50:00 AM											
CV-2354	6/12/2025 9:50:00 AM											
CV-2354	6/18/2025 10:34:52 AM	0.43	0.43	-0.522	-0.310	0.0	0.0	0.47		0.0	0.0	34.4337373
CV-2354	6/18/2025 10:35:34 AM	0.79	0.79	-0.861	-0.819	0.0	0.0	0.81		0.0	0.0	34.4337295
CV-24001	6/5/2025 3:48:22 PM	-3.80	-3.80	3.965	3.689	0.0	0.0			0.0	0.0	34.4366188
CV-24001	6/19/2025 2:03:52 PM	-4.11	-4.11	3.716	3.705	0.0	0.0			0.0	0.0	34.4367163
CV-24002	6/5/2025 4:00:22 PM	-1.30	-1.30	1.043	1.028	0.0	0.0	-5.00		0.0	0.0	34.4367192
CV-24002	6/19/2025 2:15:31 PM	-1.19	-1.19	0.768	0.770	0.0	0.0	-5.27		0.0	0.0	34.4367363
CV-24003	6/5/2025 10:32:54 AM	-1.00	-1.00	0.004	0.008	0.0	0.0	-5.01		0.0	0.0	34.4368842
CV-24003	6/18/2025 3:26:24 PM	-0.56	-0.56	-0.017	0.085	0.0	0.0	-4.87		0.0	0.0	34.4368848
CV-24004	6/5/2025 10:29:14 AM	-1.00	-1.00	-0.020	-0.229	0.0	0.0	-6.06		0.0	0.0	34.4370055
CV-24004	6/18/2025 3:21:36 PM	-0.51	-0.51	-0.198	-0.205	0.0	0.0	-4.39		0.0	0.0	34.4371248
CV-24006	6/3/2025 1:56:44 PM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24006	6/4/2025 2:51:31 PM											
CV-24006	6/5/2025 10:54:01 AM	-1.16	-1.16	-2.140	-1.471	0.0	0.0	-5.15		0.0	0.0	34.4363345
CV-24006	6/9/2025 2:07:16 PM											
CV-24006	6/16/2025 2:40:19 PM											
CV-24006	6/17/2025 9:42:56 AM											
CV-24006	6/18/2025 3:20:10 PM											
CV-24006	6/19/2025 9:52:30 AM	-0.76	-0.76	-1.173	-1.381	0.0	0.0	-4.64		0.0	0.0	34.4364157
CV-24006	6/23/2025 2:18:04 PM											
CV-24006	6/24/2025 1:55:49 PM											
CV-24006	6/25/2025 2:11:13 PM											
CV-24006	6/30/2025 2:38:56 PM											
CV-24007	6/3/2025 1:55:44 PM											
CV-24007	6/5/2025 10:26:00 AM											
CV-24007	6/5/2025 10:26:00 AM											
CV-24007	6/8/2025 8:32:38 AM	-0.23	-0.23	0.089	0.085	0.0	0.0	-5.72		0.0	0.0	34.4365397
CV-24007	6/9/2025 2:05:52 PM											
CV-24007	6/16/2025 2:41:46 PM											
CV-24007	6/17/2025 9:44:59 AM											
CV-24007	6/18/2025 3:21:06 PM											
CV-24007	6/23/2025 2:17:03 PM											
CV-24007	6/24/2025 1:57:10 PM											
CV-24007	6/25/2025 2:10:04 PM											
CV-24007	6/26/2025 9:09:50 AM	-0.02	0.39	-0.426	0.076	0.0	0.0	-5.22		0.0	0.0	34.4365167
CV-24007	6/26/2025 9:11:51 AM	-0.09	-0.09	0.119	0.125	0.0	0.0	-5.14		0.0	0.0	34.4365250
CV-24007	6/26/2025 9:11:51 AM	-0.09	-0.09	0.119	0.125	0.0	0.0	-5.14		0.0	0.0	34.4365250
CV-24007	6/30/2025 2:37:49 PM											
CV-24008	6/3/2025 1:42:37 PM											
CV-24008	6/4/2025 2:46:50 PM											
CV-24008	6/8/2025 8:41:54 AM	0.33	0.33	-0.075	-0.015	0.0	0.0			0.0	0.0	34.4366563
CV-24008	6/8/2025 8:43:06 AM	0.19	0.19	-0.026	-0.024	0.0	0.0			0.0	0.0	34.4366945

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24008	6/9/2025 1:59:09 PM											
CV-24008	6/13/2025 2:45:35 PM											
CV-24008	6/16/2025 2:56:31 PM											
CV-24008	6/18/2025 3:23:06 PM											
CV-24008	6/23/2025 2:32:58 PM											
CV-24008	6/24/2025 1:59:20 PM											
CV-24008	6/26/2025 9:50:42 AM	1.15	1.15	-0.040	1.088	0.0	42.5			0.0	10.3	34.4366547
CV-24008	6/26/2025 9:52:13 AM	1.14	1.14	-0.030	-0.033	0.0	0.0			0.0	0.0	34.4366800
CV-24008	6/30/2025 2:40:49 PM											
CV-24009	6/3/2025 1:40:33 PM											
CV-24009	6/4/2025 10:07:09 AM	-1.22	-1.22	0.398	0.362			-6.82	-6.76			34.4368990
CV-24009	6/4/2025 10:10:00 AM											
CV-24009	6/4/2025 2:39:05 PM											
CV-24009	6/4/2025 10:10:00 PM											
CV-24009	6/9/2025 8:49:31 AM											
CV-24009	6/12/2025 10:46:00 AM	-0.42	-0.40	0.178	0.148			-5.72	-6.04			34.4368628
CV-24009	6/12/2025 10:50:00 AM											
CV-24009	6/16/2025 3:03:38 PM											
CV-24009	6/18/2025 1:10:11 PM	-0.23	-0.23	0.136	0.134			-5.60	-5.31			34.4368835
CV-24009	6/18/2025 3:24:59 PM											
CV-24009	6/23/2025 2:31:05 PM											
CV-24009	6/25/2025 1:21:43 PM	-0.45	-0.45	0.176	0.114			-5.63	-5.44			34.4369128
CV-24009	6/30/2025 2:42:03 PM											
CV-24010	6/5/2025 4:09:51 PM	-6.68	-6.68	6.423	6.400	0.0	0.0	-6.64		0.0	0.0	34.4370970
CV-24010	6/5/2025 4:11:30 PM	-6.48	-6.45	6.293	6.227	0.0	0.0	-6.50		0.0	0.0	34.4370825
CV-24010	6/29/2025 10:33:48 AM	-6.52	-6.52	6.334	6.713	0.0	0.0	-6.62		0.0	0.0	34.4369645

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24011	6/3/2025 10:21:08 AM	-0.53	-0.53	0.212	0.136	8.6	6.9	-5.08	-5.03			34.4362093
CV-24011	6/3/2025 10:25:00 AM											
CV-24011	6/3/2025 10:25:00 AM											
CV-24011	6/10/2025 8:43:58 AM	-0.11	-0.11	0.071	0.023	4.9	2.8	-3.23	-3.63			34.4362200
CV-24011	6/10/2025 8:45:00 AM											
CV-24011	6/17/2025 8:52:01 AM	-1.17	-1.17	0.561	0.035	13.9	3.5	-4.51	-4.50			34.4362055
CV-24011	6/17/2025 9:35:44 AM											
CV-24011	6/24/2025 10:48:35 AM	-0.42	-0.42	0.047	0.029	0.0	0.0	-6.60		0.0	0.0	34.4362430
CV-24011	6/30/2025 10:41:19 AM	-0.06	-0.05	0.041	0.025	3.8	2.9	-4.09	-4.72			34.4362122
CV-24012	6/3/2025 10:35:00 AM											
CV-24012	6/3/2025 10:35:00 AM											
CV-24012	6/3/2025 10:35:13 AM	-0.63	-0.62	0.620	0.649			-6.60	-6.56			34.4361837
CV-24012	6/3/2025 1:58:57 PM											
CV-24012	6/10/2025 8:58:17 AM	-0.55	-0.55	0.858	0.564			-3.45	-3.85			34.4361910
CV-24012	6/10/2025 9:00:00 AM											
CV-24012	6/16/2025 2:43:26 PM											
CV-24012	6/17/2025 9:06:24 AM	-2.62	-2.62	3.190	2.626			-5.03	-5.16			34.4361887
CV-24012	6/18/2025 3:29:19 PM											
CV-24012	6/23/2025 2:20:45 PM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24012	6/24/2025 11:15:27 AM	-1.15	-1.15	3.888	1.260	0.0	0.0	-6.54		0.0	0.0	34.4361773
CV-24012	6/24/2025 2:04:10 PM											
CV-24012	6/25/2025 2:13:55 PM											
CV-24012	6/30/2025 10:53:21 AM	-0.78	-0.78	0.711	0.709			-5.11	-5.02			34.4361790
CV-24012	6/30/2025 2:38:05 PM											
CV-24014	6/3/2025 10:06:42 AM	-0.54	-0.54	0.111	0.127	20.0	21.4	0.33	0.33			34.4367632
CV-24014	6/3/2025 10:10:00 AM											
CV-24014	6/3/2025 10:10:00 AM											
CV-24014	6/3/2025 1:36:02 PM											
CV-24014	6/4/2025 1:33:22 PM											
CV-24014	6/5/2025 1:57:27 PM											
CV-24014	6/9/2025 1:49:21 PM											
CV-24014	6/10/2025 8:24:30 AM	-0.16	-0.15	0.180	0.131	25.4	21.7	0.32	0.32			34.4367883
CV-24014	6/10/2025 8:25:00 AM											
CV-24014	6/13/2025 2:37:49 PM											
CV-24014	6/18/2025 3:12:14 PM											
CV-24014	6/19/2025 10:06:13 AM	-0.84	-0.84	0.222	0.061	28.2	14.8	-6.31	-6.14			34.4367757
CV-24014	6/19/2025 2:25:47 PM											
CV-24014	6/23/2025 2:27:31 PM											
CV-24014	6/30/2025 2:44:03 PM											
CV-24015	6/3/2025 9:59:37 AM	-6.71	-6.71	7.032	6.988			0.33	0.33			34.4368745
CV-24015	6/3/2025 10:00:00 AM											
CV-24015	6/3/2025 10:00:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24015	6/10/2025 8:11:21 AM	-3.58	-3.57	3.597	3.587			0.31	0.31			34.4368865
CV-24015	6/10/2025 8:15:00 AM											
CV-24015	6/17/2025 8:19:49 AM	-5.58	-5.45	5.731	5.808			0.30	0.30			34.4368648
CV-24015	6/27/2025 2:25:19 PM	-6.10	-6.09	5.882	5.916			0.02	0.04			34.4368675
CV-24016	6/5/2025 11:08:03 AM	-2.97	-2.97	2.827	2.819	0.0	0.0	-5.47		0.0	0.0	34.4359130
CV-24016	6/19/2025 10:02:44 AM	-1.70	-1.70	2.584	1.534	0.0	0.0	-6.00		0.0	0.0	
CV-24016	6/19/2025 10:04:43 AM	-1.24	-1.24	1.253	1.180	0.0	0.0	-5.89		0.0		34.4359103
CV-24017	6/3/2025 10:56:28 AM	-0.51	-0.51	0.509	0.494			-5.56	-5.69			34.4361045
CV-24017	6/3/2025 11:00:00 AM											
CV-24017	6/3/2025 11:00:00 AM											
CV-24017	6/9/2025 10:15:00 AM											
CV-24017	6/9/2025 10:15:00 AM											
CV-24017	6/10/2025 9:11:11 AM	-0.37	-0.37	0.326	0.374			-2.23	-2.66			34.4361110
CV-24017	6/10/2025 9:15:00 AM											
CV-24017	6/17/2025 9:18:58 AM	-1.99	-1.99	2.114	1.979			-4.18	-3.74			34.4361455
CV-24017	6/24/2025 11:01:04 AM	-0.54	-0.54	3.190	0.519	0.0	0.9	-6.60		0.0	12.1	34.4360515
CV-24017	6/30/2025 11:05:34 AM	-0.14	-0.14	0.036	0.130			-4.74	-4.34			34.4361328
CV-24018	6/5/2025 11:23:06 AM	-1.96	-1.96	1.885	1.875	0.0	0.0	-1.91		0.0	0.0	34.4355682
CV-24018	6/19/2025 10:13:24 AM	-1.33	-1.32	1.299	1.274	0.0	0.0	-1.28		0.0	0.0	34.4356378
CV-24018	6/19/2025 10:14:20 AM	-1.17	-1.16	1.208	1.211	0.0	0.0	-1.14		0.0	0.0	34.4356905

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24019	6/3/2025 10:28:09 AM	-2.58	-2.58	3.600	2.618			-6.08	-6.04			34.4357712
CV-24019	6/3/2025 10:30:00 AM											
CV-24019	6/3/2025 10:30:00 AM											
CV-24019	6/10/2025 8:50:53 AM	-0.36	-0.36	0.307	0.277			-3.11	-2.73			34.4357908
CV-24019	6/10/2025 8:55:00 AM											
CV-24019	6/17/2025 8:58:22 AM	-2.28	-2.28	2.227	2.200			-4.71	-4.77			34.4357815
CV-24019	6/24/2025 10:29:49 AM	-0.46	-0.46	-0.259	-0.161	0.0	0.0	-0.41		0.0	0.0	34.4368122
CV-24019	6/24/2025 11:23:14 AM	-0.68	-0.68	3.614	0.618	0.0	0.0	-6.00		0.0	0.0	34.4357703
CV-24019	6/30/2025 10:47:34 AM	-0.70	-0.70	0.814	0.393			0.88	0.88			34.4358007
CV-24020	6/5/2025 11:44:49 AM	-2.25	-1.80	1.975	2.166	0.0	0.0	-1.79		0.0	0.0	34.4360165
CV-24020	6/19/2025 10:39:33 AM	-2.24	-2.24	3.113	2.748	0.0	0.0	-3.00		0.0	0.0	34.4359790
CV-24020	6/19/2025 10:41:28 AM	-2.67	-2.67	2.581	2.857	0.0	0.0	-3.44		0.0	0.0	34.4360122
CV-24021	6/3/2025 1:59:39 PM											
CV-24021	6/5/2025 11:47:40 AM	-1.48	-1.48	1.287	1.292	0.0	0.0	-6.93		0.0	0.0	34.4361480
CV-24021	6/5/2025 11:49:26 AM	-1.46	-1.46	1.327	1.327	0.0	0.0	-6.74		0.0	0.0	34.4361400
CV-24021	6/16/2025 2:44:19 PM											
CV-24021	6/18/2025 3:30:25 PM											
CV-24021	6/19/2025 10:47:58 AM	-1.56	-1.56	1.725	1.716	0.0	0.0	-7.08		0.0	0.0	34.4361557
CV-24021	6/19/2025 10:47:59 AM	-1.56	-1.56	1.725	1.716	0.0	0.0	-7.08		0.0	0.0	34.4361608
CV-24021	6/19/2025 10:49:55 AM	-2.97	-2.97	2.882	2.884	0.0	0.0	-7.06		0.0	0.0	34.4361862
CV-24021	6/23/2025 2:22:26 PM											
CV-24021	6/24/2025 2:05:07 PM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24021	6/25/2025 2:14:44 PM											
CV-24021	6/30/2025 2:39:22 PM											
CV-24022-PLR	6/3/2025 10:13:40 AM	-6.04	-6.04	6.568	6.443			0.34	0.36			34.4365208
CV-24022-PLR	6/10/2025 8:29:34 AM	-2.15	-2.15	2.214	2.128			0.28	0.29			34.4365475
CV-24022-PLR	6/17/2025 7:48:56 AM	-6.85	-6.84	7.009	7.037			0.30	0.30			34.4365313
CV-24022-PLR	6/17/2025 7:49:34 AM	-6.38	-6.23	6.436	6.619			0.30	0.30			34.4365247
CV-24022-PLR	6/24/2025 10:21:08 AM	-5.35	-5.35	5.792	5.658	0.0	0.0	-7.20		0.0	0.0	34.4364635
CV-24023	6/3/2025 8:50:00 AM											
CV-24023	6/3/2025 8:50:00 AM											
CV-24023	6/3/2025 8:50:18 AM	-7.05	-7.05	7.442	7.181			-7.21	-6.86			34.4366110
CV-24023	6/10/2025 8:05:31 AM	-5.08	-4.96	5.080	4.948			-4.99	-5.07			34.4366015
CV-24023	6/10/2025 8:10:00 AM											
CV-24023	6/17/2025 8:08:15 AM	-7.36	-7.15	7.381	7.619			-7.11	-7.25			34.4366107
CV-24025	6/3/2025 11:05:00 AM											
CV-24025	6/3/2025 11:05:00 AM											
CV-24025	6/3/2025 11:05:26 AM	-4.81	-4.81	4.884	4.862			0.33	0.33			34.4352792
CV-24025	6/10/2025 9:29:51 AM	-2.74	-2.72	2.752	2.767			0.32	0.32			34.4352875

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24025	6/10/2025 9:30:00 AM											
CV-24025	6/17/2025 10:13:20 AM	-3.93	-3.88	3.831	3.924			0.44	0.45			34.4353112
CV-24025	6/24/2025 1:54:59 PM	-4.78	-4.75	4.779	4.816			0.06	0.06			34.4353198
CV-24026	6/8/2025 8:12:19 AM	-0.74	-0.74	0.699	0.628	0.0	0.0	-7.00		0.0		34.4356783
CV-24026	6/8/2025 8:13:48 AM	-0.78	-0.78	0.711	0.697	0.0	0.0	-7.03		0.0	0.0	34.4357065
CV-24026	6/19/2025 10:29:13 AM	-0.80	-0.80	0.578	0.577	0.0	0.0	-6.57		0.0	0.0	34.4356717
CV-24026	6/19/2025 10:30:24 AM	-0.71	-0.71	0.605	0.604	0.0	0.0	-6.58		0.0	0.0	34.4356323
CV-24027	6/5/2025 11:54:45 AM	-6.52	11.11		6.422	0.0	0.0	-5.96		0.0	0.0	34.4361245
CV-24027	6/5/2025 11:56:18 AM	-6.88	-6.88	6.391	6.411	0.0	0.0	-6.91		0.0	0.0	34.4361048
CV-24027	6/5/2025 11:57:23 AM	-6.97	-6.79	6.461	6.974	0.0	0.0	-6.98		0.0	0.0	34.4361083
CV-24027	6/13/2025 2:00:21 PM	-1.62	-1.62	1.632	1.604			-5.74	-5.84			34.4361760
CV-24027	6/16/2025 9:56:33 AM	-1.03	-1.03	6.424	1.038			-6.35	-6.31			34.4361235
CV-24027	6/16/2025 10:00:33 AM	-0.83	-0.82	0.818	0.821			-6.40	-6.38			34.4361438
CV-24027	6/23/2025 2:23:49 PM											
CV-24027	6/24/2025 2:06:38 PM											
CV-24027	6/25/2025 2:15:52 PM											
CV-24027	6/30/2025 2:40:49 PM											
CV-24028	6/3/2025 8:27:18 AM	-5.83	-5.80	5.855	5.878			0.33	0.33			34.4363508
CV-24028	6/3/2025 8:30:00 AM											
CV-24028	6/3/2025 8:30:00 AM											
CV-24028	6/10/2025 8:32:40 AM	-2.89	-2.89	2.902	2.998			0.30	0.27			34.4363498
CV-24028	6/10/2025 8:35:00 AM											
CV-24028	6/17/2025 7:57:56 AM	-6.00	-6.00	6.230	6.246			0.30	0.30			34.4363385

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24028	6/24/2025 10:11:15 AM	-6.56	-6.56	6.638	6.542	0.0	0.0	-7.67		0.0	0.0	34.4363060
CV-24028	6/30/2025 8:27:12 AM	-6.08	-6.08	7.088	6.239			0.25	0.20			34.4363282
CV-24029	6/8/2025 9:37:14 AM	-6.90	-6.87	6.830	6.818	0.0	0.0	-6.91		0.0	0.0	34.4364117
CV-24029	6/28/2025 1:40:41 PM	-0.13	-0.13	0.084	0.084	0.0	0.0	-5.93		0.0	0.0	34.4364613
CV-24029	6/28/2025 1:42:08 PM	-0.12	-0.12	0.103	0.096	0.0	0.0	-5.85		0.0	0.0	34.4364667
CV-24031	6/5/2025 3:02:59 PM	-3.39	-3.39	3.360	3.354	0.0	0.0	-3.39		0.0	0.0	34.4349327
CV-24031	6/5/2025 3:03:40 PM	-3.47	-3.47	3.421	3.294	0.0	0.0	-3.46		0.0	0.0	34.4348588
CV-24031	6/19/2025 3:39:42 PM	-3.95	-3.95	3.422	3.421	0.0	0.0	-3.92		0.0	0.0	34.4349142
CV-24032	6/3/2025 11:14:09 AM	-3.98	-3.98	4.398	4.056			0.35	0.34			34.4351145
CV-24032	6/3/2025 11:15:00 AM											
CV-24032	6/3/2025 11:15:00 AM											
CV-24032	6/10/2025 9:36:41 AM	-2.94	-2.89	2.920	2.809			0.32	0.32			34.4351055
CV-24032	6/10/2025 9:40:00 AM											
CV-24032	6/17/2025 10:20:02 AM	-3.05	-3.05	3.197	3.032			0.43	0.46			34.4351153
CV-24032	6/24/2025 2:46:13 PM	-0.46	-0.46	0.490	0.484			-0.08	-0.08			34.4351205
CV-24033	6/3/2025 11:48:48 AM	-0.40	-0.36	0.430	0.470			-3.68	-3.71			34.4353412
CV-24033	6/3/2025 11:49:36 AM	-0.29	-0.29	0.366	0.360			-3.73	-2.80			34.4353403
CV-24033	6/17/2025 10:00:05 AM	-0.17	-0.17	0.382	0.302			-3.94	-3.84			34.4353452

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24033	6/24/2025 2:06:42 PM	-0.65	-0.65	1.812	0.673			-4.35	-4.51			34.4353637
CV-24033	6/24/2025 2:07:34 PM	-0.73	-0.73	0.756	0.803			-4.33	-3.75			34.4353558
CV-24034	6/3/2025 1:36:46 PM	-6.71	-6.71	6.832	6.713			-6.82	-6.69			34.4361010
CV-24034	6/3/2025 1:40:00 PM											
CV-24034	6/3/2025 1:40:00 PM											
CV-24034	6/12/2025 1:10:23 PM	-4.93	-4.93	6.212	4.944			-6.19	-6.06			34.4361098
CV-24034	6/12/2025 1:11:18 PM	-4.42	-4.42	4.449	4.432			-5.85	-6.10			34.4361160
CV-24034	6/12/2025 1:15:00 PM											
CV-24034	6/18/2025 1:47:51 PM	-0.56	-0.53	0.551	0.587			0.04	0.11			34.4361227
CV-24034	6/24/2025 10:03:07 AM	-0.98	-0.98	5.264	1.385	0.0	0.0	-7.23		0.0	0.0	34.4361980
CV-24035	6/3/2025 8:12:40 AM	-5.98	-5.86	4.751	4.733			0.31	0.32			34.4363840
CV-24035	6/3/2025 8:15:00 AM											
CV-24035	6/3/2025 8:15:00 AM											
CV-24035	6/10/2025 7:57:07 AM	-9.76	-9.76	9.888	9.848			0.01	-0.01			34.4363888
CV-24035	6/10/2025 8:00:00 AM											
CV-24035	6/17/2025 7:37:16 AM	-6.23	-6.21	6.321	6.330			0.30	0.28			34.4363747

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24035	6/25/2025 1:46:04 PM	-6.40	-6.40	6.407	6.267			0.00	-0.06			34.4364007
CV-24035	6/30/2025 8:21:37 AM	-3.50	-3.50	3.375	3.375			0.20	0.20			34.4363740
CV-24036	6/5/2025 2:54:47 PM	-3.94	-3.94	3.840	3.990	0.0	0.0	-4.64		0.0	0.0	34.4345055
CV-24036	6/19/2025 3:33:03 PM	-5.19	-5.19	5.553	4.653	0.0	0.0	-5.35		0.0	0.0	34.4345530
CV-24036	6/19/2025 3:34:33 PM	-4.48	-4.48	4.574	4.070	0.0	0.0	-5.51		0.0	0.0	34.4344913
CV-24037	6/3/2025 11:20:54 AM	-0.35	-0.35	0.423	0.370			-3.48	-3.39			34.4347413
CV-24037	6/3/2025 11:23:02 AM	-0.37	-0.37	0.414	0.378			-3.48	-3.48			34.4347418
CV-24037	6/10/2025 9:44:42 AM	-0.09	-0.07	0.065	0.065			0.32	0.32			34.4347533
CV-24037	6/19/2025 3:45:10 PM	-0.52	-0.52	0.165	0.172	0.0	0.0	-4.97		0.0	0.0	34.4347632
CV-24037	6/19/2025 3:47:26 PM	-0.62	-0.62	0.257	0.252	0.0	0.0	-4.96		0.0	0.0	34.4347988
CV-24038	6/1/2025 11:33:17 AM	-4.64	-4.64	4.997	4.761	0.0	0.0	-4.64		0.0	0.0	34.4342648
CV-24038	6/1/2025 11:34:15 AM	-4.60	-4.60	4.923	4.893	0.0	0.0	-4.58		0.0	0.0	34.4342743
CV-24038	6/3/2025 11:33:49 AM	22.15	22.17	0.000	0.000			22.27	22.07			34.4350107
CV-24038	6/3/2025 11:34:29 AM	21.49	21.49	0.000	0.000			21.87	21.87			34.4350170
CV-24038	6/3/2025 11:35:00 AM											
CV-24038	6/3/2025 11:35:00 AM											
CV-24038	6/10/2025 9:59:30 AM	27.77	28.19	0.000	0.000			28.58	27.43			34.4350230
CV-24038	6/10/2025 10:00:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24038	6/10/2025 10:00:09 AM	27.87	28.06	0.000	0.000			28.21	27.75			34.4350193
CV-24038	6/17/2025 10:27:29 AM	24.81	25.64	0.000	0.000			0.47	0.44			34.4350258
CV-24038	6/17/2025 10:28:04 AM	25.17	25.50	0.000	0.000			0.34	0.30			34.4350247
CV-24038	6/23/2025 1:45:57 PM											
CV-24038	6/24/2025 2:33:18 PM	21.81	21.81	0.000	0.000			21.85	21.83			34.4350550
CV-24038	6/24/2025 2:33:59 PM	22.15	22.28	0.000	0.000			22.05	22.00			34.4350375
CV-24038	6/30/2025 9:13:48 AM	21.45	21.62	0.000	0.000			20.79	21.05			34.4350222
CV-24039	6/5/2025 2:00:03 PM	-5.87	-5.87	5.887	6.090	0.0	0.0	-5.58		0.0	0.0	34.4352538
CV-24039	6/5/2025 2:01:49 PM	-5.82	-5.82	5.903	5.492	0.0	0.0	-5.87		0.0	0.0	34.4352232
CV-24039	6/17/2025 9:42:48 AM	-4.85	-4.85	4.967	4.864			-4.77	-4.60			34.4352998
CV-24039	6/17/2025 9:44:15 AM	-0.49	-0.49	0.550	0.494			-0.27	-0.24			34.4353045
CV-24039	6/24/2025 2:27:37 PM	-1.54	-1.54	5.702	1.562			-5.82	-5.55			34.4353120
CV-24039	6/30/2025 9:24:28 AM	-1.66	-1.66	1.600	1.600			-5.22	-5.22			34.4353007
CV-24040	6/5/2025 2:05:39 PM	-4.11	-4.11	3.957	3.960	0.0	0.0	-4.08		0.0	0.0	34.4356430
CV-24040	6/19/2025 11:09:19 AM	-6.82	-6.82	7.807	7.048	0.0	0.0	-7.49		0.0	0.0	34.4356407

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24040	6/19/2025 11:11:48 AM	-6.01	-6.01	6.868	5.792	0.0	0.0	-7.23		0.0	0.0	34.4356057
CV-24040	6/23/2025 1:40:36 PM											
CV-24041	6/5/2025 2:10:12 PM	-5.89	-5.89	6.933	6.886	0.0	0.0	-7.21		0.0	0.0	34.4358980
CV-24041	6/5/2025 2:11:37 PM	-7.04	-6.99	6.853	6.919	0.0	0.0	-6.98		0.0	0.0	34.4358345
CV-24041	6/19/2025 2:36:08 PM	-1.57	-1.57	2.358	0.962	0.0	0.0	-6.73		0.0	0.0	34.4359448
CV-24041	6/19/2025 2:37:34 PM	-0.25	-0.25	-0.044	-0.361	0.0	0.0	-6.72		0.0	0.0	34.4358483
CV-24042	6/3/2025 1:23:42 PM	1.18	1.20	0.000	0.000			0.01	0.00			34.4362530
CV-24042	6/3/2025 1:24:33 PM	1.20	1.22	0.000	0.000			0.00	0.02			34.4362437
CV-24042	6/10/2025 10:48:30 AM	-2.66	-2.66	3.042	2.730			-4.36	-3.96			34.4362420
CV-24042	6/10/2025 10:50:00 AM											
CV-24042	6/17/2025 1:49:18 PM	-1.24	-1.24	1.926	1.199			-3.38	-4.28			34.4362743
CV-24042	6/24/2025 9:25:56 AM	-0.45	-0.45	0.551	0.462	0.0	0.0	-7.67		0.0	0.0	34.4361978
CV-24042	6/30/2025 8:17:05 AM	-0.03	-0.02	0.017	0.000			-2.51	-2.50			34.4362512
CV-24043	6/4/2025 2:08:03 PM	-0.37	-0.37	0.475	0.432			-0.26	-0.21			34.4341243
CV-24043	6/20/2025 8:31:36 AM	-1.30	-1.30	1.197	2.195	0.0	0.0			0.0	0.0	34.4340323
CV-24044	6/5/2025 2:51:20 PM	-4.71	-4.71	4.452	4.646	0.0	0.0	-4.19			0.0	34.4343898
CV-24044	6/19/2025 3:27:59 PM	-4.87	-4.86	4.971	4.721	0.0	0.0	-4.86		0.0	0.0	34.4344178
CV-24045	6/3/2025 11:26:14 AM	-0.88	-0.88	0.923	0.911			-1.35	-1.40			34.4347548
CV-24045	6/3/2025 11:30:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24045	6/3/2025 11:30:00 AM											
CV-24045	6/10/2025 9:46:57 AM	3.98	4.11	0.000	0.000			3.94	3.77			34.4347392
CV-24045	6/10/2025 9:47:43 AM	3.53	3.86	0.000	0.000			3.60	3.00			34.4347503
CV-24045	6/10/2025 9:50:00 AM											
CV-24045	6/17/2025 2:05:34 PM	-1.02	-1.02	1.047	0.886			-1.63	-1.82			34.4347688
CV-24045	6/24/2025 2:39:59 PM	-0.73	-0.73	1.087	0.740			-1.45	-1.36			34.4347610
CV-24045	6/30/2025 9:19:44 AM	-0.54	-0.54	0.430	0.430			-0.66	-0.66			34.4347520
CV-24046	6/5/2025 2:28:40 PM	-4.78	-4.78	4.476	4.508	0.0	0.0	-4.38		0.0	0.0	34.4351645
CV-24046	6/19/2025 3:00:11 PM	-4.25	-4.24	3.836	3.764	0.0	0.0	-4.22		0.0	0.0	34.4350920
CV-24046	6/19/2025 3:00:59 PM	-3.78	-3.78	3.963	3.538	0.0	0.0	-4.36		0.0	0.0	34.4350465
CV-24048	6/5/2025 2:14:38 PM	-3.08	-3.08	2.971	2.837	0.0	0.0	-6.73		0.0	0.0	34.4355890
CV-24048	6/19/2025 1:00:05 PM	-1.86	-1.85	1.877	1.879			-4.97	-4.98			34.4355795
CV-24048	6/19/2025 2:42:11 PM	-2.86	-2.86	2.528	2.506	0.0	0.0	-6.64		0.0	0.0	34.4356015
CV-24049	6/3/2025 1:53:18 PM	-2.57	-2.57	2.871	2.585			-5.07	-5.12			34.4359373
CV-24049	6/3/2025 1:55:00 PM											
CV-24049	6/3/2025 1:55:00 PM											
CV-24049	6/10/2025 10:50:00 AM											
CV-24049	6/10/2025 10:55:00 AM	-4.14	-4.14	4.405	4.140			-8.99	-8.43			34.4359610
CV-24049	6/11/2025 11:15:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24049	6/11/2025 11:15:00 AM											
CV-24049	6/17/2025 1:56:13 PM	-1.52	-1.52	1.750	1.449			-4.48	-4.84			34.4359788
CV-24049	6/25/2025 9:29:15 AM	-0.80	-0.80	1.332	0.787			-3.46	-4.06			34.4359458
CV-24049	6/30/2025 8:46:19 AM	-1.29	-1.29	1.269	1.218			0.54	0.54			34.4359552
CV-24050	6/4/2025 2:01:42 PM	-1.92	-1.92	1.972	1.923			-3.67	-3.36			34.4337552
CV-24050	6/19/2025 8:54:28 AM	-2.68	-2.68	2.429	2.579	0.0	0.0			0.0	0.0	34.4336300
CV-24051	6/5/2025 2:37:08 PM	1.43	1.43	-1.694	-1.697	0.0	0.0	0.29		0.0	0.0	34.4344758
CV-24051	6/5/2025 2:38:18 PM	0.68	0.68	-0.903	-1.069	0.0	0.0	1.13		0.0	0.0	34.4344732
CV-24051	6/19/2025 3:21:22 PM	1.38	1.38	-1.740	-1.811	0.0	0.0	-0.06		0.0	0.0	34.4345298
CV-24051	6/19/2025 3:23:24 PM	1.33	1.33	-1.631	-1.854	0.0	0.0	0.39		0.0	0.0	34.4344585
CV-24052	6/5/2025 2:24:05 PM	-0.99	-0.99	0.864	0.870	0.0	0.0	-6.30		0.0	0.0	34.4350853
CV-24052	6/5/2025 2:25:45 PM	-1.00	-0.99	0.890	0.888	0.0	0.0	-5.92		0.0	0.0	34.4351595
CV-24052	6/19/2025 12:48:54 PM	-4.10	-4.10	4.276	4.119			-4.15	-4.14			34.4350893
CV-24052	6/19/2025 2:52:08 PM	-4.98	-4.98	5.110	4.440	0.0	0.0	-5.71		0.0	0.0	34.4351683
CV-24053	6/5/2025 2:19:18 PM	-0.59	-0.59	0.455	0.457	0.0	0.0	-6.35		0.0	0.0	34.4352493
CV-24053	6/5/2025 2:20:44 PM	-0.64	-0.64	0.438	0.441	0.0	0.0	-6.24		0.0	0.0	34.4352517
CV-24053	6/9/2025 10:30:00 AM											
CV-24053	6/9/2025 10:30:00 AM											
CV-24053	6/19/2025 12:52:54 PM	-0.47	-0.47	0.464	0.454			-4.37	-4.36			34.4352747
CV-24053	6/19/2025 12:53:21 PM	-0.53	-0.51	0.451	0.469			-4.51	-4.71			34.4352775
CV-24053	6/19/2025 2:46:17 PM	-0.49	-0.40	0.375	0.370	0.0	0.0	-6.11		0.0	0.0	34.4353738

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24053	6/19/2025 2:47:43 PM	-0.78	-0.78	0.390	0.390	0.0	0.0	-6.03		0.0	0.0	34.4354762
CV-24054	6/4/2025 12:29:50 PM	-0.66	-0.66	1.350	0.668			-5.39	-5.44			34.4356415
CV-24054	6/12/2025 10:23:54 AM	-0.27	-0.15	0.130	0.277			-4.29	-4.18			34.4356422
CV-24054	6/26/2025 11:01:51 AM	-0.02	-0.02	0.070	0.066	0.0	0.0	-3.58		0.0	0.0	34.4356293
CV-24054	6/26/2025 11:03:24 AM	-0.07	-0.07	0.048	0.044	0.0	0.0	-4.45		0.0	0.0	34.4355592
CV-24055	6/5/2025 2:05:08 PM	-0.10	-0.10	0.103	0.110			-6.88	-6.95			34.4358935
CV-24055	6/10/2025 10:20:00 AM											
CV-24055	6/10/2025 10:20:00 AM											
CV-24055	6/11/2025 11:10:00 AM											
CV-24055	6/11/2025 11:10:00 AM											
CV-24055	6/21/2025 11:17:13 AM	-0.17	-0.17	0.162	0.185			-7.95	-7.85			34.4358953
CV-24056	6/5/2025 9:40:29 AM	-0.87	-0.87	0.918	0.897			-5.07	-4.88			34.4332932
CV-24056	6/5/2025 9:45:00 AM											
CV-24056	6/5/2025 9:45:00 AM											
CV-24056	6/12/2025 8:58:25 AM	-1.06	-1.06	1.064	1.082			-5.29	-4.54			34.4332830
CV-24056	6/12/2025 9:05:00 AM											
CV-24056	6/18/2025 9:02:51 AM	-1.50	-1.50	1.517	1.486			-4.96	-3.61			34.4332973
CV-24056	6/19/2025 10:13:04 AM											
CV-24056	6/26/2025 8:00:00 AM	-1.52	-1.52	1.612	1.527			-5.36	-5.01			34.4333097
CV-24057	6/5/2025 9:04:29 AM	-4.63	-4.63	4.404	4.603	0.0	0.0	-4.62		0.0	0.0	34.4334217
CV-24057	6/22/2025 9:23:23 AM	-4.68	-4.68	4.781	4.732	0.0	0.0	-4.68		0.0	0.0	34.4334555

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24058	6/4/2025 2:13:49 PM	-1.19	-1.19	1.261	1.178			-1.74	-1.67			34.4338320
CV-24058	6/17/2025 2:02:55 PM	-1.06	-1.06	1.061	1.012			-1.84	-1.57			34.4338547
CV-24059	6/4/2025 2:27:04 PM	-0.12	-0.12	0.903	0.135	34.5	13.4	-4.56	-4.52			34.4337770
CV-24059	6/4/2025 2:28:17 PM	-0.04	-0.03	0.043	0.043	7.6	7.6	-4.39	-4.59			34.4337752
CV-24059	6/22/2025 9:38:26 AM	-0.73	-0.73	0.172	-0.024	0.0	0.0	-4.57		0.0	0.0	34.4337470
CV-24059	6/22/2025 9:47:01 AM	-0.67	-0.67	0.020	0.011	0.0	0.0	-4.91		0.0	0.0	34.4337732
CV-24060	6/4/2025 3:50:16 PM	-0.40	-0.40	2.712	0.280			-4.59	-4.75			34.4340392
CV-24060	6/7/2025 1:25:17 PM	-0.92	-0.92	-3.459	-0.159	0.0	0.0	-8.67		0.0	0.0	34.4338688
CV-24060	6/17/2025 2:20:25 PM	-0.15	1.89	0.000	0.071			-3.03	-2.95			34.4340498
CV-24060	6/17/2025 2:21:12 PM	-0.18	-0.18	0.123	0.127			-3.01	-2.99			34.4340495
CV-24061	6/4/2025 3:01:58 PM	-2.66	-2.66	2.681	2.672			-5.06	-5.01			34.4343485
CV-24061	6/19/2025 1:47:06 PM	-0.05	-0.05	0.019	0.048			-0.06	-0.06			34.4343555
CV-24061	6/20/2025 11:26:07 AM											
CV-24062	6/4/2025 7:25:00 AM											
CV-24062	6/4/2025 7:25:00 AM											
CV-24062	6/4/2025 7:25:52 AM	-0.36	-0.36	0.367	0.391			-6.90	-7.08			34.4345847
CV-24062	6/9/2025 8:50:00 AM											
CV-24062	6/9/2025 9:17:00 AM											
CV-24062	6/11/2025 9:46:47 AM	-0.87	-0.87	0.893	0.861			-2.71	-2.76			34.4345745
CV-24062	6/11/2025 9:50:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press [”H2O]	Max Press [”H2O]	Init Diff Press [”H2O]	Adj Diff Press [”H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure [”H2O]	Adj Avail Press [”H2O]	Init Power	Adj Power	Latitude
CV-24062	6/18/2025 10:48:36 AM	-0.64	-0.64	4.196	0.648			-5.57	-5.87			34.4345928
CV-24062	6/25/2025 8:27:33 AM	-0.54	-0.54	0.572	0.541			-6.15	-6.18			34.4345920
CV-24063	6/4/2025 7:34:25 AM	-0.29	-0.26	0.269	0.294			-6.07	-6.65			34.4349522
CV-24063	6/4/2025 7:35:00 AM											
CV-24063	6/4/2025 7:35:00 AM											
CV-24063	6/9/2025 9:23:00 AM											
CV-24063	6/9/2025 9:23:00 AM											
CV-24063	6/10/2025 1:19:24 PM	-0.12	-0.08	0.093	0.113			-1.28	-1.39			34.4349620
CV-24063	6/10/2025 1:25:00 PM											
CV-24063	6/19/2025 8:16:23 AM	-0.39	-0.37	0.371	0.389			-5.93	-5.30			34.4349662
CV-24063	6/25/2025 8:45:20 AM	-0.36	-0.36	0.368	0.368			-5.45	-5.41			34.4349683
CV-24064	6/4/2025 7:46:01 AM	-3.04	-3.04	6.279	2.989			-7.48	-7.46			34.4352208
CV-24064	6/4/2025 7:50:00 AM											
CV-24064	6/4/2025 7:50:00 AM											
CV-24064	6/4/2025 8:45:00 AM											
CV-24064	6/4/2025 9:16:00 AM											
CV-24064	6/10/2025 1:01:48 PM	-0.90	-0.90	1.052	0.754			-2.19	-2.06			34.4352343
CV-24064	6/10/2025 1:05:00 PM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24064	6/19/2025 8:08:00 AM	-1.63	-1.63	5.643	1.620			-6.67	-6.19			34.4352480
CV-24064	6/25/2025 9:14:09 AM	-0.63	-0.63	1.974	0.704			0.53	0.53			34.4352250
CV-24065-TP17	6/5/2025 2:10:17 PM	-3.45	-3.45	4.380	3.417			-6.23	-6.68			34.4356333
CV-24065-TP17	6/10/2025 8:05:00 AM											
CV-24065-TP17	6/10/2025 8:05:00 AM											
CV-24065-TP17	6/25/2025 10:23:45 AM	-0.93	-0.93	2.491	0.820			-4.32	-4.66			34.4356225
CV-24066	6/5/2025 8:57:26 AM	-1.34	-1.34	1.241	1.321	0.0	0.0			0.0	0.0	34.4330498
CV-24066	6/5/2025 9:53:35 AM											
CV-24066	6/10/2025 9:50:00 AM											
CV-24066	6/10/2025 10:10:00 AM											
CV-24066	6/19/2025 8:48:36 AM	-1.29	-1.29	1.272	1.273	0.0	0.0			0.0	0.0	34.4329658
CV-24066	6/19/2025 10:15:51 AM											
CV-24066	6/25/2025 10:12:55 AM											
CV-24066	6/25/2025 10:29:47 AM	-0.15	-0.15	0.337	0.354	22.6	23.1	-5.06	-5.08			34.4360370
CV-24067	6/5/2025 9:01:38 AM	-2.56	-2.54	2.442	2.828	0.0	0.0	-3.82		0.0	0.0	34.4332272
CV-24067	6/27/2025 11:13:14 AM	-2.14	-2.14	0.075	0.074	0.0	0.0	-3.99		0.0	0.0	34.4331790
CV-24068	6/4/2025 8:45:57 AM	-0.16	-0.16	0.200	0.187			-2.93	-2.96			34.4332447
CV-24068	6/4/2025 8:50:00 AM											
CV-24068	6/4/2025 8:50:00 AM											
CV-24068	6/11/2025 8:04:49 AM	-0.05	-0.04	0.054	0.059			-3.85	-3.83			34.4332553
CV-24068	6/11/2025 8:05:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24068	6/19/2025 8:44:19 AM	-0.11	-0.11	0.118	0.102			-3.11	-2.77			34.4332487
CV-24068	6/25/2025 10:06:39 AM	-0.10	-0.08	0.090	0.099			-2.55	-2.71			34.4332510
CV-24069	6/4/2025 2:34:18 PM	-3.93	-3.93	3.922	3.945			-4.39	-4.38			34.4334315
CV-24069	6/5/2025 8:50:00 AM											
CV-24069	6/5/2025 8:50:00 AM											
CV-24069	6/21/2025 11:26:54 AM	-3.84	-3.84	3.637	3.740	0.0	0.0	-4.36		0.0	0.0	34.4334468
CV-24070	6/4/2025 2:45:58 PM	-0.06	-0.06	0.939	0.015	11.9	1.5	-4.41	-4.44			34.4337292
CV-24070	6/4/2025 2:48:06 PM	-0.07	-0.02	0.009	0.017	1.2	1.6	-4.65	-4.56			34.4337227
CV-24070	6/5/2025 9:05:00 AM											
CV-24070	6/5/2025 9:05:00 AM											
CV-24070	6/22/2025 10:00:27 AM	-0.02	-0.02	0.010	-0.037	0.0	0.0	-4.00		0.0	0.0	34.4337260
CV-24070	6/22/2025 10:05:05 AM	-0.01	-0.01	-0.026	-0.029	0.0	0.0	-4.40		0.0	0.0	34.4337002
CV-24071	6/3/2025 9:40:00 AM											
CV-24071	6/3/2025 9:40:00 AM											
CV-24071	6/6/2025 9:28:18 AM	-4.85	-4.84	0.016	0.019	0.0	0.0	-6.43		0.0	0.0	34.4340192
CV-24071	6/18/2025 9:22:17 AM	-0.10	-0.10	0.033	0.033	0.0	0.0	-0.08		0.0	0.0	34.4340345
CV-24071	6/18/2025 9:22:18 AM	-0.10	-0.10	0.033	0.033	0.0	0.0	-0.08		0.0	0.0	34.4340345
CV-24072	6/8/2025 10:26:57 AM	-0.32	0.09	-0.299	0.063	0.0	0.0	-5.24		0.0	0.0	34.4342018
CV-24072	6/8/2025 10:28:04 AM	-0.34	-0.34	0.199	0.195	0.0	0.0	-5.22		0.0	0.0	34.4342025
CV-24072	6/20/2025 1:58:40 PM	-0.67	-0.66	0.678	0.688			-5.00	-5.19			34.4341925
CV-24072	6/25/2025 8:15:23 AM	-0.84	-0.84	0.844	0.844			-5.81	-5.81			34.4341805
CV-24073-TP13	6/8/2025 10:12:01 AM	-1.57	-1.57	1.284	1.183	0.0	0.0	-6.65		0.0	0.0	34.4347313
CV-24073-TP13	6/8/2025 10:14:06 AM	-1.41	-1.41	1.155	1.095	0.0	0.0	-6.60		0.0	0.0	34.4347185

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24073-TP13	6/19/2025 1:19:05 PM	-0.40	-0.40	2.440	0.407			0.13	0.19			34.4346535
CV-24074	6/3/2025 11:42:46 AM											
CV-24074	6/8/2025 10:17:41 AM	-1.62	-1.62	2.679	1.586	0.0	0.0	-4.78		0.0	0.0	34.4347353
CV-24074	6/19/2025 1:26:25 PM	-1.41	-1.41	3.523	1.326			-5.38	-6.08			34.4347437
CV-24075-TP15	6/4/2025 7:52:05 AM	-3.03	-3.01	3.004	2.988			0.30	0.33			34.4350223
CV-24075-TP15	6/4/2025 7:55:00 AM											
CV-24075-TP15	6/4/2025 7:55:00 AM											
CV-24075-TP15	6/10/2025 12:55:18 PM	-0.41	-0.41	0.482	0.395			0.13	0.18			34.4350588
CV-24075-TP15	6/10/2025 1:00:00 PM											
CV-24075-TP15	6/19/2025 8:24:04 AM	-0.43	-0.42	0.442	0.446			0.33	0.33			34.4350272
CV-24075-TP15	6/25/2025 9:05:17 AM	-0.30	-0.30	0.315	0.323			0.53	0.53			34.4349962
CV-24076	6/7/2025 2:35:39 PM	-0.44	-0.44	0.381	0.378	0.0	0.0	-7.92		0.0	0.0	34.4353848
CV-24076	6/12/2025 10:47:19 AM	-0.18	-0.18	0.671	0.169			-8.51	-8.41			34.4353420
CV-24076	6/18/2025 1:14:22 PM	-0.12	-0.12	0.149	0.146			-7.20	-7.45			34.4353503
CV-24077	6/4/2025 9:07:00 AM											
CV-24077	6/5/2025 8:50:35 AM	-2.05	-2.05	2.119	2.122	0.0	0.0	-4.72		0.0	0.0	34.4326403
CV-24077	6/5/2025 9:44:01 AM											
CV-24077	6/19/2025 8:19:32 AM	-2.08	-2.08	2.073	2.081	0.0	0.0	-6.21		0.0	0.0	34.4327577
CV-24077	6/19/2025 10:29:59 AM											
CV-24077	6/25/2025 9:59:28 AM											
CV-24078	6/5/2025 8:53:54 AM	-0.18	-0.18	0.205	0.192	0.0	0.0	-3.97		0.0	0.0	34.4329097

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24078	6/9/2025 9:05:20 AM											
CV-24078	6/19/2025 8:24:03 AM	-0.72	-0.72	0.166	0.044	0.0	0.0	-4.14		0.0	0.0	34.4329505
CV-24078	6/19/2025 10:24:29 AM											
CV-24078	6/25/2025 10:02:18 AM											
CV-24079-TP8	6/4/2025 8:36:03 AM	-0.70	-0.70	1.465	0.718			-3.28	-3.55			34.4329785
CV-24079-TP8	6/4/2025 8:40:00 AM											
CV-24079-TP8	6/4/2025 8:40:00 AM											
CV-24079-TP8	6/11/2025 7:57:35 AM	-0.72	-0.72	0.729	0.729			-3.85	-3.82			34.4329843
CV-24079-TP8	6/11/2025 8:00:00 AM											
CV-24079-TP8	6/19/2025 8:39:10 AM	-0.46	-0.46	0.521	0.481			-3.28	-3.28			34.4329892
CV-24079-TP8	6/25/2025 9:55:07 AM	-0.78	-0.78	1.438	0.776			-3.32	-3.44			34.4329815
CV-24080	6/6/2025 8:36:36 AM	-0.83	-0.83	-0.017	-0.022	0.0	0.0	-5.84		0.0	0.0	34.4331148
CV-24080	6/22/2025 8:59:11 AM	-0.38	-0.37	-0.073	-0.027	0.0	0.0	-3.58		0.0	0.0	34.4331500
CV-24080	6/22/2025 9:02:22 AM	-0.37	-0.37	0.011	0.003	0.0	0.0	-4.57		0.0	0.0	34.4331533
CV-24081-TP10	6/6/2025 8:54:19 AM	-5.51	-5.51	6.057	5.553	0.0	0.0	-5.52		0.0	0.0	34.4333723
CV-24081-TP10	6/21/2025 11:19:02 AM	-2.94	-2.94	4.144	2.944	0.0	0.0	-4.31		0.0	0.0	34.4333957
CV-24082	6/6/2025 9:13:58 AM	-1.27	-1.27	1.378	1.352	0.0	0.0	-5.74		0.0	0.0	34.4333133
CV-24082	6/21/2025 11:05:43 AM	-1.17	-1.14	1.071	1.182	0.0	0.0	-4.41		0.0	0.0	34.4334097
CV-24083	6/3/2025 2:38:30 PM	-1.09	-1.09	2.399	1.127			0.00	0.00			34.4336970
CV-24083	6/3/2025 2:40:00 PM											
CV-24083	6/3/2025 2:40:00 PM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press [”H2O]	Max Press [”H2O]	Init Diff Press [”H2O]	Adj Diff Press [”H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure [”H2O]	Adj Avail Press [”H2O]	Init Power	Adj Power	Latitude
CV-24083	6/11/2025 8:23:59 AM	-0.12	-0.12	0.136	0.136			0.26	0.26			34.4336957
CV-24083	6/11/2025 8:25:00 AM											
CV-24083	6/17/2025 1:00:59 PM	-1.06	-1.06	1.267	1.030			-0.14	-0.10			34.4337332
CV-24083	6/26/2025 9:34:44 AM	-0.83	-0.83	2.368	0.839			0.35	0.34			34.4337003
CV-24084-TP11	6/4/2025 8:29:17 AM	-1.30	-1.30	1.658	1.326			0.27	0.27			34.4338515
CV-24084-TP11	6/4/2025 8:31:11 AM	-0.45	-0.45	1.165	0.472			0.31	0.32			34.4338585
CV-24084-TP11	6/11/2025 8:30:24 AM	-0.22	-0.10	0.115	0.232			0.28	0.29			34.4338638
CV-24084-TP11	6/11/2025 8:35:00 AM											
CV-24084-TP11	6/17/2025 12:52:55 PM	0.73	0.77	0.000	0.000			-0.18	-0.26			34.4338733
CV-24084-TP11	6/17/2025 12:53:30 PM	0.76	0.76	0.000	0.000			-0.24	-0.20			34.4338733
CV-24084-TP11	6/25/2025 8:08:47 AM	-0.96	-0.96	4.873	0.972			0.28	0.44			34.4338568
CV-24085	6/4/2025 11:01:40 AM	-0.24	-0.24	1.814	0.642	26.8	15.4	-5.08	-5.28			34.4323985
CV-24085	6/19/2025 11:06:25 AM	-0.30	-0.30	0.441	0.427	12.7	12.5	-5.65	-5.64			34.4323930
CV-24086	6/6/2025 8:45:48 AM	-1.07	-1.07	-1.667	-0.243	0.0	0.0	-5.00		0.0	0.0	34.4327540
CV-24086	6/18/2025 1:31:13 PM	-0.31	-0.30	-0.097	-0.096	0.0	0.0	-3.86		0.0	0.0	34.4329512

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24087	6/6/2025 8:15:14 AM	0.16	0.16	0.042	0.042	0.0	0.0	0.16		0.0	0.0	34.4330478
CV-24087	6/6/2025 8:16:32 AM	0.20	0.20	0.057	0.050	0.0	0.0	0.18		0.0	0.0	34.4330683
CV-24087	6/22/2025 8:25:24 AM	0.01	0.01	-0.025	-0.024	0.0	0.0	0.01		0.0	0.0	34.4329817
CV-24087	6/22/2025 8:28:31 AM	0.01	0.01	-0.023	-0.023	0.0	0.0	0.01		0.0	0.0	34.4330172
CV-24087	6/25/2025 10:03:29 AM	-0.16	-0.14	0.311	0.308	10.8	10.7	-0.16	-0.21			34.4330138
CV-24087	6/25/2025 10:04:47 AM	-0.07	-0.07	0.472	0.278	13.3	10.2	-0.53	-0.18			34.4330032
CV-24088	6/6/2025 10:28:01 AM	-0.66	3.19	-3.251	0.829	0.0	0.0	-5.71		0.0	0.0	34.4336000
CV-24088	6/6/2025 10:29:25 AM	-1.33	-0.95	1.265	0.505	0.0	0.0	-5.91		0.0	0.0	34.4334923
CV-24088	6/22/2025 11:18:45 AM	-0.56	-0.56	0.223	0.222	0.0	0.0	-5.87		0.0	0.0	34.4336492
CV-24089	6/5/2025 1:41:18 PM	-0.03	0.12	0.031	0.098	6.9	12.3	-2.94	-2.91			34.4324442
CV-24089	6/5/2025 1:43:19 PM	-0.07	-0.07	0.106	0.083	12.8	11.4	-2.97	-2.90			34.4324347
CV-24089	6/20/2025 11:20:53 AM	-0.63	-0.63	-0.079	-0.076	0.0	0.0	-5.71		0.0		34.4324910
CV-24090	6/5/2025 9:03:18 AM	-0.29	-0.29	1.483	0.285			-6.73	-6.87			34.4326818
CV-24090	6/20/2025 9:59:30 AM	-1.62	-1.62	2.714	1.561	0.0	0.0	-1.62		0.0	0.0	34.4327515
CV-24091	6/6/2025 2:59:55 PM	-1.07	-1.07	-0.136	-0.192	0.0	0.0	-5.59		0.0	0.0	34.4329438
CV-24091	6/17/2025 3:22:16 PM											
CV-24091	6/22/2025 1:35:46 PM	-0.94	-0.94	-0.266	-0.275	0.0	0.0	-4.95		0.0	0.0	34.4330197
CV-24091	6/23/2025 7:37:33 AM	-1.43	-1.38	-0.135	0.099	0.0	0.0	-6.38		0.0	0.0	34.4330225
CV-24092	6/22/2025 1:14:32 PM	-0.47	-0.47	-0.144	-0.155	0.0	0.0	-6.15		0.0	0.0	34.4333697
CV-24092	6/23/2025 7:31:39 AM	-1.00	-1.00	-0.075	-0.076	0.0	0.0	-7.60		0.0	0.0	34.4333738
CV-24093	6/7/2025 1:16:10 PM	-0.22	-0.22	0.004	0.004	0.0	0.0	-11.31		0.0	0.0	34.4339535
CV-24093	6/22/2025 12:48:29 AM	-0.12	-0.12	-0.044	-0.045	0.0	0.0	-10.36		0.0	0.0	34.4340863

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24093	6/23/2025 7:19:53 AM	-0.12	-0.12	-0.024	-0.028	0.0	0.0	-11.58		0.0	0.0	34.4340375
CV-24093	6/30/2025 12:33:51 PM	-0.05	0.13	0.024	0.224	4.3	13.1	-9.75	-9.65			34.4340820
CV-24093	6/30/2025 12:37:14 PM	-0.06	-0.06	1.289	1.151	14.1	13.4	-9.62	-9.66			34.4340505
CV-24094	6/6/2025 3:39:31 PM	-1.07	-1.07	-0.119	-0.082	0.0	0.0	-7.73		0.0	0.0	34.4346173
CV-24094	6/25/2025 10:02:11 AM	-0.90	-0.90	0.011	0.014	2.3	2.5	-4.78	-4.79			34.4345642
CV-24094	6/30/2025 12:01:37 PM	-0.88	-0.88	0.028	0.021	3.5	3.0	-4.91	-4.86			34.4345968
CV-24094	6/30/2025 12:06:03 PM	-0.84	-0.84	0.110	0.212	2.3	3.2	-4.52	-4.87			34.4345920
CV-24095	6/1/2025 11:23:37 AM	-4.03	-3.54	3.789	4.226	0.0	0.0	-4.04		0.0	0.0	34.4334822
CV-24095	6/9/2025 8:30:00 AM											
CV-24095	6/10/2025 8:30:00 AM											
CV-24095	6/18/2025 10:30:37 AM	-2.96	-2.96	3.118	2.116	0.0	0.0	-3.49		0.0	0.0	34.4334653
CV-24096	6/1/2025 11:09:10 AM	-3.60	-3.60	3.748	3.750	0.0	0.0			0.0	0.0	34.4332335
CV-24096	6/18/2025 10:17:04 AM	-3.93	-3.93	3.743	3.746	0.0	0.0			0.0	0.0	34.4332358
CV-24097	6/1/2025 11:03:09 AM	-4.36	-4.36	4.439	4.440	0.0	0.0	-4.26			0.0	34.4327140
CV-24097	6/18/2025 10:12:05 AM	-4.32	-4.32	4.695	4.280	0.0	0.0	-4.75		0.0	0.0	34.4327418
CV-24098	6/1/2025 10:42:07 AM	-2.09	-2.09	2.205	2.209	0.0	0.0	-2.08		0.0	0.0	34.4325750
CV-24098	6/18/2025 9:49:07 AM	-2.46	-2.43	2.417	2.516	0.0	0.0	-2.46		0.0	0.0	34.4325187
CV-24098	6/23/2025 2:09:57 PM											
CV-24098	6/25/2025 3:15:17 PM											
CV-24099	6/1/2025 10:18:32 AM	-1.73	-1.73	1.813	1.800	0.0	0.0	-1.69		0.0	0.0	34.4324405
CV-24099	6/18/2025 9:23:54 AM	-1.82	-1.82	1.839	1.829	0.0	0.0	-1.74		0.0	0.0	34.4322657
CV-24099	6/23/2025 2:07:12 PM											
CV-24099	6/24/2025 11:05:56 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24100	6/1/2025 9:52:42 AM	-0.73	-0.73	0.602	0.829	0.0	0.0	-1.61		0.0	0.0	34.4320250
CV-24100	6/1/2025 9:54:03 AM	-0.71	-0.71	0.815	0.799	0.0	0.0	-1.54		0.0	0.0	34.4322103
CV-24100	6/4/2025 1:29:07 PM	-0.24	-0.24	0.260	0.249			0.00	0.00			34.4320702
CV-24100	6/10/2025 8:40:00 AM											
CV-24100	6/18/2025 9:03:09 AM	-0.39	-0.39	0.240	0.241	0.0	0.0	-1.55		0.0	0.0	34.4320447
CV-24100	6/18/2025 9:05:32 AM	-0.20	-0.20	0.207	0.206	0.0	0.0	-1.68		0.0	0.0	34.4320243
CV-24100	6/25/2025 2:27:22 PM	-0.11	-0.08	0.145	0.181			-1.50	-1.48			34.4320638
CV-24100	6/25/2025 2:27:47 PM	-0.10	-0.09	0.162	0.185			-1.44	-1.49			34.4320568
CV-24101	6/1/2025 9:48:03 AM	-1.41	-1.41	1.544	1.548	0.0	0.0	-1.44		0.0	0.0	34.4317252
CV-24101	6/10/2025 8:45:00 AM											
CV-24101	6/10/2025 8:45:00 AM											
CV-24101	6/18/2025 8:59:30 AM	-1.19	-1.19	1.223	1.194	0.0	0.0	-1.46		0.0	0.0	34.4318067
CV-24101	6/23/2025 2:03:34 PM											
CV-24101	6/24/2025 9:41:04 AM											
CV-24101	6/25/2025 3:22:46 PM											
CV-24102	6/1/2025 9:29:12 AM	-4.43	-4.43	4.703	4.598	0.0	0.0	-4.40		0.0	0.0	34.4315403
CV-24102	6/5/2025 8:30:00 AM											
CV-24102	6/5/2025 8:30:00 AM											
CV-24102	6/17/2025 2:39:57 PM	-2.00	-2.00	4.042	1.995	0.0	0.0	-4.75		0.0	0.0	34.4316545
CV-24103	6/4/2025 12:51:56 PM	-0.06	-0.06	0.677	1.654	17.1	26.7	-5.82	-5.70			34.4316578
CV-24103	6/4/2025 12:58:58 PM	-0.02	-0.02	1.994	1.908	17.7	17.3	-5.65	-5.62			34.4316610
CV-24103	6/20/2025 9:09:19 AM	-0.58	-0.58	-2.065	-1.561	0.0	0.0	-6.71		0.0	0.0	34.4315557

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24104	6/4/2025 1:28:11 PM	-0.18	-0.18	0.465	1.259	4.7	7.8	-5.61	-5.56			34.4317152
CV-24104	6/4/2025 1:30:05 PM	-0.21	-0.16	1.344	1.497	3.5	3.7	-5.58	-5.68			34.4317347
CV-24104	6/20/2025 9:29:47 AM	-0.71	-0.70	3.188	2.426	0.0	0.0	-5.83		0.0	0.0	34.4316835
CV-24104	6/20/2025 2:34:05 PM	-2.59	-2.59	1.040	1.038	19.6	19.6	-6.10	-6.10			34.4317310
CV-24105	6/4/2025 2:07:47 PM	-0.23	-0.23	0.224	0.970	13.2	27.5	-5.74	-5.71			34.4319243
CV-24105	6/4/2025 2:11:04 PM	-0.08	-0.08	0.980	0.542	12.5	9.3	-5.67	-5.62			34.4319245
CV-24105	6/20/2025 9:41:02 AM	-0.22	-0.22	0.607	0.535	14.7	13.8	-6.29		384.5	360.5	34.4319988
CV-24105	6/20/2025 2:44:05 PM	-0.10	-0.05	0.000	0.000			-5.86	-5.88			34.4319313
CV-24106	6/5/2025 8:30:43 AM	-1.09	-1.09	0.283	0.018	21.0	5.3	-12.24	-12.67			34.4321200
CV-24106	6/8/2025 11:36:52 AM	-0.43	-0.43	0.290	0.207	0.0	0.0	-11.83		0.0	0.0	34.4320373
CV-24106	6/20/2025 10:30:01 AM	-0.14	-0.13	0.177	0.176	0.0	0.0	-8.14		0.0	0.0	34.4321930
CV-24106	6/20/2025 2:18:26 PM	-0.34	-0.26	0.196	0.196			-8.29	-8.18			34.4321238
CV-24106	6/20/2025 2:21:08 PM	-2.13	-2.13	0.000	0.000			-5.96	-5.99			34.4320977
CV-24107	6/20/2025 2:14:38 PM	-1.10	-1.10	1.097	1.096			-6.24	-6.18			34.4325698
CV-24108	6/3/2025 10:28:35 AM											
CV-24108	6/4/2025 8:40:53 AM											
CV-24108	6/5/2025 9:06:34 AM											
CV-24108	6/9/2025 10:57:56 AM											
CV-24108	6/11/2025 9:59:18 AM											
CV-24108	6/11/2025 12:41:35 PM	-2.15	-2.15	2.193	2.154			-17.16	-17.16			34.4331618
CV-24108	6/12/2025 10:41:47 AM											
CV-24108	6/13/2025 2:18:30 PM											
CV-24108	6/16/2025 11:04:10 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24108	6/17/2025 9:54:44 AM											
CV-24108	6/19/2025 2:23:48 PM											
CV-24108	6/23/2025 9:40:38 AM											
CV-24108	6/24/2025 10:33:39 AM											
CV-24108	6/25/2025 9:23:04 AM											
CV-24108	6/26/2025 10:27:52 AM											
CV-24108	6/27/2025 9:56:55 AM											
CV-24109	6/3/2025 10:23:54 AM											
CV-24109	6/4/2025 8:24:32 AM											
CV-24109	6/5/2025 8:44:42 AM											
CV-24109	6/6/2025 3:05:06 PM	-1.64	-1.64	2.982	1.613			-8.66	-8.73			34.4340025
CV-24109	6/9/2025 11:23:12 AM											
CV-24109	6/11/2025 9:46:52 AM											
CV-24109	6/12/2025 10:20:18 AM											
CV-24109	6/16/2025 10:55:49 AM											
CV-24109	6/17/2025 9:51:19 AM											
CV-24109	6/19/2025 1:54:36 PM											
CV-24109	6/23/2025 9:27:09 AM											
CV-24109	6/24/2025 10:24:33 AM											
CV-24109	6/25/2025 9:10:20 AM											
CV-24109	6/26/2025 10:22:14 AM											
CV-24110	6/12/2025 1:15:50 PM	-0.18	-0.18	0.457	0.471	12.9	13.1	-7.63	-7.59			34.4346102
CV-24111	6/3/2025 10:09:17 AM											
CV-24111	6/4/2025 9:02:13 AM											
CV-24111	6/9/2025 11:01:18 AM											
CV-24111	6/10/2025 10:57:21 AM	-3.23	-3.23	3.183	3.185			-11.60	-12.08			34.4353033
CV-24111	6/12/2025 9:22:28 AM											
CV-24112	6/25/2025 10:58:11 AM	-0.48	-0.48	0.000	0.000			-6.05	-5.92			34.4352148
CV-24113	6/1/2025 9:07:18 AM	-5.45	-5.44	0.038	0.029	0.0	0.0	-5.47		0.0	0.0	34.4308673

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24114	6/10/2025 9:44:54 AM	-0.81	-0.63	0.170	0.236	7.9	9.3	-2.42	-2.55			34.4307998
CV-24115	6/8/2025 12:57:58 PM	-8.05	-8.01	-0.020	-0.014	0.0	0.0	-7.76		0.0	0.0	34.4311992
CV-24115	6/22/2025 11:39:49 AM	-7.10	-7.07	0.012	0.040	6.9	12.6	-7.23	-7.12			34.4311963
CV-24116	6/11/2025 3:15:34 PM	-2.22	-2.22	9.558	2.020	0.0	0.0	0.00		0.0	0.0	34.4317195
CV-24117	6/10/2025 2:32:12 PM	-1.86	-1.86	8.764	1.848			-19.45	-20.06			34.4323438
CV-24118	6/16/2025 2:43:38 PM											
CV-24118	6/23/2025 9:38:38 AM	-3.27	-3.27	9.491	3.378	0.0	0.0	-9.93		0.0	0.0	34.4333275
CV-24119	6/23/2025 8:00:11 AM	-5.32	-5.32	10.037	5.359	0.0	0.0	-10.57		0.0	0.0	34.4337432
CV-24119	6/23/2025 8:03:08 AM	-3.70	-3.70	4.703	3.787	0.0	0.0	-10.57		0.0	0.0	34.4337735
CV-24119	6/24/2025 3:11:49 PM	-0.21	-0.21	0.260	0.259			-9.44	-9.44			34.4337537
CV-24120	6/5/2025 9:30:00 AM											
CV-24120	6/5/2025 9:30:00 AM											
CV-24120	6/5/2025 4:43:07 PM	-3.31	-3.31	4.479	3.138	0.0	0.0	-4.67		0.0	0.0	34.4368935
CV-24120	6/5/2025 4:44:09 PM	-2.45	-2.43	2.377	2.459	0.0	0.0	-4.57		0.0	0.0	34.4368675
CV-24120	6/20/2025 2:34:39 PM	-4.66	-4.66	4.894	4.441	0.0	0.0	-5.10		0.0	0.0	34.4367683
CV-24120	6/20/2025 2:36:12 PM	-4.39	-4.35	4.234	4.334	0.0	0.0	-5.12		0.0	0.0	34.4367143
CV-24121	6/5/2025 8:17:00 AM											
CV-24121	6/5/2025 8:17:00 AM											
CV-24121	6/5/2025 4:37:12 PM	-3.88	-3.88	4.998	3.618	0.0	0.0	-5.29		0.0	0.0	34.4369867
CV-24121	6/5/2025 4:38:26 PM	-2.65	-2.63	2.613	2.619	0.0	0.0	-5.39		0.0	0.0	34.4369918
CV-24121	6/11/2025 8:20:56 AM											
CV-24121	6/12/2025 8:12:23 AM											
CV-24121	6/20/2025 2:25:56 PM	-1.31	-1.31	3.896	1.165	0.0	0.0	-5.98		0.0	0.0	34.4369560
CV-24121	6/20/2025 2:28:10 PM	-3.72	-2.45	1.826	3.141	0.0	0.0	-5.96		0.0	0.0	34.4369600
CV-24122	6/5/2025 8:00:00 AM											
CV-24122	6/5/2025 8:00:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24122	6/8/2025 2:29:06 PM	-5.97	-5.97	0.004	0.002	0.0	0.0	-6.71		0.0	0.0	34.4371862
CV-24122	6/25/2025 11:50:59 AM	-6.11	-5.66	0.019	0.033	2.7	3.5	-6.79	-6.72			34.4371595
CV-24122	6/25/2025 12:21:34 PM	-6.36	-6.36	0.023	0.040	2.9	3.8	-6.86	-6.63			34.4371818
CV-24123	6/3/2025 12:36:00 PM	-0.72	-0.71	0.243	0.197	30.8	27.7	-3.26	-3.30			34.4373083
CV-24124	6/20/2025 2:44:32 PM	-0.17	-0.17	-0.171	-0.175	0.0	0.0	-6.02		0.0	0.0	34.4364082
CV-24125-TP2(	6/4/2025 8:53:00 AM											
CV-24125-TP2(	6/4/2025 8:53:00 AM											
CV-24125-TP2(	6/5/2025 4:29:02 PM	-5.14	-5.14	5.157	4.745	0.0	0.0	-6.74			0.0	34.4369790
CV-24125-TP2(	6/11/2025 8:13:04 AM											
CV-24125-TP2(	6/12/2025 8:05:31 AM											
CV-24125-TP2(	6/17/2025 8:43:01 AM											
CV-24125-TP2(	6/23/2025 9:17:52 AM											
CV-24125-TP2(	6/25/2025 8:33:25 AM											
CV-24126	6/5/2025 8:10:19 AM											
CV-24126	6/5/2025 11:54:40 AM	-0.15	-0.15	0.166	0.181			-7.74	-7.78			34.4363868
CV-24126	6/5/2025 11:55:12 AM	-0.17	-0.17	0.152	0.160			-7.28	-7.64			34.4363845
CV-24126	6/6/2025 2:40:32 PM											
CV-24126	6/9/2025 8:21:10 AM											
CV-24126	6/11/2025 8:55:17 AM											
CV-24126	6/12/2025 8:28:54 AM											
CV-24126	6/16/2025 9:35:37 AM											
CV-24126	6/16/2025 2:36:43 PM	-0.05	-0.05	0.038	0.037			-6.28	-6.28			34.4364013
CV-24126	6/16/2025 2:37:45 PM	-0.09	-0.08	0.089	0.000			-6.29	-5.49			34.4363847
CV-24126	6/17/2025 9:12:48 AM											
CV-24126	6/17/2025 1:37:14 PM	-0.13	-0.08	0.041	0.081			-6.23	-6.36			34.4364023

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24126	6/18/2025 10:56:17 AM											
CV-24126	6/23/2025 8:12:36 AM											
CV-24126	6/24/2025 9:16:46 AM	-0.08	-0.08	0.207	0.209	0.0	0.0	-8.18		0.0	0.0	34.4364118
CV-24126	6/25/2025 8:50:34 AM											
CV-24126	6/26/2025 7:47:48 AM											
CV-24126	6/26/2025 9:19:53 AM	-0.02	-0.02	0.025	0.020			-7.52	-7.40			34.4363948
CV-24126	6/30/2025 8:10:27 AM	-0.03	-0.02	0.019	0.020			-7.83	-8.03			34.4363832
CV-24126	6/30/2025 2:49:34 PM											
CV-24127	6/3/2025 9:57:45 AM											
CV-24127	6/4/2025 7:55:41 AM											
CV-24127	6/4/2025 8:06:00 AM											
CV-24127	6/4/2025 8:06:00 AM											
CV-24127	6/5/2025 8:10:34 AM											
CV-24127	6/5/2025 11:47:35 AM	-1.16	-1.16	1.175	1.176			-7.61	-7.61			34.4364615
CV-24127	6/6/2025 2:38:33 PM											
CV-24127	6/9/2025 8:14:18 AM											
CV-24127	6/11/2025 8:48:56 AM											
CV-24127	6/12/2025 8:27:18 AM											
CV-24127	6/16/2025 9:33:14 AM											
CV-24127	6/17/2025 9:14:35 AM											
CV-24127	6/23/2025 8:13:55 AM											
CV-24127	6/25/2025 8:49:13 AM											
CV-24127	6/26/2025 7:45:52 AM											
CV-24127	6/30/2025 2:51:10 PM											
CV-24128	6/4/2025 8:45:00 AM											
CV-24128	6/4/2025 8:45:00 AM											
CV-24128	6/5/2025 4:51:05 PM	-0.31	-0.31	0.203	0.118	0.0	0.0	-6.78		0.0	0.0	34.4366503
CV-24129	6/5/2025 4:54:48 PM	-0.08	1.49	-1.610	0.208	0.0	0.0	-6.81		0.0	0.0	34.4367422

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24129	6/5/2025 4:56:15 PM	-0.62	-0.53	0.812	0.702	0.0	0.0	-6.71		0.0	0.0	34.4367213
CV-24129	6/9/2025 8:23:13 AM											
CV-24129	6/11/2025 8:35:59 AM											
CV-24129	6/12/2025 8:07:25 AM											
CV-24129	6/13/2025 2:18:26 PM											
CV-24129	6/17/2025 8:51:39 AM											
CV-24129	6/24/2025 8:30:02 AM											
CV-24129	6/25/2025 8:42:17 AM											
CV-24129	6/27/2025 9:07:39 AM											
CV-24130	6/11/2025 8:04:42 AM											
CV-24130	6/12/2025 8:00:42 AM											
CV-24130	6/17/2025 8:33:01 AM											
CV-24130	6/20/2025 2:03:31 PM	-5.92	-5.92	6.044	5.603	0.0	0.0	-7.14			0.0	34.4368022
CV-24130	6/23/2025 9:13:06 AM											
CV-24130	6/25/2025 8:27:40 AM											
CV-24130	6/27/2025 8:14:20 AM											
CV-24131	6/9/2025 8:34:29 AM											
CV-24131	6/11/2025 7:58:24 AM											
CV-24131	6/12/2025 8:19:59 AM											
CV-24131	6/17/2025 8:26:41 AM											
CV-24131	6/23/2025 8:59:29 AM											
CV-24131	6/25/2025 8:21:10 AM											
CV-24131	6/25/2025 11:26:28 AM	-0.01	-0.01	0.663	0.162	15.5	7.7	-6.49	-6.56			34.4367313
CV-24131	6/25/2025 11:28:53 AM	-0.02	-0.02	0.230	0.225	9.1	9.0	-6.51	-6.47			34.4367385
CV-24131	6/26/2025 7:43:50 AM											
CV-24131	6/27/2025 8:07:42 AM											
CV-24132	6/5/2025 3:09:26 PM	-4.37	-4.37	0.102	0.091	19.7	18.6	-7.87	-8.74			34.4372373
CV-24133	6/21/2025 9:35:47 AM	-2.55	-2.55	0.000	0.000			-7.54	-7.54			34.4374430

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24134-TP19	6/4/2025 12:21:29 PM	-0.30	-0.30	2.148	0.315			-7.09	-7.27			34.4363673
CV-24134-TP19	6/4/2025 12:25:00 PM											
CV-24134-TP19	6/4/2025 12:25:00 PM											
CV-24134-TP19	6/10/2025 12:38:04 PM	-0.75	-0.75	1.667	0.763			-10.75	-10.49			34.4363878
CV-24134-TP19	6/10/2025 12:40:00 PM											
CV-24134-TP19	6/17/2025 1:25:39 PM	-0.97	-0.97	2.014	0.943			-6.43	-6.49			34.4363583
CV-24134-TP19	6/24/2025 9:00:39 AM	-0.11	-0.11	3.729	0.435	0.0	0.0	-9.24		0.0	0.0	34.4363252
CV-24134-TP19	6/30/2025 1:26:43 PM	-0.59	-0.59	0.560	0.550			-6.67	-6.65			34.4363723
CV-24135	6/5/2025 2:54:28 PM	-0.08	-0.08	0.090	0.085			-7.68	-7.71			34.4364013
CV-24135	6/5/2025 2:55:21 PM	-0.05	-0.05	0.061	0.055			-7.54	-7.55			34.4364012
CV-24136	6/5/2025 2:11:50 PM	-2.00	-2.00	3.627	2.007			-7.44	-7.91			34.4366340
CV-24137	6/12/2025 2:24:47 PM	-2.30	-2.30	7.642	2.282	51.5	28.6	-7.86	-8.08			34.4361708
CV-24137	6/12/2025 2:26:43 PM	-1.70	-1.70	1.758	1.703			-8.00	-8.12			34.4361498
CV-24138	6/2/2025 10:04:00 AM											
CV-24138	6/2/2025 10:04:00 AM											
CV-24138	6/8/2025 1:53:38 PM	-4.27	-4.26	4.282	4.392	0.0	0.0	-4.25		0.0	0.0	34.4342632
CV-24138	6/8/2025 1:54:40 PM	-4.46	-4.43	4.248	4.261	0.0	0.0	-4.44		0.0	0.0	34.4343273
CV-24138	6/11/2025 9:19:30 AM											
CV-24138	6/17/2025 10:55:08 AM	-3.92	-3.79	3.773	3.997			-3.94	-4.03			34.4342527

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24138	6/17/2025 10:55:55 AM	-3.62	-3.62	3.773	3.541			-4.03	-3.71			34.4342408
CV-24138	6/25/2025 3:11:30 PM											
CV-24139	6/2/2025 10:01:00 AM											
CV-24139	6/2/2025 10:01:00 AM											
CV-24139	6/5/2025 4:18:36 PM	-5.54	-5.54	5.423	5.315	0.0	0.0			0.0	0.0	34.4368348
CV-24139	6/17/2025 11:13:03 AM	-0.97	-0.97	3.738	0.953			-3.75	-3.56			34.4345288
CV-24139	6/17/2025 11:14:10 AM	-1.01	-1.01	1.037	0.998			-3.93	-4.26			34.4345200
CV-24139	6/17/2025 2:38:06 PM	-4.48	-4.35	4.351	4.474			-4.28	-4.40			34.4345182
CV-24139	6/17/2025 2:39:55 PM	-4.09	-4.09	4.258	4.062			-4.13	-4.01			34.4345032
CV-24139	6/19/2025 2:37:22 PM											
CV-24139	6/25/2025 11:38:11 AM	-0.94	-0.94	5.293	0.958			-4.68	-4.64			34.4345258
CV-24139	6/25/2025 11:40:47 AM	-1.07	-1.02	1.023	1.056			-4.55	-4.66			34.4345203
CV-24139	6/25/2025 3:09:23 PM											
CV-24140	6/2/2025 9:55:00 AM											
CV-24140	6/2/2025 9:55:00 AM											
CV-24140	6/4/2025 1:13:37 PM	-1.05	-1.05	1.055	1.049			0.00	0.00			34.4347007
CV-24140	6/4/2025 1:15:00 PM											
CV-24140	6/4/2025 1:15:00 PM											
CV-24140	6/12/2025 8:43:26 AM	-0.92	-0.92	0.954	0.935			0.27	0.29			34.4346593
CV-24140	6/12/2025 8:50:00 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24140	6/18/2025 8:38:09 AM	-0.72	-0.72	1.179	0.729			0.32	0.32			34.4346925
CV-24140	6/19/2025 2:38:05 PM											
CV-24140	6/25/2025 11:22:31 AM	-1.31	-1.31	2.441	1.325			0.58	0.55			34.4346807
CV-24140	6/25/2025 3:06:21 PM											
CV-24141	6/3/2025 8:48:00 AM											
CV-24141	6/3/2025 8:48:00 AM											
CV-24141	6/8/2025 2:14:19 PM	-2.56	-2.56	2.450	2.447	0.0	0.0			0.0	0.0	34.4354923
CV-24141	6/18/2025 11:06:53 AM	-3.62	-3.62	3.240	3.408	0.0	0.0			0.0	0.0	34.4354912
CV-24142	6/4/2025 1:18:55 PM	-1.52	-1.52	1.538	1.521			0.00	0.00			34.4339943
CV-24142	6/4/2025 1:20:00 PM											
CV-24142	6/4/2025 1:20:00 PM											
CV-24142	6/9/2025 8:10:00 AM											
CV-24142	6/9/2025 8:10:00 AM											
CV-24142	6/12/2025 8:36:48 AM	-2.81	-2.81	3.028	2.776			0.31	0.27			34.4339740
CV-24142	6/12/2025 8:40:00 AM											
CV-24142	6/18/2025 8:46:51 AM	-1.20	-1.20	3.195	1.195			0.32	0.32			34.4339718
CV-24142	6/25/2025 11:43:51 AM	-0.49	-0.42	0.456	0.547			0.53	0.54			34.4340113
CV-24143	6/2/2025 9:45:00 AM											
CV-24143	6/2/2025 9:45:00 AM											
CV-24143	6/8/2025 2:05:20 PM	-2.06	-2.06	2.130	2.184	0.0	0.0			0.0	0.0	34.4350658

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24143	6/8/2025 2:06:15 PM	-2.12	-2.09	2.098	2.337	0.0	0.0			0.0	0.0	34.4350723
CV-24143	6/18/2025 10:56:42 AM	-2.07	-2.07	2.076	2.023	0.0	0.0			0.0	0.0	34.4349695
CV-24143	6/18/2025 10:58:23 AM	-1.58	-1.58	2.045	1.909	0.0	0.0			0.0	0.0	34.4350050
CV-24143	6/25/2025 3:03:42 PM											
CV-24144	6/1/2025 10:46:20 AM	-4.13	-4.13	4.333	4.328	0.0	0.0			0.0	0.0	34.4325885
CV-24144	6/18/2025 9:55:32 AM	-4.53	-4.52	4.510	4.517	0.0	0.0			0.0	0.0	34.4327823
CV-24145	6/3/2025 10:42:37 AM	-3.88	-3.88	0.493	0.450			-4.64	-4.35			34.4362198
CV-24145	6/3/2025 10:45:00 AM											
CV-24145	6/3/2025 10:45:00 AM											
CV-24145	6/10/2025 9:04:38 AM	-1.61	-1.61	0.388	0.392			-2.52	-2.50			34.4362362
CV-24145	6/10/2025 9:05:00 AM											
CV-24145	6/17/2025 9:12:22 AM	-2.45	-2.45	0.111	0.000			-4.19	-4.27			34.4362198
CV-24145	6/24/2025 11:08:02 AM	-0.20	-0.20	-0.055	0.015	0.0	0.0	-6.22		0.0	0.0	34.4362682
CV-24145	6/30/2025 10:59:48 AM	-0.12	-0.12	0.065	0.110	5.8	7.6	-3.23	-3.80			34.4362390
CV-24146	6/3/2025 11:58:32 AM	-2.45	-2.39	0.859	0.912	19.3	19.9	-3.76	-3.66			34.4373985
CV-24146	6/25/2025 12:43:15 PM	-2.40	-2.30	0.950	0.539	20.3	15.3	-3.64	-3.52			34.4374388
CV-24146	6/25/2025 12:45:12 PM	-2.43	-2.37	0.500	0.528	19.7	20.2	-3.44	-3.27			34.4374388
CV-24147	6/3/2025 12:05:24 PM	-1.39	-1.39	0.080	0.101	5.4	6.1	-3.69	-3.56			34.4375055
CV-24147	6/3/2025 12:19:31 PM	-1.38	-1.38	0.209	0.155	8.8	7.6	-4.35	-3.99			34.4375348
CV-24147	6/20/2025 3:04:33 PM	-1.61	-1.28	0.179	0.213	8.1	8.8	-4.20	-4.03			34.4375337

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24148	6/6/2025 1:31:57 PM	-0.34	-0.34	0.516	0.230	0.0	0.0	-6.34		0.0	0.0	34.4347992
CV-24148	6/12/2025 10:54:38 AM	-0.29	-0.29	0.298	0.317			-6.93	-6.93			34.4350785
CV-24148	6/18/2025 1:05:18 PM	-0.45	-0.45	0.479	0.460			-5.95	-5.95			34.4350865
CV-24149	6/6/2025 1:37:55 PM	-1.07	-1.07	-0.394	-0.271	0.0	0.0	-6.38		0.0	0.0	34.4347797
CV-24149	6/19/2025 1:08:52 PM	-0.71	-0.65	0.143	0.113	23.5	20.9	0.11	0.13			34.4347833
CV-24150	6/6/2025 3:48:50 PM	-1.06	-1.06	0.968	0.969	0.0	0.0	-7.54		0.0	0.0	34.4346223
CV-24150	6/26/2025 10:21:18 AM	-3.85	-3.85	3.908	3.905	0.0	0.0	-3.85		0.0	0.0	34.4345372
CV-24150	6/26/2025 10:21:18 AM	-3.85	-3.85	3.908	3.905	0.0	0.0	-3.85		0.0	0.0	34.4345372
CV-24150	6/30/2025 1:34:40 PM	-2.02	-2.02	3.213	2.039			-3.53	-5.72			34.4346430
CV-24151	6/5/2025 3:19:32 PM	-2.43	-2.43	2.208	2.148	0.0	0.0	-4.42		0.0	0.0	34.4344380
CV-24151	6/19/2025 1:14:53 PM	-2.35	-2.35	2.403	2.358			-5.22	-5.10			34.4344272
CV-24152	6/6/2025 1:54:07 PM	-0.43	-0.43	-3.563	-2.630	0.0	0.0	-6.41		0.0	0.0	34.4344852
CV-24152	6/19/2025 1:12:28 PM	-0.26	-0.26	2.322	2.316	19.0	19.0	-5.56	-5.49			34.4344700
CV-24152	6/24/2025 1:09:20 PM	-0.32	-0.32	2.155	0.505	18.4	8.9	-5.19	-5.12			34.4344817
CV-24153	6/7/2025 2:21:17 PM	-0.68	-0.68	0.669	0.675	0.0	0.0	-5.92		0.0	0.0	34.4343640
CV-24153	6/16/2025 11:13:19 AM	-0.73	-0.73	0.714	0.714			-5.58	-5.58			34.4343833
CV-24153	6/30/2025 12:18:29 PM	-1.13	-0.67	0.696	1.152			-5.08	-5.30			34.4343835
CV-24154	6/7/2025 11:22:40 AM	-0.60	-0.59	0.476	0.469	0.0	0.0	-8.74		0.0	0.0	34.4343035
CV-24154	6/16/2025 11:06:52 AM	-0.16	-0.16	0.125	0.126			-7.38	-7.39			34.4342373
CV-24154	6/30/2025 12:23:44 PM	-0.15	-0.12	0.212	0.204			-4.82	-5.09			34.4342547
CV-24155	6/7/2025 2:17:58 PM	-0.94	-0.94	0.986	0.921	0.0	0.0	-4.87		0.0	0.0	34.4343292
CV-24155	6/20/2025 11:27:55 AM	-1.43	-1.42	1.408	1.386			-4.15	-4.10			34.4342752
CV-24156	6/6/2025 9:46:23 AM	-0.10	0.04	-0.188	-0.330	0.0	0.0	-6.92		0.0	0.0	34.4341173
CV-24156	6/6/2025 9:49:06 AM	-0.18	-0.17	-0.313	-0.315	0.0	0.0	-7.08		0.0	0.0	34.4341502

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24156	6/18/2025 9:12:45 AM	-1.03	-1.02	-0.840	-0.841	0.0	0.0	-6.20		0.0	0.0	34.4340575
CV-24157	6/6/2025 11:39:40 AM	-1.89	1.50	-1.625	1.819	0.0	0.0	-4.92		0.0	0.0	34.4338547
CV-24157	6/6/2025 11:41:35 AM	-2.00	-2.00	1.908	1.910	0.0	0.0	-4.92		0.0	0.0	34.4338630
CV-24157	6/22/2025 11:47:12 AM	-3.56	-3.56	3.192	3.192	0.0	0.0	-4.94		0.0	0.0	34.4338003
CV-24158	6/6/2025 2:09:29 PM	-0.03	-0.03	0.089	0.099	0.0	0.0	-5.77		0.0	0.0	34.4338877
CV-24158	6/22/2025 11:57:27 AM	-0.69	-0.69	0.253	0.170	0.0	0.0	-6.08		0.0	0.0	34.4339165
CV-24159	6/7/2025 1:06:54 PM	-0.01	-0.01	-0.477	-0.511	0.0	0.0	-7.53		0.0	0.0	34.4337925
CV-24159	6/22/2025 12:37:37 AM	-0.01	-0.01	-0.623	-0.619	0.0	0.0	-6.77		0.0	0.0	34.4338298
CV-24160	6/8/2025 10:42:16 AM	-0.36	-0.34	-0.208	-0.199	0.0	0.0	-12.20		0.0	0.0	34.4338822
CV-24160	6/22/2025 1:01:20 PM	-0.04	-0.04	-0.655	-0.661	0.0	0.0	-10.39		0.0	0.0	34.4339153
CV-24160	6/23/2025 7:26:32 AM	-0.56	-0.56	-0.570	-0.580	0.0	0.0	-12.24		0.0	0.0	34.4338070
CV-24161	6/10/2025 11:30:39 AM	-0.75	-0.75	1.706	0.721			-21.11	-20.96			34.4338480
CV-24162	6/3/2025 10:26:30 AM											
CV-24162	6/4/2025 8:28:56 AM											
CV-24162	6/5/2025 8:53:31 AM											
CV-24162	6/6/2025 2:57:31 PM	-3.42	-3.42	5.287	3.404			-8.83	-9.39			34.4335737
CV-24162	6/9/2025 11:31:12 AM											
CV-24162	6/11/2025 9:51:23 AM											
CV-24162	6/12/2025 10:35:48 AM											
CV-24162	6/16/2025 11:02:38 AM											
CV-24162	6/19/2025 2:13:33 PM											
CV-24162	6/23/2025 9:35:40 AM											
CV-24162	6/24/2025 10:28:20 AM											
CV-24162	6/25/2025 9:15:26 AM											
CV-24162	6/26/2025 10:29:01 AM											
CV-24163	6/3/2025 11:36:14 AM											
CV-24163	6/3/2025 1:53:23 PM	-0.69	-0.30	0.297	0.697			-9.13	-8.92			34.4334502
CV-24163	6/9/2025 9:29:56 AM											

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24163	6/11/2025 9:49:00 AM	-2.72	-2.71	2.420	2.410	0.0	0.0	-16.05		0.0	0.0	34.4335822
CV-24163	6/13/2025 3:24:01 PM	-0.94	-0.84	0.842	0.927			-8.10	-8.15			34.4334473
CV-24164	6/6/2025 10:17:22 AM	-0.13	2.60	-2.434	0.144	0.0	0.0	-6.44		0.0	0.0	34.4335557
CV-24164	6/6/2025 10:18:40 AM	-0.31	-0.31	0.293	0.292	0.0	0.0	-6.09		0.0	0.0	34.4335013
CV-24164	6/6/2025 10:18:41 AM	-0.31	-0.31	0.293	0.292	0.0	0.0	-6.09		0.0	0.0	34.4334982
CV-24164	6/22/2025 11:25:10 AM	-0.74	-0.74	0.404	0.394	0.0	0.0	-5.47		0.0	0.0	34.4334560
CV-24165	6/6/2025 11:21:51 AM	-4.40	-4.40	4.155	4.162	0.0	0.0	-4.46		0.0	0.0	34.4335342
CV-24165	6/16/2025 2:03:30 PM	-0.31	-0.31	3.309	0.307			-3.30	-3.45			34.4335283
CV-24165	6/16/2025 2:04:22 PM	-0.18	-0.13	0.115	0.162			-3.34	-3.43			34.4335340
CV-24166	6/1/2025 1:30:25 PM	-3.07	-3.02	3.032	3.104			-4.21	-4.39			34.4336122
CV-24166	6/18/2025 9:51:58 AM	-3.38	-3.38	3.499	3.417	0.0	0.0	-4.41		0.0	0.0	34.4336312
CV-24167	6/1/2025 1:21:29 PM	-0.75	-0.75	2.933	0.753			-3.51	-4.27			34.4334738
CV-24167	6/16/2025 1:41:25 PM	-0.26	-0.24	0.158	0.134			-4.02	-4.14			34.4335148
CV-24168	6/6/2025 11:07:10 AM	-1.75	-1.75	2.007	1.799	0.0	0.0	-4.30		0.0	0.0	34.4333180
CV-24168	6/16/2025 2:08:21 PM	-0.50	-0.50	0.553	0.505			-0.35	-2.25			34.4333152
CV-24169	6/6/2025 10:56:17 AM	-0.05	0.10	-0.254	0.007	0.0	0.0	-5.69		0.0	0.0	34.4332353
CV-24169	6/6/2025 10:57:32 AM	-0.10	-0.10	0.024	0.021	0.0	0.0	-5.70		0.0	0.0	34.4331810
CV-24169	6/16/2025 2:13:23 PM	-0.05	-0.05	0.036	0.041			-4.46	-4.02			34.4332192
CV-24170	6/6/2025 8:27:40 AM	-0.49	-0.49	-0.431	-0.134	0.0	0.0	-6.32		0.0	0.0	34.4331262
CV-24170	6/22/2025 8:48:08 AM	-0.14	-0.14	0.088	0.157	0.0	0.0	-5.36		0.0	0.0	34.4331033
CV-24171	6/6/2025 2:44:19 PM	-2.95	-2.95	-1.846	-1.844	0.0	0.0	-5.08		0.0	0.0	34.4331958
CV-24171	6/22/2025 1:27:33 PM	-2.71	-2.69	-1.719	-1.546	0.0	0.0	-4.48		0.0	0.0	34.4331802
CV-24172	6/6/2025 3:12:25 PM	-0.09	-0.09	0.035	0.032	0.0	0.0	-5.51		0.0	0.0	34.4329602
CV-24172	6/6/2025 3:14:42 PM	-0.10	-0.10	0.014	0.014	0.0	0.0	-5.59		0.0	0.0	34.4329850
CV-24172	6/22/2025 1:52:01 PM	-0.02	-0.02	-0.130	-0.142	0.0	0.0	-5.76		0.0	0.0	34.4329840

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24173	6/6/2025 3:25:56 PM	-0.98	-0.97	-1.383	-1.428	0.0	0.0	-6.17		0.0	0.0	34.4328085
CV-24173	6/22/2025 2:01:13 PM	-0.73	-0.73	-1.506	-1.051	0.0	0.0	-6.01		0.0	0.0	34.4329010
CV-24174	6/5/2025 9:15:43 AM	-0.21	-0.21	0.461	0.202			-6.44	-6.43			34.4327138
CV-24174	6/18/2025 1:24:50 PM	-0.02	-0.01	0.052	0.070	0.0	0.0	-5.30		0.0	0.0	34.4328047
CV-24175	6/5/2025 9:26:59 AM	-0.32	-0.32	0.953	0.031	38.5	7.0	-6.60	-6.61			34.4326445
CV-24175	6/22/2025 2:17:33 PM	-0.01	0.08	-0.092	-0.319	0.0	0.0	-5.56		0.0	0.0	34.4326550
CV-24175	6/22/2025 2:19:20 PM	-0.03	-0.03	-0.324	-0.332	0.0	0.0	-5.58		0.0	0.0	34.4326485
CV-24176	6/5/2025 8:46:49 AM	-1.07	-1.07	-2.678	-0.273	0.0	0.0	-5.14		0.0	0.0	34.4326312
CV-24176	6/24/2025 12:32:51 PM	-0.48	-0.48	0.396	0.355	12.1	11.5	-5.11	-5.18			34.4326172
CV-24176	6/24/2025 12:38:32 PM	-0.48	-0.46	0.366	0.472	11.7	13.2	-5.01	-5.22			34.4325965
CV-24177	6/1/2025 1:03:48 PM	-0.29	-0.29	0.264	0.171	0.0	0.0	-0.28		0.0	0.0	34.4322507
CV-24177	6/18/2025 1:14:55 PM	-0.40	-0.40	0.374	0.305	0.0	0.0	-4.99		0.0	0.0	34.4322965
CV-24178	6/5/2025 9:49:01 AM	-0.38	-0.36	0.029	0.001	3.3	0.7	-6.31	-6.20			34.4323753
CV-24178	6/20/2025 11:06:32 AM	-0.72	-0.72	1.239	1.022	21.2	19.2	-6.26		500.5	454.8	34.4323462
CV-24179	6/1/2025 12:56:31 PM	-0.24	-0.24	0.007	0.013	3.2	4.3	-4.53		69.3	93.3	34.4320923
CV-24179	6/19/2025 10:58:05 AM	-0.01	0.03	0.012	0.021	4.4	5.9	-6.32	-6.29			34.4321047
CV-24179	6/19/2025 11:00:02 AM	-0.04	-0.04	0.023	0.010	6.1	4.0	-6.18	-6.30			34.4321163
CV-24180	6/5/2025 9:53:48 AM	-0.14	-0.14	0.018	0.018	2.7	2.7	-6.34	-6.25			34.4321662
CV-24180	6/24/2025 12:15:04 PM	-0.01	0.12	0.006	0.028	1.5	3.3	-6.14	-6.01			34.4321518
CV-24180	6/24/2025 12:16:06 PM	-0.01	-0.01	0.022	0.023	2.9	3.0	-6.07	-6.23			34.4321450
CV-24181	6/5/2025 10:17:51 AM	-0.88	-0.88	3.990	0.177	38.0	8.1	-6.48	-4.99			34.4322033
CV-24181	6/11/2025 1:31:13 PM	-0.05	-0.05	2.440	1.587	10.8	8.7	-5.15	-5.22			34.4322458

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24181	6/20/2025 11:11:00 AM	-0.47	-0.47	1.742	1.662	25.3	24.7	-6.03		691.4	675.2	34.4321998
CV-24184	6/5/2025 8:44:01 AM	-0.07	-0.07	0.551	0.199	14.4	8.7	-7.14	-6.98			34.4325368
CV-24184	6/5/2025 8:44:50 AM	-0.06	-0.06	0.036	0.031	3.7	3.4	-6.98	-7.05			34.4325428
CV-24184	6/20/2025 9:52:41 AM	-0.32	-0.32	0.199	0.193	0.0	0.0	-5.49		0.0	0.0	34.4326178
CV-24184	6/20/2025 9:53:56 AM	-0.14	-0.14	0.013	0.009	0.0	0.0	-6.84		0.0	0.0	34.4325588
CV-24185	6/5/2025 1:58:35 PM	-0.08	-0.08	0.617	0.616	15.6	15.6	-2.94	-2.96			34.4326820
CV-24185	6/20/2025 10:04:17 AM	-0.89	-0.89	-1.330	-1.342	0.0	0.0	-7.00		0.0	0.0	34.4326555
CV-24186	6/8/2025 11:06:29 AM	-0.78	-0.78	-0.014	-0.018	0.0	0.0	-6.95		0.0	0.0	34.4329017
CV-24186	6/20/2025 10:19:14 AM	-0.41	-0.41	-0.014	-0.047	0.0	0.0	-6.45		0.0	0.0	34.4329230
CV-24187	6/4/2025 10:14:01 AM	-0.13	-0.13	0.439	0.133	12.8	7.1	-5.46	-5.49			34.4318643
CV-24187	6/4/2025 10:17:17 AM	-0.09	-0.09	0.097	0.091	6.0	6.1	-5.47	-5.51			34.4318630
CV-24187	6/19/2025 10:50:05 AM	-0.24	-0.21	0.020	0.023	2.7	2.9	-6.00	-6.09			34.4318668
CV-24188	6/1/2025 9:43:40 AM	-2.03	-2.03	-0.039	-0.063	0.0	0.0	-4.72		0.0	0.0	34.4315265
CV-24188	6/18/2025 8:49:29 AM	-1.50	-1.50	-0.056	0.002	0.0		-6.40		0.0		34.4314025
CV-24189	6/1/2025 9:24:13 AM	-0.88	-0.88	-0.072	-0.096	0.0	0.0	-6.34		0.0	0.0	34.4313660
CV-24189	6/18/2025 8:40:23 AM	-0.85	-0.85	-0.076	0.679	0.0	0.0	-6.81		0.0	0.0	34.4313260
CV-24190	6/4/2025 9:51:26 AM	-4.18	-4.18	0.920	0.945	37.8	38.3	-5.69	-5.58			34.4315975
CV-24190	6/19/2025 10:41:53 AM	-4.34	-4.34	0.468	0.468	26.9	26.9	-6.03	-6.03			34.4315977
CV-24192	6/4/2025 9:45:36 AM	-2.24	-2.12	0.729	0.839	10.7	11.5	-6.22	-6.21			34.4313133
CV-24192	6/19/2025 10:33:16 AM	-4.02	-2.49	0.174	0.503	11.6	19.6	-6.30	-6.50			34.4313268
CV-24193	6/3/2025 1:15:47 PM	-1.11	-1.10	1.450	1.557	8.3	8.6	-5.56	-5.57			34.4315020
CV-24193	6/5/2025 10:00:40 AM	-1.83	-1.74	1.707	1.997	9.0	9.8	-6.70	-6.73			34.4315128
CV-24193	6/19/2025 10:24:16 AM	-2.75	-2.02	0.297	0.551	11.4	15.4	-6.50	-6.46			34.4315320

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24194	6/4/2025 1:17:06 PM	-1.45	-1.37	1.062	1.271	7.1	7.7	-5.68	-5.51			34.4317142
CV-24194	6/20/2025 9:24:45 AM	-2.60	-2.60	1.146	1.086	7.5	7.3	-6.79		237.3	230.9	34.4316355
CV-24195	6/4/2025 1:39:58 PM	-0.36	-0.36	0.379	1.649	17.1	35.6	-5.62	-5.46			34.4318782
CV-24195	6/4/2025 1:42:20 PM	-0.07	-0.07	1.635	0.502	16.0	8.9	-5.39	-5.45			34.4318682
CV-24195	6/20/2025 9:35:54 AM	-0.27	-0.27	0.579	0.586	21.4	21.5	-6.85		599.0	602.6	34.4319563
CV-24195	6/20/2025 2:39:47 PM	-0.13	-0.05	0.000	0.000			-5.91	-6.08			34.4318503
CV-24196	6/8/2025 12:39:39 PM	-2.24	-2.20	-0.914	-0.971	0.0	0.0	-6.13		0.0	0.0	34.4320268
CV-24196	6/20/2025 9:46:45 AM	-2.62	-2.62	-1.123	-1.064	0.0	0.0	-6.66		0.0	0.0	34.4321133
CV-24196	6/20/2025 2:47:27 PM	-2.09	-2.09	0.000	0.000			-6.21	-6.18			34.4320948
CV-24197	6/8/2025 11:25:41 AM	-0.55	-0.55	0.054	0.059	0.0	0.0	-6.68		0.0	0.0	34.4324007
CV-24197	6/25/2025 1:35:15 PM	-0.58	-0.45	0.017	0.007	2.5	1.6	-5.70	-5.59			34.4323818
CV-24198	6/4/2025 1:55:50 PM	-0.03	0.17	0.861	2.286	6.4	10.4	-11.69	-11.69			34.4315680
CV-24198	6/4/2025 1:59:29 PM	-0.04	-0.04	0.733	0.689	10.8	10.4	-11.50	-11.49			34.4315747
CV-24198	6/20/2025 10:44:10 AM	-0.16	-0.16	-0.509	-0.505	0.0	0.0	-8.75		0.0		34.4315348
CV-24198	6/20/2025 2:27:38 PM	-0.13	-0.06	0.000	0.000			-8.21	-7.91			34.4315888
CV-24199	6/4/2025 2:20:03 PM	-1.15	-1.15	3.226	3.230	50.1	50.1	-12.50	-12.48			34.4317740
CV-24199	6/20/2025 10:39:19 AM	-1.10	-1.10	-2.275	-2.160	0.0	0.0	-9.79		0.0	0.0	34.4317843
CV-24199	6/20/2025 2:24:01 PM	-0.69	-0.69	0.000	0.000			-8.81	-8.33			34.4318000
CV-24200	6/8/2025 12:23:46 PM	-0.18	-0.16	-1.848	-3.708	0.0	0.0	-11.81		0.0	0.0	34.4315125
CV-24200	6/22/2025 11:52:20 AM	-0.04	0.07	2.591	3.883	11.1	13.5	-8.27	-8.36			34.4315270

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24200	6/22/2025 11:54:37 AM	-0.38	-0.20	0.557	0.816	15.5	18.8	-8.42	-8.07			34.4314813
CV-24201	6/8/2025 12:13:30 PM	-1.41	-1.41	-0.314	-0.467	0.0	0.0	-10.85		0.0	0.0	34.4318243
CV-24201	6/22/2025 12:02:18 PM	-0.73	-0.73	0.318	0.416	10.9	12.4	-8.18	-8.13			34.4317748
CV-24202	6/3/2025 10:42:30 AM											
CV-24202	6/8/2025 12:00:51 PM	-0.79	-0.79	0.464	0.219	0.0	0.0	-11.57		0.0	0.0	34.4319507
CV-24202	6/16/2025 11:31:09 AM											
CV-24202	6/17/2025 3:24:11 PM											
CV-24202	6/22/2025 12:20:39 PM	-0.32	-0.32	0.322	0.318			-7.97	-7.96			34.4319563
CV-24202	6/23/2025 11:06:22 AM											
CV-24202	6/25/2025 9:49:16 AM											
CV-24202	6/27/2025 10:16:14 AM											
CV-24203	6/8/2025 1:23:13 PM	-1.93	-1.87	-1.722	-2.324	0.0	0.0	-11.04		0.0	0.0	34.4315495
CV-24203	6/22/2025 12:57:26 PM	-1.36	-1.36	1.703	1.649	26.9	26.4	-8.37	-8.11			34.4315713
CV-24204	6/8/2025 1:27:28 PM	-1.64	-1.55	-0.633	-0.792	0.0	0.0	-10.96		0.0	0.0	34.4315487
CV-24204	6/22/2025 1:02:01 PM	-1.19	-1.19	0.552	0.587	20.5	21.1	-8.28	-8.04			34.4314598
CV-24205	6/8/2025 1:11:20 PM	-4.03	-3.93	-2.950	-3.223	0.0	0.0	-11.26		0.0	0.0	34.4312648
CV-24205	6/22/2025 1:07:28 PM	-2.97	-2.97	2.196	2.220	40.9	41.1	-8.01	-7.91			34.4312377
CV-24206	6/3/2025 10:38:40 AM											
CV-24206	6/8/2025 1:35:26 PM	-0.47	-0.43	0.667	0.663	0.0	0.0	-8.10		0.0	0.0	34.4316635
CV-24206	6/16/2025 11:08:59 AM											
CV-24206	6/22/2025 11:47:32 AM	-0.26	-0.26	0.654	0.256			-7.28	-7.43			34.4315262
CV-24206	6/23/2025 11:12:15 AM											
CV-24206	6/25/2025 9:39:12 AM											
CV-24206	6/27/2025 10:24:10 AM											
CV-24207	6/6/2025 2:30:41 PM	-3.12	-3.07	-0.882	-0.415	0.0	0.0	-4.74		0.0	0.0	34.4332127
CV-24207	6/18/2025 11:09:32 AM	-2.73	-2.73	-0.567	-0.533	0.0	0.0	-4.27		0.0	0.0	34.4332740
CV-24208	6/11/2025 3:27:00 PM	-0.01	0.07	-1.069	-1.256	0.0	0.0	-7.75		0.0	0.0	34.4319237
CV-24208	6/11/2025 3:28:20 PM	-0.04	-0.04	-1.278	-1.285	0.0	0.0	-7.71		0.0	0.0	34.4319323

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24209	6/3/2025 11:01:00 AM											
CV-24209	6/11/2025 10:25:10 AM											
CV-24209	6/11/2025 2:55:29 PM	-2.18	-2.18	4.616	1.555	0.0	0.0	-17.66		0.0	0.0	34.4322268
CV-24209	6/16/2025 11:34:05 AM											
CV-24209	6/17/2025 3:20:11 PM											
CV-24209	6/23/2025 10:58:04 AM											
CV-24209	6/25/2025 9:36:04 AM											
CV-24209	6/27/2025 10:03:52 AM											
CV-24210	6/3/2025 10:34:47 AM											
CV-24210	6/5/2025 9:11:39 AM											
CV-24210	6/9/2025 11:39:46 AM											
CV-24210	6/10/2025 1:45:49 PM	-0.65	-0.65	2.809	0.671			-8.02	-8.53			34.4326683
CV-24210	6/11/2025 10:10:20 AM											
CV-24210	6/13/2025 2:35:01 PM											
CV-24210	6/16/2025 11:06:10 AM											
CV-24210	6/17/2025 9:58:38 AM											
CV-24210	6/19/2025 2:31:20 PM											
CV-24210	6/23/2025 10:53:13 AM											
CV-24210	6/25/2025 9:26:13 AM											
CV-24210	6/26/2025 10:29:36 AM											
CV-24210	6/27/2025 10:00:48 AM											
CV-24211	6/20/2025 2:59:03 PM	-1.34	-1.33	1.350	1.377			-9.05	-8.95			34.4327250
CV-24212	6/20/2025 3:04:25 PM	-1.31	-1.31	2.512	1.350			-9.33	-9.32			34.4331597
CV-24213	6/5/2025 3:21:41 PM	-4.78	-4.78	4.811	4.830			-5.51	-5.60			34.4366263
CV-24214	6/5/2025 2:05:46 PM	-0.73	-0.73	0.733	0.750	10.7	10.8	-7.63	-7.68			34.4367492
CV-24215	6/21/2025 9:51:59 AM	-0.72	-0.72	0.011	0.023	4.1	6.0	-6.53	-6.69			34.4369407

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24216	6/5/2025 3:17:57 PM	-4.47	-4.47	5.673	4.479			-7.40	-7.49			34.4368537
CV-24217	6/5/2025 2:31:24 PM	-2.80	-2.80	2.781	2.781			-7.06	-7.05			34.4359398
CV-24218	6/5/2025 2:20:30 PM	-0.66	-0.66	0.667	0.667			-7.39	-7.39			34.4358277
CV-24219	6/7/2025 3:01:17 PM	-3.04	-3.04	3.082	3.064	0.0	0.0			0.0	0.0	34.4350825
CV-24219	6/18/2025 1:34:35 PM	-2.38	-2.37	2.344	2.354			-5.13	-5.22			34.4351153
CV-24220	6/3/2025 11:42:09 AM											
CV-24220	6/11/2025 9:33:35 AM	-2.35	-2.35	2.180	2.173	0.0	0.0			0.0	0.0	34.4339677
CV-24220	6/11/2025 9:34:47 AM	-2.34	-2.34	2.167	2.164	0.0	0.0			0.0	0.0	34.4339922
CV-24220	6/13/2025 3:07:16 PM	-0.09	1.24	0.000	0.073			-8.71	-8.61			34.4339495
CV-24220	6/13/2025 3:12:58 PM	-0.07	-0.07	0.280	0.095			-8.60	-8.58			34.4339412
CV-24222	6/23/2025 7:53:10 AM	-4.77	-4.77	-0.037	-0.060	0.0	0.0			0.0	0.0	34.4336462
CV-24223	6/23/2025 8:49:14 AM	-1.33	-1.33	1.423	1.403	0.0	0.0			0.0	0.0	34.4333738
CV-24224	6/3/2025 1:59:08 PM	-0.26	-0.26	0.480	0.263			-9.46	-9.40			34.4331442
CV-24224	6/3/2025 2:00:28 PM	-0.20	-0.20	0.204	0.197			-9.47	-9.53			34.4331445
CV-24225	6/20/2025 2:55:10 PM	-0.37	-0.37	0.398	0.387	13.0	12.8	-0.01	0.04			34.4327260
CV-24226	6/23/2025 8:57:56 AM	-1.83	-1.83	-0.016	-0.014	0.0	0.0			0.0	0.0	34.4325042
CV-24227	6/1/2025 9:10:13 AM	-2.92	-2.92	2.272	1.647	32.6	27.7			1016.9	865.5	34.4308823
CV-24231	6/12/2025 8:35:21 AM	-0.29	-0.29	3.004	0.032	68.2	7.1	-7.55	-7.50			34.4302698
CV-24236	6/1/2025 7:49:10 AM	-2.45	-2.45	1.016	0.113	29.3	9.8	-6.56		742.7	248.0	34.4301648
CV-24236	6/13/2025 10:58:54 AM	-1.38	-1.28	0.096	0.133	8.7	10.3	-6.04	-6.03			34.4301078
CV-24237	6/1/2025 8:45:42 AM	-0.82	-0.82	2.468	0.097	45.8	9.1	-6.45		1112.4	221.6	34.4307093

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-24243	6/11/2025 8:09:28 AM	-0.03	-0.03	3.055	0.049	33.9	4.3	-3.55	-3.47			34.4287643
CV-24243	6/11/2025 8:12:18 AM	-0.01	-0.01	0.042	0.048	4.0	4.3	-3.73	-3.69			34.4287653
CV-24244	6/11/2025 8:22:46 AM	-0.04	-0.04	0.022	0.006	9.3	4.9	-3.35	-4.89			34.4289990
CV-24245	6/11/2025 8:00:12 AM	-0.89	-0.85	2.299	2.595	19.2	20.4	-3.09	-3.34			34.4284813
CV-24246	6/11/2025 7:54:31 AM	-0.18	-0.18	0.040	0.021			-1.60	-1.89			34.4286973
CV-25	6/21/2025 8:42:45 AM	-8.16	-8.15	8.319	8.321	79.1	79.1	0.33	0.33			34.4371465
CV-2501	6/8/2025 10:22:49 AM	0.74	0.76	0.006	0.022	4.7	9.2	-11.70	-11.65			34.4313460
CV-2501	6/8/2025 10:23:42 AM	0.72	0.72	0.019	0.020	8.7	8.8	-11.86	-11.95			34.4313380
CV-2501	6/10/2025 10:35:32 AM	-0.07	0.47	0.008	0.081	5.4	17.7	-16.96	-16.23			34.4313530
CV-2501	6/10/2025 10:37:31 AM	-0.06	-0.06	0.062	0.060	15.5	15.3	-16.18	-16.60			34.4313392
CV-2501	6/10/2025 12:47:04 PM	-0.14	0.02	0.148	0.057	23.9	14.8	-14.03	-14.05			34.4313545
CV-2502	6/8/2025 10:08:54 AM	0.46	0.57	0.009	0.011	6.1	6.5	-3.69	-3.77			34.4309052
CV-2502	6/8/2025 10:11:08 AM	0.44	0.47	0.005	0.008	4.6	5.5	-3.59	-3.48			34.4309037
CV-2502	6/10/2025 9:23:45 AM	-0.92	-0.90	0.556	0.582	46.6	47.7	-2.47	-2.79			34.4308987
CV-2502	6/10/2025 9:25:08 AM	-0.85	-0.85	0.459	0.465	42.3	42.6	-2.18	-2.19			34.4309168
CV-2503	6/10/2025 10:18:51 AM	-0.02	0.21	0.021	0.168	9.1	25.6	-17.60	-17.52			34.4312448
CV-2503	6/10/2025 10:20:03 AM	-0.08	-0.07	0.174	0.170	26.1	25.8	-17.55	-17.53			34.4312440

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2503	6/10/2025 12:40:03 PM	-0.11	0.05	0.154	0.286	24.5	33.4	-15.27	-15.02			34.4312380
CV-2504	6/8/2025 1:13:39 PM	0.95	1.01	0.002	0.007	3.1	5.1	-3.07	-3.01			34.4304120
CV-2504	6/8/2025 1:15:26 PM	0.92	0.95	0.006	0.013	5.0	7.2	-3.02	-3.01			34.4303893
CV-2504	6/9/2025 3:36:28 PM	-0.08	-0.05	0.320	0.317	35.4	35.2	-1.87	-1.89			34.4303818
CV-2504	6/9/2025 3:37:52 PM	-0.16	-0.05	0.371	0.397	38.1	39.4	-1.97	-1.62			34.4303725
CV-2505	6/8/2025 1:05:29 PM	0.86	0.92	0.034	0.059	11.5	15.1	-3.17	-3.23			34.4308283
CV-2505	6/8/2025 1:06:28 PM	0.83	0.83	0.050	0.049	13.9	13.7	-3.22	-3.26			34.4308053
CV-2505	6/9/2025 11:28:50 AM	-0.11	0.89	0.071	0.658	10.6	32.0	-1.37	-1.87			34.4308015
CV-2505	6/9/2025 11:31:06 AM	-0.23	-0.20	0.578	0.524	30.0	28.6	-2.06	-2.13			34.4308137
CV-2506	6/8/2025 12:56:03 PM	0.96	1.02	0.228	0.301	18.9	21.8	-3.06	-3.19			34.4305003
CV-2506	6/8/2025 12:57:14 PM	0.92	0.92	0.293	0.311	21.5	22.1	-3.16	-3.14			34.4304977
CV-2506	6/9/2025 11:14:06 AM	-0.06	1.07	0.108	1.362	13.1	46.2	-1.55	-1.44			34.4304727
CV-2506	6/9/2025 11:15:47 AM	-0.09	-0.09	1.865	1.544	54.0	49.1	-1.86	-1.54			34.4304747
CV-2507	6/8/2025 10:48:05 AM	3.37	3.79	0.121	0.233	7.5	10.2	-3.73	-3.69			34.4301600
CV-2507	6/8/2025 10:49:06 AM	3.28	3.28	0.203	0.177	9.6	8.9	-3.30	-3.66			34.4301613
CV-2507	6/8/2025 12:51:28 PM	2.98	3.03	0.414	0.545	13.5	15.5	-3.26	-3.06			34.4301618

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2507	6/9/2025 10:51:39 AM	0.89	2.81	0.445	1.856	13.9	28.3	-1.75	-1.54			34.4301378
CV-2507	6/23/2025 10:07:52 AM	-2.38	-2.37	3.165	3.274	49.2	50.0	-7.92	-8.08			34.4301318
CV-2508	6/1/2025 11:01:46 AM	3.14	3.27	0.451	0.604	26.9	31.1	-1.03	-0.66			34.4297045
CV-2508	6/1/2025 11:02:57 AM	3.04	3.07	0.598	0.684	30.9	33.1	-0.86	-0.34			34.4297045
CV-2508	6/1/2025 1:00:08 PM	2.98	3.01	0.701	0.813	33.5	36.1	-0.91	-0.70			34.4297195
CV-2508	6/3/2025 9:18:37 AM	2.42	2.49	0.740	0.859	34.4	37.1	-0.49	-0.55			34.4297177
CV-2508	6/3/2025 1:27:03 PM	2.28	2.28	0.827	0.891	36.4	37.7	-0.72	-0.52			34.4297205
CV-2508	6/4/2025 9:31:06 AM	1.81	1.83	0.865	0.993	37.1	39.8	-0.98	-0.61			34.4297195
CV-2508	6/5/2025 8:03:30 AM	1.30	1.36	1.005	1.135	40.0	42.5	-1.18	-0.91			34.4297180
CV-2508	6/8/2025 12:43:12 PM	1.38	1.41	1.170	1.268	43.2	45.0	-0.89	-0.75			34.4297358
CV-2508	6/9/2025 10:40:54 AM	-0.09	0.69	1.634	0.859	51.0	36.9	-2.04	-1.89			34.4297173
CV-2508	6/9/2025 10:42:41 AM	-0.08	-0.08	0.861	0.844	58.1	57.6	-1.87	-1.84			34.4297250
CV-2509	6/1/2025 10:43:43 AM	-0.38	-0.30	0.611	0.585	31.4	30.7	-1.10	-1.15			34.4292573
CV-2509	6/1/2025 10:46:52 AM	-0.08	-0.05	0.844	0.904	36.9	38.1	-1.08	-1.06			34.4292603
CV-2510	6/1/2025 10:51:16 AM	-0.17	-0.15	1.106	1.209	20.5	21.4	-4.27	-4.58			34.4290658
CV-2510	6/1/2025 10:52:22 AM	-0.11	-0.11	1.081	1.223	20.2	21.5	-4.01	-4.66			34.4290783
CV-2511	6/1/2025 9:20:37 AM	-0.17	-0.09	0.041	0.073	12.8	17.0	-3.98	-3.98			34.4296670
CV-2512	6/12/2025 8:24:20 AM	-0.65	-0.65	0.135	0.127	23.0	22.3	-7.57	-7.46			34.4292268
CV-2513	6/1/2025 10:37:38 AM	-0.09	-0.09	1.593	1.312	26.3	23.9	-3.42	-2.78			34.4288225
CV-2513	6/1/2025 10:39:24 AM	-0.08	-0.08	1.403	1.478	24.7	25.4	-3.26	-3.36			34.4288558
CV-2514	6/1/2025 10:29:58 AM	-0.83	-0.83	1.752	1.783	27.5	27.7	-3.10	-3.15			34.4295998

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-2540	6/21/2025 10:47:27 AM	-0.99	-0.99	0.820	0.883	0.0	0.0	-4.59		0.0	0.0	34.4332430
CV-2540	6/22/2025 9:18:05 AM	-0.19	-0.19	1.132	0.313			-4.69	-5.25			34.4332668
CV-2541	6/21/2025 3:48:07 PM	1.48	3.25	-3.097	-1.585	0.0	0.0	-1.65		0.0	0.0	34.4331675
CV-2541	6/21/2025 3:50:42 PM	0.66	1.61	-1.777	-0.863	0.0	0.0	0.27		0.0	0.0	34.4332152
CV-2541	6/25/2025 10:24:12 AM	4.51	6.90	0.000	0.000			7.22	4.73			34.4332637
CV-2541	6/25/2025 10:32:12 AM	3.26	3.85	0.000	0.000			9.79	0.57			34.4332732
CV-2541	6/25/2025 10:33:34 AM	3.56	3.56	0.000	0.000			0.53	0.54			34.4332777
CV-2554	6/26/2025 10:36:04 AM	-1.05	-1.05	1.991	1.066			-1.72	-2.22			34.4344780
CV-48R	6/3/2025 12:40:07 PM	-2.77	-2.77	0.690	0.791	10.3	11.1	-4.46	-4.28			34.4373235
CV-55R	6/11/2025 1:42:30 PM	-0.10	1.43	0.216	0.123	5.5	4.1	-14.87		97.2	72.4	34.4344292
CV-55R	6/11/2025 1:44:54 PM	-0.23	-0.23	0.052	0.048	2.7	2.6	-14.93		53.2	51.2	34.4343428
CV-55R	6/17/2025 12:36:25 PM	-0.31	-0.31	0.206	0.099	5.5	3.8	-7.58	-7.70			34.4343840
CV-55R	6/17/2025 12:37:18 PM	-0.33	-0.31	0.079	0.080	3.4	3.4	-7.70	-7.64			34.4343850
CV-55R	6/25/2025 2:46:45 PM	-0.03	-0.03	0.036	0.036	2.3	2.3	-8.28	-8.44			34.4344105
CV-55R	6/25/2025 2:48:05 PM	-0.05	-0.04	0.057	0.056	2.9	2.9	-7.15	-6.86			34.4344012
CV-56D	6/11/2025 1:51:16 PM	-0.22	-0.22	-0.008	0.141	0.0	2.6	-0.10		0.0	69.4	34.4338807
CV-56D	6/11/2025 4:00:17 PM	-2.97	-2.97	3.418	1.768	12.7	9.1	-7.91		314.0	226.0	34.4337037
CV-56S	6/11/2025 1:52:57 PM	-0.27	-0.27	0.343	0.349	1.1	1.1	-0.27		28.0	28.3	34.4338193

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
CV-56S	6/11/2025 4:05:48 PM	-2.18	-2.18	4.673	2.644	4.2	3.1	-8.60		94.1	70.8	34.4339100
CV-57R	6/11/2025 9:04:37 AM	-1.73	-1.73	2.104	0.290	10.0	3.7	-15.48		223.6	83.6	34.4343605
CV-74R	6/6/2025 9:59:43 AM	-0.03	0.02	0.021	0.019	4.3	4.1	-6.35		0.8	0.7	34.4342273
CV-74R	6/6/2025 10:01:15 AM	-0.06	-0.05	-0.001	0.001	0.0	0.8	-6.66		0.0	0.6	34.4342588
CV-79R	6/3/2025 2:09:20 PM	-1.50	-1.50	0.001	0.004	0.8	1.7	-9.47	-9.53			34.4332382
CV-84S	6/7/2025 1:31:02 PM	-0.23	-0.23	0.016	0.014	0.8	0.8	-9.84		8.8	8.2	34.4337815
CV-84S	6/7/2025 1:32:41 PM	-0.24	-0.24	0.002	0.004	0.3	0.4	-10.19		3.0	3.8	34.4338027
CV-85S	6/6/2025 2:51:30 PM	-2.50	-2.50	0.114	0.103	7.3	7.0	-5.52		238.6	226.5	34.4332113
CV-85S	6/22/2025 12:18:26 AM	-0.98	-0.98	0.016	0.016	2.7	2.7	-5.91		77.2	78.0	34.4339957
CV-94	6/27/2025 11:34:16 AM	-8.52	-8.52	-0.362	-0.766	0.0	0.0	-8.49		0.0	0.0	34.4347138
CV-95	6/11/2025 8:59:13 AM	-1.53	-1.53	4.774	0.972	15.0	6.8	-15.81		234.1	105.8	34.4343427
CV-99	6/5/2025 4:24:45 PM	-0.51	8.57	0.102	0.018	18.2	7.3			359.5	145.1	34.4371397
CV-99	6/5/2025 4:25:49 PM	-1.08	-1.04	0.050	-0.016	12.3				241.5		34.4370997
CV-99	6/11/2025 10:55:00 AM											
CV-99	6/11/2025 10:55:00 AM											
D-02	6/11/2025 10:42:52 AM	-21.18	-21.15	0.015	0.013			-21.20				34.4311257
D-03	6/11/2025 10:45:21 AM	-10.28	-8.16	0.396	0.554			-10.78				34.4311867
D-04	6/11/2025 10:40:32 AM	-21.92	-21.67	-0.012	0.002	0.0	1.2	-21.85		0.0	44.7	34.4312142
D-05	6/11/2025 10:36:29 AM	-0.98	-0.98	0.969	0.827			-19.85				34.4309633
D-05	6/11/2025 10:38:08 AM	-0.55	-0.55	0.825	0.636			-20.57				34.4310735
D-09	6/11/2025 11:45:50 AM	-12.00	-12.00	1.254	1.367	30.8	32.1	-13.76	-13.67			34.4301120
D-10	6/11/2025 11:50:10 AM	-16.45	-16.45	16.573	16.510			-16.78	-16.76			34.4302117
FP-001	6/5/2025 5:05:30 PM	-0.35	-0.35	1.048	0.539	7.2	5.1	-6.45		76.9	55.1	34.4365813
FP-001	6/20/2025 2:36:26 PM	-0.26	-0.26	0.450	0.468	4.7	4.8	-6.42		38.9	39.7	34.4366728
FP-002	6/5/2025 5:01:30 PM	-0.42	-0.42	0.127	0.130	2.5	2.5	-6.70		32.9	33.4	34.4365868
FP-002	6/5/2025 5:02:37 PM	-0.30	-0.30	0.118	0.049	2.4	1.5	-6.98		32.1	20.7	34.4366322

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
FP-003	6/5/2025 4:59:05 PM	-0.30	-0.30	4.066	4.192	14.0	14.2	-6.14		44.0	44.7	34.4366098
FP-005	6/29/2025 11:03:10 AM	-0.12	-0.12	0.283	0.280	3.6	3.6	-6.54		11.3	11.2	34.4364838
FP-006	6/27/2025 1:32:03 PM	-0.19	-0.19	-0.081	-0.081	0.0	0.0	-6.89		0.0	0.0	34.4364185
FP-008	6/27/2025 1:36:45 PM	-0.23	-0.23	-0.048	-0.050	0.0	0.0	-6.39		0.0	0.0	34.4363058
FP-009	6/11/2025 12:51:39 PM	-0.03	-0.03	0.000	0.000			-0.53	-0.57			34.4366840
FP-011	6/30/2025 9:25:29 AM	0.00	0.00	0.001	0.000	0.1	0.0	0.27	0.33			34.4365525
FP-011	6/30/2025 9:26:26 AM	0.00	0.00	0.002	0.002	0.2	0.1	0.18	0.33			34.4365528
FP-012	6/5/2025 10:42:42 AM	-0.49	-0.49	0.042	0.109	1.4	2.2	-5.13		16.2	25.9	34.4366623
FP-013	6/5/2025 10:48:09 AM	-0.46	-0.46	1.030	1.023	7.2	7.2	-5.20		35.5	35.4	34.4365605
FP-015	6/28/2025 1:46:39 PM	-0.34	-0.34	3.144	2.967	11.1	10.7	-2.93		79.7	77.4	34.4363732
FP-016	6/29/2025 11:09:47 AM	-0.21	-0.21	1.036	1.038	6.9	6.9	-3.33		62.8	62.9	34.4364937
FP-017	6/12/2025 1:25:43 PM	-0.02	-0.01	0.753	0.595	6.1	5.4	-0.59	-0.46			34.4344213
FP-018	6/5/2025 2:45:37 PM	-0.20	-0.20	-0.042	-0.039	0.0	0.0	-0.24		0.0	0.0	34.4344257
FP-019	6/11/2025 1:21:08 PM	-0.07	-0.05	0.417	0.110	0.5	0.3	0.05	0.59			34.4346490
FP-020	6/11/2025 1:14:25 PM	-0.02	-0.02	0.022	0.029	9.4	10.8	-1.75	-1.67			34.4349353
FP-021	6/11/2025 1:02:10 PM	-0.08	-0.08	0.000	0.000			-1.52	-1.62			34.4351635
FP-022	6/11/2025 1:10:42 PM	-0.01	-0.01	0.023	0.005	9.6	4.3	-1.71	-1.42			34.4352627
FP-023	6/12/2025 1:04:14 PM	-0.12	-0.12	2.406	2.385	10.6	10.6	-5.23	-5.21			34.4357238
FP-024	6/21/2025 11:51:31 AM	-0.07	-0.07	0.000	0.000			-6.53	-6.55			34.4355478
FP-025	6/21/2025 11:47:28 AM	-0.10	-0.10	3.233	3.278	1.4	1.4	-6.71	-7.03			34.4353727
FP-026	6/21/2025 11:41:59 AM	-0.16	-0.16	0.000	0.007			-6.19	-6.46			34.4351303
FP-027	6/21/2025 11:37:22 AM	-0.11	-0.11	4.224	2.154	1.6	1.1	-2.01	-2.55			34.4348477
FP-028	6/21/2025 11:33:26 AM	-0.06	-0.04	1.578	1.484	36.0	34.9	-5.52	-5.90			34.4347620
FP-029	6/12/2025 1:18:37 PM	-0.04	-0.01	0.038	0.063	1.4	1.7	-0.71	-0.67			34.4344075
FP-029	6/20/2025 3:00:40 PM	-0.06	-0.06	0.522	0.535	5.1	5.1	-0.72		89.9	91.0	34.4343668
FP-030	6/5/2025 2:57:38 PM	-0.34	-0.34	3.848	3.862	14.3	14.3	-4.96		394.4	395.1	34.4345383
FP-031	6/5/2025 3:00:03 PM	-0.29	-0.29	2.002	1.977	10.3	10.3	-4.82		151.7	150.7	34.4348115
FP-032	6/5/2025 3:06:42 PM	-0.56	-0.56	5.183	5.184	16.4	16.4	-4.50		96.5	96.5	34.4350612
FP-033	6/11/2025 12:58:52 PM	-0.07	-0.07	0.000	0.000			-1.46	-1.53			34.4353837
FP-034	6/5/2025 11:33:24 AM	-0.39	-0.39	3.778	3.778	13.5	13.5	-5.37		168.6	168.6	34.4356312

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
FP-035	6/5/2025 11:18:34 AM	-0.39	-0.39	0.920	0.918	6.8	6.8	-5.90		80.4	80.3	34.4357957
FP-036	6/5/2025 11:01:25 AM	-0.13	-0.13	1.912	1.968	9.9	10.1	-5.24		91.1	92.4	34.4361310
FP-037	6/5/2025 10:58:06 AM	-0.36	-0.36	2.731	2.733	11.8	11.8	-6.07		11.6	11.6	34.4362985
FP-038	6/30/2025 10:08:01 AM	-0.34	-0.20	0.590	0.631	21.9	22.6	-0.73	-0.97			34.4340818
FP-039	6/30/2025 10:00:04 AM	-0.40	-0.40	2.559	2.034	34.0	30.3	-2.86	-2.16			34.4341837
FP-039	6/30/2025 10:03:54 AM	-0.43	-0.43	1.578	0.952	35.7	27.8	-2.07	-1.51			34.4341800
FP-040	6/26/2025 9:55:51 AM	-0.64	-0.64	0.050	0.027			-3.76	-3.77			34.4353108
FP-041	6/26/2025 10:10:52 AM	-0.10	-0.10	4.506	4.506	15.0	15.0	-3.83	-3.83			34.4340455
FP-042	6/1/2025 11:19:04 AM	0.11	0.13	0.024	0.211	1.0	3.1	-1.82		6.5	19.5	34.4332678
FP-043	6/26/2025 10:06:17 AM	-0.21	-0.21	1.894	1.765			-4.94	-4.85			34.4342535
FP-044	6/26/2025 10:01:43 AM	-0.07	-0.07	0.054	0.048			-4.83	-4.67			34.4345408
H-01 (EXP-01)	6/3/2025 9:43:59 AM	-0.02	0.02	0.000	0.018			-7.31	-7.32			34.4376927
H-01 (EXP-01)	6/3/2025 9:46:46 AM	-0.08	-0.08	0.154	0.080			-7.33	-7.29			34.4376927
H-01 (EXP-01)	6/20/2025 3:31:58 PM	-0.36	-0.34	0.118	0.218	0.0	0.0			0.0	0.0	34.4376927
H-02 (EXP-02)	6/3/2025 9:52:41 AM	-0.10	0.06	0.000	0.087			-7.10	-7.10			34.4376805
H-02 (EXP-02)	6/3/2025 9:56:30 AM	-0.08	-0.08	0.500	0.089			-7.04	-7.02			34.4377008
H-02 (EXP-02)	6/20/2025 3:28:13 PM	-6.59	-6.59	6.199	6.201	0.0	0.0			0.0	0.0	34.4377667
H-03 (EXP-03)	6/3/2025 9:59:14 AM	-1.42	-1.42	1.432	1.422			-6.97	-6.99			34.4377008
H-03 (EXP-03)	6/20/2025 3:26:16 PM	-1.03	-1.03	0.792	0.790	0.0	0.0			0.0	0.0	34.4377632
H-04 (EXP-04)	6/3/2025 10:05:49 AM	-0.02	-0.02	2.579	0.024			-7.09	-6.98			34.4377048
H-04 (EXP-04)	6/20/2025 3:24:47 PM	-0.11	-0.04	-0.137	-0.025	0.0	0.0			0.0	0.0	34.4376742
H-08 (EXP-08)	6/3/2025 10:16:31 AM	-1.07	-1.07	1.140	1.081			-6.13	-6.04			34.4378393
H-08 (EXP-08)	6/20/2025 2:57:33 PM	-0.72	-0.72	0.495	0.490	0.0	0.0			0.0	0.0	34.4379410

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-10 (EXP-10)	6/3/2025 10:21:13 AM	-0.95	-0.95	1.999	0.957			-6.04	-5.96			34.4374170
H-10 (EXP-10)	6/20/2025 3:01:05 PM	-5.75	-5.75	5.642	5.528	0.0	0.0			0.0	0.0	34.4374882
H-101W	6/1/2025 8:02:57 AM	-6.63	-6.63	0.006	0.009	2.3	2.8	-3.54		65.7	79.6	34.4310782
H-101W	6/1/2025 8:04:59 AM	-3.42	-2.93	0.001	0.002	0.8	1.5	-6.56		22.1	41.3	34.4310580
H-102A	6/1/2025 8:12:59 AM	-2.14	-2.14	0.004	0.005	0.9	1.0	-6.69		22.8	25.5	34.4311237
H-104	6/1/2025 8:20:02 AM	-1.70	-1.62	0.018	0.018	4.0	4.0	-6.48		9.5	9.6	34.4310853
H-104	6/1/2025 8:21:16 AM	-1.25	-1.22	0.025	0.023	4.7	4.5	-6.51		6.4	6.0	34.4310717
H-1401W	6/1/2025 8:26:04 AM	-6.67	-6.67	0.004	0.005	0.9	0.9	-6.72		28.6	30.8	34.4311243
H-1404C	6/5/2025 10:34:17 AM	-0.07	-0.06	0.011	0.039	0.8	1.4	-0.90	-0.90			34.4324283
H-1404C	6/20/2025 11:16:46 AM	-0.22	-0.18	0.039	0.045	1.4	1.5	-6.22		27.2	29.0	34.4324477
H-1405C	6/1/2025 1:15:10 PM	-0.09	-0.07	0.015	-0.060	1.5	0.0	-4.42		6.4	0.0	34.4325708
H-1405C	6/18/2025 1:30:11 PM	-0.25	-0.25	0.006	0.008	1.0	1.1	-3.30		7.3	8.0	34.4325758
H-1406W	6/1/2025 10:14:33 AM	-3.80	-3.60	0.001	0.005	0.3	0.9	-4.59		4.4	12.3	34.4321980
H-1406W	6/18/2025 9:20:03 AM	-3.69	-3.69	-0.005	0.029	0.0	1.9	-5.07		0.0	26.1	34.4321932
H-1408CR	6/10/2025 10:00:18 AM	-0.39	-0.39	1.692	0.529	16.3	9.2	-18.15	-17.46			34.4314070
H-1408CR	6/10/2025 10:06:21 AM	-0.15	-0.15	1.702	0.505	9.0	4.9	-18.73	-18.05			34.4314150
H-1408E	6/6/2025 11:16:32 AM	-0.56	-0.56	0.128	0.022	4.5	1.9	-4.86		90.0	37.0	34.4333910
H-1408E	6/18/2025 10:52:53 AM	-0.46	-0.41	-1.526	-1.881	0.0	0.0	-4.09		0.0	0.0	34.4334208
H-1408W	6/1/2025 9:18:19 AM	-0.01	-0.01	0.004	0.004	1.9	1.9	-6.17		34.7	36.1	34.4311620
H-1408W	6/17/2025 2:53:29 PM	-0.11	-0.11	-0.056	-0.031	0.0	0.0	-4.77		0.0	0.0	34.4311795
H-1409N	6/8/2025 10:53:47 AM	-0.43	-0.43	-3.533	-3.599	0.0	0.0	-6.98		0.0	0.0	34.4329440
H-1409N	6/20/2025 10:14:49 AM	-0.30	-0.30	-3.940	0.427	0.0	1.3	-6.60		0.0	27.5	34.4329282
H-1410S	6/11/2025 11:17:40 AM	-10.41	-10.39	0.003	0.000	1.6	0.0	-12.27	-12.21			34.4309950
H-1563N	6/4/2025 1:55:53 PM	-0.03	-0.03	0.086	0.021	3.7	1.9	-0.20	-0.07			34.4338683
H-1563N	6/6/2025 11:11:47 AM	-0.60	-0.60	1.377	1.668	15.0	16.5	-4.68		374.5	412.0	34.4333463

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-1563N	6/18/2025 10:46:57 AM	-0.61	-0.61	1.360	1.569	15.0	16.1	-3.87		410.1	440.6	34.4333810
H-1563S	6/1/2025 1:12:10 PM	-0.11	-0.11	-0.091	0.006	0.0	1.0	-3.24		0.0	2.2	34.4324462
H-1563S	6/18/2025 1:26:59 PM	-0.16	-0.16	0.089	0.093	3.7	3.8	-4.74		12.5	12.8	34.4323752
H-1565C	6/4/2025 3:07:10 PM	-3.59	-3.59	3.713	3.616	23.8	23.5	-5.26	-5.28			34.4339153
H-1565C	6/22/2025 10:29:52 AM	-3.61	-3.61	0.005	0.010	0.9	1.3	-5.96		26.1	36.9	34.4338920
H-1565E	6/6/2025 11:25:18 AM	-1.88	-1.88	0.486	0.493	9.0	9.0	-4.52		275.7	277.5	34.4336150
H-1565E	6/18/2025 10:32:12 AM	-1.35	-1.35	0.290	0.381	7.0	8.0	-4.14		224.9	257.9	34.4336142
H-1568N	6/8/2025 10:34:31 AM	-0.59	-0.59	0.208	0.212	3.3	3.3	-4.39		90.6	91.5	34.4333758
H-1568N	6/22/2025 11:40:51 AM	-0.76	-0.76	0.526	0.427	5.1	4.6	-4.45		127.2	114.6	34.4333255
H-1571S	6/11/2025 2:30:49 PM	-0.54	-0.54	0.183	0.315	9.1	11.8	-19.35		242.3	315.3	34.4322280
H-1572N	6/11/2025 10:01:14 AM	-0.42	-0.42	-0.018	-0.010	0.0	0.0	-16.55		0.0	0.0	34.4337160
H-1572S	6/11/2025 2:44:42 PM	-0.45	-0.45	-0.597	-0.398	0.0	0.0	-17.76		0.0	0.0	34.4322255
H-1574N	6/1/2025 10:51:04 AM	-0.82	-0.82	-0.092	0.101	0.0	0.0	-1.43		0.0	0.0	34.4325142
H-1574N	6/18/2025 10:00:54 AM	-1.00	-1.00	0.007	0.075	0.0	0.0	-1.62		0.0	0.0	34.4325195
H-1753S	6/4/2025 1:49:35 PM	-0.31	-0.31	1.037	0.234	13.0	6.2	-1.02	-0.22			34.4339387
H-1753S	6/20/2025 8:28:25 AM	-0.14	-0.14	-0.030	-0.024	0.0	0.0	-3.38		0.0	0.0	34.4339370
H-1754S	6/4/2025 2:52:29 PM	-9.60	-9.53	9.353	9.314	38.7	38.6	-4.87	-5.16			34.4338732
H-1755S	6/1/2025 10:26:17 AM	-1.07	-1.07	0.020	0.029	1.8	2.2	-1.88		0.6	0.7	34.4326770
H-1755S	6/1/2025 10:27:19 AM	-0.91	-0.89	0.037	0.033	2.5	2.4	-1.80		0.8	0.8	34.4326340
H-1755S	6/16/2025 10:58:02 AM	-0.14	-0.13	0.002	0.001	0.6	0.4	-2.25	-2.28			34.4326920
H-1755S	6/16/2025 10:58:50 AM	-0.14	-0.14	0.006	0.002	1.0	0.5	-2.11	-2.10			34.4327003
H-1756S	6/1/2025 2:14:37 PM	-0.04	0.01	0.101	0.139	6.3	7.4	-1.09		141.6	166.3	34.4325970
H-1756S	6/1/2025 2:15:42 PM	-0.09	-0.08	0.366	0.370	12.1	12.1	-1.14		276.3	277.5	34.4325222
H-1756S	6/18/2025 2:32:22 PM	-0.21	-0.21	0.114	0.124	6.9	7.2	-0.89		179.0	186.4	34.4326430
H-1757S	6/1/2025 1:19:20 PM	-0.29	-0.29	-0.002	-0.003	0.0	0.0	-4.67		0.0	0.0	34.4327475
H-1757S	6/1/2025 1:21:46 PM	-0.29	-0.29	0.003	0.002	1.1	1.1	-4.27		1.3	1.2	34.4327790

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-1757S	6/18/2025 1:38:30 PM	-0.24	-0.22	0.003	0.006	1.1	1.6	-4.59		24.0	35.0	34.4326905
H-1760S	6/5/2025 9:09:52 AM	-0.20	-0.20	0.002	0.003	0.6	0.7	-6.41	-6.41			34.4327208
H-1760S	6/18/2025 1:18:52 PM	-0.95	-0.95	0.157	0.114	4.8	4.1	-5.32		110.6	94.1	34.4327315
H-1762N	6/3/2025 1:02:55 PM	-0.49	-0.20	2.330	1.081	4.7	3.2	-4.68	-4.70			34.4334735
H-1762N	6/3/2025 1:03:57 PM	-0.45	-0.45	1.367	1.417	8.1	8.2	-4.61	-4.47			34.4334687
H-1762N	6/16/2025 1:47:30 PM	-1.04	-0.45	0.608	2.197	2.4	4.5	-4.00	-3.90			34.4334758
H-1763N	6/7/2025 1:37:21 PM	-0.38	-0.38	3.698	0.398	24.1	7.9	-11.91		470.7	154.4	34.4336172
H-1763S	6/10/2025 2:01:17 PM	-0.40	-0.40	0.026	0.002	4.5	1.3	-8.80	-8.80			34.4324123
H-1764N	6/11/2025 1:51:19 PM	-7.72	-7.72	3.492	3.375	23.2	22.8	-18.95	-19.16			34.4331630
H-1764S	6/11/2025 2:26:45 PM	-0.49	-0.49	-0.179	0.130	0.0	4.7	-19.08		0.0	112.0	34.4321852
H-1767N	6/11/2025 3:40:14 PM	-0.44	-0.44	4.400	3.918	59.9	56.5	-9.61		1707.6	1611.1	34.4327095
H-1769N	6/5/2025 10:24:12 AM	-0.45	-0.45	-0.057	-0.001	0.0	0.0	-7.00		0.0	0.0	34.4369833
H-1769N	6/18/2025 3:17:06 PM	-0.37	-0.37	0.106	0.115	12.8	13.4	-5.19		225.6	235.3	34.4370395
H-1770A	6/5/2025 11:13:01 AM	-3.38	-3.38	0.216	0.138	5.4	4.3	-5.20		107.0	85.5	34.4359807
H-1770A	6/19/2025 9:58:23 AM	-2.96	-2.96	0.148	0.103	4.5	3.7	-5.54		93.0	77.4	34.4360822
H-1770N	6/5/2025 10:36:28 AM	-0.75	-0.75	1.130	1.507	21.4	24.7	-5.08		409.5	472.1	34.4369092
H-1770N	6/12/2025 8:55:00 AM											
H-1770N	6/12/2025 8:55:00 AM											
H-1770N	6/18/2025 3:29:40 PM	-0.38	-0.38	0.256	0.257	9.9	9.9	-3.82		183.7	183.9	34.4367207
H-1770S	6/1/2025 1:39:40 PM	-0.84	-0.83	-0.993	-0.891	0.0	0.0	-4.90		0.0	0.0	34.4331407
H-1770S	6/18/2025 2:03:11 PM	-0.51	-0.51	-0.382	-0.399	0.0	0.0	-3.32		0.0	0.0	34.4330632
H-1771A	6/5/2025 12:18:26 PM	-0.51	-0.14	0.558	0.871	9.3	11.6	-7.67	-8.00			34.4363320
H-1771B	6/5/2025 2:15:27 PM	-1.29	-1.29	0.161	0.161	2.8	2.8	-7.29	-7.29			34.4355438

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-1771N	6/7/2025 11:19:29 AM	-0.60	-0.60	-0.032	0.050	0.0	6.7	-0.14		0.0	181.0	34.4345093
H-1771N	6/26/2025 8:12:34 AM	-0.50	-0.50	0.221	0.096	14.1	9.3	-0.15		341.9	225.2	34.4346013
H-1771N	6/30/2025 12:10:59 PM	-0.17	-0.17	0.050	0.033	6.3	5.1	-0.13	-0.13			34.4344965
H-1772N	6/6/2025 1:22:36 PM	-0.04	0.01	-0.010	0.028	0.0	2.0	-6.37		0.0	23.3	34.4349268
H-1772N	6/6/2025 1:26:45 PM	-0.56	-0.56	0.034	0.040	2.2	2.4	-6.42		19.5	21.4	34.4349963
H-1772N	6/18/2025 9:52:34 AM	-1.22	-1.22	0.015	0.014	3.5	3.4	-6.73	-6.82			34.4349813
H-1774N	6/5/2025 3:57:11 PM	-1.13	-1.13	-0.182	0.277	0.0	15.0	-5.04		0.0	383.2	34.4367330
H-1774N	6/19/2025 2:11:41 PM	-1.12	-1.12	0.100	0.151	8.8	10.9	-5.18		227.3	279.8	34.4366933
H-1801S	6/11/2025 9:39:33 AM	-1.14	-1.14	0.061	0.039	1.7	1.4	-10.74		48.9	38.9	34.4338133
H-1802S	6/3/2025 2:16:56 PM	-0.22	-0.12	0.181	0.102	3.0	2.2	-9.01	-8.92			34.4335702
H-1802S	6/13/2025 2:46:46 PM	-0.11	0.02	0.004	0.053	0.4	1.6	-8.49	-8.61			34.4335568
H-1802S	6/13/2025 2:48:11 PM	-0.10	-0.10	0.049	0.052	1.5	1.6	-8.70	-8.70			34.4335450
H-1803N	6/5/2025 10:22:07 AM	-3.63	-3.40	3.463	3.374	48.3	47.6	0.03	0.03			34.4370403
H-1803N	6/5/2025 10:25:00 AM											
H-1803N	6/5/2025 10:25:00 AM											
H-1803N	6/10/2025 8:19:11 AM	-1.24	-1.21	1.027	1.096	26.4	27.3	0.32	0.32			34.4370237
H-1803N	6/10/2025 8:20:00 AM											
H-1803N	6/17/2025 8:29:30 AM	-0.61	-0.60	0.306	0.493	14.4	18.3	0.30	0.30			34.4370458

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-1803N	6/27/2025 2:36:17 PM	-0.44	-0.44	0.550	0.240	19.3	12.8	0.15	0.29			34.4370382
H-1804A	6/7/2025 3:12:27 PM	-3.15	-3.15	0.053	0.041	1.6	1.4	-5.88		1.0	0.9	34.4354017
H-1804A	6/7/2025 3:13:36 PM	-1.18	-1.18	0.039	0.039	1.4	1.4	-5.58		0.5	0.5	34.4353610
H-1804A	6/18/2025 2:26:28 PM	-0.06	-0.06	-0.014	-0.019	0.0	0.0	-0.02		0.0	0.0	34.4354107
H-1804B	6/9/2025 11:09:45 AM	-8.05	-8.05	4.177	4.180	14.0	14.0	-13.79	-13.80			34.4342455
H-1804B	6/30/2025 12:45:40 PM	-4.30	-4.00	1.360	1.704	8.0	9.0	-5.94	-6.13			34.4342512
H-1804B	6/30/2025 1:00:10 PM	-4.96	-4.91	0.579	0.627	9.5	9.9	-5.68	-5.76			34.4342463
H-1804N	6/5/2025 2:45:23 PM	-5.70	-5.70	0.146	0.176	2.6	2.9	-8.03	-8.50			34.4363987
H-1804S	6/11/2025 2:02:54 PM	-16.51	-13.42	0.374	0.623	4.2	5.4	-18.79	-18.66			34.4330858
H-1804S	6/11/2025 2:07:39 PM	-16.78	-16.78	0.567	0.575	5.1	5.1	-18.64	-18.74			34.4331062
H-1805A	6/10/2025 11:07:14 AM	-1.65	-1.65	0.009	0.008	2.7	2.5	-11.19	-10.94			34.4351243
H-1805B	6/6/2025 3:10:02 PM	-3.98	-3.98	0.009	0.006	1.2	1.0	-9.32	-9.32			34.4337150
H-1805S	6/20/2025 2:10:08 PM	-3.81	-3.81	0.236	0.166	10.0	8.3	-11.31	-11.54			34.4329477
H-1806A	6/12/2025 2:14:21 PM	-0.53	-0.53	0.835	0.459	19.0	14.1	-7.09	-7.13			34.4354592
H-1806A	6/12/2025 2:32:48 PM	-0.59	-0.58	0.842	0.844	2.8	2.8	-7.27	-7.26			34.4354372
H-1806B	6/11/2025 10:08:09 AM	-0.53	-0.52	-0.021	-0.013	0.0	0.0	-15.65		0.0	0.0	34.4339167
H-1806N	6/5/2025 2:26:47 PM	-2.33	-2.33	0.136	0.111	10.1	9.1	-7.23	-7.01			34.4363823
H-1806S	6/23/2025 9:18:49 AM	-0.48	-0.46	0.039	0.045	4.2	4.5	-10.28		128.5	138.1	34.4329623
H-1807A	6/11/2025 12:51:57 PM	-8.71	-8.71	-0.908	-0.479	0.0	0.0	-9.68		0.0	0.0	34.4353497
H-1807N	6/5/2025 2:01:13 PM	-0.36	-0.36	0.028	0.026	0.5	0.5	-8.22	-8.70			34.4364710

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-1807N	6/5/2025 2:01:55 PM	-0.29	-0.29	0.017	0.015	0.4	0.4	-8.60	-8.70			34.4364642
H-1807S	6/11/2025 9:24:28 AM	-1.02	-1.02	0.026	0.001	4.8	1.1	-16.08		108.2	24.5	34.4338677
H-1952S	6/4/2025 3:21:21 PM	-0.13	0.57	0.548	0.151	5.1	2.7	-6.01	-5.39			34.4338292
H-1952S	6/4/2025 3:22:24 PM	-0.09	-0.09	0.120	0.111	2.4	2.3	-5.27	-5.21			34.4338262
H-1952S	6/22/2025 11:09:17 AM	-4.55	-4.55	0.612	0.691	5.5	5.8	-5.59		176.7	187.7	34.4336813
H-1953N	6/5/2025 11:52:16 AM	-2.45	-2.45	3.111	3.312	21.8	22.5	-7.27	-10.17			34.4364672
H-1954C	6/7/2025 3:05:09 PM	-1.04	-1.04	0.059	0.056	3.1	3.0	-5.67		69.5	67.9	34.4353300
H-1954C	6/18/2025 1:37:51 PM	-0.98	-0.98	0.283	0.224	6.7	6.0	-6.38	-6.52			34.4353937
H-1955C	6/12/2025 1:47:52 PM	-0.82	-0.81	2.264	2.296	4.7	4.7	-3.74	-3.85			34.4350432
H-1955N	6/5/2025 2:48:30 PM	-2.00	-2.00	0.416	0.161	8.2	5.1	-7.78	-7.91			34.4365202
H-1956B	6/9/2025 11:23:43 AM	-2.41	-2.39	0.047	0.045	4.5	4.4	-15.27	-15.22			34.4342660
H-1956N	6/5/2025 2:31:19 PM	-2.57	-2.57	0.775	0.314	11.0	7.0	-7.14	-7.27			34.4364673
H-1956S	6/3/2025 2:05:10 PM	-0.81	-0.80	0.792	0.792			-9.53	-9.43			34.4332103
H-1957B	6/11/2025 8:44:15 AM	-1.04	-1.04	0.273	0.115	6.8	4.4	-15.56		145.6	94.4	34.4345440
H-1957N	6/5/2025 2:17:02 PM	-1.20	-1.20	0.083	0.017	3.6	1.7	-5.81	-5.35			34.4364352
H-1957S	6/11/2025 9:44:02 AM	-1.85	-1.85	0.685	0.467	5.6	4.6	-15.66		147.7	122.0	34.4336947
H-1958C	6/11/2025 12:45:41 PM	-0.69	-0.69	0.132	0.251	4.6	6.4	-7.65		101.3	139.8	34.4353385
H-1958N	6/5/2025 1:57:57 PM	-0.79	-0.78	0.048	0.042	0.7	0.6	-9.03	-8.36			34.4364633
H-1958S	6/11/2025 9:16:45 AM	-1.37	-1.37	1.958	0.088	17.7	3.8	-16.17		353.8	75.2	34.4339652
H-1962N	6/5/2025 10:40:20 AM	-4.77	-4.72	0.182	0.054	0.0	0.0	-5.08		0.0	0.0	34.4367013
H-1962N	6/17/2025 1:20:33 PM	-0.66	-0.66	0.006	0.117			-4.67	-4.57			34.4366773

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-1962N	6/18/2025 3:33:02 PM	-1.64	-1.64	0.033	0.025	0.0	0.0	-4.57		0.0	0.0	34.4366415
H-1963N	6/5/2025 10:21:11 AM	-0.83	-0.83	0.056	0.033	9.0	6.9	-5.50		196.6	150.7	34.4370050
H-1963N	6/18/2025 3:13:14 PM	-0.26	-0.26	0.035	0.033	7.1	6.9	-4.95		166.9	162.8	34.4369277
H-1964S	6/4/2025 2:56:49 PM	-0.05	-0.05	0.041	0.043	2.5	2.5	-4.66	-4.66			34.4338995
H-1964S	6/17/2025 2:13:48 PM	-0.18	0.16	0.005	0.705	0.9	10.5	-3.39	-3.11			34.4339122
H-1964S	6/17/2025 2:14:25 PM	-0.20	-0.20	0.648	0.664	10.0	10.2	-3.09	-2.96			34.4339130
H-1965S	6/6/2025 10:38:16 AM	-0.04	0.13	-0.014	0.033	0.0	4.0	-5.64		0.0	126.2	34.4337053
H-1965S	6/6/2025 10:39:32 AM	-0.04	-0.04	0.022	0.024	3.2	3.4	-5.94		105.4	110.9	34.4336833
H-1965S	6/22/2025 10:56:20 AM	-2.01	-2.01	2.170	0.719	31.5	18.2	-5.41		675.2	389.1	34.4337280
H-1966N	6/5/2025 3:53:19 PM	-0.42	-0.34	0.960	1.066	20.6	21.7	-4.79		385.4	405.8	34.4365870
H-1966N	6/19/2025 2:07:54 PM	-0.62	-0.62	1.355	1.349	24.3	24.2	-4.98		485.7	484.3	34.4365993
H-1967E	6/10/2025 1:31:38 PM	-3.34	-3.34	0.050	0.019	6.2	3.9	-17.95	-18.42			34.4302260
H-1967E	6/10/2025 1:32:48 PM	-1.11	-1.11	0.019	0.017	3.8	3.6	-18.45	-17.20			34.4302258
H-1967W	6/1/2025 7:41:51 AM	-1.30	-0.83	4.083	4.506	60.8	63.8	-6.52		2091.9	2194.0	34.4298610
H-2050E	6/11/2025 9:09:41 AM	-18.92	-18.58	0.409	0.555	17.6	20.5	-19.22	-19.66			34.4291443
H-2050W	6/11/2025 7:35:37 AM	-0.06	0.25	0.029	0.047	3.8	4.7	-7.74	-7.09			34.4291287
H-2050W	6/11/2025 7:38:47 AM	-0.09	-0.08	0.565	0.547	5.3	5.3	-8.13	-7.46			34.4291578
H-2051W	6/25/2025 9:20:22 AM	-6.34	-6.34	0.058	0.050	6.9	6.4	-6.64	-6.72			34.4299095
H-2053E	6/11/2025 12:00:52 PM	-7.68	-7.68	4.540	4.653	58.3	59.0	-13.23	-12.71			34.4302263
H-2053W	6/1/2025 8:07:39 AM	-5.06	-4.99	0.061	0.056	7.5	7.1	-6.44		260.8	248.1	34.4311202
H-2055E	6/8/2025 12:05:22 PM	-0.30	-0.30	-0.048	0.004	0.0	0.8	-11.81		0.0	11.9	34.4317680
H-2055E	6/22/2025 12:15:30 PM	-0.01	-0.01	0.037	0.079	0.4	0.6	-7.92	-8.11			34.4318028
H-2056B	6/22/2025 10:16:25 AM	-1.65	-1.65	1.189	0.578	13.8	9.6	-6.31	-5.94			34.4297287

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-2056B	6/22/2025 10:19:32 AM	-1.04	-1.04	1.447	0.704	8.4	5.8	-5.51	-6.17			34.4297257
H-2056W	6/1/2025 7:38:12 AM	-4.34	-4.33	0.921	0.999	28.6	29.8	-6.56		949.4	988.7	34.4299145
H-2057E	6/11/2025 11:57:58 AM	-9.60	-9.60	4.958	4.916	62.2	61.9	-14.81	-15.08			34.4302192
H-2057W	6/1/2025 7:56:09 AM	-4.41	-4.37	0.032	0.017	0.0	0.0			0.0	0.0	34.4306435
H-2058E	6/11/2025 11:42:24 AM	-8.14	-8.06	4.802	4.802	60.6	60.6	-12.44	-12.32			34.4300543
H-2058W	6/1/2025 7:32:48 AM	-2.40	-2.21	1.076	1.218	31.5	33.4	-6.73		1083.1	1151.4	34.4299648
H-2059E	6/11/2025 10:48:08 AM	-15.46	-15.24	15.286	15.541			-18.91	-18.80			34.4306772
H-2059W	6/1/2025 8:52:35 AM	-2.81	-2.81	2.981	3.239	49.7	51.8	-5.84		1548.9	1614.1	34.4310997
H-2160E	6/11/2025 11:29:36 AM	-3.17	-3.17	7.841	7.723	76.8	76.2	-12.56	-12.78			34.4304543
H-2161E	6/11/2025 10:53:30 AM	-1.70	-1.66	0.890	0.932	26.1	26.7	-9.17	-9.05			34.4308637
H-2161W	6/1/2025 8:49:36 AM	-4.49	-4.49	-0.062	0.046	0.0	6.3	-6.25		0.0	216.1	34.4308930
H-2162A	6/4/2025 10:30:10 AM	-0.08	-0.08	0.645	0.644	1.6	1.6	-5.55	-5.44			34.4323333
H-2162A	6/4/2025 10:31:46 AM	-0.09	-0.08	0.648	0.644	1.6	1.6	-5.56	-5.40			34.4323430
H-2162A	6/19/2025 11:17:22 AM	-0.01	-0.01	0.067	0.001	0.5	0.1	-5.74	-5.85			34.4323388
H-2163C	6/4/2025 12:42:45 PM	-0.02	-0.02	0.142	0.135	4.8	4.7	-3.53	-3.48			34.4311297
H-2163C	6/20/2025 9:03:36 AM	-0.78	-0.78	0.107	0.100	8.9	8.6	-7.38		167.0	161.4	34.4311170
H-2163W	6/1/2025 9:02:07 AM	-0.59	-0.59	5.526	0.589	29.8	9.6	-5.92		757.3	247.5	34.4311470
H-2163W	6/17/2025 2:48:35 PM	-0.27	-0.01	1.170	2.321	13.7	19.4	-4.91		435.8	613.5	34.4312018
H-2164A	6/4/2025 1:07:31 PM	-0.21	-0.21	0.833	1.418	6.4	8.4	-5.57	-5.51			34.4317748
H-2164A	6/4/2025 1:10:25 PM	-0.04	-0.04	0.718	0.741	2.6	2.7	-5.61	-5.70			34.4317825
H-2164A	6/20/2025 9:17:31 AM	-0.17	-0.16	1.797	0.539	9.1	5.0	-6.74		225.1	123.3	34.4317783
H-2164E	6/8/2025 11:51:25 AM	-0.45	-0.45	0.106	0.106	4.2	4.3	-11.88		146.6	147.7	34.4319960
H-2164E	6/22/2025 12:25:31 PM	-0.13	-0.13	0.082	0.097	3.6	3.9	-8.43	-7.99			34.4319173

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-2165E	6/11/2025 3:22:07 PM	-1.14	-1.14	0.001	0.047	0.5	2.8	-7.94		12.0	72.0	34.4318723
H-2165W	6/1/2025 10:02:02 AM	-0.06	-0.06	0.011	0.011	2.8	2.8	-1.33		50.1	50.1	34.4321657
H-2165W	6/9/2025 8:30:00 AM											
H-2165W	6/9/2025 8:30:00 PM											
H-2165W	6/18/2025 9:10:39 AM	-0.33	-0.33	-0.047	0.006	0.0	2.0	-1.52		0.0	36.8	34.4320897
H-2166C	6/5/2025 2:38:05 PM	-0.98	-0.98	0.817	0.817	11.3	11.3	-7.53	-7.53			34.4355945
H-2166E	6/12/2025 1:42:50 PM	-1.41	-1.41	6.670	6.468	32.1	31.6	-6.26	-6.07			34.4356425
H-2167A	6/7/2025 2:25:23 PM	-0.50	-0.50	0.821	0.817	24.2	24.1	-6.65		505.5	504.4	34.4349578
H-2167A	6/18/2025 1:09:32 PM	-0.30	-0.30	0.902	0.853	26.4	25.7	-5.85	-5.51			34.4350063
H-2167A	6/30/2025 1:13:07 PM	-0.23	-0.23	0.920	0.591	6.6	5.3	-5.58	-5.49			34.4349718
H-2167E	6/11/2025 8:29:26 AM	-0.63	-0.63	-0.001	0.001	0.0	0.1	-0.05		0.0	0.5	34.4349100
H-2167E	6/11/2025 8:30:50 AM	-0.42	-0.42	0.003	0.004	0.2	0.2	-0.25		0.5	0.7	34.4349938
H-2167W	6/4/2025 7:32:06 AM	-1.07	-1.07	1.088	1.088	21.9	21.8	-6.28	-6.36			34.4348723
H-2167W	6/19/2025 1:21:44 PM	-0.44	-0.44	0.226	0.252	9.9	10.5	-5.46	-5.28			34.4348642
H-2168A	6/7/2025 2:02:54 PM	-0.31	-0.31	0.012	0.032	0.2	0.4	-5.94		6.4	10.4	34.4344635
H-2168A	6/16/2025 11:20:32 AM	-0.17	-0.17	0.018	0.008	0.3	0.2	-5.59	-5.49			34.4344640
H-2168C	6/9/2025 11:19:29 AM	-7.74	-5.37	0.015	0.005	3.5	2.1	-15.16	-15.19			34.4344377
H-2168E	6/11/2025 8:39:22 AM	-0.97	-0.97	0.256	0.152	6.2	4.8	-15.84		104.6	80.4	34.4344887
H-2169C	6/13/2025 3:27:48 PM	-1.06	-0.87	0.353	0.496	12.4	14.7	-8.38	-8.18			34.4340295
H-2169E	6/11/2025 8:48:15 AM	-0.51	-0.51	0.831	1.116	26.4	30.6	-16.33		364.4	422.2	34.4342318
H-2169E	6/13/2025 2:28:47 PM	-0.25	-0.15	0.187	0.512	12.0	19.9	-8.11	-7.99			34.4342540

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-2170N	6/5/2025 3:27:36 PM	-1.08	-0.95	1.255	1.791	14.0	16.7	-8.02	-8.01			34.4358187
H-2170S	6/5/2025 3:43:29 PM	-5.38	-5.38	0.644	0.693	10.1	10.4	-14.23	-14.23			34.4335930
H-2171A	6/21/2025 9:40:13 AM	-1.00	-1.00	0.159	0.208	5.1	5.8	-1.01	-1.05			34.4374050
H-2171B	6/21/2025 9:30:54 AM	-1.40	-1.40	1.361	1.369	14.6	14.7	-2.15	-2.13			34.4365072
H-2171N	6/21/2025 9:44:24 AM	-1.17	-1.17	0.186	0.185	11.9	11.9	-7.18	-7.04			34.4380010
H-2171S	6/5/2025 3:29:51 PM	-1.32	-1.32	5.115	5.119	28.1	28.1	-8.26	-8.29			34.4357980
H-2272W	6/1/2025 9:32:38 AM	-0.89	-0.89	3.768	3.612	55.5	54.4	-5.95		1522.3	1490.2	34.4317288
H-2272W	6/25/2025 8:58:07 AM	-0.54	-0.54	2.986	0.514	21.7	9.0	-6.20	-6.15			34.4317252
H-2273W	6/1/2025 2:19:52 PM	-0.25	-0.25	0.063	0.069	3.1	3.2	-1.14		88.3	91.9	34.4322127
H-2273W	6/9/2025 8:50:00 AM											
H-2273W	6/9/2025 8:50:00 AM											
H-2273W	6/18/2025 2:36:07 PM	-0.09	-0.09	-0.015	0.060	0.0	3.1	-0.97		0.0	94.1	34.4321235
H-2274B	6/8/2025 11:17:12 AM	-2.01	-2.00	0.009	0.007	1.2	1.1	-7.07		41.9	37.8	34.4325983
H-2274B	6/20/2025 10:23:50 AM	-1.80	-1.80	-0.032	0.015	0.0	1.5	-6.32		0.0	46.7	34.4325922
H-2274W	6/1/2025 2:09:47 PM	-0.15	-0.15	0.304	0.311	11.3	11.5	-1.36		295.3	298.5	34.4328163
H-2274W	6/18/2025 2:29:06 PM	-0.21	-0.21	0.285	0.287	11.1	11.1	-1.28		329.6	330.6	34.4328322
H-2275C	6/5/2025 1:16:19 PM	-0.02	-0.02	0.975	1.003	3.0	3.1	-3.00	-2.96			34.4320350
H-2275E	6/10/2025 1:55:46 PM	-1.94	-1.88	2.603	2.492	20.1	19.7	-9.23	-8.91			34.4323988
H-2275W	6/1/2025 1:00:32 PM	-0.66	-0.66	0.798	0.804	11.1	11.1	-4.57		87.7	87.9	34.4322848
H-2275W	6/18/2025 1:04:14 PM	-0.52	-0.52	0.954	0.956	12.1	12.1	-5.36		266.6	266.8	34.4321580
H-2276A	6/29/2025 9:14:12 AM	-0.95	-0.95	0.860	0.870	20.3	20.4	-3.56		623.4	627.1	34.4328930
H-2276B	6/8/2025 10:50:20 AM	-1.12	-1.12	0.050	0.045	4.9	4.7	-7.06		160.4	152.2	34.4327855
H-2276B	6/20/2025 10:11:16 AM	-0.98	-0.98	-0.028	0.356	0.0	12.9	-6.89		0.0	369.6	34.4328807
H-2276E	6/20/2025 2:07:52 PM	-0.33	-0.25	0.180	0.289	11.7	14.8	-11.35	-10.99			34.4328182

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-2276W	6/1/2025 1:25:30 PM	-0.17	-0.17	-0.030	-0.026	0.0	0.0	-3.77		0.0	0.0	34.4327140
H-2276W	6/18/2025 1:42:24 PM	-0.28	-0.28	0.002	0.004	0.6	0.8	-4.15		13.1	17.2	34.4327322
H-2277A	6/29/2025 9:22:59 AM	-3.57	-3.55	-0.014	-0.017	0.0	0.0	-3.59		0.0	0.0	34.4330328
H-2277B	6/6/2025 2:55:06 PM	-0.93	-0.93	0.313	0.300	7.2	7.0	-5.36		198.0	193.7	34.4330515
H-2277B	6/22/2025 1:32:27 PM	-0.81	-0.81	0.272	0.186	6.8	5.6	-4.90		190.7	157.8	34.4329765
H-23 (EXP-23)	6/25/2025 9:08:31 AM	-2.20	0.57	0.016	0.001	2.8	0.5	-7.38	-7.24			34.4370057
H-23 (EXP-23)	6/25/2025 9:09:18 AM	-2.70	-2.70	0.004	0.005	1.4	1.4	-7.26	-7.28			34.4369965
H-2301E	6/23/2025 12:21:45 PM	-1.34	-1.34	2.070	1.996	30.1	29.6	-3.80	-3.76			34.4270895
H-2301E	6/23/2025 12:27:25 PM	-1.15	-1.15	1.251	0.713	31.3	23.7	-3.70	-4.25			34.4270875
H-2302C	6/11/2025 8:36:19 AM	-0.71	-0.61	0.731	0.881	10.9	11.9	-2.45	-2.42			34.4284108
H-2302E	6/18/2025 4:18:16 PM	1.09	1.10	1.286	1.251	33.7	33.2	-0.96		1197.4	1181.2	34.4274687
H-2302E	6/18/2025 4:25:01 PM	1.11	1.11	1.221	1.223	32.6	32.6	-0.98		1126.0	1126.9	34.4275202
H-2303E	6/23/2025 12:10:27 PM	-1.37	-1.35	0.027	0.025	4.7	4.5	-1.29	-1.29			34.4279172
H-2303N	6/11/2025 8:55:36 AM	-1.06	-1.02	0.527	0.613	15.4	16.6	-3.09	-3.20			34.4290537
H-2304S	6/23/2025 12:41:19 PM	-0.27	-0.27	2.147	2.214	18.3	18.6	-2.85	-2.60			34.4273965
H-2305N	6/11/2025 8:50:22 AM	-2.41	-2.41	0.067	0.067	5.6	5.6	-2.38	-2.38			34.4290080
H-2305S	6/23/2025 12:47:30 PM	-0.14	-0.14	2.501	2.578	19.8	20.1	-3.74	-3.57			34.4274778
H-2306N	6/11/2025 9:01:36 AM	-4.01	-4.01	2.112	2.130	40.5	40.6	-20.00	-19.92			34.4294172
H-2306S	6/11/2025 9:20:15 AM	-0.68	1.10	0.025	0.012	3.4	2.3	-6.04	-10.33			34.4286955
H-2306S	6/11/2025 9:22:08 AM	-0.21	-0.21	0.005	0.005	1.5	1.5	-6.38	-8.54			34.4286925

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-2306S	6/11/2025 9:31:57 AM	-0.04	1.74	0.005	0.003	1.5	1.2	-7.06	-8.22			34.4286950
H-2306S	6/11/2025 9:34:31 AM	-0.16	-0.03	0.002	0.004	0.9	1.4	-8.62	-5.09			34.4286987
H-2309N	6/10/2025 9:39:17 AM	-0.05	-0.05	0.011	0.009	1.4	1.2	-2.53	-2.21			34.4308122
H-2309N	6/10/2025 9:40:22 AM	-0.02	-0.02	0.013	0.011	1.5	1.4	-2.49	-2.63			34.4308257
H-2309S	6/11/2025 8:41:50 AM	-1.13	-1.13	0.959	0.909	27.3	26.6	-2.11	-2.07			34.4280727
H-2402N	6/4/2025 10:58:38 AM	-0.04	-0.04	0.018	0.013	1.0	0.8	-4.48	-4.46			34.4291350
H-2402N	6/9/2025 10:07:37 AM	-0.28	-0.04	0.023	0.126	1.1	2.5	-2.86	-2.95			34.4291398
H-2402S	6/23/2025 10:22:39 AM	-0.38	-0.36	0.531	0.523	20.5	20.3	-5.83	-7.42			34.4287668
H-2403N	6/4/2025 11:09:05 AM	-0.02	-0.02	1.651	1.583	8.9	8.7	-4.26	-4.01			34.4293218
H-2403N	6/8/2025 9:47:16 AM	-0.05	-0.05	0.597	0.600	9.8	9.8	-3.64	-3.90			34.4293032
H-2404N	6/4/2025 1:10:01 PM	-0.24	-0.23	0.241	0.251	10.3	10.6	-3.18	-3.41			34.4293260
H-2404S	6/11/2025 9:46:15 AM	-1.19	-1.12	0.454	0.544	18.9	20.7	-1.87	-2.05			34.4287607
H-2405N	6/8/2025 10:30:30 AM	-0.47	-0.40	0.201	0.273	5.7	6.6	-3.17	-3.29			34.4300042
H-2405N	6/8/2025 10:35:14 AM	-0.10	-0.10	1.679	0.686	4.0	2.5	-3.19	-3.26			34.4300135
H-29	6/5/2025 3:37:51 PM	-1.70	-1.70	0.217	0.297	3.2	3.7	-8.54	-8.71			34.4354330
H-31	6/21/2025 9:05:47 AM	-7.96	-7.91	8.154	8.170	20.1	20.1	0.33	0.33			34.4380225
H-72	6/21/2025 9:57:55 AM	-0.20	-0.15	0.014	0.011	0.8	0.7	-6.53	-6.61			34.4369098

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
H-74	6/5/2025 3:05:44 PM	-3.48	-3.48	5.023	5.268	46.9	48.0	-8.60	-9.29			34.4371965
H-79	6/11/2025 1:33:13 PM	-0.89	-0.89	-0.111	-0.075	0.0	0.0	-15.00		0.0	0.0	34.4338073
H-79	6/11/2025 1:35:13 PM	-0.84	-0.84	0.009	-0.077	2.7	0.0	-14.85			0.0	34.4338790
P-02R	6/6/2025 1:03:14 PM	-0.17	-0.17	0.110	0.106	4.3	4.2	-17.25	-17.12			34.4297275
P-02R	6/6/2025 1:10:09 PM	-2.67	-2.67	9.702	2.629	39.3	20.7	-17.23	-17.20			34.4300092
P-03R	6/6/2025 1:12:39 PM	-0.38	-0.38	0.159	0.229	1.2	1.5	-16.63	-16.11			34.4298628
P-04	6/2/2025 10:56:07 AM	-1.62	-1.62	1.659	1.611			-10.00	-9.79			34.4294932
P-05	6/2/2025 11:00:24 AM	-0.21	-0.21	0.208	0.208			-9.26	-9.26			34.4291828
P-06R	6/6/2025 8:03:22 AM	-0.70	-0.70	0.007	0.006	0.3	0.2	-12.51	-12.54			34.4288638
P-07R	6/6/2025 1:19:11 PM	-0.77	-0.76	0.570	0.615	2.4	2.4	-17.06	-16.86			34.4298547
P-08R	6/6/2025 1:00:11 PM	-13.03	-13.03	0.020	0.029	4.0	4.8	-15.45	-16.18			34.4294097
P-09	6/2/2025 12:38:15 PM	-1.50	-1.49	1.487	1.506			-6.28	-6.71			34.4289830
P-10	6/2/2025 12:44:09 PM	-0.51	-0.51	4.342	4.342	6.5	6.5	-6.31	-6.31			34.4286947
P-11	6/2/2025 12:50:36 PM	-0.21	-0.21	2.518	2.378	4.9	4.8	-6.85	-6.47			34.4284962
P-12	6/6/2025 7:54:53 AM	-8.54	-8.40	0.578	0.372	5.4	4.3	-9.79	-9.89			34.4288640
P-13	6/6/2025 7:58:23 AM	-0.83	-0.60	0.135	0.257	2.6	3.6	-9.96	-9.97			34.4285020
P-14	6/2/2025 1:05:07 PM	-0.13	-0.13	0.130	0.126			-7.05	-7.12			34.4280443
P-15R	6/2/2025 1:10:43 PM	-0.81	-0.81	0.162	0.169	1.3	1.3	-6.77	-6.77			34.4277970

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
P-16	6/6/2025 8:15:07 AM	-2.01	-1.25	0.131	0.193			-5.32	-5.52			34.4275205
P-17	6/2/2025 2:14:09 PM	-0.16	-0.16	0.122	0.132			-2.30	-2.49			34.4273897
P-18RD	6/2/2025 2:09:13 PM	-0.42	-0.42	1.637	1.392	4.0	3.7	-1.97	-1.76			34.4271148
P-18RS	6/2/2025 2:01:23 PM	-0.46	-0.42	1.889	1.965	4.3	4.4	-2.39	-2.34			34.4271190
P-19	6/6/2025 8:19:25 AM	-0.89	-0.89	0.348	0.348	4.2	4.2	-3.76	-3.89			34.4268895
P-20R	6/2/2025 1:54:17 PM	-0.07	-0.07	0.519	0.532	2.2	2.3	-2.00	-2.05			34.4268488
P-21	6/2/2025 1:49:06 PM	-0.55	-0.55	0.575	0.577			-1.80	-1.89			34.4265112
P-21RD	6/6/2025 8:30:55 AM	-0.87	-0.81	0.802	0.874	2.8	2.9	-2.98	-3.27			34.4263965
P-21RD	6/18/2025 11:39:08 AM	-4.81	-4.64	3.304	3.033	22.9	21.9	-7.42	-7.62			34.4263968
P-21RD	6/19/2025 2:07:41 PM	-6.08	-6.08	1.932	1.883	17.5	17.3	-7.80	-7.71			34.4263915
P-21RD	6/21/2025 8:47:46 AM	-8.01	-7.98	2.498	2.572	20.6	20.9	-10.04		606.6	615.3	34.4262370
P-21RS	6/6/2025 8:28:40 AM	-1.41	-1.39	2.731	2.856	5.2	5.3	-4.24	-4.35			34.4263922
P-21RS	6/18/2025 11:21:25 AM	-2.73	-2.45	2.546	2.754	11.0	11.5	-8.20	-8.09			34.4263775
P-21RS	6/18/2025 11:28:01 AM	-2.53	-2.53	6.105	4.922	17.0	15.3	-8.45	-8.71			34.4263862
P-21RS	6/19/2025 2:03:51 PM	-2.83	-2.72	4.334	4.932	14.4	15.3	-7.87	-7.28			34.4264063
P-21RS	6/21/2025 8:43:41 AM	-3.83	-3.80	6.393	6.531	32.7	33.1	-10.58		961.8	972.2	34.4264417
P-22RD	6/6/2025 1:29:25 PM	-2.38	-2.38	0.011	0.011	1.3	1.3	-9.77	-9.77			34.4269258
P-22RD	6/18/2025 9:31:59 AM	-6.37	-3.57	0.241	0.641	6.1	9.9	-7.28	-6.95			34.4269095

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
P-22RD	6/19/2025 2:26:23 PM	-6.71	-6.67	0.441	0.534	8.2	9.1	-6.95	-7.18			34.4269172
P-22RD	6/21/2025 9:46:49 AM	-8.92	-8.78	0.540	0.632	9.3	10.1	-9.25		288.5	312.0	34.4269165
P-22RS	6/6/2025 1:27:30 PM	-0.15	-0.13	2.758	4.376	5.0	6.3	-9.82	-9.57			34.4269280
P-22RS	6/18/2025 9:21:01 AM	-4.60	-4.07	1.001	1.114	27.9	29.4	-7.36	-6.93			34.4269322
P-22RS	6/19/2025 2:22:37 PM	-4.79	-4.79	0.992	1.019	27.8	28.2	-6.68	-6.80			34.4269240
P-22RS	6/21/2025 9:31:11 AM	-6.11	-6.07	1.291	1.362	3.4	3.5	-9.03		66.6	68.3	34.4269062
P-23	6/2/2025 1:23:49 PM	-0.26	-0.26	0.263	0.267			-1.83	-1.91			34.4261535
P-23	6/18/2025 11:47:21 AM	-5.54	-0.88	0.017	0.502	1.7	9.0	-7.73	-7.48			34.4261605
P-23	6/19/2025 1:59:17 PM	-6.17	-6.17	0.405	0.415	8.0	8.1	-7.95	-8.01			34.4261410
P-23	6/21/2025 8:37:24 AM	-8.85	-8.76	-0.427	-0.325	0.0	0.0			0.0		34.4260393
P-23	6/21/2025 2:23:11 PM	-1.53	-1.53	-0.467	-0.034	0.0	0.0			0.0	0.0	34.4261745
P-23	6/21/2025 2:38:43 PM	-0.84	-0.84	-0.038	-0.038	0.0	0.0			0.0		34.4261312
P-24	6/6/2025 8:38:12 AM	-0.48	-0.48	0.903	0.903	3.0	3.0	-9.62	-9.62			34.4260813
P-24	6/18/2025 7:54:09 AM	-1.32	-1.32	0.945	0.507	12.5	9.2	-9.14	-9.38			34.4260678
P-24	6/18/2025 8:02:13 AM	-1.04	-1.04	1.651	1.525	9.1	8.7	-9.06	-9.33			34.4260695
P-24	6/19/2025 2:12:27 PM	-1.26	-1.08	1.222	1.995	7.8	9.9	-7.20	-7.20			34.4260755
P-24	6/21/2025 12:02:48 AM	-2.03	-1.78	2.274	3.951	4.6	6.1	-8.70		64.5	85.0	34.4260548
P-24	6/21/2025 8:55:08 AM	-1.82	-1.78	2.464	2.576	4.8	4.9	-9.49		69.8	71.3	34.4260528
P-24	6/21/2025 2:33:53 PM	-0.75	-0.75	3.509	0.008	5.7	0.3	-8.77		78.5	3.7	34.4261093
P-26	6/6/2025 8:44:17 AM	-4.55	-4.52	4.534	4.577			0.24	0.29			34.4265295

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
P-26	6/19/2025 2:44:05 PM	-3.88	-3.48	3.429	3.887			0.16	0.20			34.4265338
P-26	6/21/2025 9:08:47 AM	-6.23	-5.61	5.585	6.097	0.0	0.0			0.0	0.0	34.4265552
P-27	6/6/2025 8:47:22 AM	-0.68	-0.68	0.716	0.690			0.33	0.33			34.4268490
P-28	6/6/2025 8:49:41 AM	-1.85	-1.85	1.869	1.866	40.1	40.1	0.29	0.29			34.4270648
P-29R	6/6/2025 8:52:25 AM	-1.23	-1.23	0.037	0.029	2.5	2.2	-8.16	-8.19			34.4271887
P-30R	6/6/2025 8:55:29 AM	-1.64	-1.64	0.210	0.241	0.9	1.0	-8.25	-8.24			34.4274433
P-32R1	6/6/2025 8:58:59 AM	-7.70	-7.70	7.974	7.865			0.30	0.32			34.4282490
P-32R2	6/6/2025 9:03:34 AM	-2.00	-2.00	3.013	1.743	12.2	9.3	-7.11	-6.87			34.4284390
P-33	6/6/2025 9:06:51 AM	-2.10	-2.10	2.112	2.110			-1.79	-1.88			34.4288355
P-36	6/6/2025 9:12:21 AM	-1.52	-1.52	1.532	1.529			0.33	0.33			34.4301802
P-37	6/6/2025 9:16:56 AM	-0.30	-0.30	0.373	0.379	1.2	1.2	-5.53	-5.67			34.4304767
P-38RD	6/6/2025 10:47:06 AM	-3.84	-3.84	0.592	0.592	9.7	9.7	-4.46	-4.46			34.4299780
P-38RS	6/6/2025 10:49:05 AM	-0.37	-0.36	0.298	0.315	3.8	3.9	-5.43	-5.42			34.4299665
P-39	6/6/2025 10:44:11 AM	-7.04	-6.97	0.391	0.367	13.4	13.0	-7.01	-7.26			34.4294730
P-41	6/6/2025 10:40:44 AM	-3.07	-2.62	0.148	0.242	4.9	6.2	-7.42	-6.88			34.4288615
P-42R	6/6/2025 10:37:31 AM	-5.05	-5.03	0.592	0.661	2.3	2.5	-6.48	-6.90			34.4284202
P-43	6/6/2025 10:34:03 AM	-0.09	-0.03	0.036	0.103			-7.71	-7.31			34.4282668
P-44RD	6/6/2025 10:28:50 AM	-7.47	-7.43	0.055	0.158	0.7	1.2	-7.78	-7.73			34.4281347

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
P-44RS	6/6/2025 10:30:29 AM	-0.81	-0.81	3.272	2.945	5.5	5.2	-7.68	-6.98			34.4281382
P-45RD	6/6/2025 10:22:24 AM	-0.99	-0.99	0.176	0.148	2.9	2.7	-8.40	-7.07			34.4277323
P-45RS	6/6/2025 10:24:37 AM	-0.25	-0.25	6.949	6.986	8.0	8.0	0.33	0.33			34.4277342
P-46RD	6/6/2025 10:15:40 AM	-2.33	-2.33	0.145	0.144	2.7	2.7	-8.47	-8.40			34.4276600
P-46RS	6/6/2025 10:17:47 AM	-0.33	-0.33	0.226	0.237	6.0	6.1	-8.53	-8.49			34.4276618
P-47	6/6/2025 1:23:24 PM	-0.16	-0.16	0.092	0.096			-0.09	-0.10			34.4274470
P-47	6/18/2025 10:20:24 AM	-0.75	-0.16	0.165	0.748			-6.88	-6.23			34.4274420
P-47	6/19/2025 2:34:58 PM	-0.85	-0.85	1.093	0.845			-7.13	-7.47			34.4274368
P-48	6/6/2025 1:33:12 PM	-0.15	-0.15	1.291	1.397	3.4	3.6	-10.27	-10.51			34.4275898
P-48	6/18/2025 10:35:19 AM	-0.69	-0.17	0.100	0.332	4.0	7.2	-6.85	-7.40			34.4275928
P-48	6/19/2025 2:30:13 PM	-0.85	-0.85	0.089	0.034	3.7	2.3	-7.72	-7.33			34.4275937
P-48	6/21/2025 2:06:16 PM	-0.32	-0.32	-0.460	0.029	0.0	0.0			0.0	0.0	34.4276732
P-49RD	6/6/2025 10:07:14 AM	-0.48	-0.48	0.300	0.484	6.9	8.8	-9.49	-8.86			34.4279765
P-49RS	6/6/2025 10:05:28 AM	-6.04	-6.04	0.196	0.282	1.3	1.6	-8.82	-8.65			34.4279955
P-52	6/6/2025 9:51:17 AM	-0.37	-0.37	3.294	3.314	12.5	12.5	-11.30	-11.32			34.4287450
P-53	6/6/2025 9:47:35 AM	-0.65	-0.65	0.659	0.652			0.33	0.33			34.4291102
P-54	6/6/2025 9:43:23 AM	-1.01	-1.00	1.007	1.025			-0.68	-0.71			34.4294130
P-55	6/6/2025 9:35:40 AM	-0.42	-0.42	0.421	0.420			-0.02	-0.02			34.4297363
P-56	6/6/2025 9:32:31 AM	-0.47	-0.47	0.036	0.038	5.3	5.5	-16.18	-16.16			34.4301180
P-57	6/6/2025 9:38:59 AM	-1.58	-1.58	0.062	0.259	7.2	14.7	-15.84	-16.39			34.4300002

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
P-60R	6/6/2025 9:27:44 AM	-3.07	-3.05	0.045	0.054	1.5	1.7	-6.40	-6.27			34.4308143
P-61	6/6/2025 9:20:17 AM	-0.49	-0.49	3.234	2.806	5.6	5.2	-4.78	-4.17			34.4311178
P-65	6/6/2025 9:24:39 AM	-0.73	-0.73	0.034	0.048	0.4	0.4	-6.42	-6.44			34.4304292
P-71	6/6/2025 9:58:08 AM	-0.07	-0.07	0.084	0.074			-9.07	-9.60			34.4279758
P-75	6/6/2025 1:42:41 PM	-2.75	-2.75	0.980	0.885	12.6	12.0	-5.58	-5.41			34.4303157
P-76	6/6/2025 10:53:15 AM	-1.08	-0.90	0.904	1.083			-1.78	-3.35			34.4302198
P-79	6/6/2025 8:10:40 AM	-0.19	-0.18	0.179	0.190			-2.11	-1.98			34.4270442
SC-2000E	6/11/2025 11:26:17 AM	-6.74	-6.38	2.453	2.923	10.7	11.7	-12.53	-12.51			34.4307167
SW-10	6/20/2025 9:55:50 AM	-5.66	-5.66	0.134	0.178	4.7	5.4	-5.69	-5.52			34.4370390
SW-115	6/11/2025 10:44:09 AM	-9.35	-9.35	0.411	0.398	8.2	8.1	0.00	0.00			34.4348105
SW-1445	6/3/2025 8:55:28 AM	-5.50	-5.50	0.004	0.006	1.8	2.2	-5.70	-5.70			34.4325017
SW-1445	6/4/2025 9:06:21 AM	-5.46	-5.46	0.001	0.005	1.0	2.1	-5.66	-5.60			34.4324937
SW-1445	6/9/2025 8:50:47 AM	-4.78	-4.72	0.020	0.020	4.1	4.0	-4.75	-4.82			34.4324910
SW-1445	6/10/2025 8:16:46 AM	-2.06	-2.06	0.002	0.010	1.3	2.9	-2.67	-2.01			34.4324913
SW-1445	6/12/2025 9:08:12 AM	-5.30	-5.30	0.001	0.001	0.6	0.6	-5.38	-5.38			34.4324923
SW-1445	6/13/2025 9:59:35 AM	-5.70	-5.70	0.002	0.002	1.1	1.1	-5.69	-5.69			34.4325182
SW-1445	6/18/2025 7:22:41 AM	-5.79	-5.79	0.024	0.008	4.4	2.5	-6.07	-6.04			34.4325055
SW-1445	6/20/2025 8:26:13 AM	-6.15	-6.15	0.064	0.066	7.2	7.3	-6.15	-6.15			34.4324882
SW-1445	6/25/2025 6:39:45 AM	-5.71	-5.71	0.010	0.011	2.8	2.9	-6.03	-6.03			34.4325227
SW-1445	6/26/2025 8:48:46 AM	-5.37	-5.35	0.194	0.200	12.5	12.7	-5.41	-5.52			34.4324945
SW-1445	6/27/2025 8:28:43 AM	-4.21	-4.21	-0.018	-0.016	0.0	0.0	-4.25		0.0	0.0	34.4324605
SW-1445	6/30/2025 8:49:10 AM	-5.38	-5.38	0.076	0.068	7.8	7.4	-5.37	-5.19			34.4324962
SW-1455	6/3/2025 9:01:15 AM	-5.37	-5.37	0.002	0.011	1.1	2.9	-5.38	-5.63			34.4323727
SW-1455	6/4/2025 9:11:52 AM	-5.71	-5.71	0.011	0.013	2.9	3.2	-5.66	-5.66			34.4324112

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
SW-1455	6/9/2025 8:56:23 AM	-4.83	-4.83	0.026	0.023	4.6	4.3	-4.82	-4.82			34.4323777
SW-1455	6/10/2025 8:11:45 AM	-2.56	-2.56	0.003	0.012	1.6	3.2	-2.59	-2.46			34.4323800
SW-1455	6/12/2025 9:02:25 AM	-5.41	-5.41	0.003	0.003	1.5	1.4	-5.39	-5.38			34.4323778
SW-1455	6/13/2025 9:57:24 AM	-5.70	-5.70	0.001	0.010	0.9	2.8	-5.69	-5.60			34.4323747
SW-1455	6/18/2025 7:27:48 AM	-5.12	-4.98	0.010	0.005	2.8	1.9	-5.20	-5.35			34.4324380
SW-1455	6/20/2025 8:22:04 AM	-6.00	-6.00	0.058	0.063	6.8	7.1	-6.00	-5.94			34.4324182
SW-1455	6/25/2025 6:31:44 AM	-5.44	-5.44	0.003	0.005	1.7	2.0	-5.74	-5.70			34.4323820
SW-1455	6/26/2025 8:34:24 AM	-1.68	-1.68	0.216	0.080	13.2	8.1	-5.40	-5.71			34.4323903
SW-1455	6/26/2025 9:52:14 AM	-4.71	-0.42	0.004	0.129	1.8	10.2	-5.23	-4.71			34.4324068
SW-1455	6/27/2025 8:16:11 AM	-4.29	-4.29	-0.009	-0.010	0.0	0.0	-4.33		0.0	0.0	34.4322173
SW-1455	6/30/2025 8:42:36 AM	-5.33	-5.33	0.107	0.117	9.3	9.7	-5.37	-5.37			34.4323978
SW-154	6/20/2025 3:13:13 PM	-6.21	-6.20	-0.003	-0.007	0.0	0.0			0.0	0.0	34.4379968
SW-17-135	6/3/2025 8:58:37 AM	-5.71	-5.71	0.010	0.008	2.8	2.5	-5.70	-5.70			34.4324583
SW-17-135	6/4/2025 9:09:11 AM	-5.75	-5.64	0.005	0.008	2.0	2.6	-5.79	-5.79			34.4324630
SW-17-135	6/9/2025 8:53:31 AM	-4.88	-4.87	0.007	0.008	2.4	2.5	-4.82	-4.82			34.4324562
SW-17-135	6/10/2025 8:14:34 AM	-2.76	-2.37	0.007	0.011	2.4	3.0	-2.34	-2.68			34.4324780
SW-17-135	6/12/2025 9:05:37 AM	-5.41	-5.41	0.003	0.002	1.6	1.1	-5.38	-5.38			34.4324720
SW-17-135	6/13/2025 10:01:25 AM	-5.70	-5.70	0.019	0.018	3.9	3.8	-5.69	-5.69			34.4324568
SW-17-135	6/18/2025 7:25:11 AM	-5.12	-5.12	0.020	0.023	4.0	4.3	-5.37	-5.12			34.4324783
SW-17-135	6/20/2025 8:23:59 AM	-6.00	-6.00	0.086	0.091	8.4	8.6	-6.00	-5.99			34.4324632
SW-17-135	6/25/2025 6:36:05 AM	-5.46	-5.46	0.048	0.038	2.9	2.5	-5.78	-5.70			34.4324538
SW-17-135	6/25/2025 6:37:33 AM	-5.46	-5.46	0.032	0.037	5.2	5.6	-5.72	-5.76			34.4324523
SW-17-135	6/26/2025 8:44:52 AM	-5.44	-5.44	0.207	0.198	13.0	12.7	-5.61	-5.54			34.4324525
SW-17-135	6/27/2025 8:22:19 AM	-4.31	-4.28	-0.022	-0.021	0.0	0.0	-4.29		0.0	0.0	34.4324542
SW-17-135	6/30/2025 8:46:46 AM	-5.33	-5.33	0.014	0.009	3.3	2.7	-5.37	-5.37			34.4324607
SW-187	6/3/2025 12:25:12 PM	-5.53	-5.53	0.039	0.007	13.0	5.3	-5.61	-5.53			34.4372405
SW-1930	6/3/2025 8:05:18 AM	-5.04	-5.04	0.033	0.006	5.2	2.1	-5.30	-5.20			34.4353125

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
SW-1930	6/4/2025 8:42:00 AM	-5.37	-5.37	0.014	0.011	3.4	2.9	-5.37	-5.37			34.4353055
SW-1930	6/9/2025 8:38:58 AM	-5.04	-4.98	0.004	0.028	1.8	4.8	-4.94	-5.03			34.4353037
SW-1930	6/10/2025 8:49:51 AM	-4.44	-4.42	0.047	0.035	6.2	5.3	-4.44	-4.46			34.4353003
SW-1930	6/12/2025 10:27:04 AM	-5.20	-5.20	0.017	0.008	3.7	2.5	-5.31	-5.20			34.4353070
SW-1930	6/13/2025 8:54:45 AM	-5.70	-5.70	0.011	0.015	2.9	3.5	-5.70	-5.69			34.4353092
SW-1930	6/18/2025 6:56:24 AM	-5.37	-5.37	0.014	0.025	3.3	4.5	-5.68	-5.39			34.4353175
SW-1930	6/20/2025 8:53:08 AM	-5.66	-5.66	0.176	0.228	11.9	13.6	-5.69	-5.69			34.4353158
SW-1930	6/25/2025 7:06:31 AM	-5.04	-5.04	0.047	0.051	6.2	6.5	-5.11	-5.12			34.4353075
SW-1930	6/26/2025 9:31:28 AM	-4.68	-4.68	0.080	0.053	8.1	6.5	-4.70	-4.70			34.4353208
SW-1930	6/27/2025 9:31:11 AM	-4.72	-4.72	-0.052	-0.055	0.0	0.0	-4.65		0.0	0.0	34.4352803
SW-1930	6/30/2025 8:23:15 AM	-4.91	-4.91	0.099	0.159	8.9	11.3	-4.96	-4.96			34.4353188
SW-20	6/6/2025 1:16:45 PM	-11.41	-11.41	0.150	0.150	10.9	10.9	-16.56	-16.55			34.4302187
SW-25	6/3/2025 8:01:12 AM	-5.71	-5.71	0.016	0.010	3.6	2.8	-5.70	-5.75			34.4351858
SW-25	6/4/2025 8:38:08 AM	-6.04	-6.02	0.014	0.005	3.4	1.9	-6.00	-6.04			34.4351758
SW-25	6/9/2025 8:34:26 AM	-5.57	-5.57	0.017	0.011	3.7	3.0	-5.77	-5.77			34.4351672
SW-25	6/10/2025 8:52:49 AM	-3.74	-3.74	0.022	0.020	4.3	4.1	-3.72	-3.69			34.4351867
SW-25	6/12/2025 10:24:08 AM	-5.71	-5.71	0.039	0.032	5.6	5.1	-5.70	-5.70			34.4351873
SW-25	6/13/2025 8:52:11 AM	-6.38	-6.38	0.103	0.104	9.2	9.2	-6.35	-6.35			34.4351945
SW-25	6/18/2025 6:53:10 AM	-6.35	-6.35	0.035	0.035	5.4	5.4	-6.27	-6.28			34.4351907
SW-25	6/20/2025 8:50:13 AM	-6.18	-6.18	0.216	0.132	13.3	10.4	-6.18	-6.18			34.4351915
SW-25	6/25/2025 7:11:45 AM	-5.87	-5.75	0.060	0.049	7.1	6.4	-5.79	-5.79			34.4351982
SW-25	6/26/2025 9:23:14 AM	-5.37	-5.37	0.040	0.047	5.7	6.2	-5.37	-5.37			34.4351738
SW-25	6/27/2025 9:22:13 AM	-5.33	-5.32	-0.060	-0.048	0.0	0.0	-5.26		0.0	0.0	34.4351855
SW-25	6/30/2025 8:16:56 AM	-5.17	-5.17	0.219	0.214	13.4	13.2	-5.50	-5.37			34.4351838
SW-30	6/3/2025 8:45:05 AM	-5.71	-5.71	0.049	0.030	6.4	5.0	-5.77	-5.65			34.4336930
SW-30	6/4/2025 8:56:49 AM	-6.04	-6.04	0.008	0.003	2.5	1.6	-6.10	-5.97			34.4336795
SW-30	6/9/2025 9:06:58 AM	-4.94	-4.94	0.008	0.015	2.5	3.5	-4.90	-4.90			34.4336842

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
SW-30	6/10/2025 8:35:47 AM	-3.74	-3.65	0.026	0.035	4.6	5.4	-3.65	-3.69			34.4336820
SW-30	6/12/2025 10:12:10 AM	-5.71	-5.71	0.034	0.015	5.2	3.5	-5.89	-5.66			34.4336885
SW-30	6/13/2025 9:16:43 AM	-6.08	-6.07	0.010	0.008	2.9	2.5	-6.03	-6.06			34.4336967
SW-30	6/18/2025 7:11:58 AM	-6.04	-5.71	0.021	0.014	4.2	3.4	-5.66	-6.04			34.4336675
SW-30	6/20/2025 9:27:56 AM	-5.81	-5.78	0.110	0.109	9.4	9.4	-5.80	-5.83			34.4337135
SW-30	6/25/2025 6:53:07 AM	-5.97	-5.92	0.029	0.035	5.0	5.5	-6.03	-6.06			34.4336823
SW-30	6/26/2025 9:10:21 AM	-4.98	-4.98	0.137	0.138	10.5	10.5	-5.15	-5.03			34.4336987
SW-30	6/27/2025 9:00:12 AM	-4.27	-4.27	0.059	0.052	0.0	0.0			0.0	0.0	34.4337725
SW-30	6/30/2025 8:34:35 AM	-5.29	-5.16	0.434	0.404	18.7	18.0	-5.59	-5.44			34.4336842
SW-32	6/3/2025 8:38:07 AM	-5.71	-5.53	5.791	5.843			-5.51	-5.70			34.4335282
SW-32	6/4/2025 8:49:34 AM	-5.79	-5.79	5.978	5.971			-5.85	-5.80			34.4335352
SW-32	6/9/2025 9:01:21 AM	-5.26	-5.12	5.113	5.059			-5.07	-4.97			34.4335258
SW-32	6/10/2025 8:29:51 AM	-2.45	-2.45	2.664	2.468			-2.63	-2.44			34.4335290
SW-32	6/12/2025 10:06:04 AM	-5.71	-5.71	5.783	5.807			-5.78	-5.96			34.4335205
SW-32	6/13/2025 9:23:34 AM	-6.05	-6.04	6.362	6.364			-6.04	-6.05			34.4335398
SW-32	6/18/2025 7:03:14 AM	-6.16	-6.12	6.329	6.353			-6.08	-6.07			34.4335515
SW-32	6/20/2025 9:23:24 AM	-5.95	-5.95	6.321	6.209			-6.02	-5.91			34.4335277
SW-32	6/25/2025 6:46:43 AM	-5.96	-5.96	6.123	6.079			-6.17	-6.10			34.4335375
SW-32	6/26/2025 9:02:42 AM	-5.32	-5.32	5.312	5.256			-5.31	-5.27			34.4335310
SW-32	6/27/2025 8:54:53 AM											34.4335515
SW-32	6/30/2025 8:28:56 AM	-5.39	-5.39	5.365	5.331			-5.62	-5.62			34.4335290
SW-64	6/3/2025 8:50:29 AM	-5.71	-5.71	0.023	0.023	4.3	4.3	-5.68	-5.68			34.4336907
SW-64	6/4/2025 9:01:39 AM	-5.79	-5.79	0.008	0.004	2.6	1.8	-5.79	-5.79			34.4337050
SW-64	6/9/2025 9:09:43 AM	-4.90	-4.90	0.016	0.014	3.6	3.3	-4.90	-4.90			34.4336802
SW-64	6/10/2025 8:38:10 AM	-3.42	-3.42	0.028	0.012	4.9	3.2	-3.67	-3.36			34.4337007
SW-64	6/12/2025 10:15:14 AM	-5.72	-5.72	0.032	0.029	5.0	4.8	-5.66	-5.66			34.4336960

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
SW-64	6/13/2025 9:18:38 AM	-6.04	-6.04	0.053	0.053	6.6	6.6	-6.02	-6.02			34.4336948
SW-64	6/18/2025 7:15:59 AM	-6.04	-6.04	0.012	0.015	3.2	3.5	-6.00	-6.04			34.4336732
SW-64	6/20/2025 9:25:41 AM	-5.81	-5.81	0.074	0.075	7.7	7.8	-5.82	-5.85			34.4337097
SW-64	6/25/2025 6:56:56 AM	-6.04	-6.02	0.030	0.032	5.1	5.2	-5.79	-5.79			34.4336850
SW-64	6/26/2025 9:12:58 AM	-5.41	-5.26	0.129	0.139	10.2	10.6	-5.20	-5.41			34.4337013
SW-64	6/27/2025 9:03:42 AM	-4.93	-4.93	0.036	0.036	0.0	0.0			0.0	0.0	34.4337153
SW-64	6/30/2025 8:37:39 AM	-5.50	-5.50	0.153	0.158	11.1	11.3	-5.70	-5.70			34.4336812
SW-65	6/11/2025 10:42:46 AM	-12.25	-12.25	0.812	0.803	11.4	11.4	-17.39	-17.39			34.4348137
SW-66	6/20/2025 3:15:18 PM	-6.26	-6.26	-0.010	-0.010	0.0	0.0			0.0	0.0	34.4379638
SW-68	6/3/2025 8:41:36 AM	-5.76	-5.71	0.007	0.005	2.3	1.9	-5.82	-5.91			34.4335388
SW-68	6/4/2025 8:52:23 AM	-5.79	-5.79	0.004	0.003	1.8	1.6	-5.75	-5.77			34.4335445
SW-68	6/9/2025 9:04:08 AM	-4.93	-4.91	0.014	0.015	3.4	3.5	-4.90	-4.98			34.4335275
SW-68	6/10/2025 8:32:04 AM	-2.34	-2.34	0.025	0.036	4.6	5.5	-2.48	-2.37			34.4335263
SW-68	6/12/2025 10:08:52 AM	-5.71	-5.71	0.022	0.021	4.2	4.1	-5.66	-5.66			34.4335345
SW-68	6/13/2025 9:22:03 AM	-6.04	-6.04	0.004	0.005	1.8	2.0	-6.05	-6.05			34.4335652
SW-68	6/18/2025 7:08:20 AM	-6.04	-6.04	0.013	0.017	3.3	3.7	-6.15	-6.04			34.4335287
SW-68	6/20/2025 9:21:09 AM	-6.00	-6.00	0.133	0.136	10.3	10.5	-6.02	-6.02			34.4335303
SW-68	6/25/2025 6:49:50 AM	-5.71	-5.71	0.042	0.036	6.0	5.5	-6.05	-6.03			34.4335332
SW-68	6/26/2025 9:05:15 AM	-5.36	-5.36	0.142	0.206	10.7	12.9	-5.37	-5.45			34.4335377
SW-68	6/27/2025 8:57:36 AM	-4.13	-4.13	-0.045	-0.055	0.0	0.0			0.0	0.0	34.4337100
SW-68	6/30/2025 8:30:49 AM	-5.37	-5.37	0.266	0.345	14.6	16.7	-5.78	-5.77			34.4335288
SW-7	6/3/2025 7:57:59 AM	-5.71	-5.71	0.030	0.057	4.9	6.9	-5.70	-5.70			34.4351920
SW-7	6/4/2025 8:35:01 AM	-2.58	-2.58	0.029	0.002	4.9	1.4	-5.71	-6.00			34.4351622
SW-7	6/9/2025 8:29:53 AM	-1.26	-1.26	0.006	0.002	2.3	1.4	-5.79	-5.86			34.4351843
SW-7	6/10/2025 8:57:03 AM	-2.72	-2.72	0.007	0.007	2.4	2.4	-3.71	-3.73			34.4351870
SW-7	6/12/2025 10:21:36 AM	-4.06	-4.06	0.001	0.018	0.9	3.8	-5.70	-5.70			34.4351815

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Adj Stat Press ["H2O]	Max Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Init Power	Adj Power	Latitude
SW-7	6/13/2025 8:50:07 AM	-6.21	-6.19	0.001	0.005	0.7	2.1	-6.19	-6.21			34.4351728
SW-7	6/18/2025 6:50:03 AM	-6.33	-6.33	0.037	0.037	5.5	5.5	-6.34	-6.34			34.4351777
SW-7	6/20/2025 8:48:04 AM	-6.33	-6.33	0.168	0.162	11.7	11.5	-6.35	-6.35			34.4351768
SW-7	6/25/2025 7:14:47 AM	-5.76	-5.76	0.003	0.010	1.5	2.9	-6.03	-6.03			34.4351823
SW-7	6/26/2025 9:20:55 AM	-5.41	-5.41	0.081	0.071	8.1	7.6	-5.45	-5.37			34.4351872
SW-7	6/27/2025 9:26:28 AM	-5.38	-5.38	-0.006	-0.006	0.0	0.0	-5.27		0.0	0.0	34.4351748
SW-7	6/30/2025 8:19:43 AM	-5.26	-5.26	0.280	0.316	15.1	16.1	-5.64	-5.66			34.4351908
SW-70	6/3/2025 12:27:54 PM	-5.71	-5.71	0.048	0.020	6.2	4.0	-5.70	-5.70			34.4372255
SW-71	6/6/2025 8:41:20 AM	-5.70	-5.70	0.341	0.340	7.6	7.6	-9.72	-9.50			34.4260270
SW-71	6/17/2025 12:46:59 PM	-0.75	-0.75	0.013	0.004	0.3	0.2	-10.34	-10.48			34.4259942
SW-71	6/18/2025 12:59:22 PM	-6.62	-0.06	0.054	0.040	4.9	4.2	-6.73	-6.66			34.4259760
SW-71	6/18/2025 1:28:38 PM	-0.59	-0.59	0.074	0.005	5.9	1.6	-7.06	-6.87			34.4259940
SW-71	6/19/2025 2:15:41 PM	-0.30	-0.30	0.000	0.001	0.3	0.5	-7.14	-7.56			34.4259937
SW-72	6/6/2025 9:09:39 AM	-4.07	-4.07	0.188	0.188	1.4	1.4	-5.90	-5.90			34.4296140
SW-80	6/21/2025 9:00:46 AM	-5.03	-5.03	0.011	0.005	1.4	0.9	-7.37	-7.36			34.4382770
SW-9	6/3/2025 12:30:31 PM	-5.53	-5.53	0.065	0.006	7.3	2.1	-5.79	-5.70			34.4372308
TC-1961C	6/11/2025 2:23:24 PM	-0.43	-0.43	-0.199	-0.196	0.0	0.0	-18.71		0.0	0.0	34.4322157
TC-1961E	6/23/2025 9:31:25 AM	-1.65	-1.62	-2.056	-2.053	0.0	0.0	-10.73		0.0	0.0	34.4333320
TC-2383S	6/1/2025 10:54:59 AM	-1.50	-1.50	0.032	0.035	5.2	5.4	-2.18		2.7	2.9	34.4325003
TC-2383S	6/1/2025 10:57:35 AM	-0.84	-0.84	0.019	0.019	4.0	4.1	-2.04		0.2	0.2	34.4324867
TC-2383S	6/18/2025 10:04:57 AM	-1.08	-1.08	-0.038	-0.004	0.0	0.0	-2.79		0.0	0.0	34.4324968
TC-2383S	6/18/2025 10:05:49 AM	-1.35	-1.35	0.004	0.007	1.9	2.4	-2.56		0.4	0.6	34.4325512
VL-02	6/11/2025 10:32:51 AM	-21.84	-21.84	0.007	0.043	2.5	6.3	-19.91		92.1	236.5	34.4311000

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
A-01	6/11/2025 10:08:25 AM	-118.6437827	1178	Valve Adjustment:Audible Flow;Well Condition:Good
A-02	6/11/2025 10:11:39 AM	-118.6433290	1181	Valve Adjustment:Audible Flow;Well Condition:Good
A-03	6/11/2025 10:15:20 AM	-118.6428575	1189	Valve Adjustment:Audible Flow;Well Condition:Good
A-04	6/11/2025 10:18:15 AM	-118.6422343	1192	Valve Adjustment:Audible Flow;Well Condition:Fair
A-05	6/11/2025 10:21:15 AM	-118.6416470	1181	Valve Adjustment:Audible Flow;Well Condition:Good
B-01	6/3/2025 11:10:22 AM	-118.6395808	1228	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open,Surging Liquid in Well (Watered In)
B-01	6/3/2025 11:10:43 AM	-118.6395887	1236	
B-01	6/19/2025 12:03:09 PM	-118.6396858	1207	NSPS/EG CAC
B-02R	6/3/2025 11:14:42 AM	-118.6395867	1238	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open,Surging Liquid in Well (Watered In)
B-02R	6/3/2025 11:15:12 AM	-118.6395902	1236	
B-02R	6/19/2025 4:05:03 PM	-118.6394325	1220	NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
B-02R	6/19/2025 4:06:26 PM	-118.6395102	1188	
B-03R	6/24/2025 11:34:43 AM	-118.6388132	1243	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open,Surging Liquid in Header
B-03R	6/24/2025 11:36:46 AM	-118.6388287	1232	Valve Adjustment:NSPS/EG CAC
B-05	6/5/2025 11:09:51 AM	-118.6380252	1213	Valve Adjustment:Surging Liquid in Well (Watered In)
B-06	6/5/2025 11:24:24 AM	-118.6376795	1211	Valve Adjustment:No Adjustment Made,Barely Open,Surging Liquid in Header
B-07R	6/5/2025 10:44:28 AM	-118.6374332	1209	Valve Adjustment:Decreased Flow/Vacuum
B-07R	6/5/2025 10:50:55 AM	-118.6374470	1213	Valve Comment:Installed 0.75OP.;Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
B-08	6/3/2025 1:39:13 PM	-118.6373530	1225	Valve Adjustment:Decreased Flow/Vacuum;Well Comment:Dirt around well needs to be compacted.
B-09	6/3/2025 2:25:02 PM	-118.6370588	1213	Valve Adjustment:Decreased Flow/Vacuum
B-10	6/3/2025 1:27:30 PM	-118.6365670	1204	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
B-11	6/3/2025 2:04:21 PM	-118.6368790	1155	Valve Adjustment:Surging Liquid in Header
B-12	6/23/2025 1:54:12 PM	-118.6385353	1213	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum
B-12	6/23/2025 1:57:16 PM	-118.6385332	1222	
B-13	6/5/2025 11:02:06 AM	-118.6379163	1218	Valve Adjustment:No Adjustment Made
B-14	6/3/2025 2:09:11 PM	-118.6370568	1130	Valve Adjustment:No Adjustment Made
C-03	6/25/2025 2:48:55 PM	-118.6435528	1174	
C-07	6/11/2025 10:24:55 AM	-118.6413792	1196	Valve Adjustment:Audible Flow;Well Condition:Fair
C-08	6/11/2025 10:28:31 AM	-118.6408603	1206	Valve Adjustment:Audible Flow;Well Condition:Fair
C-10	6/11/2025 10:40:26 AM	-118.6411805	1206	Valve Adjustment:Audible Flow;Well Condition:Fair
C-11	6/24/2025 1:54:51 PM	-118.6412830	1204	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
C-12	6/21/2025 8:20:16 AM	-118.6408562	1217	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
C-15	6/21/2025 8:25:19 AM	-118.6410303	1231	Valve Adjustment:Audible Flow;Well Condition:Fair;Well Repairs:Valve
C-17B	6/21/2025 9:21:55 AM	-118.6419198	1217	Valve Adjustment:Audible Flow;Well Condition:Fair
C-18	6/21/2025 9:07:26 AM	-118.6426080	1227	Valve Adjustment:Audible Flow;Well Condition:Fair
C-19	6/21/2025 9:15:58 AM	-118.6421693	1232	Valve Adjustment:Audible Flow;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
C-20	6/21/2025 9:13:11 AM	-118.6423952	1225	Valve Adjustment:Audible Flow;Well Condition:Fair
C-23	6/21/2025 9:09:13 AM	-118.6426108	1227	
C-24	6/21/2025 9:18:26 AM	-118.6421357	1222	Valve Adjustment:Audible Flow;Well Condition:Fair
C-25	6/21/2025 8:36:38 AM	-118.6416635	1226	Valve Adjustment:Audible Flow;Well Condition:Fair
C-26	6/21/2025 8:31:08 AM	-118.6412685	1221	Valve Adjustment:Audible Flow;Well Condition:Fair
C-27	6/21/2025 8:22:39 AM	-118.6409742	1227	Valve Adjustment:Audible Flow;Well Condition:Good
C-28	6/21/2025 8:12:59 AM	-118.6413637	1233	Valve Adjustment:Audible Flow;Well Condition:Fair
C-29	6/11/2025 10:46:36 AM	-118.6412428	1206	Valve Adjustment:Audible Flow;Well Condition:Fair
C-30	6/11/2025 10:36:27 AM	-118.6412273	1252	Valve Adjustment:Audible Flow;Well Condition:Fair
CV-02	6/5/2025 3:47:31 PM	-118.6413745	1240	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
CV-03	6/5/2025 3:49:41 PM	-118.6414490	1222	Valve Adjustment:Audible Flow;Well Condition:Good
CV-04	6/25/2025 12:53:48 PM	-118.6416685	1230	Valve Adjustment:Audible Flow,No Adjustment Made
CV-05	6/4/2025 1:15:34 PM	-118.6422223	1223	
CV-05	6/5/2025 3:51:52 PM	-118.6416667	1220	Valve Adjustment:Audible Flow;Well Condition:Good
CV-06	6/12/2025 10:45:47 AM	-118.6428582	1209	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
CV-09	6/18/2025 3:53:32 PM	-118.6443220	1165	
CV-103	6/4/2025 3:11:59 PM	-118.6483355	1368	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-103	6/4/2025 3:13:03 PM	-118.6483242	1367	
CV-103	6/11/2025 9:00:00 AM			Air Technology; [User entered 0.79%]
CV-103	6/11/2025 9:00:00 AM			Air Technology
CV-108-52	6/1/2025 2:02:49 PM	-118.6506668	1240	
CV-108-52	6/1/2025 2:02:53 PM	-118.6506672	1234	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-108-52	6/1/2025 2:04:00 PM	-118.6507572	1266	Barely Open
CV-108-52	6/2/2025 9:25:00 AM			Air Technology
CV-108-52	6/2/2025 9:25:00 AM			Air Technology; [User entered 4.8%]
CV-108-52	6/18/2025 2:22:55 PM	-118.6506640	1214	
CV-113	6/5/2025 4:32:51 PM	-118.6468738	1309	NSPS/EG CAI,Barely Open
CV-113	6/5/2025 4:33:48 PM	-118.6467570	1273	
CV-113	6/10/2025 9:40:00 AM			Air Technology; [User entered 8.8%]
CV-113	6/10/2025 9:40:00 AM			Air Technology
CV-113	6/20/2025 2:16:47 PM	-118.6467268	1276	NSPS/EG CAI
CV-113	6/20/2025 2:21:13 PM	-118.6469340	1266	
CV-113	6/25/2025 11:01:32 AM	-118.6467360	1350	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-113	6/25/2025 11:03:59 AM	-118.6467337	1341	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-114	6/10/2025 9:50:00 AM			Air Technology; [User entered 0.25%]
CV-114	6/10/2025 9:50:00 AM			Air Technology
CV-1421	6/7/2025 2:54:27 PM	-118.6464853	1381	Barely Open
CV-1421	6/25/2025 10:11:28 AM	-118.6464605	1418	
CV-1423	6/5/2025 12:14:44 PM	-118.6465825	1374	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-1423	6/5/2025 12:15:19 PM	-118.6465803	1382	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-1423	6/12/2025 9:05:00 AM			Air Technology
CV-1423	6/12/2025 9:05:00 AM			Air Technology; [User entered 0.21%]
CV-1424	6/10/2025 11:03:40 AM	-118.6451000	1417	Valve Adjustment:Decreased Flow/Vacuum
CV-1425	6/6/2025 1:15:29 PM	-118.6470435	1322	NSPS/EG CAI,High O2,Barely Open
CV-1425	6/6/2025 1:17:02 PM	-118.6470435	1401	
CV-1425	6/18/2025 10:08:34 AM	-118.6470127	1389	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Barely Open

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-1425	6/18/2025 10:10:47 AM	-118.6470145	1389	
CV-1426	6/6/2025 3:53:37 PM	-118.6460622	1411	
CV-1426	6/24/2025 2:49:20 PM	-118.6460443	1394	Valve Adjustment:Audible Flow,No Adjustment Made
CV-1426	6/30/2025 1:18:02 PM	-118.6460708	1396	Valve Adjustment:Decreased Flow/Vacuum
CV-1532A	6/3/2025 8:10:00 AM			Air Technology; [User entered 22%]
CV-1532A	6/3/2025 8:10:00 AM			Air Technology
CV-1532A	6/4/2025 12:50:28 PM	-118.6508175	1281	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-1532A	6/25/2025 10:59:12 AM	-118.6508178	1289	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header;Well Condition:Good
CV-1532A	6/25/2025 11:00:09 AM	-118.6508178	1289	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Valve 100% Open;Well Condition:Fair
CV-1532A	6/25/2025 2:58:28 PM			
CV-1534A-PLR	6/4/2025 12:42:00 PM	-118.6507823	1291	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Comment:SURGING;Well Condition:Fair
CV-1534A-PLR	6/4/2025 12:45:00 PM			AtmAA; [User entered 12.41%]
CV-1534A-PLR	6/4/2025 12:45:00 PM			AtmAA
CV-1534A-PLR	6/12/2025 8:20:14 AM	-118.6507770	1296	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-1534A-PLR	6/12/2025 8:25:00 AM			AtmAA
CV-1534A-PLR	6/18/2025 8:18:05 AM	-118.6507563	1282	Valve Comment:SURGING;Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair;Well Repairs:Surging
CV-1534A-PLR	6/25/2025 10:46:56 AM	-118.6507790	1286	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-1535	6/1/2025 1:43:05 PM	-118.6503717	1280	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-1535	6/10/2025 8:50:00 AM			Air Technology
CV-1535	6/10/2025 8:50:00 AM			Air Technology; [User entered 0.74%]
CV-1535	6/18/2025 2:09:56 PM	-118.6503598	1299	
CV-1601D	6/4/2025 12:36:19 PM	-118.6486653	1318	
CV-1601D	6/4/2025 12:38:44 PM	-118.6486585	1319	Valve Adjustment:Decreased Flow/Vacuum;Well Comment:continuum working on header
CV-1601D	6/20/2025 8:50:33 AM	-118.6486738	1329	Decreased Flow/Vacuum
CV-1601S	6/4/2025 12:20:20 PM	-118.6486713	1338	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-1601S	6/4/2025 12:27:21 PM	-118.6486858	1338	Valve Comment:installed original one inch orifice plate;Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-1601S	6/20/2025 8:54:30 AM	-118.6486720	1263	Decreased Flow/Vacuum
CV-1603	6/11/2025 11:20:56 AM	-118.6465528	1225	Valve Adjustment:Valve 100% Open
CV-1604	6/11/2025 2:36:38 PM	-118.6450405	1253	Decreased Flow/Vacuum
CV-1605	6/8/2025 11:53:25 AM	-118.6460302	1250	
CV-1605	6/22/2025 12:38:36 PM	-118.6460620	1277	Valve Comment:damaged casing below grade;Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-1701D	6/11/2025 3:55:30 PM	-118.6432642	1257	Decreased Flow/Vacuum
CV-1701S	6/11/2025 3:51:08 PM	-118.6433463	1266	NSPS/EG CAI,Decreased Flow/Vacuum
CV-1701S	6/11/2025 3:52:15 PM	-118.6433347	1266	Barely Open
CV-1701S	6/12/2025 8:44:37 AM	-118.6432407	1276	Decreased Flow/Vacuum,NSPS/EG CAI
CV-1701S	6/12/2025 8:49:01 AM	-118.6433538	1270	Barely Open
CV-1901	6/5/2025 3:28:35 PM	-118.6507393	1325	NSPS/EG CAI
CV-1901	6/5/2025 3:30:37 PM	-118.6507732	1299	
CV-1901	6/19/2025 9:27:44 AM	-118.6507868	1319	Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-1902A	6/4/2025 6:04:00 AM			Air Technology
CV-1902A	6/4/2025 9:50:00 AM			Air Technology; [User entered 17%]
CV-1902A	6/5/2025 9:48:35 AM	-118.6503367	1319	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-1902A	6/5/2025 9:50:00 AM			AtmAA; [User entered 16.45%]
CV-1902A	6/5/2025 9:50:00 AM			AtmAA
CV-1902A	6/12/2025 9:09:51 AM	-118.6503067	1307	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-1902A	6/12/2025 9:10:00 AM			AtmAA
CV-1902A	6/18/2025 9:14:04 AM	-118.6502893	1321	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-1902A	6/26/2025 8:55:40 AM	-118.6503030	1310	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-1903	6/5/2025 10:50:46 AM	-118.6503162	1325	
CV-1903	6/17/2025 1:25:59 PM	-118.6503875	1372	Valve Adjustment:No Adjustment Made,Surging Liquid in Header
CV-1905	6/7/2025 1:41:35 PM	-118.6460410	1352	Increased Flow/Vacuum
CV-1906	6/7/2025 2:08:45 PM	-118.6466850	1375	Barely Open
CV-1906	6/20/2025 11:25:55 AM	-118.6466320	1403	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-2001	6/1/2025 10:06:41 AM	-118.6507140	1243	NSPS/EG CAI
CV-2001	6/1/2025 10:07:48 AM	-118.6507387	1220	
CV-2001	6/4/2025 10:00:00 AM			Air Technology
CV-2001	6/4/2025 10:00:00 AM			Air Technology; [User entered 0.86%]
CV-2001	6/18/2025 9:14:11 AM	-118.6505818	1263	
CV-2001	6/24/2025 10:56:32 AM			
CV-2001	6/25/2025 3:20:19 PM			
CV-2002	6/1/2025 10:35:46 AM	-118.6511267	1253	
CV-2002	6/4/2025 10:20:00 AM			Air Technology

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2002	6/18/2025 9:42:57 AM	-118.6512048	1260	
CV-2003	6/1/2025 1:59:32 PM	-118.6508230	1201	
CV-2003	6/18/2025 2:20:25 PM	-118.6507120	1227	Decreased Flow/Vacuum
CV-2006	6/5/2025 10:01:17 AM	-118.6506470	1313	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2006	6/5/2025 10:05:00 AM			AtmAA; [User entered 16.53%]
CV-2006	6/5/2025 10:05:00 AM			AtmAA
CV-2006	6/12/2025 9:24:37 AM	-118.6506525	1316	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Poor;Well Repairs:Flex Hose,Surging
CV-2006	6/12/2025 9:30:00 AM			AtmAA
CV-2006	6/18/2025 9:29:05 AM	-118.6506322	1318	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Poor;Well Repairs:Flex Hose
CV-2006	6/26/2025 9:09:30 AM	-118.6506338	1312	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header
CV-2007	6/3/2025 10:01:11 AM			
CV-2007	6/4/2025 7:58:33 AM			
CV-2007	6/4/2025 8:22:00 AM			Air Technology
CV-2007	6/5/2025 8:11:37 AM			
CV-2007	6/6/2025 2:42:26 PM			
CV-2007	6/8/2025 9:07:15 AM	-118.6470155	1404	
CV-2007	6/9/2025 8:23:50 AM			
CV-2007	6/11/2025 9:32:48 AM			
CV-2007	6/12/2025 8:34:38 AM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2007	6/16/2025 9:41:10 AM			
CV-2007	6/17/2025 9:16:33 AM			
CV-2007	6/18/2025 10:57:37 AM			
CV-2007	6/21/2025 11:22:21 AM	-118.6469970	1385	Valve Comment:unable to reach system;Valve Adjustment:Barely Open;Well Condition:Good
CV-2007	6/23/2025 8:15:24 AM			
CV-2007	6/25/2025 8:53:51 AM			
CV-2007	6/26/2025 7:49:30 AM			
CV-2007	6/30/2025 2:49:54 PM			
CV-2008	6/5/2025 2:59:14 PM	-118.6462660	1358	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-2009	6/5/2025 2:41:30 PM	-118.6452638	1366	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-2009A	6/25/2025 10:49:44 AM	-118.6452573	1404	
CV-2010	6/23/2025 7:08:19 AM	-118.6436038	1358	Audible Flow,Surging Liquid in Header
CV-2010A	6/12/2025 2:48:55 PM	-118.6436718	1367	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2010A	6/12/2025 2:59:05 PM	-118.6436667	1358	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.
CV-2010A	6/12/2025 3:03:17 PM	-118.6436497	1365	Valve Adjustment:High Temp
CV-2011	6/11/2025 9:10:52 AM	-118.6434857	1319	Decreased Flow/Vacuum
CV-2011A	6/11/2025 1:25:20 PM	-118.6431575	1253	NSPS/EG CAI,Decreased Flow/Vacuum
CV-2011A	6/11/2025 1:26:25 PM	-118.6431808	1322	Barely Open
CV-2011A	6/17/2025 12:25:22 PM	-118.6431792	1340	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-2011A	6/17/2025 12:26:05 PM	-118.6431685	1339	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2011A	6/18/2025 7:58:30 AM	-118.6431545	1334	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2011A	6/18/2025 8:00:10 AM	-118.6431485	1328	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-2012	6/11/2025 1:01:34 PM	-118.6433088	1335	Decreased Flow/Vacuum,NSPS/EG CAI,High Temp
CV-2012	6/11/2025 1:02:43 PM	-118.6432773	1296	Barely Open
CV-2201-PLR	6/3/2025 2:23:51 PM	-118.6488225	1370	Valve Adjustment:NSPS/EG CAC,Audible Flow;Well Condition:Good
CV-2201-PLR	6/19/2025 10:57:01 AM	-118.6488062	1365	NSPS/EG CAI,High Temp
CV-2201-PLR	6/19/2025 10:57:45 AM	-118.6487783	1309	
CV-2201-PLR	6/24/2025 2:19:20 PM	-118.6488345	1343	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2201-PLR	6/30/2025 9:34:13 AM	-118.6488342	1365	
CV-2204-PLR	6/3/2025 1:45:35 PM	-118.6474567	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-2204-PLR	6/3/2025 1:50:00 PM			AtmAA; [User entered 11.73%]
CV-2204-PLR	6/3/2025 1:50:00 PM			AtmAA
CV-2204-PLR	6/12/2025 1:17:10 PM	-118.6474497	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Fair
CV-2204-PLR	6/12/2025 1:25:00 PM			AtmAA
CV-2204-PLR	6/18/2025 2:15:09 PM	-118.6474697	1353	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-2204-PLR	6/25/2025 9:37:37 AM	-118.6474682	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Fair;Well Repairs:Valve

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2204-PLR	6/30/2025 8:42:00 AM	-118.6474523	1357	Valve Comment:Couldnt make adjustment
CV-2205	6/17/2025 8:37:01 AM	-118.6441097	1382	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2205	6/17/2025 8:42:18 AM	-118.6441102	1374	Valve Adjustment:High Temp
CV-2205	6/17/2025 2:21:06 PM			[User entered 18%]
CV-2205	6/17/2025 2:22:37 PM	-118.6441072	1382	Valve Adjustment:High Temp
CV-2206-PLR	6/8/2025 8:01:10 AM	-118.6483963	1368	NSPS/EG CAI
CV-2206-PLR	6/8/2025 8:02:22 AM	-118.6483968	1358	
CV-2206-PLR	6/19/2025 11:15:19 AM	-118.6482315	1352	NSPS/EG CAI
CV-2206-PLR	6/19/2025 11:16:03 AM	-118.6483287	1329	
CV-2207	6/12/2025 2:00:00 PM	-118.6442283	1388	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair
CV-2207	6/12/2025 2:02:59 PM	-118.6442353	1387	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-2208A	6/4/2025 12:12:46 PM	-118.6449493	1344	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2208A	6/4/2025 12:15:00 PM			AtmAA; [User entered 21.78%]
CV-2208A	6/4/2025 12:15:00 PM			AtmAA
CV-2208A	6/10/2025 12:22:16 PM	-118.6449558	1344	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2208A	6/10/2025 12:25:00 PM			AtmAA
CV-2208A	6/17/2025 1:16:35 PM	-118.6449390	1335	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2208A	6/24/2025 8:46:19 AM	-118.6449770	1352	NSPS/EG CAI,Audible Flow,Decreased Flow/Vacuum,Barely Open
CV-2208A	6/30/2025 1:16:56 PM	-118.6449375	1337	Valve Adjustment:NSPS/EG CAI,High Temp

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2301	6/4/2025 8:56:38 AM	-118.6492392	1354	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2301	6/4/2025 9:00:00 AM			AtmAA; [User entered 6.59%]
CV-2301	6/4/2025 9:00:00 AM			AtmAA
CV-2301	6/5/2025 9:40:00 AM			Air Technology; [User entered 5.9%]
CV-2301	6/5/2025 9:40:00 AM			Air Technology
CV-2301	6/11/2025 8:13:32 AM	-118.6492085	1353	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2301	6/11/2025 8:14:14 AM	-118.6492203	1361	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2301	6/11/2025 8:15:00 AM			AtmAA
CV-2301	6/19/2025 8:50:03 AM	-118.6492080	1334	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2302	6/3/2025 9:23:00 AM			Air Technology; [User entered 1.8%]
CV-2302	6/3/2025 9:23:00 AM			Air Technology
CV-2302	6/4/2025 1:38:41 PM	-118.6492022	1360	
CV-2302	6/17/2025 2:07:22 PM	-118.6491733	1324	Valve Adjustment:No Adjustment Made,Surging Liquid in Header
CV-2303	6/3/2025 11:51:57 AM	-118.6496828	1349	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2303	6/3/2025 11:55:00 AM			AtmAA
CV-2303	6/3/2025 11:55:00 AM			AtmAA; [User entered 13.88%]
CV-2303	6/5/2025 10:00:00 AM			Air Technology; [User entered 12%]
CV-2303	6/5/2025 10:00:00 AM			Air Technology
CV-2303	6/10/2025 10:15:07 AM	-118.6496802	1366	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-2303	6/10/2025 10:20:00 AM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2303	6/17/2025 10:05:37 AM	-118.6496410	1359	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2303	6/24/2025 2:00:37 PM	-118.6496552	1358	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2304	6/5/2025 2:33:02 PM	-118.6487935	1339	NSPS/EG CAI
CV-2304	6/5/2025 2:33:41 PM	-118.6487753	1335	
CV-2304	6/19/2025 3:15:57 PM	-118.6489858	1194	NSPS/EG CAI
CV-2304	6/19/2025 3:17:08 PM	-118.6487607	1322	
CV-2305	6/3/2025 10:15:46 AM			
CV-2305	6/4/2025 8:58:27 AM			
CV-2305	6/5/2025 9:18:31 AM			
CV-2305	6/7/2025 2:48:02 PM	-118.6465123	1391	NSPS/EG CAI,High Temp,Increased Flow/Vacuum,Barely Open
CV-2305	6/7/2025 2:49:37 PM	-118.6465168	1378	Barely Open
CV-2305	6/9/2025 10:56:55 AM			
CV-2305	6/11/2025 8:45:00 AM			Air Technology
CV-2305	6/11/2025 8:45:00 AM			Air Technology; [User entered 8.9%]
CV-2305	6/16/2025 9:53:42 AM			
CV-2305	6/17/2025 9:29:24 AM			
CV-2305	6/18/2025 11:31:56 AM			
CV-2305	6/18/2025 2:05:13 PM	-118.6463867	1394	
CV-2305	6/23/2025 9:16:50 AM			
CV-2305	6/24/2025 1:35:02 PM			
CV-2306	6/3/2025 1:28:48 PM	-118.6477868	1369	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2306	6/3/2025 1:30:00 PM			AtmAA
CV-2306	6/3/2025 1:30:00 PM			AtmAA; [User entered 13.79%]
CV-2306	6/12/2025 12:58:34 PM	-118.6478122	1368	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2306	6/12/2025 1:00:00 PM			AtmAA
CV-2306	6/18/2025 2:04:09 PM	-118.6478277	1360	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2306	6/24/2025 9:43:07 AM	-118.6477985	1358	NSPS/EG CAI,High Temp,Surging Liquid in Header
CV-2306	6/30/2025 8:40:00 AM	-118.6477718	1347	
CV-2308-PLR	6/3/2025 2:26:13 PM	-118.6488993	1357	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open
CV-2308-PLR	6/3/2025 2:26:37 PM	-118.6489088	1360	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open
CV-2308-PLR	6/3/2025 2:30:00 PM			AtmAA
CV-2308-PLR	6/3/2025 2:30:00 PM			AtmAA; [User entered 15.03%]
CV-2308-PLR	6/10/2025 10:38:15 AM	-118.6488945	1349	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open;Well Condition:Fair
CV-2308-PLR	6/10/2025 10:39:04 AM	-118.6488988	1358	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open;Well Condition:Fair
CV-2308-PLR	6/10/2025 10:40:00 AM			AtmAA
CV-2308-PLR	6/18/2025 1:29:31 PM	-118.6488965	1344	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2308-PLR	6/18/2025 1:30:05 PM	-118.6488908	1348	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2308-PLR	6/25/2025 1:32:46 PM	-118.6488987	1350	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2308-PLR	6/25/2025 1:33:42 PM	-118.6489140	1351	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2308-PLR	6/30/2025 9:36:38 AM	-118.6489170	1358	Valve Adjustment:High Temp,Positive Static Press.
CV-2308-PLR	6/30/2025 9:39:16 AM	-118.6489215	1351	Valve Adjustment:High Temp,Positive Static Press.
CV-2308-PLR	6/30/2025 10:38:28 AM	-118.6489138	1350	Valve Adjustment:High Temp,Positive Static Press.
CV-2310-PLR	6/3/2025 11:42:16 AM	-118.6491052	1350	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-2310-PLR	6/3/2025 11:45:00 AM			AtmAA; [User entered 14.48%]
CV-2310-PLR	6/3/2025 11:45:00 AM			AtmAA
CV-2310-PLR	6/10/2025 10:06:58 AM	-118.6491020	1358	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header;Well Condition:Fair
CV-2310-PLR	6/10/2025 10:09:09 AM	-118.6491010	1358	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header;Well Condition:Fair
CV-2310-PLR	6/10/2025 10:10:00 AM			AtmAA
CV-2310-PLR	6/17/2025 9:53:08 AM	-118.6490873	1350	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-2310-PLR	6/17/2025 9:54:02 AM	-118.6491117	1365	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair;Well Repairs:Surging
CV-2310-PLR	6/24/2025 2:10:08 PM	-118.6490938	1347	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-2310-PLR	6/24/2025 2:10:54 PM	-118.6490867	1343	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair;Well Repairs:Surging
CV-2310-PLR	6/30/2025 1:39:18 PM	-118.6491068	1355	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2310-PLR	6/30/2025 1:40:43 PM	-118.6491030	1357	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header
CV-2311	6/8/2025 8:23:01 AM	-118.6499343	1371	
CV-2311	6/25/2025 11:16:20 AM	-118.6498867	1374	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header
CV-2311	6/25/2025 11:19:35 AM	-118.6498553	1358	
CV-2312	6/3/2025 10:02:00 AM			Air Technology; [User entered 11%]
CV-2312	6/3/2025 10:02:00 AM			Air Technology
CV-2312	6/4/2025 8:12:45 AM	-118.6473715	1407	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2312	6/4/2025 8:13:18 AM	-118.6473713	1411	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-2312	6/19/2025 1:30:36 PM	-118.6473465	1390	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2312	6/19/2025 1:31:10 PM	-118.6473378	1401	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2314	6/3/2025 10:18:56 AM			
CV-2314	6/4/2025 8:52:00 AM			
CV-2314	6/5/2025 8:33:24 AM			
CV-2314	6/7/2025 1:55:47 PM	-118.6468065	1368	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2314	6/7/2025 1:57:05 PM	-118.6466835	1378	
CV-2314	6/9/2025 11:17:11 AM			
CV-2314	6/12/2025 9:10:39 AM			
CV-2314	6/12/2025 9:35:00 AM			Air Technology
CV-2314	6/12/2025 9:35:00 AM			Air Technology; [User entered 8.9%]
CV-2314	6/17/2025 9:35:51 AM			
CV-2314	6/18/2025 11:25:24 AM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2314	6/20/2025 11:19:59 AM	-118.6466975	1400	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2314	6/20/2025 11:20:29 AM	-118.6467047	1396	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-2314	6/23/2025 9:10:33 AM			
CV-2314	6/24/2025 10:50:58 AM			
CV-2315	6/3/2025 10:11:00 AM			Air Technology; [User entered 5.8%]
CV-2315	6/3/2025 10:11:00 AM			Air Technology
CV-2315	6/4/2025 7:00:47 AM	-118.6471885	1390	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-2315	6/4/2025 7:05:00 AM			AtmAA; [User entered 5.575%]
CV-2315	6/4/2025 7:05:00 AM			AtmAA
CV-2315	6/10/2025 1:10:20 PM	-118.6471817	1400	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-2315	6/10/2025 1:15:00 PM			AtmAA
CV-2315	6/19/2025 8:00:06 AM	-118.6471860	1393	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-2315	6/25/2025 9:20:15 AM	-118.6471813	1400	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open;Well Condition:Fair
CV-2316	6/3/2025 10:06:42 AM			
CV-2316	6/4/2025 8:07:00 AM			
CV-2316	6/5/2025 8:25:00 AM			
CV-2316	6/6/2025 2:49:21 PM			
CV-2316	6/9/2025 8:41:14 AM			
CV-2316	6/12/2025 9:27:30 AM			
CV-2316	6/17/2025 9:25:12 AM			
CV-2316	6/19/2025 8:19:32 AM			
CV-2316	6/23/2025 8:32:42 AM			
CV-2316	6/25/2025 10:04:19 AM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2316	6/26/2025 8:08:54 AM			
CV-2316	6/26/2025 1:27:48 PM	-118.6463863	1400	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2316	6/26/2025 1:30:44 PM	-118.6463802	1397	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2319	6/7/2025 3:20:13 PM	-118.6457932	1339	Decreased Flow/Vacuum
CV-2319	6/18/2025 2:20:48 PM	-118.6457613	1355	
CV-2321	6/3/2025 10:22:52 AM			
CV-2321	6/4/2025 8:47:00 AM			
CV-2321	6/5/2025 8:39:38 AM			
CV-2321	6/9/2025 11:04:45 AM			
CV-2321	6/12/2025 9:02:39 AM			
CV-2321	6/12/2025 1:05:28 PM	-118.6453688	1393	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-2321	6/12/2025 1:09:18 PM	-118.6453817	1401	Valve Adjustment:High Temp
CV-2321	6/17/2025 9:42:52 AM			
CV-2321	6/18/2025 11:15:12 AM			
CV-2321	6/23/2025 9:02:20 AM			
CV-2321	6/24/2025 10:42:13 AM			
CV-2321	6/25/2025 10:10:14 AM			
CV-2321	6/26/2025 8:21:01 AM			
CV-2322	6/8/2025 8:57:23 AM	-118.6475233	1385	
CV-2322	6/19/2025 12:57:02 PM	-118.6475157	1375	Valve Adjustment:Audible Flow,Valve 100% Open;Well Condition:Good
CV-2324	6/12/2025 1:06:54 PM	-118.6453510	1389	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2324	6/13/2025 3:40:52 PM	-118.6442577	1370	Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Good
CV-2326	6/5/2025 11:05:00 AM	-118.6504952	1391	
CV-2326	6/26/2025 9:34:10 AM	-118.6503937	1381	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2327	6/4/2025 7:14:01 AM	-118.6479247	1361	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2327	6/4/2025 7:15:00 AM			AtmAA; [User entered 10.3%]
CV-2327	6/4/2025 7:15:00 AM			AtmAA
CV-2327	6/11/2025 9:40:33 AM	-118.6479122	1366	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2327	6/11/2025 9:45:00 AM			AtmAA
CV-2327	6/18/2025 10:56:11 AM	-118.6479292	1351	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-2327	6/25/2025 8:33:31 AM	-118.6479288	1378	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Repairs:Valve
CV-2328	6/3/2025 9:48:00 AM			Air Technology; [User entered 6.5%]
CV-2328	6/3/2025 9:48:00 AM			Air Technology
CV-2328	6/4/2025 8:18:08 AM	-118.6483577	1370	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2328	6/4/2025 8:20:00 AM			AtmAA
CV-2328	6/4/2025 8:20:00 AM			AtmAA; [User entered 6.71%]
CV-2328	6/11/2025 8:38:55 AM	-118.6483235	1365	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-2328	6/11/2025 8:45:00 AM			AtmAA
CV-2328	6/18/2025 10:38:16 AM	-118.6483383	1360	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-2328	6/18/2025 10:39:14 AM	-118.6483192	1361	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2328	6/25/2025 8:20:37 AM	-118.6483143	1379	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Good
CV-2333	6/8/2025 9:22:13 AM	-118.6472395	1362	
CV-2333	6/9/2025 8:44:48 AM			
CV-2333	6/9/2025 9:37:00 AM			Air Technology; [User entered 13%]
CV-2333	6/9/2025 9:37:00 AM			Air Technology
CV-2333	6/12/2025 8:31:06 AM			
CV-2333	6/13/2025 2:28:28 PM			
CV-2333	6/21/2025 10:14:54 AM	-118.6473785	1356	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-2333	6/24/2025 8:39:34 AM			
CV-2333	6/27/2025 9:25:02 AM			
CV-2334	6/9/2025 9:40:00 AM			Air Technology
CV-2334	6/9/2025 9:40:00 AM			Air Technology; [User entered 1.5%]
CV-2334	6/11/2025 8:43:03 AM			
CV-2334	6/12/2025 8:10:11 AM			
CV-2334	6/13/2025 2:22:38 PM			
CV-2334	6/17/2025 8:58:51 AM			
CV-2334	6/21/2025 10:05:51 AM	-118.6467072	1377	Valve Adjustment:Barely Open;Well Comment:Unable to reach system;Well Condition:Good
CV-2334	6/24/2025 8:33:50 AM			
CV-2334	6/27/2025 9:14:40 AM			
CV-2335	6/5/2025 3:44:01 PM	-118.6508678	1335	
CV-2335	6/19/2025 1:59:59 PM	-118.6509193	1312	
CV-2336	6/5/2025 11:34:01 AM			
CV-2336	6/5/2025 3:35:19 PM	-118.6509217	1247	
CV-2336	6/5/2025 3:36:44 PM	-118.6508702	1302	
CV-2336	6/9/2025 2:29:03 PM			
CV-2336	6/19/2025 9:40:29 AM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2336	6/19/2025 1:20:56 PM	-118.6509960	1243	Barely Open
CV-2336	6/23/2025 11:44:47 AM			
CV-2336	6/25/2025 2:55:09 PM			
CV-2337	6/12/2025 8:45:00 AM			Air Technology; [User entered 7.7%]
CV-2337	6/12/2025 8:45:00 AM			Air Technology
CV-2338	6/5/2025 9:50:00 AM			AtmAA; [User entered 16.7%]
CV-2338	6/5/2025 9:54:49 AM	-118.6504848	1308	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2338	6/5/2025 9:55:00 AM			AtmAA
CV-2338	6/12/2025 9:17:48 AM	-118.6504698	1305	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2338	6/12/2025 9:20:00 AM			AtmAA
CV-2338	6/18/2025 9:21:53 AM	-118.6504612	1299	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2338	6/26/2025 9:01:43 AM	-118.6504675	1294	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2339	6/5/2025 9:35:41 AM	-118.6502773	1355	
CV-2339	6/19/2025 9:17:50 AM	-118.6502128	1253	
CV-2341	6/5/2025 9:21:18 AM	-118.6502365	1335	NSPS/EG CAI
CV-2341	6/5/2025 9:22:31 AM	-118.6501558	1335	
CV-2341	6/12/2025 8:30:00 AM			Air Technology
CV-2341	6/12/2025 8:30:00 AM			Air Technology; [User entered 12%]
CV-2341	6/19/2025 9:02:42 AM	-118.6502880	1234	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2341	6/19/2025 9:04:34 AM	-118.6503947	1240	
CV-2341	6/25/2025 2:36:33 PM			
CV-2342A-PLR	6/4/2025 12:54:01 PM	-118.6508193	1286	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2342A-PLR	6/4/2025 12:55:00 PM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2342A-PLR	6/4/2025 12:55:00 PM			AtmAA; [User entered 19.96%]
CV-2342A-PLR	6/12/2025 8:27:48 AM	-118.6508283	1286	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2342A-PLR	6/12/2025 8:35:00 AM			AtmAA
CV-2342A-PLR	6/18/2025 8:26:10 AM	-118.6508088	1289	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2342A-PLR	6/25/2025 11:03:09 AM	-118.6508272	1284	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2343	6/1/2025 1:56:08 PM	-118.6506165	1240	
CV-2343	6/18/2025 2:15:57 PM	-118.6506502	1276	NSPS/EG CAI,High Temp
CV-2343	6/18/2025 2:17:01 PM	-118.6507282	1227	
CV-2344	6/1/2025 1:46:23 PM	-118.6503738	1283	
CV-2344	6/2/2025 9:05:00 AM			Air Technology; [User entered 8.1%]
CV-2344	6/2/2025 9:05:00 AM			Air Technology
CV-2344	6/18/2025 1:57:43 PM	-118.6505310	1309	NSPS/EG CAI
CV-2344	6/18/2025 1:59:26 PM	-118.6505285	1260	
CV-2345	6/1/2025 1:34:32 PM	-118.6502030	1240	Decreased Flow/Vacuum
CV-2345	6/1/2025 1:36:02 PM	-118.6501693	1211	
CV-2345	6/2/2025 9:00:00 AM			Air Technology; [User entered 3.3%]
CV-2345	6/2/2025 9:00:00 AM			Air Technology
CV-2345	6/18/2025 1:52:42 PM	-118.6502612	1322	Decreased Flow/Vacuum
CV-2346	6/1/2025 1:29:25 PM	-118.6500798	1289	NSPS/EG CAI
CV-2346	6/1/2025 1:30:21 PM	-118.6500138	1273	
CV-2346	6/2/2025 8:55:00 AM			Air Technology; [User entered 9.5%]
CV-2346	6/2/2025 8:55:00 AM			Air Technology
CV-2346	6/18/2025 1:46:09 PM	-118.6499455	1253	
CV-2347	6/1/2025 2:23:40 PM	-118.6497823	1302	Decreased Flow/Vacuum
CV-2347	6/2/2025 8:50:00 AM			Air Technology

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2347	6/2/2025 9:55:00 AM			Air Technology; [User entered 5.2%]
CV-2347	6/18/2025 1:20:51 PM	-118.6498748	1309	
CV-2348	6/1/2025 1:08:39 PM	-118.6494993	1325	
CV-2348	6/2/2025 8:45:00 AM			Air Technology; [User entered 0.55%]
CV-2348	6/2/2025 8:45:00 AM			Air Technology
CV-2348	6/18/2025 2:41:02 PM	-118.6496048	1280	
CV-2349	6/1/2025 11:13:24 AM	-118.6511700	1227	NSPS/EG CAI
CV-2349	6/1/2025 11:14:38 AM	-118.6511305	1217	
CV-2349	6/10/2025 8:20:00 AM			Air Technology; [User entered 9.1%]
CV-2349	6/10/2025 8:20:00 AM			Air Technology
CV-2349	6/18/2025 10:24:01 AM	-118.6512965	1217	NSPS/EG CAI
CV-2349	6/18/2025 10:25:26 AM	-118.6512210	1240	
CV-2349	6/25/2025 2:21:08 PM	-118.6512285	1270	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2349	6/25/2025 2:22:09 PM	-118.6512268	1278	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2350	6/1/2025 10:31:36 AM	-118.6510340	1355	
CV-2350	6/5/2025 10:10:00 AM			Air Technology
CV-2350	6/5/2025 10:10:00 AM			Air Technology; [User entered 7.9%]
CV-2350	6/18/2025 9:34:45 AM	-118.6508358	1276	
CV-2351	6/3/2025 8:39:00 AM			Air Technology; [User entered 2.3%]
CV-2351	6/3/2025 8:39:00 AM			Air Technology
CV-2351	6/8/2025 2:10:08 PM	-118.6511417	1250	NSPS/EG CAI
CV-2351	6/8/2025 2:11:03 PM	-118.6512405	1250	
CV-2351	6/25/2025 2:12:56 PM	-118.6511457	1264	Valve Adjustment:NSPS/EG CAC,Audible Flow;Well Condition:Good
CV-2352	6/3/2025 8:34:00 AM			Air Technology
CV-2352	6/3/2025 8:34:00 AM			Air Technology; [User entered 2.5%]

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2352	6/4/2025 1:09:15 PM	-118.6510568	1296	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Condition:Good
CV-2352	6/4/2025 1:09:57 PM	-118.6510515	1291	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Condition:Good
CV-2352	6/18/2025 11:02:00 AM	-118.6509083	1302	NSPS/EG CAI
CV-2352	6/18/2025 11:02:44 AM	-118.6512600	1250	
CV-2353-PLR	6/3/2025 8:20:00 AM			Air Technology; [User entered 11%]
CV-2353-PLR	6/3/2025 8:20:00 AM			Air Technology
CV-2353-PLR	6/4/2025 1:02:19 PM	-118.6508962	1286	Valve Adjustment:NSPS/EG CAC,Audible Flow,Surging Liquid in Header;Well Condition:Good
CV-2353-PLR	6/25/2025 11:13:46 AM	-118.6509082	1301	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2353-PLR	6/25/2025 11:14:25 AM	-118.6509072	1298	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2354	6/4/2025 1:24:29 PM	-118.6513467	1254	Valve Adjustment:NSPS/EG CAC,Audible Flow,Barely Open;Well Condition:Good
CV-2354	6/12/2025 9:50:00 AM			Air Technology
CV-2354	6/12/2025 9:50:00 AM			Air Technology; [User entered 11%]
CV-2354	6/18/2025 10:34:52 AM	-118.6513953	1198	NSPS/EG CAI
CV-2354	6/18/2025 10:35:34 AM	-118.6513168	1234	
CV-24001	6/5/2025 3:48:22 PM	-118.6509423	1286	Decreased Flow/Vacuum
CV-24001	6/19/2025 2:03:52 PM	-118.6509690	1365	
CV-24002	6/5/2025 4:00:22 PM	-118.6505153	1234	
CV-24002	6/19/2025 2:15:31 PM	-118.6504728	1335	
CV-24003	6/5/2025 10:32:54 AM	-118.6500823	1316	Decreased Flow/Vacuum
CV-24003	6/18/2025 3:26:24 PM	-118.6500443	1329	
CV-24004	6/5/2025 10:29:14 AM	-118.6496815	1355	Decreased Flow/Vacuum
CV-24004	6/18/2025 3:21:36 PM	-118.6497203	1302	
CV-24006	6/3/2025 1:56:44 PM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24006	6/4/2025 2:51:31 PM			
CV-24006	6/5/2025 10:54:01 AM	-118.6504530	1371	Decreased Flow/Vacuum
CV-24006	6/9/2025 2:07:16 PM			
CV-24006	6/16/2025 2:40:19 PM			
CV-24006	6/17/2025 9:42:56 AM			
CV-24006	6/18/2025 3:20:10 PM			
CV-24006	6/19/2025 9:52:30 AM	-118.6504750	1355	
CV-24006	6/23/2025 2:18:04 PM			
CV-24006	6/24/2025 1:55:49 PM			
CV-24006	6/25/2025 2:11:13 PM			
CV-24006	6/30/2025 2:38:56 PM			
CV-24007	6/3/2025 1:55:44 PM			
CV-24007	6/5/2025 10:26:00 AM			Air Technology; [User entered 2.7%]
CV-24007	6/5/2025 10:26:00 AM			Air Technology
CV-24007	6/8/2025 8:32:38 AM	-118.6502167	1355	
CV-24007	6/9/2025 2:05:52 PM			
CV-24007	6/16/2025 2:41:46 PM			
CV-24007	6/17/2025 9:44:59 AM			
CV-24007	6/18/2025 3:21:06 PM			
CV-24007	6/23/2025 2:17:03 PM			
CV-24007	6/24/2025 1:57:10 PM			
CV-24007	6/25/2025 2:10:04 PM			
CV-24007	6/26/2025 9:09:50 AM	-118.6501155	1411	NSPS/EG CAI
CV-24007	6/26/2025 9:11:51 AM	-118.6500998	1381	
CV-24007	6/26/2025 9:11:51 AM	-118.6500998	1381	
CV-24007	6/30/2025 2:37:49 PM			
CV-24008	6/3/2025 1:42:37 PM			
CV-24008	6/4/2025 2:46:50 PM			
CV-24008	6/8/2025 8:41:54 AM	-118.6497177	1358	
CV-24008	6/8/2025 8:43:06 AM	-118.6496712	1348	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24008	6/9/2025 1:59:09 PM			
CV-24008	6/13/2025 2:45:35 PM			
CV-24008	6/16/2025 2:56:31 PM			
CV-24008	6/18/2025 3:23:06 PM			
CV-24008	6/23/2025 2:32:58 PM			
CV-24008	6/24/2025 1:59:20 PM			
CV-24008	6/26/2025 9:50:42 AM	-118.6497220	1335	NSPS/EG CAI
CV-24008	6/26/2025 9:52:13 AM	-118.6496825	1312	
CV-24008	6/30/2025 2:40:49 PM			
CV-24009	6/3/2025 1:40:33 PM			
CV-24009	6/4/2025 10:07:09 AM	-118.6493503	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum
CV-24009	6/4/2025 10:10:00 AM			AtmAA; [User entered 7.53%]
CV-24009	6/4/2025 2:39:05 PM			
CV-24009	6/4/2025 10:10:00 PM			AtmAA
CV-24009	6/9/2025 8:49:31 AM			
CV-24009	6/12/2025 10:46:00 AM	-118.6493315	1378	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Fair
CV-24009	6/12/2025 10:50:00 AM			AtmAA
CV-24009	6/16/2025 3:03:38 PM			
CV-24009	6/18/2025 1:10:11 PM	-118.6493697	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24009	6/18/2025 3:24:59 PM			
CV-24009	6/23/2025 2:31:05 PM			
CV-24009	6/25/2025 1:21:43 PM	-118.6493715	1363	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24009	6/30/2025 2:42:03 PM			
CV-24010	6/5/2025 4:09:51 PM	-118.6489722	1345	NSPS/EG CAI
CV-24010	6/5/2025 4:11:30 PM	-118.6489247	1339	
CV-24010	6/29/2025 10:33:48 AM	-118.6489275	1388	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24011	6/3/2025 10:21:08 AM	-118.6501987	1358	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24011	6/3/2025 10:25:00 AM			AtmAA; [User entered 12.2%]
CV-24011	6/3/2025 10:25:00 AM			AtmAA
CV-24011	6/10/2025 8:43:58 AM	-118.6501905	1378	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24011	6/10/2025 8:45:00 AM			AtmAA
CV-24011	6/17/2025 8:52:01 AM	-118.6501803	1375	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24011	6/17/2025 9:35:44 AM			
CV-24011	6/24/2025 10:48:35 AM	-118.6501745	1391	NSPS/EG CAI,High Temp
CV-24011	6/30/2025 10:41:19 AM	-118.6502013	1375	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24012	6/3/2025 10:35:00 AM			AtmAA
CV-24012	6/3/2025 10:35:00 AM			AtmAA; [User entered 17.17%]
CV-24012	6/3/2025 10:35:13 AM	-118.6493538	1348	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24012	6/3/2025 1:58:57 PM			
CV-24012	6/10/2025 8:58:17 AM	-118.6493498	1365	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24012	6/10/2025 9:00:00 AM			AtmAA
CV-24012	6/16/2025 2:43:26 PM			
CV-24012	6/17/2025 9:06:24 AM	-118.6493355	1358	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24012	6/18/2025 3:29:19 PM			
CV-24012	6/23/2025 2:20:45 PM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24012	6/24/2025 11:15:27 AM	-118.6493617	1345	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24012	6/24/2025 2:04:10 PM			
CV-24012	6/25/2025 2:13:55 PM			
CV-24012	6/30/2025 10:53:21 AM	-118.6493688	1362	Valve Adjustment:High Temp
CV-24012	6/30/2025 2:38:05 PM			
CV-24014	6/3/2025 10:06:42 AM	-118.6489290	1373	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24014	6/3/2025 10:10:00 AM			AtmAA; [User entered 14.31%]
CV-24014	6/3/2025 10:10:00 AM			AtmAA
CV-24014	6/3/2025 1:36:02 PM			
CV-24014	6/4/2025 1:33:22 PM			
CV-24014	6/5/2025 1:57:27 PM			
CV-24014	6/9/2025 1:49:21 PM			
CV-24014	6/10/2025 8:24:30 AM	-118.6489372	1380	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24014	6/10/2025 8:25:00 AM			AtmAA
CV-24014	6/13/2025 2:37:49 PM			
CV-24014	6/18/2025 3:12:14 PM			
CV-24014	6/19/2025 10:06:13 AM	-118.6489497	1374	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24014	6/19/2025 2:25:47 PM			
CV-24014	6/23/2025 2:27:31 PM			
CV-24014	6/30/2025 2:44:03 PM			
CV-24015	6/3/2025 9:59:37 AM	-118.6485957	1358	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-24015	6/3/2025 10:00:00 AM			AtmAA; [User entered 17.08%]
CV-24015	6/3/2025 10:00:00 AM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24015	6/10/2025 8:11:21 AM	-118.6486257	1368	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-24015	6/10/2025 8:15:00 AM			AtmAA
CV-24015	6/17/2025 8:19:49 AM	-118.6486082	1350	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-24015	6/27/2025 2:25:19 PM	-118.6486282	1337	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24016	6/5/2025 11:08:03 AM	-118.6502428	1348	
CV-24016	6/19/2025 10:02:44 AM			Decreased Flow/Vacuum,NSPS/EG CAI
CV-24016	6/19/2025 10:04:43 AM	-118.6502703	1385	
CV-24017	6/3/2025 10:56:28 AM	-118.6497940	1355	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24017	6/3/2025 11:00:00 AM			AtmAA
CV-24017	6/3/2025 11:00:00 AM			AtmAA; [User entered 11.51%]
CV-24017	6/9/2025 10:15:00 AM			Air Technology
CV-24017	6/9/2025 10:15:00 AM			Air Technology; [User entered 14%]
CV-24017	6/10/2025 9:11:11 AM	-118.6498068	1370	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24017	6/10/2025 9:15:00 AM			AtmAA
CV-24017	6/17/2025 9:18:58 AM	-118.6497982	1379	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24017	6/24/2025 11:01:04 AM	-118.6497993	1368	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24017	6/30/2025 11:05:34 AM	-118.6498273	1375	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24018	6/5/2025 11:23:06 AM	-118.6499503	1401	
CV-24018	6/19/2025 10:13:24 AM	-118.6499668	1319	NSPS/EG CAI
CV-24018	6/19/2025 10:14:20 AM	-118.6500352	1348	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24019	6/3/2025 10:28:09 AM	-118.6497568	1348	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well Condition:Good
CV-24019	6/3/2025 10:30:00 AM			AtmAA
CV-24019	6/3/2025 10:30:00 AM			AtmAA; [User entered 14.71%]
CV-24019	6/10/2025 8:50:53 AM	-118.6497583	1366	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24019	6/10/2025 8:55:00 AM			AtmAA
CV-24019	6/17/2025 8:58:22 AM	-118.6497483	1359	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Fair
CV-24019	6/24/2025 10:29:49 AM	-118.6489943	1371	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24019	6/24/2025 11:23:14 AM	-118.6497968	1385	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24019	6/30/2025 10:47:34 AM	-118.6497848	1365	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24020	6/5/2025 11:44:49 AM	-118.6493527	1335	
CV-24020	6/19/2025 10:39:33 AM	-118.6493205	1371	Decreased Flow/Vacuum,NSPS/EG CAI
CV-24020	6/19/2025 10:41:28 AM	-118.6493187	1352	
CV-24021	6/3/2025 1:59:39 PM			
CV-24021	6/5/2025 11:47:40 AM	-118.6490112	1368	NSPS/EG CAI
CV-24021	6/5/2025 11:49:26 AM	-118.6490123	1371	
CV-24021	6/16/2025 2:44:19 PM			
CV-24021	6/18/2025 3:30:25 PM			
CV-24021	6/19/2025 10:47:58 AM	-118.6489388	1335	Decreased Flow/Vacuum,NSPS/EG CAI,High Temp
CV-24021	6/19/2025 10:47:59 AM	-118.6489430	1335	
CV-24021	6/19/2025 10:49:55 AM	-118.6490510	1325	
CV-24021	6/23/2025 2:22:26 PM			
CV-24021	6/24/2025 2:05:07 PM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24021	6/25/2025 2:14:44 PM			
CV-24021	6/30/2025 2:39:22 PM			
CV-24022-PLR	6/3/2025 10:13:40 AM	-118.6488008	1341	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-24022-PLR	6/10/2025 8:29:34 AM	-118.6488118	1373	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24022-PLR	6/17/2025 7:48:56 AM	-118.6487965	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-24022-PLR	6/17/2025 7:49:34 AM	-118.6487962	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-24022-PLR	6/24/2025 10:21:08 AM	-118.6487142	1417	NSPS/EG CAI,High Temp
CV-24023	6/3/2025 8:50:00 AM			AtmAA
CV-24023	6/3/2025 8:50:00 AM			AtmAA; [User entered 11.5%]
CV-24023	6/3/2025 8:50:18 AM	-118.6484188	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24023	6/10/2025 8:05:31 AM	-118.6484220	1382	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24023	6/10/2025 8:10:00 AM			AtmAA
CV-24023	6/17/2025 8:08:15 AM	-118.6484013	1372	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-24025	6/3/2025 11:05:00 AM			AtmAA
CV-24025	6/3/2025 11:05:00 AM			AtmAA; [User entered 9.94%]
CV-24025	6/3/2025 11:05:26 AM	-118.6499238	1364	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-24025	6/10/2025 9:29:51 AM	-118.6499202	1361	Valve Adjustment:NSPS/EG CAI,Audible Flow,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24025	6/10/2025 9:30:00 AM			AtmAA
CV-24025	6/17/2025 10:13:20 AM	-118.6499063	1366	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-24025	6/24/2025 1:54:59 PM	-118.6498955	1364	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-24026	6/8/2025 8:12:19 AM	-118.6492153	1385	NSPS/EG CAI,High O2,Barely Open
CV-24026	6/8/2025 8:13:48 AM	-118.6492270	1368	
CV-24026	6/19/2025 10:29:13 AM	-118.6492947	1368	NSPS/EG CAI
CV-24026	6/19/2025 10:30:24 AM	-118.6492567	1371	
CV-24027	6/5/2025 11:54:45 AM	-118.6486948	1339	
CV-24027	6/5/2025 11:56:18 AM	-118.6486893	1358	
CV-24027	6/5/2025 11:57:23 AM	-118.6486463	1355	
CV-24027	6/13/2025 2:00:21 PM	-118.6490178	1359	Valve Comment:Y24
CV-24027	6/16/2025 9:56:33 AM	-118.6487113	1372	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-24027	6/16/2025 10:00:33 AM	-118.6487292	1394	Valve Adjustment:High O2
CV-24027	6/23/2025 2:23:49 PM			
CV-24027	6/24/2025 2:06:38 PM			
CV-24027	6/25/2025 2:15:52 PM			
CV-24027	6/30/2025 2:40:49 PM			
CV-24028	6/3/2025 8:27:18 AM	-118.6484658	1353	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-24028	6/3/2025 8:30:00 AM			AtmAA; [User entered 11.94%]
CV-24028	6/3/2025 8:30:00 AM			AtmAA
CV-24028	6/10/2025 8:32:40 AM	-118.6484690	1358	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24028	6/10/2025 8:35:00 AM			AtmAA
CV-24028	6/17/2025 7:57:56 AM	-118.6484658	1369	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24028	6/24/2025 10:11:15 AM	-118.6484613	1381	NSPS/EG CAI,High Temp
CV-24028	6/30/2025 8:27:12 AM	-118.6484683	1361	Valve Comment:Unable to adjust
CV-24029	6/8/2025 9:37:14 AM	-118.6480132	1299	
CV-24029	6/28/2025 1:40:41 PM	-118.6480103	1319	
CV-24029	6/28/2025 1:42:08 PM	-118.6479683	1319	
CV-24031	6/5/2025 3:02:59 PM	-118.6498103	1289	
CV-24031	6/5/2025 3:03:40 PM	-118.6497577	1342	
CV-24031	6/19/2025 3:39:42 PM	-118.6498660	1302	
CV-24032	6/3/2025 11:14:09 AM	-118.6496178	1350	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Comment:unable to adjust need to lower well;Well Condition:Fair
CV-24032	6/3/2025 11:15:00 AM			AtmAA
CV-24032	6/3/2025 11:15:00 AM			AtmAA; [User entered 12.61%]
CV-24032	6/10/2025 9:36:41 AM	-118.6495937	1352	Valve Adjustment:NSPS/EG CAC,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-24032	6/10/2025 9:40:00 AM			AtmAA
CV-24032	6/17/2025 10:20:02 AM	-118.6495783	1354	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-24032	6/24/2025 2:46:13 PM	-118.6495847	1355	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Fair
CV-24033	6/3/2025 11:48:48 AM	-118.6494468	1339	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24033	6/3/2025 11:49:36 AM	-118.6494513	1345	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24033	6/17/2025 10:00:05 AM	-118.6494353	1355	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24033	6/24/2025 2:06:42 PM	-118.6494442	1341	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24033	6/24/2025 2:07:34 PM	-118.6494575	1362	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24034	6/3/2025 1:36:46 PM	-118.6481270	1369	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24034	6/3/2025 1:40:00 PM			AtmAA
CV-24034	6/3/2025 1:40:00 PM			AtmAA; [User entered 6.21%]
CV-24034	6/12/2025 1:10:23 PM	-118.6481115	1363	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-24034	6/12/2025 1:11:18 PM	-118.6481140	1366	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Barely Open;Well Condition:Fair
CV-24034	6/12/2025 1:15:00 PM			AtmAA
CV-24034	6/18/2025 1:47:51 PM	-118.6481120	1351	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-24034	6/24/2025 10:03:07 AM	-118.6481822	1319	Decreased Flow/Vacuum,NSPS/EG CAI,High Temp,High O2
CV-24035	6/3/2025 8:12:40 AM	-118.6476985	1349	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-24035	6/3/2025 8:15:00 AM			AtmAA; [User entered 15.25%]
CV-24035	6/3/2025 8:15:00 AM			AtmAA
CV-24035	6/10/2025 7:57:07 AM	-118.6477085	1364	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
CV-24035	6/10/2025 8:00:00 AM			AtmAA
CV-24035	6/17/2025 7:37:16 AM	-118.6477072	1363	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24035	6/25/2025 1:46:04 PM	-118.6476777	1357	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open;Well Condition:Fair
CV-24035	6/30/2025 8:21:37 AM	-118.6477032	1353	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24036	6/5/2025 2:54:47 PM	-118.6497418	1299	
CV-24036	6/19/2025 3:33:03 PM	-118.6497898	1329	Decreased Flow/Vacuum
CV-24036	6/19/2025 3:34:33 PM	-118.6497503	1325	Decreased Flow/Vacuum
CV-24037	6/3/2025 11:20:54 AM	-118.6494377	1352	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24037	6/3/2025 11:23:02 AM	-118.6494360	1345	Valve Adjustment:NSPS/EG CAC,Audible Flow,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24037	6/10/2025 9:44:42 AM	-118.6494345	1357	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24037	6/19/2025 3:45:10 PM	-118.6494430	1309	NSPS/EG CAI,High Temp
CV-24037	6/19/2025 3:47:26 PM	-118.6494283	1312	
CV-24038	6/1/2025 11:33:17 AM	-118.6512498	1273	
CV-24038	6/1/2025 11:34:15 AM	-118.6512182	1280	
CV-24038	6/3/2025 11:33:49 AM	-118.6488510	1328	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24038	6/3/2025 11:34:29 AM	-118.6488578	1331	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24038	6/3/2025 11:35:00 AM			AtmAA
CV-24038	6/3/2025 11:35:00 AM			AtmAA; [User entered 16.17%]
CV-24038	6/10/2025 9:59:30 AM	-118.6488517	1341	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24038	6/10/2025 10:00:00 AM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24038	6/10/2025 10:00:09 AM	-118.6488482	1343	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24038	6/17/2025 10:27:29 AM	-118.6488223	1339	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24038	6/17/2025 10:28:04 AM	-118.6488340	1344	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24038	6/23/2025 1:45:57 PM			
CV-24038	6/24/2025 2:33:18 PM	-118.6488317	1332	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Positive Static Press.,Valve 100% Open
CV-24038	6/24/2025 2:33:59 PM	-118.6488365	1335	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open
CV-24038	6/30/2025 9:13:48 AM	-118.6488577	1338	Valve Adjustment:High Temp,Positive Static Press.
CV-24039	6/5/2025 2:00:03 PM	-118.6487345	1280	NSPS/EG CAI,Decreased Flow/Vacuum
CV-24039	6/5/2025 2:01:49 PM	-118.6487090	1289	Decreased Flow/Vacuum
CV-24039	6/17/2025 9:42:48 AM	-118.6486607	1345	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum
CV-24039	6/17/2025 9:44:15 AM	-118.6486570	1365	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Fair
CV-24039	6/24/2025 2:27:37 PM	-118.6486478	1344	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24039	6/30/2025 9:24:28 AM	-118.6486673	1361	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24040	6/5/2025 2:05:39 PM	-118.6484337	1352	
CV-24040	6/19/2025 11:09:19 AM	-118.6483773	1329	NSPS/EG CAI,High O2,Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24040	6/19/2025 11:11:48 AM	-118.6482962	1316	
CV-24040	6/23/2025 1:40:36 PM			
CV-24041	6/5/2025 2:10:12 PM	-118.6480308	1335	
CV-24041	6/5/2025 2:11:37 PM	-118.6480970	1388	
CV-24041	6/19/2025 2:36:08 PM	-118.6481075	1355	NSPS/EG CAI,High O2
CV-24041	6/19/2025 2:37:34 PM	-118.6480455	1375	
CV-24042	6/3/2025 1:23:42 PM	-118.6474607	1364	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Good
CV-24042	6/3/2025 1:24:33 PM	-118.6474612	1375	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Good
CV-24042	6/10/2025 10:48:30 AM	-118.6474360	1387	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24042	6/10/2025 10:50:00 AM			AtmAA
CV-24042	6/17/2025 1:49:18 PM	-118.6474503	1361	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24042	6/24/2025 9:25:56 AM	-118.6474583	1404	NSPS/EG CAI,High Temp,Barely Open
CV-24042	6/30/2025 8:17:05 AM	-118.6474527	1372	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24043	6/4/2025 2:08:03 PM	-118.6496980	1341	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24043	6/20/2025 8:31:36 AM	-118.6497428	1296	
CV-24044	6/5/2025 2:51:20 PM	-118.6493875	1342	
CV-24044	6/19/2025 3:27:59 PM	-118.6493623	1352	
CV-24045	6/3/2025 11:26:14 AM	-118.6490608	1348	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Well (Watered In);Well Condition:Good
CV-24045	6/3/2025 11:30:00 AM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24045	6/3/2025 11:30:00 AM			AtmAA; [User entered 15.79%]
CV-24045	6/10/2025 9:46:57 AM	-118.6490532	1338	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24045	6/10/2025 9:47:43 AM	-118.6490620	1342	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24045	6/10/2025 9:50:00 AM			AtmAA
CV-24045	6/17/2025 2:05:34 PM	-118.6490618	1339	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24045	6/24/2025 2:39:59 PM	-118.6490520	1349	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24045	6/30/2025 9:19:44 AM	-118.6490648	1351	
CV-24046	6/5/2025 2:28:40 PM	-118.6484047	1342	
CV-24046	6/19/2025 3:00:11 PM	-118.6484940	1286	NSPS/EG CAI
CV-24046	6/19/2025 3:00:59 PM	-118.6484728	1289	
CV-24048	6/5/2025 2:14:38 PM	-118.6478082	1316	
CV-24048	6/19/2025 1:00:05 PM	-118.6477880	1368	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24048	6/19/2025 2:42:11 PM	-118.6478143	1286	
CV-24049	6/3/2025 1:53:18 PM	-118.6471633	1377	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/3/2025 1:55:00 PM			AtmAA
CV-24049	6/3/2025 1:55:00 PM			AtmAA; [User entered 9.35%]
CV-24049	6/10/2025 10:50:00 AM			AtmAA
CV-24049	6/10/2025 10:55:00 AM	-118.6471595	1386	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/11/2025 11:15:00 AM			Air Technology

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24049	6/11/2025 11:15:00 AM			Air Technology; [User entered 7.4%]
CV-24049	6/17/2025 1:56:13 PM	-118.6471672	1372	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/25/2025 9:29:15 AM	-118.6471362	1392	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24049	6/30/2025 8:46:19 AM	-118.6471817	1371	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24050	6/4/2025 2:01:42 PM	-118.6499532	1334	
CV-24050	6/19/2025 8:54:28 AM	-118.6499680	1293	
CV-24051	6/5/2025 2:37:08 PM	-118.6490242	1332	Surging Liquid in Header
CV-24051	6/5/2025 2:38:18 PM	-118.6490688	1348	
CV-24051	6/19/2025 3:21:22 PM	-118.6491530	1286	Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24051	6/19/2025 3:23:24 PM	-118.6490232	1280	Surging Liquid in Header
CV-24052	6/5/2025 2:24:05 PM	-118.6480760	1385	Barely Open
CV-24052	6/5/2025 2:25:45 PM	-118.6481547	1362	
CV-24052	6/19/2025 12:48:54 PM	-118.6480535	1370	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24052	6/19/2025 2:52:08 PM	-118.6480478	1316	Decreased Flow/Vacuum
CV-24053	6/5/2025 2:19:18 PM	-118.6477298	1401	NSPS/EG CAI
CV-24053	6/5/2025 2:20:44 PM	-118.6478443	1358	
CV-24053	6/9/2025 10:30:00 AM			Air Technology
CV-24053	6/9/2025 10:30:00 AM			Air Technology; [User entered 9.1%]
CV-24053	6/19/2025 12:52:54 PM	-118.6477812	1365	Valve Adjustment:NSPS/EG CAI,Audible Flow,High O2,Barely Open;Well Condition:Good
CV-24053	6/19/2025 12:53:21 PM	-118.6477810	1374	Valve Adjustment:NSPS/EG CAI,Audible Flow,High O2,Barely Open;Well Condition:Good
CV-24053	6/19/2025 2:46:17 PM	-118.6477740	1407	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24053	6/19/2025 2:47:43 PM	-118.6477327	1486	
CV-24054	6/4/2025 12:29:50 PM	-118.6471652	1377	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24054	6/12/2025 10:23:54 AM	-118.6471663	1380	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24054	6/26/2025 11:01:51 AM	-118.6471020	1385	NSPS/EG CAI
CV-24054	6/26/2025 11:03:24 AM	-118.6471442	1388	
CV-24055	6/5/2025 2:05:08 PM	-118.6468958	1404	Valve Adjustment:Barely Open
CV-24055	6/10/2025 10:20:00 AM			Air Technology; [User entered 6.9%]
CV-24055	6/10/2025 10:20:00 AM			Air Technology
CV-24055	6/11/2025 11:10:00 AM			Air Technology
CV-24055	6/11/2025 11:10:00 AM			Air Technology; [User entered 7.6%]
CV-24055	6/21/2025 11:17:13 AM	-118.6469015	1402	Valve Adjustment:Barely Open;Well Condition:Good
CV-24056	6/5/2025 9:40:29 AM	-118.6501238	1328	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24056	6/5/2025 9:45:00 AM			AtmAA; [User entered 7.53%]
CV-24056	6/5/2025 9:45:00 AM			AtmAA
CV-24056	6/12/2025 8:58:25 AM	-118.6501472	1342	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24056	6/12/2025 9:05:00 AM			AtmAA
CV-24056	6/18/2025 9:02:51 AM	-118.6501213	1334	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24056	6/19/2025 10:13:04 AM			
CV-24056	6/26/2025 8:00:00 AM	-118.6501232	1322	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24057	6/5/2025 9:04:29 AM	-118.6496555	1309	
CV-24057	6/22/2025 9:23:23 AM	-118.6496637	411	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24058	6/4/2025 2:13:49 PM	-118.6494347	1350	
CV-24058	6/17/2025 2:02:55 PM	-118.6494333	1347	Valve Adjustment:Surging Liquid in Header
CV-24059	6/4/2025 2:27:04 PM	-118.6490722	1349	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24059	6/4/2025 2:28:17 PM	-118.6490798	1349	
CV-24059	6/22/2025 9:38:26 AM	-118.6491133	398	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24059	6/22/2025 9:47:01 AM	-118.6491015	412	
CV-24060	6/4/2025 3:50:16 PM	-118.6487967	1349	Valve Adjustment:Decreased Flow/Vacuum
CV-24060	6/7/2025 1:25:17 PM	-118.6462587	1463	Decreased Flow/Vacuum
CV-24060	6/17/2025 2:20:25 PM	-118.6487783	1354	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24060	6/17/2025 2:21:12 PM	-118.6487778	1350	Valve Adjustment:NSPS/EG CAC,High Temp
CV-24061	6/4/2025 3:01:58 PM	-118.6486060	1358	
CV-24061	6/19/2025 1:47:06 PM	-118.6486085	1367	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24061	6/20/2025 11:26:07 AM			
CV-24062	6/4/2025 7:25:00 AM			AtmAA
CV-24062	6/4/2025 7:25:00 AM			AtmAA; [User entered 10.28%]
CV-24062	6/4/2025 7:25:52 AM	-118.6480950	1367	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24062	6/9/2025 8:50:00 AM			Air Technology; [User entered 12%]
CV-24062	6/9/2025 9:17:00 AM			Air Technology
CV-24062	6/11/2025 9:46:47 AM	-118.6480638	1368	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24062	6/11/2025 9:50:00 AM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24062	6/18/2025 10:48:36 AM	-118.6480953	1371	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24062	6/25/2025 8:27:33 AM	-118.6480713	1371	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24063	6/4/2025 7:34:25 AM	-118.6475233	1369	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24063	6/4/2025 7:35:00 AM			AtmAA; [User entered 6.83%]
CV-24063	6/4/2025 7:35:00 AM			AtmAA
CV-24063	6/9/2025 9:23:00 AM			Air Technology; [User entered 8.3%]
CV-24063	6/9/2025 9:23:00 AM			Air Technology
CV-24063	6/10/2025 1:19:24 PM	-118.6475170	1377	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Good
CV-24063	6/10/2025 1:25:00 PM			AtmAA
CV-24063	6/19/2025 8:16:23 AM	-118.6475288	1376	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24063	6/25/2025 8:45:20 AM	-118.6475142	1383	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24064	6/4/2025 7:46:01 AM	-118.6471868	1390	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Good
CV-24064	6/4/2025 7:50:00 AM			AtmAA
CV-24064	6/4/2025 7:50:00 AM			AtmAA; [User entered 7.16%]
CV-24064	6/4/2025 8:45:00 AM			Air Technology; [User entered 6.9%]
CV-24064	6/4/2025 9:16:00 AM			Air Technology
CV-24064	6/10/2025 1:01:48 PM	-118.6471617	1390	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open;Well Condition:Good
CV-24064	6/10/2025 1:05:00 PM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24064	6/19/2025 8:08:00 AM	-118.6471415	1391	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24064	6/25/2025 9:14:09 AM	-118.6471310	1385	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24065-TP17	6/5/2025 2:10:17 PM	-118.6467648	1413	Valve Adjustment:Decreased Flow/Vacuum
CV-24065-TP17	6/10/2025 8:05:00 AM			Air Technology; [User entered 0.38%]
CV-24065-TP17	6/10/2025 8:05:00 AM			Air Technology
CV-24065-TP17	6/25/2025 10:23:45 AM	-118.6467982	1408	Valve Adjustment:Decreased Flow/Vacuum
CV-24066	6/5/2025 8:57:26 AM	-118.6499035	1345	
CV-24066	6/5/2025 9:53:35 AM			
CV-24066	6/10/2025 9:50:00 AM			Air Technology; [User entered 2.2%]
CV-24066	6/10/2025 10:10:00 AM			Air Technology
CV-24066	6/19/2025 8:48:36 AM	-118.6498300	1345	
CV-24066	6/19/2025 10:15:51 AM			
CV-24066	6/25/2025 10:12:55 AM			
CV-24066	6/25/2025 10:29:47 AM	-118.6463832	1392	Valve Adjustment:High Temp
CV-24067	6/5/2025 9:01:38 AM	-118.6497537	1316	
CV-24067	6/27/2025 11:13:14 AM	-118.6497088	1368	
CV-24068	6/4/2025 8:45:57 AM	-118.6493465	1356	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24068	6/4/2025 8:50:00 AM			AtmAA; [User entered 9.555%]
CV-24068	6/4/2025 8:50:00 AM			AtmAA
CV-24068	6/11/2025 8:04:49 AM	-118.6493290	1367	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24068	6/11/2025 8:05:00 AM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24068	6/19/2025 8:44:19 AM	-118.6493112	1352	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good;Well Repairs:Sample Port
CV-24068	6/25/2025 10:06:39 AM	-118.6493108	1369	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24069	6/4/2025 2:34:18 PM	-118.6489052	1359	
CV-24069	6/5/2025 8:50:00 AM			Air Technology; [User entered 1.5%]
CV-24069	6/5/2025 8:50:00 AM			Air Technology
CV-24069	6/21/2025 11:26:54 AM	-118.6489355	410	
CV-24070	6/4/2025 2:45:58 PM	-118.6486870	1362	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24070	6/4/2025 2:48:06 PM	-118.6486942	1363	
CV-24070	6/5/2025 9:05:00 AM			Air Technology; [User entered 2.7%]
CV-24070	6/5/2025 9:05:00 AM			Air Technology
CV-24070	6/22/2025 10:00:27 AM	-118.6486512	421	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24070	6/22/2025 10:05:05 AM	-118.6487192	412	Barely Open
CV-24071	6/3/2025 9:40:00 AM			Air Technology; [User entered 1.3%]
CV-24071	6/3/2025 9:40:00 AM			Air Technology
CV-24071	6/6/2025 9:28:18 AM	-118.6484472	1342	
CV-24071	6/18/2025 9:22:17 AM	-118.6484072	1391	
CV-24071	6/18/2025 9:22:18 AM	-118.6484072	1391	
CV-24072	6/8/2025 10:26:57 AM	-118.6480135	1362	NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-24072	6/8/2025 10:28:04 AM	-118.6480247	1375	
CV-24072	6/20/2025 1:58:40 PM	-118.6480412	1370	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24072	6/25/2025 8:15:23 AM	-118.6480557	1386	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24073-TP13	6/8/2025 10:12:01 AM	-118.6476718	1339	NSPS/EG CAI,High Temp
CV-24073-TP13	6/8/2025 10:14:06 AM	-118.6477947	1368	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24073-TP13	6/19/2025 1:19:05 PM	-118.6477062	1381	Valve Adjustment:NSPS/EG CAC,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24074	6/3/2025 11:42:46 AM			
CV-24074	6/8/2025 10:17:41 AM	-118.6473792	1342	Decreased Flow/Vacuum
CV-24074	6/19/2025 1:26:25 PM	-118.6473932	1379	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24075-TP15	6/4/2025 7:52:05 AM	-118.6471355	1398	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24075-TP15	6/4/2025 7:55:00 AM			AtmAA
CV-24075-TP15	6/4/2025 7:55:00 AM			AtmAA; [User entered 10.54%]
CV-24075-TP15	6/10/2025 12:55:18 PM	-118.6471507	1386	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24075-TP15	6/10/2025 1:00:00 PM			AtmAA
CV-24075-TP15	6/19/2025 8:24:04 AM	-118.6471167	1384	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Fair
CV-24075-TP15	6/25/2025 9:05:17 AM	-118.6471093	1390	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24076	6/7/2025 2:35:39 PM	-118.6467857	1391	
CV-24076	6/12/2025 10:47:19 AM	-118.6468263	1404	Valve Adjustment:Reconnected this Date,Decreased Flow/Vacuum
CV-24076	6/18/2025 1:14:22 PM	-118.6468573	1387	Valve Adjustment:No Adjustment Made,Barely Open
CV-24077	6/4/2025 9:07:00 AM			
CV-24077	6/5/2025 8:50:35 AM	-118.6492993	1325	
CV-24077	6/5/2025 9:44:01 AM			
CV-24077	6/19/2025 8:19:32 AM	-118.6492807	1348	
CV-24077	6/19/2025 10:29:59 AM			
CV-24077	6/25/2025 9:59:28 AM			
CV-24078	6/5/2025 8:53:54 AM	-118.6494543	1348	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24078	6/9/2025 9:05:20 AM			
CV-24078	6/19/2025 8:24:03 AM	-118.6495270	1381	
CV-24078	6/19/2025 10:24:29 AM			
CV-24078	6/25/2025 10:02:18 AM			
CV-24079-TP8	6/4/2025 8:36:03 AM	-118.6491273	1364	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24079-TP8	6/4/2025 8:40:00 AM			AtmAA; [User entered 5.77%]
CV-24079-TP8	6/4/2025 8:40:00 AM			AtmAA
CV-24079-TP8	6/11/2025 7:57:35 AM	-118.6491043	1367	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Good
CV-24079-TP8	6/11/2025 8:00:00 AM			AtmAA
CV-24079-TP8	6/19/2025 8:39:10 AM	-118.6491085	1355	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24079-TP8	6/25/2025 9:55:07 AM	-118.6491062	1369	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Good
CV-24080	6/6/2025 8:36:36 AM	-118.6488812	1378	
CV-24080	6/22/2025 8:59:11 AM	-118.6488202	416	NSPS/EG CAI,High O2,Barely Open
CV-24080	6/22/2025 9:02:22 AM	-118.6488267	422	Barely Open
CV-24081-TP10	6/6/2025 8:54:19 AM	-118.6485800	1355	Decreased Flow/Vacuum
CV-24081-TP10	6/21/2025 11:19:02 AM	-118.6485560	405	Decreased Flow/Vacuum
CV-24082	6/6/2025 9:13:58 AM	-118.6482753	1325	
CV-24082	6/21/2025 11:05:43 AM	-118.6482612	423	
CV-24083	6/3/2025 2:38:30 PM	-118.6483477	1384	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24083	6/3/2025 2:40:00 PM			AtmAA; [User entered 7.71%]
CV-24083	6/3/2025 2:40:00 PM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24083	6/11/2025 8:23:59 AM	-118.6483288	1370	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24083	6/11/2025 8:25:00 AM			AtmAA
CV-24083	6/17/2025 1:00:59 PM	-118.6483247	1357	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24083	6/26/2025 9:34:44 AM	-118.6483300	1362	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24084-TP11	6/4/2025 8:29:17 AM	-118.6480360	1378	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24084-TP11	6/4/2025 8:31:11 AM	-118.6480383	1380	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24084-TP11	6/11/2025 8:30:24 AM	-118.6480127	1382	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well Condition:Fair
CV-24084-TP11	6/11/2025 8:35:00 AM			AtmAA
CV-24084-TP11	6/17/2025 12:52:55 PM	-118.6479963	1365	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open;Well Condition:Good
CV-24084-TP11	6/17/2025 12:53:30 PM	-118.6479963	1365	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Good
CV-24084-TP11	6/25/2025 8:08:47 AM	-118.6480453	1387	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24085	6/4/2025 11:01:40 AM	-118.6489930	1354	Valve Adjustment:Decreased Flow/Vacuum;Well Comment:bolted down flange to prevent air intrusion
CV-24085	6/19/2025 11:06:25 AM	-118.6490068	1341	
CV-24086	6/6/2025 8:45:48 AM	-118.6487048	1378	Decreased Flow/Vacuum
CV-24086	6/18/2025 1:31:13 PM	-118.6487083	1325	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24087	6/6/2025 8:15:14 AM	-118.6481325	1385	NSPS/EG CAI
CV-24087	6/6/2025 8:16:32 AM	-118.6481155	1427	NSPS/EG CAI
CV-24087	6/22/2025 8:25:24 AM	-118.6481865	407	NSPS/EG CAI
CV-24087	6/22/2025 8:28:31 AM	-118.6480800	413	NSPS/EG CAI,Positive Static Press.,Surging Liquid in Header
CV-24087	6/25/2025 10:03:29 AM	-118.6480903	1395	Valve Adjustment:NSPS/EG CAC,Orifice Plate Changed (See OP Log)
CV-24087	6/25/2025 10:04:47 AM	-118.6481003	1384	Valve Adjustment:Decreased Flow/Vacuum
CV-24088	6/6/2025 10:28:01 AM	-118.6476578	1381	NSPS/EG CAI,Barely Open
CV-24088	6/6/2025 10:29:25 AM	-118.6477078	1329	
CV-24088	6/22/2025 11:18:45 AM	-118.6477247	425	
CV-24089	6/5/2025 1:41:18 PM	-118.6480857	1359	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24089	6/5/2025 1:43:19 PM	-118.6480928	1357	Valve Adjustment:Decreased Flow/Vacuum
CV-24089	6/20/2025 11:20:53 AM	-118.6480535	1362	
CV-24090	6/5/2025 9:03:18 AM	-118.6475352	1366	Valve Adjustment:Decreased Flow/Vacuum;Well Comment:Possible damage to well casing below grade
CV-24090	6/20/2025 9:59:30 AM	-118.6476023	1342	Decreased Flow/Vacuum
CV-24091	6/6/2025 2:59:55 PM	-118.6468945	1352	
CV-24091	6/17/2025 3:22:16 PM			
CV-24091	6/22/2025 1:35:46 PM	-118.6469433	415	
CV-24091	6/23/2025 7:37:33 AM	-118.6468997	1440	Audible Flow,Barely Open
CV-24092	6/22/2025 1:14:32 PM	-118.6460440	439	
CV-24092	6/23/2025 7:31:39 AM	-118.6460737	1398	Audible Flow,Barely Open
CV-24093	6/7/2025 1:16:10 PM	-118.6463985	1345	
CV-24093	6/22/2025 12:48:29 AM	-118.6463790	424	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24093	6/23/2025 7:19:53 AM	-118.6463437	1450	Audible Flow,Barely Open
CV-24093	6/30/2025 12:33:51 PM	-118.6463808	1417	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24093	6/30/2025 12:37:14 PM	-118.6463560	1400	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
CV-24094	6/6/2025 3:39:31 PM	-118.6460627	1388	Decreased Flow/Vacuum
CV-24094	6/25/2025 10:02:11 AM	-118.6460560	1405	Valve Adjustment:Decreased Flow/Vacuum
CV-24094	6/30/2025 12:01:37 PM	-118.6460633	1398	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-24094	6/30/2025 12:06:03 PM	-118.6460582	1401	Valve Adjustment:Orifice Plate Changed (See OP Log),Surging Liquid in Well (Watered In)
CV-24095	6/1/2025 11:23:37 AM	-118.6514280	1253	
CV-24095	6/9/2025 8:30:00 AM			Air Technology
CV-24095	6/10/2025 8:30:00 AM			Air Technology; [User entered 11%]
CV-24095	6/18/2025 10:30:37 AM	-118.6513953	1253	
CV-24096	6/1/2025 11:09:10 AM	-118.6515573	1191	Decreased Flow/Vacuum
CV-24096	6/18/2025 10:17:04 AM	-118.6515462	1247	
CV-24097	6/1/2025 11:03:09 AM	-118.6515143	1194	
CV-24097	6/18/2025 10:12:05 AM	-118.6515295	1250	Decreased Flow/Vacuum
CV-24098	6/1/2025 10:42:07 AM	-118.6513023	1204	
CV-24098	6/18/2025 9:49:07 AM	-118.6513198	1243	
CV-24098	6/23/2025 2:09:57 PM			
CV-24098	6/25/2025 3:15:17 PM			
CV-24099	6/1/2025 10:18:32 AM	-118.6509715	1286	
CV-24099	6/18/2025 9:23:54 AM	-118.6508898	1250	
CV-24099	6/23/2025 2:07:12 PM			
CV-24099	6/24/2025 11:05:56 AM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24100	6/1/2025 9:52:42 AM	-118.6505125	1158	
CV-24100	6/1/2025 9:54:03 AM	-118.6505657	1181	
CV-24100	6/4/2025 1:29:07 PM	-118.6504775	1259	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Fair;Well Repairs:Sample Port
CV-24100	6/10/2025 8:40:00 AM			Air Technology
CV-24100	6/18/2025 9:03:09 AM	-118.6505660	1211	NSPS/EG CAI,High Temp
CV-24100	6/18/2025 9:05:32 AM	-118.6504782	1273	
CV-24100	6/25/2025 2:27:22 PM	-118.6504700	1260	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair;Well Repairs:Sample Port
CV-24100	6/25/2025 2:27:47 PM	-118.6504720	1262	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-24101	6/1/2025 9:48:03 AM	-118.6502308	1257	
CV-24101	6/10/2025 8:45:00 AM			Air Technology
CV-24101	6/10/2025 8:45:00 AM			Air Technology; [User entered 1.1%]
CV-24101	6/18/2025 8:59:30 AM	-118.6504120	1253	
CV-24101	6/23/2025 2:03:34 PM			
CV-24101	6/24/2025 9:41:04 AM			
CV-24101	6/25/2025 3:22:46 PM			
CV-24102	6/1/2025 9:29:12 AM	-118.6497212	1250	Decreased Flow/Vacuum
CV-24102	6/5/2025 8:30:00 AM			Air Technology; [User entered 0.18%]
CV-24102	6/5/2025 8:30:00 AM			Air Technology
CV-24102	6/17/2025 2:39:57 PM	-118.6497923	1299	Decreased Flow/Vacuum
CV-24103	6/4/2025 12:51:56 PM	-118.6488435	1322	Valve Comment:installed one inch orifice plate;Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24103	6/4/2025 12:58:58 PM	-118.6488298	1326	
CV-24103	6/20/2025 9:09:19 AM	-118.6488430	1293	Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24104	6/4/2025 1:28:11 PM	-118.6480747	1336	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24104	6/4/2025 1:30:05 PM	-118.6480908	1338	
CV-24104	6/20/2025 9:29:47 AM	-118.6481613	1293	
CV-24104	6/20/2025 2:34:05 PM	-118.6481000	1338	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24105	6/4/2025 2:07:47 PM	-118.6476482	1361	Valve Comment:One inch orifice plate install;Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24105	6/4/2025 2:11:04 PM	-118.6476482	1351	Valve Adjustment:Decreased Flow/Vacuum
CV-24105	6/20/2025 9:41:02 AM	-118.6476667	1342	Decreased Flow/Vacuum
CV-24105	6/20/2025 2:44:05 PM	-118.6476270	1353	Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24106	6/5/2025 8:30:43 AM	-118.6467333	1335	Valve Adjustment:Decreased Flow/Vacuum
CV-24106	6/8/2025 11:36:52 AM	-118.6466560	1306	
CV-24106	6/20/2025 10:30:01 AM	-118.6467000	1286	
CV-24106	6/20/2025 2:18:26 PM	-118.6467252	1330	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
CV-24106	6/20/2025 2:21:08 PM	-118.6471973	1348	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24107	6/20/2025 2:14:38 PM	-118.6461635	1328	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24108	6/3/2025 10:28:35 AM			
CV-24108	6/4/2025 8:40:53 AM			
CV-24108	6/5/2025 9:06:34 AM			
CV-24108	6/9/2025 10:57:56 AM			
CV-24108	6/11/2025 9:59:18 AM			
CV-24108	6/11/2025 12:41:35 PM	-118.6454570	1371	Valve Adjustment:Decreased Flow/Vacuum
CV-24108	6/12/2025 10:41:47 AM			
CV-24108	6/13/2025 2:18:30 PM			
CV-24108	6/16/2025 11:04:10 AM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24108	6/17/2025 9:54:44 AM			
CV-24108	6/19/2025 2:23:48 PM			
CV-24108	6/23/2025 9:40:38 AM			
CV-24108	6/24/2025 10:33:39 AM			
CV-24108	6/25/2025 9:23:04 AM			
CV-24108	6/26/2025 10:27:52 AM			
CV-24108	6/27/2025 9:56:55 AM			
CV-24109	6/3/2025 10:23:54 AM			
CV-24109	6/4/2025 8:24:32 AM			
CV-24109	6/5/2025 8:44:42 AM			
CV-24109	6/6/2025 3:05:06 PM	-118.6448882	1383	Valve Adjustment:Decreased Flow/Vacuum
CV-24109	6/9/2025 11:23:12 AM			
CV-24109	6/11/2025 9:46:52 AM			
CV-24109	6/12/2025 10:20:18 AM			
CV-24109	6/16/2025 10:55:49 AM			
CV-24109	6/17/2025 9:51:19 AM			
CV-24109	6/19/2025 1:54:36 PM			
CV-24109	6/23/2025 9:27:09 AM			
CV-24109	6/24/2025 10:24:33 AM			
CV-24109	6/25/2025 9:10:20 AM			
CV-24109	6/26/2025 10:22:14 AM			
CV-24110	6/12/2025 1:15:50 PM	-118.6446707	1391	Valve Adjustment:Audible Flow
CV-24111	6/3/2025 10:09:17 AM			
CV-24111	6/4/2025 9:02:13 AM			
CV-24111	6/9/2025 11:01:18 AM			
CV-24111	6/10/2025 10:57:21 AM	-118.6449820	1409	Valve Adjustment:Audible Flow,No Adjustment Made
CV-24111	6/12/2025 9:22:28 AM			
CV-24112	6/25/2025 10:58:11 AM	-118.6441463	1398	
CV-24113	6/1/2025 9:07:18 AM	-118.6497195	1230	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24114	6/10/2025 9:44:54 AM	-118.6485250	1291	Valve Adjustment:Increased Flow/Vacuum
CV-24115	6/8/2025 12:57:58 PM	-118.6468077	1227	Valve 100% Open
CV-24115	6/22/2025 11:39:49 AM	-118.6467945	1254	
CV-24116	6/11/2025 3:15:34 PM	-118.6455813	1266	
CV-24117	6/10/2025 2:32:12 PM	-118.6449550	1280	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
CV-24118	6/16/2025 2:43:38 PM			
CV-24118	6/23/2025 9:38:38 AM	-118.6438932	1306	NSPS/EG CAC,Audible Flow,Decreased Flow/Vacuum
CV-24119	6/23/2025 8:00:11 AM	-118.6423802	1253	NSPS/EG CAI,Audible Flow,Decreased Flow/Vacuum
CV-24119	6/23/2025 8:03:08 AM	-118.6423130	1280	NSPS/EG CAC
CV-24119	6/24/2025 3:11:49 PM	-118.6423078	1266	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24120	6/5/2025 9:30:00 AM			Air Technology; [User entered 0.19%]
CV-24120	6/5/2025 9:30:00 AM			Air Technology
CV-24120	6/5/2025 4:43:07 PM	-118.6473773	1276	Decreased Flow/Vacuum,NSPS/EG CAI,High O2
CV-24120	6/5/2025 4:44:09 PM	-118.6474222	1319	
CV-24120	6/20/2025 2:34:39 PM	-118.6473798	1247	NSPS/EG CAI,Decreased Flow/Vacuum
CV-24120	6/20/2025 2:36:12 PM	-118.6474155	1201	
CV-24121	6/5/2025 8:17:00 AM			Air Technology; [User entered 1.4%]
CV-24121	6/5/2025 8:17:00 AM			Air Technology
CV-24121	6/5/2025 4:37:12 PM	-118.6469760	1355	Decreased Flow/Vacuum,NSPS/EG CAI
CV-24121	6/5/2025 4:38:26 PM	-118.6469647	1302	
CV-24121	6/11/2025 8:20:56 AM			
CV-24121	6/12/2025 8:12:23 AM			
CV-24121	6/20/2025 2:25:56 PM	-118.6470280	1299	NSPS/EG CAI
CV-24121	6/20/2025 2:28:10 PM	-118.6470810	1342	
CV-24122	6/5/2025 8:00:00 AM			Air Technology; [User entered 0.19%]
CV-24122	6/5/2025 8:00:00 AM			Air Technology

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24122	6/8/2025 2:29:06 PM	-118.6466417	1280	
CV-24122	6/25/2025 11:50:59 AM	-118.6466022	1306	Valve Adjustment:Increased Flow/Vacuum
CV-24122	6/25/2025 12:21:34 PM	-118.6466167	1313	Valve Comment:bolted down flange to minimize oxygen intrusion
CV-24123	6/3/2025 12:36:00 PM	-118.6462492	1287	Valve Adjustment:Audible Flow
CV-24124	6/20/2025 2:44:32 PM	-118.6470008	1309	
CV-24125-TP20	6/4/2025 8:53:00 AM			Air Technology; [User entered 0.28%]
CV-24125-TP20	6/4/2025 8:53:00 AM			Air Technology
CV-24125-TP20	6/5/2025 4:29:02 PM	-118.6463443	1224	Decreased Flow/Vacuum
CV-24125-TP20	6/11/2025 8:13:04 AM			
CV-24125-TP20	6/12/2025 8:05:31 AM			
CV-24125-TP20	6/17/2025 8:43:01 AM			
CV-24125-TP20	6/23/2025 9:17:52 AM			
CV-24125-TP20	6/25/2025 8:33:25 AM			
CV-24126	6/5/2025 8:10:19 AM			
CV-24126	6/5/2025 11:54:40 AM	-118.6471128	1387	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24126	6/5/2025 11:55:12 AM	-118.6471215	1391	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24126	6/6/2025 2:40:32 PM			
CV-24126	6/9/2025 8:21:10 AM			
CV-24126	6/11/2025 8:55:17 AM			
CV-24126	6/12/2025 8:28:54 AM			
CV-24126	6/16/2025 9:35:37 AM			
CV-24126	6/16/2025 2:36:43 PM	-118.6471085	1373	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-24126	6/16/2025 2:37:45 PM	-118.6471040	1369	
CV-24126	6/17/2025 9:12:48 AM			
CV-24126	6/17/2025 1:37:14 PM	-118.6471082	1368	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24126	6/18/2025 10:56:17 AM			
CV-24126	6/23/2025 8:12:36 AM			
CV-24126	6/24/2025 9:16:46 AM	-118.6470618	1407	NSPS/EG CAI,Decreased Flow/Vacuum
CV-24126	6/25/2025 8:50:34 AM			
CV-24126	6/26/2025 7:47:48 AM			
CV-24126	6/26/2025 9:19:53 AM	-118.6471243	1370	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24126	6/30/2025 8:10:27 AM	-118.6471362	1381	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24126	6/30/2025 2:49:34 PM			
CV-24127	6/3/2025 9:57:45 AM			
CV-24127	6/4/2025 7:55:41 AM			
CV-24127	6/4/2025 8:06:00 AM			Air Technology; [User entered 6.0%]
CV-24127	6/4/2025 8:06:00 AM			Air Technology
CV-24127	6/5/2025 8:10:34 AM			
CV-24127	6/5/2025 11:47:35 AM	-118.6468253	1381	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24127	6/6/2025 2:38:33 PM			
CV-24127	6/9/2025 8:14:18 AM			
CV-24127	6/11/2025 8:48:56 AM			
CV-24127	6/12/2025 8:27:18 AM			
CV-24127	6/16/2025 9:33:14 AM			
CV-24127	6/17/2025 9:14:35 AM			
CV-24127	6/23/2025 8:13:55 AM			
CV-24127	6/25/2025 8:49:13 AM			
CV-24127	6/26/2025 7:45:52 AM			
CV-24127	6/30/2025 2:51:10 PM			
CV-24128	6/4/2025 8:45:00 AM			Air Technology; [User entered 3.5%]
CV-24128	6/4/2025 8:45:00 AM			Air Technology
CV-24128	6/5/2025 4:51:05 PM	-118.6464423	1312	Barely Open
CV-24129	6/5/2025 4:54:48 PM	-118.6462513	1306	NSPS/EG CAI,Increased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24129	6/5/2025 4:56:15 PM	-118.6461548	1348	Barely Open
CV-24129	6/9/2025 8:23:13 AM			
CV-24129	6/11/2025 8:35:59 AM			
CV-24129	6/12/2025 8:07:25 AM			
CV-24129	6/13/2025 2:18:26 PM			
CV-24129	6/17/2025 8:51:39 AM			
CV-24129	6/24/2025 8:30:02 AM			
CV-24129	6/25/2025 8:42:17 AM			
CV-24129	6/27/2025 9:07:39 AM			
CV-24130	6/11/2025 8:04:42 AM			
CV-24130	6/12/2025 8:00:42 AM			
CV-24130	6/17/2025 8:33:01 AM			
CV-24130	6/20/2025 2:03:31 PM	-118.6456770	1293	Decreased Flow/Vacuum
CV-24130	6/23/2025 9:13:06 AM			
CV-24130	6/25/2025 8:27:40 AM			
CV-24130	6/27/2025 8:14:20 AM			
CV-24131	6/9/2025 8:34:29 AM			
CV-24131	6/11/2025 7:58:24 AM			
CV-24131	6/12/2025 8:19:59 AM			
CV-24131	6/17/2025 8:26:41 AM			
CV-24131	6/23/2025 8:59:29 AM			
CV-24131	6/25/2025 8:21:10 AM			
CV-24131	6/25/2025 11:26:28 AM	-118.6450888	1340	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum
CV-24131	6/25/2025 11:28:53 AM	-118.6450947	1344	
CV-24131	6/26/2025 7:43:50 AM			
CV-24131	6/27/2025 8:07:42 AM			
CV-24132	6/5/2025 3:09:26 PM	-118.6440293	1273	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24133	6/21/2025 9:35:47 AM	-118.6427333	1284	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24134-TP19	6/4/2025 12:21:29 PM	-118.6465033	1371	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24134-TP19	6/4/2025 12:25:00 PM			AtmAA; [User entered 10.88%]
CV-24134-TP19	6/4/2025 12:25:00 PM			AtmAA
CV-24134-TP19	6/10/2025 12:38:04 PM	-118.6465020	1376	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24134-TP19	6/10/2025 12:40:00 PM			AtmAA
CV-24134-TP19	6/17/2025 1:25:39 PM	-118.6465002	1362	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well Condition:Good
CV-24134-TP19	6/24/2025 9:00:39 AM	-118.6464912	1388	NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum
CV-24134-TP19	6/30/2025 1:26:43 PM	-118.6465015	1368	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24135	6/5/2025 2:54:28 PM	-118.6459478	1355	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24135	6/5/2025 2:55:21 PM	-118.6459523	1357	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24136	6/5/2025 2:11:50 PM	-118.6442845	1335	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24137	6/12/2025 2:24:47 PM	-118.6434673	1341	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24137	6/12/2025 2:26:43 PM	-118.6434785	1349	Valve Adjustment:NSPS/EG CAC
CV-24138	6/2/2025 10:04:00 AM			Air Technology
CV-24138	6/2/2025 10:04:00 AM			Air Technology; [User entered 0.65%]
CV-24138	6/8/2025 1:53:38 PM	-118.6511448	1227	NSPS/EG CAI,High O2
CV-24138	6/8/2025 1:54:40 PM	-118.6512338	1247	
CV-24138	6/11/2025 9:19:30 AM			
CV-24138	6/17/2025 10:55:08 AM	-118.6512333	1277	Valve Adjustment:High Temp

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24138	6/17/2025 10:55:55 AM	-118.6512327	1294	Valve Adjustment:High Temp,Surging Liquid in Header
CV-24138	6/25/2025 3:11:30 PM			
CV-24139	6/2/2025 10:01:00 AM			Air Technology
CV-24139	6/2/2025 10:01:00 AM			Air Technology; [User entered 1.3%]
CV-24139	6/5/2025 4:18:36 PM	-118.6457007	1316	
CV-24139	6/17/2025 11:13:03 AM	-118.6511198	1272	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-24139	6/17/2025 11:14:10 AM	-118.6511163	1274	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-24139	6/17/2025 2:38:06 PM	-118.6511267	1265	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24139	6/17/2025 2:39:55 PM	-118.6511357	1267	Valve Adjustment:High Temp
CV-24139	6/19/2025 2:37:22 PM			
CV-24139	6/25/2025 11:38:11 AM	-118.6511108	1286	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Good
CV-24139	6/25/2025 11:40:47 AM	-118.6511075	1273	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Condition:Good;Well Repairs:Valve,Surging
CV-24139	6/25/2025 3:09:23 PM			
CV-24140	6/2/2025 9:55:00 AM			Air Technology
CV-24140	6/2/2025 9:55:00 AM			Air Technology; [User entered 18%]
CV-24140	6/4/2025 1:13:37 PM	-118.6511195	1287	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp;Well Condition:Good
CV-24140	6/4/2025 1:15:00 PM			AtmAA
CV-24140	6/4/2025 1:15:00 PM			AtmAA; [User entered 17.89%]
CV-24140	6/12/2025 8:43:26 AM	-118.6511393	1285	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24140	6/12/2025 8:50:00 AM			AtmAA

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24140	6/18/2025 8:38:09 AM	-118.6510918	1279	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24140	6/19/2025 2:38:05 PM			
CV-24140	6/25/2025 11:22:31 AM	-118.6511192	1282	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24140	6/25/2025 3:06:21 PM			
CV-24141	6/3/2025 8:48:00 AM			Air Technology; [User entered 0.15%]
CV-24141	6/3/2025 8:48:00 AM			Air Technology
CV-24141	6/8/2025 2:14:19 PM	-118.6512875	1240	
CV-24141	6/18/2025 11:06:53 AM	-118.6513273	1329	
CV-24142	6/4/2025 1:18:55 PM	-118.6513300	1269	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Good
CV-24142	6/4/2025 1:20:00 PM			AtmAA; [User entered 17.2%]
CV-24142	6/4/2025 1:20:00 PM			AtmAA
CV-24142	6/9/2025 8:10:00 AM			Air Technology; [User entered 17%]
CV-24142	6/9/2025 8:10:00 AM			Air Technology
CV-24142	6/12/2025 8:36:48 AM	-118.6513247	1260	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24142	6/12/2025 8:40:00 AM			AtmAA
CV-24142	6/18/2025 8:46:51 AM	-118.6513250	1262	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24142	6/25/2025 11:43:51 AM	-118.6513347	1264	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24143	6/2/2025 9:45:00 AM			Air Technology; [User entered 9.0%]
CV-24143	6/2/2025 9:45:00 AM			Air Technology
CV-24143	6/8/2025 2:05:20 PM	-118.6510995	1175	Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24143	6/8/2025 2:06:15 PM	-118.6511010	1217	
CV-24143	6/18/2025 10:56:42 AM	-118.6511488	1309	NSPS/EG CAI,Decreased Flow/Vacuum
CV-24143	6/18/2025 10:58:23 AM	-118.6511745	1293	
CV-24143	6/25/2025 3:03:42 PM			
CV-24144	6/1/2025 10:46:20 AM	-118.6517132	1224	
CV-24144	6/18/2025 9:55:32 AM	-118.6516910	1263	
CV-24145	6/3/2025 10:42:37 AM	-118.6496195	1357	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24145	6/3/2025 10:45:00 AM			AtmAA
CV-24145	6/3/2025 10:45:00 AM			AtmAA; [User entered 9.945%]
CV-24145	6/10/2025 9:04:38 AM	-118.6496198	1371	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open;Well Condition:Fair;Well Repairs:Flex Hose
CV-24145	6/10/2025 9:05:00 AM			AtmAA
CV-24145	6/17/2025 9:12:22 AM	-118.6496148	1368	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Decreased Flow/Vacuum;Well Condition:Fair;Well Repairs:Flex Hose
CV-24145	6/24/2025 11:08:02 AM	-118.6496697	1378	High Temp,NSPS/EG CAI
CV-24145	6/30/2025 10:59:48 AM	-118.6496338	1369	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24146	6/3/2025 11:58:32 AM	-118.6463883	1294	Valve Adjustment:Increased Flow/Vacuum
CV-24146	6/25/2025 12:43:15 PM	-118.6463920	1301	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24146	6/25/2025 12:45:12 PM	-118.6464080	1305	Valve Adjustment:Increased Flow/Vacuum
CV-24147	6/3/2025 12:05:24 PM	-118.6459603	1302	Valve Adjustment:Audible Flow
CV-24147	6/3/2025 12:19:31 PM	-118.6459593	1290	Valve Adjustment:Decreased Flow/Vacuum
CV-24147	6/20/2025 3:04:33 PM	-118.6459523	1285	Valve Comment:Y11;Valve Adjustment:Increased Flow/Vacuum,CAI FOR SEM

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24148	6/6/2025 1:31:57 PM	-118.6469292	1381	
CV-24148	6/12/2025 10:54:38 AM	-118.6466557	1391	Valve Adjustment:Barely Open
CV-24148	6/18/2025 1:05:18 PM	-118.6466268	1397	Valve Adjustment:No Adjustment Made,Barely Open
CV-24149	6/6/2025 1:37:55 PM	-118.6470178	1404	
CV-24149	6/19/2025 1:08:52 PM	-118.6469792	1395	Valve Adjustment:Audible Flow,Barely Open;Well Comment:Unable to reach system port;Well Condition:Fair
CV-24150	6/6/2025 3:48:50 PM	-118.6457572	1365	
CV-24150	6/26/2025 10:21:18 AM	-118.6457013	1421	
CV-24150	6/26/2025 10:21:18 AM	-118.6457013	1421	
CV-24150	6/30/2025 1:34:40 PM	-118.6457340	1413	Valve Adjustment:Decreased Flow/Vacuum
CV-24151	6/5/2025 3:19:32 PM	-118.6475990	1391	
CV-24151	6/19/2025 1:14:53 PM	-118.6475980	1385	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24152	6/6/2025 1:54:07 PM	-118.6471703	1430	
CV-24152	6/19/2025 1:12:28 PM	-118.6471407	1385	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24152	6/24/2025 1:09:20 PM	-118.6471518	1404	Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down
CV-24153	6/7/2025 2:21:17 PM	-118.6463363	1348	
CV-24153	6/16/2025 11:13:19 AM	-118.6463947	1393	Valve Adjustment:No Adjustment Made
CV-24153	6/30/2025 12:18:29 PM	-118.6463998	1386	Valve Adjustment:Increased Flow/Vacuum
CV-24154	6/7/2025 11:22:40 AM	-118.6460568	1411	
CV-24154	6/16/2025 11:06:52 AM	-118.6460740	1398	Valve Adjustment:Barely Open
CV-24154	6/30/2025 12:23:44 PM	-118.6460695	1398	
CV-24155	6/7/2025 2:17:58 PM	-118.6466088	1388	
CV-24155	6/20/2025 11:27:55 AM	-118.6467018	1394	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24156	6/6/2025 9:46:23 AM	-118.6476508	1394	NSPS/EG CAI,Increased Flow/Vacuum
CV-24156	6/6/2025 9:49:06 AM	-118.6476875	1371	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24156	6/18/2025 9:12:45 AM	-118.6477920	1434	
CV-24157	6/6/2025 11:39:40 AM	-118.6472990	1325	NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
CV-24157	6/6/2025 11:41:35 AM	-118.6472433	1319	
CV-24157	6/22/2025 11:47:12 AM	-118.6472035	443	
CV-24158	6/6/2025 2:09:29 PM	-118.6470007	1378	
CV-24158	6/22/2025 11:57:27 AM	-118.6470617	421	
CV-24159	6/7/2025 1:06:54 PM	-118.6466410	1375	
CV-24159	6/22/2025 12:37:37 AM	-118.6465325	418	
CV-24160	6/8/2025 10:42:16 AM	-118.6462592	1375	
CV-24160	6/22/2025 1:01:20 PM	-118.6461640	418	
CV-24160	6/23/2025 7:26:32 AM	-118.6462212	1421	
CV-24161	6/10/2025 11:30:39 AM	-118.6455772	1403	Valve Adjustment:Decreased Flow/Vacuum
CV-24162	6/3/2025 10:26:30 AM			
CV-24162	6/4/2025 8:28:56 AM			
CV-24162	6/5/2025 8:53:31 AM			
CV-24162	6/6/2025 2:57:31 PM	-118.6451160	1375	Valve Adjustment:Decreased Flow/Vacuum
CV-24162	6/9/2025 11:31:12 AM			
CV-24162	6/11/2025 9:51:23 AM			
CV-24162	6/12/2025 10:35:48 AM			
CV-24162	6/16/2025 11:02:38 AM			
CV-24162	6/19/2025 2:13:33 PM			
CV-24162	6/23/2025 9:35:40 AM			
CV-24162	6/24/2025 10:28:20 AM			
CV-24162	6/25/2025 9:15:26 AM			
CV-24162	6/26/2025 10:29:01 AM			
CV-24163	6/3/2025 11:36:14 AM			
CV-24163	6/3/2025 1:53:23 PM	-118.6444828	1343	Valve Adjustment:Increased Flow/Vacuum
CV-24163	6/9/2025 9:29:56 AM			

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24163	6/11/2025 9:49:00 AM	-118.6443452	1329	
CV-24163	6/13/2025 3:24:01 PM	-118.6444870	1333	Valve Comment:y3;Valve Adjustment:Increased Flow/Vacuum,CAI FOR SEM
CV-24164	6/6/2025 10:17:22 AM	-118.6479998	1375	NSPS/EG CAI,Increased Flow/Vacuum
CV-24164	6/6/2025 10:18:40 AM	-118.6479692	1371	
CV-24164	6/6/2025 10:18:41 AM	-118.6479588	1368	
CV-24164	6/22/2025 11:25:10 AM	-118.6480038	413	
CV-24165	6/6/2025 11:21:51 AM	-118.6472290	1362	
CV-24165	6/16/2025 2:03:30 PM	-118.6472447	1387	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24165	6/16/2025 2:04:22 PM	-118.6472303	1385	Valve Adjustment:NSPS/EG CAC,Barely Open
CV-24166	6/1/2025 1:30:25 PM	-118.6468872	1406	Valve Adjustment:Increased Flow/Vacuum
CV-24166	6/18/2025 9:51:58 AM	-118.6468620	1398	
CV-24167	6/1/2025 1:21:29 PM	-118.6464668	1407	Valve Adjustment:Decreased Flow/Vacuum
CV-24167	6/16/2025 1:41:25 PM	-118.6464682	1422	Valve Adjustment:No Adjustment Made
CV-24168	6/6/2025 11:07:10 AM	-118.6473453	1378	
CV-24168	6/16/2025 2:08:21 PM	-118.6473283	1395	Valve Adjustment:No Adjustment Made
CV-24169	6/6/2025 10:56:17 AM	-118.6477038	1345	NSPS/EG CAI,Increased Flow/Vacuum
CV-24169	6/6/2025 10:57:32 AM	-118.6477543	1371	
CV-24169	6/16/2025 2:13:23 PM	-118.6476997	1382	Valve Adjustment:No Adjustment Made,Barely Open
CV-24170	6/6/2025 8:27:40 AM	-118.6484552	1355	
CV-24170	6/22/2025 8:48:08 AM	-118.6484828	408	
CV-24171	6/6/2025 2:44:19 PM	-118.6465740	1378	
CV-24171	6/22/2025 1:27:33 PM	-118.6465982	416	
CV-24172	6/6/2025 3:12:25 PM	-118.6472922	1378	NSPS/EG CAI,High O2
CV-24172	6/6/2025 3:14:42 PM	-118.6473342	1348	
CV-24172	6/22/2025 1:52:01 PM	-118.6473407	414	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24173	6/6/2025 3:25:56 PM	-118.6476837	1325	
CV-24173	6/22/2025 2:01:13 PM	-118.6476393	414	
CV-24174	6/5/2025 9:15:43 AM	-118.6480155	1382	Valve Adjustment:Decreased Flow/Vacuum
CV-24174	6/18/2025 1:24:50 PM	-118.6480197	1352	
CV-24175	6/5/2025 9:26:59 AM	-118.6484597	1386	Valve Adjustment:Decreased Flow/Vacuum
CV-24175	6/22/2025 2:17:33 PM	-118.6483873	414	NSPS/EG CAI
CV-24175	6/22/2025 2:19:20 PM	-118.6484135	414	
CV-24176	6/5/2025 8:46:49 AM	-118.6488543	1365	
CV-24176	6/24/2025 12:32:51 PM	-118.6488702	1361	
CV-24176	6/24/2025 12:38:32 PM	-118.6488737	1362	Valve Comment:second read was to confirm air intrusion was corrected
CV-24177	6/1/2025 1:03:48 PM	-118.6495557	1270	
CV-24177	6/18/2025 1:14:55 PM	-118.6494012	1325	
CV-24178	6/5/2025 9:49:01 AM	-118.6485867	1354	Valve Adjustment:Decreased Flow/Vacuum
CV-24178	6/20/2025 11:06:32 AM	-118.6485023	1404	
CV-24179	6/1/2025 12:56:31 PM	-118.6492850	1260	
CV-24179	6/19/2025 10:58:05 AM	-118.6492260	1334	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24179	6/19/2025 11:00:02 AM	-118.6491912	1341	Valve Adjustment:Decreased Flow/Vacuum
CV-24180	6/5/2025 9:53:48 AM	-118.6487932	1334	Valve Adjustment:Barely Open
CV-24180	6/24/2025 12:15:04 PM	-118.6488203	1342	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24180	6/24/2025 12:16:06 PM	-118.6487988	1341	
CV-24181	6/5/2025 10:17:51 AM	-118.6483752	1349	Valve Comment:Waiting on more orifice plates for three inch wellheads;Valve Adjustment:Decreased Flow/Vacuum
CV-24181	6/11/2025 1:31:13 PM	-118.6484258	1338	Valve Adjustment:Orifice Plate Changed (See OP Log),Reconnected this Date,Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24181	6/20/2025 11:11:00 AM	-118.6484443	1332	
CV-24184	6/5/2025 8:44:01 AM	-118.6472687	1350	Valve Adjustment:High O2,Decreased Flow/Vacuum;Well Comment:air intrusion located at header
CV-24184	6/5/2025 8:44:50 AM	-118.6472825	1357	Valve Adjustment:High O2
CV-24184	6/20/2025 9:52:41 AM	-118.6472872	1371	NSPS/EG CAI,High O2
CV-24184	6/20/2025 9:53:56 AM	-118.6473655	1394	
CV-24185	6/5/2025 1:58:35 PM	-118.6469537	1361	Valve Adjustment:Audible Flow
CV-24185	6/20/2025 10:04:17 AM	-118.6469220	1345	
CV-24186	6/8/2025 11:06:29 AM	-118.6465182	1342	
CV-24186	6/20/2025 10:19:14 AM	-118.6465685	1381	
CV-24187	6/4/2025 10:14:01 AM	-118.6495850	1307	Valve Adjustment:Decreased Flow/Vacuum;Well Comment:Differential port too high to connect
CV-24187	6/4/2025 10:17:17 AM	-118.6495765	1308	
CV-24187	6/19/2025 10:50:05 AM	-118.6495933	1309	
CV-24188	6/1/2025 9:43:40 AM	-118.6501032	1263	
CV-24188	6/18/2025 8:49:29 AM	-118.6500412	1165	
CV-24189	6/1/2025 9:24:13 AM	-118.6499398	1263	
CV-24189	6/18/2025 8:40:23 AM	-118.6501073	1240	
CV-24190	6/4/2025 9:51:26 AM	-118.6494770	1310	Valve Adjustment:Audible Flow
CV-24190	6/19/2025 10:41:53 AM	-118.6494820	1324	
CV-24192	6/4/2025 9:45:36 AM	-118.6494890	1309	Valve Adjustment:Increased Flow/Vacuum
CV-24192	6/19/2025 10:33:16 AM	-118.6495043	1290	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
CV-24193	6/3/2025 1:15:47 PM	-118.6490658	1320	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
CV-24193	6/5/2025 10:00:40 AM	-118.6490573	1335	Valve Comment:y48;Valve Adjustment:48hr CIA FOR SEM
CV-24193	6/19/2025 10:24:16 AM	-118.6490955	1308	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24194	6/4/2025 1:17:06 PM	-118.6484693	1330	Valve Adjustment:Increased Flow/Vacuum
CV-24194	6/20/2025 9:24:45 AM	-118.6484413	1342	
CV-24195	6/4/2025 1:39:58 PM	-118.6478688	1343	Valve Comment:installed one inch orifice plate;Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24195	6/4/2025 1:42:20 PM	-118.6478585	1345	Valve Adjustment:Decreased Flow/Vacuum
CV-24195	6/20/2025 9:35:54 AM	-118.6478103	1322	
CV-24195	6/20/2025 2:39:47 PM	-118.6478545	1358	Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24196	6/8/2025 12:39:39 PM	-118.6470287	1358	Increased Flow/Vacuum
CV-24196	6/20/2025 9:46:45 AM	-118.6471817	1345	
CV-24196	6/20/2025 2:47:27 PM	-118.6471783	1348	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24197	6/8/2025 11:25:41 AM	-118.6465987	1316	
CV-24197	6/25/2025 1:35:15 PM	-118.6465792	1346	Valve Adjustment:Increased Flow/Vacuum
CV-24198	6/4/2025 1:55:50 PM	-118.6475720	1336	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24198	6/4/2025 1:59:29 PM	-118.6476025	1334	Valve Adjustment:Decreased Flow/Vacuum
CV-24198	6/20/2025 10:44:10 AM	-118.6475883	1319	
CV-24198	6/20/2025 2:27:38 PM	-118.6476033	1345	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
CV-24199	6/4/2025 2:20:03 PM	-118.6473013	1340	Valve Adjustment:Audible Flow
CV-24199	6/20/2025 10:39:19 AM	-118.6471492	1378	
CV-24199	6/20/2025 2:24:01 PM	-118.6473185	1337	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24200	6/8/2025 12:23:46 PM	-118.6472330	1217	Increased Flow/Vacuum
CV-24200	6/22/2025 11:52:20 AM	-118.6472825	1284	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24200	6/22/2025 11:54:37 AM	-118.6472405	1284	Valve Adjustment:Increased Flow/Vacuum
CV-24201	6/8/2025 12:13:30 PM	-118.6466553	1283	
CV-24201	6/22/2025 12:02:18 PM	-118.6466580	1285	
CV-24202	6/3/2025 10:42:30 AM			
CV-24202	6/8/2025 12:00:51 PM	-118.6462880	1243	
CV-24202	6/16/2025 11:31:09 AM			
CV-24202	6/17/2025 3:24:11 PM			
CV-24202	6/22/2025 12:20:39 PM	-118.6462818	1292	
CV-24202	6/23/2025 11:06:22 AM			
CV-24202	6/25/2025 9:49:16 AM			
CV-24202	6/27/2025 10:16:14 AM			
CV-24203	6/8/2025 1:23:13 PM	-118.6459877	1188	Increased Flow/Vacuum
CV-24203	6/22/2025 12:57:26 PM	-118.6459908	1241	
CV-24204	6/8/2025 1:27:28 PM	-118.6463105	1220	Increased Flow/Vacuum
CV-24204	6/22/2025 1:02:01 PM	-118.6462657	1226	
CV-24205	6/8/2025 1:11:20 PM	-118.6465395	1184	Increased Flow/Vacuum
CV-24205	6/22/2025 1:07:28 PM	-118.6464612	1226	
CV-24206	6/3/2025 10:38:40 AM			
CV-24206	6/8/2025 1:35:26 PM	-118.6468277	1230	
CV-24206	6/16/2025 11:08:59 AM			
CV-24206	6/22/2025 11:47:32 AM	-118.6467777	1280	Valve Adjustment:Decreased Flow/Vacuum
CV-24206	6/23/2025 11:12:15 AM			
CV-24206	6/25/2025 9:39:12 AM			
CV-24206	6/27/2025 10:24:10 AM			
CV-24207	6/6/2025 2:30:41 PM	-118.6469800	1378	
CV-24207	6/18/2025 11:09:32 AM	-118.6469550	1417	
CV-24208	6/11/2025 3:27:00 PM	-118.6451040	1240	NSPS/EG CAI,Increased Flow/Vacuum
CV-24208	6/11/2025 3:28:20 PM	-118.6451185	1178	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24209	6/3/2025 11:01:00 AM			
CV-24209	6/11/2025 10:25:10 AM			
CV-24209	6/11/2025 2:55:29 PM	-118.6456523	1214	
CV-24209	6/16/2025 11:34:05 AM			
CV-24209	6/17/2025 3:20:11 PM			
CV-24209	6/23/2025 10:58:04 AM			
CV-24209	6/25/2025 9:36:04 AM			
CV-24209	6/27/2025 10:03:52 AM			
CV-24210	6/3/2025 10:34:47 AM			
CV-24210	6/5/2025 9:11:39 AM			
CV-24210	6/9/2025 11:39:46 AM			
CV-24210	6/10/2025 1:45:49 PM	-118.6455613	1312	Valve Adjustment:Decreased Flow/Vacuum
CV-24210	6/11/2025 10:10:20 AM			
CV-24210	6/13/2025 2:35:01 PM			
CV-24210	6/16/2025 11:06:10 AM			
CV-24210	6/17/2025 9:58:38 AM			
CV-24210	6/19/2025 2:31:20 PM			
CV-24210	6/23/2025 10:53:13 AM			
CV-24210	6/25/2025 9:26:13 AM			
CV-24210	6/26/2025 10:29:36 AM			
CV-24210	6/27/2025 10:00:48 AM			
CV-24211	6/20/2025 2:59:03 PM	-118.6438397	1249	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24212	6/20/2025 3:04:25 PM	-118.6430400	1262	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24213	6/5/2025 3:21:41 PM	-118.6429823	1318	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24214	6/5/2025 2:05:46 PM	-118.6435115	1323	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24215	6/21/2025 9:51:59 AM	-118.6447822	1318	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24216	6/5/2025 3:17:57 PM	-118.6423463	1300	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Excellent
CV-24217	6/5/2025 2:31:24 PM	-118.6444060	1393	Valve Adjustment:No Adjustment Made
CV-24218	6/5/2025 2:20:30 PM	-118.6458120	1391	Valve Adjustment:No Adjustment Made
CV-24219	6/7/2025 3:01:17 PM	-118.6461818	1381	
CV-24219	6/18/2025 1:34:35 PM	-118.6462032	1382	Valve Adjustment:No Adjustment Made
CV-24220	6/3/2025 11:42:09 AM			
CV-24220	6/11/2025 9:33:35 AM	-118.6440427	1299	
CV-24220	6/11/2025 9:34:47 AM	-118.6439842	1312	
CV-24220	6/13/2025 3:07:16 PM	-118.6439810	1339	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair
CV-24220	6/13/2025 3:12:58 PM	-118.6439890	1336	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24222	6/23/2025 7:53:10 AM	-118.6420117	1293	
CV-24223	6/23/2025 8:49:14 AM	-118.6425248	1201	
CV-24224	6/3/2025 1:59:08 PM	-118.6448228	1323	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24224	6/3/2025 2:00:28 PM	-118.6448185	1323	Valve Adjustment:High Temp
CV-24225	6/20/2025 2:55:10 PM	-118.6444420	1292	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Fair;Well Repairs:Sample Port
CV-24226	6/23/2025 8:57:56 AM	-118.6442947	1237	NSPS/EG CAC,Audible Flow
CV-24227	6/1/2025 9:10:13 AM	-118.6497638	1234	
CV-24231	6/12/2025 8:35:21 AM	-118.6496632	1282	Valve Adjustment:Decreased Flow/Vacuum
CV-24236	6/1/2025 7:49:10 AM	-118.6504888	1198	
CV-24236	6/13/2025 10:58:54 AM	-118.6504682	1222	Valve Comment:Y2;Valve Adjustment:Increased Flow/Vacuum,CAI FOR SEM
CV-24237	6/1/2025 8:45:42 AM	-118.6503085	1161	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-24243	6/11/2025 8:09:28 AM	-118.6506537	1203	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-24243	6/11/2025 8:12:18 AM	-118.6506487	1203	Valve Adjustment:High O2
CV-24244	6/11/2025 8:22:46 AM	-118.6513467	1202	Valve Adjustment:Decreased Flow/Vacuum
CV-24245	6/11/2025 8:00:12 AM	-118.6500908	1165	Valve Adjustment:Increased Flow/Vacuum
CV-24246	6/11/2025 7:54:31 AM	-118.6494697	1156	Valve Adjustment:Decreased Flow/Vacuum
CV-25	6/21/2025 8:42:45 AM	-118.6416982	1220	Valve Adjustment:Audible Flow;Well Condition:Fair
CV-2501	6/8/2025 10:22:49 AM	-118.6484503	1337	Valve Comment:No fresh carbon filter;Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum;Well Comment:connected 06062025
CV-2501	6/8/2025 10:23:42 AM	-118.6484727	1338	Valve Adjustment:Positive Static Press.
CV-2501	6/10/2025 10:35:32 AM	-118.6484503	1325	Valve Adjustment:NSPS/EG CAC,Audible Flow,Positive Static Press.,Increased Flow/Vacuum
CV-2501	6/10/2025 10:37:31 AM	-118.6484635	1323	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
CV-2501	6/10/2025 12:47:04 PM	-118.6484672	1331	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2502	6/8/2025 10:08:54 AM	-118.6490970	1321	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum
CV-2502	6/8/2025 10:11:08 AM	-118.6490983	1332	Valve Comment:Connected 06062025;Valve Adjustment:Positive Static Press.
CV-2502	6/10/2025 9:23:45 AM	-118.6490747	1340	Valve Adjustment:NSPS/EG CAC
CV-2502	6/10/2025 9:25:08 AM	-118.6490988	1333	Valve Adjustment:Audible Flow
CV-2503	6/10/2025 10:18:51 AM	-118.6477447	1320	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Orifice Plate Changed (See OP Log),Reconnected this Date,Increased Flow/Vacuum
CV-2503	6/10/2025 10:20:03 AM	-118.6477487	1319	Valve Adjustment:Audible Flow

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2503	6/10/2025 12:40:03 PM	-118.6477573	1308	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2504	6/8/2025 1:13:39 PM	-118.6489312	1271	Valve Comment:reconnected 06062025;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
CV-2504	6/8/2025 1:15:26 PM	-118.6489170	1284	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2504	6/9/2025 3:36:28 PM	-118.6489523	1252	Valve Adjustment:NSPS/EG CAC
CV-2504	6/9/2025 3:37:52 PM	-118.6489407	1255	Valve Adjustment:Increased Flow/Vacuum
CV-2505	6/8/2025 1:05:29 PM	-118.6471798	1243	Valve Comment:reconnected 06062025;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
CV-2505	6/8/2025 1:06:28 PM	-118.6471863	1242	
CV-2505	6/9/2025 11:28:50 AM	-118.6471833	1241	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-2505	6/9/2025 11:31:06 AM	-118.6471807	1233	Valve Adjustment:Audible Flow
CV-2506	6/8/2025 12:56:03 PM	-118.6475812	1241	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
CV-2506	6/8/2025 12:57:14 PM	-118.6475730	1239	Valve Comment:reconnected 06062025
CV-2506	6/9/2025 11:14:06 AM	-118.6475892	1230	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-2506	6/9/2025 11:15:47 AM	-118.6475758	1237	Valve Adjustment:Audible Flow
CV-2507	6/8/2025 10:48:05 AM	-118.6481567	1216	Valve Comment:connected 06062025;Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum
CV-2507	6/8/2025 10:49:06 AM	-118.6481550	1219	Valve Adjustment:Positive Static Press.,Decreased Flow/Vacuum
CV-2507	6/8/2025 12:51:28 PM	-118.6481565	1217	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2507	6/9/2025 10:51:39 AM	-118.6481605	1211	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Valve 100% Open
CV-2507	6/23/2025 10:07:52 AM	-118.6481830	1213	Valve Adjustment:NSPS/EG CAC
CV-2508	6/1/2025 11:01:46 AM	-118.6487347	1185	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/1/2025 11:02:57 AM	-118.6487388	1179	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/1/2025 1:00:08 PM	-118.6487605	1190	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/3/2025 9:18:37 AM	-118.6487282	1191	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/3/2025 1:27:03 PM	-118.6487728	1197	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/4/2025 9:31:06 AM	-118.6487563	1200	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/5/2025 8:03:30 AM	-118.6487628	1206	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/8/2025 12:43:12 PM	-118.6487562	1205	Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/9/2025 10:40:54 AM	-118.6487503	1194	Valve Adjustment:NSPS/EG CAC,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum
CV-2508	6/9/2025 10:42:41 AM	-118.6487560	1195	Valve Adjustment:Audible Flow
CV-2509	6/1/2025 10:43:43 AM	-118.6491647	1185	Valve Adjustment:NSPS/EG CAC,Audible Flow
CV-2509	6/1/2025 10:46:52 AM	-118.6492133	1176	Valve Adjustment:Decreased Flow/Vacuum
CV-2510	6/1/2025 10:51:16 AM	-118.6498353	1176	Valve Adjustment:NSPS/EG CAC,Audible Flow
CV-2510	6/1/2025 10:52:22 AM	-118.6498288	1176	Valve Adjustment:Audible Flow
CV-2511	6/1/2025 9:20:37 AM	-118.6501883	1256	Valve Adjustment:NSPS/EG CAC,Increased Flow/Vacuum
CV-2512	6/12/2025 8:24:20 AM	-118.6506333	1252	Valve Adjustment:Audible Flow
CV-2513	6/1/2025 10:37:38 AM	-118.6487970	1160	Valve Adjustment:NSPS/EG CAC
CV-2513	6/1/2025 10:39:24 AM	-118.6488647	1179	Valve Adjustment:Audible Flow
CV-2514	6/1/2025 10:29:58 AM	-118.6478070	1148	Valve Adjustment:Audible Flow

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-2540	6/21/2025 10:47:27 AM	-118.6480612	426	
CV-2540	6/22/2025 9:18:05 AM	-118.6480888	1381	Valve Adjustment:Decreased Flow/Vacuum
CV-2541	6/21/2025 3:48:07 PM	-118.6490212	398	NSPS/EG CAI,Reconnected this Date,High Temp,Positive Static Press.
CV-2541	6/21/2025 3:50:42 PM	-118.6489850	404	
CV-2541	6/25/2025 10:24:12 AM	-118.6490428	1351	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Barely Open;Well Condition:Good
CV-2541	6/25/2025 10:32:12 AM	-118.6490378	1360	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Barely Open;Well Condition:Good
CV-2541	6/25/2025 10:33:34 AM	-118.6490420	1359	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Barely Open;Well Condition:Good
CV-2554	6/26/2025 10:36:04 AM	-118.6482545	1361	Valve Adjustment:Reconnected this Date,Decreased Flow/Vacuum;Well Condition:Excellent
CV-48R	6/3/2025 12:40:07 PM	-118.6458607	1285	Valve Adjustment:Audible Flow
CV-55R	6/11/2025 1:42:30 PM	-118.6428473	1217	NSPS/EG CAI,High Temp
CV-55R	6/11/2025 1:44:54 PM	-118.6429017	1165	Decreased Flow/Vacuum,Barely Open
CV-55R	6/17/2025 12:36:25 PM	-118.6427722	1305	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-55R	6/17/2025 12:37:18 PM	-118.6427758	1315	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-55R	6/25/2025 2:46:45 PM	-118.6427652	1313	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-55R	6/25/2025 2:48:05 PM	-118.6427882	1315	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-56D	6/11/2025 1:51:16 PM	-118.6430370	1286	Barely Open
CV-56D	6/11/2025 4:00:17 PM	-118.6430175	1247	Decreased Flow/Vacuum
CV-56S	6/11/2025 1:52:57 PM	-118.6431607	1296	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
CV-56S	6/11/2025 4:05:48 PM	-118.6430823	1270	Decreased Flow/Vacuum
CV-57R	6/11/2025 9:04:37 AM	-118.6436077	1371	Decreased Flow/Vacuum
CV-74R	6/6/2025 9:59:43 AM	-118.6476403	1378	NSPS/EG CAI,Barely Open,Increased Flow/Vacuum
CV-74R	6/6/2025 10:01:15 AM	-118.6476805	1388	
CV-79R	6/3/2025 2:09:20 PM	-118.6448552	1325	
CV-84S	6/7/2025 1:31:02 PM	-118.6463145	1427	Barely Open,NSPS/EG CAI,High O2
CV-84S	6/7/2025 1:32:41 PM	-118.6462387	1417	Barely Open
CV-85S	6/6/2025 2:51:30 PM	-118.6467903	1411	
CV-85S	6/22/2025 12:18:26 AM	-118.6468437	432	Decreased Flow/Vacuum
CV-94	6/27/2025 11:34:16 AM	-118.6435640	1394	
CV-95	6/11/2025 8:59:13 AM	-118.6437220	1358	Decreased Flow/Vacuum
CV-99	6/5/2025 4:24:45 PM	-118.6463360	1276	NSPS/EG CAI,Increased Flow/Vacuum
CV-99	6/5/2025 4:25:49 PM	-118.6463987	1293	
CV-99	6/11/2025 10:55:00 AM			Air Technology
CV-99	6/11/2025 10:55:00 AM			Air Technology; [User entered 0.58%]
D-02	6/11/2025 10:42:52 AM	-118.6443567	1125	Valve 100% Open
D-03	6/11/2025 10:45:21 AM	-118.6443348	1158	Valve 100% Open
D-04	6/11/2025 10:40:32 AM	-118.6443192	1122	Valve 100% Open
D-05	6/11/2025 10:36:29 AM	-118.6441765	1158	Decreased Flow/Vacuum
D-05	6/11/2025 10:38:08 AM	-118.6442557	1138	Decreased Flow/Vacuum
D-09	6/11/2025 11:45:50 AM	-118.6463288	1141	Valve Adjustment:Valve 100% Open
D-10	6/11/2025 11:50:10 AM	-118.6458530	1137	Valve Adjustment:Valve 100% Open
FP-001	6/5/2025 5:05:30 PM	-118.6457742	1276	
FP-001	6/20/2025 2:36:26 PM	-118.6458455	1378	
FP-002	6/5/2025 5:01:30 PM	-118.6462115	1329	
FP-002	6/5/2025 5:02:37 PM	-118.6462433	1316	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
FP-003	6/5/2025 4:59:05 PM	-118.6465135	1332	
FP-005	6/29/2025 11:03:10 AM	-118.6473348	1394	
FP-006	6/27/2025 1:32:03 PM	-118.6475837	1444	
FP-008	6/27/2025 1:36:45 PM	-118.6481297	1375	
FP-009	6/11/2025 12:51:39 PM	-118.6489260	1374	Valve Adjustment:Audible Flow
FP-011	6/30/2025 9:25:29 AM	-118.6495285	1386	
FP-011	6/30/2025 9:26:26 AM	-118.6495252	1387	Valve Adjustment:High O2,Positive Static Press.
FP-012	6/5/2025 10:42:42 AM	-118.6498830	1362	
FP-013	6/5/2025 10:48:09 AM	-118.6502855	1371	
FP-015	6/28/2025 1:46:39 PM	-118.6479402	1352	
FP-016	6/29/2025 11:09:47 AM	-118.6477395	1352	
FP-017	6/12/2025 1:25:43 PM	-118.6486560	1356	
FP-018	6/5/2025 2:45:37 PM	-118.6490963	1309	
FP-019	6/11/2025 1:21:08 PM	-118.6491457	1341	
FP-020	6/11/2025 1:14:25 PM	-118.6492582	1342	
FP-021	6/11/2025 1:02:10 PM	-118.6495157	1360	
FP-022	6/11/2025 1:10:42 PM	-118.6491337	1358	Valve Adjustment:Valve 100% Open
FP-023	6/12/2025 1:04:14 PM	-118.6492138	1344	
FP-024	6/21/2025 11:51:31 AM	-118.6477772	1366	
FP-025	6/21/2025 11:47:28 AM	-118.6477405	1364	
FP-026	6/21/2025 11:41:59 AM	-118.6480480	1366	
FP-027	6/21/2025 11:37:22 AM	-118.6482258	1367	
FP-028	6/21/2025 11:33:26 AM	-118.6483698	1353	
FP-029	6/12/2025 1:18:37 PM	-118.6489235	1348	
FP-029	6/20/2025 3:00:40 PM	-118.6488857	1309	
FP-030	6/5/2025 2:57:38 PM	-118.6496613	1325	
FP-031	6/5/2025 3:00:03 PM	-118.6497717	1309	
FP-032	6/5/2025 3:06:42 PM	-118.6498443	1342	
FP-033	6/11/2025 12:58:52 PM	-118.6499340	1367	
FP-034	6/5/2025 11:33:24 AM	-118.6499857	1362	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
FP-035	6/5/2025 11:18:34 AM	-118.6500618	1401	
FP-036	6/5/2025 11:01:25 AM	-118.6502385	1342	
FP-037	6/5/2025 10:58:06 AM	-118.6503370	1371	
FP-038	6/30/2025 10:08:01 AM	-118.6497890	1322	
FP-039	6/30/2025 10:00:04 AM	-118.6498452	1328	
FP-039	6/30/2025 10:03:54 AM	-118.6498463	1335	Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open
FP-040	6/26/2025 9:55:51 AM	-118.6510242	1309	
FP-041	6/26/2025 10:10:52 AM	-118.6506160	1283	Valve Adjustment:Surging Liquid in Header
FP-042	6/1/2025 11:19:04 AM	-118.6512753	1237	
FP-043	6/26/2025 10:06:17 AM	-118.6507848	1280	
FP-044	6/26/2025 10:01:43 AM	-118.6507780	1283	
H-01 (EXP-01)	6/3/2025 9:43:59 AM	-118.6441608	1223	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
H-01 (EXP-01)	6/3/2025 9:46:46 AM	-118.6441595	1237	Valve Adjustment:Decreased Flow/Vacuum
H-01 (EXP-01)	6/20/2025 3:31:58 PM	-118.6442430	1175	
H-02 (EXP-02)	6/3/2025 9:52:41 AM	-118.6445957	1243	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down
H-02 (EXP-02)	6/3/2025 9:56:30 AM	-118.6446187	1246	Valve Adjustment:Decreased Flow/Vacuum
H-02 (EXP-02)	6/20/2025 3:28:13 PM	-118.6445067	1243	
H-03 (EXP-03)	6/3/2025 9:59:14 AM	-118.6446572	1231	Valve Adjustment:Audible Flow
H-03 (EXP-03)	6/20/2025 3:26:16 PM	-118.6447248	1204	
H-04 (EXP-04)	6/3/2025 10:05:49 AM	-118.6447105	1243	Valve Adjustment:Decreased Flow/Vacuum
H-04 (EXP-04)	6/20/2025 3:24:47 PM	-118.6446573	1227	
H-08 (EXP-08)	6/3/2025 10:16:31 AM	-118.6465588	1261	Valve Adjustment:Audible Flow
H-08 (EXP-08)	6/20/2025 2:57:33 PM	-118.6464890	1260	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-10 (EXP-10)	6/3/2025 10:21:13 AM	-118.6470865	1277	Valve Adjustment:Decreased Flow/Vacuum
H-10 (EXP-10)	6/20/2025 3:01:05 PM	-118.6469933	1283	
H-101W	6/1/2025 8:02:57 AM	-118.6506418	1132	
H-101W	6/1/2025 8:04:59 AM	-118.6504730	1184	Barely Open
H-102A	6/1/2025 8:12:59 AM	-118.6505432	1237	Decreased Flow/Vacuum
H-104	6/1/2025 8:20:02 AM	-118.6505992	1194	Barely Open,NSPS/EG CAI
H-104	6/1/2025 8:21:16 AM	-118.6505745	1171	Barely Open
H-1401W	6/1/2025 8:26:04 AM	-118.6505073	1161	
H-1404C	6/5/2025 10:34:17 AM	-118.6482887	1360	Valve Adjustment:Barely Open
H-1404C	6/20/2025 11:16:46 AM	-118.6482830	1368	
H-1405C	6/1/2025 1:15:10 PM	-118.6496097	1302	
H-1405C	6/18/2025 1:30:11 PM	-118.6496780	1273	
H-1406W	6/1/2025 10:14:33 AM	-118.6507532	1181	
H-1406W	6/18/2025 9:20:03 AM	-118.6507388	1243	Decreased Flow/Vacuum
H-1408CR	6/10/2025 10:00:18 AM	-118.6474447	1300	Valve Adjustment:Orifice Plate Changed (See OP Log),Audible Flow,Decreased Flow/Vacuum
H-1408CR	6/10/2025 10:06:21 AM	-118.6474503	1301	Valve Adjustment:Decreased Flow/Vacuum
H-1408E	6/6/2025 11:16:32 AM	-118.6471827	1381	Decreased Flow/Vacuum
H-1408E	6/18/2025 10:52:53 AM	-118.6472610	1312	
H-1408W	6/1/2025 9:18:19 AM	-118.6499672	1227	Barely Open
H-1408W	6/17/2025 2:53:29 PM	-118.6499845	1188	
H-1409N	6/8/2025 10:53:47 AM	-118.6468757	1342	
H-1409N	6/20/2025 10:14:49 AM	-118.6470520	1329	
H-1410S	6/11/2025 11:17:40 AM	-118.6467128	1227	Valve Comment:suspect damaged below grade;Valve Adjustment:Audible Flow
H-1563N	6/4/2025 1:55:53 PM	-118.6498245	1350	
H-1563N	6/6/2025 11:11:47 AM	-118.6471503	1316	Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-1563N	6/18/2025 10:46:57 AM	-118.6471233	1375	
H-1563S	6/1/2025 1:12:10 PM	-118.6496635	1227	
H-1563S	6/18/2025 1:26:59 PM	-118.6496282	1316	
H-1565C	6/4/2025 3:07:10 PM	-118.6484915	1365	Valve Adjustment:Decreased Flow/Vacuum
H-1565C	6/22/2025 10:29:52 AM	-118.6484667	408	Decreased Flow/Vacuum
H-1565E	6/6/2025 11:25:18 AM	-118.6472232	1365	
H-1565E	6/18/2025 10:32:12 AM	-118.6473005	1319	
H-1568N	6/8/2025 10:34:31 AM	-118.6471047	1368	
H-1568N	6/22/2025 11:40:51 AM	-118.6470388	423	Decreased Flow/Vacuum
H-1571S	6/11/2025 2:30:49 PM	-118.6452175	1227	Decreased Flow/Vacuum
H-1572N	6/11/2025 10:01:14 AM	-118.6446770	1345	Barely Open
H-1572S	6/11/2025 2:44:42 PM	-118.6446808	1227	Decreased Flow/Vacuum
H-1574N	6/1/2025 10:51:04 AM	-118.6517327	1201	
H-1574N	6/18/2025 10:00:54 AM	-118.6517987	1243	
H-1753S	6/4/2025 1:49:35 PM	-118.6495695	1355	
H-1753S	6/20/2025 8:28:25 AM	-118.6494953	1339	Surging Liquid in Header
H-1754S	6/4/2025 2:52:29 PM	-118.6486753	1360	Valve Adjustment:Barely Open
H-1755S	6/1/2025 10:26:17 AM	-118.6509645	1204	Barely Open,NSPS/EG CAI
H-1755S	6/1/2025 10:27:19 AM	-118.6509682	1207	Barely Open
H-1755S	6/16/2025 10:58:02 AM	-118.6509697	1272	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In)
H-1755S	6/16/2025 10:58:50 AM	-118.6509795	1265	Valve Adjustment:High O2
H-1756S	6/1/2025 2:14:37 PM	-118.6503017	1220	NSPS/EG CAI
H-1756S	6/1/2025 2:15:42 PM	-118.6502483	1257	Barely Open
H-1756S	6/18/2025 2:32:22 PM	-118.6503078	1227	
H-1757S	6/1/2025 1:19:20 PM	-118.6497620	1253	
H-1757S	6/1/2025 1:21:46 PM	-118.6498553	1266	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-1757S	6/18/2025 1:38:30 PM	-118.6497487	1348	
H-1760S	6/5/2025 9:09:52 AM	-118.6478585	1398	Valve Adjustment:Decreased Flow/Vacuum
H-1760S	6/18/2025 1:18:52 PM	-118.6479220	1401	Decreased Flow/Vacuum
H-1762N	6/3/2025 1:02:55 PM	-118.6468468	1388	Valve Adjustment:Orifice Plate Changed (See OP Log),Audible Flow
H-1762N	6/3/2025 1:03:57 PM	-118.6468410	1388	Valve Adjustment:Audible Flow
H-1762N	6/16/2025 1:47:30 PM	-118.6468745	1397	Valve Adjustment:Increased Flow/Vacuum
H-1763N	6/7/2025 1:37:21 PM	-118.6462818	1348	Decreased Flow/Vacuum
H-1763S	6/10/2025 2:01:17 PM	-118.6460243	1317	Valve Adjustment:No Adjustment Made
H-1764N	6/11/2025 1:51:19 PM	-118.6456497	1376	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-1764S	6/11/2025 2:26:45 PM	-118.6454397	1289	Barely Open
H-1767N	6/11/2025 3:40:14 PM	-118.6436013	1181	Decreased Flow/Vacuum
H-1769N	6/5/2025 10:24:12 AM	-118.6495067	1362	
H-1769N	6/18/2025 3:17:06 PM	-118.6494915	1362	
H-1770A	6/5/2025 11:13:01 AM	-118.6500477	1342	
H-1770A	6/19/2025 9:58:23 AM	-118.6502440	1362	Decreased Flow/Vacuum
H-1770N	6/5/2025 10:36:28 AM	-118.6500563	1342	Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
H-1770N	6/12/2025 8:55:00 AM			Air Technology
H-1770N	6/12/2025 8:55:00 AM			Air Technology; [User entered 1.5%]
H-1770N	6/18/2025 3:29:40 PM	-118.6499343	1276	
H-1770S	6/1/2025 1:39:40 PM	-118.6501205	1289	
H-1770S	6/18/2025 2:03:11 PM	-118.6501095	1293	
H-1771A	6/5/2025 12:18:26 PM	-118.6464078	1368	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
H-1771B	6/5/2025 2:15:27 PM	-118.6466367	1400	Valve Adjustment:No Adjustment Made

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-1771N	6/7/2025 11:19:29 AM	-118.6462667	1371	
H-1771N	6/26/2025 8:12:34 AM	-118.6462610	1450	
H-1771N	6/30/2025 12:10:59 PM	-118.6462610	1396	Valve Adjustment:Plugged/Pinched Suspected
H-1772N	6/6/2025 1:22:36 PM	-118.6470685	1401	NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
H-1772N	6/6/2025 1:26:45 PM	-118.6470057	1362	
H-1772N	6/18/2025 9:52:34 AM	-118.6470155	1386	Valve Adjustment:No Adjustment Made
H-1774N	6/5/2025 3:57:11 PM	-118.6507837	1358	Decreased Flow/Vacuum
H-1774N	6/19/2025 2:11:41 PM	-118.6506270	1234	
H-1801S	6/11/2025 9:39:33 AM	-118.6440797	1352	
H-1802S	6/3/2025 2:16:56 PM	-118.6447603	1340	Valve Adjustment:Increased Flow/Vacuum
H-1802S	6/13/2025 2:46:46 PM	-118.6447390	1350	Valve Comment:Verified OP;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
H-1802S	6/13/2025 2:48:11 PM	-118.6447272	1350	Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Good
H-1803N	6/5/2025 10:22:07 AM	-118.6485905	1338	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
H-1803N	6/5/2025 10:25:00 AM			AtmAA
H-1803N	6/5/2025 10:25:00 AM			AtmAA; [User entered 17.88%]
H-1803N	6/10/2025 8:19:11 AM	-118.6485935	1352	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
H-1803N	6/10/2025 8:20:00 AM			AtmAA
H-1803N	6/17/2025 8:29:30 AM	-118.6485603	1356	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-1803N	6/27/2025 2:36:17 PM	-118.6485942	1336	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Fair
H-1804A	6/7/2025 3:12:27 PM	-118.6458160	1388	Decreased Flow/Vacuum,NSPS/EG CAI,High O2
H-1804A	6/7/2025 3:13:36 PM	-118.6458640	1381	
H-1804A	6/18/2025 2:26:28 PM	-118.6457035	1398	
H-1804B	6/9/2025 11:09:45 AM	-118.6456265	1382	Valve Adjustment:Audible Flow,No Adjustment Made
H-1804B	6/30/2025 12:45:40 PM	-118.6456403	1381	Valve Adjustment:Increased Flow/Vacuum
H-1804B	6/30/2025 1:00:10 PM	-118.6456570	1391	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-1804N	6/5/2025 2:45:23 PM	-118.6456888	1348	Valve Adjustment:Audible Flow;Well Condition:Good
H-1804S	6/11/2025 2:02:54 PM	-118.6457013	1377	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
H-1804S	6/11/2025 2:07:39 PM	-118.6457175	1379	Valve Comment:Adjusted temp probe to accurately reflect well temp
H-1805A	6/10/2025 11:07:14 AM	-118.6451070	1413	Valve Adjustment:Audible Flow,No Adjustment Made
H-1805B	6/6/2025 3:10:02 PM	-118.6451772	1368	
H-1805S	6/20/2025 2:10:08 PM	-118.6451585	1327	Valve Adjustment:Audible Flow;Well Condition:Good
H-1806A	6/12/2025 2:14:21 PM	-118.6442195	1383	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-1806A	6/12/2025 2:32:48 PM	-118.6442222	1390	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-1806B	6/11/2025 10:08:09 AM	-118.6444192	1348	Barely Open
H-1806N	6/5/2025 2:26:47 PM	-118.6443080	1352	Valve Adjustment:Audible Flow;Well Condition:Good
H-1806S	6/23/2025 9:18:49 AM	-118.6444362	1299	Audible Flow,Barely Open
H-1807A	6/11/2025 12:51:57 PM	-118.6436188	1293	
H-1807N	6/5/2025 2:01:13 PM	-118.6435530	1352	Valve Adjustment:NSPS/EG CAI,Audible Flow,High O2,Valve 100% Closed;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-1807N	6/5/2025 2:01:55 PM	-118.6435463	1354	Valve Adjustment:NSPS/EG CAI,High O2,Valve 100% Closed;Well Condition:Fair
H-1807S	6/11/2025 9:24:28 AM	-118.6434405	1296	Decreased Flow/Vacuum
H-1952S	6/4/2025 3:21:21 PM	-118.6476068	1375	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
H-1952S	6/4/2025 3:22:24 PM	-118.6476100	1374	
H-1952S	6/22/2025 11:09:17 AM	-118.6474900	416	
H-1953N	6/5/2025 11:52:16 AM	-118.6469373	1380	Valve Adjustment:Audible Flow;Well Condition:Good
H-1954C	6/7/2025 3:05:09 PM	-118.6460152	1309	Decreased Flow/Vacuum
H-1954C	6/18/2025 1:37:51 PM	-118.6460610	1411	Valve Adjustment:No Adjustment Made
H-1955C	6/12/2025 1:47:52 PM	-118.6454000	1404	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-1955N	6/5/2025 2:48:30 PM	-118.6455202	1337	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
H-1956B	6/9/2025 11:23:43 AM	-118.6447493	1387	Valve Adjustment:Audible Flow,No Adjustment Made
H-1956N	6/5/2025 2:31:19 PM	-118.6448897	1342	Valve Adjustment:Audible Flow;Well Condition:Good
H-1956S	6/3/2025 2:05:10 PM	-118.6448937	1336	
H-1957B	6/11/2025 8:44:15 AM	-118.6439325	1355	Barely Open
H-1957N	6/5/2025 2:17:02 PM	-118.6442172	1355	Valve Adjustment:Audible Flow;Well Condition:Good
H-1957S	6/11/2025 9:44:02 AM	-118.6440643	1247	
H-1958C	6/11/2025 12:45:41 PM	-118.6435480	1293	Decreased Flow/Vacuum
H-1958N	6/5/2025 1:57:57 PM	-118.6435238	1346	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-1958S	6/11/2025 9:16:45 AM	-118.6433477	1332	Decreased Flow/Vacuum
H-1962N	6/5/2025 10:40:20 AM	-118.6501567	1378	
H-1962N	6/17/2025 1:20:33 PM	-118.6501483	1376	Valve Adjustment:Decreased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-1962N	6/18/2025 3:33:02 PM	-118.6501228	1388	
H-1963N	6/5/2025 10:21:11 AM	-118.6495998	1404	Decreased Flow/Vacuum
H-1963N	6/18/2025 3:13:14 PM	-118.6495070	1352	
H-1964S	6/4/2025 2:56:49 PM	-118.6488352	1356	
H-1964S	6/17/2025 2:13:48 PM	-118.6488358	1346	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
H-1964S	6/17/2025 2:14:25 PM	-118.6488442	1352	Valve Adjustment:NSPS/EG CAC
H-1965S	6/6/2025 10:38:16 AM	-118.6479387	1358	NSPS/EG CAI,Increased Flow/Vacuum
H-1965S	6/6/2025 10:39:32 AM	-118.6479617	1355	
H-1965S	6/22/2025 10:56:20 AM	-118.6479607	410	Decreased Flow/Vacuum
H-1966N	6/5/2025 3:53:19 PM	-118.6508102	1332	
H-1966N	6/19/2025 2:07:54 PM	-118.6507717	1299	
H-1967E	6/10/2025 1:31:38 PM	-118.6458212	1139	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
H-1967E	6/10/2025 1:32:48 PM	-118.6458222	1136	Valve Adjustment:High O2
H-1967W	6/1/2025 7:41:51 AM	-118.6508260	1165	Increased Flow/Vacuum
H-2050E	6/11/2025 9:09:41 AM	-118.6474837	1082	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
H-2050W	6/11/2025 7:35:37 AM	-118.6491075	1191	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum
H-2050W	6/11/2025 7:38:47 AM	-118.6491002	1185	Valve Adjustment:Audible Flow
H-2051W	6/25/2025 9:20:22 AM	-118.6507915	1197	
H-2053E	6/11/2025 12:00:52 PM	-118.6458363	1140	
H-2053W	6/1/2025 8:07:39 AM	-118.6505123	1171	Increased Flow/Vacuum
H-2055E	6/8/2025 12:05:22 PM	-118.6466865	1250	
H-2055E	6/22/2025 12:15:30 PM	-118.6466017	1301	
H-2056B	6/22/2025 10:16:25 AM	-118.6474703	1148	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-2056B	6/22/2025 10:19:32 AM	-118.6474580	1146	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
H-2056W	6/1/2025 7:38:12 AM	-118.6508713	1171	Increased Flow/Vacuum
H-2057E	6/11/2025 11:57:58 AM	-118.6458228	1138	Valve Adjustment:Audible Flow
H-2057W	6/1/2025 7:56:09 AM	-118.6506515	1158	Increased Flow/Vacuum
H-2058E	6/11/2025 11:42:24 AM	-118.6464468	1139	Valve Adjustment:Valve 100% Open
H-2058W	6/1/2025 7:32:48 AM	-118.6508055	1220	Increased Flow/Vacuum
H-2059E	6/11/2025 10:48:08 AM	-118.6462673	1170	
H-2059W	6/1/2025 8:52:35 AM	-118.6502123	1184	
H-2160E	6/11/2025 11:29:36 AM	-118.6466493	1184	Valve Adjustment:Valve 100% Open
H-2161E	6/11/2025 10:53:30 AM	-118.6464648	1201	Valve Adjustment:Increased Flow/Vacuum
H-2161W	6/1/2025 8:49:36 AM	-118.6502313	1217	
H-2162A	6/4/2025 10:30:10 AM	-118.6489815	1360	Valve Adjustment:High O2,Barely Open;Well Comment:Suspect damage to well below grade
H-2162A	6/4/2025 10:31:46 AM	-118.6489728	1361	
H-2162A	6/19/2025 11:17:22 AM	-118.6489697	1341	
H-2163C	6/4/2025 12:42:45 PM	-118.6486577	1319	Valve Comment:continuum working on header
H-2163C	6/20/2025 9:03:36 AM	-118.6486467	1247	Decreased Flow/Vacuum
H-2163W	6/1/2025 9:02:07 AM	-118.6499133	1214	Decreased Flow/Vacuum
H-2163W	6/17/2025 2:48:35 PM	-118.6498932	1260	Barely Open
H-2164A	6/4/2025 1:07:31 PM	-118.6487018	1334	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
H-2164A	6/4/2025 1:10:25 PM	-118.6487107	1333	
H-2164A	6/20/2025 9:17:31 AM	-118.6487348	1371	
H-2164E	6/8/2025 11:51:25 AM	-118.6460843	1270	
H-2164E	6/22/2025 12:25:31 PM	-118.6460863	1282	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-2165E	6/11/2025 3:22:07 PM	-118.6449982	1181	Decreased Flow/Vacuum
H-2165W	6/1/2025 10:02:02 AM	-118.6502940	1168	
H-2165W	6/9/2025 8:30:00 AM			Air Technology
H-2165W	6/9/2025 8:30:00 PM			Air Technology; [User entered 1.1%]
H-2165W	6/18/2025 9:10:39 AM	-118.6504198	1181	
H-2166C	6/5/2025 2:38:05 PM	-118.6448452	1390	Valve Adjustment:No Adjustment Made
H-2166E	6/12/2025 1:42:50 PM	-118.6438582	1368	Valve Adjustment:No Adjustment Made,Surging Liquid in Header
H-2167A	6/7/2025 2:25:23 PM	-118.6462777	1378	
H-2167A	6/18/2025 1:09:32 PM	-118.6463067	1408	Valve Adjustment:No Adjustment Made
H-2167A	6/30/2025 1:13:07 PM	-118.6463697	1406	Valve Adjustment:Decreased Flow/Vacuum
H-2167E	6/11/2025 8:29:26 AM	-118.6439710	1329	NSPS/EG CAI,High O2,Barely Open
H-2167E	6/11/2025 8:30:50 AM	-118.6438752	1335	
H-2167W	6/4/2025 7:32:06 AM	-118.6476442	1372	Valve Adjustment:Audible Flow;Well Condition:Good
H-2167W	6/19/2025 1:21:44 PM	-118.6476312	1377	Valve Adjustment:Audible Flow;Well Condition:Good
H-2168A	6/7/2025 2:02:54 PM	-118.6465568	1352	Barely Open
H-2168A	6/16/2025 11:20:32 AM	-118.6465747	1388	Valve Adjustment:Barely Open,Surging Liquid in Well (Watered In)
H-2168C	6/9/2025 11:19:29 AM	-118.6447868	1380	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
H-2168E	6/11/2025 8:39:22 AM	-118.6439195	1368	Decreased Flow/Vacuum
H-2169C	6/13/2025 3:27:48 PM	-118.6450493	1363	Valve Adjustment:Increased Flow/Vacuum,Barely Open
H-2169E	6/11/2025 8:48:15 AM	-118.6441478	1342	Barely Open
H-2169E	6/13/2025 2:28:47 PM	-118.6442278	1355	Valve Comment:Y1;Valve Adjustment:Increased Flow/Vacuum,CAI FOR SEM

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-2170N	6/5/2025 3:27:36 PM	-118.6414427	1265	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
H-2170S	6/5/2025 3:43:29 PM	-118.6414847	1244	Valve Adjustment:Audible Flow;Well Condition:Good
H-2171A	6/21/2025 9:40:13 AM	-118.6424955	1255	Valve Adjustment:Audible Flow;Well Condition:Fair
H-2171B	6/21/2025 9:30:54 AM	-118.6416355	1255	Valve Adjustment:Audible Flow;Well Condition:Good
H-2171N	6/21/2025 9:44:24 AM	-118.6432932	1278	Valve Adjustment:Audible Flow;Well Condition:Good
H-2171S	6/5/2025 3:29:51 PM	-118.6414687	1257	Valve Adjustment:Audible Flow;Well Condition:Good
H-2272W	6/1/2025 9:32:38 AM	-118.6498355	1253	
H-2272W	6/25/2025 8:58:07 AM	-118.6497792	1293	Valve Adjustment:Decreased Flow/Vacuum
H-2273W	6/1/2025 2:19:52 PM	-118.6499940	1276	Barely Open
H-2273W	6/9/2025 8:50:00 AM			Air Technology; [User entered 0.87%]
H-2273W	6/9/2025 8:50:00 AM			Air Technology
H-2273W	6/18/2025 2:36:07 PM	-118.6500042	1286	
H-2274B	6/8/2025 11:17:12 AM	-118.6466648	1325	
H-2274B	6/20/2025 10:23:50 AM	-118.6467547	1332	
H-2274W	6/1/2025 2:09:47 PM	-118.6503462	1293	
H-2274W	6/18/2025 2:29:06 PM	-118.6503893	1243	
H-2275C	6/5/2025 1:16:19 PM	-118.6482663	1341	Valve Comment:new waste pile;Valve Adjustment:Barely Open
H-2275E	6/10/2025 1:55:46 PM	-118.6462038	1324	Valve Adjustment:Audible Flow,No Adjustment Made
H-2275W	6/1/2025 1:00:32 PM	-118.6495447	1296	
H-2275W	6/18/2025 1:04:14 PM	-118.6494713	1276	
H-2276A	6/29/2025 9:14:12 AM	-118.6483133	1358	
H-2276B	6/8/2025 10:50:20 AM	-118.6468478	1371	
H-2276B	6/20/2025 10:11:16 AM	-118.6469018	1365	
H-2276E	6/20/2025 2:07:52 PM	-118.6453602	1326	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-2276W	6/1/2025 1:25:30 PM	-118.6499672	1302	
H-2276W	6/18/2025 1:42:24 PM	-118.6499587	1276	
H-2277A	6/29/2025 9:22:59 AM	-118.6487783	1378	
H-2277B	6/6/2025 2:55:06 PM	-118.6468462	1348	
H-2277B	6/22/2025 1:32:27 PM	-118.6469007	424	
H-23 (EXP-23)	6/25/2025 9:08:31 AM	-118.6421092	1264	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
H-23 (EXP-23)	6/25/2025 9:09:18 AM	-118.6421035	1265	Valve Adjustment:NSPS/EG CAC
H-2301E	6/23/2025 12:21:45 PM	-118.6479900	1032	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-2301E	6/23/2025 12:27:25 PM	-118.6479785	1026	Valve Adjustment:Decreased Flow/Vacuum
H-2302C	6/11/2025 8:36:19 AM	-118.6490043	1130	Valve Adjustment:Increased Flow/Vacuum
H-2302E	6/18/2025 4:18:16 PM	-118.6471492	971	NSPS/EG CAI
H-2302E	6/18/2025 4:25:01 PM	-118.6471807	1007	
H-2303E	6/23/2025 12:10:27 PM	-118.6471952	1073	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-2303N	6/11/2025 8:55:36 AM	-118.6484128	1141	Valve Adjustment:Increased Flow/Vacuum
H-2304S	6/23/2025 12:41:19 PM	-118.6488783	1088	
H-2305N	6/11/2025 8:50:22 AM	-118.6486203	1152	Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered In)
H-2305S	6/23/2025 12:47:30 PM	-118.6484825	1072	
H-2306N	6/11/2025 9:01:36 AM	-118.6475458	1125	Valve Adjustment:Audible Flow
H-2306S	6/11/2025 9:20:15 AM	-118.6480320	1083	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Increased Flow/Vacuum,Surging Liquid in Header
H-2306S	6/11/2025 9:22:08 AM	-118.6480318	1078	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Surging Liquid in Header,Surging Liquid in Well (Watered In)

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-2306S	6/11/2025 9:31:57 AM	-118.6480393	1082	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Header,Surging Liquid in Well (Watered In)
H-2306S	6/11/2025 9:34:31 AM	-118.6480325	1086	Valve Adjustment:NSPS/EG CAC,Surging Liquid in Header,Surging Liquid in Well (Watered In)
H-2309N	6/10/2025 9:39:17 AM	-118.6489255	1300	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
H-2309N	6/10/2025 9:40:22 AM	-118.6489035	1299	Valve Adjustment:High O2,Barely Open
H-2309S	6/11/2025 8:41:50 AM	-118.6488955	1103	
H-2402N	6/4/2025 10:58:38 AM	-118.6502865	1209	
H-2402N	6/9/2025 10:07:37 AM	-118.6502793	1224	Valve Adjustment:Increased Flow/Vacuum
H-2402S	6/23/2025 10:22:39 AM	-118.6504973	1201	
H-2403N	6/4/2025 11:09:05 AM	-118.6501653	1219	
H-2403N	6/8/2025 9:47:16 AM	-118.6501755	1223	Valve Comment:no fresh carbon filter exchanged wellhead;Valve Adjustment:Audible Flow;Well Repairs:Valve
H-2404N	6/4/2025 1:10:01 PM	-118.6495405	1203	
H-2404S	6/11/2025 9:46:15 AM	-118.6493150	1171	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
H-2405N	6/8/2025 10:30:30 AM	-118.6495157	1260	Valve Adjustment:NSPS/EG CAC,Audible Flow
H-2405N	6/8/2025 10:35:14 AM	-118.6495303	1260	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
H-29	6/5/2025 3:37:51 PM	-118.6417892	1273	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
H-31	6/21/2025 9:05:47 AM	-118.6427057	1237	Valve Adjustment:Audible Flow;Well Condition:Fair
H-72	6/21/2025 9:57:55 AM	-118.6448055	1317	Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
H-74	6/5/2025 3:05:44 PM	-118.6433025	1304	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
H-79	6/11/2025 1:33:13 PM	-118.6426458	1257	NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
H-79	6/11/2025 1:35:13 PM	-118.6427682	1250	Barely Open
P-02R	6/6/2025 1:03:14 PM	-118.6439342	1159	Valve Adjustment:Audible Flow;Well Condition:Good
P-02R	6/6/2025 1:10:09 PM	-118.6439235	1171	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
P-03R	6/6/2025 1:12:39 PM	-118.6442275	1165	Valve Adjustment:Audible Flow;Well Condition:Good
P-04	6/2/2025 10:56:07 AM	-118.6445533	1155	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-05	6/2/2025 11:00:24 AM	-118.6447668	1152	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-06R	6/6/2025 8:03:22 AM	-118.6450798	1146	Valve Adjustment:Audible Flow;Well Condition:Good
P-07R	6/6/2025 1:19:11 PM	-118.6432983	1171	Valve Adjustment:Audible Flow;Well Condition:Fair
P-08R	6/6/2025 1:00:11 PM	-118.6437580	1169	Valve Adjustment:Audible Flow;Well Condition:Good
P-09	6/2/2025 12:38:15 PM	-118.6442570	1175	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-10	6/2/2025 12:44:09 PM	-118.6446137	1149	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-11	6/2/2025 12:50:36 PM	-118.6449605	1134	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-12	6/6/2025 7:54:53 AM	-118.6456300	1117	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
P-13	6/6/2025 7:58:23 AM	-118.6458208	1118	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
P-14	6/2/2025 1:05:07 PM	-118.6460408	1113	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-15R	6/2/2025 1:10:43 PM	-118.6458820	1119	Valve Adjustment:Reduce Sys. Vac. - Flare Down

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
P-16	6/6/2025 8:15:07 AM	-118.6456262	1081	Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Surging Liquid in Well (Watered In);Well Condition:Fair
P-17	6/2/2025 2:14:09 PM	-118.6453200	1094	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-18RD	6/2/2025 2:09:13 PM	-118.6449927	1099	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-18RS	6/2/2025 2:01:23 PM	-118.6450150	1095	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-19	6/6/2025 8:19:25 AM	-118.6452072	1075	Valve Adjustment:Audible Flow;Well Condition:Good
P-20R	6/2/2025 1:54:17 PM	-118.6448325	1095	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-21	6/2/2025 1:49:06 PM	-118.6448013	1086	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-21RD	6/6/2025 8:30:55 AM	-118.6444228	1127	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
P-21RD	6/18/2025 11:39:08 AM	-118.6443987	1133	Valve Adjustment:Orifice Plate Changed (See OP Log)
P-21RD	6/19/2025 2:07:41 PM	-118.6443938	1122	
P-21RD	6/21/2025 8:47:46 AM	-118.6444982	344	Increased Flow/Vacuum
P-21RS	6/6/2025 8:28:40 AM	-118.6444025	1127	Valve Adjustment:NSPS/EG CAC,Audible Flow;Well Condition:Good
P-21RS	6/18/2025 11:21:25 AM	-118.6444078	1137	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
P-21RS	6/18/2025 11:28:01 AM	-118.6444135	1131	Valve Adjustment:Decreased Flow/Vacuum
P-21RS	6/19/2025 2:03:51 PM	-118.6444132	1125	Valve Adjustment:Increased Flow/Vacuum
P-21RS	6/21/2025 8:43:41 AM	-118.6444507	343	Increased Flow/Vacuum
P-22RD	6/6/2025 1:29:25 PM	-118.6438362	1172	Valve Adjustment:Audible Flow;Well Condition:Good
P-22RD	6/18/2025 9:31:59 AM	-118.6437847	1177	Valve Adjustment:Increased Flow/Vacuum

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
P-22RD	6/19/2025 2:26:23 PM	-118.6438030	1178	Valve Adjustment:Increased Flow/Vacuum
P-22RD	6/21/2025 9:46:49 AM	-118.6437880	361	Increased Flow/Vacuum
P-22RS	6/6/2025 1:27:30 PM	-118.6438015	1172	Valve Adjustment:Audible Flow;Well Condition:Good
P-22RS	6/18/2025 9:21:01 AM	-118.6438067	1188	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
P-22RS	6/19/2025 2:22:37 PM	-118.6437888	1174	
P-22RS	6/21/2025 9:31:11 AM	-118.6438088	350	Increased Flow/Vacuum
P-23	6/2/2025 1:23:49 PM	-118.6447045	1119	Valve Adjustment:Reduce Sys. Vac. - Flare Down
P-23	6/18/2025 11:47:21 AM	-118.6447420	1112	Valve Adjustment:Increased Flow/Vacuum
P-23	6/19/2025 1:59:17 PM	-118.6447137	1103	
P-23	6/21/2025 8:37:24 AM	-118.6447267	335	Increased Flow/Vacuum
P-23	6/21/2025 2:23:11 PM	-118.6447388	307	Decreased Flow/Vacuum
P-23	6/21/2025 2:38:43 PM	-118.6447407	326	
P-24	6/6/2025 8:38:12 AM	-118.6443033	1116	Valve Adjustment:Audible Flow;Well Condition:Good
P-24	6/18/2025 7:54:09 AM	-118.6443013	1112	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
P-24	6/18/2025 8:02:13 AM	-118.6442872	1110	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
P-24	6/19/2025 2:12:27 PM	-118.6442873	1110	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
P-24	6/21/2025 12:02:48 AM	-118.6442720	313	Increased Flow/Vacuum
P-24	6/21/2025 8:55:08 AM	-118.6442442	344	Increased Flow/Vacuum
P-24	6/21/2025 2:33:53 PM	-118.6442248	322	Barely Open
P-26	6/6/2025 8:44:17 AM	-118.6432267	1128	Valve Adjustment:Audible Flow;Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
P-26	6/19/2025 2:44:05 PM	-118.6432223	1126	Valve Comment:No system SP;Valve Adjustment:No Flow Measurement,Increased Flow/Vacuum
P-26	6/21/2025 9:08:47 AM	-118.6431082	322	Increased Flow/Vacuum
P-27	6/6/2025 8:47:22 AM	-118.6428020	1140	Valve Adjustment:Audible Flow;Well Condition:Fair
P-28	6/6/2025 8:49:41 AM	-118.6422860	1146	Valve Adjustment:Audible Flow;Well Condition:Fair
P-29R	6/6/2025 8:52:25 AM	-118.6418372	1153	Valve Adjustment:Audible Flow;Well Condition:Good
P-30R	6/6/2025 8:55:29 AM	-118.6416110	1155	Valve Adjustment:Audible Flow;Well Condition:Good
P-32R1	6/6/2025 8:58:59 AM	-118.6410693	1178	Valve Adjustment:Audible Flow;Well Condition:Fair;Well Repairs:Valve
P-32R2	6/6/2025 9:03:34 AM	-118.6409412	1179	Valve Adjustment:Audible Flow;Well Condition:Fair
P-33	6/6/2025 9:06:51 AM	-118.6407775	1204	Valve Adjustment:Audible Flow;Well Condition:Fair
P-36	6/6/2025 9:12:21 AM	-118.6400557	1229	Valve Adjustment:Audible Flow;Well Condition:Fair
P-37	6/6/2025 9:16:56 AM	-118.6403650	1274	Valve Adjustment:Audible Flow;Well Condition:Good
P-38RD	6/6/2025 10:47:06 AM	-118.6406585	1231	
P-38RS	6/6/2025 10:49:05 AM	-118.6406233	1240	Valve Adjustment:Audible Flow;Well Condition:Fair
P-39	6/6/2025 10:44:11 AM	-118.6409667	1225	Valve Adjustment:Audible Flow;Well Condition:Good
P-41	6/6/2025 10:40:44 AM	-118.6414053	1208	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
P-42R	6/6/2025 10:37:31 AM	-118.6416912	1223	Valve Adjustment:Audible Flow;Well Condition:Good
P-43	6/6/2025 10:34:03 AM	-118.6418268	1209	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
P-44RD	6/6/2025 10:28:50 AM	-118.6419167	1201	Valve Adjustment:Audible Flow;Well Condition:Good

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
P-44RS	6/6/2025 10:30:29 AM	-118.6419123	1211	Valve Adjustment:Audible Flow;Well Condition:Good
P-45RD	6/6/2025 10:22:24 AM	-118.6424607	1205	Valve Adjustment:Audible Flow;Well Condition:Fair
P-45RS	6/6/2025 10:24:37 AM	-118.6424555	1209	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Fair
P-46RD	6/6/2025 10:15:40 AM	-118.6426573	1202	Valve Adjustment:Audible Flow;Well Condition:Good
P-46RS	6/6/2025 10:17:47 AM	-118.6426547	1208	Valve Adjustment:Audible Flow;Well Condition:Good
P-47	6/6/2025 1:23:24 PM	-118.6432547	1201	Valve Adjustment:Audible Flow;Well Condition:Fair
P-47	6/18/2025 10:20:24 AM	-118.6432652	1218	Valve Adjustment:Increased Flow/Vacuum
P-47	6/19/2025 2:34:58 PM	-118.6432628	1214	Valve Adjustment:Audible Flow,No Flow Measurement,Decreased Flow/Vacuum
P-48	6/6/2025 1:33:12 PM	-118.6436025	1196	Valve Adjustment:Audible Flow;Well Condition:Fair
P-48	6/18/2025 10:35:19 AM	-118.6435977	1200	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
P-48	6/19/2025 2:30:13 PM	-118.6435880	1203	
P-48	6/21/2025 2:06:16 PM	-118.6435422	351	Decreased Flow/Vacuum
P-49RD	6/6/2025 10:07:14 AM	-118.6438333	1209	Valve Adjustment:Audible Flow
P-49RS	6/6/2025 10:05:28 AM	-118.6438527	1207	Valve Adjustment:Audible Flow;Well Condition:Good
P-52	6/6/2025 9:51:17 AM	-118.6432942	1224	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Fair
P-53	6/6/2025 9:47:35 AM	-118.6430633	1230	Valve Adjustment:Audible Flow;Well Condition:Good
P-54	6/6/2025 9:43:23 AM	-118.6428933	1230	Valve Adjustment:Audible Flow;Well Condition:Fair
P-55	6/6/2025 9:35:40 AM	-118.6427375	1228	Valve Adjustment:Audible Flow;Well Condition:Fair
P-56	6/6/2025 9:32:31 AM	-118.6428198	1230	Valve Adjustment:Audible Flow;Well Condition:Fair
P-57	6/6/2025 9:38:59 AM	-118.6424343	1244	Valve Adjustment:Audible Flow;Well Condition:Fair

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
P-60R	6/6/2025 9:27:44 AM	-118.6415657	1242	Valve Adjustment:Audible Flow;Well Condition:Good
P-61	6/6/2025 9:20:17 AM	-118.6411688	1254	
P-65	6/6/2025 9:24:39 AM	-118.6409380	1242	Valve Adjustment:Audible Flow;Well Condition:Good
P-71	6/6/2025 9:58:08 AM	-118.6432222	1223	Valve Adjustment:Audible Flow;Well Repairs:Valve
P-75	6/6/2025 1:42:41 PM	-118.6414978	1234	Valve Adjustment:Audible Flow;Well Condition:Good
P-76	6/6/2025 10:53:15 AM	-118.6404337	1235	Valve Adjustment:NSPS/EG CAC,Audible Flow,Barely Open;Well Condition:Good
P-79	6/6/2025 8:10:40 AM	-118.6460627	1037	Valve Adjustment:Audible Flow;Well Condition:Good
SC-2000E	6/11/2025 11:26:17 AM	-118.6467995	1217	Valve Adjustment:Increased Flow/Vacuum
SW-10	6/20/2025 9:55:50 AM	-118.6503742	1328	Valve Adjustment:Audible Flow;Well Condition:Good
SW-115	6/11/2025 10:44:09 AM	-118.6412233	1215	Valve Adjustment:Audible Flow;Well Condition:Fair
SW-1445	6/3/2025 8:55:28 AM	-118.6519905	1208	Valve Adjustment:Valve 100% Open
SW-1445	6/4/2025 9:06:21 AM	-118.6519882	1213	Valve Adjustment:Valve 100% Open
SW-1445	6/9/2025 8:50:47 AM	-118.6520023	1211	Valve Comment:Old carbon filter
SW-1445	6/10/2025 8:16:46 AM	-118.6519838	1212	
SW-1445	6/12/2025 9:08:12 AM	-118.6520142	1201	Valve Adjustment:Valve 100% Open
SW-1445	6/13/2025 9:59:35 AM	-118.6519988	1197	Valve Adjustment:Audible Flow;Well Condition:Good
SW-1445	6/18/2025 7:22:41 AM	-118.6519887	1206	
SW-1445	6/20/2025 8:26:13 AM	-118.6520040	1208	Valve Adjustment:Audible Flow;Well Condition:Good
SW-1445	6/25/2025 6:39:45 AM	-118.6520240	1207	
SW-1445	6/26/2025 8:48:46 AM	-118.6520068	1203	
SW-1445	6/27/2025 8:28:43 AM	-118.6520533	1263	
SW-1445	6/30/2025 8:49:10 AM	-118.6520215	1218	
SW-1455	6/3/2025 9:01:15 AM	-118.6519473	1206	Valve Adjustment:Valve 100% Open
SW-1455	6/4/2025 9:11:52 AM	-118.6519023	1210	Valve Adjustment:Valve 100% Open

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
SW-1455	6/9/2025 8:56:23 AM	-118.6519268	1212	Valve Comment:Old carbon filter
SW-1455	6/10/2025 8:11:45 AM	-118.6519285	1205	Valve Adjustment:Audible Flow
SW-1455	6/12/2025 9:02:25 AM	-118.6519338	1227	Valve Adjustment:Valve 100% Open
SW-1455	6/13/2025 9:57:24 AM	-118.6519003	1200	Valve Adjustment:Audible Flow;Well Condition:Good
SW-1455	6/18/2025 7:27:48 AM	-118.6519323	1195	
SW-1455	6/20/2025 8:22:04 AM	-118.6519008	1205	Valve Adjustment:Audible Flow;Well Condition:Good
SW-1455	6/25/2025 6:31:44 AM	-118.6519295	1209	
SW-1455	6/26/2025 8:34:24 AM	-118.6519168	1202	Valve Adjustment:Decreased Flow/Vacuum
SW-1455	6/26/2025 9:52:14 AM	-118.6519108	1192	Valve Adjustment:Increased Flow/Vacuum
SW-1455	6/27/2025 8:16:11 AM	-118.6520542	1161	
SW-1455	6/30/2025 8:42:36 AM	-118.6519065	1195	
SW-154	6/20/2025 3:13:13 PM	-118.6455755	1194	
SW-17-135	6/3/2025 8:58:37 AM	-118.6519778	1181	Valve Adjustment:Valve 100% Open
SW-17-135	6/4/2025 9:09:11 AM	-118.6519875	1205	Valve Adjustment:Valve 100% Open
SW-17-135	6/9/2025 8:53:31 AM	-118.6519995	1206	Valve Comment:old carbon filter
SW-17-135	6/10/2025 8:14:34 AM	-118.6520205	1206	Valve Adjustment:Audible Flow
SW-17-135	6/12/2025 9:05:37 AM	-118.6519828	1205	Valve Adjustment:Valve 100% Open
SW-17-135	6/13/2025 10:01:25 AM	-118.6520258	1207	Valve Adjustment:Audible Flow;Well Condition:Good
SW-17-135	6/18/2025 7:25:11 AM	-118.6520013	1204	
SW-17-135	6/20/2025 8:23:59 AM	-118.6520027	1221	Valve Adjustment:Audible Flow;Well Condition:Good
SW-17-135	6/25/2025 6:36:05 AM	-118.6520197	1207	
SW-17-135	6/25/2025 6:37:33 AM	-118.6520082	1212	Valve Comment:wellhead configured correctly
SW-17-135	6/26/2025 8:44:52 AM	-118.6519992	1203	Valve Adjustment:Decreased Flow/Vacuum
SW-17-135	6/27/2025 8:22:19 AM	-118.6520372	1112	
SW-17-135	6/30/2025 8:46:46 AM	-118.6520110	1194	
SW-187	6/3/2025 12:25:12 PM	-118.6473595	1313	Valve Adjustment:Valve 100% Open
SW-1930	6/3/2025 8:05:18 AM	-118.6516173	1260	Valve Adjustment:Valve 100% Open

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
SW-1930	6/4/2025 8:42:00 AM	-118.6516192	1267	Valve Adjustment:Valve 100% Open
SW-1930	6/9/2025 8:38:58 AM	-118.6515922	1274	Valve Adjustment:Valve 100% Open
SW-1930	6/10/2025 8:49:51 AM	-118.6516102	1260	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-1930	6/12/2025 10:27:04 AM	-118.6516172	1259	Valve Adjustment:Valve 100% Open
SW-1930	6/13/2025 8:54:45 AM	-118.6515987	1266	Valve Adjustment:Audible Flow,Valve 100% Open
SW-1930	6/18/2025 6:56:24 AM	-118.6516055	1283	
SW-1930	6/20/2025 8:53:08 AM	-118.6515900	1263	Valve Adjustment:Audible Flow,Valve 100% Open;Well Condition:Good
SW-1930	6/25/2025 7:06:31 AM	-118.6516150	1272	
SW-1930	6/26/2025 9:31:28 AM	-118.6516152	1261	
SW-1930	6/27/2025 9:31:11 AM	-118.6516860	1312	
SW-1930	6/30/2025 8:23:15 AM	-118.6516218	1288	Valve Adjustment:Valve 100% Open
SW-20	6/6/2025 1:16:45 PM	-118.6436530	1167	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
SW-25	6/3/2025 8:01:12 AM	-118.6517252	1262	Valve Adjustment:Valve 100% Open
SW-25	6/4/2025 8:38:08 AM	-118.6517165	1259	Valve Adjustment:Valve 100% Open
SW-25	6/9/2025 8:34:26 AM	-118.6517298	1268	
SW-25	6/10/2025 8:52:49 AM	-118.6517245	1254	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-25	6/12/2025 10:24:08 AM	-118.6517050	1259	Valve Adjustment:Valve 100% Open
SW-25	6/13/2025 8:52:11 AM	-118.6517252	1252	Valve Adjustment:Audible Flow,Valve 100% Open
SW-25	6/18/2025 6:53:10 AM	-118.6516712	1274	
SW-25	6/20/2025 8:50:13 AM	-118.6516945	1262	Valve Adjustment:Audible Flow,Valve 100% Open;Well Condition:Good
SW-25	6/25/2025 7:11:45 AM	-118.6517090	1268	
SW-25	6/26/2025 9:23:14 AM	-118.6517242	1256	
SW-25	6/27/2025 9:22:13 AM	-118.6517142	1286	
SW-25	6/30/2025 8:16:56 AM	-118.6516798	1261	Valve Adjustment:Valve 100% Open
SW-30	6/3/2025 8:45:05 AM	-118.6519782	1209	Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down
SW-30	6/4/2025 8:56:49 AM	-118.6519845	1200	Valve Adjustment:Valve 100% Open
SW-30	6/9/2025 9:06:58 AM	-118.6519702	1207	Valve Comment:old carbon filter

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
SW-30	6/10/2025 8:35:47 AM	-118.6519387	1204	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-30	6/12/2025 10:12:10 AM	-118.6519875	1205	Valve Adjustment:Valve 100% Open
SW-30	6/13/2025 9:16:43 AM	-118.6519567	1200	Valve Adjustment:Audible Flow;Well Condition:Good
SW-30	6/18/2025 7:11:58 AM	-118.6520023	1210	
SW-30	6/20/2025 9:27:56 AM	-118.6519450	1216	Valve Adjustment:Audible Flow;Well Condition:Good
SW-30	6/25/2025 6:53:07 AM	-118.6519817	1220	
SW-30	6/26/2025 9:10:21 AM	-118.6519622	1210	
SW-30	6/27/2025 9:00:12 AM	-118.6519678	1250	
SW-30	6/30/2025 8:34:35 AM	-118.6519572	1216	Valve Adjustment:Valve 100% Open
SW-32	6/3/2025 8:38:07 AM	-118.6520580	1215	Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down
SW-32	6/4/2025 8:49:34 AM	-118.6520600	1218	Valve Adjustment:Valve 100% Open
SW-32	6/9/2025 9:01:21 AM	-118.6520467	1207	Valve Comment:old carbon filter
SW-32	6/10/2025 8:29:51 AM	-118.6520813	1228	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-32	6/12/2025 10:06:04 AM	-118.6520802	1217	Valve Adjustment:Valve 100% Open
SW-32	6/13/2025 9:23:34 AM	-118.6520412	1209	Valve Adjustment:Audible Flow;Well Condition:Good
SW-32	6/18/2025 7:03:14 AM	-118.6520623	1235	
SW-32	6/20/2025 9:23:24 AM	-118.6520522	1211	Valve Adjustment:Audible Flow;Well Condition:Good
SW-32	6/25/2025 6:46:43 AM	-118.6520475	1216	
SW-32	6/26/2025 9:02:42 AM	-118.6520587	1213	
SW-32	6/27/2025 8:54:53 AM	-118.6521913	1198	
SW-32	6/30/2025 8:28:56 AM	-118.6520613	1196	
SW-64	6/3/2025 8:50:29 AM	-118.6519700	1210	Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down
SW-64	6/4/2025 9:01:39 AM	-118.6519738	1198	Valve Adjustment:Valve 100% Open
SW-64	6/9/2025 9:09:43 AM	-118.6519433	1202	Valve Comment:old carbon filter
SW-64	6/10/2025 8:38:10 AM	-118.6519790	1199	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-64	6/12/2025 10:15:14 AM	-118.6519632	1203	Valve Adjustment:Valve 100% Open

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
SW-64	6/13/2025 9:18:38 AM	-118.6519640	1208	Valve Adjustment:Audible Flow;Well Condition:Good
SW-64	6/18/2025 7:15:59 AM	-118.6519557	1219	
SW-64	6/20/2025 9:25:41 AM	-118.6519580	1209	Valve Adjustment:Audible Flow;Well Condition:Good
SW-64	6/25/2025 6:56:56 AM	-118.6519692	1213	
SW-64	6/26/2025 9:12:58 AM	-118.6519302	1204	
SW-64	6/27/2025 9:03:42 AM	-118.6520037	1266	
SW-64	6/30/2025 8:37:39 AM	-118.6519555	1192	
SW-65	6/11/2025 10:42:46 AM	-118.6412232	1218	Valve Adjustment:Audible Flow;Well Condition:Fair
SW-66	6/20/2025 3:15:18 PM	-118.6456613	1276	
SW-68	6/3/2025 8:41:36 AM	-118.6520367	1222	Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down
SW-68	6/4/2025 8:52:23 AM	-118.6520720	1203	Valve Adjustment:Valve 100% Open
SW-68	6/9/2025 9:04:08 AM	-118.6520543	1214	Valve Comment:old carbon filter
SW-68	6/10/2025 8:32:04 AM	-118.6520608	1221	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-68	6/12/2025 10:08:52 AM	-118.6520478	1200	Valve Adjustment:Valve 100% Open
SW-68	6/13/2025 9:22:03 AM	-118.6520585	1210	Valve Adjustment:Audible Flow;Well Condition:Good
SW-68	6/18/2025 7:08:20 AM	-118.6520460	1227	
SW-68	6/20/2025 9:21:09 AM	-118.6520398	1223	Valve Adjustment:Audible Flow;Well Condition:Good
SW-68	6/25/2025 6:49:50 AM	-118.6520715	1225	
SW-68	6/26/2025 9:05:15 AM	-118.6520227	1201	
SW-68	6/27/2025 8:57:36 AM	-118.6519693	1339	
SW-68	6/30/2025 8:30:49 AM	-118.6520497	1205	Valve Adjustment:Valve 100% Open
SW-7	6/3/2025 7:57:59 AM	-118.6517230	1274	Valve Adjustment:Valve 100% Open
SW-7	6/4/2025 8:35:01 AM	-118.6517337	1274	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
SW-7	6/9/2025 8:29:53 AM	-118.6516977	1264	
SW-7	6/10/2025 8:57:03 AM	-118.6517243	1265	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-7	6/12/2025 10:21:36 AM	-118.6517135	1254	

All LFG Extraction Well Data June 2025
Chiquita Canyon Landfill

Point Name	Record Date	Longitude	Elev [ft]	Comments
SW-7	6/13/2025 8:50:07 AM	-118.6517087	1252	Valve Adjustment:Audible Flow,Valve 100% Open;Well Condition:Good
SW-7	6/18/2025 6:50:03 AM	-118.6517220	1267	
SW-7	6/20/2025 8:48:04 AM	-118.6517108	1262	Valve Adjustment:Audible Flow,Valve 100% Open;Well Condition:Good
SW-7	6/25/2025 7:14:47 AM	-118.6517118	1264	
SW-7	6/26/2025 9:20:55 AM	-118.6517160	1257	
SW-7	6/27/2025 9:26:28 AM	-118.6517368	1289	
SW-7	6/30/2025 8:19:43 AM	-118.6517295	1274	Valve Adjustment:Valve 100% Open
SW-70	6/3/2025 12:27:54 PM	-118.6473360	1318	Valve Adjustment:Audible Flow,Valve 100% Open
SW-71	6/6/2025 8:41:20 AM	-118.6438595	1126	Valve Adjustment:Audible Flow;Well Condition:Good
SW-71	6/17/2025 12:46:59 PM	-118.6438447	1124	Valve Adjustment:Decreased Flow/Vacuum
SW-71	6/18/2025 12:59:22 PM	-118.6438437	1123	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
SW-71	6/18/2025 1:28:38 PM	-118.6438325	1117	Valve Adjustment:Decreased Flow/Vacuum
SW-71	6/19/2025 2:15:41 PM	-118.6438330	1119	
SW-72	6/6/2025 9:09:39 AM	-118.6401897	1216	Valve Adjustment:Audible Flow;Well Condition:Good
SW-80	6/21/2025 9:00:46 AM	-118.6433407	1218	Valve Adjustment:Audible Flow;Well Condition:Good
SW-9	6/3/2025 12:30:31 PM	-118.6473530	1321	Valve Adjustment:Audible Flow,Valve 100% Open
TC-1961C	6/11/2025 2:23:24 PM	-118.6455638	1270	Barely Open
TC-1961E	6/23/2025 9:31:25 AM	-118.6438743	1312	Audible Flow
TC-2383S	6/1/2025 10:54:59 AM	-118.6517427	1184	NSPS/EG CAI
TC-2383S	6/1/2025 10:57:35 AM	-118.6516512	1132	
TC-2383S	6/18/2025 10:04:57 AM	-118.6517370	1201	NSPS/EG CAI
TC-2383S	6/18/2025 10:05:49 AM	-118.6517588	1201	
VL-02	6/11/2025 10:32:51 AM	-118.6443252	1138	Valve 100% Open

Attachment B

Down Well Temperatures

And

List of Wells for Monitoring

Temperatures

LEA Selected Wells for Down Hole Temperature Monitoring
June 2025

Well Number	Down Well Temp Monitoring (Annually)	Date Monitored for Annual Downwell temperatures	Comments
CV-100	NA	NA	Abandoned Well
CV-103	Yes	3/3/2025	
CV-108-52	Yes	3/4/2025	
CV-113	Yes	3/10/2025	
CV-1532	NA	NA	Abandoned Well
CV-1532A	Yes	3/10/2025	
CV-1535	Yes	3/4/2025	
CV-1902A	Yes	3/18/2025	
CV-2001	Yes	3/4/2025	
CV-2002	Yes	6/2/2025	
CV-2007	Yes	3/5/2025	
CV-2202	NA	NA	Abandoned Well
CV-2301	Yes	3/11/2025	Pump offline - equipment is damaged in the well casing. No timeline on repairs due to safety at this time.
CV-2302	Yes	3/11/2025	graph attached - Data available for 6-1 to 6-24. OFF line due to additional liner deployment. Will return to operation upon completion of work
CV-2303	Yes	3/11/2025	graph attached 6-1 to 6-7.Pump was removed and will remain off line until new tank farm in Cell 8B is active.
CV-2312	Yes	3/5/2025	
CV-2315	Yes	3/19/2025	graph attached 6-7 to 6-30
CV-2341	Yes	3/5/2025	
CV-2350	Yes	3/12/2025	Graph Attached 6-3 to 6-30
CV-2351	Yes	3/12/2025	graph attached - sensor offline. Pump has been replaced and should be activated before July 31
CV-2352	Yes	3/12/2025	Graph attached On line from 6-1 to 6-18. Pump sensor has failed and will remain off line until New Cell 8B tank farm is active
CV-2353	Yes	5/30/2025	
CV-24007	Yes	3/6/2025	
CV-24017	Yes	3/6/2025	graph attached
CV-24053	Yes	3/6/2025	
CV-24065	Yes	3/6/2025	graph attached
CV-24095	Yes	3/7/2025	Location on line 6-2 to 6-4 - graph attached. Pump was removed and will remain off line until new tank farm in Cell 8B is active.

LEA Selected Wells for Down Hole Temperature Monitoring

June 2025

CV-24101	Yes	3/7/2025	
CV-24122	Yes	3/7/2025	
CV-24127	Yes	3/7/2025	
CV-24138	Yes	4/1/2025	
CV-24139	Yes	3/10/2025	
CV-24143	Yes	3/10/2025	
TC-2385A	NA	NA	Abandoned Well

June 2025 Downhole Temperature Monitoring Results
Chiquita Canyon Landfill

Point Name	Record Date	Ground Surface Elevation (MSL)	TOC to Ground Surface (FT)	TOC to Liquid (FT)	TOC to BOW or Obstr (FT)	Liquid Depth (FT)	Temp (F) @ 10 FT from TOC	Temp (F) @ 20 FT from TOC	Temp (F) @ 30 FT from TOC	Temp (F) @ 40 FT from TOC	Temp (F) @ 50 FT from TOC	Temp (F) @ 60 FT from TOC	Temp (F) @ 70 FT from TOC	Temp (F) @ 80 FT from TOC
CV-2002	6/2/2025 1:56:25 PM	1,275.00	5.00	37.00	84.00	47.00	138.47	142.81	146.64	147.87	148.84	149.56	150.19	149.74

CV-2302


Temp. Sensor [Analog 1 Version: 13]
21 Jun 2025 03:11 (UTC -7)
Temp. Sensor [Analog 1 Version: 13]: 158.4 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-2303


Lorentz Temp. Sensor [Analog 1]
01 Jun 2025 18:24 (UTC -7)
Lorentz Temp. Sensor [Analog 1]: 93.9 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-2315


Lorentz Temp. Sensor [Analog 1]
Pressure sensor [Analog 2]
19 Jun 2025 13:52 (UTC -7)
Lorentz Temp. Sensor [Analog 1]: 161.1 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-2350


Temp. Sensor [Analog 1]
09 Jun 2025 14:17 (UTC -7)
Temp. Sensor [Analog 1]: 137.2 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-2351


Lorentz Temp. Sensor [Analog 1]
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-2352


Lorentz Temp. Sensor [Analog 1]
10 Jun 2025 06:35 (UTC -7)
Lorentz Temp. Sensor [Analog 1]: 207.8 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-24017


Lorentz Temp. Sensor [Analog 1]
07 Jun 2025 13:34 (UTC -7)
Lorentz Temp. Sensor [Analog 1]: 184.5 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-24065


Temp. Sensor [Analog 1]
09 Jun 2025 04:09 (UTC -7)
Temp. Sensor [Analog 1]: 141.4 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

CV-24095


Lorentz Temp. Sensor [Analog 1]
02 Jun 2025 08:48 (UTC -7)
Lorentz Temp. Sensor [Analog 1]: 142.2 °F
June 2, 2025
June 4, 2025
June 6, 2025
June 8, 2025
June 10, 2025
June 12, 2025
June 14, 2025
June 16, 2025
June 18, 2025
June 20, 2025
June 22, 2025
June 24, 2025
June 26, 2025
June 28, 2025
June 30, 2025

Attachment C

Item 7 – Well Location Map



N

GRAPHIC SCALE

150 75 0 150 300 150

SCALE: 1"=150'

LEGEND

- 1150 — TOPOGRAPHIC CONTOUR
- EXISTING CELL LIMITS (APPROXIMATE)
- CV-XX — EXISTING VERTICAL LFG EXTRACTION WELL
- H-XX — EXISTING HORIZONTAL COLLECTOR
- EXISTING HORIZONTAL COLLECTOR PERFORATED PIPE
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
- REACTION AREA BOUNDARY - CONDITION 9A

GENERAL DRAWING NOTES:

1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY BLUE RIDGE SERVICES. AERIAL PHOTOGRAPHY DATED AUGUST 28, 2024.
2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
3. THE LOCATION OF ANY EXISTING GCCS COMPONENTS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY. ACTUAL FIELD CONDITIONS MAY VARY AND SUBJECT TO CHANGE BASED ON FUTURE FILL OPERATIONS, WASTE PLACEMENT, TOPOGRAPHIC FEATURES, AND OTHER SITE-SPECIFIC FACTORS.

DATE | REVISION | NO.

SHEET TITLE: EXISTING VERTICAL & HORIZONTAL LFG EXTRACTION WELL MAP

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
8799 BALBOA AVENUE SUITE 290
SAN DIEGO, CA 92123
(858) 571-5500 FAX. (562) 427-0805

PROJ. NO. 01204123.41 | DWN. BY: SRM | CHK. BY: - | APP. BY: -

DSN. BY: - | ACAD FILE: FIELD SERVICES

DATE: 02/14/2025

SCALE: AS SHOWN

SHEET: 1

N:\CAD\ASBUILT - MASTERS\CHIQUITA\GCCS\2025 ACAD\2025 CCLF_Existing Well Map For LEA Response_2025-06-12.dwg Jun 12, 2025 - 3:15pm By: abolaske


CELL 2 PHASE 2A
CELL 2 PHASE 2B
CELL II, PHASE 1
CELL II PHASE 2
CANYON C CELL I
CANYON B
CANYON A
MODULE 2B/3
MODULE 4
CELL 2A
CELL 6
CELL 8
MODULE 5
CANYON D
PRIMARY CANYON
CROSSOVER RIDGE
PARNELL VAPOR COMBUSTOR
LIQUID DROP OUT TANK
ZEECO TCH
CONDENSATE HOLDING TANK
TO FRAC TANKS
GABION 6" RISER GAB1N/GAB2N
GABION 6" RISER GAB1C/GAB2C
GABION 6" RISER GAB1S/GAB2S
GP-1
GP-2
GP-3
GP-4
GP-5
GP-6
GP-7
GP-8
GP-9
GP-10
GP-11
GP-12
GP-13
GP-14
GP-15
GP-16
GP-17
GP-18
GP-19
GP-20
GP-21
GP-22
GP-23
GP-24
GP-25
SW-1
SW-2
SW-3
SW-4
SW-5
SW-6
SW-7
SW-8
SW-9
SW-10
SW-11
SW-12
SW-13
SW-14
SW-15
SW-16
SW-17
SW-18
SW-19
SW-20
SW-21
SW-22
SW-23
SW-24
SW-25
SW-26
SW-27
SW-28
SW-29
SW-30
SW-31
SW-32
SW-33
SW-34
SW-35
SW-36
SW-37
SW-38
SW-39
SW-40

Attachment D

Milestone 5 Compliance Data



Ranges Mapped

			# Points
>= 0	and < 25		46
>= 25	and < 48		26
>= 48	and < 52		7
>= 52	and < 58		2
>= 58	and < 101		
N/A			N/A

Point Type Legend

well

N

SCSeTools

Chiquita Canyon Landfill

Range Map

Parameter: CH4 (mid range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/07/2025



Ranges Mapped

				# Points
>=	0	and <	25	4
>=	25	and <	45	12
>=	45	and <	55	16
>=	55	and <	65	9
>=	65	and <	101	40
	N/A		N/A	

Point Type Legend

well

N

SCSeTools

Chiquita Canyon Landfill

Range Map

Parameter: CO2 (mid range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/07/2025

Ranges Mapped

	# Points
>= 0 and < 0.5	51
>= 0.5 and < 0.9	18
>= 0.9 and < 1.1	7
>= 1.1 and < 1.5	5
>= 1.5 and < 101	
N/A	N/A

Point Type Legend

well

N

SCSeTools

Chiquita Canyon Landfill

Range Map

Parameter: CH4/CO2 Ratio (high range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/07/2025



Ranges Mapped

				# Points
>=	0	and <	0.5	52
>=	0.5	and <	2	11
>=	2	and <	3.5	5
>=	3.5	and <	5	
>=	5	and <	101	10
	N/A		N/A	

Point Type Legend

- calibration record
- flare-engine-ghg
- monitoring probe
- sample port
- well

N

SCSeTools

Chiquita Canyon Landfill

Range Map

Parameter: O2 (mid range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/11/2025



Ranges Mapped

	# Points
>= -50 and < 131	50
>= 131 and < 150	14
>= 150 and < 165	8
>= 165 and < 180	7
>= 180 and < 999	2
N/A	N/A

Point Type Legend

well

N

SCSeTools

Chiquita Canyon Landfill

Range Map

Parameter: Adj Temp (high range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/07/2025



Ranges Mapped

	# Points
>= 0 and < 500	29
>= 500 and < 1000	9
>= 1000 and < 1500	10
>= 1500 and < 2000	11
>= 2000 and < 1000000	42

Point Type Legend

well

N

SCSeTools

Chiquita Canyon Landfill

Range Map

Parameter: CO (mid range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/09/2025



Ranges Mapped

			# Points
>= 0	and <	2000	4
>= 2000	and <	5000	3
>= 5000	and <	10000	6
>= 10000	and <	50000	14
>= 50000	and <	100000	25
>= 100000	and <	500000	39

Point Type Legend

well

N

SCSeTools

Chiquita Canyon Landfill

Range Map

Parameter: H2 (mid range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/09/2025





Point ID / Name

CHIWCV99 / CV-99

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-99 / CV-99

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools



Point IDs / Names

CV-99 / CV-99

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025





Point ID / Name

CHWCV103 / CV-103

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-103 / CV-103

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools



Point IDs / Names

CV-103 / CV-103

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025





Point ID / Name

CV108-52 / CV-108-52

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-108-52 / CV-108-52

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-108-52 / CV-108-52

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools



Point ID / Name

CHWCV113 / CV-113

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-113 / CV-113

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-113 / CV-113

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools





Point ID / Name

CHWCV114 / CV-114

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-114 / CV-114

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-114 / CV-114

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV1423 / CV-1423

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-1423 / CV-1423

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools



Point IDs / Names

CV-1423 / CV-1423

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools



Point ID / Name

CCV1532A / CV-1532A

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-1532A / CV-1532A

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-1532A / CV-1532A

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools





Point ID / Name

CHCV1535 / CV-1535

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-1535 / CV-1535

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025



Point IDs / Names

CV-1535 / CV-1535

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools



Point ID / Name

CCV1902A / CV-1902A

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-1902A / CV-1902A

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-1902A / CV-1902A

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/07/2025

SCSeTools





Point ID / Name

CHCV2001 / CV-2001

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2001 / CV-2001

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2001 / CV-2001

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2002 / CV-2002

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2002 / CV-2002

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2002 / CV-2002

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

Point ID / Name

CHCV2007 / CV-2007

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

SCSeTools



Point IDs / Names

CV-2007 / CV-2007

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2007 / CV-2007

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CHCV2301 / CV-2301

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2301 / CV-2301

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2301 / CV-2301

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CHCV2302 / CV-2302

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2302 / CV-2302

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2302 / CV-2302

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CHCV2303 / CV-2303

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2303 / CV-2303

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2303 / CV-2303

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

Point ID / Name

CHCV2305 / CV-2305

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

SCSeTools



Point IDs / Names

CV-2305 / CV-2305

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2305 / CV-2305

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2312 / CV-2312

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2312 / CV-2312

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-2312 / CV-2312

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2314 / CV-2314

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2314 / CV-2314

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2314 / CV-2314

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2315 / CV-2315

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2315 / CV-2315

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Point IDs / Names

CV-2315 / CV-2315

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2328 / CV-2328

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2328 / CV-2328

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-2328 / CV-2328

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2333 / CV-2333

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2333 / CV-2333

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2333 / CV-2333

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CHCV2334 / CV-2334

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2334 / CV-2334

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2334 / CV-2334

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Point ID / Name

CHCV2337 / CV-2337

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2337 / CV-2337

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2337 / CV-2337

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2341 / CV-2341

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2341 / CV-2341

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-2341 / CV-2341

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2344 / CV-2344

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2344 / CV-2344

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2344 / CV-2344

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CHCV2345 / CV-2345

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2345 / CV-2345

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2345 / CV-2345

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CHCV2346 / CV-2346

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2346 / CV-2346

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2346 / CV-2346

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2347 / CV-2347

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2347 / CV-2347

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2347 / CV-2347

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2348 / CV-2348

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2348 / CV-2348

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2348 / CV-2348

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2349 / CV-2349

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2349 / CV-2349

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Point IDs / Names

CV-2349 / CV-2349

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2350 / CV-2350

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2350 / CV-2350

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2350 / CV-2350

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CHCV2351 / CV-2351

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2351 / CV-2351

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Point IDs / Names

CV-2351 / CV-2351

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2352 / CV-2352

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2352 / CV-2352

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2352 / CV-2352

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHCV2353 / CV-2353-PLR

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2353 / CV-2353

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2353 / CV-2353

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CHCV2354 / CV-2354

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-2354 / CV-2354

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-2354 / CV-2354

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24002 / CV-24002

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24002 / CV-24002

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24002 / CV-24002

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24003 / CV-24003

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24003 / CV-24003

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24003 / CV-24003

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24007 / CV-24007

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24007 / CV-24007

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24007 / CV-24007

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24017 / CV-24017

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24017 / CV-24017

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24017 / CV-24017

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24049 / CV-24049

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24049 / CV-24049

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24049 / CV-24049

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24053 / CV-24053

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24053 / CV-24053

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24053 / CV-24053

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24055 / CV-24055

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24055 / CV-24055

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24055 / CV-24055

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24062 / CV-24062

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24062 / CV-24062

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24062 / CV-24062

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24063 / CV-24063

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24063 / CV-24063

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24063 / CV-24063

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24064 / CV-24064

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24064 / CV-24064

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24064 / CV-24064

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24065 / CV-24065-TP17

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24065 / CV-24065

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24065 / CV-24065

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24066 / CV-24066

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24066 / CV-24066

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24066 / CV-24066

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24069 / CV-24069

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24069 / CV-24069

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24069 / CV-24069

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

Point ID / Name

CCV24070 / CV-24070

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

SCSeTools



Point IDs / Names

CV-24070 / CV-24070

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24070 / CV-24070

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24071 / CV-24071

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24071 / CV-24071

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24071 / CV-24071

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CCV24075 / CV-24075-TP15

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24075 / CV-24075

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24075 / CV-24075

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24077 / CV-24077

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24077 / CV-24077

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24077 / CV-24077

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24079 / CV-24079-TP8

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24079 / CV-24079

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24079 / CV-24079

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24082 / CV-24082

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24082 / CV-24082

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24082 / CV-24082

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24083 / CV-24083

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24083 / CV-24083

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24083 / CV-24083

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24084 / CV-24084-TP11

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24084-TP11 / CV-24084-TP11

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24084-TP11 / CV-24084-TP11

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CCV24088 / CV-24088

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24088 / CV-24088

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24088 / CV-24088

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24095 / CV-24095

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24095 / CV-24095

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24095 / CV-24095

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CCV24096 / CV-24096

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24096 / CV-24096

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24096 / CV-24096

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24097 / CV-24097

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24097 / CV-24097

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24097 / CV-24097

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24098 / CV-24098

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24098 / CV-24098

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24098 / CV-24098

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24099 / CV-24099

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24099 / CV-24099

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24099 / CV-24099

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24100 / CV-24100

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24100 / CV-24100

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24100 / CV-24100

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24101 / CV-24101

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24101 / CV-24101

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24101 / CV-24101

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24102 / CV-24102

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24102 / CV-24102

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24102 / CV-24102

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24120 / CV-24120

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24120 / CV-24120

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24120 / CV-24120

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24121 / CV-24121

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24121 / CV-24121

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24121 / CV-24121

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Point ID / Name

CCV24122 / CV-24122

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24122 / CV-24122

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24122 / CV-24122

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

Point ID / Name

CCV24123 / CV-24123

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

SCSeTools



Point IDs / Names

CV-24123 / CV-24123

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Point IDs / Names

CV-24123 / CV-24123

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

Point ID / Name

CCV24125 / CV-24125-TP20

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

SCSeTools



Point IDs / Names

CV-24125 / CV-24125

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24125 / CV-24125

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24126 / CV-24126

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24126 / CV-24126

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24126 / CV-24126

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24127 / CV-24127

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24127 / CV-24127

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Point IDs / Names

CV-24127 / CV-24127

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

Point ID / Name

CCV24128 / CV-24128

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

SCSeTools



Point IDs / Names

CV-24128 / CV-24128

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24128 / CV-24128

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24134 / CV-24134-TP19

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24134 / CV-24134

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24134 / CV-24134

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24138 / CV-24138

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24138 / CV-24138

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24138 / CV-24138

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

Point ID / Name

CCV24139 / CV-24139

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24139 / CV-24139

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24139 / CV-24139

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24140 / CV-24140

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24140 / CV-24140

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24140 / CV-24140

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CCV24141 / CV-24141

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24141 / CV-24141

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24141 / CV-24141

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24142 / CV-24142

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24142 / CV-24142

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24142 / CV-24142

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24143 / CV-24143

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24143 / CV-24143

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

CV-24143 / CV-24143

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CCV24144 / CV-24144

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

CV-24144 / CV-24144

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025



Point IDs / Names

CV-24144 / CV-24144

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHH1770N / H-1770N

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

H-1770N / H-1770N

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

H-1770N / H-1770N

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CHH2165W / H-2165W

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

H-2165W / H-2165W

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

H-2165W / H-2165W

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point ID / Name

CHH2273W / H-2273W

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

H-2273W / H-2273W

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

H-2273W / H-2273W

Parameter / Unit

Hydrogen / vol%

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025





Point ID / Name

CSC2001W / SC-2001W

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

SC-2001W / SC-2001W

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

SC-2001W / SC-2001W

Parameter / Unit

Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools





Point ID / Name

CTC2383S / TC-2383S

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 12/01/2024 - 06/30/2025

Chart generation date: 7/8/25

SCSeTools



Point IDs / Names

TC-2383S / TC-2383S

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools



Point IDs / Names

TC-2383S / TC-2383S

Parameter / Unit

Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 05/01/2024 to 06/30/2025

Chart generation date : 07/09/2025

SCSeTools

Thirty Day Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Max Temps - 20:55:42 05-31-2025

Current | 7 Day | 30 Day

BOREHOLE	MAX TEMP (°F)	@ DEPTH (FT)
TP01	147	100
TP02	154	60
TP03	233	45
TP04	165	30
TP05	157	75
TP06	133	120
TP07	146	100
TP08	178	150
TP09	219	125
TP10	146	125
TP11	174	125
TP12	148	125
TP13	165	140
TP14	168	150
TP15	199	100
TP16	139	100
TP17	149	125
TP18	147	45
TP19	163	150
TP20	140	45
TP21	252	110
TP24	188	265
TP25	150	130
TP26	173	150
TP27	156	100
TP28	144	170
TP29	2,508	15
TP30	170	190
TP31	186	180
TP32	169	130
TP34	151	120
TP35	169	140

Solid Waste Borehole Maximum Temperature Profiles Over 6 Weeks

for 4/24/2025 to 6/4/2025

From May 29, 2025, through June 4, 2025, there were three recorded temperature increases, and two temperature decreases that triggered the notification limits set forth in the LEA's October 4, 2024 letter.

Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-09
  - As stated in previous weeks' reports, prior weeks of readings at TP-09 showed no variability and upon field investigation, the battery for TP-09 was found to have failed likely due to poor cell network connection rapidly draining the battery. A new battery was installed on May 23rd ahead of schedule and TP-09 is now online and recording data. There have been no significant temperature changes since TP-09 went offline.

- TP-11
  - The 15-foot thermocouple showed a decrease in maximum temperature of 12°F from 150°F to 138°F from May 29th to June 3rd.
  - The 30-foot thermocouple showed an increase in maximum temperature of 16°F from 148°F to 164°F from May 27th to June 3rd.

- TP-14
  - The 15-foot thermocouple remained consistent with previous recorded temperatures.

- TP-21
  - The 45-foot thermocouple showed an increase in maximum temperature of 12°F from 158°F to 170°F from May 28th to June 2nd.
  - The 60-foot thermocouple showed an increase in maximum temperature of 20°F from 178°F to 198°F from May 26th to May 31st.
  - The 95-foot thermocouple showed a decrease in maximum temperature of 16°F from 227°F to 211°F from May 26th to June 2nd.

SCS ENGINEERS

07224053.00 | June 5, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35



SCS ENGINEERS

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill

This report shows data as of June 5, 2025. Due to software limitations, the incorrect date is shown below.



Max Temps - 12:47:05 06-09-2025

Current | 7 Day | 30 Day

BOREHOLE	MAX TEMP (°F)	@ DEPTH (FT)
TP01	146	100
TP02	154	60
TP03	233	45
TP04	164	30
TP05	156	75
TP06	133	120
TP07	146	100
TP08	177	150
TP09	218	125
TP10	145	125
TP11	172	125
TP12	147	125
TP13	161	140
TP14	168	150
TP15	194	100
TP16	139	100
TP17	147	125
TP18	147	45
TP19	163	150
TP20	138	45
TP21	212	110
TP24	187	265
TP25	151	130
TP26	172	150
TP27	156	100
TP28	143	170
TP29	185	240
TP30	171	190
TP31	186	180
TP32	168	130
TP34	149	120
TP35	170	140



N

GRAPHIC SCALE

130 65 0 130 260 390

SCALE: 1"=130'

LEGEND

- 1150 — EXISTING TOPOGRAPHIC CONTOUR
- EXISTING CELL LIMITS (APPROXIMATE)
- TP-XX — INSTALLED TEMPERATURE PROBES - STANDALONE
- TP-XX — INSTALLED TEMPERATURE PROBES - INSTALLED WITHIN WELL CASING
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW

GENERAL DRAWING NOTES:

1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER. AERIAL PHOTOGRAPHY DATED FEBRUARY 06, 2025.
2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.

NO.	REVISION	DATE

SHEET TITLE: TEMPERATURE PROBE INSTALLATION MAP

PROJECT TITLE: TEMPERATURE PROBE INSTALLATION PROJECT
CHIQUITA CANYON LANDFILL
CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL
CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
8799 BALBOA AVENUE SUITE 290
SAN DIEGO, CA 92123
(858) 571-3500 FAX: (562) 427-0805

PROJ. NO.	DSN. BY:	DWN. BY:	CHK. BY:	APP. BY:	XCAD FILE:
01204123.41	JH/SRM	SRM	JH/WCH	WCH	ENGINEERS

DATE: 04/10/2025

SCALE: AS SHOWN

SHEET: 1

C:\Users\5160srm\Desktop\2025 CCLF Temp. Probe Map_2025-02-20.dwg Apr 10, 2025 - 4:40pm By: 5160srm

Solid Waste Borehole Maximum Temperature Profiles Over 6 Weeks

for 5/1/2025 to 6/11/2025

From June 5, 2025, through June 11, 2025, there was one recorded temperature increase that triggered the notification limits set forth in the LEA's October 4, 2024 letter.

Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-09
  - As stated in previous weeks' reports, prior weeks of readings at TP-09 showed no variability and upon field investigation, the battery for TP-09 was found to have failed likely due to poor cell network connection rapidly draining the battery. A new battery was installed on May 23rd ahead of schedule and TP-09 is now online and recording data. There have been no significant temperature changes since TP-09 went offline.

- TP-11
  - The 15-foot thermocouple showed an increase in maximum temperature of 14°F from 138°F to 152°F from June 3rd to June 10th.
  - The 45-foot thermocouple remained consistent with previous recorded temperatures.

- TP-21
  - The 45-foot, 60-foot, and 95-foot thermocouple temperatures remained consistent with previous recorded temperatures.

SCS ENGINEERS

07224053.00 | June 12, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35



SCS ENGINEERS

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Max Temps - 05:00:45 06-12-2025

Current | 7 Day | 30 Day

BOREHOLE	MAX TEMP (°F)	@ DEPTH (FT)
TP01	146	100
TP02	155	60
TP03	233	45
TP04	164	30
TP05	156	75
TP06	139	120
TP07	146	100
TP08	177	150
TP09	218	125
TP10	145	125
TP11	173	100
TP12	147	125
TP13	161	140
TP14	168	150
TP15	193	100
TP16	139	100
TP17	147	125
TP18	148	45
TP19	163	150
TP20	138	45
TP21	212	110
TP24	187	265
TP25	151	130
TP26	172	150
TP27	156	100
TP28	144	170
TP29	185	240
TP30	171	190
TP31	186	180
TP32	168	130
TP34	149	120
TP35	170	140



N

GRAPHIC SCALE

130 65 0 130 260 390

SCALE: 1"=130'

LEGEND

- 1150 — EXISTING TOPOGRAPHIC CONTOUR
- EXISTING CELL LIMITS (APPROXIMATE)
- TP-XX — INSTALLED TEMPERATURE PROBES - STANDALONE
- TP-XX — INSTALLED TEMPERATURE PROBES - INSTALLED WITHIN WELL CASING
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
- REACTION AREA BOUNDARY - CONDITION 9A

GENERAL DRAWING NOTES:

1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER. AERIAL PHOTOGRAPHY DATED MAY 14, 2025.
2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.

NO.	REVISION	DATE

SHEET TITLE: EXISTING TEMPERATURE PROBE MAP

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
3900 KILROY AIRPORT WAY, SUITE 300
LONG BEACH, CA 90806
PH: (562) 426-9544

PROJ. NO. 01204123.41 | DSN. BY: - | DWN. BY: - | CHK. BY: - | ACAD FILE ENGINEERS | APP. BY: -

DATE: 05/28/2025

SCALE: AS SHOWN

SHEET: 1

Solid Waste Borehole Maximum Temperature Profiles Over 6 Weeks

for 5/8/2025 to 6/18/2025

From June 12, 2025, through June 18, 2025, there was one recorded temperature increase and one recorded temperature decrease that triggered the notification limits set forth in the LEA's October 4, 2024 letter.

Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-09
  - As stated in previous weeks' reports, prior weeks of readings at TP-09 showed no variability and upon field investigation, the battery for TP-09 was found to have failed likely due to poor cell network connection rapidly draining the battery. A new battery was installed on May 23rd ahead of schedule and TP-09 is now online and recording data. There have been no significant temperature changes since TP-09 went offline.

- TP-11
  - The 15-foot thermocouple remained consistent with previous recorded temperatures.

- TP-13
  - The 30-foot thermocouple showed a decrease in maximum temperature of 12°F from 143°F to 131°F from June 11th to June 18th.

- TP-16
  - The 15-foot thermocouple showed an increase in maximum temperature of 12°F from 113°F to 125°F from June 12th to June 18th.

SCS ENGINEERS

07224053.00 | June 19, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26

Maximum data for 5/8/2025 12:00 AM to 6/17/2025 11:59 PM



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35



SCS ENGINEERS

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Max Temps - 05:00:50 06-19-2025

Current | 7 Day | 30 Day

BOREHOLE	MAX TEMP (°F)	@ DEPTH (FT)
TP01	147	100
TP02	156	60
TP03	234	45
TP04	165	30
TP05	156	75
TP06	133	120
TP07	146	100
TP08	177	150
TP09	220	125
TP10	146	125
TP11	174	100
TP12	148	125
TP13	162	140
TP14	168	150
TP15	192	100
TP16	139	100
TP17	148	125
TP18	148	45
TP19	161	150
TP20	138	45
TP21	213	110
TP24	188	265
TP25	150	130
TP26	173	150
TP27	156	100
TP28	144	170
TP29	184	240
TP30	171	190
TP31	186	180
TP32	168	130
TP34	150	120
TP35	170	140



N

GRAPHIC SCALE

130 65 0 130 260 390

SCALE: 1"=130'

LEGEND

- 1150 — EXISTING TOPOGRAPHIC CONTOUR
- EXISTING CELL LIMITS (APPROXIMATE)
- TP-XX — INSTALLED TEMPERATURE PROBES - STANDALONE
- TP-XX — INSTALLED TEMPERATURE PROBES - INSTALLED WITHIN WELL CASING
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
- REACTION AREA BOUNDARY - CONDITION 9A

GENERAL DRAWING NOTES:

1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER. AERIAL PHOTOGRAPHY DATED MAY 14, 2025.
2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.

NO.	REVISION	DATE

SHEET TITLE: EXISTING TEMPERATURE PROBE MAP

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
3900 KILROY AIRPORT WAY, SUITE 300
LONG BEACH, CA 90806
PH: (562) 426-9544

PROJ. NO. 01204123.41 | DSN. BY: - | DWN. BY: - | CHK. BY: - | ACAD FILE ENGINEERS | APP. BY: -

DATE: 05/28/2025

SCALE: AS SHOWN

SHEET: 1

Solid Waste Borehole Maximum Temperature Profiles Over 6 Weeks

for 5/15/2025 to 6/25/2025

From June 19, 2025, through June 25, 2025, there were two recorded temperature decreases and one recorded temperature increase that triggered the notification limits set forth in the LEA's October 4, 2024 letter. Note that this one recorded temperature increase was an anomalous and likely erroneous reading as described below.

Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-08
  - The 45-foot thermocouple showed a decrease in maximum temperature of 12°F from 163°F to 151°F from June 18th to June 24th.
- TP-11
  - The 45-foot thermocouple showed a decrease in maximum temperature of 10°F from 163°F to 153°F from June 17th to June 24th.
- TP-13
  - The 30-foot thermocouple remained consistent with previous recorded temperatures.
- TP-16
  - The 15-foot thermocouple remained consistent with previous recorded temperatures.
  - The 45-foot thermocouple showed an anomalous reading on June 22nd of 222°F for a single one-hour reading. Subsequent readings were consistent with previous recorded temperatures and no other thermocouples at TP-16 showed any such changes in temperatures, indicating that this recorded temperature increase was most likely erroneous.

SCS ENGINEERS

07224053.00 | June 26, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35



SCS ENGINEERS

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Max Temps - 05:00:44 06-26-2025

Current | 7 Day | 30 Day

BOREHOLE	MAX TEMP (°F)	@ DEPTH (FT)
TP01	148	15
TP02	156	60
TP03	233	45
TP04	164	30
TP05	156	75
TP06	133	120
TP07	146	100
TP08	177	150
TP09	219	125
TP10	145	125
TP11	174	125
TP12	147	125
TP13	163	140
TP14	168	150
TP15	192	100
TP16	222	45
TP17	148	15
TP18	149	45
TP19	162	150
TP20	138	45
TP21	213	110
TP24	188	265
TP25	150	130
TP26	173	150
TP27	156	100
TP28	144	170
TP29	188	240
TP30	171	190
TP31	186	180
TP32	168	130
TP34	150	120
TP35	170	140



N

GRAPHIC SCALE

130 65 0 130 260 390

SCALE: 1"=130'

LEGEND

- 1150 — EXISTING TOPOGRAPHIC CONTOUR
- EXISTING CELL LIMITS (APPROXIMATE)
- TP-XX — INSTALLED TEMPERATURE PROBES - STANDALONE
- TP-XX — INSTALLED TEMPERATURE PROBES - INSTALLED WITHIN WELL CASING
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
- REACTION AREA BOUNDARY - CONDITION 9A

GENERAL DRAWING NOTES:

1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER. AERIAL PHOTOGRAPHY DATED MAY 14, 2025.
2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.

NO.	REVISION	DATE

SHEET TITLE: EXISTING TEMPERATURE PROBE MAP

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
3900 KILROY AIRPORT WAY, SUITE 300
LONG BEACH, CA 90806
PH: (562) 426-9544

PROJ. NO. 01204123.41 | DSN. BY: - | DWN. BY: - | CHK. BY: - | ACAD FILE ENGINEERS | APP. BY: -

DATE: 05/28/2025

SCALE: AS SHOWN

SHEET: 1

Solid Waste Borehole Maximum Temperature Profiles Over 6 Weeks

for 5/22/2025 to 7/2/2025

From June 26, 2025, through July 2, 2025, there was one recorded temperature decrease and one recorded temperature increase that triggered the notification limits set forth in the LEA's October 4, 2024 letter. Note that the one recorded temperature increase reported last week was an anomalous and likely erroneous reading as described in last week's submittal and below.

Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-08
  - The 45-foot thermocouple remained consistent with previous recorded temperatures.
- TP-11
  - The 45-foot thermocouple showed a decrease in maximum temperature of 10°F from 161°F to 151°F from June 26th to July 2nd.
- TP-16
  - The 15-foot thermocouple showed an increase in maximum temperature of 11°F from 128°F to 139°F from June 26th to July 2nd.
  - The 45 foot thermocouple remained consistent with previous recorded temperatures. As noted in last week's submittal, the 45-foot thermocouple showed an anomalous reading on June 22nd of 222°F for a single one-hour reading; however, subsequent readings were consistent with previous recorded temperatures and no other thermocouples at TP-16 showed any such changes in temperatures, indicating that this recorded temperature increase was most likely erroneous.

SCS ENGINEERS

07224053.00 | July 3, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35



SCS ENGINEERS

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Max Temps - 05:00:44 06-26-2025

Current | 7 Day | 30 Day

BOREHOLE	MAX TEMP (°F)	@ DEPTH (FT)
TP01	148	15
TP02	156	60
TP03	233	45
TP04	164	30
TP05	156	75
TP06	133	120
TP07	146	100
TP08	177	150
TP09	219	125
TP10	145	125
TP11	174	125
TP12	147	125
TP13	163	140
TP14	168	150
TP15	192	100
TP16	222	45
TP17	148	15
TP18	149	45
TP19	162	150
TP20	138	45
TP21	213	110
TP24	188	265
TP25	150	130
TP26	173	150
TP27	156	100
TP28	144	170
TP29	188	240
TP30	171	190
TP31	186	180
TP32	168	130
TP34	150	120
TP35	170	140



N

GRAPHIC SCALE

130 65 0 130 260 390

SCALE: 1"=130'

LEGEND

- 1150 — EXISTING TOPOGRAPHIC CONTOUR
- EXISTING CELL LIMITS (APPROXIMATE)
- TP-XX — INSTALLED TEMPERATURE PROBES - STANDALONE
- TP-XX — INSTALLED TEMPERATURE PROBES - INSTALLED WITHIN WELL CASING
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
- REACTION AREA BOUNDARY - CONDITION 9A

GENERAL DRAWING NOTES:

1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER. AERIAL PHOTOGRAPHY DATED MAY 14, 2025.
2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.

NO.	REVISION	DATE

SHEET TITLE: EXISTING TEMPERATURE PROBE MAP

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
3900 KILROY AIRPORT WAY, SUITE 300
LONG BEACH, CA 90806
PH: (562) 426-9544

PROJ. NO. 01204123.41 | DSN. BY: - | DWN. BY: - | CHK. BY: - | ACAD FILE ENGINEERS | APP. BY: -

DATE: 05/28/2025

SCALE: AS SHOWN

SHEET: 1

Attachment E

July 10, 2025

Reaction Committee

Report

July 10, 2025
File No. 01204123.21-13

Mr. Baitong Chen
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, California 91765

Subject: Monthly Reaction Committee Determination on Reaction Area Boundary
Chiquita Canyon Landfill – Castaic, California

Dear Mr. Chen:

In accordance with Condition Nos. 9a and 9b of the Modified Stipulated Order for Abatement (SOFA) pertaining to the Chiquita Canyon Landfill (Landfill or Facility) (Case No. 6177-4), the Reaction Committee has reviewed newly acquired applicable data recorded during the month of June 2025, considered revisions of the estimated extent of elevated temperature landfill (ETLF) conditions exhibited at the subject Facility (referred to as the "Reaction Area" limits), and has prepared this determination on potentially revising the Reaction Area map.

Attachment A presents the Drawing, titled "Reaction Area Map", prepared by SCS Engineers (SCS) and dated 7/7/25. The Drawing depicts the Reaction Area boundary as prescribed in Condition No. 9a, which corresponds to the limits of Cells 1/2A, 2B/3, 4, and Module 2B/3/4 P2, as a solid black line. The Drawing also depicts the estimated extent of ETLF conditions being experienced at the site based on the Reaction Committee's review of scientific data as a dashed magenta line. The rationale that serves as the basis for considering adjustments and modifications to the Reaction Area boundary (or the determination to maintain the decreed boundary), include the following:

- Landfill Gas (LFG) wellhead temperatures in excess of approximately 160 degrees Fahrenheit.
- Poor gas quality (defined as methane levels of less than 30 percent) in conjunction with methane-to-carbon dioxide (CH_4:CO_2) ratios less than 1.0.
- The concentration of hydrogen (H_2) in the LFG measured greater than 2 percent by volume.
- The concentration of carbon monoxide (CO) in the LFG measured greater than 2,000 ppm.
- Accelerated settlement of the landfill surface, defined as approximately 18 inches or greater within a 60-day period, and cracks in landfill cover. This corresponds to a strain value (i.e., settlement rate) rate of 3 percent per year for areas with a 300-foot waste column depth, which we believe is a reasonable average depth in the subject area of interest.
- First-hand observations of Landfill and/or SCS engineering, construction, and operations and maintenance (O&M) field personnel who are on-site related to: 1) atypical excess leachate quantities (presence and quantity of liquids); 2) instances of pressurized liquids emitting from the landfill surface, from boreholes during drilling, and from LFG wells; and, 3) the characteristics of the odors originating from the select areas of the waste footprint (often

described as “chemical-like” and distinctly different from typical LFG or landfill working face odors).

- Observations of subsurface waste conditions and characteristics as noted on borehole drilling logs for recently installed new wells and/or probes.

- Subsurface temperatures recorded at the in-situ waste temperature probes during June 2025.

- Temperature of gas or liquids measured at depth within the LFG well riser pipe (using an automated transmitter or manual field instrumentation).

- Subsurface temperature and pressures associated with drilling activities for new LFG extraction wells during June 2025.

CONSIDERATIONS FOR POTENTIAL ADJUSTMENTS TO THE ESTIMATED EXTENT OF ETLF CONDITIONS (DASHED MAGENTA LINE)

In making its monthly determinations, the Reaction Committee evaluates the above set of data parameters, in conjunction with one another, to identify meaningful trends indicating ETLF conditions, as opposed to fluctuations exhibited in isolated datapoints.

Each month, the Reaction Committee scrutinizes particular areas of the Landfill that have previously exhibited abnormal or fluctuating data, when applicable. As discussed below, despite minor variances in discrete areas of the landfill, the Reaction Committee has not discerned any meaningful trends with respect to the June 2025 data that would indicate the reaction has expanded into these areas.

Near CV-24009 and CV-24011

Well CV-24009 is positioned within 60 feet or so of the delineated boundary line and Well CV-24011 is positioned within 25 feet or so of the delineated boundary. Both wells recorded LFG wellhead temperatures in the range of 160 to 162 degrees F during June, however the average LFG wellhead temperatures measured during March through June for these two wells were 135 and 153 F, respectively.

The LFG quality is marginal at CV-24009, which has exhibited an average methane (CH_4) concentration of 25 percent during January through June, and the methane-to-carbon dioxide (CH_4:CO_2) ratio in June was 0.3. The carbon monoxide (CO) concentration at CV-24009 measured during May and June was approximately 900 ppm. The hydrogen (H_2) concentration measured in June was 7.5 percent.

The LFG quality at CV-24011 is rather poor, with an average methane concentration of only 14 percent during January through June, and the methane-to-carbon dioxide (CH_4:CO_2) ratio in June was 0.2. The carbon monoxide (CO) concentration at CV-24011 measured during May and June was approximately 4,000 ppm. The H_2 concentration measured in June was 12.2 percent.

Adjacent well CV-24007 exhibits hydrogen (H_2) concentrations in the 2 to 3 percent range, but the average LFG wellhead temperatures measured during May and June are only 126 degrees F.

The Reaction Committee has identified gas movement from within the reaction area via existing horizontal collectors as the potential cause of the short-term increase in heat and longer-term trend of marginal to poor quality gas at these wells. Specifically, well CV-24009 is positioned immediately adjacent to H-1769 (at an elevation of 1335 feet) and CV-24011 is positioned immediately adjacent to H-59 (at an elevation of 1280 feet), both of which extend hundreds of feet into the reaction area, so it is possible that the source of the heat and reaction gas at these vertical wells is offset some distance away and is being conveyed toward the wells by the horizontal collectors' piping and trench. In addition, CV-24011 is equipped with a dedicated dewatering pump, so the recent increase in temperatures and the presence of increased reaction gas (as opposed to typical landfill gas) may be attributable to the lowering of perched leachate levels in this vicinity, which is enabling movement of heat and gas through the void spaces.

Near CV-24126

Well CV-24126 is positioned within 100 feet or so of the delineated boundary. Well CV-24126 recorded an LFG wellhead temperature of 161.7 degrees F during June, however the average LFG wellhead temperatures measured during March through June for this well was less than 142 degrees F.

The LFG quality at CV-24126 is poor, with an average CH_4 concentration of only 6 percent during January through June, and the CH_4:CO_2 ratio in June was 0.1. The CO concentration during May and June was 1,760 ppm.

Adjacent wells CV-2333, CV-24127, and CV-134 exhibited H_2 concentrations during June of 13, 6, and 11 percent, respectively. However, the average LFG wellhead temperatures measured at these three wells during May and June are only 127, 122, and 147 degrees F, respectively.

The Reaction Committee has identified gas movement from within the reaction area via existing horizontal collectors as the potential cause of the short-term increase in heat at CV-24126 and longer-term trend of marginal to poor quality gas at the adjacent three wells. Specifically, well CV-24126 is positioned in close proximity to H-56 (at an elevation of 1240 feet), which extends hundreds of feet into the reaction area, so it is possible that the source of the heat and reaction gas at this vertical well is offset some distance away and is being conveyed toward the wells by the horizontal collectors' piping and trench. In addition, CV-2333, CV-24126, and CV-24127 are equipped with a dedicated dewatering pump, so the recent increase in temperatures and the presence of increased reaction gas (as opposed to typical landfill gas) may be attributable to the lowering of perched leachate levels in this vicinity, which is enabling movement of heat and gas through the void spaces.

Near CV-2541 and CV-24068

Well CV-2541 is a new well that was installed on June 19, 2025, that is positioned within 25 feet or so of the delineated boundary line. It is positioned immediately adjacent to horizontal collector H-54 (at an elevation of 1225 feet) and H-1564 (at an elevation of 1245 feet), both of which extend hundreds of feet into the reaction area. Well CV-2541 initially recorded a temperature of 194 degrees F, but has since decreased to 130 degrees F. The average LFG wellhead temperature

measured in the adjacent well CV-24068 during May and June was 147 degrees F. The H_2 concentration measured in well CV-24068 during June was 9.6 percent. Considering the most recent temperatures are relatively low for ETLF conditions, along with the proximity to horizontal collectors and the fact that CV-2541 has only been monitored on a few instance since installation in mid-June, the Reaction Committee does not believe an adjustment to the boundary of the Reaction Area to include the portions of the waste footprint inclusive of CV-2541 or CV-24068 is warranted at this time.

TEMPERATURE MONITORING PROBE DATA

The Reaction Committee reviewed the temperature measurements recorded during June 2025 by the in-situ temperature monitoring probes. As of June 2025, six of the 32 probes (TP-2, 3, 9, 11, 15, and 21) are located within the current estimated extent of ETLF conditions (dashed magenta line). Of the remaining twenty-six (26) probes positioned outside of the boundary, twelve (12) probes are positioned within relatively close proximity (within 200 feet) of this boundary. It is the Reaction Committee's opinion that the temperatures recorded by the 26 probes outside of the boundary during June 2025 are not indicative of a subsurface reaction and do not substantiate a decision to adjust the boundary of the Reaction Area at this time. The Reaction Committee is closely observing the temperature fluctuations in various depth intervals in TP-8, as well as the subtle increases in temperatures at the four deepest intervals in TP-13, to assess whether these constitute trends consistent with ETLF conditions in these locations. However, the LFG temperatures recorded at the co-located LFG wellheads (CV-24079 and CV-24073, respectively) remain less than 160 degrees F.

The Reaction Committee evaluated the 30-day maximum temperatures recorded in TP-26, TP-29, TP-30, and TP-31. The Reaction Committee noted differentiation between the 30-day maximum temperatures in these four probes compared to the 30-day maximum temperatures measured at the three probes within the current estimated extent of ETLF conditions (dashed magenta line), specifically TP-3, TP-9, and TP-21. Based on this differentiation, along with consideration of the other relevant criteria and data parameters, the Reaction Committee does not believe an adjustment to the boundary of the Reaction Area to include the portions of the waste footprint inclusive of TP-26, TP-29, TP-30, and TP-31 is warranted at this time.

HYDROGEN CONCENTRATIONS

The Reaction Committee also evaluated the concentration of hydrogen in LFG during June 2025. Recall that certain wells positioned to the south and east of the Reaction Area boundary (where dewatering pumping was reactivated) have periodically demonstrated some increased hydrogen content in the LFG during the Reaction Committee's review of the data in previous months, which similarly was the case for the June data. The Reaction Committee noted in its review of the data that these wells did not exhibit elevated temperatures. There was no evidence of the increased heat that is typical with ETLF conditions present at the wells exhibiting atypical hydrogen concentrations. As noted previously, the Reaction Committee suspects this increased hydrogen content may be attributable to substantial dewatering being accomplished throughout the Reaction Area and may be associated with gas movement from within the Reaction Area by existing horizontal collectors in close proximity. Thus, the presence of elevated hydrogen in these isolated locations does not suggest that ETLF conditions are expanding south and east of the delineated boundary. Accordingly, the Reaction Committee does not believe an adjustment to the boundary of the Reaction Area is warranted at this time.

CONCLUSION

As presented on the Drawing included as **Attachment A**, the estimated extent of ETLF conditions (dashed magenta line) is fully contained within the Reaction Area boundary decreed in the SOFA (solid black line). Because the ETLF conditions are fully contained within the Reaction Area boundary and have not expanded into a new cell, the Reaction Committee finds no basis to modify the Reaction Area boundary as prescribed in Condition 9a at this time.

There was no dissenting opinion among the Reaction Committee members regarding this monthly determination. Supporting data is presented on the Drawing included as **Attachment A.** The maximum temperature measurements recorded at the 32 in-situ waste temperature monitoring probes during June are presented in **Attachment B** in graphical format. The LFG wellhead temperatures recorded at the extraction wells for the entire Landfill footprint are reflected on the isothermal gradient range map presented as **Attachment C**. The CH_4:CO_2 ratios measured at the LFG wellheads in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment D**. The H_2 concentrations measured at the LFG wellheads in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment E**. The CO concentrations measured at the LFG wellheads in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment F**. The landfill surface settlement isopach values measured on a quarterly basis (April 2, 2025 compared to July 2, 2025) in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment G**. The electronic database and recordkeeping platform enables these measurements to be downloaded into a tabular spreadsheet format, which can be submitted to the South Coast Air Quality Management District under separate cover, if requested.

Please contact either of the undersigned if you have questions or require additional information.

Sincerely,

Robert E. Dick, PE, BCEE
Senior Vice President
SCS Engineers

Patrick S. Sullivan, BCES, CCP
Senior Vice President
SCS Engineers

RED/PSS

cc: Nathaniel Dickel, SCAQMD
Christina Ojeda, SCAQMD
Pablo Sanchez Soria, PhD, CIH, CTEH
Neal Bolton, PE, Blue Ridge Services, Inc.
Richard Pleus, PhD, Intertox
Srividhya Viswanathan, PE, SCS Engineers

Enclosures:

Attachment A – Reaction Area Map
Attachment B – In-Situ Waste Temperature Monitoring Probe Data
Attachment C – Isothermal Gradient Range Map
Attachment D – Wellhead Methane-to-Carbon Dioxide Range Map
Attachment E – Wellhead Hydrogen Range Map
Attachment F – Wellhead Carbon Monoxide Range Map
Attachment G – Settlement Isopach Range Map

ATTACHMENT A



LFG Vertical Extraction Wells Installed: JUNE, 2025						
#	Well I.D.	Bore Depth (Ft.)	Casing Depth (Ft.)	Date of Installation	Excavated/Exposed Waste Characterization	Excavated/Exposed Waste Moisture
1	CV-2503	200	198	6/2/2025	None to Little → Severe	Dry → Saturated
2	CV-2507	157	155	6/3/2025	None to Little → Severe	Dry → Saturated
3	CV-2540	200	195	6/20/2025	None to Little → Severe	Dry → Saturated
4	CV-2541	175	160	6/19/2025	None to Little → Severe	Dry → Saturated
5	CV-2543	181	180	6/24/2025	None to Little → Severe	Dry → Saturated
6	CV-2545	147	145	6/27/2025	None to Little → Severe	Dry → Saturated
7	CV-2553	134	132	6/23/2025	None to Little → Severe	Dry → Saturated
8	CV-2554	131	130	6/25/2025	None to Little → Severe	Dry → Saturated

GENERAL DRAWING NOTES:

1. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
2. THE LOCATION OF ANY EXISTING PIPING, VALVES, TIE-IN LOCATIONS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY.

DATE
REVISION
NO.

SHEET TITLE: REACTION AREA MAP JUNE 2025

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
3900 KILROY AIRPORT WAY, SUITE 300
LONG BEACH, CA 90806
PH: (562) 426-9544

ACAD FILE: -
APP. BY: WCH
DWN. BY: AEK
CHK. BY: WCH
PROJ. NO. 01204123.41
DSN. BY: -

DATE: 07/07/2025

SCALE: AS SHOWN

SHEET: 1

F:\Engineers\Waste Connections\Chiquita Canyon - LF\2025 Reaction Area Maps\06-June\DWG\CCLF June 2025 Reaction Area Map_2025-07-07.dwg Jul 07, 2025 - 4:11pm By: akarram

ATTACHMENT B

Solid Waste Borehole Maximum Temperature Profiles Over 6 Weeks

for 5/22/2025 to 7/2/2025

From June 26, 2025, through July 2, 2025, there was one recorded temperature decrease and one recorded temperature increase that triggered the notification limits set forth in the LEA's October 4, 2024 letter. Note that the one recorded temperature increase reported last week was an anomalous and likely erroneous reading as described in last week's submittal and below.

Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-08
  - The 45-foot thermocouple remained consistent with previous recorded temperatures.
- TP-11
  - The 45-foot thermocouple showed a decrease in maximum temperature of 10°F from 161°F to 151°F from June 26th to July 2nd.
- TP-16
  - The 15-foot thermocouple showed an increase in maximum temperature of 11°F from 128°F to 139°F from June 26th to July 2nd.
  - The 45 foot thermocouple remained consistent with previous recorded temperatures. As noted in last week's submittal, the 45-foot thermocouple showed an anomalous reading on June 22nd of 222°F for a single one-hour reading; however, subsequent readings were consistent with previous recorded temperatures and no other thermocouples at TP-16 showed any such changes in temperatures, indicating that this recorded temperature increase was most likely erroneous.

SCS ENGINEERS

07224053.00 | July 3, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34



SCS ENGINEERS

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35



SCS ENGINEERS

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Max Temps - 05:00:44 06-26-2025

Current | 7 Day | 30 Day

BOREHOLE	MAX TEMP (°F)	@ DEPTH (FT)
TP01	148	15
TP02	156	60
TP03	233	45
TP04	164	30
TP05	156	75
TP06	133	120
TP07	146	100
TP08	177	150
TP09	219	125
TP10	145	125
TP11	174	125
TP12	147	125
TP13	163	140
TP14	168	150
TP15	192	100
TP16	222	45
TP17	148	15
TP18	149	45
TP19	162	150
TP20	138	45
TP21	213	110
TP24	188	265
TP25	150	130
TP26	173	150
TP27	156	100
TP28	144	170
TP29	188	240
TP30	171	190
TP31	186	180
TP32	168	130
TP34	150	120
TP35	170	140



N

GRAPHIC SCALE

130 65 0 130 260 390

SCALE: 1"=130'

LEGEND

- 1150 — EXISTING TOPOGRAPHIC CONTOUR
- EXISTING CELL LIMITS (APPROXIMATE)
- TP-XX — INSTALLED TEMPERATURE PROBES - STANDALONE
- TP-XX — INSTALLED TEMPERATURE PROBES - INSTALLED WITHIN WELL CASING
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
- REACTION AREA BOUNDARY - CONDITION 9A

GENERAL DRAWING NOTES:

1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER. AERIAL PHOTOGRAPHY DATED MAY 14, 2025.
2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.

NO.	REVISION	DATE

SHEET TITLE: EXISTING TEMPERATURE PROBE MAP

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
3900 KILROY AIRPORT WAY, SUITE 300
LONG BEACH, CA 90806
PH: (562) 426-9544

PROJ. NO. 01204123.41 | DSN. BY: - | DWN. BY: - | CHK. BY: - | ACAD FILE ENGINEERS | APP. BY: -

DATE: 05/28/2025

SCALE: AS SHOWN

SHEET: 1

ATTACHMENT C



N

GRAPHIC SCALE

180 90 0 180 360 540

SCALE: 1"=180'

LEGEND

- EXISTING CELL LIMITS (APPROXIMATE)
- REACTION AREA BOUNDARY (APPROXIMATE) - BASED ON DATA REVIEW
- REACTION AREA BOUNDARY - CONDITION 9A
- GP-XX EXISTING PERIMETER MIGRATION PROBE
- TP-XX EXISTING TEMPERATURE PROBE

GENERAL DRAWING NOTES:

1. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
2. THE LOCATION OF ANY EXISTING PIPING, VALVES, TIE-IN LOCATIONS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY.

DATE | REVISION | NO.

SHEET TITLE: ISOTHERMAL GRADIENT MAP JULY 2025

PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

CLIENT: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA

SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
3900 KILROY AIRPORT WAY, SUITE 300
LONG BEACH, CA 90806
PH: (562) 426-9544

ACAD FILE: PE ENGINEERS | APP. BY: - | DWN. BY: SRM | CHK. BY: | PROJ. NO: 01204123.41 | DSN. BY: -

DATE: 07/08/2025

SCALE: AS SHOWN

SHEET: 1

Z:\Files\Engineers\Waste Connections\Chiquita Canyon LF\2024 Temp Probe data\Isothermal Gradient Maps\07-July 2025\2025 CCLF Isothermal Map_V1.0_2025-07-09.dwg Jul 08, 2025 - 8:03am By: smedina



Ranges Mapped

				# Points
>=	0	and <	0.5	127
>=	0.5	and <	0.9	83
>=	0.9	and <	1.1	49
>=	1.1	and <	1.5	67
>=	1.5	and <	101	
	N/A		N/A	

Point Type Legend

- calibration record
- flare-engine-ghg
- monitoring probe
- sample port
- well

N

SCSeTools

ATTACHMENT D

Chiquita Canyon Landfill

Range Map

Parameter: CH4/CO2 Ratio (high range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/08/2025



Ranges Mapped

			# Points
>= 0	and <	2000	4
>= 2000	and <	5000	3
>= 5000	and <	10000	6
>= 10000	and <	50000	14
>= 50000	and <	100000	25
>= 100000	and <	500000	39

Point Type Legend

well

N

SCSeTools

ATTACHMENT E

Chiquita Canyon Landfill

Range Map

Parameter: H2 (mid range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/09/2025



Ranges Mapped

	# Points
>= 0 and < 500	29
>= 500 and < 1000	9
>= 1000 and < 1500	10
>= 1500 and < 2000	11
>= 2000 and < 1000000	42

Point Type Legend

well

N

SCSeTools

ATTACHMENT F

Chiquita Canyon Landfill

Range Map

Parameter: CO (mid range)

Analysis Method: Average

Date Range: 06/01/2025 - 06/30/2025

Map generation date : 07/09/2025

ATTACHMENT G

Chiquita Canyon Landfill - Isopach



July 2, 2025 Survey Image. April 2, 2025 vs July 2, 2025

Attachment F

June 2025

Isopach Figures

Chiquita Canyon Landfill - Isopach

June 28, 2025 Survey Image. May 28, 2025 vs June 28, 2025