

Archivado: Viernes 2 de mayo de 2025 10:25:32 AM
De: [Rainey, Chuck](#)
Enviado: Viernes 25 de abril de 2025 a las 5:35:12 PM
Para: [Johnson, Cage](#) [Baitong Chen](#), [Larry Israel](#) [Nathaniel Dickel](#), [Christina Ojeda](#)
Cc: [Steve Cassulo](#) [Nicole Ward](#) [Mike Calleja](#) [Stephens, Gabrielle](#) [Kim, Jenny](#) [Kim, James](#) [Ambriz, Antonio](#) [Fong, Cornelius](#) [Chavez, Fabian](#) [Estrada, Erick](#) [Jones, Art](#)
Asunto: Ref.: Aviso de Corte de Antorchas de Chiquita Canyon, Centro 119219
Importancia: Normal
Sensibilidad: Ninguna
Adjunto:
; Chiquita Canyon Landfill (Facility ID 119219) - Planned Shutdown Notification.msgCCL Condition 82(b) Shutdown Log.xlsx;
Paragraph iv - Meteorological Data.xlsx; Paragraph v - Landfill Gas Flow Data.xlsx;

[REMITENTE EXTERNO: Tenga precaución con los enlaces/adjuntos]

A Quien Corresponda:

Según los requerimientos de la SOFA Modificada del 27 de agosto de 2024 y como se detallan en la nueva Condición 82, Chiquita Canyon, LLC (Chiquita) debe informarle al Distrito y proporcionar un aviso de seguimiento y un informe escrito, en la parte relevante, sobre el resultado de cualquier tiempo inactivo programado y/o no programado de cualquier equipo de recolección o control de biogás del Vertedero de Chiquita Canyon (Código de Instalación 119219) después de que se haya corregido el evento de inactividad, si algún dispositivo de control individual tiene períodos de inactividad que dure 30 minutos o más o si el tiempo de inactividad de cualquier combinación de equipos de recolección de biogás da como resultado una reducción del flujo de gas en los dispositivos de control del 10% o más y el tiempo de inactividad dura más de 30 minutos. Este aviso e informe escrito le siguen a los avisos presentados el lunes 21 de abril de 2025 y el martes 22 de abril de 2025, sobre un corte imprevisto y un período de inactividad imprevisto relacionado.

De la Condición No. 82: "Este aviso deberá incluir un aviso inicial 24 horas antes del evento de corte planificado, a menos que el evento se planifique menos de 24 horas antes del tiempo de inactividad planificado. El Informante deberá proporcionar el aviso lo antes posible, dentro de 1 hora desde que finalizan los planes para los períodos de inactividad. Para tiempos de inactividad no planificados, el aviso deberá ocurrir dentro de la (1) hora desde que se descubre razonablemente cualquier problema en equipos de control, que den como resultado tiempo de inactividad no planificado. El Informante además deberá proporcionar todos los avisos adicionales posteriores y un informe de seguimiento escrito dentro de las 48 horas desde el inicio y la operación de los equipos, después de haberse corregido el evento de inactividad. El aviso inicial y los avisos posteriores/el informe de seguimiento deberán incluir los siguientes puntos, a menos que a continuación se indique lo contrario:

i. **Motivo(s) de los períodos de inactividad:**

El corte previsto ocurrió el martes 22 de abril de 2025 en la Antorcha 3 debido a una obra en el cabezal; como resultado de este corte, ocurrieron cortes imprevistos durante el mismo período de tiempo en las Antorchas 1 y 2. Después de haberse realizado la obra, se reiniciaron las tres antorchas y retomaron su funcionamiento normal. Los tiempos de inactividad específicos se indican a continuación en el párrafo (iii).

ii. **Especificación sobre si el evento fue planeado o no planeado.**

El evento de corte de la Antorcha 3 estaba previsto, pero el corte de las Antorchas 1 y 2 fueron imprevistos.

iii. **Las fechas y horas estimadas (aviso inicial) y reales (aviso posterior/informe de seguimiento) del evento de inactividad.**

Antorcha 1: 22/4/25 2:44 PM – 3:04 PM
Antorcha 2: 22/4/25 2:40 PM – 3:13 PM

iv. **Datos meteorológicos (promediados en 15 minutos), que incluyen las direcciones del viento y las velocidades del viento, comenzando 48 horas antes del evento de inactividad y extendiéndose hasta 24 horas después del arranque de los equipos asociados y se retomaron las operaciones durante el período de inactividad (solo aviso/informe de seguimiento posterior)**

Los datos meteorológicos desde el 20/4/25 a las 2:30 PM hasta el 23/4/2025 a las 3:30 PM que incluyen las direcciones del viento calculadas en promedios de 15 minutos, en grados y velocidades del viento en millas por hora, se adjuntan en la planilla de Excel rotulada "Párrafo iv - Datos Meteorológicos". Por favor tenga en cuenta que todavía no están disponibles los datos del día completo del 21/4/25, pero se enviarán apenas estén disponibles.

v. **Datos del flujo de biogás minuto por minuto en las instalaciones, en formato Microsoft Excel, comenzando desde 48 horas antes del evento de inactividad y extendiéndose hasta 24 horas después de la puesta en marcha de los equipos asociados y de que se haya retomado la operación. (únicamente aviso/informe de seguimiento posterior)**

Los datos del flujo de biogás en todos los dispositivos de control de las instalaciones, que incluyen las Antorchas 1, 2 y 3, como también el TOx Zeeco, minuto por minuto, desde el 20/4/2025 a las 2:40 PM hasta el 23/4/2025 a las 3:28 PM, se adjuntan en la planilla de Excel rotulada "Párrafo v - Datos del Flujo de Biogás".

vi. **Un registro continuo de todos los eventos de tiempos de inactividad de los equipos de combustión informados según la Condición 82, que incluyen el nombre del equipo (ej. Antorchas 1, 2, 3 o unidad Zeeco), evento previsto o imprevisto, fecha de inicio estimada (aviso inicial) y real (aviso posterior/informe de seguimiento) y hora de cada evento, fecha de terminación estimada (aviso inicial) y real (aviso posterior/informe de seguimiento) y hora de cada evento, duración estimada (aviso inicial) y real (aviso posterior/informe de seguimiento) del tiempo de inactividad en minutos y motivos del tiempo de inactividad en formato Excel. La información debe estar exhibida claramente para todos los eventos de tiempos de inactividad y equipos de combustión en filas dentro de una planilla de Excel, permitiendo la determinación rápida o una combinación de equipos, que incluya eventos de tiempos de inactividad simultáneos.**

Se adjunta una planilla de cálculo que contenga todos los eventos de inactividad en las Antorchas 1, 2, 3 y TOx Zeeco informados conforme a la Condición 82 en el documento en Excel con el título "Registro de Cortes de la Condición 82(b) de CCL".

Gracias,

Chuck Rainey

De: Johnson, Cage <CageJohnson@scsengineers.com>

Enviado: Martes 22 de abril de 2025 6:31 PM

Para: Baitong Chen, <bchen@aqmd.gov>; Larry Israel <lisrael@aqmd.gov>; Nathaniel Dickel, <NDickel@aqmd.gov>; Christina Ojeda <cojeda@aqmd.gov>

Cc: Steve Cassulo <Steven.Cassulo@WasteConnections.com>; Nicole Ward <nicole.ward@wasteconnections.com>; Mike Calleja <Michael.Calleja@WasteConnections.com>; Stephens, Gabrielle <gstephens@scsengineers.com>; Rainey, Chuck <CRainey@scsengineers.com>; Kim, Jenny <JennyKim@scsengineers.com>; Kim, James <JKim@scsengineers.com>; Ambriz, Antonio <AAmbriz@scsengineers.com>; Fong, Cornelius <CFong@scsengineers.com>; Chavez, Fabian <FChavez@scsengineers.com>; Estrada, Erick <EEstrada@scsengineers.com>; Jones, Art <AJones@scsengineers.com>

Asunto: Aviso de Corte de Antorchas de Chiquita Canyon, Centro 119219.

A quien corresponda:

Según los requerimientos de la SOFA Modificada del 27 de agosto de 2024 y como se detallan en la nueva Condición 82, Chiquita debe informarle al Distrito en la parte relevante, sobre cualquier tiempo inactivo programado de cualquier equipo de recolección o control de biogás del Vertedero de Chiquita Canyon (Código de Instalación 119219) antes de que comience la obra, si algún dispositivo de control individual tiene períodos de inactividad que se prevea que durará 30 minutos o más o si se prevé que el tiempo de inactividad de cualquier combinación de equipos de recolección de biogás

dará como resultado una reducción del flujo de gas en los dispositivos de control del 10% o más y se prevé que el tiempo de inactividad durará más de 30 minutos.

Este aviso se le proporciona al Distrito para informarles sobre el tiempo de inactividad no planeado de las Antorchas 1 y 2 debido a una falla en la antorcha principal, como resultado de una obra en el cabezal que estaba programada para hoy. No estuvimos previendo un corte total.

Se proporcionará un informe de seguimiento con las fechas y horas de inicio y finalización del evento de tiempo de inactividad y el tiempo de inactividad total, sobre los datos meteorológicos/las condiciones climáticas, los datos de flujo de biogás en las instalaciones y la descripción de las actividades realizadas, dentro de las 48 horas desde que se completa la obra y la puesta en marcha y el funcionamiento de los equipos.

Gracias,

Cage Johnson
Capataz de Proyectos de OM&M
SCS ENGINEERS
3900 Kilroy Airport Way, Suite 300
Long Beach, CA 90806
cagejohnson@scsengineers.com



Dirigidos por el Éxito de los Clientes

Archived: Friday, May 2, 2025 10:23:37 AM

From: [Johnson, Cage](#)

Mail received time: Mon, 21 Apr 2025 17:23:11

Sent: Mon, 21 Apr 2025 17:23:09

To: [Baitong Chen](#), [Larry Israel](#), [Nathaniel Dickel](#), [Christina Ojeda](#)

Cc: [Steve Cassulo](#), [Nicole Ward](#), [Mike Calleja](#), [Stephens, Gabrielle](#), [Rainey, Chuck](#), [Kim, James](#), [Kim, Jenny](#), [Ambriz, Antonio](#), [Fong, Cornelius](#), [Chavez, Fabian](#), [Estrada, Erick](#), [Jones, Art](#), [Senegal, Donald](#)

Subject: Chiquita Canyon Landfill (Facility ID 119219) - Planned Shutdown Notification

Importance: Normal

Sensitivity: None

Attachments:

[CCL Condition 82\(b\) Shutdown Log.xlsx](#) 

To whom it may concern:

In accordance with the August 27, 2024 Modified SOFA requirements as outlined in the new Condition 82, Chiquita is required to notify the District, in relevant part, of any scheduled downtime of any landfill gas collection or control equipment at the Chiquita Canyon Landfill (Facility ID 119219) prior to commencement of the work if any individual control device has downtime which is anticipated to last 30 minutes or more or if the downtime of any combination of landfill gas collection equipment is planned to result in a reduction of gas flow to control devices by 10% or more and the downtime is anticipated to last 30 minutes or more.

This notification is provided to the District to inform you of the possible downtime of **Flare 3** to perform work on a main header across from the flare station. **To clarify, the work being performed has the potential to shut down Flare 3. It is intended to attempt to maintain operation at reduced flow. Once work is completed, any down equipment will be restarted as quickly as possible.**

It is anticipated that this work will occur **Tuesday, 4/22/2025**, from approximately **9:00am – 11:00am**, for a total duration of up to **2 hours**.

Chiquita does not anticipate increased odors in the community during this planned downtime.

A follow up report of the start and end dates and times of the downtime event and total downtime, meteorological data/weather conditions, facility landfill gas flow data and description of activities performed will be provided within 48 hours of the completion of the work and startup and operation of the equipment.

Thank you,

Cage Johnson
OM&M Project Foreman
SCS ENGINEERS
3900 Kilroy Airport Way, Suite 300
Long Beach, CA 90806
cagejohnson@scsengineers.com



Driven by Client Success

Instructions - Check Flare that is impacted. Note Shutdown Start and End Date/Time. Check whether Planned or Unplanned. Finally note cause or reason for shutdown.

Flare 1 - 1995	Flare 2- 2009	Flare 3 - 2023	Zeeco Tox	Planned	Unplanned	Anticipated Shutdown Start Date/Time	Anticipated Shutdown End Date/Time	Anticipated Estimated Downtime Duration (mins)	Actual Shutdown Start Date/Time	Actual Shutdown End Date/Time	Actual Shutdown Duration (mins)	Reason
x				x					8/31/2024 10:10	8/31/2024 15:09	299.00	FL-1995 manual shutdown to perform generator service
x					x				9/2/2024 9:14	9/2/2024 11:56	162.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 10:05	9/3/2024 10:17	12.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 16:41	9/3/2024 17:41	60.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/4/2024 12:07	9/4/2024 12:14	7.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/5/2024 2:49	9/5/2024 4:29	100.00	FL-1995 shutdown due to high flow
x					x				9/8/2024 12:38	9/8/2024 13:05	27.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/9/2024 12:00	9/9/2024 12:26	26.00	FL-1995 shutdown due to high flow
x					x				9/9/2024 12:40	9/9/2024 12:58	18.00	FL-1995 shutdown due to high flow
x					x				9/11/2024 13:49	9/11/2024 13:57	8.00	FL-1995 shutdown due to high flow
x					x				9/13/2024 13:51	9/13/2024 13:59	8.00	FL-1995 shutdown due to high flow
x					x				9/14/2024 8:15	9/14/2024 10:14	119.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 10:31	9/14/2024 10:56	25.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 11:29	9/14/2024 11:34	5.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 11:54	9/14/2024 11:59	5.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 12:09	9/14/2024 14:15	126.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 19:26	9/14/2024 22:31	185.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 22:38	9/14/2024 22:50	12.00	FL-1995 shutdown due to low temperature
x					x				9/15/2024 0:42	9/15/2024 1:04	22.00	FL-1995 shutdown due to high flow
x					x				9/15/2024 1:36	9/15/2024 1:44	8.00	FL-1995 shutdown due to high flow
x					x				9/16/2024 16:09	9/16/2024 16:24	15.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/17/2024 20:54	9/17/2024 21:53	59.00	FL-1995 shutdown due to high flow
x					x				9/23/2024 21:27	9/23/2024 23:21	114.00	FL-1995 shutdown due to high flow
x					x				9/24/2024 1:07	9/24/2024 1:32	25.00	FL-1995 shutdown due to high flow
x					x				9/24/2024 15:59	9/24/2024 16:35	36.00	FL-1995 shutdown due to high flow
x					x				9/25/2024 15:42	9/25/2024 16:12	30.00	FL-1995 shutdown due to low temperature
x					x				9/26/2024 10:14	9/26/2024 10:25	11.00	FL-1995 shutdown due to low temperature
x					x				9/28/2024 8:41	9/28/2024 8:58	17.00	FL-1995 shutdown due to low temperature
x					x				9/28/2024 12:48	9/28/2024 13:08	20.00	FL-1995 shutdown due to low temperature
x				x					10/12/2024 8:07	10/12/2024 8:23	16.00	FL-1995 manual shutdown for generator repair
x					x				10/14/2024 4:58	10/14/2024 5:15	17.00	FL-1995 shutdown due to low temperature
x					x				10/20/2024 2:05	10/20/2024 8:30	385.00	FL-1995 shutdown due to main flame failure
x					x				10/20/2024 12:31	10/20/2024 13:04	33.00	FL-1995 shutdown due to main flame failure
x					x				10/23/2024 14:33	10/23/2024 14:54	21.00	FL-1995 shutdown due to site generator failure
x					x				10/24/2024 6:22	10/24/2024 6:31	9.00	FL-1995 shutdown due to low temperature
x					x				10/24/2024 11:16	10/24/2024 11:22	6.00	FL-1995 shutdown due to low temperature
x					x				10/25/2024 13:33	10/25/2024 13:45	12.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x					x				10/25/2024 13:53	10/25/2024 13:58	5.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x					x				10/27/2024 18:57	10/28/2024 4:40	583.00	FL-1995 shutdown due to generator failure
x					x				10/28/2024 10:08	10/28/2024 10:30	22.00	FL-1995 shutdown due to high flow
x					x				11/1/2024 4:21	11/1/2024 4:52	31.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x					x				11/1/2024 9:48	11/1/2024 10:30	42.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x					x				11/1/2024 10:42	11/1/2024 14:08	206.00	FL-1995 shutdown due to BL-107 Gas Blower Failure & replacement
x				x					11/2/2024 4:55	11/2/2024 6:20	85.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/2/2024 7:35	11/2/2024 7:52	17.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/2/2024 7:57	11/2/2024 8:11	14.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/2/2024 8:27	11/2/2024 8:37	10.00	FL-1995 manual shutdown for power swap during generator maintenance
x									11/4/2024 15:41	11/4/2024 15:48	7.00	FL-1995 shutdown due to low temperature
x					x				11/8/2024 1:27	11/8/2024 4:30	183.00	FL-1995 shutdown due to low temperature
x									11/8/2024 8:13	11/8/2024 8:36	23.00	FL-1995 shutdown due to low temperature
x									11/8/2024 16:40	11/8/2024 16:46	6.00	FL-1995 shutdown due to low temperature
x									11/8/2024 16:57	11/8/2024 17:04	7.00	FL-1995 shutdown due to low temperature
x				x					11/9/2024 10:54	11/9/2024 11:12	18.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/9/2024 16:11	11/9/2024 16:27	16.00	FL-1995 manual shutdown for power swap during generator maintenance
x					x				11/12/2024 14:18	11/12/2024 14:29	11.00	FL-1995 shutdown due to high flow
x					x				11/14/2024 0:27	11/14/2024 6:57	390.00	FL-1995 shutdown due to generator failure
x	x			x					8/31/2024 10:10	8/31/2024 11:47	97.00	FL-2009 manual shutdown to perform generator service
x	x			x					8/31/2024 13:08	8/31/2024 15:00	112.00	FL-2009 manual shutdown to perform generator service
x					x				9/2/2024 9:13	9/2/2024 10:27	74.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 10:05	9/3/2024 10:37	32.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 16:47	9/3/2024 17:22	35.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/4/2024 11:55	9/4/2024 12:25	30.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/9/2024 11:59	9/9/2024 17:19	320.00	FL-2009 shutdown due to pilot failure
x					x				9/14/2024 8:15	9/16/2024 8:53	2918.00	FL-2009 shutdown due to pilot failure
x					x				9/16/2024 16:09	9/16/2024 16:55	46.00	FL-2009 shutdown due to Automatic Block Valve Fail
x				x					9/21/2024 8:24	9/21/2024 19:26	662.00	FL-2009 manual shutdown to perform generator service
x					x				9/23/2024 21:26	9/23/2024 23:57	151.00	FL-2009 shutdown due to high temperature
x					x				9/24/2024 0:42	9/24/2024 1:21	39.00	FL-2009 shutdown due to high flow
x					x				9/25/2024 0:44	9/25/2024 11:15	631.00	FL-2009 shutdown due to pilot failure
x					x				9/28/2024 8:41	9/28/2024 9:11	30.00	FL-2009 shutdown due to high flow
x					x				9/28/2024 12:47	9/28/2024 13:48	61.00	FL-2009 shutdown due to pilot failure
x					x				10/7/2024 3:14	10/7/2024 4:36	82.00	FL-2009 shutdown due to high flow
x					x				10/9/2024 21:48	10/9/2024 22:42	54.00	FL-2009 shutdown due to high flow
x				x					10/12/2024 8:06	10/12/2024 8:21	15.00	FL-2009 manual shutdown for generator repair
x					x				10/12/2024 18:50	10/12/2024 19:34	44.00	FL-2009 shutdown due to high flow

	X				X				10/20/2024 2:05	10/20/2024 12:21	616.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/20/2024 12:31	10/21/2024 9:38	1267.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/23/2024 11:07	10/23/2024 12:24	77.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/23/2024 14:33	10/23/2024 15:19	46.00	FL-2009 shutdown due to site generator failure
	X				X				10/23/2024 18:49	10/24/2024 12:07	1038.00	FL-2009 shutdown due to combustion air blower and pilot failure
	X				X				10/24/2024 17:48	10/24/2024 19:05	77.00	FL-2009 shutdown due to main flame failure
	X				X				10/25/2024 13:32	10/25/2024 14:09	37.00	FL-2009 shutdown due to BL-106 Gas Blower Failure
	X				X				10/27/2024 18:57	10/28/2024 12:26	1049.00	FL-2009 shutdown due to generator failure
	X				X				10/28/2024 13:04	10/28/2024 13:42	38.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/28/2024 17:39	10/28/2024 17:55	16.00	FL-2009 shutdown due to high flow
	X				X				11/1/2024 9:46	11/1/2024 12:56	190.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	X				X				11/1/2024 13:14	11/1/2024 13:40	26.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	X			X					11/2/2024 7:31	11/2/2024 10:17	166.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/2/2024 10:42	11/2/2024 11:51	69.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/9/2024 10:51	11/9/2024 13:25	154.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/9/2024 16:09	11/9/2024 16:44	35.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/14/2024 0:27	11/14/2024 13:19	772.00	FL-2009 shutdown due to generator failure & pilot combustion failure
	X				X				3/22/2024 11:55	3/22/2024 12:21	26.00	FL-2009 shutdown due to high flow
		X		X					8/31/2024 8:17	8/31/2024 10:19	122.00	FL-2023 manual shutdown to perform generator service
		X		X					8/31/2024 13:06	8/31/2024 15:44	158.00	FL-2023 manual shutdown to perform generator service
		X			X				9/2/2024 9:13	9/2/2024 10:03	50.00	FL-2023 shutdown due to main flame failure
		X			X				9/2/2024 10:22	9/2/2024 12:14	112.00	FL-2023 shutdown due to combustion low flow
		X			X				9/3/2024 10:03	9/3/2024 10:16	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/3/2024 10:33	9/3/2024 10:44	11.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/3/2024 16:55	9/3/2024 17:22	27.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/6/2024 12:39	9/6/2024 14:48	129.00	FL-2023 shutdown due to combustion blower failure
		X			X				9/9/2024 11:54	9/9/2024 12:23	29.00	FL-2023 shutdown due to main flame failure
		X			X				9/10/2024 8:51	9/10/2024 9:04	13.00	FL-2023 shutdown due to main flame failure
		X			X				9/14/2024 8:14	9/14/2024 8:40	26.00	FL-2023 shutdown due to main flame failure
		X			X				9/14/2024 9:25	9/14/2024 9:49	24.00	FL-2023 shutdown due to main flame failure
		X			X				9/14/2024 12:04	9/14/2024 14:05	121.00	FL-2023 shutdown due to main flame failure
		X			X				9/22/2024 16:10	9/22/2024 16:51	41.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/23/2024 20:10	9/24/2024 9:40	810.00	FL-2023 shutdown due to generator failure
		X			X				9/24/2024 18:21	9/24/2024 18:50	29.00	FL-2023 shutdown due to generator failure
		X			X				9/25/2024 2:09	9/25/2024 4:51	162.00	FL-2023 shutdown due to main flame failure
		X		X					9/26/2024 17:49	9/26/2024 18:18	29.00	FL-2023 manual shutdown to swap from rented generator to site generator
		X			X				9/28/2024 16:06	9/28/2024 16:19	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X		X					10/12/2024 8:07	10/12/2024 8:47	40.00	FL-2023 manual shutdown for generator service
		X			X				10/20/2024 2:07	10/20/2024 2:18	11.00	FL-2023 shutdown due to generator failure
		X			X				10/20/2024 3:31	10/20/2024 6:49	198.00	FL-2023 shutdown due to generator failure
		X			X				10/20/2024 12:15	10/20/2024 12:33	18.00	FL-2023 shutdown due to main flame failure
		X			X				10/21/2024 11:14	10/21/2024 11:25	11.00	FL-2023 shutdown due to block valve failure
		X			X				10/21/2024 14:49	10/21/2024 20:55	366.00	FL-2023 shutdown due to generator failure
		X			X				10/23/2024 4:58	10/23/2024 5:58	60.00	FL-2023 shutdown due to generator out of fuel
		X			X				10/23/2024 14:37	10/23/2024 14:49	12.00	FL-2023 shutdown due to running out of fuel
		X			X				10/24/2024 5:35	10/24/2024 6:25	50.00	FL-2023 shutdown due to running out of fuel
		X			X				10/25/2024 13:35	10/25/2024 13:47	12.00	FL-2023 shutdown due to flow spike
		X			X				10/27/2024 6:46	10/27/2024 8:31	105.00	FL-2023 shutdown due to air compressor power loss
		X			X				10/27/2024 19:02	10/27/2024 20:05	63.00	FL-2023 shutdown due to main flame failure
		X			X				10/27/2024 21:03	10/28/2024 4:06	423.00	FL-2023 shutdown due to declining gas flow as a result of a watered in sump
		X			X				10/28/2024 10:08	10/28/2024 10:24	16.00	FL-2023 shutdown due to generator issue
		X			X				10/30/2024 14:43	10/30/2024 14:58	15.00	FL-2023 shutdown due to block valve failure
		X		X					11/9/2024 7:30	11/9/2024 8:07	37.00	FL-2023 manual shutdown for power swap during generator maintenance
		X			X				11/9/2024 10:15	11/9/2024 10:44	29.00	FL-2023 manual shutdown for power swap during generator maintenance
		X			X				11/14/2024 0:31	11/14/2024 2:26	115.00	FL-2023 shutdown due to flow spike
		X			X				11/14/2024 5:13	11/14/2024 5:26	13.00	FL-2023 shutdown due to flow spike
		X		X					8/31/2024 7:07	9/1/2024 15:04	1916.56	Zeeco manual shutdown to perform generator service
		X			X				9/1/2024 15:59	9/1/2024 17:03	64.01	Zeeco shutdown due to pilot failure
		X			X				9/4/2024 18:48	9/4/2024 19:18	30.00	Zeeco shutdown due to main flame failure
		X		X					9/12/2024 17:59	9/12/2024 19:48	109.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
		X		X					9/13/2024 16:30	9/13/2024 16:49	19.00	Zeeco manual shutdown to clean flow meter
		X			X				9/19/2024 5:13	9/19/2024 8:43	209.86	Zeeco shutdown due to pilot failure
		X		X					9/22/2024 7:46	9/22/2024 9:48	122.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
		X			X				9/28/2024 8:47	9/28/2024 9:07	20.00	Zeeco shutdown due to main flame failure
		X		X					10/3/2024 21:29	10/4/2024 7:29	599.75	Zeeco manual shutdown due to upgrade on electrical system
		X			X				10/5/2024 7:17	10/5/2024 10:58	221.02	Zeeco manual shutdown to perform cleaning on DA and flow meter
		X			X				11/6/2024 11:00	11/6/2024 18:43	463.15	Public Safety Power Shutdown
		X		X					11/8/2024 13:12	11/8/2024 13:30	17.69	Return to Line Power
		X		X					11/14/2024 8:32	11/14/2024 11:46	193.26	Installation of electrical disconnect and cleaning of flame arrestor element
	X			X					11/22/2024 5:14	11/22/2024 20:42	928.00	FL-2009 manual shutdown to perform cleaning on FA and burner tips
		X		X					11/25/2024 5:28	11/25/2024 17:46	738.00	FL-2023 manual shutdown to perform cleaning on Flame Arrestor and burner tips. SCE electrical tie in to grid power.
X					X				11/22/2024 0:52	11/22/2024 2:07	75.00	FL-1995 shutdown due to high flow spike
		X			X				11/24/2024 7:11	11/24/2024 8:29	78.00	FL-2023 shutdown due to high flow spike
		X			X				11/24/2024 19:41	11/24/2024 21:06	85.00	FL-2009 shutdown due to high flow spike
X					X				11/25/2024 7:15	11/25/2024 9:24	129.00	FL-1995 shutdown due to accidental power shutoff
	X				X				11/25/2024 7:15	11/25/2024 9:50	155.00	FL-2009 shutdown due to accidental power shutoff
X				X					11/30/2024 8:00	11/30/2024 8:16	390.00	FL-1995 manual shutdown to perform generator service
	X			X					11/30/2024 8:00	11/30/2024 8:13	390.00	FL-2009 manual shutdown to perform generator service
X				X					12/2/2024 8:00	12/2/2024 9:52	240.00	FL-1995 manual shutdown to perform service on the flame arrestor
X	X	X			X				11/27/2024 8:30	11/27/2024 14:06	336.00	Flares 1, 2 and 3 manual shutdown due to electrical meter installation, installer requested a complete shutdown for extra precaution
			X		X				12/4/2024 11:12	12/4/2024 16:06	294.00	Zeeco Tox Manual shutdown for new main header tie in
X					X				12/2/2024 0:38	12/2/2024 1:11	33.00	FL-1995 shutdown due to high flow

X	X	X		X		12/7/2024 8:00	12/7/2024 12:00	240.00		12/7/2024 8:06	12/7/2024 8:18	12.00	Flares-1, 2 and 33 manual shutdown to perform generator service
X	X	X		X		12/7/2024 8:00	12/7/2024 12:00	240.00		12/7/2024 11:08	12/7/2024 11:18	10.00	Flares-1, 2 and 33 manual shutdown to perform generator service
			X		X					12/5/2024 5:10	12/5/2024 15:52	642.00	Zeeco TOX shutdown due to a failed actuator
			X		X					12/5/2024 22:42	12/6/2024 2:52	250.00	Zeeco TOX shutdown due to a flame failure
			X		X					12/6/2024 4:09	12/6/2024 4:25	16.00	Zeeco TOX shutdown due to main flame failure
			X		X					12/6/2024 14:54	12/6/2024 16:42	108.00	Zeeco TOX shutdown due to a failed actuator
			X		X					12/6/2024 7:22	12/6/2024 7:56	34.00	Zeeco TOX shutdown due to a failed actuator
			X		X					12/6/2024 10:32	12/6/2024 10:54	22.00	Zeeco TOX shutdown due to a failed actuator
X	X	X		X		12/10/2024 7:00	12/10/2024 16:00	540		See below for each flare			Shutdown of flare station for Ongoing electrical upgrades
X				X						12/10/2024 7:36	12/10/2024 17:54	618.00	Shutdown of flare station for Ongoing electrical upgrades
X				X						12/10/2024 19:46	12/10/2024 20:08	22.00	Shutdown of flare station for Ongoing electrical upgrades
	X				X					12/10/2024 7:36	12/13/2024 13:02	4646.00	originally shutdown for electrical upgrades. Then could not be re-started due to blower issues until VFD was replaced.
		X		X						12/10/2024 8:14	12/10/2024 10:06	112.00	Shutdown of flare station for Ongoing electrical upgrades
			X		X					12/10/2024 11:31	12/10/2024 12:10	39.00	Zeeco TOX shutdown due to gas vapor blower failure
X	X	X			X					12/13/2024 16:12	12/13/2024 17:46	94.00	Flare station shutdown due to needing to swap to upsized generator
			X		X	12/16/2024 8:00	12/16/2024 11:00	180.00		12/16/2024 8:54	12/16/2024 12:24	210.00	Zeeco TOX manual shutdown due to remove and clean detonation arrestor
	X				X	12/16/2024 12:00	12/16/2024 14:00	120.00		12/16/2024 14:04	12/16/2024 15:04	60.00	FL-2009 manual shutdown to remove and clean flame arrestor
		X			X	12/16/2024 14:00	12/16/2024 16:00	120.00		12/16/2024 15:06	12/16/2024 15:20	14.00	FL-2023 manual shutdown to remove and replace combustion blower filter elements
X	X	X		X		12/19/2024 0:00	12/19/2024 0:00	0.00		Shutdown not needed			Full station shut down to perform electrical work. Duration of work is unknown.
X	X	X		X		12/20/2024 7:00	12/20/2024 20:00	780.00		See below for each flare			Full station shut down to perform electrical work. Duration of work is unknown.
X				X						12/20/2024 11:48	12/20/2024 15:54	246.00	Full station shut down to perform electrical connection
	X				X					12/20/2024 11:48	12/20/2024 16:02	254.00	Full station shut down to perform electrical connection
		X								12/20/2024 11:48	12/20/2024 15:26	218.00	Full station shut down to perform electrical connection
			X	X	X	12/23/2024 8:00	12/23/2024 12:00	240.00		12/23/2024 9:06	12/23/2024 11:48	162.00	Zeeco TOX manual shut down to perform maintenance on detonation arrestor
X	X	X		X		12/23/2024 13:00	12/23/2024 15:00	120.00		See below for each flare			Full station shut down to perform electrical work. Duration of work is unknown.
X										12/23/2024 13:54	12/23/2024 15:54	120.00	Full station shut down to perform electrical connection
	X									12/23/2024 13:54	12/23/2024 15:34	100.00	Full station shut down to perform electrical connection
		X		X						12/23/2024 13:54	12/23/2024 15:24	90.00	Full station shut down to perform electrical connection
X	X	X	X	X		1/7/2024 11:47	1/7/2024 12:15	28.00		See below for each flare			Sitewide Public Safety Power Shutdown
X				X						1/7/2024 11:51	1/7/2024 12:18	27.00	Restart upon Generator activation
	X			X						1/7/2024 11:51	1/7/2024 13:47	116.00	Restart upon Generator start up and Thermocouple replacement
		X		X						1/7/2024 11:52	1/7/2024 12:13	21.00	Restart upon Generator activation
			X	X						1/7/2024 11:48	1/7/2024 12:37	49.00	Restart upon Generator activation
	X				X	1/9/2025 7:45	1/9/2025 14:00	375.00		1/9/2025 7:47	1/9/2025 14:45	418.00	Shutdown for flare inspection for structural testing
X					X	1/10/2025 5:35	1/10/2025 6:30	55.00		1/10/2025 5:43	1/10/2025 6:29	46.00	Shutdown during power restoration from Public Safety Power Shutdown
	X				X	1/10/2025 5:35	1/10/2025 6:30	55.00		1/10/2025 5:43	1/10/2025 6:18	35.00	Shutdown during power restoration from Public Safety Power Shutdown
			X		X	1/10/2025 5:35	1/10/2025 6:30	55.00		1/10/2025 5:34	1/10/2025 6:53	79.00	Shutdown during power restoration from Public Safety Power Shutdown
			X		X	1/10/2025 5:35	1/10/2025 5:45	10.00		1/10/2025 5:42	1/10/2025 5:48	6.00	Shutdown during power restoration from Public Safety Power Shutdown/Autorestart
X					X	1/13/2025 2:54	1/13/2025 5:04	130.00		1/13/2025 2:57	1/13/2025 5:09	132.00	Suspected flame failure due to high flow
X	X	X	X	X	X	1/13/2025 9:53	1/13/2025 10:53	60.00		1/13/2025 9:53	1/13/2025 11:06	73.00	Sitewide Public Safety Power Shutoff
			X		X	1/13/2025 20:49	1/14/2025 7:57	668.00		1/13/2025 20:52	1/14/2025 7:58	666.00	Power restored. Breaker tripped
X	X	X			X	1/16/2025 13:30	1/16/2025 14:30	60.00		1/16/2025 13:47	1/16/2025 14:41	54.00	Power restored - switching to line power
X	X	X			X					1/18/2025 14:38	1/18/2025 15:19	41.00	Electrical glitch at flare station
X	X	X	X	X						1/22/2025 12:26	1/22/2025 13:17	51.00	Switch to generator power as a wild fire near the site broke out forcing evacuations
X	X	X			X					1/25/2025 8:45	1/25/2025 9:14	29.00	Manual shutdown to switch from generator power to utility power
X					X	1/28/2025 18:17	1/28/2025 19:47	90.00		1/28/2025 18:17	1/28/2025 19:04	47.00	FL-1995 shutdown due to high flow
	X		X		X					2/7/2025 13:20	2/7/2025 13:51	31.00	Suspected utility power surge
X					X					2/8/2025 15:48	2/8/2025 21:00	312.00	Backed up liquid in main header
		X			X					2/8/2025 17:43	2/9/2025 12:49	1146.00	Backed up liquid in main header
		X			X					2/11/2025 10:13	2/11/2025 16:56	403.00	Pulled flame arrestor to clean
		X			X	2/12/2025 9:10	2/12/2025 11:30	140.00		2/12/2025 8:58	2/12/2025 11:32	153.99	Clogged flame arrestor causing declining flow and poor flame signal
X				X		2/17/2025 7:00	2/17/2025 15:00	480.00		2/17/2025 8:07	2/18/2025 12:18	1691.00	Manual shutdown to clean flare burner assembly and flame arrestor
	X	X		X		2/14/2025 8:30	2/14/2025 12:30	240.00		2/14/2025 8:02	2/14/2025 12:07	185.00	Manual shutdown to clean flare burner assembly and flame arrestor
	X	X	X		X	2/16/2025 8:00	2/16/2025 12:30	270.00		2/17/2025 8:58	2/17/2025 19:36	638.00	Manual shutdown to clean flare burner assembly and flame arrestor
X					X					2/19/2025 12:26	2/19/2025 13:18	52.00	Flare shutdown due to computer programming glitch
	X				X					2/19/2025 12:26	2/19/2025 14:00	94.00	Flare shutdown due to computer programming glitch
X					X	2/20/2025 17:26	2/20/2025 18:56	90.00		2/20/2025 17:25	2/20/2025 17:51	26.00	Hi flow shutdown due to liquids/debris impacting flow meter
		X		X		2/21/2025 8:00	2/21/2025 12:00	240.00		2/21/2025 9:17	2/21/2025 11:26	129.00	Manual shutdown to pull and clean the flame arrestor
		X			X					2/21/2025 11:48	2/21/2025 12:17	29.00	flare failure during restart of flare 3, less than 30 minutes
			X		X					2/21/2025 13:14	2/21/2025 15:06	112.00	Shutdown 2023 to reseal the gasket on the flame arrestor
X					X					2/22/2025 4:38	2/22/2025 5:15	37.00	Flare shutdown due to low temperature
	X				X					2/22/2025 4:21	2/22/2025 5:45	84.00	Flare shutdown due to main flame failure
	X				X	2/22/2025 17:16	2/22/2025 20:00	164.00		2/22/2025 17:17	2/22/2025 20:34	197.00	Flare shutdown due to backed up liquids in the header restricting gas flow
		X			X					2/22/2025 18:57	2/22/2025 20:21	84.00	Flame failure during restart of flare 2
	X				X	2/23/2025 0:35	2/23/2025 12:00	685.00		2/23/2025 0:36	2/23/2025 11:56	680.00	High flow shutdown due to debris/liquid hitting flow meter. Cleaned flame arrestor prior to restart
		X			X	2/23/2025 16:31	2/23/2025 20:00	209.00		2/23/2025 16:37	2/23/2025 17:38	35.00	Flare shutdown due high burner tip
			X	X		2/24/2025 13:00	2/24/2025 15:00	120.00		2/24/2025 9:35	2/24/2025 11:39	124.00	Manual shutdown to pull and clean the flow meter
X					X	2/25/2025 13:15	2/25/2025 16:00	165.00		2/25/2025 13:15	2/25/2025 14:50	95.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)
	X				X	2/25/2025 13:30	2/25/2025 17:00	210.00		2/25/2025 13:33	2/25/2025 16:50	197.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)
			X		X	2/26/2025 4:50	2/26/2025 10:00	310.00		2/26/2025 4:52	2/26/2025 7:02	130.00	Flame failure. Pilot needed to be cleaned and flame scanner re-aligned
			X		X	2/27/2025 9:15	2/27/2025 11:30	135.00		2/27/2025 9:16	2/27/2025 9:48	32.00	Manual shutdown to clean flame arrestor due to unexpected high differential pressure
			X		X					3/1/2025 13:27	3/1/2025 15:17	110.00	Flare shutdown due main flame failure
			X		X	3/2/2025 2:30	3/2/2025 12:00	570.00		3/2/2025 2:30	3/2/2025 8:21	351.00	Flare shutdown due main flame failure
				X						3/4/2025 5:00	3/4/2025 18:00	780.00	Manual shutdown to perform flare cleaning and maintenance
	X				X	3/7/2025 10:27	3/7/2025 11:11	44.00		3/7/2025 10:31	3/7/2025 11:13	42.00	Flare shutdown due to main flame failure
X					X	3/7/2025 10:33	3/7/2025 10:44	11.00		3/7/2025 10:38	3/7/2025 10:51	13.00	Flare shutdown due to high flow
X		X			X	3/10/2025 11:19	3/10/2025 12:45	86.00		See below for individual flare downtimes			Flares shutdown during pipeline construction work
X					X					3/10/2025 11:29	3/10/2025 11:48	19.00	Flares shutdown during pipeline construction work
		X			X					3/10/2025 11:19	3/10/2025 11:42	23.00	Flares shutdown during pipeline construction work
X					X					3/10/2025 17:55	3/10/2025 17:59	4.00	Flare shutdown during construction. No notification required
		X								3/10/2025 17:49	3/10/2025 18:06	17.00	Flare shutdown during construction. No notification required
X										3/13/2025 5:25	3/13/2025 6:09	44.00	Flame failure shutdown

X					X					3/14/2025 9:06	3/14/2025 11:04	118.00	Flares shutdown during pipeline construction work
	X				X					3/14/2025 8:57	3/14/2025 10:52	115.00	Flares shutdown during pipeline construction work
X	X	X		X		3/27/2025 9:00	3/27/2025 11:00	120.00					Planned shutdown to perform monthly alarm tests
X	X	X		X		3/31/2025 9:00	3/31/2025 11:00	120.00	**EVENT DID NOT TAKE PLACE**				Planned potential shutdown to perform main header work
		X			X	3/31/2025 16:48	3/31/2025 17:20	32.00	3/31/2025 16:52	3/31/2025 17:37	45.00		Flare shutdown due to combustion blower failure
		X			X	4/2/2025 16:48	4/2/2025 16:58	10.00					Flare shutdown due to combustion blower failure
X					X	4/2/2025 17:04	4/2/2025 17:14	10.00					Flare shutdown due to high flow
		X			X	4/2/2025 17:04	4/2/2025 17:32	28.00					Flare shutdown due to combustion air low flow
		X			X				4/4/2025 9:33	4/4/2025 9:44	11.00		Flare shutdown during construction. No notification required
		X			X				4/4/2025 9:47	4/4/2025 10:03	16.00		Flare shutdown during construction. No notification required
		X			X				4/4/2025 10:05	4/4/2025 10:17	12.00		Flare shutdown during construction. No notification required
		X			X				4/4/2025 10:19	4/4/2025 10:23	4.00		Flare shutdown during construction. No notification required
	X				X				4/4/2025 10:52	4/4/2025 11:04	12.00		Flare shutdown due low temp
X	X	X		X		4/7/2025 9:00	4/7/2025 11:00	120.00					Planned potential shutdown to perform main header work
		X			X	4/7/2025 15:38	4/7/2025 16:01	23.00					Flare shutdown due to high burner temp
		X			X	4/7/2025 19:11	4/7/2025 20:11	60.00					Flare shutdown due to high burner temp
			X		X				4/8/2025 9:52	4/8/2025 10:21	29.00		Zeeco shutdown due to header pipe work and clogged pilot orifice preventing restart
		X		X	X	4/10/2025 9:00	4/10/2025 10:00	60.00					Planned potential shutdown to swap out propane tanks
		X			X				4/11/2025 23:00	4/12/2025 3:54	294.00		Flare shutdown due to flame failure
	X			X		4/14/2025 5:00	4/14/2025 17:00	720.00					Planned shutdown to perform cleaning and maintenance
		X			X				4/16/2025 16:33	4/16/2025 16:41	8.00		Flare down due to VFD faults on the combustion blower and gas blowers
	X				X				4/19/2025 3:07	4/19/2025 3:54	47.00		Flare shutdown due main flame failure
	X				X				4/19/2025 4:05	4/19/2025 4:36	31.00		Flare shutdown due low temperature
X					X				4/19/2025 4:32	4/19/2025 4:44	12.00		Flare shutdown due low temperature
X					X				4/19/2025 7:23	4/19/2025 8:02	39.00		Flare shutdown due low temperature
X					X				4/19/2025 8:14	4/19/2025 8:34	20.00		Flare shutdown due low temperature
	X				X				4/19/2025 7:12	4/19/2025 8:17	65.00		Flare shutdown due main flame failure
		X			X				4/19/2025 7:26	4/19/2025 7:33	7.00		Flare shutdown due flame failure
		X			X				4/19/2025 7:40	4/19/2025 7:45	5.00		Flare shutdown due flame failure
X	X	X			X	4/19/2025 19:18	4/19/2025 21:00	102.00					Flare station full shutdown. Reason is currently unknown
X					X	4/19/2025 22:50	4/19/2025 23:50	60.00					Flare shutdown due to main flame failure
	X				X	4/19/2025 22:50	4/19/2025 23:50	60.00					Flare shutdown due to low temperature
		X			X				4/20/2025 12:38	4/20/2025 13:15	37.00		Flare shutdown due to main flame failure
		X		X		4/22/2025 9:00	4/22/2025 11:00	120.00					Planned potential shutdown to perform main header work

Instructions - Check Flare that is impacted. Note Shutdown Start and End Date/Time. Check whether Planned or Unplanned. Finally note cause or reason for shutdown.

Flare 1 - 1995	Flare 2- 2009	Flare 3 - 2023	Zeeco Tox	Planned	Unplanned	Anticipated Shutdown Start Date/Time	Anticipated Shutdown End Date/Time	Anticipated Estimated Downtime Duration (mins)	Actual Shutdown Start Date/Time	Actual Shutdown End Date/Time	Actual Shutdown Duration (mins)	Reason
x				x					8/31/2024 10:10	8/31/2024 15:09	299.00	FL-1995 manual shutdown to perform generator service
x					x				9/2/2024 9:14	9/2/2024 11:56	162.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 10:05	9/3/2024 10:17	12.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 16:41	9/3/2024 17:41	60.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/4/2024 12:07	9/4/2024 12:14	7.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/5/2024 2:49	9/5/2024 4:29	100.00	FL-1995 shutdown due to high flow
x					x				9/8/2024 12:38	9/8/2024 13:05	27.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/9/2024 12:00	9/9/2024 12:26	26.00	FL-1995 shutdown due to high flow
x					x				9/9/2024 12:40	9/9/2024 12:58	18.00	FL-1995 shutdown due to high flow
x					x				9/11/2024 13:49	9/11/2024 13:57	8.00	FL-1995 shutdown due to high flow
x					x				9/13/2024 13:51	9/13/2024 13:59	8.00	FL-1995 shutdown due to high flow
x					x				9/14/2024 8:15	9/14/2024 10:14	119.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 10:31	9/14/2024 10:56	25.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 11:29	9/14/2024 11:34	5.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 11:54	9/14/2024 11:59	5.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 12:09	9/14/2024 14:15	126.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 19:26	9/14/2024 22:31	185.00	FL-1995 shutdown due to low temperature
x					x				9/14/2024 22:38	9/14/2024 22:50	12.00	FL-1995 shutdown due to low temperature
x					x				9/15/2024 0:42	9/15/2024 1:04	22.00	FL-1995 shutdown due to high flow
x					x				9/15/2024 1:36	9/15/2024 1:44	8.00	FL-1995 shutdown due to high flow
x					x				9/16/2024 16:09	9/16/2024 16:24	15.00	FL-1995 shutdown due to Automatic Block Valve Fail
x					x				9/17/2024 20:54	9/17/2024 21:53	59.00	FL-1995 shutdown due to high flow
x					x				9/23/2024 21:27	9/23/2024 23:21	114.00	FL-1995 shutdown due to high flow
x					x				9/24/2024 1:07	9/24/2024 1:32	25.00	FL-1995 shutdown due to high flow
x					x				9/24/2024 15:59	9/24/2024 16:35	36.00	FL-1995 shutdown due to high flow
x					x				9/25/2024 15:42	9/25/2024 16:12	30.00	FL-1995 shutdown due to low temperature
x					x				9/26/2024 10:14	9/26/2024 10:25	11.00	FL-1995 shutdown due to low temperature
x					x				9/28/2024 8:41	9/28/2024 8:58	17.00	FL-1995 shutdown due to low temperature
x					x				9/28/2024 12:48	9/28/2024 13:08	20.00	FL-1995 shutdown due to low temperature
x				x					10/12/2024 8:07	10/12/2024 8:23	16.00	FL-1995 manual shutdown for generator repair
x					x				10/14/2024 4:58	10/14/2024 5:15	17.00	FL-1995 shutdown due to low temperature
x					x				10/20/2024 2:05	10/20/2024 8:30	385.00	FL-1995 shutdown due to main flame failure
x					x				10/20/2024 12:31	10/20/2024 13:04	33.00	FL-1995 shutdown due to main flame failure
x					x				10/23/2024 14:33	10/23/2024 14:54	21.00	FL-1995 shutdown due to site generator failure
x					x				10/24/2024 6:22	10/24/2024 6:31	9.00	FL-1995 shutdown due to low temperature
x					x				10/24/2024 11:16	10/24/2024 11:22	6.00	FL-1995 shutdown due to low temperature
x					x				10/25/2024 13:33	10/25/2024 13:45	12.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x					x				10/25/2024 13:53	10/25/2024 13:58	5.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x					x				10/27/2024 18:57	10/28/2024 4:40	583.00	FL-1995 shutdown due to generator failure
x					x				10/28/2024 10:08	10/28/2024 10:30	22.00	FL-1995 shutdown due to high flow
x					x				11/1/2024 4:21	11/1/2024 4:52	31.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x					x				11/1/2024 9:48	11/1/2024 10:30	42.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x					x				11/1/2024 10:42	11/1/2024 14:08	206.00	FL-1995 shutdown due to BL-107 Gas Blower Failure & replacement
x				x					11/2/2024 4:55	11/2/2024 6:20	85.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/2/2024 7:35	11/2/2024 7:52	17.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/2/2024 7:57	11/2/2024 8:11	14.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/2/2024 8:27	11/2/2024 8:37	10.00	FL-1995 manual shutdown for power swap during generator maintenance
x									11/4/2024 15:41	11/4/2024 15:48	7.00	FL-1995 shutdown due to low temperature
x					x				11/8/2024 1:27	11/8/2024 4:30	183.00	FL-1995 shutdown due to low temperature
x									11/8/2024 8:13	11/8/2024 8:36	23.00	FL-1995 shutdown due to low temperature
x									11/8/2024 16:40	11/8/2024 16:46	6.00	FL-1995 shutdown due to low temperature
x									11/8/2024 16:57	11/8/2024 17:04	7.00	FL-1995 shutdown due to low temperature
x				x					11/9/2024 10:54	11/9/2024 11:12	18.00	FL-1995 manual shutdown for power swap during generator maintenance
x				x					11/9/2024 16:11	11/9/2024 16:27	16.00	FL-1995 manual shutdown for power swap during generator maintenance
x					x				11/12/2024 14:18	11/12/2024 14:29	11.00	FL-1995 shutdown due to high flow
x					x				11/14/2024 0:27	11/14/2024 6:57	390.00	FL-1995 shutdown due to generator failure
x	x			x					8/31/2024 10:10	8/31/2024 11:47	97.00	FL-2009 manual shutdown to perform generator service
x	x			x					8/31/2024 13:08	8/31/2024 15:00	112.00	FL-2009 manual shutdown to perform generator service
x					x				9/2/2024 9:13	9/2/2024 10:27	74.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 10:05	9/3/2024 10:37	32.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/3/2024 16:47	9/3/2024 17:22	35.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/4/2024 11:55	9/4/2024 12:25	30.00	FL-2009 shutdown due to Automatic Block Valve Fail
x					x				9/9/2024 11:59	9/9/2024 17:19	320.00	FL-2009 shutdown due to pilot failure
x					x				9/14/2024 8:15	9/16/2024 8:53	2918.00	FL-2009 shutdown due to pilot failure
x					x				9/16/2024 16:09	9/16/2024 16:55	46.00	FL-2009 shutdown due to Automatic Block Valve Fail
x				x					9/21/2024 8:24	9/21/2024 19:26	662.00	FL-2009 manual shutdown to perform generator service
x					x				9/23/2024 21:26	9/23/2024 23:57	151.00	FL-2009 shutdown due to high temperature
x					x				9/24/2024 0:42	9/24/2024 1:21	39.00	FL-2009 shutdown due to high flow
x					x				9/25/2024 0:44	9/25/2024 11:15	631.00	FL-2009 shutdown due to pilot failure
x					x				9/28/2024 8:41	9/28/2024 9:11	30.00	FL-2009 shutdown due to high flow
x					x				9/28/2024 12:47	9/28/2024 13:48	61.00	FL-2009 shutdown due to pilot failure
x					x				10/7/2024 3:14	10/7/2024 4:36	82.00	FL-2009 shutdown due to high flow
x					x				10/9/2024 21:48	10/9/2024 22:42	54.00	FL-2009 shutdown due to high flow
x				x					10/12/2024 8:06	10/12/2024 8:21	15.00	FL-2009 manual shutdown for generator repair
x					x				10/12/2024 18:50	10/12/2024 19:34	44.00	FL-2009 shutdown due to high flow

	X				X				10/20/2024 2:05	10/20/2024 12:21	616.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/20/2024 12:31	10/21/2024 9:38	1267.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/23/2024 11:07	10/23/2024 12:24	77.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/23/2024 14:33	10/23/2024 15:19	46.00	FL-2009 shutdown due to site generator failure
	X				X				10/23/2024 18:49	10/24/2024 12:07	1038.00	FL-2009 shutdown due to combustion air blower and pilot failure
	X				X				10/24/2024 17:48	10/24/2024 19:05	77.00	FL-2009 shutdown due to main flame failure
	X				X				10/25/2024 13:32	10/25/2024 14:09	37.00	FL-2009 shutdown due to BL-106 Gas Blower Failure
	X				X				10/27/2024 18:57	10/28/2024 12:26	1049.00	FL-2009 shutdown due to generator failure
	X				X				10/28/2024 13:04	10/28/2024 13:42	38.00	FL-2009 shutdown due to combustion air blower failure
	X				X				10/28/2024 17:39	10/28/2024 17:55	16.00	FL-2009 shutdown due to high flow
	X				X				11/1/2024 9:46	11/1/2024 12:56	190.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	X				X				11/1/2024 13:14	11/1/2024 13:40	26.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	X			X					11/2/2024 7:31	11/2/2024 10:17	166.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/2/2024 10:42	11/2/2024 11:51	69.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/9/2024 10:51	11/9/2024 13:25	154.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/9/2024 16:09	11/9/2024 16:44	35.00	FL-2009 manual shutdown for power swap during generator maintenance
	X			X					11/14/2024 0:27	11/14/2024 13:19	772.00	FL-2009 shutdown due to generator failure & pilot combustion failure
	X				X				3/22/2024 11:55	3/22/2024 12:21	26.00	FL-2009 shutdown due to high flow
		X		X					8/31/2024 8:17	8/31/2024 10:19	122.00	FL-2023 manual shutdown to perform generator service
		X		X					8/31/2024 13:06	8/31/2024 15:44	158.00	FL-2023 manual shutdown to perform generator service
		X			X				9/2/2024 9:13	9/2/2024 10:03	50.00	FL-2023 shutdown due to main flame failure
		X			X				9/2/2024 10:22	9/2/2024 12:14	112.00	FL-2023 shutdown due to combustion low flow
		X			X				9/3/2024 10:03	9/3/2024 10:16	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/3/2024 10:33	9/3/2024 10:44	11.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/3/2024 16:55	9/3/2024 17:22	27.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/6/2024 12:39	9/6/2024 14:48	129.00	FL-2023 shutdown due to combustion blower failure
		X			X				9/9/2024 11:54	9/9/2024 12:23	29.00	FL-2023 shutdown due to main flame failure
		X			X				9/10/2024 8:51	9/10/2024 9:04	13.00	FL-2023 shutdown due to main flame failure
		X			X				9/14/2024 8:14	9/14/2024 8:40	26.00	FL-2023 shutdown due to main flame failure
		X			X				9/14/2024 9:25	9/14/2024 9:49	24.00	FL-2023 shutdown due to main flame failure
		X			X				9/14/2024 12:04	9/14/2024 14:05	121.00	FL-2023 shutdown due to main flame failure
		X			X				9/22/2024 16:10	9/22/2024 16:51	41.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X			X				9/23/2024 20:10	9/24/2024 9:40	810.00	FL-2023 shutdown due to generator failure
		X			X				9/24/2024 18:21	9/24/2024 18:50	29.00	FL-2023 shutdown due to generator failure
		X			X				9/25/2024 2:09	9/25/2024 4:51	162.00	FL-2023 shutdown due to main flame failure
		X		X					9/26/2024 17:49	9/26/2024 18:18	29.00	FL-2023 manual shutdown to swap from rented generator to site generator
		X			X				9/28/2024 16:06	9/28/2024 16:19	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		X		X					10/12/2024 8:07	10/12/2024 8:47	40.00	FL-2023 manual shutdown for generator service
		X			X				10/20/2024 2:07	10/20/2024 2:18	11.00	FL-2023 shutdown due to generator failure
		X			X				10/20/2024 3:31	10/20/2024 6:49	198.00	FL-2023 shutdown due to generator failure
		X			X				10/20/2024 12:15	10/20/2024 12:33	18.00	FL-2023 shutdown due to main flame failure
		X			X				10/21/2024 11:14	10/21/2024 11:25	11.00	FL-2023 shutdown due to block valve failure
		X			X				10/21/2024 14:49	10/21/2024 20:55	366.00	FL-2023 shutdown due to generator failure
		X			X				10/23/2024 4:58	10/23/2024 5:58	60.00	FL-2023 shutdown due to generator out of fuel
		X			X				10/23/2024 14:37	10/23/2024 14:49	12.00	FL-2023 shutdown due to running out of fuel
		X			X				10/24/2024 5:35	10/24/2024 6:25	50.00	FL-2023 shutdown due to running out of fuel
		X			X				10/25/2024 13:35	10/25/2024 13:47	12.00	FL-2023 shutdown due to flow spike
		X			X				10/27/2024 6:46	10/27/2024 8:31	105.00	FL-2023 shutdown due to air compressor power loss
		X			X				10/27/2024 19:02	10/27/2024 20:05	63.00	FL-2023 shutdown due to main flame failure
		X			X				10/27/2024 21:03	10/28/2024 4:06	423.00	FL-2023 shutdown due to declining gas flow as a result of a watered in sump
		X			X				10/28/2024 10:08	10/28/2024 10:24	16.00	FL-2023 shutdown due to generator issue
		X			X				10/30/2024 14:43	10/30/2024 14:58	15.00	FL-2023 shutdown due to block valve failure
		X		X					11/9/2024 7:30	11/9/2024 8:07	37.00	FL-2023 manual shutdown for power swap during generator maintenance
		X			X				11/9/2024 10:15	11/9/2024 10:44	29.00	FL-2023 manual shutdown for power swap during generator maintenance
		X			X				11/14/2024 0:31	11/14/2024 2:26	115.00	FL-2023 shutdown due to flow spike
		X			X				11/14/2024 5:13	11/14/2024 5:26	13.00	FL-2023 shutdown due to flow spike
		X		X					8/31/2024 7:07	9/1/2024 15:04	1916.56	Zeeco manual shutdown to perform generator service
		X			X				9/1/2024 15:59	9/1/2024 17:03	64.01	Zeeco shutdown due to pilot failure
		X			X				9/4/2024 18:48	9/4/2024 19:18	30.00	Zeeco shutdown due to main flame failure
		X		X					9/12/2024 17:59	9/12/2024 19:48	109.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
		X		X					9/13/2024 16:30	9/13/2024 16:49	19.00	Zeeco manual shutdown to clean flow meter
		X			X				9/19/2024 5:13	9/19/2024 8:43	209.86	Zeeco shutdown due to pilot failure
		X		X					9/22/2024 7:46	9/22/2024 9:48	122.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
		X			X				9/28/2024 8:47	9/28/2024 9:07	20.00	Zeeco shutdown due to main flame failure
		X		X					10/3/2024 21:29	10/4/2024 7:29	599.75	Zeeco manual shutdown due to upgrade on electrical system
		X			X				10/5/2024 7:17	10/5/2024 10:58	221.02	Zeeco manual shutdown to perform cleaning on DA and flow meter
		X			X				11/6/2024 11:00	11/6/2024 18:43	463.15	Public Safety Power Shutdown
		X		X					11/8/2024 13:12	11/8/2024 13:30	17.69	Return to Line Power
		X		X					11/14/2024 8:32	11/14/2024 11:46	193.26	Installation of electrical disconnect and cleaning of flame arrestor element
	X			X					11/22/2024 5:14	11/22/2024 20:42	928.00	FL-2009 manual shutdown to perform cleaning on FA and burner tips
		X		X					11/25/2024 5:28	11/25/2024 17:46	738.00	FL-2023 manual shutdown to perform cleaning on Flame Arrestor and burner tips. SCE electrical tie in to grid power.
X					X				11/22/2024 0:52	11/22/2024 2:07	75.00	FL-1995 shutdown due to high flow spike
		X			X				11/24/2024 7:11	11/24/2024 8:29	78.00	FL-2023 shutdown due to high flow spike
		X			X				11/24/2024 19:41	11/24/2024 21:06	85.00	FL-2009 shutdown due to high flow spike
X					X				11/25/2024 7:15	11/25/2024 9:24	129.00	FL-1995 shutdown due to accidental power shutoff
	X				X				11/25/2024 7:15	11/25/2024 9:50	155.00	FL-2009 shutdown due to accidental power shutoff
X				X					11/30/2024 8:00	11/30/2024 8:16	390.00	FL-1995 manual shutdown to perform generator service
	X			X					11/30/2024 8:00	11/30/2024 8:13	390.00	FL-2009 manual shutdown to perform generator service
X				X					12/2/2024 8:00	12/2/2024 9:52	240.00	FL-1995 manual shutdown to perform service on the flame arrestor
X	X	X			X				11/27/2024 8:30	11/27/2024 14:06	336.00	Flares 1, 2 and 3 manual shutdown due to electrical meter installation, installer requested a complete shutdown for extra precaution
			X		X				12/4/2024 11:12	12/4/2024 16:06	294.00	Zeeco Tox Manual shutdown for new main header tie in
X					X				12/2/2024 0:38	12/2/2024 1:11	33.00	FL-1995 shutdown due to high flow

						12/7/2024 8:00	12/7/2024 12:00	240.00		12/7/2024 8:06	12/7/2024 8:18	12.00	Flares-1, 2 and 33 manual shutdown to perform generator service
X	X	X				12/7/2024 8:00	12/7/2024 12:00	240.00		12/7/2024 11:08	12/7/2024 11:18	10.00	Flares-1, 2 and 33 manual shutdown to perform generator service
			X							12/5/2024 5:10	12/5/2024 15:52	642.00	Zeeco TOX shutdown due to a failed actuator
				X						12/5/2024 22:42	12/6/2024 2:52	250.00	Zeeco TOX shutdown due to a flame failure
			X							12/6/2024 4:09	12/6/2024 4:25	16.00	Zeeco TOX shutdown due to main flame failure
			X							12/6/2024 14:54	12/6/2024 16:42	108.00	Zeeco TOX shutdown due to a failed actuator
			X							12/6/2024 7:22	12/6/2024 7:56	34.00	Zeeco TOX shutdown due to a failed actuator
			X							12/6/2024 10:32	12/6/2024 10:54	22.00	Zeeco TOX shutdown due to a failed actuator
X	X	X			X	12/10/2024 7:00	12/10/2024 16:00	540	See below for each flare				Shutdown of flare station for Ongoing electrical upgrades
X					X				12/10/2024 7:36	12/10/2024 17:54	618.00	Shutdown of flare station for Ongoing electrical upgrades	
X					X				12/10/2024 19:46	12/10/2024 20:08	22.00	Shutdown of flare station for Ongoing electrical upgrades	
	X					X			12/10/2024 7:36	12/13/2024 13:02	4646.00	originally shutdown for electrical upgrades. Then could not be re-started due to blower issues until VFD was replaced.	
		X			X				12/10/2024 8:14	12/10/2024 10:06	112.00	Shutdown of flare station for Ongoing electrical upgrades	
			X						12/10/2024 11:31	12/10/2024 12:10	39.00	Zeeco TOX shutdown due to gas vapor blower failure	
X	X	X			X				12/13/2024 16:12	12/13/2024 17:46	94.00	Flare station shutdown due to needing to swap to upsized generator	
			X			X	12/16/2024 8:00	12/16/2024 11:00	180.00	12/16/2024 8:54	12/16/2024 12:24	210.00	Zeeco TOX manual shutdown due to remove and clean detonation arrestor
	X				X	12/16/2024 12:00	12/16/2024 14:00	120.00	12/16/2024 14:04	12/16/2024 15:04	60.00	FL-2009 manual shutdown to remove and clean flame arrestor	
		X			X	12/16/2024 14:00	12/16/2024 16:00	120.00	12/16/2024 15:06	12/16/2024 15:20	14.00	FL-2023 manual shutdown to remove and replace combustion blower filter elements	
X	X	X			X	12/19/2024 0:00	12/19/2024 0:00	0.00	Shutdown not needed				Full station shut down to perform electrical work. Duration of work is unknown.
X	X	X			X	12/20/2024 7:00	12/20/2024 20:00	780.00	See below for each flare				Full station shut down to perform electrical work. Duration of work is unknown.
					X				12/20/2024 11:48	12/20/2024 15:54	246.00	Full station shut down to perform electrical connection	
	X				X				12/20/2024 11:48	12/20/2024 16:02	254.00	Full station shut down to perform electrical connection	
		X							12/20/2024 11:48	12/20/2024 15:26	218.00	Full station shut down to perform electrical connection	
			X		X	12/23/2024 8:00	12/23/2024 12:00	240.00	12/23/2024 9:06	12/23/2024 11:48	162.00	Zeeco TOX manual shut down to perform maintenance on detonation arrestor	
X	X	X			X	12/23/2024 13:00	12/23/2024 15:00	120.00	See below for each flare				Full station shut down to perform electrical work. Duration of work is unknown.
									12/23/2024 13:54	12/23/2024 15:54	120.00	Full station shut down to perform electrical connection	
	X								12/23/2024 13:54	12/23/2024 15:34	100.00	Full station shut down to perform electrical connection	
		X			X				12/23/2024 13:54	12/23/2024 15:24	90.00	Full station shut down to perform electrical connection	
X	X	X	X	X		1/7/2024 11:47	1/7/2024 12:15	28.00	See below for each flare				Sitewide Public Safety Power Shutdown
X					X				1/7/2024 11:51	1/7/2024 12:18	27.00	Restart upon Generator activation	
	X				X				1/7/2024 11:51	1/7/2024 13:47	116.00	Restart upon Generator start up and Thermocouple replacement	
		X			X				1/7/2024 11:52	1/7/2024 12:13	21.00	Restart upon Generator activation	
			X		X				1/7/2024 11:48	1/7/2024 12:37	49.00	Restart upon Generator activation	
	X				X	1/9/2025 7:45	1/9/2025 14:00	375.00	1/9/2025 7:47	1/9/2025 14:45	418.00	Shutdown for flare inspection for structural testing	
X					X	1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:43	1/10/2025 6:29	46.00	Shutdown during power restoration from Public Safety Power Shutdown	
	X				X	1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:43	1/10/2025 6:18	35.00	Shutdown during power restoration from Public Safety Power Shutdown	
			X		X	1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:34	1/10/2025 6:53	79.00	Shutdown during power restoration from Public Safety Power Shutdown	
			X		X	1/10/2025 5:35	1/10/2025 5:45	10.00	1/10/2025 5:42	1/10/2025 5:48	6.00	Shutdown during power restoration from Public safety Power Shutdown/Autorestart	
X					X	1/13/2025 2:54	1/13/2025 5:04	130.00	1/13/2025 2:57	1/13/2025 5:09	132.00	Suspected flame failure due to high flow	
X	X	X	X	X	X	1/13/2025 9:53	1/13/2025 10:53	60.00	1/13/2025 9:53	1/13/2025 11:06	73.00	Sitewide Public Safety Power Shutoff	
			X		X	1/13/2025 20:49	1/14/2025 7:57	668.00	1/13/2025 20:52	1/14/2025 7:58	666.00	Power restored. Breaker tripped	
X	X	X			X	1/16/2025 13:30	1/16/2025 14:30	60.00	1/16/2025 13:47	1/16/2025 14:41	54.00	Power restored - switching to line power	
X	X	X			X				1/18/2025 14:38	1/18/2025 15:19	41.00	Electrical glitch at flare station	
X	X	X	X	X					1/22/2025 12:26	1/22/2025 13:17	51.00	Switch to generator power as a wild fire near the site broke out forcing evacuations	
X	X	X			X				1/25/2025 8:45	1/25/2025 9:14	29.00	Manual shutdown to switch from generator power to utility power	
X					X	1/28/2025 18:17	1/28/2025 19:47	90.00	1/28/2025 18:17	1/28/2025 19:04	47.00	FL-1995 shutdown due to high flow	
	X	X	X		X				2/7/2025 13:20	2/7/2025 13:51	31.00	Suspected utility power surge	
X					X				2/8/2025 15:48	2/8/2025 21:00	312.00	Backed up liquid in main header	
			X		X				2/8/2025 17:43	2/9/2025 12:49	1146.00	Backed up liquid in main header	
			X		X				2/11/2025 10:13	2/11/2025 16:56	403.00	Pulled flame arrestor to clean	
			X		X	2/12/2025 9:10	2/12/2025 11:30	140.00	2/12/2025 8:58	2/12/2025 11:32	153.99	Clogged flame arrestor causing declining flow and poor flame signal	
X				X		2/17/2025 7:00	2/17/2025 15:00	480.00	2/17/2025 8:07	2/18/2025 12:18	1691.00	Manual shutdown to clean flare burner assembly and flame arrestor	
	X	X		X		2/14/2025 8:30	2/14/2025 12:30	240.00	2/14/2025 9:02	2/14/2025 12:07	185.00	Manual shutdown to clean flare burner assembly and flame arrestor	
	X	X	X		X	2/16/2025 8:00	2/16/2025 12:30	270.00	2/17/2025 8:58	2/17/2025 19:36	638.00	Manual shutdown to clean flare burner assembly and flame arrestor	
X					X				2/19/2025 12:26	2/19/2025 13:18	52.00	Flare shutdown due to computer programming glitch	
	X				X				2/19/2025 12:26	2/19/2025 14:00	94.00	Flare shutdown due to computer programming glitch	
X					X	2/20/2025 17:26	2/20/2025 18:56	90.00	2/20/2025 17:25	2/20/2025 17:51	26.00	Hi flow shutdown due to liquids/debris impacting flow meter	
		X			X	2/21/2025 8:00	2/21/2025 12:00	240.00	2/21/2025 9:17	2/21/2025 11:26	129.00	Manual shutdown to pull and clean the flame arrestor	
		X			X				2/21/2025 11:48	2/21/2025 12:17	29.00	Flare failure during restart of flare 3, less than 30 minutes	
			X		X				2/21/2025 13:14	2/21/2025 15:06	112.00	Shutdown 2023 to reseal the gasket on the flame arrestor	
X					X				2/22/2025 4:38	2/22/2025 5:15	37.00	Flare shutdown due to low temperature	
	X				X				2/22/2025 4:21	2/22/2025 5:45	84.00	Flare shutdown due to main flame failure	
	X				X	2/22/2025 17:16	2/22/2025 20:00	164.00	2/22/2025 17:17	2/22/2025 20:34	197.00	Flare shutdown due to backed up liquids in the header restricting gas flow	
		X			X				2/22/2025 18:57	2/22/2025 20:21	84.00	Flame failure during restart of flare 2	
	X				X	2/23/2025 0:35	2/23/2025 12:00	685.00	2/23/2025 0:36	2/23/2025 11:56	680.00	High flow shutdown due to debris/liquid hitting flow meter. Cleaned flame arrestor prior to restart	
			X		X	2/23/2025 16:31	2/23/2025 20:00	209.00	2/23/2025 16:37	2/23/2025 17:38	35.00	Flare shutdown due high burner tip	
				X	X	2/24/2025 13:00	2/24/2025 15:00	120.00	2/24/2025 9:35	2/24/2025 11:39	124.00	Manual shutdown to pull and clean the flow meter	
X					X	2/25/2025 13:15	2/25/2025 16:00	165.00	2/25/2025 13:15	2/25/2025 14:50	95.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)	
	X				X	2/25/2025 13:30	2/25/2025 17:00	210.00	2/25/2025 13:33	2/25/2025 16:50	197.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)	
			X		X	2/26/2025 4:50	2/26/2025 10:00	310.00	2/26/2025 4:52	2/26/2025 7:02	130.00	Flame failure. Pilot needed to be cleaned and flame scanner re-aligned	
	X				X	2/27/2025 9:15	2/27/2025 11:30	135.00	2/27/2025 9:16	2/27/2025 9:48	32.00	Manual shutdown to clean flame arrestor due to unexpected high differential pressure	
			X		X				3/1/2025 13:27	3/1/2025 15:17	110.00	Flare shutdown due main flame failure	
			X		X	3/2/2025 2:30	3/2/2025 12:00	570.00	3/2/2025 2:30	3/2/2025 8:21	351.00	Flare shutdown due main flame failure	
				X					3/4/2025 5:00	3/4/2025 18:00	780.00	Manual shutdown to perform flare cleaning and maintenance	
	X				X	3/7/2025 10:27	3/7/2025 11:11	44.00	3/7/2025 10:31	3/7/2025 11:13	42.00	Flare shutdown due to main flame failure	
X					X	3/7/2025 10:33	3/7/2025 10:44	11.00	3/7/2025 10:38	3/7/2025 10:51	13.00	Flare shutdown due to high flow	
X		X			X	3/10/2025 11:19	3/10/2025 12:45	86.00	See below for individual flare downtimes				Flares shutdown during pipeline construction work
X					X				3/10/2025 11:29	3/10/2025 11:48	19.00	Flares shutdown during pipeline construction work	
		X							3/10/2025 11:19	3/10/2025 11:42	23.00	Flares shutdown during pipeline construction work	
X					X				3/10/2025 17:55	3/10/2025 17:59	4.00	Flare shutdown during construction. No notification required	
		X							3/10/2025 17:49	3/10/2025 18:06	17.00	Flare shutdown during construction. No notification required	
X									3/13/2025 5:25	3/13/2025 6:09	44.00	Flame failure shutdown	

X					X					3/14/2025 9:06	3/14/2025 11:04	118.00	Flares shutdown during pipeline construction work
	X				X					3/14/2025 8:57	3/14/2025 10:52	115.00	Flares shutdown during pipeline construction work
X	X	X		X		3/27/2025 9:00	3/27/2025 11:00	120.00					Planned shutdown to perform monthly alarm tests
X	X	X		X		3/31/2025 9:00	3/31/2025 11:00	120.00		**EVENT DID NOT TAKE PLACE**			Planned potential shutdown to perform main header work
		X			X	3/31/2025 16:48	3/31/2025 17:20	32.00	3/31/2025 16:52	3/31/2025 17:37	45.00		Flare shutdown due to combustion blower failure
		X			X	4/2/2025 16:48	4/2/2025 16:58	10.00					Flare shutdown due to combustion blower failure
X					X	4/2/2025 17:04	4/2/2025 17:14	10.00					Flare shutdown due to high flow
		X			X	4/2/2025 17:04	4/2/2025 17:32	28.00					Flare shutdown due to combustion air low flow
		X			X				4/4/2025 9:33	4/4/2025 9:44	11.00		Flare shutdown during construction. No notification required
		X			X				4/4/2025 9:47	4/4/2025 10:03	16.00		Flare shutdown during construction. No notification required
		X			X				4/4/2025 10:05	4/4/2025 10:17	12.00		Flare shutdown during construction. No notification required
		X			X				4/4/2025 10:19	4/4/2025 10:23	4.00		Flare shutdown during construction. No notification required
	X				X				4/4/2025 10:52	4/4/2025 11:04	12.00		Flare shutdown due low temp
X	X	X		X		4/7/2025 9:00	4/7/2025 11:00	120.00					Planned potential shutdown to perform main header work
		X			X	4/7/2025 15:38	4/7/2025 16:01	23.00					Flare shutdown due to high burner temp
		X			X	4/7/2025 19:11	4/7/2025 20:11	60.00					Flare shutdown due to high burner temp
			X		X				4/8/2025 9:52	4/8/2025 10:21	29.00		Zeeco shutdown due to header pipe work and clogged pilot orifice preventing restart
		X	X		X	4/10/2025 9:00	4/10/2025 10:00	60.00					Planned potential shutdown to swap out propane tanks
		X			X				4/11/2025 23:00	4/12/2025 3:54	294.00		Flare shutdown due to flame failure
	X			X		4/14/2025 5:00	4/14/2025 17:00	720.00					Planned shutdown to perform cleaning and maintenance
		X			X				4/16/2025 16:33	4/16/2025 16:41	8.00		Flare down due to VFD faults on the combustion blower and gas blowers
	X				X				4/19/2025 3:07	4/19/2025 3:54	47.00		Flare shutdown due main flame failure
	X				X				4/19/2025 4:05	4/19/2025 4:36	31.00		Flare shutdown due low temperature
X					X				4/19/2025 4:32	4/19/2025 4:44	12.00		Flare shutdown due low temperature
X					X				4/19/2025 7:23	4/19/2025 8:02	39.00		Flare shutdown due low temperature
X					X				4/19/2025 8:14	4/19/2025 8:34	20.00		Flare shutdown due low temperature
	X				X				4/19/2025 7:12	4/19/2025 8:17	65.00		Flare shutdown due main flame failure
		X			X				4/19/2025 7:26	4/19/2025 7:33	7.00		Flare shutdown due flame failure
		X			X				4/19/2025 7:40	4/19/2025 7:45	5.00		Flare shutdown due flame failure
X	X	X			X	4/19/2025 19:18	4/19/2025 21:00	102.00					Flare station full shutdown. Reason is currently unknown
X					X	4/19/2025 22:50	4/19/2025 23:50	60.00					Flare shutdown due to main flame failure
	X				X	4/19/2025 22:50	4/19/2025 23:50	60.00					Flare shutdown due to low temperature
		X			X				4/20/2025 12:38	4/20/2025 13:15	37.00		Flare shutdown due to main flame failure
		X		X		4/22/2025 9:00	4/22/2025 11:00	120.00					Planned potential shutdown to perform main header work
	X				X				4/22/2025 14:41	4/22/2025 15:28	47.00		Planned potential shutdown to perform main header work
									4/22/2025 14:40	4/22/2025 15:13	33.00		Flare shutdown due to header work.
X					X				4/22/2025 14:44	4/22/2025 15:04	20.00		Flare shutdown due to header work.
		X		X		4/25/2025 8:00	4/25/2025 11:00	180.00					Planned shutdown to clean flame arrestor
			X	X		4/25/2025 14:00	4/25/2025 16:00	120.00					Planned shutdown to clean detonation arrestor and swap flow meters

Date & Time (in 15-min averages)	Average Wind Speed (mph)	Average Wind Direction (degrees)
4/20/2025 14:30	12	335
4/20/2025 14:45	11.3	305
4/20/2025 15:00	13	335
4/20/2025 15:15	12.3	335
4/20/2025 15:30	12.3	335
4/20/2025 15:45	12	255
4/20/2025 16:00	11.3	255
4/20/2025 16:15	13.7	335
4/20/2025 16:30	13	335
4/20/2025 16:45	13	335
4/20/2025 17:00	11.3	335
4/20/2025 17:15	11.3	335
4/20/2025 17:30	11.7	335
4/20/2025 17:45	11	335
4/20/2025 18:00	11.3	335
4/20/2025 18:15	10.7	335
4/20/2025 18:30	10	335
4/20/2025 18:45	11.3	335
4/20/2025 19:00	11.7	335
4/20/2025 19:15	9	335
4/20/2025 19:30	6.3	335
4/20/2025 19:45	4.3	255
4/20/2025 20:00	5	335
4/20/2025 20:15	3.7	225
4/20/2025 20:30	3	291
4/20/2025 20:45	2.3	305
4/20/2025 21:00	1.7	314
4/20/2025 21:15	1.3	255
4/20/2025 21:30	1.7	314
4/20/2025 21:45	1.3	163
4/20/2025 22:00	0	--
4/20/2025 22:15	0	180
4/20/2025 22:30	0	180
4/20/2025 22:45	2	82
4/20/2025 23:00	1.7	65
4/20/2025 23:15	0.3	65
4/20/2025 23:30	2	81
4/20/2025 23:45	1	65
4/21/2025 0:00	2	65
4/21/2025 0:00	2	65
4/21/2025 0:15	2	65

4/21/2025 0:30	2	65
4/21/2025 0:45	1.3	65
4/21/2025 1:00	0	52
4/21/2025 1:15	0.3	67
4/21/2025 1:30	0.3	65
4/21/2025 1:45	1.7	65
4/21/2025 2:00	2.7	65
4/21/2025 2:15	3	65
4/21/2025 2:30	3	65
4/21/2025 2:45	3.3	65
4/21/2025 3:00	4	65
4/21/2025 3:15	5	58
4/21/2025 3:30	3.3	45
4/21/2025 3:45	2	52
4/21/2025 4:00	3.3	65
4/21/2025 4:15	2.7	58
4/21/2025 4:30	2.7	65
4/21/2025 4:45	2.3	65
4/21/2025 5:00	2.3	65
4/21/2025 5:15	3	65
4/21/2025 5:30	2.7	65
4/21/2025 5:45	2.7	52
4/21/2025 6:00	4	65
4/21/2025 6:15	4.3	65
4/21/2025 6:30	4.3	58
4/21/2025 6:45	4.7	65
4/21/2025 7:00	4.3	65
4/21/2025 7:15	4	73
4/21/2025 7:30	3	82
4/21/2025 7:45	3	82
4/21/2025 8:00	3.7	90
4/21/2025 8:15	3.3	90
4/21/2025 8:30	1	82
4/21/2025 8:45	0.3	65
4/21/2025 9:00	2	98
4/21/2025 9:15	1.7	113
4/21/2025 9:30	1.3	105
4/21/2025 9:45	1	220
4/21/2025 10:00	0	0
4/21/2025 10:15	2	180
4/21/2025 10:30	3.3	203
4/21/2025 10:45	3	235
4/21/2025 11:00	5.3	235
4/21/2025 11:15	5.3	235

4/21/2025 11:30	7.7	255
4/21/2025 11:45	8.3	225
4/21/2025 12:00	9.3	255
4/21/2025 12:15	9.7	255
4/21/2025 12:30	9.7	225
4/21/2025 12:45	9.7	305
4/21/2025 13:00	10.3	305
4/21/2025 13:15	11.7	305
4/21/2025 13:30	12.7	335
4/21/2025 13:45	13.3	335
4/21/2025 14:00	12.7	335
4/21/2025 14:15	14.7	335
4/21/2025 14:30	13	314
4/21/2025 14:45	13.3	335
4/21/2025 15:00	13.7	335
4/21/2025 15:15	13	335
4/21/2025 15:30	12.3	275
4/21/2025 15:45	13.3	335
4/21/2025 16:00	13.7	335
4/21/2025 16:15	12.7	314
4/21/2025 16:30	12	335
4/21/2025 16:45	12.3	335
4/21/2025 17:00	11	335
4/21/2025 17:15	11	335
4/21/2025 17:30	8.7	255
4/21/2025 17:45	9.3	255
4/21/2025 18:00	9.3	305
4/21/2025 18:15	9.3	335
4/21/2025 18:30	8	335
4/21/2025 18:45	7.7	335
4/21/2025 19:00	6.3	255
4/21/2025 19:15	4.7	314
4/21/2025 19:30	3.3	270
4/21/2025 19:45	2.7	314
4/21/2025 20:00	1.7	255
4/21/2025 20:15	2.3	305
4/21/2025 20:30	4.3	275
4/21/2025 20:45	1.3	87
4/21/2025 21:00	2	148
4/21/2025 21:15	1	305
4/21/2025 21:30	1.7	335
4/21/2025 21:45	1	335
4/21/2025 22:00	0	--
4/21/2025 22:15	0	--

4/21/2025 22:30	0	--
4/21/2025 22:45	0	--
4/21/2025 23:00	1	135
4/21/2025 23:15	0	135
4/21/2025 23:30	0	135
4/21/2025 23:45	0	100
4/22/2025 0:00	0	--
4/22/2025 0:00	0	205
4/22/2025 0:15	0.3	205
4/22/2025 0:30	0.7	218
4/22/2025 0:45	0	225
4/22/2025 1:00	0	225
4/22/2025 1:15	0	270
4/22/2025 1:30	0	270
4/22/2025 1:45	0	--
4/22/2025 2:00	0	--
4/22/2025 2:15	0	--
4/22/2025 2:30	0	270
4/22/2025 2:45	0.3	291
4/22/2025 3:00	1	65
4/22/2025 3:15	0.3	65
4/22/2025 3:30	0	155
4/22/2025 3:45	0.3	155
4/22/2025 4:00	0.3	155
4/22/2025 4:15	0.7	322
4/22/2025 4:30	0.7	278
4/22/2025 4:45	1	285
4/22/2025 5:00	1	270
4/22/2025 5:15	1	270
4/22/2025 5:30	0	270
4/22/2025 5:45	0	295
4/22/2025 6:00	0	25
4/22/2025 6:15	0	25
4/22/2025 6:30	0.3	225
4/22/2025 6:45	1	255
4/22/2025 7:00	0.3	335
4/22/2025 7:15	0.3	335
4/22/2025 7:30	0	335
4/22/2025 7:45	0.3	335
4/22/2025 8:00	1	291
4/22/2025 8:15	0.3	335
4/22/2025 8:30	0.7	314
4/22/2025 8:45	1	205
4/22/2025 9:00	1	225

4/22/2025 9:15	1.7	203
4/22/2025 9:30	2.3	255
4/22/2025 9:45	1.3	212
4/22/2025 10:00	2.3	212
4/22/2025 10:15	3.3	205
4/22/2025 10:30	4.3	197
4/22/2025 10:45	4.7	197
4/22/2025 11:00	5.7	197
4/22/2025 11:15	5	197
4/22/2025 11:30	6.7	266
4/22/2025 11:45	7.7	246
4/22/2025 12:00	9	305
4/22/2025 12:15	10.3	305
4/22/2025 12:30	12.3	305
4/22/2025 12:45	10	275
4/22/2025 13:00	9.3	225
4/22/2025 13:15	9.7	218
4/22/2025 13:30	8.7	218
4/22/2025 13:45	9.3	306
4/22/2025 14:00	8.7	246
4/22/2025 14:15	11.3	240
4/22/2025 14:30	10.7	305
4/22/2025 14:45	12	305
4/22/2025 15:00	13.7	335
4/22/2025 15:15	12.7	335
4/22/2025 15:30	13	335
4/22/2025 15:45	11	335
4/22/2025 16:00	11.3	335
4/22/2025 16:15	11.3	335
4/22/2025 16:30	11	305
4/22/2025 16:45	10.3	335
4/22/2025 17:00	10	335
4/22/2025 17:15	10	335
4/22/2025 17:30	9.3	335
4/22/2025 17:45	10.3	335
4/22/2025 18:00	11	335
4/22/2025 18:15	11	335
4/22/2025 18:30	9	335
4/22/2025 18:45	8.3	335
4/22/2025 19:00	8.3	335
4/22/2025 19:15	3.7	335
4/22/2025 19:30	3	335
4/22/2025 19:45	3	335
4/22/2025 20:00	3	335

4/22/2025 20:15	2	275
4/22/2025 20:30	1	335
4/22/2025 20:45	3	225
4/22/2025 21:00	2.7	240
4/22/2025 21:15	2	305
4/22/2025 21:30	2	255
4/22/2025 21:45	2	210
4/22/2025 22:00	0.7	335
4/22/2025 22:15	1.7	255
4/22/2025 22:30	0.3	225
4/22/2025 22:45	0	--
4/22/2025 23:00	0.7	205
4/22/2025 23:15	0	--
4/22/2025 23:30	0	205
4/22/2025 23:45	0	--
4/23/2025 0:00	0	--
4/23/2025 0:00	0	--
4/23/2025 0:15	0	--
4/23/2025 0:30	0.7	225
4/23/2025 0:45	2.3	255
4/23/2025 1:00	2.7	225
4/23/2025 1:15	3	225
4/23/2025 1:30	4.3	305
4/23/2025 1:45	3	335
4/23/2025 2:00	1.7	305
4/23/2025 2:15	2.7	305
4/23/2025 2:30	1.3	291
4/23/2025 2:45	1.3	305
4/23/2025 3:00	2	195
4/23/2025 3:15	1.3	225
4/23/2025 3:30	0.3	225
4/23/2025 3:45	0	225
4/23/2025 4:00	1	255
4/23/2025 4:15	0	306
4/23/2025 4:30	0	215
4/23/2025 4:45	1.3	225
4/23/2025 5:00	1.7	305
4/23/2025 5:15	1	335
4/23/2025 5:30	0.3	335
4/23/2025 5:45	0.3	335
4/23/2025 6:00	0.3	335
4/23/2025 6:15	0.7	335
4/23/2025 6:30	0.3	335
4/23/2025 6:45	0.3	335

4/23/2025 7:00	0.7	335
4/23/2025 7:15	1.3	335
4/23/2025 7:30	1.7	225
4/23/2025 7:45	1.7	225
4/23/2025 8:00	1	275
4/23/2025 8:15	1.3	255
4/23/2025 8:30	1.3	218
4/23/2025 8:45	1	314
4/23/2025 9:00	0.3	305
4/23/2025 9:15	0.3	270
4/23/2025 9:30	0	90
4/23/2025 9:45	0.7	145
4/23/2025 10:00	0.3	352
4/23/2025 10:15	0	335
4/23/2025 10:30	1.3	331
4/23/2025 10:45	1.7	307
4/23/2025 11:00	0.7	297
4/23/2025 11:15	2.7	255
4/23/2025 11:30	1.7	234
4/23/2025 11:45	2.3	197
4/23/2025 12:00	3	335
4/23/2025 12:15	3.7	203
4/23/2025 12:30	3.7	203
4/23/2025 12:45	4	284
4/23/2025 13:00	5.7	335
4/23/2025 13:15	5.7	220
4/23/2025 13:30	5.7	275
4/23/2025 13:45	4.3	275
4/23/2025 14:00	7	255
4/23/2025 14:15	7	291
4/23/2025 14:30	8.7	305
4/23/2025 14:45	9.7	305
4/23/2025 15:00	9.3	305
4/23/2025 15:15	9.3	305
4/23/2025 15:30	11	255

Date/Time (PST)	LFG Flow, Flare 1 (SCFM)	LFG Flow, Flare 2 (SCFM)	LFG Flow, Flare 3 (SCFM)	LFG Flow, Thermal Oxidizer (SCFM)
4/20/2025 14:40	3358	3623.5	5358	1854
4/20/2025 14:41	3337	3611.5	5366	1842
4/20/2025 14:42	3334.5	3613	5331	1842
4/20/2025 14:43	3337.5	3613	5323	1845
4/20/2025 14:44	3335	3604.5	5321	1834
4/20/2025 14:45	3332.5	3608.5	5326	1829
4/20/2025 14:46	3339.5	3610.5	5325	1835
4/20/2025 14:47	3325	3610	5318	1834
4/20/2025 14:48	3323.5	3602	5301	1825
4/20/2025 14:49	3323	3597	5302	1824
4/20/2025 14:50	3317.5	3594.5	5306	1825
4/20/2025 14:51	3322	3592	5288	1811
4/20/2025 14:52	3319	3588.5	5291	1830
4/20/2025 14:53	3314	3592	5283	1819
4/20/2025 14:54	3314	3600	5279	1812
4/20/2025 14:55	3331.5	3603	5274	1818
4/20/2025 14:56	3312	3579.5	5291	1819
4/20/2025 14:57	3314	3584	5291	1827
4/20/2025 14:58	3317.5	3587	5272	1830
4/20/2025 14:59	3309.5	3586.5	5273	1837
4/20/2025 15:00	3317.5	3583	5291	1840
4/20/2025 15:01	3314.5	3595.5	5277	1836
4/20/2025 15:02	3337	3620.5	5279	1852
4/20/2025 15:03	3359	3615.5	5303	1845
4/20/2025 15:04	3352.5	3622.5	5325	1839
4/20/2025 15:05	3356	3631	5334	1846
4/20/2025 15:06	3352	3628	5336	1846
4/20/2025 15:07	3369	3633.5	5345	1858
4/20/2025 15:08	3353.5	3624	5335	1860
4/20/2025 15:09	3351	3624	5334	1857
4/20/2025 15:10	3348	3618.5	5332	1850
4/20/2025 15:11	3362.5	3620.5	5338	1847
4/20/2025 15:12	3344.5	3624	5342	1856
4/20/2025 15:13	3349.5	3631.5	5337	1857
4/20/2025 15:14	3363	3622.5	5341	1858
4/20/2025 15:15	3362.5	3626	5343	1852
4/20/2025 15:16	3363.5	3623.5	5345	1851
4/20/2025 15:17	3356.5	3623.5	5344	1855
4/20/2025 15:18	3355.5	3627	5345	1846
4/20/2025 15:19	3359	3628	5352	1844
4/20/2025 15:20	3359.5	3624	5345	1851
4/20/2025 15:21	3365.5	3625.5	5350	1865
4/20/2025 15:22	3363	3628	5352	1852
4/20/2025 15:23	3372	3622.5	5356	1869
4/20/2025 15:24	3369	3620	5347	1846
4/20/2025 15:25	3367.5	3621.5	5348	1850
4/20/2025 15:26	3352	3619.5	5339	1852
4/20/2025 15:27	3363	3624	5341	1862
4/20/2025 15:28	3370.5	3615.5	5343	1867
4/20/2025 15:29	3357	3625	5343	1857
4/20/2025 15:30	3369.5	3627	5343	1854
4/20/2025 15:31	3364	3627	5347	1865
4/20/2025 15:32	3358	3620.5	5349	1861
4/20/2025 15:33	3351.5	3616	5343	1858
4/20/2025 15:34	3366.5	3621.5	5354	1861
4/20/2025 15:35	3356.5	3616	5346	1845
4/20/2025 15:36	3351.5	3629	5348	1856
4/20/2025 15:37	3365	3625	5343	1852
4/20/2025 15:38	3351.5	3629	5345	1866
4/20/2025 15:39	3344	3629.5	5344	1871
4/20/2025 15:40	3361	3627.5	5343	1862
4/20/2025 15:41	3370.5	3632.5	5349	1880

4/20/2025 15:42	3361	3625	5338	1867
4/20/2025 15:43	3360	3628	5340	1856
4/20/2025 15:44	3358	3623.5	5343	1872
4/20/2025 15:45	3349.5	3624.5	5349	1873
4/20/2025 15:46	3362.5	3623.5	5349	1862
4/20/2025 15:47	3363.5	3626	5348	1850
4/20/2025 15:48	3352.5	3625	5348	1866
4/20/2025 15:49	3351.5	3621	5346	1866
4/20/2025 15:50	3359.5	3633	5344	1861
4/20/2025 15:51	3364	3622	5351	1861
4/20/2025 15:52	3354	3629.5	5351	1860
4/20/2025 15:53	3352	3626	5348	1873
4/20/2025 15:54	3358.5	3620.5	5350	1871
4/20/2025 15:55	3365.5	3626.5	5348	1867
4/20/2025 15:56	3360.5	3631.5	5358	1856
4/20/2025 15:57	3356.5	3622.5	5345	1869
4/20/2025 15:58	3372	3630	5343	1865
4/20/2025 15:59	3353	3625.5	5347	1870
4/20/2025 16:00	3349.5	3627.5	5344	1866
4/20/2025 16:01	3339.5	3626	5357	1876
4/20/2025 16:02	3352.5	3620.5	5363	1866
4/20/2025 16:03	3354.5	3630.5	5347	1860
4/20/2025 16:04	3356.5	3623.5	5355	1863
4/20/2025 16:05	3353.5	3630	5350	1862
4/20/2025 16:06	3349	3625.5	5351	1847
4/20/2025 16:07	3352.5	3630.5	5356	1852
4/20/2025 16:08	3353	3627	5349	1857
4/20/2025 16:09	3352.5	3630	5365	1855
4/20/2025 16:10	3357.5	3629	5361	1856
4/20/2025 16:11	3352.5	3629.5	5352	1856
4/20/2025 16:12	3353	3622.5	5343	1872
4/20/2025 16:13	3343.5	3618.5	5350	1862
4/20/2025 16:14	3360	3632	5346	1861
4/20/2025 16:15	3323.5	3601	5345	1861
4/20/2025 16:16	3295.5	3580	5306	1852
4/20/2025 16:17	3306.5	3583	5254	1867
4/20/2025 16:18	3307	3576	5264	1852
4/20/2025 16:19	3302.5	3582.5	5269	1861
4/20/2025 16:20	3306.5	3584.5	5271	1871
4/20/2025 16:21	3298	3581.5	5274	1865
4/20/2025 16:22	3296	3580	5276	1875
4/20/2025 16:23	3304	3585	5279	1854
4/20/2025 16:24	3289	3581	5268	1865
4/20/2025 16:25	3279.5	3576.5	5268	1858
4/20/2025 16:26	3278	3582	5277	1863
4/20/2025 16:27	3298	3584.5	5280	1854
4/20/2025 16:28	3284	3587.5	5282	1859
4/20/2025 16:29	3276.5	3578	5274	1856
4/20/2025 16:30	3283.5	3590	5276	1872
4/20/2025 16:31	3287	3585.5	5277	1864
4/20/2025 16:32	3282.5	3588	5278	1870
4/20/2025 16:33	3285	3583	5272	1867
4/20/2025 16:34	3301	3584.5	5271	1862
4/20/2025 16:35	3287	3580	5292	1858
4/20/2025 16:36	3292.5	3589.5	5279	1863
4/20/2025 16:37	3290	3582	5284	1861
4/20/2025 16:38	3281	3584.5	5277	1865
4/20/2025 16:39	3281.5	3570	5279	1865
4/20/2025 16:40	3284	3575.5	5269	1862
4/20/2025 16:41	3298.5	3591.5	5274	1861
4/20/2025 16:42	3297	3583.5	5275	1857
4/20/2025 16:43	3304.5	3585.5	5288	1861
4/20/2025 16:44	3290.5	3586	5281	1876

4/20/2025 16:45	3278	3583	5283	1854
4/20/2025 16:46	3289.5	3585.5	5287	1867
4/20/2025 16:47	3270	3582	5281	1858
4/20/2025 16:48	3273	3581.5	5283	1873
4/20/2025 16:49	3280	3583	5287	1862
4/20/2025 16:50	3269	3582.5	5279	1869
4/20/2025 16:51	3274.5	3574.5	5278	1866
4/20/2025 16:52	3270	3577	5279	1875
4/20/2025 16:53	3264	3578	5284	1873
4/20/2025 16:54	3267	3575	5279	1886
4/20/2025 16:55	3274	3565	5288	1875
4/20/2025 16:56	3275.5	3569	5283	1871
4/20/2025 16:57	3275.5	3577.5	5288	1880
4/20/2025 16:58	3279.5	3574	5276	1878
4/20/2025 16:59	3277	3567.5	5270	1876
4/20/2025 17:00	3273	3574	5272	1885
4/20/2025 17:01	3276.5	3575	5274	1876
4/20/2025 17:02	3281.5	3576.5	5286	1870
4/20/2025 17:03	3276	3576	5278	1865
4/20/2025 17:04	3275.5	3577	5279	1866
4/20/2025 17:05	3282.5	3576	5281	1877
4/20/2025 17:06	3288.5	3577	5274	1866
4/20/2025 17:07	3284	3572.5	5279	1866
4/20/2025 17:08	3278.5	3579	5278	1877
4/20/2025 17:09	3281	3573.5	5288	1873
4/20/2025 17:10	3283.5	3574	5281	1872
4/20/2025 17:11	3280	3571.5	5281	1863
4/20/2025 17:12	3286.5	3573.5	5282	1865
4/20/2025 17:13	3267.5	3573	5282	1872
4/20/2025 17:14	3275.5	3571	5286	1863
4/20/2025 17:15	3272	3567.5	5279	1865
4/20/2025 17:16	3282.5	3573.5	5291	1866
4/20/2025 17:17	3270.5	3568	5279	1857
4/20/2025 17:18	3278	3571	5272	1876
4/20/2025 17:19	3283	3571.5	5288	1861
4/20/2025 17:20	3278.5	3564.5	5279	1860
4/20/2025 17:21	3261	3560	5283	1872
4/20/2025 17:22	3284	3557.5	5279	1873
4/20/2025 17:23	3265.5	3567.5	5281	1866
4/20/2025 17:24	3268.5	3560.5	5269	1862
4/20/2025 17:25	3283	3559	5279	1863
4/20/2025 17:26	3263.5	3568	5277	1860
4/20/2025 17:27	3263.5	3569	5274	1861
4/20/2025 17:28	3271.5	3561	5273	1856
4/20/2025 17:29	3272	3563	5277	1862
4/20/2025 17:30	3265	3562.5	5281	1860
4/20/2025 17:31	3260.5	3560	5277	1872
4/20/2025 17:32	3264	3558.5	5279	1854
4/20/2025 17:33	3271	3553.5	5278	1856
4/20/2025 17:34	3265.5	3557.5	5275	1867
4/20/2025 17:35	3257	3563	5278	1867
4/20/2025 17:36	3268.5	3567	5281	1852
4/20/2025 17:37	3264	3556.5	5284	1847
4/20/2025 17:38	3267.5	3565.5	5280	1863
4/20/2025 17:39	3268.5	3565.5	5275	1861
4/20/2025 17:40	3240	3559	5282	1850
4/20/2025 17:41	3260	3563.5	5279	1860
4/20/2025 17:42	3250.5	3558.5	5277	1855
4/20/2025 17:43	3245.5	3563.5	5281	1865
4/20/2025 17:44	3259	3560.5	5266	1863
4/20/2025 17:45	3243	3565	5277	1866
4/20/2025 17:46	3232.5	3560	5272	1861
4/20/2025 17:47	3265	3560	5283	1871

4/20/2025 17:48	3248	3572	5272	1856
4/20/2025 17:49	3256.5	3556.5	5278	1857
4/20/2025 17:50	3251.5	3558	5276	1867
4/20/2025 17:51	3249.5	3564.5	5276	1866
4/20/2025 17:52	3246.5	3558	5285	1875
4/20/2025 17:53	3249	3564.5	5277	1871
4/20/2025 17:54	3234	3562.5	5282	1867
4/20/2025 17:55	3243	3558	5279	1867
4/20/2025 17:56	3233.5	3554	5275	1849
4/20/2025 17:57	3230	3564	5277	1860
4/20/2025 17:58	3243.5	3557	5268	1865
4/20/2025 17:59	3241	3556	5274	1860
4/20/2025 18:00	3244	3562.5	5273	1851
4/20/2025 18:01	3232.5	3564	5272	1862
4/20/2025 18:02	3239.5	3560	5278	1860
4/20/2025 18:03	3247	3565	5274	1850
4/20/2025 18:04	3239	3565	5268	1858
4/20/2025 18:05	3240.5	3565.5	5274	1865
4/20/2025 18:06	3247.5	3560.5	5277	1865
4/20/2025 18:07	3239	3568.5	5280	1861
4/20/2025 18:08	3228	3571.5	5273	1855
4/20/2025 18:09	3223.5	3567	5277	1852
4/20/2025 18:10	3234	3574	5277	1860
4/20/2025 18:11	3230	3567	5270	1854
4/20/2025 18:12	3229	3572	5284	1863
4/20/2025 18:13	3219	3571	5280	1864
4/20/2025 18:14	3230.5	3570	5279	1856
4/20/2025 18:15	3225.5	3576.5	5273	1857
4/20/2025 18:16	3220	3568.5	5281	1865
4/20/2025 18:17	3226	3572	5277	1857
4/20/2025 18:18	3223	3573	5276	1857
4/20/2025 18:19	3222.5	3574	5283	1857
4/20/2025 18:20	3229	3577.5	5282	1850
4/20/2025 18:21	3220	3582.5	5285	1860
4/20/2025 18:22	3227.5	3578.5	5281	1856
4/20/2025 18:23	3218.5	3582	5291	1867
4/20/2025 18:24	3220	3576.5	5284	1851
4/20/2025 18:25	3224.5	3575	5281	1865
4/20/2025 18:26	3220.5	3574	5276	1860
4/20/2025 18:27	3227.5	3574.5	5278	1857
4/20/2025 18:28	3222.5	3584	5287	1852
4/20/2025 18:29	3216.5	3571	5282	1850
4/20/2025 18:30	3217	3578.5	5278	1862
4/20/2025 18:31	3210.5	3586	5279	1861
4/20/2025 18:32	3221	3578.5	5291	1854
4/20/2025 18:33	3226.5	3583.5	5296	1852
4/20/2025 18:34	3219.5	3577.5	5284	1869
4/20/2025 18:35	3209	3580	5290	1860
4/20/2025 18:36	3210.5	3581	5289	1857
4/20/2025 18:37	3222.5	3574	5285	1855
4/20/2025 18:38	3220	3644.5	5282	1858
4/20/2025 18:39	3206	1861	5294	1870
4/20/2025 18:40	3210.5	3576.5	5294	1865
4/20/2025 18:41	3225	3584	5285	1847
4/20/2025 18:42	3209	3571.5	5291	1849
4/20/2025 18:43	3220	3577	5287	1868
4/20/2025 18:44	3209.5	3570.5	5295	1858
4/20/2025 18:45	3201	3586.5	5281	1856
4/20/2025 18:46	3211.5	3576	5290	1852
4/20/2025 18:47	3212	3575.5	5289	1852
4/20/2025 18:48	3206.5	3578.5	5289	1866
4/20/2025 18:49	3211.5	3577.5	5292	1856
4/20/2025 18:50	3202	3580	5287	1870

4/20/2025 18:51	3193	3578	5293	1861
4/20/2025 18:52	3185.5	3567.5	5299	1856
4/20/2025 18:53	3198	3573	5287	1856
4/20/2025 18:54	3196	3574	5292	1868
4/20/2025 18:55	3205.5	3577.5	5291	1861
4/20/2025 18:56	3186	3577	5282	1861
4/20/2025 18:57	3208	3574	5294	1866
4/20/2025 18:58	3193	3572.5	5294	1852
4/20/2025 18:59	3194.5	3572	5285	1857
4/20/2025 19:00	3197	3582.5	5294	1851
4/20/2025 19:01	3207.5	3568	5289	1860
4/20/2025 19:02	3201.5	3574.5	5284	1866
4/20/2025 19:03	3178	3578.5	5289	1867
4/20/2025 19:04	3189.5	3576	5288	1870
4/20/2025 19:05	3189.5	3577	5282	1862
4/20/2025 19:06	3190.5	3574	5285	1858
4/20/2025 19:07	3199	3570	5286	1860
4/20/2025 19:08	3176	3569	5298	1862
4/20/2025 19:09	3183.5	3572	5296	1855
4/20/2025 19:10	3173.5	3572	5295	1864
4/20/2025 19:11	3190	3576.5	5296	1844
4/20/2025 19:12	3177	3569.5	5290	1864
4/20/2025 19:13	3181.5	3571	5289	1866
4/20/2025 19:14	3172	3570	5291	1864
4/20/2025 19:15	3171	3576.5	5302	1851
4/20/2025 19:16	3183.5	3570	5284	1856
4/20/2025 19:17	3166.5	3570.5	5289	1858
4/20/2025 19:18	3167	3567	5285	1860
4/20/2025 19:19	3176.5	3581	5301	1870
4/20/2025 19:20	3166	3566	5298	1868
4/20/2025 19:21	3180.5	3571.5	5293	1861
4/20/2025 19:22	3163.5	3569	5302	1857
4/20/2025 19:23	3173.5	3570.5	5296	1852
4/20/2025 19:24	3172	3570.5	5292	1867
4/20/2025 19:25	3171	3566	5296	1860
4/20/2025 19:26	3174.5	3566	5293	1866
4/20/2025 19:27	3166.5	3566	5286	1862
4/20/2025 19:28	3170	3569	5302	1853
4/20/2025 19:29	3165.5	3568	5290	1859
4/20/2025 19:30	3162	3571	5291	1866
4/20/2025 19:31	3159.5	3570.5	5298	1857
4/20/2025 19:32	3151.5	3569.5	5292	1858
4/20/2025 19:33	3164.5	3569	5296	1860
4/20/2025 19:34	3155	3570	5300	1862
4/20/2025 19:35	3158.5	3568.5	5296	1850
4/20/2025 19:36	3163	3577.5	5297	1846
4/20/2025 19:37	3165	3569.5	5295	1862
4/20/2025 19:38	3164	3566.5	5304	1856
4/20/2025 19:39	3150.5	3571.5	5296	1848
4/20/2025 19:40	3162	3570	5301	1861
4/20/2025 19:41	3164.5	3565.5	5294	1858
4/20/2025 19:42	3161	3565	5287	1852
4/20/2025 19:43	3178.5	3566.5	5294	1864
4/20/2025 19:44	3159	3569	5298	1860
4/20/2025 19:45	3150.5	3567	5302	1864
4/20/2025 19:46	3176.5	3573.5	5301	1865
4/20/2025 19:47	3165.5	3568.5	5294	1864
4/20/2025 19:48	3164	3565	5298	1861
4/20/2025 19:49	3166	3565	5299	1842
4/20/2025 19:50	3159.5	3569	5296	1858
4/20/2025 19:51	3158	3563	5292	1857
4/20/2025 19:52	3154	3563.5	5299	1862
4/20/2025 19:53	3162	3570.5	5288	1860

4/20/2025 19:54	3156	3568.5	5293	1857
4/20/2025 19:55	3165	3570	5288	1859
4/20/2025 19:56	3163	3571	5301	1860
4/20/2025 19:57	3162.5	3565	5295	1860
4/20/2025 19:58	3162	3555.5	5297	1857
4/20/2025 19:59	3150	3564	5298	1866
4/20/2025 20:00	3147.5	3562.5	5289	1855
4/20/2025 20:01	3141	3566.5	5289	1862
4/20/2025 20:02	3144	3561.5	5291	1857
4/20/2025 20:03	3154	3556	5292	1868
4/20/2025 20:04	3149	3561	5293	1851
4/20/2025 20:05	3134.5	3558.5	5297	1873
4/20/2025 20:06	3151.5	3559	5289	1863
4/20/2025 20:07	3146	3554	5289	1870
4/20/2025 20:08	3139.5	3554.5	5290	1875
4/20/2025 20:09	3146.5	3560.5	5296	1860
4/20/2025 20:10	3151.5	3554	5304	1878
4/20/2025 20:11	3156	3556.5	5292	1873
4/20/2025 20:12	3142.5	3552.5	5294	1865
4/20/2025 20:13	3149.5	3555	5287	1861
4/20/2025 20:14	3142	3558	5290	1860
4/20/2025 20:15	3143.5	3560.5	5294	1852
4/20/2025 20:16	3151	3559	5290	1856
4/20/2025 20:17	3143.5	3557	5300	1870
4/20/2025 20:18	3143.5	3560.5	5303	1861
4/20/2025 20:19	3132	3553.5	5288	1864
4/20/2025 20:20	3148.5	3553.5	5286	1867
4/20/2025 20:21	3142.5	3557.5	5298	1862
4/20/2025 20:22	3147	3557.5	5290	1868
4/20/2025 20:23	3129.5	3564.5	5285	1881
4/20/2025 20:24	3156.5	3559	5291	1865
4/20/2025 20:25	3141.5	3555	5289	1876
4/20/2025 20:26	3143.5	3556	5291	1851
4/20/2025 20:27	3132	3555	5301	1866
4/20/2025 20:28	3145	3561.5	5291	1860
4/20/2025 20:29	3140	3558	5287	1853
4/20/2025 20:30	3136.5	3556	5297	1862
4/20/2025 20:31	3144.5	3556.5	5290	1858
4/20/2025 20:32	3133	3548.5	5293	1868
4/20/2025 20:33	3163	3558.5	5295	1865
4/20/2025 20:34	3140	3552.5	5296	1868
4/20/2025 20:35	3138.5	3560	5290	1860
4/20/2025 20:36	3147.5	3561.5	5293	1870
4/20/2025 20:37	3145	3550	5287	1866
4/20/2025 20:38	3143	3552	5295	1855
4/20/2025 20:39	3143	3549	5289	1860
4/20/2025 20:40	3139	3552	5290	1871
4/20/2025 20:41	3138	3553.5	5292	1870
4/20/2025 20:42	3148.5	3551.5	5295	1867
4/20/2025 20:43	3142.5	3556	5299	1861
4/20/2025 20:44	3159	3550	5295	1881
4/20/2025 20:45	3134.5	3555.5	5290	1858
4/20/2025 20:46	3136.5	3550	5291	1868
4/20/2025 20:47	3150	3550.5	5286	1872
4/20/2025 20:48	3131	3561.5	5287	1876
4/20/2025 20:49	3151	3562	5297	1865
4/20/2025 20:50	3140.5	3547.5	5296	1871
4/20/2025 20:51	3140.5	3548	5292	1854
4/20/2025 20:52	3141.5	3549	5292	1870
4/20/2025 20:53	3144.5	3555	5283	1867
4/20/2025 20:54	3141.5	3556.5	5292	1876
4/20/2025 20:55	3141	3556	5285	1867
4/20/2025 20:56	3135.5	3552.5	5286	1870

4/20/2025 20:57	3144.5	3552	5284	1866
4/20/2025 20:58	3137.5	3556.5	5282	1872
4/20/2025 20:59	3143	3558	5295	1868
4/20/2025 21:00	3140.5	3554	5286	1864
4/20/2025 21:01	3135.5	3554.5	5293	1870
4/20/2025 21:02	3138	3555.5	5297	1858
4/20/2025 21:03	3134	3556.5	5288	1866
4/20/2025 21:04	3137	3557	5289	1857
4/20/2025 21:05	3147.5	3561.5	5291	1877
4/20/2025 21:06	3134	3563	5292	1871
4/20/2025 21:07	3152.5	3555.5	5293	1872
4/20/2025 21:08	3159.5	3551	5291	1858
4/20/2025 21:09	3154.5	3550.5	5305	1872
4/20/2025 21:10	3144.5	3554.5	5301	1865
4/20/2025 21:11	3145	3556	5297	1872
4/20/2025 21:12	3159.5	3560	5297	1876
4/20/2025 21:13	3144	3556.5	5307	1864
4/20/2025 21:14	3147.5	3558.5	5301	1865
4/20/2025 21:15	3154	3550.5	5303	1871
4/20/2025 21:16	3156.5	3554	5304	1872
4/20/2025 21:17	3161	3554.5	5297	1873
4/20/2025 21:18	3148	3554.5	5304	1861
4/20/2025 21:19	3134	3556.5	5297	1870
4/20/2025 21:20	3139	3550.5	5293	1873
4/20/2025 21:21	3146.5	3554	5298	1881
4/20/2025 21:22	3140.5	3553	5292	1862
4/20/2025 21:23	3157	3556	5293	1861
4/20/2025 21:24	3158.5	3557	5299	1872
4/20/2025 21:25	3151.5	3557.5	5296	1867
4/20/2025 21:26	3151	3555.5	5302	1875
4/20/2025 21:27	3145	3553.5	5299	1865
4/20/2025 21:28	3142	3551.5	5301	1876
4/20/2025 21:29	3143.5	3550	5285	1873
4/20/2025 21:30	3154.5	3549	5292	1862
4/20/2025 21:31	3154.5	3549	5298	1871
4/20/2025 21:32	3137	3549	5293	1871
4/20/2025 21:33	3131	3553.5	5305	1876
4/20/2025 21:34	3138	3542.5	5299	1878
4/20/2025 21:35	3137.5	3552.5	5291	1868
4/20/2025 21:36	3135.5	3548.5	5293	1878
4/20/2025 21:37	3141.5	3547.5	5287	1868
4/20/2025 21:38	3163.5	3549	5297	1882
4/20/2025 21:39	3147.5	3543.5	5293	1878
4/20/2025 21:40	3146	3544.5	5293	1882
4/20/2025 21:41	3140	3541	5286	1870
4/20/2025 21:42	3139	3540	5286	1870
4/20/2025 21:43	3139	3545.5	5289	1883
4/20/2025 21:44	3122.5	3536.5	5296	1868
4/20/2025 21:45	3137.5	3539	5292	1875
4/20/2025 21:46	3151.5	3542.5	5286	1866
4/20/2025 21:47	3157.5	3539	5290	1870
4/20/2025 21:48	3152.5	3548.5	5289	1861
4/20/2025 21:49	3141.5	3540	5288	1873
4/20/2025 21:50	3155	3545	5286	1873
4/20/2025 21:51	3135	3550	5297	1872
4/20/2025 21:52	3143	3546.5	5288	1872
4/20/2025 21:53	3125	3542.5	5297	1872
4/20/2025 21:54	3123.5	3543	5302	1872
4/20/2025 21:55	3139	3540.5	5296	1888
4/20/2025 21:56	3129	3543.5	5289	1868
4/20/2025 21:57	3139	3541	5291	1866
4/20/2025 21:58	3141	3540	5290	1875
4/20/2025 21:59	3142	3543.5	5295	1882

4/20/2025 22:00	3150.5	3551.5	5295	1876
4/20/2025 22:01	3149.5	3532.5	5289	1860
4/20/2025 22:02	3137.5	3540.5	5295	1875
4/20/2025 22:03	3146	3544	5293	1883
4/20/2025 22:04	3139.5	3551	5292	1877
4/20/2025 22:05	3131.5	3551	5285	1866
4/20/2025 22:06	3147.5	3553	5290	1870
4/20/2025 22:07	3141.5	3550	5300	1871
4/20/2025 22:08	3138	3547.5	5296	1880
4/20/2025 22:09	3153	3549.5	5290	1881
4/20/2025 22:10	3146	3541	5297	1860
4/20/2025 22:11	3122.5	3545.5	5295	1865
4/20/2025 22:12	3140	3550.5	5300	1860
4/20/2025 22:13	3134	3548	5298	1870
4/20/2025 22:14	3133.5	3548	5295	1860
4/20/2025 22:15	3141.5	3545	5295	1875
4/20/2025 22:16	3141	3553.5	5298	1877
4/20/2025 22:17	3127.5	3551	5302	1868
4/20/2025 22:18	3135	3548	5298	1870
4/20/2025 22:19	3150	3551	5304	1860
4/20/2025 22:20	3144.5	3547	5298	1882
4/20/2025 22:21	3141.5	3546.5	5289	1882
4/20/2025 22:22	3136.5	3546.5	5297	1875
4/20/2025 22:23	3137	3549.5	5291	1873
4/20/2025 22:24	3126	3546.5	5298	1875
4/20/2025 22:25	3139	3543	5293	1872
4/20/2025 22:26	3152	3538	5297	1867
4/20/2025 22:27	3133.5	3547.5	5286	1873
4/20/2025 22:28	3140.5	3553	5298	1866
4/20/2025 22:29	3148	3549	5293	1870
4/20/2025 22:30	3138.5	3546.5	5288	1873
4/20/2025 22:31	3137.5	3545.5	5302	1876
4/20/2025 22:32	3138.5	3548.5	5292	1880
4/20/2025 22:33	3133	3545	5301	1877
4/20/2025 22:34	3139	3541.5	5295	1875
4/20/2025 22:35	3139.5	3542.5	5293	1877
4/20/2025 22:36	3138.5	3550	5293	1876
4/20/2025 22:37	3135.5	3540.5	5290	1872
4/20/2025 22:38	3136.5	3541.5	5294	1877
4/20/2025 22:39	3139.5	3543.5	5290	1888
4/20/2025 22:40	3133	3538	5298	1877
4/20/2025 22:41	3133.5	3542.5	5294	1882
4/20/2025 22:42	3136	3531.5	5286	1875
4/20/2025 22:43	3128.5	3539.5	5297	1878
4/20/2025 22:44	3135	3542.5	5293	1876
4/20/2025 22:45	3132	3543	5297	1872
4/20/2025 22:46	3138	3535	5294	1878
4/20/2025 22:47	3140.5	3538.5	5291	1877
4/20/2025 22:48	3146	3541	5292	1866
4/20/2025 22:49	3151.5	3538.5	5296	1871
4/20/2025 22:50	3147	3547	5286	1877
4/20/2025 22:51	3146	3540	5295	1875
4/20/2025 22:52	3145	3541.5	5299	1860
4/20/2025 22:53	3138.5	3542	5293	1882
4/20/2025 22:54	3136	3538	5296	1875
4/20/2025 22:55	3133	3541	5283	1871
4/20/2025 22:56	3147	3536.5	5291	1876
4/20/2025 22:57	3142	3543.5	5292	1864
4/20/2025 22:58	3146	3542	5289	1867
4/20/2025 22:59	3133.5	3544.5	5289	1882
4/20/2025 23:00	3136	3548	5287	1873
4/20/2025 23:01	3135	3542	5293	1878
4/20/2025 23:02	3132	3549	5298	1878

4/20/2025 23:03	3129.5	3547.5	5288	1878
4/20/2025 23:04	3146.5	3544.5	5292	1877
4/20/2025 23:05	3138	3540	5292	1875
4/20/2025 23:06	3140	3538.5	5293	1876
4/20/2025 23:07	3151.5	3541.5	5294	1881
4/20/2025 23:08	3163.5	3546.5	5291	1873
4/20/2025 23:09	3137	3540	5288	1880
4/20/2025 23:10	3145	3547	5289	1872
4/20/2025 23:11	3132.5	3547	5298	1883
4/20/2025 23:12	3139	3539	5294	1876
4/20/2025 23:13	3153	3543.5	5300	1875
4/20/2025 23:14	3133.5	3549	5305	1877
4/20/2025 23:15	3136	3544	5297	1880
4/20/2025 23:16	3135.5	3544.5	5298	1881
4/20/2025 23:17	3141.5	3545	5287	1868
4/20/2025 23:18	3133	3542.5	5298	1881
4/20/2025 23:19	3115.5	3545.5	5297	1882
4/20/2025 23:20	3122.5	3549	5295	1881
4/20/2025 23:21	3129.5	3545	5298	1862
4/20/2025 23:22	3145	3541.5	5290	1880
4/20/2025 23:23	3132.5	3552	5295	1886
4/20/2025 23:24	3141	3548	5299	1878
4/20/2025 23:25	3144.5	3546.5	5295	1881
4/20/2025 23:26	3136	3553	5301	1872
4/20/2025 23:27	3136.5	3546.5	5297	1880
4/20/2025 23:28	3131	3552.5	5306	1882
4/20/2025 23:29	3153	3538.5	5300	1882
4/20/2025 23:30	3139.5	3541	5293	1873
4/20/2025 23:31	3147	3541	5295	1896
4/20/2025 23:32	3146	3539.5	5291	1869
4/20/2025 23:33	3144.5	3548.5	5295	1878
4/20/2025 23:34	3134.5	3540.5	5297	1881
4/20/2025 23:35	3126	3543.5	5297	1875
4/20/2025 23:36	3139.5	3545.5	5304	1868
4/20/2025 23:37	3143.5	3542.5	5295	1883
4/20/2025 23:38	3137	3541.5	5295	1877
4/20/2025 23:39	3140	3538.5	5296	1867
4/20/2025 23:40	3128	3537.5	5304	1873
4/20/2025 23:41	3142	3542.5	5312	1871
4/20/2025 23:42	3152.5	3538.5	5297	1867
4/20/2025 23:43	3148.5	3539.5	5303	1883
4/20/2025 23:44	3133	3537	5303	1883
4/20/2025 23:45	3127	3532.5	5307	1877
4/20/2025 23:46	3126	3544	5295	1872
4/20/2025 23:47	3142	3536	5295	1883
4/20/2025 23:48	3151	3543	5291	1872
4/20/2025 23:49	3138.5	3535	5297	1881
4/20/2025 23:50	3135	3536.5	5305	1887
4/20/2025 23:51	3142.5	3539	5306	1885
4/20/2025 23:52	3134	3530.5	5305	1888
4/20/2025 23:53	3138	3538	5304	1877
4/20/2025 23:54	3129	3538	5304	1882
4/20/2025 23:55	3134	3541	5304	1890
4/20/2025 23:56	3138.5	3531	5302	1872
4/20/2025 23:57	3149.5	3538.5	5291	1882
4/20/2025 23:58	3142.5	3529.5	5291	1887
4/20/2025 23:59	3145.5	3535.5	5305	1883
4/21/2025 0:00	3140	3541	5303	1885
4/21/2025 0:01	3147.5	3540	5304	1868
4/21/2025 0:02	3144.5	3538.5	5296	1891
4/21/2025 0:03	3137	3539	5302	1886
4/21/2025 0:04	3149	3541	5301	1875
4/21/2025 0:05	3137.5	3534.5	5293	1876

4/21/2025 0:06	3137.5	3534.5	5284	1890
4/21/2025 0:07	3147.5	3535	5293	1868
4/21/2025 0:08	3135	3538	5288	1880
4/21/2025 0:09	3133	3533.5	5298	1886
4/21/2025 0:10	3126.5	3538	5300	1883
4/21/2025 0:11	3145	3535.5	5302	1888
4/21/2025 0:12	3149	3540.5	5299	1882
4/21/2025 0:13	3140.5	3534.5	5304	1887
4/21/2025 0:14	3129	3535.5	5300	1867
4/21/2025 0:15	3143.5	3537	5292	1878
4/21/2025 0:16	3138.5	3539.5	5297	1878
4/21/2025 0:17	3154	3542	5308	1877
4/21/2025 0:18	3131	3537.5	5303	1875
4/21/2025 0:19	3128.5	3540	5301	1882
4/21/2025 0:20	3134	3536.5	5308	1882
4/21/2025 0:21	3135.5	3536	5308	1883
4/21/2025 0:22	3143	3532.5	5307	1894
4/21/2025 0:23	3135.5	3542.5	5298	1870
4/21/2025 0:24	3138	3538	5293	1886
4/21/2025 0:25	3142	3541	5308	1873
4/21/2025 0:26	3132	3537.5	5295	1885
4/21/2025 0:27	3140.5	3544	5284	1882
4/21/2025 0:28	3116	3536.5	5298	1872
4/21/2025 0:29	3137	3545.5	5300	1881
4/21/2025 0:30	3148.5	3532.5	5290	1891
4/21/2025 0:31	3134	3539	5297	1878
4/21/2025 0:32	3136	3535.5	5294	1877
4/21/2025 0:33	3135.5	3539.5	5294	1878
4/21/2025 0:34	3140	3537.5	5299	1873
4/21/2025 0:35	3139	3536.5	5297	1886
4/21/2025 0:36	3136.5	3535	5303	1887
4/21/2025 0:37	3145.5	3531.5	5297	1880
4/21/2025 0:38	3136	3547.5	5311	1882
4/21/2025 0:39	3133	3542.5	5298	1875
4/21/2025 0:40	3137	3538.5	5307	1885
4/21/2025 0:41	3134.5	3547	5310	1887
4/21/2025 0:42	3138	3540	5302	1875
4/21/2025 0:43	3133.5	3536.5	5296	1877
4/21/2025 0:44	3149	3549	5298	1882
4/21/2025 0:45	3127	3536.5	5293	1885
4/21/2025 0:46	3136	3541.5	5310	1880
4/21/2025 0:47	3141.5	3547	5303	1887
4/21/2025 0:48	3126	3534.5	5308	1880
4/21/2025 0:49	3130	3538	5300	1876
4/21/2025 0:50	3131	3538.5	5299	1885
4/21/2025 0:51	3121.5	3529.5	5302	1883
4/21/2025 0:52	3138.5	3534.5	5306	1888
4/21/2025 0:53	3148.5	3535	5302	1885
4/21/2025 0:54	3133.5	3540.5	5294	1890
4/21/2025 0:55	3137.5	3538	5290	1888
4/21/2025 0:56	3134	3544.5	5294	1866
4/21/2025 0:57	3126.5	3542	5300	1896
4/21/2025 0:58	3138	3540	5303	1867
4/21/2025 0:59	3134.5	3538.5	5292	1891
4/21/2025 1:00	3135.5	3531.5	5303	1882
4/21/2025 1:01	3128.5	3532	5301	1877
4/21/2025 1:02	3142	3542	5298	1883
4/21/2025 1:03	3115.5	3541	5301	1861
4/21/2025 1:04	3129	3532	5298	1870
4/21/2025 1:05	3126	3537.5	5302	1882
4/21/2025 1:06	3145.5	3536	5295	1880
4/21/2025 1:07	3134	3535.5	5303	1880
4/21/2025 1:08	3129.5	3540	5298	1877

4/21/2025 1:09	3121.5	3535.5	5301	1881
4/21/2025 1:10	3141	3533.5	5290	1880
4/21/2025 1:11	3124.5	3529	5295	1881
4/21/2025 1:12	3131.5	3537	5297	1877
4/21/2025 1:13	3140	3529.5	5299	1878
4/21/2025 1:14	3137	3536.5	5295	1875
4/21/2025 1:15	3131.5	3535	5297	1888
4/21/2025 1:16	3127	3534	5297	1885
4/21/2025 1:17	3136.5	3532	5293	1886
4/21/2025 1:18	3128	3531.5	5289	1888
4/21/2025 1:19	3136.5	3540	5287	1887
4/21/2025 1:20	3129	3535.5	5300	1881
4/21/2025 1:21	3137.5	3540	5294	1877
4/21/2025 1:22	3149.5	3529.5	5303	1887
4/21/2025 1:23	3130	3534.5	5294	1887
4/21/2025 1:24	3126	3534	5297	1882
4/21/2025 1:25	3118.5	3541	5293	1875
4/21/2025 1:26	3140.5	3541	5304	1885
4/21/2025 1:27	3145	3542	5297	1887
4/21/2025 1:28	3142.5	3537	5291	1887
4/21/2025 1:29	3125.5	3527.5	5303	1878
4/21/2025 1:30	3128	3539	5302	1882
4/21/2025 1:31	3135.5	3540.5	5299	1893
4/21/2025 1:32	3141.5	3539	5303	1892
4/21/2025 1:33	3127.5	3534	5291	1887
4/21/2025 1:34	3149	3534.5	5298	1876
4/21/2025 1:35	3119.5	3537.5	5293	1881
4/21/2025 1:36	3121.5	3532.5	5292	1881
4/21/2025 1:37	3125	3525.5	5300	1888
4/21/2025 1:38	3135	3525.5	5292	1883
4/21/2025 1:39	3139.5	3538.5	5296	1880
4/21/2025 1:40	3136.5	3534.5	5294	1887
4/21/2025 1:41	3123	3539	5303	1880
4/21/2025 1:42	3136	3536	5288	1891
4/21/2025 1:43	3121.5	3525.5	5295	1875
4/21/2025 1:44	3129.5	3539	5291	1883
4/21/2025 1:45	3135.5	3540.5	5300	1885
4/21/2025 1:46	3127	3541	5309	1882
4/21/2025 1:47	3126.5	3538	5299	1880
4/21/2025 1:48	3135	3532.5	5288	1892
4/21/2025 1:49	3138	3534.5	5292	1882
4/21/2025 1:50	3112	3530.5	5298	1885
4/21/2025 1:51	3123	3527.5	5302	1897
4/21/2025 1:52	3130	3526	5289	1872
4/21/2025 1:53	3131.5	3520	5291	1896
4/21/2025 1:54	3133.5	3530.5	5281	1885
4/21/2025 1:55	3124	3527	5294	1881
4/21/2025 1:56	3116.5	3523	5284	1876
4/21/2025 1:57	3122	3525.5	5295	1882
4/21/2025 1:58	3129.5	3533.5	5300	1881
4/21/2025 1:59	3124.5	3524.5	5290	1887
4/21/2025 2:00	3117	3531	5294	1893
4/21/2025 2:01	3123.5	3534.5	5290	1878
4/21/2025 2:02	3128.5	3528.5	5304	1872
4/21/2025 2:03	3131.5	3533	5298	1877
4/21/2025 2:04	3119	3529	5299	1885
4/21/2025 2:05	3123	3534.5	5299	1887
4/21/2025 2:06	3103.5	3528.5	5287	1876
4/21/2025 2:07	3126.5	3533	5292	1885
4/21/2025 2:08	3136.5	3529	5287	1876
4/21/2025 2:09	3125	3535	5295	1875
4/21/2025 2:10	3121	3531.5	5291	1885
4/21/2025 2:11	3122.5	3526.5	5282	1880

4/21/2025 2:12	3110.5	3528	5289	1886
4/21/2025 2:13	3111.5	3531.5	5284	1880
4/21/2025 2:14	3126.5	3532.5	5297	1871
4/21/2025 2:15	3123	3529.5	5294	1880
4/21/2025 2:16	3101	3535.5	5296	1872
4/21/2025 2:17	3110.5	3528	5296	1893
4/21/2025 2:18	3113	3528	5289	1871
4/21/2025 2:19	3119	3530.5	5296	1868
4/21/2025 2:20	3118	3533.5	5286	1881
4/21/2025 2:21	3126.5	3533.5	5286	1882
4/21/2025 2:22	3124	3528.5	5295	1883
4/21/2025 2:23	3120	3528	5291	1890
4/21/2025 2:24	3129	3528.5	5289	1887
4/21/2025 2:25	3110.5	3528	5294	1891
4/21/2025 2:26	3102	3531	5286	1893
4/21/2025 2:27	3109	3525.5	5284	1887
4/21/2025 2:28	3101	3529	5286	1876
4/21/2025 2:29	3113.5	3530	5277	1887
4/21/2025 2:30	3115.5	3528.5	5288	1880
4/21/2025 2:31	3096.5	3527.5	5289	1873
4/21/2025 2:32	3100.5	3523	5290	1880
4/21/2025 2:33	3101	3520	5286	1872
4/21/2025 2:34	3111	3523.5	5275	1886
4/21/2025 2:35	3102.5	3523.5	5280	1883
4/21/2025 2:36	3111	3522	5286	1875
4/21/2025 2:37	3118	3513	5291	1866
4/21/2025 2:38	3115.5	3523	5286	1880
4/21/2025 2:39	3106	3517	5297	1882
4/21/2025 2:40	3100.5	3514.5	5300	1887
4/21/2025 2:41	3100.5	3526	5295	1881
4/21/2025 2:42	3105.5	3534	5296	1883
4/21/2025 2:43	3104	3526.5	5297	1881
4/21/2025 2:44	3129.5	3526	5307	1877
4/21/2025 2:45	3092.5	3525	5297	1901
4/21/2025 2:46	3112	3523	5299	1890
4/21/2025 2:47	3114	3519.5	5289	1886
4/21/2025 2:48	3109	3524	5297	1885
4/21/2025 2:49	3102.5	3518.5	5302	1885
4/21/2025 2:50	3111	3513.5	5284	1870
4/21/2025 2:51	3097	3528.5	5294	1891
4/21/2025 2:52	3114	3524	5288	1891
4/21/2025 2:53	3107	3521.5	5290	1882
4/21/2025 2:54	3111.5	3517.5	5291	1900
4/21/2025 2:55	3105.5	3521.5	5294	1896
4/21/2025 2:56	3112.5	3524	5299	1878
4/21/2025 2:57	3120	3515	5289	1890
4/21/2025 2:58	3110.5	3522	5279	1878
4/21/2025 2:59	3087	3524.5	5285	1891
4/21/2025 3:00	3109.5	3527.5	5285	1886
4/21/2025 3:01	3119	3528.5	5295	1893
4/21/2025 3:02	3110.5	3515.5	5282	1875
4/21/2025 3:03	3106	3522	5282	1890
4/21/2025 3:04	3109	3519	5286	1890
4/21/2025 3:05	3117.5	3524.5	5292	1892
4/21/2025 3:06	3106	3520	5293	1887
4/21/2025 3:07	3117	3519	5289	1882
4/21/2025 3:08	3113	3516	5298	1880
4/21/2025 3:09	3107	3524	5285	1886
4/21/2025 3:10	3096	3522	5285	1871
4/21/2025 3:11	3116	3518	5288	1885
4/21/2025 3:12	3106	3513	5286	1886
4/21/2025 3:13	3109	3525.5	5288	1881
4/21/2025 3:14	3100	3520	5286	1892

4/21/2025 3:15	3118	3520.5	5283	1888
4/21/2025 3:16	3109.5	3513	5291	1885
4/21/2025 3:17	3107.5	3517.5	5287	1883
4/21/2025 3:18	3112.5	3516.5	5285	1878
4/21/2025 3:19	3109	3520.5	5289	1893
4/21/2025 3:20	3102.5	3526	5298	1893
4/21/2025 3:21	3110.5	3517	5291	1891
4/21/2025 3:22	3106.5	3527.5	5285	1898
4/21/2025 3:23	3123.5	3521.5	5283	1880
4/21/2025 3:24	3105	3525	5291	1875
4/21/2025 3:25	3112.5	3518	5285	1892
4/21/2025 3:26	3110.5	3516	5293	1883
4/21/2025 3:27	3110.5	3517	5289	1896
4/21/2025 3:28	3112	3523.5	5295	1880
4/21/2025 3:29	3114	3520	5296	1888
4/21/2025 3:30	3110.5	3529	5297	1887
4/21/2025 3:31	3103.5	3522	5288	1887
4/21/2025 3:32	3121.5	3521	5290	1877
4/21/2025 3:33	3119	3525	5289	1890
4/21/2025 3:34	3125	3519.5	5295	1883
4/21/2025 3:35	3107	3525	5296	1882
4/21/2025 3:36	3110.5	3523.5	5296	1891
4/21/2025 3:37	3105.5	3521.5	5287	1886
4/21/2025 3:38	3124.5	3518.5	5300	1878
4/21/2025 3:39	3106	3523	5305	1887
4/21/2025 3:40	3111	3515	5297	1882
4/21/2025 3:41	3103	3516	5293	1886
4/21/2025 3:42	3129	3517	5296	1885
4/21/2025 3:43	3125.5	3524.5	5293	1881
4/21/2025 3:44	3111.5	3523	5294	1881
4/21/2025 3:45	3125.5	3521.5	5292	1892
4/21/2025 3:46	3120	3520	5286	1880
4/21/2025 3:47	3114.5	3523.5	5283	1892
4/21/2025 3:48	3114	3524.5	5293	1881
4/21/2025 3:49	3106	3522	5299	1885
4/21/2025 3:50	3112.5	3519	5294	1892
4/21/2025 3:51	3110	3517	5291	1885
4/21/2025 3:52	3116	3520.5	5292	1888
4/21/2025 3:53	3120.5	3525	5287	1882
4/21/2025 3:54	3099.5	3517	5292	1881
4/21/2025 3:55	3096	3512.5	5298	1887
4/21/2025 3:56	3105	3515	5295	1888
4/21/2025 3:57	3103	3512	5281	1888
4/21/2025 3:58	3120	3527	5299	1887
4/21/2025 3:59	3122	3518.5	5283	1886
4/21/2025 4:00	3114.5	3523.5	5299	1885
4/21/2025 4:01	3112	3529.5	5300	1891
4/21/2025 4:02	3111	3519.5	5296	1885
4/21/2025 4:03	3111.5	3518.5	5292	1885
4/21/2025 4:04	3104.5	3512.5	5295	1886
4/21/2025 4:05	3118.5	3517.5	5296	1891
4/21/2025 4:06	3115.5	3517.5	5294	1886
4/21/2025 4:07	3107	3516	5298	1885
4/21/2025 4:08	3110	3516.5	5292	1891
4/21/2025 4:09	3102	3516	5289	1888
4/21/2025 4:10	3124	3510	5286	1885
4/21/2025 4:11	3126	3516	5283	1901
4/21/2025 4:12	3106	3521	5281	1891
4/21/2025 4:13	3112.5	3517	5297	1876
4/21/2025 4:14	3097.5	3515.5	5295	1902
4/21/2025 4:15	3102.5	3518.5	5286	1893
4/21/2025 4:16	3122	3523.5	5286	1890
4/21/2025 4:17	3101.5	3514.5	5290	1888

4/21/2025 4:18	3107	3519.5	5288	1881
4/21/2025 4:19	3111.5	3508.5	5295	1896
4/21/2025 4:20	3109	3516.5	5283	1877
4/21/2025 4:21	3124	3522	5294	1898
4/21/2025 4:22	3116	3515.5	5291	1878
4/21/2025 4:23	3107.5	3512.5	5291	1887
4/21/2025 4:24	3109	3515.5	5291	1890
4/21/2025 4:25	3103	3519	5296	1882
4/21/2025 4:26	3121.5	3510.5	5297	1882
4/21/2025 4:27	3105	3512	5294	1901
4/21/2025 4:28	3106.5	3515	5287	1896
4/21/2025 4:29	3112	3512	5292	1887
4/21/2025 4:30	3114	3517.5	5296	1893
4/21/2025 4:31	3111	3518	5294	1895
4/21/2025 4:32	3119.5	3517	5301	1883
4/21/2025 4:33	3112.5	3518.5	5295	1894
4/21/2025 4:34	3133	3521	5298	1893
4/21/2025 4:35	3115.5	3516	5295	1901
4/21/2025 4:36	3115.5	3523.5	5295	1898
4/21/2025 4:37	3127	3525.5	5307	1896
4/21/2025 4:38	3105	3518.5	5298	1892
4/21/2025 4:39	3112	3516.5	5297	1886
4/21/2025 4:40	3102	3525	5295	1893
4/21/2025 4:41	3106.5	3508	5290	1892
4/21/2025 4:42	3103	3515.5	5286	1883
4/21/2025 4:43	3131.5	3522	5290	1897
4/21/2025 4:44	3106.5	3524.5	5303	1895
4/21/2025 4:45	3118.5	3519	5288	1896
4/21/2025 4:46	3114	3526	5299	1891
4/21/2025 4:47	3102	3526.5	5296	1882
4/21/2025 4:48	3106	3516.5	5299	1907
4/21/2025 4:49	3110	3524	5296	1893
4/21/2025 4:50	3113	3515	5290	1901
4/21/2025 4:51	3115.5	3524	5289	1896
4/21/2025 4:52	3119.5	3523.5	5292	1886
4/21/2025 4:53	3105	3517.5	5296	1888
4/21/2025 4:54	3103	3515	5293	1882
4/21/2025 4:55	3115	3520	5287	1878
4/21/2025 4:56	3110	3519	5297	1901
4/21/2025 4:57	3105	3519.5	5282	1893
4/21/2025 4:58	3114.5	3513.5	5289	1886
4/21/2025 4:59	3109	3513.5	5286	1891
4/21/2025 5:00	3103	3522	5294	1897
4/21/2025 5:01	3109	3512.5	5295	1888
4/21/2025 5:02	3111	3517	5292	1893
4/21/2025 5:03	3100	3508	5288	1881
4/21/2025 5:04	3096	3514.5	5286	1883
4/21/2025 5:05	3099	3519	5286	1895
4/21/2025 5:06	3113.5	3516.5	5288	1887
4/21/2025 5:07	3099	3514	5292	1876
4/21/2025 5:08	3106	3512	5287	1893
4/21/2025 5:09	3117.5	3517	5296	1880
4/21/2025 5:10	3109.5	3520	5292	1888
4/21/2025 5:11	3104	3516	5299	1885
4/21/2025 5:12	3092	3513	5297	1892
4/21/2025 5:13	3113	3516	5285	1887
4/21/2025 5:14	3120.5	3509.5	5300	1897
4/21/2025 5:15	3102	3520	5292	1900
4/21/2025 5:16	3101.5	3513.5	5294	1902
4/21/2025 5:17	3107.5	3512.5	5296	1888
4/21/2025 5:18	3129.5	3516	5291	1883
4/21/2025 5:19	3106.5	3516	5299	1878
4/21/2025 5:20	3121	3523.5	5300	1898

4/21/2025 5:21	3111.5	3511.5	5282	1887
4/21/2025 5:22	3097	3511.5	5293	1893
4/21/2025 5:23	3112.5	3516.5	5288	1901
4/21/2025 5:24	3100	3515.5	5293	1883
4/21/2025 5:25	3121	3507	5276	1888
4/21/2025 5:26	3097.5	3516	5290	1901
4/21/2025 5:27	3104.5	3512	5292	1883
4/21/2025 5:28	3105	3511	5296	1886
4/21/2025 5:29	3103	3518	5291	1892
4/21/2025 5:30	3104.5	3511.5	5290	1885
4/21/2025 5:31	3102.5	3512.5	5289	1898
4/21/2025 5:32	3090.5	3518	5292	1887
4/21/2025 5:33	3091.5	3508	5288	1880
4/21/2025 5:34	3094.5	3505.5	5291	1877
4/21/2025 5:35	3103	3515	5291	1883
4/21/2025 5:36	3094.5	3517	5288	1896
4/21/2025 5:37	3081.5	3511.5	5294	1883
4/21/2025 5:38	3094	3520.5	5286	1886
4/21/2025 5:39	3101	3514	5294	1886
4/21/2025 5:40	3097.5	3522.5	5293	1888
4/21/2025 5:41	3098	3508	5293	1887
4/21/2025 5:42	3108	3515.5	5292	1876
4/21/2025 5:43	3085	3511	5289	1888
4/21/2025 5:44	3100	3521	5290	1886
4/21/2025 5:45	3105.5	3518.5	5292	1877
4/21/2025 5:46	3114.5	3516	5303	1881
4/21/2025 5:47	3109	3514	5291	1875
4/21/2025 5:48	3105.5	3521.5	5299	1886
4/21/2025 5:49	3100	3517	5294	1881
4/21/2025 5:50	3108	3521.5	5293	1878
4/21/2025 5:51	3104.5	3521	5291	1887
4/21/2025 5:52	3096.5	3524	5298	1888
4/21/2025 5:53	3106	3520	5303	1885
4/21/2025 5:54	3104	3526	5300	1886
4/21/2025 5:55	3093	3520.5	5294	1876
4/21/2025 5:56	3105.5	3519.5	5302	1892
4/21/2025 5:57	3096	3514.5	5287	1892
4/21/2025 5:58	3093	3518	5303	1896
4/21/2025 5:59	3119	3525	5302	1888
4/21/2025 6:00	3103.5	3517.5	5287	1893
4/21/2025 6:01	3106.5	3518	5297	1885
4/21/2025 6:02	3093	3520	5298	1882
4/21/2025 6:03	3092.5	3523	5301	1877
4/21/2025 6:04	3089	3508.5	5296	1882
4/21/2025 6:05	3093	3517	5296	1887
4/21/2025 6:06	3091	3514	5289	1887
4/21/2025 6:07	3109.5	3513.5	5291	1883
4/21/2025 6:08	3095	3513	5285	1888
4/21/2025 6:09	3104.5	3518	5291	1888
4/21/2025 6:10	3109	3517	5285	1883
4/21/2025 6:11	3091	3518.5	5291	1890
4/21/2025 6:12	3094	3517	5301	1888
4/21/2025 6:13	3091	3516.5	5292	1882
4/21/2025 6:14	3098	3512.5	5289	1888
4/21/2025 6:15	3067	3509.5	5282	1894
4/21/2025 6:16	3114.5	3510.5	5276	1885
4/21/2025 6:17	3104.5	3511.5	5281	1894
4/21/2025 6:18	3098.5	3524.5	5286	1882
4/21/2025 6:19	3085.5	3514.5	5289	1886
4/21/2025 6:20	3100	3514	5289	1894
4/21/2025 6:21	3095.5	3506	5285	1880
4/21/2025 6:22	3096	3508	5283	1885
4/21/2025 6:23	3071.5	3505.5	5280	1896

4/21/2025 6:24	3115.5	3508.5	5281	1893
4/21/2025 6:25	3099.5	3514.5	5283	1882
4/21/2025 6:26	3092.5	3523	5284	1892
4/21/2025 6:27	3104	3521	5294	1891
4/21/2025 6:28	3080.5	3515	5286	1883
4/21/2025 6:29	3108.5	3506.5	5287	1881
4/21/2025 6:30	3100	3505	5287	1882
4/21/2025 6:31	3113	3500	5287	1892
4/21/2025 6:32	3086.5	3504.5	5277	1888
4/21/2025 6:33	3103	3512.5	5285	1882
4/21/2025 6:34	3087	3510	5295	1885
4/21/2025 6:35	3084.5	3507	5280	1893
4/21/2025 6:36	3085.5	3506	5286	1901
4/21/2025 6:37	3099	3493	5279	1888
4/21/2025 6:38	3098	3495.5	5283	1892
4/21/2025 6:39	3086.5	3490	5285	1883
4/21/2025 6:40	3101	3491.5	5275	1880
4/21/2025 6:41	3096	3486.5	5285	1880
4/21/2025 6:42	3097	3494	5284	1887
4/21/2025 6:43	3098	3493.5	5289	1883
4/21/2025 6:44	3079	3495.5	5297	1887
4/21/2025 6:45	3087.5	3491.5	5287	1885
4/21/2025 6:46	3093	3500	5283	1881
4/21/2025 6:47	3095.5	3493.5	5292	1896
4/21/2025 6:48	3104.5	3496.5	5291	1890
4/21/2025 6:49	3106.5	3498.5	5290	1881
4/21/2025 6:50	3087.5	3487.5	5292	1901
4/21/2025 6:51	3096.5	3499	5296	1888
4/21/2025 6:52	3097	3498.5	5302	1885
4/21/2025 6:53	3101.5	3502.5	5292	1878
4/21/2025 6:54	3100	3508.5	5293	1890
4/21/2025 6:55	3086.5	3510	5291	1876
4/21/2025 6:56	3093.5	3509	5292	1890
4/21/2025 6:57	3111	3499	5288	1883
4/21/2025 6:58	3103	3503	5301	1892
4/21/2025 6:59	3092	3499	5287	1892
4/21/2025 7:00	3108.5	3500	5296	1896
4/21/2025 7:01	3087.5	3501.5	5286	1890
4/21/2025 7:02	3093.5	3497.5	5293	1883
4/21/2025 7:03	3102	3490.5	5286	1888
4/21/2025 7:04	3086.5	3496.5	5293	1886
4/21/2025 7:05	3082	3495	5288	1888
4/21/2025 7:06	3105	3501.5	5286	1886
4/21/2025 7:07	3107	3515.5	5283	1886
4/21/2025 7:08	3106.5	3516.5	5283	1882
4/21/2025 7:09	3102.5	3514.5	5285	1882
4/21/2025 7:10	3113	3508.5	5291	1885
4/21/2025 7:11	3104	3518	5284	1885
4/21/2025 7:12	3127.5	3516.5	5293	1888
4/21/2025 7:13	3095.5	3516	5292	1890
4/21/2025 7:14	3109	3509.5	5294	1893
4/21/2025 7:15	3093.5	3511	5298	1887
4/21/2025 7:16	3106	3511	5290	1888
4/21/2025 7:17	3092	3509.5	5293	1894
4/21/2025 7:18	3104.5	3517	5295	1894
4/21/2025 7:19	3107	3510.5	5294	1880
4/21/2025 7:20	3113.5	3519	5286	1890
4/21/2025 7:21	3119.5	3514	5293	1885
4/21/2025 7:22	3106.5	3508.5	5296	1886
4/21/2025 7:23	3104.5	3512.5	5293	1883
4/21/2025 7:24	3103	3511.5	5293	1873
4/21/2025 7:25	3092.5	3516	5286	1885
4/21/2025 7:26	3102	3513.5	5288	1888

4/21/2025 7:27	3100.5	3513	5300	1892
4/21/2025 7:28	3124	3514	5298	1881
4/21/2025 7:29	3120	3515.5	5304	1883
4/21/2025 7:30	3109.5	3514	5293	1878
4/21/2025 7:31	3114.5	3511	5295	1885
4/21/2025 7:32	3111	3517	5294	1888
4/21/2025 7:33	3096.5	3521	5291	1891
4/21/2025 7:34	3105	3519.5	5302	1890
4/21/2025 7:35	3128.5	3516	5296	1892
4/21/2025 7:36	3083	3512.5	5293	1895
4/21/2025 7:37	3107	3512.5	5295	1893
4/21/2025 7:38	3112.5	3516.5	5289	1890
4/21/2025 7:39	3112	3514.5	5298	1897
4/21/2025 7:40	3111.5	3515	5292	1876
4/21/2025 7:41	3103.5	3525.5	5307	1888
4/21/2025 7:42	3111	3522	5295	1886
4/21/2025 7:43	3107.5	3517.5	5296	1890
4/21/2025 7:44	3113	3521	5293	1885
4/21/2025 7:45	3124.5	3512.5	5303	1883
4/21/2025 7:46	3119.5	3522.5	5304	1886
4/21/2025 7:47	3113.5	3517.5	5305	1897
4/21/2025 7:48	3141	3521.5	5307	1882
4/21/2025 7:49	3116	3515	5303	1885
4/21/2025 7:50	3131	3519	5303	1901
4/21/2025 7:51	3117	3516	5297	1888
4/21/2025 7:52	3115	3516.5	5297	1887
4/21/2025 7:53	3116	3517.5	5301	1885
4/21/2025 7:54	3113	3517.5	5301	1893
4/21/2025 7:55	3122.5	3519.5	5276	1887
4/21/2025 7:56	3122	3515.5	5276	1894
4/21/2025 7:57	3117	3515	5307	1883
4/21/2025 7:58	3114	3530	5307	1876
4/21/2025 7:59	3107	3513.5	5310	1896
4/21/2025 8:00	3114	3522	5310	1872
4/21/2025 8:01	3127.5	3522.5	5294	1882
4/21/2025 8:02	3129.5	3521.5	5294	1887
4/21/2025 8:03	3125	3520.5	5278	1882
4/21/2025 8:04	3128.5	3511.5	5278	1885
4/21/2025 8:05	3125.5	3514	5286	1883
4/21/2025 8:06	3131	3521.5	5286	1892
4/21/2025 8:07	3124	3518	5298	1873
4/21/2025 8:08	3112	3525.5	5298	1887
4/21/2025 8:09	3130.5	3529	5290	1877
4/21/2025 8:10	3120	3526	5290	1877
4/21/2025 8:11	3129.5	3527	5274	1886
4/21/2025 8:12	3131.5	3522	5274	1885
4/21/2025 8:13	3139	3529.5	5346	1886
4/21/2025 8:14	3134	3526.5	5346	1886
4/21/2025 8:15	3122	3519	5338	1890
4/21/2025 8:16	3150.5	3528	5338	1881
4/21/2025 8:17	3152.5	3548	5341	1885
4/21/2025 8:18	3162	3553	5341	1880
4/21/2025 8:19	3164	3549	5403	1877
4/21/2025 8:20	3153.5	3551	5403	1878
4/21/2025 8:21	3154	3547	5364	1878
4/21/2025 8:22	3163	3549.5	5364	1876
4/21/2025 8:23	3188	3563	5386	1878
4/21/2025 8:24	3190.5	3567.5	5386	1886
4/21/2025 8:25	3182.5	3568.5	5374	1880
4/21/2025 8:26	3185.5	3572	5374	1881
4/21/2025 8:27	3189.5	3567	5385	1872
4/21/2025 8:28	3185	3575.5	5385	1877
4/21/2025 8:29	3187.5	3576	5389	1890

4/21/2025 8:30	3193.5	3577.5	5389	1867
4/21/2025 8:31	3204.5	3579.5	5396	1875
4/21/2025 8:32	3196.5	3580.5	5396	1882
4/21/2025 8:33	3193.5	3575	5369	1881
4/21/2025 8:34	3192.5	3574.5	5369	1878
4/21/2025 8:35	3204	3577.5	5379	1883
4/21/2025 8:36	3195	3574.5	5379	1878
4/21/2025 8:37	3179	3559.5	5406	1887
4/21/2025 8:38	3187.5	3569.5	5406	1886
4/21/2025 8:39	3204.5	3580	5388	1885
4/21/2025 8:40	3210	3575	5388	1882
4/21/2025 8:41	3198.5	3579	5383	1891
4/21/2025 8:42	3209.5	3578	5383	1877
4/21/2025 8:43	3207.5	3579	5364	1871
4/21/2025 8:44	3204.5	3576.5	5364	1883
4/21/2025 8:45	3205.5	3579.5	5381	1883
4/21/2025 8:46	3213.5	3570.5	5381	1878
4/21/2025 8:47	3201	3574	5377	1877
4/21/2025 8:48	3222.5	3575.5	5377	1883
4/21/2025 8:49	3215.5	3578.5	5391	1885
4/21/2025 8:50	3205.5	3581.5	5391	1888
4/21/2025 8:51	3215.5	3577.5	5386	1876
4/21/2025 8:52	3216	3580.5	5386	1882
4/21/2025 8:53	3210	3573.5	5386	1876
4/21/2025 8:54	3224	3577.5	5386	1891
4/21/2025 8:55	3225	3577.5	5374	1871
4/21/2025 8:56	3219.5	3570.5	5374	1883
4/21/2025 8:57	3224.5	3573.5	5376	1886
4/21/2025 8:58	3222	3572.5	5376	1877
4/21/2025 8:59	3232.5	3575	5401	1868
4/21/2025 9:00	3236	3567	5401	1883
4/21/2025 9:01	3249.5	3572.5	5391	1875
4/21/2025 9:02	3230.5	3581.5	5391	1872
4/21/2025 9:03	3256	3593	5401	1878
4/21/2025 9:04	3256	3583	5401	1875
4/21/2025 9:05	3211	3583	5381	1893
4/21/2025 9:06	3211	3589	5381	1866
4/21/2025 9:07	3258	3589	5377	1872
4/21/2025 9:08	3258	3603	5377	1878
4/21/2025 9:09	3219	3603	5370	1875
4/21/2025 9:10	3219	3566	5370	1865
4/21/2025 9:11	3240	3566	5368	1883
4/21/2025 9:12	3240	3585	5368	1860
4/21/2025 9:13	3210	3585	5381	1872
4/21/2025 9:14	3210	3583	5381	1871
4/21/2025 9:15	3240	3583	5365	1872
4/21/2025 9:16	3240	3603	5365	1870
4/21/2025 9:17	3227	3603	5399	1867
4/21/2025 9:18	3227	3596	5399	1872
4/21/2025 9:19	3277	3596	5389	1865
4/21/2025 9:20	3277	3599	5389	1868
4/21/2025 9:21	3242	3599	5381	1866
4/21/2025 9:22	3242	3594	5381	1880
4/21/2025 9:23	3255	3594	5363	1873
4/21/2025 9:24	3255	3597	5363	1866
4/21/2025 9:25	3271	3597	5366	1870
4/21/2025 9:26	3271	3583	5366	1868
4/21/2025 9:27	3233	3583	5353	1864
4/21/2025 9:28	3233	3606	5353	1861
4/21/2025 9:29	3272	3606	5366	1877
4/21/2025 9:30	3272	3596	5366	1877
4/21/2025 9:31	3260	3596	5376	1870
4/21/2025 9:32	3260	3591	5376	1871

4/21/2025 9:33	3271	3591	5386	1877
4/21/2025 9:34	3271	3595	5386	1867
4/21/2025 9:35	3254	3595	5377	1872
4/21/2025 9:36	3254	3596	5377	1871
4/21/2025 9:37	3281	3596	5379	1868
4/21/2025 9:38	3281	3577	5379	1858
4/21/2025 9:39	3263	3577	5365	1871
4/21/2025 9:40	3263	3611	5365	1860
4/21/2025 9:41	3262	3611	5384	1866
4/21/2025 9:42	3262	3600	5384	1872
4/21/2025 9:43	3298	3600	5377	1866
4/21/2025 9:44	3298	3599	5377	1858
4/21/2025 9:45	3263	3599	5363	1862
4/21/2025 9:46	3263	3599	5363	1866
4/21/2025 9:47	3268	3599	5371	1872
4/21/2025 9:48	3268	3614	5371	1862
4/21/2025 9:49	3289	3614	5376	1872
4/21/2025 9:50	3289	3600	5376	1868
4/21/2025 9:51	3287	3600	5371	1873
4/21/2025 9:52	3287	3614	5371	1862
4/21/2025 9:53	3297	3614	5376	1866
4/21/2025 9:54	3297	3604	5376	1882
4/21/2025 9:55	3291	3604	5369	1858
4/21/2025 9:56	3291	3596	5369	1873
4/21/2025 9:57	3293	3596	5355	1868
4/21/2025 9:58	3293	3605	5355	1849
4/21/2025 9:59	3281	3605	5372	1868
4/21/2025 10:00	3281	3612	5372	1866
4/21/2025 10:01	3288	3612	5361	1856
4/21/2025 10:02	3288	3616	5361	1860
4/21/2025 10:03	3293	3616	5374	1867
4/21/2025 10:04	3293	3599	5374	1861
4/21/2025 10:05	3305	3599	5377	1855
4/21/2025 10:06	3305	3605	5377	1864
4/21/2025 10:07	3303	3605	5353	1862
4/21/2025 10:08	3303	3588	5353	1861
4/21/2025 10:09	3296	3588	5368	1857
4/21/2025 10:10	3296	3610	5368	1868
4/21/2025 10:11	3300	3610	5364	1860
4/21/2025 10:12	3300	3594	5364	1855
4/21/2025 10:13	3322	3594	5394	1846
4/21/2025 10:14	3322	3597	5394	1865
4/21/2025 10:15	3302	3597	5371	1860
4/21/2025 10:16	3302	3595	5371	1847
4/21/2025 10:17	3280	3595	5360	1862
4/21/2025 10:18	3280	3600	5360	1856
4/21/2025 10:19	3322	3600	5366	1858
4/21/2025 10:20	3322	3594	5366	1855
4/21/2025 10:21	3298	3594	5370	1862
4/21/2025 10:22	3298	3574	5370	1865
4/21/2025 10:23	3293	3574	5365	1856
4/21/2025 10:24	3293	3591	5365	1858
4/21/2025 10:25	3289	3591	5366	1861
4/21/2025 10:26	3289	3596	5366	1858
4/21/2025 10:27	3304	3596	5369	1850
4/21/2025 10:28	3304	3610	5369	1854
4/21/2025 10:29	3294	3610	5358	1862
4/21/2025 10:30	3294	3618	5358	1851
4/21/2025 10:31	3316	3618	5370	1851
4/21/2025 10:32	3316	3603	5370	1860
4/21/2025 10:33	3295	3603	5359	1854
4/21/2025 10:34	3295	3589	5359	1852
4/21/2025 10:35	3284	3589	5350	1845

4/21/2025 10:36	3284	3602	5350	1854
4/21/2025 10:37	3279	3602	5343	1851
4/21/2025 10:38	3279	3607	5343	1857
4/21/2025 10:39	3276	3607	5358	1850
4/21/2025 10:40	3276	3602	5358	1846
4/21/2025 10:41	3295	3602	5354	1845
4/21/2025 10:42	3295	3602	5354	1857
4/21/2025 10:43	3310	3602	5378	1867
4/21/2025 10:44	3310	3614	5378	1866
4/21/2025 10:45	3299	3614	5381	1845
4/21/2025 10:46	3299	3608	5381	1856
4/21/2025 10:47	3306	3608	5356	1861
4/21/2025 10:48	3306	3609	5356	1858
4/21/2025 10:49	3300	3609	5371	1855
4/21/2025 10:50	3300	3610	5371	1854
4/21/2025 10:51	3330	3610	5385	1857
4/21/2025 10:52	3330	3622	5385	1862
4/21/2025 10:53	3339	3622	5380	1865
4/21/2025 10:54	3339	3618	5380	1866
4/21/2025 10:55	3324	3618	5385	1860
4/21/2025 10:56	3324	3617	5385	1873
4/21/2025 10:57	3323	3617	5394	1857
4/21/2025 10:58	3323	3632	5394	1856
4/21/2025 10:59	3329	3632	5373	1872
4/21/2025 11:00	3329	3621	5373	1864
4/21/2025 11:01	3339	3621	5389	1866
4/21/2025 11:02	3339	3625	5389	1871
4/21/2025 11:03	3369	3625	5393	1850
4/21/2025 11:04	3369	3626	5393	1865
4/21/2025 11:05	3348	3626	5393	1839
4/21/2025 11:06	3348	3651	5393	1856
4/21/2025 11:07	3349	3651	5371	1846
4/21/2025 11:08	3349	3631	5371	1849
4/21/2025 11:09	3344	3631	5394	1847
4/21/2025 11:10	3344	3640	5394	1851
4/21/2025 11:11	3314	3640	5396	1847
4/21/2025 11:12	3314	3624	5396	1849
4/21/2025 11:13	3339	3624	5412	1855
4/21/2025 11:14	3339	3627	5412	1842
4/21/2025 11:15	3338	3627	5406	1851
4/21/2025 11:16	3338	3616	5406	1851
4/21/2025 11:17	3336	3616	5403	1840
4/21/2025 11:18	3336	3644	5403	1842
4/21/2025 11:19	3380	3644	5378	1826
4/21/2025 11:20	3380	3630	5378	1847
4/21/2025 11:21	3357	3630	5373	1835
4/21/2025 11:22	3357	3649	5373	1857
4/21/2025 11:23	3325	3649	5374	1854
4/21/2025 11:24	3325	3613	5374	1860
4/21/2025 11:25	3346	3613	5363	1849
4/21/2025 11:26	3346	3600	5363	1849
4/21/2025 11:27	3351	3600	5399	1856
4/21/2025 11:28	3351	3621	5399	1860
4/21/2025 11:29	3356	3621	5391	1854
4/21/2025 11:30	3356	3639	5391	1860
4/21/2025 11:31	3355	3639	5368	1856
4/21/2025 11:32	3355	3627	5368	1847
4/21/2025 11:33	3343	3627	5384	1845
4/21/2025 11:34	3343	3625	5384	1850
4/21/2025 11:35	3337	3625	5381	1850
4/21/2025 11:36	3337	3629	5381	1844
4/21/2025 11:37	3346	3629	5388	1849
4/21/2025 11:38	3346	3633	5388	1850

4/21/2025 11:39	3329	3633	5381	1842
4/21/2025 11:40	3329	3637	5381	1840
4/21/2025 11:41	3352	3637	5396	1847
4/21/2025 11:42	3352	3618	5396	1847
4/21/2025 11:43	3324	3618	5384	1856
4/21/2025 11:44	3324	3628	5384	1853
4/21/2025 11:45	3366	3628	5395	1845
4/21/2025 11:46	3366	3623	5395	1848
4/21/2025 11:47	3357	3623	5371	1850
4/21/2025 11:48	3357	3597	5371	1845
4/21/2025 11:49	3332	3597	5383	1846
4/21/2025 11:50	3332	3638	5383	1839
4/21/2025 11:51	3357	3638	5371	1856
4/21/2025 11:52	3357	3616	5371	1837
4/21/2025 11:53	3310	3616	5386	1847
4/21/2025 11:54	3310	3615	5386	1852
4/21/2025 11:55	3360	3615	5374	1842
4/21/2025 11:56	3360	3631	5374	1849
4/21/2025 11:57	3326	3631	5366	1845
4/21/2025 11:58	3326	3597	5366	1846
4/21/2025 11:59	3338	3597	5383	1842
4/21/2025 12:00	3338	3622	5383	1844
4/21/2025 12:01	3338	3622	5383	1839
4/21/2025 12:02	3338	3640	5383	1849
4/21/2025 12:03	3348	3640	5374	1846
4/21/2025 12:04	3348	3636	5374	1839
4/21/2025 12:05	3336	3636	5361	1846
4/21/2025 12:06	3336	3643	5361	1851
4/21/2025 12:07	3330	3643	5366	1858
4/21/2025 12:08	3330	3618	5366	1846
4/21/2025 12:09	3322	3618	5363	1850
4/21/2025 12:10	3322	3611	5363	1844
4/21/2025 12:11	3379	3611	5372	1846
4/21/2025 12:12	3379	3631	5372	1842
4/21/2025 12:13	3355	3631	5391	1852
4/21/2025 12:14	3355	3607	5391	1850
4/21/2025 12:15	3357	3607	5372	1845
4/21/2025 12:16	3357	3622	5372	1836
4/21/2025 12:17	3352	3622	5364	1842
4/21/2025 12:18	3352	3624	5364	1829
4/21/2025 12:19	3338	3624	5367	1835
4/21/2025 12:20	3338	3616	5367	1858
4/21/2025 12:21	3330	3616	5394	1841
4/21/2025 12:22	3330	3622	5394	1841
4/21/2025 12:23	3346	3622	5391	1852
4/21/2025 12:24	3346	3628	5391	1852
4/21/2025 12:25	3329	3628	5366	1847
4/21/2025 12:26	3329	3631	5366	1849
4/21/2025 12:27	3332	3631	5373	1835
4/21/2025 12:28	3332	3617	5373	1847
4/21/2025 12:29	3344	3617	5375	1840
4/21/2025 12:30	3344	3621	5375	1845
4/21/2025 12:31	3350	3621	5386	1842
4/21/2025 12:32	3350	3630	5386	1835
4/21/2025 12:33	3331	3630	5395	1851
4/21/2025 12:34	3331	3626	5395	1845
4/21/2025 12:35	3340	3626	5390	1836
4/21/2025 12:36	3340	3625	5390	1837
4/21/2025 12:37	3344	3625	5394	1850
4/21/2025 12:38	3344	3625	5394	1849
4/21/2025 12:39	3346	3625	5374	1844
4/21/2025 12:40	3346	3613	5374	1848
4/21/2025 12:41	3349	3613	5397	1839

4/21/2025 12:42	3349	3617	5397	1839
4/21/2025 12:43	3371	3617	5373	1836
4/21/2025 12:44	3371	3619	5373	1851
4/21/2025 12:45	3351	3619	5329	1831
4/21/2025 12:46	3351	3598	5329	1841
4/21/2025 12:47	3327	3598	5320	1834
4/21/2025 12:48	3327	3595	5320	1830
4/21/2025 12:49	3314	3595	5324	1819
4/21/2025 12:50	3314	3587	5324	1805
4/21/2025 12:51	3316	3587	5333	1806
4/21/2025 12:52	3316	3589	5333	1815
4/21/2025 12:53	3313	3589	5360	1825
4/21/2025 12:54	3313	3589	5360	1815
4/21/2025 12:55	3339	3589	5330	1818
4/21/2025 12:56	3339	3599	5330	1810
4/21/2025 12:57	3332	3599	5343	1820
4/21/2025 12:58	3332	3589	5343	1815
4/21/2025 12:59	3332	3589	5323	1819
4/21/2025 13:00	3332	3610	5323	1809
4/21/2025 13:01	3322	3610	5312	1815
4/21/2025 13:02	3322	3589	5312	1811
4/21/2025 13:03	3303	3589	5337	1808
4/21/2025 13:04	3303	3594	5337	1809
4/21/2025 13:05	3305	3594	5332	1812
4/21/2025 13:06	3305	3605	5332	1810
4/21/2025 13:07	3297	3605	5325	1816
4/21/2025 13:08	3297	3581	5325	1806
4/21/2025 13:09	3317	3581	5333	1801
4/21/2025 13:10	3317	3577	5333	1815
4/21/2025 13:11	3306	3577	5331	1808
4/21/2025 13:12	3306	3596	5331	1809
4/21/2025 13:13	3304	3596	5323	1798
4/21/2025 13:14	3304	3592	5323	1805
4/21/2025 13:15	3315	3592	5329	1813
4/21/2025 13:16	3315	3601	5329	1804
4/21/2025 13:17	3309	3601	5310	1800
4/21/2025 13:18	3309	3608	5310	1803
4/21/2025 13:19	3297	3608	5332	1804
4/21/2025 13:20	3297	3455	5332	1800
4/21/2025 13:21	3386	3455	5452	1810
4/21/2025 13:22	3386	3614	5452	1789
4/21/2025 13:23	3427	3614	5467	1795
4/21/2025 13:24	3427	3615	5467	1815
4/21/2025 13:25	3439	3615	5431	1812
4/21/2025 13:26	3416.5	3593.5	5361	1806
4/21/2025 13:27	3423	3605	5406	1800
4/21/2025 13:28	3426.5	3609.5	5458	1801
4/21/2025 13:29	3429	3619.5	5458	1813
4/21/2025 13:30	3445	3616.5	5447	1799
4/21/2025 13:31	3428.5	3613.5	5423	1809
4/21/2025 13:32	3433	3609.5	5418	1790
4/21/2025 13:33	3433	3610.5	5414	1806
4/21/2025 13:34	3433.5	3611.5	5416	1799
4/21/2025 13:35	3446.5	3604	5420	1790
4/21/2025 13:36	3443	3615.5	5425	1798
4/21/2025 13:37	3444.5	3617.5	5412	1798
4/21/2025 13:38	3444.5	3613.5	5406	1809
4/21/2025 13:39	3447.5	3616.5	5410	1788
4/21/2025 13:40	3438.5	3624.5	5408	1791
4/21/2025 13:41	3441.5	3617.5	5411	1788
4/21/2025 13:42	3433	3618.5	5397	1798
4/21/2025 13:43	3436.5	3629.5	5406	1804
4/21/2025 13:44	3440.5	3624.5	5401	1801

4/21/2025 13:45	3422.5	3620	5410	1808
4/21/2025 13:46	3439	3615.5	5398	1794
4/21/2025 13:47	3451	3623	5378	1804
4/21/2025 13:48	3438.5	3615.5	5392	1800
4/21/2025 13:49	3442	3625.5	5401	1789
4/21/2025 13:50	3437.5	3612.5	5407	1800
4/21/2025 13:51	3452	3630	5400	1801
4/21/2025 13:52	3453	3623	5402	1804
4/21/2025 13:53	3439	3624	5398	1805
4/21/2025 13:54	3444	3619.5	5399	1795
4/21/2025 13:55	3439	3625.5	5399	1815
4/21/2025 13:56	3441.5	3623.5	5403	1804
4/21/2025 13:57	3426.5	3621	5392	1811
4/21/2025 13:58	3445	3615	5404	1798
4/21/2025 13:59	3431	3619	5404	1798
4/21/2025 14:00	3435.5	3620	5394	1793
4/21/2025 14:01	3433.5	3618.5	5391	1788
4/21/2025 14:02	3438	3621.5	5390	1796
4/21/2025 14:03	3442	3626.5	5386	1811
4/21/2025 14:04	3441	3625	5386	1799
4/21/2025 14:05	3450.5	3622.5	5394	1799
4/21/2025 14:06	3446.5	3623.5	5394	1799
4/21/2025 14:07	3438	3621.5	5389	1800
4/21/2025 14:08	3454.5	3621	5393	1799
4/21/2025 14:09	3447.5	3627	5406	1801
4/21/2025 14:10	3450.5	3624.5	5390	1798
4/21/2025 14:11	3452.5	3625	5401	1801
4/21/2025 14:12	3455	3628	5407	1800
4/21/2025 14:13	3454	3624.5	5404	1800
4/21/2025 14:14	3451	3624	5412	1790
4/21/2025 14:15	3464	3624	5400	1815
4/21/2025 14:16	3452	3621.5	5398	1798
4/21/2025 14:17	3459	3617.5	5413	1803
4/21/2025 14:18	3446.5	3621.5	5412	1798
4/21/2025 14:19	3462	3614	5405	1798
4/21/2025 14:20	3453	3620	5401	1796
4/21/2025 14:21	3460.5	3626	5411	1805
4/21/2025 14:22	3460.5	3621	5404	1808
4/21/2025 14:23	3454.5	3627	5407	1805
4/21/2025 14:24	3457.5	3622	5408	1804
4/21/2025 14:25	3447	3617	5403	1804
4/21/2025 14:26	3456	3624	5398	1806
4/21/2025 14:27	3465	3619	5392	1799
4/21/2025 14:28	3472.5	3624.5	5409	1800
4/21/2025 14:29	3450.5	3612	5409	1788
4/21/2025 14:30	3459.5	3612.5	5393	1796
4/21/2025 14:31	3453.5	3620	5383	1788
4/21/2025 14:32	3461.5	3615	5391	1799
4/21/2025 14:33	3451	3611	5390	1779
4/21/2025 14:34	3445.5	3604	5388	1789
4/21/2025 14:35	3444.5	3607.5	5391	1789
4/21/2025 14:36	3444.5	3607	5391	1789
4/21/2025 14:37	3443.5	3600	5385	1804
4/21/2025 14:38	3461	3611	5388	1794
4/21/2025 14:39	3455	3602	5382	1799
4/21/2025 14:40	3452.5	3604.5	5401	1793
4/21/2025 14:41	3460	3596.5	5393	1794
4/21/2025 14:42	3448.5	3603.5	5384	1793
4/21/2025 14:43	3441.5	3602.5	5396	1805
4/21/2025 14:44	3439	3598.5	5389	1785
4/21/2025 14:45	3445	3614	5402	1789
4/21/2025 14:46	3427.5	3600.5	5402	1789
4/21/2025 14:47	3430	3600.5	5418	1790

4/21/2025 14:48	3447.5	3603.5	5394	1800
4/21/2025 14:49	3436.5	3600.5	5389	1782
4/21/2025 14:50	3440	3596	5405	1795
4/21/2025 14:51	3439	3592	5399	1783
4/21/2025 14:52	3439	3596.5	5392	1786
4/21/2025 14:53	3436.5	3600.5	5390	1789
4/21/2025 14:54	3436.5	3591.5	5393	1784
4/21/2025 14:55	3433.5	3603	5403	1798
4/21/2025 14:56	3436	3594.5	5393	1793
4/21/2025 14:57	3432.5	3599	5399	1779
4/21/2025 14:58	3441	3602.5	5405	1786
4/21/2025 14:59	3439	3598	5407	1788
4/21/2025 15:00	3434.5	3594.5	5394	1768
4/21/2025 15:01	3432	3594.5	5393	1782
4/21/2025 15:02	3434	3593	5402	1786
4/21/2025 15:03	3429	3600.5	5402	1786
4/21/2025 15:04	3434.5	3599.5	5393	1777
4/21/2025 15:05	3420	3592.5	5395	1778
4/21/2025 15:06	3428	3592.5	5403	1779
4/21/2025 15:07	3430.5	3591	5397	1796
4/21/2025 15:08	3423.5	3590	5401	1779
4/21/2025 15:09	3438	3590	5405	1784
4/21/2025 15:10	3428	3589.5	5403	1790
4/21/2025 15:11	3447	3607	5406	1789
4/21/2025 15:12	3428	3593.5	5423	1786
4/21/2025 15:13	3425	3586	5425	1784
4/21/2025 15:14	3430.5	3592	5410	1786
4/21/2025 15:15	3430.5	3585.5	5408	1793
4/21/2025 15:16	3425	3598.5	5414	1791
4/21/2025 15:17	3429.5	3590.5	5414	1783
4/21/2025 15:18	3436.5	3593.5	5407	1799
4/21/2025 15:19	3435	3589.5	5402	1788
4/21/2025 15:20	3441	3597	5411	1785
4/21/2025 15:21	3430	3597.5	5410	1801
4/21/2025 15:22	3435	3597	5401	1784
4/21/2025 15:23	3441	3603.5	5405	1773
4/21/2025 15:24	3449	3600	5419	1780
4/21/2025 15:25	3460	3605.5	5414	1780
4/21/2025 15:26	3447	3604.5	5414	1789
4/21/2025 15:27	3454	3608.5	5405	1793
4/21/2025 15:28	3444	3609.5	5411	1794
4/21/2025 15:29	3451	3614.5	5409	1796
4/21/2025 15:30	3448.5	3610.5	5406	1790
4/21/2025 15:31	3455.5	3608	5399	1785
4/21/2025 15:32	3453.5	3611	5389	1785
4/21/2025 15:33	3464	3612.5	5399	1786
4/21/2025 15:34	3455	3613.5	5395	1808
4/21/2025 15:35	3460	3605	5391	1791
4/21/2025 15:36	3460.5	3614	5387	1791
4/21/2025 15:37	3470.5	3618	5397	1783
4/21/2025 15:38	3464.5	3618.5	5390	1778
4/21/2025 15:39	3453	3610	5402	1778
4/21/2025 15:40	3471.5	3616.5	5398	1774
4/21/2025 15:41	3455.5	3610.5	5399	1767
4/21/2025 15:42	3446.5	3603.5	5399	1764
4/21/2025 15:43	3445.5	3606	5398	1774
4/21/2025 15:44	3458.5	3612	5390	1791
4/21/2025 15:45	3443	3604	5389	1788
4/21/2025 15:46	3447	3604.5	5387	1795
4/21/2025 15:47	3438	3611.5	5391	1799
4/21/2025 15:48	3447.5	3601	5396	1786
4/21/2025 15:49	3450	3606.5	5388	1795
4/21/2025 15:50	3441	3611.5	5396	1801

4/21/2025 15:51	3444.5	3600	5398	1790
4/21/2025 15:52	3439.5	3600.5	5384	1789
4/21/2025 15:53	3448	3604	5393	1788
4/21/2025 15:54	3438	3600.5	5394	1796
4/21/2025 15:55	3442.5	3598	5401	1791
4/21/2025 15:56	3444.5	3596	5396	1783
4/21/2025 15:57	3440.5	3601	5393	1793
4/21/2025 15:58	3446.5	3590.5	5400	1777
4/21/2025 15:59	3444	3589.5	5401	1785
4/21/2025 16:00	3431	3593.5	5404	1784
4/21/2025 16:01	3420	3599.5	5394	1785
4/21/2025 16:02	3453	3585.5	5394	1770
4/21/2025 16:03	3286.5	3556	5401	1784
4/21/2025 16:04	3385	3585.5	5015	1783
4/21/2025 16:05	3402.5	3588	5420	1778
4/21/2025 16:06	3416.5	3592	5425	1773
4/21/2025 16:07	3412	3589	5416	1774
4/21/2025 16:08	3416	3590.5	5415	1784
4/21/2025 16:09	3420.5	3597	5412	1786
4/21/2025 16:10	3424	3597	5410	1782
4/21/2025 16:11	3421	3594	5404	1780
4/21/2025 16:12	3421.5	3595	5405	1784
4/21/2025 16:13	3417.5	3592	5407	1786
4/21/2025 16:14	3426.5	3591	5400	1783
4/21/2025 16:15	3415	3596	5399	1771
4/21/2025 16:16	3429	3587.5	5392	1778
4/21/2025 16:17	3428	3596.5	5406	1779
4/21/2025 16:18	3425.5	3600	5404	1772
4/21/2025 16:19	3431.5	3592	5402	1790
4/21/2025 16:20	3434	3599.5	5404	1786
4/21/2025 16:21	3436	3590	5391	1780
4/21/2025 16:22	3426	3596.5	5388	1768
4/21/2025 16:23	3438	3593	5392	1774
4/21/2025 16:24	3436.5	3598	5392	1774
4/21/2025 16:25	3422	3597	5393	1785
4/21/2025 16:26	3429	3594.5	5382	1775
4/21/2025 16:27	3434.5	3587.5	5391	1789
4/21/2025 16:28	3442	3599	5390	1778
4/21/2025 16:29	3411	3594.5	5389	1769
4/21/2025 16:30	3419	3594	5388	1770
4/21/2025 16:31	3415.5	3597.5	5389	1775
4/21/2025 16:32	3429	3595.5	5387	1779
4/21/2025 16:33	3425	3598	5393	1767
4/21/2025 16:34	3424.5	3598	5387	1775
4/21/2025 16:35	3418	3592.5	5393	1773
4/21/2025 16:36	3411	3592	5393	1770
4/21/2025 16:37	3417	3592.5	5392	1778
4/21/2025 16:38	3413	3594	5404	1775
4/21/2025 16:39	3417.5	3583.5	5396	1783
4/21/2025 16:40	3408.5	3587	5392	1789
4/21/2025 16:41	3418	3592	5396	1783
4/21/2025 16:42	3410.5	3595	5408	1768
4/21/2025 16:43	3419.5	3595	5402	1774
4/21/2025 16:44	3415	3589.5	5399	1777
4/21/2025 16:45	3422.5	3596	5402	1787
4/21/2025 16:46	3421.5	3596.5	5400	1768
4/21/2025 16:47	3426	3585.5	5397	1788
4/21/2025 16:48	3413	3592	5405	1778
4/21/2025 16:49	3413	3595	5394	1778
4/21/2025 16:50	3409	3586.5	5396	1788
4/21/2025 16:51	3402	3586	5390	1789
4/21/2025 16:52	3410	3586	5394	1779
4/21/2025 16:53	3397	3587.5	5392	1769

4/21/2025 16:54	3409.5	3591.5	5403	1779
4/21/2025 16:55	3414.5	3586.5	5405	1783
4/21/2025 16:56	3401	3584	5406	1779
4/21/2025 16:57	3411.5	3589	5403	1777
4/21/2025 16:58	3416.5	3587.5	5411	1780
4/21/2025 16:59	3410	3590	5401	1777
4/21/2025 17:00	3402.5	3588.5	5407	1769
4/21/2025 17:01	3403.5	3586.5	5404	1778
4/21/2025 17:02	3400	3588	5405	1785
4/21/2025 17:03	3415.5	3588.5	5411	1775
4/21/2025 17:04	3414.5	3589	5416	1779
4/21/2025 17:05	3411.5	3586	5408	1775
4/21/2025 17:06	3392	3585.5	5407	1775
4/21/2025 17:07	3414	3577.5	5405	1783
4/21/2025 17:08	3389	3574	5403	1775
4/21/2025 17:09	3405.5	3588.5	5417	1780
4/21/2025 17:10	3412	3576.5	5404	1770
4/21/2025 17:11	3390	3595	5407	1779
4/21/2025 17:12	3400	3597	5404	1786
4/21/2025 17:13	3396.5	3596	5402	1783
4/21/2025 17:14	3402.5	3588.5	5407	1784
4/21/2025 17:15	3404.5	3590	5399	1773
4/21/2025 17:16	3407	3597.5	5402	1794
4/21/2025 17:17	3411	3589.5	5404	1774
4/21/2025 17:18	3405	3592	5406	1789
4/21/2025 17:19	3394.5	3591	5395	1780
4/21/2025 17:20	3405	3593.5	5402	1788
4/21/2025 17:21	3402.5	3587	5403	1783
4/21/2025 17:22	3402	3599	5402	1783
4/21/2025 17:23	3396	3593	5403	1784
4/21/2025 17:24	3392	3596	5397	1787
4/21/2025 17:25	3391	3590	5397	1775
4/21/2025 17:26	3400	3598.5	5404	1772
4/21/2025 17:27	3404	3594	5403	1769
4/21/2025 17:28	3398.5	3589	5407	1784
4/21/2025 17:29	3383.5	3592.5	5404	1784
4/21/2025 17:30	3402.5	3592	5402	1780
4/21/2025 17:31	3402.5	3591	5400	1764
4/21/2025 17:32	3391	3587.5	5401	1788
4/21/2025 17:33	3387	3594	5403	1776
4/21/2025 17:34	3395.5	3599	5400	1785
4/21/2025 17:35	3398	3599	5402	1770
4/21/2025 17:36	3405	3591	5404	1785
4/21/2025 17:37	3399.5	3590	5395	1778
4/21/2025 17:38	3397	3599	5392	1784
4/21/2025 17:39	3409	3595.5	5400	1784
4/21/2025 17:40	3405	3596	5402	1782
4/21/2025 17:41	3399.5	3595.5	5392	1787
4/21/2025 17:42	3399.5	3591.5	5393	1783
4/21/2025 17:43	3397.5	3597.5	5399	1780
4/21/2025 17:44	3394	3603	5395	1785
4/21/2025 17:45	3396.5	3592	5393	1788
4/21/2025 17:46	3387.5	3591	5398	1784
4/21/2025 17:47	3396	3585.5	5390	1778
4/21/2025 17:48	3388	3591	5394	1771
4/21/2025 17:49	3384.5	3595.5	5392	1780
4/21/2025 17:50	3389	3592	5392	1783
4/21/2025 17:51	3380.5	3599.5	5393	1777
4/21/2025 17:52	3388	3596	5394	1773
4/21/2025 17:53	3396.5	3590.5	5396	1779
4/21/2025 17:54	3386	3594.5	5396	1783
4/21/2025 17:55	3379.5	3596.5	5395	1779
4/21/2025 17:56	3368	3594.5	5391	1777

4/21/2025 17:57	3377.5	3596	5405	1774
4/21/2025 17:58	3378.5	3594.5	5399	1775
4/21/2025 17:59	3385	3592.5	5387	1780
4/21/2025 18:00	3393	3595	5391	1789
4/21/2025 18:01	3395	3596.5	5387	1789
4/21/2025 18:02	3385.5	3593.5	5402	1786
4/21/2025 18:03	3385	3591.5	5394	1786
4/21/2025 18:04	3378.5	3595	5398	1768
4/21/2025 18:05	3384	3592.5	5401	1784
4/21/2025 18:06	3385	3594	5397	1786
4/21/2025 18:07	3382.5	3608	5402	1775
4/21/2025 18:08	3374.5	3599	5397	1786
4/21/2025 18:09	3383	3606.5	5405	1778
4/21/2025 18:10	3381	3598	5401	1786
4/21/2025 18:11	3369	3605	5401	1773
4/21/2025 18:12	3396.5	3596.5	5398	1790
4/21/2025 18:13	3374	3606.5	5397	1788
4/21/2025 18:14	3382.5	3596	5401	1795
4/21/2025 18:15	3377.5	3606.5	5397	1784
4/21/2025 18:16	3368	3601.5	5405	1779
4/21/2025 18:17	3379	3614	5402	1786
4/21/2025 18:18	3371.5	3609.5	5402	1790
4/21/2025 18:19	3374	3611	5401	1784
4/21/2025 18:20	3368.5	3611	5399	1780
4/21/2025 18:21	3360.5	3611.5	5406	1784
4/21/2025 18:22	3376	3611	5390	1789
4/21/2025 18:23	3360	3611.5	5389	1795
4/21/2025 18:24	3371	3603.5	5402	1775
4/21/2025 18:25	3370.5	3609.5	5398	1777
4/21/2025 18:26	3364	3605	5397	1783
4/21/2025 18:27	3361	3608.5	5393	1780
4/21/2025 18:28	3359	3614	5398	1773
4/21/2025 18:29	3369.5	3617.5	5392	1784
4/21/2025 18:30	3360.5	3608.5	5405	1784
4/21/2025 18:31	3353	3610	5402	1783
4/21/2025 18:32	3355	3615.5	5397	1783
4/21/2025 18:33	3359	3616.5	5401	1777
4/21/2025 18:34	3360.5	3612.5	5398	1784
4/21/2025 18:35	3363.5	3609	5401	1767
4/21/2025 18:36	3355.5	3607	5399	1778
4/21/2025 18:37	3358	3608.5	5391	1777
4/21/2025 18:38	3356	3611	5408	1786
4/21/2025 18:39	3362	3610.5	5394	1777
4/21/2025 18:40	3350.5	3606.5	5399	1780
4/21/2025 18:41	3365	3611	5403	1768
4/21/2025 18:42	3340	3617	5398	1775
4/21/2025 18:43	3342.5	3608	5402	1784
4/21/2025 18:44	3353	3604	5397	1774
4/21/2025 18:45	3353	3604	5401	1788
4/21/2025 18:46	3340	3609	5397	1777
4/21/2025 18:47	3353	3605	5405	1777
4/21/2025 18:48	3343.5	3609.5	5400	1782
4/21/2025 18:49	3342	3610	5403	1780
4/21/2025 18:50	3338	3607.5	5399	1788
4/21/2025 18:51	3342.5	3605	5404	1779
4/21/2025 18:52	3345	3598	5405	1790
4/21/2025 18:53	3348.5	3607.5	5393	1777
4/21/2025 18:54	3333.5	3602	5401	1780
4/21/2025 18:55	3338.5	3601.5	5397	1784
4/21/2025 18:56	3331.5	3591	5385	1783
4/21/2025 18:57	3333	3598.5	5395	1773
4/21/2025 18:58	3333	3596	5392	1791
4/21/2025 18:59	3331.5	3603.5	5396	1784

4/21/2025 19:00	3335.5	3599.5	5383	1775
4/21/2025 19:01	3326	3596	5395	1778
4/21/2025 19:02	3322.5	3597.5	5388	1774
4/21/2025 19:03	3326	3606	5384	1783
4/21/2025 19:04	3322.5	3600	5389	1779
4/21/2025 19:05	3320.5	3596	5399	1777
4/21/2025 19:06	3320	3598.5	5390	1774
4/21/2025 19:07	3302.5	3594.5	5396	1781
4/21/2025 19:08	3314	3591.5	5395	1784
4/21/2025 19:09	3320	3594	5394	1783
4/21/2025 19:10	3314.5	3597	5397	1781
4/21/2025 19:11	3299.5	3600	5397	1778
4/21/2025 19:12	3317	3600.5	5388	1783
4/21/2025 19:13	3308.5	3599	5390	1775
4/21/2025 19:14	3312.5	3594.5	5403	1788
4/21/2025 19:15	3310	3599.5	5398	1774
4/21/2025 19:16	3297.5	3599	5403	1777
4/21/2025 19:17	3304.5	3599.5	5408	1777
4/21/2025 19:18	3308.5	3590.5	5400	1777
4/21/2025 19:19	3306	3596.5	5391	1771
4/21/2025 19:20	3310.5	3599.5	5404	1775
4/21/2025 19:21	3307.5	3604.5	5402	1783
4/21/2025 19:22	3302.5	3598.5	5407	1779
4/21/2025 19:23	3296	3603.5	5400	1779
4/21/2025 19:24	3294.5	3597.5	5383	1774
4/21/2025 19:25	3299	3595.5	5398	1783
4/21/2025 19:26	3298	3589	5409	1783
4/21/2025 19:27	3300	3590	5406	1778
4/21/2025 19:28	3291	3589.5	5397	1786
4/21/2025 19:29	3289	3588.5	5387	1780
4/21/2025 19:30	3290	3588.5	5384	1789
4/21/2025 19:31	3294.5	3590.5	5396	1793
4/21/2025 19:32	3299	3593	5405	1777
4/21/2025 19:33	3312	3591.5	5406	1785
4/21/2025 19:34	3305.5	3589	5403	1773
4/21/2025 19:35	3305.5	3597	5397	1780
4/21/2025 19:36	3296	3594	5402	1773
4/21/2025 19:37	3297	3593	5404	1778
4/21/2025 19:38	3292	3590.5	5391	1789
4/21/2025 19:39	3288	3592	5411	1783
4/21/2025 19:40	3294.5	3596	5403	1775
4/21/2025 19:41	3294	3584	5413	1780
4/21/2025 19:42	3290	3585.5	5401	1785
4/21/2025 19:43	3301.5	3586	5407	1784
4/21/2025 19:44	3278	3582	5404	1785
4/21/2025 19:45	3291.5	3588.5	5411	1786
4/21/2025 19:46	3290	3589	5402	1786
4/21/2025 19:47	3289.5	3588	5412	1780
4/21/2025 19:48	3299.5	3589.5	5412	1779
4/21/2025 19:49	3282	3588	5399	1789
4/21/2025 19:50	3294	3587	5404	1783
4/21/2025 19:51	3307	3586.5	5408	1783
4/21/2025 19:52	3286.5	3589	5399	1786
4/21/2025 19:53	3276.5	3587.5	5403	1785
4/21/2025 19:54	3273.5	3584.5	5406	1779
4/21/2025 19:55	3281.5	3589.5	5399	1788
4/21/2025 19:56	3287.5	3583	5392	1793
4/21/2025 19:57	3284	3630.5	5399	1789
4/21/2025 19:58	3293.5	3591	5408	1786
4/21/2025 19:59	3277	3590	5404	1780
4/21/2025 20:00	3280.5	3588.5	5409	1789
4/21/2025 20:01	3277	3583.5	5406	1786
4/21/2025 20:02	3292.5	3581.5	5405	1780

4/21/2025 20:03	3286	3584	5404	1774
4/21/2025 20:04	3283	3587.5	5413	1780
4/21/2025 20:05	3275.5	3589	5408	1785
4/21/2025 20:06	3273	3575.5	5406	1786
4/21/2025 20:07	3289.5	3580.5	5401	1786
4/21/2025 20:08	3283	3585	5399	1783
4/21/2025 20:09	3279.5	3583.5	5399	1786
4/21/2025 20:10	3291	3583.5	5402	1789
4/21/2025 20:11	3279	3590.5	5408	1785
4/21/2025 20:12	3297.5	3581.5	5406	1788
4/21/2025 20:13	3284	3583.5	5391	1788
4/21/2025 20:14	3269	3590.5	5400	1788
4/21/2025 20:15	3283.5	3589.5	5403	1790
4/21/2025 20:16	3283	3591.5	5405	1780
4/21/2025 20:17	3286.5	3587	5398	1785
4/21/2025 20:18	3283	3585	5411	1786
4/21/2025 20:19	3281.5	3584.5	5409	1793
4/21/2025 20:20	3283.5	3587	5397	1789
4/21/2025 20:21	3286	3587.5	5407	1795
4/21/2025 20:22	3272	3589.5	5410	1796
4/21/2025 20:23	3283.5	3585	5404	1795
4/21/2025 20:24	3281.5	3582	5405	1794
4/21/2025 20:25	3287	3587.5	5400	1783
4/21/2025 20:26	3268.5	3593	5407	1778
4/21/2025 20:27	3280	3589	5398	1794
4/21/2025 20:28	3289	3588.5	5394	1790
4/21/2025 20:29	3267	3585	5402	1789
4/21/2025 20:30	3284.5	3586.5	5398	1789
4/21/2025 20:31	3277	3592.5	5401	1790
4/21/2025 20:32	3286.5	3586.5	5406	1796
4/21/2025 20:33	3272.5	3589.5	5401	1786
4/21/2025 20:34	3274.5	3593.5	5399	1793
4/21/2025 20:35	3269.5	3579.5	5397	1803
4/21/2025 20:36	3294.5	3583	5402	1793
4/21/2025 20:37	3284.5	3586	5395	1788
4/21/2025 20:38	3275.5	3584.5	5398	1788
4/21/2025 20:39	3280	3586.5	5389	1794
4/21/2025 20:40	3257.5	3590.5	5394	1799
4/21/2025 20:41	3277	3588.5	5394	1796
4/21/2025 20:42	3274.5	3585	5391	1799
4/21/2025 20:43	3274.5	3589	5391	1794
4/21/2025 20:44	3265.5	3597	5400	1793
4/21/2025 20:45	3258.5	3582	5396	1785
4/21/2025 20:46	3255.5	3588.5	5397	1788
4/21/2025 20:47	3262.5	3587.5	5392	1788
4/21/2025 20:48	3282	3587	5401	1790
4/21/2025 20:49	3254	3587	5394	1790
4/21/2025 20:50	3265	3595	5399	1783
4/21/2025 20:51	3265	3580.5	5400	1789
4/21/2025 20:52	3253.5	3578.5	5396	1785
4/21/2025 20:53	3262	3580	5396	1780
4/21/2025 20:54	3258	3590.5	5396	1790
4/21/2025 20:55	3258.5	3588	5398	1790
4/21/2025 20:56	3250	3579	5395	1793
4/21/2025 20:57	3254.5	3573	5401	1788
4/21/2025 20:58	3258.5	3577.5	5399	1793
4/21/2025 20:59	3251	3579	5387	1785
4/21/2025 21:00	3258.5	3574.5	5392	1778
4/21/2025 21:01	3253.5	3571	5400	1773
4/21/2025 21:02	3261	3574	5397	1781
4/21/2025 21:03	3268.5	3581	5391	1790
4/21/2025 21:04	3269.5	3577	5401	1789
4/21/2025 21:05	3267.5	3575.5	5402	1786

4/21/2025 21:06	3259	3580.5	5397	1790
4/21/2025 21:07	3268.5	3580	5399	1793
4/21/2025 21:08	3260	3565.5	5398	1776
4/21/2025 21:09	3243	3571	5406	1795
4/21/2025 21:10	3265.5	3576	5394	1803
4/21/2025 21:11	3259	3571.5	5389	1789
4/21/2025 21:12	3239	3574	5402	1793
4/21/2025 21:13	3253	3574.5	5397	1796
4/21/2025 21:14	3247	3568	5400	1794
4/21/2025 21:15	3242	3574.5	5405	1786
4/21/2025 21:16	3245	3577	5395	1793
4/21/2025 21:17	3250	3568.5	5401	1794
4/21/2025 21:18	3255	3563.5	5395	1795
4/21/2025 21:19	3254.5	3567	5394	1783
4/21/2025 21:20	3253.5	3576	5395	1788
4/21/2025 21:21	3251.5	3564.5	5403	1785
4/21/2025 21:22	3252	3581.5	5400	1793
4/21/2025 21:23	3249	3570.5	5397	1783
4/21/2025 21:24	3267	3576	5399	1788
4/21/2025 21:25	3259	3576.5	5405	1788
4/21/2025 21:26	3255.5	3574	5402	1795
4/21/2025 21:27	3255.5	3582	5408	1790
4/21/2025 21:28	3280.5	3578	5403	1796
4/21/2025 21:29	3262.5	3577.5	5411	1794
4/21/2025 21:30	3269.5	3580.5	5409	1786
4/21/2025 21:31	3283	3569.5	5406	1796
4/21/2025 21:32	3268.5	3570.5	5403	1784
4/21/2025 21:33	3241.5	3573.5	5408	1789
4/21/2025 21:34	3250	3577.5	5411	1793
4/21/2025 21:35	3262	3579.5	5403	1793
4/21/2025 21:36	3242.5	3568	5406	1796
4/21/2025 21:37	3250	3573	5403	1799
4/21/2025 21:38	3252	3570.5	5403	1786
4/21/2025 21:39	3260	3577	5407	1801
4/21/2025 21:40	3251	3567.5	5407	1794
4/21/2025 21:41	3262.5	3575	5399	1800
4/21/2025 21:42	3257.5	3569.5	5400	1795
4/21/2025 21:43	3265.5	3578.5	5404	1798
4/21/2025 21:44	3243.5	3575	5408	1789
4/21/2025 21:45	3247.5	3562.5	5408	1788
4/21/2025 21:46	3242.5	3574	5407	1798
4/21/2025 21:47	3270.5	3576.5	5405	1796
4/21/2025 21:48	3237	3578	5401	1799
4/21/2025 21:49	3260	3574.5	5409	1800
4/21/2025 21:50	3264.5	3575	5401	1799
4/21/2025 21:51	3259.5	3570.5	5404	1786
4/21/2025 21:52	3249.5	3574.5	5405	1805
4/21/2025 21:53	3268	3574.5	5408	1790
4/21/2025 21:54	3265	3569.5	5398	1794
4/21/2025 21:55	3261.5	3575.5	5406	1778
4/21/2025 21:56	3261	3575.5	5402	1793
4/21/2025 21:57	3257	3567	5411	1786
4/21/2025 21:58	3254	3577.5	5405	1804
4/21/2025 21:59	3241	3579.5	5409	1790
4/21/2025 22:00	3246.5	3576.5	5403	1796
4/21/2025 22:01	3249.5	3579	5406	1794
4/21/2025 22:02	3259.5	3580.5	5413	1790
4/21/2025 22:03	3248	3570.5	5400	1786
4/21/2025 22:04	3253	3569.5	5397	1794
4/21/2025 22:05	3263	3576	5402	1796
4/21/2025 22:06	3282.5	3571.5	5399	1799
4/21/2025 22:07	3275	3573	5397	1800
4/21/2025 22:08	3257.5	3572.5	5408	1788

4/21/2025 22:09	3255.5	3563	5409	1789
4/21/2025 22:10	3251.5	3570	5407	1793
4/21/2025 22:11	3265.5	3567	5409	1795
4/21/2025 22:12	3256	3576	5405	1790
4/21/2025 22:13	3243.5	3570	5399	1799
4/21/2025 22:14	3243.5	3570	5405	1783
4/21/2025 22:15	3252.5	3565.5	5402	1799
4/21/2025 22:16	3256.5	3567.5	5403	1789
4/21/2025 22:17	3266.5	3575	5403	1795
4/21/2025 22:18	3249.5	3569	5406	1800
4/21/2025 22:19	3254	3571	5398	1790
4/21/2025 22:20	3252	3572.5	5395	1793
4/21/2025 22:21	3251	3568.5	5396	1783
4/21/2025 22:22	3259.5	3571.5	5400	1805
4/21/2025 22:23	3260	3569.5	5400	1785
4/21/2025 22:24	3238	3571.5	5399	1793
4/21/2025 22:25	3246	3571.5	5404	1796
4/21/2025 22:26	3249.5	3570	5402	1799
4/21/2025 22:27	3244	3568	5404	1790
4/21/2025 22:28	3248	3570	5400	1801
4/21/2025 22:29	3266.5	3575	5395	1801
4/21/2025 22:30	3237.5	3572.5	5403	1800
4/21/2025 22:31	3267.5	3576.5	5400	1779
4/21/2025 22:32	3261	3570	5404	1793
4/21/2025 22:33	3256.5	3569	5403	1793
4/21/2025 22:34	3254	3571	5400	1794
4/21/2025 22:35	3247	3575	5396	1789
4/21/2025 22:36	3252	3575.5	5399	1798
4/21/2025 22:37	3256.5	3571.5	5395	1800
4/21/2025 22:38	3250.5	3578	5405	1798
4/21/2025 22:39	3251.5	3573	5405	1790
4/21/2025 22:40	3245	3567	5403	1805
4/21/2025 22:41	3252.5	3569	5404	1790
4/21/2025 22:42	3251	3569	5399	1790
4/21/2025 22:43	3260.5	3569	5410	1800
4/21/2025 22:44	3237	3573.5	5405	1796
4/21/2025 22:45	3241.5	3569.5	5399	1804
4/21/2025 22:46	3236	3563	5406	1803
4/21/2025 22:47	3258	3567	5398	1793
4/21/2025 22:48	3240	3571.5	5405	1794
4/21/2025 22:49	3250.5	3575	5402	1800
4/21/2025 22:50	3241	3573	5399	1805
4/21/2025 22:51	3241	3568	5396	1801
4/21/2025 22:52	3250.5	3574.5	5399	1795
4/21/2025 22:53	3240	3566.5	5407	1806
4/21/2025 22:54	3232	3567.5	5405	1800
4/21/2025 22:55	3248	3565.5	5403	1810
4/21/2025 22:56	3234	3562	5403	1796
4/21/2025 22:57	3240	3578.5	5402	1809
4/21/2025 22:58	3248	3574	5399	1798
4/21/2025 22:59	3251.5	3572.5	5407	1801
4/21/2025 23:00	3231.5	3577	5399	1801
4/21/2025 23:01	3238.5	3580	5400	1796
4/21/2025 23:02	3228.5	3575	5404	1806
4/21/2025 23:03	3255.5	3586	5404	1800
4/21/2025 23:04	3247	3580.5	5406	1803
4/21/2025 23:05	3246.5	3580	5399	1800
4/21/2025 23:06	3259.5	3584.5	5396	1796
4/21/2025 23:07	3241	3585	5395	1809
4/21/2025 23:08	3227.5	3577.5	5404	1798
4/21/2025 23:09	3241.5	3579	5397	1795
4/21/2025 23:10	3249.5	3580.5	5399	1795
4/21/2025 23:11	3235.5	3578	5399	1798

4/21/2025 23:12	3231.5	3580.5	5393	1796
4/21/2025 23:13	3232	3578	5394	1796
4/21/2025 23:14	3240	3573.5	5399	1798
4/21/2025 23:15	3230	3569	5394	1804
4/21/2025 23:16	3232.5	3581	5395	1795
4/21/2025 23:17	3236	3580	5403	1786
4/21/2025 23:18	3230	3573.5	5399	1810
4/21/2025 23:19	3241.5	3579	5401	1789
4/21/2025 23:20	3233.5	3576	5398	1791
4/21/2025 23:21	3231	3581.5	5400	1809
4/21/2025 23:22	3242.5	3580	5396	1803
4/21/2025 23:23	3239.5	3583	5397	1801
4/21/2025 23:24	3223	3583	5401	1806
4/21/2025 23:25	3240	3584	5402	1799
4/21/2025 23:26	3242.5	3579	5401	1798
4/21/2025 23:27	3238.5	3575.5	5407	1801
4/21/2025 23:28	3233	3574	5402	1790
4/21/2025 23:29	3247	3576.5	5402	1798
4/21/2025 23:30	3225	3569.5	5398	1796
4/21/2025 23:31	3250	3582	5405	1794
4/21/2025 23:32	3237	3581.5	5394	1788
4/21/2025 23:33	3240	3582	5405	1801
4/21/2025 23:34	3247.5	3580	5408	1798
4/21/2025 23:35	3255.5	3579.5	5395	1809
4/21/2025 23:36	3232.5	3581	5403	1800
4/21/2025 23:37	3238	3575	5399	1813
4/21/2025 23:38	3234	3580	5405	1799
4/21/2025 23:39	3243.5	3578	5412	1805
4/21/2025 23:40	3253.5	3586.5	5406	1811
4/21/2025 23:41	3242.5	3578.5	5414	1794
4/21/2025 23:42	3250	3574	5404	1803
4/21/2025 23:43	3230	3578.5	5410	1800
4/21/2025 23:44	3237	3583.5	5402	1795
4/21/2025 23:45	3249	3581	5414	1810
4/21/2025 23:46	3246	3583	5415	1811
4/21/2025 23:47	3237	3587	5408	1807
4/21/2025 23:48	3257	3582.5	5410	1800
4/21/2025 23:49	3247	3577.5	5409	1806
4/21/2025 23:50	3245.5	3578.5	5411	1809
4/21/2025 23:51	3248.5	3585	5411	1805
4/21/2025 23:52	3228.5	3581.5	5404	1799
4/21/2025 23:53	3226.5	3573.5	5407	1815
4/21/2025 23:54	3242	3573.5	5404	1811
4/21/2025 23:55	3254	3577.5	5401	1817
4/21/2025 23:56	3246.5	3574	5404	1798
4/21/2025 23:57	3235	3573.5	5401	1795
4/21/2025 23:58	3250.5	3578	5405	1806
4/21/2025 23:59	3242.5	3580.5	5401	1809
4/22/2025 0:00	3259	3581	5400	1820
4/22/2025 0:01	3243	3582	5401	1793
4/22/2025 0:02	3248.5	3572.5	5403	1796
4/22/2025 0:03	3235.5	3577	5398	1799
4/22/2025 0:04	3246	3570.5	5400	1806
4/22/2025 0:05	3254.5	3572.5	5403	1804
4/22/2025 0:06	3237	3559	5406	1811
4/22/2025 0:07	3241.5	3564.5	5402	1796
4/22/2025 0:08	3240	3566.5	5404	1799
4/22/2025 0:09	3250	3563	5400	1805
4/22/2025 0:10	3247	3563.5	5402	1801
4/22/2025 0:11	3239.5	3566	5404	1796
4/22/2025 0:12	3240.5	3580	5402	1790
4/22/2025 0:13	3228	3581	5403	1810
4/22/2025 0:14	3247.5	3572.5	5398	1809

4/22/2025 0:15	3223.5	3580.5	5404	1798
4/22/2025 0:16	3244	3574	5394	1801
4/22/2025 0:17	3257.5	3577	5404	1807
4/22/2025 0:18	3238.5	3577	5394	1804
4/22/2025 0:19	3228	3567	5403	1813
4/22/2025 0:20	3231	3574.5	5401	1800
4/22/2025 0:21	3247.5	3569	5396	1809
4/22/2025 0:22	3250.5	3572.5	5398	1801
4/22/2025 0:23	3242.5	3584.5	5396	1803
4/22/2025 0:24	3231	3570.5	5398	1793
4/22/2025 0:25	3242	3571	5404	1805
4/22/2025 0:26	3238.5	3576	5403	1807
4/22/2025 0:27	3236.5	3580	5405	1799
4/22/2025 0:28	3229	3581.5	5396	1819
4/22/2025 0:29	3227.5	3575.5	5398	1793
4/22/2025 0:30	3233.5	3575.5	5398	1805
4/22/2025 0:31	3239	3577.5	5398	1804
4/22/2025 0:32	3233	3576.5	5396	1794
4/22/2025 0:33	3243.5	3574	5404	1793
4/22/2025 0:34	3242	3573.5	5405	1805
4/22/2025 0:35	3234	3577	5408	1810
4/22/2025 0:36	3255	3572.5	5411	1809
4/22/2025 0:37	3230.5	3571	5404	1799
4/22/2025 0:38	3257	3576	5391	1801
4/22/2025 0:39	3247.5	3573.5	5388	1794
4/22/2025 0:40	3232	3574	5389	1800
4/22/2025 0:41	3242	3564	5400	1809
4/22/2025 0:42	3236	3566.5	5393	1808
4/22/2025 0:43	3244	3561.5	5393	1813
4/22/2025 0:44	3240	3559	5392	1803
4/22/2025 0:45	3226.5	3558.5	5401	1804
4/22/2025 0:46	3246	3553	5400	1805
4/22/2025 0:47	3237.5	3559.5	5395	1808
4/22/2025 0:48	3227.5	3556.5	5396	1799
4/22/2025 0:49	3234.5	3560.5	5394	1814
4/22/2025 0:50	3242.5	3557.5	5398	1799
4/22/2025 0:51	3225.5	3558	5396	1811
4/22/2025 0:52	3238.5	3558	5396	1813
4/22/2025 0:53	3225.5	3563.5	5405	1813
4/22/2025 0:54	3244	3559.5	5400	1801
4/22/2025 0:55	3241.5	3555	5399	1817
4/22/2025 0:56	3245	3558	5404	1814
4/22/2025 0:57	3233	3552	5400	1816
4/22/2025 0:58	3241	3557	5411	1812
4/22/2025 0:59	3221	3544	5400	1817
4/22/2025 1:00	3241	3543	5406	1814
4/22/2025 1:01	3235.5	3549.5	5404	1796
4/22/2025 1:02	3229	3563	5402	1807
4/22/2025 1:03	3235	3561.5	5405	1801
4/22/2025 1:04	3234.5	3555.5	5401	1814
4/22/2025 1:05	3237.5	3549.5	5408	1800
4/22/2025 1:06	3246	3559	5399	1806
4/22/2025 1:07	3242.5	3559	5399	1790
4/22/2025 1:08	3250	3560.5	5403	1806
4/22/2025 1:09	3236	3555.5	5397	1809
4/22/2025 1:10	3250.5	3556.5	5397	1809
4/22/2025 1:11	3234.5	3556	5402	1814
4/22/2025 1:12	3216	3556.5	5403	1804
4/22/2025 1:13	3237	3550	5402	1796
4/22/2025 1:14	3245.5	3548	5407	1801
4/22/2025 1:15	3240	3555.5	5405	1809
4/22/2025 1:16	3246.5	3547	5392	1811
4/22/2025 1:17	3233	3551	5420	1806

4/22/2025 1:18	3224	3561	5420	1798
4/22/2025 1:19	3239	3549.5	5406	1801
4/22/2025 1:20	3235.5	3552.5	5407	1800
4/22/2025 1:21	3242.5	3555.5	5400	1803
4/22/2025 1:22	3240	3555.5	5402	1813
4/22/2025 1:23	3238.5	3553.5	5397	1789
4/22/2025 1:24	3244.5	3545.5	5397	1811
4/22/2025 1:25	3240.5	3550	5400	1810
4/22/2025 1:26	3240	3546.5	5400	1811
4/22/2025 1:27	3229	3543	5410	1806
4/22/2025 1:28	3214.5	3561.5	5400	1798
4/22/2025 1:29	3240	3550.5	5398	1806
4/22/2025 1:30	3241.5	3551.5	5398	1805
4/22/2025 1:31	3237	3554.5	5406	1814
4/22/2025 1:32	3231.5	3548.5	5405	1809
4/22/2025 1:33	3245	3552.5	5416	1810
4/22/2025 1:34	3224	3549.5	5396	1796
4/22/2025 1:35	3250	3543.5	5395	1805
4/22/2025 1:36	3233.5	3552	5404	1805
4/22/2025 1:37	3227.5	3551	5397	1810
4/22/2025 1:38	3232.5	3545.5	5405	1810
4/22/2025 1:39	3239.5	3549	5398	1819
4/22/2025 1:40	3228	3552.5	5404	1806
4/22/2025 1:41	3226	3549.5	5394	1806
4/22/2025 1:42	3228.5	3553	5406	1815
4/22/2025 1:43	3234.5	3553	5400	1809
4/22/2025 1:44	3231.5	3545.5	5407	1815
4/22/2025 1:45	3226	3543.5	5402	1801
4/22/2025 1:46	3238.5	3551.5	5403	1811
4/22/2025 1:47	3216	3554	5406	1806
4/22/2025 1:48	3238	3555.5	5403	1811
4/22/2025 1:49	3246.5	3553.5	5410	1821
4/22/2025 1:50	3252	3547	5399	1817
4/22/2025 1:51	3223	3550	5397	1801
4/22/2025 1:52	3237	3548.5	5402	1814
4/22/2025 1:53	3240.5	3550.5	5405	1811
4/22/2025 1:54	3223	3550	5404	1820
4/22/2025 1:55	3251	3553	5408	1806
4/22/2025 1:56	3234	3552	5406	1813
4/22/2025 1:57	3230	3547.5	5405	1799
4/22/2025 1:58	3234.5	3551	5410	1811
4/22/2025 1:59	3231.5	3553.5	5400	1820
4/22/2025 2:00	3244	3544.5	5412	1806
4/22/2025 2:01	3253	3555	5406	1796
4/22/2025 2:02	3241.5	3556.5	5414	1795
4/22/2025 2:03	3224	3559.5	5407	1814
4/22/2025 2:04	3236.5	3541	5405	1812
4/22/2025 2:05	3245	3551.5	5412	1804
4/22/2025 2:06	3240.5	3550	5404	1806
4/22/2025 2:07	3233.5	3552.5	5415	1808
4/22/2025 2:08	3228	3551	5411	1807
4/22/2025 2:09	3221.5	3556.5	5405	1815
4/22/2025 2:10	3234	3553	5406	1810
4/22/2025 2:11	3241.5	3552.5	5409	1811
4/22/2025 2:12	3221.5	3553.5	5407	1808
4/22/2025 2:13	3233.5	3560	5402	1819
4/22/2025 2:14	3238	3562	5400	1814
4/22/2025 2:15	3248.5	3561.5	5402	1806
4/22/2025 2:16	3241	3555.5	5407	1820
4/22/2025 2:17	3237.5	3559.5	5402	1819
4/22/2025 2:18	3240	3561	5405	1809
4/22/2025 2:19	3244.5	3559.5	5397	1810
4/22/2025 2:20	3234	3557	5401	1806

4/22/2025 2:21	3233	3559	5405	1819
4/22/2025 2:22	3230.5	3558	5406	1814
4/22/2025 2:23	3234.5	3563.5	5409	1819
4/22/2025 2:24	3243.5	3561	5400	1794
4/22/2025 2:25	3236.5	3562.5	5398	1801
4/22/2025 2:26	3225.5	3549.5	5397	1805
4/22/2025 2:27	3243.5	3557	5400	1801
4/22/2025 2:28	3237	3550.5	5386	1804
4/22/2025 2:29	3233.5	3555.5	5390	1794
4/22/2025 2:30	3217.5	3561.5	5391	1808
4/22/2025 2:31	3222	3555	5385	1798
4/22/2025 2:32	3234.5	3546.5	5399	1801
4/22/2025 2:33	3231	3552.5	5391	1809
4/22/2025 2:34	3231.5	3556.5	5389	1806
4/22/2025 2:35	3238.5	3560.5	5395	1801
4/22/2025 2:36	3223.5	3561	5391	1806
4/22/2025 2:37	3226.5	3555.5	5388	1793
4/22/2025 2:38	3223.5	3549	5394	1795
4/22/2025 2:39	3232.5	3555.5	5399	1810
4/22/2025 2:40	3241.5	3557.5	5388	1813
4/22/2025 2:41	3232	3551	5396	1800
4/22/2025 2:42	3231.5	3549	5403	1800
4/22/2025 2:43	3228	3546	5395	1798
4/22/2025 2:44	3233.5	3550	5401	1810
4/22/2025 2:45	3227.5	3547.5	5397	1820
4/22/2025 2:46	3227.5	3557	5405	1805
4/22/2025 2:47	3233.5	3561	5395	1805
4/22/2025 2:48	3229.5	3551.5	5405	1806
4/22/2025 2:49	3254	3556	5411	1806
4/22/2025 2:50	3229	3554	5399	1799
4/22/2025 2:51	3227	3558.5	5401	1796
4/22/2025 2:52	3219.5	3562	5399	1798
4/22/2025 2:53	3246	3555	5401	1819
4/22/2025 2:54	3240	3548.5	5401	1805
4/22/2025 2:55	3232.5	3552.5	5404	1811
4/22/2025 2:56	3232	3561	5407	1817
4/22/2025 2:57	3236.5	3552	5406	1810
4/22/2025 2:58	3219	3554.5	5407	1805
4/22/2025 2:59	3232.5	3559	5397	1822
4/22/2025 3:00	3238	3551	5402	1809
4/22/2025 3:01	3218	3555.5	5396	1808
4/22/2025 3:02	3227	3559.5	5397	1816
4/22/2025 3:03	3239	3548	5401	1804
4/22/2025 3:04	3249	3559	5405	1811
4/22/2025 3:05	3217.5	3563.5	5402	1814
4/22/2025 3:06	3218.5	3547	5410	1806
4/22/2025 3:07	3228.5	3549.5	5401	1810
4/22/2025 3:08	3235.5	3556	5399	1816
4/22/2025 3:09	3242.5	3563	5399	1806
4/22/2025 3:10	3226.5	3560	5406	1813
4/22/2025 3:11	3232	3560	5400	1808
4/22/2025 3:12	3227.5	3554.5	5397	1811
4/22/2025 3:13	3231	3550.5	5402	1813
4/22/2025 3:14	3241.5	3559.5	5396	1809
4/22/2025 3:15	3235	3549	5404	1809
4/22/2025 3:16	3233	3553.5	5410	1821
4/22/2025 3:17	3224.5	3553.5	5406	1803
4/22/2025 3:18	3230.5	3554.5	5402	1815
4/22/2025 3:19	3229	3557	5398	1809
4/22/2025 3:20	3240	3555.5	5404	1809
4/22/2025 3:21	3242	3559	5399	1809
4/22/2025 3:22	3233.5	3558	5406	1808
4/22/2025 3:23	3218	3553.5	5403	1795

4/22/2025 3:24	3234	3557	5407	1814
4/22/2025 3:25	3232	3558.5	5402	1800
4/22/2025 3:26	3225	3550	5392	1805
4/22/2025 3:27	3250.5	3560.5	5396	1806
4/22/2025 3:28	3232.5	3558.5	5401	1796
4/22/2025 3:29	3244	3559	5398	1811
4/22/2025 3:30	3230	3559	5398	1810
4/22/2025 3:31	3224.5	3567	5400	1813
4/22/2025 3:32	3236.5	3557	5396	1808
4/22/2025 3:33	3243	3562	5405	1810
4/22/2025 3:34	3241	3561	5405	1810
4/22/2025 3:35	3234	3557.5	5405	1809
4/22/2025 3:36	3222	3558	5408	1801
4/22/2025 3:37	3239.5	3557	5392	1796
4/22/2025 3:38	3236	3547.5	5397	1799
4/22/2025 3:39	3222.5	3555.5	5394	1810
4/22/2025 3:40	3218.5	3553	5395	1798
4/22/2025 3:41	3220	3549	5396	1821
4/22/2025 3:42	3221	3547	5403	1805
4/22/2025 3:43	3222	3544.5	5397	1808
4/22/2025 3:44	3225	3543.5	5406	1815
4/22/2025 3:45	3218	3557.5	5391	1806
4/22/2025 3:46	3224.5	3549	5405	1817
4/22/2025 3:47	3221.5	3553	5396	1816
4/22/2025 3:48	3241.5	3548.5	5395	1800
4/22/2025 3:49	3229	3548.5	5397	1820
4/22/2025 3:50	3226	3547	5409	1825
4/22/2025 3:51	3209.5	3554.5	5406	1810
4/22/2025 3:52	3229.5	3551.5	5409	1810
4/22/2025 3:53	3233.5	3552.5	5413	1810
4/22/2025 3:54	3237.5	3545.5	5403	1820
4/22/2025 3:55	3246	3540	5404	1813
4/22/2025 3:56	3220	3544	5403	1817
4/22/2025 3:57	3240.5	3556.5	5406	1809
4/22/2025 3:58	3224	3560.5	5409	1808
4/22/2025 3:59	3217	3552.5	5411	1811
4/22/2025 4:00	3224	3549.5	5404	1808
4/22/2025 4:01	3237.5	3560	5407	1820
4/22/2025 4:02	3218	3555	5406	1806
4/22/2025 4:03	3231.5	3549.5	5408	1810
4/22/2025 4:04	3238	3549	5412	1811
4/22/2025 4:05	3224	3548	5409	1816
4/22/2025 4:06	3226	3549.5	5411	1806
4/22/2025 4:07	3230	3552	5401	1822
4/22/2025 4:08	3227	3546	5410	1805
4/22/2025 4:09	3227.5	3547	5406	1826
4/22/2025 4:10	3230	3545.5	5399	1813
4/22/2025 4:11	3232	3552.5	5399	1822
4/22/2025 4:12	3230	3547.5	5398	1801
4/22/2025 4:13	3236	3550.5	5404	1810
4/22/2025 4:14	3222	3543.5	5395	1822
4/22/2025 4:15	3229	3540	5400	1798
4/22/2025 4:16	3241.5	3543.5	5408	1809
4/22/2025 4:17	3218	3551	5404	1805
4/22/2025 4:18	3241.5	3550	5408	1816
4/22/2025 4:19	3223.5	3559.5	5400	1811
4/22/2025 4:20	3215.5	3557.5	5399	1801
4/22/2025 4:21	3210.5	3551	5402	1814
4/22/2025 4:22	3224	3554	5411	1808
4/22/2025 4:23	3219.5	3555.5	5410	1811
4/22/2025 4:24	3222.5	3553.5	5409	1813
4/22/2025 4:25	3218.5	3558.5	5403	1821
4/22/2025 4:26	3230.5	3559	5410	1814

4/22/2025 4:27	3219.5	3550	5406	1817
4/22/2025 4:28	3233.5	3552.5	5405	1813
4/22/2025 4:29	3223	3553	5409	1806
4/22/2025 4:30	3223	3561.5	5407	1813
4/22/2025 4:31	3225	3544.5	5411	1816
4/22/2025 4:32	3218.5	3551	5403	1805
4/22/2025 4:33	3224	3542	5400	1810
4/22/2025 4:34	3230	3548	5402	1805
4/22/2025 4:35	3232.5	3545	5406	1806
4/22/2025 4:36	3222.5	3545.5	5398	1809
4/22/2025 4:37	3217	3546.5	5405	1828
4/22/2025 4:38	3217	3543	5399	1805
4/22/2025 4:39	3216.5	3540.5	5406	1804
4/22/2025 4:40	3222	3548	5412	1809
4/22/2025 4:41	3230.5	3554	5405	1820
4/22/2025 4:42	3217.5	3542	5407	1811
4/22/2025 4:43	3213.5	3543	5400	1810
4/22/2025 4:44	3232.5	3550.5	5399	1818
4/22/2025 4:45	3238.5	3551.5	5401	1819
4/22/2025 4:46	3224.5	3551.5	5403	1811
4/22/2025 4:47	3223	3553.5	5398	1812
4/22/2025 4:48	3212	3550	5394	1805
4/22/2025 4:49	3237.5	3562.5	5399	1805
4/22/2025 4:50	3227	3546.5	5403	1820
4/22/2025 4:51	3221	3559	5397	1809
4/22/2025 4:52	3228	3555	5401	1811
4/22/2025 4:53	3223	3542.5	5398	1805
4/22/2025 4:54	3219.5	3548	5399	1800
4/22/2025 4:55	3221.5	3553	5401	1806
4/22/2025 4:56	3210.5	3552	5406	1815
4/22/2025 4:57	3238.5	3555.5	5407	1809
4/22/2025 4:58	3232	3557.5	5402	1815
4/22/2025 4:59	3241.5	3550	5401	1806
4/22/2025 5:00	3220	3549.5	5404	1810
4/22/2025 5:01	3212.5	3555.5	5397	1811
4/22/2025 5:02	3223	3551	5402	1812
4/22/2025 5:03	3220	3558.5	5404	1810
4/22/2025 5:04	3217	3551.5	5403	1814
4/22/2025 5:05	3229.5	3550	5404	1813
4/22/2025 5:06	3226.5	3553	5402	1821
4/22/2025 5:07	3220.5	3545	5399	1813
4/22/2025 5:08	3230	3551	5398	1813
4/22/2025 5:09	3230.5	3543.5	5397	1819
4/22/2025 5:10	3221.5	3555.5	5389	1804
4/22/2025 5:11	3219	3551.5	5401	1810
4/22/2025 5:12	3217	3554.5	5393	1814
4/22/2025 5:13	3232.5	3556.5	5397	1809
4/22/2025 5:14	3237	3548.5	5403	1804
4/22/2025 5:15	3205.5	3556.5	5405	1817
4/22/2025 5:16	3231.5	3552.5	5397	1815
4/22/2025 5:17	3212.5	3555	5399	1811
4/22/2025 5:18	3215.5	3549	5401	1816
4/22/2025 5:19	3224	3551	5395	1816
4/22/2025 5:20	3223	3556.5	5398	1806
4/22/2025 5:21	3236	3544.5	5403	1794
4/22/2025 5:22	3240	3542.5	5393	1805
4/22/2025 5:23	3219	3552.5	5394	1810
4/22/2025 5:24	3219.5	3541.5	5401	1824
4/22/2025 5:25	3216	3549.5	5396	1795
4/22/2025 5:26	3231.5	3552.5	5403	1821
4/22/2025 5:27	3236	3551.5	5407	1810
4/22/2025 5:28	3217.5	3551	5401	1805
4/22/2025 5:29	3207	3552.5	5402	1805

4/22/2025 5:30	3230.5	3557	5402	1807
4/22/2025 5:31	3241.5	3544	5402	1817
4/22/2025 5:32	3220.5	3553.5	5410	1817
4/22/2025 5:33	3233	3552.5	5405	1820
4/22/2025 5:34	3226.5	3554.5	5411	1810
4/22/2025 5:35	3228.5	3554	5396	1814
4/22/2025 5:36	3219	3547.5	5405	1811
4/22/2025 5:37	3235.5	3555.5	5403	1806
4/22/2025 5:38	3227.5	3552	5408	1817
4/22/2025 5:39	3217	3551.5	5402	1813
4/22/2025 5:40	3218.5	3548	5400	1813
4/22/2025 5:41	3227	3555.5	5412	1811
4/22/2025 5:42	3223	3547	5404	1814
4/22/2025 5:43	3239	3557.5	5399	1807
4/22/2025 5:44	3216	3550.5	5402	1811
4/22/2025 5:45	3217	3543	5396	1817
4/22/2025 5:46	3216	3557	5392	1816
4/22/2025 5:47	3224.5	3555.5	5392	1810
4/22/2025 5:48	3218.5	3550	5401	1817
4/22/2025 5:49	3217.5	3549.5	5405	1813
4/22/2025 5:50	3234.5	3555	5399	1805
4/22/2025 5:51	3210.5	3556	5403	1799
4/22/2025 5:52	3224.5	3558	5409	1813
4/22/2025 5:53	3221.5	3550	5403	1790
4/22/2025 5:54	3214.5	3552.5	5412	1809
4/22/2025 5:55	3234	3550	5404	1800
4/22/2025 5:56	3219	3546	5401	1817
4/22/2025 5:57	3223.5	3550	5399	1812
4/22/2025 5:58	3218	3546	5403	1809
4/22/2025 5:59	3221.5	3550.5	5398	1811
4/22/2025 6:00	3218	3552.5	5397	1807
4/22/2025 6:01	3236	3549.5	5393	1808
4/22/2025 6:02	3221	3556.5	5394	1804
4/22/2025 6:03	3230.5	3548.5	5397	1811
4/22/2025 6:04	3227	3548.5	5398	1826
4/22/2025 6:05	3215	3555	5398	1811
4/22/2025 6:06	3212	3559.5	5408	1810
4/22/2025 6:07	3232	3554.5	5396	1811
4/22/2025 6:08	3229.5	3552.5	5401	1798
4/22/2025 6:09	3219.5	3552	5401	1810
4/22/2025 6:10	3220.5	3552.5	5401	1819
4/22/2025 6:11	3212	3542	5402	1813
4/22/2025 6:12	3210	3547	5403	1799
4/22/2025 6:13	3219.5	3550.5	5401	1806
4/22/2025 6:14	3213.5	3546	5393	1813
4/22/2025 6:15	3221	3540.5	5396	1803
4/22/2025 6:16	3216.5	3560.5	5396	1800
4/22/2025 6:17	3216.5	3554	5405	1824
4/22/2025 6:18	3225.5	3546	5405	1813
4/22/2025 6:19	3211.5	3550.5	5400	1813
4/22/2025 6:20	3221.5	3552.5	5398	1809
4/22/2025 6:21	3229.5	3549.5	5403	1814
4/22/2025 6:22	3233.5	3548.5	5402	1808
4/22/2025 6:23	3227	3550	5405	1811
4/22/2025 6:24	3217	3555	5410	1800
4/22/2025 6:25	3216.5	3555	5405	1821
4/22/2025 6:26	3227	3552.5	5405	1804
4/22/2025 6:27	3223	3559	5404	1804
4/22/2025 6:28	3240	3556	5415	1810
4/22/2025 6:29	3221	3562	5414	1813
4/22/2025 6:30	3228	3560	5410	1808
4/22/2025 6:31	3238.5	3558.5	5401	1805
4/22/2025 6:32	3234	3562	5410	1809

4/22/2025 6:33	3241.5	3562.5	5415	1821
4/22/2025 6:34	3231	3560.5	5416	1808
4/22/2025 6:35	3245	3554.5	5411	1805
4/22/2025 6:36	3225	3563	5409	1807
4/22/2025 6:37	3236	3553	5413	1817
4/22/2025 6:38	3221.5	3549	5409	1801
4/22/2025 6:39	3224.5	3557.5	5403	1806
4/22/2025 6:40	3220.5	3564	5402	1814
4/22/2025 6:41	3231.5	3554.5	5400	1813
4/22/2025 6:42	3210.5	3551.5	5398	1801
4/22/2025 6:43	3232	3551.5	5396	1812
4/22/2025 6:44	3223.5	3547.5	5405	1799
4/22/2025 6:45	3232.5	3554	5401	1810
4/22/2025 6:46	3229	3560	5398	1806
4/22/2025 6:47	3231	3556	5401	1811
4/22/2025 6:48	3233	3554.5	5405	1805
4/22/2025 6:49	3219	3555.5	5402	1800
4/22/2025 6:50	3241.5	3545.5	5404	1810
4/22/2025 6:51	3219	3553	5405	1814
4/22/2025 6:52	3223.5	3553.5	5405	1808
4/22/2025 6:53	3239	3551.5	5404	1814
4/22/2025 6:54	3235.5	3555	5407	1809
4/22/2025 6:55	3230.5	3556.5	5403	1821
4/22/2025 6:56	3230.5	3559.5	5404	1805
4/22/2025 6:57	3221.5	3548	5399	1816
4/22/2025 6:58	3215.5	3554	5408	1805
4/22/2025 6:59	3227	3563	5399	1813
4/22/2025 7:00	3220.5	3556.5	5411	1822
4/22/2025 7:01	3222	3553.5	5410	1816
4/22/2025 7:02	3237.5	3557.5	5398	1816
4/22/2025 7:03	3236.5	3561.5	5400	1822
4/22/2025 7:04	3235	3555	5399	1801
4/22/2025 7:05	3223	3556.5	5404	1801
4/22/2025 7:06	3228	3551.5	5400	1811
4/22/2025 7:07	3224.5	3552.5	5401	1809
4/22/2025 7:08	3242.5	3550.5	5396	1813
4/22/2025 7:09	3231	3555	5404	1820
4/22/2025 7:10	3233	3549.5	5407	1824
4/22/2025 7:11	3238.5	3552	5404	1814
4/22/2025 7:12	3225.5	3555	5409	1814
4/22/2025 7:13	3241	3557.5	5412	1810
4/22/2025 7:14	3217.5	3562	5413	1804
4/22/2025 7:15	3241	3556.5	5416	1811
4/22/2025 7:16	3226.5	3560	5411	1817
4/22/2025 7:17	3230.5	3556	5411	1805
4/22/2025 7:18	3237.5	3558	5406	1824
4/22/2025 7:19	3232	3556	5402	1811
4/22/2025 7:20	3237.5	3549	5402	1815
4/22/2025 7:21	3220.5	3554.5	5400	1810
4/22/2025 7:22	3231.5	3558	5397	1807
4/22/2025 7:23	3247.5	3553	5402	1808
4/22/2025 7:24	3228	3555	5405	1798
4/22/2025 7:25	3238.5	3558.5	5403	1811
4/22/2025 7:26	3248	3555	5402	1816
4/22/2025 7:27	3236.5	3556	5398	1800
4/22/2025 7:28	3218.5	3556.5	5392	1822
4/22/2025 7:29	3219	3561	5397	1809
4/22/2025 7:30	3238	3554	5397	1809
4/22/2025 7:31	3234.5	3555	5396	1814
4/22/2025 7:32	3215.5	3552	5399	1813
4/22/2025 7:33	3235	3553.5	5404	1810
4/22/2025 7:34	3238	3554	5409	1816
4/22/2025 7:35	3250	3554.5	5401	1814

4/22/2025 7:36	3236.5	3560.5	5404	1817
4/22/2025 7:37	3225	3562.5	5409	1815
4/22/2025 7:38	3241	3557	5401	1819
4/22/2025 7:39	3243.5	3562	5406	1798
4/22/2025 7:40	3241	3561.5	5399	1814
4/22/2025 7:41	3237	3563.5	5393	1806
4/22/2025 7:42	3247.5	3558	5401	1826
4/22/2025 7:43	3225	3554.5	5405	1810
4/22/2025 7:44	3234.5	3547.5	5400	1804
4/22/2025 7:45	3219.5	3547.5	5388	1809
4/22/2025 7:46	3239.5	3550.5	5387	1817
4/22/2025 7:47	3235.5	3546.5	5393	1819
4/22/2025 7:48	3236	3560	5393	1820
4/22/2025 7:49	3237.5	3557	5405	1817
4/22/2025 7:50	3224	3549.5	5399	1806
4/22/2025 7:51	3228	3553	5401	1819
4/22/2025 7:52	3238	3551	5397	1817
4/22/2025 7:53	3227	3549.5	5399	1822
4/22/2025 7:54	3232	3551	5399	1816
4/22/2025 7:55	3226	3562	5401	1820
4/22/2025 7:56	3230.5	3558.5	5402	1817
4/22/2025 7:57	3235.5	3558	5400	1817
4/22/2025 7:58	3230	3547	5403	1810
4/22/2025 7:59	3217.5	3562	5402	1820
4/22/2025 8:00	3239	3548.5	5405	1825
4/22/2025 8:01	3238.5	3551.5	5408	1805
4/22/2025 8:02	3237	3555	5407	1816
4/22/2025 8:03	3244	3558	5411	1801
4/22/2025 8:04	3249.5	3554	5410	1808
4/22/2025 8:05	3238.5	3551	5410	1810
4/22/2025 8:06	3239	3552	5417	1820
4/22/2025 8:07	3241	3561.5	5414	1822
4/22/2025 8:08	3237	3553	5416	1810
4/22/2025 8:09	3263.5	3559.5	5415	1821
4/22/2025 8:10	3254.5	3555	5406	1811
4/22/2025 8:11	3231	3561	5404	1809
4/22/2025 8:12	3244.5	3557.5	5397	1814
4/22/2025 8:13	3240.5	3557	5402	1814
4/22/2025 8:14	3240.5	3583	5403	1819
4/22/2025 8:15	3219	3610	5397	1819
4/22/2025 8:16	3227.5	3584	5395	1819
4/22/2025 8:17	3231.5	3575.5	5370	1798
4/22/2025 8:18	3248	3552	5391	1815
4/22/2025 8:19	3239.5	3549.5	5394	1806
4/22/2025 8:20	3251.5	3558.5	5402	1814
4/22/2025 8:21	3245.5	3553.5	5402	1822
4/22/2025 8:22	3237.5	3555	5409	1810
4/22/2025 8:23	3237.5	3567.5	5407	1815
4/22/2025 8:24	3241.5	3557	5406	1815
4/22/2025 8:25	3239	3562.5	5407	1805
4/22/2025 8:26	3247	3562.5	5403	1810
4/22/2025 8:27	3249	3559.5	5401	1820
4/22/2025 8:28	3228	3560	5407	1811
4/22/2025 8:29	3233	3557.5	5399	1814
4/22/2025 8:30	3239.5	3560	5405	1814
4/22/2025 8:31	3251.5	3558	5403	1813
4/22/2025 8:32	3235	3549.5	5407	1816
4/22/2025 8:33	3247.5	3555.5	5401	1800
4/22/2025 8:34	3249.5	3554	5399	1815
4/22/2025 8:35	3243	3552	5404	1819
4/22/2025 8:36	3238.5	3556.5	5398	1817
4/22/2025 8:37	3239.5	3550.5	5401	1826
4/22/2025 8:38	3224.5	3556	5404	1813

4/22/2025 8:39	3247.5	3554.5	5395	1816
4/22/2025 8:40	3246.5	3556.5	5402	1808
4/22/2025 8:41	3234	3554.5	5401	1811
4/22/2025 8:42	3251.5	3551	5400	1820
4/22/2025 8:43	3250	3554.5	5392	1805
4/22/2025 8:44	3247.5	3553.5	5402	1816
4/22/2025 8:45	3245	3559	5400	1807
4/22/2025 8:46	3248	3553.5	5405	1813
4/22/2025 8:47	3230	3545	5404	1810
4/22/2025 8:48	3242.5	3545.5	5395	1809
4/22/2025 8:49	3241.5	3552	5399	1811
4/22/2025 8:50	3225	3560.5	5397	1811
4/22/2025 8:51	3235.5	3559	5399	1819
4/22/2025 8:52	3254.5	3549.5	5395	1814
4/22/2025 8:53	3240.5	3547.5	5399	1821
4/22/2025 8:54	3248.5	3548	5398	1796
4/22/2025 8:55	3237	3552	5399	1810
4/22/2025 8:56	3252.5	3544.5	5396	1824
4/22/2025 8:57	3243	3554.5	5393	1810
4/22/2025 8:58	3244.5	3550	5395	1815
4/22/2025 8:59	3249.5	3545	5390	1805
4/22/2025 9:00	3235	3547.5	5390	1821
4/22/2025 9:01	3231.5	3543	5401	1825
4/22/2025 9:02	3237	3548	5385	1831
4/22/2025 9:03	3239.5	3540.5	5391	1816
4/22/2025 9:04	3242.5	3543.5	5387	1815
4/22/2025 9:05	3250	3544	5397	1813
4/22/2025 9:06	3234	3545.5	5402	1820
4/22/2025 9:07	3241	3554.5	5403	1817
4/22/2025 9:08	3232.5	3558	5396	1816
4/22/2025 9:09	3239	3551.5	5406	1820
4/22/2025 9:10	3240.5	3544	5396	1820
4/22/2025 9:11	3245.5	3545	5406	1820
4/22/2025 9:12	3250	3555.5	5397	1834
4/22/2025 9:13	3253	3560	5401	1821
4/22/2025 9:14	3266	3563	5406	1824
4/22/2025 9:15	3264.5	3543.5	5414	1815
4/22/2025 9:16	3225.5	3550.5	5403	1819
4/22/2025 9:17	3228	3538.5	5386	1822
4/22/2025 9:18	3220	3521.5	5382	1820
4/22/2025 9:19	3195	3547.5	5379	1821
4/22/2025 9:20	3191.5	3590.5	5366	1817
4/22/2025 9:21	3210.5	3545	5364	1826
4/22/2025 9:22	3220	3544.5	5362	1825
4/22/2025 9:23	3232.5	3521.5	5399	1811
4/22/2025 9:24	3190.5	3548.5	5385	1830
4/22/2025 9:25	3193.5	3542.5	5357	1822
4/22/2025 9:26	3175	3543.5	5350	1817
4/22/2025 9:27	3182	3544.5	5337	1806
4/22/2025 9:28	3205.5	3563.5	5342	1810
4/22/2025 9:29	3233	3535.5	5344	1820
4/22/2025 9:30	3253.5	3561.5	5363	1813
4/22/2025 9:31	3246	3559.5	5403	1811
4/22/2025 9:32	3261	3555.5	5415	1814
4/22/2025 9:33	3254.5	3557.5	5417	1799
4/22/2025 9:34	3237.5	3552.5	5414	1807
4/22/2025 9:35	3247	3549.5	5416	1801
4/22/2025 9:36	3250.5	3560	5406	1814
4/22/2025 9:37	3278	3572.5	5405	1803
4/22/2025 9:38	3268	3569	5426	1799
4/22/2025 9:39	3261.5	3567	5427	1811
4/22/2025 9:40	3266.5	3579	5432	1810
4/22/2025 9:41	3271	3574.5	5429	1803

4/22/2025 9:42	3278	3572	5412	1809
4/22/2025 9:43	3280	3576.5	5412	1798
4/22/2025 9:44	3264	3576	5415	1807
4/22/2025 9:45	3271	3580	5404	1803
4/22/2025 9:46	3272	3580	5401	1811
4/22/2025 9:47	3274	3587.5	5410	1805
4/22/2025 9:48	3293.5	3587.5	5413	1790
4/22/2025 9:49	3287	3582	5408	1805
4/22/2025 9:50	3289	3585	5402	1807
4/22/2025 9:51	3296	3591	5409	1800
4/22/2025 9:52	3290	3588	5408	1803
4/22/2025 9:53	3281	3590.5	5397	1789
4/22/2025 9:54	3292.5	3584.5	5401	1796
4/22/2025 9:55	3288.5	3586.5	5402	1793
4/22/2025 9:56	3300	3590	5403	1790
4/22/2025 9:57	3305.5	3598.5	5406	1801
4/22/2025 9:58	3302.5	3590.5	5401	1795
4/22/2025 9:59	3291.5	3593	5399	1795
4/22/2025 10:00	3300.5	3597.5	5403	1789
4/22/2025 10:01	3300	3591	5415	1799
4/22/2025 10:02	3302.5	3590	5405	1799
4/22/2025 10:03	3317.5	3591	5393	1795
4/22/2025 10:04	3307	3595.5	5400	1805
4/22/2025 10:05	3295.5	3591.5	5398	1798
4/22/2025 10:06	3309	3599	5399	1803
4/22/2025 10:07	3297	3600	5395	1788
4/22/2025 10:08	3295	3589	5393	1790
4/22/2025 10:09	3300.5	3590.5	5393	1790
4/22/2025 10:10	3308.5	3590	5395	1783
4/22/2025 10:11	3304	3581.5	5397	1799
4/22/2025 10:12	3323	3590	5397	1790
4/22/2025 10:13	3299	3583	5394	1806
4/22/2025 10:14	3310	3594.5	5396	1803
4/22/2025 10:15	3328	3591.5	5388	1801
4/22/2025 10:16	3327	3600	5390	1799
4/22/2025 10:17	3316	3584.5	5403	1796
4/22/2025 10:18	3285	3582.5	5410	1805
4/22/2025 10:19	3281	3571.5	5392	1796
4/22/2025 10:20	3291.5	3571	5378	1791
4/22/2025 10:21	3297.5	3567.5	5379	1795
4/22/2025 10:22	3278.5	3563.5	5385	1804
4/22/2025 10:23	3295	3573.5	5379	1805
4/22/2025 10:24	3293	3572	5383	1775
4/22/2025 10:25	3302	3574	5393	1763
4/22/2025 10:26	3277.5	3573.5	5397	1774
4/22/2025 10:27	3280.5	3559	5394	1774
4/22/2025 10:28	3289.5	3565	5395	1774
4/22/2025 10:29	3282.5	3560	5393	1784
4/22/2025 10:30	3293.5	3570	5396	1795
4/22/2025 10:31	3280	3554.5	5398	1793
4/22/2025 10:32	3284.5	3554	5394	1803
4/22/2025 10:33	3303	3559.5	5396	1795
4/22/2025 10:34	3288.5	3570	5399	1799
4/22/2025 10:35	3298	3564	5400	1799
4/22/2025 10:36	3288.5	3552	5397	1800
4/22/2025 10:37	3283.5	3557.5	5402	1805
4/22/2025 10:38	3270	3559	5400	1810
4/22/2025 10:39	3283	3554	5387	1791
4/22/2025 10:40	3296.5	3553.5	5412	1806
4/22/2025 10:41	3286	3559.5	5402	1794
4/22/2025 10:42	3301	3558	5408	1790
4/22/2025 10:43	3295	3559	5406	1795
4/22/2025 10:44	3291	3562.5	5400	1801

4/22/2025 10:45	3285.5	3563	5414	1795
4/22/2025 10:46	3295.5	3553	5405	1801
4/22/2025 10:47	3295	3553	5405	1793
4/22/2025 10:48	3297.5	3558.5	5408	1799
4/22/2025 10:49	3297.5	3559	5401	1785
4/22/2025 10:50	3291.5	3560.5	5401	1809
4/22/2025 10:51	3304.5	3557	5398	1805
4/22/2025 10:52	3292.5	3561	5406	1793
4/22/2025 10:53	3303	3555.5	5401	1799
4/22/2025 10:54	3301.5	3562	5412	1798
4/22/2025 10:55	3296.5	3566	5409	1799
4/22/2025 10:56	3312.5	3563	5409	1803
4/22/2025 10:57	3298.5	3561.5	5403	1804
4/22/2025 10:58	3284.5	3561.5	5402	1794
4/22/2025 10:59	3294.5	3559.5	5398	1795
4/22/2025 11:00	3296	3563.5	5400	1777
4/22/2025 11:01	3304.5	3563.5	5405	1796
4/22/2025 11:02	3307	3559.5	5400	1794
4/22/2025 11:03	3296.5	3570	5397	1803
4/22/2025 11:04	3306.5	3568	5409	1790
4/22/2025 11:05	3296	3571.5	5403	1791
4/22/2025 11:06	3289.5	3570	5405	1796
4/22/2025 11:07	3301.5	3571.5	5411	1796
4/22/2025 11:08	3309.5	3574	5413	1809
4/22/2025 11:09	3310	3574	5409	1809
4/22/2025 11:10	3317	3572	5405	1809
4/22/2025 11:11	3313.5	3588.5	5402	1811
4/22/2025 11:12	3324	3591	5410	1809
4/22/2025 11:13	3350	3593.5	5428	1818
4/22/2025 11:14	3348.5	3609.5	5432	1814
4/22/2025 11:15	3354	3615.5	5426	1822
4/22/2025 11:16	3360	3609.5	5435	1825
4/22/2025 11:17	3365	3617	5434	1819
4/22/2025 11:18	3365.5	3622	5423	1832
4/22/2025 11:19	3372	3624	5418	1825
4/22/2025 11:20	3387	3625.5	5421	1827
4/22/2025 11:21	3377	3628.5	5416	1831
4/22/2025 11:22	3388	3637	5409	1835
4/22/2025 11:23	3375	3631.5	5398	1836
4/22/2025 11:24	3381	3636.5	5401	1828
4/22/2025 11:25	3388	3632.5	5397	1835
4/22/2025 11:26	3388	3636.5	5396	1829
4/22/2025 11:27	3379.5	3636	5398	1842
4/22/2025 11:28	3380	3637	5400	1828
4/22/2025 11:29	3386.5	3646.5	5400	1836
4/22/2025 11:30	3387	3649	5402	1841
4/22/2025 11:31	3402.5	3650	5405	1839
4/22/2025 11:32	3392.5	3649	5406	1846
4/22/2025 11:33	3380.5	3650	5400	1836
4/22/2025 11:34	3397	3646	5398	1831
4/22/2025 11:35	3389.5	3653.5	5392	1835
4/22/2025 11:36	3392	3648	5404	1840
4/22/2025 11:37	3398.5	3647.5	5399	1840
4/22/2025 11:38	3398	3648	5400	1839
4/22/2025 11:39	3392.5	3649.5	5399	1847
4/22/2025 11:40	3400.5	3656	5403	1841
4/22/2025 11:41	3399	3657.5	5403	1846
4/22/2025 11:42	3413	3654.5	5392	1832
4/22/2025 11:43	3413	3646	5403	1841
4/22/2025 11:44	3402.5	3653	5410	1847
4/22/2025 11:45	3410	3654	5408	1845
4/22/2025 11:46	3416.5	3655	5395	1837
4/22/2025 11:47	3407.5	3656.5	5401	1840

4/22/2025 11:48	3407.5	3661.5	5393	1834
4/22/2025 11:49	3408.5	3658	5391	1834
4/22/2025 11:50	3431.5	3664.5	5399	1836
4/22/2025 11:51	3426.5	3659	5386	1846
4/22/2025 11:52	3420	3651.5	5395	1835
4/22/2025 11:53	3445	3662	5384	1839
4/22/2025 11:54	3421	3652.5	5387	1839
4/22/2025 11:55	3428.5	3642	5385	1826
4/22/2025 11:56	3433	3644	5373	1842
4/22/2025 11:57	3437	3664.5	5387	1837
4/22/2025 11:58	3445	3664.5	5410	1842
4/22/2025 11:59	3439.5	3662	5433	1839
4/22/2025 12:00	3451	3662.5	5430	1841
4/22/2025 12:01	3468	3662.5	5431	1837
4/22/2025 12:02	3467.5	3668.5	5421	1835
4/22/2025 12:03	3466.5	3665.5	5407	1830
4/22/2025 12:04	3472	3672.5	5407	1824
4/22/2025 12:05	3446.5	3668	5401	1837
4/22/2025 12:06	3487	3674	5408	1840
4/22/2025 12:07	3469	3672.5	5405	1834
4/22/2025 12:08	3473	3674.5	5393	1825
4/22/2025 12:09	3469.5	3677.5	5395	1831
4/22/2025 12:10	3477	3666.5	5390	1842
4/22/2025 12:11	3475	3667	5393	1837
4/22/2025 12:12	3472.5	3672	5389	1846
4/22/2025 12:13	3465	3677	5390	1840
4/22/2025 12:14	3471	3674	5395	1837
4/22/2025 12:15	3476.5	3675	5389	1827
4/22/2025 12:16	3474	3679	5394	1827
4/22/2025 12:17	3466	3678.5	5403	1831
4/22/2025 12:18	3466	3670	5395	1836
4/22/2025 12:19	3482	3672	5396	1835
4/22/2025 12:20	3470	3672	5392	1831
4/22/2025 12:21	3468	3668.5	5392	1830
4/22/2025 12:22	3485	3678.5	5396	1840
4/22/2025 12:23	3472	3676.5	5390	1824
4/22/2025 12:24	3478.5	3675.5	5396	1817
4/22/2025 12:25	3470	3671.5	5399	1842
4/22/2025 12:26	3462	3670.5	5402	1837
4/22/2025 12:27	3470.5	3677	5397	1841
4/22/2025 12:28	3465.5	3676	5400	1830
4/22/2025 12:29	3491	3673.5	5403	1827
4/22/2025 12:30	3484.5	3672.5	5399	1825
4/22/2025 12:31	3480	3674.5	5402	1831
4/22/2025 12:32	3477	3677	5400	1815
4/22/2025 12:33	3460.5	3671	5395	1825
4/22/2025 12:34	3479.5	3671.5	5399	1818
4/22/2025 12:35	3485.5	3674	5399	1834
4/22/2025 12:36	3477.5	3677.5	5405	1829
4/22/2025 12:37	3471.5	3681	5404	1839
4/22/2025 12:38	3486	3678	5404	1829
4/22/2025 12:39	3494	3681	5399	1820
4/22/2025 12:40	3484.5	3670.5	5405	1830
4/22/2025 12:41	3473.5	3680	5406	1840
4/22/2025 12:42	3478	3678.5	5410	1846
4/22/2025 12:43	3481	3682.5	5405	1839
4/22/2025 12:44	3498.5	3688.5	5400	1824
4/22/2025 12:45	3488	3678	5403	1827
4/22/2025 12:46	3499	3680	5399	1821
4/22/2025 12:47	3483.5	3678.5	5393	1842
4/22/2025 12:48	3486	3678	5398	1839
4/22/2025 12:49	3487.5	3679.5	5389	1822
4/22/2025 12:50	3483	3681	5408	1826

4/22/2025 12:51	3481	3682.5	5396	1825
4/22/2025 12:52	3498	3671.5	5387	1834
4/22/2025 12:53	3489	3680.5	5391	1834
4/22/2025 12:54	3485	3671	5392	1831
4/22/2025 12:55	3485.5	3668	5400	1836
4/22/2025 12:56	3487	3674	5403	1827
4/22/2025 12:57	3489	3676.5	5408	1826
4/22/2025 12:58	3494.5	3680	5410	1827
4/22/2025 12:59	3491	3675	5409	1824
4/22/2025 13:00	3500	3677	5409	1824
4/22/2025 13:01	3492	3680	5404	1829
4/22/2025 13:02	3486.5	3675	5408	1840
4/22/2025 13:03	3474	3683.5	5413	1826
4/22/2025 13:04	3472	3678.5	5422	1831
4/22/2025 13:05	3484.5	3676.5	5409	1827
4/22/2025 13:06	3485	3675	5404	1824
4/22/2025 13:07	3486.5	3678	5398	1816
4/22/2025 13:08	3482	3674.5	5401	1822
4/22/2025 13:09	3485	3678.5	5402	1825
4/22/2025 13:10	3489	3690.5	5402	1835
4/22/2025 13:11	3503.5	3687	5409	1835
4/22/2025 13:12	3471.5	3683.5	5397	1824
4/22/2025 13:13	3476.5	3692.5	5396	1829
4/22/2025 13:14	3489.5	3696.5	5397	1840
4/22/2025 13:15	3487.5	3690	5402	1827
4/22/2025 13:16	3480	3686.5	5392	1831
4/22/2025 13:17	3492	3687	5404	1836
4/22/2025 13:18	3475	3680	5406	1836
4/22/2025 13:19	3490.5	3682.5	5402	1835
4/22/2025 13:20	3487	3681	5402	1839
4/22/2025 13:21	3487	3682	5397	1850
4/22/2025 13:22	3493	3687.5	5397	1840
4/22/2025 13:23	3485	3690	5397	1842
4/22/2025 13:24	3477.5	3686.5	5403	1846
4/22/2025 13:25	3471.5	3688	5395	1837
4/22/2025 13:26	3481	3680	5401	1847
4/22/2025 13:27	3474	3690.5	5397	1839
4/22/2025 13:28	3473	3685	5397	1822
4/22/2025 13:29	3481.5	3684.5	5400	1839
4/22/2025 13:30	3490.5	3688.5	5406	1826
4/22/2025 13:31	3485.5	3680.5	5405	1836
4/22/2025 13:32	3466	3660.5	5409	1831
4/22/2025 13:33	3465.5	3672.5	5372	1821
4/22/2025 13:34	3463	3661.5	5379	1826
4/22/2025 13:35	3426.5	3654.5	5370	1820
4/22/2025 13:36	3428.5	3653	5362	1810
4/22/2025 13:37	3451.5	3646	5377	1824
4/22/2025 13:38	3442.5	3640	5391	1804
4/22/2025 13:39	3429.5	3636	5388	1798
4/22/2025 13:40	3432	3634.5	5393	1796
4/22/2025 13:41	3435.5	3639	5397	1801
4/22/2025 13:42	3418	3639	5388	1815
4/22/2025 13:43	3414	3634	5392	1824
4/22/2025 13:44	3417	3637	5385	1801
4/22/2025 13:45	3413.5	3631	5395	1815
4/22/2025 13:46	3410	3628.5	5385	1800
4/22/2025 13:47	3414.5	3631	5396	1815
4/22/2025 13:48	3421	3633.5	5399	1799
4/22/2025 13:49	3416	3626.5	5401	1809
4/22/2025 13:50	3412.5	3628	5383	1795
4/22/2025 13:51	3407	3620	5396	1794
4/22/2025 13:52	3398.5	3625	5407	1799
4/22/2025 13:53	3412	3625.5	5402	1800

4/22/2025 13:54	3394	3622	5392	1800
4/22/2025 13:55	3394	3623	5397	1781
4/22/2025 13:56	3397	3618.5	5399	1790
4/22/2025 13:57	3404.5	3622	5396	1791
4/22/2025 13:58	3395	3621.5	5389	1791
4/22/2025 13:59	3404.5	3617.5	5398	1789
4/22/2025 14:00	3404.5	3613.5	5393	1791
4/22/2025 14:01	3379.5	3609	5384	1791
4/22/2025 14:02	3393	3608	5387	1785
4/22/2025 14:03	3393.5	3610	5392	1783
4/22/2025 14:04	3377.5	3605.5	5391	1790
4/22/2025 14:05	3390.5	3601.5	5394	1793
4/22/2025 14:06	3379	3606.5	5389	1790
4/22/2025 14:07	3393	3606	5404	1779
4/22/2025 14:08	3393	3609	5402	1784
4/22/2025 14:09	3382	3608.5	5398	1779
4/22/2025 14:10	3380	3603	5404	1783
4/22/2025 14:11	3385.5	3601	5397	1786
4/22/2025 14:12	3387	3611.5	5389	1786
4/22/2025 14:13	3403	3605	5388	1790
4/22/2025 14:14	3393.5	3602.5	5402	1788
4/22/2025 14:15	3402	3608.5	5397	1774
4/22/2025 14:16	3410	3607	5404	1780
4/22/2025 14:17	3396.5	3605.5	5396	1784
4/22/2025 14:18	3412	3605.5	5404	1785
4/22/2025 14:19	3401.5	3604	5402	1779
4/22/2025 14:20	3403.5	3599.5	5408	1790
4/22/2025 14:21	3390.5	3609	5407	1784
4/22/2025 14:22	3388.5	3606	5401	1784
4/22/2025 14:23	3406.5	3609.5	5405	1793
4/22/2025 14:24	3400	3604	5406	1790
4/22/2025 14:25	3275.5	3483	5392	1790
4/22/2025 14:26	3141	3344	5335	1800
4/22/2025 14:27	3064.5	3269.5	5151	1798
4/22/2025 14:28	2934	3168	4997	1798
4/22/2025 14:29	2796	3040.5	4872	1813
4/22/2025 14:30	2625	2897	4753	1796
4/22/2025 14:31	2577.5	2837	4534	1812
4/22/2025 14:32	2563.5	2809.5	4307	1810
4/22/2025 14:33	2494	2745	4269	1806
4/22/2025 14:34	2459	2722	4230	1840
4/22/2025 14:35	2456.5	2719.5	4129	1851
4/22/2025 14:36	2466.5	2719	4093	1902
4/22/2025 14:37	2574	2839	4102	1901
4/22/2025 14:38	2520.5	2804	4111	1912
4/22/2025 14:39	1228	3012.5	4345	1906
4/22/2025 14:40	163.5	3412	2297	1881
4/22/2025 14:41	61	3436.5	4	1896
4/22/2025 14:42	49	3527	4	1927
4/22/2025 14:43	-27.5	2185	4	1932
4/22/2025 14:44	-21	402	4	1934
4/22/2025 14:45	-37.5	-36	4	1929
4/22/2025 14:46	-65.5	-64	4	1958
4/22/2025 14:47	-98.5	-96.5	4	1963
4/22/2025 14:48	-131	-129	4	1999
4/22/2025 14:49	-159.5	-156.5	790	2024
4/22/2025 14:50	-182.5	-180	1224	2031
4/22/2025 14:51	-201.5	-198.5	106	2028
4/22/2025 14:52	-216.5	-213	4	2016
4/22/2025 14:53	-198	-191	4	2049
4/22/2025 14:54	-203	-194	467	2042
4/22/2025 14:55	#DIV/0!	-218	1482	2059
4/22/2025 14:56	#DIV/0!	#DIV/0!	305	2061

4/22/2025 14:57	#DIV/0!	#DIV/0!	4	2045
4/22/2025 14:58	#DIV/0!	#DIV/0!	4	2051
4/22/2025 14:59	#DIV/0!	1225	4	2066
4/22/2025 15:00	#DIV/0!	-57	4	2056
4/22/2025 15:01	#DIV/0!	#DIV/0!	4	2051
4/22/2025 15:02	#DIV/0!	#DIV/0!	4	2049
4/22/2025 15:03	#DIV/0!	#DIV/0!	4	2046
4/22/2025 15:04	#DIV/0!	1092	4	2051
4/22/2025 15:05	#DIV/0!	1964	1062	2072
4/22/2025 15:06	#DIV/0!	2993	1844	2057
4/22/2025 15:07	#DIV/0!	3240.5	545	2070
4/22/2025 15:08	#DIV/0!	3447	4	2070
4/22/2025 15:09	#DIV/0!	3669	4	2058
4/22/2025 15:10	#DIV/0!	3632.5	4	2042
4/22/2025 15:11	#DIV/0!	3575	4	2047
4/22/2025 15:12	#DIV/0!	3550.5	4	2032
4/22/2025 15:13	2554	3165.5	4	2042
4/22/2025 15:14	2562.5	2806	4	2046
4/22/2025 15:15	2331.5	2553.5	4	2018
4/22/2025 15:16	2483	2718.5	4	2016
4/22/2025 15:17	2495.5	2724.5	961	2030
4/22/2025 15:18	2536.5	2755	1999	2015
4/22/2025 15:19	2592	2828	1182	1996
4/22/2025 15:20	2685.5	2920.5	137	2005
4/22/2025 15:21	2737.5	2951.5	4	1999
4/22/2025 15:22	2742	2955	4	1998
4/22/2025 15:23	2740	2954.5	4	1989
4/22/2025 15:24	2739	2947.5	4	1984
4/22/2025 15:25	2720.5	2953.5	4	1999
4/22/2025 15:26	2454.5	2683	4	1991
4/22/2025 15:27	2594.5	2863	4	1995
4/22/2025 15:28	2531	2805.5	1059	1980
4/22/2025 15:29	2964.5	2934.5	2140	1970
4/22/2025 15:30	3146	3128.5	2481	1975
4/22/2025 15:31	2916.5	3122	2919	1963
4/22/2025 15:32	2788.5	3066.5	3031	1968
4/22/2025 15:33	2794	3052.5	3149	1963
4/22/2025 15:34	2774.5	3044	3283	1959
4/22/2025 15:35	2795	2995.5	3300	1962
4/22/2025 15:36	2802	2986	3273	1950
4/22/2025 15:37	2696	2957	3484	1950
4/22/2025 15:38	2610	2907.5	3744	1943
4/22/2025 15:39	2570	2840	3898	1939
4/22/2025 15:40	2540.5	2807	3965	1935
4/22/2025 15:41	2649.5	2956.5	4126	1945
4/22/2025 15:42	2755.5	3051	4390	1934
4/22/2025 15:43	2804.5	3064.5	4650	1939
4/22/2025 15:44	2824	3061.5	4762	1935
4/22/2025 15:45	2825	3063	4756	1921
4/22/2025 15:46	2825.5	3080	4765	1919
4/22/2025 15:47	2937	3182.5	4744	1909
4/22/2025 15:48	3059	3266	4763	1906
4/22/2025 15:49	3092	3290	4901	1892
4/22/2025 15:50	3123	3310.5	5025	1870
4/22/2025 15:51	3199	3390.5	5054	1866
4/22/2025 15:52	3280	3483.5	5111	1851
4/22/2025 15:53	3357.5	3521.5	5298	1858
4/22/2025 15:54	3352	3526	5417	1861
4/22/2025 15:55	3365.5	3533.5	5444	1842
4/22/2025 15:56	3350	3531	5445	1845
4/22/2025 15:57	3369.5	3538.5	5443	1860
4/22/2025 15:58	3368	3543	5418	1860
4/22/2025 15:59	3362	3537	5414	1845

4/22/2025 16:00	3373	3535.5	5415	1831
4/22/2025 16:01	3375.5	3534.5	5409	1834
4/22/2025 16:02	3331	3548	5411	1842
4/22/2025 16:03	3373.5	3543.5	5412	1845
4/22/2025 16:04	3374	3547.5	5393	1841
4/22/2025 16:05	3383.5	3543	5403	1847
4/22/2025 16:06	3380.5	3534	5403	1832
4/22/2025 16:07	3385	3535	5395	1824
4/22/2025 16:08	3392.5	3535	5395	1831
4/22/2025 16:09	3375	3541	5383	1831
4/22/2025 16:10	3374.5	3531.5	5386	1824
4/22/2025 16:11	3380.5	3530.5	5392	1818
4/22/2025 16:12	3379	3536.5	5385	1834
4/22/2025 16:13	3372.5	3533	5378	1836
4/22/2025 16:14	3363	3531.5	5380	1819
4/22/2025 16:15	3370.5	3534.5	5388	1831
4/22/2025 16:16	3359.5	3525	5386	1815
4/22/2025 16:17	3359	3526.5	5397	1819
4/22/2025 16:18	3367	3534.5	5386	1814
4/22/2025 16:19	3370	3537.5	5390	1818
4/22/2025 16:20	3367	3531	5398	1824
4/22/2025 16:21	3369.5	3526.5	5395	1825
4/22/2025 16:22	3357	3535	5409	1826
4/22/2025 16:23	3368.5	3537.5	5403	1824
4/22/2025 16:24	3359.5	3526.5	5403	1817
4/22/2025 16:25	3375	3532	5396	1829
4/22/2025 16:26	3369.5	3531.5	5390	1816
4/22/2025 16:27	3367	3536	5388	1819
4/22/2025 16:28	3370.5	3535.5	5398	1811
4/22/2025 16:29	3364	3535.5	5389	1824
4/22/2025 16:30	3350.5	3530	5399	1825
4/22/2025 16:31	3363	3532	5399	1811
4/22/2025 16:32	3362	3530.5	5393	1810
4/22/2025 16:33	3368	3544	5390	1804
4/22/2025 16:34	3349	3531	5391	1820
4/22/2025 16:35	3356	3527	5394	1810
4/22/2025 16:36	3346	3534.5	5392	1818
4/22/2025 16:37	3356	3532	5390	1820
4/22/2025 16:38	3355.5	3532.5	5391	1816
4/22/2025 16:39	3360.5	3534	5388	1819
4/22/2025 16:40	3357.5	3529	5384	1816
4/22/2025 16:41	3368.5	3532.5	5380	1824
4/22/2025 16:42	3353	3533	5381	1809
4/22/2025 16:43	3366	3534	5388	1801
4/22/2025 16:44	3363	3532.5	5383	1813
4/22/2025 16:45	3353	3528	5393	1809
4/22/2025 16:46	3363.5	3531	5377	1810
4/22/2025 16:47	3360	3536.5	5384	1806
4/22/2025 16:48	3348	3530.5	5379	1799
4/22/2025 16:49	3355	3531	5377	1803
4/22/2025 16:50	3355	3537	5381	1814
4/22/2025 16:51	3357	3541	5379	1820
4/22/2025 16:52	3349.5	3541	5384	1801
4/22/2025 16:53	3353.5	3542.5	5381	1820
4/22/2025 16:54	3351.5	3534	5393	1806
4/22/2025 16:55	3346	3535	5377	1806
4/22/2025 16:56	3338	3536.5	5384	1810
4/22/2025 16:57	3349.5	3535.5	5385	1811
4/22/2025 16:58	3354.5	3532.5	5403	1805
4/22/2025 16:59	3361.5	3544.5	5401	1815
4/22/2025 17:00	3349.5	3541.5	5399	1805
4/22/2025 17:01	3347	3537	5398	1804
4/22/2025 17:02	3337.5	3538	5387	1800

4/22/2025 17:03	3338.5	3529	5385	1810
4/22/2025 17:04	3348	3535	5388	1804
4/22/2025 17:05	3349.5	3540	5393	1788
4/22/2025 17:06	3348	3532	5399	1795
4/22/2025 17:07	3342	3536.5	5390	1798
4/22/2025 17:08	3347	3532	5390	1810
4/22/2025 17:09	3346	3537.5	5392	1801
4/22/2025 17:10	3345.5	3534.5	5399	1794
4/22/2025 17:11	3354	3528	5389	1799
4/22/2025 17:12	3353.5	3534	5383	1805
4/22/2025 17:13	3334.5	3534.5	5377	1799
4/22/2025 17:14	3338	3530	5390	1789
4/22/2025 17:15	3344.5	3533.5	5388	1791
4/22/2025 17:16	3346	3536	5389	1808
4/22/2025 17:17	3348	3538	5383	1801
4/22/2025 17:18	3347.5	3533.5	5377	1811
4/22/2025 17:19	3351.5	3533	5384	1813
4/22/2025 17:20	3346.5	3529	5381	1811
4/22/2025 17:21	3343.5	3527.5	5389	1798
4/22/2025 17:22	3345	3530	5384	1803
4/22/2025 17:23	3340	3531	5389	1816
4/22/2025 17:24	3342.5	3537	5383	1804
4/22/2025 17:25	3332	3531.5	5383	1807
4/22/2025 17:26	3320.5	3534	5387	1789
4/22/2025 17:27	3332	3534.5	5381	1796
4/22/2025 17:28	3333	3538.5	5385	1789
4/22/2025 17:29	3335.5	3535	5390	1803
4/22/2025 17:30	3341.5	3538	5394	1794
4/22/2025 17:31	3336	3532	5386	1800
4/22/2025 17:32	3337.5	3529.5	5387	1807
4/22/2025 17:33	3340	3536	5382	1793
4/22/2025 17:34	3314.5	3537.5	5386	1799
4/22/2025 17:35	3332.5	3536	5382	1809
4/22/2025 17:36	3327	3536	5384	1790
4/22/2025 17:37	3327.5	3537.5	5379	1800
4/22/2025 17:38	3317	3537	5384	1790
4/22/2025 17:39	3320.5	3532.5	5390	1806
4/22/2025 17:40	3333	3534	5393	1809
4/22/2025 17:41	3330	3535	5382	1801
4/22/2025 17:42	3322.5	3538	5386	1807
4/22/2025 17:43	3320	3538.5	5385	1794
4/22/2025 17:44	3326.5	3540.5	5388	1803
4/22/2025 17:45	3327.5	3538	5382	1801
4/22/2025 17:46	3308	3532	5383	1804
4/22/2025 17:47	3320.5	3534	5386	1789
4/22/2025 17:48	3305.5	3535.5	5388	1801
4/22/2025 17:49	3322	3532	5383	1800
4/22/2025 17:50	3318.5	3534.5	5385	1800
4/22/2025 17:51	3320.5	3533	5378	1807
4/22/2025 17:52	3311.5	3533.5	5375	1803
4/22/2025 17:53	3302.5	3542.5	5388	1794
4/22/2025 17:54	3311.5	3534.5	5382	1806
4/22/2025 17:55	3319.5	3534.5	5381	1796
4/22/2025 17:56	3297	3538.5	5386	1791
4/22/2025 17:57	3304	3531	5386	1796
4/22/2025 17:58	3312	3532	5390	1789
4/22/2025 17:59	3294.5	3533.5	5385	1796
4/22/2025 18:00	3297.5	3538	5381	1784
4/22/2025 18:01	3286	3532.5	5372	1788
4/22/2025 18:02	3293	3540.5	5375	1800
4/22/2025 18:03	3292.5	3540	5375	1805
4/22/2025 18:04	3279.5	3534.5	5377	1796
4/22/2025 18:05	3250.5	3535.5	5370	1799

4/22/2025 18:06	3270.5	3534	5371	1805
4/22/2025 18:07	3286	3533	5370	1800
4/22/2025 18:08	3287.5	3539	5373	1800
4/22/2025 18:09	3288	3540	5380	1801
4/22/2025 18:10	3267.5	3545.5	5370	1803
4/22/2025 18:11	3271	3536.5	5376	1794
4/22/2025 18:12	3288	3533	5376	1811
4/22/2025 18:13	3289	3540	5371	1801
4/22/2025 18:14	3279	3542	5377	1800
4/22/2025 18:15	3321	3547.5	5376	1796
4/22/2025 18:16	3278	3543	5383	1796
4/22/2025 18:17	3265.5	3540	5378	1789
4/22/2025 18:18	3274.5	3537.5	5365	1794
4/22/2025 18:19	3278	3542	5369	1799
4/22/2025 18:20	3261.5	3543.5	5362	1796
4/22/2025 18:21	3287	3543.5	5356	1791
4/22/2025 18:22	3266.5	3539	5368	1796
4/22/2025 18:23	3273	3544	5367	1789
4/22/2025 18:24	3281	3542.5	5367	1788
4/22/2025 18:25	3287.5	3550	5371	1795
4/22/2025 18:26	3275	3541.5	5365	1789
4/22/2025 18:27	3269.5	3544.5	5373	1793
4/22/2025 18:28	3272.5	3539	5374	1796
4/22/2025 18:29	3275	3553	5369	1790
4/22/2025 18:30	3271.5	3541.5	5369	1793
4/22/2025 18:31	3271	3547.5	5370	1774
4/22/2025 18:32	3277.5	3544	5363	1794
4/22/2025 18:33	3266.5	3541.5	5379	1796
4/22/2025 18:34	3266	3539	5362	1795
4/22/2025 18:35	3255.5	3545	5374	1789
4/22/2025 18:36	3269.5	3548	5361	1778
4/22/2025 18:37	3269.5	3543.5	5363	1790
4/22/2025 18:38	3261.5	3539	5374	1785
4/22/2025 18:39	3265	3546.5	5369	1799
4/22/2025 18:40	3259	3545.5	5376	1796
4/22/2025 18:41	3264.5	3544.5	5379	1790
4/22/2025 18:42	3264	3546	5382	1790
4/22/2025 18:43	3267	3546	5377	1788
4/22/2025 18:44	3261.5	3543.5	5373	1785
4/22/2025 18:45	3258	3540	5372	1799
4/22/2025 18:46	3253.5	3535.5	5363	1800
4/22/2025 18:47	3245.5	3538.5	5361	1794
4/22/2025 18:48	3262.5	3545.5	5371	1788
4/22/2025 18:49	3274.5	3540.5	5372	1793
4/22/2025 18:50	3258.5	3542	5380	1798
4/22/2025 18:51	3264	3537.5	5364	1789
4/22/2025 18:52	3251.5	3534	5369	1789
4/22/2025 18:53	3256	3540	5372	1778
4/22/2025 18:54	3240	3529.5	5370	1783
4/22/2025 18:55	3252	3529.5	5367	1786
4/22/2025 18:56	3257	3535.5	5380	1796
4/22/2025 18:57	3246.5	3548	5370	1793
4/22/2025 18:58	3239	3539.5	5360	1786
4/22/2025 18:59	3243	3537	5365	1794
4/22/2025 19:00	3244	3539	5359	1796
4/22/2025 19:01	3244.5	3533.5	5350	1789
4/22/2025 19:02	3252.5	3540	5362	1789
4/22/2025 19:03	3238	3539	5371	1794
4/22/2025 19:04	3246.5	3536	5357	1785
4/22/2025 19:05	3254.5	3532	5368	1784
4/22/2025 19:06	3254	3539.5	5355	1788
4/22/2025 19:07	3250.5	3542.5	5357	1786
4/22/2025 19:08	3254.5	3536.5	5357	1790

4/22/2025 19:09	3242	3538	5358	1794
4/22/2025 19:10	3240.5	3536	5353	1783
4/22/2025 19:11	3227	3531	5361	1801
4/22/2025 19:12	3235.5	3531	5351	1794
4/22/2025 19:13	3255.5	3533	5360	1783
4/22/2025 19:14	3235.5	3536	5363	1790
4/22/2025 19:15	3230	3535.5	5352	1779
4/22/2025 19:16	3242	3535.5	5347	1786
4/22/2025 19:17	3226	3538.5	5353	1780
4/22/2025 19:18	3236	3526.5	5358	1785
4/22/2025 19:19	3234	3529	5361	1785
4/22/2025 19:20	3238	3531.5	5348	1778
4/22/2025 19:21	3230	3531.5	5358	1784
4/22/2025 19:22	3239.5	3531	5347	1790
4/22/2025 19:23	3229.5	3528.5	5354	1786
4/22/2025 19:24	3240.5	3535	5355	1786
4/22/2025 19:25	3228.5	3532	5363	1783
4/22/2025 19:26	3232	3528.5	5358	1783
4/22/2025 19:27	3231.5	3528	5358	1778
4/22/2025 19:28	3250	3531.5	5354	1784
4/22/2025 19:29	3227	3534	5358	1794
4/22/2025 19:30	3231	3526	5354	1800
4/22/2025 19:31	3227.5	3523	5358	1795
4/22/2025 19:32	3233.5	3530.5	5363	1786
4/22/2025 19:33	3226.5	3527.5	5343	1796
4/22/2025 19:34	3229	3523.5	5354	1800
4/22/2025 19:35	3227.5	3523.5	5358	1783
4/22/2025 19:36	3235.5	3530.5	5357	1794
4/22/2025 19:37	3219.5	3527	5357	1795
4/22/2025 19:38	3231	3516	5355	1795
4/22/2025 19:39	3224.5	3523	5337	1785
4/22/2025 19:40	3218.5	3528.5	5350	1785
4/22/2025 19:41	3231	3524.5	5361	1796
4/22/2025 19:42	3232	3526.5	5361	1789
4/22/2025 19:43	3225.5	3528	5349	1804
4/22/2025 19:44	3224	3523	5351	1798
4/22/2025 19:45	3222	3531.5	5366	1795
4/22/2025 19:46	3225	3527.5	5349	1789
4/22/2025 19:47	3217	3521.5	5350	1784
4/22/2025 19:48	3236	3523.5	5360	1796
4/22/2025 19:49	3220	3516	5355	1793
4/22/2025 19:50	3205.5	3521.5	5359	1786
4/22/2025 19:51	3229.5	3517.5	5364	1779
4/22/2025 19:52	3217.5	3515.5	5361	1785
4/22/2025 19:53	3210.5	3519.5	5349	1791
4/22/2025 19:54	3204.5	3522	5352	1793
4/22/2025 19:55	3214.5	3526.5	5360	1804
4/22/2025 19:56	3220	3521	5357	1796
4/22/2025 19:57	3215.5	3520	5355	1800
4/22/2025 19:58	3216	3519.5	5354	1800
4/22/2025 19:59	3216	3522.5	5363	1790
4/22/2025 20:00	3210	3526.5	5365	1788
4/22/2025 20:01	3217.5	3518	5356	1796
4/22/2025 20:02	3211.5	3523	5347	1796
4/22/2025 20:03	3237.5	3524.5	5358	1788
4/22/2025 20:04	3219.5	3515.5	5349	1795
4/22/2025 20:05	3228	3522.5	5353	1793
4/22/2025 20:06	3226	3517.5	5351	1790
4/22/2025 20:07	3228	3518	5357	1805
4/22/2025 20:08	3232.5	3522	5351	1786
4/22/2025 20:09	3231	3518	5349	1800
4/22/2025 20:10	3225.5	3520	5353	1793
4/22/2025 20:11	3224.5	3519.5	5363	1788

4/22/2025 20:12	3219	3520	5362	1799
4/22/2025 20:13	3223.5	3518	5355	1790
4/22/2025 20:14	3223.5	3514	5349	1798
4/22/2025 20:15	3207	3511.5	5350	1798
4/22/2025 20:16	3214	3509	5348	1793
4/22/2025 20:17	3204.5	3523	5348	1793
4/22/2025 20:18	3207.5	3520	5353	1801
4/22/2025 20:19	3223	3522	5355	1788
4/22/2025 20:20	3213	3513	5345	1795
4/22/2025 20:21	3220.5	3516	5356	1799
4/22/2025 20:22	3227.5	3513	5347	1798
4/22/2025 20:23	3235.5	3517.5	5346	1794
4/22/2025 20:24	3218.5	3516.5	5356	1790
4/22/2025 20:25	3225.5	3518.5	5351	1796
4/22/2025 20:26	3226.5	3519	5353	1783
4/22/2025 20:27	3219.5	3508	5354	1788
4/22/2025 20:28	3228	3509	5354	1781
4/22/2025 20:29	3208	3516.5	5353	1801
4/22/2025 20:30	3222.5	3504	5355	1794
4/22/2025 20:31	3217	3513	5340	1805
4/22/2025 20:32	3214	3511	5348	1798
4/22/2025 20:33	3233.5	3516.5	5360	1799
4/22/2025 20:34	3219.5	3511	5345	1794
4/22/2025 20:35	3216	3516	5350	1800
4/22/2025 20:36	3225.5	3512	5350	1786
4/22/2025 20:37	3220	3509	5350	1793
4/22/2025 20:38	3205	3509	5347	1790
4/22/2025 20:39	3205.5	3508.5	5353	1794
4/22/2025 20:40	3221	3514.5	5352	1785
4/22/2025 20:41	3203.5	3510	5342	1793
4/22/2025 20:42	3201.5	3508.5	5344	1798
4/22/2025 20:43	3214.5	3508	5356	1796
4/22/2025 20:44	3201.5	3512.5	5354	1793
4/22/2025 20:45	3214.5	3512.5	5353	1788
4/22/2025 20:46	3214	3510	5351	1794
4/22/2025 20:47	3214	3509	5351	1793
4/22/2025 20:48	3207.5	3506.5	5349	1794
4/22/2025 20:49	3214	3515.5	5351	1793
4/22/2025 20:50	3191.5	3510.5	5347	1796
4/22/2025 20:51	3223	3515	5343	1796
4/22/2025 20:52	3212.5	3511	5349	1778
4/22/2025 20:53	3233.5	3508	5346	1798
4/22/2025 20:54	3213.5	3509	5360	1799
4/22/2025 20:55	3216.5	3509	5349	1793
4/22/2025 20:56	3224.5	3506.5	5349	1795
4/22/2025 20:57	3216.5	3513.5	5350	1783
4/22/2025 20:58	3202.5	3511	5364	1798
4/22/2025 20:59	3211.5	3512	5354	1803
4/22/2025 21:00	3219	3503	5359	1800
4/22/2025 21:01	3211.5	3503.5	5348	1810
4/22/2025 21:02	3204	3511.5	5347	1785
4/22/2025 21:03	3210.5	3502	5352	1799
4/22/2025 21:04	3209.5	3511	5344	1796
4/22/2025 21:05	3198	3507	5344	1804
4/22/2025 21:06	3207	3506.5	5343	1801
4/22/2025 21:07	3200	3510	5347	1804
4/22/2025 21:08	3202	3511.5	5345	1801
4/22/2025 21:09	3205	3510	5349	1801
4/22/2025 21:10	3200	3506	5353	1801
4/22/2025 21:11	3198	3507.5	5349	1789
4/22/2025 21:12	3205	3508.5	5347	1799
4/22/2025 21:13	3201.5	3502.5	5351	1804
4/22/2025 21:14	3189	3504	5348	1806

4/22/2025 21:15	3198	3514	5351	1804
4/22/2025 21:16	3231	3507.5	5343	1814
4/22/2025 21:17	3219	3509	5345	1795
4/22/2025 21:18	3214	3514	5361	1801
4/22/2025 21:19	3195	3514.5	5357	1811
4/22/2025 21:20	3200.5	3508.5	5354	1804
4/22/2025 21:21	3193	3506.5	5356	1795
4/22/2025 21:22	3180	3506.5	5354	1801
4/22/2025 21:23	3204	3511.5	5352	1796
4/22/2025 21:24	3194	3512	5354	1817
4/22/2025 21:25	3205.5	3510	5349	1794
4/22/2025 21:26	3200	3514	5348	1801
4/22/2025 21:27	3207.5	3506	5358	1794
4/22/2025 21:28	3202.5	3508.5	5345	1796
4/22/2025 21:29	3201.5	3509	5338	1798
4/22/2025 21:30	3185	3508	5355	1801
4/22/2025 21:31	3206	3515	5350	1796
4/22/2025 21:32	3178	3506	5353	1799
4/22/2025 21:33	3188	3506.5	5358	1793
4/22/2025 21:34	3200.5	3504.5	5354	1798
4/22/2025 21:35	3190.5	3502	5355	1790
4/22/2025 21:36	3196	3511.5	5338	1795
4/22/2025 21:37	3183	3511.5	5341	1794
4/22/2025 21:38	3200.5	3519.5	5351	1795
4/22/2025 21:39	3182.5	3518.5	5354	1806
4/22/2025 21:40	3190	3509.5	5356	1798
4/22/2025 21:41	3198.5	3509.5	5356	1794
4/22/2025 21:42	3198.5	3513.5	5357	1798
4/22/2025 21:43	3194.5	3510	5361	1800
4/22/2025 21:44	3192.5	3508	5351	1786
4/22/2025 21:45	3187	3506.5	5355	1791
4/22/2025 21:46	3190	3514.5	5358	1786
4/22/2025 21:47	3180	3515.5	5363	1804
4/22/2025 21:48	3196.5	3518	5355	1804
4/22/2025 21:49	3205.5	3508	5354	1799
4/22/2025 21:50	3182.5	3511.5	5359	1796
4/22/2025 21:51	3190.5	3509	5360	1796
4/22/2025 21:52	3174.5	3517	5358	1799
4/22/2025 21:53	3182	3519.5	5349	1808
4/22/2025 21:54	3191.5	3513.5	5356	1799
4/22/2025 21:55	3204	3521	5354	1788
4/22/2025 21:56	3189.5	3518.5	5351	1801
4/22/2025 21:57	3193.5	3516	5357	1808
4/22/2025 21:58	3194.5	3513	5358	1799
4/22/2025 21:59	3196.5	3517.5	5353	1795
4/22/2025 22:00	3202.5	3516.5	5355	1809
4/22/2025 22:01	3183.5	3501	5354	1808
4/22/2025 22:02	3180	3511	5359	1808
4/22/2025 22:03	3187.5	3516.5	5351	1809
4/22/2025 22:04	3179.5	3513	5353	1799
4/22/2025 22:05	3195	3519.5	5361	1811
4/22/2025 22:06	3176	3516	5356	1796
4/22/2025 22:07	3193.5	3508.5	5357	1804
4/22/2025 22:08	3189.5	3510	5359	1795
4/22/2025 22:09	3191.5	3512.5	5360	1790
4/22/2025 22:10	3182.5	3515.5	5358	1809
4/22/2025 22:11	3187.5	3518.5	5363	1798
4/22/2025 22:12	3185	3518.5	5359	1799
4/22/2025 22:13	3186.5	3519	5364	1801
4/22/2025 22:14	3204	3520	5372	1810
4/22/2025 22:15	3181.5	3529	5366	1817
4/22/2025 22:16	3182.5	3520	5367	1796
4/22/2025 22:17	3198	3518	5358	1806

4/22/2025 22:18	3182	3518	5359	1800
4/22/2025 22:19	3177.5	3523.5	5365	1809
4/22/2025 22:20	3198	3522.5	5368	1810
4/22/2025 22:21	3198	3513.5	5362	1789
4/22/2025 22:22	3199.5	3508	5353	1811
4/22/2025 22:23	3193	3514	5361	1807
4/22/2025 22:24	3191	3519.5	5365	1809
4/22/2025 22:25	3186.5	3520.5	5361	1795
4/22/2025 22:26	3186	3520	5358	1799
4/22/2025 22:27	3190.5	3519.5	5368	1795
4/22/2025 22:28	3186	3523.5	5365	1804
4/22/2025 22:29	3196.5	3521	5358	1810
4/22/2025 22:30	3173	3520.5	5364	1790
4/22/2025 22:31	3194.5	3516.5	5358	1817
4/22/2025 22:32	3172.5	3510.5	5361	1796
4/22/2025 22:33	3198.5	3519.5	5365	1793
4/22/2025 22:34	3191	3517.5	5366	1795
4/22/2025 22:35	3204.5	3519	5363	1807
4/22/2025 22:36	3204	3510.5	5366	1799
4/22/2025 22:37	3197.5	3511	5365	1801
4/22/2025 22:38	3189.5	3521.5	5373	1803
4/22/2025 22:39	3202.5	3523	5364	1809
4/22/2025 22:40	3195.5	3514.5	5369	1806
4/22/2025 22:41	3205	3524.5	5364	1795
4/22/2025 22:42	3193	3517.5	5365	1807
4/22/2025 22:43	3174.5	3525.5	5368	1806
4/22/2025 22:44	3202.5	3516	5367	1806
4/22/2025 22:45	3185.5	3517	5365	1806
4/22/2025 22:46	3188	3521	5364	1801
4/22/2025 22:47	3189.5	3515.5	5359	1805
4/22/2025 22:48	3192.5	3514.5	5360	1811
4/22/2025 22:49	3200.5	3514	5360	1795
4/22/2025 22:50	3202	3516.5	5367	1800
4/22/2025 22:51	3185.5	3506.5	5360	1816
4/22/2025 22:52	3211	3515	5363	1803
4/22/2025 22:53	3192	3505.5	5369	1804
4/22/2025 22:54	3198.5	3506	5360	1804
4/22/2025 22:55	3199.5	3507.5	5365	1801
4/22/2025 22:56	3198	3506.5	5367	1798
4/22/2025 22:57	3194	3513.5	5366	1806
4/22/2025 22:58	3200	3509.5	5362	1817
4/22/2025 22:59	3166	3510.5	5374	1804
4/22/2025 23:00	3204.5	3504.5	5365	1819
4/22/2025 23:01	3199	3504	5362	1813
4/22/2025 23:02	3194	3507	5356	1793
4/22/2025 23:03	3201.5	3501	5357	1811
4/22/2025 23:04	3193	3508.5	5362	1811
4/22/2025 23:05	3210	3502.5	5363	1806
4/22/2025 23:06	3202	3501	5365	1806
4/22/2025 23:07	3192	3508.5	5361	1808
4/22/2025 23:08	3207	3503.5	5369	1805
4/22/2025 23:09	3194.5	3502	5358	1811
4/22/2025 23:10	3186	3503	5364	1798
4/22/2025 23:11	3188.5	3512.5	5373	1799
4/22/2025 23:12	3197	3508	5360	1811
4/22/2025 23:13	3196	3506	5360	1806
4/22/2025 23:14	3190.5	3511.5	5363	1805
4/22/2025 23:15	3203	3502.5	5367	1803
4/22/2025 23:16	3222.5	3504	5368	1801
4/22/2025 23:17	3199.5	3500.5	5368	1810
4/22/2025 23:18	3215.5	3506.5	5366	1804
4/22/2025 23:19	3208	3509.5	5365	1796
4/22/2025 23:20	3184.5	3500.5	5368	1815

4/22/2025 23:21	3195.5	3509.5	5369	1819
4/22/2025 23:22	3192	3504	5365	1805
4/22/2025 23:23	3196	3496.5	5376	1811
4/22/2025 23:24	3206	3505	5360	1800
4/22/2025 23:25	3199	3504	5361	1799
4/22/2025 23:26	3186	3510.5	5376	1790
4/22/2025 23:27	3204.5	3500	5372	1819
4/22/2025 23:28	3195	3506.5	5362	1798
4/22/2025 23:29	3208.5	3508	5358	1800
4/22/2025 23:30	3213.5	3509	5362	1800
4/22/2025 23:31	3188.5	3499	5366	1807
4/22/2025 23:32	3194.5	3490	5372	1798
4/22/2025 23:33	3205.5	3498	5372	1810
4/22/2025 23:34	3200	3497	5364	1798
4/22/2025 23:35	3198	3497	5369	1799
4/22/2025 23:36	3197.5	3505	5370	1807
4/22/2025 23:37	3203.5	3504.5	5361	1805
4/22/2025 23:38	3185	3504	5366	1806
4/22/2025 23:39	3197.5	3500	5366	1810
4/22/2025 23:40	3203	3502	5366	1803
4/22/2025 23:41	3199.5	3513.5	5362	1788
4/22/2025 23:42	3181.5	3505.5	5367	1804
4/22/2025 23:43	3185	3506.5	5369	1801
4/22/2025 23:44	3196	3498	5370	1798
4/22/2025 23:45	3196	3502	5368	1800
4/22/2025 23:46	3196.5	3496	5367	1812
4/22/2025 23:47	3197	3500.5	5369	1801
4/22/2025 23:48	3202	3498.5	5375	1798
4/22/2025 23:49	3202	3497.5	5372	1803
4/22/2025 23:50	3191.5	3502	5377	1800
4/22/2025 23:51	3210.5	3504.5	5368	1808
4/22/2025 23:52	3180	3503.5	5372	1806
4/22/2025 23:53	3182.5	3503	5374	1808
4/22/2025 23:54	3212	3501	5367	1801
4/22/2025 23:55	3196.5	3502.5	5367	1809
4/22/2025 23:56	3194	3502.5	5369	1799
4/22/2025 23:57	3198	3505.5	5371	1801
4/22/2025 23:58	3197.5	3502.5	5366	1816
4/22/2025 23:59	3195.5	3499	5363	1806
4/23/2025 0:00	3195	3497.5	5371	1805
4/23/2025 0:01	3195	3500.5	5374	1810
4/23/2025 0:02	3194	3502	5375	1805
4/23/2025 0:03	3191	3515	5358	1796
4/23/2025 0:04	3213.5	3511	5375	1805
4/23/2025 0:05	3201	3512	5364	1814
4/23/2025 0:06	3227	3511.5	5370	1818
4/23/2025 0:07	3209.5	3515.5	5380	1826
4/23/2025 0:08	3204	3514	5384	1813
4/23/2025 0:09	3200.5	3518.5	5383	1800
4/23/2025 0:10	3193	3502.5	5378	1801
4/23/2025 0:11	3194	3500.5	5371	1814
4/23/2025 0:12	3210.5	3505.5	5381	1810
4/23/2025 0:13	3198	3503.5	5374	1805
4/23/2025 0:14	3209	3495	5375	1819
4/23/2025 0:15	3212.5	3502	5363	1800
4/23/2025 0:16	3194	3500.5	5366	1801
4/23/2025 0:17	3191.5	3495.5	5365	1813
4/23/2025 0:18	3192	3500	5364	1805
4/23/2025 0:19	3205	3502	5363	1789
4/23/2025 0:20	3184.5	3497.5	5372	1805
4/23/2025 0:21	3187	3495	5371	1809
4/23/2025 0:22	3190.5	3496.5	5362	1798
4/23/2025 0:23	3202.5	3496	5359	1808

4/23/2025 0:24	3191.5	3493.5	5363	1808
4/23/2025 0:25	3181	3486	5354	1809
4/23/2025 0:26	3206.5	3494.5	5369	1800
4/23/2025 0:27	3177	3489	5360	1801
4/23/2025 0:28	3184.5	3499.5	5357	1809
4/23/2025 0:29	3192.5	3489	5362	1809
4/23/2025 0:30	3187.5	3495	5361	1805
4/23/2025 0:31	3182.5	3492.5	5358	1804
4/23/2025 0:32	3198	3496.5	5356	1800
4/23/2025 0:33	3175	3498	5356	1809
4/23/2025 0:34	3169	3492	5364	1805
4/23/2025 0:35	3183.5	3489	5357	1799
4/23/2025 0:36	3196.5	3493.5	5359	1809
4/23/2025 0:37	3202.5	3496	5362	1798
4/23/2025 0:38	3201	3489	5369	1803
4/23/2025 0:39	3183.5	3499.5	5360	1803
4/23/2025 0:40	3189.5	3493.5	5360	1806
4/23/2025 0:41	3184.5	3489	5358	1806
4/23/2025 0:42	3170.5	3488	5366	1819
4/23/2025 0:43	3196.5	3488.5	5364	1809
4/23/2025 0:44	3185	3491	5361	1806
4/23/2025 0:45	3187	3498.5	5363	1816
4/23/2025 0:46	3199	3490.5	5359	1804
4/23/2025 0:47	3180.5	3483.5	5363	1814
4/23/2025 0:48	3195	3494.5	5364	1814
4/23/2025 0:49	3179	3488	5364	1810
4/23/2025 0:50	3183.5	3491	5374	1813
4/23/2025 0:51	3202	3497.5	5355	1805
4/23/2025 0:52	3192.5	3488	5361	1804
4/23/2025 0:53	3194	3486.5	5365	1814
4/23/2025 0:54	3192.5	3489	5364	1804
4/23/2025 0:55	3201	3493.5	5362	1811
4/23/2025 0:56	3202.5	3494	5357	1804
4/23/2025 0:57	3193	3492	5366	1807
4/23/2025 0:58	3193.5	3490.5	5367	1803
4/23/2025 0:59	3185.5	3489.5	5366	1815
4/23/2025 1:00	3195.5	3496	5360	1806
4/23/2025 1:01	3182	3477.5	5358	1799
4/23/2025 1:02	3192.5	3488	5361	1820
4/23/2025 1:03	3189	3482.5	5369	1805
4/23/2025 1:04	3201.5	3486	5375	1814
4/23/2025 1:05	3181	3490	5362	1803
4/23/2025 1:06	3181.5	3478.5	5356	1800
4/23/2025 1:07	3184	3484	5362	1813
4/23/2025 1:08	3186.5	3483	5355	1811
4/23/2025 1:09	3189	3491	5365	1810
4/23/2025 1:10	3184.5	3487	5368	1811
4/23/2025 1:11	3184.5	3488.5	5366	1805
4/23/2025 1:12	3188.5	3492.5	5359	1813
4/23/2025 1:13	3200	3481.5	5359	1800
4/23/2025 1:14	3186	3495	5366	1820
4/23/2025 1:15	3185	3490	5357	1803
4/23/2025 1:16	3170	3483.5	5362	1821
4/23/2025 1:17	3184	3495.5	5364	1821
4/23/2025 1:18	3183.5	3487.5	5364	1808
4/23/2025 1:19	3197	3488	5358	1809
4/23/2025 1:20	3190.5	3483.5	5354	1814
4/23/2025 1:21	3193	3486.5	5353	1811
4/23/2025 1:22	3178.5	3482.5	5362	1810
4/23/2025 1:23	3171.5	3485.5	5366	1814
4/23/2025 1:24	3187	3477.5	5354	1803
4/23/2025 1:25	3182.5	3478.5	5358	1803
4/23/2025 1:26	3176.5	3481.5	5350	1817

4/23/2025 1:27	3174.5	3485	5351	1820
4/23/2025 1:28	3176.5	3484.5	5360	1809
4/23/2025 1:29	3178.5	3484.5	5351	1824
4/23/2025 1:30	3193	3489.5	5358	1810
4/23/2025 1:31	3176	3491.5	5358	1820
4/23/2025 1:32	3165.5	3483.5	5360	1812
4/23/2025 1:33	3176	3495	5356	1813
4/23/2025 1:34	3176.5	3492.5	5355	1815
4/23/2025 1:35	3185	3485.5	5360	1811
4/23/2025 1:36	3177.5	3479	5349	1808
4/23/2025 1:37	3178	3487.5	5345	1814
4/23/2025 1:38	3180.5	3486.5	5359	1813
4/23/2025 1:39	3179	3482	5354	1811
4/23/2025 1:40	3184	3483.5	5354	1810
4/23/2025 1:41	3200	3481.5	5351	1801
4/23/2025 1:42	3172	3481	5359	1814
4/23/2025 1:43	3175.5	3493	5363	1808
4/23/2025 1:44	3173	3483.5	5359	1820
4/23/2025 1:45	3177	3494	5358	1809
4/23/2025 1:46	3184	3493	5358	1803
4/23/2025 1:47	3186	3490.5	5370	1806
4/23/2025 1:48	3179	3483	5352	1799
4/23/2025 1:49	3183.5	3487.5	5363	1808
4/23/2025 1:50	3183	3497.5	5361	1804
4/23/2025 1:51	3201	3490.5	5357	1801
4/23/2025 1:52	3169.5	3484	5361	1805
4/23/2025 1:53	3174.5	3490	5372	1816
4/23/2025 1:54	3189	3492	5362	1804
4/23/2025 1:55	3184.5	3495	5369	1821
4/23/2025 1:56	3177	3492.5	5370	1810
4/23/2025 1:57	3167	3487	5363	1807
4/23/2025 1:58	3192	3491	5373	1810
4/23/2025 1:59	3193.5	3492	5357	1805
4/23/2025 2:00	3173.5	3496.5	5364	1815
4/23/2025 2:01	3197	3493	5355	1820
4/23/2025 2:02	3185	3500.5	5362	1807
4/23/2025 2:03	3176.5	3496	5363	1821
4/23/2025 2:04	3190	3494.5	5360	1805
4/23/2025 2:05	3171.5	3493	5352	1809
4/23/2025 2:06	3178	3495	5362	1810
4/23/2025 2:07	3196.5	3499	5364	1796
4/23/2025 2:08	3191	3490.5	5367	1822
4/23/2025 2:09	3193	3502	5369	1811
4/23/2025 2:10	3192.5	3498	5363	1821
4/23/2025 2:11	3176	3501.5	5369	1801
4/23/2025 2:12	3178.5	3505	5371	1809
4/23/2025 2:13	3167	3495	5366	1816
4/23/2025 2:14	3189	3496.5	5370	1822
4/23/2025 2:15	3193	3498	5368	1817
4/23/2025 2:16	3175	3497	5372	1814
4/23/2025 2:17	3178	3504	5375	1814
4/23/2025 2:18	3183	3493	5376	1808
4/23/2025 2:19	3184.5	3500.5	5368	1809
4/23/2025 2:20	3192	3496	5379	1810
4/23/2025 2:21	3184.5	3491	5379	1817
4/23/2025 2:22	3209.5	3499	5370	1821
4/23/2025 2:23	3194	3498.5	5371	1814
4/23/2025 2:24	3184.5	3497	5371	1815
4/23/2025 2:25	3192	3492	5367	1809
4/23/2025 2:26	3194	3499	5369	1809
4/23/2025 2:27	3185	3501	5364	1815
4/23/2025 2:28	3176	3498.5	5378	1820
4/23/2025 2:29	3189.5	3498.5	5375	1807

4/23/2025 2:30	3206.5	3491.5	5372	1810
4/23/2025 2:31	3181.5	3494	5369	1814
4/23/2025 2:32	3189.5	3496	5367	1808
4/23/2025 2:33	3189.5	3494.5	5371	1800
4/23/2025 2:34	3190.5	3503	5379	1804
4/23/2025 2:35	3204	3494.5	5369	1814
4/23/2025 2:36	3198	3491.5	5375	1814
4/23/2025 2:37	3198.5	3497.5	5369	1809
4/23/2025 2:38	3198.5	3496	5380	1801
4/23/2025 2:39	3178.5	3499	5378	1819
4/23/2025 2:40	3176.5	3496	5379	1817
4/23/2025 2:41	3188.5	3500	5378	1811
4/23/2025 2:42	3194.5	3494	5371	1814
4/23/2025 2:43	3191	3492	5380	1805
4/23/2025 2:44	3203	3496	5373	1817
4/23/2025 2:45	3208.5	3501	5380	1813
4/23/2025 2:46	3198.5	3502.5	5382	1811
4/23/2025 2:47	3196.5	3493	5374	1816
4/23/2025 2:48	3208	3507.5	5373	1813
4/23/2025 2:49	3187	3501	5378	1816
4/23/2025 2:50	3186	3498.5	5386	1815
4/23/2025 2:51	3196.5	3497	5378	1813
4/23/2025 2:52	3193	3500.5	5375	1814
4/23/2025 2:53	3186.5	3494.5	5377	1809
4/23/2025 2:54	3184	3491	5370	1803
4/23/2025 2:55	3186	3501.5	5374	1814
4/23/2025 2:56	3198.5	3495	5384	1806
4/23/2025 2:57	3216	3498	5380	1807
4/23/2025 2:58	3202.5	3497	5374	1820
4/23/2025 2:59	3194.5	3486.5	5366	1789
4/23/2025 3:00	3197	3498	5385	1809
4/23/2025 3:01	3195	3499.5	5373	1815
4/23/2025 3:02	3197	3498.5	5380	1819
4/23/2025 3:03	3202.5	3501	5375	1805
4/23/2025 3:04	3197	3491.5	5381	1811
4/23/2025 3:05	3193.5	3492.5	5376	1801
4/23/2025 3:06	3188.5	3498	5372	1800
4/23/2025 3:07	3200	3494.5	5376	1807
4/23/2025 3:08	3198.5	3496.5	5368	1813
4/23/2025 3:09	3187	3500	5377	1813
4/23/2025 3:10	3198.5	3495	5376	1796
4/23/2025 3:11	3204.5	3493.5	5378	1799
4/23/2025 3:12	3186.5	3499.5	5372	1806
4/23/2025 3:13	3207	3496.5	5376	1798
4/23/2025 3:14	3184.5	3500	5378	1808
4/23/2025 3:15	3210.5	3493	5376	1805
4/23/2025 3:16	3191	3493	5374	1808
4/23/2025 3:17	3191	3503.5	5370	1806
4/23/2025 3:18	3203.5	3498	5365	1809
4/23/2025 3:19	3194	3498	5381	1794
4/23/2025 3:20	3190.5	3500.5	5371	1809
4/23/2025 3:21	3197.5	3490	5373	1805
4/23/2025 3:22	3203	3498.5	5372	1803
4/23/2025 3:23	3189	3492	5364	1796
4/23/2025 3:24	3204	3491.5	5371	1809
4/23/2025 3:25	3211	3497.5	5371	1794
4/23/2025 3:26	3192.5	3490.5	5374	1801
4/23/2025 3:27	3212	3496.5	5383	1801
4/23/2025 3:28	3213	3497	5379	1801
4/23/2025 3:29	3199	3504.5	5373	1798
4/23/2025 3:30	3192.5	3488	5370	1809
4/23/2025 3:31	3206	3492.5	5374	1806
4/23/2025 3:32	3181	3493	5376	1800

4/23/2025 3:33	3204.5	3498.5	5373	1809
4/23/2025 3:34	3215	3500	5379	1809
4/23/2025 3:35	3198.5	3493.5	5372	1808
4/23/2025 3:36	3198.5	3494.5	5374	1800
4/23/2025 3:37	3198	3491.5	5380	1806
4/23/2025 3:38	3194.5	3496	5385	1795
4/23/2025 3:39	3204	3494.5	5384	1793
4/23/2025 3:40	3207.5	3493.5	5374	1796
4/23/2025 3:41	3211	3498	5381	1805
4/23/2025 3:42	3208.5	3497	5376	1798
4/23/2025 3:43	3196.5	3499	5382	1798
4/23/2025 3:44	3212.5	3497	5376	1800
4/23/2025 3:45	3205.5	3494.5	5374	1809
4/23/2025 3:46	3205	3495	5382	1804
4/23/2025 3:47	3197.5	3498.5	5384	1807
4/23/2025 3:48	3212.5	3494.5	5380	1796
4/23/2025 3:49	3207.5	3493	5372	1800
4/23/2025 3:50	3202	3497	5382	1806
4/23/2025 3:51	3206.5	3491.5	5388	1805
4/23/2025 3:52	3213	3491.5	5386	1803
4/23/2025 3:53	3184	3497	5371	1799
4/23/2025 3:54	3200.5	3496	5381	1793
4/23/2025 3:55	3201	3497.5	5378	1814
4/23/2025 3:56	3208	3497.5	5375	1808
4/23/2025 3:57	3187.5	3490	5383	1798
4/23/2025 3:58	3203	3496.5	5388	1796
4/23/2025 3:59	3206.5	3491	5372	1796
4/23/2025 4:00	3209.5	3495	5374	1805
4/23/2025 4:01	3211	3496	5378	1801
4/23/2025 4:02	3209	3490	5376	1800
4/23/2025 4:03	3206.5	3499	5376	1801
4/23/2025 4:04	3204	3499	5373	1814
4/23/2025 4:05	3217	3497.5	5377	1799
4/23/2025 4:06	3201	3494.5	5375	1806
4/23/2025 4:07	3207	3499.5	5381	1813
4/23/2025 4:08	3212	3504.5	5378	1805
4/23/2025 4:09	3200.5	3504.5	5374	1795
4/23/2025 4:10	3211	3504.5	5385	1799
4/23/2025 4:11	3213	3506	5384	1798
4/23/2025 4:12	3217.5	3503	5394	1799
4/23/2025 4:13	3205	3495.5	5383	1799
4/23/2025 4:14	3211.5	3503	5382	1793
4/23/2025 4:15	3200	3501	5380	1800
4/23/2025 4:16	3202.5	3499	5380	1784
4/23/2025 4:17	3203	3503.5	5376	1796
4/23/2025 4:18	3211.5	3496.5	5380	1813
4/23/2025 4:19	3203.5	3504.5	5378	1808
4/23/2025 4:20	3205.5	3499	5373	1804
4/23/2025 4:21	3206	3498	5372	1801
4/23/2025 4:22	3202	3493	5374	1806
4/23/2025 4:23	3210	3509	5375	1806
4/23/2025 4:24	3208.5	3497	5384	1811
4/23/2025 4:25	3201.5	3503	5374	1805
4/23/2025 4:26	3215	3501.5	5384	1801
4/23/2025 4:27	3200.5	3500.5	5381	1805
4/23/2025 4:28	3212.5	3503	5391	1810
4/23/2025 4:29	3208.5	3497	5374	1806
4/23/2025 4:30	3205.5	3499	5382	1808
4/23/2025 4:31	3192	3502	5378	1806
4/23/2025 4:32	3208.5	3501.5	5373	1817
4/23/2025 4:33	3217.5	3499	5379	1793
4/23/2025 4:34	3214	3508	5381	1808
4/23/2025 4:35	3225	3505	5379	1808

4/23/2025 4:36	3211.5	3498	5384	1807
4/23/2025 4:37	3203.5	3504	5382	1799
4/23/2025 4:38	3212	3506.5	5381	1806
4/23/2025 4:39	3217.5	3505.5	5378	1809
4/23/2025 4:40	3206	3501.5	5391	1798
4/23/2025 4:41	3216.5	3501	5389	1799
4/23/2025 4:42	3206.5	3499.5	5382	1794
4/23/2025 4:43	3214.5	3505.5	5382	1789
4/23/2025 4:44	3211.5	3505	5386	1788
4/23/2025 4:45	3227.5	3496.5	5376	1807
4/23/2025 4:46	3215	3505	5368	1804
4/23/2025 4:47	3208	3496.5	5381	1798
4/23/2025 4:48	3216	3493.5	5383	1799
4/23/2025 4:49	3195	3505.5	5375	1811
4/23/2025 4:50	3216	3501.5	5384	1801
4/23/2025 4:51	3214.5	3502	5382	1801
4/23/2025 4:52	3225	3502.5	5384	1816
4/23/2025 4:53	3204.5	3504.5	5378	1811
4/23/2025 4:54	3223.5	3507.5	5377	1803
4/23/2025 4:55	3218.5	3503.5	5382	1819
4/23/2025 4:56	3205	3496	5382	1800
4/23/2025 4:57	3216	3502	5388	1805
4/23/2025 4:58	3211.5	3499	5373	1795
4/23/2025 4:59	3203.5	3505.5	5370	1806
4/23/2025 5:00	3201.5	3500.5	5369	1808
4/23/2025 5:01	3212.5	3499.5	5378	1801
4/23/2025 5:02	3224	3497	5374	1805
4/23/2025 5:03	3206.5	3510	5377	1811
4/23/2025 5:04	3204.5	3499	5375	1806
4/23/2025 5:05	3210.5	3500.5	5382	1798
4/23/2025 5:06	3228.5	3503	5379	1801
4/23/2025 5:07	3211.5	3506.5	5380	1805
4/23/2025 5:08	3220.5	3512	5377	1805
4/23/2025 5:09	3208	3510.5	5384	1807
4/23/2025 5:10	3210.5	3503	5385	1799
4/23/2025 5:11	3209	3492.5	5383	1810
4/23/2025 5:12	3190	3504	5379	1790
4/23/2025 5:13	3199	3498	5384	1814
4/23/2025 5:14	3195	3510	5381	1808
4/23/2025 5:15	3199.5	3499	5384	1824
4/23/2025 5:16	3209.5	3505	5382	1803
4/23/2025 5:17	3208.5	3501	5376	1816
4/23/2025 5:18	3209.5	3509	5376	1809
4/23/2025 5:19	3207	3507.5	5376	1806
4/23/2025 5:20	3215.5	3503.5	5378	1799
4/23/2025 5:21	3211	3510.5	5364	1811
4/23/2025 5:22	3203.5	3514.5	5377	1805
4/23/2025 5:23	3214.5	3505	5375	1815
4/23/2025 5:24	3227.5	3515.5	5382	1806
4/23/2025 5:25	3207	3513.5	5373	1800
4/23/2025 5:26	3216	3506	5374	1807
4/23/2025 5:27	3202	3502.5	5378	1810
4/23/2025 5:28	3210	3505.5	5378	1801
4/23/2025 5:29	3192.5	3506.5	5378	1806
4/23/2025 5:30	3200	3506	5375	1805
4/23/2025 5:31	3190.5	3514.5	5372	1819
4/23/2025 5:32	3187	3507.5	5373	1805
4/23/2025 5:33	3206	3512.5	5375	1803
4/23/2025 5:34	3197	3510.5	5370	1808
4/23/2025 5:35	3207.5	3505	5369	1806
4/23/2025 5:36	3207	3512	5369	1809
4/23/2025 5:37	3201.5	3513	5376	1808
4/23/2025 5:38	3211.5	3506.5	5381	1798

4/23/2025 5:39	3210.5	3502	5375	1798
4/23/2025 5:40	3200.5	3506	5376	1800
4/23/2025 5:41	3191.5	3507.5	5373	1805
4/23/2025 5:42	3204	3514	5366	1794
4/23/2025 5:43	3196.5	3498.5	5380	1793
4/23/2025 5:44	3203	3504	5377	1798
4/23/2025 5:45	3205	3505	5372	1809
4/23/2025 5:46	3206	3504	5374	1807
4/23/2025 5:47	3191.5	3506	5377	1800
4/23/2025 5:48	3198	3507	5381	1809
4/23/2025 5:49	3206.5	3507.5	5374	1805
4/23/2025 5:50	3198	3510.5	5380	1814
4/23/2025 5:51	3221.5	3508.5	5381	1791
4/23/2025 5:52	3200	3501	5377	1801
4/23/2025 5:53	3208	3514	5387	1804
4/23/2025 5:54	3208.5	3502	5382	1821
4/23/2025 5:55	3199.5	3512	5381	1800
4/23/2025 5:56	3202.5	3510	5375	1804
4/23/2025 5:57	3196.5	3503	5371	1810
4/23/2025 5:58	3198.5	3508	5371	1810
4/23/2025 5:59	3203	3506	5370	1806
4/23/2025 6:00	3196.5	3517	5373	1800
4/23/2025 6:01	3223.5	3509	5368	1799
4/23/2025 6:02	3206.5	3508	5376	1799
4/23/2025 6:03	3202.5	3509.5	5368	1808
4/23/2025 6:04	3202.5	3504	5365	1800
4/23/2025 6:05	3189.5	3511.5	5368	1798
4/23/2025 6:06	3219.5	3515	5357	1810
4/23/2025 6:07	3201.5	3509.5	5373	1805
4/23/2025 6:08	3204.5	3513	5370	1806
4/23/2025 6:09	3217.5	3514.5	5359	1809
4/23/2025 6:10	3205	3512.5	5371	1811
4/23/2025 6:11	3191	3516	5376	1798
4/23/2025 6:12	3193	3511.5	5372	1813
4/23/2025 6:13	3204	3513	5377	1796
4/23/2025 6:14	3200.5	3510	5367	1806
4/23/2025 6:15	3191.5	3507	5376	1814
4/23/2025 6:16	3199	3511.5	5369	1800
4/23/2025 6:17	3195.5	3516	5371	1813
4/23/2025 6:18	3209	3516.5	5368	1814
4/23/2025 6:19	3213.5	3509	5361	1806
4/23/2025 6:20	3210	3513.5	5359	1805
4/23/2025 6:21	3191	3511.5	5359	1803
4/23/2025 6:22	3204	3515	5367	1805
4/23/2025 6:23	3208.5	3508	5366	1810
4/23/2025 6:24	3199	3512.5	5371	1815
4/23/2025 6:25	3205	3510.5	5373	1806
4/23/2025 6:26	3196	3519	5370	1813
4/23/2025 6:27	3209.5	3515.5	5362	1804
4/23/2025 6:28	3194	3514.5	5363	1808
4/23/2025 6:29	3202.5	3513	5374	1806
4/23/2025 6:30	3201.5	3513	5368	1814
4/23/2025 6:31	3196	3513.5	5373	1809
4/23/2025 6:32	3212.5	3510.5	5374	1806
4/23/2025 6:33	3205	3518.5	5367	1809
4/23/2025 6:34	3202	3510	5371	1813
4/23/2025 6:35	3198.5	3502.5	5370	1805
4/23/2025 6:36	3207.5	3523.5	5379	1809
4/23/2025 6:37	3200.5	3515.5	5373	1807
4/23/2025 6:38	3199.5	3514.5	5384	1807
4/23/2025 6:39	3204.5	3514.5	5385	1810
4/23/2025 6:40	3219	3513	5371	1806
4/23/2025 6:41	3198	3512.5	5373	1807

4/23/2025 6:42	3181.5	3513.5	5384	1810
4/23/2025 6:43	3182	3515	5371	1811
4/23/2025 6:44	3209	3507	5376	1794
4/23/2025 6:45	3215	3507	5367	1801
4/23/2025 6:46	3207.5	3506.5	5370	1800
4/23/2025 6:47	3195	3513	5377	1799
4/23/2025 6:48	3219.5	3503	5367	1798
4/23/2025 6:49	3202.5	3498.5	5371	1810
4/23/2025 6:50	3205.5	3505	5374	1814
4/23/2025 6:51	3195	3511.5	5371	1809
4/23/2025 6:52	3202	3509	5370	1801
4/23/2025 6:53	3196.5	3501.5	5378	1800
4/23/2025 6:54	3196.5	3503	5366	1813
4/23/2025 6:55	3193.5	3506	5372	1804
4/23/2025 6:56	3214.5	3516	5371	1799
4/23/2025 6:57	3199.5	3505.5	5377	1807
4/23/2025 6:58	3203	3506.5	5366	1804
4/23/2025 6:59	3188.5	3513	5369	1799
4/23/2025 7:00	3195	3507.5	5371	1805
4/23/2025 7:01	3191.5	3509	5367	1799
4/23/2025 7:02	3197.5	3508.5	5371	1804
4/23/2025 7:03	3204	3497.5	5369	1808
4/23/2025 7:04	3203.5	3504	5377	1801
4/23/2025 7:05	3206	3512.5	5370	1811
4/23/2025 7:06	3199	3510	5372	1809
4/23/2025 7:07	3202	3511	5378	1804
4/23/2025 7:08	3206	3508	5374	1804
4/23/2025 7:09	3200.5	3507.5	5374	1808
4/23/2025 7:10	3198.5	3504.5	5372	1798
4/23/2025 7:11	3197.5	3495.5	5371	1808
4/23/2025 7:12	3195.5	3503.5	5371	1805
4/23/2025 7:13	3215.5	3502.5	5370	1795
4/23/2025 7:14	3211	3494	5376	1813
4/23/2025 7:15	3204	3497	5369	1799
4/23/2025 7:16	3191	3500.5	5371	1806
4/23/2025 7:17	3197.5	3500	5375	1810
4/23/2025 7:18	3203.5	3507	5374	1805
4/23/2025 7:19	3201.5	3502.5	5371	1810
4/23/2025 7:20	3209	3506.5	5370	1804
4/23/2025 7:21	3212	3500.5	5377	1806
4/23/2025 7:22	3209	3502.5	5367	1808
4/23/2025 7:23	3201.5	3500.5	5380	1808
4/23/2025 7:24	3189.5	3490.5	5378	1811
4/23/2025 7:25	3211.5	3491	5367	1800
4/23/2025 7:26	3205	3493.5	5374	1809
4/23/2025 7:27	3204.5	3495.5	5370	1805
4/23/2025 7:28	3196.5	3498	5366	1815
4/23/2025 7:29	3212	3496	5369	1809
4/23/2025 7:30	3199	3499	5366	1806
4/23/2025 7:31	3211	3497.5	5369	1799
4/23/2025 7:32	3189	3501.5	5369	1806
4/23/2025 7:33	3198	3497.5	5371	1800
4/23/2025 7:34	3205.5	3496.5	5371	1786
4/23/2025 7:35	3202	3487.5	5363	1801
4/23/2025 7:36	3208.5	3494.5	5367	1805
4/23/2025 7:37	3195.5	3490.5	5364	1799
4/23/2025 7:38	3209.5	3500	5372	1788
4/23/2025 7:39	3198.5	3499	5364	1801
4/23/2025 7:40	3198.5	3496.5	5370	1805
4/23/2025 7:41	3205.5	3502.5	5372	1810
4/23/2025 7:42	3195.5	3495.5	5366	1799
4/23/2025 7:43	3213	3492.5	5366	1800
4/23/2025 7:44	3208.5	3495.5	5357	1813

4/23/2025 7:45	3206	3493	5373	1803
4/23/2025 7:46	3193.5	3495.5	5372	1803
4/23/2025 7:47	3194	3498.5	5366	1805
4/23/2025 7:48	3184.5	3492	5375	1795
4/23/2025 7:49	3206.5	3503	5353	1798
4/23/2025 7:50	3198	3495.5	5353	1810
4/23/2025 7:51	3198.5	3489.5	5350	1805
4/23/2025 7:52	3218	3493.5	5350	1805
4/23/2025 7:53	3209	3491.5	5354	1809
4/23/2025 7:54	3189.5	3489.5	5354	1808
4/23/2025 7:55	3192	3490	5379	1798
4/23/2025 7:56	3205	3496	5379	1813
4/23/2025 7:57	3196.5	3500.5	5339	1804
4/23/2025 7:58	3202	3494.5	5339	1809
4/23/2025 7:59	3197.5	3499	5375	1801
4/23/2025 8:00	3213.5	3494.5	5375	1801
4/23/2025 8:01	3207	3491	5366	1808
4/23/2025 8:02	3206.5	3490	5366	1809
4/23/2025 8:03	3205.5	3485	5374	1798
4/23/2025 8:04	3203.5	3487	5374	1801
4/23/2025 8:05	3203	3495	5335	1809
4/23/2025 8:06	3208	3498	5335	1801
4/23/2025 8:07	3195	3501	5348	1795
4/23/2025 8:08	3197	3498.5	5348	1799
4/23/2025 8:09	3196	3488	5346	1790
4/23/2025 8:10	3209	3494.5	5346	1805
4/23/2025 8:11	3192.5	3491	5366	1791
4/23/2025 8:12	3186.5	3493.5	5366	1796
4/23/2025 8:13	3199	3494	5381	1796
4/23/2025 8:14	3191	3489	5381	1790
4/23/2025 8:15	3209	3493.5	5351	1800
4/23/2025 8:16	3205.5	3497	5351	1803
4/23/2025 8:17	3199	3492.5	5353	1798
4/23/2025 8:18	3198.5	3489.5	5353	1796
4/23/2025 8:19	3207	3487	5372	1794
4/23/2025 8:20	3202	3495.5	5372	1794
4/23/2025 8:21	3205	3492.5	5339	1789
4/23/2025 8:22	3200	3486.5	5339	1799
4/23/2025 8:23	3192.5	3502.5	5336	1796
4/23/2025 8:24	3197.5	3497.5	5336	1807
4/23/2025 8:25	3194.5	3493	5348	1796
4/23/2025 8:26	3188.5	3495	5348	1794
4/23/2025 8:27	3194.5	3489	5368	1801
4/23/2025 8:28	3205	3485	5368	1798
4/23/2025 8:29	3208.5	3487	5348	1798
4/23/2025 8:30	3207.5	3487.5	5348	1800
4/23/2025 8:31	3180.5	3488	5354	1806
4/23/2025 8:32	3197.5	3482.5	5354	1801
4/23/2025 8:33	3198	3486	5350	1805
4/23/2025 8:34	3199	3491.5	5350	1798
4/23/2025 8:35	3190.5	3482	5358	1798
4/23/2025 8:36	3201	3485	5358	1798
4/23/2025 8:37	3180	3493.5	5365	1798
4/23/2025 8:38	3194.5	3488	5365	1800
4/23/2025 8:39	3195.5	3493	5349	1803
4/23/2025 8:40	3181	3492	5349	1798
4/23/2025 8:41	3191.5	3487.5	5350	1804
4/23/2025 8:42	3204	3489.5	5350	1808
4/23/2025 8:43	3191	3483.5	5328	1801
4/23/2025 8:44	3199.5	3488.5	5328	1799
4/23/2025 8:45	3190.5	3492.5	5349	1801
4/23/2025 8:46	3203	3495	5349	1808
4/23/2025 8:47	3179.5	3486	5341	1799

4/23/2025 8:48	3187.5	3484.5	5341	1801
4/23/2025 8:49	3190	3496	5358	1795
4/23/2025 8:50	3206	3496	5358	1808
4/23/2025 8:51	3191	3493	5353	1798
4/23/2025 8:52	3186	3491	5353	1778
4/23/2025 8:53	3188.5	3491	5368	1806
4/23/2025 8:54	3192.5	3490	5368	1801
4/23/2025 8:55	3190.5	3491	5365	1790
4/23/2025 8:56	3187.5	3488	5365	1805
4/23/2025 8:57	3204	3490	5361	1798
4/23/2025 8:58	3195	3494	5361	1799
4/23/2025 8:59	3187.5	3488.5	5405	1805
4/23/2025 9:00	3199	3488	5405	1807
4/23/2025 9:01	3191.5	3487.5	5399	1803
4/23/2025 9:02	3209.5	3500	5399	1783
4/23/2025 9:03	3221	3525	5440	1800
4/23/2025 9:04	3221	3525	5440	1806
4/23/2025 9:05	3261	3525	5413	1801
4/23/2025 9:06	3261	3525	5413	1798
4/23/2025 9:07	3218	3515	5404	1799
4/23/2025 9:08	3218	3515	5404	1796
4/23/2025 9:09	3221	3523	5418	1798
4/23/2025 9:10	3221	3523	5418	1805
4/23/2025 9:11	3214	3513	5396	1799
4/23/2025 9:12	3214	3513	5396	1805
4/23/2025 9:13	3206	3514	5408	1796
4/23/2025 9:14	3206	3514	5408	1801
4/23/2025 9:15	3252	3512	5396	1804
4/23/2025 9:16	3252	3512	5396	1805
4/23/2025 9:17	3209	3505	5420	1805
4/23/2025 9:18	3209	3505	5420	1794
4/23/2025 9:19	3216	3508	5398	1805
4/23/2025 9:20	3216	3508	5398	1798
4/23/2025 9:21	3213	3515	5390	1810
4/23/2025 9:22	3213	3515	5390	1814
4/23/2025 9:23	3231	3513	5402	1813
4/23/2025 9:24	3231	3513	5402	1809
4/23/2025 9:25	3224	3506	5422	1814
4/23/2025 9:26	3224	3506	5422	1806
4/23/2025 9:27	3257	3527	5394	1819
4/23/2025 9:28	3257	3527	5394	1814
4/23/2025 9:29	3216	3514	5399	1799
4/23/2025 9:30	3216	3514	5399	1799
4/23/2025 9:31	3248	3517	5383	1808
4/23/2025 9:32	3248	3517	5383	1801
4/23/2025 9:33	3232	3501	5414	1800
4/23/2025 9:34	3232	3501	5414	1796
4/23/2025 9:35	3223	3515	5399	1806
4/23/2025 9:36	3223	3515	5399	1794
4/23/2025 9:37	3235	3501	5403	1810
4/23/2025 9:38	3235	3501	5403	1800
4/23/2025 9:39	3275	3526	5406	1805
4/23/2025 9:40	3275	3526	5406	1794
4/23/2025 9:41	3236	3528	5397	1799
4/23/2025 9:42	3236	3528	5397	1796
4/23/2025 9:43	3218	3522	5404	1799
4/23/2025 9:44	3218	3522	5404	1805
4/23/2025 9:45	3239	3500	5400	1799
4/23/2025 9:46	3239	3500	5400	1795
4/23/2025 9:47	3244	3525	5403	1804
4/23/2025 9:48	3244	3525	5403	1799
4/23/2025 9:49	3217	3530	5394	1805
4/23/2025 9:50	3217	3530	5394	1796

4/23/2025 9:51	3250	3524	5408	1811
4/23/2025 9:52	3250	3524	5408	1794
4/23/2025 9:53	3241	3525	5393	1809
4/23/2025 9:54	3241	3525	5393	1799
4/23/2025 9:55	3259	3524	5385	1815
4/23/2025 9:56	3259	3524	5385	1808
4/23/2025 9:57	3252	3511	5399	1795
4/23/2025 9:58	3252	3511	5399	1805
4/23/2025 9:59	3253	3512	5411	1804
4/23/2025 10:00	3253	3512	5411	1804
4/23/2025 10:01	3232	3516	5391	1798
4/23/2025 10:02	3232	3516	5391	1822
4/23/2025 10:03	3207	3526	5389	1820
4/23/2025 10:04	3207	3526	5389	1824
4/23/2025 10:05	3279	3502	5393	1813
4/23/2025 10:06	3279	3502	5393	1821
4/23/2025 10:07	3237	3519	5403	1814
4/23/2025 10:08	3237	3519	5403	1822
4/23/2025 10:09	3237	3516	5403	1826
4/23/2025 10:10	3237	3516	5403	1814
4/23/2025 10:11	3255	3527	5400	1824
4/23/2025 10:12	3255	3527	5400	1825
4/23/2025 10:13	3247	3521	5404	1810
4/23/2025 10:14	3247	3521	5404	1820
4/23/2025 10:15	3273	3530	5393	1806
4/23/2025 10:16	3273	3530	5393	1828
4/23/2025 10:17	3252	3540	5424	1816
4/23/2025 10:18	3252	3540	5424	1810
4/23/2025 10:19	3247	3518	5410	1829
4/23/2025 10:20	3247	3518	5410	1828
4/23/2025 10:21	3260	3531	5396	1825
4/23/2025 10:22	3260	3531	5396	1821
4/23/2025 10:23	3263	3540	5406	1816
4/23/2025 10:24	3263	3540	5406	1816
4/23/2025 10:25	3228	3528	5400	1822
4/23/2025 10:26	3228	3528	5400	1806
4/23/2025 10:27	3241	3531	5363	1816
4/23/2025 10:28	3241	3531	5363	1809
4/23/2025 10:29	3276	3514	5399	1811
4/23/2025 10:30	3276	3514	5399	1806
4/23/2025 10:31	3230	3497	5383	1796
4/23/2025 10:32	3230	3497	5383	1801
4/23/2025 10:33	3216	3494	5389	1794
4/23/2025 10:34	3216	3494	5389	1786
4/23/2025 10:35	3243	3505	5392	1801
4/23/2025 10:36	3243	3505	5392	1791
4/23/2025 10:37	3228	3500	5369	1808
4/23/2025 10:38	3228	3500	5369	1800
4/23/2025 10:39	3230	3523	5378	1799
4/23/2025 10:40	3230	3523	5378	1820
4/23/2025 10:40	3249	3507	5346	1806
4/23/2025 10:41	3249	3507	5346	1828
4/23/2025 10:42	3218	3510	5379	1824
4/23/2025 10:43	3218	3510	5379	1823
4/23/2025 10:44	3224	3508	5394	1821
4/23/2025 10:45	3224	3508	5394	1821
4/23/2025 10:46	3226	3504	5381	1816
4/23/2025 10:47	3226	3504	5381	1821
4/23/2025 10:48	3236	3500	5353	1831
4/23/2025 10:49	3236	3500	5353	1815
4/23/2025 10:50	3258	3510	5363	1824
4/23/2025 10:51	3258	3510	5363	1806
4/23/2025 10:52	3246	3505	5376	1817

4/23/2025 10:53	3246	3505	5376	1831
4/23/2025 10:54	3262	3519	5377	1818
4/23/2025 10:55	3262	3519	5377	1816
4/23/2025 10:56	3232	3535	5387	1825
4/23/2025 10:57	3232	3535	5387	1822
4/23/2025 10:58	3243	3511	5362	1824
4/23/2025 10:59	3243	3511	5362	1812
4/23/2025 11:00	3265	3529	5375	1811
4/23/2025 11:01	3265	3529	5375	1809
4/23/2025 11:02	3201	3512	5396	1822
4/23/2025 11:03	3201	3512	5396	1813
4/23/2025 11:04	3228	3519	5375	1816
4/23/2025 11:05	3228	3519	5375	1813
4/23/2025 11:06	3248	3531	5377	1813
4/23/2025 11:07	3248	3531	5377	1815
4/23/2025 11:08	3221	3504	5371	1813
4/23/2025 11:09	3221	3504	5371	1809
4/23/2025 11:10	3236	3528	5391	1805
4/23/2025 11:11	3236	3528	5391	1811
4/23/2025 11:12	3226	3517	5407	1809
4/23/2025 11:13	3226	3517	5407	1810
4/23/2025 11:14	3208	3519	5393	1807
4/23/2025 11:15	3208	3519	5393	1811
4/23/2025 11:16	3228	3514	5375	1814
4/23/2025 11:17	3228	3514	5375	1814
4/23/2025 11:18	3232	3519	5381	1815
4/23/2025 11:19	3232	3519	5381	1818
4/23/2025 11:20	3284	3529	5386	1806
4/23/2025 11:21	3284	3529	5386	1815
4/23/2025 11:22	3212	3533	5411	1806
4/23/2025 11:23	3212	3533	5411	1811
4/23/2025 11:24	3240	3517	5404	1811
4/23/2025 11:25	3240	3517	5404	1807
4/23/2025 11:26	3234	3529	5412	1807
4/23/2025 11:27	3234	3529	5412	1805
4/23/2025 11:28	3249	3518	5371	1814
4/23/2025 11:29	3249	3518	5371	1799
4/23/2025 11:30	3243	3521	5384	1810
4/23/2025 11:31	3243	3521	5384	1810
4/23/2025 11:32	3238	3516	5365	1809
4/23/2025 11:33	3238	3516	5365	1817
4/23/2025 11:34	3273	3514	5399	1801
4/23/2025 11:35	3273	3514	5399	1811
4/23/2025 11:36	3236	3533	5387	1820
4/23/2025 11:37	3236	3533	5387	1814
4/23/2025 11:38	3231	3521	5369	1813
4/23/2025 11:39	3231	3521	5369	1814
4/23/2025 11:40	3251	3538	5396	1815
4/23/2025 11:41	3251	3538	5396	1813
4/23/2025 11:42	3244	3525	5391	1800
4/23/2025 11:43	3244	3525	5391	1819
4/23/2025 11:44	3273	3515	5387	1804
4/23/2025 11:45	3273	3515	5387	1807
4/23/2025 11:46	3241	3506	5393	1803
4/23/2025 11:47	3241	3506	5393	1801
4/23/2025 11:48	3244	3529	5398	1806
4/23/2025 11:49	3244	3529	5398	1796
4/23/2025 11:50	3253	3533	5411	1798
4/23/2025 11:51	3253	3533	5411	1795
4/23/2025 11:52	3240	3521	5419	1806
4/23/2025 11:53	3240	3521	5419	1804
4/23/2025 11:54	3237	3515	5414	1805
4/23/2025 11:55	3237	3515	5414	1800

4/23/2025 11:56	3227	3517	5405	1801
4/23/2025 11:57	3227	3517	5405	1805
4/23/2025 11:58	3267	3526	5408	1821
4/23/2025 11:59	3267	3526	5408	1809
4/23/2025 12:00	3266	3540	5417	1804
4/23/2025 12:01	3266	3540	5417	1805
4/23/2025 12:02	3253	3528	5394	1806
4/23/2025 12:03	3253	3528	5394	1805
4/23/2025 12:04	3265	3515	5398	1806
4/23/2025 12:05	3265	3515	5398	1814
4/23/2025 12:06	3247	3530	5413	1800
4/23/2025 12:07	3247	3530	5413	1804
4/23/2025 12:08	3273	3526	5405	1798
4/23/2025 12:09	3273	3526	5405	1804
4/23/2025 12:10	3237	3519	5411	1816
4/23/2025 12:11	3237	3519	5411	1806
4/23/2025 12:12	3249	3538	5418	1807
4/23/2025 12:13	3249	3538	5418	1800
4/23/2025 12:14	3259	3515	5405	1810
4/23/2025 12:15	3259	3515	5405	1811
4/23/2025 12:16	3270	3518	5423	1811
4/23/2025 12:17	3270	3518	5423	1806
4/23/2025 12:18	3255	3522	5395	1798
4/23/2025 12:19	3255	3522	5395	1785
4/23/2025 12:20	3238	3525	5386	1813
4/23/2025 12:21	3238	3525	5386	1799
4/23/2025 12:22	3289	3509	5398	1799
4/23/2025 12:23	3289	3509	5398	1805
4/23/2025 12:24	3267	3523	5395	1804
4/23/2025 12:25	3267	3523	5395	1798
4/23/2025 12:26	3254	3522	5383	1801
4/23/2025 12:27	3254	3522	5383	1814
4/23/2025 12:28	3270	3532	5393	1805
4/23/2025 12:29	3270	3532	5393	1798
4/23/2025 12:30	3279	3531	5416	1804
4/23/2025 12:31	3279	3531	5416	1798
4/23/2025 12:32	3281	3520	5397	1803
4/23/2025 12:33	3281	3520	5397	1815
4/23/2025 12:34	3248	3510	5394	1794
4/23/2025 12:35	3248	3510	5394	1810
4/23/2025 12:36	3272	3538	5408	1805
4/23/2025 12:37	3272	3538	5408	1804
4/23/2025 12:38	3271	3536	5419	1801
4/23/2025 12:39	3271	3536	5419	1803
4/23/2025 12:40	3282	3538	5407	1811
4/23/2025 12:41	3282	3538	5407	1801
4/23/2025 12:42	3285	3530	5413	1801
4/23/2025 12:43	3285	3530	5413	1803
4/23/2025 12:44	3263	3536	5408	1801
4/23/2025 12:45	3263	3536	5408	1804
4/23/2025 12:46	3299	3522	5409	1814
4/23/2025 12:47	3299	3522	5409	1810
4/23/2025 12:48	3287	3518	5426	1806
4/23/2025 12:49	3287	3518	5426	1798
4/23/2025 12:50	3273	3532	5389	1801
4/23/2025 12:51	3273	3532	5389	1794
4/23/2025 12:52	3271	3532	5406	1808
4/23/2025 12:53	3271	3532	5406	1806
4/23/2025 12:54	3291	3537	5381	1817
4/23/2025 12:55	3291	3537	5381	1807
4/23/2025 12:56	3288	3548	5408	1795
4/23/2025 12:57	3288	3548	5408	1809
4/23/2025 12:58	3271	3527	5404	1807

4/23/2025 12:59	3271	3527	5404	1796
4/23/2025 13:00	3291	3537	5395	1794
4/23/2025 13:01	3291	3537	5395	1793
4/23/2025 13:02	3273	3538	5408	1810
4/23/2025 13:03	3273	3538	5408	1810
4/23/2025 13:04	3290	3543	5408	1805
4/23/2025 13:05	3290	3543	5408	1810
4/23/2025 13:06	3269	3523	5391	1806
4/23/2025 13:07	3269	3523	5391	1798
4/23/2025 13:08	3286	3530	5374	1809
4/23/2025 13:09	3286	3530	5374	1796
4/23/2025 13:10	3278	3530	5374	1801
4/23/2025 13:11	3278	3530	5374	1815
4/23/2025 13:12	3294	3535	5381	1809
4/23/2025 13:13	3294	3535	5381	1803
4/23/2025 13:14	3271	3541	5395	1798
4/23/2025 13:15	3271	3541	5395	1785
4/23/2025 13:16	3290	3534	5414	1798
4/23/2025 13:17	3290	3534	5414	1786
4/23/2025 13:18	3287	3528	5378	1796
4/23/2025 13:19	3287	3528	5378	1796
4/23/2025 13:20	3299	3556	5407	1807
4/23/2025 13:21	3299	3556	5407	1780
4/23/2025 13:22	3305	3538	5416	1794
4/23/2025 13:23	3305	3538	5416	1819
4/23/2025 13:24	3248	3519	5400	1816
4/23/2025 13:25	3248	3519	5400	1810
4/23/2025 13:26	3294	3528	5418	1790
4/23/2025 13:27	3294	3528	5418	1804
4/23/2025 13:28	3304	3518	5413	1806
4/23/2025 13:29	3304	3518	5413	1811
4/23/2025 13:30	3292	3542	5399	1816
4/23/2025 13:31	3292	3542	5399	1798
4/23/2025 13:32	3284	3538	5381	1811
4/23/2025 13:33	3284	3538	5381	1810
4/23/2025 13:34	3139	3152	5066	1803
4/23/2025 13:35	3139	3152	5066	1807
4/23/2025 13:36	2682	2765	4353	1820
4/23/2025 13:37	2682	2765	4353	1809
4/23/2025 13:38	2439	2686	4104	1814
4/23/2025 13:39	2439	2686	4104	1804
4/23/2025 13:40	2421	2695	4119	1814
4/23/2025 13:41	2421	2695	4119	1818
4/23/2025 13:42	2407	2683	4116	1829
4/23/2025 13:43	2407	2683	4116	1828
4/23/2025 13:44	2402	2684	4130	1828
4/23/2025 13:45	2402	2684	4130	1821
4/23/2025 13:46	2416	2691	4136	1822
4/23/2025 13:47	2416	2691	4136	1818
4/23/2025 13:48	2408	2678	4127	1826
4/23/2025 13:49	2408	2678	4127	1829
4/23/2025 13:50	2383	2680	4129	1837
4/23/2025 13:51	2383	2680	4129	1830
4/23/2025 13:52	2408	2695	4138	1834
4/23/2025 13:53	2408	2695	4138	1839
4/23/2025 13:54	2407	2683	4133	1845
4/23/2025 13:55	2407	2683	4133	1842
4/23/2025 13:56	2385	2676	4118	1837
4/23/2025 13:57	2385	2676	4118	1850
4/23/2025 13:58	2392	2672	4134	1847
4/23/2025 13:59	2392	2672	4134	1842
4/23/2025 14:00	2404	2688	4142	1856
4/23/2025 14:01	2404	2688	4142	1850

4/23/2025 14:02	2387	2682	4135	1856
4/23/2025 14:03	2387	2682	4135	1847
4/23/2025 14:04	2373	2691	4143	1850
4/23/2025 14:05	2373	2691	4143	1854
4/23/2025 14:06	2404	2690	4167	1857
4/23/2025 14:07	2404	2690	4167	1858
4/23/2025 14:08	2380	2692	4172	1851
4/23/2025 14:09	2380	2692	4172	1866
4/23/2025 14:10	2387	2693	4168	1851
4/23/2025 14:11	2387	2693	4168	1864
4/23/2025 14:12	2437	2688	4171	1858
4/23/2025 14:13	2437	2688	4171	1872
4/23/2025 14:14	2400	2679	4171	1857
4/23/2025 14:15	2400	2679	4171	1870
4/23/2025 14:16	2400	2694	4161	1875
4/23/2025 14:17	2400	2694	4161	1869
4/23/2025 14:18	2406	2686	4171	1872
4/23/2025 14:19	2406	2686	4171	1865
4/23/2025 14:20	2414	2683	4167	1870
4/23/2025 14:21	2414	2683	4167	1875
4/23/2025 14:22	2415	2688	4163	1882
4/23/2025 14:23	2415	2688	4163	1858
4/23/2025 14:24	2415	2691	4149	1867
4/23/2025 14:25	2415	2691	4149	1872
4/23/2025 14:26	2421	2695	4140	1871
4/23/2025 14:27	2421	2695	4140	1885
4/23/2025 14:28	2514	0	4263	1878
4/23/2025 14:29	2514	2768	4263	1896
4/23/2025 14:30	2454	2768	4	1903
4/23/2025 14:31	2454	2832	4	1926
4/23/2025 14:32	2540	2832	577	1922
4/23/2025 14:33	2540	3183	577	1923
4/23/2025 14:34	2799	3183	2471	1906
4/23/2025 14:35	2799	3191	2471	1907
4/23/2025 14:36	2874	3191	2479	1912
4/23/2025 14:37	2874	3149	2479	1901
4/23/2025 14:38	2436	3149	3983	1916
4/23/2025 14:39	2436	2740	3983	1924
4/23/2025 14:40	2410	2740	4239	1919
4/23/2025 14:41	2410	2874	4239	1914
4/23/2025 14:42	2603	2874	4490	1890
4/23/2025 14:43	2603	2889	4490	1885
4/23/2025 14:44	2719	2889	4722	1893
4/23/2025 14:45	2719	3071	4722	1883
4/23/2025 14:46	2984	3071	5018	1878
4/23/2025 14:47	2984	3384	5018	1877
4/23/2025 14:48	3265	3384	5351	1876
4/23/2025 14:49	3265	3529	5351	1870
4/23/2025 14:50	3319	3529	5479	1858
4/23/2025 14:51	3319	3549	5479	1845
4/23/2025 14:52	3325	3549	5441	1847
4/23/2025 14:53	3325	3551	5441	1847
4/23/2025 14:54	3332	3551	5449	1827
4/23/2025 14:55	3332	3563	5449	1837
4/23/2025 14:56	3327	3563	5404	1830
4/23/2025 14:57	3327	3558	5404	1837
4/23/2025 14:58	3317	3558	5394	1826
4/23/2025 14:59	3317	3570	5394	1840
4/23/2025 15:00	3327	3570	5387	1829
4/23/2025 15:01	3327	3564	5387	1841
4/23/2025 15:02	3354	3564	5386	1834
4/23/2025 15:03	3354	3559	5386	1832
4/23/2025 15:04	3370	3559	5381	1827

4/23/2025 15:05	3370	3565	5381	1835
4/23/2025 15:06	3351	3565	5389	1822
4/23/2025 15:07	3351	3546	5389	1826
4/23/2025 15:08	3346	3546	5385	1815
4/23/2025 15:09	3346	3551	5385	1825
4/23/2025 15:10	3333	3551	5396	1826
4/23/2025 15:11	3333	3543	5396	1819
4/23/2025 15:12	3380	3543	5406	1820
4/23/2025 15:13	3380	3553	5406	1814
4/23/2025 15:14	3335	3553	5408	1814
4/23/2025 15:15	3335	3570	5408	1821
4/23/2025 15:16	3334	3570	5402	1795
4/23/2025 15:17	3334	3565	5402	1813
4/23/2025 15:18	3360	3565	5421	1805
4/23/2025 15:19	3360	3543	5421	1820
4/23/2025 15:20	3344	3543	5406	1815
4/23/2025 15:21	3344	3565	5406	1803
4/23/2025 15:22	3329	3565	5394	1810
4/23/2025 15:23	3329	3581	5394	1801
4/23/2025 15:24	3357	3581	5381	1804
4/23/2025 15:25	3357	3577	5381	1803
4/23/2025 15:26	3393	3577	5448	1804
4/23/2025 15:27	3393	3597	5448	1807
4/23/2025 15:28	3393	3597	5448	1803