

15 de diciembre de 2025

Karen Gork
Jefa Especialista en Salud Ambiental
Agencia de Aplicación Local del Condado de Los Ángeles
5050 Commerce Drive
Baldwin Park, California 91706

Asunto: Informe Mensual de Noviembre de 2025 Conforme a los Objetivos 1A-3 y 5 de la Orden de Cumplimiento de la LEA del 6 de junio de 2024 y a la Carta del 30 de julio de 2024, Vertedero de Chiquita Canyon, Castaic, California

Estimada Sra. Gork:

SCS Engineers (SCS), en nombre de Chiquita Canyon, LLC (Chiquita), mediante el presente le proporciona al Programa de Gestión de Desechos Sólidos del Departamento de Salud Pública del Condado de Los Ángeles, que actúa como Agencia de Cumplimiento Local (LEA), un informe mensual, en cumplimiento con los Objetivos 1A-3 y 5 de la Orden de Cumplimiento de la LEA con fecha 6 de junio de 2024 (Orden de Cumplimiento) y la correspondencia posterior relacionada recibida de la LEA. Este informe abarca el período mensual de noviembre de 2025.

Chiquita Canyon Landfill (CCL o el Vertedero) es un vertedero/centro de disposición de desechos sólido, ubicado en 29201 Henry Mayo Drive en Castaic, California. Con relación al Vertedero, Chiquita opera un sistema de recolección y control de biogás. SCS elaboró y presentó el Informe Resumido sobre las Lecturas de Monóxido de carbono e Hidrógeno (Informe Resumido) a la LEA el 6 de junio de 2024 en nombre de Chiquita, en respuesta a las directivas indicadas en las cartas de la LEA con fecha 5 de abril de 2024 y 28 de mayo de 2024, sobre la toma de datos de biogás y conforme al Objetivo 1A-2 de la Orden de Cumplimiento. La LEA, en colaboración con el Departamento de Recursos, Reciclaje y Recuperación de California (CalRecycle), revisó el Informe Resumido y determinó que cumplía con el Objetivo 1A-2. La LEA estableció varios requerimientos nuevos para que Chiquita cumpla con el Objetivo 1A-3 en la correspondencia de seguimiento con fecha 30 de julio de 2024.

Este informe fue elaborado según los Objetivos 1A-3 y 5 de la Orden de Cumplimiento, la correspondencia de seguimiento de la LEA con fecha 30 de julio de 2024, la carta de Chiquita con fecha 3 de septiembre de 2024, la reunión del 12 de septiembre de 2024 con la LEA y la correspondencia de seguimiento de la LEA con fecha 19 y 27 de noviembre y 3 de diciembre de 2024.

Puntos de Cumplimiento con el Objetivo 1A-3

1. Presentar los resultados de los análisis de laboratorio de las muestras mensuales de monóxido de carbono (CO) e hidrógeno (H₂) tomadas de un set de pozos de biogás (LFG) seleccionados por la LEA. Consulte en la Tabla 1, las columnas rotuladas "CO" y "H₂".

Los resultados de los pozos monitoreados se muestran en el **Adjunto A**.¹ Los datos se están presentando a la LEA en un informe independiente firmado por un ingeniero matriculado, conforme al Objetivo 1A-3 de la Orden de Cumplimiento. Como se indicó en correspondencias previas de Chiquita y en los informes mensuales, este informe no incluye datos de los pozos CV-100, CV-103, CV-1420, CV-1423, CV-1532, CV-2202, H-1403W, H-1560S, H-1774S, SC-2001W, TC-2383S, TC-2385A y TC-2385S, ya que esos pozos fueron abandonados, ni tampoco del pozo CV-2332, ya que no se instaló nunca. Todos los demás pozos se evaluaron durante el mes de noviembre de 2025.

Como se trató en la reunión del 12 de septiembre de 2024 y como se informó previamente, los gráficos que muestran las tendencias de CO y H₂ se proporcionan en el **Adjunto D** y se tratan en mayor detalle a continuación.

2. Proporcionar datos de lecturas de gases fijos (CH₄, O₂ y CO₂) entre un set de pozos de LFG seleccionado por la LEA. Consulte en la Tabla 1 la columna rotulada "Gas Fijo CH₄, O₂, CO₂".

Los resultados de los pozos monitoreados se proporcionan en el **Adjunto A**.

3. Tomar temperaturas pozo abajo en 34 pozos, para confirmar las lecturas de las temperaturas de los cabezales de los pozos de gas según el requerimiento de los Estándares de Rendimiento de Fuentes Nuevas (NSPS). Consulte en la Tabla 1 en la columna rotulada "Monitoreo de Temperatura Pozo Abajo".

Chiquita entiende de la correspondencia de la LEA del 27 de noviembre de 2024 y como se indica en los informes mensuales previos, que en este momento solo debe tomar muestras de los pozos a la frecuencia anual indicada en los protocolos NSPS, pero que la LEA podrá requerir monitoreos más frecuentes de hasta diez (10) pozos seleccionados por la LEA. Chiquita está a la espera de la selección de la LEA de esos pozos.

Chiquita proporciona de todos modos en el **Adjunto B** los gráficos de las temperaturas pozo abajo² relacionados con los siguientes pozos, desde lugares fijos, que contienen el Sistema de Bombeo Lorentz con los sensores de temperatura integrales: CV-2303, CV-2350 y CV-24095.

Se debe tener en cuenta que la bomba Lorentz y/o el sistema de monitoreo de temperatura de las bombas en CV-2301, CV-2302, CV-2315, CV-2351, CV-2352, CV-24017 y CV-24065 estuvieron fuera de línea durante este período de informe debido al despliegue de la geomembrana aprobada de EVOH de 60 milésimas de pulgada

¹ Los laboratorios informaron datos de otros pozos de LFG fuera de los seleccionados para que la LEA tome muestras; los datos adicionales están relacionados con requerimientos de informes separados del Distrito de Gestión de la Calidad del Aire de la Costa Sur (AQMD de la Costa Sur) y por lo tanto pueden desestimarse para los propósitos de este informe.

² Cada gráfico indica un punto de datos de temperatura único debido a cambios en el software.

o a la reubicación interina del parque de tanques o se encontraron en el proceso de reparación. (Consulte la Lista de Monitoreos del **Adjunto B**).

Como se indicó previamente, SCS continuará tomando las temperaturas pozo abajo todos los años e informará los resultados a medida que vaya obteniendo datos de cada lugar. (Consulte el **Adjunto B**). Al junio de 2025, SCS ha completado el monitoreo anual de temperaturas pozo abajo de 2025 en todos los lugares solicitados. Sin embargo, para proporcionar más información a la LEA sobre los nuevos Pozos de Extracción de Vapor del Suelo, el monitoreo de la temperatura pozo abajo se realizó por segunda vez este año en el pozo CV-24139 el 18 de agosto de 2025 (el monitoreo anual inicial ocurrió el 10/3/2025) y estos datos se presentaron en el informe de agosto de 2025.

4. Tomar muestras de los 40 pozos seleccionados para analizar VOCs utilizando el método TO-15. Consulte en la Tabla 1, la columna rotulada “VOC (TO-15)”.

Los resultados de los pozos monitoreados se proporcionan en el **Adjunto A**.³ Se debe tener en cuenta que durante noviembre de 2025 se testearon 31 ubicaciones de toma de muestras de VOC. No se tomaron muestras en nueve ubicaciones (CV-100, CV-103, CV-1532, CV-2202, H-1403W, H-1560S, H-1758N, H-1774S y TC-2385A) porque fueron abandonadas.

5. Continuar tomando muestras y monitoreando los 6 pozos horizontales indicados en el Adjunto 1 donde los números de los pozos están resaltados en amarillo. En este momento podrán liberarse 42 pozos horizontales de las tomas de muestras continuas, pero estos pozos podrán ser incluidos más adelante, dependiendo de las futuras presentaciones de datos. Consulte en la Tabla 1 los números de pozo resaltados en azul.

Como se indicó en la carta del 3 de septiembre de 2024 y se informó en los informes mensuales previos, dos (2) de los seis (6) pozos horizontales (H-1774S y H-1560S) fueron abandonados cuando se instalaron los nuevos pozos de extracción vertical. Además, desde ese momento se abandonó H-1403W. Por lo tanto, no están incluidos los datos de esos pozos. Los datos de los otros tres (3) pozos horizontales están en el **Adjunto A**.

6. Agregar 20 pozos verticales a los protocolos de toma de muestras mensuales de temperatura en el cabezal y de LFG. Consulte en la Tabla 1 los números de pozo resaltados en verde.

Como lo transmitió la LEA durante nuestra reunión del 12 de septiembre de 2024 y se volvió a indicar en nuestro informe mensual, comprendemos que la LEA está requiriendo datos analíticos de laboratorio para gases fijos, CO y H₂, como también datos de campo. Los resultados del laboratorio están en el **Adjunto A**. Los datos de campo con las temperaturas del gas en el cabezal del pozo se muestran en la Tabla 2 en el **Adjunto A**.

Comprendemos de la correspondencia de la LEA del 27 de noviembre de 2024 que se requerirán datos analíticos del laboratorio para los gases fijos especificados.

³ El Pozo CV-24142 aparece dos veces en la Tabla 1 de la carta de la LEA del 30 de julio de 2024 - uno requiere tomas de muestras de VOC y el otro no. Chiquita tomó muestras de este pozo para analizar los VOCs.

Se debe tener en cuenta que nuevamente no se volvieron a tomar muestras en los siguientes pozos en noviembre de 2025 por los siguientes motivos indicados en los informes mensuales previos:

CV-1420 – Abandonado durante la Expansión del GCCS en 2024 debido a la reducción de los flujos de gas.

CV-2202 – Abandonado durante la Expansión del GCCS en 2024 debido a la reducción de los flujos de gas.

CV-2332 – Este pozo no existe. Este pozo fue propuesto para instalación en otoño de 2023, pero se instalaron otros pozos en la zona en lugar del CV-2332 cuando la cantidad de pozos aumentó según la Orden de Depuración Estipulada (la Orden Estipulada) del Distrito de Gestión de la Calidad del Aire de la Costa Sur (AQMD de la Costa Sur)

7. Trazar en el mapa del sitio denominado "Mapa de GCCS Existentes - Pozos de Extracción Vertical de LFG" con fecha 06/06/2024 las ubicaciones de los siguientes 19 pozos: CV-24002, CV-24003, CV-24007, CV-24017, CV-24053, CV-24055, CV-24065, CV-24071, CV-24075, CV-24077, CV-24079, CV-24082, CV-24083, CV-24088, CV-24095, CV-24096, CV-24097, CV-24098 y H-1403W. Para el pozo H-1403W, proporcionar la ubicación horizontal de las tuberías y un estimativo sobre dónde es más probable que ocurran temperaturas elevadas (195 °F). Consultar en la Tabla 1 los números de pozo resaltados en rojo y H-1403W (resaltado en amarillo).

Las ubicaciones de los pozos arriba identificados se muestran en el Mapa en el **Adjunto C**.⁴

8. Incluir en el informe mensual un mapa del asentamiento/calor como se muestra a continuación, comenzando con los datos del mapa de calor más antiguo disponible para cada mes hasta el presente. Si es posible, los mapas topográficos deberán mostrar intervalos de contornos de 2 pies.

La LEA le indicó a Chiquita el 2 de junio de 2025 que presente mapas isopáquicos mensualmente para cumplir con esta solicitud. Para facilidad de referencia, estamos presentando el 9 de diciembre de 2025 como **Adjunto F** una copia del mapa isopáquico de noviembre de 2025, que se presentó inicialmente a la LEA con los registros de cubiertas semanales.

9. Proporcionar los resultados de las tomas de muestras en un informe independiente apropiado con el análisis, tablas, AQ/QC y métodos, firmado por un profesional registrado, etc., como se describe en los Objetivos 1A-2 y 1A-3 de la Orden de Cumplimiento.

CCL ha proporcionado la información arriba solicitada y los datos crudos en el **Adjunto A**, como también una figura con la zona reactiva indicada en base a datos, que incorpora datos de asentamientos Consulte el Adjunto A (consulte el **Adjunto F**). Se proporcionan los gráficos de las temperaturas de los pozos con bombas Lorentz (3 lugares).

Se debe tener en cuenta que además de los pozos indicados en respuesta a la solicitud con fecha 30 de julio de 2024 (en la Tabla 1) que no pudieron ser testeados, tampoco pudieron testearse los siguientes pozos que solo requerían datos analíticos, como se informó previamente, porque fueron abandonados durante la expansión del GCCS de 2024 y 2025 debido a la reducción de flujos de gas, conforme a los

⁴ La LEA reconoció en su correspondencia del 20 de noviembre de 2024 que no están ocurriendo temperaturas altas en el pozo H-1403W. Por lo tanto no trazamos la temperatura máxima en el pozo H-1403W.

requerimientos del NSPS: CV-100, CV-103, CV-1420, CV-1423, CV-1532, CV-2202, H-1403W, H-1560S, H-1774S, SC-2001W, TC-2383S, TC-2385A y TC-2385S. Finalmente, como también se informó previamente, nunca se instaló el CV-2332.

Procedimientos para la Toma de Muestras

Se tomaron muestras de gas utilizando bolsas Tedlar o Mylar, como se describe en la carta del Chiquita del 3 de septiembre de 2024 y en los informes mensuales que se entregaron a laboratorios certificados para su análisis. Todos los datos de gases permanentes (CH₄, CO₂, O₂, N₂, CO y H₂) fueron analizados dentro de las 24 horas solicitadas desde la toma de las muestras. SCS continúa creyendo que el uso del tiempo de retención de 72 horas aprobado por EPA para estas muestras sería apropiado y correcto. Sin embargo, en respuesta a la correspondencia de la LEA del 17 de marzo de 2025, SCS continuará solicitando tiempos de retención de 24 horas para todos los gases fijos, que incluyen CO, H₂ y VOCs tomados utilizando bolsas Mylar o Tedlar. No obstante, si se requieren más muestras o si los laboratorios tienen un cambio en la carga de trabajo, este tiempo de retención podrá cambiar, caso en el que se le informará a la LEA como corresponda. Durante noviembre de 2025, se testearon los VOCs de todos los pozos (método TO-15 de la EPA) y los gases permanentes (métodos 1946 y Alt-144 de la EPA) dentro de las 24 horas, proporcionándole al laboratorio muestras en bolsas duplicadas como se requiere para análisis VOCs.

Se tomaron otros datos de los gases y las presiones utilizando un Medidor de Gas Envision Irwin o un dispositivo de monitoreo de Gases Landtec GEM 5000. Estos instrumentos miden las concentraciones de gas combustible en el aire, directamente en una de dos escalas: la primera, como un porcentaje por volumen del límite explosivo inferior (LEL) de gas metano en el aire (0 a 5 por ciento) y el otro como un porcentaje por volumen (0 a 100 por ciento) en el gas tomado como muestra. El límite de detección de estos instrumentos es de aproximadamente 0.10 por ciento por volumen.

Los procedimientos para testear el monitoreo de gases fueron los siguientes:

- Conectar la tubería de toma de muestras, abrir la válvula de prueba, observar la presión y registrar los datos.
- Encender la bomba de las muestras, purgar un mínimo de un volumen de la sonda y observar y registrar las concentraciones de metano, oxígeno y dióxido de carbono en el gas cuando se hayan estabilizado las lecturas.
- Cerrar la válvula de prueba, desconectar los instrumentos de toma de muestras y resguardar la ubicación de la muestra.

Conclusiones del Objetivo 1A-3

En noviembre de 2025 se realizó el decimosexto monitoreo en cumplimiento con el Objetivo 1A-3 de la Orden de Cumplimiento. Los datos tomados en noviembre de 2025 y evaluados para este informe son consistentes con los datos tomados los meses anteriores desde agosto de 2024 hasta octubre de 2025, como también los datos tomados y evaluados por el Comité de la Reacción establecidos bajo la supervisión del AQMD de la Costa Sur y conforme a la Orden Estipulada para evaluar la zona reactiva, que incluyen los datos de noviembre de 2025 más recientemente evaluados por el Comité de la Reacción el 10 de diciembre de 2025, como lo requiere la Condición 9(b) de la Orden Estipulada. (Consulte el **Adjunto E**.)

Por los motivos descritos en el informe adjunto del Comité de la Reacción del 10 de diciembre de 2025, la alineación del alcance estimado de las condiciones del vertedero de temperaturas elevadas (ETLF) exhibidas en el Vertedero (a las que se hace referencia como límites de la "Zona Reactiva") e identificadas en ese informe continúa igual a las identificadas en el informe del Comité de la Reacción de noviembre de 2025. El Comité de la Reacción determinó que no se justificaba realizar ningún ajuste y que las condiciones de ETLF estaban completamente contenidas dentro del límite de la Zona Reactiva y no se habían expandido hacia una nueva celda.

Como los niveles de líquidos por la instalación de otras Bombas Eléctricas y Neumáticas Lorentz continúan cambiando, continuamos viendo los cambios previstos en porcentajes de Gases Permanentes, Monóxido de Carbono e Hidrógeno y los cambios en las temperaturas ya que puede pasarse extraerse por los pozos de extracción a medida que se van reduciendo los niveles de líquido. Esto se continúa demostrando en los gráficos de los pozos a varias escalas en el **Adjunto D**, que incluyen gráficos de los gases permanentes, temperatura y otras tendencias en un período de seis (6) meses. Se debe tener en cuenta que los gráficos fueron creados utilizando resultados de equipos de monitoreo de biogás estándar y los resultados no contienen datos de laboratorio. SCS también incluyó gráficos de Hidrógeno y Monóxido de Carbono separados utilizando los resultados del laboratorio, para su uso y revisión de cada pozo.

Además, la instalación de tuberías de mayor diámetro ha mejorado la recolección de otros gases de todo el Vertedero. Desde marzo de 2025, los índices de flujo de biogás que queman los dispositivos de depuración variaron de 13,500 cfm a 16,700 cfm. Durante noviembre de 2025, la extracción de gas general Septiembre Vertedero fue de aproximadamente 640,569,600 pies cúbicos. Se espera que este índice de extracción de biogás y los futuros aumentos previstos a este índice de extracción a medida que continúan expandiéndose los sistemas de recolección mejorarán la composición del gas de los pozos en la zona reactiva a medida que más vacío y el movimiento de gas resultante vaya permitiendo que se extraiga más gas de la reacción y del vertedero normal.

Chiquita continuará evaluando los datos en futuros informes mensuales, a medida que se vayan tomando más datos.

Puntos de Cumplimiento con el Objetivo 5

Este informe incluye en el **Adjunto D** mapas individuales superpuestos con los siguientes datos para noviembre de 2025, en un formato fácil de comprender, conforme al Objetivo 5 de la Orden de Cumplimiento.

- Zona reactiva definida;
- Expansión de la zona reactiva, si hubiera;
- Datos semanales de TMP; y
- Datos de LFG que incluyen, de forma enunciativa más no limitativa, datos de CH₄, CO₂, O₂, Temperatura CO y de H₂.

El Objetivo 5 además requiere "asentamiento con mapas de calor", pero como se analizó al principio de este informe y conforme a la correspondencia de la LEA con fecha 27 de noviembre y 3 de diciembre de 2024, este requerimiento se cumple con la presentación de Chiquita de sus mapas isopáquicos mensuales presentados a la LEA, que


se realizó el 9 de diciembre de 2025. Para practicidad de la LEA, el mapa isopáquico de noviembre de 2025 se incluye aquí como **Adjunto F**.

Los abajo firmantes son un profesional matriculado y un Gerente Regional, Vicepresidente de SCS Engineers.

Atentamente,



William C. Haley, PE
Director del Proyecto
SCS Engineers



Arthur E Jones Jr.
Vicepresidente
SCS Engineers

Adjuntos:

Adjunto A - Análisis de Laboratorio y Datos de los Instrumentos de Extracción de LFG de los Pozos y de los Datos de las Temperaturas
Adjunto B - Temperaturas Pozo Abajo y Lista de Pozos para Monitoreo
Adjunto C - Punto 7 - Mapa de Ubicación de Pozos
Adjunto D - Datos de Cumplimiento con el Objetivo 5
Adjunto E - Informe del Comité de la Reacción del 10 de diciembre de 2025
Adjunto F - Mapa Isopáquico de Noviembre de 2025

Los Datos Electrónicos de los Resultados del Laboratorio estén en formato Excel, con PDFs adicionales para los datos de los pozos de gas.

cc: John Perkey, Waste Connections
Kate Logan, Waste Connections
Amanda Froman, Waste Connections
Mark Adams, Waste Connections
Pat Sullivan, SCS Engineers
Robert Ragland, Departamento de Salud Pública del Condado de Los Ángeles
Liza Frías, Departamento de Salud Pública del Condado de Los Ángeles
Nichole Quick, M.D., Departamento de Salud Pública del Condado de Los Ángeles
Ken Habaradas, LEA del Condado de Los Ángeles
Eric Morofuji, LEA del Condado de Los Ángeles
Renee Jensen, Asesor de LEA
Blaine McPhillips, Asesor Suplente Sénior del Condado
Emiko Thompson, Departamento de Obras Públicas del Condado de Los Ángeles
Alex Garcia, Departamento de Planificación Regional del Condado de Los Ángeles
Phillip Chen, Departamento de Planificación Regional del Condado de Los Ángeles

Steven Jareb, Departamento de Planificación Regional del Condado de Los Ángeles
Wes Mindermann, CalRecycle
Todd Thalhamer, CalRecycle
Emel Wadhwani, CalRecycle
Jeff Linberg, Junta de Recursos de Aire de California
Nancy Fletcher, Junta de Recursos de Aire de California
Jack Cheng, Consejo de Gestión de la Calidad del Aire de la Costa Sur
Larry Israel, Consejo de Gestión de la Calidad del Aire de la Costa Sur
Enrique Casas, Junta Regional de Control de Calidad del Agua de Los Ángeles
Joshua Wirtschafter, Agencia de Protección Ambiental de Estados Unidos
Laura Friedli, Agencia de Protección Ambiental de Estados Unidos
Tyler Holybee, Agencia de Protección Ambiental de Estados Unidos
Mark Anthony Relon, Agencia de Protección Ambiental de Estados Unidos
Tim Crick, Departamento de Control de Sustancias Tóxicas
Pete Ruttan, Departamento de Control de Sustancias Tóxicas

Attachment A
Laboratory Analysis
And
LFG Extraction Well Instrument and Temperature Data



November 17, 2025



SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
ASTM D1946, RSK-175

TX Cert T104704450-14-6
EPA Methods TO14A, TO15

ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S110301-01/09

Enclosed are the results for sample(s) received 11/3/25 by Air Technology. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA TO-15 – samples were collected in Mylar bags. Benzyl chloride required quadratic regression calibration.
- Performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 11/13/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in blue ink, appearing to read "Mark Johnson", is written over a blue line.

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

18501 E. Gale Ave., Suite 130 City of Industry, CA 91748 Ph: 626-964-4032 Fx: 626-964-5832		CHAIN OF CUSTODY RECORD										
		TURNAROUND TIME			DELIVERABLES			PAGE: 1 OF				
Project No.: 07224200.24 Task 1 Project Name: Chiquita Canyon Landfill Report To: Cornelius Fong Company: SCS Engineers Street: 3900 Kilroy Airport Way, Suite 100 City/State/Zip: Long Beach, CA 90806-6816 Phone& Fax: 562-743-7895 e-mail: cfong@scsengineers.com		Standard ☒ 48 hours ☐			EDD ☒			Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C				
		Same Day ☐ 72 hours ☐			EDF ☐							
		24 hours ☐ 96 hours ☐			Level 3 ☐							
		Other: _____			Level 4 ☐							
		BILLING					ANALYSIS REQUEST					
		P.O. No.: 07-SO05310					CH ₄ , CO ₂ , O ₂ , N ₂ ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
		Bill to:										
		07FSAccountsPayable@scsengineers.com										
		3900 Kilroy Airport Way, Suite 100										
		Long Beach, CA 90806-6816										
LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION						
5110301-01	CV-2351	11/3/2025	8:55AM	2-1L	Gas	N	X	X	X	X		
↓ -02	CV-24143	11/3/2025	9:00AM	2-1L	Gas	N	X	X	X	X		
-03	CV-2352	11/3/2025	9:05AM	1L	Gas	N	X	X	X			
-04	CV-24140	11/3/2025	9:10AM	2-1L	Gas	N	X	X	X	X		
-05	CV-24139	11/3/2025	9:15AM	2-1L	Gas	N	X	X	X	X		
-06	CV-24138	11/3/2025	9:20AM	2-1L	Gas	N	X	X	X	X		
-07	CV-2354	11/3/2025	9:25AM	1L	Gas	N	X	X	X			
-08	CV-2349	11/3/2025	9:30AM	1L	Gas	N	X	X	X			
↓ -09	CV-24144	11/3/2025	9:35AM	1L	Gas	N	X					

AUTHORIZATION TO PERFORM WORK		COMPANY		DATE/TIME		COMMENTS Report full list of TO-15 compounds Raw landfill gas samples FLAMMABLE
SAMPLED BY ANTONIO AMBRIZ		COMPANY SCS		DATE/TIME 11-3-25		
RELINQUISHED BY	DATE/TIME 11-3-25 10:08 am	RECEIVED BY	DATE/TIME 11/3/25 11:10 AM			
RELINQUISHED BY	DATE/TIME 11/3/25 12:26	RECEIVED BY	DATE/TIME 11/3/25 12:26			
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME			
METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS Courier ATLI Other _____						

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110301-01		S110301-02		S110301-04		S110301-05	
Client Sample I.D.:	CV-2351		CV-24143		CV-24140		CV-24139	
Date/Time Sampled:	11/3/25 8:55		11/3/25 9:00		11/3/25 9:10		11/3/25 9:15	
Date/Time Analyzed:	11/3/25 15:17		11/3/25 15:55		11/3/25 16:34		11/3/25 17:13	
QC Batch No.:	251103MS2A1		251103MS2A1		251103MS2A1		251103MS2A1	
Analyst Initials:	VM		VM		VM		VM	
Dilution Factor:	4,000		20,000		20,000		10,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Chloromethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,2-CI-1,1,2,2-F ethane (114)	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Vinyl Chloride	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Bromomethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Chloroethane	ND	20,000	ND	100,000	ND	100,000	ND	50,000
Trichlorofluoromethane (11)	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,1-Dichloroethene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Carbon Disulfide	34,000	4,000	ND	20,000	ND	20,000	ND	10,000
1,1,2-CI 1,2,2-F ethane (113)	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Acetone	480,000	28,000	3,000,000	140,000	2,600,000	140,000	1,600,000	70,000
Methylene Chloride	ND	4,000	ND	20,000	ND	20,000	ND	10,000
t-1,2-Dichloroethene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,1-Dichloroethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Vinyl Acetate	ND	4,000	ND	20,000	ND	20,000	ND	10,000
c-1,2-Dichloroethene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
2-Butanone	250,000	20,000	1,800,000	100,000	1,700,000	100,000	1,000,000	50,000
t-Butyl Methyl Ether (MTBE)	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Chloroform	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,1,1-Trichloroethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Carbon Tetrachloride	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Benzene	110,000	4,000	510,000	20,000	370,000	20,000	200,000	10,000
1,2-Dichloroethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Trichloroethene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,2-Dichloropropane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Bromodichloromethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
c-1,3-Dichloropropene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
4-Methyl-2-Pentanone	ND	4,000	27,000	20,000	23,000	20,000	16,000	10,000
Toluene	ND	4,000	21,000	20,000	ND	20,000	11,000	10,000
t-1,3-Dichloropropene	ND	8,000	ND	40,000	ND	40,000	ND	20,000
1,1,2-Trichloroethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Tetrachloroethene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
2-Hexanone	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Dibromochloromethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/03/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110301-01		S110301-02		S110301-04		S110301-05	
Client Sample I.D.:	CV-2351		CV-24143		CV-24140		CV-24139	
Date/Time Sampled:	11/3/25 8:55		11/3/25 9:00		11/3/25 9:10		11/3/25 9:15	
Date/Time Analyzed:	11/3/25 15:17		11/3/25 15:55		11/3/25 16:34		11/3/25 17:13	
QC Batch No.:	251103MS2A1		251103MS2A1		251103MS2A1		251103MS2A1	
Analyst Initials:	VM		VM		VM		VM	
Dilution Factor:	4,000		20,000		20,000		10,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Chlorobenzene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Ethylbenzene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
p,&m-Xylene	ND	8,000	ND	40,000	ND	40,000	ND	20,000
o-Xylene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Styrene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Bromoform	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,1,2,2-Tetrachloroethane	ND	4,000	ND	20,000	ND	20,000	ND	10,000
Benzyl Chloride	ND	4,000	ND	20,000	ND	20,000	ND	10,000
4-Ethyl Toluene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,3,5-Trimethylbenzene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,2,4-Trimethylbenzene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,3-Dichlorobenzene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,4-Dichlorobenzene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,2-Dichlorobenzene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,2,4-Trichlorobenzene	ND	8,000	ND	40,000	ND	40,000	ND	20,000
Hexachlorobutadiene	ND	4,000	ND	20,000	ND	20,000	ND	10,000
1,3-Butadiene	ND	20,000	ND	100,000	ND	100,000	ND	50,000
Isopropanol	24,000	20,000	200,000	100,000	320,000	100,000	170,000	50,000
n-Hexane	ND	20,000	ND	100,000	ND	100,000	ND	50,000
Ethyl Acetate	ND	20,000	ND	100,000	ND	100,000	52,000	50,000
Tetrahydrofuran	210,000	20,000	1,500,000	100,000	1,300,000	100,000	670,000	50,000
Cyclohexane	ND	20,000	ND	100,000	ND	100,000	ND	50,000
Heptane	ND	20,000	ND	100,000	ND	100,000	ND	50,000
1,4-Dioxane	ND	20,000	ND	100,000	ND	100,000	ND	50,000

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:

Annika Stale Sanchez for
 Mark Johnson
 Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110301 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110301-06						
Client Sample I.D.:	CV-24138						
Date/Time Sampled:	11/3/25 9:20						
Date/Time Analyzed:	11/3/25 17:51						
QC Batch No.:	251103MS2A1						
Analyst Initials:	VM						
Dilution Factor:	20,000						
ANALYTE	Result ppbv	RL ppbv					
Dichlorodifluoromethane (12)	ND	20,000					
Chloromethane	ND	20,000					
1,2-CI-1,1,2,2-F ethane (114)	ND	20,000					
Vinyl Chloride	ND	20,000					
Bromomethane	ND	20,000					
Chloroethane	ND	100,000					
Trichlorofluoromethane (11)	ND	20,000					
1,1-Dichloroethene	ND	20,000					
Carbon Disulfide	ND	20,000					
1,1,2-CI 1,2,2-F ethane (113)	ND	20,000					
Acetone	2,600,000	140,000					
Methylene Chloride	ND	20,000					
t-1,2-Dichloroethene	ND	20,000					
1,1-Dichloroethane	ND	20,000					
Vinyl Acetate	ND	20,000					
c-1,2-Dichloroethene	ND	20,000					
2-Butanone	2,000,000	100,000					
t-Butyl Methyl Ether (MTBE)	ND	20,000					
Chloroform	ND	20,000					
1,1,1-Trichloroethane	ND	20,000					
Carbon Tetrachloride	ND	20,000					
Benzene	580,000	20,000					
1,2-Dichloroethane	ND	20,000					
Trichloroethene	ND	20,000					
1,2-Dichloropropane	ND	20,000					
Bromodichloromethane	ND	20,000					
c-1,3-Dichloropropene	ND	20,000					
4-Methyl-2-Pentanone	46,000	20,000					
Toluene	43,000	20,000					
t-1,3-Dichloropropene	ND	40,000					
1,1,2-Trichloroethane	ND	20,000					
Tetrachloroethene	ND	20,000					
2-Hexanone	ND	20,000					
Dibromochloromethane	ND	20,000					



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/03/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110301-06								
Client Sample I.D.:	CV-24138								
Date/Time Sampled:	11/3/25 9:20								
Date/Time Analyzed:	11/3/25 17:51								
QC Batch No.:	251103MS2A1								
Analyst Initials:	VM								
Dilution Factor:	20,000								
ANALYTE	Result ppbv	RL ppbv							
1,2-Dibromoethane	ND	20,000							
Chlorobenzene	ND	20,000							
Ethylbenzene	ND	20,000							
p,&m-Xylene	ND	40,000							
o-Xylene	ND	20,000							
Styrene	ND	20,000							
Bromoform	ND	20,000							
1,1,2,2-Tetrachloroethane	ND	20,000							
Benzyl Chloride	ND	20,000							
4-Ethyl Toluene	ND	20,000							
1,3,5-Trimethylbenzene	ND	20,000							
1,2,4-Trimethylbenzene	ND	20,000							
1,3-Dichlorobenzene	ND	20,000							
1,4-Dichlorobenzene	ND	20,000							
1,2-Dichlorobenzene	ND	20,000							
1,2,4-Trichlorobenzene	ND	40,000							
Hexachlorobutadiene	ND	20,000							
1,3-Butadiene	ND	100,000							
Isopropanol	310,000	100,000							
n-Hexane	ND	100,000							
Ethyl Acetate	170,000	100,000							
Tetrahydrofuran	1,600,000	100,000							
Cyclohexane	ND	100,000							
Heptane	ND	100,000							
1,4-Dioxane	ND	100,000							

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:


 Mark Johnson
 Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110301 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/03/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK						
Client Sample I.D.:	--						
Date/Time Sampled:	--						
Date/Time Analyzed:	11/3/25 12:40						
QC Batch No.:	251103MS2A1						
Analyst Initials:	VM						
Dilution Factor:	0.20						
ANALYTE	Result ppbv	RL ppbv					
Dichlorodifluoromethane (12)	ND	0.20					
Chloromethane	ND	0.20					
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20					
Vinyl Chloride	ND	0.20					
Bromomethane	ND	0.20					
Chloroethane	ND	1.0					
Trichlorofluoromethane (11)	ND	0.20					
1,1-Dichloroethene	ND	0.20					
Carbon Disulfide	ND	0.20					
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20					
Acetone	ND	1.4					
Methylene Chloride	ND	0.20					
t-1,2-Dichloroethene	ND	0.20					
1,1-Dichloroethane	ND	0.20					
Vinyl Acetate	ND	0.20					
c-1,2-Dichloroethene	ND	0.20					
2-Butanone	ND	1.0					
t-Butyl Methyl Ether (MTBE)	ND	0.20					
Chloroform	ND	0.20					
1,1,1-Trichloroethane	ND	0.20					
Carbon Tetrachloride	ND	0.20					
Benzene	ND	0.20					
1,2-Dichloroethane	ND	0.20					
Trichloroethene	ND	0.20					
1,2-Dichloropropane	ND	0.20					
Bromodichloromethane	ND	0.20					
c-1,3-Dichloropropene	ND	0.20					
4-Methyl-2-Pentanone	ND	0.20					
Toluene	ND	0.20					
t-1,3-Dichloropropene	ND	0.40					
1,1,2-Trichloroethane	ND	0.20					
Tetrachloroethene	ND	0.20					
2-Hexanone	ND	0.20					
Dibromochloromethane	ND	0.20					



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK								
Client Sample I.D.:	--								
Date/Time Sampled:	--								
Date/Time Analyzed:	11/3/25 12:40								
QC Batch No.:	251103MS2A1								
Analyst Initials:	VM								
Dilution Factor:	0.20								
ANALYTE	Result ppbv	RL ppbv							
1,2-Dibromoethane	ND	0.20							
Chlorobenzene	ND	0.20							
Ethylbenzene	ND	0.20							
p,&m-Xylene	ND	0.40							
o-Xylene	ND	0.20							
Styrene	ND	0.20							
Bromoform	ND	0.20							
1,1,2,2-Tetrachloroethane	ND	0.20							
Benzyl Chloride	ND	0.20							
4-Ethyl Toluene	ND	0.20							
1,3,5-Trimethylbenzene	ND	0.20							
1,2,4-Trimethylbenzene	ND	0.20							
1,3-Dichlorobenzene	ND	0.20							
1,4-Dichlorobenzene	ND	0.20							
1,2-Dichlorobenzene	ND	0.20							
1,2,4-Trichlorobenzene	ND	0.40							
Hexachlorobutadiene	ND	0.20							
1,3-Butadiene	ND	1.0							
Isopropanol	ND	1.0							
n-Hexane	ND	1.0							
Ethyl Acetate	ND	1.0							
Tetrahydrofuran	ND	1.0							
Cyclohexane	ND	1.0							
Heptane	ND	1.0							
1,4-Dioxane	ND	1.0							

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:


 Mark Johnson
 Operations Manager

Date

11-13-25

The cover letter is an integral part of this analytical report



LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251103MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	11/3/25 12:40			11/3/25 11:15		11/3/25 11:54					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	8.73	87	8.57	86	1.8	70	130	30
Methylene Chloride	ND	0.20	10	8.54	85	8.57	86	0.3	70	130	30
Trichloroethene	ND	0.20	10	9.15	91	9.08	91	0.8	70	130	30
Toluene	ND	0.20	10	8.82	88	8.91	89	1.0	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	9.45	94	9.54	95	1.0	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

MDL = Method Detection Limit

Reviewed/Approved By:


 Mark Johnson
 Operations Manager

Date:

11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110301-01	S110301-02	S110301-03	S110301-04					
Client Sample I.D.:	CV-2351	CV-24143	CV-2352	CV-24140					
Date/Time Sampled:	11/3/25 8:55	11/3/25 9:00	11/3/25 9:05	11/3/25 9:10					
Date/Time Analyzed:	11/3/25 15:12	11/3/25 15:26	11/3/25 15:41	11/3/25 15:55					
QC Batch No.:	251103GC8A2	251103GC8A2	251103GC8A2	251103GC8A2					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	1,100	10	1,400	10	970	10	960	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotolanchey for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110301-05	S110301-06	S110301-07	S110301-08					
Client Sample I.D.:	CV-24139	CV-24138	CV-2354	CV-2349					
Date/Time Sampled:	11/3/25 9:15	11/3/25 9:20	11/3/25 9:25	11/3/25 9:30					
Date/Time Analyzed:	11/3/25 16:09	11/3/25 16:24	11/3/25 16:38	11/3/25 16:53					
QC Batch No.:	251103GC8A2	251103GC8A2	251103GC8A2	251103GC8A2					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	530	10	1,000	10	2,800	10	2,800	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



QC Batch No: 251103GC8A2
Matrix: Air
Reporting Units: ppmv

**EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/3/25 14:57			11/3/25 13:59		11/3/25 14:14					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
									Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,090	108	1,090	108	0.1	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Amirita Little Sanchez for
Mark Johnson

Operations Manager

Date

11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110301-01			S110301-02			S110301-03			S110301-04		
Client Sample I.D.:	CV-2351			CV-24143			CV-2352			CV-24140		
Date/Time Sampled:	11/3/25 8:55			11/3/25 9:00			11/3/25 9:05			11/3/25 9:10		
Date/Time Analyzed:	11/3/25 15:12			11/3/25 15:26			11/3/25 15:41			11/3/25 15:55		
QC Batch No.:	251103GC8A2			251103GC8A2			251103GC8A2			251103GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
	Hydrogen	4.4	1.0	0.059	15	1.0	0.059	17	1.0	0.059	18	1.0

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Mark Johnson
Mark Johnson
Operations Manager

Date

11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110301-05			S110301-06			S110301-07			S110301-08		
Client Sample I.D.:	CV-24139			CV-24138			CV-2354			CV-2349		
Date/Time Sampled:	11/3/25 9:15			11/3/25 9:20			11/3/25 9:25			11/3/25 9:30		
Date/Time Analyzed:	11/3/25 16:09			11/3/25 16:24			11/3/25 16:38			11/3/25 16:53		
QC Batch No.:	251103GC8A2			251103GC8A2			251103GC8A2			251103GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v
Hydrogen	12	1.0	0.059	22	1.0	0.059	14	1.0	0.059	11	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Sotolanchey
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



QC Batch No: 251103GC8A2
Matrix: Air
Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS	LCSD							
Date Analyzed:	11/3/25 14:57			11/3/25 13:59	11/3/25 14:14							
Analyst Initials:	KD			KD	KD							
Dilution Factor:	1.0			1.0	1.0							
						Limits						
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	ND	1.0	0.059	5.0	4.93	99	5.08	102	3.0	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110301-01		S110301-02		S110301-03		S110301-04	
Client Sample I.D.:	CV-2351		CV-24143		CV-2352		CV-24140	
Date/Time Sampled:	11/3/25 8:55		11/3/25 9:00		11/3/25 9:05		11/3/25 9:10	
Date/Time Analyzed:	11/3/25 15:12		11/3/25 15:26		11/3/25 15:41		11/3/25 15:55	
QC Batch No.:	251103GC8A2		251103GC8A2		251103GC8A2		251103GC8A2	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	46	0.010	69	0.010	74	0.010	67	0.010
Oxygen/Argon	8.8	0.50	2.7	0.50	0.82	0.50	2.3	0.50
Nitrogen	40	1.0	9.6	1.0	2.2	1.0	7.9	1.0
Methane	0.65	0.0010	1.2	0.0010	1.7	0.0010	2.0	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Amika Little Sanchez
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110301-05	S110301-06	S110301-07	S110301-08					
Client Sample I.D.:	CV-24139	CV-24138	CV-2354	CV-2349					
Date/Time Sampled:	11/3/25 9:15	11/3/25 9:20	11/3/25 9:25	11/3/25 9:30					
Date/Time Analyzed:	11/3/25 16:09	11/3/25 16:24	11/3/25 16:38	11/3/25 16:53					
QC Batch No.:	251103GC8A2	251103GC8A2	251103GC8A2	251103GC8A2					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	
	Carbon Dioxide	41	0.010	70	0.010	63	0.010	74	0.010
	Oxygen/Argon	8.8	0.50	0.93	0.50	1.7	0.50	2.0	0.50
	Nitrogen	35	1.0	2.9	1.0	5.7	1.0	6.9	1.0
	Methane	2.0	0.0010	2.1	0.0010	14	0.0010	4.5	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/03/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110301-09						
Client Sample I.D.:	CV-24144						
Date/Time Sampled:	11/3/25 9:35						
Date/Time Analyzed:	11/3/25 17:07						
QC Batch No.:	251103GC8A2						
Analyst Initials:	KD						
Dilution Factor:	1.0						
ANALYTE	Result % v/v	RL % v/v					
Carbon Dioxide	32	0.010					
Oxygen/Argon	5.5	0.50					
Nitrogen	20	1.0					
Methane	41	0.0010					

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sattalancher for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



QC Batch No: 251103GC8A2
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/3/25 14:57			11/3/25 13:59		11/3/25 14:14					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
Limits											
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	11.3	113	11.3	113	0.6	70	130	30
Oxygen/Argon	ND	0.50	15	14.4	96	14.4	95	0.4	70	130	30
Nitrogen	ND	1.0	70	71.3	102	71.0	102	0.5	70	130	30
Methane	ND	0.0010	0.10	0.103	102	0.103	102	0.0	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Gato Sanchez for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



November 17, 2025



SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S110401-01/09

Enclosed are the results for sample(s) received 11/4/25 by Air Technology. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA TO-15 – samples were collected in Mylar bags. Benzyl chloride required quadratic regression calibration.
- Performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 11/13/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,


Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

18501 E. Gale Ave., Suite 130 City of Industry, CA 91748 Ph: 626-964-4032 Fx: 626-964-5832		CHAIN OF CUSTODY RECORD										
		TURNAROUND TIME Standard ☒ 48 hours ☐ Same Day ☐ 72 hours ☐ 24 hours ☐ 96 hours ☐ Other: _____			DELIVERABLES EDD ☒ EDF ☐ Level 3 ☐ Level 4 ☐		PAGE: 1 OF Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C					
Project No.: 07224200.24 Task 1 Project Name: Chiquita Canyon Landfill		BILLING P.O. No.: 07-SO05310 Bill to: 07FSAccountspayable@scsengineers.com 3900 Kilroy Airport Way, Suite 100 Long Beach, CA 90806-6816			ANALYSIS REQUEST CH4, CO2, O2, N2 ASTM D1946 Carbon Monoxide EPA ALT-144 Hydrogen ASTM D1946 VOCs EPA TO-15							
Report To: Cornelius Fong Company: SCS Engineers Street: 3900 Kilroy Airport Way, Suite 100 City/State/Zip: Long Beach, CA 90806-6816 Phone& Fax: 562-743-7895 e-mail: cfong@scsengineers.com												
LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION	CH4, CO2, O2, N2 ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15		
S110401-01	CV-24142	11/4/2025	8:20AM	2-1L	Gas	N	X	X	X	X		
-02	CV-24095	11/4/2025	8:25AM	2-1L	Gas	N	X	X	X	X		
-03	CV-24099	11/4/2025	8:40AM	1L	Gas	N	X					
-04	CV-2002	11/4/2025	8:45AM	2-1L	Gas	N	X	X	X	X		
-05	CV-2350	11/4/2025	8:50AM	2-1L	Gas	N	X	X	X	X		
-06	CV-2001	11/4/2025	8:55AM	2-1L	Gas	N	X	X	X	X		
-07	CV-24100	11/4/2025	9:00AM	1L	Gas	N	X	X	X			
-08	CV-24101	11/4/2025	9:10AM	2-1L	Gas	N	X	X	X	X		
-09	CV-24102	11/4/2025	9:30AM	1L	Gas	N	X					

AUTHORIZATION TO PERFORM WORK		COMPANY		DATE/TIME		COMMENTS Report full list of TO-15 compounds Raw landfill gas samples FLAMMABLE
SAMPLED BY ANTONIO AMBRIZ		SCS		11/4/2025		
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME			
<i>[Signature]</i>	11/4/25 11:10am	<i>[Signature]</i>	11/4/25 11:10am			
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME			
<i>[Signature]</i>	11/4/25 12:24	<i>[Signature]</i>	11/4/25 12:24			
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME			
METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS Courier ATLI Other _____						

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/04/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110401-01		S110401-02		S110401-04		S110401-05	
Client Sample I.D.:	CV-24142		CV-24095		CV-2002		CV-2350	
Date/Time Sampled:	11/4/25 8:20		11/4/25 8:25		11/4/25 8:45		11/4/25 8:50	
Date/Time Analyzed:	11/4/25 16:36		11/4/25 17:16		11/4/25 17:55		11/4/25 18:33	
QC Batch No.:	251104MS2A1		251104MS2A1		251104MS2A1		251104MS2A1	
Analyst Initials:	VM		VM		VM		VM	
Dilution Factor:	7,000		2,500		1,500		1,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Chloromethane	8,800	7,000	ND	2,500	ND	1,500	ND	1,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Vinyl Chloride	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Bromomethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Chloroethane	ND	35,000	ND	13,000	ND	7,500	ND	5,000
Trichlorofluoromethane (11)	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,1-Dichloroethene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Carbon Disulfide	8,100	7,000	ND	2,500	2,200	1,500	ND	1,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Acetone	1,200,000	49,000	310,000	18,000	140,000	11,000	110,000	7,000
Methylene Chloride	ND	7,000	ND	2,500	ND	1,500	ND	1,000
t-1,2-Dichloroethene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,1-Dichloroethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Vinyl Acetate	ND	7,000	ND	2,500	ND	1,500	ND	1,000
c-1,2-Dichloroethene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
2-Butanone	670,000	35,000	170,000	13,000	85,000	7,500	56,000	5,000
t-Butyl Methyl Ether (MTBE)	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Chloroform	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,1,1-Trichloroethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Carbon Tetrachloride	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Benzene	320,000	7,000	100,000	2,500	250,000	1,500	62,000	1,000
1,2-Dichloroethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Trichloroethene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,2-Dichloropropane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Bromodichloromethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
c-1,3-Dichloropropene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
4-Methyl-2-Pentanone	16,000	7,000	3,100	2,500	3,500	1,500	1,300	1,000
Toluene	20,000	7,000	3,000	2,500	9,000	1,500	1,600	1,000
t-1,3-Dichloropropene	ND	14,000	ND	5,000	ND	3,000	ND	2,000
1,1,2-Trichloroethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Tetrachloroethene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
2-Hexanone	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Dibromochloromethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/04/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S110401-01		S110401-02		S110401-04		S110401-05	
Client Sample I.D.:	CV-24142		CV-24095		CV-2002		CV-2350	
Date/Time Sampled:	11/4/25 8:20		11/4/25 8:25		11/4/25 8:45		11/4/25 8:50	
Date/Time Analyzed:	11/4/25 16:36		11/4/25 17:16		11/4/25 17:55		11/4/25 18:33	
QC Batch No.:	251104MS2A1		251104MS2A1		251104MS2A1		251104MS2A1	
Analyst Initials:	VM		VM		VM		VM	
Dilution Factor:	7,000		2,500		1,500		1,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Chlorobenzene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Ethylbenzene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
p,&m-Xylene	ND	14,000	ND	5,000	ND	3,000	ND	2,000
o-Xylene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Styrene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Bromoform	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,1,2,2-Tetrachloroethane	ND	7,000	ND	2,500	ND	1,500	ND	1,000
Benzyl Chloride	ND	7,000	ND	2,500	ND	1,500	ND	1,000
4-Ethyl Toluene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,3,5-Trimethylbenzene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,2,4-Trimethylbenzene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,3-Dichlorobenzene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,4-Dichlorobenzene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,2-Dichlorobenzene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,2,4-Trichlorobenzene	ND	14,000	ND	5,000	ND	3,000	ND	2,000
Hexachlorobutadiene	ND	7,000	ND	2,500	ND	1,500	ND	1,000
1,3-Butadiene	ND	35,000	ND	13,000	13,000	7,500	9,900	5,000
Isopropanol	86,000	35,000	47,000	13,000	55,000	7,500	75,000	5,000
n-Hexane	ND	35,000	ND	13,000	ND	7,500	ND	5,000
Ethyl Acetate	120,000	35,000	30,000	13,000	39,000	7,500	12,000	5,000
Tetrahydrofuran	660,000	35,000	140,000	13,000	140,000	7,500	55,000	5,000
Cyclohexane	ND	35,000	ND	13,000	ND	7,500	ND	5,000
Heptane	ND	35,000	ND	13,000	7,800	7,500	ND	5,000
1,4-Dioxane	ND	35,000	ND	13,000	ND	7,500	ND	5,000

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:



Mark Johnson

Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110401 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/04/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110401-06		S110401-08					
Client Sample I.D.:	CV-2001		CV-24101					
Date/Time Sampled:	11/4/25 8:55		11/4/25 9:10					
Date/Time Analyzed:	11/4/25 19:12		11/4/25 19:50					
QC Batch No.:	251104MS2A1		251104MS2A1					
Analyst Initials:	VM		VM					
Dilution Factor:	1,000		500					
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv				
Dichlorodifluoromethane (12)	ND	1,000	ND	500				
Chloromethane	ND	1,000	ND	500				
1,2-Cl-1,1,2,2-F ethane (114)	ND	1,000	ND	500				
Vinyl Chloride	ND	1,000	ND	500				
Bromomethane	ND	1,000	ND	500				
Chloroethane	ND	5,000	ND	2,500				
Trichlorofluoromethane (11)	ND	1,000	ND	500				
1,1-Dichloroethene	ND	1,000	ND	500				
Carbon Disulfide	ND	1,000	510	500				
1,1,2-Cl 1,2,2-F ethane (113)	ND	1,000	ND	500				
Acetone	98,000	7,000	57,000	3,500				
Methylene Chloride	ND	1,000	ND	500				
t-1,2-Dichloroethene	ND	1,000	ND	500				
1,1-Dichloroethane	ND	1,000	ND	500				
Vinyl Acetate	ND	1,000	ND	500				
c-1,2-Dichloroethene	ND	1,000	ND	500				
2-Butanone	53,000	5,000	32,000	2,500				
t-Butyl Methyl Ether (MTBE)	ND	1,000	ND	500				
Chloroform	ND	1,000	ND	500				
1,1,1-Trichloroethane	ND	1,000	ND	500				
Carbon Tetrachloride	ND	1,000	ND	500				
Benzene	18,000	1,000	5,500	500				
1,2-Dichloroethane	ND	1,000	ND	500				
Trichloroethene	ND	1,000	ND	500				
1,2-Dichloropropane	ND	1,000	ND	500				
Bromodichloromethane	ND	1,000	ND	500				
c-1,3-Dichloropropene	ND	1,000	ND	500				
4-Methyl-2-Pentanone	1,300	1,000	670	500				
Toluene	1,500	1,000	770	500				
t-1,3-Dichloropropene	ND	2,000	ND	1,000				
1,1,2-Trichloroethane	ND	1,000	ND	500				
Tetrachloroethene	ND	1,000	ND	500				
2-Hexanone	ND	1,000	ND	500				
Dibromochloromethane	ND	1,000	ND	500				



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/04/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110401-06	S110401-08		
Client Sample I.D.:	CV-2001	CV-24101		
Date/Time Sampled:	11/4/25 8:55	11/4/25 9:10		
Date/Time Analyzed:	11/4/25 19:12	11/4/25 19:50		
QC Batch No.:	251104MS2A1	251104MS2A1		
Analyst Initials:	VM	VM		
Dilution Factor:	1,000	500		
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	1,000	ND	500
Chlorobenzene	ND	1,000	ND	500
Ethylbenzene	ND	1,000	ND	500
p,&m-Xylene	ND	2,000	ND	1,000
o-Xylene	ND	1,000	ND	500
Styrene	ND	1,000	ND	500
Bromoform	ND	1,000	ND	500
1,1,2,2-Tetrachloroethane	ND	1,000	ND	500
Benzyl Chloride	ND	1,000	ND	500
4-Ethyl Toluene	ND	1,000	ND	500
1,3,5-Trimethylbenzene	ND	1,000	ND	500
1,2,4-Trimethylbenzene	ND	1,000	ND	500
1,3-Dichlorobenzene	ND	1,000	ND	500
1,4-Dichlorobenzene	ND	1,000	ND	500
1,2-Dichlorobenzene	ND	1,000	ND	500
1,2,4-Trichlorobenzene	ND	2,000	ND	1,000
Hexachlorobutadiene	ND	1,000	ND	500
1,3-Butadiene	12,000	5,000	ND	2,500
Isopropanol	96,000	5,000	52,000	2,500
n-Hexane	ND	5,000	ND	2,500
Ethyl Acetate	8,600	5,000	8,300	2,500
Tetrahydrofuran	40,000	5,000	19,000	2,500
Cyclohexane	ND	5,000	ND	2,500
Heptane	ND	5,000	ND	2,500
1,4-Dioxane	ND	5,000	ND	2,500

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:

Mark Johnson
 Mark Johnson
 Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110401 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/4/25 12:43							
QC Batch No.:	251104MS2A1							
Analyst Initials:	VM							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	1.0						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	1.4						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	1.0						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.40						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/04/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/4/25 12:43							
QC Batch No.:	251104MS2A1							
Analyst Initials:	VM							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.40						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.40						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:


 Mark Johnson
 Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110401 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251104MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	11/4/25 12:43			11/4/25 10:46		11/4/25 11:25					
Analyst Initials:	VM			VM		VM					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	7.37	74	7.59	76	2.9	70	130	30
Methylene Chloride	ND	0.20	10	7.56	76	7.27	73	3.9	70	130	30
Trichloroethene	ND	0.20	10	7.76	78	7.79	78	0.4	70	130	30
Toluene	ND	0.20	10	7.52	75	7.66	77	1.8	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	8.14	81	8.22	82	1.0	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:


Mark Johnson
Operations Manager

Date:

11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110401-01		S110401-02		S110401-04		S110401-05		
Client Sample I.D.:	CV-24142		CV-24095		CV-2002		CV-2350		
Date/Time Sampled:	11/4/25 8:20		11/4/25 8:25		11/4/25 8:45		11/4/25 8:50		
Date/Time Analyzed:	11/4/25 14:31		11/4/25 14:46		11/4/25 15:15		11/4/25 15:29		
QC Batch No.:	251104GC8A1		251104GC8A1		251104GC8A1		251104GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	1,900	10	3,500	10	3,900	10	3,000	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Stalanchey for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110401-06	S110401-07	S110401-08						
Client Sample I.D.:	CV-2001	CV-24100	CV-24101						
Date/Time Sampled:	11/4/25 8:55	11/4/25 9:00	11/4/25 9:10						
Date/Time Analyzed:	11/4/25 15:44	11/4/25 15:58	11/4/25 16:13						
QC Batch No.:	251104GC8A1	251104GC8A1	251104GC8A1						
Analyst Initials:	KD	KD	KD						
Dilution Factor:	1.0	1.0	1.0						
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv			
	Carbon Monoxide	480	10	16	10	30	10		

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Stetson for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



QC Batch No: 251104GC8A1
Matrix: Air
Reporting Units: ppmv

**EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/4/25 11:49			11/4/25 11:06		11/4/25 11:20					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
								Limits			
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,120	111	1,110	110	0.7	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Sotolanchey for
Mark Johnson

Operations Manager

Date

11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110401-01			S110401-02			S110401-04			S110401-05		
Client Sample I.D.:	CV-24142			CV-24095			CV-2002			CV-2350		
Date/Time Sampled:	11/4/25 8:20			11/4/25 8:25			11/4/25 8:45			11/4/25 8:50		
Date/Time Analyzed:	11/4/25 14:31			11/4/25 14:46			11/4/25 15:15			11/4/25 15:29		
QC Batch No.:	251104GC8A1			251104GC8A1			251104GC8A1			251104GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	20	1.0	0.059	14	1.0	0.059	13	1.0	0.059	11	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Soltes Sanchez
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110401-06			S110401-07			S110401-08					
Client Sample I.D.:	CV-2001			CV-24100			CV-24101					
Date/Time Sampled:	11/4/25 8:55			11/4/25 9:00			11/4/25 9:10					
Date/Time Analyzed:	11/4/25 15:44			11/4/25 15:58			11/4/25 16:13					
QC Batch No.:	251104GC8A1			251104GC8A1			251104GC8A1					
Analyst Initials:	KD			KD			KD					
Dilution Factor:	1.0			1.0			1.0					
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v			
Hydrogen	1.2	1.0	0.059	0.13 J	1.0	0.059	2.7	1.0	0.059			

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Delkander for
Mark Johnson
Operations Manager

Date

11-13-25

The cover letter is an integral part of this analytical report



QC Batch No: 251104GC8A1
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK				LCS		LCSD						
Date Analyzed:	11/4/25 12:04				11/4/25 11:06		11/4/25 11:20						
Analyst Initials:	KD				KD		KD						
Dilution Factor:	1.0				1.0		1.0						
ANALYTE		Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Limits		
											Low %Rec	High %Rec	Max. RPD
Hydrogen		0.31	J 1.0	0.059	5.0	4.94	93	4.55	85	8.2	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Annita Pittelmeier for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110401-01	S110401-02	S110401-03	S110401-04					
Client Sample I.D.:	CV-24142	CV-24095	CV-24099	CV-2002					
Date/Time Sampled:	11/4/25 8:20	11/4/25 8:25	11/4/25 8:40	11/4/25 8:45					
Date/Time Analyzed:	11/4/25 14:31	11/4/25 14:46	11/4/25 15:00	11/4/25 15:15					
QC Batch No.:	251104GC8A1	251104GC8A1	251104GC8A1	251104GC8A1					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	
	Carbon Dioxide	64	0.010	61	0.010	81	0.010	74	0.010
	Oxygen/Argon	2.4	0.50	4.1	0.50	1.5	0.50	0.86	0.50
	Nitrogen	8.5	1.0	16	1.0	5.0	1.0	2.3	1.0
	Methane	3.7	0.0010	4.6	0.0010	11	0.0010	8.7	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Pittelander for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110401-05		S110401-06		S110401-07		S110401-08		
Client Sample I.D.:	CV-2350		CV-2001		CV-24100		CV-24101		
Date/Time Sampled:	11/4/25 8:50		11/4/25 8:55		11/4/25 9:00		11/4/25 9:10		
Date/Time Analyzed:	11/4/25 15:29		11/4/25 15:44		11/4/25 15:58		11/4/25 16:13		
QC Batch No.:	251104GC8A1		251104GC8A1		251104GC8A1		251104GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result	RL	Result	RL	Result	RL	Result	RL	
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	
	Carbon Dioxide	66	0.010	67	0.010	48	0.010	43	0.010
	Oxygen/Argon	3.9	0.50	5.5	0.50	7.0	0.50	3.7	0.50
	Nitrogen	14	1.0	20	1.0	26	1.0	25	1.0
	Methane	4.3	0.0010	6.2	0.0010	18	0.0010	25	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Sotolomancy for
Mark Johnson

Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

page 1 of 1

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/04/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110401-09							
Client Sample I.D.:	CV-24102							
Date/Time Sampled:	11/4/25 9:30							
Date/Time Analyzed:	11/4/25 16:27							
QC Batch No.:	251104GC8A1							
Analyst Initials:	KD							
Dilution Factor:	1.0							
ANALYTE	Result % v/v	RL % v/v						
Carbon Dioxide	45	0.010						
Oxygen/Argon	1.5	0.50						
Nitrogen	5.3	1.0						
Methane	47	0.0010						

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Potlacher for
Mark Johnson

Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 251104GC8A1
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/4/25 12:04			11/4/25 11:06		11/4/25 11:20					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
										Limits	
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	11.2	112	11.1	111	0.7	70	130	30
Oxygen/Argon	ND	0.50	15	14.4	96	14.4	96	0.1	70	130	30
Nitrogen	ND	1.0	70	71.4	102	71.0	102	0.5	70	130	30
Methane	ND	0.0010	0.10	0.104	103	0.103	102	0.7	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotelo Sanchez for
Mark Johnson
Operations Manager

Date 11-13-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



November 18, 2025



SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S110508-01/09

Enclosed are the results for sample(s) received 11/5/25 by Air Technology. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA TO-15 – samples were collected in Mylar bags. Benzyl chloride required quadratic regression calibration.
- Performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 11/17/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in blue ink that reads "Annika Sotthachan" followed by a stylized flourish.

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

18501 E. Gale Ave., Suite 130 City of Industry, CA 91748 Ph: 626-964-4032 Fx: 626-964-5832		CHAIN OF CUSTODY RECORD										
		TURNAROUND TIME				DELIVERABLES		PAGE: 1 OF				
Project No.: 07224200.24 Task 1 Project Name: Chiquita Canyon Landfill Report To: Cornelius Fong Company: SCS Engineers Street: 3900 Kilroy Airport Way, Suite 100 City/State/Zip: Long Beach, CA 90806-6816 Phone& Fax: 562-743-7895 e-mail: cfong@scsengineers.com		Standard ☒ 48 hours ☐ Same Day ☐ 72 hours ☐ 24 hours ☐ 96 hours ☐ Other: _____				EDD ☒ EDF ☐ Level 3 ☐ Level 4 ☐		Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C				
		BILLING					ANALYSIS REQUEST					
		P.O. No.: 07-SO05310 Bill to: 07FSAccounts payable@scsengineers.com 3900 Kilroy Airport Way, Suite 100 Long Beach, CA 90806-6816					CH4, CO2, O2, N2 ASTM D1946 Carbon Monoxide EPA ALT-144 Hydrogen ASTM D1946 VOCs EPA TO-15					
LAB USE ONLY	SAMPLE IDENTIFICATION	SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION						
	CV-2348	11/5/2025	8:25AM	1L	Gas	N	X	X	X			
	CV-2347	11/5/2025	8:30AM	1L	Gas	N	X	X	X			
	CV-2346	11/5/2025	8:35AM	1L	Gas	N	X	X	X			
	H-2273W	11/5/2025	8:40AM	2-1L	Gas	N	X	X	X	X		
	CV-2345	11/5/2025	8:45AM	1L	Gas	N	X	X	X			
	CV-2344	11/5/2025	8:50AM	1L	Gas	N	X	X	X			
	CV-108-52	11/5/2025	9:00AM	2-1L	Gas	N	X	X	X	X		
	CV-1532A	11/5/2025	9:05AM	2-1L	Gas	N	X	X	X	X		
	CV-2353	11/5/2025	9:30AM	1L	Gas	N	X	X	X			

AUTHORIZATION TO PERFORM WORK		COMPANY		DATE/TIME		COMMENTS Report full list of TO-15 compounds Raw landfill gas samples FLAMMABLE
SAMPLED BY ANTONIO AMBRIZ		SCS		11/5/2025		
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME			
<i>Antonio Ambriz</i>	11/5/25 11:15am	<i>Rubén</i>	11/5/25 11:15am			
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME			
<i>Rubén</i>	11/5/25 12:30					
RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME			
		<i>Rubén</i>	11/5/25 12:30			
METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS <u>Courier</u> ATLI Other _____						

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: H=HCl N=None / Container: B=Bag C=Can V=VOA O=Other Rev. 03 - 5/7/09

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/05/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S110508-04		S110508-07		S110508-08			
Client Sample I.D.:	H-2273W		CV-108-52		CV-1532A			
Date/Time Sampled:	11/5/25 8:40		11/5/25 9:00		11/5/25 9:05			
Date/Time Analyzed:	11/5/25 16:49		11/5/25 17:27		11/5/25 18:05			
QC Batch No.:	251105MS2A1		251105MS2A1		251105MS2A1			
Analyst Initials:	VM		VM		VM			
Dilution Factor:	100		1,500		5,000			
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv		
Dichlorodifluoromethane (12)	ND	100	ND	1,500	ND	5,000		
Chloromethane	ND	100	ND	1,500	8,400	5,000		
1,2-Cl-1,1,2,2-F ethane (114)	ND	100	ND	1,500	ND	5,000		
Vinyl Chloride	ND	100	ND	1,500	ND	5,000		
Bromomethane	ND	100	ND	1,500	ND	5,000		
Chloroethane	ND	100	ND	1,500	ND	5,000		
Trichlorofluoromethane (11)	ND	100	ND	1,500	ND	5,000		
1,1-Dichloroethene	ND	100	ND	1,500	ND	5,000		
Carbon Disulfide	500	100	ND	1,500	ND	5,000		
1,1,2-Cl 1,2,2-F ethane (113)	ND	100	ND	1,500	ND	5,000		
Acetone	26,000 E	100	150,000	1,500	510,000	5,000		
Methylene Chloride	100	100	ND	1,500	ND	5,000		
t-1,2-Dichloroethene	ND	100	ND	1,500	ND	5,000		
1,1-Dichloroethane	ND	100	ND	1,500	ND	5,000		
Vinyl Acetate	ND	100	ND	1,500	ND	5,000		
c-1,2-Dichloroethene	ND	100	ND	1,500	ND	5,000		
2-Butanone	21,000	200	72,000	3,000	290,000	10,000		
t-Butyl Methyl Ether (MTBE)	290	100	ND	1,500	ND	5,000		
Chloroform	ND	100	ND	1,500	ND	5,000		
1,1,1-Trichloroethane	ND	100	ND	1,500	ND	5,000		
Carbon Tetrachloride	ND	100	ND	1,500	ND	5,000		
Benzene	12,000	100	78,000	1,500	120,000	5,000		
1,2-Dichloroethane	100	100	ND	1,500	ND	5,000		
Trichloroethene	ND	100	ND	1,500	ND	5,000		
1,2-Dichloropropane	ND	100	ND	1,500	ND	5,000		
Bromodichloromethane	ND	100	ND	1,500	ND	5,000		
c-1,3-Dichloropropene	ND	100	ND	1,500	ND	5,000		
4-Methyl-2-Pentanone	900	100	ND	1,500	ND	5,000		
Toluene	1,400	100	4,300	1,500	5,600	5,000		
t-1,3-Dichloropropene	ND	100	ND	1,500	ND	5,000		
1,1,2-Trichloroethane	ND	100	ND	1,500	ND	5,000		
Tetrachloroethene	ND	100	ND	1,500	ND	5,000		
2-Hexanone	ND	100	ND	1,500	ND	5,000		
Dibromochloromethane	ND	100	ND	1,500	ND	5,000		



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/05/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S110508-04		S110508-07		S110508-08			
Client Sample I.D.:	H-2273W		CV-108-52		CV-1532A			
Date/Time Sampled:	11/5/25 8:40		11/5/25 9:00		11/5/25 9:05			
Date/Time Analyzed:	11/5/25 16:49		11/5/25 17:27		11/5/25 18:05			
QC Batch No.:	251105MS2A1		251105MS2A1		251105MS2A1			
Analyst Initials:	VM		VM		VM			
Dilution Factor:	100		1,500		5,000			
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv		
1,2-Dibromoethane	ND	100	ND	1,500	ND	5,000		
Chlorobenzene	ND	100	ND	1,500	ND	5,000		
Ethylbenzene	230	100	ND	1,500	ND	5,000		
p,&m-Xylene	280	100	ND	1,500	ND	5,000		
o-Xylene	ND	100	ND	1,500	ND	5,000		
Styrene	ND	100	ND	1,500	ND	5,000		
Bromoform	ND	100	ND	1,500	ND	5,000		
1,1,2,2-Tetrachloroethane	ND	100	ND	1,500	ND	5,000		
Benzyl Chloride	ND	100	ND	1,500	ND	5,000		
4-Ethyl Toluene	ND	100	ND	1,500	ND	5,000		
1,3,5-Trimethylbenzene	ND	100	ND	1,500	ND	5,000		
1,2,4-Trimethylbenzene	ND	100	ND	1,500	ND	5,000		
1,3-Dichlorobenzene	ND	100	ND	1,500	ND	5,000		
1,4-Dichlorobenzene	ND	100	ND	1,500	ND	5,000		
1,2-Dichlorobenzene	ND	100	ND	1,500	ND	5,000		
1,2,4-Trichlorobenzene	ND	100	ND	1,500	ND	5,000		
Hexachlorobutadiene	ND	100	ND	1,500	ND	5,000		
1,3-Butadiene	3,600	500	ND	7,500	ND	25,000		
Isopropanol	28,000 E	500	60,000	7,500	79,000	25,000		
n-Hexane	1,000	500	ND	7,500	ND	25,000		
Ethyl Acetate	8,700	500	7,900	7,500	28,000	25,000		
Tetrahydrofuran	15,000	500	58,000	7,500	160,000	25,000		
Cyclohexane	700	500	ND	7,500	ND	25,000		
Heptane	1,700	500	ND	7,500	ND	25,000		
1,4-Dioxane	520	500	ND	7,500	ND	25,000		

RL = Reporting Limit

ND = Not Detected (below RL)

E = Estimated. Analyte concentration exceeds upper calibration range.

Reviewed/Approved By: Annika Sotelo Sanchez
 Mark Johnson
 Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110508 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/05/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/5/25 13:15							
QC Batch No.:	251105MS2A1							
Analyst Initials:	VM							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-CI-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	0.20						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-CI 1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	0.20						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	0.40						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.20						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/5/25 13:15							
QC Batch No.:	251105MS2A1							
Analyst Initials:	VM							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.20						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.20						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:


 Mark Johnson
 Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110508 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251105MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	11/5/25 13:15			11/5/25 11:12		11/5/25 11:50					
Analyst Initials:	VM			VM		VM					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	10.4	104	11.0	110	6.1	70	130	30
Methylene Chloride	ND	0.20	10	10.3	103	10.7	107	4.1	70	130	30
Trichloroethene	ND	0.20	10	11.0	110	11.4	114	2.9	70	130	30
Toluene	ND	0.20	10	10.4	104	10.7	107	2.7	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	10.7	107	11.5	115	6.8	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Mark Johnson

Operations Manager

Date: 11-17-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110508-01	S110508-02	S110508-03	S110508-04					
Client Sample I.D.:	CV-2348	CV-2347	CV-2346	H-2273W					
Date/Time Sampled:	11/5/25 8:25	11/5/25 8:30	11/5/25 8:35	11/5/25 8:40					
Date/Time Analyzed:	11/5/25 15:37	11/5/25 15:51	11/5/25 16:05	11/5/25 16:20					
QC Batch No.:	251105GC8A2	251105GC8A2	251105GC8A2	251105GC8A2					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	380	10	2,500	10	3,100	10	310	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Mark Johnson
Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110508-05	S110508-06	S110508-07	S110508-08					
Client Sample I.D.:	CV-2345	CV-2344	CV-108-52	CV-1532A					
Date/Time Sampled:	11/5/25 8:45	11/5/25 8:50	11/5/25 9:00	11/5/25 9:05					
Date/Time Analyzed:	11/5/25 16:34	11/5/25 16:49	11/5/25 17:03	11/5/25 17:18					
QC Batch No.:	251105GC8A2	251105GC8A2	251105GC8A2	251105GC8A2					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	290	10	1,500	10	330	10	610	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sothel Sanchez for
Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110508-09						
Client Sample I.D.:	CV-2353						
Date/Time Sampled:	11/5/25 9:30						
Date/Time Analyzed:	11/5/25 17:32						
QC Batch No.:	251105GC8A2						
Analyst Initials:	KD						
Dilution Factor:	1.0						
ANALYTE	Result ppmv	RL ppmv					
Carbon Monoxide	810	10					

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sathelanchey for
Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



QC Batch No: 251105GC8A2
Matrix: Air
Reporting Units: ppmv

**EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCS D					
Date Analyzed:	11/5/25 13:41			11/5/25 12:43		11/5/25 12:57					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
									Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,120	111	1,120	111	0.4	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Satelouchy for
Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110508-01			S110508-02			S110508-03			S110508-04		
Client Sample I.D.:	CV-2348			CV-2347			CV-2346			H-2273W		
Date/Time Sampled:	11/5/25 8:25			11/5/25 8:30			11/5/25 8:35			11/5/25 8:40		
Date/Time Analyzed:	11/5/25 15:37			11/5/25 15:51			11/5/25 16:05			11/5/25 16:20		
QC Batch No.:	251105GC8A2			251105GC8A2			251105GC8A2			251105GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	2.0	1.0	0.059	8.5	1.0	0.059	13	1.0	0.059	1.5	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Mark Johnson
Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110508-05			S110508-06			S110508-07			S110508-08		
Client Sample I.D.:	CV-2345			CV-2344			CV-108-52			CV-1532A		
Date/Time Sampled:	11/5/25 8:45			11/5/25 8:50			11/5/25 9:00			11/5/25 9:05		
Date/Time Analyzed:	11/5/25 16:34			11/5/25 16:49			11/5/25 17:03			11/5/25 17:18		
QC Batch No.:	251105GC8A2			251105GC8A2			251105GC8A2			251105GC8A2		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v
Hydrogen	2.2	1.0	0.059	6.7	1.0	0.059	1.6	1.0	0.059	9.9	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Mark Johnson
Mark Johnson

Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110508-09													
Client Sample I.D.:	CV-2353													
Date/Time Sampled:	11/5/25 9:30													
Date/Time Analyzed:	11/5/25 17:32													
QC Batch No.:	251105GC8A2													
Analyst Initials:	KD													
Dilution Factor:	1.0													
ANALYTE	Result % v/v	RL % v/v	MDL % v/v											
Hydrogen	20	1.0	0.059											

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:


Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



QC Batch No: 251105GC8A2
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	11/5/25 13:41				11/5/25 12:43		11/5/25 12:57					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0					
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Limits		
										Low %Rec	High %Rec	Max. RPD
Hydrogen	0.20 J	1.0	0.059	5.0	4.39	84	4.31	83	1.9	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:


Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110508-01	S110508-02	S110508-03	S110508-04					
Client Sample I.D.:	CV-2348	CV-2347	CV-2346	H-2273W					
Date/Time Sampled:	11/5/25 8:25	11/5/25 8:30	11/5/25 8:35	11/5/25 8:40					
Date/Time Analyzed:	11/5/25 15:37	11/5/25 15:51	11/5/25 16:05	11/5/25 16:20					
QC Batch No.:	251105GC8A2	251105GC8A2	251105GC8A2	251105GC8A2					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	
	Carbon Dioxide	68	0.010	83	0.010	81	0.010	60	0.010
	Oxygen/Argon	1.9	0.50	1.1	0.50	0.88	0.50	1.5	0.50
	Nitrogen	11	1.0	2.8	1.0	2.1	1.0	5.9	1.0
	Methane	17	0.0010	4.2	0.0010	2.3	0.0010	31	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Mark Johnson
Mark Johnson

Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110508-05		S110508-06		S110508-07		S110508-08		
Client Sample I.D.:	CV-2345		CV-2344		CV-108-52		CV-1532A		
Date/Time Sampled:	11/5/25 8:45		11/5/25 8:50		11/5/25 9:00		11/5/25 9:05		
Date/Time Analyzed:	11/5/25 16:34		11/5/25 16:49		11/5/25 17:03		11/5/25 17:18		
QC Batch No.:	251105GC8A2		251105GC8A2		251105GC8A2		251105GC8A2		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result	RL	Result	RL	Result	RL	Result	RL	
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	
	Carbon Dioxide	73	0.010	65	0.010	57	0.010	30	0.010
	Oxygen/Argon	1.4	0.50	1.3	0.50	1.1	0.50	12	0.50
	Nitrogen	4.4	1.0	10	1.0	3.4	1.0	46	1.0
	Methane	18	0.0010	16	0.0010	36	0.0010	1.2	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Mark Johnson
 Mark Johnson

Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/05/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110508-09						
Client Sample I.D.:	CV-2353						
Date/Time Sampled:	11/5/25 9:30						
Date/Time Analyzed:	11/5/25 17:32						
QC Batch No.:	251105GC8A2						
Analyst Initials:	KD						
Dilution Factor:	1.0						
ANALYTE	Result % v/v	RL % v/v					
Carbon Dioxide	67	0.010					
Oxygen/Argon	2.2	0.50					
Nitrogen	7.4	1.0					
Methane	2.0	0.0010					

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotthakuldey for
Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



QC Batch No: 251105GC8A2

Matrix: Air

Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/5/25 13:41			11/5/25 12:43		11/5/25 12:57					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Limits		
									Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.9	109	10.9	109	0.2	70	130	30
Oxygen/Argon	ND	0.50	15	14.6	97	14.6	97	0.2	70	130	30
Nitrogen	ND	1.0	70	71.7	103	71.6	103	0.2	70	130	30
Methane	ND	0.0010	0.10	0.105	104	0.105	104	0.3	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
Mark Johnson
Operations Manager

Date 11-17-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



November 18, 2025



SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S110605-01/10

Enclosed are the results for sample(s) received 11/6/25 by Air Technology. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA TO-15 – samples were collected in Mylar bags. Benzyl chloride required quadratic regression calibration.
- Performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 11/17/25.




ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in blue ink that reads "Mark Johnson".

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

 18501 E. Gale Ave., Suite 130 City of Industry, CA 91748 Ph: 626-964-4032 Fx: 626-964-5832		CHAIN OF CUSTODY RECORD											
		TURNAROUND TIME			DELIVERABLES			PAGE: 1 OF					
Project No.: 07224200.24 Task 1 Project Name: Chiquita Canyon Landfill Report To: Cornelius Fong Company: SCS Engineers Street: 3900 Kilroy Airport Way, Suite 100 City/State/Zip: Long Beach, CA 90806-6816 Phone& Fax: 562-743-7895 e-mail: cfong@scsengineers.com		Standard ☒ 48 hours ☐			EDD ☒			Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C					
		Same Day ☐ 72 hours ☐			EDF ☐								
		24 hours ☐ 96 hours ☐			Level 3 ☐								
		Other: _____			Level 4 ☐								
		BILLING					ANALYSIS REQUEST						
		P.O. No.: 07-SO05310					CH ₄ , CO ₂ , O ₂ , N ₂ ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15			
		Bill to:											
		07FSAccountsPayable@scsengineers.com											
3900 Kilroy Airport Way, Suite 100													
		Long Beach, CA 90806-6816											
LAB USE ONLY		SAMPLE IDENTIFICATION		SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION					
5110605-01 -02 -03 -04 -05 -06 -07 -08 -09 -10		CV-2334		11/6/2025	9:05AM	1L	Gas	N	X	X	X		
		CV-24125		11/6/2025	9:10AM	1L	Gas	N	X	X	X		
		CV-99		11/6/2025	9:15AM	2-1L	Gas	N	X	X	X	X	
		CV-24122		11/6/2025	9:20AM	2-1L	Gas	N	X	X	X	X	
		CV-113		11/6/2025	9:25AM	2-1L	Gas	N	X	X	X	X	
		CV-24121		11/6/2025	9:30AM	1L	Gas	N	X	X	X		
		CV-2333		11/6/2025	9:35AM	1L	Gas	N	X	X	X		
		CV-24126		11/6/2025	9:40AM	1L	Gas	N	X				
		CV-2007		11/6/2025	9:50AM	2-1L	Gas	N	X	X	X	X	
		CV-24055		11/6/2025	10:00AM	1L	Gas	N	X	X	X		
AUTHORIZATION TO PERFORM WORK				COMPANY		DATE/TIME		COMMENTS Report full list of TO-15 compounds Raw landfill gas samples FLAMMABLE					
SAMPLED BY ANTONIO AMBRIZ				SCS		11/6/2025							
RELINQUISHED BY 		DATE/TIME 11/6/25 11:00am		RECEIVED BY 		DATE/TIME 11/6/25 11:00am							
RELINQUISHED BY 		DATE/TIME 11/6/25 12:57		RECEIVED BY 		DATE/TIME 11/6/25 12:57							
RELINQUISHED BY		DATE/TIME		RECEIVED BY		DATE/TIME							
METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS Courier ATLI Other _____													

DISTRIBUTION: White & Yellow - Lab Copies / Pink - Customer Copy

Preservation: H=HCl N=None / Container: B=Bag C=Can V=VOA O=Other Rev. 03 - 5/7/09

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/06/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S110605-03		S110605-04		S110605-05		S110605-09	
Client Sample I.D.:	CV-99		CV-24122		CV-113		CV-2007	
Date/Time Sampled:	11/6/25 9:15		11/6/25 9:20		11/6/25 9:25		11/6/25 9:50	
Date/Time Analyzed:	11/6/25 17:05		11/6/25 17:44		11/6/25 18:22		11/6/25 19:01	
QC Batch No.:	251106MS2A1		251106MS2A1		251106MS2A1		251106MS2A1	
Analyst Initials:	VM		VM		VM		VM	
Dilution Factor:	800		500		1,000		4,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	800	ND	500	ND	1,000	ND	4,000
Chloromethane	ND	800	ND	500	ND	1,000	ND	4,000
1,2-Cl-1,1,2,2-F ethane (114)	ND	800	ND	500	ND	1,000	ND	4,000
Vinyl Chloride	ND	800	ND	500	ND	1,000	ND	4,000
Bromomethane	ND	800	ND	500	ND	1,000	ND	4,000
Chloroethane	ND	4,000	ND	2,500	ND	5,000	ND	20,000
Trichlorofluoromethane (11)	ND	800	ND	500	ND	1,000	ND	4,000
1,1-Dichloroethene	ND	800	ND	500	ND	1,000	ND	4,000
Carbon Disulfide	ND	800	ND	500	1,300	1,000	ND	4,000
1,1,2-Cl 1,2,2-F ethane (113)	ND	800	ND	500	ND	1,000	ND	4,000
Acetone	74,000	5,600	29,000	3,500	130,000	7,000	490,000	28,000
Methylene Chloride	ND	800	ND	500	ND	1,000	ND	4,000
t-1,2-Dichloroethene	ND	800	ND	500	ND	1,000	ND	4,000
1,1-Dichloroethane	ND	800	ND	500	ND	1,000	ND	4,000
Vinyl Acetate	ND	800	ND	500	ND	1,000	ND	4,000
c-1,2-Dichloroethene	ND	800	ND	500	ND	1,000	ND	4,000
2-Butanone	30,000	4,000	13,000	2,500	63,000	5,000	230,000	20,000
t-Butyl Methyl Ether (MTBE)	ND	800	ND	500	ND	1,000	ND	4,000
Chloroform	ND	800	ND	500	ND	1,000	ND	4,000
1,1,1-Trichloroethane	ND	800	ND	500	ND	1,000	ND	4,000
Carbon Tetrachloride	ND	800	ND	500	ND	1,000	ND	4,000
Benzene	7,300	800	1,100	500	7,300	1,000	210,000	4,000
1,2-Dichloroethane	ND	800	ND	500	ND	1,000	ND	4,000
Trichloroethene	ND	800	ND	500	ND	1,000	ND	4,000
1,2-Dichloropropane	ND	800	ND	500	ND	1,000	ND	4,000
Bromodichloromethane	ND	800	ND	500	ND	1,000	ND	4,000
c-1,3-Dichloropropene	ND	800	ND	500	ND	1,000	ND	4,000
4-Methyl-2-Pentanone	ND	800	ND	500	1,000	1,000	4,200	4,000
Toluene	ND	800	ND	500	ND	1,000	8,600	4,000
t-1,3-Dichloropropene	ND	1,600	ND	1,000	ND	2,000	ND	8,000
1,1,2-Trichloroethane	ND	800	ND	500	ND	1,000	ND	4,000
Tetrachloroethene	ND	800	ND	500	ND	1,000	ND	4,000
2-Hexanone	ND	800	ND	500	ND	1,000	ND	4,000
Dibromochloromethane	ND	800	ND	500	ND	1,000	ND	4,000



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/06/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S110605-03		S110605-04		S110605-05		S110605-09	
Client Sample I.D.:	CV-99		CV-24122		CV-113		CV-2007	
Date/Time Sampled:	11/6/25 9:15		11/6/25 9:20		11/6/25 9:25		11/6/25 9:50	
Date/Time Analyzed:	11/6/25 17:05		11/6/25 17:44		11/6/25 18:22		11/6/25 19:01	
QC Batch No.:	251106MS2A1		251106MS2A1		251106MS2A1		251106MS2A1	
Analyst Initials:	VM		VM		VM		VM	
Dilution Factor:	800		500		1,000		4,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	800	ND	500	ND	1,000	ND	4,000
Chlorobenzene	ND	800	ND	500	ND	1,000	ND	4,000
Ethylbenzene	ND	800	ND	500	ND	1,000	ND	4,000
p,&m-Xylene	ND	1,600	ND	1,000	ND	2,000	ND	8,000
o-Xylene	ND	800	ND	500	ND	1,000	ND	4,000
Styrene	ND	800	ND	500	ND	1,000	ND	4,000
Bromoform	ND	800	ND	500	ND	1,000	ND	4,000
1,1,2,2-Tetrachloroethane	ND	800	ND	500	ND	1,000	ND	4,000
Benzyl Chloride	ND	800	ND	500	ND	1,000	ND	4,000
4-Ethyl Toluene	ND	800	ND	500	ND	1,000	ND	4,000
1,3,5-Trimethylbenzene	ND	800	ND	500	ND	1,000	ND	4,000
1,2,4-Trimethylbenzene	ND	800	ND	500	ND	1,000	ND	4,000
1,3-Dichlorobenzene	ND	800	ND	500	ND	1,000	ND	4,000
1,4-Dichlorobenzene	ND	800	ND	500	ND	1,000	ND	4,000
1,2-Dichlorobenzene	ND	800	ND	500	ND	1,000	ND	4,000
1,2,4-Trichlorobenzene	ND	1,600	ND	1,000	ND	2,000	ND	8,000
Hexachlorobutadiene	ND	800	ND	500	ND	1,000	ND	4,000
1,3-Butadiene	4,400	4,000	ND	2,500	ND	5,000	ND	20,000
Isopropanol	37,000	4,000	17,000	2,500	42,000	5,000	110,000	20,000
n-Hexane	ND	4,000	ND	2,500	ND	5,000	ND	20,000
Ethyl Acetate	ND	4,000	ND	2,500	ND	5,000	ND	20,000
Tetrahydrofuran	10,000	4,000	4,000	2,500	18,000	5,000	210,000	20,000
Cyclohexane	ND	4,000	4,200	2,500	ND	5,000	ND	20,000
Heptane	ND	4,000	ND	2,500	ND	5,000	ND	20,000
1,4-Dioxane	ND	4,000	ND	2,500	ND	5,000	ND	20,000

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By: _____

Mark Johnson
 Operations Manager

Date _____

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110605 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/06/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD BLANK								
Client Sample I.D.:	--								
Date/Time Sampled:	--								
Date/Time Analyzed:	11/6/25 10:59								
QC Batch No.:	251106MS2A1								
Analyst Initials:	RC								
Dilution Factor:	0.20								
ANALYTE	Result ppbv	RL ppbv							
Dichlorodifluoromethane (12)	ND	0.20							
Chloromethane	ND	0.20							
1,2-Cl-1,1,2,2-F ethane (114)	ND	0.20							
Vinyl Chloride	ND	0.20							
Bromomethane	ND	0.20							
Chloroethane	ND	1.0							
Trichlorofluoromethane (11)	ND	0.20							
1,1-Dichloroethene	ND	0.20							
Carbon Disulfide	ND	0.20							
1,1,2-Cl 1,2,2-F ethane (113)	ND	0.20							
Acetone	ND	1.4							
Methylene Chloride	ND	0.20							
t-1,2-Dichloroethene	ND	0.20							
1,1-Dichloroethane	ND	0.20							
Vinyl Acetate	ND	0.20							
c-1,2-Dichloroethene	ND	0.20							
2-Butanone	ND	1.0							
t-Butyl Methyl Ether (MTBE)	ND	0.20							
Chloroform	ND	0.20							
1,1,1-Trichloroethane	ND	0.20							
Carbon Tetrachloride	ND	0.20							
Benzene	ND	0.20							
1,2-Dichloroethane	ND	0.20							
Trichloroethene	ND	0.20							
1,2-Dichloropropane	ND	0.20							
Bromodichloromethane	ND	0.20							
c-1,3-Dichloropropene	ND	0.20							
4-Methyl-2-Pentanone	ND	0.20							
Toluene	ND	0.20							
t-1,3-Dichloropropene	ND	0.40							
1,1,2-Trichloroethane	ND	0.20							
Tetrachloroethene	ND	0.20							
2-Hexanone	ND	0.20							
Dibromochloromethane	ND	0.20							



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/06/25
 Matrix: Air
 Reporting Units: ppbv


EPA Method TO-15

Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/6/25 10:59							
QC Batch No.:	251106MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.40						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.40						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By: _____



Mark Johnson
Operations Manager

Date _____

11/17/25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S110605 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251106MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	11/6/25 10:59			11/6/25 6:39		11/6/25 7:17					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	11.0	110	11.0	110	0.1	70	130	30
Methylene Chloride	ND	0.20	10	10.5	105	10.8	108	3.1	70	130	30
Trichloroethene	ND	0.20	10	11.5	115	11.5	115	0.1	70	130	30
Toluene	ND	0.20	10	10.9	109	10.9	109	0.1	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	11.6	116	11.6	116	0.1	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____

Mark Johnson
Operations Manager

Date: _____

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110605-01	S110605-02	S110605-03	S110605-04					
Client Sample I.D.:	CV-2334	CV-24125	CV-99	CV-24122					
Date/Time Sampled:	11/6/25 9:05	11/6/25 9:10	11/6/25 9:15	11/6/25 9:20					
Date/Time Analyzed:	11/6/25 15:59	11/6/25 16:13	11/6/25 16:27	11/6/25 16:42					
QC Batch No.:	251106GC8A1	251106GC8A1	251106GC8A1	251106GC8A1					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	250	10	26	10	ND	10	ND	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
 Mark Johnson
 Operations Manager

Date 11/7/25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S110605-05		S110605-06		S110605-07		S110605-09		
Client Sample I.D.:	CV-113		CV-24121		CV-2333		CV-2007		
Date/Time Sampled:	11/6/25 9:25		11/6/25 9:30		11/6/25 9:35		11/6/25 9:50		
Date/Time Analyzed:	11/6/25 16:56		11/6/25 17:11		11/6/25 17:25		11/6/25 17:54		
QC Batch No.:	251106GC8A1		251106GC8A1		251106GC8A1		251106GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	35	10	86	10	3,300	10	270	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
 Mark Johnson
 Operations Manager

Date 11/17/25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)


Lab No.:	S110605-10							
Client Sample I.D.:	CV-24055							
Date/Time Sampled:	11/6/25 10:00							
Date/Time Analyzed:	11/6/25 18:09							
QC Batch No.:	251106GC8A1							
Analyst Initials:	KD							
Dilution Factor:	1.0							
ANALYTE	Result ppmv	RL ppmv						
Carbon Monoxide	460	10						

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____


Mark Johnson
Operations Manager

Date 11/17/25

The cover letter is an integral part of this analytical report



QC Batch No: 251106GC8A1
Matrix: Air
Reporting Units: ppmv

**EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCS D					
Date Analyzed:	11/6/25 10:11			11/6/25 9:28		11/6/25 9:42					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
								Limits			
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,130	112	1,120	111	0.5	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
Operations Manager

Date: 11/17/25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110605-01			S110605-02			S110605-03			S110605-04		
Client Sample I.D.:	CV-2334			CV-24125			CV-99			CV-24122		
Date/Time Sampled:	11/6/25 9:05			11/6/25 9:10			11/6/25 9:15			11/6/25 9:20		
Date/Time Analyzed:	11/6/25 15:59			11/6/25 16:13			11/6/25 16:27			11/6/25 16:42		
QC Batch No.:	251106GC8A1			251106GC8A1			251106GC8A1			251106GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	1.4	1.0	0.059	1.3	1.0	0.059	0.85 J	1.0	0.059	0.18 J	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:


Mark Johnson
Operations Manager

Date

11/17/25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110605-05			S110605-06			S110605-07			S110605-09		
Client Sample I.D.:	CV-113			CV-24121			CV-2333			CV-2007		
Date/Time Sampled:	11/6/25 9:25			11/6/25 9:30			11/6/25 9:35			11/6/25 9:50		
Date/Time Analyzed:	11/6/25 16:56			11/6/25 17:11			11/6/25 17:25			11/6/25 17:54		
QC Batch No.:	251106GC8A1			251106GC8A1			251106GC8A1			251106GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	1.6	1.0	0.059	0.44 J	1.0	0.059	16	1.0	0.059	0.93 J	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:


Mark Johnson
Operations Manager

Date

11/17/25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Mark Johnson
Operations Manager

Date 4/17/25

The cover letter is an integral part of this analytical report

QC Batch No: 251106GC8A1
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	11/6/25 10:11				11/6/25 9:28		11/6/25 9:42					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0					
ANALYTE	Result	RL	MDL	SPIKE	Result		Result		RPD	Limits		
	% v/v	% v/v	% v/v	AMT. % v/v	% v/v	% Rec.	% v/v	% Rec.	%	Low %Rec	High %Rec	Max. RPD
Hydrogen	0.22 J	1.0	0.059	5.0	3.82	73	3.76	71	1.7	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Mark Johnson
Operations Manager

Date 11/17/25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946


Lab No.:	S110605-01	S110605-02	S110605-03	S110605-04					
Client Sample I.D.:	CV-2334	CV-24125	CV-99	CV-24122					
Date/Time Sampled:	11/6/25 9:05	11/6/25 9:10	11/6/25 9:15	11/6/25 9:20					
Date/Time Analyzed:	11/6/25 15:59	11/6/25 16:13	11/6/25 16:27	11/6/25 16:42					
QC Batch No.:	251106GC8A1	251106GC8A1	251106GC8A1	251106GC8A1					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	
	Carbon Dioxide	69	0.010	45	0.010	58	0.010	38	0.010
	Oxygen/Argon	1.5	0.50	2.6	0.50	1.4	0.50	3.8	0.50
	Nitrogen	5.0	1.0	17	1.0	4.6	1.0	14	1.0
	Methane	23	0.0010	34	0.0010	34	0.0010	44	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____


Mark Johnson
Operations Manager

Date 11/17/25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110605-05	S110605-06	S110605-07	S110605-08				
Client Sample I.D.:	CV-113	CV-24121	CV-2333	CV-24126				
Date/Time Sampled:	11/6/25 9:25	11/6/25 9:30	11/6/25 9:35	11/6/25 9:40				
Date/Time Analyzed:	11/6/25 16:56	11/6/25 17:11	11/6/25 17:25	11/6/25 17:40				
QC Batch No.:	251106GC8A1	251106GC8A1	251106GC8A1	251106GC8A1				
Analyst Initials:	KD	KD	KD	KD				
Dilution Factor:	1.0	1.0	1.0	1.0				
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	28	0.010	54	0.010	76	0.010	70	0.010
Oxygen/Argon	9.1	0.50	5.2	0.50	1.1	0.50	1.1	0.50
Nitrogen	39	1.0	19	1.0	3.2	1.0	11	1.0
Methane	23	0.0010	21	0.0010	1.9	0.0010	7.9	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____


Mark Johnson
Operations Manager

Date 11/17/25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

page 1 of 1

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/06/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S110605-09	S110605-10		
Client Sample I.D.:	CV-2007	CV-24055		
Date/Time Sampled:	11/6/25 9:50	11/6/25 10:00		
Date/Time Analyzed:	11/6/25 17:54	11/6/25 18:09		
QC Batch No.:	251106GC8A1	251106GC8A1		
Analyst Initials:	KD	KD		
Dilution Factor:	1.0	1.0		
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	68	0.010	55	0.010
Oxygen/Argon	3.7	0.50	5.6	0.50
Nitrogen	13	1.0	23	1.0
Methane	13	0.0010	12	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____


Mark Johnson
Operations Manager

Date 11/17/25

The cover letter is an integral part of this analytical report



QC Batch No: 251106GC8A1
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/6/25 10:11			11/6/25 9:28		11/6/25 9:42					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Limits		
									Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.7	106	10.7	106	0.1	70	130	30
Oxygen/Argon	ND	0.50	15	14.7	98	14.7	98	0.0	70	130	30
Nitrogen	ND	1.0	70	71.5	103	71.6	103	0.1	70	130	30
Methane	ND	0.0010	0.10	0.107	106	0.107	105	0.4	70	130	30


ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: _____


Mark Johnson
Operations Manager

Date _____



The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



November 21, 2025



SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
ASTM D1946, RSK-175

TX Cert T104704450-14-6
EPA Methods TO14A, TO15

ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S111004-01/10

Enclosed are the results for sample(s) received 11/10/25 by Air Technology. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA TO-15 – samples were collected in Mylar bags. Benzyl chloride required quadratic regression calibration.
- Performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 11/20/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in blue ink that reads "Annika Scott Sanchez".

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

18501 E. Gale Ave., Suite 130 City of Industry, CA 91748 Ph: 626-964-4032 Fx: 626-964-5832		CHAIN OF CUSTODY RECORD																	
		TURNAROUND TIME Standard ☒ 48 hours ☐ Same Day ☐ 72 hours ☐ 24 hours ☐ 96 hours ☐ Other: _____			DELIVERABLES EDD ☒ EDF ☐ Level 3 ☐ Level 4 ☐			PAGE: 1 OF Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C											
Project No.: 07224200.24 Task 1 Project Name: Chiquita Canyon Landfill Report To: Cornelius Fong Company: SCS Engineers Street: 3900 Kilroy Airport Way, Suite 100 City/State/Zip: Long Beach, CA 90806-6816 Phone& Fax: 562-743-7895 e-mail: cfong@scsengineers.com		BILLING P.O. No.: 07-SO05310 Bill to: 07FSAccountspayable@scsengineers.com 3900 Kilroy Airport Way, Suite 100 Long Beach, CA 90806-6816			ANALYSIS REQUEST														
LAB USE ONLY		SAMPLE IDENTIFICATION		SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVA- TION	CH ₄ , CO ₂ , O ₂ , N ₂ ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15							
S111004 - 01		CV-4062-24062 H.O. 11/20/25		11/10/2025	8:50AM	1L	Gas	N	X	X	X								
- 02		CV-2328		11/10/2025	8:55AM	1L	Gas	N	X	X	X								
- 03		CV-2302		11/10/2025	9:00AM	2-1L	Gas	N	X	X	X	X							
- 04		CV-2301		11/10/2025	9:05AM	2-1L	Gas	N	X	X	X	X							
- 05		CV-24070		11/10/2025	9:20AM	1L	Gas	N	X	X	X								
- 06		CV-24069		11/10/2025	9:25AM	1L	Gas	N	X	X	X								
- 07		CV-24064		11/10/2025	9:30AM	1L	Gas	N	X	X	X								
- 08		CV-24084		11/10/2025	9:40AM	1L	Gas	N	X										
- 09		CV-24053		11/10/2025	9:55AM	2-1L	Gas	N	X	X	X	X							
- 10		CV-2314		11/10/2025	10:20AM	1L	Gas	N	X	X	X								
AUTHORIZATION TO PERFORM WORK				COMPANY				DATE/TIME				COMMENTS Report full list of TO-15 compounds Raw landfill gas samples FLAMMABLE							
SAMPLED BY Antonio Ambriz				COMPANY SCS				DATE/TIME											
RELINQUISHED BY Antonio A				DATE/TIME 11-10-25 11:10am				RECEIVED BY Suben C								DATE/TIME 11/10/25 11:10am			
RELINQUISHED BY Suben C				DATE/TIME 11/10/25 12:28				RECEIVED BY Suben C								DATE/TIME 11/10/25 12:28			
RELINQUISHED BY				DATE/TIME				RECEIVED BY								DATE/TIME			
METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS Courier ATLI Other _____																			

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/10/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S111004-03		S111004-04		S111004-09			
Client Sample I.D.:	CV-2302		CV-2301		CV-24053			
Date/Time Sampled:	11/10/25 9:00		11/10/25 9:05		11/10/25 9:55			
Date/Time Analyzed:	11/11/25 2:57		11/11/25 3:35		11/11/25 2:19			
QC Batch No.:	251110MS2A2		251110MS2A2		251110MS2A2			
Analyst Initials:	RC		RC		RC			
Dilution Factor:	3,000		10,000		1,300			
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv		
Dichlorodifluoromethane (12)	ND	3,000	ND	10,000	ND	1,300		
Chloromethane	ND	3,000	ND	10,000	ND	1,300		
1,2-CI-1,1,2,2-F ethane (114)	ND	3,000	ND	10,000	ND	1,300		
Vinyl Chloride	ND	3,000	ND	10,000	ND	1,300		
Bromomethane	ND	3,000	ND	10,000	ND	1,300		
Chloroethane	ND	15,000	ND	50,000	ND	6,300		
Trichlorofluoromethane (11)	ND	3,000	ND	10,000	ND	1,300		
1,1-Dichloroethene	ND	3,000	ND	10,000	ND	1,300		
Carbon Disulfide	4,200	3,000	14,000	10,000	ND	1,300		
1,1,2-CI 1,2,2-F ethane (113)	ND	3,000	ND	10,000	ND	1,300		
Acetone	400,000	21,000	1,600,000	70,000	190,000	8,800		
Methylene Chloride	ND	3,000	ND	10,000	ND	1,300		
t-1,2-Dichloroethene	ND	3,000	ND	10,000	ND	1,300		
1,1-Dichloroethane	ND	3,000	ND	10,000	ND	1,300		
Vinyl Acetate	ND	3,000	ND	10,000	ND	1,300		
c-1,2-Dichloroethene	ND	3,000	ND	10,000	ND	1,300		
2-Butanone	250,000	15,000	960,000	50,000	120,000	6,300		
t-Butyl Methyl Ether (MTBE)	ND	3,000	ND	10,000	ND	1,300		
Chloroform	ND	3,000	ND	10,000	ND	1,300		
1,1,1-Trichloroethane	ND	3,000	ND	10,000	ND	1,300		
Carbon Tetrachloride	ND	3,000	ND	10,000	ND	1,300		
Benzene	160,000	3,000	440,000	10,000	46,000	1,300		
1,2-Dichloroethane	ND	3,000	ND	10,000	ND	1,300		
Trichloroethene	ND	3,000	ND	10,000	ND	1,300		
1,2-Dichloropropane	ND	3,000	ND	10,000	ND	1,300		
Bromodichloromethane	ND	3,000	ND	10,000	ND	1,300		
c-1,3-Dichloropropene	ND	3,000	ND	10,000	ND	1,300		
4-Methyl-2-Pentanone	5,800	3,000	16,000	10,000	1,800	1,300		
Toluene	6,100	3,000	20,000	10,000	2,500	1,300		
t-1,3-Dichloropropene	ND	6,000	ND	20,000	ND	2,500		
1,1,2-Trichloroethane	ND	3,000	ND	10,000	ND	1,300		
Tetrachloroethene	ND	3,000	ND	10,000	ND	1,300		
2-Hexanone	ND	3,000	ND	10,000	ND	1,300		
Dibromochloromethane	ND	3,000	ND	10,000	ND	1,300		

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/10/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	S111004-03		S111004-04		S111004-09			
Client Sample I.D.:	CV-2302		CV-2301		CV-24053			
Date/Time Sampled:	11/10/25 9:00		11/10/25 9:05		11/10/25 9:55			
Date/Time Analyzed:	11/11/25 2:57		11/11/25 3:35		11/11/25 2:19			
QC Batch No.:	251110MS2A2		251110MS2A2		251110MS2A2			
Analyst Initials:	RC		RC		RC			
Dilution Factor:	3,000		10,000		1,300			
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv		
1,2-Dibromoethane	ND	3,000	ND	10,000	ND	1,300		
Chlorobenzene	ND	3,000	ND	10,000	ND	1,300		
Ethylbenzene	ND	3,000	ND	10,000	ND	1,300		
p,&m-Xylene	ND	6,000	ND	20,000	ND	2,500		
o-Xylene	ND	3,000	ND	10,000	ND	1,300		
Styrene	ND	3,000	ND	10,000	ND	1,300		
Bromoform	ND	3,000	ND	10,000	ND	1,300		
1,1,2,2-Tetrachloroethane	ND	3,000	ND	10,000	ND	1,300		
Benzyl Chloride	ND	3,000	ND	10,000	ND	1,300		
4-Ethyl Toluene	ND	3,000	ND	10,000	ND	1,300		
1,3,5-Trimethylbenzene	ND	3,000	ND	10,000	ND	1,300		
1,2,4-Trimethylbenzene	ND	3,000	ND	10,000	ND	1,300		
1,3-Dichlorobenzene	ND	3,000	ND	10,000	ND	1,300		
1,4-Dichlorobenzene	ND	3,000	ND	10,000	ND	1,300		
1,2-Dichlorobenzene	ND	3,000	ND	10,000	ND	1,300		
1,2,4-Trichlorobenzene	ND	6,000	ND	20,000	ND	2,500		
Hexachlorobutadiene	ND	3,000	ND	10,000	ND	1,300		
1,3-Butadiene	ND	15,000	ND	50,000	ND	6,300		
Isopropanol	220,000	15,000	340,000	50,000	130,000	6,300		
n-Hexane	ND	15,000	ND	50,000	ND	6,300		
Ethyl Acetate	19,000	15,000	79,000	50,000	15,000	6,300		
Tetrahydrofuran	220,000	15,000	730,000	50,000	85,000	6,300		
Cyclohexane	ND	15,000	ND	50,000	ND	6,300		
Heptane	ND	15,000	ND	50,000	ND	6,300		
1,4-Dioxane	ND	15,000	ND	50,000	ND	6,300		

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:

Mark Johnson
 Mark Johnson
 Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S111004 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/10/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/10/25 20:36							
QC Batch No.:	251110MS2A2							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-Di-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	1.0						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-Di 1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	1.4						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	1.0						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.40						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/10/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK								
Client Sample I.D.:	--								
Date/Time Sampled:	--								
Date/Time Analyzed:	11/10/25 20:36								
QC Batch No.:	251110MS2A2								
Analyst Initials:	RC								
Dilution Factor:	0.20								
ANALYTE	Result ppbv	RL ppbv							
1,2-Dibromoethane	ND	0.20							
Chlorobenzene	ND	0.20							
Ethylbenzene	ND	0.20							
p,&m-Xylene	ND	0.40							
o-Xylene	ND	0.20							
Styrene	ND	0.20							
Bromoform	ND	0.20							
1,1,2,2-Tetrachloroethane	ND	0.20							
Benzyl Chloride	ND	0.20							
4-Ethyl Toluene	ND	0.20							
1,3,5-Trimethylbenzene	ND	0.20							
1,2,4-Trimethylbenzene	ND	0.20							
1,3-Dichlorobenzene	ND	0.20							
1,4-Dichlorobenzene	ND	0.20							
1,2-Dichlorobenzene	ND	0.20							
1,2,4-Trichlorobenzene	ND	0.40							
Hexachlorobutadiene	ND	0.20							
1,3-Butadiene	ND	1.0							
Isopropanol	ND	1.0							
n-Hexane	ND	1.0							
Ethyl Acetate	ND	1.0							
Tetrahydrofuran	ND	1.0							
Cyclohexane	ND	1.0							
Heptane	ND	1.0							
1,4-Dioxane	ND	1.0							

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:



Mark Johnson
Operations Manager

Date

11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S111004 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251110MS2A2

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	11/10/25 20:36			11/10/25 19:20		11/10/25 19:58					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	10.9	109	10.5	105	3.8	70	130	30
Methylene Chloride	ND	0.20	10	10.6	106	10.4	104	1.9	70	130	30
Trichloroethene	ND	0.20	10	11.3	113	11.3	113	0.5	70	130	30
Toluene	ND	0.20	10	10.6	106	10.6	106	0.7	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	11.2	112	11.1	111	1.2	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:


 Mark Johnson
 Operations Manager

Date: 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111004-01	S111004-02	S111004-03	S111004-04					
Client Sample I.D.:	CV-24062	CV-2328	CV-2302	CV-2301					
Date/Time Sampled:	11/10/25 8:50	11/10/25 8:55	11/10/25 9:00	11/10/25 9:05					
Date/Time Analyzed:	11/10/25 15:58	11/10/25 16:12	11/10/25 16:27	11/10/25 16:41					
QC Batch No.:	251110GC8A3	251110GC8A3	251110GC8A3	251110GC8A3					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	470	10	670	10	870	10	1,900	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111004-05		S111004-06		S111004-07		S111004-09		
Client Sample I.D.:	CV-24070		CV-24069		CV-24064		CV-24053		
Date/Time Sampled:	11/10/25 9:20		11/10/25 9:25		11/10/25 9:30		11/10/25 9:55		
Date/Time Analyzed:	11/10/25 16:55		11/10/25 17:10		11/10/25 17:24		11/10/25 17:53		
QC Batch No.:	251110GC8A3		251110GC8A3		251110GC8A3		251110GC8A3		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	1,000	10	1,000	10	220	10	250	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotelo Sanchez
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111004-10			
Client Sample I.D.:	CV-2314			
Date/Time Sampled:	11/10/25 10:20			
Date/Time Analyzed:	11/10/25 18:08			
QC Batch No.:	251110GC8A3			
Analyst Initials:	KD			
Dilution Factor:	1.0			
ANALYTE	Result ppmv	RL ppmv		
Carbon Monoxide	1,200	10		

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Soto Sanchez
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



[illegible]

RL = Reporting Limit

Annika Pilo Sanchez of
Mark Johnson

Date 11-19-25

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111004-01			S111004-02			S111004-03			S111004-04		
Client Sample I.D.:	CV-24062			CV-2328			CV-2302			CV-2301		
Date/Time Sampled:	11/10/25 8:50			11/10/25 8:55			11/10/25 9:00			11/10/25 9:05		
Date/Time Analyzed:	11/10/25 15:58			11/10/25 16:12			11/10/25 16:27			11/10/25 16:41		
QC Batch No.:	251110GC8A3			251110GC8A3			251110GC8A3			251110GC8A3		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	3.2	1.0	0.059	5.4	1.0	0.059	14	1.0	0.059	15	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Mark Johnson
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111004-05			S111004-06			S111004-07			S111004-09		
Client Sample I.D.:	CV-24070			CV-24069			CV-24064			CV-24053		
Date/Time Sampled:	11/10/25 9:20			11/10/25 9:25			11/10/25 9:30			11/10/25 9:55		
Date/Time Analyzed:	11/10/25 16:55			11/10/25 17:10			11/10/25 17:24			11/10/25 17:53		
QC Batch No.:	251110GC8A3			251110GC8A3			251110GC8A3			251110GC8A3		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v
Hydrogen	11	1.0	0.059	12	1.0	0.059	4.6	1.0	0.059	2.3	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Settlelaunsky
Mark Johnson
Operations Manager

Date

11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

[illegible]

MDL = Method Detection Limit
ND= Not Detected (below MDL)
RL = Reporting Limit
J = Trace amount. Analyte concentration between RL and MDL.

Annika Shulman
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report

QC Batch No: 251110GC8A3
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS	LCSD							
Date Analyzed:	11/10/25 13:47			11/10/25 13:04	11/10/25 13:18							
Analyst Initials:	KD			KD	KD							
Dilution Factor:	1.0			1.0	1.0							
						Limits						
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Hydrogen	0.11 J	1.0	0.059	5.0	4.61	91	4.75	93	2.9	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Sotto Sanchez
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111004-01	S111004-02	S111004-03	S111004-04					
Client Sample I.D.:	CV-24062	CV-2328	CV-2302	CV-2301					
Date/Time Sampled:	11/10/25 8:50	11/10/25 8:55	11/10/25 9:00	11/10/25 9:05					
Date/Time Analyzed:	11/10/25 15:58	11/10/25 16:12	11/10/25 16:27	11/10/25 16:41					
QC Batch No.:	251110GC8A3	251110GC8A3	251110GC8A3	251110GC8A3					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	
	Carbon Dioxide	53	0.010	60	0.010	63	0.010	80	0.010
	Oxygen/Argon	3.2	0.50	2.4	0.50	0.79	0.50	0.82	0.50
	Nitrogen	10	1.0	7.3	1.0	1.4	1.0	1.6	1.0
	Methane	30	0.0010	24	0.0010	20	0.0010	0.78	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Mark Johnson
 Mark Johnson
 Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111004-05		S111004-06		S111004-07		S111004-08		
Client Sample I.D.:	CV-24070		CV-24069		CV-24064		CV-24084		
Date/Time Sampled:	11/10/25 9:20		11/10/25 9:25		11/10/25 9:30		11/10/25 9:40		
Date/Time Analyzed:	11/10/25 16:55		11/10/25 17:10		11/10/25 17:24		11/10/25 17:39		
QC Batch No.:	251110GC8A3		251110GC8A3		251110GC8A3		251110GC8A3		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result	RL	Result	RL	Result	RL	Result	RL	
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	
	Carbon Dioxide	80	0.010	76	0.010	83	0.010	70	0.010
	Oxygen/Argon	0.76	0.50	0.99	0.50	0.79	0.50	4.1	0.50
	Nitrogen	1.2	1.0	2.1	1.0	1.4	1.0	13	1.0
	Methane	5.2	0.0010	8.7	0.0010	9.2	0.0010	3.6	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotelo Sanchez
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/10/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111004-09	S111004-10		
Client Sample I.D.:	CV-24053	CV-2314		
Date/Time Sampled:	11/10/25 9:55	11/10/25 10:20		
Date/Time Analyzed:	11/10/25 17:53	11/10/25 18:08		
QC Batch No.:	251110GC8A3	251110GC8A3		
Analyst Initials:	KD	KD		
Dilution Factor:	1.0	1.0		
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	28	0.010	40	0.010
Oxygen/Argon	12	0.50	11	0.50
Nitrogen	44	1.0	40	1.0
Methane	14	0.0010	0.71	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika D. Sanchez
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



QC Batch No: 251110GC8A3
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/10/25 13:47			11/10/25 13:04		11/10/25 13:18					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
			Limits								
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	11.0	110	11.0	110	0.1	70	130	30
Oxygen/Argon	ND	0.50	15	14.1	93	14.1	93	0.0	70	130	30
Nitrogen	ND	1.0	70	69.0	99	69.0	99	0.1	70	130	30
Methane	ND	0.0010	0.10	0.104	103	0.103	102	0.7	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Settle Sanchez
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



November 21, 2025



SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
ASTM D1946, RSK-175
TX Cert T104704450-14-6
EPA Methods TO14A, TO15
ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S111104-01/10

Enclosed are the results for sample(s) received 11/11/25 by Air Technology. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA TO-15 – samples were collected in Mylar bags. Benzyl chloride required quadratic regression calibration.
- EPA TO-15 analysis for sample S111104-08/CV-24007 was performed outside the recommended 24HR hold-time.
- Performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 11/20/25.


ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in blue ink that reads "Annika Sattalanchey".

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

 AirTECHNOLOGY Laboratories, Inc.		18501 E. Gale Ave., Suite 130 City of Industry, CA 91748 Ph: 626-964-4032 Fx: 626-964-5832		CHAIN OF CUSTODY RECORD																														
				<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th colspan="3">TURNAROUND TIME</th> <th colspan="2">DELIVERABLES</th> <th colspan="2">PAGE: 1 OF</th> </tr> <tr> <td>Standard</td> <td>☒</td> <td>48 hours</td> <td>☐</td> <td>EDD</td> <td>☒</td> <td rowspan="4">Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C</td> </tr> <tr> <td>Same Day</td> <td>☐</td> <td>72 hours</td> <td>☐</td> <td>EDF</td> <td>☐</td> </tr> <tr> <td>24 hours</td> <td>☐</td> <td>96 hours</td> <td>☐</td> <td>Level 3</td> <td>☐</td> </tr> <tr> <td>Other:</td> <td></td> <td></td> <td></td> <td>Level 4</td> <td>☐</td> </tr> </table>			TURNAROUND TIME			DELIVERABLES		PAGE: 1 OF		Standard	☒	48 hours	☐	EDD	☒	Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C	Same Day	☐	72 hours	☐	EDF	☐	24 hours	☐	96 hours	☐	Level 3	☐	Other:	
TURNAROUND TIME			DELIVERABLES		PAGE: 1 OF																													
Standard	☒	48 hours	☐	EDD	☒	Condition upon receipt: Sealed Yes ☐ No ☐ Intact Yes ☐ No ☐ Chilled _____ deg C																												
Same Day	☐	72 hours	☐	EDF	☐																													
24 hours	☐	96 hours	☐	Level 3	☐																													
Other:				Level 4	☐																													
Project No.: 07224200.24 Task 1		Project Name: Chiquita Canyon Landfill		Report To: Cornelius Fong			Company: SCS Engineers			Street: 3900 Kilroy Airport Way, Suite 100			City/State/Zip: Long Beach, CA 90806-6816			Phone& Fax: 562-743-7895			e-mail: cfong@scsengineers.com															
				BILLING			ANALYSIS REQUEST																											
				P.O. No.: 07-SO05310			CH₄, CO₂, O₂, N₂ ASTM D1946 Carbon Monoxide EPA ALT-144 Hydrogen ASTM D1946 VOCs EPA TO-15																											
				Bill to:																														
				07FSAccounts payable@scsengineers.com																														
				3900 Kilroy Airport Way, Suite 100																														
				Long Beach, CA 90806-6816																														
LAB USE ONLY		SAMPLE IDENTIFICATION		SAMPLE DATE	SAMPLE TIME	CONTAINER QTY/TYPE	MATRIX	PRESERVATION																										
		CV-2305		11/11/2025	8:00AM	1L	Gas	N	X	X	X																							
		CV-2315		11/11/2025	8:05AM	2-1L	Gas	N	X	X	X	X																						
		CV-24071		11/11/2025	8:15AM	1L	Gas	N	X	X	X																							
		CV-2312		11/11/2025	8:25AM	2-1L	Gas	N	X	X	X	X																						
		CV-24063		11/11/2025	8:30SM	1L	Gas	N	X	X	X																							
		CV-2303		11/11/2025	8:40AM	1L	Gas	N	X	X	X																							
		CV-24017		11/11/2025	8:55AM	2-1L	Gas	N	X	X	X	X																						
		CV-24007		11/11/2025	9:00AM	2-1L	Gas	N	X	X	X	X																						
		CV-24134		11/11/2025	9:10AM	1L	Gas	N	X																									
		CV-24123		11/11/2025	9:30AM	1L	Gas	N	X																									
AUTHORIZATION TO PERFORM WORK				COMPANY				DATE/TIME				COMMENTS Report full list of TO-15 compounds Raw landfill gas samples FLAMMABLE																						
SAMPLED BY Antonio Ambriz				COMPANY SCS				DATE/TIME 11/11/25																										
RELINQUISHED BY 				DATE/TIME 11/11/25 10:55AM				RECEIVED BY 								DATE/TIME 11/11/25 10:55AM																		
RELINQUISHED BY 				DATE/TIME 11/11/25 13:34				RECEIVED BY 								DATE/TIME 11/11/25 1334																		
RELINQUISHED BY				DATE/TIME				RECEIVED BY								DATE/TIME																		
METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS Courier ATLI Other																																		

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/11/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S111104-02		S111104-04		S111104-07		S111104-08	
Client Sample I.D.:	CV-2315		CV-2312		CV-24017		CV-24007	
Date/Time Sampled:	11/11/25 8:05		11/11/25 8:25		11/11/25 8:55		11/11/25 9:00	
Date/Time Analyzed:	11/12/25 7:37		11/12/25 8:15		11/12/25 8:53		11/12/25 09:32*	
QC Batch No.:	251111MS2A1		251111MS2A1		251111MS2A1		251111MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	4,000		5,000		10,000		6,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Chloromethane	ND	4,000	ND	5,000	23,000	10,000	ND	6,000
1,2-CI-1,1,2,2-F ethane (114)	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Vinyl Chloride	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Bromomethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Chloroethane	ND	20,000	ND	25,000	ND	50,000	ND	30,000
Trichlorofluoromethane (11)	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,1-Dichloroethene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Carbon Disulfide	5,300	4,000	ND	5,000	ND	10,000	ND	6,000
1,1,2-CI 1,2,2-F ethane (113)	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Acetone	470,000	28,000	530,000	35,000	1,100,000	70,000	560,000	42,000
Methylene Chloride	ND	4,000	ND	5,000	ND	10,000	ND	6,000
t-1,2-Dichloroethene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,1-Dichloroethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Vinyl Acetate	ND	4,000	ND	5,000	ND	10,000	ND	6,000
c-1,2-Dichloroethene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
2-Butanone	290,000	20,000	340,000	25,000	630,000	50,000	430,000	30,000
t-Butyl Methyl Ether (MTBE)	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Chloroform	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,1,1-Trichloroethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Carbon Tetrachloride	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Benzene	340,000	4,000	170,000	5,000	250,000	10,000	340,000	6,000
1,2-Dichloroethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Trichloroethene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,2-Dichloropropane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Bromodichloromethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
c-1,3-Dichloropropene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
4-Methyl-2-Pentanone	4,800	4,000	7,500	5,000	ND	10,000	10,000	6,000
Toluene	11,000	4,000	9,600	5,000	14,000	10,000	18,000	6,000
t-1,3-Dichloropropene	ND	8,000	ND	10,000	ND	20,000	ND	12,000
1,1,2-Trichloroethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Tetrachloroethene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
2-Hexanone	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Dibromochloromethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/11/25
 Matrix: Air
 Reporting Units: ppbv


EPA Method TO-15								
Lab No.:	S111104-02		S111104-04		S111104-07		S111104-08	
Client Sample I.D.:	CV-2315		CV-2312		CV-24017		CV-24007	
Date/Time Sampled:	11/11/25 8:05		11/11/25 8:25		11/11/25 8:55		11/11/25 9:00	
Date/Time Analyzed:	11/12/25 7:37		11/12/25 8:15		11/12/25 8:53		11/12/25 09:32*	
QC Batch No.:	251111MS2A1		251111MS2A1		251111MS2A1		251111MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	4,000		5,000		10,000		6,000	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Chlorobenzene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Ethylbenzene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
p,&m-Xylene	ND	8,000	ND	10,000	ND	20,000	ND	12,000
o-Xylene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Styrene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Bromoform	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,1,2,2-Tetrachloroethane	ND	4,000	ND	5,000	ND	10,000	ND	6,000
Benzyl Chloride	ND	4,000	ND	5,000	ND	10,000	ND	6,000
4-Ethyl Toluene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,3,5-Trimethylbenzene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,2,4-Trimethylbenzene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,3-Dichlorobenzene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,4-Dichlorobenzene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,2-Dichlorobenzene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,2,4-Trichlorobenzene	ND	8,000	ND	10,000	ND	20,000	ND	12,000
Hexachlorobutadiene	ND	4,000	ND	5,000	ND	10,000	ND	6,000
1,3-Butadiene	ND	20,000	ND	25,000	ND	50,000	ND	30,000
Isopropanol	120,000	20,000	160,000	25,000	240,000	50,000	190,000	30,000
n-Hexane	ND	20,000	ND	25,000	ND	50,000	ND	30,000
Ethyl Acetate	23,000	20,000	ND	25,000	63,000	50,000	51,000	30,000
Tetrahydrofuran	200,000	20,000	270,000	25,000	500,000	50,000	520,000	30,000
Cyclohexane	ND	20,000	ND	25,000	ND	50,000	ND	30,000
Heptane	ND	20,000	ND	25,000	ND	50,000	ND	30,000
1,4-Dioxane	ND	20,000	ND	25,000	ND	50,000	ND	30,000

RL = Reporting Limit

ND = Not Detected (below RL)

* = Sample was analyzed outside the recommended 24 hour hold time.

Reviewed/Approved By:



Mark Johnson
Operations Manager

Date 11-20-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S111104 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/11/25 13:12							
QC Batch No.:	251111MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-Di-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	1.0						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-Di-1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	1.4						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	1.0						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.40						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/11/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/11/25 13:12							
QC Batch No.:	251111MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.40						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.40						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:



Mark Johnson
 Operations Manager

Date 11-2025

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S111104 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251111MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	11/11/25 13:12			11/11/25 11:56		11/11/25 12:34					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	11.1	111	10.8	108	2.3	70	130	30
Methylene Chloride	ND	0.20	10	10.7	107	10.5	105	1.9	70	130	30
Trichloroethene	ND	0.20	10	11.4	114	11.1	111	3.2	70	130	30
Toluene	ND	0.20	10	10.6	106	10.5	105	1.3	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	10.9	109	10.7	107	1.4	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:


Mark Johnson
Operations Manager

Date: 11-20-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111104-01		S111104-02		S111104-03		S111104-04	
Client Sample I.D.:	CV-2305		CV-2315		CV-24071		CV-2312	
Date/Time Sampled:	11/11/25 8:00		11/11/25 8:05		11/11/25 8:15		11/11/25 8:25	
Date/Time Analyzed:	11/11/25 15:59		11/11/25 16:13		11/11/25 16:28		11/11/25 16:42	
QC Batch No.:	251111GC8A1		251111GC8A1		251111GC8A1		251111GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv
	Carbon Monoxide	3,300	10	3,700	10	1,400	10	2,000

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:


Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111104-05		S111104-06		S111104-07		S111104-08		
Client Sample I.D.:	CV-24063		CV-2303		CV-24017		CV-24007		
Date/Time Sampled:	11/11/25 8:30		11/11/25 8:40		11/11/25 8:55		11/11/25 9:00		
Date/Time Analyzed:	11/11/25 16:57		11/11/25 17:11		11/11/25 17:26		11/11/25 17:40		
QC Batch No.:	251111GC8A1		251111GC8A1		251111GC8A1		251111GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	2,600	10	2,200	10	1,000	10	1,000	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Sattelmacher
 Mark Johnson

Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 251111GC8A1
Matrix: Air
Reporting Units: ppmv

**EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/11/25 11:38			11/11/25 10:55		11/11/25 11:09					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
									Limits		
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,130	112	1,120	111	0.4	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: *Amila Sotolancher*
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111104-01			S111104-02			S111104-03			S111104-04		
Client Sample I.D.:	CV-2305			CV-2315			CV-24071			CV-2312		
Date/Time Sampled:	11/11/25 8:00			11/11/25 8:05			11/11/25 8:15			11/11/25 8:25		
Date/Time Analyzed:	11/11/25 15:59			11/11/25 16:13			11/11/25 16:28			11/11/25 16:42		
QC Batch No.:	251111GC8A1			251111GC8A1			251111GC8A1			251111GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	11	1.0	0.059	12	1.0	0.059	6.3	1.0	0.059	13	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Settelbach

Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111104-05			S111104-06			S111104-07			S111104-08		
Client Sample I.D.:	CV-24063			CV-2303			CV-24017			CV-24007		
Date/Time Sampled:	11/11/25 8:30			11/11/25 8:40			11/11/25 8:55			11/11/25 9:00		
Date/Time Analyzed:	11/11/25 16:57			11/11/25 17:11			11/11/25 17:26			11/11/25 17:40		
QC Batch No.:	251111GC8A1			251111GC8A1			251111GC8A1			251111GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
Hydrogen	12	1.0	0.059	14	1.0	0.059	8.8	1.0	0.059	9.0	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:



Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



QC Batch No: 251111GC8A1

Matrix: Air

Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK				LCS		LCSD					
Date Analyzed:	11/11/25 11:38				11/11/25 10:55		11/11/25 11:09					
Analyst Initials:	KD				KD		KD					
Dilution Factor:	1.0				1.0		1.0					
ANALYTE	Result	RL	MDL	SPIKE	Result		Result		RPD	Low	High	Max.
	% v/v	% v/v	% v/v	AMT. % v/v	% v/v	% Rec.	% v/v	% Rec.	%	%Rec	%Rec	RPD
Hydrogen	0.099 J	1.0	0.059	5.0	3.69	72	3.71	73	0.5	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Sottolando
Mark Johnson

Operations Manager

Date

11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111104-01		S111104-02		S111104-03		S111104-04	
Client Sample I.D.:	CV-2305		CV-2315		CV-24071		CV-2312	
Date/Time Sampled:	11/11/25 8:00		11/11/25 8:05		11/11/25 8:15		11/11/25 8:25	
Date/Time Analyzed:	11/11/25 15:59		11/11/25 16:13		11/11/25 16:28		11/11/25 16:42	
QC Batch No.:	251111GC8A1		251111GC8A1		251111GC8A1		251111GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	74	0.010	82	0.010	64	0.010	81	0.010
Oxygen/Argon	2.5	0.50	0.95	0.50	5.9	0.50	0.84	0.50
Nitrogen	7.8	1.0	2.0	1.0	20	1.0	1.8	1.0
Methane	4.5	0.0010	1.7	0.0010	3.3	0.0010	2.4	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Mark Johnson

Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111104-05		S111104-06		S111104-07		S111104-08		
Client Sample I.D.:	CV-24063		CV-2303		CV-24017		CV-24007		
Date/Time Sampled:	11/11/25 8:30		11/11/25 8:40		11/11/25 8:55		11/11/25 9:00		
Date/Time Analyzed:	11/11/25 16:57		11/11/25 17:11		11/11/25 17:26		11/11/25 17:40		
QC Batch No.:	251111GC8A1		251111GC8A1		251111GC8A1		251111GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result	RL	Result	RL	Result	RL	Result	RL	
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	
	Carbon Dioxide	81	0.010	73	0.010	67	0.010	73	0.010
	Oxygen/Argon	0.82	0.50	2.7	0.50	2.2	0.50	2.7	0.50
	Nitrogen	1.6	1.0	7.9	1.0	6.2	1.0	8.2	1.0
	Methane	2.8	0.0010	0.99	0.0010	14	0.0010	6.1	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Sothel Sanchez
 Mark Johnson

Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/11/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111104-09	S111104-10						
Client Sample I.D.:	CV-24134	CV-24123						
Date/Time Sampled:	11/11/25 9:10	11/11/25 9:30						
Date/Time Analyzed:	11/11/25 17:55	11/11/25 18:09						
QC Batch No.:	251111GC8A1	251111GC8A1						
Analyst Initials:	KD	KD						
Dilution Factor:	1.0	1.0						
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v				
Carbon Dioxide	66	0.010	47	0.010				
Oxygen/Argon	1.5	0.50	1.1	0.50				
Nitrogen	3.7	1.0	3.5	1.0				
Methane	21	0.0010	47	0.0010				

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sottilander
Mark Johnson
Operations Manager

Date 11-19-25

The cover letter is an integral part of this analytical report



QC Batch No: 251111GC8A1

Matrix: Air

Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/11/25 11:38			11/11/25 10:55		11/11/25 11:09					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
									Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.7	107	10.7	107	0.2	70	130	30
Oxygen/Argon	ND	0.50	15	14.0	93	14.0	93	0.2	70	130	30
Nitrogen	ND	1.0	70	69.3	99	69.3	99	0.1	70	130	30
Methane	ND	0.0010	0.10	0.105	104	0.104	103	0.3	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Pottelanchey
Mark Johnson
Operations Manager

Date

11-19-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



18501 E. Gale Ave., Suite 130
City of Industry, CA 91748
Ph: 626-964-4032
Fx: 626-964-5832

Project No.: 07224200.24 Task 1

Project Name: Chiquita Canyon Landfill

Report To: Cornelius Fong

Company: SCS Engineers

Street: 3900 Kilroy Airport Way, Suite 100

City/State/Zip: Long Beach, CA 90806-6816

Phone & Fax: 562-743-7895

e-mail: cfong@scsengineers.com

CHAIN OF CUSTODY RECORD

TURNAROUND TIME		DELIVERABLES		PAGE: 1 OF	
Standard	☒ 48 hours	EDD	☒	Condition upon receipt:	
Same Day	☐ 72 hours	EDF	☐	Sealed	Yes ☐ No ☐
24 hours	☐ 96 hours	Level 3	☐	Intact	Yes ☐ No ☐
Other:		Level 4	☐	Chilled	_____ deg C

ANALYSIS REQUEST

BILLING	
P.O. No.:	07-SO05310
Bill to:	
	07FSAccounts@scsengineers.com
	3900 Kilroy Airport Way, Suite 100
	Long Beach, CA 90806-6816

LAB USE ONLY	SAMPLE IDENTIFICATION				CONTAINER QTY/TYPE	MATRIX	PRESERVATION	ANALYSIS REQUEST			
	SAMPLE DATE	SAMPLE TIME						CH ₄ , CO ₂ , O ₂ , N ₂ ASTM D1946	Carbon Monoxide EPA ALT-144	Hydrogen ASTM D1946	VOCs EPA TO-15
5117206-01	H-1770N	7:50AM	11/12/2025		2-1L	Gas	N	X	X	X	X
-02	CV-2337	8:05AM	11/12/2025		1L	Gas	N	X	X		
-03	CV-1902A	8:10AM	11/12/2025		2-1L	Gas	N	X	X	X	X
-04	CV-2341	8:20AM	11/12/2025		1L	Gas	N	X	X		
-05	CV-1535	8:25AM	11/12/2025		2-1L	Gas	N	X	X	X	X
-06	CV-24066	8:30AM	11/12/2025		1L	Gas	N	X	X		
-07	H-2165W	9:00AM	11/12/2025		2-1L	Gas	N	X	X	X	X
-08	CV-24141	9:10AM	11/12/2025		1L	Gas	N	X	X		
							N				

AUTHORIZATION TO PERFORM WORK		ANTONIO AMBRIZ		COMPANY SCS	
SAMPLED BY	Antonio Ambriz	DATE/TIME	11-12-25	RECEIVED BY	SCS
RELINQUISHED BY	Antonio Ambriz	DATE/TIME	11-12-25	RECEIVED BY	Antonio Ambriz
RELINQUISHED BY	Antonio Ambriz	DATE/TIME	11-12-25	RECEIVED BY	Antonio Ambriz
RELINQUISHED BY	Antonio Ambriz	DATE/TIME	11-12-25	RECEIVED BY	Antonio Ambriz

METHOD OF TRANSPORT (circle one): Walk-In FedEx UPS (Courier) ATLI Other

COMMENTS

Report full list of TO-15 compounds
Raw landfill gas samples
FLAMMABLE

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/12/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S111206-01		S111206-03		S111206-05		S111206-07	
Client Sample I.D.:	H-1770N		CV-1902A		CV-1535		H-2165W	
Date/Time Sampled:	11/12/25 7:50		11/12/25 8:10		11/12/25 8:25		11/12/25 9:00	
Date/Time Analyzed:	11/13/25 0:39		11/13/25 1:18		11/13/25 1:57		11/13/25 2:36	
QC Batch No.:	251112MS2A1		251112MS2A1		251112MS2A1		251112MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	700		7,500		2,500		1,600	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	700	ND	7,500	ND	2,500	ND	1,600
Chloromethane	ND	700	9,100	7,500	5,000	2,500	ND	1,600
1,2-Cl-1,1,2,2-F ethane (114)	ND	700	ND	7,500	ND	2,500	ND	1,600
Vinyl Chloride	ND	700	ND	7,500	ND	2,500	ND	1,600
Bromomethane	ND	700	ND	7,500	ND	2,500	ND	1,600
Chloroethane	ND	3,500	ND	38,000	ND	13,000	ND	8,000
Trichlorofluoromethane (11)	ND	700	ND	7,500	ND	2,500	ND	1,600
1,1-Dichloroethene	ND	700	ND	7,500	ND	2,500	ND	1,600
Carbon Disulfide	820	700	ND	7,500	ND	2,500	ND	1,600
1,1,2-Cl 1,2,2-F ethane (113)	ND	700	ND	7,500	ND	2,500	ND	1,600
Acetone	62,000	4,900	890,000	53,000	350,000	18,000	150,000	11,000
Methylene Chloride	ND	700	ND	7,500	ND	2,500	ND	1,600
t-1,2-Dichloroethene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,1-Dichloroethane	ND	700	ND	7,500	ND	2,500	ND	1,600
Vinyl Acetate	ND	700	ND	7,500	ND	2,500	ND	1,600
c-1,2-Dichloroethene	ND	700	ND	7,500	ND	2,500	ND	1,600
2-Butanone	48,000	3,500	560,000	38,000	200,000	13,000	88,000	8,000
t-Butyl Methyl Ether (MTBE)	ND	700	ND	7,500	ND	2,500	ND	1,600
Chloroform	ND	700	ND	7,500	ND	2,500	ND	1,600
1,1,1-Trichloroethane	ND	700	ND	7,500	ND	2,500	ND	1,600
Carbon Tetrachloride	ND	700	ND	7,500	ND	2,500	ND	1,600
Benzene	110,000	700	210,000	7,500	68,000	2,500	22,000	1,600
1,2-Dichloroethane	ND	700	ND	7,500	ND	2,500	ND	1,600
Trichloroethene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,2-Dichloropropane	ND	700	ND	7,500	ND	2,500	ND	1,600
Bromodichloromethane	ND	700	ND	7,500	ND	2,500	ND	1,600
c-1,3-Dichloropropene	ND	700	ND	7,500	ND	2,500	ND	1,600
4-Methyl-2-Pentanone	1,200	700	7,600	7,500	3,100	2,500	ND	1,600
Toluene	2,300	700	9,800	7,500	3,200	2,500	ND	1,600
t-1,3-Dichloropropene	ND	1,400	ND	15,000	ND	5,000	ND	3,200
1,1,2-Trichloroethane	ND	700	ND	7,500	ND	2,500	ND	1,600
Tetrachloroethene	ND	700	ND	7,500	ND	2,500	ND	1,600
2-Hexanone	ND	700	ND	7,500	ND	2,500	ND	1,600
Dibromochloromethane	ND	700	ND	7,500	ND	2,500	ND	1,600



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/12/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S111206-01		S111206-03		S111206-05		S111206-07	
Client Sample I.D.:	H-1770N		CV-1902A		CV-1535		H-2165W	
Date/Time Sampled:	11/12/25 7:50		11/12/25 8:10		11/12/25 8:25		11/12/25 9:00	
Date/Time Analyzed:	11/13/25 0:39		11/13/25 1:18		11/13/25 1:57		11/13/25 2:36	
QC Batch No.:	251112MS2A1		251112MS2A1		251112MS2A1		251112MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	700		7,500		2,500		1,600	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	700	ND	7,500	ND	2,500	ND	1,600
Chlorobenzene	ND	700	ND	7,500	ND	2,500	ND	1,600
Ethylbenzene	ND	700	ND	7,500	ND	2,500	ND	1,600
p,&m-Xylene	ND	1,400	ND	15,000	ND	5,000	ND	3,200
o-Xylene	ND	700	ND	7,500	ND	2,500	ND	1,600
Styrene	ND	700	ND	7,500	ND	2,500	ND	1,600
Bromoform	ND	700	ND	7,500	ND	2,500	ND	1,600
1,1,2,2-Tetrachloroethane	ND	700	ND	7,500	ND	2,500	ND	1,600
Benzyl Chloride	ND	700	ND	7,500	ND	2,500	ND	1,600
4-Ethyl Toluene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,3,5-Trimethylbenzene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,2,4-Trimethylbenzene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,3-Dichlorobenzene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,4-Dichlorobenzene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,2-Dichlorobenzene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,2,4-Trichlorobenzene	ND	1,400	ND	15,000	ND	5,000	ND	3,200
Hexachlorobutadiene	ND	700	ND	7,500	ND	2,500	ND	1,600
1,3-Butadiene	3,900	3,500	ND	38,000	ND	13,000	8,900	8,000
Isopropanol	67,000	3,500	100,000	38,000	86,000	13,000	60,000	8,000
n-Hexane	ND	3,500	ND	38,000	ND	13,000	ND	8,000
Ethyl Acetate	4,000	3,500	40,000	38,000	14,000	13,000	14,000	8,000
Tetrahydrofuran	41,000	3,500	380,000	38,000	130,000	13,000	49,000	8,000
Cyclohexane	ND	3,500	ND	38,000	ND	13,000	ND	8,000
Heptane	ND	3,500	ND	38,000	ND	13,000	ND	8,000
1,4-Dioxane	ND	3,500	ND	38,000	ND	13,000	ND	8,000

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By: Annika Sotter-Panich
 Mark Johnson
 Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S111206 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15

Lab No.:	METHOD_BLANK								
Client Sample I.D.:	--								
Date/Time Sampled:	--								
Date/Time Analyzed:	11/12/25 15:25								
QC Batch No.:	251112MS2A1								
Analyst Initials:	RC								
Dilution Factor:	0.20								
ANALYTE	Result ppbv	RL ppbv							
Dichlorodifluoromethane (12)	ND	0.20							
Chloromethane	ND	0.20							
1,2-CI-1,1,2,2-F ethane (114)	ND	0.20							
Vinyl Chloride	ND	0.20							
Bromomethane	ND	0.20							
Chloroethane	ND	1.0							
Trichlorofluoromethane (11)	ND	0.20							
1,1-Dichloroethene	ND	0.20							
Carbon Disulfide	ND	0.20							
1,1,2-CI 1,2,2-F ethane (113)	ND	0.20							
Acetone	ND	1.4							
Methylene Chloride	ND	0.20							
t-1,2-Dichloroethene	ND	0.20							
1,1-Dichloroethane	ND	0.20							
Vinyl Acetate	ND	0.20							
c-1,2-Dichloroethene	ND	0.20							
2-Butanone	ND	1.0							
t-Butyl Methyl Ether (MTBE)	ND	0.20							
Chloroform	ND	0.20							
1,1,1-Trichloroethane	ND	0.20							
Carbon Tetrachloride	ND	0.20							
Benzene	ND	0.20							
1,2-Dichloroethane	ND	0.20							
Trichloroethene	ND	0.20							
1,2-Dichloropropane	ND	0.20							
Bromodichloromethane	ND	0.20							
c-1,3-Dichloropropene	ND	0.20							
4-Methyl-2-Pentanone	ND	0.20							
Toluene	ND	0.20							
t-1,3-Dichloropropene	ND	0.40							
1,1,2-Trichloroethane	ND	0.20							
Tetrachloroethene	ND	0.20							
2-Hexanone	ND	0.20							
Dibromochloromethane	ND	0.20							



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/12/25 15:25							
QC Batch No.:	251112MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.40						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.40						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit
 ND = Not Detected (below RL)

Reviewed/Approved By: Amika P. Sanchez
 Mark Johnson
 Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

S111206 Chiquita.xlsx

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251112MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15 LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date/Time Analyzed:	11/12/25 15:25			11/12/25 12:38		11/12/25 13:17					
Analyst Initials:	RC			RC		RC					
Dilution Factor:	0.20			1.0		1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	10.2	102	10.0	100	1.9	70	130	30
Methylene Chloride	ND	0.20	10	9.92	99	9.72	97	2.0	70	130	30
Trichloroethene	ND	0.20	10	10.8	108	10.4	104	3.3	70	130	30
Toluene	ND	0.20	10	10.2	102	9.80	98	3.5	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	10.3	103	9.96	100	3.2	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Mark Johnson

Operations Manager

Date:

11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111206-01	S111206-02	S111206-03	S111206-04					
Client Sample I.D.:	H-1770N	CV-2337	CV-1902A	CV-2341					
Date/Time Sampled:	11/12/25 7:50	11/12/25 8:05	11/12/25 8:10	11/12/25 8:20					
Date/Time Analyzed:	11/12/25 16:36	11/12/25 16:50	11/12/25 17:05	11/12/25 17:19					
QC Batch No.:	251112GC8A1	251112GC8A1	251112GC8A1	251112GC8A1					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	22	10	1,900	10	1,000	10	740	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: *Mark Johnson*
 Mark Johnson
 Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111206-05	S111206-06	S111206-07	S111206-08					
Client Sample I.D.:	CV-1535	CV-24066	H-2165W	CV-24141					
Date/Time Sampled:	11/12/25 8:25	11/12/25 8:30	11/12/25 9:00	11/12/25 9:10					
Date/Time Analyzed:	11/12/25 17:33	11/12/25 17:48	11/12/25 18:02	11/12/25 18:17					
QC Batch No.:	251112GC8A1	251112GC8A1	251112GC8A1	251112GC8A1					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	370	10	350	10	110	10	29	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Amirika Sotthasanchey
Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



QC Batch No: 251112GC8A1
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/12/25 9:51			11/12/25 9:07		11/12/25 9:22					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
								Limits			
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,120	111	1,110	110	0.4	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Mark Johnson

Mark Johnson
Operations Manager

Date

11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111206-01			S111206-02			S111206-03			S111206-04		
Client Sample I.D.:	H-1770N			CV-2337			CV-1902A			CV-2341		
Date/Time Sampled:	11/12/25 7:50			11/12/25 8:05			11/12/25 8:10			11/12/25 8:20		
Date/Time Analyzed:	11/12/25 16:36			11/12/25 16:50			11/12/25 17:05			11/12/25 17:19		
QC Batch No.:	251112GC8A1			251112GC8A1			251112GC8A1			251112GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v
Hydrogen	0.11 J	1.0	0.059	10	1.0	0.059	17	1.0	0.059	13	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Sottelunck

Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111206-05			S111206-06			S111206-07			S111206-08			
Client Sample I.D.:	CV-1535			CV-24066			H-2165W			CV-24141			
Date/Time Sampled:	11/12/25 8:25			11/12/25 8:30			11/12/25 9:00			11/12/25 9:10			
Date/Time Analyzed:	11/12/25 17:33			11/12/25 17:48			11/12/25 18:02			11/12/25 18:17			
QC Batch No.:	251112GC8A1			251112GC8A1			251112GC8A1			251112GC8A1			
Analyst Initials:	KD			KD			KD			KD			
Dilution Factor:	1.0			1.0			1.0			1.0			
ANALYTE	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL	
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	
Hydrogen	1.6	1.0	0.059	2.4	1.0	0.059	0.98	J	1.0	0.059	1.00	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Amika Sotelo Sanchez

Mark Johnson
Operations Manager

Date

11-24-25

The cover letter is an integral part of this analytical report



QC Batch No: 251112GC8A1
 Matrix: Air
 Reporting Units: % v/v

**ASTM D1946
 LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK				LCS		LCSD						
Date Analyzed:	11/12/25 9:51				11/12/25 10:19		11/12/25 10:34						
Analyst Initials:	KD				KD		KD						
Dilution Factor:	1.0				1.0		1.0						
Limits													
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD	
Hydrogen	0.24	J	1.0	0.059	5.0	4.32	82	4.41	84	2.1	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Sotelo Sanchez
 Mark Johnson
 Operations Manager

Date

11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111206-01		S111206-02		S111206-03		S111206-04	
Client Sample I.D.:	H-1770N		CV-2337		CV-1902A		CV-2341	
Date/Time Sampled:	11/12/25 7:50		11/12/25 8:05		11/12/25 8:10		11/12/25 8:20	
Date/Time Analyzed:	11/12/25 16:36		11/12/25 16:50		11/12/25 17:05		11/12/25 17:19	
QC Batch No.:	251112GC8A1		251112GC8A1		251112GC8A1		251112GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	41	0.010	71	0.010	72	0.010	58	0.010
Oxygen/Argon	9.7	0.50	2.6	0.50	1.9	0.50	2.0	0.50
Nitrogen	35	1.0	8.1	1.0	5.3	1.0	6.1	1.0
Methane	13	0.0010	7.5	0.0010	2.0	0.0010	20	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Sotelo Sanchez

Mark Johnson
 Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/12/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111206-05		S111206-06		S111206-07		S111206-08		
Client Sample I.D.:	CV-1535		CV-24066		H-2165W		CV-24141		
Date/Time Sampled:	11/12/25 8:25		11/12/25 8:30		11/12/25 9:00		11/12/25 9:10		
Date/Time Analyzed:	11/12/25 17:33		11/12/25 17:48		11/12/25 18:02		11/12/25 18:17		
QC Batch No.:	251112GC8A1		251112GC8A1		251112GC8A1		251112GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	
	Carbon Dioxide	56	0.010	60	0.010	75	0.010	17	0.010
	Oxygen/Argon	0.91	0.50	1.2	0.50	1.6	0.50	15	0.50
	Nitrogen	4.1	1.0	6.8	1.0	4.4	1.0	60	1.0
	Methane	37	0.0010	29	0.0010	18	0.0010	6.1	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Jotta Sanchez

Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



QC Batch No: 251112GC8A1

Matrix: Air

Reporting Units: % v/v

ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/12/25 9:51			11/12/25 10:19		11/12/25 10:34					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
								Limits			
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	11.2	111	11.2	112	0.3	70	130	30
Oxygen/Argon	ND	0.50	15	14.1	94	14.1	94	0.1	70	130	30
Nitrogen	ND	1.0	70	70.2	101	70.2	101	0.0	70	130	30
Methane	ND	0.0010	0.10	0.104	103	0.104	103	0.2	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotillo Sanchez
Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832



November 29, 2025



SCS Field Services
ATTN: Cornelius Fong
3900 Kilroy Airport Way, Suite 100
Long Beach, CA 90806

LA Cert #04140
EPA Methods TO3, TO14A, TO15, 25C/3C,
ASTM D1946, RSK-175

TX Cert T104704450-14-6
EPA Methods TO14A, TO15

ALASKA CS-LAP 24-002
EPA Methods TO14A, TO15

LABORATORY TEST RESULTS

Project Reference: Chiquita Canyon Landfill
Project Number: 07224200.24 Task 1
Lab Number: S111301-01/08

Enclosed are the results for sample(s) received 11/13/25 by Air Technology. Samples were received intact. Analyses were performed according to specifications on the chain of custody provided with the sample(s).

Report Narrative:

- Modifications to EPA TO-15 – samples were collected in Mylar bags. Benzyl chloride required quadratic regression calibration.
- Performed within method performance criteria and meet all requirements of the TNI Standards.
- The enclosed results relate only to the sample(s).

Preliminary results were e-mailed to Cornelius Fong, Jenny Kim, Art Jones and Ali Ferrara on 11/24/25.

ATL appreciates the opportunity to provide testing services to your company. If you have any questions regarding these results, please call me at (626) 964-4032.

Sincerely,

A handwritten signature in blue ink, appearing to read 'M. Johnson'.

Mark Johnson
Operations Manager
MJohnson@AirTechLabs.com

Note: The cover letter is an integral part of this analytical report.

Rev. 03 - 5/7/09

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/13/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S111301-05		S111301-06		S111301-07		S111301-08	
Client Sample I.D.:	CV-24127		CV-24007		CV-2303		CV-24065	
Date/Time Sampled:	11/13/25 9:25		11/13/25 9:35		11/13/25 9:45		11/13/25 9:55	
Date/Time Analyzed:	11/13/25 23:39		11/14/25 0:18		11/14/25 0:57		11/14/25 1:36	
QC Batch No.:	251113MS2A1		251113MS2A1		251113MS2A1		251113MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	1,000		4,000		9,000		1,500	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
Dichlorodifluoromethane (12)	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Chloromethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,2-Cl-1,1,2,2-F ethane (114)	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Vinyl Chloride	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Bromomethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Chloroethane	ND	5,000	ND	20,000	ND	45,000	ND	7,500
Trichlorofluoromethane (11)	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,1-Dichloroethene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Carbon Disulfide	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,1,2-Cl 1,2,2-F ethane (113)	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Acetone	100,000	7,000	420,000	28,000	830,000	63,000	150,000	11,000
Methylene Chloride	ND	1,000	ND	4,000	ND	9,000	ND	1,500
t-1,2-Dichloroethene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,1-Dichloroethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Vinyl Acetate	ND	1,000	ND	4,000	ND	9,000	ND	1,500
c-1,2-Dichloroethene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
2-Butanone	110,000	5,000	350,000	20,000	610,000	45,000	160,000	7,500
t-Butyl Methyl Ether (MTBE)	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Chloroform	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,1,1-Trichloroethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Carbon Tetrachloride	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Benzene	65,000	1,000	270,000	4,000	270,000	9,000	69,000	1,500
1,2-Dichloroethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Trichloroethene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,2-Dichloropropane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Bromodichloromethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
c-1,3-Dichloropropene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
4-Methyl-2-Pentanone	3,100	1,000	5,400	4,000	ND	9,000	3,500	1,500
Toluene	3,800	1,000	9,000	4,000	ND	9,000	5,100	1,500
t-1,3-Dichloropropene	ND	2,000	ND	8,000	ND	18,000	ND	3,000
1,1,2-Trichloroethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Tetrachloroethene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
2-Hexanone	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Dibromochloromethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500



Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/13/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	S111301-05		S111301-06		S111301-07		S111301-08	
Client Sample I.D.:	CV-24127		CV-24007		CV-2303		CV-24065	
Date/Time Sampled:	11/13/25 9:25		11/13/25 9:35		11/13/25 9:45		11/13/25 9:55	
Date/Time Analyzed:	11/13/25 23:39		11/14/25 0:18		11/14/25 0:57		11/14/25 1:36	
QC Batch No.:	251113MS2A1		251113MS2A1		251113MS2A1		251113MS2A1	
Analyst Initials:	RC		RC		RC		RC	
Dilution Factor:	1,000		4,000		9,000		1,500	
ANALYTE	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv	Result ppbv	RL ppbv
1,2-Dibromoethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Chlorobenzene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Ethylbenzene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
p,&m-Xylene	ND	2,000	ND	8,000	ND	18,000	ND	3,000
o-Xylene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Styrene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Bromoform	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,1,2,2-Tetrachloroethane	ND	1,000	ND	4,000	ND	9,000	ND	1,500
Benzyl Chloride	ND	1,000	ND	4,000	ND	9,000	ND	1,500
4-Ethyl Toluene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,3,5-Trimethylbenzene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,2,4-Trimethylbenzene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,3-Dichlorobenzene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,4-Dichlorobenzene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,2-Dichlorobenzene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,2,4-Trichlorobenzene	ND	2,000	ND	8,000	ND	18,000	ND	3,000
Hexachlorobutadiene	ND	1,000	ND	4,000	ND	9,000	ND	1,500
1,3-Butadiene	ND	5,000	ND	20,000	ND	45,000	ND	7,500
Isopropanol	51,000	5,000	150,000	20,000	160,000	45,000	65,000	7,500
n-Hexane	ND	5,000	ND	20,000	ND	45,000	ND	7,500
Ethyl Acetate	11,000	5,000	42,000	20,000	67,000	45,000	12,000	7,500
Tetrahydrofuran	95,000	5,000	430,000	20,000	460,000	45,000	100,000	7,500
Cyclohexane	ND	5,000	ND	20,000	ND	45,000	ND	7,500
Heptane	ND	5,000	ND	20,000	ND	45,000	ND	7,500
1,4-Dioxane	ND	5,000	ND	20,000	ND	45,000	ND	7,500

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:

Annika Jettleson
 Mark Johnson
 Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S111301 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
 Attn: Cornelius Fong
 Project Name: Chiquita Canyon Landfill
 Project No.: 07224200.24 Task 1
 Date Received: 11/13/25
 Matrix: Air
 Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/13/25 9:36							
QC Batch No.:	251113MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
Dichlorodifluoromethane (12)	ND	0.20						
Chloromethane	ND	0.20						
1,2-Di-1,1,2,2-F ethane (114)	ND	0.20						
Vinyl Chloride	ND	0.20						
Bromomethane	ND	0.20						
Chloroethane	ND	1.0						
Trichlorofluoromethane (11)	ND	0.20						
1,1-Dichloroethene	ND	0.20						
Carbon Disulfide	ND	0.20						
1,1,2-Di 1,2,2-F ethane (113)	ND	0.20						
Acetone	ND	1.4						
Methylene Chloride	ND	0.20						
t-1,2-Dichloroethene	ND	0.20						
1,1-Dichloroethane	ND	0.20						
Vinyl Acetate	ND	0.20						
c-1,2-Dichloroethene	ND	0.20						
2-Butanone	ND	1.0						
t-Butyl Methyl Ether (MTBE)	ND	0.20						
Chloroform	ND	0.20						
1,1,1-Trichloroethane	ND	0.20						
Carbon Tetrachloride	ND	0.20						
Benzene	ND	0.20						
1,2-Dichloroethane	ND	0.20						
Trichloroethene	ND	0.20						
1,2-Dichloropropane	ND	0.20						
Bromodichloromethane	ND	0.20						
c-1,3-Dichloropropene	ND	0.20						
4-Methyl-2-Pentanone	ND	0.20						
Toluene	ND	0.20						
t-1,3-Dichloropropene	ND	0.40						
1,1,2-Trichloroethane	ND	0.20						
Tetrachloroethene	ND	0.20						
2-Hexanone	ND	0.20						
Dibromochloromethane	ND	0.20						




Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/13/25
Matrix: Air
Reporting Units: ppbv

EPA Method TO-15								
Lab No.:	METHOD_BLANK							
Client Sample I.D.:	--							
Date/Time Sampled:	--							
Date/Time Analyzed:	11/13/25 9:36							
QC Batch No.:	251113MS2A1							
Analyst Initials:	RC							
Dilution Factor:	0.20							
ANALYTE	Result ppbv	RL ppbv						
1,2-Dibromoethane	ND	0.20						
Chlorobenzene	ND	0.20						
Ethylbenzene	ND	0.20						
p,&m-Xylene	ND	0.40						
o-Xylene	ND	0.20						
Styrene	ND	0.20						
Bromoform	ND	0.20						
1,1,2,2-Tetrachloroethane	ND	0.20						
Benzyl Chloride	ND	0.20						
4-Ethyl Toluene	ND	0.20						
1,3,5-Trimethylbenzene	ND	0.20						
1,2,4-Trimethylbenzene	ND	0.20						
1,3-Dichlorobenzene	ND	0.20						
1,4-Dichlorobenzene	ND	0.20						
1,2-Dichlorobenzene	ND	0.20						
1,2,4-Trichlorobenzene	ND	0.40						
Hexachlorobutadiene	ND	0.20						
1,3-Butadiene	ND	1.0						
Isopropanol	ND	1.0						
n-Hexane	ND	1.0						
Ethyl Acetate	ND	1.0						
Tetrahydrofuran	ND	1.0						
Cyclohexane	ND	1.0						
Heptane	ND	1.0						
1,4-Dioxane	ND	1.0						

RL = Reporting Limit

ND = Not Detected (below RL)

Reviewed/Approved By:



Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

S111301 Chiquita.xlsx

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

LCS/LCSD Recovery and RPD Summary Report

QC Batch #: 251113MS2A1

Matrix: Air

Reporting Units: ppbv

EPA Method TO-15											
LABORATORY CONTROL SAMPLE SUMMARY											

Lab No.:	METHOD BLANK				LCS	LCSD					
Date/Time Analyzed:	11/13/25 9:36				11/13/25 6:31	11/13/25 7:10					
Analyst Initials:	RC				RC	RC					
Dilution Factor:	0.20				1.0	1.0					
ANALYTE	Result ppbv	RL ppbv	AMT. ppbv	Result ppbv	% Rec.	Result ppbv	% Rec.	RPD	Low %Rec	High %Rec	Max. RPD
1,1-Dichloroethene	ND	0.20	10	10.6	106	10.6	106	0.1	70	130	30
Methylene Chloride	ND	0.20	10	10.2	102	10.5	105	2.5	70	130	30
Trichloroethene	ND	0.20	10	11.2	112	11.1	111	1.2	70	130	30
Toluene	ND	0.20	10	10.5	105	10.3	103	1.4	70	130	30
1,1,2,2-Tetrachloroethane	ND	0.20	10	10.9	109	10.8	108	0.3	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Schlenker
Mark Johnson
Operations Manager

Date:

11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/13/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111301-01		S111301-02		S111301-03		S111301-04		
Client Sample I.D.:	CV-114		CV-24120		CV-24128		CV-24049		
Date/Time Sampled:	11/13/25 9:10		11/13/25 9:15		11/13/25 9:20		11/13/25 9:30		
Date/Time Analyzed:	11/13/25 14:59		11/13/25 15:13		11/13/25 15:28		11/13/25 15:42		
QC Batch No.:	251113GC8A1		251113GC8A1		251113GC8A1		251113GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result	RL	Result	RL	Result	RL	Result	RL	
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	
	Carbon Dioxide	75	0.010	24	0.010	63	0.010	78	0.010
	Oxygen/Argon	2.2	0.50	15	0.50	2.0	0.50	0.69	0.50
	Nitrogen	6.6	1.0	55	1.0	7.7	1.0	2.8	1.0
	Methane	0.96	0.0010	2.5	0.0010	22	0.0010	4.3	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotolanchuk
Mark Johnson
Operations Manager

Date 11-24-26

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/13/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111301-05		S111301-06		S111301-07		S111301-08	
Client Sample I.D.:	CV-24127		CV-24007		CV-2303		CV-24065	
Date/Time Sampled:	11/13/25 9:25		11/13/25 9:35		11/13/25 9:45		11/13/25 9:55	
Date/Time Analyzed:	11/13/25 15:57		11/13/25 16:11		11/13/25 16:26		11/13/25 16:40	
QC Batch No.:	251113GC8A1		251113GC8A1		251113GC8A1		251113GC8A1	
Analyst Initials:	KD		KD		KD		KD	
Dilution Factor:	1.0		1.0		1.0		1.0	
ANALYTE	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v	Result % v/v	RL % v/v
Carbon Dioxide	50	0.010	77	0.010	78	0.010	77	0.010
Oxygen/Argon	1.7	0.50	0.87	0.50	0.85	0.50	1.1	0.50
Nitrogen	27	1.0	2.0	1.0	1.9	1.0	2.3	1.0
Methane	19	0.0010	8.0	0.0010	1.5	0.0010	18	0.0010

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)
 RL = Reporting Limit

Reviewed/Approved By:

Annika Settelbach
 Mark Johnson

Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

QC Batch No: 251113GC8A1
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK			LCS		LCSD					
Date Analyzed:	11/13/25 10:34			11/13/25 9:22		11/13/25 9:37					
Analyst Initials:	KD			KD		KD					
Dilution Factor:	1.0			1.0		1.0					
									Limits		
ANALYTE	Result % v/v	RL % v/v	SPIKE AMT. % v/v	Result % v/v	% Rec.	Result % v/v	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Dioxide	ND	0.010	10	10.8	108	10.8	108	0.3	70	130	30
Oxygen/Argon	ND	0.50	15	14.1	94	14.0	93	0.2	70	130	30
Nitrogen	ND	1.0	70	69.5	100	69.4	100	0.1	70	130	30
Methane	ND	0.0010	0.10	0.105	104	0.105	104	0.0	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Sotthachay
Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/13/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111301-01			S111301-02			S111301-03			S111301-04		
Client Sample I.D.:	CV-114			CV-24120			CV-24128			CV-24049		
Date/Time Sampled:	11/13/25 9:10			11/13/25 9:15			11/13/25 9:20			11/13/25 9:30		
Date/Time Analyzed:	11/13/25 14:59			11/13/25 15:13			11/13/25 15:28			11/13/25 15:42		
QC Batch No.:	251113GC8A1			251113GC8A1			251113GC8A1			251113GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL	Result	RL	MDL
	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v	% v/v
Hydrogen	14	1.0	0.059	3.3	1.0	0.059	5.0	1.0	0.059	13	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Mark Johnson
Mark Johnson
Operations Manager

Date

11-24-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/13/25
Matrix: Air
Reporting Units: % v/v

ASTM D1946

Lab No.:	S111301-05			S111301-06			S111301-07			S111301-08		
Client Sample I.D.:	CV-24127			CV-24007			CV-2303			CV-24065		
Date/Time Sampled:	11/13/25 9:25			11/13/25 9:35			11/13/25 9:45			11/13/25 9:55		
Date/Time Analyzed:	11/13/25 15:57			11/13/25 16:11			11/13/25 16:26			11/13/25 16:40		
QC Batch No.:	251113GC8A1			251113GC8A1			251113GC8A1			251113GC8A1		
Analyst Initials:	KD			KD			KD			KD		
Dilution Factor:	1.0			1.0			1.0			1.0		
ANALYTE	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v	Result % v/v	RL % v/v	MDL % v/v
	2.3	1.0	0.059	11	1.0	0.059	15	1.0	0.059	1.5	1.0	0.059

Results normalized including non-methane hydrocarbons

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By:

Annika Sotolomancy
Mark Johnson
Operations Manager

Date

11-24-25

The cover letter is an integral part of this analytical report



QC Batch No: 251113GC8A1
Matrix: Air
Reporting Units: % v/v

**ASTM D1946
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK				LCS		LCSD						
Date Analyzed:	11/13/25 10:34				11/13/25 9:22		11/13/25 9:37						
Analyst Initials:	KD				KD		KD						
Dilution Factor:	1.0				1.0		1.0						
ANALYTE	Result		RL	MDL	SPIKE	Result	% Rec.	Result		RPD	Limits		
	% v/v	J	% v/v	% v/v	AMT. % v/v			% v/v	% Rec.		Low %Rec	High %Rec	Max. RPD
Hydrogen	0.28	J	1.0	0.059	5.0	3.84	72	3.73	70 *	2.8	70	130	30

MDL = Method Detection Limit

ND= Not Detected (below MDL)

RL = Reporting Limit

J = Trace amount. Analyte concentration between RL and MDL.

Reviewed/Approved By: Annika Sotelo Sanchez
Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/13/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111301-01	S111301-02	S111301-03	S111301-04					
Client Sample I.D.:	CV-114	CV-24120	CV-24128	CV-24049					
Date/Time Sampled:	11/13/25 9:10	11/13/25 9:15	11/13/25 9:20	11/13/25 9:30					
Date/Time Analyzed:	11/13/25 14:59	11/13/25 15:13	11/13/25 15:28	11/13/25 15:42					
QC Batch No.:	251113GC8A1	251113GC8A1	251113GC8A1	251113GC8A1					
Analyst Initials:	KD	KD	KD	KD					
Dilution Factor:	1.0	1.0	1.0	1.0					
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	2,600	10	600	10	860	10	2,000	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Sotolongo
 Mark Johnson

Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



Client: SCS Engineers
Attn: Cornelius Fong
Project Name: Chiquita Canyon Landfill
Project No.: 07224200.24 Task 1
Date Received: 11/13/25
Matrix: Air
Reporting Units: ppmv

EPA ALT-144 (CO by FID)

Lab No.:	S111301-05		S111301-06		S111301-07		S111301-08		
Client Sample I.D.:	CV-24127		CV-24007		CV-2303		CV-24065		
Date/Time Sampled:	11/13/25 9:25		11/13/25 9:35		11/13/25 9:45		11/13/25 9:55		
Date/Time Analyzed:	11/13/25 15:57		11/13/25 16:11		11/13/25 16:26		11/13/25 16:40		
QC Batch No.:	251113GC8A1		251113GC8A1		251113GC8A1		251113GC8A1		
Analyst Initials:	KD		KD		KD		KD		
Dilution Factor:	1.0		1.0		1.0		1.0		
ANALYTE	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	Result ppmv	RL ppmv	
	Carbon Monoxide	440	10	1,100	10	2,200	10	640	10

Results normalized including non-methane hydrocarbons

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By:

Annika Settleman
 Mark Johnson

Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



QC Batch No: 251113GC8A1
Matrix: Air
Reporting Units: ppmv

**EPA ALT-144 (CO by FID)
LABORATORY CONTROL SAMPLE SUMMARY**

Lab No.:	METHOD BLANK		LCS	LCSD							
Date Analyzed:	11/13/25 10:34		11/13/25 9:22	11/13/25 9:37							
Analyst Initials:	KD		KD	KD							
Dilution Factor:	1.0		1.0	1.0							
					Limits						
ANALYTE	Result ppmv	RL ppmv	SPIKE AMT. ppmv	Result ppmv	% Rec.	Result ppmv	% Rec.	RPD %	Low %Rec	High %Rec	Max. RPD
Carbon Monoxide	ND	10	1,010	1,120	111	1,120	111	0.0	70	130	30

ND = Not Detected (below RL)

RL = Reporting Limit

Reviewed/Approved By: Annika Settlemyer
Mark Johnson
Operations Manager

Date 11-24-25

The cover letter is an integral part of this analytical report



AirTECHNOLOGY Laboratories, Inc.

18501 E. Gale Avenue, Suite 130 ♦ City of Industry, CA 91748 ♦ Ph: (626) 964-4032 ♦ Fx: (626) 964-5832

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
A-01	11/7/2025 9:07:46 AM	62.4	35.9	0.0	1.7	0.0	1.7			84.4	84.5
A-02	11/7/2025 9:17:29 AM	56.2	38.9	0.0	4.9	0.0	1.4			105.4	105.4
A-03	11/7/2025 9:20:19 AM	55.5	40.6	0.0	3.9	0.0	1.4			86.0	86.1
A-04	11/7/2025 9:23:20 AM	57.6	40.9	0.0	1.5	0.0	1.4			96.0	95.9
A-05	11/7/2025 9:27:00 AM	53.5	38.5	1.1	6.9	6.3	1.4			76.5	76.2
B-01	11/6/2025 1:31:28 PM	15.8	25.2	0.0	59.0	0.0	0.6			83.0	81.5
B-01	11/6/2025 1:32:43 PM	15.5	25.5	0.0	59.0	0.0	0.6			80.8	80.7
B-02R	11/6/2025 1:36:41 PM	39.3	32.9	0.0	27.8	0.0	1.2			76.9	77.0
B-03R	11/6/2025 1:41:27 PM	24.4	29.4	0.0	46.2	0.0	0.8			86.6	86.7
B-05	11/6/2025 2:31:28 PM	20.5	28.6	0.0	50.9	0.0	0.7			89.5	89.6
B-06	11/6/2025 2:25:46 PM	27.4	28.1	0.0	44.5	0.0	1.0			83.9	84.6
B-07R	11/6/2025 2:03:01 PM	37.7	33.5	0.0	28.8	0.0	1.1			96.8	96.8
B-08	11/6/2025 2:19:08 PM	13.0	25.6	0.1	61.3	613.0	0.5			99.2	99.1
B-09	11/6/2025 2:09:39 PM	32.0	32.1	0.0	35.9	0.0	1.0			99.3	99.4
B-10	11/6/2025 2:14:25 PM	15.4	26.7	0.0	57.9	0.0	0.6			95.8	95.9
B-11	11/13/2025 10:35:02 AM	23.6	29.6	0.4	46.4	116.0	0.8			109.2	109.3
B-12	11/6/2025 1:46:39 PM	19.2	29.4	0.0	51.4	0.0	0.7			95.5	95.5
B-13	11/6/2025 1:58:30 PM	28.6	31.5	0.0	39.9	0.0	0.9			92.0	92.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
B-14	11/13/2025 10:39:06 AM	11.2	25.0	0.0	63.8	0.0	0.4			83.3	83.4
C-03	11/7/2025 9:11:00 AM	59.2	38.3	0.0	2.5	0.0	1.5			88.2	89.5
C-07	11/7/2025 9:35:22 AM	56.6	40.3	0.0	3.1	0.0	1.4			86.5	86.5
C-08	11/7/2025 10:02:08 AM	56.1	41.6	0.0	2.3	0.0	1.3			97.0	100.0
C-10	11/7/2025 10:10:09 AM	56.9	42.2	0.0	0.9	0.0	1.3			99.9	100.6
C-11	11/7/2025 10:32:04 AM	56.3	42.8	0.0	0.9	0.0	1.3			97.7	97.6
C-12	11/6/2025 10:14:23 AM	57.2	41.9	0.0	0.9	0.0	1.4			83.8	83.9
C-12	11/7/2025 10:42:24 AM	56.2	43.0	0.0	0.8	0.0	1.3			88.2	88.5
C-15	11/6/2025 10:24:39 AM	55.5	41.9	0.0	2.6	0.0	1.3			88.1	88.0
C-15	11/7/2025 10:47:44 AM	56.1	41.7	0.0	2.2	0.0	1.3			90.7	91.7
C-17B	11/6/2025 10:45:30 AM	58.2	40.0	0.0	1.8	0.0	1.5			110.1	110.1
C-18	11/7/2025 11:25:08 AM	54.4	41.6	0.3	3.7	12.3	1.3			107.8	109.3
C-19	11/7/2025 11:14:29 AM	55.2	43.1	0.0	1.7	0.0	1.3			103.9	104.1
C-20	11/7/2025 11:19:15 AM	50.9	40.6	0.0	8.5	0.0	1.3			104.5	105.7
C-23	11/7/2025 11:22:18 AM	54.2	41.5	0.0	4.3	0.0	1.3			113.1	113.4
C-24	11/7/2025 11:12:00 AM	50.4	40.2	0.0	9.4	0.0	1.3			101.6	100.3
C-25	11/12/2025 12:47:35 PM	52.4	40.3	0.0	7.3	0.0	1.3			128.3	128.6
C-26	11/12/2025 12:40:51 PM	60.5	32.6	1.7	5.2	3.1	1.9			81.7	82.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
C-27	11/6/2025 10:19:22 AM	55.7	42.4	0.0	1.9	0.0	1.3			97.9	97.9
C-28	11/7/2025 10:36:25 AM	55.5	44.0	0.0	0.5	0.0	1.3			107.2	107.2
C-29	11/7/2025 10:25:15 AM	52.1	45.5	0.0	2.4	0.0	1.1			116.1	116.3
C-30	11/7/2025 10:05:43 AM	52.3	44.3	0.0	3.4	0.0	1.2			126.9	126.9
CV-02	11/7/2025 9:43:47 AM	45.4	38.8	0.0	15.8	0.0	1.2			129.8	129.2
CV-03	11/7/2025 9:54:10 AM	50.9	41.1	0.0	8.0	0.0	1.2			119.5	119.4
CV-04	11/7/2025 9:50:20 AM	50.5	40.5	0.0	9.0	0.0	1.2			120.9	121.4
CV-05	11/7/2025 1:00:21 PM	55.0	38.9	0.0	6.1	0.0	1.4			104.0	98.3
CV-06	11/12/2025 9:53:31 AM	57.4	41.9	0.0	0.7	0.0	1.4			94.3	94.3
CV-06	11/12/2025 10:34:43 AM										
CV-09	11/6/2025 1:30:37 PM	53.8	40.8	0.1	5.3	76.0	1.3			91.8	94.5
CV-09	11/6/2025 1:45:21 PM	51.7	39.9	0.9	7.6	8.5	1.3			93.7	94.0
CV-108-52	11/3/2025 1:42:44 PM	45.4	50.6	0.0	4.0	0.0	0.9			118.4	119.6
CV-108-52	11/5/2025 9:00:00 AM							330			
CV-108-52	11/5/2025 9:00:00 AM								16000		
CV-108-52	11/24/2025 12:50:30 PM	40.6	57.8	0.0	1.6	0.0	0.7			120.4	120.8
CV-113	11/3/2025 10:39:35 AM	17.8	25.4	10.7	46.2	4.3	0.7			90.0	91.5
CV-113	11/6/2025 9:25:00 AM							35			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-113	11/6/2025 9:25:00 AM								16000		
CV-113	11/20/2025 9:13:15 AM	37.5	35.7	4.2	22.6	5.4	1.0			57.2	57.2
CV-114	11/3/2025 8:56:45 AM	1.0	79.6	0.0	19.4	0.0	0.0			190.8	190.8
CV-114	11/3/2025 9:05:00 AM							4750			
CV-114	11/3/2025 9:05:00 AM								170900		
CV-114	11/9/2025 8:29:50 AM	1.3	80.0	0.0	18.7	0.0	0.0			183.6	182.0
CV-114	11/9/2025 8:30:00 AM							4590			
CV-114	11/13/2025 9:10:00 AM							2600			
CV-114	11/13/2025 9:10:00 AM								140000		
CV-114	11/18/2025 1:02:41 PM	0.7	63.8	4.5	31.0	6.9	0.0			186.0	186.2
CV-114	11/23/2025 7:42:14 AM	1.7	86.1	0.0	12.2	0.0	0.0			188.9	189.4
CV-1532A	11/5/2025 9:05:00 AM							610			
CV-1532A	11/5/2025 9:05:00 AM								99000		
CV-1532A	11/5/2025 9:59:34 AM	7.0	83.2	0.0	9.8	0.0	0.1			181.8	174.7
CV-1532A	11/5/2025 10:00:00 AM							2790			
CV-1532A	11/5/2025 10:00:00 AM								183800		
CV-1532A	11/11/2025 7:24:38 AM	2.3	70.3	2.9	24.5	8.4	0.0			177.3	177.3
CV-1532A	11/11/2025 7:25:00 AM							2330			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-1532A	11/21/2025 10:13:03 AM	1.2	33.6	6.4	58.8	9.2	0.0			144.4	142.2
CV-1532A	11/21/2025 10:14:38 AM	1.0	34.1	6.6	58.3	8.8	0.0			140.6	139.6
CV-1532A	11/23/2025 9:52:07 AM	0.8	46.3	4.8	48.1	10.0	0.0			169.1	153.2
CV-1534A	11/5/2025 9:52:15 AM	7.7	68.6	4.0	19.7	4.9	0.1			189.3	189.9
CV-1534A	11/5/2025 9:55:00 AM							2910			
CV-1534A	11/5/2025 9:55:00 AM								127900		
CV-1534A	11/11/2025 7:15:00 AM							2070			
CV-1534A	11/11/2025 7:16:37 AM	1.3	74.6	1.8	22.3	12.4	0.0			167.3	167.7
CV-1534A	11/21/2025 9:51:22 AM	2.0	76.3	1.9	19.8	10.4	0.0			164.5	165.9
CV-1534A	11/23/2025 9:43:50 AM	1.2	72.5	3.7	22.6	6.1	0.0			192.9	193.3
CV-1535	11/3/2025 1:39:49 PM	43.2	54.3	0.0	2.5	0.0	0.8			121.9	122.2
CV-1535	11/12/2025 8:25:00 AM							370			
CV-1535	11/12/2025 8:25:00 AM								16000		
CV-1535	11/21/2025 1:32:58 PM	44.2	36.8	0.0	19.0	0.0	1.2			93.1	118.4
CV-1601D	11/3/2025 1:37:50 PM	40.6	48.4	0.0	11.0	0.0	0.8			112.6	111.8
CV-1601D	11/19/2025 9:32:28 AM	39.4	44.3	0.0	16.3	0.0	0.9			102.2	102.3
CV-1601S	11/3/2025 1:33:33 PM	30.8	47.9	0.0	21.3	0.0	0.6			106.0	106.0
CV-1601S	11/19/2025 9:25:50 AM	33.1	43.5	0.3	23.1	77.0	0.8			76.4	79.5

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-1604	11/5/2025 2:56:42 PM	51.5	42.9	0.0	5.6	0.0	1.2			125.6	125.7
CV-1605	11/5/2025 9:15:05 AM	52.7	44.6	0.0	2.7	0.0	1.2			67.7	66.8
CV-1701D	11/24/2025 2:08:01 PM	34.4	58.9	0.0	6.7	0.0	0.6			137.1	129.8
CV-1701D	11/24/2025 2:09:10 PM	34.2	62.6	0.0	3.2	0.0	0.5			127.5	127.0
CV-1701S	11/24/2025 2:03:55 PM	26.2	51.4	4.0	18.4	4.6	0.5			126.1	122.6
CV-1901	11/12/2025 2:16:33 PM	6.8	8.9	17.5	66.8	3.8	0.8			73.7	72.7
CV-1901	11/12/2025 2:17:11 PM	7.6	9.8	17.4	65.2	3.7	0.8			70.3	70.2
CV-1901	11/13/2025 1:34:15 PM	31.6	56.7	0.6	11.1	18.6	0.6			108.9	108.7
CV-1901	11/21/2025 1:14:57 PM	32.8	57.8	0.0	9.4	0.0	0.6			104.1	102.0
CV-1902A	11/5/2025 8:52:57 AM	8.0	69.0	0.0	23.0	0.0	0.1			165.2	165.8
CV-1902A	11/5/2025 8:58:00 AM							1720			
CV-1902A	11/5/2025 8:58:00 AM								174000		
CV-1902A	11/11/2025 8:16:03 AM	3.7	78.7	0.0	17.6	0.0	0.0			155.8	158.4
CV-1902A	11/11/2025 8:20:00 AM							1450			
CV-1902A	11/12/2025 8:10:00 AM							1000			
CV-1902A	11/12/2025 8:10:00 AM								170000		
CV-1902A	11/21/2025 9:13:06 AM	2.5	83.3	0.0	14.2	0.0	0.0			123.3	122.4
CV-1902A	11/23/2025 9:29:31 AM	2.1	83.9	0.0	14.0	0.0	0.0			167.1	167.2

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-1905	11/4/2025 9:12:21 AM	54.3	43.8	0.0	1.9	0.0	1.2			111.1	111.2
CV-2001	11/4/2025 8:55:00 AM							480			
CV-2001	11/4/2025 8:55:00 AM								12000		
CV-2001	11/10/2025 10:50:03 AM	11.1	88.3	0.0	0.6	0.0	0.1			139.8	139.8
CV-2001	11/10/2025 10:52:18 AM	10.8	87.1	0.0	2.1	0.0	0.1			138.5	138.8
CV-2001	11/25/2025 8:52:27 AM	13.8	78.8	1.6	5.8	3.6	0.2			113.0	113.9
CV-2001	11/25/2025 8:54:00 AM	13.6	77.6	1.7	7.1	4.2	0.2			110.5	109.7
CV-2002	11/4/2025 8:45:00 AM							3900			
CV-2002	11/4/2025 8:45:00 AM								130000		
CV-2002	11/10/2025 8:47:14 AM	28.6	58.5	0.1	12.8	128.0	0.5			127.0	127.1
CV-2002	11/25/2025 8:42:49 AM	25.5	60.5	0.1	13.9	139.0	0.4			106.7	106.5
CV-2003	11/3/2025 1:45:28 PM	18.8	71.8	0.0	9.4	0.0	0.3			126.9	127.0
CV-2003	11/24/2025 12:52:38 PM	19.7	72.0	0.0	8.3	0.0	0.3			124.0	124.3
CV-2006	11/5/2025 8:40:00 AM							4950			
CV-2006	11/5/2025 8:40:00 AM								177200		
CV-2006	11/5/2025 8:41:27 AM	5.2	80.8	0.0	14.0	0.0	0.1			182.9	189.6
CV-2006	11/11/2025 8:35:00 AM							2800			
CV-2006	11/11/2025 8:35:36 AM	1.9	77.1	0.0	21.0	0.0	0.0			190.4	190.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
CV-2006	11/21/2025 9:03:07 AM	1.8	75.3	0.0	22.9	0.0	0.0			188.7	188.6
CV-2006	11/23/2025 9:18:47 AM	1.4	84.7	0.0	13.9	0.0	0.0			189.2	189.2
CV-2007	11/6/2025 9:50:00 AM							270			
CV-2007	11/6/2025 9:50:00 AM								9300		
CV-2007	11/11/2025 1:16:37 PM	22.5	72.1	0.0	5.4	0.0	0.3			136.2	135.2
CV-2007	11/11/2025 1:18:37 PM	22.8	73.5	0.0	3.7	0.0	0.3			136.5	136.4
CV-2007	11/25/2025 1:32:22 PM	34.9	65.1	0.0	0.0	0.0	0.5			130.2	130.3
CV-2007	11/25/2025 1:34:37 PM	35.1	64.9	0.0	0.0	0.0	0.5			129.9	130.0
CV-2008	11/3/2025 3:00:08 PM	31.3	68.3	0.0	0.4	0.0	0.5			106.5	106.8
CV-2008	11/11/2025 7:59:07 AM	22.6	70.0	0.0	7.4	0.0	0.3			95.5	100.3
CV-2008	11/11/2025 8:01:50 AM	23.4	69.2	0.0	7.3	0.0	0.3			101.2	99.0
CV-2009	11/3/2025 3:08:40 PM	48.7	47.4	0.0	3.9	0.0	1.0			133.2	132.3
CV-2009	11/3/2025 3:11:38 PM	49.9	49.1	0.0	1.0	0.0	1.0			129.7	129.9
CV-2009A	11/26/2025 7:15:16 AM	44.9	47.9	0.0	7.2	0.0	0.9			126.2	125.5
CV-2010	11/4/2025 1:02:34 PM	40.5	57.7	0.0	1.8	0.0	0.7			90.4	94.4
CV-2010A	11/4/2025 2:57:30 PM	33.4	55.3	0.0	11.3	0.0	0.6			147.0	148.6
CV-2010A	11/4/2025 2:59:33 PM	38.4	58.8	0.0	2.8	0.0	0.7			149.0	148.8
CV-2010A	11/10/2025 2:02:54 PM	49.9	33.9	0.0	16.2	0.0	1.5			139.0	139.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2010A	11/12/2025 9:38:08 AM	48.5	46.2	0.5	4.8	9.6	1.0			136.3	134.9
CV-2010A	11/12/2025 9:39:25 AM	46.0	46.1	0.1	7.8	78.0	1.0			134.6	134.5
CV-2011	11/4/2025 2:42:35 PM	52.6	46.2	0.0	1.2	0.0	1.1			122.5	122.7
CV-2011A	11/4/2025 11:08:11 AM	35.9	57.1	0.0	7.0	0.0	0.6			147.4	147.1
CV-2011A	11/4/2025 11:10:00 AM							783			
CV-2011A	11/4/2025 11:10:00 AM								198300		
CV-2011A	11/10/2025 8:45:00 AM							404			
CV-2011A	11/10/2025 8:47:26 AM	37.5	52.6	0.0	9.9	0.0	0.7			147.6	147.0
CV-2011A	11/17/2025 10:03:44 AM	32.4	54.7	0.0	12.9	0.0	0.6			143.4	143.7
CV-2011A	11/17/2025 10:04:19 AM	32.3	55.5	0.0	12.2	0.0	0.6			143.8	143.4
CV-2011A	11/24/2025 12:59:38 PM	29.0	40.4	0.0	30.6	0.0	0.7			144.5	144.4
CV-2012	11/4/2025 12:50:52 PM	46.2	51.5	0.0	2.3	0.0	0.9			139.7	138.6
CV-2012	11/4/2025 12:51:51 PM	46.3	51.6	0.0	2.1	0.0	0.9			138.1	138.3
CV-2201-P	11/4/2025 9:11:53 AM	3.7	86.2	0.0	10.1	0.0	0.0			168.0	163.6
CV-2201-P	11/4/2025 9:15:00 AM							2610			
CV-2201-P	11/4/2025 9:15:00 AM								133400		
CV-2201-P	11/9/2025 12:36:56 PM	2.3	80.8	0.0	16.9	0.0	0.0			187.7	187.7
CV-2201-P	11/9/2025 12:40:00 PM							2510			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2201-P	11/19/2025 8:51:30 AM	2.4	90.0	0.0	7.6	0.0	0.0			188.1	188.0
CV-2201-P	11/24/2025 8:43:57 AM	2.6	88.2	0.3	8.9	29.7	0.0			195.7	195.3
CV-2204-P	11/3/2025 11:30:52 AM	3.4	83.6	0.0	13.0	0.0	0.0			190.1	190.0
CV-2204-P	11/3/2025 11:32:00 AM							3410			
CV-2204-P	11/3/2025 11:32:00 AM								125200		
CV-2204-P	11/10/2025 8:18:12 AM	3.7	83.8	0.0	12.5	0.0	0.0			189.6	189.8
CV-2204-P	11/10/2025 8:20:00 AM							3260			
CV-2204-P	11/10/2025 1:09:49 PM	1.3	80.8	0.0	17.9	0.0	0.0			188.2	189.4
CV-2204-P	11/17/2025 8:43:54 AM	10.0	82.3	0.0	7.7	0.0	0.1			188.8	188.7
CV-2204-P	11/17/2025 8:45:00 AM							2500			
CV-2204-P	11/24/2025 1:30:36 PM	1.9	90.8	0.0	7.3	0.0	0.0			188.7	189.1
CV-2205	11/4/2025 1:28:32 PM	38.4	54.8	0.0	6.8	0.0	0.7			128.0	128.1
CV-2206-P	11/7/2025 2:37:56 PM	0.3	6.6	19.8	73.3	3.7	0.0			85.4	85.6
CV-2206-P	11/7/2025 2:38:35 PM	0.3	7.0	19.6	73.1	3.7	0.0			85.8	85.9
CV-2206-P	11/26/2025 7:56:33 AM	5.1	80.6	0.0	14.3	0.0	0.1			67.5	71.0
CV-2207	11/4/2025 1:56:25 PM	50.7	46.5	0.0	2.8	0.0	1.1			126.3	126.3
CV-2207	11/5/2025 8:25:26 AM	49.0	44.5	0.0	6.5	0.0	1.1			122.6	123.3
CV-2208A	11/4/2025 1:49:50 PM	36.4	63.6	0.0	0.0	0.0	0.6			145.3	145.2

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2208A	11/4/2025 1:55:00 PM							583.5			
CV-2208A	11/4/2025 1:55:00 PM								97400		
CV-2208A	11/9/2025 7:11:47 AM	34.8	55.3	0.0	9.9	0.0	0.6			141.1	141.3
CV-2208A	11/9/2025 7:12:21 AM	34.0	56.8	0.0	9.2	0.0	0.6			141.4	141.6
CV-2301	11/10/2025 9:05:00 AM							1900			
CV-2301	11/10/2025 9:05:00 AM								150000		
CV-2302	11/10/2025 9:00:00 AM							870			
CV-2302	11/10/2025 9:00:00 AM								140000		
CV-2303	11/4/2025 9:39:52 AM	4.3	80.4	0.0	15.3	0.0	0.1			182.1	184.6
CV-2303	11/4/2025 9:45:00 AM							3340			
CV-2303	11/4/2025 9:45:00 AM								137900		
CV-2303	11/9/2025 11:58:45 AM	1.3	77.1	0.5	21.1	42.2	0.0			181.1	181.0
CV-2303	11/9/2025 12:00:00 PM							3230			
CV-2303	11/11/2025 8:40:00 AM							2200			
CV-2303	11/11/2025 8:40:00 AM								140000		
CV-2303	11/13/2025 9:45:00 AM							2200			
CV-2303	11/13/2025 9:45:00 AM								150000		
CV-2303	11/19/2025 9:36:45 AM	2.9	87.1	0.0	10.0	0.0	0.0			178.5	178.5

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2303	11/24/2025 8:29:21 AM	1.1	86.9	1.1	10.9	9.9	0.0			179.1	179.6
CV-2304	11/4/2025 8:53:58 AM	2.7	85.0	0.0	12.3	0.0	0.0			139.8	140.1
CV-2304	11/11/2025 1:20:04 PM	2.3	79.8	0.0	17.9	0.0	0.0			145.4	145.3
CV-2304	11/11/2025 1:20:50 PM	2.3	79.8	0.0	17.9	0.0	0.0			146.9	146.5
CV-2304	11/11/2025 1:40:00 PM								126200		
CV-2305	11/11/2025 8:00:00 AM							3300			
CV-2305	11/11/2025 8:00:00 AM								110000		
CV-2306	11/3/2025 11:35:24 AM	1.9	76.6	0.0	21.5	0.0	0.0			181.0	181.0
CV-2306	11/3/2025 11:38:00 AM							3410			
CV-2306	11/3/2025 11:38:00 AM								157600		
CV-2306	11/10/2025 8:13:42 AM	4.5	64.6	0.0	30.9	0.0	0.1			166.0	166.0
CV-2306	11/10/2025 8:15:00 AM							1920			
CV-2306	11/10/2025 1:15:47 PM	3.5	60.7	0.4	35.4	88.5	0.1			188.0	188.0
CV-2306	11/17/2025 8:37:54 AM	11.2	77.7	0.0	11.1	0.0	0.1			158.0	158.0
CV-2306	11/17/2025 8:40:00 AM							2360			
CV-2306	11/24/2025 1:36:58 PM	1.6	75.6	0.1	22.7	227.0	0.0			109.0	82.2
CV-2308-P	11/4/2025 9:18:52 AM	4.3	84.5	0.0	11.2	0.0	0.1			154.0	152.9
CV-2308-P	11/4/2025 9:20:00 AM							2460			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2308-P	11/4/2025 9:20:00 AM								146400		
CV-2308-P	11/9/2025 12:42:52 PM	3.9	76.6	0.0	19.5	0.0	0.1			149.2	149.2
CV-2308-P	11/9/2025 12:45:00 PM							2280			
CV-2308-P	11/18/2025 2:57:40 PM	3.7	87.8	0.0	8.5	0.0	0.0			148.0	148.0
CV-2308-P	11/24/2025 8:49:54 AM	2.5	86.4	0.0	11.1	0.0	0.0			147.7	148.0
CV-2310-P	11/4/2025 9:23:05 AM	3.8	84.0	0.0	12.2	0.0	0.0			180.0	180.1
CV-2310-P	11/4/2025 9:25:00 AM							2360			
CV-2310-P	11/4/2025 9:25:00 AM								151700		
CV-2310-P	11/9/2025 12:51:21 PM	2.6	85.8	0.3	11.3	37.7	0.0			169.3	169.0
CV-2310-P	11/9/2025 12:55:00 PM							2810			
CV-2310-P	11/19/2025 9:10:20 AM	2.9	91.0	0.0	6.1	0.0	0.0			176.8	176.8
CV-2310-P	11/24/2025 8:39:19 AM	1.7	90.7	0.0	7.6	0.0	0.0			177.8	177.9
CV-2311	11/3/2025 2:20:00 PM							2830			
CV-2311	11/3/2025 2:20:00 PM								144900		
CV-2311	11/3/2025 2:21:35 PM	5.4	78.8	0.0	15.8	0.0	0.1			161.7	160.3
CV-2311	11/3/2025 2:22:13 PM	4.8	74.3	0.0	20.9	0.0	0.1			160.6	160.6
CV-2311	11/9/2025 10:34:04 AM	33.3	63.5	0.2	3.0	15.0	0.5			148.0	148.1
CV-2311	11/9/2025 10:35:00 AM							2050			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2311	11/19/2025 8:06:45 AM	12.7	71.4	0.0	15.9	0.0	0.2			150.0	149.1
CV-2311	11/23/2025 10:12:16 AM	24.0	70.4	0.0	5.6	0.0	0.3			127.7	127.8
CV-2312	11/11/2025 8:25:00 AM							2000			
CV-2312	11/11/2025 8:25:00 AM								130000		
CV-2314	11/10/2025 10:20:00 AM							1200			
CV-2314	11/10/2025 10:20:00 AM								71000		
CV-2314	11/20/2025 9:05:43 AM	0.4	89.9	0.0	9.7	0.0	0.0			139.3	139.9
CV-2314	11/20/2025 9:07:04 AM	0.4	88.9	0.0	10.7	0.0	0.0			140.6	140.5
CV-2315	11/11/2025 8:05:00 AM							3700			
CV-2315	11/11/2025 8:05:00 AM								120000		
CV-2316	11/11/2025 7:49:48 AM	39.5	52.5	0.0	8.0	0.0	0.8			142.2	142.4
CV-2316	11/11/2025 7:50:38 AM	38.6	52.5	0.0	8.9	0.0	0.7			142.3	142.1
CV-2319	11/4/2025 2:17:57 PM	21.5	73.1	0.0	5.4	0.0	0.3			134.1	134.1
CV-2319	11/24/2025 10:46:23 AM	26.6	69.5	0.0	3.9	0.0	0.4			133.9	133.6
CV-2319	11/24/2025 10:47:21 AM	25.2	70.1	0.0	4.7	0.0	0.4			133.6	133.8
CV-2322	11/12/2025 8:44:45 AM	1.3	87.2	0.0	11.5	0.0	0.0			77.2	77.2
CV-2322	11/26/2025 7:31:58 AM	2.8	73.7	2.7	20.8	7.7	0.0			66.3	66.6
CV-2324	11/4/2025 1:24:29 PM	42.2	42.9	0.0	14.9	0.0	1.0			125.1	125.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2326	11/7/2025 9:52:07 AM	11.5	57.7	2.4	28.4	11.8	0.2			77.0	83.2
CV-2326	11/25/2025 2:07:28 PM	25.0	59.1	2.4	13.5	5.7	0.4			110.6	110.6
CV-2327	11/4/2025 1:57:57 PM	13.8	80.0	0.0	6.2	0.0	0.2			168.8	169.4
CV-2327	11/4/2025 2:10:00 PM							2030			
CV-2327	11/4/2025 2:10:00 PM								116600		
CV-2327	11/10/2025 9:10:00 AM							1940			
CV-2327	11/10/2025 9:10:41 AM	2.3	82.3	0.0	15.4	0.0	0.0			160.6	162.6
CV-2327	11/19/2025 1:30:00 PM	3.0	83.3	0.0	13.7	0.0	0.0			165.7	165.3
CV-2327	11/25/2025 8:55:05 AM	1.5	83.2	0.0	15.3	0.0	0.0			166.3	166.7
CV-2328	11/5/2025 1:33:17 PM	29.6	70.4	0.0	0.0	0.0	0.4			162.9	162.9
CV-2328	11/5/2025 1:45:00 PM							1080			
CV-2328	11/5/2025 1:45:00 PM								68650		
CV-2328	11/10/2025 8:55:00 AM							670			
CV-2328	11/10/2025 8:55:00 AM								54000		
CV-2328	11/10/2025 9:25:00 AM							945			
CV-2328	11/10/2025 9:25:21 AM	34.5	60.5	0.0	5.0	0.0	0.6			162.2	162.2
CV-2328	11/19/2025 1:53:00 PM	33.4	58.8	0.0	7.8	0.0	0.6			168.9	168.5
CV-2328	11/25/2025 8:45:24 AM	9.2	76.0	0.0	14.8	0.0	0.1			165.9	164.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
CV-2333	11/3/2025 11:02:01 AM	0.7	83.5	0.3	15.6	57.7	0.0			170.4	169.8
CV-2333	11/3/2025 11:02:52 AM	0.7	83.0	0.3	16.0	55.2	0.0			169.9	169.9
CV-2333	11/4/2025 8:42:00 AM								107000		
CV-2333	11/4/2025 8:45:34 AM	0.5	81.9	0.0	17.6	0.0	0.0			169.8	169.8
CV-2333	11/4/2025 9:01:41 AM	0.6	81.1	0.0	18.3	0.0	0.0			170.1	169.9
CV-2333	11/4/2025 11:51:06 AM	1.2	79.2	0.0	19.6	0.0	0.0			171.3	171.2
CV-2333	11/6/2025 9:35:00 AM							3300			
CV-2333	11/6/2025 9:35:00 AM								160000		
CV-2333	11/13/2025 3:15:38 PM	4.0	80.3	0.0	15.7	0.0	0.0			172.8	172.7
CV-2333	11/13/2025 3:16:51 PM	4.0	80.9	0.0	15.1	0.0	0.0			173.1	172.8
CV-2333	11/13/2025 3:20:00 PM							2100			
CV-2333	11/18/2025 12:48:29 PM	0.5	67.3	0.5	31.7	63.4	0.0			174.6	173.4
CV-2333	11/25/2025 7:57:03 AM	0.8	82.5	1.2	15.5	12.9	0.0			173.7	174.1
CV-2334	11/5/2025 1:19:19 PM	39.4	60.2	0.1	0.3	3.0	0.7			130.5	123.9
CV-2334	11/6/2025 9:05:00 AM							250			
CV-2334	11/6/2025 9:05:00 AM								14000		
CV-2335	11/4/2025 12:17:16 PM	46.4	45.1	0.8	7.7	9.6	1.0			103.2	103.2
CV-2335	11/21/2025 1:03:23 PM	48.1	43.2	0.0	8.7	0.0	1.1			66.1	65.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2336	11/10/2025 2:24:40 PM	37.7	58.7	0.8	2.8	3.5	0.6			95.2	94.8
CV-2336	11/21/2025 1:09:03 PM	40.0	53.7	1.4	4.9	3.5	0.7			57.6	57.6
CV-2337	11/12/2025 8:05:00 AM							1900			
CV-2337	11/12/2025 8:05:00 AM								100000		
CV-2337	11/12/2025 2:08:13 PM	11.9	76.1	0.5	11.5	23.0	0.2			144.6	144.2
CV-2337	11/12/2025 2:09:14 PM	11.4	75.3	0.7	12.6	18.0	0.2			143.9	143.4
CV-2337	11/26/2025 9:29:34 AM	15.2	81.6	0.0	3.2	0.0	0.2			143.4	143.1
CV-2337	11/26/2025 9:30:15 AM	15.0	82.0	0.0	3.0	0.0	0.2			143.1	143.3
CV-2338	11/5/2025 8:47:15 AM	6.0	79.0	0.0	15.0	0.0	0.1			191.6	192.2
CV-2338	11/5/2025 8:52:00 AM							2260			
CV-2338	11/5/2025 8:52:00 AM								165100		
CV-2338	11/11/2025 8:20:54 AM	2.1	85.4	0.0	12.5	0.0	0.0			168.8	166.1
CV-2338	11/11/2025 8:25:00 AM							1500			
CV-2338	11/21/2025 9:09:35 AM	1.8	67.2	2.2	28.8	13.1	0.0			148.2	146.0
CV-2338	11/23/2025 9:26:18 AM	1.5	79.0	1.3	18.2	14.0	0.0			155.0	155.7
CV-2339	11/10/2025 2:04:16 PM	0.3	7.8	18.1	73.8	4.1	0.0			90.8	97.2
CV-2339	11/10/2025 2:04:21 PM	0.3	7.8	18.1	73.8	4.1	0.0			90.8	97.2
CV-2339	11/10/2025 2:06:22 PM	1.0	33.1	11.6	54.3	4.7	0.0			95.8	95.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2339	11/26/2025 9:22:20 AM	2.3	7.2	19.5	71.0	3.6	0.3			75.6	74.0
CV-2339	11/26/2025 9:23:50 AM	2.3	8.7	19.0	70.0	3.7	0.3			73.7	74.2
CV-2341	11/5/2025 2:42:26 PM	33.3	59.7	1.0	6.0	6.0	0.6			113.9	115.9
CV-2341	11/12/2025 8:20:00 AM							740			
CV-2341	11/12/2025 8:20:00 AM								130000		
CV-2341	11/21/2025 1:29:19 PM	41.5	54.4	0.0	4.1	0.0	0.8			84.2	82.1
CV-2341	11/25/2025 2:38:24 PM	3.0	73.4	0.0	23.6	0.0	0.0			83.6	84.1
CV-2341	11/25/2025 2:39:10 PM	3.7	75.7	0.0	20.6	0.0	0.0			84.2	84.2
CV-2342A-	11/5/2025 10:03:17 AM	10.1	75.8	0.0	14.1	0.0	0.1			188.6	188.9
CV-2342A-	11/5/2025 10:08:00 AM							1080			
CV-2342A-	11/5/2025 10:08:00 AM								207600		
CV-2342A-	11/11/2025 7:34:54 AM	2.8	75.2	0.0	22.0	0.0	0.0			157.8	158.6
CV-2342A-	11/11/2025 7:35:00 AM							1120			
CV-2342A-	11/21/2025 10:19:44 AM	4.9	78.6	0.0	16.5	0.0	0.1			149.3	149.6
CV-2342A-	11/23/2025 9:56:54 AM	3.0	79.1	0.0	17.9	0.0	0.0			174.0	175.5
CV-2343	11/4/2025 9:45:22 AM	1.6	84.4	0.0	14.0	0.0	0.0			133.2	133.6
CV-2343	11/4/2025 9:46:29 AM	1.6	84.2	0.0	14.2	0.0	0.0			133.8	133.0
CV-2343	11/24/2025 12:56:53 PM	1.2	78.5	0.0	20.3	0.0	0.0			159.0	158.4

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2343	11/24/2025 12:59:40 PM	1.4	87.6	0.0	11.0	0.0	0.0			158.0	158.0
CV-2343	11/25/2025 1:38:16 PM	13.1	64.8	0.0	22.1	0.0	0.2			131.6	136.4
CV-2344	11/5/2025 8:50:00 AM							1500			
CV-2344	11/5/2025 8:50:00 AM								67000		
CV-2344	11/5/2025 9:43:31 AM	26.2	65.1	0.0	8.7	0.0	0.4			139.3	141.7
CV-2344	11/5/2025 9:50:00 AM							3420			
CV-2344	11/5/2025 9:50:00 AM								65500		
CV-2344	11/24/2025 1:04:30 PM	8.4	72.8	0.0	18.8	0.0	0.1			158.6	158.3
CV-2344	11/24/2025 1:08:26 PM	16.7	62.9	0.0	20.4	0.0	0.3			158.4	159.0
CV-2344	11/25/2025 1:34:47 PM	8.6	55.8	0.0	35.6	0.0	0.2			151.4	152.0
CV-2345	11/3/2025 1:52:08 PM	19.1	75.5	0.0	5.4	0.0	0.3			120.6	120.6
CV-2345	11/5/2025 8:45:00 AM							290			
CV-2345	11/5/2025 8:45:00 AM								22000		
CV-2345	11/24/2025 1:19:37 PM	20.6	58.1	0.0	21.3	0.0	0.4			129.7	129.3
CV-2346	11/4/2025 9:40:32 AM	3.3	86.0	0.0	10.7	0.0	0.0			110.9	112.6
CV-2346	11/5/2025 8:35:00 AM							3100			
CV-2346	11/5/2025 8:35:00 AM								130000		
CV-2346	11/24/2025 1:22:10 PM	5.0	79.2	0.0	15.8	0.0	0.1			127.9	128.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2347	11/4/2025 9:34:27 AM	5.3	87.3	0.0	7.4	0.0	0.1			104.2	104.4
CV-2347	11/5/2025 8:30:00 AM							2500			
CV-2347	11/5/2025 8:30:00 AM								85000		
CV-2347	11/24/2025 1:26:01 PM	9.2	73.2	0.0	17.6	0.0	0.1			107.6	103.5
CV-2348	11/4/2025 9:30:50 AM	24.8	69.0	0.0	6.2	0.0	0.4			111.3	111.9
CV-2348	11/5/2025 8:25:00 AM							380			
CV-2348	11/5/2025 8:25:00 AM							380			
CV-2348	11/5/2025 8:25:00 AM							380			
CV-2348	11/5/2025 8:25:00 AM								20000		
CV-2348	11/24/2025 1:33:22 PM	24.1	51.4	0.0	24.5	0.0	0.5			127.8	127.8
CV-2349	11/3/2025 9:30:00 AM							2800			
CV-2349	11/3/2025 9:30:00 AM								110000		
CV-2349	11/10/2025 8:51:47 AM	2.7	84.3	0.9	12.1	13.4	0.0			121.7	124.4
CV-2349	11/25/2025 8:38:48 AM	4.2	78.9	0.9	16.0	17.8	0.1			124.0	120.5
CV-2350	11/4/2025 8:50:00 AM							3000			
CV-2350	11/4/2025 8:50:00 AM								110000		
CV-2350	11/4/2025 9:54:48 AM	8.7	76.8	1.1	13.4	12.2	0.1			106.8	111.3
CV-2350	11/25/2025 8:45:41 AM	8.6	74.8	0.0	16.6	0.0	0.1			112.2	113.7

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2350	11/25/2025 12:19:25 PM	10.2	82.8	0.0	7.0	0.0	0.1			117.4	115.0
CV-2351	11/3/2025 8:55:00 AM							1100			
CV-2351	11/3/2025 8:55:00 AM								44000		
CV-2351	11/5/2025 12:41:40 PM	1.0	60.3	5.6	33.1	5.9	0.0			80.1	80.0
CV-2351	11/5/2025 12:44:36 PM	0.9	60.2	5.5	33.4	6.1	0.0			80.2	80.6
CV-2351	11/5/2025 1:35:52 PM	1.0	61.0	4.8	33.2	6.9	0.0			85.3	84.9
CV-2351	11/5/2025 1:42:39 PM	1.0	62.2	4.9	31.9	6.5	0.0			86.8	86.8
CV-2351	11/25/2025 8:16:07 AM	2.6	75.4	4.1	17.9	4.4	0.0			63.9	67.2
CV-2352	11/3/2025 9:05:00 AM							970			
CV-2352	11/3/2025 9:05:00 AM								170000		
CV-2352	11/11/2025 7:55:09 AM	0.9	43.4	10.2	45.5	4.5	0.0			89.6	89.0
CV-2352	11/25/2025 8:24:42 AM	2.9	62.4	4.7	30.0	6.4	0.0			82.3	82.0
CV-2353-P	11/5/2025 9:05:00 AM							810			
CV-2353-P	11/5/2025 9:30:00 AM								200000		
CV-2353-P	11/5/2025 10:06:28 AM	12.6	75.6	0.0	11.8	0.0	0.2			147.7	149.3
CV-2353-P	11/5/2025 10:15:00 AM							1640			
CV-2353-P	11/5/2025 10:15:00 AM								188400		
CV-2353-P	11/11/2025 7:49:43 AM	2.6	68.8	1.9	26.7	14.1	0.0			115.7	116.3

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2353-P	11/21/2025 9:21:16 AM	2.5	69.9	3.0	24.6	8.2	0.0			102.2	103.4
CV-2354	11/3/2025 9:25:00 AM							2800			
CV-2354	11/3/2025 9:25:00 AM								140000		
CV-2354	11/11/2025 8:40:42 AM	4.7	27.0	14.2	54.1	3.8	0.2			81.8	82.0
CV-2354	11/25/2025 8:29:55 AM	22.0	69.5	0.0	8.5	0.0	0.3			78.2	78.9
CV-2354	11/25/2025 8:31:16 AM	21.9	69.2	0.0	8.9	0.0	0.3			79.5	79.8
CV-24001	11/4/2025 12:58:18 PM	36.8	59.1	0.0	4.1	0.0	0.6			96.9	96.9
CV-24001	11/21/2025 12:57:41 PM	39.5	50.6	0.0	9.9	0.0	0.8			64.2	64.5
CV-24002	11/4/2025 12:48:11 PM	40.5	56.4	0.0	3.1	0.0	0.7			113.1	113.6
CV-24002	11/21/2025 12:45:19 PM	44.1	53.2	0.0	2.7	0.0	0.8			97.5	96.8
CV-24003	11/4/2025 9:33:22 AM	37.1	58.2	0.0	4.7	0.0	0.6			110.5	110.4
CV-24003	11/21/2025 12:40:46 PM	43.6	52.5	1.3	2.6	2.0	0.8			87.9	70.8
CV-24004	11/3/2025 2:07:55 PM	36.3	50.7	1.8	11.2	6.2	0.7			105.9	106.0
CV-24004	11/21/2025 12:30:56 PM	44.2	51.2	1.6	3.0	1.9	0.9			69.1	68.9
CV-24006	11/4/2025 12:27:22 PM	14.6	79.3	0.0	6.1	0.0	0.2			131.9	131.9
CV-24006	11/4/2025 12:29:06 PM	15.4	79.1	0.0	5.5	0.0	0.2			132.0	132.1
CV-24006	11/19/2025 10:29:42 AM	11.2	84.1	0.4	4.3	10.8	0.1			112.9	124.8
CV-24007	11/4/2025 10:10:04 AM	14.2	76.2	0.0	9.6	0.0	0.2			133.8	130.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24007	11/4/2025 10:11:21 AM	13.4	74.7	0.0	11.9	0.0	0.2			129.6	129.4
CV-24007	11/11/2025 9:00:00 AM							1000			
CV-24007	11/11/2025 9:00:00 AM								90000		
CV-24007	11/13/2025 9:35:00 AM							1100			
CV-24007	11/13/2025 9:35:00 AM								110000		
CV-24007	11/25/2025 1:58:21 PM	24.7	69.7	0.0	5.6	0.0	0.4			77.4	74.3
CV-24008	11/11/2025 1:27:10 PM	10.5	79.4	0.0	10.1	0.0	0.1			92.6	93.3
CV-24008	11/11/2025 1:28:37 PM	3.4	75.8	0.0	20.8	0.0	0.0			93.6	93.7
CV-24008	11/24/2025 12:58:02 PM	1.3	77.0	0.0	21.7	0.0	0.0			83.1	83.1
CV-24008	11/25/2025 1:48:48 PM	4.8	69.2	0.0	26.0	0.0	0.1			79.9	80.0
CV-24008	11/25/2025 1:49:29 PM	4.8	69.5	0.0	25.7	0.0	0.1			80.1	80.1
CV-24009	11/3/2025 10:33:29 AM	10.4	71.7	0.0	17.9	0.0	0.1			165.9	165.9
CV-24009	11/3/2025 10:35:00 AM							1760			
CV-24009	11/3/2025 10:35:00 AM								1760		
CV-24009	11/10/2025 1:13:58 PM	25.1	64.3	3.4	7.2	2.1	0.4			164.0	162.9
CV-24009	11/10/2025 1:15:00 PM							1100			
CV-24009	11/19/2025 7:57:34 AM	17.2	74.9	0.0	7.9	0.0	0.2			147.8	148.4
CV-24009	11/23/2025 9:16:46 AM	16.9	79.6	0.0	3.5	0.0	0.2			151.3	151.4

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24010	11/3/2025 1:52:59 PM	22.0	44.3	0.1	33.6	336.1	0.5			100.5	100.4
CV-24010	11/21/2025 12:25:53 PM	28.9	41.1	0.8	29.2	36.5	0.7			61.3	61.6
CV-24011	11/4/2025 8:19:45 AM	13.9	73.7	0.0	12.4	0.0	0.2			175.1	175.2
CV-24011	11/4/2025 8:20:00 AM							2535			
CV-24011	11/4/2025 8:20:00 AM								101650		
CV-24011	11/9/2025 10:25:00 AM							3760			
CV-24011	11/9/2025 10:26:44 AM	33.7	63.4	0.0	2.9	0.0	0.5			175.3	175.3
CV-24011	11/19/2025 8:16:36 AM	7.6	83.3	0.0	9.1	0.0	0.1			178.0	178.1
CV-24011	11/24/2025 8:07:53 AM	9.6	72.8	0.4	17.2	43.0	0.1			177.9	178.0
CV-24012	11/3/2025 2:29:24 PM	1.6	81.0	0.0	17.4	0.0	0.0			165.9	167.2
CV-24012	11/3/2025 2:30:00 PM							3220			
CV-24012	11/3/2025 2:30:00 PM								164000		
CV-24012	11/9/2025 10:51:26 AM	25.3	74.7	0.0	0.0	0.0	0.3			158.5	159.0
CV-24012	11/9/2025 10:55:00 AM							2080			
CV-24012	11/19/2025 8:36:41 AM	1.5	86.1	0.0	12.4	0.0	0.0			157.1	156.9
CV-24012	11/23/2025 10:17:13 AM	8.1	85.8	0.0	6.1	0.0	0.1			180.2	180.0
CV-24012	11/23/2025 10:18:36 AM	4.7	80.2	0.0	15.1	0.0	0.1			180.5	180.5
CV-24013	11/19/2025 9:33:42 AM	1.5	87.9	0.0	10.6	0.0	0.0			192.9	193.6

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24013	11/19/2025 9:47:51 AM	2.3	85.0	0.0	12.7	0.0	0.0			193.8	193.7
CV-24013	11/23/2025 9:27:52 AM	2.2	49.3	8.2	40.3	4.9	0.0			181.3	180.0
CV-24013	11/23/2025 9:30:36 AM	4.1	70.3	2.8	22.8	8.1	0.1			180.3	178.6
CV-24014	11/3/2025 10:21:02 AM	4.3	76.7	0.0	19.0	0.0	0.1			190.0	190.3
CV-24014	11/3/2025 10:25:00 AM							2145			
CV-24014	11/3/2025 10:25:00 AM								178000		
CV-24014	11/9/2025 10:05:00 AM							2430			
CV-24014	11/9/2025 10:15:10 AM	11.8	51.6	6.5	30.1	4.6	0.2			183.3	183.4
CV-24014	11/9/2025 10:16:13 AM	11.9	51.7	6.4	30.0	4.7	0.2			182.4	181.8
CV-24014	11/18/2025 2:28:10 PM	6.7	74.5	0.0	18.8	0.0	0.1			175.0	176.0
CV-24014	11/23/2025 9:36:59 AM	4.4	80.2	0.0	15.4	0.0	0.1			180.9	181.2
CV-24014	11/23/2025 9:37:55 AM	4.3	82.4	0.0	13.3	0.0	0.1			181.3	181.3
CV-24015	11/3/2025 9:21:26 AM	1.2	77.4	0.0	21.4	0.0	0.0			190.9	190.8
CV-24015	11/3/2025 9:22:00 AM							2660			
CV-24015	11/3/2025 9:22:00 AM								218700		
CV-24015	11/9/2025 9:14:09 AM	13.6	75.3	0.0	11.1	0.0	0.2			189.3	189.3
CV-24015	11/9/2025 9:15:00 AM							3560			
CV-24015	11/18/2025 2:17:40 PM	2.1	78.1	0.0	19.8	0.0	0.0			187.2	187.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24015	11/23/2025 8:11:22 AM	1.9	79.5	0.0	18.6	0.0	0.0			189.3	189.5
CV-24016	11/4/2025 8:24:20 AM	19.2	62.2	0.0	18.6	0.0	0.3			173.7	174.1
CV-24016	11/4/2025 8:28:00 AM							2310			
CV-24016	11/4/2025 8:28:00 AM								72800		
CV-24016	11/10/2025 1:04:30 PM	31.0	58.2	0.0	10.8	0.0	0.5			168.0	168.3
CV-24016	11/10/2025 1:05:00 PM							2530			
CV-24016	11/20/2025 9:52:30 AM	17.1	75.3	0.0	7.6	0.0	0.2			177.2	177.1
CV-24016	11/24/2025 8:14:38 AM	6.8	87.5	0.0	5.7	0.0	0.1			187.7	187.9
CV-24017	11/3/2025 2:15:00 PM							118500			
CV-24017	11/3/2025 2:19:00 PM	16.6	71.4	0.0	12.0	0.0	0.2			185.4	185.5
CV-24017	11/9/2025 10:40:00 AM							8120			
CV-24017	11/9/2025 10:41:28 AM	40.4	59.6	0.0	0.0	0.0	0.7			178.9	178.4
CV-24017	11/11/2025 8:55:00 AM							1000			
CV-24017	11/11/2025 8:55:00 AM								88000		
CV-24017	11/19/2025 8:22:34 AM	10.1	83.2	0.0	6.7	0.0	0.1			176.9	176.9
CV-24017	11/23/2025 10:26:38 AM	26.1	73.9	0.0	0.0	0.0	0.4			179.9	180.5
CV-24018	11/12/2025 1:52:41 PM	7.2	79.4	0.0	13.4	0.0	0.1			132.1	132.2
CV-24018	11/25/2025 2:24:04 PM	20.7	71.8	0.0	7.5	0.0	0.3			115.0	114.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24019	11/3/2025 2:40:00 PM							2907			
CV-24019	11/3/2025 2:40:00 PM								169000		
CV-24019	11/3/2025 2:42:04 PM	2.3	78.8	0.1	18.8	188.0	0.0			189.1	189.0
CV-24019	11/9/2025 11:00:00 AM							2600			
CV-24019	11/9/2025 11:02:02 AM	27.9	71.7	0.0	0.4	0.0	0.4			188.4	188.5
CV-24019	11/20/2025 9:46:09 AM	2.0	78.4	0.0	19.6	0.0	0.0			188.0	188.4
CV-24019	11/23/2025 10:30:55 AM	7.2	85.8	0.0	7.0	0.0	0.1			188.3	188.9
CV-24020	11/11/2025 10:35:27 AM	0.1	3.9	19.0	77.0	4.1	0.0			85.0	85.0
CV-24020	11/11/2025 10:45:19 AM	0.1	3.7	19.0	77.2	4.1	0.0			85.0	85.0
CV-24020	11/26/2025 8:05:57 AM	0.8	14.1	18.7	66.4	3.6	0.1			66.3	67.5
CV-24020	11/26/2025 8:06:32 AM	0.8	13.8	18.2	67.2	3.7	0.1			67.5	67.5
CV-24021	11/11/2025 10:16:39 AM	1.8	62.2	0.0	36.0	0.0	0.0			91.4	91.5
CV-24021	11/25/2025 3:22:30 PM	0.0	3.7	19.4	76.9	4.0	0.0			79.3	80.9
CV-24021	11/25/2025 3:23:13 PM	0.0	3.2	19.4	77.4	4.0	0.0			82.1	82.2
CV-24022	11/3/2025 10:39:46 AM	6.2	80.5	0.0	13.3	0.0	0.1			192.4	192.4
CV-24022	11/3/2025 10:43:00 AM							3840			
CV-24022	11/3/2025 10:43:00 AM								206800		
CV-24022	11/9/2025 9:52:04 AM	28.3	66.7	0.0	5.0	0.0	0.4			188.1	188.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24022-	11/9/2025 9:55:00 AM							3580			
CV-24022-	11/18/2025 2:33:26 PM	2.9	72.2	0.0	24.9	0.0	0.0			187.3	187.0
CV-24022-	11/23/2025 9:42:14 AM	4.2	76.6	0.0	19.2	0.0	0.1			191.0	191.1
CV-24023	11/3/2025 9:35:10 AM	1.9	78.1	0.0	20.0	0.0	0.0			197.1	197.1
CV-24023	11/3/2025 9:36:46 AM	1.5	81.1	0.0	17.4	0.0	0.0			197.2	197.1
CV-24023	11/3/2025 9:37:00 AM							3650			
CV-24023	11/3/2025 9:37:00 AM								208500		
CV-24023	11/9/2025 9:30:00 AM							2480			
CV-24023	11/9/2025 9:30:36 AM	24.7	74.3	0.1	0.9	9.0	0.3			195.8	195.8
CV-24023	11/18/2025 2:38:55 PM	2.1	78.8	0.0	19.1	0.0	0.0			194.5	194.5
CV-24023	11/23/2025 8:26:06 AM	3.0	78.8	0.0	18.2	0.0	0.0			194.2	194.4
CV-24024-	11/3/2025 9:16:34 AM	1.3	79.2	0.7	18.8	26.9	0.0			172.2	168.3
CV-24024-	11/3/2025 9:18:00 AM							2950			
CV-24024-	11/3/2025 9:18:00 AM								183200		
CV-24024-	11/9/2025 8:55:25 AM	4.0	73.6	1.4	21.0	15.0	0.1			117.7	118.1
CV-24024-	11/9/2025 8:59:33 AM	10.7	70.5	1.7	17.1	10.1	0.2			113.2	113.2
CV-24024-	11/18/2025 2:07:20 PM	1.4	65.5	1.5	31.6	21.1	0.0			145.8	145.1
CV-24024-	11/23/2025 7:58:09 AM	1.9	77.7	0.0	20.4	0.0	0.0			125.7	124.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24025	11/4/2025 8:32:23 AM	4.1	56.9	2.8	36.2	12.9	0.1			163.6	164.3
CV-24025	11/4/2025 8:34:00 AM							4020			
CV-24025	11/4/2025 8:34:00 AM								104800		
CV-24025	11/9/2025 11:53:27 AM	3.6	68.3	1.3	26.8	20.6	0.1			164.7	164.0
CV-24025	11/9/2025 11:55:00 AM							3830			
CV-24025	11/19/2025 9:43:14 AM	5.2	85.3	0.0	9.5	0.0	0.1			169.1	169.0
CV-24025	11/24/2025 8:23:38 AM	2.8	92.1	0.0	5.1	0.0	0.0			168.4	169.4
CV-24026	11/3/2025 2:35:00 PM							2040			
CV-24026	11/3/2025 2:35:00 PM								178300		
CV-24026	11/3/2025 2:36:03 PM	3.6	77.9	0.2	18.3	91.5	0.0			145.0	145.2
CV-24026	11/10/2025 7:55:00 AM							2825			
CV-24026	11/10/2025 7:55:44 AM	4.7	67.9	0.0	27.4	0.0	0.1			147.7	147.0
CV-24026	11/19/2025 8:47:02 AM	2.3	71.9	0.8	25.0	31.3	0.0			90.5	92.6
CV-24027	11/7/2025 3:09:56 PM	1.9	77.8	0.0	20.3	0.0	0.0			100.3	100.3
CV-24027	11/25/2025 3:08:10 PM	0.1	6.7	19.2	74.0	3.9	0.0			85.8	87.6
CV-24027	11/25/2025 3:09:27 PM	0.0	2.5	19.8	77.7	3.9	0.0			87.6	87.5
CV-24028	11/3/2025 10:44:20 AM	2.2	78.8	0.0	19.0	0.0	0.0			192.4	192.4
CV-24028	11/3/2025 10:45:00 AM							1960			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24028	11/3/2025 10:45:00 AM								203300		
CV-24028	11/9/2025 9:44:54 AM	32.4	66.1	0.0	1.5	0.0	0.5			182.7	182.2
CV-24028	11/9/2025 9:45:00 AM							1830			
CV-24028	11/18/2025 2:45:54 PM	3.5	74.2	0.0	22.3	0.0	0.0			185.0	185.0
CV-24028	11/23/2025 9:48:38 AM	4.0	87.1	0.0	8.9	0.0	0.0			189.4	187.5
CV-24029	11/3/2025 1:26:24 PM	3.2	78.2	0.0	18.7	0.0	0.0			96.3	99.7
CV-24029	11/3/2025 1:29:14 PM	3.5	77.1	0.0	19.5	0.0	0.0			98.5	98.3
CV-24029	11/24/2025 7:58:59 AM	6.3	79.4	0.0	14.3	0.0	0.1			65.1	65.7
CV-24030	11/3/2025 9:05:57 AM	1.5	77.4	0.0	21.1	0.0	0.0			194.0	194.1
CV-24030	11/3/2025 9:12:00 AM							3830			
CV-24030	11/3/2025 9:12:00 AM								202700		
CV-24030	11/9/2025 8:47:50 AM	2.3	68.8	2.3	26.6	11.6	0.0			192.9	192.5
CV-24030	11/9/2025 8:50:00 AM							1200			
CV-24030	11/18/2025 2:02:16 PM	1.8	60.2	3.6	34.4	9.6	0.0			191.4	191.2
CV-24030	11/23/2025 7:50:15 AM	2.1	73.1	1.9	22.9	12.1	0.0			191.5	192.2
CV-24031	11/12/2025 1:50:46 PM	23.3	58.0	0.0	18.7	0.0	0.4			126.8	121.7
CV-24031	11/25/2025 2:35:43 PM	37.8	61.8	0.0	0.4	0.0	0.6			109.9	110.4
CV-24031	11/25/2025 2:37:37 PM	39.5	60.5	0.0	0.0	0.0	0.7			117.6	117.5

Chiquita Canyon Landfill

[illegible]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24034	11/10/2025 8:07:38 AM	1.3	68.3	3.7	26.7	7.2	0.0			146.7	147.4
CV-24034	11/10/2025 8:10:00 AM							1640			
CV-24034	11/10/2025 1:22:55 PM	0.4	48.5	8.8	42.3	4.8	0.0			146.1	147.6
CV-24034	11/20/2025 10:05:01 AM	0.6	60.8	7.0	31.6	4.5	0.0			114.9	114.8
CV-24034	11/20/2025 10:05:49 AM	0.6	59.9	7.0	32.5	4.6	0.0			114.6	114.7
CV-24034	11/24/2025 1:42:52 PM	1.1	33.4	16.4	49.1	3.0	0.0			187.5	177.9
CV-24034	11/24/2025 1:44:49 PM	0.8	31.4	13.6	54.2	4.0	0.0			179.5	177.9
CV-24035	11/3/2025 8:49:42 AM	1.7	79.9	0.0	18.4	0.0	0.0			183.4	183.7
CV-24035	11/3/2025 9:00:00 AM							2565			
CV-24035	11/3/2025 9:00:00 AM								154900		
CV-24035	11/9/2025 8:17:02 AM	1.9	84.3	0.0	13.8	0.0	0.0			179.6	178.9
CV-24035	11/9/2025 8:20:00 AM							3010			
CV-24035	11/18/2025 3:04:17 PM	1.6	82.0	0.0	16.4	0.0	0.0			171.0	171.0
CV-24035	11/23/2025 7:36:32 AM	2.0	83.3	0.0	14.7	0.0	0.0			117.6	117.5
CV-24036	11/11/2025 1:38:28 PM	26.7	22.9	10.8	39.6	3.7	1.2			92.4	90.1
CV-24036	11/11/2025 1:40:21 PM	22.8	19.3	12.5	45.4	3.6	1.2			89.7	89.7
CV-24036	11/25/2025 2:51:59 PM	1.2	0.1	22.1	76.6	3.5	20.0			82.0	82.0
CV-24036	11/25/2025 2:54:56 PM	1.1	0.0	22.1	76.7	3.5	28.5			81.3	81.6

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24037	11/7/2025 10:43:55 AM	7.7	80.9	0.0	11.4	0.0	0.1			139.7	139.5
CV-24037	11/11/2025 1:32:22 PM	12.1	61.7	2.3	23.9	10.2	0.2			136.7	136.5
CV-24037	11/11/2025 1:33:23 PM	11.8	62.3	2.3	23.7	10.3	0.2			136.5	136.6
CV-24037	11/25/2025 2:44:33 PM	21.0	60.2	3.1	15.7	5.1	0.3			104.4	104.2
CV-24038	11/4/2025 8:58:47 AM	2.5	81.4	0.0	16.1	0.0	0.0			192.6	193.3
CV-24038	11/4/2025 9:00:00 AM							2600			
CV-24038	11/4/2025 9:00:00 AM								163700		
CV-24038	11/9/2025 12:25:36 PM	2.3	74.6	0.0	23.1	0.0	0.0			189.9	191.0
CV-24038	11/9/2025 12:26:29 PM	2.0	89.2	0.0	8.8	0.0	0.0			190.9	190.4
CV-24038	11/9/2025 12:30:00 PM							2270			
CV-24039	11/4/2025 9:04:43 AM	0.3	0.7	20.4	78.6	3.9	0.4			81.6	81.7
CV-24039	11/4/2025 9:06:20 AM	0.3	1.3	20.2	78.2	3.9	0.2			82.0	81.8
CV-24039	11/9/2025 12:32:51 PM	0.3	48.7	0.0	51.0	0.0	0.0			95.2	95.7
CV-24039	11/19/2025 9:04:32 AM	0.1	28.0	0.0	71.9	0.0	0.0			65.1	65.2
CV-24040	11/5/2025 10:44:31 AM	10.2	81.5	0.0	8.3	0.0	0.1			170.4	170.0
CV-24040	11/5/2025 10:50:00 AM							2050			
CV-24040	11/5/2025 10:50:00 AM								176000		
CV-24040	11/10/2025 8:02:13 AM	2.3	79.7	0.0	18.0	0.0	0.0			160.1	160.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Ini Temp []	Adj Temp []
CV-24040	11/10/2025 8:05:00 AM							2730			
CV-24040	11/19/2025 8:59:01 AM	1.4	83.7	0.0	14.9	0.0	0.0			109.4	111.1
CV-24040	11/24/2025 8:30:22 AM	0.9	25.6	14.7	58.8	4.0	0.0			63.2	63.8
CV-24040	11/24/2025 8:32:09 AM	0.8	14.5	18.0	66.7	3.7	0.1			64.1	64.0
CV-24041	11/7/2025 2:45:03 PM	2.3	21.8	14.8	61.1	4.1	0.1			93.9	93.8
CV-24041	11/7/2025 2:46:33 PM	2.6	25.8	14.0	57.6	4.1	0.1			93.1	93.1
CV-24041	11/26/2025 7:46:52 AM	1.9	82.6	0.0	15.5	0.0	0.0			81.4	81.3
CV-24042	11/4/2025 1:27:01 PM	18.3	71.1	0.0	10.6	0.0	0.3			184.5	184.7
CV-24042	11/4/2025 1:30:00 PM							2010			
CV-24042	11/4/2025 1:30:00 PM								107100		
CV-24042	11/9/2025 7:41:29 AM	11.8	67.5	0.4	20.3	50.8	0.2			178.4	178.3
CV-24042	11/9/2025 7:45:00 AM							1800			
CV-24042	11/17/2025 8:28:35 AM	25.0	67.3	0.0	7.7	0.0	0.4			177.1	177.0
CV-24042	11/17/2025 8:30:00 AM							1940			
CV-24042	11/25/2025 8:01:22 AM	11.6	70.7	0.2	17.5	87.5	0.2			176.7	176.3
CV-24043	11/5/2025 2:24:17 PM	47.6	50.8	0.0	1.6	0.0	0.9			79.7	78.0
CV-24043	11/5/2025 2:27:43 PM	47.9	51.1	0.0	1.0	0.0	0.9			77.8	76.5
CV-24043	11/25/2025 2:43:49 PM	47.1	47.7	0.0	5.2	0.0	1.0			85.5	85.7

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24044	11/7/2025 10:30:31 AM	32.3	64.1	0.0	3.6	0.0	0.5			122.0	121.6
CV-24044	11/30/2025 11:03:30 AM	45.7	48.7	0.0	5.6	0.0	0.9			85.2	85.3
CV-24045	11/4/2025 8:49:13 AM	4.9	74.2	1.6	19.3	12.1	0.1			178.1	176.6
CV-24045	11/4/2025 8:55:00 AM							1830			
CV-24045	11/4/2025 8:55:00 AM								157500		
CV-24045	11/9/2025 12:20:03 PM	4.6	70.3	1.4	23.7	16.9	0.1			159.1	159.1
CV-24046	11/12/2025 12:58:36 PM	0.3	75.1	0.7	23.9	34.1	0.0			72.0	71.8
CV-24046	11/12/2025 1:00:00 PM	0.2	78.6	0.3	20.9	69.7	0.0			72.8	72.9
CV-24046	11/30/2025 12:58:44 PM	0.2	66.6	1.8	31.5	17.7	0.0			83.8	84.2
CV-24046	11/30/2025 1:01:41 PM	0.2	66.4	1.3	32.2	25.6	0.0			86.1	85.8
CV-24048	11/7/2025 2:52:18 PM	5.4	78.9	0.0	15.7	0.0	0.1			89.3	89.2
CV-24048	11/10/2025 1:35:27 PM	4.0	71.9	0.6	23.5	39.2	0.1			97.3	97.6
CV-24048	11/26/2025 7:40:03 AM	13.8	71.6	0.0	14.6	0.0	0.2			60.9	62.3
CV-24049	11/6/2025 9:20:00 AM							2520			
CV-24049	11/6/2025 9:20:00 AM								115850		
CV-24049	11/6/2025 9:20:53 AM	8.3	78.5	0.0	13.2	0.0	0.1			184.4	184.8
CV-24049	11/9/2025 7:33:08 AM	6.4	80.2	0.0	13.4	0.0	0.1			170.0	171.2
CV-24049	11/9/2025 7:35:00 AM							3190			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24049	11/13/2025 9:30:00 AM							2000			
CV-24049	11/13/2025 9:30:00 AM								130000		
CV-24049	11/17/2025 8:20:00 AM							4420			
CV-24049	11/17/2025 8:20:21 AM	6.8	80.1	0.0	13.1	0.0	0.1			179.4	181.3
CV-24049	11/24/2025 1:20:38 PM	3.1	80.7	0.0	16.2	0.0	0.0			184.6	185.5
CV-24050	11/5/2025 2:35:58 PM	43.5	54.7	0.0	1.8	0.0	0.8			78.0	77.5
CV-24050	11/5/2025 2:38:23 PM	47.5	51.3	0.0	1.2	0.0	0.9			75.3	77.0
CV-24050	11/25/2025 2:32:23 PM	39.1	39.9	0.0	21.0	0.0	1.0			86.7	86.6
CV-24051	11/12/2025 8:13:38 AM	1.6	6.2	19.5	72.7	3.7	0.3			63.8	63.1
CV-24051	11/12/2025 8:15:24 AM	0.5	2.4	20.5	76.6	3.7	0.2			62.9	62.9
CV-24052	11/7/2025 3:04:48 PM	31.6	46.3	3.7	18.4	5.0	0.7			99.9	101.0
CV-24052	11/30/2025 12:50:46 PM	25.3	54.0	0.0	20.7	0.0	0.5			85.3	84.7
CV-24052	11/30/2025 12:51:50 PM	26.4	53.7	0.0	19.8	0.0	0.5			84.7	84.7
CV-24053	11/10/2025 9:55:00 AM							250			
CV-24053	11/10/2025 9:55:00 AM								23000		
CV-24053	11/12/2025 8:36:55 AM	13.0	25.0	12.4	49.6	4.0	0.5			67.1	67.2
CV-24053	11/12/2025 8:38:18 AM	13.3	26.8	12.1	47.8	4.0	0.5			67.4	67.4
CV-24053	11/26/2025 7:34:50 AM	17.5	26.4	12.2	43.9	3.6	0.7			63.0	63.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24053	11/26/2025 7:35:12 AM	18.5	27.5	12.1	41.9	3.5	0.7			63.0	63.0
CV-24054	11/3/2025 11:25:21 AM	4.6	85.5	0.0	9.9	0.0	0.1			173.1	173.1
CV-24054	11/3/2025 11:28:00 AM							2880			
CV-24054	11/3/2025 11:28:00 AM								114300		
CV-24054	11/10/2025 8:24:31 AM	8.2	82.4	0.0	9.4	0.0	0.1			164.3	164.5
CV-24054	11/10/2025 8:25:00 AM							2610			
CV-24054	11/24/2025 1:25:20 PM	3.2	83.0	0.0	13.8	0.0	0.0			169.0	170.5
CV-24054	11/24/2025 1:25:59 PM	3.2	85.9	0.0	10.9	0.0	0.0			171.7	171.6
CV-24055	11/4/2025 1:44:24 PM	13.0	61.9	4.0	21.1	5.3	0.2			112.9	113.4
CV-24055	11/6/2025 10:00:00 AM							460			
CV-24055	11/6/2025 10:00:00 AM								38000		
CV-24055	11/26/2025 10:25:40 AM	24.6	58.1	4.6	12.7	2.8	0.4			120.1	119.4
CV-24056	11/5/2025 9:00:02 AM	31.2	67.3	0.0	1.5	0.0	0.5			171.2	171.7
CV-24056	11/5/2025 9:07:00 AM							2060			
CV-24056	11/5/2025 9:07:00 AM								73800		
CV-24056	11/11/2025 8:05:14 AM	34.9	53.7	0.0	11.4	0.0	0.6			132.5	132.6
CV-24056	11/21/2025 10:37:01 AM	39.0	59.8	0.0	1.2	0.0	0.7			125.9	125.5
CV-24057	11/13/2025 11:58:55 AM	49.9	44.3	0.0	5.8	0.0	1.1			119.4	120.5

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24057	11/26/2025 9:14:31 AM	47.1	45.8	0.0	7.1	0.0	1.0			119.5	119.1
CV-24058	11/13/2025 11:46:48 AM	53.1	42.2	0.0	4.7	0.0	1.3			81.0	81.6
CV-24058	11/25/2025 2:21:01 PM	51.3	42.3	0.0	6.4	0.0	1.2			82.4	82.4
CV-24061	11/10/2025 9:31:54 AM	52.3	35.7	0.0	12.0	0.0	1.5			111.2	111.1
CV-24061	11/26/2025 8:28:53 AM	46.5	44.2	0.0	9.3	0.0	1.1			102.1	101.9
CV-24062	11/10/2025 8:50:00 AM							470			
CV-24062	11/10/2025 8:50:00 AM								32000		
CV-24062	11/10/2025 9:15:35 AM	41.5	58.5	0.0	0.0	0.0	0.7			139.2	139.1
CV-24062	11/19/2025 1:46:00 PM	25.9	65.8	0.0	8.3	0.0	0.4			121.5	117.3
CV-24063	11/11/2025 8:30:00 AM							2600			
CV-24063	11/11/2025 8:30:00 AM								120000		
CV-24064	11/10/2025 9:30:00 AM								46000		
CV-24064	11/11/2025 9:48:20 AM	3.2	77.6	0.0	19.2	0.0	0.0			196.2	194.9
CV-24064	11/11/2025 9:51:44 AM	3.3	78.6	0.0	18.1	0.0	0.0			194.4	194.2
CV-24064	11/11/2025 10:00:00 AM							3140			
CV-24064	11/11/2025 10:00:00 AM								108500		
CV-24064	11/12/2025 9:29:04 AM	3.0	79.5	0.0	17.5	0.0	0.0			191.0	191.5
CV-24064	11/12/2025 1:25:17 PM	3.1	78.6	0.0	18.3	0.0	0.0			191.3	191.2

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24064	11/12/2025 1:28:04 PM	2.9	77.3	0.0	19.9	0.0	0.0			191.2	191.3
CV-24064	11/21/2025 10:40:38 AM	3.5	87.0	0.0	9.5	0.0	0.0			191.4	191.2
CV-24064	11/25/2025 1:06:22 PM	6.3	81.5	0.2	12.0	60.0	0.1			192.8	193.4
CV-24064	11/25/2025 1:11:23 PM	2.6	84.0	0.4	13.0	32.5	0.0			194.5	194.1
CV-24065	11/5/2025 8:53:48 AM	21.4	75.1	0.0	3.5	0.0	0.3			78.4	78.3
CV-24065	11/13/2025 9:55:00 AM							640			
CV-24065	11/13/2025 9:55:00 AM								15000		
CV-24065	11/21/2025 10:34:21 AM	21.0	78.4	0.0	0.6	0.0	0.3			87.8	87.6
CV-24065	11/24/2025 10:57:22 AM	18.9	71.3	0.0	9.8	0.0	0.3			113.0	113.6
CV-24066	11/3/2025 1:30:46 PM	33.2	63.9	0.0	2.9	0.0	0.5			112.6	112.3
CV-24066	11/12/2025 8:30:00 AM							350			
CV-24066	11/12/2025 8:30:00 AM								24000		
CV-24066	11/24/2025 12:45:56 PM	30.5	61.4	0.0	8.1	0.0	0.5			115.6	116.2
CV-24067	11/3/2025 1:23:56 PM	1.4	80.7	1.2	16.7	13.9	0.0			126.1	126.5
CV-24067	11/26/2025 9:09:46 AM	3.9	87.9	0.0	8.2	0.0	0.0			121.8	122.9
CV-24068	11/10/2025 9:40:00 AM							2020			
CV-24068	11/10/2025 9:40:18 AM	35.0	65.0	0.0	0.0	0.0	0.5			145.8	145.9
CV-24068	11/10/2025 9:40:52 AM	34.2	65.8	0.0	0.0	0.0	0.5			145.5	145.4

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24068	11/19/2025 2:04:00 PM	27.3	72.7	0.0	0.0	0.0	0.4			127.5	127.5
CV-24069	11/10/2025 9:25:00 AM							1000			
CV-24070	11/10/2025 9:20:00 AM							1000			
CV-24070	11/10/2025 9:20:00 AM								110000		
CV-24071	11/10/2025 12:38:46 PM	67.5	32.5	0.0	0.0	0.0	2.1			124.6	124.4
CV-24071	11/10/2025 12:41:02 PM	63.9	36.1	0.0	0.0	0.0	1.8			124.6	124.6
CV-24071	11/11/2025 8:15:00 AM							1400			
CV-24071	11/11/2025 8:15:00 AM								63000		
CV-24071	11/25/2025 9:41:17 AM	46.3	49.9	0.0	3.8	0.0	0.9			122.2	120.9
CV-24072	11/10/2025 12:49:20 PM	62.5	37.5	0.0	0.0	0.0	1.7			110.5	110.4
CV-24072	11/25/2025 9:35:11 AM	43.6	54.2	0.0	2.2	0.0	0.8			102.8	101.0
CV-24075	11/11/2025 9:24:04 AM	1.1	78.8	0.0	20.1	0.0	0.0			195.7	196.0
CV-24075	11/11/2025 10:05:00 AM							2950			
CV-24075	11/11/2025 10:05:00 AM								123300		
CV-24075	11/12/2025 9:16:37 AM	1.3	78.6	0.0	20.1	0.0	0.0			186.3	185.4
CV-24075	11/12/2025 9:51:06 AM	1.8	79.2	0.0	19.0	0.0	0.0			187.4	186.2
CV-24075	11/13/2025 8:28:36 AM	1.3	78.7	0.0	20.0	0.0	0.0			186.0	186.5
CV-24075	11/20/2025 8:54:45 AM	1.4	89.7	0.0	8.9	0.0	0.0			184.0	183.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24075-	11/25/2025 9:20:56 AM	11.0	75.1	0.0	13.9	0.0	0.1			189.5	189.4
CV-24076	11/3/2025 11:51:21 AM	13.6	78.4	0.0	8.0	0.0	0.2			152.9	152.6
CV-24076	11/6/2025 10:26:34 AM	20.0	76.1	0.0	3.9	0.0	0.3			161.5	161.5
CV-24076	11/6/2025 10:30:00 AM							2580			
CV-24076	11/6/2025 10:30:00 AM								68700		
CV-24076	11/10/2025 1:35:00 PM							2250			
CV-24076	11/10/2025 1:38:47 PM	32.8	56.4	0.2	10.6	53.0	0.6			149.8	150.2
CV-24076	11/20/2025 8:39:01 AM	17.8	74.9	0.5	6.8	13.6	0.2			150.5	150.0
CV-24076	11/25/2025 9:12:43 AM	17.1	80.1	0.0	2.8	0.0	0.2			159.2	159.4
CV-24077	11/3/2025 1:03:09 PM	1.4	84.4	0.0	14.2	0.0	0.0			125.7	125.2
CV-24077	11/21/2025 1:53:46 PM	24.5	48.5	0.5	26.5	53.0	0.5			120.9	116.0
CV-24078	11/3/2025 1:15:03 PM	23.7	71.3	0.0	5.0	0.0	0.3			129.7	129.7
CV-24078	11/24/2025 12:41:17 PM	23.2	74.0	0.0	2.8	0.0	0.3			133.7	133.3
CV-24078	11/24/2025 12:42:26 PM	22.4	75.5	0.0	2.1	0.0	0.3			133.0	133.1
CV-24079-	11/6/2025 10:10:20 AM	26.0	70.1	0.0	3.9	0.0	0.4			145.7	145.9
CV-24079-	11/6/2025 10:15:00 AM							1110			
CV-24079-	11/6/2025 10:15:00 AM								50200		
CV-24079-	11/10/2025 9:45:00 AM							1060			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24079	11/10/2025 9:46:04 AM	28.2	52.9	0.0	18.9	0.0	0.5			145.5	145.0
CV-24079	11/19/2025 2:07:00 PM	28.6	71.2	0.0	0.2	0.0	0.4			147.5	149.4
CV-24079	11/25/2025 8:30:04 AM	21.0	67.3	0.0	11.7	0.0	0.3			141.1	141.8
CV-24083	11/10/2025 12:13:53 PM	46.5	47.5	0.0	6.0	0.0	1.0			117.7	118.3
CV-24083	11/10/2025 12:14:22 PM	45.4	48.0	0.0	6.6	0.0	0.9			118.3	118.4
CV-24083	11/25/2025 10:07:43 AM	55.9	44.1	0.0	0.0	0.0	1.3			124.3	124.6
CV-24084	11/5/2025 1:53:53 PM	18.1	80.1	0.0	1.8	0.0	0.2			171.2	171.5
CV-24084	11/5/2025 1:55:20 PM	12.6	85.0	0.0	2.4	0.0	0.1			171.5	171.5
CV-24084	11/5/2025 1:58:00 PM							2620			
CV-24084	11/5/2025 1:58:00 PM								83200		
CV-24084	11/10/2025 9:53:51 AM	12.7	68.4	0.0	18.9	0.0	0.2			171.3	171.3
CV-24084	11/10/2025 9:55:00 AM							2940			
CV-24084	11/19/2025 2:14:00 PM	16.3	78.5	0.0	5.2	0.0	0.2			169.1	169.5
CV-24084	11/25/2025 1:20:40 PM	4.9	78.8	0.0	16.3	0.0	0.1			171.0	170.9
CV-24085	11/6/2025 10:06:17 AM	45.7	47.9	0.4	5.9	13.5	1.0			113.9	119.8
CV-24085	11/24/2025 1:00:32 PM	47.5	46.4	0.5	5.7	12.6	1.0			116.4	116.4
CV-24086	11/10/2025 10:09:28 AM	49.5	46.7	0.0	3.8	0.0	1.1			115.6	119.6
CV-24086	11/10/2025 10:15:30 AM	45.4	50.9	0.0	3.6	0.0	0.9			123.4	123.5

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24086	11/19/2025 10:44:05 AM	44.2	53.6	0.0	2.2	0.0	0.8			122.8	122.8
CV-24087	11/4/2025 10:16:00 AM	42.8	52.2	0.2	4.8	24.0	0.8			114.8	114.8
CV-24087	11/24/2025 1:33:13 PM	44.3	52.1	0.0	3.7	0.0	0.9			116.8	116.9
CV-24088	11/3/2025 12:45:13 PM	43.2	56.8	0.0	0.0	0.0	0.8			111.8	112.5
CV-24088	11/10/2025 1:06:17 PM	51.5	48.5	0.0	0.0	0.0	1.1			101.5	101.7
CV-24088	11/25/2025 10:46:29 AM	44.5	55.5	0.0	0.0	0.0	0.8			114.7	114.1
CV-24089	11/3/2025 2:29:59 PM	45.4	53.9	0.0	0.7	0.0	0.8			108.5	108.6
CV-24089	11/19/2025 10:59:20 AM	0.4	3.0	19.9	76.7	3.9	0.1			67.1	67.0
CV-24089	11/19/2025 11:01:13 AM	5.4	5.2	18.6	70.8	3.8	1.0			67.0	67.1
CV-24090	11/4/2025 10:00:31 AM	30.0	40.1	0.0	29.9	0.0	0.7			108.8	108.5
CV-24090	11/25/2025 10:25:02 AM	33.1	39.3	0.0	27.6	0.0	0.8			101.1	101.2
CV-24091	11/4/2025 8:50:18 AM	48.7	46.2	0.0	5.1	0.0	1.1			125.6	125.8
CV-24091	11/20/2025 8:34:39 AM	50.4	46.5	0.0	3.1	0.0	1.1			117.9	117.9
CV-24092	11/4/2025 9:18:42 AM	51.0	42.9	0.0	6.1	0.0	1.2			115.5	115.8
CV-24093	11/4/2025 8:58:48 AM	46.1	53.6	0.0	0.3	0.0	0.9			121.4	121.3
CV-24093	11/25/2025 8:33:09 AM	48.7	46.5	0.0	4.8	0.0	1.0			117.9	117.9
CV-24095	11/4/2025 8:25:00 AM							3500			
CV-24095	11/4/2025 8:25:00 AM							3500			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
CV-24095	11/4/2025 8:25:00 AM							3500			
CV-24095	11/4/2025 8:25:00 AM								140000		
CV-24095	11/12/2025 1:23:19 PM	4.6	79.1	0.3	16.0	53.3	0.1			146.0	146.6
CV-24095	11/12/2025 1:27:30 PM	4.8	76.8	0.7	17.7	25.3	0.1			146.6	146.5
CV-24095	11/21/2025 9:59:40 AM	7.6	80.0	0.0	12.4	0.0	0.1			149.9	149.9
CV-24095	11/23/2025 10:27:49 AM	5.5	70.1	3.3	21.1	6.4	0.1			153.1	153.2
CV-24095	11/25/2025 1:42:39 PM	5.9	76.8	0.0	17.3	0.0	0.1			155.4	155.4
CV-24096	11/10/2025 11:01:53 AM	37.2	49.1	2.4	11.3	4.7	0.8			116.8	116.9
CV-24096	11/25/2025 9:46:25 AM	12.9	8.8	17.0	61.3	3.6	1.5			75.5	75.7
CV-24096	11/25/2025 10:14:02 AM	13.1	9.0	16.8	61.1	3.6	1.5			75.8	75.8
CV-24097	11/10/2025 8:59:54 AM	41.9	31.4	4.2	22.5	5.4	1.3			91.3	91.4
CV-24097	11/25/2025 9:34:48 AM	55.2	44.4	0.0	0.4	0.0	1.2			72.9	72.4
CV-24098	11/10/2025 8:41:59 AM	35.8	63.0	0.0	1.2	0.0	0.6			117.1	117.6
CV-24098	11/25/2025 9:20:44 AM	38.3	59.0	0.0	2.7	0.0	0.6			86.1	90.4
CV-24099	11/10/2025 8:34:21 AM	13.9	84.5	0.0	1.6	0.0	0.2			95.5	94.9
CV-24099	11/10/2025 8:36:36 AM	13.5	85.4	0.2	0.9	4.5	0.2			94.6	94.6
CV-24099	11/25/2025 9:16:31 AM	17.8	78.6	0.8	2.8	3.5	0.2			76.9	77.2
CV-24100	11/4/2025 9:00:00 AM							16			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24100	11/4/2025 9:00:00 AM								1300		
CV-24100	11/9/2025 12:15:00 PM	30.3	59.9	0.3	9.5	32.7	0.5			121.9	121.9
CV-24100	11/25/2025 9:06:24 AM	34.5	61.7	0.5	3.3	6.6	0.6			114.8	115.5
CV-24101	11/4/2025 9:10:00 AM							30			
CV-24101	11/4/2025 9:10:00 AM								27000		
CV-24101	11/9/2025 12:07:03 PM	27.0	45.6	0.8	26.6	32.0	0.6			119.7	119.2
CV-24101	11/25/2025 9:01:40 AM	16.5	33.4	4.8	45.3	9.4	0.5			112.5	112.5
CV-24102	11/4/2025 8:58:52 AM	51.8	41.6	0.0	6.6	0.0	1.2			86.2	86.6
CV-24102	11/24/2025 11:46:07 AM	48.8	40.4	0.0	10.8	0.0	1.2			107.2	107.5
CV-24103	11/3/2025 1:48:07 PM	44.0	50.8	0.0	5.2	0.0	0.9			113.6	112.9
CV-24103	11/19/2025 11:30:11 AM	42.7	53.2	0.0	4.1	0.0	0.8			105.2	105.3
CV-24104	11/3/2025 2:04:25 PM	46.2	52.2	0.0	1.6	0.0	0.9			107.5	107.4
CV-24104	11/19/2025 11:10:07 AM	41.5	53.9	0.0	4.6	0.0	0.8			94.0	93.8
CV-24105	11/3/2025 2:14:41 PM	44.7	52.2	0.0	3.1	0.0	0.9			108.7	108.7
CV-24105	11/19/2025 3:20:45 PM	39.6	44.3	0.2	15.9	79.5	0.9			101.6	98.7
CV-24106	11/4/2025 10:45:34 AM	41.6	40.1	0.0	18.3	0.0	1.0			121.7	124.4
CV-24106	11/4/2025 2:19:26 PM										
CV-24106	11/19/2025 3:52:08 PM	39.0	39.0	0.0	22.0	0.0	1.0			120.6	122.7

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24107	11/5/2025 11:03:02 AM	42.5	49.2	0.0	8.3	0.0	0.9			112.6	113.9
CV-24108	11/5/2025 10:29:22 AM	49.3	49.9	0.0	0.8	0.0	1.0			126.4	127.4
CV-24109	11/4/2025 1:50:16 PM	39.8	45.7	0.2	14.3	71.5	0.9			95.8	96.5
CV-24110	11/5/2025 8:14:08 AM	45.4	53.8	0.0	0.8	0.0	0.8			122.2	122.6
CV-24111	11/4/2025 2:13:00 PM	38.8	61.2	0.0	0.0	0.0	0.6			114.6	113.5
CV-24112	11/4/2025 2:04:08 PM	42.3	49.0	0.0	8.7	0.0	0.9			128.6	128.6
CV-24114	11/7/2025 4:14:43 PM	54.7	41.4	0.0	3.9	0.0	1.3			119.1	119.6
CV-24116	11/4/2025 2:26:22 PM	43.1	40.3	1.1	15.5	14.1	1.1			116.1	113.9
CV-24117	11/5/2025 2:45:17 PM	33.7	37.5	0.0	28.8	0.0	0.9			112.4	110.3
CV-24118	11/4/2025 11:14:53 AM	25.1	68.4	0.0	6.5	0.0	0.4			150.1	150.4
CV-24118	11/4/2025 11:20:00 AM							1970			
CV-24118	11/4/2025 11:20:00 AM								116200		
CV-24118	11/10/2025 1:50:00 PM							2160			
CV-24118	11/10/2025 1:51:43 PM	26.7	56.6	0.0	16.7	0.0	0.5			148.9	148.3
CV-24118	11/17/2025 9:53:04 AM	21.1	56.8	0.0	22.1	0.0	0.4			148.2	147.3
CV-24118	11/17/2025 9:55:00 AM							1870			
CV-24118	11/24/2025 1:11:18 PM	13.7	72.0	0.0	14.3	0.0	0.2			148.5	149.7
CV-24119	11/6/2025 1:51:58 PM	45.2	47.4	0.0	7.4	0.0	1.0			136.5	137.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24120	11/3/2025 10:20:16 AM	1.2	27.9	11.9	59.0	4.9	0.0			88.5	88.6
CV-24120	11/3/2025 10:23:51 AM	2.4	51.7	6.0	40.0	6.7	0.0			86.4	86.6
CV-24120	11/13/2025 9:15:00 AM							600			
CV-24120	11/13/2025 9:15:00 AM								33000		
CV-24120	11/25/2025 7:44:55 AM	6.3	59.2	4.8	29.7	6.2	0.1			49.5	48.9
CV-24121	11/3/2025 10:29:05 AM	32.0	68.0	0.0	0.0	0.0	0.5			123.2	123.4
CV-24121	11/6/2025 9:30:00 AM							86			
CV-24121	11/6/2025 9:30:00 AM								4400		
CV-24121	11/25/2025 7:38:18 AM	27.6	59.1	1.8	11.5	6.4	0.5			123.0	121.4
CV-24122	11/6/2025 9:20:00 AM							0			
CV-24122	11/6/2025 9:20:00 AM								1800		
CV-24122	11/10/2025 9:36:04 AM	50.2	41.9	0.5	7.4	14.5	1.2			120.6	121.0
CV-24122	11/25/2025 7:32:27 AM	52.2	41.5	0.1	6.2	62.0	1.3			87.8	89.2
CV-24123	11/5/2025 1:20:52 PM	52.6	43.1	0.0	4.3	0.0	1.2			114.9	115.0
CV-24123	11/11/2025 6:59:37 AM	51.9	42.3	0.0	5.8	0.0	1.2			113.1	113.5
CV-24124	11/5/2025 1:29:37 PM	6.4	81.3	0.1	12.2	122.0	0.1			131.5	132.3
CV-24124	11/5/2025 1:33:25 PM	0.1	9.0	20.4	70.5	3.5	0.0			131.1	130.9
CV-24125	11/5/2025 1:55:53 PM	34.6	48.9	0.5	16.0	32.0	0.7			101.7	102.2

Chiquita Canyon Landfill

[illegible]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24128	11/5/2025 1:41:03 PM	17.4	39.2	2.5	40.9	16.4	0.4			119.1	117.1
CV-24128	11/11/2025 8:57:26 AM	12.0	72.5	0.0	15.6	0.0	0.2			113.6	114.3
CV-24128	11/11/2025 8:58:52 AM	16.9	72.1	0.0	11.0	0.0	0.2			115.5	115.7
CV-24128	11/13/2025 9:20:00 AM							860			
CV-24128	11/13/2025 9:20:00 AM								50000		
CV-24129	11/5/2025 1:47:00 PM	40.3	49.5	0.0	10.2	0.0	0.8			126.8	109.5
CV-24129	11/11/2025 8:45:52 AM	42.7	52.7	0.0	4.7	0.0	0.8			120.1	121.4
CV-24130	11/5/2025 1:50:32 PM	22.2	66.4	0.0	11.4	0.0	0.3			108.4	108.5
CV-24130	11/11/2025 7:22:25 AM	26.4	56.2	0.0	17.5	0.0	0.5			103.7	103.9
CV-24131	11/5/2025 11:13:05 AM	38.8	47.9	1.6	11.7	7.3	0.8			132.2	131.9
CV-24131	11/6/2025 1:21:50 PM										
CV-24131	11/12/2025 7:53:47 AM										
CV-24131	11/19/2025 7:23:14 AM										
CV-24131	11/26/2025 8:34:42 AM										
CV-24132	11/5/2025 10:54:20 AM	53.4	43.2	0.0	3.4	0.0	1.2			126.8	127.0
CV-24132	11/5/2025 1:36:59 PM	53.7	43.5	0.0	2.8	0.0	1.2			126.1	127.3
CV-24133	11/7/2025 1:38:09 PM	48.1	38.2	0.0	13.7	0.0	1.3			120.5	120.3
CV-24134	11/3/2025 2:54:07 PM	28.1	63.6	0.0	8.3	0.0	0.4			143.5	143.5

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
CV-24134	11/3/2025 2:55:35 PM	27.0	63.8	0.0	9.2	0.0	0.4			144.2	143.6
CV-24134	11/11/2025 7:39:19 AM	27.9	59.2	0.0	12.9	0.0	0.5			143.5	144.1
CV-24134	11/11/2025 7:40:03 AM	27.1	60.2	0.0	12.7	0.0	0.5			143.9	143.9
CV-24135	11/11/2025 8:24:16 AM	19.9	72.9	0.0	7.2	0.0	0.3			108.2	138.0
CV-24135	11/11/2025 8:29:55 AM	22.6	70.7	0.0	6.7	0.0	0.3			138.9	138.3
CV-24135	11/11/2025 1:06:42 PM	30.5	66.1	0.0	3.4	0.0	0.5			138.5	138.9
CV-24135	11/11/2025 1:08:13 PM	30.1	65.5	0.0	4.4	0.0	0.5			138.2	137.9
CV-24136	11/5/2025 10:10:55 AM	27.8	55.3	0.0	16.9	0.0	0.5			150.5	151.7
CV-24136	11/5/2025 11:00:00 AM							457			
CV-24136	11/5/2025 11:00:00 AM								130600		
CV-24136	11/5/2025 1:00:51 PM	36.5	54.7	0.0	8.8	0.0	0.7			141.7	144.1
CV-24136	11/5/2025 1:02:01 PM	35.4	55.0	0.0	9.6	0.0	0.6			143.8	143.5
CV-24137	11/11/2025 1:51:07 PM	25.6	58.4	0.0	16.0	0.0	0.4			98.5	92.8
CV-24138	11/3/2025 9:20:00 AM							1000			
CV-24138	11/11/2025 8:33:50 AM	2.2	77.0	0.0	20.8	0.0	0.0			173.3	171.6
CV-24138	11/11/2025 8:35:00 AM	2.5	75.3	0.0	22.2	0.0	0.0			172.4	172.0
CV-24138	11/11/2025 8:50:00 AM							1290			
CV-24138	11/21/2025 9:34:05 AM	3.1	70.9	2.3	23.7	10.3	0.0			162.1	159.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24138	11/23/2025 10:12:52 AM	3.2	80.1	0.0	16.7	0.0	0.0			173.4	173.7
CV-24139	11/3/2025 9:15:00 AM							530			
CV-24139	11/3/2025 9:15:00 AM								120000		
CV-24139	11/11/2025 8:15:00 AM							1710			
CV-24139	11/11/2025 8:19:26 AM	1.4	69.8	1.9	26.9	14.2	0.0			176.3	170.1
CV-24139	11/11/2025 8:21:50 AM	2.2	75.1	0.0	22.7	0.0	0.0			166.9	166.9
CV-24139	11/21/2025 9:29:05 AM	3.3	80.7	0.0	16.0	0.0	0.0			166.6	167.5
CV-24139	11/23/2025 10:04:02 AM	2.6	31.1	13.3	53.0	4.0	0.1			88.2	96.4
CV-24139	11/23/2025 10:05:20 AM	2.9	32.0	12.6	52.5	4.2	0.1			96.6	97.0
CV-24140	11/3/2025 9:10:00 AM							960			
CV-24140	11/3/2025 9:10:00 AM								180000		
CV-24140	11/11/2025 7:54:41 AM	2.8	71.8	1.4	24.0	17.1	0.0			120.3	120.6
CV-24140	11/21/2025 9:26:07 AM	1.4	48.4	3.8	46.4	12.2	0.0			92.2	91.9
CV-24141	11/11/2025 7:46:36 AM	1.5	8.3	19.7	70.5	3.6	0.2			64.0	62.8
CV-24141	11/12/2025 9:10:00 AM							29			
CV-24141	11/12/2025 9:10:00 AM								10000		
CV-24141	11/25/2025 8:21:23 AM	28.7	38.0	4.5	28.8	6.4	0.8			65.7	66.3
CV-24142	11/4/2025 8:20:00 AM							1900			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24142	11/4/2025 8:20:00 AM								200000		
CV-24142	11/5/2025 10:14:05 AM	14.8	76.8	0.0	8.4	0.0	0.2			178.6	177.3
CV-24142	11/5/2025 10:20:00 AM							2630			
CV-24142	11/5/2025 10:20:00 AM								198800		
CV-24142	11/11/2025 7:42:08 AM	5.3	73.8	0.0	20.9	0.0	0.1			151.3	151.0
CV-24142	11/11/2025 7:45:00 AM							2360			
CV-24142	11/11/2025 7:45:00 AM								126200		
CV-24142	11/21/2025 9:38:07 AM	5.2	76.6	0.0	18.2	0.0	0.1			149.8	148.2
CV-24142	11/23/2025 10:17:50 AM	4.0	77.6	0.0	18.4	0.0	0.1			178.9	179.0
CV-24143	11/3/2025 9:00:00 AM							1400			
CV-24143	11/3/2025 9:00:00 AM								150000		
CV-24143	11/4/2025 1:20:51 PM	1.6	75.3	1.3	21.8	16.8	0.0			98.9	98.9
CV-24143	11/4/2025 1:21:45 PM	1.6	75.5	1.3	21.6	16.6	0.0			99.2	99.3
CV-24143	11/25/2025 8:11:24 AM	0.2	7.0	20.0	72.8	3.6	0.0			66.2	65.8
CV-24143	11/25/2025 8:11:55 AM	0.2	7.2	19.8	72.8	3.7	0.0			65.7	65.9
CV-24144	11/12/2025 10:40:21 AM	56.1	40.4	0.3	3.2	10.7	1.4			87.2	87.2
CV-24144	11/25/2025 9:25:47 AM	13.9	16.6	14.2	55.3	3.9	0.8			73.5	73.5
CV-24144	11/25/2025 9:26:26 AM	14.1	16.6	14.1	55.2	3.9	0.8			73.7	73.7

Chiquita Canyon Landfill

[illegible]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24148	11/12/2025 9:37:46 AM	3.7	78.9	0.0	17.5	0.0	0.0			172.3	172.5
CV-24148	11/12/2025 1:34:42 PM	3.5	79.1	0.0	17.4	0.0	0.0			163.5	163.6
CV-24148	11/12/2025 1:38:57 PM	3.7	79.9	0.0	16.4	0.0	0.0			163.0	162.8
CV-24148	11/13/2025 9:03:35 AM	3.5	80.1	0.0	16.5	0.0	0.0			167.5	167.8
CV-24148	11/20/2025 8:33:32 AM	3.6	89.3	0.0	7.1	0.0	0.0			156.2	156.7
CV-24148	11/20/2025 8:34:28 AM	3.8	88.8	0.0	7.4	0.0	0.0			157.5	157.8
CV-24148	11/25/2025 8:22:46 AM	3.1	80.6	0.0	16.2	0.0	0.0			172.9	172.7
CV-24148	11/25/2025 8:23:55 AM	3.2	80.8	0.0	16.1	0.0	0.0			172.8	173.1
CV-24151	11/3/2025 12:21:04 PM	43.4	56.6	0.0	0.0	0.0	0.8			104.6	107.5
CV-24151	11/10/2025 12:53:58 PM	55.8	44.2	0.0	0.0	0.0	1.3			109.7	109.9
CV-24151	11/10/2025 1:22:08 PM	49.5	50.5	0.0	0.0	0.0	1.0			112.9	113.1
CV-24151	11/13/2025 12:18:24 PM	43.5	50.3	0.1	6.1	68.1	0.9			104.7	104.6
CV-24151	11/25/2025 9:17:30 AM	39.8	56.1	0.0	4.1	0.0	0.7			107.5	107.5
CV-24152	11/12/2025 2:39:56 PM	24.7	72.9	0.0	2.4	0.0	0.3			111.0	116.6
CV-24152	11/12/2025 2:41:33 PM	28.8	69.6	0.0	1.6	0.0	0.4			117.7	117.7
CV-24152	11/25/2025 9:10:32 AM	36.9	55.9	0.0	7.3	0.0	0.7			119.8	119.9
CV-24152	11/25/2025 9:12:25 AM	36.3	56.8	0.0	6.9	0.0	0.6			120.4	120.3
CV-24153	11/11/2025 10:18:20 AM	45.9	54.1	0.0	0.0	0.0	0.8			109.6	109.7

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24153	11/12/2025 9:56:51 AM	43.5	55.0	0.0	1.6	0.0	0.8			106.3	106.0
CV-24153	11/13/2025 10:42:02 AM										
CV-24153	11/25/2025 8:55:09 AM	43.7	52.9	0.0	3.4	0.0	0.8			108.8	108.2
CV-24154	11/5/2025 9:51:58 AM	33.0	62.3	0.0	4.7	0.0	0.5			97.7	98.0
CV-24154	11/24/2025 10:38:12 AM	39.4	59.4	0.0	1.2	0.0	0.7			116.0	115.3
CV-24156	11/10/2025 1:01:16 PM	52.0	48.0	0.0	0.0	0.0	1.1			119.7	119.7
CV-24156	11/25/2025 9:27:51 AM	39.3	56.4	0.0	4.3	0.0	0.7			118.7	118.7
CV-24158	11/13/2025 1:00:45 PM	50.8	44.9	0.0	4.3	0.0	1.1			124.7	124.8
CV-24158	11/13/2025 1:03:20 PM	50.3	45.0	0.0	4.7	0.0	1.1			124.3	124.2
CV-24158	11/25/2025 12:38:46 PM	55.5	44.5	0.0	0.0	0.0	1.2			122.0	122.1
CV-24158	11/25/2025 12:41:31 PM	54.7	45.3	0.0	0.0	0.0	1.2			123.0	123.0
CV-24159	11/4/2025 8:55:37 AM	49.5	49.9	0.0	0.6	0.0	1.0			112.0	111.9
CV-24159	11/5/2025 9:39:31 AM	49.4	50.1	0.0	0.5	0.0	1.0			112.3	112.6
CV-24159	11/19/2025 1:37:04 PM	50.2	48.8	0.0	1.0	0.0	1.0			110.9	111.0
CV-24160	11/4/2025 9:03:21 AM	48.8	51.2	0.0	0.0	0.0	1.0			120.0	120.5
CV-24160	11/5/2025 9:44:32 AM	50.1	47.4	0.0	2.5	0.0	1.1			119.9	120.2
CV-24160	11/25/2025 8:39:14 AM	49.0	45.0	0.0	6.0	0.0	1.1			120.0	120.0
CV-24161	11/5/2025 11:18:06 AM	37.6	55.1	0.0	7.3	0.0	0.7			88.5	88.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24162	11/4/2025 2:01:09 PM	43.6	38.5	0.0	17.9	0.0	1.1			100.5	101.2
CV-24163	11/4/2025 2:27:02 PM	37.5	55.0	0.0	7.5	0.0	0.7			101.3	101.1
CV-24165	11/4/2025 9:34:10 AM	41.9	57.9	0.0	0.2	0.0	0.7			116.3	
CV-24165	11/20/2025 9:15:36 AM	44.9	53.6	0.0	1.5	0.0	0.8			93.7	95.1
CV-24166	11/4/2025 8:52:10 AM	52.6	47.4	0.0	0.0	0.0	1.1			111.2	110.9
CV-24166	11/19/2025 1:41:26 PM	54.0	43.6	0.0	2.4	0.0	1.2			89.0	89.6
CV-24167	11/10/2025 11:59:41 AM	47.5	39.0	0.0	13.5	0.0	1.2			118.2	118.2
CV-24167	11/20/2025 8:51:18 AM	44.3	39.6	0.0	16.1	0.0	1.1			110.9	110.2
CV-24168	11/4/2025 9:40:08 AM	44.8	54.9	0.0	0.3	0.0	0.8			123.5	123.6
CV-24168	11/5/2025 9:32:50 AM	45.7	54.3	0.0	0.0	0.0	0.8			105.9	106.5
CV-24168	11/5/2025 9:33:42 AM	45.1	54.9	0.0	0.0	0.0	0.8			107.0	107.4
CV-24168	11/25/2025 10:39:12 AM	47.2	45.1	2.4	5.3	2.2	1.0			101.8	99.5
CV-24168	11/25/2025 10:42:31 AM	48.9	48.4	0.6	2.1	3.4	1.0			110.5	108.3
CV-24170	11/4/2025 10:58:20 AM	33.7	64.7	0.0	1.6	0.0	0.5			128.6	128.5
CV-24170	11/19/2025 10:29:53 AM	35.1	61.3	0.0	3.6	0.0	0.6			125.5	124.7
CV-24171	11/4/2025 9:09:54 AM	52.1	44.7	0.0	3.2	0.0	1.2			120.1	120.1
CV-24171	11/20/2025 8:45:36 AM	52.6	43.6	0.0	3.8	0.0	1.2			121.3	121.3
CV-24172	11/4/2025 9:01:14 AM	37.8	54.7	0.5	7.0	14.0	0.7			118.3	118.4

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24172	11/25/2025 10:28:01 AM	45.2	54.8	0.0	0.0	0.0	0.8			111.6	119.5
CV-24172	11/25/2025 10:29:19 AM	45.6	54.4	0.0	0.0	0.0	0.8			121.4	121.6
CV-24173	11/4/2025 9:49:18 AM	36.6	44.6	0.6	18.2	30.3	0.8			119.3	118.4
CV-24173	11/25/2025 10:17:38 AM	50.2	49.4	0.4	0.0	0.0	1.0			117.2	117.1
CV-24174	11/10/2025 11:49:46 AM	33.6	44.1	0.0	22.3	0.0	0.8			108.8	108.9
CV-24174	11/24/2025 1:20:10 PM	36.7	48.6	0.0	14.7	0.0	0.8			106.6	106.6
CV-24175	11/10/2025 9:56:40 AM	38.0	52.6	0.0	9.4	0.0	0.7			109.5	110.3
CV-24175	11/24/2025 1:15:36 PM	38.1	55.8	0.0	6.1	0.0	0.7			119.3	119.4
CV-24176	11/6/2025 10:14:13 AM	34.4	41.6	0.0	24.1	0.0	0.8			121.2	121.0
CV-24176	11/6/2025 10:22:26 AM	35.0	42.0	0.0	23.0	0.0	0.8			122.1	122.2
CV-24176	11/24/2025 1:05:53 PM	31.1	39.3	0.0	29.7	0.0	0.8			122.1	122.1
CV-24176	11/24/2025 1:10:31 PM	30.5	39.3	0.0	30.2	0.0	0.8			121.0	120.3
CV-24177	11/3/2025 12:57:26 PM	26.3	68.0	0.0	5.7	0.0	0.4			103.4	103.8
CV-24177	11/13/2025 8:26:54 AM										
CV-24177	11/24/2025 12:48:20 PM	12.7	44.2	2.8	40.2	14.3	0.3			108.2	108.4
CV-24178	11/4/2025 11:03:52 AM	36.2	58.3	0.4	5.1	12.8	0.6			129.2	126.7
CV-24178	11/19/2025 10:02:27 AM	28.0	44.3	1.0	26.7	26.7	0.6			103.1	98.4
CV-24179	11/6/2025 9:36:32 AM	28.1	57.2	0.0	14.7	0.0	0.5			127.6	127.4

Chiquita Canyon Landfill

[illegible]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24183	11/25/2025 10:31:46 AM	45.8	46.2	0.3	7.7	25.7	1.0			107.9	104.0
CV-24183	11/26/2025 7:37:49 AM										
CV-24184	11/4/2025 8:29:25 AM	12.2	15.0	14.2	58.6	4.1	0.8			136.5	134.3
CV-24184	11/4/2025 8:32:50 AM	4.0	5.3	6.7	84.0	12.5	0.8			134.1	134.3
CV-24184	11/4/2025 10:22:14 AM										
CV-24184	11/19/2025 4:02:35 PM	34.7	48.9	0.3	16.1	53.7	0.7			86.2	86.8
CV-24185	11/4/2025 8:40:06 AM	45.8	44.3	0.1	9.8	98.0	1.0			114.0	113.5
CV-24185	11/25/2025 10:21:35 AM	43.2	45.3	0.0	11.5	0.0	1.0			112.7	110.7
CV-24186	11/4/2025 9:19:49 AM	43.4	41.7	0.0	14.9	0.0	1.0			128.0	123.8
CV-24186	11/25/2025 10:23:04 AM	50.4	40.5	0.1	9.0	90.0	1.2			102.6	102.7
CV-24187	11/4/2025 9:05:00 AM	36.4	40.2	0.0	23.4	0.0	0.9			122.7	122.7
CV-24187	11/24/2025 11:37:39 AM	30.9	39.0	0.0	30.2	0.0	0.8			123.3	123.3
CV-24188	11/4/2025 9:19:40 AM	53.2	39.7	0.8	6.3	7.9	1.3			93.1	76.7
CV-24188	11/12/2025 1:27:31 PM	50.4	40.9	0.1	8.6	86.0	1.2			114.9	114.9
CV-24188	11/24/2025 12:07:13 PM	43.4	38.1	0.0	18.6	0.0	1.1			116.9	116.9
CV-24189	11/4/2025 8:53:18 AM	46.3	36.8	2.5	14.4	5.8	1.3			108.2	108.3
CV-24189	11/24/2025 11:59:42 AM	42.9	38.2	1.9	17.0	8.8	1.1			109.1	110.1
CV-24189	11/24/2025 12:03:32 PM	46.8	40.0	0.0	13.2	0.0	1.2			112.5	112.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24190	11/4/2025 9:08:04 AM	55.1	43.6	0.0	1.3	0.0	1.3			121.8	121.9
CV-24190	11/13/2025 8:46:57 AM										
CV-24190	11/24/2025 11:32:40 AM	52.8	40.3	0.0	7.0	0.0	1.3			121.9	122.0
CV-24192	11/4/2025 9:10:54 AM	55.1	42.3	0.0	2.6	0.0	1.3			115.3	115.2
CV-24192	11/13/2025 8:53:03 AM										
CV-24192	11/24/2025 11:27:22 AM	54.5	40.6	0.0	4.9	0.0	1.3			115.7	117.1
CV-24192	11/24/2025 12:20:16 PM	52.6	41.7	0.0	5.7	0.0	1.3			118.0	118.8
CV-24193	11/3/2025 1:43:42 PM	50.2	45.2	0.0	4.6	0.0	1.1			113.0	113.0
CV-24193	11/19/2025 11:35:22 AM	47.4	48.6	0.0	4.0	0.0	1.0			111.1	111.1
CV-24194	11/3/2025 1:56:23 PM	52.1	44.8	0.0	3.1	0.0	1.2			116.1	116.1
CV-24194	11/19/2025 11:14:58 AM	51.7	46.5	0.0	1.8	0.0	1.1			111.9	112.4
CV-24195	11/3/2025 2:08:40 PM	46.2	50.6	0.0	3.2	0.0	0.9			115.7	115.3
CV-24195	11/12/2025 1:40:25 PM	51.2	47.8	0.0	1.0	0.0	1.1			115.0	115.7
CV-24195	11/13/2025 9:32:08 AM										
CV-24195	11/19/2025 11:05:42 AM	46.0	49.2	0.2	4.6	23.0	0.9			111.5	111.6
CV-24196	11/3/2025 2:18:50 PM	47.6	45.4	0.0	7.0	0.0	1.0			126.8	126.9
CV-24196	11/4/2025 1:28:08 PM										
CV-24196	11/19/2025 3:34:35 PM	47.0	44.3	0.0	8.7	0.0	1.1			124.0	124.3

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24197	11/4/2025 10:39:45 AM	43.8	41.1	0.0	15.1	0.0	1.1			122.4	120.3
CV-24197	11/26/2025 10:38:17 AM	39.3	41.1	0.0	19.6	0.0	1.0			121.5	121.6
CV-24198	11/4/2025 11:15:56 AM	37.8	40.4	0.0	21.8	0.0	0.9			121.0	119.1
CV-24198	11/19/2025 3:45:22 PM	49.3	42.2	0.0	8.5	0.0	1.2			111.7	111.9
CV-24199	11/4/2025 11:11:05 AM	41.5	39.4	0.0	19.1	0.0	1.1			124.5	124.9
CV-24199	11/19/2025 3:40:37 PM	43.2	41.3	0.0	15.5	0.0	1.0			123.0	123.3
CV-24200	11/5/2025 8:20:21 AM	38.0	37.0	0.0	25.0	0.0	1.0			112.8	112.9
CV-24200	11/25/2025 9:17:39 AM	39.7	37.5	0.0	22.8	0.0	1.1			113.7	112.8
CV-24201	11/5/2025 8:47:54 AM	26.9	29.4	0.6	43.1	71.8	0.9			116.1	110.7
CV-24201	11/25/2025 8:57:15 AM	38.4	39.1	0.0	22.5	0.0	1.0			119.2	116.5
CV-24202	11/5/2025 9:02:25 AM	24.6	35.8	0.0	39.6	0.0	0.7			116.8	113.2
CV-24202	11/25/2025 8:34:17 AM	27.2	33.3	0.0	39.5	0.0	0.8			114.4	109.7
CV-24203	11/4/2025 2:19:45 PM	45.4	43.8	0.0	10.8	0.0	1.0			125.3	124.4
CV-24203	11/25/2025 8:19:47 AM	50.7	46.1	0.0	3.2	0.0	1.1			122.4	122.5
CV-24204	11/4/2025 2:14:16 PM	45.4	39.9	0.0	14.7	0.0	1.1			122.4	122.5
CV-24204	11/25/2025 8:16:04 AM	48.9	43.0	0.0	8.1	0.0	1.1			120.1	119.7
CV-24205	11/4/2025 2:10:49 PM	43.2	40.5	0.0	16.3	0.0	1.1			118.4	118.5
CV-24205	11/25/2025 8:10:07 AM	46.0	39.3	0.1	14.6	146.0	1.2			117.0	117.3

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24206	11/5/2025 8:29:52 AM	9.3	16.4	9.6	64.7	6.7	0.6			97.1	85.4
CV-24206	11/5/2025 8:35:09 AM	6.4	12.1	12.6	68.9	5.5	0.5			81.7	81.5
CV-24206	11/25/2025 9:11:31 AM	9.0	17.5	9.6	63.9	6.7	0.5			80.9	81.8
CV-24206	11/25/2025 9:13:14 AM	8.7	17.2	9.8	64.3	6.6	0.5			81.2	81.2
CV-24207	11/4/2025 8:46:26 AM	40.1	59.8	0.0	0.1	0.0	0.7			137.3	137.8
CV-24207	11/19/2025 1:55:06 PM	40.6	57.0	0.0	2.4	0.0	0.7			63.6	137.0
CV-24208	11/26/2025 9:54:45 AM	46.0	54.0	0.0	0.0	0.0	0.9			122.4	122.4
CV-24209	11/5/2025 3:14:43 PM	5.7	81.1	0.0	13.2	0.0	0.1			115.8	119.2
CV-24210	11/5/2025 10:59:43 AM	29.0	35.7	1.8	33.5	18.6	0.8			96.9	97.1
CV-24211	11/6/2025 1:26:02 PM	29.6	61.8	0.1	8.5	85.0	0.5			128.3	127.6
CV-24212	11/6/2025 1:30:00 PM	11.1	60.9	0.5	27.5	55.0	0.2			115.5	115.5
CV-24212	11/12/2025 9:26:45 AM	15.6	57.3	1.6	25.5	15.9	0.3			112.3	112.7
CV-24213	11/4/2025 12:45:52 PM	53.6	42.5	0.0	3.9	0.0	1.3			110.3	111.5
CV-24213	11/7/2025 2:22:42 PM	50.8	42.8	0.0	6.4	0.0	1.2			114.2	116.3
CV-24214	11/5/2025 10:19:07 AM	35.7	41.7	0.8	21.8	27.3	0.9			122.3	121.8
CV-24214	11/7/2025 2:26:39 PM	41.6	42.4	0.0	16.0	0.0	1.0			112.0	113.6
CV-24215	11/5/2025 11:03:20 AM	36.7	48.3	0.0	15.0	0.0	0.8			79.2	83.0
CV-24216	11/5/2025 10:37:24 AM	36.5	39.1	0.0	24.4	0.0	0.9			95.5	83.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24216	11/12/2025 12:12:27 PM										
CV-24217	11/5/2025 8:35:31 AM	40.0	43.9	0.1	16.0	160.0	0.9			87.2	87.0
CV-24218	11/6/2025 1:45:06 PM										
CV-24218	11/12/2025 8:13:20 AM										
CV-24218	11/19/2025 7:50:21 AM										
CV-24218	11/26/2025 7:22:02 AM	41.7	44.5	0.0	13.8	0.0	0.9			122.8	120.5
CV-24218	11/26/2025 7:24:44 AM										
CV-24220	11/4/2025 2:37:10 PM	12.8	78.1	0.0	9.1	0.0	0.2			144.4	144.7
CV-24220	11/4/2025 2:39:35 PM	12.6	78.8	0.0	8.6	0.0	0.2			143.0	144.1
CV-24222	11/6/2025 1:39:45 PM	53.0	46.0	0.0	1.0	0.0	1.2			122.2	122.2
CV-24223	11/6/2025 1:35:28 PM	36.0	55.2	0.0	8.8	0.0	0.7			112.6	112.6
CV-24224	11/4/2025 2:16:10 PM	54.2	44.5	0.0	1.3	0.0	1.2			127.5	128.5
CV-24225	11/5/2025 2:33:25 PM	52.5	46.3	0.0	1.2	0.0	1.1			115.3	118.6
CV-24225	11/5/2025 2:34:45 PM	51.5	45.5	0.0	3.0	0.0	1.1			119.1	119.1
CV-24226	11/26/2025 10:21:06 AM	51.9	48.1	0.0	0.0	0.0	1.1			84.0	84.2
CV-24227	11/4/2025 8:29:09 AM	47.7	38.4	0.0	13.9	0.0	1.2			116.4	116.4
CV-24227	11/13/2025 9:02:07 AM										
CV-24231	11/7/2025 4:26:13 PM	39.6	44.0	0.0	16.4	0.0	0.9			120.7	119.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-24236	11/4/2025 8:16:30 AM	47.5	36.0	0.0	16.5	0.0	1.3			103.6	103.1
CV-24237	11/4/2025 8:21:31 AM	40.5	32.4	1.6	25.5	15.9	1.3			110.2	109.5
CV-24243	11/4/2025 10:45:20 AM	50.7	39.6	0.0	9.7	0.0	1.3			114.8	117.5
CV-24244	11/4/2025 10:35:23 AM	45.9	39.8	0.0	14.3	0.0	1.2			111.6	111.6
CV-24245	11/4/2025 11:04:16 AM	36.1	33.4	0.0	30.5	0.0	1.1			117.1	117.2
CV-24246	11/4/2025 11:07:59 AM	52.1	39.2	1.5	7.2	4.8	1.3			113.1	113.4
CV-24246	11/12/2025 1:13:07 PM										
CV-24253	11/25/2025 1:38:37 PM	50.3	43.8	0.0	5.9	0.0	1.1			111.5	111.5
CV-25	11/6/2025 10:32:09 AM	47.9	40.2	0.2	11.7	58.5	1.2			129.5	129.3
CV-2501	11/6/2025 2:24:30 PM										
CV-2501	11/11/2025 10:35:52 AM	48.3	50.9	0.0	0.8	0.0	0.9			121.1	121.1
CV-2502	11/3/2025 1:26:40 PM	43.3	40.3	0.2	16.2	81.0	1.1			118.1	117.4
CV-2503	11/5/2025 8:06:02 AM	50.5	40.9	0.1	8.5	85.0	1.2			123.2	123.2
CV-2504	11/7/2025 4:19:16 PM	44.6	40.9	0.0	14.5	0.0	1.1			122.7	122.9
CV-2505	11/4/2025 1:42:33 PM	47.8	42.3	0.0	9.9	0.0	1.1			116.8	116.9
CV-2506	11/11/2025 1:18:39 PM	51.1	38.4	2.1	8.4	4.0	1.3			118.4	118.2
CV-2506	11/12/2025 1:46:17 PM	54.3	40.4	0.0	5.3	0.0	1.3			121.0	121.6
CV-2506	11/12/2025 2:15:27 PM	53.4	41.5	0.0	5.0	0.0	1.3			122.6	122.7

Chiquita Canyon Landfill

[illegible]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-251009	11/9/2025 7:23:50 AM	1.0	80.1	0.0	18.9	0.0	0.0			157.7	158.4
CV-251009	11/9/2025 7:25:00 AM							4390			
CV-251009	11/13/2025 12:37:35 PM										
CV-251009	11/17/2025 8:07:59 AM	15.0	79.3	0.0	5.7	0.0	0.2			148.0	148.4
CV-251009	11/17/2025 8:15:00 AM							4350			
CV-251009	11/24/2025 10:47:50 AM	1.0	89.3	0.0	9.7	0.0	0.0			165.1	165.7
CV-251010	11/4/2025 1:35:30 PM	7.0	53.2	6.8	33.0	4.9	0.1			84.9	86.5
CV-251010	11/4/2025 1:39:57 PM	3.9	30.2	12.5	53.4	4.3	0.1			83.2	83.0
CV-251010	11/26/2025 8:56:10 AM	9.8	89.6	0.0	0.6	0.0	0.1			71.7	69.1
CV-251019	11/4/2025 1:24:27 PM	29.9	68.2	0.0	1.9	0.0	0.4			82.7	82.7
CV-251019	11/26/2025 8:48:41 AM	32.5	58.5	0.0	9.0	0.0	0.6			101.5	101.5
CV-2511	11/7/2025 4:30:58 PM	47.9	44.6	0.0	7.5	0.0	1.1			119.1	119.2
CV-2512	11/7/2025 4:35:06 PM	41.0	41.9	0.0	17.1	0.0	1.0			118.5	118.5
CV-2513	11/7/2025 3:52:26 PM	46.4	40.1	0.0	13.5	0.0	1.2			114.6	114.9
CV-2513	11/9/2025 9:52:44 AM	46.4	40.3	0.0	13.4	0.0	1.2			115.9	115.8
CV-2513	11/12/2025 12:50:39 PM										
CV-2514	11/7/2025 3:47:03 PM	50.9	43.6	0.0	5.5	0.0	1.2			119.0	119.0
CV-2515	11/7/2025 1:25:42 PM	51.1	37.3	0.0	11.6	0.0	1.4			114.8	114.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2516	11/5/2025 10:42:33 AM	53.0	44.6	0.0	2.4	0.0	1.2			123.9	124.1
CV-2521	11/12/2025 10:14:04 AM	34.0	51.8	0.0	14.2	0.0	0.7			75.1	76.6
CV-2521	11/12/2025 10:19:01 AM	33.5	52.4	0.0	14.1	0.0	0.6			76.5	76.3
CV-2524	11/12/2025 12:24:18 PM	34.8	46.6	0.0	18.6	0.0	0.7			136.5	132.9
CV-2524	11/12/2025 12:27:43 PM	33.3	47.2	0.0	19.5	0.0	0.7			132.2	133.8
CV-2527	11/13/2025 1:24:33 PM										
CV-2529	11/6/2025 2:14:46 PM	39.7	32.7	4.9	22.7	4.6	1.2			92.1	91.5
CV-2530	11/6/2025 2:25:40 PM	42.4	51.6	0.2	5.8	29.0	0.8			92.3	92.5
CV-2530	11/12/2025 10:09:48 AM	47.4	47.4	0.0	5.2	0.0	1.0			134.0	133.0
CV-2530	11/12/2025 10:11:33 AM	47.7	48.1	0.0	4.2	0.0	1.0			133.0	133.0
CV-2530	11/26/2025 8:27:37 AM	43.6	45.6	1.0	9.8	9.8	1.0			115.7	105.8
CV-2531	11/12/2025 10:35:41 AM	13.0	75.2	2.5	9.3	3.7	0.2			80.0	79.6
CV-2532	11/12/2025 12:06:38 PM	53.5	42.1	0.0	4.4	0.0	1.3			115.7	115.4
CV-2533	11/6/2025 1:55:03 PM	55.0	40.7	0.0	4.3	0.0	1.4			130.5	130.9
CV-2533	11/6/2025 1:56:22 PM	53.8	41.1	0.0	5.2	0.0	1.3			130.9	130.9
CV-2535	11/4/2025 1:37:24 PM	43.7	39.6	0.3	16.4	54.7	1.1			112.4	112.2
CV-2536	11/30/2025 10:20:50 AM	50.1	42.7	0.5	6.8	14.7	1.2			85.0	85.0
CV-2543-P	11/10/2025 12:21:14 PM	1.1	75.7	0.0	23.2	0.0	0.0			100.1	100.3

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
CV-2543-P	11/10/2025 12:34:31 PM	33.2	66.5	0.3	0.0	0.0	0.5			99.3	99.4
CV-2543-P	11/25/2025 10:03:25 AM	27.0	69.5	0.1	3.4	26.5	0.4			110.0	109.2
CV-2544	11/13/2025 12:54:31 PM	30.5	59.3	0.0	10.2	0.0	0.5			126.7	126.7
CV-2544	11/25/2025 12:47:05 PM	36.5	62.1	0.0	1.4	0.0	0.6			126.9	126.9
CV-2545	11/11/2025 1:10:33 PM	35.0	55.7	0.3	9.0	29.1	0.6			114.9	114.8
CV-2545	11/25/2025 9:03:30 AM	38.2	52.2	0.0	9.6	0.0	0.7			106.3	106.8
CV-2546	11/12/2025 2:34:08 PM	28.4	70.8	0.0	0.8	0.0	0.4			113.1	113.4
CV-2546	11/25/2025 12:32:53 PM	39.9	60.1	0.0	0.0	0.0	0.7			111.7	111.5
CV-2548	11/5/2025 10:01:34 AM	32.2	64.7	0.0	3.1	0.0	0.5			99.2	99.2
CV-2549	11/5/2025 10:06:59 AM	31.5	66.7	0.0	1.8	0.0	0.5			88.8	89.5
CV-2552	11/11/2025 10:09:42 AM	17.0	71.2	0.0	11.8	0.0	0.2			113.2	130.9
CV-2552	11/11/2025 10:11:06 AM	16.0	71.3	0.0	12.7	0.0	0.2			134.9	135.2
CV-2552	11/11/2025 10:12:19 AM	16.1	70.9	0.0	13.1	0.0	0.2			137.1	137.4
CV-2552	11/12/2025 9:42:45 AM	21.8	68.5	0.0	9.7	0.0	0.3			151.9	151.9
CV-2552	11/20/2025 8:27:25 AM	24.6	72.9	0.0	2.5	0.0	0.3			141.8	141.0
CV-2552	11/20/2025 8:28:41 AM	23.9	74.9	0.0	1.2	0.0	0.3			141.0	141.0
CV-2554	11/5/2025 1:29:37 PM	13.7	80.1	0.0	6.2	0.0	0.2			180.6	181.0
CV-2554	11/5/2025 1:35:00 PM							2040			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2554	11/5/2025 1:35:00 PM								105200		
CV-2554	11/10/2025 9:18:02 AM	23.1	72.4	0.0	4.5	0.0	0.3			176.7	176.8
CV-2554	11/10/2025 9:20:00 AM							1790			
CV-2554	11/10/2025 1:24:11 PM	30.8	67.7	0.0	1.5	0.0	0.5			170.4	170.2
CV-2554	11/10/2025 1:25:00 PM							1180			
CV-2554	11/19/2025 1:49:00 PM	19.6	78.0	0.0	2.4	0.0	0.3			168.4	170.0
CV-2554	11/25/2025 8:51:28 AM	12.0	71.5	0.0	16.5	0.0	0.2			181.0	182.1
CV-2556	11/11/2025 9:37:45 AM	3.8	76.9	0.0	19.3	0.0	0.0			159.1	161.0
CV-2556	11/11/2025 9:39:21 AM	3.4	76.6	0.0	20.0	0.0	0.0			164.7	164.8
CV-2556	11/11/2025 10:10:00 AM							3410			
CV-2556	11/11/2025 10:10:00 AM								106200		
CV-2556	11/12/2025 9:23:32 AM	2.6	77.5	0.0	19.9	0.0	0.0			169.3	169.4
CV-2556	11/20/2025 8:50:06 AM	2.7	84.7	0.0	12.6	0.0	0.0			169.1	168.9
CV-2556	11/20/2025 8:51:12 AM	2.6	74.2	0.0	23.2	0.0	0.0			169.0	168.9
CV-2556	11/25/2025 10:38:17 AM	2.7	92.9	0.0	4.4	0.0	0.0			167.1	167.4
CV-2557	11/5/2025 9:03:10 AM	34.7	64.7	0.0	0.6	0.0	0.5			127.4	127.1
CV-2557	11/24/2025 10:52:01 AM	31.8	62.7	0.0	5.5	0.0	0.5			128.8	129.0
CV-2558	11/21/2025 10:52:09 AM	1.8	86.4	1.7	10.1	5.9	0.0			172.7	172.3

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-2558	11/25/2025 10:53:44 AM	3.2	62.8	0.0	34.0	0.0	0.1			150.8	150.7
CV-2563	11/2/2025 11:09:13 AM	50.7	45.4	0.0	3.9	0.0	1.1			124.5	124.5
CV-2563	11/5/2025 1:07:26 PM	49.4	46.0	0.0	4.6	0.0	1.1			123.1	123.3
CV-2563	11/11/2025 7:17:19 AM	50.6	42.8	0.0	6.6	0.0	1.2			123.6	123.8
CV-2565	11/12/2025 12:06:27 PM	46.9	46.7	0.0	6.4	0.0	1.0			78.7	78.6
CV-2565	11/19/2025 9:45:10 AM	44.2	51.8	0.0	4.0	0.0	0.9			88.6	88.7
CV-2566	11/24/2025 11:16:02 AM	49.4	44.8	0.0	5.9	0.0	1.1			91.2	91.4
CV-2567	11/25/2025 12:16:09 PM	59.5	40.5	0.0	0.0	0.0	1.5			92.3	92.1
CV-2568	11/12/2025 12:26:25 PM	48.0	46.4	0.0	5.6	0.0	1.0			95.1	95.1
CV-2568	11/19/2025 3:26:30 PM	43.9	46.3	0.0	9.8	0.0	0.9			98.7	95.0
CV-2569	11/12/2025 12:44:22 PM	48.0	46.4	0.0	5.6	0.0	1.0			96.4	96.5
CV-2569	11/19/2025 3:31:04 PM	44.7	49.5	0.0	5.8	0.0	0.9			93.9	89.2
CV-2570	11/12/2025 1:05:03 PM	49.7	45.2	0.0	5.1	0.0	1.1			100.8	100.8
CV-2570	11/19/2025 12:04:39 PM	47.1	46.7	0.2	6.0	30.0	1.0			97.6	99.0
CV-48R	11/5/2025 1:12:55 PM	52.1	42.8	0.0	5.1	0.0	1.2			122.2	122.7
CV-48R	11/11/2025 7:13:56 AM	54.1	40.7	0.0	5.2	0.0	1.3			123.1	123.2
CV-55R	11/4/2025 11:24:01 AM	0.0	0.0	0.0	100.0	0.0				153.0	153.0
CV-55R	11/4/2025 11:30:00 AM							359			

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
CV-55R	11/4/2025 11:30:00 AM								198300		
CV-55R	11/5/2025 11:30:46 AM	45.3	51.6	0.0	3.1	0.0	0.9			151.3	151.3
CV-55R	11/10/2025 8:39:45 AM	37.9	48.4	0.0	13.7	0.0	0.8			153.7	153.5
CV-55R	11/10/2025 8:40:00 AM							382			
CV-55R	11/17/2025 10:08:48 AM	42.8	47.4	0.0	9.8	0.0	0.9			150.0	150.5
CV-55R	11/17/2025 10:10:00 AM							413			
CV-55R	11/24/2025 12:54:03 PM	31.2	48.9	0.0	19.9	0.0	0.6			150.9	151.1
CV-56D	11/12/2025 1:36:02 PM	46.5	44.2	0.3	9.0	30.0	1.1			124.0	123.9
CV-56S	11/12/2025 1:39:40 PM	45.8	42.5	0.0	11.7	0.0	1.1			119.1	119.1
CV-57R	11/4/2025 2:44:34 PM	50.0	41.6	0.0	8.4	0.0	1.2			116.0	116.8
CV-79R	11/4/2025 2:22:09 PM	54.7	43.8	0.0	1.5	0.0	1.2			126.2	128.0
CV-79R	11/4/2025 2:23:38 PM	54.4	44.4	0.0	1.2	0.0	1.2			128.1	128.0
CV-84S	11/4/2025 9:07:38 AM	33.3	32.3	5.0	29.4	5.9	1.0			90.6	90.6
CV-84S	11/4/2025 9:08:41 AM	33.8	32.0	4.9	29.3	6.0	1.1			90.6	90.7
CV-94	11/4/2025 1:13:18 PM	48.5	35.3	0.5	15.7	31.4	1.4			116.4	115.3
CV-95	11/4/2025 2:50:10 PM	42.8	35.3	0.0	21.9	0.0	1.2			118.7	119.2
CV-99	11/5/2025 2:05:59 PM	37.8	62.2	0.0	0.0	0.0	0.6			79.4	90.5
CV-99	11/5/2025 2:07:12 PM	38.2	61.8	0.0	0.0	0.0	0.6			90.7	90.7

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
CV-99	11/6/2025 9:15:00 AM							0			
CV-99	11/6/2025 9:15:00 AM								8500		
CV-99	11/11/2025 7:26:36 AM	40.2	54.1	0.0	5.6	564.0	0.7			67.3	67.3
D-02	11/9/2025 9:00:22 AM	55.8	40.5	0.0	3.7	0.0	1.4			88.7	88.7
D-03	11/9/2025 8:53:37 AM	52.9	40.3	0.4	6.4	16.9	1.3			91.0	91.0
D-04	11/9/2025 8:44:00 AM	59.9	37.9	0.0	2.2	0.0	1.6			86.0	86.0
D-09	11/10/2025 8:40:56 AM	58.4	39.9	0.0	1.8	0.0	1.5			115.0	115.7
D-10	11/9/2025 9:33:47 AM	54.4	41.8	0.0	3.8	0.0	1.3			114.0	113.5
FP-001	11/5/2025 1:05:52 PM	1.1	5.8	15.1	78.0	5.2	0.2			78.3	78.6
FP-001	11/11/2025 8:41:50 AM	30.1	31.0	2.4	36.5	15.0	1.0			74.5	74.5
FP-002	11/5/2025 1:08:50 PM	5.0	12.1	13.3	69.6	5.2	0.4			79.7	79.8
FP-002	11/11/2025 8:50:17 AM	21.3	17.7	10.7	50.3	4.7	1.2			75.5	75.5
FP-003	11/5/2025 1:11:39 PM	0.1	2.2	20.9	76.8	3.7	0.0			78.5	79.0
FP-005	11/3/2025 11:06:54 AM	0.5	7.6	17.3	74.6	4.3	0.1			86.3	86.3
FP-006	11/4/2025 9:08:40 AM	0.1	5.6	17.6	76.7	4.4	0.0			71.1	71.1
FP-008	11/3/2025 1:18:26 PM	2.0	18.7	15.0	64.3	4.3	0.1			88.6	88.6
FP-009	11/25/2025 3:01:25 PM	10.8	80.4	0.6	8.2	13.7	0.1			72.0	72.0
FP-011	11/13/2025 9:30:57 AM	0.1	5.9	20.0	74.0	3.7	0.0			71.6	71.7

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
FP-012	11/4/2025 10:01:25 AM	0.2	1.5	19.0	79.3	4.2	0.1			79.7	79.6
FP-013	11/4/2025 10:23:23 AM	8.0	7.8	13.7	70.5	5.1	1.0			77.2	77.2
FP-014	11/3/2025 11:27:14 AM	3.2	28.0	12.6	56.2	4.5	0.1			107.0	107.0
FP-015	11/3/2025 11:16:28 AM	1.8	12.5	15.5	70.2	4.5	0.1			94.2	94.5
FP-016	11/3/2025 1:37:36 PM	7.9	12.8	13.1	66.2	5.0	0.6			96.5	96.5
FP-017	11/12/2025 8:22:40 AM	5.5	7.0	17.1	70.4	4.1	0.8			68.1	68.2
FP-018	11/7/2025 10:34:07 AM	32.6	37.2	5.1	25.1	4.9	0.9			84.8	85.0
FP-019	11/7/2025 10:40:25 AM	31.3	41.3	4.5	22.9	5.1	0.8			83.7	
FP-020	11/12/2025 8:58:03 AM	4.5	32.6	12.4	50.5	4.1	0.1			72.8	72.9
FP-021	11/7/2025 10:47:06 AM	3.1	40.5	9.8	46.6	4.8	0.1			88.8	88.7
FP-022	11/12/2025 8:54:28 AM	8.1	44.3	9.3	38.3	4.1	0.2			71.1	71.1
FP-023	11/13/2025 10:07:05 AM	25.7	54.5	1.8	18.0	10.0	0.5			84.4	84.4
FP-024	11/7/2025 2:55:36 PM	23.1	67.1	0.0	9.8	0.0	0.3			80.7	79.6
FP-024	11/10/2025 1:40:05 PM	19.2	74.7	0.3	5.8	19.3	0.3			84.1	83.8
FP-024	11/10/2025 1:59:42 PM	11.5	27.4	0.3	60.8	202.7	0.4			104.5	105.0
FP-024	11/11/2025 7:28:21 AM	12.7	48.5	7.3	31.5	4.3	0.3			57.6	57.8
FP-025	11/7/2025 2:58:06 PM	15.3	57.7	4.2	22.8	5.4	0.3			83.0	83.0
FP-026	11/7/2025 3:02:14 PM	23.3	45.6	4.9	26.2	5.3	0.5			89.7	90.4

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
FP-027	11/12/2025 8:31:37 AM	0.3	7.5	18.5	73.7	4.0	0.0			70.2	70.0
FP-028	11/12/2025 8:27:40 AM	4.6	8.5	17.0	69.9	4.1	0.5			70.1	70.3
FP-029	11/12/2025 8:18:27 AM	23.8	16.3	10.5	49.4	4.7	1.5			67.2	67.2
FP-030	11/7/2025 10:15:13 AM	17.4	23.8	7.5	51.3	6.8	0.7			83.2	83.2
FP-031	11/7/2025 10:11:55 AM	0.1	1.6	20.0	78.3	3.9	0.1			81.8	81.8
FP-032	11/7/2025 10:08:31 AM	1.6	11.1	13.9	73.4	5.3	0.1			80.8	80.9
FP-033	11/7/2025 10:05:00 AM	2.0	13.6	15.0	69.4	4.6	0.1			78.8	78.8
FP-034	11/7/2025 10:01:56 AM	11.2	20.7	13.0	55.1	4.2	0.5			78.5	78.5
FP-035	11/7/2025 9:55:10 AM	13.8	18.4	10.6	57.2	5.4	0.8			77.6	77.5
FP-036	11/7/2025 9:46:31 AM	30.6	25.2	5.0	39.2	7.8	1.2			80.0	79.9
FP-036	11/25/2025 2:14:32 PM	17.2	8.9	13.6	60.3	4.4	1.9			71.3	71.2
FP-037	11/4/2025 12:34:40 PM	0.4	4.5	17.3	77.8	4.5	0.1			88.1	88.0
FP-038	11/13/2025 8:50:47 AM	23.4	23.8	6.5	46.3	7.1	1.0			70.0	70.0
FP-038	11/13/2025 9:26:51 AM	6.9	40.0	10.2	42.9	4.2	0.2			72.2	72.3
FP-039	11/13/2025 8:53:20 AM	7.3	12.4	13.6	66.7	4.9	0.6			73.1	73.4
FP-040	11/13/2025 8:25:57 AM	2.2	9.9	17.3	70.6	4.1	0.2			80.3	80.5
FP-041	11/11/2025 9:05:26 AM	15.2	16.7	12.1	56.0	4.6	0.9			75.3	75.5
FP-042	11/11/2025 8:58:49 AM	7.4	25.7	13.2	53.7	4.1	0.3			69.9	69.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
FP-043	11/13/2025 8:18:27 AM	6.2	12.9	11.7	69.2	5.9	0.5			69.4	69.5
FP-044	11/13/2025 8:21:29 AM	0.2	3.0	21.0	75.8	3.6	0.1			69.0	69.0
FP-046	11/3/2025 10:52:34 AM	2.0	4.1	17.2	76.8	4.5	0.5			79.0	79.6
FP-047	11/3/2025 10:46:59 AM	0.1	3.3	18.3	78.3	4.3	0.0			83.9	83.9
FP-050	11/11/2025 10:28:52 AM	27.9	54.6	4.3	13.2	3.0	0.5			84.7	84.7
FP-050	11/11/2025 10:39:55 AM	26.2	54.2	5.2	14.4	2.8	0.5			84.6	84.0
FP-050	11/12/2025 1:52:30 PM	21.3	61.2	2.5	15.1	6.1	0.3			71.1	71.1
FP-050	11/13/2025 8:39:26 AM	20.4	58.6	3.1	17.9	5.7	0.3			65.4	65.5
FP-051	11/11/2025 12:39:28 PM	3.0	2.5	19.7	74.9	3.8	1.2			85.7	85.7
FP-051	11/11/2025 12:44:48 PM	12.8	18.0	14.6	54.6	3.7	0.7			85.0	85.0
FP-051	11/13/2025 8:57:47 AM	16.9	18.2	13.9	50.9	3.7	0.9			65.5	65.4
H-01 (EXP-	11/3/2025 9:58:09 AM	2.6	14.9	12.9	69.6	5.4	0.2			68.7	68.7
H-01 (EXP-	11/3/2025 10:01:00 AM	2.8	15.4	13.1	68.7	5.2	0.2			69.1	69.2
H-01 (EXP-	11/20/2025 8:52:17 AM	9.2	46.8	0.0	43.9	0.0	0.2			51.4	51.0
H-02 (EXP-	11/3/2025 9:27:55 AM	20.5	45.9	0.0	33.6	0.0	0.4			111.4	111.3
H-02 (EXP-	11/20/2025 8:48:19 AM	21.3	45.9	0.0	32.8	0.0	0.5			80.2	85.2
H-03 (EXP-	11/3/2025 9:32:46 AM	52.7	44.1	0.0	3.2	0.0	1.2			122.2	122.2
H-03 (EXP-	11/20/2025 8:42:13 AM	53.0	44.0	0.0	3.0	0.0	1.2			116.6	116.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-04 (EXP-	11/3/2025 9:41:06 AM	2.3	54.1	0.0	43.7	0.0	0.0			128.1	130.2
H-04 (EXP-	11/3/2025 9:43:38 AM	2.1	55.1	0.0	42.8	0.0	0.0			127.6	128.3
H-04 (EXP-	11/20/2025 8:34:29 AM	1.3	52.9	0.0	45.8	0.0	0.0			130.5	119.8
H-08 (EXP-	11/2/2025 10:58:44 AM	48.9	50.1	0.0	1.1	0.0	1.0			118.8	118.8
H-08 (EXP-	11/11/2025 7:05:52 AM	50.8	45.5	0.0	3.7	0.0	1.1			115.4	115.7
H-08 (EXP-	11/20/2025 8:20:59 AM	51.2	45.7	0.0	3.1	0.0	1.1			112.5	112.5
H-10 (EXP-	11/2/2025 10:54:38 AM	14.5	69.2	0.1	16.3	271.0	0.2			126.9	126.7
H-10 (EXP-	11/20/2025 8:15:58 AM	16.1	62.7	0.0	21.2	0.0	0.3			126.6	126.7
H-101W	11/4/2025 10:25:30 AM	54.7	36.0	2.0	7.3	3.7	1.5			82.9	83.0
H-102A	11/4/2025 10:15:40 AM	60.7	37.7	0.3	1.3	4.3	1.6			78.0	78.1
H-1401W	11/4/2025 10:18:14 AM	58.3	35.2	1.5	5.0	3.3	1.7			78.9	79.8
H-1404C	11/4/2025 10:58:23 AM	42.3	44.1	0.0	13.6	0.0	1.0			120.4	119.4
H-1404C	11/19/2025 10:06:03 AM	20.0	29.2	0.0	50.8	0.0	0.7			91.6	91.9
H-1405C	11/3/2025 2:01:26 PM	33.9	37.4	0.0	28.7	0.0	0.9			107.3	107.8
H-1405C	11/21/2025 1:45:12 PM	9.5	18.8	1.8	69.9	38.8	0.5			75.8	75.8
H-1406W	11/10/2025 8:22:25 AM	24.5	73.4	0.6	1.5	2.5	0.3			78.5	78.5
H-1406W	11/25/2025 9:11:54 AM	25.4	54.8	4.5	15.3	3.4	0.5			77.4	77.6
H-1408CR	11/5/2025 8:11:50 AM	10.4	25.3	0.0	64.3	0.0	0.4			112.8	110.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-1408E	11/4/2025 9:26:00 AM	40.9	38.2	0.4	20.5	51.3	1.1			106.7	106.7
H-1408E	11/20/2025 9:23:41 AM	5.2	16.6	8.5	69.7	8.2	0.3			63.4	63.6
H-1408W	11/4/2025 8:46:52 AM	16.2	14.3	10.4	59.1	5.7	1.1			108.5	108.5
H-1408W	11/4/2025 8:47:49 AM	17.3	15.4	10.2	57.1	5.6	1.1			108.0	107.6
H-1409N	11/4/2025 8:47:02 AM	34.3	33.4	0.0	32.3	0.0	1.0			119.7	119.7
H-1409N	11/20/2025 8:27:19 AM	33.3	32.9	0.0	33.8	0.0	1.0			106.5	106.4
H-1410S	11/4/2025 1:50:38 PM	43.1	36.4	1.7	18.8	11.1	1.2			91.6	91.6
H-1563N	11/5/2025 2:32:40 PM	49.5	43.5	0.0	7.0	0.0	1.1			110.3	112.0
H-1563N	11/25/2025 2:28:16 PM	50.0	39.0	0.0	11.0	0.0	1.3			108.4	108.3
H-1563S	11/3/2025 2:03:35 PM	45.6	46.4	0.0	8.0	0.0	1.0			117.9	118.0
H-1563S	11/21/2025 1:48:00 PM	17.3	25.6	0.0	57.1	0.0	0.7			106.7	105.5
H-1565E	11/4/2025 9:30:07 AM	55.0	42.4	0.0	2.6	0.0	1.3			104.8	104.8
H-1565E	11/20/2025 9:06:05 AM	47.5	39.5	0.0	13.0	0.0	1.2			99.6	96.0
H-1568N	11/4/2025 9:22:57 AM	52.3	41.7	0.0	6.0	0.0	1.3			112.1	112.8
H-1568N	11/5/2025 9:29:01 AM	52.9	41.7	0.0	5.4	0.0	1.3			110.7	110.8
H-1568N	11/20/2025 9:21:17 AM	44.2	42.2	0.0	13.6	0.0	1.0			93.3	93.3
H-1571S	11/5/2025 3:01:50 PM	43.1	41.8	0.0	15.1	0.0	1.0			104.4	100.8
H-1572N	11/4/2025 2:09:05 PM	52.6	42.4	0.0	5.0	0.0	1.2			88.9	112.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-1572S	11/5/2025 2:52:12 PM	42.9	36.5	0.1	20.5	205.0	1.2			97.1	95.0
H-1574N	11/11/2025 8:52:49 AM	28.0	58.9	1.3	11.8	9.1	0.5			94.6	96.0
H-1574N	11/25/2025 9:29:42 AM	41.3	57.6	0.6	0.5	0.8	0.7			98.0	98.0
H-1753S	11/12/2025 8:07:13 AM	57.8	40.8	0.0	1.4	0.0	1.4			115.1	115.7
H-1753S	11/25/2025 2:24:17 PM	49.4	40.6	0.0	10.0	0.0	1.2			114.8	114.2
H-1756S	11/3/2025 1:54:37 PM	30.0	59.7	0.0	10.3	0.0	0.5			126.4	126.6
H-1756S	11/24/2025 1:15:36 PM	28.2	51.1	0.0	20.7	0.0	0.6			128.0	126.1
H-1757S	11/3/2025 1:59:33 PM	41.3	53.1	0.0	5.6	0.0	0.8			115.9	116.1
H-1757S	11/21/2025 1:42:00 PM	43.2	46.6	0.0	10.2	0.0	0.9			112.7	110.3
H-1760S	11/4/2025 9:56:00 AM	30.4	49.3	0.0	20.3	0.0	0.6			109.8	109.8
H-1760S	11/24/2025 1:26:04 PM	40.0	48.5	0.0	11.5	0.0	0.8			105.0	106.7
H-1762N	11/5/2025 9:23:46 AM	50.4	40.8	0.0	8.8	0.0	1.2			112.5	112.6
H-1762N	11/19/2025 1:44:51 PM	46.6	41.0	0.0	12.4	0.0	1.1			109.3	109.4
H-1763N	11/4/2025 9:15:28 AM	36.2	34.3	2.4	27.1	11.3	1.1			108.5	108.5
H-1763S	11/11/2025 10:19:11 AM	51.2	48.5	0.0	0.3	0.0	1.1			103.5	105.4
H-1764N	11/5/2025 10:32:21 AM	48.4	41.3	0.0	10.3	0.0	1.2			116.4	116.5
H-1764S	11/5/2025 3:06:00 PM	45.1	53.1	0.0	1.8	0.0	0.8			90.8	91.0
H-1764S	11/11/2025 10:22:17 AM	32.8	46.2	0.1	20.9	209.0	0.7			88.8	89.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
H-1767N	11/17/2025 8:08:39 AM	45.7	50.0	0.0	4.3	0.0	0.9			105.8	105.9
H-1769N	11/3/2025 1:57:26 PM	22.7	54.7	0.0	22.6	0.0	0.4			98.0	98.0
H-1769N	11/19/2025 9:52:11 AM	22.3	53.3	0.0	24.4	0.0	0.4			85.2	85.3
H-1770A	11/7/2025 9:58:58 AM	29.6	64.4	0.0	6.0	0.0	0.5			128.8	128.8
H-1770A	11/25/2025 2:11:19 PM	51.6	48.4	0.0	0.0	0.0	1.1			120.2	122.6
H-1770N	11/4/2025 9:50:38 AM	25.0	66.5	0.0	8.5	0.0	0.4			88.1	88.3
H-1770N	11/4/2025 9:58:20 AM	28.5	67.2	0.0	4.3	0.0	0.4			85.2	80.3
H-1770N	11/12/2025 7:50:00 AM							22			
H-1770N	11/12/2025 7:50:00 AM								1100		
H-1770N	11/19/2025 10:14:44 AM	26.5	73.4	0.0	0.1	0.0	0.4			66.1	66.3
H-1770S	11/3/2025 1:37:28 PM	42.9	55.5	0.1	1.5	15.0	0.8			98.4	98.4
H-1770S	11/21/2025 1:35:58 PM	30.4	43.3	0.3	26.0	86.7	0.7			66.8	67.4
H-1771A	11/3/2025 2:57:47 PM	31.6	31.6	2.7	34.1	12.6	1.0			127.0	127.1
H-1771A	11/11/2025 7:45:14 AM	39.8	37.3	0.3	22.6	78.0	1.1			123.4	123.6
H-1771B	11/5/2025 8:50:18 AM	49.2	48.1	0.0	2.7	0.0	1.0			111.4	111.9
H-1774N	11/4/2025 12:55:39 PM	36.7	59.5	0.0	3.8	0.0	0.6			114.7	113.7
H-1774N	11/21/2025 12:49:14 PM	42.1	57.6	0.0	0.3	0.0	0.7			108.1	106.2
H-1801S	11/4/2025 2:29:33 PM	49.9	47.7	0.0	2.4	0.0	1.0			123.4	123.6

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-1802S	11/4/2025 2:12:35 PM	44.6	34.3	0.0	21.1	0.0	1.3			98.9	105.8
H-1803N	11/5/2025 8:25:00 AM							1710			
H-1803N	11/5/2025 8:25:00 AM								128150		
H-1803N	11/5/2025 8:25:15 AM	4.5	83.3	0.3	11.9	39.7	0.1			196.0	195.8
H-1803N	11/9/2025 9:05:00 AM							1840			
H-1803N	11/9/2025 9:07:59 AM	14.9	74.1	0.8	10.2	12.8	0.2			193.2	192.8
H-1803N	11/18/2025 2:13:14 PM	1.0	65.3	3.5	30.2	8.6	0.0			194.4	194.6
H-1803N	11/23/2025 8:06:35 AM	1.6	69.5	2.8	26.1	9.3	0.0			195.5	195.5
H-1804B	11/5/2025 9:57:27 AM	45.6	53.0	0.0	1.4	0.0	0.9			92.4	92.8
H-1804N	11/3/2025 3:05:47 PM	46.3	47.1	0.0	6.6	0.0	1.0			114.7	114.7
H-1804N	11/11/2025 8:12:31 AM	47.2	43.7	0.5	8.5	16.4	1.1			109.2	113.1
H-1804S	11/5/2025 10:36:34 AM	32.5	35.0	0.0	32.5	0.0	0.9			81.2	82.0
H-1805B	11/4/2025 1:58:03 PM	53.5	44.8	0.0	1.7	0.0	1.2			89.6	91.4
H-1805S	11/5/2025 10:55:16 AM	52.5	43.6	0.0	3.9	0.0	1.2			124.4	125.1
H-1806A	11/4/2025 2:00:14 PM	49.2	43.8	0.0	7.0	0.0	1.1			118.1	118.0
H-1806B	11/4/2025 2:05:50 PM	22.7	73.0	0.0	4.3	0.0	0.3			128.5	129.5
H-1806N	11/5/2025 10:00:53 AM	45.6	48.7	0.0	5.7	0.0	0.9			128.6	128.3
H-1806S	11/5/2025 2:22:32 PM	19.2	75.7	0.0	5.1	0.0	0.3			126.5	127.4

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-1807A	11/4/2025 12:57:59 PM	57.0	42.3	0.0	0.7	0.0	1.3			103.6	108.8
H-1807N	11/5/2025 10:25:11 AM	54.8	43.4	0.0	1.8	0.0	1.3			74.3	91.9
H-1807N	11/7/2025 2:16:27 PM	44.6	34.2	2.7	18.5	6.9	1.3			121.0	119.8
H-1807S	11/5/2025 10:43:59 AM	49.8	44.8	0.0	5.4	0.0	1.1			81.5	81.5
H-1953N	11/4/2025 8:35:08 AM	25.3	72.8	0.1	1.8	18.0	0.3			96.9	97.2
H-1955N	11/3/2025 3:19:27 PM	40.3	33.5	0.2	26.0	130.0	1.2			102.5	101.6
H-1956B	11/4/2025 1:42:39 PM	44.2	51.9	0.0	3.9	0.0	0.9			121.1	120.5
H-1956N	11/3/2025 3:14:33 PM	44.7	37.2	0.0	18.1	0.0	1.2			116.2	116.1
H-1956S	11/4/2025 2:18:46 PM	55.7	41.9	0.0	2.4	0.0	1.3			110.1	111.2
H-1957B	11/4/2025 1:21:17 PM	34.3	31.3	1.2	33.2	27.7	1.1			113.8	113.6
H-1957N	11/5/2025 10:05:40 AM	44.1	39.4	0.8	15.7	19.6	1.1			117.3	117.5
H-1957S	11/4/2025 2:32:29 PM	41.8	56.3	0.0	1.9	0.0	0.7			131.5	130.1
H-1957S	11/4/2025 2:33:32 PM	42.1	56.5	0.0	1.4	0.0	0.7			129.6	129.6
H-1958C	11/4/2025 12:55:12 PM	53.2	41.0	0.0	5.8	0.0	1.3			119.2	119.2
H-1958N	11/5/2025 10:27:45 AM	40.7	39.1	0.0	20.2	0.0	1.0			106.8	106.9
H-1958S	11/5/2025 10:50:41 AM	41.7	36.7	0.8	20.8	26.0	1.1			126.3	123.6
H-1962N	11/4/2025 10:19:35 AM	9.5	75.5	0.8	14.2	17.8	0.1			115.1	115.2
H-1962N	11/19/2025 10:21:26 AM	6.6	86.4	0.0	7.0	0.0	0.1			85.2	98.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-1963N	11/3/2025 2:16:16 PM	23.9	69.2	0.0	7.0	0.0	0.3			135.6	134.4
H-1963N	11/3/2025 2:18:55 PM	23.2	69.7	0.0	7.1	0.0	0.3			133.9	133.5
H-1963N	11/19/2025 9:59:51 AM	23.3	72.0	0.0	4.7	0.0	0.3			125.3	130.3
H-1963N	11/19/2025 10:01:20 AM	23.6	72.3	0.0	4.1	0.0	0.3			130.7	130.8
H-1966N	11/4/2025 12:42:35 PM	29.4	39.7	0.0	30.9	0.0	0.7			102.2	102.0
H-1966N	11/21/2025 12:53:20 PM	36.5	40.6	0.0	22.9	0.0	0.9			70.5	71.1
H-1967E	11/10/2025 8:21:25 AM	49.9	37.1	2.1	10.9	5.2	1.3			95.6	98.7
H-1967W	11/4/2025 7:57:19 AM	59.3	38.5	0.0	2.2	0.0	1.5			90.7	90.9
H-2050E	11/13/2025 10:19:02 AM	54.3	41.8	0.0	3.9	0.0	1.3			80.3	80.7
H-2050W	11/4/2025 11:15:08 AM	37.9	36.8	0.0	25.3	0.0	1.0			106.3	106.2
H-2051W	11/4/2025 8:01:11 AM	59.0	39.7	0.0	1.3	0.0	1.5			60.3	59.9
H-2053E	11/25/2025 2:31:24 PM	51.6	42.4	0.0	6.0	0.0	1.2			113.6	113.9
H-2053W	11/4/2025 10:22:50 AM	60.0	39.1	0.0	0.9	0.0	1.5			97.4	97.7
H-2053W	11/24/2025 12:16:06 PM	57.1	40.2	0.0	2.7	0.0	1.4			95.8	96.2
H-2055E	11/5/2025 8:53:18 AM	15.7	27.4	0.0	56.9	0.0	0.6			94.6	90.8
H-2055E	11/25/2025 9:03:59 AM	53.2	42.4	0.1	4.3	43.0	1.3			75.0	74.3
H-2056B	11/7/2025 3:41:49 PM	37.7	35.5	0.3	26.5	88.3	1.1			96.8	95.9
H-2056W	11/4/2025 8:08:40 AM	56.3	35.8	0.1	7.8	78.0	1.6			61.4	63.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-2057E	11/10/2025 8:27:27 AM	59.6	38.2	0.0	2.2	0.0	1.6			129.8	129.7
H-2057E	11/10/2025 8:30:23 AM	57.4	37.8	0.0	4.8	0.0	1.5			129.5	129.5
H-2057W	11/4/2025 10:10:39 AM	58.3	41.4	0.0	0.3	0.0	1.4			78.1	79.7
H-2058E	11/10/2025 8:46:26 AM	50.4	39.6	0.0	10.0	0.0	1.3			112.5	112.5
H-2058W	11/4/2025 8:10:49 AM	58.0	41.0	0.0	1.0	0.0	1.4			61.8	59.1
H-2059E	11/10/2025 9:05:19 AM	50.9	40.5	1.0	7.7	7.8	1.3			112.3	112.3
H-2059W	11/4/2025 8:36:32 AM	50.3	39.9	0.0	9.8	0.0	1.3			120.6	120.5
H-2161E	11/10/2025 8:56:56 AM	53.9	42.0	0.0	4.1	0.0	1.3			124.1	124.2
H-2161W	11/4/2025 8:32:50 AM	56.2	39.4	0.0	4.4	0.0	1.4			106.9	107.0
H-2163C	11/3/2025 1:40:13 PM	31.8	45.9	0.0	22.3	0.0	0.7			105.7	105.9
H-2163C	11/19/2025 9:35:16 AM	28.7	42.9	0.0	28.4	0.0	0.7			93.9	93.9
H-2163W	11/4/2025 8:50:49 AM	38.3	54.8	0.0	6.9	0.0	0.7			124.7	124.7
H-2163W	11/24/2025 11:54:06 AM	33.9	50.4	0.0	15.8	0.0	0.7			123.7	123.6
H-2164A	11/3/2025 1:52:18 PM	36.8	49.6	0.0	13.6	0.0	0.7			94.9	94.9
H-2164A	11/19/2025 11:25:57 AM	33.8	51.8	0.0	14.4	0.0	0.7			80.3	80.6
H-2164E	11/5/2025 9:08:36 AM	21.0	35.3	0.0	43.7	0.0	0.6			67.8	67.1
H-2164E	11/25/2025 8:26:53 AM	17.6	25.3	3.4	53.7	15.8	0.7			62.1	62.1
H-2165E	11/26/2025 9:58:50 AM	48.3	47.8	0.0	3.9	0.0	1.0			111.3	110.8

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-2165W	11/9/2025 12:28:02 PM	0.7	2.0	20.6	76.8	3.7	0.3			99.1	99.2
H-2165W	11/9/2025 12:28:44 PM	0.6	1.9	20.5	77.0	3.8	0.3			99.3	99.3
H-2165W	11/12/2025 9:00:00 AM							110			
H-2165W	11/12/2025 9:00:00 AM								9800		
H-2165W	11/25/2025 8:57:31 AM	24.7	71.0	0.0	4.3	0.0	0.3			88.3	89.0
H-2166C	11/4/2025 2:09:04 PM	36.8	63.2	0.0	0.0	0.0	0.6			116.2	116.1
H-2166C	11/5/2025 8:40:16 AM	41.8	58.2	0.0	0.0	0.0	0.7			113.4	113.6
H-2166E	11/4/2025 1:05:38 PM	47.7	51.6	0.0	0.7	0.0	0.9			120.5	121.0
H-2167E	11/4/2025 1:09:38 PM	27.9	71.1	0.0	1.0	0.0	0.4			95.4	96.9
H-2168C	11/4/2025 1:37:52 PM	56.6	42.9	0.0	0.5	0.0	1.3			91.2	91.4
H-2168E	11/4/2025 1:17:59 PM	39.6	57.5	0.0	2.9	0.0	0.7			119.5	119.7
H-2169C	11/4/2025 1:52:52 PM	55.8	43.3	0.0	0.9	0.0	1.3			109.3	109.3
H-2169E	11/4/2025 1:31:27 PM	24.8	30.4	0.0	44.8	0.0	0.8			117.7	117.3
H-2170N	11/7/2025 1:11:07 PM	51.8	42.2	0.0	6.0	0.0	1.2			120.5	120.5
H-2170S	11/7/2025 9:47:26 AM	50.3	41.6	0.0	8.1	0.0	1.2			107.0	107.0
H-2171A	11/7/2025 1:41:42 PM	50.6	39.5	0.0	9.9	0.0	1.3			99.7	99.9
H-2171B	11/7/2025 2:02:40 PM	48.0	38.9	0.0	13.1	0.0	1.2			119.4	119.2
H-2171N	11/7/2025 1:28:39 PM	11.4	21.6	0.2	66.8	334.0	0.5			129.3	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-2171N	11/7/2025 1:29:42 PM	11.4	21.8	0.2	66.6	333.0	0.5			129.2	129.1
H-2171S	11/7/2025 1:13:26 PM	53.3	43.2	0.0	3.5	0.0	1.2			121.9	121.9
H-2272W	11/4/2025 9:01:37 AM	41.4	50.0	0.0	8.6	0.0	0.8			123.5	123.5
H-2272W	11/24/2025 11:41:26 AM	43.1	42.9	0.0	14.0	0.0	1.0			120.3	120.3
H-2273W	11/4/2025 10:02:01 AM	38.1	47.8	0.0	14.1	0.0	0.8			127.6	127.1
H-2273W	11/5/2025 8:40:00 AM							310			
H-2273W	11/5/2025 8:40:00 AM								15000		
H-2273W	11/24/2025 1:29:09 PM	38.8	60.1	0.0	1.1	0.0	0.6			132.7	129.8
H-2273W	11/24/2025 1:30:38 PM	39.4	58.2	0.0	2.4	0.0	0.7			128.3	127.8
H-2274B	11/4/2025 10:34:19 AM	49.4	44.0	0.0	6.6	0.0	1.1			116.1	114.5
H-2274B	11/19/2025 11:56:53 AM	50.5	46.7	0.0	2.8	0.0	1.1			99.4	99.7
H-2274W	11/3/2025 1:48:30 PM	30.8	63.4	0.0	5.8	0.0	0.5			125.9	125.8
H-2274W	11/24/2025 1:11:36 PM	25.2	47.0	0.0	27.8	0.0	0.5			122.7	121.2
H-2275E	11/11/2025 10:15:37 AM	43.2	48.9	0.0	7.9	0.0	0.9			125.1	125.1
H-2275W	11/3/2025 12:53:45 PM	20.1	26.6	0.7	52.6	75.1	0.8			120.1	120.1
H-2275W	11/24/2025 12:53:38 PM	14.5	27.4	0.8	57.3	72.5	0.5			118.3	118.5
H-2276A	11/4/2025 10:11:50 AM	40.4	40.8	0.0	18.8	0.0	1.0			107.6	107.4
H-2276A	11/19/2025 10:15:15 AM	47.2	40.6	0.0	12.2	0.0	1.2			103.6	103.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-2276B	11/4/2025 8:43:34 AM	50.8	40.6	0.0	8.6	0.0	1.3			109.5	109.5
H-2276B	11/20/2025 8:31:10 AM	53.1	40.2	0.0	6.7	0.0	1.3			100.5	103.0
H-2276E	11/5/2025 10:53:20 AM	39.2	43.9	0.0	16.9	0.0	0.9			125.4	125.0
H-2276W	11/3/2025 1:57:36 PM	37.2	62.1	0.0	0.7	0.0	0.6			91.5	93.0
H-2276W	11/21/2025 1:39:16 PM	37.8	44.7	0.0	17.5	0.0	0.8			61.8	65.6
H-2277A	11/4/2025 11:04:36 AM	35.3	62.8	0.3	1.6	5.3	0.6			98.6	99.0
H-2277A	11/19/2025 10:35:22 AM	40.1	51.9	1.4	6.6	4.7	0.8			74.8	75.2
H-2277A	11/19/2025 10:37:30 AM	40.2	50.7	1.4	7.7	5.5	0.8			76.6	76.7
H-2277B	11/4/2025 8:56:24 AM	45.4	39.6	0.0	15.0	0.0	1.1			95.1	94.3
H-2277B	11/20/2025 8:40:28 AM	39.0	38.9	0.0	22.1	0.0	1.0			58.9	58.9
H-23 (EXP-	11/6/2025 10:42:17 AM	0.2	1.1	21.2	77.5	3.7	0.2			88.8	
H-23 (EXP-	11/7/2025 1:51:02 PM	11.3	5.0	17.2	66.5	3.9	2.3			94.1	94.4
H-23 (EXP-	11/7/2025 1:52:43 PM	11.9	5.5	16.9	65.7	3.9	2.2			95.2	95.5
H-2301E	11/17/2025 9:08:28 AM	51.4	41.0	0.0	7.6	0.0	1.3			107.5	107.6
H-2301E	11/17/2025 9:11:03 AM	50.7	41.6	0.0	7.7	0.0	1.2			107.8	107.9
H-2301W	11/26/2025 10:08:36 AM	32.8	26.2	8.4	32.7	3.9	1.3			85.3	85.5
H-2301W	11/26/2025 10:09:31 AM	33.8	27.5	8.2	30.5	3.7	1.2			85.4	85.5
H-2302C	11/11/2025 1:32:06 PM	51.5	39.1	0.1	9.3	93.0	1.3			116.0	116.0

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-2302E	11/17/2025 8:45:31 AM	56.8	40.9	0.0	2.2	0.0	1.4			99.0	99.0
H-2302E	11/17/2025 8:48:25 AM	55.1	42.0	0.0	2.9	0.0	1.3			99.2	99.2
H-2303E	11/17/2025 8:54:59 AM	56.3	41.0	0.0	2.7	0.0	1.4			57.5	57.5
H-2303N	11/7/2025 4:00:04 PM	28.6	30.4	0.0	41.0	0.0	0.9			101.1	100.0
H-2303N	11/9/2025 10:11:11 AM	27.2	32.6	0.0	40.2	0.0	0.8			102.9	102.9
H-2303N	11/9/2025 10:14:11 AM	26.9	32.4	0.0	40.6	0.0	0.8			101.8	101.9
H-2303N	11/9/2025 10:52:14 AM	27.5	31.5	0.0	41.0	0.0	0.9			87.4	87.7
H-2304S	11/11/2025 1:45:46 PM	51.0	41.5	0.0	7.5	0.0	1.2			131.0	131.1
H-2305N	11/7/2025 3:55:41 PM	4.3	18.6	0.0	77.1	0.0	0.2			92.2	91.9
H-2305N	11/9/2025 10:59:07 AM	27.5	31.5	0.0	41.0	0.0	0.9			102.8	102.8
H-2305S	11/11/2025 1:51:49 PM	51.5	41.9	0.0	6.6	0.0	1.2			127.4	127.5
H-2306N	11/13/2025 9:53:37 AM	46.5	40.2	0.0	13.3	0.0	1.2			113.0	113.1
H-2306N	11/13/2025 10:03:42 AM	45.8	41.2	0.0	13.0	0.0	1.1			113.0	112.8
H-2306S	11/26/2025 9:29:11 AM	4.6	3.1	19.5	72.8	3.7	1.5			72.2	71.3
H-2306S	11/26/2025 9:30:03 AM	7.8	4.8	18.3	69.1	3.8	1.6			71.2	71.2
H-2307S	11/25/2025 1:47:27 PM	42.8	40.0	0.6	16.6	27.7	1.1			103.6	103.8
H-2308S	11/25/2025 1:56:28 PM	53.5	45.7	0.0	0.8	0.0	1.2			111.7	111.7
H-2309N	11/3/2025 1:29:47 PM	27.4	35.0	0.6	37.0	61.7	0.8			91.1	91.1

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
H-2309S	11/11/2025 1:35:58 PM	53.5	41.1	0.0	5.4	0.0	1.3			117.9	117.9
H-2401S	11/4/2025 10:39:47 AM	53.1	39.4	0.0	7.5	0.0	1.3			108.0	108.0
H-2402N	11/4/2025 11:29:41 AM	36.3	37.6	0.0	26.1	0.0	1.0			115.3	114.8
H-2402S	11/4/2025 10:52:04 AM	49.5	38.0	0.0	12.5	0.0	1.3			111.7	111.7
H-2403N	11/4/2025 11:25:55 AM	44.0	37.6	0.8	17.6	22.0	1.2			117.5	117.7
H-2403S	11/4/2025 10:59:35 AM	51.7	40.2	1.3	6.8	5.2	1.3			87.4	87.6
H-2404N	11/4/2025 11:21:37 AM	53.5	43.3	0.0	3.2	0.0	1.2			110.4	110.6
H-2404S	11/4/2025 11:11:43 AM	56.0	41.7	0.0	2.3	0.0	1.3			110.0	110.1
H-2405N	11/11/2025 10:45:36 AM	23.4	40.1	0.0	36.5	0.0	0.6			116.4	116.5
H-29	11/7/2025 1:05:38 PM	31.5	45.2	0.0	23.3	0.0	0.7			128.2	128.3
H-31	11/7/2025 1:33:51 PM	21.8	27.3	0.0	50.9	0.0	0.8			115.7	115.4
H-72	11/5/2025 11:08:29 AM	44.1	55.9	0.0	0.0	0.0	0.8			91.2	91.7
H-74	11/5/2025 10:47:31 AM	52.0	43.9	0.0	4.1	0.0	1.2			106.1	106.0
H-79	11/12/2025 1:28:16 PM	45.8	50.1	0.0	4.1	0.0	0.9			128.2	130.3
H-79	11/12/2025 1:29:10 PM	45.8	50.0	0.0	4.2	0.0	0.9			130.7	130.8
P-02R	11/10/2025 9:11:23 AM	23.4	29.4	0.0	47.2	0.0	0.8			88.9	88.8
P-03R	11/10/2025 8:51:45 AM	28.5	31.2	0.0	40.3	0.0	0.9			100.9	101.8
P-04	11/10/2025 8:46:15 AM	20.9	31.1	0.0	48.0	0.0	0.7			98.3	98.5

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
P-05	11/10/2025 8:41:38 AM	24.4	32.1	0.0	43.5	0.0	0.8			104.8	104.8
P-06R	11/10/2025 8:36:37 AM	36.2	35.6	0.0	28.2	0.0	1.0			113.6	113.6
P-07R	11/10/2025 9:07:00 AM	27.9	27.4	0.0	44.7	0.0	1.0			89.2	88.7
P-08R	11/10/2025 9:15:29 AM	53.1	36.4	0.0	10.5	0.0	1.5			100.2	100.1
P-09	11/10/2025 8:03:02 AM	41.6	32.8	0.0	25.6	0.0	1.3			93.3	93.4
P-10	11/10/2025 8:06:24 AM	29.5	31.1	0.0	39.4	0.0	0.9			95.2	95.2
P-11	11/10/2025 8:11:02 AM	35.9	34.9	0.0	29.2	0.0	1.0			104.5	104.3
P-12	11/10/2025 8:32:03 AM	47.6	37.7	0.0	14.7	0.0	1.3			83.3	82.3
P-13	11/10/2025 8:25:30 AM	36.4	32.7	0.0	30.9	0.0	1.1			82.0	81.9
P-14	11/10/2025 8:20:01 AM	19.0	26.7	0.8	53.5	66.9	0.7			82.0	82.0
P-15R	11/10/2025 10:01:50 AM	33.1	31.4	0.0	35.5	0.0	1.1			93.1	93.7
P-16	11/10/2025 10:09:05 AM	46.3	36.9	0.0	16.8	0.0	1.3			100.2	99.6
P-17	11/10/2025 10:20:39 AM	29.1	31.2	0.0	39.7	0.0	0.9			113.7	113.8
P-18RD	11/10/2025 10:24:55 AM	52.3	39.3	0.0	8.4	0.0	1.3			97.8	97.5
P-18RS	11/10/2025 10:27:43 AM	35.5	33.8	0.0	30.7	0.0	1.1			95.4	95.5
P-19	11/10/2025 10:36:05 AM	27.7	30.8	0.0	41.5	0.0	0.9			92.3	92.4
P-20R	11/10/2025 10:31:44 AM	42.7	36.5	0.0	20.8	0.0	1.2			100.2	100.2
P-21	11/10/2025 10:40:24 AM	28.2	29.8	1.7	40.3	23.7	0.9			94.1	94.2

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
P-21RD	11/10/2025 10:50:21 AM	34.9	34.2	0.0	30.9	0.0	1.0			104.0	102.7
P-21RS	11/10/2025 10:44:54 AM	29.5	32.3	0.0	38.2	0.0	0.9			110.1	109.8
P-22RD	11/25/2025 11:20:57 AM	55.3	42.7	0.0	2.0	0.0	1.3			114.7	115.0
P-22RS	11/25/2025 11:18:55 AM	23.9	28.3	0.0	47.8	0.0	0.8			118.9	119.0
P-23	11/10/2025 10:54:00 AM	3.6	20.6	0.4	75.4	188.5	0.2			102.7	102.7
P-24	11/13/2025 12:09:28 PM	18.9	26.6	0.0	54.5	0.0	0.7			99.1	99.1
P-26	11/10/2025 2:04:24 PM	5.4	16.9	4.9	72.8	14.9	0.3			102.1	104.0
P-27	11/13/2025 12:21:38 PM	10.9	23.6	0.0	65.5	0.0	0.5			85.3	85.0
P-28	11/13/2025 12:28:04 PM	34.5	34.4	0.0	31.1	0.0	1.0			98.5	98.4
P-29R	11/13/2025 12:33:54 PM	33.9	33.5	0.0	32.6	0.0	1.0			87.2	87.2
P-30R	11/13/2025 12:40:48 PM	36.3	36.0	0.0	27.7	0.0	1.0			81.6	81.8
P-32R1	11/13/2025 12:52:59 PM	35.3	34.7	0.0	30.0	0.0	1.0			114.6	114.6
P-32R2	11/13/2025 12:57:04 PM	42.7	37.0	0.0	20.3	0.0	1.2			108.4	108.4
P-33	11/13/2025 1:03:10 PM	39.1	36.6	0.4	23.9	59.8	1.1			97.1	97.2
P-36	11/13/2025 1:15:13 PM	17.1	30.5	0.0	52.4	0.0	0.6			90.7	90.7
P-37	11/20/2025 11:10:17 AM	6.6	21.6	0.1	71.7	717.0	0.3			104.6	100.5
P-38RD	11/20/2025 11:16:14 AM	41.7	36.1	0.0	22.2	0.0	1.2			106.6	106.5
P-38RD	11/25/2025 10:39:39 AM	48.6	36.3	0.0	15.1	0.0	1.3			107.4	107.5

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
P-38RS	11/20/2025 11:19:31 AM	30.8	33.6	0.0	35.6	0.0	0.9			102.3	102.5
P-38RS	11/25/2025 10:41:11 AM	36.5	30.9	0.0	32.6	0.0	1.2			103.5	103.4
P-39	11/25/2025 10:44:29 AM	54.0	39.0	1.3	5.7	4.4	1.4			77.4	77.9
P-41	11/25/2025 10:48:10 AM	32.2	25.6	4.5	37.7	8.4	1.3			110.6	110.6
P-42R	11/25/2025 10:50:40 AM	55.0	40.0	0.0	5.0	0.0	1.4			108.9	109.4
P-43	11/25/2025 10:53:12 AM	26.7	26.9	0.3	46.1	153.7	1.0			115.0	115.0
P-44RD	11/25/2025 10:55:31 AM	48.8	33.7	0.0	17.5	0.0	1.4			83.0	83.2
P-44RS	11/25/2025 10:57:21 AM	28.6	29.2	0.0	42.2	0.0	1.0			121.8	121.8
P-45RD	11/25/2025 11:04:32 AM	49.4	38.3	0.0	12.3	0.0	1.3			105.9	106.1
P-45RS	11/25/2025 11:06:20 AM	3.3	19.2	0.0	77.5	0.0	0.2			103.3	103.4
P-46RD	11/25/2025 11:08:51 AM	51.0	35.4	0.0	13.6	0.0	1.4			98.3	98.7
P-46RS	11/25/2025 11:11:04 AM	20.2	25.8	0.0	54.0	0.0	0.8			121.1	120.7
P-47	11/25/2025 11:15:16 AM	11.5	20.3	1.9	66.3	34.9	0.6			126.1	125.9
P-48	11/25/2025 11:24:38 AM	10.4	23.8	0.0	65.8	0.0	0.4			120.0	120.0
P-49RD	11/25/2025 1:26:35 PM	51.9	38.2	0.0	9.9	0.0	1.4			114.1	113.7
P-49RS	11/25/2025 1:22:30 PM	15.9	25.3	0.0	58.8	0.0	0.6			114.8	114.4
P-52	11/25/2025 1:41:40 PM	13.2	24.3	0.0	62.5	0.0	0.5			117.1	117.1
P-53	11/25/2025 1:46:45 PM	21.6	27.7	0.0	50.7	0.0	0.8			116.8	116.9

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
P-54	11/25/2025 12:38:04 PM	31.6	29.9	0.0	38.5	0.0	1.1			99.7	99.7
P-55	11/25/2025 12:34:29 PM	27.9	29.7	0.0	42.4	0.0	0.9			96.2	95.9
P-56	11/25/2025 12:28:53 PM	19.2	22.4	0.0	58.4	0.0	0.9			101.6	101.8
P-57	11/25/2025 12:25:19 PM	28.9	26.4	0.9	43.8	48.7	1.1			74.6	74.5
P-60R	11/25/2025 12:48:05 PM	48.3	34.9	0.0	16.8	0.0	1.4			77.8	78.1
P-61	11/25/2025 12:54:51 PM	29.7	30.3	0.0	40.0	0.0	1.0			77.3	77.8
P-61	11/25/2025 12:55:32 PM	29.4	30.2	0.0	40.4	0.0	1.0			78.3	78.3
P-65	11/25/2025 1:02:57 PM	31.8	30.8	0.0	37.4	0.0	1.0			81.9	82.8
P-71	11/25/2025 1:34:41 PM	11.2	23.6	0.0	65.2	0.0	0.5			84.2	84.2
P-75	11/25/2025 12:44:19 PM	50.3	35.6	0.0	14.1	0.0	1.4			92.9	92.9
P-76	11/25/2025 10:36:19 AM	23.1	25.5	0.0	51.4	0.0	0.9			105.0	106.1
P-79	11/10/2025 10:13:58 AM	19.1	27.1	1.0	52.8	52.8	0.7			95.4	95.4
SC-2000E	11/4/2025 1:59:55 PM	44.1	39.7	0.0	16.2	0.0	1.1			118.8	118.8
SC-2501E	11/3/2025 1:34:33 PM	3.7	12.3	16.5	67.6	4.1	0.3			100.2	100.4
SC-2501W	11/3/2025 9:27:35 AM	2.4	69.8	3.9	23.9	6.1	0.0			171.1	168.4
SC-2501W	11/3/2025 9:28:00 AM							1440			
SC-2501W	11/3/2025 9:28:00 AM								157800		
SC-2501W	11/9/2025 9:23:21 AM	32.7	54.6	5.3	7.4	1.4	0.6			169.2	169.3

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Inlet Temp []	Adj Temp []
SC-2501W	11/9/2025 9:24:12 AM	31.3	55.1	5.3	8.3	1.6	0.6			169.5	169.2
SC-2501W	11/9/2025 9:25:00 AM							1120			
SC-2501W	11/18/2025 2:22:47 PM	2.1	65.6	3.8	28.5	7.5	0.0			162.1	162.1
SC-2501W	11/23/2025 8:20:08 AM	3.8	69.4	2.1	24.7	11.8	0.1			148.4	148.8
SW-10	11/6/2025 10:59:11 AM	20.7	31.9	1.7	45.7	26.9	0.6			86.5	86.6
SW-115	11/7/2025 10:20:08 AM	50.0	40.0	0.0	10.0	0.0	1.3			88.8	88.9
SW-1445	11/12/2025 9:55:26 AM	1.4	4.4	18.0	76.2	4.2	0.3			87.6	87.6
SW-1455	11/12/2025 9:50:13 AM	8.9	9.6	15.0	66.5	4.4	0.9			87.9	88.0
SW-154	11/25/2025 2:03:44 PM	0.0	0.8	20.0	79.2	4.0	0.0			84.6	84.7
SW-17-135	11/12/2025 9:53:17 AM	22.8	21.1	5.0	51.1	10.2	1.1			75.4	75.5
SW-187	11/6/2025 10:42:19 AM	23.1	34.3	3.3	39.3	11.9	0.7			88.3	88.4
SW-1930	11/12/2025 10:25:18 AM	30.5	48.9	2.5	18.1	7.2	0.6			84.8	84.9
SW-20	11/10/2025 8:56:27 AM	0.2	3.8	17.8	78.2	4.4	0.1			85.2	85.3
SW-25	11/6/2025 11:09:58 AM	21.3	36.8	2.0	39.9	20.0	0.6			80.1	80.2
SW-30	11/12/2025 10:02:55 AM	9.8	49.3	7.8	33.1	4.2	0.2			75.0	75.0
SW-32	11/12/2025 10:10:38 AM	4.8	11.3	17.4	66.5	3.8	0.4			75.1	75.1
SW-64	11/12/2025 10:00:48 AM	5.1	25.6	14.8	54.5	3.7	0.2			74.5	74.4
SW-65	11/7/2025 10:23:10 AM	45.4	36.8	0.7	17.1	24.4	1.2			88.6	88.6

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO 2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []
SW-66	11/25/2025 2:01:18 PM	9.1	10.9	10.5	69.5	6.6	0.8			89.1	89.1
SW-68	11/12/2025 10:07:10 AM	9.2	49.7	9.2	31.9	3.5	0.2			75.3	75.3
SW-7	11/6/2025 11:06:25 AM	0.4	2.4	19.3	77.9	4.0	0.2			83.7	83.7
SW-70	11/6/2025 10:44:50 AM	17.7	64.4	0.0	17.9	0.0	0.3			86.3	86.3
SW-71	11/13/2025 12:16:29 PM	6.3	19.3	4.4	70.0	15.9	0.3			79.2	79.3
SW-72	11/13/2025 1:10:19 PM	21.2	26.8	3.3	48.7	14.8	0.8			82.4	82.5
SW-80	11/7/2025 11:28:59 AM	36.1	30.5	0.2	33.2	166.0	1.2			93.9	94.0
SW-9	11/6/2025 10:48:04 AM	1.0	13.8	13.5	71.7	5.3	0.1			85.5	85.6
TC-1961C	11/5/2025 3:09:12 PM	27.4	57.2	0.0	15.4	0.0	0.5			98.6	98.8
TC-1961E	11/5/2025 2:25:33 PM	50.5	44.6	0.0	4.9	0.0	1.1			120.0	120.1
TC-2174	11/3/2025 9:00:24 AM	2.2	97.8	0.0	0.0	0.0	0.0			185.3	185.3
TC-2174	11/3/2025 9:08:00 AM							2490			
TC-2174	11/3/2025 9:08:00 AM								170000		
TC-2174	11/9/2025 8:36:52 AM	4.0	78.3	0.0	17.7	0.0	0.1			184.9	184.8
TC-2174	11/9/2025 8:40:00 AM							1590			
TC-2174	11/18/2025 1:04:55 PM	2.6	76.3	0.7	20.4	29.1	0.0			184.4	184.4
TC-2174	11/23/2025 7:43:47 AM	4.1	81.7	0.0	14.2	0.0	0.1			183.0	183.2
VL-02	11/9/2025 9:17:17 AM	61.7	37.1	0.0	1.3	0.0	1.7			94.1	94.2

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
A-01	11/7/2025 9:07:46 AM	-16.79	-16.90	16.946	16.942			-16.41	-16.34
A-02	11/7/2025 9:17:29 AM	-16.40	-16.40	16.552	16.570			-16.04	-16.10
A-03	11/7/2025 9:20:19 AM	-16.10	-16.09	16.274	16.276			-15.77	-15.77
A-04	11/7/2025 9:23:20 AM	-9.80	-9.98	9.928	10.097			0.33	0.33
A-05	11/7/2025 9:27:00 AM	-15.68	-15.73	15.895	15.822			0.33	0.33
B-01	11/6/2025 1:31:28 PM	0.04	-0.08	0.581	0.946	1.5	2.0	-13.82	-13.81
B-01	11/6/2025 1:32:43 PM	-0.12	-0.12	0.791	0.904	1.8	1.9	-13.82	-13.83
B-02R	11/6/2025 1:36:41 PM	-0.13	-0.14	0.015	0.015	0.4	0.4	-12.40	-12.45
B-03R	11/6/2025 1:41:27 PM	-0.10	-0.10	0.138	0.138	1.2	1.2	-11.99	-11.99
B-05	11/6/2025 2:31:28 PM	-0.11	-0.11	6.582	6.579	8.0	8.0	-12.03	-12.04
B-06	11/6/2025 2:25:46 PM	-0.35	-0.10	11.559	1.089	10.6	3.3	-11.80	-12.33
B-07R	11/6/2025 2:03:01 PM	-0.25	-0.25	0.588	0.589	2.4	2.4	-10.61	-10.62
B-08	11/6/2025 2:19:08 PM	-0.16	-0.16	0.170	0.168			-11.68	-11.73
B-09	11/6/2025 2:09:39 PM	-0.28	-0.28	0.283	0.276			-11.97	-11.94
B-10	11/6/2025 2:14:25 PM	-0.18	-0.18	0.187	0.185			-10.26	-10.24
B-11	11/13/2025 10:35:02 AM	-0.37	-0.36	0.835	0.819	11.6	11.5	-17.31	-17.16
B-12	11/6/2025 1:46:39 PM	-0.27	-0.15	4.674	2.554	6.7	5.0	-12.01	-12.05
B-13	11/6/2025 1:58:30 PM	-0.17	-0.18	0.030	0.030	12.1	12.2	-13.45	-13.43

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
B-14	11/13/2025 10:39:06 AM	-0.11	-0.10	0.063	0.067	0.8	0.8	-17.22	-17.13
C-03	11/7/2025 9:11:00 AM	-15.73	-15.73	15.939	15.705			0.33	0.33
C-07	11/7/2025 9:35:22 AM	-15.34	-15.36	15.580	15.546			0.33	0.33
C-08	11/7/2025 10:02:08 AM	-14.39	-14.38	14.666	14.652			-13.99	-14.02
C-10	11/7/2025 10:10:09 AM	-13.72	-13.72	14.122	14.093	46.6	46.6	0.50	0.33
C-11	11/7/2025 10:32:04 AM	-13.72	-13.72	0.053	0.059			-13.75	-13.75
C-12	11/6/2025 10:14:23 AM	-12.11	-11.93	0.001	0.003	0.4	0.7	-12.02	-11.97
C-12	11/7/2025 10:42:24 AM	-13.01	-13.16	0.006	0.004	1.0	0.8	-12.77	-12.93
C-15	11/6/2025 10:24:39 AM	-11.78	-11.82	0.022	0.022	3.1	3.2	-11.71	-11.81
C-15	11/7/2025 10:47:44 AM	-12.82	-13.05	0.010	0.014	2.1	2.4	-12.68	-12.71
C-17B	11/6/2025 10:45:30 AM	-9.55	-9.47	10.133	10.017			-10.97	-10.91
C-18	11/7/2025 11:25:08 AM	-12.11	-12.04	12.567	12.499			0.58	0.50
C-19	11/7/2025 11:14:29 AM	-12.37	-12.37	12.730	12.832			-11.32	-11.71
C-20	11/7/2025 11:19:15 AM	-12.21	-12.19	12.712	12.701			-11.94	-11.91
C-23	11/7/2025 11:22:18 AM	-11.12	-11.16	11.513	11.634			0.50	0.50
C-24	11/7/2025 11:12:00 AM	-12.13	-12.21	12.466	12.643			-12.12	-12.08
C-25	11/12/2025 12:47:35 PM	-1.78	-1.78	1.780	1.775			-14.81	-15.01
C-26	11/12/2025 12:40:51 PM	-15.30	-15.41	15.157	15.247			0.00	0.00

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
C-27	11/6/2025 10:19:22 AM	-10.46	-10.37	0.035	0.022	2.4	1.9	-12.01	-11.90
C-28	11/7/2025 10:36:25 AM	-14.77	-15.06	0.007	0.014			-14.44	-14.74
C-29	11/7/2025 10:25:15 AM	-11.95	-11.93	12.148	12.148			-13.55	-13.46
C-30	11/7/2025 10:05:43 AM	-0.78	-0.78	0.029	0.031	2.1	2.2	-13.82	-13.78
CV-02	11/7/2025 9:43:47 AM	-1.28	-1.15	0.040	0.074	0.6	0.8	-14.82	-14.86
CV-03	11/7/2025 9:54:10 AM	-5.70	-4.63	2.194	1.226	18.4	13.8	-14.16	-14.59
CV-04	11/7/2025 9:50:20 AM	-2.04	-2.03	0.029	0.029	11.7	11.7	-13.22	-13.16
CV-05	11/7/2025 1:00:21 PM	-20.34	-20.36	0.091	0.093	2.1	2.1	-20.31	-20.31
CV-06	11/12/2025 9:53:31 AM	-12.99	-12.92	0.008	0.011	1.1	1.3	-19.03	-19.03
CV-06	11/12/2025 10:34:43 AM								
CV-09	11/6/2025 1:30:37 PM	0.05	-0.05	0.022	0.004	1.9	0.8	-14.77	-14.77
CV-09	11/6/2025 1:45:21 PM	-0.29	-0.28	0.008	0.008	1.2	1.1	-14.58	-14.61
CV-108-52	11/3/2025 1:42:44 PM	-2.97	-2.71	0.045	0.000			-7.27	-8.38
CV-108-52	11/5/2025 9:00:00 AM								
CV-108-52	11/5/2025 9:00:00 AM								
CV-108-52	11/24/2025 12:50:30 PM	-4.83	-3.50	0.150	0.021			-10.60	-10.75
CV-113	11/3/2025 10:39:35 AM	-0.07	-0.09	0.016	0.011	0.4	0.3	-12.91	-13.01
CV-113	11/6/2025 9:25:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-113	11/6/2025 9:25:00 AM								
CV-113	11/20/2025 9:13:15 AM	-1.51	-1.51	0.041	0.039	0.7	0.6	-20.30	-17.39
CV-114	11/3/2025 8:56:45 AM	-0.10	-1.01	0.041	0.623	4.0	15.5	0.33	0.33
CV-114	11/3/2025 9:05:00 AM								
CV-114	11/3/2025 9:05:00 AM								
CV-114	11/9/2025 8:29:50 AM	-5.45	-5.31	1.321	2.453	22.5	30.7	0.33	0.33
CV-114	11/9/2025 8:30:00 AM								
CV-114	11/13/2025 9:10:00 AM								
CV-114	11/13/2025 9:10:00 AM								
CV-114	11/18/2025 1:02:41 PM	-0.06	-0.19	0.622	0.195	15.5	8.7	-12.07	-12.16
CV-114	11/23/2025 7:42:14 AM	-4.42	-4.45	4.482	4.382	41.2	40.7	0.02	0.02
CV-1532A	11/5/2025 9:05:00 AM								
CV-1532A	11/5/2025 9:05:00 AM								
CV-1532A	11/5/2025 9:59:34 AM	-8.99	-8.99	9.325	9.325			0.33	0.33
CV-1532A	11/5/2025 10:00:00 AM								
CV-1532A	11/5/2025 10:00:00 AM								
CV-1532A	11/11/2025 7:24:38 AM	-13.87	-13.53	13.828	13.497			-13.56	-13.32
CV-1532A	11/11/2025 7:25:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-1532A	11/21/2025 10:13:03 AM	-13.09	-13.09	13.264	13.264			0.42	0.42
CV-1532A	11/21/2025 10:14:38 AM	-18.16	-18.15	18.518	18.475			0.08	0.08
CV-1532A	11/23/2025 9:52:07 AM	-15.69	-15.69	15.923	15.939			0.64	0.67
CV-1534A	11/5/2025 9:52:15 AM	-17.38	-16.52	17.707	16.850			0.33	0.33
CV-1534A	11/5/2025 9:55:00 AM								
CV-1534A	11/5/2025 9:55:00 AM								
CV-1534A	11/11/2025 7:15:00 AM								
CV-1534A	11/11/2025 7:16:37 AM	-2.85	-2.95	2.881	2.904			0.28	0.10
CV-1534A	11/21/2025 9:51:22 AM	-14.05	-11.58	14.351	11.893			0.08	0.09
CV-1534A	11/23/2025 9:43:50 AM	-9.08	-9.65	9.355	9.955			0.51	0.42
CV-1535	11/3/2025 1:39:49 PM	-0.63	-0.64	0.350	0.329			-8.98	-9.02
CV-1535	11/12/2025 8:25:00 AM								
CV-1535	11/12/2025 8:25:00 AM								
CV-1535	11/21/2025 1:32:58 PM	-2.28	-2.13	2.094	2.015			-15.17	-16.13
CV-1601D	11/3/2025 1:37:50 PM	-0.39	-0.23	2.299	1.003	10.3	6.8	-13.43	
CV-1601D	11/19/2025 9:32:28 AM	-0.52	-0.52	0.451	0.443	4.6	4.6	-13.87	
CV-1601S	11/3/2025 1:33:33 PM	-0.21	-0.19	0.511	0.513	4.8	4.8	-12.80	
CV-1601S	11/19/2025 9:25:50 AM	-0.54	-0.51	0.055	0.038	1.7	1.4	-13.90	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-1604	11/5/2025 2:56:42 PM	-0.88	-0.87	0.045	0.049	1.5	1.5	-13.15	
CV-1605	11/5/2025 9:15:05 AM	-0.09	-11.72	-0.008	0.000	0.0	0.0	-13.23	
CV-1701D	11/24/2025 2:08:01 PM	-12.11	-2.82	2.205	0.010	2.8	0.2	-18.28	-18.38
CV-1701D	11/24/2025 2:09:10 PM	-2.53	-2.52	0.019	0.019	0.3	0.3	-18.25	-18.25
CV-1701S	11/24/2025 2:03:55 PM	-6.42	-4.81	0.181	0.162	5.3	5.0	-18.65	-18.90
CV-1901	11/12/2025 2:16:33 PM	-0.02	-0.02	3.179	4.538	23.2	27.8	-14.09	-13.71
CV-1901	11/12/2025 2:17:11 PM	-0.02	-0.02	4.665	4.548	28.2	27.9	-14.35	-14.05
CV-1901	11/13/2025 1:34:15 PM	-10.95	-10.93	0.577	0.615	2.3	2.4	-13.85	-13.90
CV-1901	11/21/2025 1:14:57 PM	-9.47	-6.38	8.852	5.841	20.3	16.6	-20.93	-20.44
CV-1902A	11/5/2025 8:52:57 AM	-1.23	-1.25	1.207	1.251			-6.15	-8.45
CV-1902A	11/5/2025 8:58:00 AM								
CV-1902A	11/5/2025 8:58:00 AM								
CV-1902A	11/11/2025 8:16:03 AM	-1.59	-1.63	1.585	1.664			-11.64	-11.73
CV-1902A	11/11/2025 8:20:00 AM								
CV-1902A	11/12/2025 8:10:00 AM								
CV-1902A	11/12/2025 8:10:00 AM								
CV-1902A	11/21/2025 9:13:06 AM	-9.24	-9.07	9.359	9.221			-14.18	-14.51
CV-1902A	11/23/2025 9:29:31 AM	-3.63	-2.69	3.614	2.678			-13.06	-13.31

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-1905	11/4/2025 9:12:21 AM	-4.73	-4.75	0.636	0.724	10.0	10.7	-17.56	-17.84
CV-2001	11/4/2025 8:55:00 AM								
CV-2001	11/4/2025 8:55:00 AM								
CV-2001	11/10/2025 10:50:03 AM	8.93	-0.97	0.009	2.479	0.2	4.0	-10.01	
CV-2001	11/10/2025 10:52:18 AM	-1.12	-1.13	2.572	2.570	4.1	4.1	-9.88	
CV-2001	11/25/2025 8:52:27 AM	52.85	52.81	0.708	0.693	25.1	24.8	-13.96	-14.50
CV-2001	11/25/2025 8:54:00 AM	51.34	51.34	0.537	0.468	21.9	20.4	-14.35	-14.42
CV-2002	11/4/2025 8:45:00 AM								
CV-2002	11/4/2025 8:45:00 AM								
CV-2002	11/10/2025 8:47:14 AM	-10.73	-9.73	0.020	0.015	5.2	4.6	-12.56	
CV-2002	11/25/2025 8:42:49 AM	-9.61	-9.00	1.175	0.499	67.9	44.3	0.16	0.17
CV-2003	11/3/2025 1:45:28 PM	-4.09	-3.08	0.927	0.521	2.9	2.2	-5.41	-7.53
CV-2003	11/24/2025 12:52:38 PM	-3.43	-2.21	1.443	1.443	3.6	3.6	-10.53	-10.90
CV-2006	11/5/2025 8:40:00 AM								
CV-2006	11/5/2025 8:40:00 AM								
CV-2006	11/5/2025 8:41:27 AM	-0.89	-0.70	0.326	0.265	15.1	13.5	-9.73	-9.29
CV-2006	11/11/2025 8:35:00 AM								
CV-2006	11/11/2025 8:35:36 AM	-4.99	-4.97	2.382	0.596	40.2	20.1	-14.51	-14.64

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2006	11/21/2025 9:03:07 AM	-9.52	-7.30	8.715	6.777	75.9	67.2	-18.64	-18.53
CV-2006	11/23/2025 9:18:47 AM	-3.78	-3.59	0.557	0.452	19.5	17.6	-18.08	-17.79
CV-2007	11/6/2025 9:50:00 AM								
CV-2007	11/6/2025 9:50:00 AM								
CV-2007	11/11/2025 1:16:37 PM	-0.16	-0.15	0.206	0.190	17.8	17.1	-11.39	-10.21
CV-2007	11/11/2025 1:18:37 PM	-0.14	-0.17	0.189	0.166	17.0	15.9	-11.62	-11.54
CV-2007	11/25/2025 1:32:22 PM	-0.90	-0.90	0.114	0.116	13.3	13.4	-12.35	-13.27
CV-2007	11/25/2025 1:34:37 PM	-0.84	-0.85	0.567	0.584	14.3	14.5	-13.00	-13.25
CV-2008	11/3/2025 3:00:08 PM	-2.13	-1.54	1.597	1.223	35.9	31.4	-12.65	-12.90
CV-2008	11/11/2025 7:59:07 AM	2.88	-0.50	0.355	0.002	1.2	0.1	-15.24	-16.74
CV-2008	11/11/2025 8:01:50 AM	-1.84	-0.99	0.011	0.044	2.2	4.4	-15.24	-14.82
CV-2009	11/3/2025 3:08:40 PM	-0.94	-0.08	0.243	0.085	13.5	8.0	-12.74	-12.88
CV-2009	11/3/2025 3:11:38 PM	-0.07	-0.08	0.088	0.099	8.2	8.7	-11.89	-12.63
CV-2009A	11/26/2025 7:15:16 AM	-4.26	-3.80	2.163	1.195	18.3	13.6	-16.93	-17.47
CV-2010	11/4/2025 1:02:34 PM	-1.78	-0.80	0.364	0.227	17.2	13.5	-11.85	-11.81
CV-2010A	11/4/2025 2:57:30 PM	1.23	-0.04	2.576	3.221	30.1	33.6	-12.43	-12.77
CV-2010A	11/4/2025 2:59:33 PM	-0.05	-0.05	1.886	1.884	25.7	25.7	-12.19	-12.20
CV-2010A	11/10/2025 2:02:54 PM	-7.05	-7.05	1.435	1.412	22.4	22.3	-16.34	-16.16

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2010A	11/12/2025 9:38:08 AM	-6.81	-6.64	0.691	0.716	15.6	15.9	-17.06	-17.61
CV-2010A	11/12/2025 9:39:25 AM	-6.29	-6.29	0.645	0.686	15.1	15.6	-17.37	-17.60
CV-2011	11/4/2025 2:42:35 PM	-0.98	-0.96	0.321	0.300	15.7	15.2	-13.09	-13.13
CV-2011A	11/4/2025 11:08:11 AM	-2.24	-2.25	0.195	0.198	26.7	26.9	-13.53	-13.53
CV-2011A	11/4/2025 11:10:00 AM								
CV-2011A	11/4/2025 11:10:00 AM								
CV-2011A	11/10/2025 8:45:00 AM								
CV-2011A	11/10/2025 8:47:26 AM	-4.42	-3.03	0.090	0.033	3.7	2.2	-19.17	-18.95
CV-2011A	11/17/2025 10:03:44 AM	0.26	-0.02	0.054	0.048	2.8	2.7	-19.89	-19.75
CV-2011A	11/17/2025 10:04:19 AM	-0.13	-0.13	0.037	0.037	2.4	2.4	-19.94	-19.94
CV-2011A	11/24/2025 12:59:38 PM	-17.56	-16.88	0.332	0.277	34.3	31.3	-18.40	-18.28
CV-2012	11/4/2025 12:50:52 PM	-4.38	-2.06	0.114	0.189	9.2	11.9	-11.92	-13.06
CV-2012	11/4/2025 12:51:51 PM	-1.13	-1.05	0.391	0.371	17.1	16.6	-13.07	-13.14
CV-2201-P	11/4/2025 9:11:53 AM	-1.44	-1.39	1.422	1.343			-14.89	-14.83
CV-2201-P	11/4/2025 9:15:00 AM								
CV-2201-P	11/4/2025 9:15:00 AM								
CV-2201-P	11/9/2025 12:36:56 PM	-3.91	-3.67	3.783	3.471			-16.11	-16.11
CV-2201-P	11/9/2025 12:40:00 PM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2201-P	11/19/2025 8:51:30 AM	-1.89	-1.97	1.913	2.001			-13.93	-13.43
CV-2201-P	11/24/2025 8:43:57 AM	-4.74	-4.65	4.695	4.589			-14.95	-15.29
CV-2204-P	11/3/2025 11:30:52 AM	-4.11	-3.13	4.020	2.851			-12.59	-12.15
CV-2204-P	11/3/2025 11:32:00 AM								
CV-2204-P	11/3/2025 11:32:00 AM								
CV-2204-P	11/10/2025 8:18:12 AM	-17.67	-17.45	17.925	17.730			0.33	0.33
CV-2204-P	11/10/2025 8:20:00 AM								
CV-2204-P	11/10/2025 1:09:49 PM	-6.97	-7.20	7.051	7.242			-15.95	-15.46
CV-2204-P	11/17/2025 8:43:54 AM	-19.32	-19.71	19.484	19.910			0.36	0.36
CV-2204-P	11/17/2025 8:45:00 AM								
CV-2204-P	11/24/2025 1:30:36 PM	-7.47	-7.43	7.312	7.222			-17.35	-15.84
CV-2205	11/4/2025 1:28:32 PM	-0.51	-0.50	0.310	0.307	34.6	34.4	-13.48	-13.29
CV-2206-P	11/7/2025 2:37:56 PM	-6.08	-5.37	6.132	5.358			-17.08	-17.54
CV-2206-P	11/7/2025 2:38:35 PM	-3.88	-3.86	3.906	3.882			-16.88	-16.88
CV-2206-P	11/26/2025 7:56:33 AM	-4.91	-2.00	4.942	2.014			-21.12	-21.23
CV-2207	11/4/2025 1:56:25 PM	-2.15	-2.16	0.065	0.067	15.8	16.0	-11.81	-12.06
CV-2207	11/5/2025 8:25:26 AM	-2.82	-2.82	0.000	0.000			0.32	0.33
CV-2208A	11/4/2025 1:49:50 PM	-1.22	-1.19	0.094	0.077	18.6	16.9	-11.45	-11.35

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2208A	11/4/2025 1:55:00 PM								
CV-2208A	11/4/2025 1:55:00 PM								
CV-2208A	11/9/2025 7:11:47 AM	-3.17	-3.07	0.011	0.002	6.2	2.8	-14.69	-15.38
CV-2208A	11/9/2025 7:12:21 AM	-3.04	-3.04	0.007	0.007	5.1	5.1	-15.38	-15.16
CV-2301	11/10/2025 9:05:00 AM								
CV-2301	11/10/2025 9:05:00 AM								
CV-2302	11/10/2025 9:00:00 AM								
CV-2302	11/10/2025 9:00:00 AM								
CV-2303	11/4/2025 9:39:52 AM	-1.06	-1.08	1.068	1.036			-13.62	-13.61
CV-2303	11/4/2025 9:45:00 AM								
CV-2303	11/4/2025 9:45:00 AM								
CV-2303	11/9/2025 11:58:45 AM	-3.75	-3.29	3.674	3.208			-14.08	-14.08
CV-2303	11/9/2025 12:00:00 PM								
CV-2303	11/11/2025 8:40:00 AM								
CV-2303	11/11/2025 8:40:00 AM								
CV-2303	11/13/2025 9:45:00 AM								
CV-2303	11/13/2025 9:45:00 AM								
CV-2303	11/19/2025 9:36:45 AM	-2.60	-2.63	2.545	2.666			-11.68	-11.69

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2303	11/24/2025 8:29:21 AM	-5.36	-5.35	5.415	5.505			-13.54	-13.89
CV-2304	11/4/2025 8:53:58 AM	12.65	12.47	0.000	0.000			0.33	0.32
CV-2304	11/11/2025 1:20:04 PM	-11.07	-11.07	11.174	11.174			0.00	0.00
CV-2304	11/11/2025 1:20:50 PM	-11.45	-11.43	11.435	11.485			0.00	0.00
CV-2304	11/11/2025 1:40:00 PM								
CV-2305	11/11/2025 8:00:00 AM								
CV-2305	11/11/2025 8:00:00 AM								
CV-2306	11/3/2025 11:35:24 AM	-8.84	-7.10	9.307	7.519			0.99	0.97
CV-2306	11/3/2025 11:38:00 AM								
CV-2306	11/3/2025 11:38:00 AM								
CV-2306	11/10/2025 8:13:42 AM	-11.82	-4.23	12.058	3.651			0.33	0.33
CV-2306	11/10/2025 8:15:00 AM								
CV-2306	11/10/2025 1:15:47 PM	-4.54	-4.73	4.438	4.295			0.20	0.15
CV-2306	11/17/2025 8:37:54 AM	-9.90	-9.10	9.943	9.038			0.35	0.36
CV-2306	11/17/2025 8:40:00 AM								
CV-2306	11/24/2025 1:36:58 PM	-4.88	-8.95	3.256	8.443			0.10	0.08
CV-2308-P	11/4/2025 9:18:52 AM	-8.21	-8.28	8.496	8.688			0.34	0.34
CV-2308-P	11/4/2025 9:20:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2308-P	11/4/2025 9:20:00 AM								
CV-2308-P	11/9/2025 12:42:52 PM	-14.74	-14.69	14.735	14.679			-0.28	-0.28
CV-2308-P	11/9/2025 12:45:00 PM								
CV-2308-P	11/18/2025 2:57:40 PM	-14.67	-14.63	14.507	14.511			0.00	0.00
CV-2308-P	11/24/2025 8:49:54 AM	-9.34	-9.76	9.602	9.900			0.33	0.34
CV-2310-P	11/4/2025 9:23:05 AM	-15.52	-15.12	15.866	15.502			0.38	0.34
CV-2310-P	11/4/2025 9:25:00 AM								
CV-2310-P	11/4/2025 9:25:00 AM								
CV-2310-P	11/9/2025 12:51:21 PM	-15.73	-15.75	15.840	15.862			-0.16	-0.31
CV-2310-P	11/9/2025 12:55:00 PM								
CV-2310-P	11/19/2025 9:10:20 AM	-13.38	-13.38	13.793	13.812			0.44	0.44
CV-2310-P	11/24/2025 8:39:19 AM	-16.41	-16.55	16.629	16.742			0.34	0.34
CV-2311	11/3/2025 2:20:00 PM								
CV-2311	11/3/2025 2:20:00 PM								
CV-2311	11/3/2025 2:21:35 PM	0.13	-0.02	0.000	0.012			-12.04	-11.89
CV-2311	11/3/2025 2:22:13 PM	-0.19	-0.18	0.198	0.190			-11.69	-11.83
CV-2311	11/9/2025 10:34:04 AM	-1.92	-1.64	1.932	1.639			-13.17	-13.32
CV-2311	11/9/2025 10:35:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2311	11/19/2025 8:06:45 AM	-0.30	-0.31	0.329	0.342			-9.10	-9.60
CV-2311	11/23/2025 10:12:16 AM	-3.68	-3.73	3.697	3.772			0.35	0.35
CV-2312	11/11/2025 8:25:00 AM								
CV-2312	11/11/2025 8:25:00 AM								
CV-2314	11/10/2025 10:20:00 AM								
CV-2314	11/10/2025 10:20:00 AM								
CV-2314	11/20/2025 9:05:43 AM	-6.38	-5.68	6.670	5.923	155.0	146.2	-7.47	-7.88
CV-2314	11/20/2025 9:07:04 AM	-5.34	-4.77	5.533	5.039	141.4	135.1	-7.85	-8.00
CV-2315	11/11/2025 8:05:00 AM								
CV-2315	11/11/2025 8:05:00 AM								
CV-2316	11/11/2025 7:49:48 AM	-1.26	-1.22	0.065	0.073	9.9	10.5	-15.75	-15.12
CV-2316	11/11/2025 7:50:38 AM	-1.23	-1.23	0.073	0.065	10.5	9.9	-15.78	-15.74
CV-2319	11/4/2025 2:17:57 PM	-0.88	-0.88	0.841	0.825			-10.55	-10.73
CV-2319	11/24/2025 10:46:23 AM	-1.64	-0.70	1.654	0.708	78.6	51.5	-15.29	-14.96
CV-2319	11/24/2025 10:47:21 AM	-0.37	-0.37	0.367	0.367	37.1	37.1	-14.61	-14.61
CV-2322	11/12/2025 8:44:45 AM	-18.33	-17.89	18.384	17.950			0.35	0.33
CV-2322	11/26/2025 7:31:58 AM	-20.49	-20.81	20.873	21.180			0.04	0.04
CV-2324	11/4/2025 1:24:29 PM	-8.41	-7.40	2.200	1.613	57.7	49.5	-12.23	-12.78

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2326	11/7/2025 9:52:07 AM	-1.63	-1.67	1.532	1.504			-11.36	-11.60
CV-2326	11/25/2025 2:07:28 PM	-13.06	-13.10	13.091	13.003			-13.24	-13.17
CV-2327	11/4/2025 1:57:57 PM	-4.97	-4.85	4.934	4.826	132.2	130.7	-12.21	-12.01
CV-2327	11/4/2025 2:10:00 PM								
CV-2327	11/4/2025 2:10:00 PM								
CV-2327	11/10/2025 9:10:00 AM								
CV-2327	11/10/2025 9:10:41 AM	-9.74	-4.88	10.098	4.937	188.6	133.1	-16.55	-16.28
CV-2327	11/19/2025 1:30:00 PM	-1.72	-0.59	1.725	0.614	78.8	47.1	-11.70	-11.55
CV-2327	11/25/2025 8:55:05 AM	-3.16	-3.05	3.138	3.035	106.1	104.4	-18.29	-17.72
CV-2328	11/5/2025 1:33:17 PM	-1.73	-1.72	0.898	0.945	57.2	58.7	-9.91	-9.81
CV-2328	11/5/2025 1:45:00 PM								
CV-2328	11/5/2025 1:45:00 PM								
CV-2328	11/10/2025 8:55:00 AM								
CV-2328	11/10/2025 8:55:00 AM								
CV-2328	11/10/2025 9:25:00 AM								
CV-2328	11/10/2025 9:25:21 AM	-5.10	-5.08	0.331	0.346	34.6	35.4	-16.68	-17.00
CV-2328	11/19/2025 1:53:00 PM	-3.73	-3.31	1.112	1.413	62.9	71.0	-12.58	-12.43
CV-2328	11/25/2025 8:45:24 AM	-7.35	-5.71	0.450	0.658	40.1	48.7	-18.52	-18.52

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2333	11/3/2025 11:02:01 AM	-7.66	-6.23	0.082	0.012	10.8	4.2	-8.93	-8.90
CV-2333	11/3/2025 11:02:52 AM	-6.11	-6.46	0.067	0.065	9.8	9.6	-8.92	-8.01
CV-2333	11/4/2025 8:42:00 AM								
CV-2333	11/4/2025 8:45:34 AM	-9.17	-8.67	0.611	0.529	14.3	13.3	-11.60	-10.96
CV-2333	11/4/2025 9:01:41 AM	-8.41	-2.31	0.708	0.692	15.4	15.3	-11.85	-11.55
CV-2333	11/4/2025 11:51:06 AM	-0.37	-0.29	0.517	0.512	13.3	13.2	-9.09	-9.32
CV-2333	11/6/2025 9:35:00 AM								
CV-2333	11/6/2025 9:35:00 AM								
CV-2333	11/13/2025 3:15:38 PM	-9.55	-7.88	0.598	0.770	14.0	16.0	-13.14	-12.91
CV-2333	11/13/2025 3:16:51 PM	-7.86	-7.88	0.532	0.585	13.3	13.9	-13.14	-12.90
CV-2333	11/13/2025 3:20:00 PM								
CV-2333	11/18/2025 12:48:29 PM	-7.31	-7.09	2.454	2.193	28.4	26.9	-12.14	-10.83
CV-2333	11/25/2025 7:57:03 AM	-11.06	-8.19	0.668	0.590	30.5	28.8	-13.01	-12.84
CV-2334	11/5/2025 1:19:19 PM	-9.65	-0.90	0.745	0.014	33.6	4.6	-10.88	-10.33
CV-2334	11/6/2025 9:05:00 AM								
CV-2334	11/6/2025 9:05:00 AM								
CV-2335	11/4/2025 12:17:16 PM	-1.39	-1.39	1.398	1.396			-11.61	-11.46
CV-2335	11/21/2025 1:03:23 PM	-2.69	-2.51	2.687	2.495			-20.14	-20.40

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2336	11/10/2025 2:24:40 PM	-7.65	-4.38	7.710	3.985	0.0	0.0	-13.08	
CV-2336	11/21/2025 1:09:03 PM	-2.94	-2.31	3.036	2.345			-20.68	-20.75
CV-2337	11/12/2025 8:05:00 AM								
CV-2337	11/12/2025 8:05:00 AM								
CV-2337	11/12/2025 2:08:13 PM	-6.65	-3.48	0.000	0.000			-14.18	-14.32
CV-2337	11/12/2025 2:09:14 PM	-3.26	-3.28	0.000	0.000			-14.57	-14.26
CV-2337	11/26/2025 9:29:34 AM	-5.70	-4.95	0.000	0.000			-17.79	-17.69
CV-2337	11/26/2025 9:30:15 AM	-4.37	-4.36	0.000	0.000			-18.63	-18.32
CV-2338	11/5/2025 8:47:15 AM	-5.75	-3.92	5.843	3.877			0.16	0.30
CV-2338	11/5/2025 8:52:00 AM								
CV-2338	11/5/2025 8:52:00 AM								
CV-2338	11/11/2025 8:20:54 AM	-5.90	-4.02	5.963	4.037			0.31	0.31
CV-2338	11/11/2025 8:25:00 AM								
CV-2338	11/21/2025 9:09:35 AM	-14.74	-13.67	14.942	13.868			0.06	0.06
CV-2338	11/23/2025 9:26:18 AM	-12.43	-0.30	12.649	0.319			0.34	0.34
CV-2339	11/10/2025 2:04:16 PM	-3.71	-0.58	3.614	0.710	0.0	0.0	-15.90	
CV-2339	11/10/2025 2:04:21 PM	-3.71	-0.58	3.614	0.710	0.0	0.0	-15.90	
CV-2339	11/10/2025 2:06:22 PM	-0.80	-0.79	0.781	0.773	0.0	0.0	-15.68	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2339	11/26/2025 9:22:20 AM	-4.20	-4.22	3.668	3.539			-17.01	-17.50
CV-2339	11/26/2025 9:23:50 AM	-4.19	-4.06	3.408	3.364			-17.15	-17.33
CV-2341	11/5/2025 2:42:26 PM	-3.83	-1.49	3.843	1.501			-6.70	-6.92
CV-2341	11/12/2025 8:20:00 AM								
CV-2341	11/12/2025 8:20:00 AM								
CV-2341	11/21/2025 1:29:19 PM	-6.25	-2.76	6.089	2.765			-18.43	-18.12
CV-2341	11/25/2025 2:38:24 PM	1.81	-2.24	0.000	2.235			-10.42	-10.11
CV-2341	11/25/2025 2:39:10 PM	-2.13	-2.08	2.125	1.997			-9.52	-11.26
CV-2342A	11/5/2025 10:03:17 AM	-10.16	-10.12	10.571	10.553			-9.70	-9.65
CV-2342A	11/5/2025 10:08:00 AM								
CV-2342A	11/5/2025 10:08:00 AM								
CV-2342A	11/11/2025 7:34:54 AM	-15.07	-15.20	15.162	15.295			-14.93	-14.84
CV-2342A	11/11/2025 7:35:00 AM								
CV-2342A	11/21/2025 10:19:44 AM	-19.82	-20.13	20.270	20.504			-19.60	-20.36
CV-2342A	11/23/2025 9:56:54 AM	-16.59	-16.23	16.551	16.024			0.00	0.01
CV-2343	11/4/2025 9:45:22 AM	-3.25	-3.18	3.360	3.522			0.38	0.39
CV-2343	11/4/2025 9:46:29 AM	-2.82	-2.85	2.956	2.487			0.34	0.31
CV-2343	11/24/2025 12:56:53 PM	-5.06	-4.38	5.339	4.393			0.13	0.14

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2343	11/24/2025 12:59:40 PM	-4.37	-4.42	4.448	4.412			0.14	0.15
CV-2343	11/25/2025 1:38:16 PM	-4.41	-4.05	4.423	4.099			-10.12	-9.93
CV-2344	11/5/2025 8:50:00 AM								
CV-2344	11/5/2025 8:50:00 AM								
CV-2344	11/5/2025 9:43:31 AM	-3.10	-3.10	3.067	3.072			-1.94	-1.01
CV-2344	11/5/2025 9:50:00 AM								
CV-2344	11/5/2025 9:50:00 AM								
CV-2344	11/24/2025 1:04:30 PM	-4.46	-3.22	4.511	3.381			-10.98	-11.37
CV-2344	11/24/2025 1:08:26 PM	-3.22	-3.22	3.231	3.227			-10.68	-10.49
CV-2344	11/25/2025 1:34:47 PM	-5.54	-4.72	5.451	4.674			-10.01	-10.15
CV-2345	11/3/2025 1:52:08 PM	-0.05	-0.15	0.041	0.152			-9.08	-9.05
CV-2345	11/5/2025 8:45:00 AM								
CV-2345	11/5/2025 8:45:00 AM								
CV-2345	11/24/2025 1:19:37 PM	-5.27	-4.78	5.567	4.817			-10.40	-10.55
CV-2346	11/4/2025 9:40:32 AM	-0.80	-0.50	0.850	0.464			-8.43	-8.68
CV-2346	11/5/2025 8:35:00 AM								
CV-2346	11/5/2025 8:35:00 AM								
CV-2346	11/24/2025 1:22:10 PM	-2.84	-2.50	2.863	2.508			-10.47	-10.59

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2347	11/4/2025 9:34:27 AM	-0.04	-0.12	0.095	0.160			-8.51	-8.51
CV-2347	11/5/2025 8:30:00 AM								
CV-2347	11/5/2025 8:30:00 AM								
CV-2347	11/24/2025 1:26:01 PM	-2.60	-2.23	2.617	2.245			0.14	0.14
CV-2348	11/4/2025 9:30:50 AM	-1.16	-1.15	1.227	1.141			-9.35	-9.03
CV-2348	11/5/2025 8:25:00 AM								
CV-2348	11/5/2025 8:25:00 AM								
CV-2348	11/5/2025 8:25:00 AM								
CV-2348	11/5/2025 8:25:00 AM								
CV-2348	11/24/2025 1:33:22 PM	-3.62	-3.65	3.625	3.652			-10.15	-10.43
CV-2349	11/3/2025 9:30:00 AM								
CV-2349	11/3/2025 9:30:00 AM								
CV-2349	11/10/2025 8:51:47 AM	-3.15	-1.57	3.468	1.779	52.4	37.2		
CV-2349	11/25/2025 8:38:48 AM	-6.86	-4.29	7.157	3.760			-8.23	-8.37
CV-2350	11/4/2025 8:50:00 AM								
CV-2350	11/4/2025 8:50:00 AM								
CV-2350	11/4/2025 9:54:48 AM	-8.95	-3.01	9.215	2.922			-10.46	-10.66
CV-2350	11/25/2025 8:45:41 AM	-3.19	-1.27	3.215	1.270			-16.93	-16.52

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2350	11/25/2025 12:19:25 PM	-4.49	-1.53	4.456	1.535			-10.15	-11.76
CV-2351	11/3/2025 8:55:00 AM								
CV-2351	11/3/2025 8:55:00 AM								
CV-2351	11/5/2025 12:41:40 PM	-0.06	-0.03	0.079	0.060			-6.92	-6.86
CV-2351	11/5/2025 12:44:36 PM	-0.11	-0.11	0.124	0.118			-6.70	-6.85
CV-2351	11/5/2025 1:35:52 PM	0.77	-0.02	0.000	0.036			-6.55	-6.65
CV-2351	11/5/2025 1:42:39 PM	-0.46	-0.49	0.475	0.499			-6.63	-6.73
CV-2351	11/25/2025 8:16:07 AM	-13.88	-13.52	14.138	13.782			-13.92	-13.45
CV-2352	11/3/2025 9:05:00 AM								
CV-2352	11/3/2025 9:05:00 AM								
CV-2352	11/11/2025 7:55:09 AM	-0.17	-0.18	0.172	0.175			-10.57	-10.44
CV-2352	11/25/2025 8:24:42 AM	-0.24	-0.23	0.268	0.263			-12.33	-12.81
CV-2353-P	11/5/2025 9:05:00 AM								
CV-2353-P	11/5/2025 9:30:00 AM								
CV-2353-P	11/5/2025 10:06:28 AM	-1.03	-1.02	1.019	1.010			-9.45	-9.50
CV-2353-P	11/5/2025 10:15:00 AM								
CV-2353-P	11/5/2025 10:15:00 AM								
CV-2353-P	11/11/2025 7:49:43 AM	-6.01	-5.91	5.934	5.844			-14.74	-14.78

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2353-P	11/21/2025 9:21:16 AM	-9.90	-6.39	9.969	6.496			-18.48	-18.44
CV-2354	11/3/2025 9:25:00 AM								
CV-2354	11/3/2025 9:25:00 AM								
CV-2354	11/11/2025 8:40:42 AM	-12.01	-11.85	11.959	11.845			0.23	0.20
CV-2354	11/25/2025 8:29:55 AM	3.57	3.66	0.000	0.000			4.01	4.21
CV-2354	11/25/2025 8:31:16 AM	2.40	2.11	0.000	0.000			2.70	4.39
CV-24001	11/4/2025 12:58:18 PM	-0.75	-0.75	0.740	0.744			-11.55	-12.46
CV-24001	11/21/2025 12:57:41 PM	-2.37	-1.67	2.379	1.677			-20.06	-21.07
CV-24002	11/4/2025 12:48:11 PM	-0.97	-0.98	0.966	0.965			-7.83	-7.74
CV-24002	11/21/2025 12:45:19 PM	-2.79	-2.18	2.819	2.181			-9.33	-9.45
CV-24003	11/4/2025 9:33:22 AM	-1.84	-1.83	0.025	0.022	6.4	5.9	-9.79	-9.76
CV-24003	11/21/2025 12:40:46 PM	-3.07	-2.47	2.998	2.348	70.1	63.1	-9.11	-8.88
CV-24004	11/3/2025 2:07:55 PM	-1.81	-1.90	0.035	0.110	3.6	6.4	-9.62	-10.06
CV-24004	11/21/2025 12:30:56 PM	-2.63	-2.30	2.284	2.212	30.2	29.7	-14.05	-14.88
CV-24006	11/4/2025 12:27:22 PM	-0.01	-0.01	1.128	1.126	20.2	20.2	-11.18	-11.06
CV-24006	11/4/2025 12:29:06 PM	-0.04	-0.04	1.097	1.121	19.9	20.1	-10.87	-11.20
CV-24006	11/19/2025 10:29:42 AM	-0.08	-0.11	2.072	2.133	27.8	27.9	-10.60	-10.87
CV-24007	11/4/2025 10:10:04 AM	-0.60	-0.13	0.809	0.045	17.1	4.0	-8.33	-9.16

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24007	11/4/2025 10:11:21 AM	-0.20	-0.12	0.053	0.018	4.4	2.6	-9.12	-9.05
CV-24007	11/11/2025 9:00:00 AM								
CV-24007	11/11/2025 9:00:00 AM								
CV-24007	11/13/2025 9:35:00 AM								
CV-24007	11/13/2025 9:35:00 AM								
CV-24007	11/25/2025 1:58:21 PM	-0.31	-0.32	0.002	0.001	1.0	0.6	-6.51	-6.39
CV-24008	11/11/2025 1:27:10 PM	1.56	1.67	0.004	0.002	2.7	1.8	1.69	1.95
CV-24008	11/11/2025 1:28:37 PM	1.55	1.66	0.008	0.001	3.7	1.5	1.70	1.93
CV-24008	11/24/2025 12:58:02 PM	2.41	2.45	0.053	0.023	9.5	6.2	2.69	2.69
CV-24008	11/25/2025 1:48:48 PM	2.52	2.55	0.014	0.010	4.8	4.1	2.63	2.63
CV-24008	11/25/2025 1:49:29 PM	2.59	2.58	0.014	0.011	4.8	4.3	2.69	2.72
CV-24009	11/3/2025 10:33:29 AM	-2.97	-1.67	0.058	0.016			-4.75	-6.14
CV-24009	11/3/2025 10:35:00 AM								
CV-24009	11/3/2025 10:35:00 AM								
CV-24009	11/10/2025 1:13:58 PM	-1.86	-0.84	0.006	0.000			-12.47	-11.71
CV-24009	11/10/2025 1:15:00 PM								
CV-24009	11/19/2025 7:57:34 AM	-2.01	-1.58	0.167	0.176			0.10	0.11
CV-24009	11/23/2025 9:16:46 AM	-2.84	-2.82	0.073	0.051			-2.46	-2.53

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24010	11/3/2025 1:52:59 PM	-1.45	-1.41	1.430	1.393			-12.71	-12.56
CV-24010	11/21/2025 12:25:53 PM	-1.60	-1.52	1.620	1.546			-18.23	-17.76
CV-24011	11/4/2025 8:19:45 AM	-1.34	-1.09	5.540	5.948			-13.60	-14.04
CV-24011	11/4/2025 8:20:00 AM								
CV-24011	11/4/2025 8:20:00 AM								
CV-24011	11/9/2025 10:25:00 AM								
CV-24011	11/9/2025 10:26:44 AM	-1.76	-0.81	6.270	5.405	45.7	42.5	-14.22	-14.78
CV-24011	11/19/2025 8:16:36 AM	-0.36	-0.43	4.998	5.090	40.8	41.1	0.14	0.14
CV-24011	11/24/2025 8:07:53 AM	-2.17	-2.13	4.214	4.212			-14.43	-14.37
CV-24012	11/3/2025 2:29:24 PM	-2.20	-2.30	2.193	2.266			-13.72	-13.77
CV-24012	11/3/2025 2:30:00 PM								
CV-24012	11/3/2025 2:30:00 PM								
CV-24012	11/9/2025 10:51:26 AM	-7.62	-7.63	7.985	7.909			-15.83	-15.98
CV-24012	11/9/2025 10:55:00 AM								
CV-24012	11/19/2025 8:36:41 AM	-4.91	-3.63	5.143	3.663			-13.97	-13.82
CV-24012	11/23/2025 10:17:13 AM	3.47	-4.91	0.000	4.924			0.35	-18.88
CV-24012	11/23/2025 10:18:36 AM	-9.40	-9.35	9.399	9.487			-18.91	-18.55
CV-24013	11/19/2025 9:33:42 AM	6.28	-0.07	0.000	0.067			-12.66	-12.90

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24013	11/19/2025 9:47:51 AM	-0.53	-0.58	0.527	0.564			0.37	0.37
CV-24013	11/23/2025 9:27:52 AM	-20.11	-6.00	20.267	6.020			-19.81	-19.95
CV-24013	11/23/2025 9:30:36 AM	-9.54	-9.57	9.588	9.620			-19.99	-19.99
CV-24014	11/3/2025 10:21:02 AM	-0.03	-0.09	0.025	0.102			-9.92	-6.82
CV-24014	11/3/2025 10:25:00 AM								
CV-24014	11/3/2025 10:25:00 AM								
CV-24014	11/9/2025 10:05:00 AM								
CV-24014	11/9/2025 10:15:10 AM	-3.80	-3.82	3.665	3.696			-13.41	-13.48
CV-24014	11/9/2025 10:16:13 AM	-3.81	-3.81	3.694	3.694			-11.87	-11.87
CV-24014	11/18/2025 2:28:10 PM	-4.88	-3.90	0.000	0.088			-16.02	-16.55
CV-24014	11/23/2025 9:36:59 AM	0.89	-0.47	0.000	0.000			-13.23	-10.80
CV-24014	11/23/2025 9:37:55 AM	-0.80	-0.72	0.000	0.000			-7.77	-7.38
CV-24015	11/3/2025 9:21:26 AM	-0.10	-0.09	0.106	0.089			-14.16	-14.65
CV-24015	11/3/2025 9:22:00 AM								
CV-24015	11/3/2025 9:22:00 AM								
CV-24015	11/9/2025 9:14:09 AM	-1.09	-1.01	1.102	1.027			-16.20	-15.53
CV-24015	11/9/2025 9:15:00 AM								
CV-24015	11/18/2025 2:17:40 PM	-0.80	-0.65	0.793	0.660			-16.95	-16.70

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24015	11/23/2025 8:11:22 AM	-4.24	-4.24	3.288	3.288			0.06	0.06
CV-24016	11/4/2025 8:24:20 AM	-1.88	-1.45	1.854	1.435			-13.76	-13.82
CV-24016	11/4/2025 8:28:00 AM								
CV-24016	11/4/2025 8:28:00 AM								
CV-24016	11/10/2025 1:04:30 PM	-0.62	-0.63	0.598	0.586			-15.51	-15.54
CV-24016	11/10/2025 1:05:00 PM								
CV-24016	11/20/2025 9:52:30 AM	-0.49	-0.47	0.530	0.492			-19.90	-19.88
CV-24016	11/24/2025 8:14:38 AM	-0.06	-0.23	0.047	0.209			-13.80	-13.49
CV-24017	11/3/2025 2:15:00 PM								
CV-24017	11/3/2025 2:19:00 PM	-1.32	-1.40	1.312	1.380			-13.97	-13.95
CV-24017	11/9/2025 10:40:00 AM								
CV-24017	11/9/2025 10:41:28 AM	-2.72	-2.40	2.715	2.497			-15.85	-15.81
CV-24017	11/11/2025 8:55:00 AM								
CV-24017	11/11/2025 8:55:00 AM								
CV-24017	11/19/2025 8:22:34 AM	-2.44	-2.50	2.462	2.519			-13.71	-14.01
CV-24017	11/23/2025 10:26:38 AM	-3.73	-3.73	3.789	3.784			-18.27	-18.78
CV-24018	11/12/2025 1:52:41 PM	-0.04	-0.03	0.024	0.024			-14.44	-14.91
CV-24018	11/25/2025 2:24:04 PM	-0.32	-0.27	0.145	0.127			-12.57	-11.83

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24019	11/3/2025 2:40:00 PM								
CV-24019	11/3/2025 2:40:00 PM								
CV-24019	11/3/2025 2:42:04 PM	-5.70	-5.56	5.619	5.615			-13.87	-13.81
CV-24019	11/9/2025 11:00:00 AM								
CV-24019	11/9/2025 11:02:02 AM	-9.84	-9.00	10.157	9.291			-15.76	-15.77
CV-24019	11/20/2025 9:46:09 AM	-12.89	-11.22	13.236	11.564			-21.57	-21.52
CV-24019	11/23/2025 10:30:55 AM	-7.73	-7.59	7.903	7.810			-18.17	-18.12
CV-24020	11/11/2025 10:35:27 AM	-15.86	-15.89	0.135	0.136	23.1	23.2	-15.96	-15.94
CV-24020	11/11/2025 10:45:19 AM	-15.77	-15.68	0.147	0.139	24.1	23.4	-15.82	-15.71
CV-24020	11/26/2025 8:05:57 AM	-19.93	-19.79	0.160	0.156			-20.09	-20.04
CV-24020	11/26/2025 8:06:32 AM	-19.81	-19.84	0.116	0.107			-20.14	-20.36
CV-24021	11/11/2025 10:16:39 AM	-0.40	-0.40	0.392	0.389			-16.20	-16.18
CV-24021	11/25/2025 3:22:30 PM	-1.53	-1.54	1.393	1.462			-12.02	-15.21
CV-24021	11/25/2025 3:23:13 PM	-1.56	-1.54	1.418	1.414			-14.85	-15.12
CV-24022	11/3/2025 10:39:46 AM	-6.84	-1.65	7.273	1.760			-11.82	-11.81
CV-24022	11/3/2025 10:43:00 AM								
CV-24022	11/3/2025 10:43:00 AM								
CV-24022	11/9/2025 9:52:04 AM	-0.88	-1.01	1.123	1.085			-11.74	-12.03

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24022	11/9/2025 9:55:00 AM								
CV-24022	11/18/2025 2:33:26 PM	-7.22	-7.12	7.017	6.916			-16.03	-15.93
CV-24022	11/23/2025 9:42:14 AM	-0.82	-0.74	0.895	0.755			-15.44	-15.34
CV-24023	11/3/2025 9:35:10 AM	16.50	-0.99	0.000	1.012			-13.30	-10.66
CV-24023	11/3/2025 9:36:46 AM	-0.63	-0.52	0.646	0.535			-9.86	-9.93
CV-24023	11/3/2025 9:37:00 AM								
CV-24023	11/3/2025 9:37:00 AM								
CV-24023	11/9/2025 9:30:00 AM								
CV-24023	11/9/2025 9:30:36 AM	-7.21	-7.19	7.582	7.564			-15.89	-15.72
CV-24023	11/18/2025 2:38:55 PM	-15.77	-14.18	15.723	14.062			-16.43	-17.25
CV-24023	11/23/2025 8:26:06 AM	-15.75	-15.75	15.846	15.846			-16.97	-16.97
CV-24024	11/3/2025 9:16:34 AM	-14.06	-11.91	14.262	12.115			-13.87	-14.42
CV-24024	11/3/2025 9:18:00 AM								
CV-24024	11/3/2025 9:18:00 AM								
CV-24024	11/9/2025 8:55:25 AM	-16.75	-16.38	17.022	16.633			-16.52	-16.47
CV-24024	11/9/2025 8:59:33 AM	-15.77	-15.77	15.955	16.128			-16.27	-16.50
CV-24024	11/18/2025 2:07:20 PM	-6.70	-2.91	6.432	2.917			-16.99	-17.25
CV-24024	11/23/2025 7:58:09 AM	-6.32	-5.70	6.185	4.709			0.02	0.02

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24025	11/4/2025 8:32:23 AM	-8.24	-3.63	8.233	3.593			-11.04	-12.74
CV-24025	11/4/2025 8:34:00 AM								
CV-24025	11/4/2025 8:34:00 AM								
CV-24025	11/9/2025 11:53:27 AM	-3.70	-3.15	3.725	3.210			-12.80	-12.98
CV-24025	11/9/2025 11:55:00 AM								
CV-24025	11/19/2025 9:43:14 AM	-2.57	-2.35	2.607	2.400			-10.62	-10.65
CV-24025	11/24/2025 8:23:38 AM	-2.77	-2.72	2.739	2.649			-12.35	-12.20
CV-24026	11/3/2025 2:35:00 PM								
CV-24026	11/3/2025 2:35:00 PM								
CV-24026	11/3/2025 2:36:03 PM	-7.67	-3.62	7.740	3.498			-14.59	-15.83
CV-24026	11/10/2025 7:55:00 AM								
CV-24026	11/10/2025 7:55:44 AM	-12.38	-10.76	12.509	10.845			-16.64	-16.69
CV-24026	11/19/2025 8:47:02 AM	-12.94	-6.12	13.293	6.379			-13.69	-13.61
CV-24027	11/7/2025 3:09:56 PM	-9.07	-8.05	9.067	8.074			-15.76	-15.80
CV-24027	11/25/2025 3:08:10 PM	-0.01	-0.01	0.000	0.000			-15.05	-15.02
CV-24027	11/25/2025 3:09:27 PM	-0.01	-0.01	0.000	0.000			-15.13	-15.21
CV-24028	11/3/2025 10:44:20 AM	-6.63	-4.93	6.975	5.325			-12.03	-12.03
CV-24028	11/3/2025 10:45:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24028	11/3/2025 10:45:00 AM								
CV-24028	11/9/2025 9:44:54 AM	-9.20	-6.04	9.555	6.312			-15.59	-14.90
CV-24028	11/9/2025 9:45:00 AM								
CV-24028	11/18/2025 2:45:54 PM	-22.22	-21.29	22.183	21.264			-19.78	-18.39
CV-24028	11/23/2025 9:48:38 AM	-16.71	-10.10	16.853	10.178			-16.53	-15.95
CV-24029	11/3/2025 1:26:24 PM	-12.12	-0.24	12.326	0.255			-14.05	-12.91
CV-24029	11/3/2025 1:29:14 PM	-0.61	-0.61	0.619	0.619			-13.17	-13.17
CV-24029	11/24/2025 7:58:59 AM	-13.48	-9.82	13.383	9.623			-13.63	-13.66
CV-24030	11/3/2025 9:05:57 AM	-0.81	-0.64	0.807	0.622			-10.74	-10.69
CV-24030	11/3/2025 9:12:00 AM								
CV-24030	11/3/2025 9:12:00 AM								
CV-24030	11/9/2025 8:47:50 AM	-14.09	-14.09	14.354	14.381			-6.19	-6.40
CV-24030	11/9/2025 8:50:00 AM								
CV-24030	11/18/2025 2:02:16 PM	-10.70	-10.71	10.495	10.494			-14.36	-14.06
CV-24030	11/23/2025 7:50:15 AM	-8.71	-2.84	0.000	0.000			0.01	0.01
CV-24031	11/12/2025 1:50:46 PM	-3.73	-1.06	3.653	1.032			0.06	0.03
CV-24031	11/25/2025 2:35:43 PM	0.55	-0.19	0.000	0.129			-13.10	-13.06
CV-24031	11/25/2025 2:37:37 PM	-0.35	-0.35	0.322	0.292			-12.24	-12.42

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24032	11/4/2025 8:38:18 AM	-2.03	-2.03	2.010	1.998			-13.85	-13.66
CV-24032	11/4/2025 8:50:00 AM								
CV-24032	11/4/2025 8:50:00 AM								
CV-24032	11/9/2025 12:11:38 PM	-8.73	-8.30	8.747	8.381			-14.13	-14.19
CV-24032	11/9/2025 12:15:00 PM								
CV-24032	11/9/2025 12:20:00 PM								
CV-24032	11/19/2025 9:28:45 AM	-2.57	-1.09	2.604	1.148			-11.76	-11.73
CV-24032	11/24/2025 9:21:11 AM	-1.45	-1.40	1.404	1.349			-13.23	-13.25
CV-24033	11/4/2025 9:32:43 AM	-2.78	-2.27	2.728	2.397			-12.89	-12.72
CV-24033	11/4/2025 9:35:00 AM								
CV-24033	11/4/2025 9:35:00 AM								
CV-24033	11/9/2025 12:03:30 PM	-1.53	-1.31	1.573	1.341			-10.45	-10.83
CV-24033	11/9/2025 12:05:00 PM								
CV-24033	11/19/2025 9:17:17 AM	-8.63	-7.00	9.059	7.374			-9.15	-9.78
CV-24033	11/24/2025 8:33:55 AM	-8.87	-8.78	9.090	8.932			-11.24	-12.86
CV-24034	11/3/2025 11:42:49 AM	-12.42	-11.04	12.883	11.496			-12.00	-12.21
CV-24034	11/3/2025 11:45:00 AM								
CV-24034	11/3/2025 11:45:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24034	11/10/2025 8:07:38 AM	-16.24	-16.18	16.455	16.402			-17.21	-17.03
CV-24034	11/10/2025 8:10:00 AM								
CV-24034	11/10/2025 1:22:55 PM	-0.88	-8.25	0.848	8.436			0.00	0.00
CV-24034	11/20/2025 10:05:01 AM	-21.15	-21.15	21.742	21.741			-21.15	-21.14
CV-24034	11/20/2025 10:05:49 AM	-21.31	-21.33	21.921	21.936			-21.36	-21.40
CV-24034	11/24/2025 1:42:52 PM	-1.48	-1.69	1.413	1.614			-16.33	-16.39
CV-24034	11/24/2025 1:44:49 PM	-6.77	-6.84	6.700	6.814			-16.20	-16.01
CV-24035	11/3/2025 8:49:42 AM	-5.34	-4.18	5.347	4.080			-8.57	-8.27
CV-24035	11/3/2025 9:00:00 AM								
CV-24035	11/3/2025 9:00:00 AM								
CV-24035	11/9/2025 8:17:02 AM	-11.74	-11.17	11.868	11.258			-8.03	-8.25
CV-24035	11/9/2025 8:20:00 AM								
CV-24035	11/18/2025 3:04:17 PM	-12.48	-12.42	12.282	12.183			-13.30	-12.91
CV-24035	11/23/2025 7:36:32 AM	-3.56	-3.48	3.533	3.528			-4.14	-3.93
CV-24036	11/11/2025 1:38:28 PM	-12.60	-3.66	12.727	3.601			-12.71	-12.71
CV-24036	11/11/2025 1:40:21 PM	-3.79	-3.79	3.740	3.740			-12.93	-12.98
CV-24036	11/25/2025 2:51:59 PM	-8.95	-8.85	9.002	8.810			-13.02	-12.52
CV-24036	11/25/2025 2:54:56 PM	-9.32	-9.36	9.472	9.378			-12.99	-13.40

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24037	11/7/2025 10:43:55 AM	-0.17	-0.16	0.123	0.107			-12.17	-12.27
CV-24037	11/11/2025 1:32:22 PM	-0.36	-0.39	0.373	0.417			-12.52	-12.34
CV-24037	11/11/2025 1:33:23 PM	-0.37	-0.33	0.378	0.378			-12.04	-12.27
CV-24037	11/25/2025 2:44:33 PM	-1.97	-1.98	1.969	1.973			-13.52	-13.37
CV-24038	11/4/2025 8:58:47 AM	-11.59	-9.61	11.719	9.902			-13.42	-13.81
CV-24038	11/4/2025 9:00:00 AM								
CV-24038	11/4/2025 9:00:00 AM								
CV-24038	11/9/2025 12:25:36 PM	3.54	3.06	0.000	0.000			2.40	2.82
CV-24038	11/9/2025 12:26:29 PM	2.75	2.61	0.000	0.000			4.08	2.60
CV-24038	11/9/2025 12:30:00 PM								
CV-24039	11/4/2025 9:04:43 AM	-13.01	-12.84	13.357	13.186			-14.96	-14.75
CV-24039	11/4/2025 9:06:20 AM	-8.23	-7.94	8.411	8.253			-14.68	-14.50
CV-24039	11/9/2025 12:32:51 PM	-1.59	-1.20	1.555	1.070			-14.58	-14.38
CV-24039	11/19/2025 9:04:32 AM	-0.67	-0.67	0.690	0.686			-12.24	-12.40
CV-24040	11/5/2025 10:44:31 AM	-3.46	-1.12	3.433	1.122			-11.00	-10.75
CV-24040	11/5/2025 10:50:00 AM								
CV-24040	11/5/2025 10:50:00 AM								
CV-24040	11/10/2025 8:02:13 AM	-3.67	-3.34	3.687	3.370			-18.63	-18.47

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24040	11/10/2025 8:05:00 AM								
CV-24040	11/19/2025 8:59:01 AM	-0.36	-0.34	0.379	0.359			-13.93	-13.91
CV-24040	11/24/2025 8:30:22 AM	-4.09	-4.09	4.117	4.110			-16.12	-16.11
CV-24040	11/24/2025 8:32:09 AM	-4.08	-4.06	4.133	4.105			-16.19	-16.18
CV-24041	11/7/2025 2:45:03 PM	-10.41	-10.29	10.454	10.245			-17.22	-16.77
CV-24041	11/7/2025 2:46:33 PM	-9.61	-9.59	9.581	9.569			-16.88	-16.81
CV-24041	11/26/2025 7:46:52 AM	-3.07	-1.95	3.130	2.007			-21.73	-21.69
CV-24042	11/4/2025 1:27:01 PM	-0.94	-0.93	0.887	0.858			-0.21	-0.21
CV-24042	11/4/2025 1:30:00 PM								
CV-24042	11/4/2025 1:30:00 PM								
CV-24042	11/9/2025 7:41:29 AM	-2.35	-2.40	2.395	2.384			0.33	0.33
CV-24042	11/9/2025 7:45:00 AM								
CV-24042	11/17/2025 8:28:35 AM	-3.26	-3.28	3.263	3.357			0.36	0.33
CV-24042	11/17/2025 8:30:00 AM								
CV-24042	11/25/2025 8:01:22 AM	-2.96	-2.74	2.958	2.845			-3.63	-3.18
CV-24043	11/5/2025 2:24:17 PM	0.91	-0.10	0.000	0.090			-3.76	-7.48
CV-24043	11/5/2025 2:27:43 PM	-0.11	-0.14	0.138	0.142			-7.11	-6.95
CV-24043	11/25/2025 2:43:49 PM	-5.92	-6.76	5.910	6.772			-10.67	-10.58

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24044	11/7/2025 10:30:31 AM	-5.42	-3.97	5.810	3.850			-10.70	-10.98
CV-24044	11/30/2025 11:03:30 AM	-17.77	-17.79	18.095	18.126			-17.91	-17.96
CV-24045	11/4/2025 8:49:13 AM	-5.46	-3.17	5.462	3.138			-14.10	-13.96
CV-24045	11/4/2025 8:55:00 AM								
CV-24045	11/4/2025 8:55:00 AM								
CV-24045	11/9/2025 12:20:03 PM	-5.48	-5.41	5.568	5.313			-13.53	-13.34
CV-24046	11/12/2025 12:58:36 PM	13.22	-1.35	0.000	1.327			-15.16	-14.02
CV-24046	11/12/2025 1:00:00 PM	-3.48	-3.52	3.407	3.455			-14.54	-14.32
CV-24046	11/30/2025 12:58:44 PM	-6.56	-0.25	6.631	0.265			-18.78	-19.00
CV-24046	11/30/2025 1:01:41 PM	-9.32	-9.32	9.313	9.313			-18.95	-18.95
CV-24048	11/7/2025 2:52:18 PM	-16.72	-12.45	16.728	12.327			-17.00	-16.84
CV-24048	11/10/2025 1:35:27 PM	-0.77	-0.87	0.750	0.834			-17.59	-17.55
CV-24048	11/26/2025 7:40:03 AM	-6.75	-5.04	7.097	5.357			-21.90	-21.00
CV-24049	11/6/2025 9:20:00 AM								
CV-24049	11/6/2025 9:20:00 AM								
CV-24049	11/6/2025 9:20:53 AM	-5.74	-4.82	5.931	4.745			-9.59	-8.15
CV-24049	11/9/2025 7:33:08 AM	-8.28	-6.71	8.189	6.728			-11.85	-11.48
CV-24049	11/9/2025 7:35:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24049	11/13/2025 9:30:00 AM								
CV-24049	11/13/2025 9:30:00 AM								
CV-24049	11/17/2025 8:20:00 AM								
CV-24049	11/17/2025 8:20:21 AM	-2.55	-2.23	2.578	2.206			-7.41	-6.78
CV-24049	11/24/2025 1:20:38 PM	-3.97	-3.97	3.835	3.835			-9.01	-9.01
CV-24050	11/5/2025 2:35:58 PM	1.21	-0.07	0.000	0.072			-7.41	-7.13
CV-24050	11/5/2025 2:38:23 PM	-0.10	-0.11	0.118	0.132			-7.90	-7.51
CV-24050	11/25/2025 2:32:23 PM	-5.52	-5.51	5.471	5.467			-9.31	-8.86
CV-24051	11/12/2025 8:13:38 AM	-15.45	-0.11	15.460	0.117			-15.34	-15.37
CV-24051	11/12/2025 8:15:24 AM	-0.12	-0.12	0.126	0.127			-15.82	-15.65
CV-24052	11/7/2025 3:04:48 PM	-7.71	-6.71	7.664	6.704			-15.99	-17.57
CV-24052	11/30/2025 12:50:46 PM	2.01	-0.03	0.000	0.013			-20.68	-20.76
CV-24052	11/30/2025 12:51:50 PM	-0.19	-0.20	0.184	0.183			-20.56	-21.07
CV-24053	11/10/2025 9:55:00 AM								
CV-24053	11/10/2025 9:55:00 AM								
CV-24053	11/12/2025 8:36:55 AM	-0.53	-0.54	0.527	0.533			-0.33	-0.33
CV-24053	11/12/2025 8:38:18 AM	-0.55	-0.55	0.539	0.540			-0.33	-0.33
CV-24053	11/26/2025 7:34:50 AM	-0.56	-0.57	0.589	0.597			-0.59	-0.63

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24053	11/26/2025 7:35:12 AM	-0.58	-0.58	0.627	0.624			-0.59	-0.59
CV-24054	11/3/2025 11:25:21 AM	-1.09	-1.08	1.077	1.071			-12.23	-12.41
CV-24054	11/3/2025 11:28:00 AM								
CV-24054	11/3/2025 11:28:00 AM								
CV-24054	11/10/2025 8:24:31 AM	-2.25	-0.52	2.270	0.530			-17.36	-18.30
CV-24054	11/10/2025 8:25:00 AM								
CV-24054	11/24/2025 1:25:20 PM	0.17	-3.77	0.000	3.707			-16.02	-12.36
CV-24054	11/24/2025 1:25:59 PM	-3.48	-3.53	3.433	3.509			-15.72	-15.43
CV-24055	11/4/2025 1:44:24 PM	-0.36	-0.35	0.359	0.360			-9.96	-9.79
CV-24055	11/6/2025 10:00:00 AM								
CV-24055	11/6/2025 10:00:00 AM								
CV-24055	11/26/2025 10:25:40 AM	-1.87	-1.05	1.890	1.076			-14.84	-15.68
CV-24056	11/5/2025 9:00:02 AM	-1.66	-1.59	1.656	1.569			-5.17	-5.01
CV-24056	11/5/2025 9:07:00 AM								
CV-24056	11/5/2025 9:07:00 AM								
CV-24056	11/11/2025 8:05:14 AM	-1.45	-1.05	1.465	1.072			-8.26	-7.88
CV-24056	11/21/2025 10:37:01 AM	-3.40	-2.78	3.436	2.794			-11.45	-11.69
CV-24057	11/13/2025 11:58:55 AM	-1.82	-2.45	0.309	0.516	10.7	13.8	-12.56	-11.07

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24057	11/26/2025 9:14:31 AM	-4.28	-3.85	0.000	0.000			-15.11	-16.45
CV-24058	11/13/2025 11:46:48 AM	-1.12	-1.72	1.122	1.734			-12.46	-11.04
CV-24058	11/25/2025 2:21:01 PM	-0.87	-0.83	0.763	0.733			-8.25	-6.08
CV-24061	11/10/2025 9:31:54 AM	-10.16	-8.33	10.664	8.699			-16.16	-16.39
CV-24061	11/26/2025 8:28:53 AM	-8.36	-6.39	8.811	6.799			-18.00	-17.20
CV-24062	11/10/2025 8:50:00 AM								
CV-24062	11/10/2025 8:50:00 AM								
CV-24062	11/10/2025 9:15:35 AM	-8.78	-7.34	9.088	7.561			-16.19	-16.01
CV-24062	11/19/2025 1:46:00 PM	-6.52	-3.87	6.464	3.893			-12.13	-12.25
CV-24063	11/11/2025 8:30:00 AM								
CV-24063	11/11/2025 8:30:00 AM								
CV-24064	11/10/2025 9:30:00 AM								
CV-24064	11/11/2025 9:48:20 AM	35.79	15.15	0.000	0.000			-12.91	-13.26
CV-24064	11/11/2025 9:51:44 AM	9.86	9.86	0.000	0.000			-13.51	-13.51
CV-24064	11/11/2025 10:00:00 AM								
CV-24064	11/11/2025 10:00:00 AM								
CV-24064	11/12/2025 9:29:04 AM	3.78	1.87	0.000	0.000			-12.87	-12.44
CV-24064	11/12/2025 1:25:17 PM	0.83	-0.18	0.000	0.062			-12.74	-12.92

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24064	11/12/2025 1:28:04 PM	-0.19	-0.18	0.000	0.306			-12.84	-12.16
CV-24064	11/21/2025 10:40:38 AM	-1.11	-1.59	1.040	0.946			-13.34	-12.62
CV-24064	11/25/2025 1:06:22 PM	2.16	3.34	0.000	0.000			-1.94	-0.01
CV-24064	11/25/2025 1:11:23 PM	4.18	3.58	0.000	0.000			-0.92	-0.18
CV-24065	11/5/2025 8:53:48 AM	-0.44	-0.42	0.444	0.433			-11.15	-11.40
CV-24065	11/13/2025 9:55:00 AM								
CV-24065	11/13/2025 9:55:00 AM								
CV-24065	11/21/2025 10:34:21 AM	-1.14	-1.16	1.045	1.150			-19.85	-20.41
CV-24065	11/24/2025 10:57:22 AM	-0.13	-0.18	0.133	0.184			-10.51	-11.23
CV-24066	11/3/2025 1:30:46 PM	-0.15	-0.39	0.181	0.429			-8.16	-8.30
CV-24066	11/12/2025 8:30:00 AM								
CV-24066	11/12/2025 8:30:00 AM								
CV-24066	11/24/2025 12:45:56 PM	-0.79	-0.73	0.829	0.749			-11.00	-10.96
CV-24067	11/3/2025 1:23:56 PM	-3.17	-2.46	0.000	0.000			-13.41	-12.26
CV-24067	11/26/2025 9:09:46 AM	-3.39	-3.08	0.045	0.066			-9.73	-9.71
CV-24068	11/10/2025 9:40:00 AM								
CV-24068	11/10/2025 9:40:18 AM	-0.27	-0.10	0.271	0.111			-11.36	-11.39
CV-24068	11/10/2025 9:40:52 AM	-0.14	-0.14	0.148	0.146			-11.40	-11.42

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24068	11/19/2025 2:04:00 PM	-0.13	-0.13	0.121	0.131			-5.92	-6.31
CV-24069	11/10/2025 9:25:00 AM								
CV-24070	11/10/2025 9:20:00 AM								
CV-24070	11/10/2025 9:20:00 AM								
CV-24071	11/10/2025 12:38:46 PM	-5.08	-5.66	1.051	1.429	12.8	14.9	-8.20	-8.23
CV-24071	11/10/2025 12:41:02 PM	-5.71	-5.77	1.392	1.497	14.7	15.2	-8.28	-8.08
CV-24071	11/11/2025 8:15:00 AM								
CV-24071	11/11/2025 8:15:00 AM								
CV-24071	11/25/2025 9:41:17 AM	-13.62	-10.91	2.727	0.929	20.3	12.0	-17.50	-17.30
CV-24072	11/10/2025 12:49:20 PM	-4.38	-4.97	4.308	5.705			-8.11	-7.74
CV-24072	11/25/2025 9:35:11 AM	-13.25	-13.34	13.307	13.463			-17.47	-17.45
CV-24075-	11/11/2025 9:24:04 AM	19.05	16.60	0.000	0.000			-12.78	-13.57
CV-24075-	11/11/2025 10:05:00 AM								
CV-24075-	11/11/2025 10:05:00 AM								
CV-24075-	11/12/2025 9:16:37 AM	2.74	2.40	0.000	0.000			-12.52	-11.69
CV-24075-	11/12/2025 9:51:06 AM	1.68	-0.15	0.000	0.153			-11.12	-12.25
CV-24075-	11/13/2025 8:28:36 AM	-2.41	-1.30	2.429	1.281			-13.64	-14.10
CV-24075-	11/20/2025 8:54:45 AM	-1.10	-1.10	1.119	1.117			-11.32	-11.30

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24075	11/25/2025 9:20:56 AM	-3.91	-1.91	3.840	1.880			-8.44	-8.62
CV-24076	11/3/2025 11:51:21 AM	-0.39	-0.41	0.407	0.414			-10.48	-10.41
CV-24076	11/6/2025 10:26:34 AM	-0.34	-0.30	0.320	0.332			-8.74	-9.20
CV-24076	11/6/2025 10:30:00 AM								
CV-24076	11/6/2025 10:30:00 AM								
CV-24076	11/10/2025 1:35:00 PM								
CV-24076	11/10/2025 1:38:47 PM	-0.27	-0.25	0.341	0.220			-13.03	-12.95
CV-24076	11/20/2025 8:39:01 AM	-1.12	-1.11	1.114	1.109			-16.81	-17.00
CV-24076	11/25/2025 9:12:43 AM	-0.87	-0.91	0.845	0.874			-15.47	-15.89
CV-24077	11/3/2025 1:03:09 PM	-1.18	-0.49	1.212	0.500			-8.60	-8.68
CV-24077	11/21/2025 1:53:46 PM	-2.54	-1.30	2.555	1.332			-15.38	-15.45
CV-24078	11/3/2025 1:15:03 PM	-0.26	-0.18	0.190	0.134	27.0	22.7	-12.19	-11.22
CV-24078	11/24/2025 12:41:17 PM	-0.23	-0.05	0.080	0.054	17.5	14.4	-8.58	-10.00
CV-24078	11/24/2025 12:42:26 PM	-0.05	-0.05	0.045	0.045	13.1	13.1	-10.43	-10.04
CV-24079	11/6/2025 10:10:20 AM	-2.62	-2.61	2.610	2.575			-8.58	-8.20
CV-24079	11/6/2025 10:15:00 AM								
CV-24079	11/6/2025 10:15:00 AM								
CV-24079	11/10/2025 9:45:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24079	11/10/2025 9:46:04 AM	-4.24	-4.10	4.271	4.128			-11.57	-11.59
CV-24079	11/19/2025 2:07:00 PM	-0.04	-0.04	0.700	0.700			-5.84	-5.84
CV-24079	11/25/2025 8:30:04 AM	-7.08	-5.72	7.226	5.868			-17.02	-17.32
CV-24083	11/10/2025 12:13:53 PM	0.41	-0.10	0.000	0.109			-8.22	-8.12
CV-24083	11/10/2025 12:14:22 PM	-0.19	-0.19	0.405	0.422			-8.15	-7.99
CV-24083	11/25/2025 10:07:43 AM	-2.25	-2.97	2.246	3.002			-12.83	-12.81
CV-24084	11/5/2025 1:53:53 PM	1.94	-0.71	0.000	0.716			-5.13	-4.97
CV-24084	11/5/2025 1:55:20 PM	-1.31	-1.07	1.257	1.054			-4.85	-5.08
CV-24084	11/5/2025 1:58:00 PM								
CV-24084	11/5/2025 1:58:00 PM								
CV-24084	11/10/2025 9:53:51 AM	-5.12	-5.11	5.431	5.412			-8.03	-7.98
CV-24084	11/10/2025 9:55:00 AM								
CV-24084	11/19/2025 2:14:00 PM	-11.44	-8.99	11.322	8.876			-14.85	-15.36
CV-24084	11/25/2025 1:20:40 PM	-11.10	-9.44	11.086	9.402			-11.54	-11.52
CV-24085	11/6/2025 10:06:17 AM	-0.13	-0.19	0.014	0.113	2.3	6.5	-11.35	-11.24
CV-24085	11/24/2025 1:00:32 PM	-0.85	-0.86	0.534	0.544	14.1	14.2	-15.03	-15.08
CV-24086	11/10/2025 10:09:28 AM	-0.54	-0.82	0.392	0.402	25.0	25.2	-13.51	-13.39
CV-24086	11/10/2025 10:15:30 AM	-0.57	-0.56	0.588	0.588	14.7	14.7	-13.42	-13.42

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24086	11/19/2025 10:44:05 AM	-0.18	-0.18	0.314	0.311	21.9	21.8	-10.16	
CV-24087	11/4/2025 10:16:00 AM	-1.09	-0.95	0.033	0.028	3.5	3.3	-10.04	-10.15
CV-24087	11/24/2025 1:33:13 PM	-0.38	-0.37	0.523	0.532	28.8	29.1	-15.58	-15.44
CV-24088	11/3/2025 12:45:13 PM	-1.67	-1.69	1.686	1.713			-5.75	-5.69
CV-24088	11/10/2025 1:06:17 PM	-2.06	-2.06	2.136	2.137			-6.68	-6.68
CV-24088	11/25/2025 10:46:29 AM	-5.71	-5.72	5.783	5.778			-11.46	-11.47
CV-24089	11/3/2025 2:29:59 PM	-11.31	-11.32	-0.059	-0.033	0.0	0.0	-12.57	
CV-24089	11/19/2025 10:59:20 AM	-12.63	-12.64	-0.036	-0.033	0.0	0.0	-12.93	
CV-24089	11/19/2025 11:01:13 AM	-12.29	-12.25	-0.039	-0.036	0.0	0.0	-12.27	
CV-24090	11/4/2025 10:00:31 AM	-0.58	-0.57	0.577	0.572			-13.66	-13.60
CV-24090	11/25/2025 10:25:02 AM	-0.63	-0.62	0.597	0.605	0.0	0.0	-18.50	
CV-24091	11/4/2025 8:50:18 AM	-1.21	-1.05	1.434	1.261	76.5	71.7		
CV-24091	11/20/2025 8:34:39 AM	-1.58	-1.58	1.613	1.598	15.4	15.4	-17.57	-17.50
CV-24092	11/4/2025 9:18:42 AM	-6.04	-5.75	9.400	8.790	58.3	56.4	-13.56	-13.67
CV-24093	11/4/2025 8:58:48 AM	-0.65	-0.65	1.339	1.339	14.5	14.5	-18.01	-17.74
CV-24093	11/25/2025 8:33:09 AM	-2.77	-2.89	1.757	1.943	36.7	38.6	-24.99	-24.84
CV-24095	11/4/2025 8:25:00 AM								
CV-24095	11/4/2025 8:25:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24095	11/4/2025 8:25:00 AM								
CV-24095	11/4/2025 8:25:00 AM								
CV-24095	11/12/2025 1:23:19 PM	-0.55	-0.57	0.628	0.566			0.00	0.02
CV-24095	11/12/2025 1:27:30 PM	-0.27	-0.17	0.200	0.221			0.00	0.00
CV-24095	11/21/2025 9:59:40 AM	-14.74	-10.11	15.029	10.285			0.08	0.10
CV-24095	11/23/2025 10:27:49 AM	-4.72	-2.96	4.439	2.913			0.03	0.03
CV-24095	11/25/2025 1:42:39 PM	-1.19	-1.03	1.119	0.924			-1.19	-0.90
CV-24096	11/10/2025 11:01:53 AM	-5.18	-2.66	5.020	2.887	0.0	0.0	-5.96	
CV-24096	11/25/2025 9:46:25 AM	-4.91	-0.60	4.926	0.618			-4.53	-4.53
CV-24096	11/25/2025 10:14:02 AM	-0.58	-0.60	0.593	0.604			-4.51	-4.53
CV-24097	11/10/2025 8:59:54 AM	-1.24	-1.28	1.318	1.419	0.0	0.0	-10.41	
CV-24097	11/25/2025 9:34:48 AM	-2.43	-2.44	2.390	2.410			-8.47	-8.17
CV-24098	11/10/2025 8:41:59 AM	-3.82	-2.70	3.576	2.490	0.0	0.0	-11.74	
CV-24098	11/25/2025 9:20:44 AM	-16.40	-15.34	16.927	15.852			-16.36	-16.21
CV-24099	11/10/2025 8:34:21 AM	1.28	-0.37	-1.286	0.652	0.0	0.0	-11.44	
CV-24099	11/10/2025 8:36:36 AM	-1.48	-1.47	1.460	1.457	0.0	0.0	-11.57	
CV-24099	11/25/2025 9:16:31 AM	-15.79	-14.47	16.330	14.930			-15.72	-15.95
CV-24100	11/4/2025 9:00:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24100	11/4/2025 9:00:00 AM								
CV-24100	11/9/2025 12:15:00 PM	-8.77	-8.73	8.855	8.810			-9.36	-9.19
CV-24100	11/25/2025 9:06:24 AM	-15.19	-14.77	15.633	15.173			-15.53	-17.53
CV-24101	11/4/2025 9:10:00 AM								
CV-24101	11/4/2025 9:10:00 AM								
CV-24101	11/9/2025 12:07:03 PM	-4.94	-4.98	4.971	4.908			-6.44	-6.50
CV-24101	11/25/2025 9:01:40 AM	-6.06	-3.96	6.412	4.007			-13.41	-15.37
CV-24102	11/4/2025 8:58:52 AM	-1.99	-1.75	2.081	1.833			-13.69	-13.83
CV-24102	11/24/2025 11:46:07 AM	-0.62	-0.62	0.643	0.640			-13.02	-13.06
CV-24103	11/3/2025 1:48:07 PM	-0.71	-0.26	2.842	0.824	21.0	11.3	-12.29	
CV-24103	11/19/2025 11:30:11 AM	-0.50	-0.46	0.706	0.788	10.4	11.0	-12.17	
CV-24104	11/3/2025 2:04:25 PM	-0.22	-0.24	0.010	0.010	1.2	1.2	-12.47	
CV-24104	11/19/2025 11:10:07 AM	-0.69	-0.54	0.048	0.067	2.7	3.2	-12.14	
CV-24105	11/3/2025 2:14:41 PM	-0.20	-0.20	0.786	0.787	11.1	11.1	-12.51	
CV-24105	11/19/2025 3:20:45 PM	-0.65	-0.41	0.854	0.089	11.7	3.8	-12.98	
CV-24106	11/4/2025 10:45:34 AM	-0.36	-0.56	0.052	0.061	9.2	10.0	-13.89	
CV-24106	11/4/2025 2:19:26 PM								
CV-24106	11/19/2025 3:52:08 PM	-0.65	-0.74	-0.070	-0.234	0.0	0.0	-15.48	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24107	11/5/2025 11:03:02 AM	-0.85	-0.53	0.854	0.525			-10.86	-10.79
CV-24108	11/5/2025 10:29:22 AM	-0.09	-0.11	0.000	0.005			-13.41	-13.56
CV-24109	11/4/2025 1:50:16 PM	-1.26	-1.36	1.055	1.199			-13.40	-13.39
CV-24110	11/5/2025 8:14:08 AM	-1.01	-1.10	0.000	0.000			-12.63	-12.83
CV-24111	11/4/2025 2:13:00 PM	-1.21	-0.68	1.141	0.624			-11.04	-11.87
CV-24112	11/4/2025 2:04:08 PM	-1.54	-1.42	1.396	1.091	8.0	7.0	-12.37	-12.49
CV-24114	11/7/2025 4:14:43 PM	-12.37	-13.12	1.201	1.382	21.4	22.9	-15.87	
CV-24116	11/4/2025 2:26:22 PM	-4.24	-2.37	4.211	2.275	0.0	0.0	-11.82	
CV-24117	11/5/2025 2:45:17 PM	-0.87	-0.40	0.875	0.397	0.0	0.0	-13.25	
CV-24118	11/4/2025 11:14:53 AM	-0.43	-0.44	0.452	0.455			-13.38	-13.40
CV-24118	11/4/2025 11:20:00 AM								
CV-24118	11/4/2025 11:20:00 AM								
CV-24118	11/10/2025 1:50:00 PM								
CV-24118	11/10/2025 1:51:43 PM	-1.08	-0.61	1.099	0.617			-18.34	-18.06
CV-24118	11/17/2025 9:53:04 AM	-0.60	-0.59	0.610	0.604			-18.35	-18.79
CV-24118	11/17/2025 9:55:00 AM								
CV-24118	11/24/2025 1:11:18 PM	-0.58	-0.58	0.567	0.580			-18.75	-18.87
CV-24119	11/6/2025 1:51:58 PM	-0.66	-0.67	0.632	0.644			-12.33	-13.24

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24120	11/3/2025 10:20:16 AM	-9.12	-9.12	8.923	8.986			-9.16	-9.08
CV-24120	11/3/2025 10:23:51 AM	-9.12	-9.12	9.014	8.977			-9.12	-9.12
CV-24120	11/13/2025 9:15:00 AM								
CV-24120	11/13/2025 9:15:00 AM								
CV-24120	11/25/2025 7:44:55 AM	-10.81	-9.26	10.860	4.870			-10.85	-10.84
CV-24121	11/3/2025 10:29:05 AM	-1.84	-1.83	1.832	1.810			-10.01	-10.14
CV-24121	11/6/2025 9:30:00 AM								
CV-24121	11/6/2025 9:30:00 AM								
CV-24121	11/25/2025 7:38:18 AM	-11.17	-10.27	11.182	10.245			-11.93	-11.93
CV-24122	11/6/2025 9:20:00 AM								
CV-24122	11/6/2025 9:20:00 AM								
CV-24122	11/10/2025 9:36:04 AM	-15.92	-15.48	0.771	1.645	3.8	5.5	-17.20	-17.95
CV-24122	11/25/2025 7:32:27 AM	-10.40	-10.29	0.544	0.306	14.4	10.8	-10.38	-11.58
CV-24123	11/5/2025 1:20:52 PM	-2.16	-2.14	0.692	0.744	16.1	16.6	-4.42	-4.46
CV-24123	11/11/2025 6:59:37 AM	-4.41	-4.52	1.084	1.290	21.0	21.8	-7.85	-7.70
CV-24124	11/5/2025 1:29:37 PM	-5.26	-0.20	5.513	0.173			-6.98	-7.40
CV-24124	11/5/2025 1:33:25 PM	-0.03	-0.02	0.000	0.000			-6.43	-7.55
CV-24125	11/5/2025 1:55:53 PM	-3.66	-1.45	3.575	1.415			-12.67	-9.39

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24125	11/6/2025 9:10:00 AM								
CV-24125	11/6/2025 9:10:00 AM								
CV-24125	11/11/2025 7:29:49 AM	-1.64	-2.25	1.669	2.280			-17.09	-16.92
CV-24126	11/4/2025 1:39:34 PM	0.13	-0.06	0.000	0.052			-11.41	-6.43
CV-24126	11/4/2025 1:40:29 PM	-0.11	-0.08	0.092	0.046			-6.05	-6.01
CV-24126	11/4/2025 1:45:00 PM								
CV-24126	11/4/2025 1:45:00 PM								
CV-24126	11/9/2025 7:18:44 AM	-0.17	-0.17	0.181	0.179			-16.72	-16.75
CV-24126	11/9/2025 7:20:00 AM								
CV-24126	11/17/2025 8:01:58 AM	-0.77	-0.69	0.753	0.661			-18.35	-18.35
CV-24126	11/17/2025 8:05:00 AM								
CV-24126	11/24/2025 10:40:27 AM	-2.03	-2.05	2.013	2.094			-4.54	-4.54
CV-24127	11/5/2025 1:19:45 PM	-3.98	-3.87	3.946	3.823			-10.54	-9.76
CV-24127	11/5/2025 1:25:00 PM								
CV-24127	11/5/2025 1:25:00 PM								
CV-24127	11/10/2025 12:57:14 PM	-5.40	-5.04	5.551	5.005			-16.45	-16.65
CV-24127	11/13/2025 9:25:00 AM								
CV-24127	11/13/2025 9:25:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24128	11/5/2025 1:41:03 PM	-4.08	-0.91	3.991	0.892			-10.25	-11.73
CV-24128	11/11/2025 8:57:26 AM	0.07	-0.11	0.000	0.105			-18.30	-18.98
CV-24128	11/11/2025 8:58:52 AM	-0.25	-0.23	0.251	0.242			-18.52	-16.93
CV-24128	11/13/2025 9:20:00 AM								
CV-24128	11/13/2025 9:20:00 AM								
CV-24129	11/5/2025 1:47:00 PM	-8.18	-3.14	8.506	3.071			-11.24	-11.69
CV-24129	11/11/2025 8:45:52 AM	-2.10	-2.14	2.105	2.144			-18.34	-18.56
CV-24130	11/5/2025 1:50:32 PM	-0.29	-0.28	0.276	0.266			-10.67	-10.64
CV-24130	11/11/2025 7:22:25 AM	-4.32	-4.31	4.350	4.341			-18.90	-16.87
CV-24131	11/5/2025 11:13:05 AM	-0.80	-0.68	0.368	0.259	11.6	9.7	-10.09	-10.58
CV-24131	11/6/2025 1:21:50 PM								
CV-24131	11/12/2025 7:53:47 AM								
CV-24131	11/19/2025 7:23:14 AM								
CV-24131	11/26/2025 8:34:42 AM								
CV-24132	11/5/2025 10:54:20 AM	-2.59	-2.99	0.003	0.002	3.4	2.6	-10.11	-11.35
CV-24132	11/5/2025 1:36:59 PM	-2.03	-2.14	0.000	0.000			-11.15	-10.72
CV-24133	11/7/2025 1:38:09 PM	-3.66	-2.83	0.000	0.000			-13.53	-13.20
CV-24134	11/3/2025 2:54:07 PM	-12.42	-10.28	12.445	4.901			-12.53	-12.51

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24134	11/3/2025 2:55:35 PM	-11.66	-11.66	11.623	11.618			-12.60	-12.70
CV-24134	11/11/2025 7:39:19 AM	-14.41	-14.39	14.489	14.475			-15.36	-16.10
CV-24134	11/11/2025 7:40:03 AM	-14.14	-14.02	14.283	14.085			-15.34	-14.66
CV-24135	11/11/2025 8:24:16 AM	17.12	-0.52	0.000	0.529			-16.12	-15.31
CV-24135	11/11/2025 8:29:55 AM	-1.37	-0.90	1.361	0.899			-16.23	-15.40
CV-24135	11/11/2025 1:06:42 PM	-3.29	-2.10	3.286	2.113			-11.62	-11.85
CV-24135	11/11/2025 1:08:13 PM	-2.05	-2.05	2.059	2.064			-11.44	-11.57
CV-24136	11/5/2025 10:10:55 AM	-0.04	-0.04	0.042	0.041			-10.93	-11.45
CV-24136	11/5/2025 11:00:00 AM								
CV-24136	11/5/2025 11:00:00 AM								
CV-24136	11/5/2025 1:00:51 PM	0.02	-0.10	0.000	0.104			-12.44	-12.49
CV-24136	11/5/2025 1:02:01 PM	-0.10	-0.09	0.105	0.094			-10.84	-10.82
CV-24137	11/11/2025 1:51:07 PM	-0.17	-0.18	0.169	0.180			-15.87	-15.96
CV-24138	11/3/2025 9:20:00 AM								
CV-24138	11/11/2025 8:33:50 AM	-11.86	-0.15	11.853	0.143			0.10	0.13
CV-24138	11/11/2025 8:35:00 AM	-0.77	-0.92	0.846	0.968			0.28	0.21
CV-24138	11/11/2025 8:50:00 AM								
CV-24138	11/21/2025 9:34:05 AM	-1.72	-0.53	1.628	0.648			0.08	0.08

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24138	11/23/2025 10:12:52 AM	-6.23	-6.60	6.121	6.465			-9.51	-14.83
CV-24139	11/3/2025 9:15:00 AM								
CV-24139	11/3/2025 9:15:00 AM								
CV-24139	11/11/2025 8:15:00 AM								
CV-24139	11/11/2025 8:19:26 AM	-10.77	-0.50	10.576	0.491			0.00	0.06
CV-24139	11/11/2025 8:21:50 AM	-1.05	-1.04	1.047	1.033			0.17	0.16
CV-24139	11/21/2025 9:29:05 AM	-4.87	-3.01	5.064	3.054			0.08	0.08
CV-24139	11/23/2025 10:04:02 AM	-13.71	-1.13	13.533	1.141			-0.13	-0.18
CV-24139	11/23/2025 10:05:20 AM	-1.04	-1.06	1.042	1.066			-0.01	0.03
CV-24140	11/3/2025 9:10:00 AM								
CV-24140	11/3/2025 9:10:00 AM								
CV-24140	11/11/2025 7:54:41 AM	-12.36	-12.39	12.480	12.516			0.31	0.31
CV-24140	11/21/2025 9:26:07 AM	-12.86	-9.13	13.188	9.310			0.08	0.08
CV-24141	11/11/2025 7:46:36 AM	-10.44	-0.76	10.379	0.746			-10.34	-10.36
CV-24141	11/12/2025 9:10:00 AM								
CV-24141	11/12/2025 9:10:00 AM								
CV-24141	11/25/2025 8:21:23 AM	-9.83	-5.94	10.128	6.212			-13.40	-13.63
CV-24142	11/4/2025 8:20:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24142	11/4/2025 8:20:00 AM								
CV-24142	11/5/2025 10:14:05 AM	-0.31	-1.13	0.295	1.039			-3.06	-3.07
CV-24142	11/5/2025 10:20:00 AM								
CV-24142	11/5/2025 10:20:00 AM								
CV-24142	11/11/2025 7:42:08 AM	-7.10	-7.08	7.042	7.028			-8.39	-8.38
CV-24142	11/11/2025 7:45:00 AM								
CV-24142	11/11/2025 7:45:00 AM								
CV-24142	11/21/2025 9:38:07 AM	-6.55	-6.11	6.778	6.260			-6.70	-6.89
CV-24142	11/23/2025 10:17:50 AM	-4.81	-2.21	4.771	2.213			-6.41	-6.44
CV-24143	11/3/2025 9:00:00 AM								
CV-24143	11/3/2025 9:00:00 AM								
CV-24143	11/4/2025 1:20:51 PM	0.74	0.79	0.000	0.000			0.75	0.81
CV-24143	11/4/2025 1:21:45 PM	0.66	0.67	0.000	0.000			0.75	0.74
CV-24143	11/25/2025 8:11:24 AM	-3.94	-3.76	3.934	3.764			-3.83	-3.65
CV-24143	11/25/2025 8:11:55 AM	-3.77	-3.76	3.768	3.754			-3.72	-3.75
CV-24144	11/12/2025 10:40:21 AM	-8.11	-8.13	8.442	8.402			0.35	0.35
CV-24144	11/25/2025 9:25:47 AM	-6.75	-6.12	7.285	6.583			0.49	0.45
CV-24144	11/25/2025 9:26:26 AM	-6.06	-6.04	6.407	6.430			0.49	0.49

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24145	11/3/2025 2:24:57 PM	-0.47	-0.20	0.029	0.027			-14.08	-14.02
CV-24145	11/3/2025 2:25:00 PM								
CV-24145	11/3/2025 2:25:00 PM								
CV-24145	11/9/2025 10:45:00 AM								
CV-24145	11/9/2025 10:45:06 AM	-1.13	-0.76	0.604	0.210	20.8	12.2	-15.86	-16.02
CV-24145	11/19/2025 8:29:10 AM	-0.08	-0.08	0.020	0.019	3.2	3.2	-13.76	-13.78
CV-24145	11/23/2025 10:21:47 AM	-0.73	-0.71	0.074	0.060	6.3	5.6	-18.85	-18.38
CV-24146	11/2/2025 11:16:13 AM	-4.50	-4.49	0.675	0.673	22.8	22.8	-5.27	-5.24
CV-24146	11/11/2025 7:02:41 AM	-6.22	-6.21	1.008	0.906	27.8	26.4	-7.14	-7.16
CV-24146	11/13/2025 10:18:49 AM								
CV-24146	11/20/2025 8:11:08 AM	-5.29	-5.23	0.601	0.654	21.5	22.5	-5.84	-5.73
CV-24147	11/2/2025 11:04:38 AM	-5.77	-5.77	0.078	0.077	11.1	11.0	-5.97	-5.99
CV-24147	11/11/2025 7:10:22 AM	-8.06	-8.06	0.082	0.091	11.3	12.0	-8.23	-8.23
CV-24147	11/20/2025 8:05:02 AM	-6.61	-6.60	0.056	0.057	9.5	9.5	-6.61	-6.61
CV-24148	11/11/2025 9:59:03 AM	9.06	9.32	0.000	0.000			-14.14	-12.94
CV-24148	11/11/2025 10:01:24 AM	8.64	8.86	0.000	0.000			-12.61	-12.22
CV-24148	11/11/2025 10:15:00 AM								
CV-24148	11/11/2025 10:15:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24148	11/12/2025 9:37:46 AM	7.50	5.63	0.000	0.000			-12.28	-12.02
CV-24148	11/12/2025 1:34:42 PM	3.07	-0.10	0.000	0.176			-11.78	-11.64
CV-24148	11/12/2025 1:38:57 PM	-0.11	-0.14	0.116	0.000			-11.59	-11.62
CV-24148	11/13/2025 9:03:35 AM	-2.52	-2.60	2.513	2.565			-14.19	-14.17
CV-24148	11/20/2025 8:33:32 AM	-1.68	-0.81	1.625	0.899			-11.15	-11.89
CV-24148	11/20/2025 8:34:28 AM	-0.79	-0.76	0.732	0.810			-12.04	-11.69
CV-24148	11/25/2025 8:22:46 AM	-3.44	-3.51	3.450	3.544			-10.16	-9.59
CV-24148	11/25/2025 8:23:55 AM	-4.18	-4.22	4.225	4.259			-9.65	-9.64
CV-24151	11/3/2025 12:21:04 PM	-2.06	-1.44	2.072	1.458			-12.17	-12.37
CV-24151	11/10/2025 12:53:58 PM	-14.77	-14.77	15.612	15.564			-15.48	-15.52
CV-24151	11/10/2025 1:22:08 PM	-13.86	-13.87	14.154	14.013			-14.39	-14.37
CV-24151	11/13/2025 12:18:24 PM	-4.12	-4.11	4.127	4.154			-14.10	-13.41
CV-24151	11/25/2025 9:17:30 AM	-6.80	-6.80	6.862	6.844			-19.33	-18.58
CV-24152	11/12/2025 2:39:56 PM	0.16	-0.18	-0.255	-2.365				
CV-24152	11/12/2025 2:41:33 PM	-0.13	-0.13	-3.390	-3.386				
CV-24152	11/25/2025 9:10:32 AM	-1.04	-1.05	3.792	3.976	24.3	24.9	-9.60	-9.82
CV-24152	11/25/2025 9:12:25 AM	-1.16	-1.18	1.074	1.096	28.7	29.0	-10.60	-10.91
CV-24153	11/11/2025 10:18:20 AM	-1.20	-1.21	1.204	1.204			-10.33	-9.98

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press [H ₂ O]	Adj Stat Press [H ₂ O]	Init Diff Press [H ₂ O]	Adj Diff Press [H ₂ O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure [H ₂ O]	Adj Avail Press [H ₂ O]
CV-24153	11/12/2025 9:56:51 AM	-1.64	-1.65	1.643	1.665			-12.92	-14.45
CV-24153	11/13/2025 10:42:02 AM								
CV-24153	11/25/2025 8:55:09 AM	-1.52	-1.53	1.511	1.526			-5.72	-5.88
CV-24154	11/5/2025 9:51:58 AM	-1.01	-0.99	1.015	1.001			-11.80	-11.74
CV-24154	11/24/2025 10:38:12 AM	-1.75	-1.00	1.767	1.008			-15.58	-16.16
CV-24156	11/10/2025 1:01:16 PM	-3.86	-3.87	3.085	3.141	69.3	70.0	-6.85	-6.85
CV-24156	11/25/2025 9:27:51 AM	-12.64	-9.72	4.369	1.801	128.2	82.8	-17.52	-17.80
CV-24158	11/13/2025 1:00:45 PM	-1.76	-1.75	0.083	0.090	17.9	18.6	-12.36	-12.67
CV-24158	11/13/2025 1:03:20 PM	-1.73	-1.72	1.142	1.137	20.4	20.3	-12.34	-12.17
CV-24158	11/25/2025 12:38:46 PM	-1.28	-1.25	1.063	1.056	19.7	19.7	-11.10	-11.12
CV-24158	11/25/2025 12:41:31 PM	-1.66	-1.64	0.510	0.534	28.2	28.9	-10.38	-10.84
CV-24159	11/4/2025 8:55:37 AM	-0.90	-0.90	1.356	1.358	24.3	24.3	-17.83	-17.63
CV-24159	11/5/2025 9:39:31 AM	-0.39	-0.50	0.859	1.166	11.7	13.6	-11.03	-11.38
CV-24159	11/19/2025 1:37:04 PM	-1.45	-1.48	1.161	1.296	22.4	23.7	-13.41	-14.36
CV-24160	11/4/2025 9:03:21 AM	-0.66	-0.65	0.000	0.000			-18.18	-17.81
CV-24160	11/5/2025 9:44:32 AM	-0.28	-0.40	0.000	0.000			-12.83	-12.98
CV-24160	11/25/2025 8:39:14 AM	-3.09	-3.09	0.686	0.644	22.9	22.2	-24.73	-24.74
CV-24161	11/5/2025 11:18:06 AM	-2.92	-0.80	2.933	0.795			-12.73	-12.81

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24162	11/4/2025 2:01:09 PM	-2.67	-2.18	2.690	2.206			-13.46	-13.57
CV-24163	11/4/2025 2:27:02 PM	-1.61	-1.31	1.525	1.266			-12.73	-12.70
CV-24165	11/4/2025 9:34:10 AM	-1.24		1.218				-11.53	
CV-24165	11/20/2025 9:15:36 AM	-6.76	-5.41	7.132	5.695			-16.27	-16.84
CV-24166	11/4/2025 8:52:10 AM	-3.63	-3.95	3.551	3.872			-13.03	-12.89
CV-24166	11/19/2025 1:41:26 PM	-3.79	-3.78	3.707	3.696			-10.18	-10.11
CV-24167	11/10/2025 11:59:41 AM	-0.57	-0.57	0.089	0.163			-14.35	-14.51
CV-24167	11/20/2025 8:51:18 AM	-1.24	-1.25	1.234	1.229			-17.65	-16.68
CV-24168	11/4/2025 9:40:08 AM	-0.02	-0.03	0.012	0.029			-8.02	-6.94
CV-24168	11/5/2025 9:32:50 AM	0.12	-0.07	0.000	0.077			-2.63	-5.69
CV-24168	11/5/2025 9:33:42 AM	-0.21	-0.21	0.208	0.217			-6.21	-5.72
CV-24168	11/25/2025 10:39:12 AM	-1.25	-1.35	1.188	1.198			-12.30	-13.54
CV-24168	11/25/2025 10:42:31 AM	-1.52	-1.33	1.489	1.285			-11.01	-10.77
CV-24170	11/4/2025 10:58:20 AM	-0.51	-0.51	0.288	0.303	21.2	21.7	-9.20	-9.74
CV-24170	11/19/2025 10:29:53 AM	-0.81	-0.26	0.267	-0.135	19.5	0.0	-10.22	
CV-24171	11/4/2025 9:09:54 AM	-4.20	-4.32	4.242	4.542	43.9	45.4	-13.47	
CV-24171	11/20/2025 8:45:36 AM	-5.81	-5.73	5.542	5.397	29.1	28.7	0.20	0.20
CV-24172	11/4/2025 9:01:14 AM	-0.10	-0.09	0.351	0.352	11.0	11.0	-13.86	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press [H2O]	Adj Stat Press [H2O]	Init Diff Press [H2O]	Adj Diff Press [H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure [H2O]	Adj Avail Press [H2O]
CV-24172	11/25/2025 10:28:01 AM	0.07	-0.03	0.046	0.323	4.2	10.9	-18.42	-15.65
CV-24172	11/25/2025 10:29:19 AM	-0.06	-0.05	0.314	0.311	10.8	10.7	-15.52	-15.41
CV-24173	11/4/2025 9:49:18 AM	-4.14	-1.39	10.564	1.152	110.7	37.1	-14.13	-14.13
CV-24173	11/25/2025 10:17:38 AM	-1.04	-0.98	1.532	1.514	25.7	25.6	-18.75	-18.50
CV-24174	11/10/2025 11:49:46 AM	-0.64	-0.63	0.636	0.633			-16.28	-16.24
CV-24174	11/24/2025 1:20:10 PM	-0.66	-0.65	0.621	0.626			-15.99	-16.10
CV-24175	11/10/2025 9:56:40 AM	-0.20	-0.20	0.319	0.314	11.0	10.9	-16.53	-16.57
CV-24175	11/24/2025 1:15:36 PM	-0.41	-0.41	0.646	0.655	15.5	15.6	-16.12	-16.03
CV-24176	11/6/2025 10:14:13 AM	-3.18	-3.08	6.292	6.116	47.8	47.1	-10.88	-10.31
CV-24176	11/6/2025 10:22:26 AM	-4.13	-4.12	2.363	2.430	60.6	61.4	-10.88	-11.11
CV-24176	11/24/2025 1:05:53 PM	-5.54	-5.54	3.672	3.520	75.3	73.7	-16.05	-15.79
CV-24176	11/24/2025 1:10:31 PM	-4.27	-3.15	8.790	4.336	56.3	39.8	-15.68	-16.11
CV-24177	11/3/2025 12:57:26 PM	-0.12	-0.10	0.119	0.078			-11.88	-11.95
CV-24177	11/13/2025 8:26:54 AM								
CV-24177	11/24/2025 12:48:20 PM	-0.32	-0.30	0.318	0.308			-15.95	-15.92
CV-24178	11/4/2025 11:03:52 AM	-0.69	-0.21	0.505	0.191	12.9	7.9	-12.37	
CV-24178	11/19/2025 10:02:27 AM	-0.97	-0.78	0.097	0.091	5.9	5.7	-10.79	
CV-24179	11/6/2025 9:36:32 AM	-0.23	-0.22	0.089	0.113	5.7	6.4	-12.09	-12.44

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24179	11/6/2025 10:32:47 AM	-0.07	-0.10	0.042	0.077	8.2	11.0	-12.33	-12.33
CV-24179	11/24/2025 12:32:30 PM	-0.27	-0.27	0.020	0.020	5.6	5.6	-16.01	-16.01
CV-24179	11/24/2025 12:39:50 PM	-0.33	-0.29	0.202	0.150	8.6	7.4	-15.98	-16.03
CV-24180	11/6/2025 9:46:57 AM	-4.60	-4.58	6.117	6.061	46.9	46.7	-11.57	-11.47
CV-24180	11/6/2025 9:50:59 AM	-5.71	-4.89	2.365	1.500	60.4	48.2	-11.09	-11.13
CV-24180	11/19/2025 9:52:54 AM	-4.89	-3.72	1.310	0.630	45.1	31.3	-11.58	
CV-24181	11/12/2025 8:47:44 AM								
CV-24181	11/21/2025 1:35:55 PM								
CV-24181	11/26/2025 8:14:14 AM								
CV-24182	11/12/2025 8:29:27 AM	-1.39	-1.22	1.382	1.212			-15.69	-15.63
CV-24182	11/12/2025 8:41:13 AM	-1.21	-0.34	1.202	0.333			-15.66	-15.65
CV-24182	11/12/2025 8:45:40 AM	-0.34	-0.94	0.324	0.925			-15.68	-15.56
CV-24182	11/25/2025 10:40:50 AM	-1.64	-0.90	1.457	0.761	0.0	0.0	-14.67	
CV-24183	11/3/2025 2:24:22 PM	0.50	-0.75	-0.602	0.859	0.0	0.0	-12.74	
CV-24183	11/3/2025 2:25:59 PM	-1.02	-1.01	1.061	1.063	0.0	0.0	-12.67	
CV-24183	11/6/2025 2:11:40 PM								
CV-24183	11/12/2025 8:39:41 AM								
CV-24183	11/19/2025 8:04:39 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24183	11/25/2025 10:31:46 AM	-2.50	-1.36	2.527	1.246	0.0	0.0	-15.56	
CV-24183	11/26/2025 7:37:49 AM								
CV-24184	11/4/2025 8:29:25 AM	-0.15	-0.08	0.641	0.317	5.5	3.9	-13.95	
CV-24184	11/4/2025 8:32:50 AM	-0.07	-0.07	-0.089	-0.100	0.0	0.0	-13.32	
CV-24184	11/4/2025 10:22:14 AM								
CV-24184	11/19/2025 4:02:35 PM	-0.03	-0.04	1.735	1.730	4.0	4.0	-14.46	
CV-24185	11/4/2025 8:40:06 AM	-0.75	-0.52	0.135	0.032	14.8	7.2	-13.59	
CV-24185	11/25/2025 10:21:35 AM	-0.62	-0.28	0.137	0.016	14.9	5.0	-18.30	
CV-24186	11/4/2025 9:19:49 AM	-0.30	-0.09	0.032	0.030	7.2	7.0	-14.29	
CV-24186	11/25/2025 10:23:04 AM	-0.21	-0.20	0.039	0.032	3.9	3.5	-18.04	-18.06
CV-24187	11/4/2025 9:05:00 AM	-1.61	-1.28	1.316	0.710	22.0	16.2	-13.51	-13.86
CV-24187	11/24/2025 11:37:39 AM	-2.31	-2.03	3.216	2.475	34.3	30.1	-13.61	-13.51
CV-24188	11/4/2025 9:19:40 AM	-0.02	-0.12	0.276	1.718	21.4	54.2	-13.78	-13.55
CV-24188	11/12/2025 1:27:31 PM	-2.37	-2.38	0.445	0.452	13.1	13.2	-14.95	
CV-24188	11/24/2025 12:07:13 PM	-2.92	-2.93	0.492	0.505	13.5	13.7	-13.17	-13.17
CV-24189	11/4/2025 8:53:18 AM	-0.43	-0.43	1.602	1.631	26.6	26.8	-14.09	-14.07
CV-24189	11/24/2025 11:59:42 AM	-0.39	-0.52	1.679	3.401	4.0	5.6	-13.24	-13.13
CV-24189	11/24/2025 12:03:32 PM	-0.83	-0.85	1.224	1.260	7.7	7.8	-13.05	-13.20

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24190	11/4/2025 9:08:04 AM	-4.02	-4.02	0.755	0.755	34.3	34.3	-13.47	-13.47
CV-24190	11/13/2025 8:46:57 AM								
CV-24190	11/24/2025 11:32:40 AM	-3.54	-3.72	1.270	1.704	21.6	25.0	-13.46	-13.19
CV-24192	11/4/2025 9:10:54 AM	-2.07	-2.07	0.405	0.359	13.3	12.5	-13.81	-13.82
CV-24192	11/13/2025 8:53:03 AM								
CV-24192	11/24/2025 11:27:22 AM	-2.09	-2.85	0.486	0.801	8.8	11.2	-13.49	-13.59
CV-24192	11/24/2025 12:20:16 PM	-3.28	-3.87	0.279	0.520	11.0	14.9	-15.96	-15.88
CV-24193	11/3/2025 1:43:42 PM	-10.20	-10.19	2.145	2.224	31.0	31.6	-12.41	
CV-24193	11/19/2025 11:35:22 AM	-10.12	-10.07	1.809	1.891	28.1	28.7	-12.02	
CV-24194	11/3/2025 1:56:23 PM	-10.85	-10.85	1.103	1.103	13.3	13.3	-12.47	
CV-24194	11/19/2025 11:14:58 AM	-11.55	-11.83	0.320	0.283	9.6	11.2	-11.43	
CV-24195	11/3/2025 2:08:40 PM	-0.32	-0.18	4.360	2.505	14.3	10.8	-12.25	
CV-24195	11/12/2025 1:40:25 PM	-0.65	-0.73	0.000	0.000			-14.62	-14.63
CV-24195	11/13/2025 9:32:08 AM								
CV-24195	11/19/2025 11:05:42 AM	-1.01	-0.98	2.816	2.679	11.5	11.2	-10.17	
CV-24196	11/3/2025 2:18:50 PM	-4.73	-4.52	1.631	1.364	36.0	32.9	-12.79	
CV-24196	11/4/2025 1:28:08 PM								
CV-24196	11/19/2025 3:34:35 PM	-4.46	-4.35	1.399	0.950	33.5	27.6	-13.39	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24197	11/4/2025 10:39:45 AM	-0.36	-0.17	0.443	0.063			-13.52	
CV-24197	11/26/2025 10:38:17 AM	-0.86	-0.86	0.825	0.785	36.1	35.2	-18.29	-18.37
CV-24198	11/4/2025 11:15:56 AM	-0.83	-0.26	1.360	0.055	14.6	2.9	-13.78	
CV-24198	11/19/2025 3:45:22 PM	-0.11	-0.12	1.325	1.234	8.1	7.8	-15.54	
CV-24199	11/4/2025 11:11:05 AM	-1.92	-1.40	2.678	1.740	46.6	37.6	-13.95	
CV-24199	11/19/2025 3:40:37 PM	-1.45	-0.99	1.940	0.896	39.7	27.0	-15.18	
CV-24200	11/5/2025 8:20:21 AM	-1.46	-0.97	2.276	1.267	19.2	14.4	-13.08	
CV-24200	11/25/2025 9:17:39 AM	-1.51	-0.80	2.281	0.564	19.3	9.6	-22.08	
CV-24201	11/5/2025 8:47:54 AM	-7.08	-3.11	5.388	0.676	44.6	16.0	-13.08	
CV-24201	11/25/2025 8:57:15 AM	-2.09	-1.39	1.178	0.464	20.9	13.2	-21.29	
CV-24202	11/5/2025 9:02:25 AM	-4.21	-1.64	4.345	1.788	0.0	0.0	-12.83	
CV-24202	11/25/2025 8:34:17 AM	-6.77	-3.51	6.682	3.434	0.0	0.0	-22.04	
CV-24203	11/4/2025 2:19:45 PM	-1.52	-1.09	0.871	0.384	19.6	13.1	-11.78	
CV-24203	11/25/2025 8:19:47 AM	-1.94	-1.93	1.843	1.780	17.2	16.9	-21.82	
CV-24204	11/4/2025 2:14:16 PM	-7.77	-7.29	1.452	1.214	34.4	31.4	-12.36	
CV-24204	11/25/2025 8:16:04 AM	-11.38	-10.91	2.393	1.555	43.9	35.5	-22.71	
CV-24205	11/4/2025 2:10:49 PM	-4.53	-3.54	2.429	1.491	44.5	34.9	-13.11	
CV-24205	11/25/2025 8:10:07 AM	-6.26	-5.57	2.683	1.744	47.2	38.1	-22.57	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24206	11/5/2025 8:29:52 AM	-1.56	-0.63	1.456	0.647	0.0	0.0	-10.94	
CV-24206	11/5/2025 8:35:09 AM	-0.56	-0.56	0.562	0.561	0.0	0.0	-10.84	
CV-24206	11/25/2025 9:11:31 AM	-0.68	-0.69	0.710	0.706	0.0	0.0	-17.35	
CV-24206	11/25/2025 9:13:14 AM	-0.67	-0.68	0.708	0.708	0.0	0.0	-18.69	
CV-24207	11/4/2025 8:46:26 AM	-0.54	-0.55	2.296	2.197	30.9	30.2	-13.78	-13.53
CV-24207	11/19/2025 1:55:06 PM	-0.90	-0.91	2.585	2.534	34.9	32.4	-11.19	-11.43
CV-24208	11/26/2025 9:54:45 AM	-0.54	-0.51	0.909	0.984	20.0	20.8	-18.59	-19.09
CV-24209	11/5/2025 3:14:43 PM	-0.14	-0.46	0.287	0.557	0.0	0.0	-13.29	
CV-24210	11/5/2025 10:59:43 AM	-4.25	-2.41	4.251	2.399			-10.35	-10.93
CV-24211	11/6/2025 1:26:02 PM	-0.58	-0.59	0.569	0.567			0.00	0.00
CV-24212	11/6/2025 1:30:00 PM	-0.15	-0.15	0.148	0.140			-13.82	-13.75
CV-24212	11/12/2025 9:26:45 AM	-0.94	-0.50	0.956	0.512			-18.03	-17.97
CV-24213	11/4/2025 12:45:52 PM	-3.27	-3.26	3.299	3.279			-9.65	-9.13
CV-24213	11/7/2025 2:22:42 PM	-4.16	-3.20	4.229	3.354			-15.52	-15.90
CV-24214	11/5/2025 10:19:07 AM	-0.71	-0.71	0.698	0.703			-11.75	-11.76
CV-24214	11/7/2025 2:26:39 PM	-0.53	-0.51	0.598	0.591			-16.03	-15.98
CV-24215	11/5/2025 11:03:20 AM	-0.70	-0.70	0.118	0.116	14.2	14.0	-9.96	-10.06
CV-24216	11/5/2025 10:37:24 AM	-4.11	-3.08	4.011	3.008			-9.95	-10.10

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24216	11/12/2025 12:12:27 PM								
CV-24217	11/5/2025 8:35:31 AM	-1.13	-0.76	1.142	0.757			-11.27	-11.96
CV-24218	11/6/2025 1:45:06 PM								
CV-24218	11/12/2025 8:13:20 AM								
CV-24218	11/19/2025 7:50:21 AM								
CV-24218	11/26/2025 7:22:02 AM	-2.61	-2.04	2.627	2.055			-16.36	-17.97
CV-24218	11/26/2025 7:24:44 AM								
CV-24220	11/4/2025 2:37:10 PM	-0.06	-0.06	0.181	0.231			-12.59	-12.78
CV-24220	11/4/2025 2:39:35 PM	-0.10	-0.07	0.000	0.049			-12.99	-13.14
CV-24222	11/6/2025 1:39:45 PM	-5.83	-5.83	0.593	0.613	30.3	30.8	-12.29	-12.39
CV-24223	11/6/2025 1:35:28 PM	-0.88	-0.87	0.850	0.845			-11.79	-12.13
CV-24224	11/4/2025 2:16:10 PM	-0.34	-0.53	0.323	0.551			-12.97	-13.03
CV-24225	11/5/2025 2:33:25 PM	0.06	-0.15	-0.066	0.192	0.0	0.0		
CV-24225	11/5/2025 2:34:45 PM	-0.31	-0.30	0.274	0.274	0.0	0.0		
CV-24226	11/26/2025 10:21:06 AM	-20.39	-20.27	0.001	0.007	1.5	3.3	-22.65	-22.53
CV-24227	11/4/2025 8:29:09 AM	-5.37	-5.03	2.894	2.373	35.2	31.9	-13.65	-13.92
CV-24227	11/13/2025 9:02:07 AM								
CV-24231	11/7/2025 4:26:13 PM	-0.70	-0.11	0.891	0.258	37.7	20.3	-15.98	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-24236	11/4/2025 8:16:30 AM	-2.35	-1.90	1.330	0.999	32.4	28.2	-11.50	-12.02
CV-24237	11/4/2025 8:21:31 AM	-1.13	-0.96	0.614	0.392	22.0	17.6	-12.74	-12.23
CV-24243	11/4/2025 10:45:20 AM	-0.05	-0.15	0.271	0.780	10.1	17.1	-12.44	-12.90
CV-24244	11/4/2025 10:35:23 AM	-0.99	-0.99	0.034	0.030	11.7	11.0	-13.28	-13.57
CV-24245	11/4/2025 11:04:16 AM	-4.14	-3.50	3.835	2.573	24.5	20.1	-13.74	-13.24
CV-24246	11/4/2025 11:07:59 AM	-0.08	-0.20	0.022	0.020			-11.47	-10.87
CV-24246	11/12/2025 1:13:07 PM								
CV-24253	11/25/2025 1:38:37 PM	-2.16	-2.13	3.107	3.410	37.9	39.7	-11.85	
CV-25	11/6/2025 10:32:09 AM	-3.22	-2.62	3.158	2.563	48.7	44.0	-11.23	-11.39
CV-2501	11/6/2025 2:24:30 PM								
CV-2501	11/11/2025 10:35:52 AM	-0.72	-0.62	0.072	0.046	16.8	13.4	-10.11	-13.19
CV-2502	11/3/2025 1:26:40 PM	-0.69	-0.26	-2.195	-1.207	0.0	0.0	-12.69	
CV-2503	11/5/2025 8:06:02 AM	-0.62	-0.61	0.145	0.142	24.8	24.6	-13.18	
CV-2504	11/7/2025 4:19:16 PM	-1.23	-0.95	0.612	0.387	50.4	40.0	-14.97	
CV-2505	11/4/2025 1:42:33 PM	-2.89	-2.55	0.789	0.469	36.2	27.9	-12.56	
CV-2506	11/11/2025 1:18:39 PM	-0.08	-0.08	0.735	0.712	34.1	33.6	-14.76	-14.88
CV-2506	11/12/2025 1:46:17 PM	-0.11	-0.38	0.853	1.103	38.4	43.6	-16.76	
CV-2506	11/12/2025 2:15:27 PM	-0.89	-0.90	0.959	1.006	38.8	39.8	-16.09	-16.13

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2507	11/5/2025 11:24:20 AM	-4.30	-4.30	4.371	4.368	60.3	60.3	-11.67	
CV-2508	11/5/2025 11:12:54 AM	-5.51	-5.50	1.067	1.070	67.0	67.1	-12.17	
CV-2508	11/9/2025 10:35:32 AM	-8.09	-8.06	1.896	1.931	87.8	88.6	-17.51	-17.11
CV-2509	11/4/2025 11:18:08 AM	-5.03	-5.21	1.933	2.153	55.3	58.4	-12.93	-12.90
CV-2510	11/4/2025 11:33:29 AM	-6.63	-6.66	4.909	4.951	42.6	42.8	-12.47	-12.65
CV-2510	11/12/2025 9:03:46 AM	-5.96	-6.02	1.853	2.272	26.3	29.1	-15.86	-15.80
CV-2510	11/12/2025 12:35:06 PM								
CV-251000	11/5/2025 10:37:41 AM	-1.83	-1.78	1.812	1.772			0.48	0.67
CV-251000	11/5/2025 10:38:00 AM								
CV-251000	11/5/2025 10:38:00 AM								
CV-251000	11/9/2025 7:29:54 AM	-1.90	-0.84	1.915	0.862			-14.38	-15.09
CV-251000	11/13/2025 12:51:12 PM								
CV-251000	11/17/2025 8:10:00 AM								
CV-251000	11/17/2025 8:14:28 AM	-0.81	-0.55	0.793	0.592			-7.19	-6.41
CV-251000	11/24/2025 10:43:43 AM	-0.47	-0.39	0.459	0.380			-7.02	-8.91
CV-251005	11/4/2025 1:33:44 PM	-2.71	-2.38	2.652	2.391			-7.18	-5.41
CV-251005	11/4/2025 1:38:00 PM								
CV-251005	11/4/2025 1:38:00 PM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-251009	11/9/2025 7:23:50 AM	-8.47	-6.57	8.412	6.511			-11.10	-10.14
CV-251009	11/9/2025 7:25:00 AM								
CV-251009	11/13/2025 12:37:35 PM								
CV-251009	11/17/2025 8:07:59 AM	-0.17	-0.16	0.189	0.184			-9.41	-9.05
CV-251009	11/17/2025 8:15:00 AM								
CV-251009	11/24/2025 10:47:50 AM	-4.45	-4.57	4.409	4.544			-7.06	-5.74
CV-251010	11/4/2025 1:35:30 PM	-10.81	-0.78	10.670	0.763			-10.48	-10.39
CV-251010	11/4/2025 1:39:57 PM	-1.76	-1.75	1.719	1.705			-9.96	-10.31
CV-251010	11/26/2025 8:56:10 AM	-0.20	-0.20	0.218	0.218			-15.83	-15.83
CV-251019	11/4/2025 1:24:27 PM	-0.22	-0.20	0.200	0.182			-10.43	-10.38
CV-251019	11/26/2025 8:48:41 AM	-0.27	-0.27	0.272	0.273			-17.65	-17.41
CV-2511	11/7/2025 4:30:58 PM	-0.50	-0.26	-0.339	-0.414	0.0	0.0	-15.88	
CV-2512	11/7/2025 4:35:06 PM	-0.15	-0.16	0.044	0.043	13.4	13.4	-15.71	
CV-2513	11/7/2025 3:52:26 PM	-2.23	-1.79	3.749	2.813	41.6	36.0	-15.68	
CV-2513	11/9/2025 9:52:44 AM	-2.09	-2.07	2.908	2.971	35.5	35.9	-16.63	-16.84
CV-2513	11/12/2025 12:50:39 PM								
CV-2514	11/7/2025 3:47:03 PM	-3.79	-3.78	3.172	3.344	51.3	52.6	-10.28	
CV-2515	11/7/2025 1:25:42 PM	-1.34	-1.34	0.000	0.000			-12.49	-12.56

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2516	11/5/2025 10:42:33 AM	-0.16	-0.17	0.038	0.141	2.5	4.7	-10.15	-9.43
CV-2521	11/12/2025 10:14:04 AM	3.42	-0.02	3.385	0.033	119.0	11.6	-17.65	-17.63
CV-2521	11/12/2025 10:19:01 AM	-0.08	-0.10	0.104	0.112	20.8	21.6	-17.56	-17.59
CV-2524	11/12/2025 12:24:18 PM	-0.99	-0.14	0.964	0.133			-17.86	-18.11
CV-2524	11/12/2025 12:27:43 PM	-0.21	-0.19	0.202	0.178			-17.85	-17.97
CV-2527	11/13/2025 1:24:33 PM								
CV-2529	11/6/2025 2:14:46 PM	-13.22	-0.48	0.043	0.176	1.5	3.0	-13.18	-13.02
CV-2530	11/6/2025 2:25:40 PM	-0.57	-0.57	0.529	0.537			-13.13	-13.24
CV-2530	11/12/2025 10:09:48 AM	-14.26	-4.44	14.372	4.408			-19.07	-18.92
CV-2530	11/12/2025 10:11:33 AM	-4.18	-4.16	4.151	4.136			-18.82	-19.04
CV-2530	11/26/2025 8:27:37 AM	-22.98	-0.20	23.622	0.229			-22.47	-15.61
CV-2531	11/12/2025 10:35:41 AM	-16.56	-12.13	16.659	12.212			-18.97	-18.85
CV-2532	11/12/2025 12:06:38 PM	-18.90	-18.90	18.930	18.930			-18.87	-18.87
CV-2533	11/6/2025 1:55:03 PM	1.61	0.81	0.160	0.219	7.7	9.0	-14.74	-14.77
CV-2533	11/6/2025 1:56:22 PM	0.96	1.00	0.184	0.192	8.2	8.4	-14.51	-14.47
CV-2535	11/4/2025 1:37:24 PM	-0.45	-0.31	-4.246	-3.794				
CV-2536	11/30/2025 10:20:50 AM	-20.14	-20.31	0.411	0.417	4.4	4.5	-23.49	-23.53
CV-2543-P	11/10/2025 12:21:14 PM	7.34	-0.78	0.000	0.905			-8.21	-8.34

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press [H2O]	Adj Stat Press [H2O]	Init Diff Press [H2O]	Adj Diff Press [H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure [H2O]	Adj Avail Press [H2O]
CV-2543-P	11/10/2025 12:34:31 PM	-7.89	-0.94	8.120	1.004			-8.38	-8.12
CV-2543-P	11/25/2025 10:03:25 AM	-11.42	-11.41	11.369	11.326			-13.45	-13.05
CV-2544	11/13/2025 12:54:31 PM	-3.21	-3.20	3.225	3.220			-12.54	-12.48
CV-2544	11/25/2025 12:47:05 PM	-2.42	-2.41	2.415	2.407			-10.42	-10.30
CV-2545	11/11/2025 1:10:33 PM	-1.73	-1.70	1.683	1.660			-3.34	-3.25
CV-2545	11/25/2025 9:03:30 AM	-3.81	-3.95	3.845	3.990			-7.06	-6.32
CV-2546	11/12/2025 2:34:08 PM	-1.55	-0.73	1.494	0.638	36.9	23.9		
CV-2546	11/25/2025 12:32:53 PM	-0.59	-0.67	0.592	0.645			-4.43	-4.29
CV-2548	11/5/2025 10:01:34 AM	-1.00	-1.00	1.001	1.003	7.0	7.0	-11.86	-12.10
CV-2549	11/5/2025 10:06:59 AM	-0.25	-0.36	0.254	0.365	6.5	7.8	-11.98	-11.93
CV-2552	11/11/2025 10:09:42 AM	0.83	-0.47	0.000	0.474			-12.14	-11.60
CV-2552	11/11/2025 10:11:06 AM	-0.49	-0.48	0.479	0.478			-11.28	-11.66
CV-2552	11/11/2025 10:12:19 AM	-0.48	-0.47	0.503	0.479			-11.67	-11.30
CV-2552	11/12/2025 9:42:45 AM	-0.73	-0.73	0.732	0.732			-11.84	-12.28
CV-2552	11/20/2025 8:27:25 AM	-1.08	-1.11	1.100	1.130			-11.28	-11.98
CV-2552	11/20/2025 8:28:41 AM	-1.05	-1.08	1.068	1.102			-11.30	-11.72
CV-2554	11/5/2025 1:29:37 PM	-1.37	-1.28	1.306	1.178	13.6	12.9	-9.60	-9.37
CV-2554	11/5/2025 1:35:00 PM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2554	11/5/2025 1:35:00 PM								
CV-2554	11/10/2025 9:18:02 AM	-5.61	-5.62	5.916	5.916			-15.80	-15.91
CV-2554	11/10/2025 9:20:00 AM								
CV-2554	11/10/2025 1:24:11 PM	-5.41	-5.51	5.432	5.523			-14.69	-14.44
CV-2554	11/10/2025 1:25:00 PM								
CV-2554	11/19/2025 1:49:00 PM	-3.59	-2.38	3.535	2.373			-12.15	-12.24
CV-2554	11/25/2025 8:51:28 AM	-9.94	-2.42	10.207	2.386	37.4	18.3	-18.33	-18.52
CV-2556	11/11/2025 9:37:45 AM	-15.25	-15.22	15.294	15.298			-15.29	-15.34
CV-2556	11/11/2025 9:39:21 AM	-15.69	-15.69	15.714	15.685			-16.02	-15.56
CV-2556	11/11/2025 10:10:00 AM								
CV-2556	11/11/2025 10:10:00 AM								
CV-2556	11/12/2025 9:23:32 AM	-12.19	-11.61	12.128	11.571			-12.05	-11.37
CV-2556	11/20/2025 8:50:06 AM	-12.94	-12.98	13.191	13.303			-12.95	-13.05
CV-2556	11/20/2025 8:51:12 AM	-12.79	-12.83	13.065	13.093			-12.70	-12.73
CV-2556	11/25/2025 10:38:17 AM	-6.95	-6.95	7.357	7.385			-6.83	-6.89
CV-2557	11/5/2025 9:03:10 AM	-0.50	-0.51	0.504	0.509			-10.58	-11.03
CV-2557	11/24/2025 10:52:01 AM	-0.28	-0.26	0.280	0.267			-12.33	-12.75
CV-2558	11/21/2025 10:52:09 AM	-6.05	-6.12	6.019	6.078			-17.81	-17.63

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-2558	11/25/2025 10:53:44 AM	-2.58	-2.31	2.552	2.227			-10.13	-10.56
CV-2563	11/2/2025 11:09:13 AM	-4.14	-4.14	0.965	1.003	6.7	6.8	-5.83	-5.67
CV-2563	11/5/2025 1:07:26 PM	-3.21	-3.30	0.000	0.000			-4.41	-4.37
CV-2563	11/11/2025 7:17:19 AM	-6.29	-6.60	1.446	1.603	8.2	8.6	-8.43	-8.36
CV-2565	11/12/2025 12:06:27 PM	-0.23	-0.28	0.216	0.292			-14.30	-14.28
CV-2565	11/19/2025 9:45:10 AM	-0.60	-0.59	0.600	0.599	25.5	25.5		
CV-2566	11/24/2025 11:16:02 AM	-1.56	-1.55	1.560	1.554			-13.54	-13.60
CV-2567	11/25/2025 12:16:09 PM	-2.05	-2.05	1.968	1.977			-13.01	-12.95
CV-2568	11/12/2025 12:26:25 PM	-1.09	-1.08	1.105	1.096			-14.81	-14.58
CV-2568	11/19/2025 3:26:30 PM	-1.09	-0.69	1.100	0.658	34.8	26.9		
CV-2569	11/12/2025 12:44:22 PM	-1.31	-1.31	1.337	1.337			-15.18	-14.93
CV-2569	11/19/2025 3:31:04 PM	-1.01	-0.56	1.066	0.560	34.2	24.8		
CV-2570	11/12/2025 1:05:03 PM	-0.94	-0.94	0.947	0.946			-14.89	-14.77
CV-2570	11/19/2025 12:04:39 PM	-0.82	-0.83	0.929	0.922	32.2	32.0		
CV-48R	11/5/2025 1:12:55 PM	-4.15	-4.16	0.422	0.434	8.1	8.2	-4.34	-4.34
CV-48R	11/11/2025 7:13:56 AM	-7.64	-7.64	0.578	0.612	9.4	9.7	-8.29	-8.28
CV-55R	11/4/2025 11:24:01 AM	-0.95	-0.91	0.106	0.087	4.0	3.6	-13.13	-13.36
CV-55R	11/4/2025 11:30:00 AM								

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-55R	11/4/2025 11:30:00 AM								
CV-55R	11/5/2025 11:30:46 AM	-0.73	-0.73	0.338	0.272	7.1	6.4	-11.85	-11.35
CV-55R	11/10/2025 8:39:45 AM	-2.44	-2.25	0.134	0.060	4.5	3.0	-18.91	-19.31
CV-55R	11/10/2025 8:40:00 AM								
CV-55R	11/17/2025 10:08:48 AM	-0.73	-0.71	0.028	0.044	2.0	2.5	-19.70	-20.03
CV-55R	11/17/2025 10:10:00 AM								
CV-55R	11/24/2025 12:54:03 PM	-0.64	-0.60	0.138	0.108	4.6	4.0	-16.95	-16.62
CV-56D	11/12/2025 1:36:02 PM	-1.69	-1.53	0.287	0.176	3.7	2.9	-16.36	-16.41
CV-56S	11/12/2025 1:39:40 PM	-1.62	-1.72	3.399	4.476	3.6	4.1	-17.90	-18.10
CV-57R	11/4/2025 2:44:34 PM	-0.63	-0.63	0.037	0.035	1.3	1.3	-12.57	-12.85
CV-79R	11/4/2025 2:22:09 PM	0.89	-0.12	0.121	0.077	9.6	7.6	-12.87	-12.91
CV-79R	11/4/2025 2:23:38 PM	-0.17	-0.22	0.063	0.051	6.9	6.3	-12.98	-13.37
CV-84S	11/4/2025 9:07:38 AM	-0.01	-0.01	0.045	0.045	1.5	1.5	-16.49	-16.83
CV-84S	11/4/2025 9:08:41 AM	-0.01	-0.01	0.040	0.045	1.4	1.5	-16.33	-16.57
CV-94	11/4/2025 1:13:18 PM	-6.04	-3.91	0.321	0.071	30.1	14.2	-12.10	-12.21
CV-95	11/4/2025 2:50:10 PM	-0.32	-0.32	0.252	0.252	3.5	3.5	-8.63	-8.63
CV-99	11/5/2025 2:05:59 PM	8.11	-0.02	0.013	0.000	8.4	0.0	-9.49	-9.50
CV-99	11/5/2025 2:07:12 PM	-0.33	-0.35	0.000	0.000	0.0	0.0	-9.08	-9.23

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
CV-99	11/6/2025 9:15:00 AM								
CV-99	11/6/2025 9:15:00 AM								
CV-99	11/11/2025 7:26:36 AM	-14.76	-16.83	0.014	0.044	0.8	1.5	-14.84	-17.77
D-02	11/9/2025 9:00:22 AM	-20.48	-20.48	0.052	0.047	6.4	6.1	-20.30	-20.29
D-03	11/9/2025 8:53:37 AM	-16.89	-17.21	0.095	0.098	10.5	10.7	-16.80	-17.62
D-04	11/9/2025 8:44:00 AM	-21.15	-21.15	0.048	0.067	6.2	7.2	-21.43	-21.13
D-09	11/10/2025 8:40:56 AM	-10.12	-13.65	0.325	0.468	15.8	18.8	-16.77	-17.04
D-10	11/9/2025 9:33:47 AM	-18.69	-18.67	18.720	18.727			-18.96	-19.18
FP-001	11/5/2025 1:05:52 PM	-0.33	-0.30	0.283	0.258	3.8	3.6	-11.65	-10.24
FP-001	11/11/2025 8:41:50 AM	-0.28	-0.26	0.378	0.612	8.0	10.2	-17.31	-17.18
FP-002	11/5/2025 1:08:50 PM	-0.36	-0.36	0.050	0.060	1.6	1.8	-10.52	-10.59
FP-002	11/11/2025 8:50:17 AM	-0.16	-0.27	0.125	0.422	2.5	4.7	-17.90	-18.38
FP-003	11/5/2025 1:11:39 PM	-0.12	-0.12	0.390	0.390	4.5	4.5	-10.62	-10.65
FP-005	11/3/2025 11:06:54 AM	-0.06	-0.06	1.671	1.673	9.2	9.2	-13.32	-13.21
FP-006	11/4/2025 9:08:40 AM	-0.33	-0.30	0.600	0.639	5.6	5.7	-9.37	-9.62
FP-008	11/3/2025 1:18:26 PM	-0.35	-0.40	0.026	0.023	1.1	1.1	-11.15	-14.01
FP-009	11/25/2025 3:01:25 PM	-0.23	-0.25	5.282	4.688	16.4	15.5	-11.65	-10.96
FP-011	11/13/2025 9:30:57 AM	0.01	0.01	0.011	0.011	0.3	0.3	0.03	0.01

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
FP-012	11/4/2025 10:01:25 AM	-0.43	-0.42	0.069	0.072	1.9	1.9	-9.75	-10.10
FP-013	11/4/2025 10:23:23 AM	-0.54	-0.54	1.207	1.222	7.9	7.9	-9.46	-9.62
FP-014	11/3/2025 11:27:14 AM	-0.86	-0.85	5.964	5.855	16.9	16.7	-9.07	-8.84
FP-015	11/3/2025 11:16:28 AM	-0.49	-0.29	4.340	1.770	14.6	9.4	-7.67	-8.67
FP-016	11/3/2025 1:37:36 PM	-0.18	-0.21	1.530	1.596	8.7	8.9	-9.74	-10.08
FP-017	11/12/2025 8:22:40 AM	-0.12	-0.12	2.663	2.750	11.7	11.9	-15.33	-16.27
FP-018	11/7/2025 10:34:07 AM	0.02	0.01	0.013	0.010	0.8	0.7	0.30	0.21
FP-019	11/7/2025 10:40:25 AM								
FP-020	11/12/2025 8:58:03 AM	-0.66	-0.59	3.713	3.927	13.8	14.2	-13.02	-13.42
FP-021	11/7/2025 10:47:06 AM	-0.22	-0.20	0.084	0.092	2.1	2.1	-12.80	-13.13
FP-022	11/12/2025 8:54:28 AM	-0.48	-0.47	15.659	14.582	28.1	27.1	-13.56	-12.45
FP-023	11/13/2025 10:07:05 AM	-0.23	-0.22	6.077	6.200	17.4	17.6	-17.08	-17.49
FP-024	11/7/2025 2:55:36 PM	-0.10	-0.04	2.515	2.067	11.2	10.2	-16.12	-16.64
FP-024	11/10/2025 1:40:05 PM	-3.15	-3.12	0.226	0.322	3.4	4.0	-13.34	-12.97
FP-024	11/10/2025 1:59:42 PM	-0.76	-0.77	1.312	1.379	8.0	8.2	-7.52	-7.58
FP-024	11/11/2025 7:28:21 AM	-3.73	-0.69	0.259	0.022	3.7	1.1	-14.47	-19.36
FP-025	11/7/2025 2:58:06 PM	-0.16	-0.14	7.476	6.132	19.3	17.5	-16.41	-15.47
FP-026	11/7/2025 3:02:14 PM	-0.36	-0.27	0.080	0.032	2.0	1.3	-14.78	-14.59

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
FP-027	11/12/2025 8:31:37 AM	-0.31	-0.32	6.071	6.090	17.6	17.7	-15.51	-16.10
FP-028	11/12/2025 8:27:40 AM	-0.42	-0.42	14.366	15.512	27.0	28.0	-13.33	-14.64
FP-029	11/12/2025 8:18:27 AM	-0.28	-0.29	9.528	9.526	22.1	22.1	-15.74	-17.00
FP-030	11/7/2025 10:15:13 AM	-0.11	-0.10	3.082	3.155	12.4	12.6	-11.37	-11.45
FP-031	11/7/2025 10:11:55 AM	-0.04	-0.05	0.510	0.520	5.1	5.1	-11.20	-11.70
FP-032	11/7/2025 10:08:31 AM	-0.12	-0.12	2.027	2.137	10.1	10.4	-10.88	-11.30
FP-033	11/7/2025 10:05:00 AM	-0.22	-0.21	5.192	5.634	16.2	16.8	-10.54	-10.71
FP-034	11/7/2025 10:01:56 AM	-0.17	-0.17	7.330	7.208	19.2	19.0	-10.46	-10.50
FP-035	11/7/2025 9:55:10 AM	-0.08	-0.09	1.505	1.512	8.7	8.8	-10.65	-10.73
FP-036	11/7/2025 9:46:31 AM	-0.12	-0.11	3.090	3.087	3.5	3.5	-11.29	-11.23
FP-036	11/25/2025 2:14:32 PM	-0.29	-0.21	3.594	3.570	3.8	3.8	-13.34	-13.13
FP-037	11/4/2025 12:34:40 PM	-0.47	-0.46	0.364	0.375	1.9	1.9	-12.32	-12.31
FP-038	11/13/2025 8:50:47 AM	-0.77	-0.74	1.934	1.900	40.3	39.9	-12.81	-12.15
FP-038	11/13/2025 9:26:51 AM	-0.38	-0.35	6.208	5.273	71.7	66.2	-13.05	-11.99
FP-039	11/13/2025 8:53:20 AM	-1.50	-0.77	3.971	1.862	57.4	39.4	-12.30	-11.84
FP-040	11/13/2025 8:25:57 AM	-0.30	-0.30	0.015	0.021			-10.50	-10.34
FP-041	11/11/2025 9:05:26 AM	-0.29	-0.29	14.655	15.106	27.1	27.5	-12.72	-12.38
FP-042	11/11/2025 8:58:49 AM	-0.03	-0.04	1.989	2.095	10.2	10.4	-8.56	-8.93

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
FP-043	11/13/2025 8:18:27 AM	-0.32	-0.32	0.003	0.027			-14.30	-14.64
FP-044	11/13/2025 8:21:29 AM	-0.18	-0.20	0.174	0.222	3.0	3.4	-14.03	-14.32
FP-046	11/3/2025 10:52:34 AM	-0.15	-0.06	6.320	1.425	17.9	8.5	-9.01	-8.89
FP-047	11/3/2025 10:46:59 AM	-0.03	-0.03	0.013	0.019	0.8	1.0	-0.66	-0.68
FP-050	11/11/2025 10:28:52 AM	-0.47	-0.56	3.715	4.971	24.9	28.8	-16.97	-17.31
FP-050	11/11/2025 10:39:55 AM	-2.39	-3.90	5.350	9.703	65.8	88.1	-19.94	-17.16
FP-050	11/12/2025 1:52:30 PM	-6.62	-6.71	6.838	6.772	74.7	74.3	-16.00	-16.35
FP-050	11/13/2025 8:39:26 AM	-7.22	-7.20	7.053	7.232	76.1	77.1	-16.65	-17.02
FP-051	11/11/2025 12:39:28 PM	-1.18	-1.18	2.122	2.116	41.5	41.5	-14.57	-14.15
FP-051	11/11/2025 12:44:48 PM	-2.81	-2.82	6.795	6.727	73.9	73.5	-11.94	-12.20
FP-051	11/13/2025 8:57:47 AM	-4.81	-4.57	7.614	6.912	79.3	75.7	-14.84	-13.26
H-01 (EXP-	11/3/2025 9:58:09 AM	-1.59	-1.57	1.575	1.580			-5.38	-5.34
H-01 (EXP-	11/3/2025 10:01:00 AM	-1.48	-0.78	1.470	0.774			-6.03	-6.52
H-01 (EXP-	11/20/2025 8:52:17 AM	-0.03	-0.03	0.027	0.032			-13.32	-12.77
H-02 (EXP-	11/3/2025 9:27:55 AM	-6.69	-6.67	6.807	6.796			-10.68	-10.67
H-02 (EXP-	11/20/2025 8:48:19 AM	-7.79	-8.41	8.013	8.668			-12.33	-12.23
H-03 (EXP-	11/3/2025 9:32:46 AM	-8.12	-8.12	8.463	8.425			-10.66	-10.55
H-03 (EXP-	11/20/2025 8:42:13 AM	-9.74	-10.03	9.837	10.027			-12.44	-12.45

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-04 (EXP-	11/3/2025 9:41:06 AM	0.67	-0.01	0.000	0.015			-8.64	-8.25
H-04 (EXP-	11/3/2025 9:43:38 AM	-0.08	-0.03	0.087	0.038			-8.06	-8.06
H-04 (EXP-	11/20/2025 8:34:29 AM	-11.04	-5.04	11.012	5.054			-12.75	-12.88
H-08 (EXP-	11/2/2025 10:58:44 AM	-6.65	-6.67	6.608	6.652			-9.46	-9.45
H-08 (EXP-	11/11/2025 7:05:52 AM	-9.40	-9.41	9.591	9.668			-12.65	-12.69
H-08 (EXP-	11/20/2025 8:20:59 AM	-8.07	-8.37	8.196	8.421			-9.97	-9.98
H-10 (EXP-	11/2/2025 10:54:38 AM	-4.66	-2.85	4.634	2.833			-9.29	-9.18
H-10 (EXP-	11/20/2025 8:15:58 AM	-1.39	-1.41	1.403	1.421			-9.06	-8.95
H-101W	11/4/2025 10:25:30 AM	-11.45	-11.43	0.148	0.139	10.9	10.6	-12.69	-12.53
H-102A	11/4/2025 10:15:40 AM	-0.41	-1.02	0.008	0.021	1.2	1.9	-12.45	-12.25
H-1401W	11/4/2025 10:18:14 AM	-12.75	-12.50	0.324	0.062	7.3	3.2	-12.38	-11.98
H-1404C	11/4/2025 10:58:23 AM	-0.38	-0.21	0.385	0.064	4.3	1.7	-12.72	
H-1404C	11/19/2025 10:06:03 AM	-0.20	-0.21	0.018	0.019	0.9	1.0	-9.80	
H-1405C	11/3/2025 2:01:26 PM	-0.30	-0.29	0.028	0.020	2.1	1.8	-9.36	-9.36
H-1405C	11/21/2025 1:45:12 PM	-0.62	-0.61	0.605	0.580	10.1	9.9	-13.92	-13.99
H-1406W	11/10/2025 8:22:25 AM	-13.83	-13.87	-0.039	-0.033	0.0	0.0	-15.07	
H-1406W	11/25/2025 9:11:54 AM	-11.74	-11.74	0.267	0.260	6.7	6.6	-18.03	-18.34
H-1408CR	11/5/2025 8:11:50 AM	-0.37	-0.18	1.177	0.032	7.4	1.2	-12.96	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-1408E	11/4/2025 9:26:00 AM	-0.02	-0.01	0.363	0.371	7.7	7.7	-13.09	-12.81
H-1408E	11/20/2025 9:23:41 AM	-0.14	-0.14	0.028	0.050	2.2	3.0	-16.75	-16.94
H-1408W	11/4/2025 8:46:52 AM	-3.86	-3.86	0.217	0.228	13.0	13.3	-13.95	-14.00
H-1408W	11/4/2025 8:47:49 AM	-1.37	-1.35	0.367	0.325	17.0	16.0	-14.02	-13.81
H-1409N	11/4/2025 8:47:02 AM	-0.22	-0.22	0.255	0.252	1.0	1.0	-14.39	
H-1409N	11/20/2025 8:27:19 AM	-3.33	-2.60	5.057	4.408	4.4	4.1	-18.30	-18.72
H-1410S	11/4/2025 1:50:38 PM	-10.41	-9.45	-0.083	-0.102	0.0	0.0	-10.01	
H-1563N	11/5/2025 2:32:40 PM	-0.14	-0.16	0.267	0.256	6.5	6.4	-7.60	-7.77
H-1563N	11/25/2025 2:28:16 PM	-0.72	-0.63	0.256	0.154	6.4	5.0	-10.04	-10.25
H-1563S	11/3/2025 2:03:35 PM	-0.37	-0.37	1.946	1.946	4.2	4.2	-9.41	-9.41
H-1563S	11/21/2025 1:48:00 PM	-1.55	-1.37	1.331	1.337	3.5	3.5	-15.04	-15.11
H-1565E	11/4/2025 9:30:07 AM	-7.01	-7.03	1.338	1.203	14.6	13.8	-11.64	-11.40
H-1565E	11/20/2025 9:06:05 AM	-8.32	-6.80	1.697	0.352	16.4	7.5	-14.66	-16.97
H-1568N	11/4/2025 9:22:57 AM	-0.82	-0.92	0.046	1.005	1.5	6.9	-12.09	-12.69
H-1568N	11/5/2025 9:29:01 AM	-0.76	-0.81	0.393	0.527	4.4	5.0	-9.61	-10.18
H-1568N	11/20/2025 9:21:17 AM	-1.29	-1.18	0.462	0.273	4.8	3.7	-17.08	-16.59
H-1571S	11/5/2025 3:01:50 PM	-1.26	-0.41	0.009	-0.024	2.0	0.0	-13.20	
H-1572N	11/4/2025 2:09:05 PM	-0.11	-0.23	0.194	0.393	3.1	4.3	-12.99	-13.56

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-1572S	11/5/2025 2:52:12 PM	-0.61	-0.19	-0.414	-0.368	0.0	0.0	-13.23	
H-1574N	11/11/2025 8:52:49 AM	-1.54	-0.75	1.779	0.830			-8.25	-10.00
H-1574N	11/25/2025 9:29:42 AM	-0.60	-0.56	0.637	0.662			-7.08	-7.11
H-1753S	11/12/2025 8:07:13 AM	-6.21	-6.08	0.511	0.838	4.9	6.3	-10.37	-12.68
H-1753S	11/25/2025 2:24:17 PM	-5.14	-4.02	0.742	0.441	5.9	4.6	-8.53	-8.47
H-1756S	11/3/2025 1:54:37 PM	-0.53	-0.53	0.416	0.416	17.8	17.8	-9.50	-9.50
H-1756S	11/24/2025 1:15:36 PM	-1.23	-0.71	0.510	0.375	19.7	16.9	-12.18	-11.42
H-1757S	11/3/2025 1:59:33 PM	-0.56	-0.56	0.018	0.011	2.8	2.1	-9.40	-9.43
H-1757S	11/21/2025 1:42:00 PM	-1.78	-1.52	1.582	1.439	26.1	25.0	-15.31	-15.32
H-1760S	11/4/2025 9:56:00 AM	-0.89	-0.88	0.025	0.044	2.0	2.6	-13.77	-13.74
H-1760S	11/24/2025 1:26:04 PM	-0.62	-0.83	0.021	0.087	1.8	3.7	-16.05	-16.24
H-1762N	11/5/2025 9:23:46 AM	-0.58	-0.58	0.996	1.006	3.0	3.1	-10.30	-10.23
H-1762N	11/19/2025 1:44:51 PM	-2.31	-2.32	0.686	0.678	2.5	2.5	-10.33	-10.62
H-1763N	11/4/2025 9:15:28 AM	-0.04	-0.03	0.081	0.084	3.6	3.7	-17.43	-17.44
H-1763S	11/11/2025 10:19:11 AM	-0.03	-0.19	0.003	0.015	1.4	3.5	-15.09	-15.14
H-1764N	11/5/2025 10:32:21 AM	-4.45	-3.99	0.973	0.580	6.8	5.2	-13.37	-13.57
H-1764S	11/5/2025 3:06:00 PM	-0.60	-0.53	-0.010	0.000	0.0	0.0	-13.03	
H-1764S	11/11/2025 10:22:17 AM	-0.01	-0.01	0.002	0.001	0.6	0.5	-15.26	-15.18

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-1767N	11/17/2025 8:08:39 AM	-0.96	-0.92	0.990	1.141	20.9	22.4	-19.40	-18.39
H-1769N	11/3/2025 1:57:26 PM	-0.97	-0.97	0.009	0.015	1.9	2.4	-9.99	-10.79
H-1769N	11/19/2025 9:52:11 AM	-0.32	-0.32	0.007	0.002	1.1	0.6	-9.64	-9.06
H-1770A	11/7/2025 9:58:58 AM	-0.65	-0.68	0.044	0.067	2.6	3.2	-11.19	-10.84
H-1770A	11/25/2025 2:11:19 PM	-0.97	-1.42	0.078	0.189	3.5	5.4	-12.89	-12.92
H-1770N	11/4/2025 9:50:38 AM	-1.72	-1.72	0.593	0.546	5.5	5.2	-9.64	-9.25
H-1770N	11/4/2025 9:58:20 AM	-1.64	-1.49	2.911	0.502	5.3	2.2	-9.30	-9.39
H-1770N	11/12/2025 7:50:00 AM								
H-1770N	11/12/2025 7:50:00 AM								
H-1770N	11/19/2025 10:14:44 AM	-0.72	-0.72	0.182	0.173	1.4	1.3	-4.50	-4.25
H-1770S	11/3/2025 1:37:28 PM	-0.72	-0.75	0.027	0.041	1.2	1.4	-7.98	-8.12
H-1770S	11/21/2025 1:35:58 PM	-1.19	-0.94	1.111	0.951	7.6	7.0	-13.50	-13.39
H-1771A	11/3/2025 2:57:47 PM	-0.39	-0.32	0.800	0.523	11.1	9.0	-12.39	-12.95
H-1771A	11/11/2025 7:45:14 AM	-0.43	-0.49	1.082	1.167	13.0	13.5	-16.20	-16.21
H-1771B	11/5/2025 8:50:18 AM	-0.89	-0.98	0.069	0.102	1.8	2.2	-11.39	-11.26
H-1774N	11/4/2025 12:55:39 PM	-1.40	-0.96	1.457	0.434	33.6	18.4	-7.93	-7.98
H-1774N	11/21/2025 12:49:14 PM	-2.03	-1.69	1.926	1.640	38.7	35.8	-9.42	-9.50
H-1801S	11/4/2025 2:29:33 PM	-0.68	-0.68	0.083	0.116	2.0	2.3	-12.54	-12.64

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-1802S	11/4/2025 2:12:35 PM	-0.04	-0.10	0.022	0.021	4.2	4.1	-13.56	-13.59
H-1803N	11/5/2025 8:25:00 AM								
H-1803N	11/5/2025 8:25:00 AM								
H-1803N	11/5/2025 8:25:15 AM	-4.61	-4.37	4.268	4.247	53.5	53.4	-0.01	-0.01
H-1803N	11/9/2025 9:05:00 AM								
H-1803N	11/9/2025 9:07:59 AM	-4.79	-4.68	4.723	3.975	56.3	51.7	0.33	0.36
H-1803N	11/18/2025 2:13:14 PM	-5.58	-5.40	5.277	4.637	59.1	55.5	0.00	0.00
H-1803N	11/23/2025 8:06:35 AM	-0.26	-0.34	0.223	0.309	12.3	14.5	0.02	0.02
H-1804B	11/5/2025 9:57:27 AM	-0.23	-0.34	0.008	0.015	1.2	1.6	-12.39	-12.15
H-1804N	11/3/2025 3:05:47 PM	-4.60	-1.65	0.833	0.294	6.3	3.7	-12.70	-12.81
H-1804N	11/11/2025 8:12:31 AM	-2.10	-3.96	0.111	0.258	2.3	3.5	-16.85	-16.41
H-1804S	11/5/2025 10:36:34 AM	-0.93	-1.05	0.007	0.007	1.1	1.1	-13.63	-13.61
H-1805B	11/4/2025 1:58:03 PM	-0.60	-0.71	0.030	0.026	1.2	1.1	-13.60	-13.34
H-1805S	11/5/2025 10:55:16 AM	-3.00	-3.00	0.181	0.183	8.8	8.8	-13.34	-13.28
H-1806A	11/4/2025 2:00:14 PM	-0.93	-0.93	5.264	5.237	47.4	47.3	-11.98	-12.00
H-1806B	11/4/2025 2:05:50 PM	-0.03	-0.08	1.657	2.906	8.8	11.6	-13.32	-12.97
H-1806N	11/5/2025 10:00:53 AM	-1.15	-0.99	0.082	0.029	7.9	4.7	-11.41	-11.26
H-1806S	11/5/2025 2:22:32 PM	-0.05	-0.06	0.018	0.078	2.5	5.2	-12.32	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-1807A	11/4/2025 12:57:59 PM	-4.40	-4.75	0.838	1.059	25.6	28.7	-11.96	-12.03
H-1807N	11/5/2025 10:25:11 AM	-0.67	-0.68	0.773	0.765	11.5	11.3	-12.46	-12.29
H-1807N	11/7/2025 2:16:27 PM	-2.10	-1.37	4.278	1.485	25.7	15.2	-15.90	-15.94
H-1807S	11/5/2025 10:43:59 AM	-0.22	-0.22	0.003	0.004	1.6	1.9	-13.10	
H-1953N	11/4/2025 8:35:08 AM	-0.11	-0.11	0.172	0.167	5.3	5.2	-16.11	-12.14
H-1955N	11/3/2025 3:19:27 PM	-1.48	-1.32	0.204	0.073	5.7	3.4	-12.92	-12.97
H-1956B	11/4/2025 1:42:39 PM	-2.26	-2.36	0.349	0.430	12.2	13.6	-12.63	-12.59
H-1956N	11/3/2025 3:14:33 PM	-2.81	-2.54	0.704	0.343	10.5	7.3	-12.94	-13.03
H-1956S	11/4/2025 2:18:46 PM	-7.96	-7.89	8.121	7.978	19.5	19.3	-12.97	-12.98
H-1957B	11/4/2025 1:21:17 PM	-0.83	-0.74	5.619	1.312	29.7	14.4	-11.56	-11.77
H-1957N	11/5/2025 10:05:40 AM	-1.84	-1.73	0.023	0.108	1.9	4.1	-10.97	-10.78
H-1957S	11/4/2025 2:32:29 PM	-2.10	-1.60	2.224	7.684	10.1	18.8	-12.68	-12.53
H-1957S	11/4/2025 2:33:32 PM	-1.56	-1.33	8.492	10.745	19.7	22.2	-12.53	-12.56
H-1958C	11/4/2025 12:55:12 PM	-0.37	-0.37	0.028	0.027	2.1	2.1	-12.13	-12.08
H-1958N	11/5/2025 10:27:45 AM	-0.40	-0.40	0.186	0.198	1.3	1.4	-11.64	-12.46
H-1958S	11/5/2025 10:50:41 AM	-0.58	-0.30	0.115	-0.207	4.3	0.0	-13.33	
H-1962N	11/4/2025 10:19:35 AM	-0.23	-0.14	0.036	0.015			-9.38	-9.28
H-1962N	11/19/2025 10:21:26 AM	-0.01	-0.36	0.008	0.004			-4.36	-4.34

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-1963N	11/3/2025 2:16:16 PM	-0.32	-0.21	0.339	0.154	11.0	7.4	-10.04	-9.96
H-1963N	11/3/2025 2:18:55 PM	-0.20	-0.20	0.061	0.063	4.7	4.8	-10.46	-10.44
H-1963N	11/19/2025 9:59:51 AM	0.27	-0.02	0.007	0.090	2.4	8.3	-9.25	-8.65
H-1963N	11/19/2025 10:01:20 AM	-0.06	-0.05	0.079	0.078	7.7	7.7	-8.56	-8.17
H-1966N	11/4/2025 12:42:35 PM	-0.27	-0.23	0.577	0.027	2.3	0.5	-11.45	-11.66
H-1966N	11/21/2025 12:53:20 PM	-0.92	-0.68	0.878	0.664	6.7	5.8	-19.96	-20.32
H-1967E	11/10/2025 8:21:25 AM	-2.32	-6.00	0.005	0.009	2.1	2.7	-17.89	-18.73
H-1967W	11/4/2025 7:57:19 AM	-0.39	-0.70	1.701	2.055	37.2	40.9	-15.68	-15.61
H-2050E	11/13/2025 10:19:02 AM	-12.85	-13.27	0.288	0.556	3.8	5.3	-17.74	-17.81
H-2050W	11/4/2025 11:15:08 AM	-1.16	-0.95	0.564	0.348	1.5	1.2	-5.28	-5.93
H-2051W	11/4/2025 8:01:11 AM	-0.10	-0.60	0.063	0.179	7.4	12.5	-14.26	-14.29
H-2053E	11/25/2025 2:31:24 PM	-10.59	-10.58	3.862	4.018	56.6	57.7	-14.50	
H-2053W	11/4/2025 10:22:50 AM	-10.99	-10.94	0.219	0.213	13.1	12.9	-12.36	-12.40
H-2053W	11/24/2025 12:16:06 PM	-13.97	-14.03	0.061	0.087	6.9	8.3	-16.20	-16.32
H-2055E	11/5/2025 8:53:18 AM	-0.30	-0.21	0.690	-0.782	10.6	0.0	-12.55	
H-2055E	11/25/2025 9:03:59 AM	-0.54	-0.68	-0.008	1.233	0.0	14.9	-22.21	
H-2056B	11/7/2025 3:41:49 PM	-1.16	-0.86	0.397	0.021	4.5	1.0	-10.10	
H-2056W	11/4/2025 8:08:40 AM	-4.62	-4.66	0.621	0.397	23.0	18.4	-13.97	-14.08

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-2057E	11/10/2025 8:27:27 AM	-5.89	-5.74	1.523	1.481	8.4	8.3	-19.36	-20.02
H-2057E	11/10/2025 8:30:23 AM	-5.71	-5.70	1.596	1.621	34.7	35.0	-19.18	-19.22
H-2057W	11/4/2025 10:10:39 AM	-5.39	-6.04	0.374	0.288	17.6	15.4	-11.52	-10.27
H-2058E	11/10/2025 8:46:26 AM	-8.16	-8.10	5.300	5.173	63.7	63.0	-14.72	-14.86
H-2058W	11/4/2025 8:10:49 AM	-1.02	-1.20	0.089	0.054	8.8	6.8	-14.13	-14.22
H-2059E	11/10/2025 9:05:19 AM	-8.38	-8.77	7.796	8.348			-18.74	-18.96
H-2059W	11/4/2025 8:36:32 AM	-5.59	-5.62	5.652	5.588	48.9	48.6	-11.10	-11.32
H-2161E	11/10/2025 8:56:56 AM	-3.32	-3.62	2.091	2.332	40.0	42.2	-19.41	-18.97
H-2161W	11/4/2025 8:32:50 AM	-3.20	-3.22	0.889	0.861	26.4	26.0	-11.86	-11.71
H-2163C	11/3/2025 1:40:13 PM	-0.20	-0.18	1.290	1.285	3.4	3.4	-13.28	
H-2163C	11/19/2025 9:35:16 AM	-0.51	-0.51	0.325	0.201	1.7	1.4	-12.95	
H-2163W	11/4/2025 8:50:49 AM	-2.06	-1.65	7.758	4.982	34.6	27.8	-14.05	-13.83
H-2163W	11/24/2025 11:54:06 AM	-1.45	-1.37	4.738	4.174	27.2	25.5	-12.66	-11.93
H-2164A	11/3/2025 1:52:18 PM	-0.10	-0.12	0.300	0.297	3.8	3.7	-12.41	
H-2164A	11/19/2025 11:25:57 AM	-0.75	-0.73	0.808	0.610	6.2	5.4	-12.13	
H-2164E	11/5/2025 9:08:36 AM	-0.44	-0.43	0.026	0.032	2.1	2.3	-13.14	
H-2164E	11/25/2025 8:26:53 AM	-1.03	-1.03	0.027	0.029	2.2	2.3	-22.59	
H-2165E	11/26/2025 9:58:50 AM	-2.55	-2.00	0.021	0.073	1.8	3.4	-19.03	-19.26

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-2165W	11/9/2025 12:28:02 PM	-0.87	-0.87	0.006	0.004	1.0	0.8	-9.17	-9.09
H-2165W	11/9/2025 12:28:44 PM	-0.89	-0.89	0.003	0.002	0.7	0.6	-9.27	-9.21
H-2165W	11/12/2025 9:00:00 AM								
H-2165W	11/12/2025 9:00:00 AM								
H-2165W	11/25/2025 8:57:31 AM	-2.00	-1.69	0.195	0.068	12.6	7.5	-14.32	-14.19
H-2166C	11/4/2025 2:09:04 PM	-0.36	-0.36	0.432	0.430	8.3	8.2	-11.51	-11.71
H-2166C	11/5/2025 8:40:16 AM	-0.62	-0.69	0.549	0.655	9.4	10.2	-11.95	-11.82
H-2166E	11/4/2025 1:05:38 PM	-0.36	-0.36	1.741	1.786	16.5	16.7	-8.97	-9.13
H-2167E	11/4/2025 1:09:38 PM	-12.12	-9.84	0.613	1.247	2.4	3.4	-12.04	-12.12
H-2168C	11/4/2025 1:37:52 PM	-10.85	-10.90	0.651	0.604	22.6	21.8	-12.47	-12.53
H-2168E	11/4/2025 1:17:59 PM	-0.34	-0.43	0.488	0.605	8.8	9.7	-12.08	-12.14
H-2169C	11/4/2025 1:52:52 PM	-0.73	-0.84	0.170	0.218	11.5	13.1	-13.66	-13.63
H-2169E	11/4/2025 1:31:27 PM	-0.60	-0.51	1.745	1.499	36.6	34.0	-13.22	-13.13
H-2170N	11/7/2025 1:11:07 PM	-1.73	-1.73	4.227	4.227	25.6	25.6	-16.41	-16.41
H-2170S	11/7/2025 9:47:26 AM	-1.10	-1.11	0.083	0.093	3.7	3.9	-13.90	-13.89
H-2171A	11/7/2025 1:41:42 PM	-0.16	-0.16	0.035	0.035	2.4	2.4	-12.65	-12.65
H-2171B	11/7/2025 2:02:40 PM	-1.59	-1.15	3.098	0.788	22.0	11.1	-4.14	-10.68
H-2171N	11/7/2025 1:28:39 PM	-0.12		0.184		5.3		-12.60	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-2171N	11/7/2025 1:29:42 PM	-0.11	-0.11	0.068	0.069	3.2	3.3	-12.57	-12.67
H-2171S	11/7/2025 1:13:26 PM	-1.42	-1.41	6.647	6.857	32.0	32.5	-16.51	-16.67
H-2272W	11/4/2025 9:01:37 AM	-0.92	-0.74	3.281	2.095	22.6	18.1	-13.79	-13.62
H-2272W	11/24/2025 11:41:26 AM	-0.71	-0.69	2.262	2.186	18.9	18.5	-13.16	-12.66
H-2273W	11/4/2025 10:02:01 AM	-0.52	-0.50	0.027	0.094	2.1	3.8	-9.85	-9.85
H-2273W	11/5/2025 8:40:00 AM								
H-2273W	11/5/2025 8:40:00 AM								
H-2273W	11/24/2025 1:29:09 PM	-0.61	-0.46	0.142	0.198	4.7	5.5	-10.93	-10.94
H-2273W	11/24/2025 1:30:38 PM	-0.42	-0.42	0.145	0.155	4.7	4.9	-11.03	-11.09
H-2274B	11/4/2025 10:34:19 AM	-1.33	-0.81	-0.084	-0.078	0.0	0.0	-12.09	
H-2274B	11/19/2025 11:56:53 AM	-0.61	-0.62	-0.007	-0.003	0.0	0.0	-9.49	
H-2274W	11/3/2025 1:48:30 PM	-0.21	-0.21	0.588	0.586	9.6	9.5	-9.79	-9.80
H-2274W	11/24/2025 1:11:36 PM	-0.60	-0.49	0.578	0.122	9.5	4.4	-10.35	-11.11
H-2275E	11/11/2025 10:15:37 AM	-0.89	-0.89	1.024	0.813	12.6	11.3	-15.32	-15.51
H-2275W	11/3/2025 12:53:45 PM	-0.14	-0.17	0.093	0.038	3.8	2.4	-11.86	-11.74
H-2275W	11/24/2025 12:53:38 PM	-0.40	-0.39	0.020	0.028	1.8	2.1	-15.98	-15.81
H-2276A	11/4/2025 10:11:50 AM	-1.30	-1.00	0.127	0.092	7.5	6.4	-10.14	-10.03
H-2276A	11/19/2025 10:15:15 AM	-0.95	-0.53	0.070	0.049	5.8	4.8	-10.53	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-2276B	11/4/2025 8:43:34 AM	-0.61	-0.60	0.063	0.056	5.5	5.1	-14.15	
H-2276B	11/20/2025 8:31:10 AM	-0.99	-1.19	0.171	0.045	8.7	4.4	-19.02	-18.96
H-2276E	11/5/2025 10:53:20 AM	-0.52	-0.47	0.086	0.053	8.1	6.4	-13.58	-13.49
H-2276W	11/3/2025 1:57:36 PM	-0.73	-0.54	0.003	0.006	0.7	1.0	-9.44	-9.31
H-2276W	11/21/2025 1:39:16 PM	-1.76	-1.43	1.601	1.380	16.7	15.5	-15.23	-15.65
H-2277A	11/4/2025 11:04:36 AM	-0.45	-0.42	0.023	0.015	1.9	1.6	-9.15	-9.19
H-2277A	11/19/2025 10:35:22 AM	0.11	-9.31	0.001	0.010	0.3	1.3	-9.95	
H-2277A	11/19/2025 10:37:30 AM	-9.71	-9.72	-0.008	-0.004	0.0	0.0	-9.70	
H-2277B	11/4/2025 8:56:24 AM	-0.39	-0.26	0.266	-0.623	1.0	0.0	-13.78	
H-2277B	11/20/2025 8:40:28 AM	-0.49	-0.49	0.065	0.063	3.4	3.3	-17.60	-17.76
H-23 (EXP-	11/6/2025 10:42:17 AM	-11.44		11.840				0.48	
H-23 (EXP-	11/7/2025 1:51:02 PM	-1.22	-1.19	0.011	0.014	2.2	2.5	-13.62	-13.72
H-23 (EXP-	11/7/2025 1:52:43 PM	-0.50	-0.50	0.012	0.013	2.4	2.4	-13.55	-13.76
H-2301E	11/17/2025 9:08:28 AM	-2.48	-2.47	3.057	3.037	22.1	22.1	-18.11	-18.13
H-2301E	11/17/2025 9:11:03 AM	-2.50	-2.63	0.578	0.714	21.3	23.7	-18.22	-18.59
H-2301W	11/26/2025 10:08:36 AM	-20.14	-20.14	0.021	0.011	1.0	0.7	-20.03	-20.07
H-2301W	11/26/2025 10:09:31 AM	-20.00	-19.85	0.006	0.026	0.5	1.1	-20.11	-19.92
H-2302C	11/11/2025 1:32:06 PM	-0.68	-0.78	0.662	0.790	22.7	24.8	-12.21	-12.25

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-2302E	11/17/2025 8:45:31 AM	-7.88	-7.82	3.800	3.839	40.8	41.0	-11.16	-10.94
H-2302E	11/17/2025 8:48:25 AM	-8.35	-8.31	2.343	2.342	42.9	42.9	-11.09	-11.35
H-2303E	11/17/2025 8:54:59 AM	-11.46	-11.08	0.064	0.059	7.3	7.1	-11.60	-11.09
H-2303N	11/7/2025 4:00:04 PM	-1.95	-1.18	0.930	0.041	20.8	4.4	-14.86	
H-2303N	11/9/2025 10:11:11 AM	-0.63	-0.63	0.112	0.112	4.3	4.3	-15.73	-15.73
H-2303N	11/9/2025 10:14:11 AM	-0.59	-0.58	2.218	2.219	4.6	4.6	-15.56	-15.57
H-2303N	11/9/2025 10:52:14 AM	-0.68	-0.69	1.210	1.204	7.8	7.8	-15.36	-15.35
H-2304S	11/11/2025 1:45:46 PM	-0.54	-0.48	8.865	7.797	36.9	34.6	-12.26	-10.32
H-2305N	11/7/2025 3:55:41 PM	-0.85	-0.85	0.016	0.019	2.7	2.9	-14.49	
H-2305N	11/9/2025 10:59:07 AM	-0.74	-0.75	0.854	0.838	6.5	6.4	-15.26	-15.31
H-2305S	11/11/2025 1:51:49 PM	-1.66	-1.65	4.919	4.958	27.6	27.7	-13.40	-13.01
H-2306N	11/13/2025 9:53:37 AM	-1.18	-1.25	0.341	0.352	16.4	16.6	-17.44	-17.67
H-2306N	11/13/2025 10:03:42 AM	-1.23	-1.00	0.970	0.777	20.6	18.5	-17.62	-17.48
H-2306S	11/26/2025 9:29:11 AM	-15.36	-15.36	0.002	0.002	0.8	0.8	-20.22	-20.22
H-2306S	11/26/2025 9:30:03 AM	-19.49	-19.48	0.002	0.001	0.8	0.7	-20.21	-20.20
H-2307S	11/25/2025 1:47:27 PM	-2.55	-1.26	3.341	2.193	53.0	43.0	-11.94	
H-2308S	11/25/2025 1:56:28 PM	-1.79	-1.82	1.106	1.469	30.5	35.2	-12.55	
H-2309N	11/3/2025 1:29:47 PM	-12.85	-12.81	0.355	0.355	7.5	7.5	-13.23	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
H-2309S	11/11/2025 1:35:58 PM	-3.62	-3.63	2.901	2.935	35.3	35.5	-13.24	-13.50
H-2401S	11/4/2025 10:39:47 AM	-3.70	-3.66	0.062	0.083	1.7	2.0	-13.78	-13.47
H-2402N	11/4/2025 11:29:41 AM	-1.16	-0.85	1.682	1.395	9.0	8.2	-12.27	-12.44
H-2402S	11/4/2025 10:52:04 AM	-1.16	-0.76	0.676	0.368	23.0	17.0	-12.61	-12.70
H-2403N	11/4/2025 11:25:55 AM	-0.22	-0.23	0.769	0.758	6.1	6.0	-12.46	-12.78
H-2403S	11/4/2025 10:59:35 AM	-0.48	-0.49	1.152	1.068	7.6	7.3	-12.61	-12.60
H-2404N	11/4/2025 11:21:37 AM	-0.92	-0.93	0.935	1.079	6.7	7.2	-12.63	-12.32
H-2404S	11/4/2025 11:11:43 AM	-9.73	-9.73	0.689	0.664	23.0	22.6	-10.59	-10.59
H-2405N	11/11/2025 10:45:36 AM	-0.13	-0.13	1.192	1.178	3.3	3.3	-14.83	-14.95
H-29	11/7/2025 1:05:38 PM	-0.41	-0.41	0.047	0.038	1.5	1.3	-17.54	-17.55
H-31	11/7/2025 1:33:51 PM	-3.15	-1.90	0.026	0.036	1.1	1.3	-12.78	-12.67
H-72	11/5/2025 11:08:29 AM	-0.07	-0.07	0.004	0.004	1.9	1.9	-10.06	-10.42
H-74	11/5/2025 10:47:31 AM	-4.45	-4.40	6.290	6.185	52.3	51.9	-12.39	-11.92
H-79	11/12/2025 1:28:16 PM	0.24	-0.02	0.007	0.001	2.4	1.0	-17.72	-18.36
H-79	11/12/2025 1:29:10 PM	-0.01	-0.02	0.000	0.006	0.6	2.1	-18.22	-18.27
P-02R	11/10/2025 9:11:23 AM	-0.63	-0.64	0.821	0.831	11.7	11.8	-20.00	-20.02
P-03R	11/10/2025 8:51:45 AM	-1.96	-1.11	1.633	0.002	4.0	0.1	-21.85	-21.76
P-04	11/10/2025 8:46:15 AM	-0.41	-0.41	0.399	0.403			-19.32	-19.19

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
P-05	11/10/2025 8:41:38 AM	-0.29	-0.29	0.286	0.284			-17.76	-17.68
P-06R	11/10/2025 8:36:37 AM	-0.81	-0.81	0.231	0.244	1.5	1.5	-16.67	-16.48
P-07R	11/10/2025 9:07:00 AM	-1.28	-1.00	0.715	0.178	2.6	1.3	-21.86	-22.04
P-08R	11/10/2025 9:15:29 AM	-17.86	-17.86	0.270	0.517	6.5	9.0	-19.24	-21.93
P-09	11/10/2025 8:03:02 AM	-0.54	-0.53	0.525	0.527			-11.62	-12.35
P-10	11/10/2025 8:06:24 AM	-0.47	-0.48	2.715	2.839	5.1	5.2	-11.70	-12.27
P-11	11/10/2025 8:11:02 AM	-0.47	-0.45	2.942	2.709	5.3	5.1	-11.66	-10.73
P-12	11/10/2025 8:32:03 AM	-11.14	-0.75	0.906	0.156	6.7	2.8	-13.61	-13.92
P-13	11/10/2025 8:25:30 AM	-1.17	-1.00	0.596	0.595	5.5	5.5	-14.14	-13.86
P-14	11/10/2025 8:20:01 AM	-0.43	-0.43	0.419	0.416			-13.35	-13.26
P-15R	11/10/2025 10:01:50 AM	-1.36	-1.36	0.270	0.288	1.6	1.7	-10.38	-10.21
P-16	11/10/2025 10:09:05 AM	-4.79	-3.19	4.673	3.111			-9.53	-10.02
P-17	11/10/2025 10:20:39 AM	-0.36	-0.37	0.342	0.347			-9.31	-9.55
P-18RD	11/10/2025 10:24:55 AM	-3.12	-4.69	0.005	0.021	0.2	0.5	-9.04	-8.76
P-18RS	11/10/2025 10:27:43 AM	-1.03	-1.00	2.426	2.198	4.8	4.6	-8.75	-8.76
P-19	11/10/2025 10:36:05 AM	-1.23	-1.00	1.773	1.083	17.2	13.4	-8.95	-8.99
P-20R	11/10/2025 10:31:44 AM	-0.82	-0.82	2.582	2.575	5.0	5.0	-8.61	-8.63
P-21	11/10/2025 10:40:24 AM	-0.31	-0.31	0.291	0.289			-8.09	-8.29

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
P-21RD	11/10/2025 10:50:21 AM	-4.60	-2.89	4.121	1.031	14.1	7.1	-8.16	-8.54
P-21RS	11/10/2025 10:44:54 AM	-4.09	-2.11	1.752	0.039	27.7	4.2	-6.94	-8.35
P-22RD	11/25/2025 11:20:57 AM	-3.58	-3.58	4.197	4.195	25.7	25.7	-7.05	-7.05
P-22RS	11/25/2025 11:18:55 AM	-1.27	-1.25	2.251	2.365	4.6	4.7	-7.25	-7.16
P-23	11/10/2025 10:54:00 AM	-0.24	-0.24	0.008	0.009	1.9	2.0	-8.07	-8.40
P-24	11/13/2025 12:09:28 PM	-0.80	-0.80	1.145	1.149	3.3	3.3	-8.66	-8.73
P-26	11/10/2025 2:04:24 PM	-1.30	-1.40	0.000	0.000			-7.35	-7.28
P-27	11/13/2025 12:21:38 PM	-0.73	-0.73	0.725	0.725			-7.76	-7.76
P-28	11/13/2025 12:28:04 PM	-3.50	-3.50	3.468	3.467			-7.76	-7.74
P-29R	11/13/2025 12:33:54 PM	-0.26	-0.26	0.007	0.006	1.1	1.0	-7.60	-7.51
P-30R	11/13/2025 12:40:48 PM	-1.86	-2.65	0.267	0.609	3.7	5.6	-7.41	-7.17
P-32R1	11/13/2025 12:52:59 PM	-0.47	-0.47	4.325	4.285	6.3	6.3	-6.99	-7.03
P-32R2	11/13/2025 12:57:04 PM	-0.14	-0.13	0.113	0.210	2.4	3.2	-6.76	-6.65
P-33	11/13/2025 1:03:10 PM	-1.82	-1.81	1.809	1.799			-6.42	-6.06
P-36	11/13/2025 1:15:13 PM	-0.19	-0.19	0.196	0.196			-4.86	-4.86
P-37	11/20/2025 11:10:17 AM	-0.83	-0.54	3.500	0.880	3.7	1.9	-5.33	-5.91
P-38RD	11/20/2025 11:16:14 AM	-4.35	-4.34	0.983	0.958	12.5	12.4	-5.23	-5.19
P-38RD	11/25/2025 10:39:39 AM	-4.45	-4.47	1.102	1.203	13.3	13.9	-4.82	-5.14

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
P-38RS	11/20/2025 11:19:31 AM	-0.93	-0.96	0.545	0.561	9.4	9.5	-5.16	-5.79
P-38RS	11/25/2025 10:41:11 AM	-1.19	-1.17	0.502	0.495	9.0	9.0	-5.19	-4.80
P-39	11/25/2025 10:44:29 AM	-6.12	-6.12	0.088	0.088	2.1	2.1	-6.20	-6.20
P-41	11/25/2025 10:48:10 AM	-2.76	-2.73	0.000	0.000			-5.65	-5.54
P-42R	11/25/2025 10:50:40 AM	-5.37	-5.37	0.787	0.864	2.7	2.8	-6.30	-6.61
P-43	11/25/2025 10:53:12 AM	-3.44	-3.36	3.444	3.374			-6.30	-6.46
P-44RD	11/25/2025 10:55:31 AM	-6.38	-6.38	0.463	0.360	2.1	1.9	-6.87	-6.70
P-44RS	11/25/2025 10:57:21 AM	-4.46	-4.48	1.875	1.450	4.1	3.6	-7.05	-6.72
P-45RD	11/25/2025 11:04:32 AM	-3.16	-3.17	0.003	0.069	0.7	3.3	-6.42	-6.49
P-45RS	11/25/2025 11:06:20 AM	-0.72	-0.71	0.993	1.007	3.1	3.1	-6.86	-6.86
P-46RD	11/25/2025 11:08:51 AM	-6.35	-6.30	0.003	0.004	0.7	0.8	-6.54	-6.50
P-46RS	11/25/2025 11:11:04 AM	-2.50	-2.51	3.672	3.950	24.0	24.8	-6.39	-7.12
P-47	11/25/2025 11:15:16 AM	-2.97	-2.95	2.978	2.971			-7.04	-7.22
P-48	11/25/2025 11:24:38 AM	-0.52	-0.53	0.000	0.000			-7.61	-7.66
P-49RD	11/25/2025 1:26:35 PM	-7.61	-7.09	0.976	0.827	12.4	11.4	-7.99	-8.31
P-49RS	11/25/2025 1:22:30 PM	-3.28	-1.97	3.740	1.297	5.9	3.5	-7.55	-8.37
P-52	11/25/2025 1:41:40 PM	-0.49	-0.45	0.000	0.000			-10.51	-11.21
P-53	11/25/2025 1:46:45 PM	-1.03	-0.93	4.196	3.664	14.1	13.2	-11.15	-11.26

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
P-54	11/25/2025 12:38:04 PM	-0.57	-0.46	0.578	0.453			-15.14	-15.59
P-55	11/25/2025 12:34:29 PM	-0.28	-0.31	0.249	0.264			-15.18	-15.75
P-56	11/25/2025 12:28:53 PM	-0.30	-0.30	0.300	0.307			-15.49	-16.01
P-57	11/25/2025 12:25:19 PM	-0.16	-0.15	0.024	0.025	4.5	4.6	-15.61	-15.51
P-60R	11/25/2025 12:48:05 PM	-2.94	-2.54	0.111	0.022	2.4	1.1	-4.50	-4.69
P-61	11/25/2025 12:54:51 PM	0.13	0.11	0.005	0.658	0.2	2.6	0.31	-0.23
P-61	11/25/2025 12:55:32 PM	0.12	0.20	0.211	0.129	1.5	1.1	0.62	0.55
P-65	11/25/2025 1:02:57 PM	-1.05	-0.92	2.203	1.595	10.6	9.0	-5.11	-4.71
P-71	11/25/2025 1:34:41 PM	-0.23	-0.23	0.219	0.216			-8.58	-8.24
P-75	11/25/2025 12:44:19 PM	-3.68	-3.46	1.358	1.163	24.7	22.9	-4.82	-4.45
P-76	11/25/2025 10:36:19 AM	-2.08	-2.00	2.095	2.022	10.1	9.9	-4.05	-3.99
P-79	11/10/2025 10:13:58 AM	-0.21	-0.21	0.190	0.187	3.1	3.1	-9.00	-8.76
SC-2000E	11/4/2025 1:59:55 PM	-4.50	-3.28	1.623	0.788	8.9	6.2	-9.54	
SC-2501E	11/3/2025 1:34:33 PM	-0.54	-0.54	0.010	0.010	1.3	1.3	-13.58	-13.62
SC-2501W	11/3/2025 9:27:35 AM	-0.59	-0.50	0.106	0.025			-0.05	-0.01
SC-2501W	11/3/2025 9:28:00 AM								
SC-2501W	11/3/2025 9:28:00 AM								
SC-2501W	11/9/2025 9:23:21 AM	-0.98	-0.96	0.000	0.000			-16.38	-15.08

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
SC-2501W	11/9/2025 9:24:12 AM	-0.95	-0.95	0.000	0.000			-16.06	-15.92
SC-2501W	11/9/2025 9:25:00 AM								
SC-2501W	11/18/2025 2:22:47 PM	-0.94	-0.89	0.430	0.391			-17.39	-17.27
SC-2501W	11/23/2025 8:20:08 AM	-0.34	-0.31	0.053	0.018			-15.79	-16.66
SW-10	11/6/2025 10:59:11 AM	-8.39	-8.39	0.378	0.374			-8.42	-8.38
SW-115	11/7/2025 10:20:08 AM	-6.97	-6.01	0.992	0.549	12.7	9.5	-13.55	-13.78
SW-1445	11/12/2025 9:55:26 AM	-5.86	-6.08	0.019	0.049	3.9	6.3	-5.81	-6.27
SW-1455	11/12/2025 9:50:13 AM	-5.99	-6.42	0.075	0.086	7.8	8.3	-5.91	-6.73
SW-154	11/25/2025 2:03:44 PM	-8.83	-8.88	8.955	8.964			-8.76	-8.83
SW-17-135	11/12/2025 9:53:17 AM	-6.57	-6.12	0.045	0.087	6.1	8.5	-6.56	-6.05
SW-187	11/6/2025 10:42:19 AM	-8.84	-9.00	0.120	0.115	22.5	22.1	-8.81	-9.01
SW-1930	11/12/2025 10:25:18 AM	-10.86	-10.95	0.033	0.030	5.1	4.9	-10.62	-10.87
SW-20	11/10/2025 8:56:27 AM	-5.52	-5.52	0.019	0.018	0.4	0.4	-22.28	-22.11
SW-25	11/6/2025 11:09:58 AM	-8.27	-8.28	0.186	0.186	12.3	12.3	-8.25	-8.26
SW-30	11/12/2025 10:02:55 AM	-11.18	-11.15	0.002	0.040	1.2	5.7	-11.02	-11.11
SW-32	11/12/2025 10:10:38 AM	-11.04	-10.96	11.117	11.038			-10.93	-10.79
SW-64	11/12/2025 10:00:48 AM	-11.17	-11.19	0.093	0.015	8.7	3.5	-10.77	-11.11
SW-65	11/7/2025 10:23:10 AM	-9.69	-9.69	0.040	0.033	2.5	2.3	-13.71	-13.71

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]
SW-66	11/25/2025 2:01:18 PM	-8.81	-8.91	8.836	8.885			-8.75	-8.92
SW-68	11/12/2025 10:07:10 AM	-11.14	-11.13	0.017	0.028	3.8	4.8	-10.90	-10.92
SW-7	11/6/2025 11:06:25 AM	-8.23	-8.05	0.197	0.213	12.6	13.1	-8.24	-8.08
SW-70	11/6/2025 10:44:50 AM	-8.87	-8.86	0.141	0.141	24.5	24.5	-8.75	-8.75
SW-71	11/13/2025 12:16:29 PM	-1.61	-1.63	0.028	0.031	0.5	0.6	-8.50	-8.74
SW-72	11/13/2025 1:10:19 PM	-3.39	-3.35	0.000	0.000			-5.61	-5.68
SW-80	11/7/2025 11:28:59 AM	-6.69	-6.68	0.094	0.094	3.9	3.9	-11.41	-11.37
SW-9	11/6/2025 10:48:04 AM	-8.96	-9.06	0.129	0.131	23.4	23.5	-8.87	-9.09
TC-1961C	11/5/2025 3:09:12 PM	-0.21	-0.20	-0.060	-0.053	0.0	0.0	-13.34	
TC-1961E	11/5/2025 2:25:33 PM	-1.94	-1.92	-0.706	-0.615	0.0	0.0	-12.70	
TC-2174	11/3/2025 9:00:24 AM	-0.96	-0.95	0.954	0.917			-11.91	-11.44
TC-2174	11/3/2025 9:08:00 AM								
TC-2174	11/3/2025 9:08:00 AM								
TC-2174	11/9/2025 8:36:52 AM	-1.73	-1.85	6.213	6.198			-14.45	-14.17
TC-2174	11/9/2025 8:40:00 AM								
TC-2174	11/18/2025 1:04:55 PM	-1.31	-1.34	5.885	5.891			-13.22	-13.43
TC-2174	11/23/2025 7:43:47 AM	-0.55	-0.64	4.624	4.703			-8.45	-8.97
VL-02	11/9/2025 9:17:17 AM	-22.23	-22.53	1.347	1.760	32.7	37.3	-20.84	-20.83

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
A-01	11/7/2025 9:07:46 AM	34.4312027	-118.6437767	1171	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
A-02	11/7/2025 9:17:29 AM	34.4316150	-118.6433215	1179	Valve Adjustment:Audible Flow;Well Condition:Fair
A-03	11/7/2025 9:20:19 AM	34.4319758	-118.6428450	1207	Valve Adjustment:Audible Flow;Well Condition:Fair
A-04	11/7/2025 9:23:20 AM	34.4322212	-118.6422228	1193	Well Condition:Fair
A-05	11/7/2025 9:27:00 AM	34.4325133	-118.6416602	1198	Valve Adjustment:Audible Flow;Well Condition:Fair
B-01	11/6/2025 1:31:28 PM	34.4338403	-118.6395997	1235	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
B-01	11/6/2025 1:32:43 PM	34.4338485	-118.6396120	1235	Valve Adjustment:NSPS/EG CAC
B-02R	11/6/2025 1:36:41 PM	34.4335468	-118.6395102	1250	Valve Adjustment:Barely Open
B-03R	11/6/2025 1:41:27 PM	34.4337722	-118.6388297	1235	Valve Adjustment:Barely Open
B-05	11/6/2025 2:31:28 PM	34.4336128	-118.6382337	1215	Valve Adjustment:Barely Open
B-06	11/6/2025 2:25:46 PM	34.4339867	-118.6377312	1211	Valve Adjustment:Decreased Flow/Vacuum
B-07R	11/6/2025 2:03:01 PM	34.4342710	-118.6374203	1210	Valve Adjustment:Barely Open
B-08	11/6/2025 2:19:08 PM	34.4337663	-118.6373142	1211	Valve Adjustment:Barely Open
B-09	11/6/2025 2:09:39 PM	34.4342097	-118.6370493	1207	Valve Adjustment:Barely Open
B-10	11/6/2025 2:14:25 PM	34.4340077	-118.6365387	1210	Valve Adjustment:Barely Open
B-11	11/13/2025 10:35:02 AM	34.4348245	-118.6369070	1152	
B-12	11/6/2025 1:46:39 PM	34.4340343	-118.6385225	1222	Valve Adjustment:Decreased Flow/Vacuum
B-13	11/6/2025 1:58:30 PM	34.4344333	-118.6379252	1220	Valve Adjustment:Barely Open

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
B-14	11/13/2025 10:39:06 AM	34.4349320	-118.6370778	1140	
C-03	11/7/2025 9:11:00 AM	34.4314162	-118.6435608	1180	Well Condition:Fair
C-07	11/7/2025 9:35:22 AM	34.4326737	-118.6414110	1203	Well Condition:Fair
C-08	11/7/2025 10:02:08 AM	34.4336587	-118.6408927	1216	Valve Comment:RES SEM;Valve Adjustment:Audible Flow;Well Condition:Fair
C-10	11/7/2025 10:10:09 AM	34.4347645	-118.6411910	1202	Well Condition:Fair
C-11	11/7/2025 10:32:04 AM	34.4352958	-118.6412942	1230	Valve Adjustment:Audible Flow;Well Condition:Good
C-12	11/6/2025 10:14:23 AM	34.4359837	-118.6408733	1230	
C-12	11/7/2025 10:42:24 AM	34.4360062	-118.6408745	1227	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
C-15	11/6/2025 10:24:39 AM	34.4362602	-118.6410627	1223	
C-15	11/7/2025 10:47:44 AM	34.4362740	-118.6410423	1231	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair;Well Repairs:Valve
C-17B	11/6/2025 10:45:30 AM	34.4373645	-118.6419452	1228	
C-18	11/7/2025 11:25:08 AM	34.4380032	-118.6426178	1220	
C-19	11/7/2025 11:14:29 AM	34.4375750	-118.6421403	1225	Valve Adjustment:Audible Flow;Well Condition:Fair
C-20	11/7/2025 11:19:15 AM	34.4377877	-118.6423887	1241	Well Condition:Fair
C-23	11/7/2025 11:22:18 AM	34.4379660	-118.6426238	1225	Valve Adjustment:Audible Flow;Well Condition:Fair
C-24	11/7/2025 11:12:00 AM	34.4375568	-118.6421178	1216	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
C-25	11/12/2025 12:47:35 PM	34.4371263	-118.6416537	1211	Well Condition:Fair
C-26	11/12/2025 12:40:51 PM	34.4366440	-118.6412622	1204	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
C-27	11/6/2025 10:19:22 AM	34.4361717	-118.6410210	1228	
C-28	11/7/2025 10:36:25 AM	34.4354607	-118.6413807	1245	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
C-29	11/7/2025 10:25:15 AM	34.4348708	-118.6412395	1219	Valve Adjustment:Audible Flow;Well Condition:Fair
C-30	11/7/2025 10:05:43 AM	34.4342522	-118.6412712	1238	Valve Adjustment:Audible Flow;Well Condition:Fair
CV-02	11/7/2025 9:43:47 AM	34.4335815	-118.6413853	1234	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-03	11/7/2025 9:54:10 AM	34.4333297	-118.6414593	1237	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-04	11/7/2025 9:50:20 AM	34.4331092	-118.6416762	1223	Well Condition:Fair
CV-05	11/7/2025 1:00:21 PM	34.4328353	-118.6422383	1226	
CV-06	11/12/2025 9:53:31 AM	34.4327080	-118.6428425	1220	Valve Adjustment:Audible Flow
CV-06	11/12/2025 10:34:43 AM				
CV-09	11/6/2025 1:30:37 PM	34.4318220	-118.6442878	1221	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Reconnected this Date,Positive Static Press.,Increased Flow/Vacuum
CV-09	11/6/2025 1:45:21 PM	34.4318167	-118.6442735	1224	
CV-108-52	11/3/2025 1:42:44 PM	34.4334237	-118.6506833	1289	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
CV-108-52	11/5/2025 9:00:00 AM				AirTech Lab
CV-108-52	11/5/2025 9:00:00 AM				AirTech Lab; [User entered 1.6%]
CV-108-52	11/24/2025 12:50:30 PM	34.4334223	-118.6506713	1287	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-113	11/3/2025 10:39:35 AM	34.4369933	-118.6467463	1349	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Comment:Flange was not sealed causing potential O2 intrusion;Well
CV-113	11/6/2025 9:25:00 AM				AirTech Lab

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-113	11/6/2025 9:25:00 AM				AirTech Lab; [User entered 1.6%]
CV-113	11/20/2025 9:13:15 AM	34.4370068	-118.6467107	1339	Valve Adjustment:NSPS/EG CAC
CV-114	11/3/2025 8:56:45 AM	34.4367508	-118.6476470	1339	Valve Adjustment:High Temp,Surging Liquid in Well (Watered In)
CV-114	11/3/2025 9:05:00 AM				AtmAA
CV-114	11/3/2025 9:05:00 AM				AtmAA; [User entered 17.09%]
CV-114	11/9/2025 8:29:50 AM	34.4367107	-118.6476068	1331	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-114	11/9/2025 8:30:00 AM				AtmAA
CV-114	11/13/2025 9:10:00 AM				AirTech Lab
CV-114	11/13/2025 9:10:00 AM				AirTech Lab; [User entered 14%]
CV-114	11/18/2025 1:02:41 PM	34.4367288	-118.6476143	1349	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-114	11/23/2025 7:42:14 AM	34.4367008	-118.6476022	1347	Valve Adjustment:No Flow Measurement,High Temp
CV-1532A	11/5/2025 9:05:00 AM				AirTech Lab
CV-1532A	11/5/2025 9:05:00 AM				AirTech Lab; [User entered 9.9%]
CV-1532A	11/5/2025 9:59:34 AM	34.4338860	-118.6508122	1279	Valve Adjustment:High Temp
CV-1532A	11/5/2025 10:00:00 AM				AtmAA
CV-1532A	11/5/2025 10:00:00 AM				AtmAA; [User entered 18.38%]
CV-1532A	11/11/2025 7:24:38 AM	34.4338755	-118.6508187	1282	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-1532A	11/11/2025 7:25:00 AM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-1532A	11/21/2025 10:13:03 AM	34.4338602	-118.6508172	1274	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header;Well Condition:Fair
CV-1532A	11/21/2025 10:14:38 AM	34.4338672	-118.6508237	1274	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header;Well Condition:Fair
CV-1532A	11/23/2025 9:52:07 AM	34.4338768	-118.6508318	1295	
CV-1534A	11/5/2025 9:52:15 AM	34.4336593	-118.6507820	1291	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-1534A	11/5/2025 9:55:00 AM				AtmAA
CV-1534A	11/5/2025 9:55:00 AM				AtmAA; [User entered 12.79%]
CV-1534A	11/11/2025 7:15:00 AM				AtmAA
CV-1534A	11/11/2025 7:16:37 AM	34.4336250	-118.6508022	1278	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-1534A	11/21/2025 9:51:22 AM	34.4336360	-118.6508010	1282	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair;Well
CV-1534A	11/23/2025 9:43:50 AM	34.4336297	-118.6508032	1306	Valve Adjustment:High Temp
CV-1535	11/3/2025 1:39:49 PM	34.433538	-118.6502997	1308	Valve Adjustment:Barely Open;Well Condition:Good
CV-1535	11/12/2025 8:25:00 AM				AirTech Lab
CV-1535	11/12/2025 8:25:00 AM				AirTech Lab; [User entered 1.6%]
CV-1535	11/21/2025 1:32:58 PM	34.4333308	-118.6503137	1328	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-1601D	11/3/2025 1:37:50 PM	34.4311090	-118.6486627	1319	
CV-1601D	11/19/2025 9:32:28 AM	34.4311052	-118.6486462	1309	
CV-1601S	11/3/2025 1:33:33 PM	34.4311423	-118.6487150	1280	Audible Flow
CV-1601S	11/19/2025 9:25:50 AM	34.4311173	-118.6486173	1371	Reduced System Vacuum,Audible Flow

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-1604	11/5/2025 2:56:42 PM	34.4321662	-118.6450823	1266	Audible Flow
CV-1605	11/5/2025 9:15:05 AM	34.4319508	-118.6460297	1280	
CV-1701D	11/24/2025 2:08:01 PM	34.4336045	-118.6433473	1301	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-1701D	11/24/2025 2:09:10 PM	34.4336020	-118.6433467	1300	Valve Adjustment:NSPS/EG CAC;Well Condition:Fair,Lorentz Pump Installed
CV-1701S	11/24/2025 2:03:55 PM	34.4336078	-118.6433517	1309	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-1901	11/12/2025 2:16:33 PM	34.4357303	-118.6508217	1323	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Condition:Poor
CV-1901	11/12/2025 2:17:11 PM	34.4357187	-118.6508120	1331	Valve Adjustment:NSPS/EG CAI,High O2;Well Condition:Poor
CV-1901	11/13/2025 1:34:15 PM	34.4357170	-118.6508188	1316	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-1901	11/21/2025 1:14:57 PM	34.4357052	-118.6508118	1336	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-1902A	11/5/2025 8:52:57 AM	34.4346195	-118.6503005	1322	Valve Adjustment:High Temp
CV-1902A	11/5/2025 8:58:00 AM				AtmAA
CV-1902A	11/5/2025 8:58:00 AM				AtmAA; [User entered 17.4%]
CV-1902A	11/11/2025 8:16:03 AM	34.4346028	-118.6503140	1321	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-1902A	11/11/2025 8:20:00 AM				AtmAA
CV-1902A	11/12/2025 8:10:00 AM				AirTech Lab
CV-1902A	11/12/2025 8:10:00 AM				AirTech Lab; [User entered 17%]
CV-1902A	11/21/2025 9:13:06 AM	34.4346043	-118.6503208	1330	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Fair
CV-1902A	11/23/2025 9:29:31 AM	34.4346148	-118.6503223	1329	Valve Adjustment:High Temp,Decreased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-1905	11/4/2025 9:12:21 AM	34.4334915	-118.6459702	1387	
CV-2001	11/4/2025 8:55:00 AM				AirTech Lab
CV-2001	11/4/2025 8:55:00 AM				AirTech Lab; [User entered 1.2%]
CV-2001	11/10/2025 10:50:03 AM	34.4322230	-118.6505522	1198	NSPS/EG CAI, NSPS/EG CAC, Orifice Plate Changed (See OP Log), Audible Flow, Positive Static Press.
CV-2001	11/10/2025 10:52:18 AM	34.4322015	-118.6504810	1227	
CV-2001	11/25/2025 8:52:27 AM	34.4322937	-118.6505705	1273	Valve Adjustment: NSPS/EG CAI, Positive Static Press., Valve 100% Open, Surging Liquid in Well (Watered In); Well Condition: Fair
CV-2001	11/25/2025 8:54:00 AM	34.4322947	-118.6505677	1267	Valve Adjustment: NSPS/EG CAI, Positive Static Press.; Well Condition: Fair
CV-2002	11/4/2025 8:45:00 AM				AirTech Lab
CV-2002	11/4/2025 8:45:00 AM				AirTech Lab; [User entered 13%]
CV-2002	11/10/2025 8:47:14 AM	34.4327093	-118.6510098	1375	
CV-2002	11/25/2025 8:42:49 AM	34.4328030	-118.6511585	1277	Valve Comment: unable to reach system safely; Valve Adjustment: Decreased Flow/Vacuum; Well Condition: Fair
CV-2003	11/3/2025 1:45:28 PM	34.4334238	-118.6507180	1286	Valve Adjustment: Decreased Flow/Vacuum, Surging Liquid in Header; Well Condition: Fair
CV-2003	11/24/2025 12:52:38 PM	34.4334292	-118.6507302	1288	Valve Adjustment: Decreased Flow/Vacuum; Well Condition: Fair
CV-2006	11/5/2025 8:40:00 AM				AtmAA
CV-2006	11/5/2025 8:40:00 AM				AtmAA; [User entered 17.72%]
CV-2006	11/5/2025 8:41:27 AM	34.4352252	-118.6506432	1324	Valve Adjustment: High Temp
CV-2006	11/11/2025 8:35:00 AM				AtmAA
CV-2006	11/11/2025 8:35:36 AM	34.4352197	-118.6506712	1316	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp; Well Condition: Fair

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2006	11/21/2025 9:03:07 AM	34.4352120	-118.6506522	1322	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well
CV-2006	11/23/2025 9:18:47 AM	34.4352193	-118.6506755	1342	
CV-2007	11/6/2025 9:50:00 AM				AirTech Lab
CV-2007	11/6/2025 9:50:00 AM				AirTech Lab; [User entered 0.93%]
CV-2007	11/11/2025 1:16:37 PM	34.4361690	-118.6469923	1400	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-2007	11/11/2025 1:18:37 PM	34.4361792	-118.6469887	1394	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2007	11/25/2025 1:32:22 PM	34.4361782	-118.6469872	1387	
CV-2007	11/25/2025 1:34:37 PM	34.4361690	-118.6469920	1379	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-2008	11/3/2025 3:00:08 PM	34.4362240	-118.6462383	1352	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-2008	11/11/2025 7:59:07 AM	34.4362160	-118.6462542	1373	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Orifice Plate Changed (See OP Log),Positive Static Press.,Increased Flow/Vacuum
CV-2008	11/11/2025 8:01:50 AM	34.4362082	-118.6462643	1390	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-2009	11/3/2025 3:08:40 PM	34.4362762	-118.6452693	1340	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2009	11/3/2025 3:11:38 PM	34.4362863	-118.6452552	1340	Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Fair
CV-2009A	11/26/2025 7:15:16 AM	34.4359940	-118.6452807	1408	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good,Lorentz Pump Installed
CV-2010	11/4/2025 1:02:34 PM	34.4356502	-118.6435833	1355	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-2010A	11/4/2025 2:57:30 PM	34.4357127	-118.6436788	1373	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum;Well
CV-2010A	11/4/2025 2:59:33 PM	34.4357127	-118.6436788	1373	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2010A	11/10/2025 2:02:54 PM	34.4357015	-118.6436667	1367	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair,Lorentz Pump Installed

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2010A	11/12/2025 9:38:08 AM	34.4357190	-118.6436617	1374	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-2010A	11/12/2025 9:39:25 AM	34.4357325	-118.6436503	1366	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-2011	11/4/2025 2:42:35 PM	34.4342125	-118.6434467	1343	Valve Adjustment:Audible Flow;Well Condition:Good
CV-2011A	11/4/2025 11:08:11 AM	34.4345385	-118.6431755	1336	Valve Adjustment:High Temp
CV-2011A	11/4/2025 11:10:00 AM				AtmAA
CV-2011A	11/4/2025 11:10:00 AM				AtmAA; [User entered 19.83%]
CV-2011A	11/10/2025 8:45:00 AM				AtmAA
CV-2011A	11/10/2025 8:47:26 AM	34.4345473	-118.6431785	1328	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good,Lorentz Pump
CV-2011A	11/17/2025 10:03:44 AM	34.4345298	-118.6431768	1328	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum;Well
CV-2011A	11/17/2025 10:04:19 AM	34.4345193	-118.6431712	1325	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2011A	11/24/2025 12:59:38 PM	34.4345578	-118.6431830	1345	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2012	11/4/2025 12:50:52 PM	34.4350083	-118.6432952	1339	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2012	11/4/2025 12:51:51 PM	34.4350075	-118.6432912	1341	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2201-P	11/4/2025 9:11:53 AM	34.4355697	-118.6488317	1360	Valve Adjustment:High Temp
CV-2201-P	11/4/2025 9:15:00 AM				AtmAA
CV-2201-P	11/4/2025 9:15:00 AM				AtmAA; [User entered 13.34%]
CV-2201-P	11/9/2025 12:36:56 PM	34.4355838	-118.6488708	1318	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2201-P	11/9/2025 12:40:00 PM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2201-P	11/19/2025 8:51:30 AM	34.4355623	-118.6488473	1358	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Reduce Sys. Vac. - Flare
CV-2201-P	11/24/2025 8:43:57 AM	34.4355898	-118.6488473	1362	Valve Adjustment:No Flow Measurement,High Temp
CV-2204-P	11/3/2025 11:30:52 AM	34.4357708	-118.6474437	1364	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2204-P	11/3/2025 11:32:00 AM				AtmAA
CV-2204-P	11/3/2025 11:32:00 AM				AtmAA; [User entered 12.52%]
CV-2204-P	11/10/2025 8:18:12 AM	34.4357872	-118.6474682	1350	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2204-P	11/10/2025 8:20:00 AM				AtmAA
CV-2204-P	11/10/2025 1:09:49 PM	34.4357513	-118.6474465	1356	Valve Comment:increased vacuum for liner bubbling;Valve Adjustment:Increased Flow/Vacuum
CV-2204-P	11/17/2025 8:43:54 AM	34.4358052	-118.6474600	1348	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair;Well Repairs:Sample Port
CV-2204-P	11/17/2025 8:45:00 AM				AtmAA
CV-2204-P	11/24/2025 1:30:36 PM	34.4358045	-118.6474692	1356	Valve Adjustment:No Flow Measurement,High Temp
CV-2205	11/4/2025 1:28:32 PM	34.4342523	-118.6440972	1372	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good,Lorentz Pump Installed
CV-2206-P	11/7/2025 2:37:56 PM	34.4360650	-118.6483930	1351	Valve Adjustment:NSPS/EG CAI,High O2
CV-2206-P	11/7/2025 2:38:35 PM	34.4360597	-118.6483872	1350	O2,Decreased Flow/Vacuum;Well Condition:Fair
CV-2206-P	11/26/2025 7:56:33 AM	34.4360670	-118.6484078	1357	Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Fair
CV-2207	11/4/2025 1:56:25 PM	34.4359705	-118.6442180	1383	
CV-2207	11/5/2025 8:25:26 AM	34.4359908	-118.6442197	1391	Valve Comment:RES SEM;Valve Adjustment:Audible Flow;Well Comment:Unable to reach system safely;Well Condition:Fair
CV-2208A	11/4/2025 1:49:50 PM	34.4365715	-118.6449390	1334	Valve Adjustment:High Temp

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2208A	11/4/2025 1:55:00 PM				AtmAA
CV-2208A	11/4/2025 1:55:00 PM				AtmAA; [User entered 9.74%]
CV-2208A	11/9/2025 7:11:47 AM	34.4365450	-118.6449405	1338	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good,Lorentz
CV-2208A	11/9/2025 7:12:21 AM	34.4365460	-118.6449420	1336	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good,Lorentz Pump Installed
CV-2301	11/10/2025 9:05:00 AM				AirTech Lab
CV-2301	11/10/2025 9:05:00 AM				AirTech Lab; [User entered 15%]
CV-2302	11/10/2025 9:00:00 AM				AirTech Lab
CV-2302	11/10/2025 9:00:00 AM				AirTech Lab; [User entered 14%]
CV-2303	11/4/2025 9:39:52 AM	34.4353720	-118.6496610	1364	Valve Adjustment:High Temp
CV-2303	11/4/2025 9:45:00 AM				AtmAA
CV-2303	11/4/2025 9:45:00 AM				AtmAA; [User entered 13.79%]
CV-2303	11/9/2025 11:58:45 AM	34.4353893	-118.6497192	1319	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2303	11/9/2025 12:00:00 PM				AtmAA
CV-2303	11/11/2025 8:40:00 AM				AirTech Lab
CV-2303	11/11/2025 8:40:00 AM				AirTech Lab; [User entered 14%]
CV-2303	11/13/2025 9:45:00 AM				AirTech Lab
CV-2303	11/13/2025 9:45:00 AM				AirTech Lab; [User entered 15%]
CV-2303	11/19/2025 9:36:45 AM	34.4353742	-118.6496747	1364	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Reduce Sys. Vac. - Flare

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2303	11/24/2025 8:29:21 AM	34.4353935	-118.6496900	1353	Valve Adjustment:No Flow Measurement,High Temp
CV-2304	11/4/2025 8:53:58 AM	34.4345827	-118.6487470	1351	
CV-2304	11/11/2025 1:20:04 PM	34.4345602	-118.6487737	1330	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open
CV-2304	11/11/2025 1:20:50 PM	34.4345735	-118.6487677	1343	
CV-2304	11/11/2025 1:40:00 PM				AtmAA; [User entered 12.62%]
CV-2305	11/11/2025 8:00:00 AM				AirTech Lab
CV-2305	11/11/2025 8:00:00 AM				AirTech Lab; [User entered 11%]
CV-2306	11/3/2025 11:35:24 AM	34.4360750	-118.6478078	1376	Valve Adjustment:High Temp,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-2306	11/3/2025 11:38:00 AM				AtmAA
CV-2306	11/3/2025 11:38:00 AM				AtmAA; [User entered 15.76%]
CV-2306	11/10/2025 8:13:42 AM	34.4360953	-118.6478237	1352	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well
CV-2306	11/10/2025 8:15:00 AM				AtmAA
CV-2306	11/10/2025 1:15:47 PM	34.4360877	-118.6478230	1350	Valve Comment:increased vacuum for liner bubbling;Valve Adjustment:Increased Flow/Vacuum
CV-2306	11/17/2025 8:37:54 AM	34.4360973	-118.6478123	1370	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2306	11/17/2025 8:40:00 AM				AtmAA
CV-2306	11/24/2025 1:36:58 PM	34.4361090	-118.6477967	1368	Valve Adjustment:No Flow Measurement,High Temp
CV-2308-P	11/4/2025 9:18:52 AM	34.4358852	-118.6488872	1355	Valve Adjustment:High Temp
CV-2308-P	11/4/2025 9:20:00 AM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2308-P	11/4/2025 9:20:00 AM				AtmAA; [User entered 14.64%]
CV-2308-P	11/9/2025 12:42:52 PM	34.4359080	-118.6489182	1322	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2308-P	11/9/2025 12:45:00 PM				AtmAA
CV-2308-P	11/18/2025 2:57:40 PM	34.4359028	-118.6488850	1356	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2308-P	11/24/2025 8:49:54 AM	34.4359148	-118.6489128	1360	Valve Adjustment:No Flow Measurement,High Temp
CV-2310-P	11/4/2025 9:23:05 AM	34.4354183	-118.6490220	1350	Valve Adjustment:High Temp
CV-2310-P	11/4/2025 9:25:00 AM				AtmAA
CV-2310-P	11/4/2025 9:25:00 AM				AtmAA; [User entered 15.17%]
CV-2310-P	11/9/2025 12:51:21 PM	34.4354432	-118.6490578	1326	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2310-P	11/9/2025 12:55:00 PM				AtmAA
CV-2310-P	11/19/2025 9:10:20 AM	34.4354385	-118.6490445	1368	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Reduce Sys. Vac. - Flare
CV-2310-P	11/24/2025 8:39:19 AM	34.4354315	-118.6490375	1352	Valve Adjustment:No Flow Measurement,Valve 100% Open
CV-2311	11/3/2025 2:20:00 PM				AtmAA
CV-2311	11/3/2025 2:20:00 PM				AtmAA; [User entered 14.49%]
CV-2311	11/3/2025 2:21:35 PM	34.4363390	-118.6498665	1346	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-2311	11/3/2025 2:22:13 PM	34.4363360	-118.6498698	1346	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2311	11/9/2025 10:34:04 AM	34.4363090	-118.6498785	1371	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good,Lorentz
CV-2311	11/9/2025 10:35:00 AM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2311	11/19/2025 8:06:45 AM	34.4363308	-118.6498998	1383	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Reduce Sys. Vac. - Flare Down;Well
CV-2311	11/23/2025 10:12:16 AM	34.4363185	-118.6498807	1369	Valve Adjustment:No Flow Measurement
CV-2312	11/11/2025 8:25:00 AM				AirTech Lab
CV-2312	11/11/2025 8:25:00 AM				AirTech Lab; [User entered 13%]
CV-2314	11/10/2025 10:20:00 AM				AirTech Lab
CV-2314	11/10/2025 10:20:00 AM				AirTech Lab; [User entered 7.1%]
CV-2314	11/20/2025 9:05:43 AM	34.4346745	-118.6467023	1397	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Well (Watered
CV-2314	11/20/2025 9:07:04 AM	34.4346743	-118.6467027	1391	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2315	11/11/2025 8:05:00 AM				AirTech Lab
CV-2315	11/11/2025 8:05:00 AM				AirTech Lab; [User entered 12%]
CV-2316	11/11/2025 7:49:48 AM	34.4360525	-118.6464032	1399	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2316	11/11/2025 7:50:38 AM	34.4360482	-118.6463943	1394	Valve Adjustment:High Temp;Well
					Condition:Pnumatic Pump Installed
CV-2319	11/4/2025 2:17:57 PM	34.4353360	-118.6457852	1388	Valve Adjustment:High Temp
CV-2319	11/24/2025 10:46:23 AM	34.4353120	-118.6457817	1395	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-2319	11/24/2025 10:47:21 AM	34.4353137	-118.6457817	1391	Valve Adjustment:NSPS/EG CAI,High Temp;Well
					Condition:Fair,Lorentz Pump Installed
CV-2322	11/12/2025 8:44:45 AM	34.4352725	-118.6475113	1378	Valve Adjustment:Valve 100% Open;Well Comment:well too tall sample taken from system;Well Condition:Fair
CV-2322	11/26/2025 7:31:58 AM	34.4352760	-118.6475435	1387	Valve Adjustment:Audible Flow,Surging Liquid in Header;Well Condition:Fair
CV-2324	11/4/2025 1:24:29 PM	34.4345050	-118.6442553	1387	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2326	11/7/2025 9:52:07 AM	34.4361550	-118.6504770	1386	
CV-2326	11/25/2025 2:07:28 PM	34.4361437	-118.6504780	1377	
CV-2327	11/4/2025 1:57:57 PM	34.4348983	-118.6479610	1349	Valve Adjustment:High Temp
CV-2327	11/4/2025 2:10:00 PM				AtmAA
CV-2327	11/4/2025 2:10:00 PM				AtmAA; [User entered 11.66%]
CV-2327	11/10/2025 9:10:00 AM				AtmAA
CV-2327	11/10/2025 9:10:41 AM	34.4349030	-118.6479427	1345	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2327	11/19/2025 1:30:00 PM	34.4348952	-118.6479318	1365	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare
CV-2327	11/25/2025 8:55:05 AM	34.4348883	-118.6479410	1366	Valve Adjustment:High Temp
CV-2328	11/5/2025 1:33:17 PM	34.4343250	-118.6483377	1368	Valve Adjustment:High Temp
CV-2328	11/5/2025 1:45:00 PM				AtmAA
CV-2328	11/5/2025 1:45:00 PM				AtmAA; [User entered 6.865%]
CV-2328	11/10/2025 8:55:00 AM				AirTech Lab
CV-2328	11/10/2025 8:55:00 AM				AirTech Lab; [User entered 5.4%]
CV-2328	11/10/2025 9:25:00 AM				AtmAA
CV-2328	11/10/2025 9:25:21 AM	34.4343112	-118.6483627	1362	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2328	11/19/2025 1:53:00 PM	34.4343128	-118.6483305	1361	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare
CV-2328	11/25/2025 8:45:24 AM	34.4343180	-118.6483615	1367	Valve Adjustment:Audible Flow,High Temp,Decreased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2333	11/3/2025 11:02:01 AM	34.4365210	-118.6473715	1368	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Comment:flange needs to be secured may be
CV-2333	11/3/2025 11:02:52 AM	34.4365237	-118.6473453	1367	Valve Adjustment:High Temp
CV-2333	11/4/2025 8:42:00 AM				[User entered 10.7%]
CV-2333	11/4/2025 8:45:34 AM	34.4365212	-118.6473715	1391	Valve Adjustment:High Temp;Well Comment:O2 intrusion corrected. Pump is off;Well Condition:Pnumatic Pump Installed
CV-2333	11/4/2025 9:01:41 AM	34.4365405	-118.6473647	1380	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
CV-2333	11/4/2025 11:51:06 AM	34.4365262	-118.6473580	1369	
CV-2333	11/6/2025 9:35:00 AM				AirTech Lab
CV-2333	11/6/2025 9:35:00 AM				AirTech Lab; [User entered 16%]
CV-2333	11/13/2025 3:15:38 PM	34.4365293	-118.6473703	1366	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Comment:Collapsed flex hose
CV-2333	11/13/2025 3:16:51 PM	34.4365047	-118.6473465	1376	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2333	11/13/2025 3:20:00 PM				AtmAA
CV-2333	11/18/2025 12:48:29 PM	34.4365217	-118.6473450	1378	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2333	11/25/2025 7:57:03 AM	34.4365438	-118.6473897	1380	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2334	11/5/2025 1:19:19 PM	34.4366972	-118.6467170	1341	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-2334	11/6/2025 9:05:00 AM				AirTech Lab
CV-2334	11/6/2025 9:05:00 AM				AirTech Lab; [User entered 1.4%]
CV-2335	11/4/2025 12:17:16 PM	34.4363753	-118.6509563	1336	
CV-2335	11/21/2025 1:03:23 PM	34.4363707	-118.6509735	1348	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2336	11/10/2025 2:24:40 PM	34.4360415	-118.6509218	1280	Audible Flow
CV-2336	11/21/2025 1:09:03 PM	34.4359983	-118.6508888	1352	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-2337	11/12/2025 8:05:00 AM				AirTech Lab
CV-2337	11/12/2025 8:05:00 AM				AirTech Lab; [User entered 10%]
CV-2337	11/12/2025 2:08:13 PM	34.4354632	-118.6507550	1317	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2337	11/12/2025 2:09:14 PM	34.4354665	-118.6507615	1322	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2337	11/26/2025 9:29:34 AM	34.4354583	-118.6507445	1332	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2337	11/26/2025 9:30:15 AM	34.4354545	-118.6507478	1333	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2338	11/5/2025 8:47:15 AM	34.4348585	-118.6504760	1308	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2338	11/5/2025 8:52:00 AM				AtmAA
CV-2338	11/5/2025 8:52:00 AM				AtmAA; [User entered 16.51%]
CV-2338	11/11/2025 8:20:54 AM	34.4348480	-118.6505127	1296	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-2338	11/11/2025 8:25:00 AM				AtmAA
CV-2338	11/21/2025 9:09:35 AM	34.4348627	-118.6504858	1327	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2338	11/23/2025 9:26:18 AM	34.4348642	-118.6504692	1326	Valve Adjustment:Decreased Flow/Vacuum
CV-2339	11/10/2025 2:04:16 PM	34.4341223	-118.6503510	1257	NSPS/EG CAI,High O2
CV-2339	11/10/2025 2:04:21 PM	34.4341645	-118.6503305	1243	
CV-2339	11/10/2025 2:06:22 PM	34.4342160	-118.6503588	1312	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2339	11/26/2025 9:22:20 AM	34.4341953	-118.6502718	1323	Valve Adjustment:NSPS/EG CAI,High O2;Well Condition:Fair
CV-2339	11/26/2025 9:23:50 AM	34.4342035	-118.6502625	1331	Valve Adjustment:NSPS/EG CAI,High O2
CV-2341	11/5/2025 2:42:26 PM	34.4336277	-118.6501595	1326	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
CV-2341	11/12/2025 8:20:00 AM				AirTech Lab
CV-2341	11/12/2025 8:20:00 AM				AirTech Lab; [User entered 13%]
CV-2341	11/21/2025 1:29:19 PM	34.4336390	-118.6501888	1328	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-2341	11/25/2025 2:38:24 PM	34.4336375	-118.6501637	1315	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-2341	11/25/2025 2:39:10 PM	34.4336122	-118.6501830	1316	Valve Adjustment:Surging Liquid in Header
CV-2342A	11/5/2025 10:03:17 AM	34.4342463	-118.6508198	1282	Valve Adjustment:High Temp
CV-2342A	11/5/2025 10:08:00 AM				AtmAA
CV-2342A	11/5/2025 10:08:00 AM				AtmAA; [User entered 20.76%]
CV-2342A	11/11/2025 7:34:54 AM	34.4342128	-118.6508395	1276	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2342A	11/11/2025 7:35:00 AM				AtmAA
CV-2342A	11/21/2025 10:19:44 AM	34.4342090	-118.6508530	1285	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-2342A	11/23/2025 9:56:54 AM	34.4342202	-118.6508237	1288	
CV-2343	11/4/2025 9:45:22 AM	34.4332658	-118.6506813	1304	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2343	11/4/2025 9:46:29 AM	34.4332577	-118.6506767	1297	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2343	11/24/2025 12:56:53 PM	34.4332505	-118.6506743	1296	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2343	11/24/2025 12:59:40 PM	34.4332522	-118.6506822	1302	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2343	11/25/2025 1:38:16 PM	34.4332448	-118.6506778	1299	Valve Adjustment:NSPS/EG CAC
CV-2344	11/5/2025 8:50:00 AM				AirTech Lab
CV-2344	11/5/2025 8:50:00 AM				AirTech Lab; [User entered 6.7%]
CV-2344	11/5/2025 9:43:31 AM	34.4330030	-118.6504218	1304	Valve Adjustment:High Temp
CV-2344	11/5/2025 9:50:00 AM				AtmAA
CV-2344	11/5/2025 9:50:00 AM				AtmAA; [User entered 6.55%]
CV-2344	11/24/2025 1:04:30 PM	34.4330168	-118.6504170	1296	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2344	11/24/2025 1:08:26 PM	34.4330090	-118.6504297	1312	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2344	11/25/2025 1:34:47 PM	34.4329778	-118.6504383	1310	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2345	11/3/2025 1:52:08 PM	34.4327542	-118.6501592	1310	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
CV-2345	11/5/2025 8:45:00 AM				AirTech Lab
CV-2345	11/5/2025 8:45:00 AM				AirTech Lab; [User entered 2.2%]
CV-2345	11/24/2025 1:19:37 PM	34.4327415	-118.6501790	1304	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-2346	11/4/2025 9:40:32 AM	34.4325952	-118.6500267	1308	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2346	11/5/2025 8:35:00 AM				AirTech Lab
CV-2346	11/5/2025 8:35:00 AM				AirTech Lab; [User entered 13%]
CV-2346	11/24/2025 1:22:10 PM	34.4326042	-118.6500510	1315	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2347	11/4/2025 9:34:27 AM	34.4323850	-118.6498298	1323	Valve Adjustment:Barely Open;Well Condition:Fair,Lorentz Pump Installed
CV-2347	11/5/2025 8:30:00 AM				AirTech Lab
CV-2347	11/5/2025 8:30:00 AM				AirTech Lab; [User entered 8.5%]
CV-2347	11/24/2025 1:26:01 PM	34.4323557	-118.6498317	1315	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-2348	11/4/2025 9:30:50 AM	34.4321720	-118.6495805	1317	
CV-2348	11/5/2025 8:25:00 AM				AirTech Lab
CV-2348	11/5/2025 8:25:00 AM				AirTech Lab
CV-2348	11/5/2025 8:25:00 AM				AirTech Lab
CV-2348	11/5/2025 8:25:00 AM				AirTech Lab; [User entered 2.0%]
CV-2348	11/24/2025 1:33:22 PM	34.4321690	-118.6495968	1322	Valve Adjustment:Audible Flow;Well Condition:Fair,Lorentz Pump Installed
CV-2349	11/3/2025 9:30:00 AM				AirTech Lab
CV-2349	11/3/2025 9:30:00 AM				AirTech Lab; [User entered 11%]
CV-2349	11/10/2025 8:51:47 AM	34.4331195	-118.6512010	1276	Audible Flow
CV-2349	11/25/2025 8:38:48 AM	34.4331370	-118.6512403	1263	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2350	11/4/2025 8:50:00 AM				AirTech Lab
CV-2350	11/4/2025 8:50:00 AM				AirTech Lab; [User entered 11%]
CV-2350	11/4/2025 9:54:48 AM	34.4327607	-118.6508887	1281	Valve Adjustment:Decreased Flow/Vacuum
CV-2350	11/25/2025 8:45:41 AM	34.4327627	-118.6509095	1275	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2350	11/25/2025 12:19:25 PM	34.4327657	-118.6509042	1282	Valve Adjustment:Decreased Flow/Vacuum
CV-2351	11/3/2025 8:55:00 AM				AirTech Lab
CV-2351	11/3/2025 8:55:00 AM				AirTech Lab; [User entered 4.4%]
CV-2351	11/5/2025 12:41:40 PM	34.4351485	-118.6511623	1288	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High O2,Positive Static Press.,Increased Flow/Vacuum
CV-2351	11/5/2025 12:44:36 PM	34.4351612	-118.6511730	1291	Valve Adjustment:High O2
CV-2351	11/5/2025 1:35:52 PM	34.4351475	-118.6511448	1291	Valve Comment:Bolted down flange to correct O2 intrusion;Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased
CV-2351	11/5/2025 1:42:39 PM	34.4351438	-118.6511588	1307	Valve Adjustment:NSPS/EG CAC,Barely Open
CV-2351	11/25/2025 8:16:07 AM	34.4351517	-118.6511500	1302	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-2352	11/3/2025 9:05:00 AM				AirTech Lab
CV-2352	11/3/2025 9:05:00 AM				AirTech Lab; [User entered 17%]
CV-2352	11/11/2025 7:55:09 AM	34.4348675	-118.6510533	1267	Valve Adjustment:High O2,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2352	11/25/2025 8:24:42 AM	34.4348698	-118.6510440	1286	Valve Adjustment:NSPS/EG CAC;Well Condition:Fair,Lorentz Pump Installed
CV-2353-P	11/5/2025 9:05:00 AM				AirTech Lab
CV-2353-P	11/5/2025 9:30:00 AM				AirTech Lab; [User entered 20%]
CV-2353-P	11/5/2025 10:06:28 AM	34.4345598	-118.6508927	1288	Valve Adjustment:High Temp
CV-2353-P	11/5/2025 10:15:00 AM				AtmAA
CV-2353-P	11/5/2025 10:15:00 AM				AtmAA; [User entered 18.84%]
CV-2353-P	11/11/2025 7:49:43 AM	34.4345543	-118.6509382	1285	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAC;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2353-P	11/21/2025 9:21:16 AM	34.4345397	-118.6509145	1296	Valve Comment:Enhanced monitoring;Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-2354	11/3/2025 9:25:00 AM				AirTech Lab
CV-2354	11/3/2025 9:25:00 AM				AirTech Lab; [User entered 14%]
CV-2354	11/11/2025 8:40:42 AM	34.4336777	-118.6513567	1254	Valve Adjustment:High O2,Surging Liquid in Header;Well Comment:valve to tall to adjust
CV-2354	11/25/2025 8:29:55 AM	34.4336888	-118.6513482	1263	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Well (Watered In)
CV-2354	11/25/2025 8:31:16 AM	34.4336675	-118.6513412	1266	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-24001	11/4/2025 12:58:18 PM	34.4366438	-118.6509073	1328	
CV-24001	11/21/2025 12:57:41 PM	34.4366392	-118.6509265	1356	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24002	11/4/2025 12:48:11 PM	34.4367325	-118.6504785	1336	
CV-24002	11/21/2025 12:45:19 PM	34.4367293	-118.6504758	1359	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-24003	11/4/2025 9:33:22 AM	34.4368447	-118.6500217	1362	
CV-24003	11/21/2025 12:40:46 PM	34.4368815	-118.6500987	1369	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24004	11/3/2025 2:07:55 PM	34.4370613	-118.6496962	1361	Valve Adjustment:Increased Flow/Vacuum
CV-24004	11/21/2025 12:30:56 PM	34.4370685	-118.6497012	1363	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24006	11/4/2025 12:27:22 PM	34.4363663	-118.6504515	1367	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24006	11/4/2025 12:29:06 PM	34.4363533	-118.6504563	1367	Valve Adjustment:High Temp;Well Condition:Pnumatic Pump Installed
CV-24006	11/19/2025 10:29:42 AM	34.4363495	-118.6504693	1376	
CV-24007	11/4/2025 10:10:04 AM	34.4365200	-118.6501073	1382	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum;Well Comment:pump off;Well Condition:Pnumatic

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24007	11/4/2025 10:11:21 AM	34.4365227	-118.6501240	1389	
CV-24007	11/11/2025 9:00:00 AM				AirTech Lab
CV-24007	11/11/2025 9:00:00 AM				AirTech Lab; [User entered 9.0%]
CV-24007	11/13/2025 9:35:00 AM				AirTech Lab
CV-24007	11/13/2025 9:35:00 AM				AirTech Lab; [User entered 11%]
CV-24007	11/25/2025 1:58:21 PM	34.4365065	-118.6501272	1385	
CV-24008	11/11/2025 1:27:10 PM	34.4366753	-118.6496858	1370	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open
CV-24008	11/11/2025 1:28:37 PM	34.4366958	-118.6496827	1349	Valve Adjustment:NSPS/EG CAI,Positive Static Press.
CV-24008	11/24/2025 12:58:02 PM	34.4366770	-118.6496903	1371	Valve Comment:system watered in;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Header
CV-24008	11/25/2025 1:48:48 PM	34.4366763	-118.6497065	1386	Valve Adjustment:NSPS/EG CAI,Positive Static Press.
CV-24008	11/25/2025 1:49:29 PM	34.4366782	-118.6496985	1382	Valve Adjustment:Positive Static Press.
CV-24009	11/3/2025 10:33:29 AM	34.4368927	-118.6493528	1383	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24009	11/3/2025 10:35:00 AM				AtmAA
CV-24009	11/3/2025 10:35:00 AM				AtmAA
CV-24009	11/10/2025 1:13:58 PM	34.4368630	-118.6493120	1349	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24009	11/10/2025 1:15:00 PM				AtmAA
CV-24009	11/19/2025 7:57:34 AM	34.4368725	-118.6493508	1377	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24009	11/23/2025 9:16:46 AM	34.4368778	-118.6493522	1396	Valve Adjustment:High Temp,Surging Liquid in Header

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24010	11/3/2025 1:52:59 PM	34.4371010	-118.6489478	1372	
CV-24010	11/21/2025 12:25:53 PM	34.4370860	-118.6489290	1352	Valve Adjustment:Barely Open;Well Condition:Fair
CV-24011	11/4/2025 8:19:45 AM	34.4362047	-118.6501980	1386	Valve Adjustment:High Temp
CV-24011	11/4/2025 8:20:00 AM				AtmAA
CV-24011	11/4/2025 8:20:00 AM				AtmAA; [User entered 10.165%]
CV-24011	11/9/2025 10:25:00 AM				AtmAA
CV-24011	11/9/2025 10:26:44 AM	34.4362073	-118.6501910	1372	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24011	11/19/2025 8:16:36 AM	34.4362125	-118.6502132	1386	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Reduce Sys. Vac. - Flare Down;Well Comment:unable to reach
CV-24011	11/24/2025 8:07:53 AM	34.4362063	-118.6502015	1393	Valve Adjustment:High Temp
CV-24012	11/3/2025 2:29:24 PM	34.4361958	-118.6493450	1336	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24012	11/3/2025 2:30:00 PM				AtmAA
CV-24012	11/3/2025 2:30:00 PM				AtmAA; [User entered 16.40%]
CV-24012	11/9/2025 10:51:26 AM	34.4361668	-118.6493538	1345	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24012	11/9/2025 10:55:00 AM				AtmAA
CV-24012	11/19/2025 8:36:41 AM	34.4361868	-118.6493548	1370	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Reduce Sys. Vac. - Flare Down;Well
CV-24012	11/23/2025 10:17:13 AM	34.4361905	-118.6493503	1365	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Increased Flow/Vacuum
CV-24012	11/23/2025 10:18:36 AM	34.4361715	-118.6493240	1371	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp,Barely Open
CV-24013	11/19/2025 9:33:42 AM	34.4368707	-118.6493643	1393	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24013	11/19/2025 9:47:51 AM	34.4366292	-118.6492642	1396	Valve Adjustment:High Temp,Barely Open
CV-24013	11/23/2025 9:27:52 AM	34.4366205	-118.6492472	1395	Valve Comment:O2 is from bad fuse on system side created maintenance form;Valve Adjustment:No Flow Measurement,High
CV-24013	11/23/2025 9:30:36 AM	34.4366140	-118.6492342	1377	Valve Adjustment:No Flow Measurement,High Temp
CV-24014	11/3/2025 10:21:02 AM	34.4367968	-118.6489530	1384	Valve Adjustment:High Temp
CV-24014	11/3/2025 10:25:00 AM				AtmAA
CV-24014	11/3/2025 10:25:00 AM				AtmAA; [User entered 17.80%]
CV-24014	11/9/2025 10:05:00 AM				AtmAA
CV-24014	11/9/2025 10:15:10 AM	34.4367737	-118.6489283	1369	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Decreased Flow/Vacuum
CV-24014	11/9/2025 10:16:13 AM	34.4367682	-118.6489180	1375	Valve Adjustment:NSPS/EG CAI,High Temp,High O2
CV-24014	11/18/2025 2:28:10 PM	34.4367780	-118.6489353	1371	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24014	11/23/2025 9:36:59 AM	34.4367847	-118.6489452	1391	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.
CV-24014	11/23/2025 9:37:55 AM	34.4367968	-118.6489675	1387	Valve Adjustment:NSPS/EG CAC,High Temp
CV-24015	11/3/2025 9:21:26 AM	34.4369195	-118.6486113	1366	Valve Adjustment:High Temp
CV-24015	11/3/2025 9:22:00 AM				AtmAA
CV-24015	11/3/2025 9:22:00 AM				AtmAA; [User entered 21.87%]
CV-24015	11/9/2025 9:14:09 AM	34.4369023	-118.6486353	1346	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-24015	11/9/2025 9:15:00 AM				AtmAA
CV-24015	11/18/2025 2:17:40 PM	34.4368828	-118.6486137	1372	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24015	11/23/2025 8:11:22 AM	34.4368922	-118.6485958	1376	Valve Adjustment:No Flow Measurement,High Temp
CV-24016	11/4/2025 8:24:20 AM	34.4359302	-118.6502453	1374	Valve Adjustment:Audible Flow,High Temp,Decreased Flow/Vacuum
CV-24016	11/4/2025 8:28:00 AM				AtmAA
CV-24016	11/4/2025 8:28:00 AM				AtmAA; [User entered 7.28%]
CV-24016	11/10/2025 1:04:30 PM	34.4359302	-118.6502112	1356	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24016	11/10/2025 1:05:00 PM				AtmAA
CV-24016	11/20/2025 9:52:30 AM	34.4359095	-118.6502345	1378	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-24016	11/24/2025 8:14:38 AM	34.4359240	-118.6502463	1364	Valve Adjustment:No Flow Measurement,Increased Flow/Vacuum,Barely Open
CV-24017	11/3/2025 2:15:00 PM				AtmAA; [User entered 11.85%]
CV-24017	11/3/2025 2:19:00 PM	34.4361062	-118.6497990	1338	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24017	11/9/2025 10:40:00 AM				AtmAA
CV-24017	11/9/2025 10:41:28 AM	34.4360795	-118.6498018	1351	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24017	11/11/2025 8:55:00 AM				AirTech Lab
CV-24017	11/11/2025 8:55:00 AM				AirTech Lab; [User entered 8.8%]
CV-24017	11/19/2025 8:22:34 AM	34.4361163	-118.6498055	1378	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Reduce Sys. Vac. - Flare
CV-24017	11/23/2025 10:26:38 AM	34.4361022	-118.6498133	1373	Valve Adjustment:No Flow Measurement,High Temp
CV-24018	11/12/2025 1:52:41 PM	34.4356378	-118.6500587	1343	Valve Adjustment:High Temp,Barely Open
CV-24018	11/25/2025 2:24:04 PM	34.4356013	-118.6500590	1369	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24019	11/3/2025 2:40:00 PM				AtmAA
CV-24019	11/3/2025 2:40:00 PM				AtmAA; [User entered 16.90%]
CV-24019	11/3/2025 2:42:04 PM	34.4358022	-118.6497615	1336	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24019	11/9/2025 11:00:00 AM				AtmAA
CV-24019	11/9/2025 11:02:02 AM	34.4357642	-118.6497590	1359	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good,Lorentz
CV-24019	11/20/2025 9:46:09 AM	34.4357648	-118.6497483	1363	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well
CV-24019	11/23/2025 10:30:55 AM	34.4357880	-118.6497627	1352	Valve Adjustment:Audible Flow,No Flow Measurement,High Temp
CV-24020	11/11/2025 10:35:27 AM	34.4360007	-118.6493745	1365	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open,Surging Liquid in Well (Watered In)
CV-24020	11/11/2025 10:45:19 AM	34.4359942	-118.6493843	1372	Valve Comment:Changed OP from2.1 to 1.25;Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log)
CV-24020	11/26/2025 8:05:57 AM	34.4359927	-118.6493738	1362	Valve Adjustment:NSPS/EG CAI,Audible Flow,High O2,Barely Open
CV-24020	11/26/2025 8:06:32 AM	34.4360053	-118.6493828	1362	Valve Adjustment:NSPS/EG CAI,High O2
CV-24021	11/11/2025 10:16:39 AM	34.4361780	-118.6490422	1366	Valve Adjustment:NSPS/EG CAC,Barely Open
CV-24021	11/25/2025 3:22:30 PM	34.4361650	-118.6490347	1357	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Well (Watered In)
CV-24021	11/25/2025 3:23:13 PM	34.4361500	-118.6490262	1361	Valve Adjustment:High O2,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24022	11/3/2025 10:39:46 AM	34.4365380	-118.6488297	1393	Valve Adjustment:Audible Flow,High Temp,Decreased Flow/Vacuum
CV-24022	11/3/2025 10:43:00 AM				AtmAA
CV-24022	11/3/2025 10:43:00 AM				AtmAA; [User entered 20.68%]
CV-24022	11/9/2025 9:52:04 AM	34.4364977	-118.6487947	1337	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24022	11/9/2025 9:55:00 AM				AtmAA
CV-24022	11/18/2025 2:33:26 PM	34.4365077	-118.6487873	1366	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-24022	11/23/2025 9:42:14 AM	34.4365182	-118.6488307	1373	Valve Adjustment:Audible Flow,No Flow Measurement,High Temp
CV-24023	11/3/2025 9:35:10 AM	34.4366005	-118.6484407	1373	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Increased Flow/Vacuum
CV-24023	11/3/2025 9:36:46 AM	34.4365852	-118.6484303	1372	Valve Adjustment:NSPS/EG CAC,Audible Flow,High Temp
CV-24023	11/3/2025 9:37:00 AM				AtmAA
CV-24023	11/3/2025 9:37:00 AM				AtmAA; [User entered 20.85%]
CV-24023	11/9/2025 9:30:00 AM				AtmAA
CV-24023	11/9/2025 9:30:36 AM	34.4366012	-118.6484507	1362	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Good
CV-24023	11/18/2025 2:38:55 PM	34.4366018	-118.6484240	1368	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well
CV-24023	11/23/2025 8:26:06 AM	34.4365930	-118.6484457	1392	Valve Adjustment:No Flow Measurement,High Temp
CV-24024	11/3/2025 9:16:34 AM	34.4368002	-118.6481383	1357	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24024	11/3/2025 9:18:00 AM				AtmAA
CV-24024	11/3/2025 9:18:00 AM				AtmAA; [User entered 18.32%]
CV-24024	11/9/2025 8:55:25 AM	34.4368138	-118.6481633	1325	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-24024	11/9/2025 8:59:33 AM	34.4368075	-118.6481617	1338	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAC;Well Condition:Fair
CV-24024	11/18/2025 2:07:20 PM	34.4368010	-118.6481573	1339	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24024	11/23/2025 7:58:09 AM	34.4368057	-118.6481617	1355	Valve Adjustment:No Flow Measurement

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24025	11/4/2025 8:32:23 AM	34.4352923	-118.6499282	1366	Valve Adjustment:Audible Flow,High Temp,Decreased Flow/Vacuum
CV-24025	11/4/2025 8:34:00 AM				AtmAA
CV-24025	11/4/2025 8:34:00 AM				AtmAA; [User entered 10.48%]
CV-24025	11/9/2025 11:53:27 AM	34.4353035	-118.6499505	1331	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24025	11/9/2025 11:55:00 AM				AtmAA
CV-24025	11/19/2025 9:43:14 AM	34.4352762	-118.6499208	1360	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare
CV-24025	11/24/2025 8:23:38 AM	34.4352887	-118.6499278	1358	Valve Adjustment:No Flow Measurement,High Temp
CV-24026	11/3/2025 2:35:00 PM				AtmAA
CV-24026	11/3/2025 2:35:00 PM				AtmAA; [User entered 17.83%]
CV-24026	11/3/2025 2:36:03 PM	34.4356735	-118.6492277	1334	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24026	11/10/2025 7:55:00 AM				AtmAA
CV-24026	11/10/2025 7:55:44 AM	34.4356700	-118.6492695	1344	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24026	11/19/2025 8:47:02 AM	34.4356633	-118.6492498	1366	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAC,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24027	11/7/2025 3:09:56 PM	34.4361267	-118.6487220	1359	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-24027	11/25/2025 3:08:10 PM	34.4361010	-118.6487238	1354	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open,Surging Liquid in Header
CV-24027	11/25/2025 3:09:27 PM	34.4361273	-118.6487200	1356	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-24028	11/3/2025 10:44:20 AM	34.4363440	-118.6484718	1368	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24028	11/3/2025 10:45:00 AM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24028	11/3/2025 10:45:00 AM				AtmAA; [User entered 20.33%]
CV-24028	11/9/2025 9:44:54 AM	34.4363228	-118.6484798	1349	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well
CV-24028	11/9/2025 9:45:00 AM				AtmAA
CV-24028	11/18/2025 2:45:54 PM	34.4363320	-118.6484680	1361	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header
CV-24028	11/23/2025 9:48:38 AM	34.4363348	-118.6484620	1367	Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum
CV-24029	11/3/2025 1:26:24 PM	34.4364493	-118.6480592	1340	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum
CV-24029	11/3/2025 1:29:14 PM	34.4364677	-118.6480680	1370	
CV-24029	11/24/2025 7:58:59 AM	34.4364877	-118.6480820	1380	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24030	11/3/2025 9:05:57 AM	34.4366835	-118.6478905	1339	Valve Adjustment:High Temp
CV-24030	11/3/2025 9:12:00 AM				AtmAA
CV-24030	11/3/2025 9:12:00 AM				AtmAA; [User entered 20.27%]
CV-24030	11/9/2025 8:47:50 AM	34.4366600	-118.6478928	1348	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair,Lorentz
CV-24030	11/9/2025 8:50:00 AM				AtmAA
CV-24030	11/18/2025 2:02:16 PM	34.4366687	-118.6478778	1344	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-24030	11/23/2025 7:50:15 AM	34.4366628	-118.6478985	1358	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-24031	11/12/2025 1:50:46 PM	34.4356255	-118.6500872	1340	
CV-24031	11/25/2025 2:35:43 PM	34.4348995	-118.6498112	1343	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-24031	11/25/2025 2:37:37 PM	34.4349005	-118.6498098	1355	Valve Adjustment:NSPS/EG CAC

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24032	11/4/2025 8:38:18 AM	34.4351020	-118.6496158	1359	Valve Adjustment:High Temp
CV-24032	11/4/2025 8:50:00 AM				AtmAA
CV-24032	11/4/2025 8:50:00 AM				AtmAA; [User entered 12.08%]
CV-24032	11/9/2025 12:11:38 PM	34.4350905	-118.6496428	1359	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good,Lorentz
CV-24032	11/9/2025 12:15:00 PM				AtmAA
CV-24032	11/9/2025 12:20:00 PM				AtmAA
CV-24032	11/19/2025 9:28:45 AM	34.4350862	-118.6496178	1354	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header,Reduce
CV-24032	11/24/2025 9:21:11 AM	34.4351195	-118.6496223	1366	Valve Adjustment:No Flow Measurement,High Temp
CV-24033	11/4/2025 9:32:43 AM	34.4353382	-118.6494490	1371	Valve Adjustment:High Temp
CV-24033	11/4/2025 9:35:00 AM				AtmAA
CV-24033	11/4/2025 9:35:00 AM				AtmAA; [User entered 15.98%]
CV-24033	11/9/2025 12:03:30 PM	34.4353402	-118.6494743	1326	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24033	11/9/2025 12:05:00 PM				AtmAA
CV-24033	11/19/2025 9:17:17 AM	34.4353365	-118.6494525	1364	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare
CV-24033	11/24/2025 8:33:55 AM	34.4353497	-118.6494480	1361	Valve Adjustment:No Flow Measurement,High Temp
CV-24034	11/3/2025 11:42:49 AM	34.4361117	-118.6481138	1357	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24034	11/3/2025 11:45:00 AM				AtmAA
CV-24034	11/3/2025 11:45:00 AM				AtmAA; [User entered 11.0%]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24034	11/10/2025 8:07:38 AM	34.4361182	-118.6481228	1345	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24034	11/10/2025 8:10:00 AM				AtmAA
CV-24034	11/10/2025 1:22:55 PM	34.4361093	-118.6481047	1351	Valve Comment:possible damaged valve;Valve Adjustment:Barely Open
CV-24034	11/20/2025 10:05:01 AM	34.4360883	-118.6480987	1351	Valve Adjustment:NSPS/EG CAI,High O2,Surging
CV-24034	11/20/2025 10:05:49 AM	34.4360937	-118.6480993	1359	Liquid in Well (Watered In);Well Condition:Fair
CV-24034	11/24/2025 1:42:52 PM	34.4361145	-118.6481305	1365	Valve Adjustment:NSPS/EG CAI,High O2,Surging
CV-24034	11/24/2025 1:44:49 PM	34.4361128	-118.6481300	1363	Liquid in Well (Watered In)
CV-24035	11/3/2025 8:49:42 AM	34.4363777	-118.6477145	1363	Valve Adjustment:NSPS/EG CAI,No Flow
CV-24035	11/3/2025 9:00:00 AM				Measurement,High Temp,High O2
CV-24035	11/3/2025 9:00:00 AM				Valve Adjustment:No Flow Measurement,High Temp
CV-24035	11/9/2025 8:17:02 AM	34.4363978	-118.6477103	1351	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24035	11/9/2025 8:20:00 AM				AtmAA
CV-24035	11/18/2025 3:04:17 PM	34.4363802	-118.6477010	1360	AtmAA; [User entered 15.49%]
CV-24035	11/23/2025 7:36:32 AM	34.4363782	-118.6477137	1359	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging
CV-24036	11/11/2025 1:38:28 PM	34.4344388	-118.6497060	1321	Liquid in Header;Well Condition:Fair
CV-24036	11/11/2025 1:40:21 PM	34.4344528	-118.6497093	1330	Valve Adjustment:No Flow Measurement
CV-24036	11/25/2025 2:51:59 PM	34.4344638	-118.6497147	1349	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24036	11/25/2025 2:54:56 PM	34.4344628	-118.6497235	1340	Valve Comment:lorentz pushing air.

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24037	11/7/2025 10:43:55 AM	34.4347680	-118.6494453	1357	
					Valve Adjustment:NSPS/EG CAI,High Temp;Well
CV-24037	11/11/2025 1:32:22 PM	34.4347583	-118.6494352	1310	Condition:Lorentz Pump Installed
					Valve Adjustment:High Temp
CV-24037	11/11/2025 1:33:23 PM	34.4347437	-118.6494357	1310	
CV-24037	11/25/2025 2:44:33 PM	34.4347547	-118.6494415	1350	
					Valve Adjustment:High Temp,Decreased
CV-24038	11/4/2025 8:58:47 AM	34.4350328	-118.6488647	1350	Flow/Vacuum
					AtmAA
CV-24038	11/4/2025 9:00:00 AM				
					AtmAA; [User entered 16.37%]
CV-24038	11/4/2025 9:00:00 AM				
CV-24038	11/9/2025 12:25:36 PM	34.4350252	-118.6488978	1315	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header;Well
CV-24038	11/9/2025 12:26:29 PM	34.4350420	-118.6488787	1315	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header,Surging
					AtmAA
CV-24038	11/9/2025 12:30:00 PM				
CV-24039	11/4/2025 9:04:43 AM	34.4352865	-118.6486435	1358	Valve Comment:Lorenz pump not working;Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-24039	11/4/2025 9:06:20 AM	34.4352922	-118.6486582	1361	Valve Comment:Lorenz pump is not working;Valve Adjustment:High O2,Barely Open,Surging Liquid in Well (Watered In)
					Valve Adjustment:Barely Open;Well
CV-24039	11/9/2025 12:32:51 PM	34.4352888	-118.6486852	1305	Condition:Good
					Valve Adjustment:Audible Flow,Barely Open;Well
CV-24039	11/19/2025 9:04:32 AM	34.4352913	-118.6486717	1350	Condition:Fair
					Valve Adjustment:High Temp,Decreased
CV-24040	11/5/2025 10:44:31 AM	34.4356475	-118.6483672	1337	Flow/Vacuum
					AtmAA
CV-24040	11/5/2025 10:50:00 AM				
					AtmAA; [User entered 17.6%]
CV-24040	11/5/2025 10:50:00 AM				
CV-24040	11/10/2025 8:02:13 AM	34.4356548	-118.6483788	1350	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24040	11/10/2025 8:05:00 AM				AtmAA
CV-24040	11/19/2025 8:59:01 AM	34.4356403	-118.6483903	1363	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAC,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down;Well
CV-24040	11/24/2025 8:30:22 AM	34.4356555	-118.6483685	1356	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High O2,Increased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-24040	11/24/2025 8:32:09 AM	34.4356415	-118.6483668	1347	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In)
CV-24041	11/7/2025 2:45:03 PM	34.4358527	-118.6480413	1358	Valve Adjustment:NSPS/EG CAI,High O2,Valve 100% Closed,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24041	11/7/2025 2:46:33 PM	34.4358523	-118.6480242	1359	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High O2,Increased Flow/Vacuum;Well Condition:Good
CV-24041	11/26/2025 7:46:52 AM	34.4358585	-118.6480442	1344	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-24042	11/4/2025 1:27:01 PM	34.4362698	-118.6474522	1348	Valve Adjustment:High Temp
CV-24042	11/4/2025 1:30:00 PM				AtmAA
CV-24042	11/4/2025 1:30:00 PM				AtmAA; [User entered 10.71%]
CV-24042	11/9/2025 7:41:29 AM	34.4362548	-118.6474778	1366	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-24042	11/9/2025 7:45:00 AM				AtmAA
CV-24042	11/17/2025 8:28:35 AM	34.4362673	-118.6474897	1366	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header;Well
CV-24042	11/17/2025 8:30:00 AM				AtmAA
CV-24042	11/25/2025 8:01:22 AM	34.4362545	-118.6474752	1376	Valve Adjustment:Audible Flow,High Temp
CV-24043	11/5/2025 2:24:17 PM	34.4340913	-118.6496962	1351	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum;Well
CV-24043	11/5/2025 2:27:43 PM	34.4341147	-118.6497097	1356	Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Good
CV-24043	11/25/2025 2:43:49 PM	34.4341015	-118.6496928	1344	Valve Comment:Well too tall to adjust

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24044	11/7/2025 10:30:31 AM	34.4344098	-118.6494018	1374	Valve Adjustment:Decreased Flow/Vacuum
CV-24044	11/30/2025 11:03:30 AM	34.4343822	-118.6493635	1351	
CV-24045	11/4/2025 8:49:13 AM	34.4347553	-118.6490553	1351	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24045	11/4/2025 8:55:00 AM				AtmAA
CV-24045	11/4/2025 8:55:00 AM				AtmAA; [User entered 15.75%]
CV-24045	11/9/2025 12:20:03 PM	34.4347613	-118.6490902	1329	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24046	11/12/2025 12:58:36 PM	34.4350673	-118.6483705	1344	Valve Comment:builds static vacuum when closed;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Barely Open,Surging Liquid in Well
CV-24046	11/12/2025 1:00:00 PM	34.4350763	-118.6483622	1362	Valve Adjustment:NSPS/EG CAC,Barely Open,Surging Liquid in Well (Watered In)
CV-24046	11/30/2025 12:58:44 PM	34.4350667	-118.6483558	1336	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-24046	11/30/2025 1:01:41 PM	34.4350618	-118.6483525	1328	Well Condition:Lorentz Pump Installed
CV-24048	11/7/2025 2:52:18 PM	34.4355663	-118.6477890	1357	Valve Adjustment:NSPS/EG CAI,Decreased Flow/Vacuum;Well Condition:Good,Pumatic Pump Installed
CV-24048	11/10/2025 1:35:27 PM	34.4355682	-118.6477850	1366	Valve Comment:increased vacuum for liner ballooning;Valve Adjustment:Increased Flow/Vacuum
CV-24048	11/26/2025 7:40:03 AM	34.4355798	-118.6478143	1372	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24049	11/6/2025 9:20:00 AM				AtmAA
CV-24049	11/6/2025 9:20:00 AM				AtmAA; [User entered 11.585%]
CV-24049	11/6/2025 9:20:53 AM	34.4359453	-118.6472062	1377	Valve Adjustment:High Temp
CV-24049	11/9/2025 7:33:08 AM	34.4359595	-118.6471718	1371	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24049	11/9/2025 7:35:00 AM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24049	11/13/2025 9:30:00 AM				AirTech Lab
CV-24049	11/13/2025 9:30:00 AM				AirTech Lab; [User entered 13%]
CV-24049	11/17/2025 8:20:00 AM				AtmAA
CV-24049	11/17/2025 8:20:21 AM	34.4359595	-118.6471875	1376	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24049	11/24/2025 1:20:38 PM	34.4359910	-118.6471808	1390	Valve Adjustment:Audible Flow,No Flow Measurement,High Temp
CV-24050	11/5/2025 2:35:58 PM	34.4337448	-118.6499527	1332	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Good
CV-24050	11/5/2025 2:38:23 PM	34.4337455	-118.6499447	1336	Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Good
CV-24050	11/25/2025 2:32:23 PM	34.4337298	-118.6499290	1325	
CV-24051	11/12/2025 8:13:38 AM	34.4344537	-118.6490048	1338	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Barely Open;Well Comment:Air intrusion on flange;Well
CV-24051	11/12/2025 8:15:24 AM	34.4344587	-118.6489967	1361	
CV-24052	11/7/2025 3:04:48 PM	34.4350827	-118.6480598	1361	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-24052	11/30/2025 12:50:46 PM	34.4350773	-118.6480492	1358	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24052	11/30/2025 12:51:50 PM	34.4350878	-118.6480598	1371	
CV-24053	11/10/2025 9:55:00 AM				AirTech Lab
CV-24053	11/10/2025 9:55:00 AM				AirTech Lab; [User entered 2.3%]
CV-24053	11/12/2025 8:36:55 AM	34.4352697	-118.6477747	1368	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In)
CV-24053	11/12/2025 8:38:18 AM	34.4352717	-118.6477680	1366	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-24053	11/26/2025 7:34:50 AM	34.4352608	-118.6478185	1360	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In);Well Condition:Fair

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24053	11/26/2025 7:35:12 AM	34.4352522	-118.6478258	1359	Valve Adjustment:NSPS/EG CAI,High O2
CV-24054	11/3/2025 11:25:21 AM	34.4356240	-118.6471672	1397	Valve Adjustment:High Temp
CV-24054	11/3/2025 11:28:00 AM				AtmAA
CV-24054	11/3/2025 11:28:00 AM				AtmAA; [User entered 11.43%]
CV-24054	11/10/2025 8:24:31 AM	34.4356387	-118.6471723	1378	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum;Well Condition:Fair
CV-24054	11/10/2025 8:25:00 AM				AtmAA
CV-24054	11/24/2025 1:25:20 PM	34.4356795	-118.6471740	1386	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24054	11/24/2025 1:25:59 PM	34.4356773	-118.6471733	1391	Valve Adjustment:NSPS/EG CAC,Audible Flow,No Flow Measurement,High Temp
CV-24055	11/4/2025 1:44:24 PM	34.4358723	-118.6469132	1394	
CV-24055	11/6/2025 10:00:00 AM				AirTech Lab
CV-24055	11/6/2025 10:00:00 AM				AirTech Lab; [User entered 3.8%]
CV-24055	11/26/2025 10:25:40 AM	34.4358607	-118.6469297	1422	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-24056	11/5/2025 9:00:02 AM	34.4332912	-118.6501430	1330	Valve Adjustment:High Temp
CV-24056	11/5/2025 9:07:00 AM				AtmAA
CV-24056	11/5/2025 9:07:00 AM				AtmAA; [User entered 7.38%]
CV-24056	11/11/2025 8:05:14 AM	34.4332763	-118.6501817	1304	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24056	11/21/2025 10:37:01 AM	34.4332847	-118.6501628	1340	Valve Comment:Enhanced monitoring;Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24057	11/13/2025 11:58:55 AM	34.4334887	-118.6496577	1314	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24057	11/26/2025 9:14:31 AM	34.4334518	-118.6496507	1344	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24058	11/13/2025 11:46:48 AM	34.4338148	-118.6494713	1346	Valve Adjustment:Increased Flow/Vacuum
CV-24058	11/25/2025 2:21:01 PM	34.4337988	-118.6494392	1349	
CV-24061	11/10/2025 9:31:54 AM	34.4343448	-118.6486238	1362	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24061	11/26/2025 8:28:53 AM	34.4343568	-118.6486233	1364	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24062	11/10/2025 8:50:00 AM				AirTech Lab
CV-24062	11/10/2025 8:50:00 AM				AirTech Lab; [User entered 3.2%]
CV-24062	11/10/2025 9:15:35 AM	34.4345768	-118.6480990	1350	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24062	11/19/2025 1:46:00 PM	34.4345907	-118.6480852	1366	Valve Comment:Enhanced Monitoring;Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24063	11/11/2025 8:30:00 AM				AirTech Lab
CV-24063	11/11/2025 8:30:00 AM				AirTech Lab; [User entered 12%]
CV-24064	11/10/2025 9:30:00 AM				AirTech Lab; [User entered 4.6%]
CV-24064	11/11/2025 9:48:20 AM	34.4352227	-118.6471720	1392	Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High Temp,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair
CV-24064	11/11/2025 9:51:44 AM	34.4352460	-118.6471485	1403	Valve Adjustment:High Temp,Positive Static Press.
CV-24064	11/11/2025 10:00:00 AM				AtmAA
CV-24064	11/11/2025 10:00:00 AM				AtmAA; [User entered 10.85%]
CV-24064	11/12/2025 9:29:04 AM	34.4352508	-118.6471438	1387	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24064	11/12/2025 1:25:17 PM	34.4352420	-118.6471637	1385	Valve Adjustment:NSPS/EG CAC,High Temp,Positive Static Press.,Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24064	11/12/2025 1:28:04 PM	34.4352277	-118.6471628	1381	Valve Adjustment:High Temp
CV-24064	11/21/2025 10:40:38 AM	34.4352430	-118.6471715	1393	Valve Adjustment:NSPS/EG CAI,Audible Flow,No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)
CV-24064	11/25/2025 1:06:22 PM	34.4352438	-118.6471628	1395	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header
CV-24064	11/25/2025 1:11:23 PM	34.4352363	-118.6471573	1388	Valve Comment:Active PLR;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header
CV-24065	11/5/2025 8:53:48 AM	34.4356207	-118.6468048	1401	Valve Comment:RES SEM;Well Condition:Fair
CV-24065	11/13/2025 9:55:00 AM				AirTech Lab
CV-24065	11/13/2025 9:55:00 AM				AirTech Lab; [User entered 1.5%]
CV-24065	11/21/2025 10:34:21 AM	34.4356138	-118.6467760	1399	Valve Adjustment:Audible Flow
CV-24065	11/24/2025 10:57:22 AM	34.4356088	-118.6468087	1406	Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open;Well
CV-24066	11/3/2025 1:30:46 PM	34.4330258	-118.6497973	1343	Valve Adjustment:Increased Flow/Vacuum
CV-24066	11/12/2025 8:30:00 AM				AirTech Lab
CV-24066	11/12/2025 8:30:00 AM				AirTech Lab; [User entered 2.4%]
CV-24066	11/24/2025 12:45:56 PM	34.4330135	-118.6497943	1345	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
CV-24067	11/3/2025 1:23:56 PM	34.4332172	-118.6497103	1335	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24067	11/26/2025 9:09:46 AM	34.4331778	-118.6497263	1327	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-24068	11/10/2025 9:40:00 AM				AtmAA
CV-24068	11/10/2025 9:40:18 AM	34.4332443	-118.6493422	1334	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24068	11/10/2025 9:40:52 AM	34.4332443	-118.6493575	1337	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24068	11/19/2025 2:04:00 PM	34.4332535	-118.6493368	1354	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAC,Barely Open,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24069	11/10/2025 9:25:00 AM				AirTech Lab
CV-24070	11/10/2025 9:20:00 AM				AirTech Lab
CV-24070	11/10/2025 9:20:00 AM				AirTech Lab; [User entered 11%]
CV-24071	11/10/2025 12:38:46 PM	34.4340032	-118.6484595	1366	Valve Adjustment:Increased Flow/Vacuum
CV-24071	11/10/2025 12:41:02 PM	34.4340005	-118.6484690	1356	Well Condition:Fair,Lorentz Pump Installed
CV-24071	11/11/2025 8:15:00 AM				AirTech Lab
CV-24071	11/11/2025 8:15:00 AM				AirTech Lab; [User entered 6.3%]
CV-24071	11/25/2025 9:41:17 AM	34.4340115	-118.6484660	1361	Valve Adjustment:Decreased Flow/Vacuum
CV-24072	11/10/2025 12:49:20 PM	34.4341640	-118.6480323	1366	Valve Adjustment:Increased Flow/Vacuum
CV-24072	11/25/2025 9:35:11 AM	34.4341700	-118.6480242	1364	
CV-24075	11/11/2025 9:24:04 AM	34.4350502	-118.6471247	1400	Valve Adjustment:NSPS/EG CAI,Reconnected this Date,Positive Static Press.;Well Condition:Fair
CV-24075	11/11/2025 10:05:00 AM				AtmAA
CV-24075	11/11/2025 10:05:00 AM				AtmAA; [User entered 12.33%]
CV-24075	11/12/2025 9:16:37 AM	34.4350285	-118.6471385	1388	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24075	11/12/2025 9:51:06 AM	34.4350288	-118.6471510	1391	Valve Adjustment:NSPS/EG CAC,High Temp,Increased Flow/Vacuum
CV-24075	11/13/2025 8:28:36 AM	34.4350312	-118.6471315	1389	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24075	11/20/2025 8:54:45 AM	34.4350252	-118.6471200	1383	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair,Lorentz

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24075	11/25/2025 9:20:56 AM	34.4350082	-118.6471237	1380	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24076	11/3/2025 11:51:21 AM	34.4353088	-118.6468478	1416	
CV-24076	11/6/2025 10:26:34 AM	34.4353452	-118.6468860	1403	Valve Adjustment:High Temp
CV-24076	11/6/2025 10:30:00 AM				AtmAA
CV-24076	11/6/2025 10:30:00 AM				AtmAA; [User entered 6.87%]
CV-24076	11/10/2025 1:35:00 PM				AtmAA
CV-24076	11/10/2025 1:38:47 PM	34.4353252	-118.6468598	1389	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24076	11/20/2025 8:39:01 AM	34.4353208	-118.6468735	1407	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24076	11/25/2025 9:12:43 AM	34.4353167	-118.6468678	1402	Valve Adjustment:Audible Flow,High Temp
CV-24077	11/3/2025 1:03:09 PM	34.4326808	-118.6493215	1339	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24077	11/21/2025 1:53:46 PM	34.4326840	-118.6492985	1348	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24078	11/3/2025 1:15:03 PM	34.4329120	-118.6494168	1339	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24078	11/24/2025 12:41:17 PM	34.4329373	-118.6494288	1342	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24078	11/24/2025 12:42:26 PM	34.4329372	-118.6494383	1335	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24079	11/6/2025 10:10:20 AM	34.4329830	-118.6491302	1371	Valve Adjustment:Audible Flow,High Temp
CV-24079	11/6/2025 10:15:00 AM				AtmAA
CV-24079	11/6/2025 10:15:00 AM				AtmAA; [User entered 5.02%]
CV-24079	11/10/2025 9:45:00 AM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24079	11/10/2025 9:46:04 AM	34.4329900	-118.6491062	1359	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24079	11/19/2025 2:07:00 PM	34.4329830	-118.6491113	1361	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Reduce Sys. Vac. - Flare Down;Well
CV-24079	11/25/2025 8:30:04 AM	34.4329873	-118.6491163	1359	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
CV-24083	11/10/2025 12:13:53 PM	34.4337052	-118.6483405	1360	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24083	11/10/2025 12:14:22 PM	34.4337172	-118.6483448	1366	
CV-24083	11/25/2025 10:07:43 AM	34.4337102	-118.6483400	1366	Valve Adjustment:Increased Flow/Vacuum
CV-24084	11/5/2025 1:53:53 PM	34.4338712	-118.6480212	1386	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24084	11/5/2025 1:55:20 PM	34.4338647	-118.6480252	1381	Valve Adjustment:NSPS/EG CAC,High Temp,Increased Flow/Vacuum
CV-24084	11/5/2025 1:58:00 PM				AtmAA
CV-24084	11/5/2025 1:58:00 PM				AtmAA; [User entered 8.32%]
CV-24084	11/10/2025 9:53:51 AM	34.4338613	-118.6480288	1366	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24084	11/10/2025 9:55:00 AM				AtmAA
CV-24084	11/19/2025 2:14:00 PM	34.4338607	-118.6480035	1367	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare
CV-24084	11/25/2025 1:20:40 PM	34.4338677	-118.6480230	1381	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24085	11/6/2025 10:06:17 AM	34.4323943	-118.6490178	1348	Valve Comment:RES flag located at well;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24085	11/24/2025 1:00:32 PM	34.4324145	-118.6490043	1350	
CV-24086	11/10/2025 10:09:28 AM	34.4328970	-118.6486937	1367	Valve Adjustment:Increased Flow/Vacuum
CV-24086	11/10/2025 10:15:30 AM	34.4328910	-118.6486947	1369	Valve Adjustment:Orifice Plate Changed (See OP Log)

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24086	11/19/2025 10:44:05 AM	34.4329073	-118.6486223	1362	Reduced System Vacuum,Audible Flow
CV-24087	11/4/2025 10:16:00 AM	34.4330063	-118.6480937	1393	Valve Adjustment:Decreased Flow/Vacuum
CV-24087	11/24/2025 1:33:13 PM	34.4330140	-118.6481143	1384	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24088	11/3/2025 12:45:13 PM	34.4335852	-118.6476500	1394	
CV-24088	11/10/2025 1:06:17 PM	34.4335795	-118.6476610	1370	
CV-24088	11/25/2025 10:46:29 AM	34.4336018	-118.6476550	1389	
CV-24089	11/3/2025 2:29:59 PM	34.4324333	-118.6481655	1355	
CV-24089	11/19/2025 10:59:20 AM	34.4324093	-118.6481035	1362	High O2
CV-24089	11/19/2025 11:01:13 AM	34.4323707	-118.6480547	1378	
CV-24090	11/4/2025 10:00:31 AM	34.4326797	-118.6474890	1370	
CV-24090	11/25/2025 10:25:02 AM	34.4325970	-118.6475203	1398	Audible Flow
CV-24091	11/4/2025 8:50:18 AM	34.4330043	-118.6469573	1365	Audible Flow
CV-24091	11/20/2025 8:34:39 AM	34.4329727	-118.6468877	1411	
CV-24092	11/4/2025 9:18:42 AM	34.4332910	-118.6461192	1398	Valve Adjustment:Decreased Flow/Vacuum
CV-24093	11/4/2025 8:58:48 AM	34.4340523	-118.6463425	1393	
CV-24093	11/25/2025 8:33:09 AM	34.4340782	-118.6463625	1398	Valve Adjustment:Increased Flow/Vacuum
CV-24095	11/4/2025 8:25:00 AM				AirTech Lab
CV-24095	11/4/2025 8:25:00 AM				AirTech Lab

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24095	11/4/2025 8:25:00 AM				AirTech Lab
CV-24095	11/4/2025 8:25:00 AM				AirTech Lab; [User entered 14%]
CV-24095	11/12/2025 1:23:19 PM	34.4334067	-118.6512982	1260	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well
CV-24095	11/12/2025 1:27:30 PM	34.4334198	-118.6513153	1264	Valve Adjustment:High Temp,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Lorentz Pump
CV-24095	11/21/2025 9:59:40 AM	34.4334087	-118.6513117	1265	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good,Lorentz
CV-24095	11/23/2025 10:27:49 AM	34.4334093	-118.6513262	1275	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24095	11/25/2025 1:42:39 PM	34.4334065	-118.6513043	1261	Valve Adjustment:High Temp
CV-24096	11/10/2025 11:01:53 AM	34.4333323	-118.6517090	1224	
CV-24096	11/25/2025 9:46:25 AM	34.4332183	-118.6515830	1248	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24096	11/25/2025 10:14:02 AM	34.4332175	-118.6515872	1251	
CV-24097	11/10/2025 8:59:54 AM	34.4327753	-118.6514842	1266	
CV-24097	11/25/2025 9:34:48 AM	34.4327908	-118.6515428	1255	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good,Lorentz Pump Installed
CV-24098	11/10/2025 8:41:59 AM	34.4325042	-118.6513858	1243	
CV-24098	11/25/2025 9:20:44 AM	34.4325098	-118.6513040	1254	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header;Well Condition:Fair
CV-24099	11/10/2025 8:34:21 AM	34.4322733	-118.6509573	1257	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.
CV-24099	11/10/2025 8:36:36 AM	34.4323398	-118.6509295	1224	
CV-24099	11/25/2025 9:16:31 AM	34.4323472	-118.6509223	1255	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header;Well Condition:Fair,Lorentz Pump Installed
CV-24100	11/4/2025 9:00:00 AM				AirTech Lab

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24100	11/4/2025 9:00:00 AM				AirTech Lab; [User entered 0.13%]
CV-24100	11/9/2025 12:15:00 PM	34.4320512	-118.6504817	1261	
CV-24100	11/25/2025 9:06:24 AM	34.4320522	-118.6504808	1263	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24101	11/4/2025 9:10:00 AM				AirTech Lab
CV-24101	11/4/2025 9:10:00 AM				AirTech Lab; [User entered 2.7%]
CV-24101	11/9/2025 12:07:03 PM	34.4318313	-118.6502983	1254	Well Condition:Pnumatic Pump Installed
CV-24101	11/25/2025 9:01:40 AM	34.4318478	-118.6502873	1271	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24102	11/4/2025 8:58:52 AM	34.4316242	-118.6497782	1297	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-24102	11/24/2025 11:46:07 AM	34.4316278	-118.6497737	1277	Well Condition:Fair,Pnumatic Pump Installed
CV-24103	11/3/2025 1:48:07 PM	34.4316592	-118.6488172	1335	Audible Flow
CV-24103	11/19/2025 11:30:11 AM	34.4316348	-118.6488548	1316	Reduced System Vacuum,Opened Valve 1/2 Turn or Less
CV-24104	11/3/2025 2:04:25 PM	34.4317173	-118.6481192	1339	
CV-24104	11/19/2025 11:10:07 AM	34.4317110	-118.6480655	1316	Reduced System Vacuum,Opened Valve 1/2 Turn or Less
CV-24105	11/3/2025 2:14:41 PM	34.4320050	-118.6475690	1352	Audible Flow
CV-24105	11/19/2025 3:20:45 PM	34.4319173	-118.6477272	1352	Audible Flow,Reduced System Vacuum
CV-24106	11/4/2025 10:45:34 AM	34.4321090	-118.6467680	1407	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24106	11/4/2025 2:19:26 PM				
CV-24106	11/19/2025 3:52:08 PM	34.4321290	-118.6467352	1362	Reduced System Vacuum,Audible Flow

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24107	11/5/2025 11:03:02 AM	34.4325438	-118.6461565	1329	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good,Lorentz Pump Installed
CV-24108	11/5/2025 10:29:22 AM	34.4331440	-118.6454355	1361	Valve Adjustment:Barely Open;Well Condition:Good
CV-24109	11/4/2025 1:50:16 PM	34.4340123	-118.6448620	1355	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
CV-24110	11/5/2025 8:14:08 AM	34.4346230	-118.6446532	1399	Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
CV-24111	11/4/2025 2:13:00 PM	34.4353443	-118.6449398	1393	Valve Adjustment:Decreased Flow/Vacuum
CV-24112	11/4/2025 2:04:08 PM	34.4352327	-118.6442112	1391	Valve Adjustment:Decreased Flow/Vacuum
CV-24114	11/7/2025 4:14:43 PM	34.4308443	-118.6484605	1211	Audible Flow,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24116	11/4/2025 2:26:22 PM	34.4317012	-118.6457195	1299	
CV-24117	11/5/2025 2:45:17 PM	34.4323713	-118.6450743	1260	
CV-24118	11/4/2025 11:14:53 AM	34.4332878	-118.6438280	1302	Valve Adjustment:High Temp
CV-24118	11/4/2025 11:20:00 AM				AtmAA
CV-24118	11/4/2025 11:20:00 AM				AtmAA; [User entered 11.62%]
CV-24118	11/10/2025 1:50:00 PM				AtmAA
CV-24118	11/10/2025 1:51:43 PM	34.4332852	-118.6438362	1281	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good,Lorentz
CV-24118	11/17/2025 9:53:04 AM	34.4332790	-118.6438397	1305	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-24118	11/17/2025 9:55:00 AM				AtmAA
CV-24118	11/24/2025 1:11:18 PM	34.4333230	-118.6438512	1312	Valve Adjustment:Audible Flow,High Temp
CV-24119	11/6/2025 1:51:58 PM	34.4337103	-118.6422975	1264	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24120	11/3/2025 10:20:16 AM	34.4368763	-118.6472783	1347	Valve Adjustment:NSPS/EG CAI,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Well (Watered In)
CV-24120	11/3/2025 10:23:51 AM	34.4368478	-118.6472898	1345	Valve Adjustment:High O2,Barely Open,Surging Liquid in Well (Watered In);Well Condition:Fair,Lorentz Pump Installed;Well
CV-24120	11/13/2025 9:15:00 AM				AirTech Lab
CV-24120	11/13/2025 9:15:00 AM				AirTech Lab; [User entered 3.3%]
CV-24120	11/25/2025 7:44:55 AM	34.4368682	-118.6473057	1337	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24121	11/3/2025 10:29:05 AM	34.4369570	-118.6470148	1345	
CV-24121	11/6/2025 9:30:00 AM				AirTech Lab
CV-24121	11/6/2025 9:30:00 AM				AirTech Lab; [User entered 0.44%]
CV-24121	11/25/2025 7:38:18 AM	34.4369440	-118.6470202	1340	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Pnumatic Pump Installed
CV-24122	11/6/2025 9:20:00 AM				AirTech Lab
CV-24122	11/6/2025 9:20:00 AM				AirTech Lab; [User entered 0.18%]
CV-24122	11/10/2025 9:36:04 AM	34.4371702	-118.6466238	1317	
CV-24122	11/25/2025 7:32:27 AM	34.4371553	-118.6465912	1318	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24123	11/5/2025 1:20:52 PM	34.4373218	-118.6462252	1303	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24123	11/11/2025 6:59:37 AM	34.4373222	-118.6462738	1298	Valve Adjustment:Increased Flow/Vacuum
CV-24124	11/5/2025 1:29:37 PM	34.4366443	-118.6470353	1344	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24124	11/5/2025 1:33:25 PM	34.4366580	-118.6470207	1347	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header
CV-24125	11/5/2025 1:55:53 PM	34.4369842	-118.6463260	1328	Valve Adjustment:Decreased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24125	11/6/2025 9:10:00 AM				AirTech Lab
CV-24125	11/6/2025 9:10:00 AM				AirTech Lab; [User entered 1.3%]
CV-24125	11/11/2025 7:29:49 AM	34.4369867	-118.6463420	1340	Valve Adjustment:Increased Flow/Vacuum
CV-24126	11/4/2025 1:39:34 PM	34.4363978	-118.6471415	1363	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24126	11/4/2025 1:40:29 PM	34.4363937	-118.6471410	1378	Valve Adjustment:NSPS/EG CAC,High Temp
CV-24126	11/4/2025 1:45:00 PM				AtmAA
CV-24126	11/4/2025 1:45:00 PM				AtmAA; [User entered 15.05%]
CV-24126	11/9/2025 7:18:44 AM	34.4363878	-118.6471197	1381	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24126	11/9/2025 7:20:00 AM				AtmAA
CV-24126	11/17/2025 8:01:58 AM	34.4363982	-118.6471418	1376	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24126	11/17/2025 8:05:00 AM				AtmAA
CV-24126	11/24/2025 10:40:27 AM	34.4363675	-118.6471268	1381	Valve Adjustment:No Flow Measurement,High Temp
CV-24127	11/5/2025 1:19:45 PM	34.4364777	-118.6468033	1380	Valve Adjustment:High Temp
CV-24127	11/5/2025 1:25:00 PM				AtmAA
CV-24127	11/5/2025 1:25:00 PM				AtmAA; [User entered 2.62%]
CV-24127	11/10/2025 12:57:14 PM	34.4364545	-118.6468127	1354	Valve Comment:Enhanced Monitoring;Valve Adjustment:Opened for Sample,Decreased Flow/Vacuum,Barely Open
CV-24127	11/13/2025 9:25:00 AM				AirTech Lab
CV-24127	11/13/2025 9:25:00 AM				AirTech Lab; [User entered 2.3%]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24128	11/5/2025 1:41:03 PM	34.4367050	-118.6464458	1352	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-24128	11/11/2025 8:57:26 AM	34.4366945	-118.6464367	1359	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-24128	11/11/2025 8:58:52 AM	34.4366852	-118.6464353	1368	
CV-24128	11/13/2025 9:20:00 AM				AirTech Lab
CV-24128	11/13/2025 9:20:00 AM				AirTech Lab; [User entered 5.0%]
CV-24129	11/5/2025 1:47:00 PM	34.4367157	-118.6461625	1368	Valve Comment:possibly damaged valve;Valve Adjustment:Decreased Flow/Vacuum,Valve 100% Closed
CV-24129	11/11/2025 8:45:52 AM	34.4367062	-118.6461630	1358	Valve Adjustment:Increased Flow/Vacuum
CV-24130	11/5/2025 1:50:32 PM	34.4368277	-118.6456938	1334	
CV-24130	11/11/2025 7:22:25 AM	34.4367938	-118.6457395	1325	
CV-24131	11/5/2025 11:13:05 AM	34.4367253	-118.6450722	1321	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum
CV-24131	11/6/2025 1:21:50 PM				
CV-24131	11/12/2025 7:53:47 AM				
CV-24131	11/19/2025 7:23:14 AM				
CV-24131	11/26/2025 8:34:42 AM				
CV-24132	11/5/2025 10:54:20 AM	34.4372322	-118.6440363	1279	Valve Adjustment:Increased Flow/Vacuum
CV-24132	11/5/2025 1:36:59 PM	34.4372488	-118.6440068	1287	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
CV-24133	11/7/2025 1:38:09 PM	34.4374258	-118.6427220	1253	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24134	11/3/2025 2:54:07 PM	34.4363898	-118.6464952	1336	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24134	11/3/2025 2:55:35 PM	34.4363767	-118.6465000	1338	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Lorentz Pump Installed
CV-24134	11/11/2025 7:39:19 AM	34.4363508	-118.6465192	1363	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair,Lorentz Pump Installed
CV-24134	11/11/2025 7:40:03 AM	34.4363458	-118.6465168	1355	
CV-24135	11/11/2025 8:24:16 AM	34.4363572	-118.6459448	1361	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24135	11/11/2025 8:29:55 AM	34.4363817	-118.6459722	1364	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24135	11/11/2025 1:06:42 PM	34.4363653	-118.6459403	1325	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24135	11/11/2025 1:08:13 PM	34.4363640	-118.6459353	1330	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-24136	11/5/2025 10:10:55 AM	34.4366270	-118.6442733	1320	Valve Adjustment:High Temp
CV-24136	11/5/2025 11:00:00 AM				AtmAA
CV-24136	11/5/2025 11:00:00 AM				AtmAA; [User entered 13.06%]
CV-24136	11/5/2025 1:00:51 PM	34.4366360	-118.6442890	1329	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum;Well
CV-24136	11/5/2025 1:02:01 PM	34.4366392	-118.6442862	1325	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Lorentz Pump Installed
CV-24137	11/11/2025 1:51:07 PM	34.4361518	-118.6434623	1358	Valve Adjustment:Audible Flow,Surging Liquid in Header
CV-24138	11/3/2025 9:20:00 AM				AirTech Lab
CV-24138	11/11/2025 8:33:50 AM	34.4342603	-118.6512603	1259	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Header;Well
CV-24138	11/11/2025 8:35:00 AM	34.4342458	-118.6512672	1264	Valve Adjustment:High Temp,Barely Open,Surging Liquid in Header
CV-24138	11/11/2025 8:50:00 AM				AtmAA
CV-24138	11/21/2025 9:34:05 AM	34.4342547	-118.6512492	1261	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Pumatic

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24138	11/23/2025 10:12:52 AM	34.4342475	-118.6512367	1265	Valve Adjustment:High Temp
CV-24139	11/3/2025 9:15:00 AM				AirTech Lab
CV-24139	11/3/2025 9:15:00 AM				AirTech Lab; [User entered 12%]
CV-24139	11/11/2025 8:15:00 AM				AtmAA
CV-24139	11/11/2025 8:19:26 AM	34.4344975	-118.6511550	1251	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24139	11/11/2025 8:21:50 AM	34.4345167	-118.6511682	1249	Valve Adjustment:High Temp,Barely Open;Well Comment:no system port
CV-24139	11/21/2025 9:29:05 AM	34.4345018	-118.6511353	1272	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well
CV-24139	11/23/2025 10:04:02 AM	34.4345053	-118.6511428	1291	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Barely Open
CV-24139	11/23/2025 10:05:20 AM	34.4345050	-118.6511483	1276	Valve Adjustment:High O2,Surging Liquid in Header
CV-24140	11/3/2025 9:10:00 AM				AirTech Lab
CV-24140	11/3/2025 9:10:00 AM				AirTech Lab; [User entered 18%]
CV-24140	11/11/2025 7:54:41 AM	34.4346730	-118.6511233	1277	Valve Adjustment:Audible Flow;Well Condition:Fair;Well Repairs:Sample Port
CV-24140	11/21/2025 9:26:07 AM	34.4346670	-118.6511305	1276	Valve Comment:Enhanced monitoring;Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-24141	11/11/2025 7:46:36 AM	34.4354985	-118.6513245	1292	Valve Comment:builds vaccum while valve is shut;Valve Adjustment:High O2,Valve 100% Closed,Surging Liquid in Well (Watered
CV-24141	11/12/2025 9:10:00 AM				AirTech Lab
CV-24141	11/12/2025 9:10:00 AM				AirTech Lab; [User entered 1.00%]
CV-24141	11/25/2025 8:21:23 AM	34.4354965	-118.6513113	1304	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24142	11/4/2025 8:20:00 AM				AirTech Lab

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24142	11/4/2025 8:20:00 AM				AirTech Lab; [User entered 20%]
CV-24142	11/5/2025 10:14:05 AM	34.4339960	-118.6513120	1254	Valve Adjustment:High Temp,Increased Flow/Vacuum
CV-24142	11/5/2025 10:20:00 AM				AtmAA
CV-24142	11/5/2025 10:20:00 AM				AtmAA; [User entered 19.88%]
CV-24142	11/11/2025 7:42:08 AM	34.4339750	-118.6513282	1267	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24142	11/11/2025 7:45:00 AM				AtmAA
CV-24142	11/11/2025 7:45:00 AM				AtmAA; [User entered 12.62%]
CV-24142	11/21/2025 9:38:07 AM	34.4339798	-118.6513232	1270	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-24142	11/23/2025 10:17:50 AM	34.4339875	-118.6513225	1257	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24143	11/3/2025 9:00:00 AM				AirTech Lab
CV-24143	11/3/2025 9:00:00 AM				AirTech Lab; [User entered 15%]
CV-24143	11/4/2025 1:20:51 PM	34.4349937	-118.6512045	1265	Valve Adjustment:NSPS/EG CAI,Positive Static Press.;Well Condition:Pnumatic Pump Installed
CV-24143	11/4/2025 1:21:45 PM	34.4350065	-118.6512147	1269	Valve Adjustment:Positive Static Press.
CV-24143	11/25/2025 8:11:24 AM	34.4349927	-118.6512227	1287	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Fair
CV-24143	11/25/2025 8:11:55 AM	34.4349873	-118.6512022	1287	Valve Adjustment:NSPS/EG CAI,High O2
CV-24144	11/12/2025 10:40:21 AM	34.4325592	-118.6515622	1252	Valve Adjustment:Valve 100% Open;Well Comment:No system port
CV-24144	11/25/2025 9:25:47 AM	34.4325603	-118.6515740	1244	Valve Adjustment:NSPS/EG CAI,High O2,Valve 100% Open,Surging Liquid in Header
CV-24144	11/25/2025 9:26:26 AM	34.4325585	-118.6515743	1260	Valve Adjustment:NSPS/EG CAI,High O2

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24145	11/3/2025 2:24:57 PM	34.4362398	-118.6496163	1341	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-24145	11/3/2025 2:25:00 PM				AtmAA
CV-24145	11/3/2025 2:25:00 PM				AtmAA; [User entered 17.85%]
CV-24145	11/9/2025 10:45:00 AM				AtmAA
CV-24145	11/9/2025 10:45:06 AM	34.4362123	-118.6496247	1361	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24145	11/19/2025 8:29:10 AM	34.4362403	-118.6496298	1383	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24145	11/23/2025 10:21:47 AM	34.4362423	-118.6496250	1369	Valve Adjustment:High Temp
CV-24146	11/2/2025 11:16:13 AM	34.4374157	-118.6463780	1307	Valve Adjustment:Valve 100% Open
CV-24146	11/11/2025 7:02:41 AM	34.4374095	-118.6463838	1291	
CV-24146	11/13/2025 10:18:49 AM				
CV-24146	11/20/2025 8:11:08 AM	34.4374173	-118.6463448	1294	
CV-24147	11/2/2025 11:04:38 AM	34.4375245	-118.6459610	1286	
CV-24147	11/11/2025 7:10:22 AM	34.4375160	-118.6459542	1284	
CV-24147	11/20/2025 8:05:02 AM	34.4375245	-118.6459580	1302	
CV-24148	11/11/2025 9:59:03 AM	34.4350780	-118.6466618	1404	Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High Temp,Positive Static Press.;Well Condition:Fair,Lorentz Pump Installed
CV-24148	11/11/2025 10:01:24 AM	34.4350788	-118.6466767	1383	Valve Adjustment:High Temp,Positive Static Press.
CV-24148	11/11/2025 10:15:00 AM				AtmAA
CV-24148	11/11/2025 10:15:00 AM				AtmAA; [User entered 9.09%]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24148	11/12/2025 9:37:46 AM	34.4350737	-118.6466497	1393	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24148	11/12/2025 1:34:42 PM	34.4350712	-118.6466532	1386	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24148	11/12/2025 1:38:57 PM	34.4350747	-118.6466570	1391	Valve Adjustment:NSPS/EG CAC,High Temp
CV-24148	11/13/2025 9:03:35 AM	34.4350783	-118.6466643	1393	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24148	11/20/2025 8:33:32 AM	34.4350732	-118.6466380	1405	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Reduce Sys. Vac. - Flare Down;Well
CV-24148	11/20/2025 8:34:28 AM	34.4350713	-118.6466437	1404	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24148	11/25/2025 8:22:46 AM	34.4350798	-118.6466507	1374	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp
CV-24148	11/25/2025 8:23:55 AM	34.4350720	-118.6466503	1387	Valve Adjustment:High Temp
CV-24151	11/3/2025 12:21:04 PM	34.4343788	-118.6476185	1397	Valve Adjustment:Decreased Flow/Vacuum
CV-24151	11/10/2025 12:53:58 PM	34.4344117	-118.6476138	1369	
CV-24151	11/10/2025 1:22:08 PM	34.4344155	-118.6476127	1384	
CV-24151	11/13/2025 12:18:24 PM	34.4344397	-118.6476267	1360	
CV-24151	11/25/2025 9:17:30 AM	34.4344207	-118.6476187	1384	
CV-24152	11/12/2025 2:39:56 PM	34.4344672	-118.6471007	1368	NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press.
CV-24152	11/12/2025 2:41:33 PM	34.4343795	-118.6471210	1375	
CV-24152	11/25/2025 9:10:32 AM	34.4344478	-118.6471533	1376	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24152	11/25/2025 9:12:25 AM	34.4344530	-118.6471567	1377	
CV-24153	11/11/2025 10:18:20 AM	34.4343760	-118.6464107	1400	Valve Adjustment:Reconnected this Date

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24153	11/12/2025 9:56:51 AM	34.4343825	-118.6463965	1399	
CV-24153	11/13/2025 10:42:02 AM				
CV-24153	11/25/2025 8:55:09 AM	34.4343773	-118.6464088	1401	
CV-24154	11/5/2025 9:51:58 AM	34.4342598	-118.6460583	1395	Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Barely Open
CV-24154	11/24/2025 10:38:12 AM	34.4342722	-118.6460770	1403	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24156	11/10/2025 1:01:16 PM	34.4340462	-118.6477248	1374	Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open
CV-24156	11/25/2025 9:27:51 AM	34.4340620	-118.6477038	1386	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
CV-24158	11/13/2025 1:00:45 PM	34.4338862	-118.6470400	1395	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24158	11/13/2025 1:03:20 PM	34.4338752	-118.6470625	1412	Valve Adjustment:Orifice Plate Changed (See OP Log),Reconnected this Date;Well Repairs:Sample Port
CV-24158	11/25/2025 12:38:46 PM	34.4338872	-118.6470700	1408	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24158	11/25/2025 12:41:31 PM	34.4338692	-118.6470760	1412	
CV-24159	11/4/2025 8:55:37 AM	34.4338103	-118.6466202	1411	
CV-24159	11/5/2025 9:39:31 AM	34.4338098	-118.6466152	1400	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
CV-24159	11/19/2025 1:37:04 PM	34.4337792	-118.6466245	1401	
CV-24160	11/4/2025 9:03:21 AM	34.4338228	-118.6462260	1402	
CV-24160	11/5/2025 9:44:32 AM	34.4338137	-118.6462552	1394	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
CV-24160	11/25/2025 8:39:14 AM	34.4337930	-118.6462520	1405	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24161	11/5/2025 11:18:06 AM	34.4338607	-118.6456028	1398	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24162	11/4/2025 2:01:09 PM	34.4335525	-118.6451153	1366	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Pnumatic Pump Installed
CV-24163	11/4/2025 2:27:02 PM	34.4334513	-118.6445067	1337	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24165	11/4/2025 9:34:10 AM	34.4335215	-118.6472427	1389	
CV-24165	11/20/2025 9:15:36 AM	34.4335245	-118.6472552	1392	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
CV-24166	11/4/2025 8:52:10 AM	34.4336038	-118.6468557	1400	Valve Adjustment:Increased Flow/Vacuum
CV-24166	11/19/2025 1:41:26 PM	34.4335927	-118.6468800	1387	
CV-24167	11/10/2025 11:59:41 AM	34.4334930	-118.6464630	1415	
CV-24167	11/20/2025 8:51:18 AM	34.4334682	-118.6464762	1395	
CV-24168	11/4/2025 9:40:08 AM	34.4332938	-118.6472978	1400	Valve Adjustment:Surging Liquid in Header
CV-24168	11/5/2025 9:32:50 AM	34.4333300	-118.6473175	1376	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum;Well
CV-24168	11/5/2025 9:33:42 AM	34.4333303	-118.6473060	1391	Valve Adjustment:NSPS/EG CAC
CV-24168	11/25/2025 10:39:12 AM	34.4332963	-118.6473038	1406	
CV-24168	11/25/2025 10:42:31 AM	34.4333310	-118.6473262	1403	Well Comment:Potential air leak with lorentz pump;Well Condition:Fair,Lorentz Pump Installed
CV-24170	11/4/2025 10:58:20 AM	34.4331090	-118.6485123	1375	
CV-24170	11/19/2025 10:29:53 AM	34.4331572	-118.6485597	1417	Audible Flow,Reduced System Vacuum
CV-24171	11/4/2025 9:09:54 AM	34.4331140	-118.6466017	1388	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,Audible Flow
CV-24171	11/20/2025 8:45:36 AM	34.4331655	-118.6466337	1397	Valve Comment:Dirt settled cant reach system port
CV-24172	11/4/2025 9:01:14 AM	34.4329763	-118.6472867	1378	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24172	11/25/2025 10:28:01 AM	34.4329608	-118.6473020	1411	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-24172	11/25/2025 10:29:19 AM	34.4329577	-118.6472928	1390	Valve Adjustment:NSPS/EG CAC
CV-24173	11/4/2025 9:49:18 AM	34.4329062	-118.6476257	1404	Valve Adjustment:Decreased Flow/Vacuum
CV-24173	11/25/2025 10:17:38 AM	34.4329275	-118.6476752	1393	
CV-24174	11/10/2025 11:49:46 AM	34.4327232	-118.6480315	1390	
CV-24174	11/24/2025 1:20:10 PM	34.4327260	-118.6480047	1400	
CV-24175	11/10/2025 9:56:40 AM	34.4326665	-118.6484867	1381	
CV-24175	11/24/2025 1:15:36 PM	34.4326543	-118.6484322	1374	
CV-24176	11/6/2025 10:14:13 AM	34.4326092	-118.6488975	1352	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24176	11/6/2025 10:22:26 AM	34.4326065	-118.6489028	1360	Valve Comment:RES flag located at bottom of well;Well Condition:Fair
CV-24176	11/24/2025 1:05:53 PM	34.4326570	-118.6488835	1348	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24176	11/24/2025 1:10:31 PM	34.4326412	-118.6488972	1364	Valve Adjustment:Decreased Flow/Vacuum
CV-24177	11/3/2025 12:57:26 PM	34.4322508	-118.6494487	1320	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24177	11/13/2025 8:26:54 AM				
CV-24177	11/24/2025 12:48:20 PM	34.4322745	-118.6494500	1327	Valve Adjustment:Barely Open
CV-24178	11/4/2025 11:03:52 AM	34.4323797	-118.6485128	1371	Audible Flow
CV-24178	11/19/2025 10:02:27 AM	34.4324062	-118.6485712	1368	Reduced System Vacuum
CV-24179	11/6/2025 9:36:32 AM	34.4321148	-118.6492105	1339	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24179	11/6/2025 10:32:47 AM	34.4320988	-118.6491927	1335	Valve Adjustment:Increased Flow/Vacuum
CV-24179	11/24/2025 12:32:30 PM	34.4321122	-118.6492048	1332	
CV-24179	11/24/2025 12:39:50 PM	34.4321340	-118.6492135	1352	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
CV-24180	11/6/2025 9:46:57 AM	34.4321387	-118.6488128	1340	Valve Adjustment:Orifice Plate Changed (See OP Log);Well Condition:Fair,Pnumatic Pump Installed
CV-24180	11/6/2025 9:50:59 AM	34.4321842	-118.6488313	1344	Valve Adjustment:Decreased Flow/Vacuum
CV-24180	11/19/2025 9:52:54 AM	34.4322078	-118.6488852	1365	Reduced System Vacuum
CV-24181	11/12/2025 8:47:44 AM				
CV-24181	11/21/2025 1:35:55 PM				
CV-24181	11/26/2025 8:14:14 AM				
CV-24182	11/12/2025 8:29:27 AM	34.4322873	-118.6480603	1365	Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High O2,Decreased Flow/Vacuum
CV-24182	11/12/2025 8:41:13 AM	34.4322997	-118.6480315	1348	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum;Well Condition:Fair
CV-24182	11/12/2025 8:45:40 AM	34.4322910	-118.6480267	1351	Valve Adjustment:Increased Flow/Vacuum
CV-24182	11/25/2025 10:40:50 AM	34.4323018	-118.6481595	1371	Audible Flow
CV-24183	11/3/2025 2:24:22 PM	34.4323667	-118.6476827	1414	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.
CV-24183	11/3/2025 2:25:59 PM	34.4323328	-118.6477100	1378	
CV-24183	11/6/2025 2:11:40 PM				
CV-24183	11/12/2025 8:39:41 AM				
CV-24183	11/19/2025 8:04:39 AM				

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24183	11/25/2025 10:31:46 AM	34.4323107	-118.6477022	1302	
CV-24183	11/26/2025 7:37:49 AM				
CV-24184	11/4/2025 8:29:25 AM	34.4324875	-118.6472693	1371	NSPS/EG CAI,Audible Flow,High Temp
CV-24184	11/4/2025 8:32:50 AM	34.4325207	-118.6472773	1417	
CV-24184	11/4/2025 10:22:14 AM				
CV-24184	11/19/2025 4:02:35 PM	34.4325367	-118.6473460	1342	Reduced System Vacuum,Audible Flow
CV-24185	11/4/2025 8:40:06 AM	34.4327753	-118.6469765	1385	Audible Flow
CV-24185	11/25/2025 10:21:35 AM	34.4327112	-118.6469578	1355	Audible Flow
CV-24186	11/4/2025 9:19:49 AM	34.4328640	-118.6465278	1381	
CV-24186	11/25/2025 10:23:04 AM	34.4328257	-118.6465533	1379	
CV-24187	11/4/2025 9:05:00 AM	34.4318692	-118.6495497	1313	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24187	11/24/2025 11:37:39 AM	34.4318667	-118.6495918	1305	Valve Adjustment:Decreased Flow/Vacuum
CV-24188	11/4/2025 9:19:40 AM	34.4315192	-118.6500828	1275	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Poor
CV-24188	11/12/2025 1:27:31 PM	34.4315393	-118.6500712	1175	Audible Flow
CV-24188	11/24/2025 12:07:13 PM	34.4315512	-118.6501080	1273	Valve Adjustment:Increased Flow/Vacuum
CV-24189	11/4/2025 8:53:18 AM	34.4313387	-118.6499943	1280	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Fair
CV-24189	11/24/2025 11:59:42 AM	34.4313055	-118.6500093	1266	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum;Well Condition:Fair
CV-24189	11/24/2025 12:03:32 PM	34.4313283	-118.6499942	1259	Valve Comment:corrected hole In fernco

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24190	11/4/2025 9:08:04 AM	34.4316000	-118.6494527	1316	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24190	11/13/2025 8:46:57 AM				
CV-24190	11/24/2025 11:32:40 AM	34.4316058	-118.6494648	1316	Valve Adjustment:Increased Flow/Vacuum
CV-24192	11/4/2025 9:10:54 AM	34.4313300	-118.6494877	1305	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24192	11/13/2025 8:53:03 AM				
CV-24192	11/24/2025 11:27:22 AM	34.4313578	-118.6495007	1314	Valve Adjustment:Increased Flow/Vacuum
CV-24192	11/24/2025 12:20:16 PM	34.4313377	-118.6495025	1300	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24193	11/3/2025 1:43:42 PM	34.4315683	-118.6490605	1260	
CV-24193	11/19/2025 11:35:22 AM	34.4314223	-118.6490178	1316	Reduced System Vacuum,Opened Valve 1/2 Turn or Less
CV-24194	11/3/2025 1:56:23 PM	34.4316970	-118.6484418	1332	Orifice Plate Changed (See OP Log)
CV-24194	11/19/2025 11:14:58 AM	34.4316357	-118.6484588	1365	Reduced System Vacuum,No Adjustment Made
CV-24195	11/3/2025 2:08:40 PM	34.4319007	-118.6478392	1358	
CV-24195	11/12/2025 1:40:25 PM	34.4318375	-118.6478740	1342	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
CV-24195	11/13/2025 9:32:08 AM				
CV-24195	11/19/2025 11:05:42 AM	34.4317688	-118.6477250	1362	Reduced System Vacuum,Opened Valve 1/2 Turn or Less
CV-24196	11/3/2025 2:18:50 PM	34.4321470	-118.6471297	1286	Audible Flow
CV-24196	11/4/2025 1:28:08 PM				
CV-24196	11/19/2025 3:34:35 PM	34.4320992	-118.6472070	1329	Reduced System Vacuum,Audible Flow

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24197	11/4/2025 10:39:45 AM	34.4323595	-118.6466165	1365	Audible Flow
CV-24197	11/26/2025 10:38:17 AM	34.4323837	-118.6465885	1349	
CV-24198	11/4/2025 11:15:56 AM	34.4316490	-118.6476327	1306	Orifice Plate Changed (See OP Log), Audible Flow
CV-24198	11/19/2025 3:45:22 PM	34.4316143	-118.6475465	1352	Reduced System Vacuum, Audible Flow
CV-24199	11/4/2025 11:11:05 AM	34.4318693	-118.6471763	1434	Audible Flow
CV-24199	11/19/2025 3:40:37 PM	34.4318367	-118.6472448	1385	Reduced System Vacuum, Audible Flow
CV-24200	11/5/2025 8:20:21 AM	34.4314080	-118.6471953	1299	Audible Flow
CV-24200	11/25/2025 9:17:39 AM	34.4315093	-118.6472747	1312	Audible Flow
CV-24201	11/5/2025 8:47:54 AM	34.4318457	-118.6466310	1296	Audible Flow
CV-24201	11/25/2025 8:57:15 AM	34.4317663	-118.6466372	1296	Audible Flow
CV-24202	11/5/2025 9:02:25 AM	34.4319715	-118.6463597	1240	
CV-24202	11/25/2025 8:34:17 AM	34.4319862	-118.6462818	1299	Audible Flow
CV-24203	11/4/2025 2:19:45 PM	34.4315608	-118.6459497	1234	Orifice Plate Changed (See OP Log), Audible Flow
CV-24203	11/25/2025 8:19:47 AM	34.4315193	-118.6460282	1312	Audible Flow
CV-24204	11/4/2025 2:14:16 PM	34.4314848	-118.6463210	1227	Audible Flow
CV-24204	11/25/2025 8:16:04 AM	34.4314087	-118.6462618	1227	Audible Flow
CV-24205	11/4/2025 2:10:49 PM	34.4312663	-118.6464752	1253	Audible Flow
CV-24205	11/25/2025 8:10:07 AM	34.4312450	-118.6465223	1312	Audible Flow

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24206	11/5/2025 8:29:52 AM	34.4314978	-118.6467662	1289	
CV-24206	11/5/2025 8:35:09 AM	34.4314587	-118.6467730	1322	
CV-24206	11/25/2025 9:11:31 AM	34.4315273	-118.6466800	1339	Audible Flow,High O2
CV-24206	11/25/2025 9:13:14 AM	34.4314807	-118.6467628	1306	
CV-24207	11/4/2025 8:46:26 AM	34.4332865	-118.6469168	1407	Valve Adjustment:High Temp
CV-24207	11/19/2025 1:55:06 PM	34.4332667	-118.6469378	1384	
CV-24208	11/26/2025 9:54:45 AM	34.4318980	-118.6451163	1260	
CV-24209	11/5/2025 3:14:43 PM	34.4321723	-118.6456482	1283	Audible Flow
CV-24210	11/5/2025 10:59:43 AM	34.4326337	-118.6455833	1337	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair;Well Repairs:Sample Port
CV-24211	11/6/2025 1:26:02 PM	34.4327175	-118.6438380	1255	
CV-24212	11/6/2025 1:30:00 PM	34.4331582	-118.6430517	1259	
CV-24212	11/12/2025 9:26:45 AM	34.4331853	-118.6430417	1253	Valve Comment:RES SEM;Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24213	11/4/2025 12:45:52 PM	34.4365967	-118.6429498	1314	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24213	11/7/2025 2:22:42 PM	34.4365917	-118.6429162	1309	Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good,Lorentz
CV-24214	11/5/2025 10:19:07 AM	34.4367383	-118.6435033	1316	
CV-24214	11/7/2025 2:26:39 PM	34.4367307	-118.6434555	1302	Valve Adjustment:Barely Open;Well Condition:Good,Lorentz Pump Installed
CV-24215	11/5/2025 11:03:20 AM	34.4369412	-118.6448157	1289	
CV-24216	11/5/2025 10:37:24 AM	34.4368287	-118.6423068	1278	Valve Adjustment:Valve 100% Closed;Well Comment:possible damaged valve

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24216	11/12/2025 12:12:27 PM				
CV-24217	11/5/2025 8:35:31 AM	34.4359252	-118.6443938	1401	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24218	11/6/2025 1:45:06 PM				
CV-24218	11/12/2025 8:13:20 AM				
CV-24218	11/19/2025 7:50:21 AM				
CV-24218	11/26/2025 7:22:02 AM	34.4358118	-118.6458060	1400	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-24218	11/26/2025 7:24:44 AM				
CV-24220	11/4/2025 2:37:10 PM	34.4339570	-118.6439748	1344	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Lorentz Pump Installed;Well Repairs:Sample Port
CV-24220	11/4/2025 2:39:35 PM	34.4339638	-118.6439632	1348	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24222	11/6/2025 1:39:45 PM	34.4335980	-118.6419857	1260	
CV-24223	11/6/2025 1:35:28 PM	34.4334148	-118.6425333	1267	
CV-24224	11/4/2025 2:16:10 PM	34.4331450	-118.6448168	1325	Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Lorentz Pump Installed
CV-24225	11/5/2025 2:33:25 PM	34.4326712	-118.6444565	1312	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,Positive Static Press.,NSPS/EG CAI,NSPS/EG CAC,Audible Flow
CV-24225	11/5/2025 2:34:45 PM	34.4327613	-118.6444360	1312	
CV-24226	11/26/2025 10:21:06 AM	34.4325052	-118.6442768	1272	
CV-24227	11/4/2025 8:29:09 AM	34.4309817	-118.6497900	1278	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24227	11/13/2025 9:02:07 AM				
CV-24231	11/7/2025 4:26:13 PM	34.4302490	-118.6496705	1165	Audible Flow

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-24236	11/4/2025 8:16:30 AM	34.4301240	-118.6505067	1238	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-24237	11/4/2025 8:21:31 AM	34.4306250	-118.6502118	1215	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
CV-24243	11/4/2025 10:45:20 AM	34.4287585	-118.6506500	1199	Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24244	11/4/2025 10:35:23 AM	34.4290018	-118.6513320	1205	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
CV-24245	11/4/2025 11:04:16 AM	34.4284635	-118.6500867	1157	Valve Adjustment:Decreased Flow/Vacuum
CV-24246	11/4/2025 11:07:59 AM	34.4286968	-118.6494537	1167	Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24246	11/12/2025 1:13:07 PM				
CV-24253	11/25/2025 1:38:37 PM	34.4282362	-118.6497847	1109	Audible Flow
CV-25	11/6/2025 10:32:09 AM	34.4371060	-118.6416710	1229	Valve Adjustment:Decreased Flow/Vacuum
CV-2501	11/6/2025 2:24:30 PM				
CV-2501	11/11/2025 10:35:52 AM	34.4313512	-118.6484622	1332	Valve Adjustment:Decreased Flow/Vacuum
CV-2502	11/3/2025 1:26:40 PM	34.4309960	-118.6490097	1270	Audible Flow
CV-2503	11/5/2025 8:06:02 AM	34.4312537	-118.6477653	1329	Audible Flow
CV-2504	11/7/2025 4:19:16 PM	34.4303953	-118.6488765	1204	Audible Flow
CV-2505	11/4/2025 1:42:33 PM	34.4309315	-118.6471883	1257	Audible Flow
CV-2506	11/11/2025 1:18:39 PM	34.4304737	-118.6475848	1182	
CV-2506	11/12/2025 1:46:17 PM	34.4304857	-118.6475423	1201	Audible Flow,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-2506	11/12/2025 2:15:27 PM	34.4305008	-118.6475937	1197	Valve Adjustment:Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2507	11/5/2025 11:24:20 AM	34.4301202	-118.6481502	1171	Audible Flow
CV-2508	11/5/2025 11:12:54 AM	34.4298058	-118.6488462	1224	Audible Flow
CV-2508	11/9/2025 10:35:32 AM	34.4296737	-118.6487455	1189	
CV-2509	11/4/2025 11:18:08 AM	34.4292567	-118.6491818	1187	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
CV-2510	11/4/2025 11:33:29 AM	34.4290670	-118.6498225	1181	
CV-2510	11/12/2025 9:03:46 AM	34.4290493	-118.6498247	1187	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
CV-2510	11/12/2025 12:35:06 PM				
CV-251005	11/5/2025 10:37:41 AM	34.4361760	-118.6471273	1373	Valve Adjustment:High Temp
CV-251005	11/5/2025 10:38:00 AM				AtmAA
CV-251005	11/5/2025 10:38:00 AM				AtmAA; [User entered 6%]
CV-251005	11/9/2025 7:29:54 AM	34.4361765	-118.6470968	1375	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-251005	11/13/2025 12:51:12 PM				
CV-251005	11/17/2025 8:10:00 AM				AtmAA
CV-251005	11/17/2025 8:14:28 AM	34.4361928	-118.6471243	1378	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well
CV-251005	11/24/2025 10:43:43 AM	34.4361593	-118.6471217	1384	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header
CV-251005	11/4/2025 1:33:44 PM	34.4361852	-118.6471115	1359	Valve Adjustment:High Temp
CV-251005	11/4/2025 1:38:00 PM				AtmAA
CV-251005	11/4/2025 1:38:00 PM				AtmAA; [User entered 16.78%]

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-251009	11/9/2025 7:23:50 AM	34.4361692	-118.6471107	1364	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-251009	11/9/2025 7:25:00 AM				AtmAA
CV-251009	11/13/2025 12:37:35 PM				
CV-251009	11/17/2025 8:07:59 AM	34.4361860	-118.6471322	1375	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-251009	11/17/2025 8:15:00 AM				AtmAA
CV-251009	11/24/2025 10:47:50 AM	34.4361587	-118.6471310	1377	Valve Adjustment:No Flow Measurement,High Temp
CV-251010	11/4/2025 1:35:30 PM	34.4359862	-118.6467828	1405	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Barely Open
CV-251010	11/4/2025 1:39:57 PM	34.4359977	-118.6467857	1396	Valve Adjustment:High O2,Barely Open
CV-251010	11/26/2025 8:56:10 AM	34.4359772	-118.6467913	1402	Valve Adjustment:Audible Flow,Barely Open
CV-251019	11/4/2025 1:24:27 PM	34.4359998	-118.6467878	1397	Valve Adjustment:Surging Liquid in Header
CV-251019	11/26/2025 8:48:41 AM	34.4359772	-118.6467972	1399	Well Condition:Good
CV-2511	11/7/2025 4:30:58 PM	34.4297097	-118.6502165	1257	Audible Flow
CV-2512	11/7/2025 4:35:06 PM	34.4292640	-118.6505172	1273	Audible Flow
CV-2513	11/7/2025 3:52:26 PM	34.4289085	-118.6488288	1040	Audible Flow
CV-2513	11/9/2025 9:52:44 AM	34.4288450	-118.6487967	1148	
CV-2513	11/12/2025 12:50:39 PM				
CV-2514	11/7/2025 3:47:03 PM	34.4295297	-118.6477787	1066	Audible Flow
CV-2515	11/7/2025 1:25:42 PM	34.4378597	-118.6432120	1281	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2516	11/5/2025 10:42:33 AM	34.4374350	-118.6431920	1271	
CV-2521	11/12/2025 10:14:04 AM	34.4355083	-118.6430305	1323	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum;Well
CV-2521	11/12/2025 10:19:01 AM	34.4354880	-118.6430497	1334	Valve Adjustment:NSPS/EG CAC,Barely Open
CV-2524	11/12/2025 12:24:18 PM	34.4348130	-118.6424985	1282	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2524	11/12/2025 12:27:43 PM	34.4348040	-118.6425195	1287	
CV-2527	11/13/2025 1:24:33 PM				
CV-2529	11/6/2025 2:14:46 PM	34.4331388	-118.6423183	1221	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-2530	11/6/2025 2:25:40 PM	34.4327500	-118.6429283	1215	
CV-2530	11/12/2025 10:09:48 AM	34.4327563	-118.6429433	1221	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-2530	11/12/2025 10:11:33 AM	34.4327922	-118.6429015	1215	
CV-2530	11/26/2025 8:27:37 AM	34.4327418	-118.6429362	1223	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-2531	11/12/2025 10:35:41 AM	34.4325432	-118.6433340	1228	Valve Adjustment:Decreased Flow/Vacuum
CV-2532	11/12/2025 12:06:38 PM	34.4322380	-118.6436958	1215	Valve Adjustment:Audible Flow
CV-2533	11/6/2025 1:55:03 PM	34.4319088	-118.6440960	1224	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),Reconnected this Date,Positive Static Press.,Increased
CV-2533	11/6/2025 1:56:22 PM	34.4319082	-118.6441127	1224	Valve Adjustment:Positive Static Press.;Well Condition:Fair,Pnumatic Pump Installed
CV-2535	11/4/2025 1:37:24 PM	34.4309927	-118.6468833	1165	
CV-2536	11/30/2025 10:20:50 AM	34.4309937	-118.6458740	1178	
CV-2543-P	11/10/2025 12:21:14 PM	34.4338190	-118.6485005	1354	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2543-P	11/10/2025 12:34:31 PM	34.4338320	-118.6484622	1359	Valve Adjustment:Decreased Flow/Vacuum
CV-2543-P	11/25/2025 10:03:25 AM	34.4338205	-118.6484682	1358	
CV-2544	11/13/2025 12:54:31 PM	34.4340213	-118.6472217	1393	Valve Adjustment:Reconnected this Date
CV-2544	11/25/2025 12:47:05 PM	34.4340258	-118.6472163	1397	
CV-2545	11/11/2025 1:10:33 PM	34.4340317	-118.6467263	1393	
CV-2545	11/25/2025 9:03:30 AM	34.4340322	-118.6467458	1384	Valve Adjustment:Increased Flow/Vacuum
CV-2546	11/12/2025 2:34:08 PM	34.4341558	-118.6469572	1352	
CV-2546	11/25/2025 12:32:53 PM	34.4341297	-118.6469910	1405	Valve Adjustment:Increased Flow/Vacuum
CV-2548	11/5/2025 10:01:34 AM	34.4343548	-118.6455740	1404	Valve Comment:RES SEM;Valve Adjustment:Audible Flow;Well Condition:Good
CV-2549	11/5/2025 10:06:59 AM	34.4343918	-118.6452565	1391	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
CV-2552	11/11/2025 10:09:42 AM	34.4348812	-118.6465312	1394	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Reconnected this Date,Positive Static Press.,Increased Flow/Vacuum;Well
CV-2552	11/11/2025 10:11:06 AM	34.4348678	-118.6465233	1399	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2552	11/11/2025 10:12:19 AM	34.4348757	-118.6465308	1398	Valve Adjustment:High Temp
CV-2552	11/12/2025 9:42:45 AM	34.4348780	-118.6465397	1399	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2552	11/20/2025 8:27:25 AM	34.4348808	-118.6465233	1400	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-2552	11/20/2025 8:28:41 AM	34.4348872	-118.6465065	1396	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-2554	11/5/2025 1:29:37 PM	34.4344770	-118.6482665	1366	Valve Adjustment:High Temp
CV-2554	11/5/2025 1:35:00 PM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2554	11/5/2025 1:35:00 PM				AtmAA; [User entered 10.52%]
CV-2554	11/10/2025 9:18:02 AM	34.4344788	-118.6482568	1357	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-2554	11/10/2025 9:20:00 AM				AtmAA
CV-2554	11/10/2025 1:24:11 PM	34.4344705	-118.6482457	1340	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-2554	11/10/2025 1:25:00 PM				AtmAA
CV-2554	11/19/2025 1:49:00 PM	34.4344682	-118.6482470	1357	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare
CV-2554	11/25/2025 8:51:28 AM	34.4344725	-118.6482633	1359	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2556	11/11/2025 9:37:45 AM	34.4351510	-118.6472363	1377	Valve Comment:Full read collected from system side;Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High Temp;Well
CV-2556	11/11/2025 9:39:21 AM	34.4351448	-118.6472260	1378	Valve Adjustment:High Temp
CV-2556	11/11/2025 10:10:00 AM				AtmAA
CV-2556	11/11/2025 10:10:00 AM				AtmAA; [User entered 10.62%]
CV-2556	11/12/2025 9:23:32 AM	34.4351563	-118.6472173	1386	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2556	11/20/2025 8:50:06 AM	34.4351473	-118.6472273	1387	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2556	11/20/2025 8:51:12 AM	34.4351597	-118.6472313	1375	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Good
CV-2556	11/25/2025 10:38:17 AM	34.4351463	-118.6472318	1378	Valve Adjustment:High Temp
CV-2557	11/5/2025 9:03:10 AM	34.4355233	-118.6464693	1397	
CV-2557	11/24/2025 10:52:01 AM	34.4355083	-118.6464730	1395	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Fair
CV-2558	11/21/2025 10:52:09 AM	34.4353060	-118.6463045	1398	Valve Adjustment:NSPS/EG CAI,Audible Flow,No Flow Measurement,High Temp

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-2558	11/25/2025 10:53:44 AM	34.4353078	-118.6462932	1401	Valve Adjustment:High Temp,Surging Liquid in Header
CV-2563	11/2/2025 11:09:13 AM	34.4373022	-118.6457708	1301	
CV-2563	11/5/2025 1:07:26 PM	34.4373072	-118.6457760	1302	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good
CV-2563	11/11/2025 7:17:19 AM	34.4372962	-118.6457893	1285	Valve Adjustment:Increased Flow/Vacuum
CV-2565	11/12/2025 12:06:27 PM	34.4319800	-118.6489913	1342	Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum
CV-2565	11/19/2025 9:45:10 AM	34.4319702	-118.6490335	1394	
CV-2566	11/24/2025 11:16:02 AM	34.4318050	-118.6487730	1328	Valve Adjustment:Reconnected this Date
CV-2567	11/25/2025 12:16:09 PM	34.4319747	-118.6480860	1362	Valve Adjustment:Reconnected this Date;Well Condition:Fair
CV-2568	11/12/2025 12:26:25 PM	34.4321830	-118.6477420	1345	Valve Adjustment:Reconnected this Date
CV-2568	11/19/2025 3:26:30 PM	34.4321578	-118.6477958	1339	
CV-2569	11/12/2025 12:44:22 PM	34.4322247	-118.6473785	1352	Valve Adjustment:Reconnected this Date
CV-2569	11/19/2025 3:31:04 PM	34.4321403	-118.6472993	1355	
CV-2570	11/12/2025 1:05:03 PM	34.4324305	-118.6469842	1351	Valve Adjustment:Reconnected this Date
CV-2570	11/19/2025 12:04:39 PM	34.4324870	-118.6469445	1263	
CV-48R	11/5/2025 1:12:55 PM	34.4373470	-118.6458437	1303	Valve Comment:RES SEM;Valve Adjustment:Audible Flow
CV-48R	11/11/2025 7:13:56 AM	34.4373220	-118.6458620	1295	Valve Adjustment:Increased Flow/Vacuum
CV-55R	11/4/2025 11:24:01 AM	34.4344013	-118.6427762	1320	Valve Adjustment:High Temp
CV-55R	11/4/2025 11:30:00 AM				AtmAA

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-55R	11/4/2025 11:30:00 AM				AtmAA; [User entered 19.83%]
CV-55R	11/5/2025 11:30:46 AM	34.4343872	-118.6427857	1294	Valve Adjustment:High Temp
CV-55R	11/10/2025 8:39:45 AM	34.4343753	-118.6428018	1284	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump
CV-55R	11/10/2025 8:40:00 AM				AtmAA
CV-55R	11/17/2025 10:08:48 AM	34.4343857	-118.6427860	1312	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair,Lorentz Pump Installed
CV-55R	11/17/2025 10:10:00 AM				AtmAA
CV-55R	11/24/2025 12:54:03 PM	34.4343950	-118.6428027	1313	Valve Adjustment:High Temp
CV-56D	11/12/2025 1:36:02 PM	34.4338058	-118.6431335	1300	Valve Adjustment:Audible Flow,Surging Liquid in Header
CV-56S	11/12/2025 1:39:40 PM	34.4338197	-118.6431373	1309	Valve Adjustment:Audible Flow,Surging Liquid in Header
CV-57R	11/4/2025 2:44:34 PM	34.4343113	-118.6435807	1349	Well Condition:Fair
CV-79R	11/4/2025 2:22:09 PM	34.4332455	-118.6448572	1334	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
CV-79R	11/4/2025 2:23:38 PM	34.4332380	-118.6448622	1327	Valve Adjustment:NSPS/EG CAC;Well Condition:Fair
CV-84S	11/4/2025 9:07:38 AM	34.4336892	-118.6461817	1400	
CV-84S	11/4/2025 9:08:41 AM	34.4336925	-118.6461742	1410	Valve Adjustment:NSPS/EG CAC
CV-94	11/4/2025 1:13:18 PM	34.4348848	-118.6436568	1349	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-95	11/4/2025 2:50:10 PM	34.4343080	-118.6436153	1354	Well Condition:Fair
CV-99	11/5/2025 2:05:59 PM	34.4370590	-118.6463348	1307	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-99	11/5/2025 2:07:12 PM	34.4370488	-118.6463448	1326	Valve Adjustment:NSPS/EG CAC,Surging Liquid in Header

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
CV-99	11/6/2025 9:15:00 AM				AirTech Lab
CV-99	11/6/2025 9:15:00 AM				AirTech Lab; [User entered 0.85%]
CV-99	11/11/2025 7:26:36 AM	34.4370455	-118.6463402	1312	Valve Adjustment:Valve 100% Open
D-02	11/9/2025 9:00:22 AM	34.4311662	-118.6443117	1174	
D-03	11/9/2025 8:53:37 AM	34.4311725	-118.6443118	1166	
D-04	11/9/2025 8:44:00 AM	34.4311555	-118.6443113	1175	
D-09	11/10/2025 8:40:56 AM	34.4301067	-118.6463198	1139	Valve Adjustment:Increased Flow/Vacuum
D-10	11/9/2025 9:33:47 AM	34.4302142	-118.6458332	1126	
FP-001	11/5/2025 1:05:52 PM	34.4366175	-118.6458533	1364	
FP-001	11/11/2025 8:41:50 AM	34.4366117	-118.6458560	1356	Valve Adjustment:Increased Flow/Vacuum
FP-002	11/5/2025 1:08:50 PM	34.4366207	-118.6462285	1361	
FP-002	11/11/2025 8:50:17 AM	34.4366252	-118.6462132	1362	Valve Adjustment:Increased Flow/Vacuum
FP-003	11/5/2025 1:11:39 PM	34.4366200	-118.6465115	1373	
FP-005	11/3/2025 11:06:54 AM	34.4364963	-118.6472487	1372	Valve Adjustment:Barely Open
FP-006	11/4/2025 9:08:40 AM	34.4364063	-118.6476617	1366	
FP-008	11/3/2025 1:18:26 PM	34.4363293	-118.6481522	1366	
FP-009	11/25/2025 3:01:25 PM	34.4366577	-118.6489088	1361	
FP-011	11/13/2025 9:30:57 AM	34.4365655	-118.6494743	1371	Valve Comment:System watered in;Valve Adjustment:Positive Static Press.,Surging Liquid in Header

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
FP-012	11/4/2025 10:01:25 AM	34.4366657	-118.6499032	1380	
FP-013	11/4/2025 10:23:23 AM	34.4365662	-118.6502760	1383	
FP-014	11/3/2025 11:27:14 AM	34.4365545	-118.6481460	1361	
FP-015	11/3/2025 11:16:28 AM	34.4364595	-118.6479237	1330	Valve Adjustment:Decreased Flow/Vacuum
FP-016	11/3/2025 1:37:36 PM	34.4365107	-118.6477177	1356	
FP-017	11/12/2025 8:22:40 AM	34.4344165	-118.6486577	1369	
FP-018	11/7/2025 10:34:07 AM	34.4344742	-118.6490730	1356	Valve Comment:No system vacuum
FP-019	11/7/2025 10:40:25 AM	34.4346763	-118.6491585	1354	
FP-020	11/12/2025 8:58:03 AM	34.4351267	-118.6491090	1417	
FP-021	11/7/2025 10:47:06 AM	34.4351760	-118.6495472	1352	
FP-022	11/12/2025 8:54:28 AM	34.4352527	-118.6491208	1347	
FP-023	11/13/2025 10:07:05 AM	34.4357130	-118.6492178	1351	
FP-024	11/7/2025 2:55:36 PM	34.4354993	-118.6477697	1365	
FP-024	11/10/2025 1:40:05 PM	34.4355255	-118.6477868	1364	Valve Comment:increased vacuum forlinr ballooning;Valve Adjustment:Valve 100% Open
FP-024	11/10/2025 1:59:42 PM	34.4260615	-118.6442860	1099	
FP-024	11/11/2025 7:28:21 AM	34.4354973	-118.6477863	1365	Valve Comment:decreased flow liner is no longer ballooning;Valve Adjustment:Decreased Flow/Vacuum
FP-025	11/7/2025 2:58:06 PM	34.4353475	-118.6477982	1352	
FP-026	11/7/2025 3:02:14 PM	34.4350937	-118.6480788	1360	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
FP-027	11/12/2025 8:31:37 AM	34.4348333	-118.6482218	1370	
FP-028	11/12/2025 8:27:40 AM	34.4347382	-118.6483778	1379	
FP-029	11/12/2025 8:18:27 AM	34.4344157	-118.6489627	1352	
FP-030	11/7/2025 10:15:13 AM	34.4345142	-118.6496895	1352	
FP-031	11/7/2025 10:11:55 AM	34.4348142	-118.6497620	1352	
FP-032	11/7/2025 10:08:31 AM	34.4351188	-118.6498432	1367	
FP-033	11/7/2025 10:05:00 AM	34.4353687	-118.6499667	1378	
FP-034	11/7/2025 10:01:56 AM	34.4356558	-118.6500282	1369	
FP-035	11/7/2025 9:55:10 AM	34.4358657	-118.6501073	1378	
FP-036	11/7/2025 9:46:31 AM	34.4361292	-118.6502212	1378	
FP-036	11/25/2025 2:14:32 PM	34.4361230	-118.6502072	1379	
FP-037	11/4/2025 12:34:40 PM	34.4362675	-118.6502788	1370	
FP-038	11/13/2025 8:50:47 AM	34.4340792	-118.6498092	1311	
FP-038	11/13/2025 9:26:51 AM	34.4367012	-118.6489115	1382	
FP-039	11/13/2025 8:53:20 AM	34.4341927	-118.6498488	1317	Valve Adjustment:Decreased Flow/Vacuum
FP-040	11/13/2025 8:25:57 AM	34.4353273	-118.6510262	1307	
FP-041	11/11/2025 9:05:26 AM	34.4340628	-118.6506678	1296	
FP-042	11/11/2025 8:58:49 AM	34.4332772	-118.6512747	1282	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
FP-043	11/13/2025 8:18:27 AM	34.4342433	-118.6507870	1303	
FP-044	11/13/2025 8:21:29 AM	34.4345540	-118.6507770	1289	
FP-046	11/3/2025 10:52:34 AM	34.4365723	-118.6473225	1368	Valve Adjustment:Decreased Flow/Vacuum
FP-047	11/3/2025 10:46:59 AM	34.4367448	-118.6469430	1372	
FP-050	11/11/2025 10:28:52 AM	34.4349160	-118.6472645	1376	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
FP-050	11/11/2025 10:39:55 AM	34.4348953	-118.6472713	1384	Valve Comment:liner ballooning in surrounding area;Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open
FP-050	11/12/2025 1:52:30 PM	34.4348952	-118.6472677	1382	
FP-050	11/13/2025 8:39:26 AM	34.4349132	-118.6472885	1365	
FP-051	11/11/2025 12:39:28 PM	34.4346967	-118.6470042	1352	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
FP-051	11/11/2025 12:44:48 PM	34.4347043	-118.6469932	1363	Valve Comment:ballooning in liner in surrounding area.;Valve Adjustment:Increased Flow/Vacuum,Valve 100% Open
FP-051	11/13/2025 8:57:47 AM	34.4347093	-118.6470157	1382	
H-01 (EXP-	11/3/2025 9:58:09 AM	34.4377260	-118.6441907	1239	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
H-01 (EXP-	11/3/2025 10:01:00 AM	34.4377308	-118.6441735	1232	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
H-01 (EXP-	11/20/2025 8:52:17 AM	34.4377165	-118.6441622	1247	Valve Adjustment:NSPS/EG CAC,Barely Open
H-02 (EXP-	11/3/2025 9:27:55 AM	34.4377122	-118.6446085	1241	
H-02 (EXP-	11/20/2025 8:48:19 AM	34.4376905	-118.6446162	1243	Valve Adjustment:Increased Flow/Vacuum
H-03 (EXP-	11/3/2025 9:32:46 AM	34.4377295	-118.6446270	1241	Valve Adjustment:Reduce Sys. Vac. - Flare Down
H-03 (EXP-	11/20/2025 8:42:13 AM	34.4377027	-118.6446315	1248	Valve Adjustment:Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-04 (EXP)	11/3/2025 9:41:06 AM	34.4377145	-118.6447065	1245	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down
H-04 (EXP)	11/3/2025 9:43:38 AM	34.4377253	-118.6446980	1252	Valve Adjustment:Reduce Sys. Vac. - Flare Down
H-04 (EXP)	11/20/2025 8:34:29 AM	34.4377122	-118.6447143	1255	Valve Adjustment:Decreased Flow/Vacuum
H-08 (EXP)	11/2/2025 10:58:44 AM	34.4378175	-118.6465545	1289	
H-08 (EXP)	11/11/2025 7:05:52 AM	34.4378322	-118.6465445	1265	
H-08 (EXP)	11/20/2025 8:20:59 AM	34.4378357	-118.6465420	1292	Valve Adjustment:Increased Flow/Vacuum
H-10 (EXP)	11/2/2025 10:54:38 AM	34.4374385	-118.6470787	1305	Valve Adjustment:Decreased Flow/Vacuum
H-10 (EXP)	11/20/2025 8:15:58 AM	34.4374180	-118.6470838	1291	
H-101W	11/4/2025 10:25:30 AM	34.4310877	-118.6505658	1201	
H-102A	11/4/2025 10:15:40 AM	34.4311022	-118.6505567	1201	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
H-1401W	11/4/2025 10:18:14 AM	34.4310950	-118.6505662	1201	
H-1404C	11/4/2025 10:58:23 AM	34.4325405	-118.6484692	1335	
H-1404C	11/19/2025 10:06:03 AM	34.4324742	-118.6482842	1365	Reduced System Vacuum
H-1405C	11/3/2025 2:01:26 PM	34.4325943	-118.6497150	1295	Valve Adjustment:Audible Flow;Well Condition:Fair
H-1405C	11/21/2025 1:45:12 PM	34.4325868	-118.6497283	1323	
H-1406W	11/10/2025 8:22:25 AM	34.4321753	-118.6507700	1263	
H-1406W	11/25/2025 9:11:54 AM	34.4321852	-118.6507687	1258	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
H-1408CR	11/5/2025 8:11:50 AM	34.4315427	-118.6474783	1345	Audible Flow

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-1408E	11/4/2025 9:26:00 AM	34.4333442	-118.6471468	1397	
H-1408E	11/20/2025 9:23:41 AM	34.4333428	-118.6471457	1390	
H-1408W	11/4/2025 8:46:52 AM	34.4311912	-118.6500033	1262	Valve Adjustment:NSPS/EG CAI,High O2
H-1408W	11/4/2025 8:47:49 AM	34.4311823	-118.6500017	1257	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
H-1409N	11/4/2025 8:47:02 AM	34.4328790	-118.6469248	1371	
H-1409N	11/20/2025 8:27:19 AM	34.4328763	-118.6469053	1382	Valve Adjustment:Decreased Flow/Vacuum
H-1410S	11/4/2025 1:50:38 PM	34.4309682	-118.6467123	1184	
H-1563N	11/5/2025 2:32:40 PM	34.4338662	-118.6498390	1334	Valve Adjustment:Audible Flow;Well Condition:Fair
H-1563N	11/25/2025 2:28:16 PM	34.4338658	-118.6498265	1325	
H-1563S	11/3/2025 2:03:35 PM	34.4324000	-118.6496437	1301	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-1563S	11/21/2025 1:48:00 PM	34.4324083	-118.6496567	1321	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-1565E	11/4/2025 9:30:07 AM	34.4335433	-118.6472013	1399	
H-1565E	11/20/2025 9:06:05 AM	34.4335268	-118.6472373	1404	
H-1568N	11/4/2025 9:22:57 AM	34.4333382	-118.6471538	1392	Valve Adjustment:Increased Flow/Vacuum
H-1568N	11/5/2025 9:29:01 AM	34.4333432	-118.6471540	1390	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-1568N	11/20/2025 9:21:17 AM	34.4333395	-118.6471510	1375	Valve Adjustment:Decreased Flow/Vacuum
H-1571S	11/5/2025 3:01:50 PM	34.4321775	-118.6453382	1299	
H-1572N	11/4/2025 2:09:05 PM	34.4337278	-118.6447380	1358	Valve Adjustment:Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-1572S	11/5/2025 2:52:12 PM	34.4321592	-118.6448195	1286	
H-1574N	11/11/2025 8:52:49 AM	34.4324973	-118.6517670	1213	Valve Adjustment:Decreased Flow/Vacuum
H-1574N	11/25/2025 9:29:42 AM	34.4325087	-118.6517168	1224	
H-1753S	11/12/2025 8:07:13 AM	34.4339022	-118.6495720	1363	Valve Adjustment:Surging Liquid in Header
H-1753S	11/25/2025 2:24:17 PM	34.4339323	-118.6495783	1347	Valve Adjustment:Decreased Flow/Vacuum
H-1756S	11/3/2025 1:54:37 PM	34.4325485	-118.6502607	1301	Valve Adjustment:Audible Flow;Well Condition:Good
H-1756S	11/24/2025 1:15:36 PM	34.4325710	-118.6502815	1300	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
H-1757S	11/3/2025 1:59:33 PM	34.4327232	-118.6497603	1296	Valve Adjustment:Audible Flow;Well Condition:Good
H-1757S	11/21/2025 1:42:00 PM	34.4327037	-118.6497683	1329	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
H-1760S	11/4/2025 9:56:00 AM	34.4327342	-118.6478852	1384	
H-1760S	11/24/2025 1:26:04 PM	34.4327388	-118.6478798	1379	Valve Adjustment:Increased Flow/Vacuum
H-1762N	11/5/2025 9:23:46 AM	34.4334750	-118.6468625	1416	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-1762N	11/19/2025 1:44:51 PM	34.4334625	-118.6468147	1402	
H-1763N	11/4/2025 9:15:28 AM	34.4335543	-118.6461580	1395	
H-1763S	11/11/2025 10:19:11 AM	34.4323888	-118.6460272	1309	Valve Adjustment:Increased Flow/Vacuum
H-1764N	11/5/2025 10:32:21 AM	34.4331568	-118.6456297	1363	Valve Comment:RES SEM;Valve Adjustment:Audible Flow
H-1764S	11/5/2025 3:06:00 PM	34.4321063	-118.6454082	1316	
H-1764S	11/11/2025 10:22:17 AM	34.4323902	-118.6457142	1285	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-1767N	11/17/2025 8:08:39 AM	34.4326870	-118.6436045	1231	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-1769N	11/3/2025 1:57:26 PM	34.4370373	-118.6494745	1375	
H-1769N	11/19/2025 9:52:11 AM	34.4370028	-118.6494830	1386	
H-1770A	11/7/2025 9:58:58 AM	34.4359877	-118.6501232	1376	
H-1770A	11/25/2025 2:11:19 PM	34.4359847	-118.6500965	1379	Valve Adjustment:Increased Flow/Vacuum
H-1770N	11/4/2025 9:50:38 AM	34.4368142	-118.6500065	1381	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-1770N	11/4/2025 9:58:20 AM	34.4368157	-118.6500183	1377	Valve Adjustment:Decreased Flow/Vacuum
H-1770N	11/12/2025 7:50:00 AM				AirTech Lab
H-1770N	11/12/2025 7:50:00 AM				AirTech Lab; [User entered 0.11%]
H-1770N	11/19/2025 10:14:44 AM	34.4367805	-118.6500135	1349	
H-1770S	11/3/2025 1:37:28 PM	34.4331428	-118.6501520	1314	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-1770S	11/21/2025 1:35:58 PM	34.4331237	-118.6501692	1328	Valve Adjustment:Decreased Flow/Vacuum
H-1771A	11/3/2025 2:57:47 PM	34.4363488	-118.6463915	1334	Valve Adjustment:Audible Flow;Well Condition:Fair
H-1771A	11/11/2025 7:45:14 AM	34.4363272	-118.6464200	1373	
H-1771B	11/5/2025 8:50:18 AM	34.4355362	-118.6466403	1397	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-1774N	11/4/2025 12:55:39 PM	34.4367325	-118.6507903	1329	Valve Adjustment:Decreased Flow/Vacuum
H-1774N	11/21/2025 12:49:14 PM	34.4367365	-118.6507985	1351	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-1801S	11/4/2025 2:29:33 PM	34.4337632	-118.6440905	1333	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-1802S	11/4/2025 2:12:35 PM	34.4335595	-118.6447488	1348	Valve Adjustment:Barely Open;Well Condition:Good
H-1803N	11/5/2025 8:25:00 AM				AtmAA
H-1803N	11/5/2025 8:25:00 AM				AtmAA; [User entered 12.815%]
H-1803N	11/5/2025 8:25:15 AM	34.4370563	-118.6485805	1347	Valve Adjustment:High Temp,Surging Liquid in Well (Watered In)
H-1803N	11/9/2025 9:05:00 AM				AtmAA
H-1803N	11/9/2025 9:07:59 AM	34.4370282	-118.6485897	1344	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
H-1803N	11/18/2025 2:13:14 PM	34.4370417	-118.6485918	1352	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
H-1803N	11/23/2025 8:06:35 AM	34.4370227	-118.6485972	1361	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Well (Watered In)
H-1804B	11/5/2025 9:57:27 AM	34.4342710	-118.6456360	1388	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-1804N	11/3/2025 3:05:47 PM	34.4363558	-118.6456840	1340	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-1804N	11/11/2025 8:12:31 AM	34.4363712	-118.6457037	1350	Valve Adjustment:Increased Flow/Vacuum
H-1804S	11/5/2025 10:36:34 AM	34.4330882	-118.6457025	1366	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-1805B	11/4/2025 1:58:03 PM	34.4337528	-118.6451733	1351	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-1805S	11/5/2025 10:55:16 AM	34.4329117	-118.6451607	1337	
H-1806A	11/4/2025 2:00:14 PM	34.4354507	-118.6442278	1386	
H-1806B	11/4/2025 2:05:50 PM	34.4338927	-118.6444590	1363	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-1806N	11/5/2025 10:00:53 AM	34.4363700	-118.6442973	1353	Valve Adjustment:Decreased Flow/Vacuum
H-1806S	11/5/2025 2:22:32 PM	34.4327870	-118.6445883	1404	Audible Flow

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-1807A	11/4/2025 12:57:59 PM	34.4353378	-118.6436023	1351	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
H-1807N	11/5/2025 10:25:11 AM	34.4364557	-118.6435205	1330	
H-1807N	11/7/2025 2:16:27 PM	34.4364555	-118.6435220	1317	Valve Comment:RES SEM;Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
H-1807S	11/5/2025 10:43:59 AM	34.4337982	-118.6434023	1296	
H-1953N	11/4/2025 8:35:08 AM	34.4364792	-118.6469332	1393	
H-1955N	11/3/2025 3:19:27 PM	34.4365023	-118.6455117	1316	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-1956B	11/4/2025 1:42:39 PM	34.4342872	-118.6447707	1383	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-1956N	11/3/2025 3:14:33 PM	34.4364767	-118.6448875	1315	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
H-1956S	11/4/2025 2:18:46 PM	34.4332063	-118.6448832	1320	Valve Adjustment:Audible Flow,Surging Liquid in Header;Well Condition:Fair
H-1957B	11/4/2025 1:21:17 PM	34.4345580	-118.6441017	1375	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-1957N	11/5/2025 10:05:40 AM	34.4364545	-118.6442003	1343	Valve Adjustment:Decreased Flow/Vacuum
H-1957S	11/4/2025 2:32:29 PM	34.4337807	-118.6441200	1337	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
H-1957S	11/4/2025 2:33:32 PM	34.4337743	-118.6441027	1341	Valve Adjustment:NSPS/EG CAC;Well Condition:Fair
H-1958C	11/4/2025 12:55:12 PM	34.4353685	-118.6434635	1344	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-1958N	11/5/2025 10:27:45 AM	34.4364472	-118.6434973	1327	
H-1958S	11/5/2025 10:50:41 AM	34.4340070	-118.6432808	1319	Audible Flow
H-1962N	11/4/2025 10:19:35 AM	34.4366298	-118.6501657	1384	Valve Adjustment:Decreased Flow/Vacuum
H-1962N	11/19/2025 10:21:26 AM	34.4366745	-118.6501453	1366	Valve Comment:Steam was escaping from flange;Valve Adjustment:Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-1963N	11/3/2025 2:16:16 PM	34.4369380	-118.6495522	1360	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
H-1963N	11/3/2025 2:18:55 PM	34.4369380	-118.6495220	1384	Valve Adjustment:High Temp
H-1963N	11/19/2025 9:59:51 AM	34.4369568	-118.6495450	1391	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Barely Open
H-1963N	11/19/2025 10:01:20 AM	34.4369500	-118.6495523	1393	Valve Adjustment:Surging Liquid in Header
H-1966N	11/4/2025 12:42:35 PM	34.4365383	-118.6508165	1348	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
H-1966N	11/21/2025 12:53:20 PM	34.4365595	-118.6508033	1349	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
H-1967E	11/10/2025 8:21:25 AM	34.4302178	-118.6458335	1143	Valve Adjustment:Increased Flow/Vacuum
H-1967W	11/4/2025 7:57:19 AM	34.4299302	-118.6508245	1209	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
H-2050E	11/13/2025 10:19:02 AM	34.4291157	-118.6474735	1089	Valve Adjustment:Increased Flow/Vacuum
H-2050W	11/4/2025 11:15:08 AM	34.4291253	-118.6491155	1183	Valve Adjustment:Decreased Flow/Vacuum
H-2051W	11/4/2025 8:01:11 AM	34.4299318	-118.6508087	1197	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good
H-2053E	11/25/2025 2:31:24 PM	34.4303252	-118.6457867	1122	Audible Flow
H-2053W	11/4/2025 10:22:50 AM	34.4310850	-118.6505680	1203	Valve Adjustment:Audible Flow;Well Condition:Good
H-2053W	11/24/2025 12:16:06 PM	34.4311223	-118.6505847	1206	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-2055E	11/5/2025 8:53:18 AM	34.4318320	-118.6465732	1381	
H-2055E	11/25/2025 9:03:59 AM	34.4317890	-118.6465615	1289	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2056B	11/7/2025 3:41:49 PM	34.4297870	-118.6475048	1102	
H-2056W	11/4/2025 8:08:40 AM	34.4299188	-118.6508180	1201	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-2057E	11/10/2025 8:27:27 AM	34.4302072	-118.6458282	1122	
H-2057E	11/10/2025 8:30:23 AM	34.4302128	-118.6458238	1129	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-2057W	11/4/2025 10:10:39 AM	34.4306512	-118.6506457	1207	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
H-2058E	11/10/2025 8:46:26 AM	34.4300545	-118.6464447	1128	
H-2058W	11/4/2025 8:10:49 AM	34.4299287	-118.6508067	1200	Valve Adjustment:Audible Flow,Increased Flow/Vacuum
H-2059E	11/10/2025 9:05:19 AM	34.4306770	-118.6462978	1149	Valve Comment:Cleared liquid from flex hose;Valve Adjustment:Increased Flow/Vacuum
H-2059W	11/4/2025 8:36:32 AM	34.4310850	-118.6502263	1243	
H-2161E	11/10/2025 8:56:56 AM	34.4308707	-118.6464662	1198	Valve Adjustment:Increased Flow/Vacuum
H-2161W	11/4/2025 8:32:50 AM	34.4309467	-118.6502152	1240	Valve Adjustment:Audible Flow;Well Condition:Good
H-2163C	11/3/2025 1:40:13 PM	34.4311575	-118.6487008	1381	
H-2163C	11/19/2025 9:35:16 AM	34.4311047	-118.6486542	1312	Reduced System Vacuum
H-2163W	11/4/2025 8:50:49 AM	34.4311682	-118.6498835	1272	Valve Adjustment:Decreased Flow/Vacuum
H-2163W	11/24/2025 11:54:06 AM	34.4311802	-118.6498762	1244	Valve Adjustment:Decreased Flow/Vacuum
H-2164A	11/3/2025 1:52:18 PM	34.4317082	-118.6487305	1339	
H-2164A	11/19/2025 11:25:57 AM	34.4317927	-118.6486640	1348	Reduced System Vacuum,Opened Valve 1/2 Turn or Less
H-2164E	11/5/2025 9:08:36 AM	34.4318953	-118.6460402	1289	
H-2164E	11/25/2025 8:26:53 AM	34.4319410	-118.6460715	1306	
H-2165E	11/26/2025 9:58:50 AM	34.4318997	-118.6451138	1260	Valve Adjustment:Decreased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-2165W	11/9/2025 12:28:02 PM	34.4321525	-118.6504182	1269	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),High O2,Plugged/Pinched Suspected
H-2165W	11/9/2025 12:28:44 PM	34.4321550	-118.6504088	1270	Valve Adjustment:High O2
H-2165W	11/12/2025 9:00:00 AM				AirTech Lab
H-2165W	11/12/2025 9:00:00 AM				AirTech Lab; [User entered 0.98%]
H-2165W	11/25/2025 8:57:31 AM	34.4321492	-118.6504203	1276	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
H-2166C	11/4/2025 2:09:04 PM	34.4356018	-118.6448412	1387	
H-2166C	11/5/2025 8:40:16 AM	34.4355907	-118.6448452	1383	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-2166E	11/4/2025 1:05:38 PM	34.4356312	-118.6438540	1362	
H-2167E	11/4/2025 1:09:38 PM	34.4349390	-118.6437963	1366	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-2168C	11/4/2025 1:37:52 PM	34.4344275	-118.6448040	1381	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum
H-2168E	11/4/2025 1:17:59 PM	34.4345287	-118.6439100	1371	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-2169C	11/4/2025 1:52:52 PM	34.4340790	-118.6450333	1362	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair
H-2169E	11/4/2025 1:31:27 PM	34.4342313	-118.6442068	1377	
H-2170N	11/7/2025 1:11:07 PM	34.4358090	-118.6414428	1262	Valve Adjustment:Audible Flow;Well Condition:Good
H-2170S	11/7/2025 9:47:26 AM	34.4335917	-118.6414773	1252	Valve Adjustment:Audible Flow;Well Condition:Good
H-2171A	11/7/2025 1:41:42 PM	34.4374167	-118.6425088	1236	Valve Adjustment:Barely Open;Well Condition:Good
H-2171B	11/7/2025 2:02:40 PM	34.4365077	-118.6416560	1237	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
H-2171N	11/7/2025 1:28:39 PM	34.4379762	-118.6432747	1257	Valve Adjustment:NSPS/EG CAC;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-2171N	11/7/2025 1:29:42 PM	34.4379772	-118.6432755	1266	Well Condition:Good
H-2171S	11/7/2025 1:13:26 PM	34.4357990	-118.6414352	1257	Valve Adjustment:Audible Flow;Well Condition:Good
H-2272W	11/4/2025 9:01:37 AM	34.4317372	-118.6497508	1295	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
H-2272W	11/24/2025 11:41:26 AM	34.4317040	-118.6497927	1305	
H-2273W	11/4/2025 10:02:01 AM	34.4321507	-118.6499510	1304	Valve Adjustment:Audible Flow;Well Condition:Fair
H-2273W	11/5/2025 8:40:00 AM				AirTech Lab
H-2273W	11/5/2025 8:40:00 AM				AirTech Lab; [User entered 1.5%]
H-2273W	11/24/2025 1:29:09 PM	34.4321535	-118.6499652	1311	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
H-2273W	11/24/2025 1:30:38 PM	34.4321763	-118.6499707	1305	Valve Adjustment:NSPS/EG CAC;Well Condition:Fair
H-2274B	11/4/2025 10:34:19 AM	34.4325617	-118.6466915	1355	
H-2274B	11/19/2025 11:56:53 AM	34.4326347	-118.6467297	1322	Reduced System Vacuum,No Adjustment Made
H-2274W	11/3/2025 1:48:30 PM	34.4327832	-118.6503545	1306	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-2274W	11/24/2025 1:11:36 PM	34.4328075	-118.6503590	1316	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
H-2275E	11/11/2025 10:15:37 AM	34.4324387	-118.6462302	1325	
H-2275W	11/3/2025 12:53:45 PM	34.4322190	-118.6493643	1330	Well Condition:Good
H-2275W	11/24/2025 12:53:38 PM	34.4322410	-118.6493913	1332	Valve Adjustment:Plugged/Pinched Suspected
H-2276A	11/4/2025 10:11:50 AM	34.4328582	-118.6482722	1384	Valve Adjustment:Decreased Flow/Vacuum
H-2276A	11/19/2025 10:15:15 AM	34.4328110	-118.6482533	1381	Reduced System Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-2276B	11/4/2025 8:43:34 AM	34.4329068	-118.6468750	1388	Audible Flow
H-2276B	11/20/2025 8:31:10 AM	34.4328620	-118.6469007	1392	Valve Adjustment:Increased Flow/Vacuum
H-2276E	11/5/2025 10:53:20 AM	34.4327942	-118.6453488	1345	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-2276W	11/3/2025 1:57:36 PM	34.4326778	-118.6499513	1309	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
H-2276W	11/21/2025 1:39:16 PM	34.4326683	-118.6499850	1321	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-2277A	11/4/2025 11:04:36 AM	34.4330313	-118.6487250	1371	
H-2277A	11/19/2025 10:35:22 AM	34.4330463	-118.6486867	1378	Reduced System Vacuum,NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.
H-2277A	11/19/2025 10:37:30 AM	34.4330600	-118.6487470	1365	
H-2277B	11/4/2025 8:56:24 AM	34.4331057	-118.6469438	1345	
H-2277B	11/20/2025 8:40:28 AM	34.4330737	-118.6469087	1399	
H-23 (EXP)	11/6/2025 10:42:17 AM	34.4371423	-118.6417178	1222	
H-23 (EXP)	11/7/2025 1:51:02 PM	34.4370100	-118.6420967	1245	Valve Adjustment:NSPS/EG CAI,High O2;Well Condition:Good
H-23 (EXP)	11/7/2025 1:52:43 PM	34.4370215	-118.6420960	1242	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Good
H-2301E	11/17/2025 9:08:28 AM	34.4271223	-118.6480415	1012	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-2301E	11/17/2025 9:11:03 AM	34.4270862	-118.6480043	1012	Valve Adjustment:Increased Flow/Vacuum
H-2301W	11/26/2025 10:08:36 AM	34.4283388	-118.6508362	1158	Valve Adjustment:NSPS/EG CAI,High O2,Plugged/Pinched Suspected
H-2301W	11/26/2025 10:09:31 AM	34.4283555	-118.6508230	1153	Valve Adjustment:High O2,Plugged/Pinched Suspected
H-2302C	11/11/2025 1:32:06 PM	34.4283962	-118.6490102	1138	Valve Adjustment:Increased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-2302E	11/17/2025 8:45:31 AM	34.4275375	-118.6472578	1067	Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open
H-2302E	11/17/2025 8:48:25 AM	34.4275467	-118.6472538	1064	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-2303E	11/17/2025 8:54:59 AM	34.4279658	-118.6471738	1094	Valve Adjustment:Valve 100% Open,Plugged/Pinched Suspected
H-2303N	11/7/2025 4:00:04 PM	34.4290805	-118.6484363	1135	Orifice Plate Changed (See OP Log),Audible Flow
H-2303N	11/9/2025 10:11:11 AM	34.4290325	-118.6484250	1141	
H-2303N	11/9/2025 10:14:11 AM	34.4290233	-118.6484428	1154	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-2303N	11/9/2025 10:52:14 AM	34.4290365	-118.6484273	1153	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
H-2304S	11/11/2025 1:45:46 PM	34.4273840	-118.6488555	1036	Valve Adjustment:High Temp
H-2305N	11/7/2025 3:55:41 PM	34.4290358	-118.6485458	1152	
H-2305N	11/9/2025 10:59:07 AM	34.4290368	-118.6484232	1148	Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
H-2305S	11/11/2025 1:51:49 PM	34.4274778	-118.6484603	1019	
H-2306N	11/13/2025 9:53:37 AM	34.4294173	-118.6475620	1137	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-2306N	11/13/2025 10:03:42 AM	34.4294038	-118.6475723	1130	Valve Adjustment:Decreased Flow/Vacuum
H-2306S	11/26/2025 9:29:11 AM	34.4286802	-118.6480668	1084	Valve Adjustment:NSPS/EG CAI,High O2,Plugged/Pinched Suspected
H-2306S	11/26/2025 9:30:03 AM	34.4286915	-118.6480210	1096	Valve Adjustment:High O2,Plugged/Pinched Suspected
H-2307S	11/25/2025 1:47:27 PM	34.4281412	-118.6501903	1168	Audible Flow
H-2308S	11/25/2025 1:56:28 PM	34.4280892	-118.6496953	1138	Audible Flow,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2309N	11/3/2025 1:29:47 PM	34.4308857	-118.6488740	1276	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
H-2309S	11/11/2025 1:35:58 PM	34.4280767	-118.6488810	1102	
H-2401S	11/4/2025 10:39:47 AM	34.4288518	-118.6512422	1179	Valve Adjustment:Barely Open
H-2402N	11/4/2025 11:29:41 AM	34.4291267	-118.6502633	1216	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
H-2402S	11/4/2025 10:52:04 AM	34.4287398	-118.6504535	1201	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good
H-2403N	11/4/2025 11:25:55 AM	34.4293077	-118.6501577	1228	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-2403S	11/4/2025 10:59:35 AM	34.4287548	-118.6498888	1193	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good
H-2404N	11/4/2025 11:21:37 AM	34.4292978	-118.6495527	1200	Valve Adjustment:Barely Open;Well Condition:Good
H-2404S	11/4/2025 11:11:43 AM	34.4287707	-118.6493220	1174	
H-2405N	11/11/2025 10:45:36 AM	34.4300053	-118.6495333	1263	
H-29	11/7/2025 1:05:38 PM	34.4354452	-118.6417833	1264	Valve Adjustment:Audible Flow;Well Condition:Good
H-31	11/7/2025 1:33:51 PM	34.4378303	-118.6429388	1242	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
H-72	11/5/2025 11:08:29 AM	34.4368912	-118.6448317	1293	
H-74	11/5/2025 10:47:31 AM	34.4371740	-118.6433097	1279	Valve Adjustment:Surging Liquid in Header
H-79	11/12/2025 1:28:16 PM	34.4339482	-118.6427887	1282	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum
H-79	11/12/2025 1:29:10 PM	34.4339433	-118.6427818	1275	Valve Adjustment:NSPS/EG CAC
P-02R	11/10/2025 9:11:23 AM	34.4297213	-118.6439775	1188	
P-03R	11/10/2025 8:51:45 AM	34.4298668	-118.6442498	1145	Valve Adjustment:Decreased Flow/Vacuum
P-04	11/10/2025 8:46:15 AM	34.4294727	-118.6445590	1147	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
P-05	11/10/2025 8:41:38 AM	34.4291615	-118.6448058	1132	
P-06R	11/10/2025 8:36:37 AM	34.4288538	-118.6450830	1134	
P-07R	11/10/2025 9:07:00 AM	34.4298313	-118.6432910	1171	
P-08R	11/10/2025 9:15:29 AM	34.4294015	-118.6437573	1174	
P-09	11/10/2025 8:03:02 AM	34.4289895	-118.6442628	1160	
P-10	11/10/2025 8:06:24 AM	34.4286982	-118.6446290	1152	
P-11	11/10/2025 8:11:02 AM	34.4284838	-118.6449742	1138	
P-12	11/10/2025 8:32:03 AM	34.4288830	-118.6456202	1103	Valve Adjustment:Decreased Flow/Vacuum
P-13	11/10/2025 8:25:30 AM	34.4284790	-118.6458200	1118	Valve Adjustment:Decreased Flow/Vacuum
P-14	11/10/2025 8:20:01 AM	34.4280442	-118.6460670	1110	
P-15R	11/10/2025 10:01:50 AM	34.4277833	-118.6459097	1107	
P-16	11/10/2025 10:09:05 AM	34.4274933	-118.6456588	1086	
P-17	11/10/2025 10:20:39 AM	34.4273667	-118.6453372	1091	
P-18RD	11/10/2025 10:24:55 AM	34.4271200	-118.6449993	1080	Valve Adjustment:Increased Flow/Vacuum
P-18RS	11/10/2025 10:27:43 AM	34.4271073	-118.6449905	1094	Valve Adjustment:Decreased Flow/Vacuum
P-19	11/10/2025 10:36:05 AM	34.4268725	-118.6451697	1065	Valve Adjustment:Decreased Flow/Vacuum
P-20R	11/10/2025 10:31:44 AM	34.4268305	-118.6448072	1100	
P-21	11/10/2025 10:40:24 AM	34.4265067	-118.6448040	1094	

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
P-21RD	11/10/2025 10:50:21 AM	34.4263905	-118.6444205	1120	Valve Adjustment:Decreased Flow/Vacuum,Valve 100% Closed;Well Comment:possible damaged valve
P-21RS	11/10/2025 10:44:54 AM	34.4263847	-118.6443685	1099	Valve Adjustment:Decreased Flow/Vacuum
P-22RD	11/25/2025 11:20:57 AM	34.4269227	-118.6437847	1194	Valve Adjustment:Audible Flow;Well Condition:Fair
P-22RS	11/25/2025 11:18:55 AM	34.4269252	-118.6437945	1189	Well Condition:Fair
P-23	11/10/2025 10:54:00 AM	34.4261323	-118.6447125	1127	
P-24	11/13/2025 12:09:28 PM	34.4260768	-118.6443005	1115	Valve Adjustment:Audible Flow
P-26	11/10/2025 2:04:24 PM	34.4259780	-118.6438442	1110	
P-27	11/13/2025 12:21:38 PM	34.4268420	-118.6427733	1114	Valve Adjustment:Surging Liquid in Header
P-28	11/13/2025 12:28:04 PM	34.4270505	-118.6422717	1137	Valve Adjustment:Audible Flow
P-29R	11/13/2025 12:33:54 PM	34.4271747	-118.6418388	1157	Valve Adjustment:Barely Open
P-30R	11/13/2025 12:40:48 PM	34.4274093	-118.6416128	1164	Valve Comment:Tuned up to try and get GP21 clean;Valve Adjustment:Audible Flow,Increased Flow/Vacuum
P-32R1	11/13/2025 12:52:59 PM	34.4282315	-118.6410537	1179	Valve Adjustment:Barely Open
P-32R2	11/13/2025 12:57:04 PM	34.4284453	-118.6409415	1189	Valve Adjustment:Barely Open
P-33	11/13/2025 1:03:10 PM	34.4288553	-118.6408142	1168	Valve Adjustment:Audible Flow
P-36	11/13/2025 1:15:13 PM	34.4301898	-118.6400823	1221	Valve Adjustment:Barely Open
P-37	11/20/2025 11:10:17 AM	34.4304833	-118.6403480	1230	Valve Adjustment:Decreased Flow/Vacuum
P-38RD	11/20/2025 11:16:14 AM	34.4300112	-118.6406332	1220	Valve Adjustment:Audible Flow
P-38RD	11/25/2025 10:39:39 AM	34.4299892	-118.6406390	1232	Valve Adjustment:Audible Flow;Well Condition:Fair

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
P-38RS	11/20/2025 11:19:31 AM	34.4299802	-118.6406410	1224	Valve Adjustment:Audible Flow
P-38RS	11/25/2025 10:41:11 AM	34.4299677	-118.6406308	1252	Valve Adjustment:Audible Flow;Well Condition:Fair
P-39	11/25/2025 10:44:29 AM	34.4294658	-118.6409845	1242	Valve Adjustment:Audible Flow
P-41	11/25/2025 10:48:10 AM	34.4288745	-118.6414098	1232	Valve Adjustment:Audible Flow,Surging Liquid in Header;Well Condition:Fair
P-42R	11/25/2025 10:50:40 AM	34.4284203	-118.6416995	1221	Valve Adjustment:Audible Flow;Well Condition:Fair
P-43	11/25/2025 10:53:12 AM	34.4282738	-118.6418172	1213	
P-44RD	11/25/2025 10:55:31 AM	34.4281377	-118.6419143	1226	Valve Adjustment:Audible Flow;Well Condition:Fair
P-44RS	11/25/2025 10:57:21 AM	34.4281355	-118.6419397	1212	Valve Adjustment:Audible Flow;Well Condition:Fair
P-45RD	11/25/2025 11:04:32 AM	34.4277362	-118.6424560	1217	Valve Adjustment:Audible Flow;Well Condition:Fair
P-45RS	11/25/2025 11:06:20 AM	34.4277477	-118.6424675	1210	Valve Adjustment:Audible Flow;Well Condition:Fair
P-46RD	11/25/2025 11:08:51 AM	34.4276595	-118.6426692	1217	Valve Adjustment:Audible Flow;Well Condition:Good
P-46RS	11/25/2025 11:11:04 AM	34.4276528	-118.6426560	1214	Valve Adjustment:Audible Flow;Well Condition:Good
P-47	11/25/2025 11:15:16 AM	34.4274350	-118.6432670	1216	Valve Adjustment:Audible Flow;Well Condition:Fair
P-48	11/25/2025 11:24:38 AM	34.4275843	-118.6435882	1204	
P-49RD	11/25/2025 1:26:35 PM	34.4279817	-118.6438445	1215	Valve Adjustment:Decreased Flow/Vacuum
P-49RS	11/25/2025 1:22:30 PM	34.4279998	-118.6438400	1216	Valve Adjustment:Decreased Flow/Vacuum
P-52	11/25/2025 1:41:40 PM	34.4287358	-118.6432833	1241	
P-53	11/25/2025 1:46:45 PM	34.4290995	-118.6430690	1239	Valve Adjustment:Decreased Flow/Vacuum

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
P-54	11/25/2025 12:38:04 PM	34.4294200	-118.6428960	1242	
P-55	11/25/2025 12:34:29 PM	34.4297507	-118.6427208	1240	
P-56	11/25/2025 12:28:53 PM	34.4300932	-118.6428397	1248	
P-57	11/25/2025 12:25:19 PM	34.4299690	-118.6424617	1253	
P-60R	11/25/2025 12:48:05 PM	34.4307842	-118.6415710	1251	Valve Adjustment:Decreased Flow/Vacuum
P-61	11/25/2025 12:54:51 PM	34.4311297	-118.6411912	1274	Valve Comment:possible pinch or valve closure;Valve Adjustment:NSPS/EG CAI,Positive Static Press.
P-61	11/25/2025 12:55:32 PM	34.4311370	-118.6411775	1276	Valve Adjustment:Positive Static Press.
P-65	11/25/2025 1:02:57 PM	34.4304517	-118.6409575	1239	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
P-71	11/25/2025 1:34:41 PM	34.4279643	-118.6432267	1228	Valve Adjustment:Surging Liquid in Header
P-75	11/25/2025 12:44:19 PM	34.4303343	-118.6414837	1260	Valve Adjustment:Decreased Flow/Vacuum
P-76	11/25/2025 10:36:19 AM	34.4301928	-118.6404485	1243	
P-79	11/10/2025 10:13:58 AM	34.4270040	-118.6460515	1039	
SC-2000E	11/4/2025 1:59:55 PM	34.4307153	-118.6467410	1198	
SC-2501E	11/3/2025 1:34:33 PM	34.4367152	-118.6479115	1346	Valve Adjustment:High O2
SC-2501W	11/3/2025 9:27:35 AM	34.4367992	-118.6485695	1372	Valve Adjustment:High Temp,Decreased Flow/Vacuum
SC-2501W	11/3/2025 9:28:00 AM				AtmAA
SC-2501W	11/3/2025 9:28:00 AM				AtmAA; [User entered 15.78%]
SC-2501W	11/9/2025 9:23:21 AM	34.4368017	-118.6485600	1360	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Barely Open;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
SC-2501W	11/9/2025 9:24:12 AM	34.4367933	-118.6485430	1346	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Barely Open
SC-2501W	11/9/2025 9:25:00 AM				AtmAA
SC-2501W	11/18/2025 2:22:47 PM	34.4367907	-118.6485430	1353	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
SC-2501W	11/23/2025 8:20:08 AM	34.4367710	-118.6485617	1384	Valve Adjustment:High Temp
SW-10	11/6/2025 10:59:11 AM	34.4370455	-118.6503652	1324	
SW-115	11/7/2025 10:20:08 AM	34.4348492	-118.6411942	1220	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
SW-1445	11/12/2025 9:55:26 AM	34.4324845	-118.6520172	1212	
SW-1455	11/12/2025 9:50:13 AM	34.4323698	-118.6520195	1229	
SW-154	11/25/2025 2:03:44 PM	34.4379885	-118.6456433	1257	
SW-17-135	11/12/2025 9:53:17 AM	34.4324395	-118.6519698	1221	
SW-187	11/6/2025 10:42:19 AM	34.4372527	-118.6473650	1315	
SW-1930	11/12/2025 10:25:18 AM	34.4353127	-118.6516082	1267	
SW-20	11/10/2025 8:56:27 AM	34.4302583	-118.6436762	1147	Valve Adjustment:High O2,Valve 100% Closed;Well Comment:valve is broken
SW-25	11/6/2025 11:09:58 AM	34.4351752	-118.6517318	1285	
SW-30	11/12/2025 10:02:55 AM	34.4336843	-118.6519465	1221	
SW-32	11/12/2025 10:10:38 AM	34.4335460	-118.6520313	1232	
SW-64	11/12/2025 10:00:48 AM	34.4336973	-118.6519773	1227	
SW-65	11/7/2025 10:23:10 AM	34.4348483	-118.6411938	1216	Valve Adjustment:Audible Flow;Well Condition:Good

All LFG Extraction Well Data November 2025

Chiquita Canyon Landfill

Point Name	Record Date	Latitude	Longitude	Elev [ft]	Comments
SW-66	11/25/2025 2:01:18 PM	34.4379893	-118.6456493	1254	
SW-68	11/12/2025 10:07:10 AM	34.4335430	-118.6520475	1223	
SW-7	11/6/2025 11:06:25 AM	34.4352037	-118.6517363	1272	
SW-70	11/6/2025 10:44:50 AM	34.4372517	-118.6473765	1311	
SW-71	11/13/2025 12:16:29 PM	34.4259990	-118.6438278	1113	
SW-72	11/13/2025 1:10:19 PM	34.4296525	-118.6401857	1209	
SW-80	11/7/2025 11:28:59 AM	34.4383362	-118.6433643	1217	
SW-9	11/6/2025 10:48:04 AM	34.4372373	-118.6473667	1315	
TC-1961C	11/5/2025 3:09:12 PM	34.4321842	-118.6454578	1286	
TC-1961E	11/5/2025 2:25:33 PM	34.4327982	-118.6444400	1230	Audible Flow
TC-2174	11/3/2025 9:00:24 AM	34.4367492	-118.6476187	1338	Valve Adjustment:High Temp
TC-2174	11/3/2025 9:08:00 AM				AtmAA
TC-2174	11/3/2025 9:08:00 AM				AtmAA; [User entered 17.00%]
TC-2174	11/9/2025 8:36:52 AM	34.4367312	-118.6476135	1345	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
TC-2174	11/9/2025 8:40:00 AM				AtmAA
TC-2174	11/18/2025 1:04:55 PM	34.4367435	-118.6476172	1346	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
TC-2174	11/23/2025 7:43:47 AM	34.4367688	-118.6476288	1357	Valve Adjustment:No Flow Measurement,High Temp,Reduce Sys. Vac. - Flare Down
VL-02	11/9/2025 9:17:17 AM	34.4311753	-118.6443318	1175	

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-108-52	11/3/2025 1:42:44 PM	45.4	50.6	0.0	4.0	0.0	0.9			118.4	119.6	-2.97	-2.71	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
CV-108-52	11/5/2025 9:00:00 AM							330						AirTech Lab
CV-108-52	11/5/2025 9:00:00 AM								16000					AirTech Lab; [User entered 1.6%]
CV-108-52	11/24/2025 12:50:30 PM	40.6	57.8	0.0	1.6	0.0	0.7			120.4	120.8	-4.83	-3.50	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-113	11/3/2025 10:39:35 AM	17.8	25.4	10.7	46.2	4.3	0.7			90.0	91.5	-0.07	-0.09	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Comment:Flange was not sealed causing potential O2 intrusion;Well Condition:Fair
CV-113	11/6/2025 9:25:00 AM							35						AirTech Lab
CV-113	11/6/2025 9:25:00 AM								16000					AirTech Lab; [User entered 1.6%]
CV-113	11/20/2025 9:13:15 AM	37.5	35.7	4.2	22.6	5.4	1.0			57.2	57.2	-1.51	-1.51	Valve Adjustment:NSPS/EG CAC
CV-114	11/3/2025 8:56:45 AM	1.0	79.6	0.0	19.4	0.0	0.0			190.8	190.8	-0.10	-1.01	Valve Adjustment:High Temp,Surging Liquid in Well (Watered In)
CV-114	11/9/2025 8:29:50 AM	1.3	80.0	0.0	18.7	0.0	0.0			183.6	182.0	-5.45	-5.31	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-114	11/13/2025 9:10:00 AM							2600						AirTech Lab
CV-114	11/13/2025 9:10:00 AM								140000					AirTech Lab; [User entered 14%]
CV-114	11/18/2025 1:02:41 PM	0.7	63.8	4.5	31.0	6.9	0.0			186.0	186.2	-0.06	-0.19	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair
CV-114	11/23/2025 7:42:14 AM	1.7	86.1	0.0	12.2	0.0	0.0			188.9	189.4	-4.42	-4.45	Valve Adjustment:No Flow Measurement,High Temp
CV-1532A	11/5/2025 9:05:00 AM							610						AirTech Lab
CV-1532A	11/5/2025 9:05:00 AM								99000					AirTech Lab; [User entered 9.9%]
CV-1532A	11/5/2025 9:59:34 AM	7.0	83.2	0.0	9.8	0.0	0.1			181.8	174.7	-8.99	-8.99	Valve Adjustment:High Temp
CV-1532A	11/11/2025 7:24:38 AM	2.3	70.3	2.9	24.5	8.4	0.0			177.3	177.3	-13.87	-13.53	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-1532A	11/21/2025 10:13:03 AM	1.2	33.6	6.4	58.8	9.2	0.0			144.4	142.2	-13.09	-13.09	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header;Well Condition:Fair
CV-1532A	11/21/2025 10:14:38 AM	1.0	34.1	6.6	58.3	8.8	0.0			140.6	139.6	-18.16	-18.15	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header;Well Condition:Fair
CV-1532A	11/23/2025 9:52:07 AM	0.8	46.3	4.8	48.1	10.0	0.0			169.1	153.2	-15.69	-15.69	
CV-1535	11/3/2025 1:39:49 PM	43.2	54.3	0.0	2.5	0.0	0.8			121.9	122.2	-0.63	-0.64	Valve Adjustment:Barely Open;Well Condition:Good
CV-1535	11/12/2025 8:25:00 AM							370						AirTech Lab
CV-1535	11/12/2025 8:25:00 AM								16000					AirTech Lab; [User entered 1.6%]
CV-1535	11/21/2025 1:32:58 PM	44.2	36.8	0.0	19.0	0.0	1.2			93.1	118.4	-2.28	-2.13	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-1902A	11/5/2025 8:52:57 AM	8.0	69.0	0.0	23.0	0.0	0.1			165.2	165.8	-1.23	-1.25	Valve Adjustment:High Temp
CV-1902A	11/11/2025 8:16:03 AM	3.7	78.7	0.0	17.6	0.0	0.0			155.8	158.4	-1.59	-1.63	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-1902A	11/12/2025 8:10:00 AM							1000						AirTech Lab
CV-1902A	11/12/2025 8:10:00 AM								170000					AirTech Lab; [User entered 17%]
CV-1902A	11/21/2025 9:13:06 AM	2.5	83.3	0.0	14.2	0.0	0.0			123.3	122.4	-9.24	-9.07	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Fair
CV-1902A	11/23/2025 9:29:31 AM	2.1	83.9	0.0	14.0	0.0	0.0			167.1	167.2	-3.63	-2.69	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2001	11/4/2025 8:55:00 AM							480						AirTech Lab
CV-2001	11/4/2025 8:55:00 AM								12000					AirTech Lab; [User entered 1.2%]
CV-2001	11/10/2025 10:50:03 AM	11.1	88.3	0.0	0.6	0.0	0.1			139.8	139.8	8.93	-0.97	NSPS/EG CAI,NSPS/EG CAC,Orifice Plate Changed (See OP Log),Audible Flow,Positive Static Press.,
CV-2001	11/10/2025 10:52:18 AM	10.8	87.1	0.0	2.1	0.0	0.1			138.5	138.8	-1.12	-1.13	
CV-2001	11/25/2025 8:52:27 AM	13.8	78.8	1.6	5.8	3.6	0.2			113.0	113.9	52.85	52.81	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-2001	11/25/2025 8:54:00 AM	13.6	77.6	1.7	7.1	4.2	0.2			110.5	109.7	51.34	51.34	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Well Condition:Fair
CV-2002	11/4/2025 8:45:00 AM								130000					AirTech Lab; [User entered 13%]
CV-2002	11/4/2025 8:45:00 AM							3900						AirTech Lab
CV-2002	11/10/2025 8:47:14 AM	28.6	58.5	0.1	12.8	128.0	0.5			127.0	127.1	-10.73	-9.73	
CV-2002	11/25/2025 8:42:49 AM	25.5	60.5	0.1	13.9	139.0	0.4			106.7	106.5	-9.61	-9.00	Valve Comment:unable to reach system safely;Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-2007	11/6/2025 9:50:00 AM							270						AirTech Lab
CV-2007	11/6/2025 9:50:00 AM								9300					AirTech Lab; [User entered 0.93%]
CV-2007	11/11/2025 1:16:37 PM	22.5	72.1	0.0	5.4	0.0	0.3			136.2	135.2	-0.16	-0.15	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-2007	11/11/2025 1:18:37 PM	22.8	73.5	0.0	3.7	0.0	0.3			136.5	136.4	-0.14	-0.17	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2007	11/25/2025 1:32:22 PM	34.9	65.1	0.0	0.0	0.0	0.5			130.2	130.3	-0.90	-0.90	
CV-2007	11/25/2025 1:34:37 PM	35.1	64.9	0.0	0.0	0.0	0.5			129.9	130.0	-0.84	-0.85	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-2301	11/10/2025 9:05:00 AM							1900						AirTech Lab
CV-2301	11/10/2025 9:05:00 AM								150000					AirTech Lab; [User entered 15%]
CV-2302	11/10/2025 9:00:00 AM							870						AirTech Lab
CV-2302	11/10/2025 9:00:00 AM								140000					AirTech Lab; [User entered 14%]
CV-2303	11/4/2025 9:39:52 AM	4.3	80.4	0.0	15.3	0.0	0.1			182.1	184.6	-1.06	-1.08	Valve Adjustment:High Temp
CV-2303	11/9/2025 11:58:45 AM	1.3	77.1	0.5	21.1	42.2	0.0			181.1	181.0	-3.75	-3.29	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2303	11/11/2025 8:40:00 AM							2200						AirTech Lab
CV-2303	11/11/2025 8:40:00 AM								140000					AirTech Lab; [User entered 14%]
CV-2303	11/13/2025 9:45:00 AM							2200						AirTech Lab
CV-2303	11/13/2025 9:45:00 AM								150000					AirTech Lab; [User entered 15%]

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2303	11/19/2025 9:36:45 AM	2.9	87.1	0.0	10.0	0.0	0.0			178.5	178.5	-2.60	-2.63	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-2303	11/24/2025 8:29:21 AM	1.1	86.9	1.1	10.9	9.9	0.0			179.1	179.6	-5.36	-5.35	Valve Adjustment:No Flow Measurement,High Temp
CV-2305	11/11/2025 8:00:00 AM							3300						AirTech Lab
CV-2305	11/11/2025 8:00:00 AM								110000					AirTech Lab; [User entered 11%]
CV-2312	11/11/2025 8:25:00 AM							2000						AirTech Lab
CV-2312	11/11/2025 8:25:00 AM								130000					AirTech Lab; [User entered 13%]
CV-2314	11/10/2025 10:20:00 AM							1200						AirTech Lab
CV-2314	11/10/2025 10:20:00 AM								71000					AirTech Lab; [User entered 7.1%]
CV-2314	11/20/2025 9:05:43 AM	0.4	89.9	0.0	9.7	0.0	0.0			139.3	139.9	-6.38	-5.68	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In);Well Condition:Fair;Well Repairs:Sample Port
CV-2314	11/20/2025 9:07:04 AM	0.4	88.9	0.0	10.7	0.0	0.0			140.6	140.5	-5.34	-4.77	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2315	11/11/2025 8:05:00 AM							3700						AirTech Lab
CV-2315	11/11/2025 8:05:00 AM								120000					AirTech Lab; [User entered 12%]
CV-2328	11/5/2025 1:33:17 PM	29.6	70.4	0.0	0.0	0.0	0.4			162.9	162.9	-1.73	-1.72	Valve Adjustment:High Temp
CV-2328	11/10/2025 8:55:00 AM							670						AirTech Lab
CV-2328	11/10/2025 8:55:00 AM								54000					AirTech Lab; [User entered 5.4%]
CV-2328	11/10/2025 9:25:21 AM	34.5	60.5	0.0	5.0	0.0	0.6			162.2	162.2	-5.10	-5.08	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair
CV-2328	11/19/2025 1:53:00 PM	33.4	58.8	0.0	7.8	0.0	0.6			168.9	168.5	-3.73	-3.31	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-2328	11/25/2025 8:45:24 AM	9.2	76.0	0.0	14.8	0.0	0.1			165.9	164.0	-7.35	-5.71	Valve Adjustment:Audible Flow,High Temp,Decreased Flow/Vacuum
CV-2333	11/3/2025 11:02:01 AM	0.7	83.5	0.3	15.6	57.7	0.0			170.4	169.8	-7.66	-6.23	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Comment:flange needs to be secured may be causing potential O2 intrusion
CV-2333	11/3/2025 11:02:52 AM	0.7	83.0	0.3	16.0	55.2	0.0			169.9	169.9	-6.11	-6.46	Valve Adjustment:High Temp
CV-2333	11/4/2025 8:42:00 AM								107000					[User entered 10.7%]
CV-2333	11/4/2025 8:45:34 AM	0.5	81.9	0.0	17.6	0.0	0.0			169.8	169.8	-9.17	-8.67	Valve Adjustment:High Temp;Well Comment:O2 intrusion corrected. Pump is off;Well Condition:Pnumatic Pump Installed
CV-2333	11/4/2025 9:01:41 AM	0.6	81.1	0.0	18.3	0.0	0.0			170.1	169.9	-8.41	-2.31	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
CV-2333	11/4/2025 11:51:06 AM	1.2	79.2	0.0	19.6	0.0	0.0			171.3	171.2	-0.37	-0.29	
CV-2333	11/6/2025 9:35:00 AM							3300						AirTech Lab
CV-2333	11/6/2025 9:35:00 AM								160000					AirTech Lab; [User entered 16%]

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2333	11/13/2025 3:15:38 PM	4.0	80.3	0.0	15.7	0.0	0.0			172.8	172.7	-9.55	-7.88	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Comment:Collapsed flex hose Pump not pumping;Well Condition:Pnumatic Pump Installed;Well Repairs:Flex Hose
CV-2333	11/13/2025 3:16:51 PM	4.0	80.9	0.0	15.1	0.0	0.0			173.1	172.8	-7.86	-7.88	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2333	11/18/2025 12:48:29 PM	0.5	67.3	0.5	31.7	63.4	0.0			174.6	173.4	-7.31	-7.09	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-2333	11/25/2025 7:57:03 AM	0.8	82.5	1.2	15.5	12.9	0.0			173.7	174.1	-11.06	-8.19	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2334	11/5/2025 1:19:19 PM	39.4	60.2	0.1	0.3	3.0	0.7			130.5	123.9	-9.65	-0.90	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-2334	11/6/2025 9:05:00 AM							250						AirTech Lab
CV-2334	11/6/2025 9:05:00 AM								14000					AirTech Lab; [User entered 1.4%]
CV-2337	11/12/2025 8:05:00 AM							1900						AirTech Lab
CV-2337	11/12/2025 8:05:00 AM								100000					AirTech Lab; [User entered 10%]
CV-2337	11/12/2025 2:08:13 PM	11.9	76.1	0.5	11.5	23.0	0.2			144.6	144.2	-6.65	-3.48	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2337	11/12/2025 2:09:14 PM	11.4	75.3	0.7	12.6	18.0	0.2			143.9	143.4	-3.26	-3.28	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2337	11/26/2025 9:29:34 AM	15.2	81.6	0.0	3.2	0.0	0.2			143.4	143.1	-5.70	-4.95	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-2337	11/26/2025 9:30:15 AM	15.0	82.0	0.0	3.0	0.0	0.2			143.1	143.3	-4.37	-4.36	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2341	11/5/2025 2:42:26 PM	33.3	59.7	1.0	6.0	6.0	0.6			113.9	115.9	-3.83	-1.49	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
CV-2341	11/12/2025 8:20:00 AM							740						AirTech Lab
CV-2341	11/12/2025 8:20:00 AM								130000					AirTech Lab; [User entered 13%]
CV-2341	11/21/2025 1:29:19 PM	41.5	54.4	0.0	4.1	0.0	0.8			84.2	82.1	-6.25	-2.76	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-2341	11/25/2025 2:38:24 PM	3.0	73.4	0.0	23.6	0.0	0.0			83.6	84.1	1.81	-2.24	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-2341	11/25/2025 2:39:10 PM	3.7	75.7	0.0	20.6	0.0	0.0			84.2	84.2	-2.13	-2.08	Valve Adjustment:Surging Liquid in Header
CV-2344	11/5/2025 8:50:00 AM							1500						AirTech Lab
CV-2344	11/5/2025 8:50:00 AM								67000					AirTech Lab; [User entered 6.7%]
CV-2344	11/5/2025 9:43:31 AM	26.2	65.1	0.0	8.7	0.0	0.4			139.3	141.7	-3.10	-3.10	Valve Adjustment:High Temp
CV-2344	11/24/2025 1:04:30 PM	8.4	72.8	0.0	18.8	0.0	0.1			158.6	158.3	-4.46	-3.22	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2344	11/24/2025 1:08:26 PM	16.7	62.9	0.0	20.4	0.0	0.3			158.4	159.0	-3.22	-3.22	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2344	11/25/2025 1:34:47 PM	8.6	55.8	0.0	35.6	0.0	0.2			151.4	152.0	-5.54	-4.72	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2345	11/3/2025 1:52:08 PM	19.1	75.5	0.0	5.4	0.0	0.3			120.6	120.6	-0.05	-0.15	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
CV-2345	11/5/2025 8:45:00 AM							290						AirTech Lab
CV-2345	11/5/2025 8:45:00 AM								22000					AirTech Lab; [User entered 2.2%]
CV-2345	11/24/2025 1:19:37 PM	20.6	58.1	0.0	21.3	0.0	0.4			129.7	129.3	-5.27	-4.78	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2346	11/4/2025 9:40:32 AM	3.3	86.0	0.0	10.7	0.0	0.0			110.9	112.6	-0.80	-0.50	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2346	11/5/2025 8:35:00 AM							3100						AirTech Lab
CV-2346	11/5/2025 8:35:00 AM								130000					AirTech Lab; [User entered 13%]
CV-2346	11/24/2025 1:22:10 PM	5.0	79.2	0.0	15.8	0.0	0.1			127.9	128.1	-2.84	-2.50	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2347	11/4/2025 9:34:27 AM	5.3	87.3	0.0	7.4	0.0	0.1			104.2	104.4	-0.04	-0.12	Valve Adjustment:Barely Open;Well Condition:Fair,Lorentz Pump Installed
CV-2347	11/5/2025 8:30:00 AM							2500						AirTech Lab
CV-2347	11/5/2025 8:30:00 AM								85000					AirTech Lab; [User entered 8.5%]
CV-2347	11/24/2025 1:26:01 PM	9.2	73.2	0.0	17.6	0.0	0.1			107.6	103.5	-2.60	-2.23	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-2348	11/4/2025 9:30:50 AM	24.8	69.0	0.0	6.2	0.0	0.4			111.3	111.9	-1.16	-1.15	
CV-2348	11/5/2025 8:25:00 AM							380						AirTech Lab
CV-2348	11/5/2025 8:25:00 AM							380						AirTech Lab
CV-2348	11/5/2025 8:25:00 AM								20000					AirTech Lab; [User entered 2.0%]
CV-2348	11/5/2025 8:25:00 AM							380						AirTech Lab
CV-2348	11/24/2025 1:33:22 PM	24.1	51.4	0.0	24.5	0.0	0.5			127.8	127.8	-3.62	-3.65	Valve Adjustment:Audible Flow;Well Condition:Fair,Lorentz Pump Installed
CV-2349	11/3/2025 9:30:00 AM							2800						AirTech Lab
CV-2349	11/3/2025 9:30:00 AM								110000					AirTech Lab; [User entered 11%]
CV-2349	11/10/2025 8:51:47 AM	2.7	84.3	0.9	12.1	13.4	0.0			121.7	124.4	-3.15	-1.57	Audible Flow
CV-2349	11/25/2025 8:38:48 AM	4.2	78.9	0.9	16.0	17.8	0.1			124.0	120.5	-6.86	-4.29	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2350	11/4/2025 8:50:00 AM							3000						AirTech Lab
CV-2350	11/4/2025 8:50:00 AM								110000					AirTech Lab; [User entered 11%]
CV-2350	11/4/2025 9:54:48 AM	8.7	76.8	1.1	13.4	12.2	0.1			106.8	111.3	-8.95	-3.01	Valve Adjustment:Decreased Flow/Vacuum
CV-2350	11/25/2025 8:45:41 AM	8.6	74.8	0.0	16.6	0.0	0.1			112.2	113.7	-3.19	-1.27	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2350	11/25/2025 12:19:25 PM	10.2	82.8	0.0	7.0	0.0	0.1			117.4	115.0	-4.49	-1.53	Valve Adjustment:Decreased Flow/Vacuum
CV-2351	11/3/2025 8:55:00 AM							1100						AirTech Lab
CV-2351	11/3/2025 8:55:00 AM								44000					AirTech Lab; [User entered 4.4%]
CV-2351	11/5/2025 12:41:40 PM	1.0	60.3	5.6	33.1	5.9	0.0			80.1	80.0	-0.06	-0.03	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High O2,Positive Static Press.,Increased Flow/Vacuum
CV-2351	11/5/2025 12:44:36 PM	0.9	60.2	5.5	33.4	6.1	0.0			80.2	80.6	-0.11	-0.11	Valve Adjustment:High O2
CV-2351	11/5/2025 1:35:52 PM	1.0	61.0	4.8	33.2	6.9	0.0			85.3	84.9	0.77	-0.02	Valve Comment:Bolted down flange to correct O2 intrusion;Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-2351	11/5/2025 1:42:39 PM	1.0	62.2	4.9	31.9	6.5	0.0			86.8	86.8	-0.46	-0.49	Valve Adjustment:NSPS/EG CAC,Barely Open
CV-2351	11/25/2025 8:16:07 AM	2.6	75.4	4.1	17.9	4.4	0.0			63.9	67.2	-13.88	-13.52	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
CV-2352	11/3/2025 9:05:00 AM							970						AirTech Lab
CV-2352	11/3/2025 9:05:00 AM								170000					AirTech Lab; [User entered 17%]

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-2352	11/11/2025 7:55:09 AM	0.9	43.4	10.2	45.5	4.5	0.0			89.6	89.0	-0.17	-0.18	Valve Adjustment:High O2,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2352	11/25/2025 8:24:42 AM	2.9	62.4	4.7	30.0	6.4	0.0			82.3	82.0	-0.24	-0.23	Valve Adjustment:NSPS/EG CAC;Well Condition:Fair,Lorentz Pump Installed
CV-2353-PLR	11/5/2025 9:05:00 AM							810						AirTech Lab
CV-2353-PLR	11/5/2025 9:30:00 AM								200000					AirTech Lab; [User entered 20%]
CV-2353-PLR	11/5/2025 10:06:28 AM	12.6	75.6	0.0	11.8	0.0	0.2			147.7	149.3	-1.03	-1.02	Valve Adjustment:High Temp
CV-2353-PLR	11/11/2025 7:49:43 AM	2.6	68.8	1.9	26.7	14.1	0.0			115.7	116.3	-6.01	-5.91	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAC;Well Condition:Good
CV-2353-PLR	11/21/2025 9:21:16 AM	2.5	69.9	3.0	24.6	8.2	0.0			102.2	103.4	-9.90	-6.39	Valve Comment:Enhanced monitoring;Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-2354	11/3/2025 9:25:00 AM								140000					AirTech Lab; [User entered 14%]
CV-2354	11/3/2025 9:25:00 AM							2800						AirTech Lab
CV-2354	11/11/2025 8:40:42 AM	4.7	27.0	14.2	54.1	3.8	0.2			81.8	82.0	-12.01	-11.85	Valve Adjustment:High O2,Surging Liquid in Header;Well Comment:valve to tall to adjust
CV-2354	11/25/2025 8:29:55 AM	22.0	69.5	0.0	8.5	0.0	0.3			78.2	78.9	3.57	3.66	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Well (Watered In)
CV-2354	11/25/2025 8:31:16 AM	21.9	69.2	0.0	8.9	0.0	0.3			79.5	79.8	2.40	2.11	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-24002	11/4/2025 12:48:11 PM	40.5	56.4	0.0	3.1	0.0	0.7			113.1	113.6	-0.97	-0.98	
CV-24002	11/21/2025 12:45:19 PM	44.1	53.2	0.0	2.7	0.0	0.8			97.5	96.8	-2.79	-2.18	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Good
CV-24003	11/4/2025 9:33:22 AM	37.1	58.2	0.0	4.7	0.0	0.6			110.5	110.4	-1.84	-1.83	
CV-24003	11/21/2025 12:40:46 PM	43.6	52.5	1.3	2.6	2.0	0.8			87.9	70.8	-3.07	-2.47	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good
CV-24007	11/4/2025 10:10:04 AM	14.2	76.2	0.0	9.6	0.0	0.2			133.8	130.9	-0.60	-0.13	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum;Well Comment:pump off;Well Condition:Pnumatic Pump Installed
CV-24007	11/4/2025 10:11:21 AM	13.4	74.7	0.0	11.9	0.0	0.2			129.6	129.4	-0.20	-0.12	
CV-24007	11/11/2025 9:00:00 AM							1000						AirTech Lab
CV-24007	11/11/2025 9:00:00 AM								90000					AirTech Lab; [User entered 9.0%]
CV-24007	11/13/2025 9:35:00 AM							1100						AirTech Lab
CV-24007	11/13/2025 9:35:00 AM								110000					AirTech Lab; [User entered 11%]
CV-24007	11/25/2025 1:58:21 PM	24.7	69.7	0.0	5.6	0.0	0.4			77.4	74.3	-0.31	-0.32	
CV-24017	11/3/2025 2:19:00 PM	16.6	71.4	0.0	12.0	0.0	0.2			185.4	185.5	-1.32	-1.40	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24017	11/9/2025 10:41:28 AM	40.4	59.6	0.0	0.0	0.0	0.7			178.9	178.4	-2.72	-2.40	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24017	11/11/2025 8:55:00 AM							1000						AirTech Lab
CV-24017	11/11/2025 8:55:00 AM								88000					AirTech Lab; [User entered 8.8%]

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24017	11/19/2025 8:22:34 AM	10.1	83.2	0.0	6.7	0.0	0.1			176.9	176.9	-2.44	-2.50	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24017	11/23/2025 10:26:38 AM	26.1	73.9	0.0	0.0	0.0	0.4			179.9	180.5	-3.73	-3.73	Valve Adjustment:No Flow Measurement,High Temp
CV-24049	11/6/2025 9:20:53 AM	8.3	78.5	0.0	13.2	0.0	0.1			184.4	184.8	-5.74	-4.82	Valve Adjustment:High Temp
CV-24049	11/9/2025 7:33:08 AM	6.4	80.2	0.0	13.4	0.0	0.1			170.0	171.2	-8.28	-6.71	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24049	11/13/2025 9:30:00 AM							2000						AirTech Lab
CV-24049	11/13/2025 9:30:00 AM								130000					AirTech Lab; [User entered 13%]
CV-24049	11/17/2025 8:20:21 AM	6.8	80.1	0.0	13.1	0.0	0.1			179.4	181.3	-2.55	-2.23	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24049	11/24/2025 1:20:38 PM	3.1	80.7	0.0	16.2	0.0	0.0			184.6	185.5	-3.97	-3.97	Valve Adjustment:Audible Flow,No Flow Measurement,High Temp
CV-24053	11/10/2025 9:55:00 AM							250						AirTech Lab
CV-24053	11/10/2025 9:55:00 AM								23000					AirTech Lab; [User entered 2.3%]
CV-24053	11/12/2025 8:36:55 AM	13.0	25.0	12.4	49.6	4.0	0.5			67.1	67.2	-0.53	-0.54	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In)
CV-24053	11/12/2025 8:38:18 AM	13.3	26.8	12.1	47.8	4.0	0.5			67.4	67.4	-0.55	-0.55	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-24053	11/26/2025 7:34:50 AM	17.5	26.4	12.2	43.9	3.6	0.7			63.0	63.0	-0.56	-0.57	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24053	11/26/2025 7:35:12 AM	18.5	27.5	12.1	41.9	3.5	0.7			63.0	63.0	-0.58	-0.58	Valve Adjustment:NSPS/EG CAI,High O2
CV-24055	11/4/2025 1:44:24 PM	13.0	61.9	4.0	21.1	5.3	0.2			112.9	113.4	-0.36	-0.35	
CV-24055	11/6/2025 10:00:00 AM							460						AirTech Lab
CV-24055	11/6/2025 10:00:00 AM								38000					AirTech Lab; [User entered 3.8%]
CV-24055	11/26/2025 10:25:40 AM	24.6	58.1	4.6	12.7	2.8	0.4			120.1	119.4	-1.87	-1.05	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-24062	11/10/2025 8:50:00 AM								32000					AirTech Lab; [User entered 3.2%]
CV-24062	11/10/2025 8:50:00 AM							470						AirTech Lab
CV-24062	11/10/2025 9:15:35 AM	41.5	58.5	0.0	0.0	0.0	0.7			139.2	139.1	-8.78	-7.34	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
CV-24062	11/19/2025 1:46:00 PM	25.9	65.8	0.0	8.3	0.0	0.4			121.5	117.3	-6.52	-3.87	Valve Comment:Enhanced Monitoring;Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24063	11/11/2025 8:30:00 AM							2600						AirTech Lab
CV-24063	11/11/2025 8:30:00 AM								120000					AirTech Lab; [User entered 12%]
CV-24064	11/10/2025 9:30:00 AM								46000					AirTech Lab; [User entered 4.6%]
CV-24064	11/11/2025 9:48:20 AM	3.2	77.6	0.0	19.2	0.0	0.0			196.2	194.9	35.79	15.15	Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High Temp,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair
CV-24064	11/11/2025 9:51:44 AM	3.3	78.6	0.0	18.1	0.0	0.0			194.4	194.2	9.86	9.86	Valve Adjustment:High Temp,Positive Static Press.

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24064	11/12/2025 9:29:04 AM	3.0	79.5	0.0	17.5	0.0	0.0			191.0	191.5	3.78	1.87	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24064	11/12/2025 1:25:17 PM	3.1	78.6	0.0	18.3	0.0	0.0			191.3	191.2	0.83	-0.18	Temp,Positive Static Press.,Increased Flow/Vacuum
CV-24064	11/12/2025 1:28:04 PM	2.9	77.3	0.0	19.9	0.0	0.0			191.2	191.3	-0.19	-0.18	Valve Adjustment:High Temp
CV-24064	11/21/2025 10:40:38 AM	3.5	87.0	0.0	9.5	0.0	0.0			191.4	191.2	-1.11	-1.59	Valve Adjustment:NSPS/EG CAI,Audible Flow,No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)
CV-24064	11/25/2025 1:06:22 PM	6.3	81.5	0.2	12.0	60.0	0.1			192.8	193.4	2.16	3.34	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header
CV-24064	11/25/2025 1:11:23 PM	2.6	84.0	0.4	13.0	32.5	0.0			194.5	194.1	4.18	3.58	Valve Comment:Active PLR;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header
CV-24065-TP17	11/5/2025 8:53:48 AM	21.4	75.1	0.0	3.5	0.0	0.3			78.4	78.3	-0.44	-0.42	Valve Comment:RES SEM;Well Condition:Fair
CV-24065-TP17	11/13/2025 9:55:00 AM							640						AirTech Lab
CV-24065-TP17	11/13/2025 9:55:00 AM								15000					AirTech Lab; [User entered 1.5%]
CV-24065-TP17	11/21/2025 10:34:21 AM	21.0	78.4	0.0	0.6	0.0	0.3			87.8	87.6	-1.14	-1.16	Valve Adjustment:Audible Flow
CV-24065-TP17	11/24/2025 10:57:22 AM	18.9	71.3	0.0	9.8	0.0	0.3			113.0	113.6	-0.13	-0.18	Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open;Well Condition:Fair,Lorentz Pump Installed
CV-24066	11/3/2025 1:30:46 PM	33.2	63.9	0.0	2.9	0.0	0.5			112.6	112.3	-0.15	-0.39	Valve Adjustment:Increased Flow/Vacuum
CV-24066	11/12/2025 8:30:00 AM							350						AirTech Lab
CV-24066	11/12/2025 8:30:00 AM								24000					AirTech Lab; [User entered 2.4%]
CV-24066	11/24/2025 12:45:56 PM	30.5	61.4	0.0	8.1	0.0	0.5			115.6	116.2	-0.79	-0.73	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
CV-24069	11/10/2025 9:25:00 AM							1000						AirTech Lab
CV-24070	11/10/2025 9:20:00 AM							1000						AirTech Lab
CV-24070	11/10/2025 9:20:00 AM								110000					AirTech Lab; [User entered 11%]
CV-24071	11/10/2025 12:38:46 PM	67.5	32.5	0.0	0.0	0.0	2.1			124.6	124.4	-5.08	-5.66	Valve Adjustment:Increased Flow/Vacuum
CV-24071	11/10/2025 12:41:02 PM	63.9	36.1	0.0	0.0	0.0	1.8			124.6	124.6	-5.71	-5.77	Well Condition:Fair,Lorentz Pump Installed
CV-24071	11/11/2025 8:15:00 AM							1400						AirTech Lab
CV-24071	11/11/2025 8:15:00 AM								63000					AirTech Lab; [User entered 6.3%]
CV-24071	11/25/2025 9:41:17 AM	46.3	49.9	0.0	3.8	0.0	0.9			122.2	120.9	-13.62	-10.91	Valve Adjustment:Decreased Flow/Vacuum
CV-24075-TP15	11/11/2025 9:24:04 AM	1.1	78.8	0.0	20.1	0.0	0.0			195.7	196.0	19.05	16.60	Valve Adjustment:NSPS/EG CAI,Reconnected this Date,Positive Static Press.;Well Condition:Fair
CV-24075-TP15	11/12/2025 9:16:37 AM	1.3	78.6	0.0	20.1	0.0	0.0			186.3	185.4	2.74	2.40	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24075-TP15	11/12/2025 9:51:06 AM	1.8	79.2	0.0	19.0	0.0	0.0			187.4	186.2	1.68	-0.15	Valve Adjustment:NSPS/EG CAC,High Temp,Increased Flow/Vacuum
CV-24075-TP15	11/13/2025 8:28:36 AM	1.3	78.7	0.0	20.0	0.0	0.0			186.0	186.5	-2.41	-1.30	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24075-TP15	11/20/2025 8:54:45 AM	1.4	89.7	0.0	8.9	0.0	0.0			184.0	183.9	-1.10	-1.10	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header;Well Condition:Fair,Lorentz Pump Installed
CV-24075-TP15	11/25/2025 9:20:56 AM	11.0	75.1	0.0	13.9	0.0	0.1			189.5	189.4	-3.91	-1.91	Valve Adjustment:High Temp,Decreased Flow/Vacuum

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24077	11/3/2025 1:03:09 PM	1.4	84.4	0.0	14.2	0.0	0.0			125.7	125.2	-1.18	-0.49	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24077	11/21/2025 1:53:46 PM	24.5	48.5	0.5	26.5	53.0	0.5			120.9	116.0	-2.54	-1.30	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24079-TP8	11/6/2025 10:10:20 AM	26.0	70.1	0.0	3.9	0.0	0.4			145.7	145.9	-2.62	-2.61	Valve Adjustment:Audible Flow,High Temp
CV-24079-TP8	11/10/2025 9:46:04 AM	28.2	52.9	0.0	18.9	0.0	0.5			145.5	145.0	-4.24	-4.10	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good
CV-24079-TP8	11/19/2025 2:07:00 PM	28.6	71.2	0.0	0.2	0.0	0.4			147.5	149.4	-0.04	-0.04	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24079-TP8	11/25/2025 8:30:04 AM	21.0	67.3	0.0	11.7	0.0	0.3			141.1	141.8	-7.08	-5.72	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum
CV-24083	11/10/2025 12:13:53 PM	46.5	47.5	0.0	6.0	0.0	1.0			117.7	118.3	0.41	-0.10	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24083	11/10/2025 12:14:22 PM	45.4	48.0	0.0	6.6	0.0	0.9			118.3	118.4	-0.19	-0.19	
CV-24083	11/25/2025 10:07:43 AM	55.9	44.1	0.0	0.0	0.0	1.3			124.3	124.6	-2.25	-2.97	Valve Adjustment:Increased Flow/Vacuum
CV-24084-TP11	11/5/2025 1:53:53 PM	18.1	80.1	0.0	1.8	0.0	0.2			171.2	171.5	1.94	-0.71	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24084-TP11	11/5/2025 1:55:20 PM	12.6	85.0	0.0	2.4	0.0	0.1			171.5	171.5	-1.31	-1.07	Valve Adjustment:NSPS/EG CAC,High Temp,Increased Flow/Vacuum
CV-24084-TP11	11/10/2025 9:53:51 AM	12.7	68.4	0.0	18.9	0.0	0.2			171.3	171.3	-5.12	-5.11	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Good
CV-24084-TP11	11/19/2025 2:14:00 PM	16.3	78.5	0.0	5.2	0.0	0.2			169.1	169.5	-11.44	-8.99	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down;Well Condition:Fair
CV-24084-TP11	11/25/2025 1:20:40 PM	4.9	78.8	0.0	16.3	0.0	0.1			171.0	170.9	-11.10	-9.44	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24088	11/3/2025 12:45:13 PM	43.2	56.8	0.0	0.0	0.0	0.8			111.8	112.5	-1.67	-1.69	
CV-24088	11/10/2025 1:06:17 PM	51.5	48.5	0.0	0.0	0.0	1.1			101.5	101.7	-2.06	-2.06	
CV-24088	11/25/2025 10:46:29 AM	44.5	55.5	0.0	0.0	0.0	0.8			114.7	114.1	-5.71	-5.72	
CV-24095	11/4/2025 8:25:00 AM								140000					AirTech Lab; [User entered 14%]
CV-24095	11/4/2025 8:25:00 AM							3500						AirTech Lab
CV-24095	11/4/2025 8:25:00 AM							3500						AirTech Lab
CV-24095	11/4/2025 8:25:00 AM							3500						AirTech Lab
CV-24095	11/12/2025 1:23:19 PM	4.6	79.1	0.3	16.0	53.3	0.1			146.0	146.6	-0.55	-0.57	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Lorentz Pump Installed
CV-24095	11/12/2025 1:27:30 PM	4.8	76.8	0.7	17.7	25.3	0.1			146.6	146.5	-0.27	-0.17	Valve Adjustment:High Temp,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Lorentz Pump Installed
CV-24095	11/21/2025 9:59:40 AM	7.6	80.0	0.0	12.4	0.0	0.1			149.9	149.9	-14.74	-10.11	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Good,Lorentz Pump Installed;Well Repairs:Sample Port

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24095	11/23/2025 10:27:49 AM	5.5	70.1	3.3	21.1	6.4	0.1			153.1	153.2	-4.72	-2.96	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24095	11/25/2025 1:42:39 PM	5.9	76.8	0.0	17.3	0.0	0.1			155.4	155.4	-1.19	-1.03	Valve Adjustment:High Temp
CV-24096	11/10/2025 11:01:53 AM	37.2	49.1	2.4	11.3	4.7	0.8			116.8	116.9	-5.18	-2.66	
CV-24096	11/25/2025 9:46:25 AM	12.9	8.8	17.0	61.3	3.6	1.5			75.5	75.7	-4.91	-0.60	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24096	11/25/2025 10:14:02 AM	13.1	9.0	16.8	61.1	3.6	1.5			75.8	75.8	-0.58	-0.60	
CV-24097	11/10/2025 8:59:54 AM	41.9	31.4	4.2	22.5	5.4	1.3			91.3	91.4	-1.24	-1.28	
CV-24097	11/25/2025 9:34:48 AM	55.2	44.4	0.0	0.4	0.0	1.2			72.9	72.4	-2.43	-2.44	Valve Adjustment:Audible Flow,Barely Open;Well Condition:Good,Lorentz Pump Installed
CV-24098	11/10/2025 8:41:59 AM	35.8	63.0	0.0	1.2	0.0	0.6			117.1	117.6	-3.82	-2.70	
CV-24098	11/25/2025 9:20:44 AM	38.3	59.0	0.0	2.7	0.0	0.6			86.1	90.4	-16.40	-15.34	Flow/Vacuum,Surging Liquid in Header;Well Condition:Fair
CV-24099	11/10/2025 8:34:21 AM	13.9	84.5	0.0	1.6	0.0	0.2			95.5	94.9	1.28	-0.37	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.
CV-24099	11/10/2025 8:36:36 AM	13.5	85.4	0.2	0.9	4.5	0.2			94.6	94.6	-1.48	-1.47	
CV-24099	11/25/2025 9:16:31 AM	17.8	78.6	0.8	2.8	3.5	0.2			76.9	77.2	-15.79	-14.47	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header;Well Condition:Fair,Lorentz Pump Installed
CV-24100	11/4/2025 9:00:00 AM							16						AirTech Lab
CV-24100	11/4/2025 9:00:00 AM								1300					AirTech Lab; [User entered 0.13%]
CV-24100	11/9/2025 12:15:00 PM	30.3	59.9	0.3	9.5	32.7	0.5			121.9	121.9	-8.77	-8.73	
CV-24100	11/25/2025 9:06:24 AM	34.5	61.7	0.5	3.3	6.6	0.6			114.8	115.5	-15.19	-14.77	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24101	11/4/2025 9:10:00 AM							30						AirTech Lab
CV-24101	11/4/2025 9:10:00 AM								27000					AirTech Lab; [User entered 2.7%]
CV-24101	11/9/2025 12:07:03 PM	27.0	45.6	0.8	26.6	32.0	0.6			119.7	119.2	-4.94	-4.98	Well Condition:Pnumatic Pump Installed
CV-24101	11/25/2025 9:01:40 AM	16.5	33.4	4.8	45.3	9.4	0.5			112.5	112.5	-6.06	-3.96	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24102	11/4/2025 8:58:52 AM	51.8	41.6	0.0	6.6	0.0	1.2			86.2	86.6	-1.99	-1.75	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-24102	11/24/2025 11:46:07 AM	48.8	40.4	0.0	10.8	0.0	1.2			107.2	107.5	-0.62	-0.62	Well Condition:Fair,Pnumatic Pump Installed
CV-24120	11/3/2025 10:20:16 AM	1.2	27.9	11.9	59.0	4.9	0.0			88.5	88.6	-9.12	-9.12	Valve Adjustment:NSPS/EG CAI,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Well (Watered In)
CV-24120	11/3/2025 10:23:51 AM	2.4	51.7	6.0	40.0	6.7	0.0			86.4	86.6	-9.12	-9.12	Valve Adjustment:High O2,Barely Open,Surging Liquid in Well (Watered In);Well Condition:Fair,Lorentz Pump Installed;Well Repairs:None
CV-24120	11/13/2025 9:15:00 AM							600						AirTech Lab
CV-24120	11/13/2025 9:15:00 AM								33000					AirTech Lab; [User entered 3.3%]
CV-24120	11/25/2025 7:44:55 AM	6.3	59.2	4.8	29.7	6.2	0.1			49.5	48.9	-10.81	-9.26	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24121	11/3/2025 10:29:05 AM	32.0	68.0	0.0	0.0	0.0	0.5			123.2	123.4	-1.84	-1.83	
CV-24121	11/6/2025 9:30:00 AM							86						AirTech Lab

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24121	11/6/2025 9:30:00 AM								4400					AirTech Lab; [User entered 0.44%]
CV-24121	11/25/2025 7:38:18 AM	27.6	59.1	1.8	11.5	6.4	0.5			123.0	121.4	-11.17	-10.27	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair,Pnumatic Pump Installed
CV-24122	11/6/2025 9:20:00 AM							0						AirTech Lab
CV-24122	11/6/2025 9:20:00 AM								1800					AirTech Lab; [User entered 0.18%]
CV-24122	11/10/2025 9:36:04 AM	50.2	41.9	0.5	7.4	14.5	1.2			120.6	121.0	-15.92	-15.48	
CV-24122	11/25/2025 7:32:27 AM	52.2	41.5	0.1	6.2	62.0	1.3			87.8	89.2	-10.40	-10.29	Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair
CV-24123	11/5/2025 1:20:52 PM	52.6	43.1	0.0	4.3	0.0	1.2			114.9	115.0	-2.16	-2.14	Valve Adjustment:Audible Flow;Well Condition:Good
CV-24123	11/11/2025 6:59:37 AM	51.9	42.3	0.0	5.8	0.0	1.2			113.1	113.5	-4.41	-4.52	Valve Adjustment:Increased Flow/Vacuum
CV-24125-TP20	11/5/2025 1:55:53 PM	34.6	48.9	0.5	16.0	32.0	0.7			101.7	102.2	-3.66	-1.45	Valve Adjustment:Decreased Flow/Vacuum
CV-24125-TP20	11/6/2025 9:10:00 AM							26						AirTech Lab
CV-24125-TP20	11/6/2025 9:10:00 AM								13000					AirTech Lab; [User entered 1.3%]
CV-24125-TP20	11/11/2025 7:29:49 AM	45.3	46.0	0.0	8.7	0.0	1.0			100.7	100.9	-1.64	-2.25	Valve Adjustment:Increased Flow/Vacuum
CV-24126	11/4/2025 1:39:34 PM	4.5	73.9	0.0	21.6	0.0	0.1			174.0	187.8	0.13	-0.06	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24126	11/4/2025 1:40:29 PM	4.4	85.0	0.0	10.6	0.0	0.1			188.3	188.2	-0.11	-0.08	Valve Adjustment:NSPS/EG CAC,High Temp
CV-24126	11/9/2025 7:18:44 AM	11.4	60.8	0.1	27.7	277.0	0.2			175.8	175.8	-0.17	-0.17	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24126	11/17/2025 8:01:58 AM	18.1	67.4	0.0	14.5	0.0	0.3			180.2	180.2	-0.77	-0.69	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Good
CV-24126	11/24/2025 10:40:27 AM	1.3	90.9	0.0	7.8	0.0	0.0			190.0	190.2	-2.03	-2.05	Valve Adjustment:No Flow Measurement,High Temp
CV-24127	11/5/2025 1:19:45 PM	25.1	52.7	0.3	21.9	73.0	0.5			121.4	122.1	-3.98	-3.87	Valve Adjustment:High Temp
CV-24127	11/10/2025 12:57:14 PM	36.1	48.6	0.4	14.9	37.3	0.7			117.5	118.1	-5.40	-5.04	Valve Comment:Enhanced Monitoring;Valve Adjustment:Opened for Sample,Decreased Flow/Vacuum,Barely Open
CV-24127	11/13/2025 9:25:00 AM							440						AirTech Lab
CV-24127	11/13/2025 9:25:00 AM								23000					AirTech Lab; [User entered 2.3%]
CV-24128	11/5/2025 1:41:03 PM	17.4	39.2	2.5	40.9	16.4	0.4			119.1	117.1	-4.08	-0.91	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
CV-24128	11/11/2025 8:57:26 AM	12.0	72.5	0.0	15.6	0.0	0.2			113.6	114.3	0.07	-0.11	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24128	11/11/2025 8:58:52 AM	16.9	72.1	0.0	11.0	0.0	0.2			115.5	115.7	-0.25	-0.23	
CV-24128	11/13/2025 9:20:00 AM							860						AirTech Lab
CV-24128	11/13/2025 9:20:00 AM								50000					AirTech Lab; [User entered 5.0%]
CV-24134-TP19	11/3/2025 2:54:07 PM	28.1	63.6	0.0	8.3	0.0	0.4			143.5	143.5	-12.42	-10.28	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24134-TP19	11/3/2025 2:55:35 PM	27.0	63.8	0.0	9.2	0.0	0.4			144.2	143.6	-11.66	-11.66	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Lorentz Pump Installed

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24134-TP19	11/11/2025 7:39:19 AM	27.9	59.2	0.0	12.9	0.0	0.5			143.5	144.1	-14.41	-14.39	Valve Adjustment:NSPS/EG CAI,High Temp;Well Condition:Fair,Lorentz Pump Installed
CV-24134-TP19	11/11/2025 7:40:03 AM	27.1	60.2	0.0	12.7	0.0	0.5			143.9	143.9	-14.14	-14.02	
CV-24138	11/3/2025 9:20:00 AM							1000						AirTech Lab
CV-24138	11/11/2025 8:33:50 AM	2.2	77.0	0.0	20.8	0.0	0.0			173.3	171.6	-11.86	-0.15	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Header;Well Condition:Pnumatic Pump Installed
CV-24138	11/11/2025 8:35:00 AM	2.5	75.3	0.0	22.2	0.0	0.0			172.4	172.0	-0.77	-0.92	Valve Adjustment:High Temp,Barely Open,Surging Liquid in Header
CV-24138	11/21/2025 9:34:05 AM	3.1	70.9	2.3	23.7	10.3	0.0			162.1	159.9	-1.72	-0.53	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Pnumatic Pump Installed;Well Repairs:Sample Port
CV-24138	11/23/2025 10:12:52 AM	3.2	80.1	0.0	16.7	0.0	0.0			173.4	173.7	-6.23	-6.60	Valve Adjustment:High Temp
CV-24139	11/3/2025 9:15:00 AM							530						AirTech Lab
CV-24139	11/3/2025 9:15:00 AM								120000					AirTech Lab; [User entered 12%]
CV-24139	11/11/2025 8:19:26 AM	1.4	69.8	1.9	26.9	14.2	0.0			176.3	170.1	-10.77	-0.50	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open
CV-24139	11/11/2025 8:21:50 AM	2.2	75.1	0.0	22.7	0.0	0.0			166.9	166.9	-1.05	-1.04	Valve Adjustment:High Temp,Barely Open;Well Comment:no system port
CV-24139	11/21/2025 9:29:05 AM	3.3	80.7	0.0	16.0	0.0	0.0			166.6	167.5	-4.87	-3.01	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header;Well Condition:Fair;Well Repairs:Sample Port
CV-24139	11/23/2025 10:04:02 AM	2.6	31.1	13.3	53.0	4.0	0.1			88.2	96.4	-13.71	-1.13	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Barely Open
CV-24139	11/23/2025 10:05:20 AM	2.9	32.0	12.6	52.5	4.2	0.1			96.6	97.0	-1.04	-1.06	Valve Adjustment:High O2,Surging Liquid in Header
CV-24140	11/3/2025 9:10:00 AM								180000					AirTech Lab; [User entered 18%]
CV-24140	11/3/2025 9:10:00 AM							960						AirTech Lab
CV-24140	11/11/2025 7:54:41 AM	2.8	71.8	1.4	24.0	17.1	0.0			120.3	120.6	-12.36	-12.39	Valve Adjustment:Audible Flow;Well Condition:Fair;Well Repairs:Sample Port
CV-24140	11/21/2025 9:26:07 AM	1.4	48.4	3.8	46.4	12.2	0.0			92.2	91.9	-12.86	-9.13	Valve Comment:Enhanced monitoring;Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair
CV-24141	11/11/2025 7:46:36 AM	1.5	8.3	19.7	70.5	3.6	0.2			64.0	62.8	-10.44	-0.76	Valve Comment:builds vaccum while valve is shut;Valve Adjustment:High O2,Valve 100% Closed,Surging Liquid in Well (Watered In),Plugged/Pinched Suspected
CV-24141	11/12/2025 9:10:00 AM							29						AirTech Lab
CV-24141	11/12/2025 9:10:00 AM								10000					AirTech Lab; [User entered 1.00%]
CV-24141	11/25/2025 8:21:23 AM	28.7	38.0	4.5	28.8	6.4	0.8			65.7	66.3	-9.83	-5.94	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24142	11/4/2025 8:20:00 AM							1900						AirTech Lab
CV-24142	11/4/2025 8:20:00 AM								200000					AirTech Lab; [User entered 20%]
CV-24142	11/5/2025 10:14:05 AM	14.8	76.8	0.0	8.4	0.0	0.2			178.6	177.3	-0.31	-1.13	Valve Adjustment:High Temp,Increased Flow/Vacuum

Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
CV-24142	11/11/2025 7:42:08 AM	5.3	73.8	0.0	20.9	0.0	0.1			151.3	151.0	-7.10	-7.08	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Condition:Fair
CV-24142	11/21/2025 9:38:07 AM	5.2	76.6	0.0	18.2	0.0	0.1			149.8	148.2	-6.55	-6.11	Valve Comment:Enhanced monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24142	11/23/2025 10:17:50 AM	4.0	77.6	0.0	18.4	0.0	0.1			178.9	179.0	-4.81	-2.21	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24143	11/3/2025 9:00:00 AM							1400						AirTech Lab
CV-24143	11/3/2025 9:00:00 AM								150000					AirTech Lab; [User entered 15%]
CV-24143	11/4/2025 1:20:51 PM	1.6	75.3	1.3	21.8	16.8	0.0			98.9	98.9	0.74	0.79	Valve Adjustment:NSPS/EG CAI,Positive Static Press.;Well Condition:Pnumatic Pump Installed
CV-24143	11/4/2025 1:21:45 PM	1.6	75.5	1.3	21.6	16.6	0.0			99.2	99.3	0.66	0.67	Valve Adjustment:Positive Static Press.
CV-24143	11/25/2025 8:11:24 AM	0.2	7.0	20.0	72.8	3.6	0.0			66.2	65.8	-3.94	-3.76	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Condition:Fair
CV-24143	11/25/2025 8:11:55 AM	0.2	7.2	19.8	72.8	3.7	0.0			65.7	65.9	-3.77	-3.76	Valve Adjustment:NSPS/EG CAI,High O2
CV-24144	11/12/2025 10:40:21 AM	56.1	40.4	0.3	3.2	10.7	1.4			87.2	87.2	-8.11	-8.13	Valve Adjustment:Valve 100% Open;Well Comment:No system port
CV-24144	11/25/2025 9:25:47 AM	13.9	16.6	14.2	55.3	3.9	0.8			73.5	73.5	-6.75	-6.12	Valve Adjustment:NSPS/EG CAI,High O2,Valve 100% Open,Surging Liquid in Header
CV-24144	11/25/2025 9:26:26 AM	14.1	16.6	14.1	55.2	3.9	0.8			73.7	73.7	-6.06	-6.04	Valve Adjustment:NSPS/EG CAI,High O2
CV-99	11/5/2025 2:05:59 PM	37.8	62.2	0.0	0.0	0.0	0.6			79.4	90.5	8.11	-0.02	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-99	11/5/2025 2:07:12 PM	38.2	61.8	0.0	0.0	0.0	0.6			90.7	90.7	-0.33	-0.35	Valve Adjustment:NSPS/EG CAC,Surging Liquid in Header
CV-99	11/6/2025 9:15:00 AM							0						AirTech Lab
CV-99	11/6/2025 9:15:00 AM								8500					AirTech Lab; [User entered 0.85%]
CV-99	11/11/2025 7:26:36 AM	40.2	54.1	0.0	5.6	564.0	0.7			67.3	67.3	-14.76	-16.83	Valve Adjustment:Valve 100% Open
H-1770N	11/4/2025 9:50:38 AM	25.0	66.5	0.0	8.5	0.0	0.4			88.1	88.3	-1.72	-1.72	Valve Adjustment:Orifice Plate Changed (See OP Log)
H-1770N	11/4/2025 9:58:20 AM	28.5	67.2	0.0	4.3	0.0	0.4			85.2	80.3	-1.64	-1.49	Valve Adjustment:Decreased Flow/Vacuum
H-1770N	11/12/2025 7:50:00 AM							22						AirTech Lab
H-1770N	11/12/2025 7:50:00 AM								1100					AirTech Lab; [User entered 0.11%]
H-1770N	11/19/2025 10:14:44 AM	26.5	73.4	0.0	0.1	0.0	0.4			66.1	66.3	-0.72	-0.72	
H-2165W	11/9/2025 12:28:02 PM	0.7	2.0	20.6	76.8	3.7	0.3			99.1	99.2	-0.87	-0.87	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),High O2,Plugged/Pinched Suspected
H-2165W	11/9/2025 12:28:44 PM	0.6	1.9	20.5	77.0	3.8	0.3			99.3	99.3	-0.89	-0.89	Valve Adjustment:High O2
H-2165W	11/12/2025 9:00:00 AM							110						AirTech Lab
H-2165W	11/12/2025 9:00:00 AM								9800					AirTech Lab; [User entered 0.98%]
H-2165W	11/25/2025 8:57:31 AM	24.7	71.0	0.0	4.3	0.0	0.3			88.3	89.0	-2.00	-1.69	Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Fair
H-2273W	11/4/2025 10:02:01 AM	38.1	47.8	0.0	14.1	0.0	0.8			127.6	127.1	-0.52	-0.50	Valve Adjustment:Audible Flow;Well Condition:Fair
H-2273W	11/5/2025 8:40:00 AM							310						AirTech Lab
H-2273W	11/5/2025 8:40:00 AM								15000					AirTech Lab; [User entered 1.5%]


Table 2. LEA Selected Wells - November 2025
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	BalO2 [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp []	Adj Temp []	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Comments
H-2273W	11/24/2025 1:29:09 PM	38.8	60.1	0.0	1.1	0.0	0.6			132.7	129.8	-0.61	-0.46	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair
H-2273W	11/24/2025 1:30:38 PM	39.4	58.2	0.0	2.4	0.0	0.7			128.3	127.8	-0.42	-0.42	Valve Adjustment:NSPS/EG CAC;Well Condition:Fair


Attachment B
Down Well Temperatures
And
List of Wells for Monitoring
Temperatures

LEA Selected Wells for Down Hole Temperature Monitoring
November 2025


Well Number	Down Well Temp Monitoring (Annually)	Date Monitored for Annual Downwell temperatures	Comments
CV-100	NA	NA	Abandoned Well
CV-103	Yes	3/3/2025	
CV-108-52	Yes	3/4/2025	
CV-113	Yes	3/10/2025	
CV-1532	NA	NA	Abandoned Well
CV-1532A	Yes	3/10/2025	
CV-1535	Yes	3/4/2025	
CV-1902A	Yes	3/18/2025	
CV-2001	Yes	3/4/2025	
CV-2002	Yes	6/2/2025	
CV-2007	Yes	3/5/2025	
CV-2202	NA	NA	Abandoned Well
CV-2301	Yes	3/11/2025	Pump offline - equipment is damaged in the well casing. No timeline on repairs due to safety at this time.
CV-2302	Yes	3/11/2025	Pump is off line for liner installation
CV-2303	Yes	3/11/2025	graph attached 11-1- to 11-30
CV-2312	Yes	3/5/2025	
CV-2315	Yes	3/19/2025	Pump Off line
CV-2341	Yes	3/5/2025	
CV-2350	Yes	3/12/2025	graph attached 11-1- to 11-30
CV-2351	Yes	3/12/2025	Pump off line during November 2025
CV-2352	Yes	3/12/2025	Pump off line during November 2025
CV-2353	Yes	5/30/2025	
CV-24007	Yes	3/6/2025	
CV-24017	Yes	3/6/2025	Pump off line during November 2025
CV-24053	Yes	3/6/2025	
CV-24065	Yes	3/6/2025	Pump off line during November 2025
CV-24095	Yes	3/7/2025	Graph attached 11- 1 through 11- 30
CV-24101	Yes	3/7/2025	
CV-24122	Yes	3/7/2025	
CV-24127	Yes	3/7/2025	
CV-24138	Yes	4/1/2025	
CV-24139	Yes	8/18/2025	Two readings in 2025
CV-24143	Yes	3/10/2025	
TC-2385A	NA	NA	Abandoned Well



CV-2350




CV-24095



Attachment C

Item 7 – Well Location Map






- GENERAL DRAWING NOTES:**
1. EXISTING TOPOGRAPHIC SURVEY INFORMATION SHOWN WAS PROVIDED BY PROPELLER AERIAL PHOTOGRAPHY DATED NOVEMBER 05, 2025.
 2. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
 3. THE LOCATION OF ANY EXISTING PIPING, VALVES, TIE-IN LOCATIONS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY. ACTUAL FIELD CONDITIONS MAY VARY AND SUBJECT TO CHANGE BASED ON FUTURE FILL OPERATIONS, WASTE PLACEMENT, TOPOGRAPHIC FEATURES, AND OTHER SITE-SPECIFIC FACTORS.
 4. EXISTING GCCS AS-BUILT DATED DECEMBER 10, 2025.



SCS ENGINEERS
ENVIRONMENTAL CONSULTANTS
 3300 KILROY AIRPORT WAY, SUITE 300
 LONG BEACH, CA 90806
 PH: (562) 428-9544

Attachment D

Milestone 5 Compliance Data



Point ID / Name


CHIWCV99 / CV-99

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

SCSeTools

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-99 / CV-99

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-99 / CV-99

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHWCV103 / CV-103

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-103 / CV-103

Parameter / Unit

- Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-103 / CV-103

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CV108-52 / CV-108-52

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-108-52 / CV-108-52

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-108-52 / CV-108-52

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHWCV113 / CV-113

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-113 / CV-113

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-113 / CV-113

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHWCV114 / CV-114

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-114 / CV-114


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

- CV-114 / CV-114

Parameter / Unit

- Hydrogen / % v/v

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



SCSeTools

Point ID / Name


CHCV1423 / CV-1423

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-1423 / CV-1423


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-1423 / CV-1423

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV1532A / CV-1532A

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-1532A / CV-1532A

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-1532A / CV-1532A

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV1535 / CV-1535

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names


- CV-1535 / CV-1535

Parameter / Unit

- Carbon Monoxide /

SCSeTools

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-1535 / CV-1535

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV1902A / CV-1902A

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-1902A / CV-1902A


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names


● CV-1902A / CV-1902A

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point ID / Name


CHCV2001 / CV-2001

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25

SCSeTools



Point IDs / Names

● CV-2001 / CV-2001


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025




Point IDs / Names

- CV-2001 / CV-2001

Parameter / Unit

- Hydrogen / % v/v

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point ID / Name


CHCV2002 / CV-2002

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25

SCSeTools



Point IDs / Names

●


 CV-2002 / CV-2002

Parameter / Unit

■

 Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names


● CV-2002 / CV-2002

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025




Point ID / Name

CHCV2007 / CV-2007

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2007 / CV-2007


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-2007 / CV-2007

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHCV2301 / CV-2301

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2301 / CV-2301

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2301 / CV-2301

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2302 / CV-2302

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2302 / CV-2302

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names


- CV-2302 / CV-2302

Parameter / Unit

- Hydrogen / % v/v

SCSeTools

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025




Point ID / Name

CHCV2303 / CV-2303

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2303 / CV-2303

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025





Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2305 / CV-2305

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2305 / CV-2305


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-2305 / CV-2305

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2312 / CV-2312

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names


● CV-2312 / CV-2312

Parameter / Unit

■ Carbon Monoxide /

SCSeTools

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2312 / CV-2312

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025


Point ID / Name

CHCV2314 / CV-2314

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F






Point IDs / Names

- CV-2314 / CV-2314

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-2314 / CV-2314

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2315 / CV-2315

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2315 / CV-2315

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-2315 / CV-2315

Parameter / Unit

- Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2328 / CV-2328

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2328 / CV-2328

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2328 / CV-2328

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHCV2333 / CV-2333

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2333 / CV-2333

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-2333 / CV-2333

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2334 / CV-2334

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2334 / CV-2334

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2334 / CV-2334

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHCV2337 / CV-2337

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2337 / CV-2337


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

- CV-2337 / CV-2337

Parameter / Unit

- Hydrogen / % v/v


Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025


Point ID / Name

CHCV2341 / CV-2341

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F





Point IDs / Names


● CV-2341 / CV-2341

Parameter / Unit

■ Carbon Monoxide / ppmv

SCSeTools

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2341 / CV-2341

Parameter / Unit


■ Hydrogen / % v/v

Chiquita Canyon Landfill - LAB DATA

Points Chart

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025




Point ID / Name

CHCV2344 / CV-2344

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2344 / CV-2344

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-2344 / CV-2344

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2345 / CV-2345

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2345 / CV-2345

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2345 / CV-2345

Parameter / Unit

■ Hydrogen / % v/v

Chiquita Canyon Landfill - LAB DATA

Points Chart

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHCV2346 / CV-2346

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2346 / CV-2346

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-2346 / CV-2346

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2347 / CV-2347

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2347 / CV-2347


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

- CV-2347 / CV-2347

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2348 / CV-2348

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2348 / CV-2348


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-2348 / CV-2348

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHCV2349 / CV-2349

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2349 / CV-2349

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2349 / CV-2349

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHCV2350 / CV-2350

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2350 / CV-2350


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

- CV-2350 / CV-2350

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2351 / CV-2351

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2351 / CV-2351

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2351 / CV-2351

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2352 / CV-2352

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2352 / CV-2352


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

- CV-2352 / CV-2352

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2353 / CV-2353-PLR

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-2353 / CV-2353

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-2353 / CV-2353

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



**Chiquita Canyon Landfill - LAB DATA
Points Chart**
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHCV2354 / CV-2354

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-2354 / CV-2354


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-2354 / CV-2354

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24002 / CV-24002

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24002 / CV-24002


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24002 / CV-24002

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025


Point ID / Name

CCV24003 / CV-24003

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F





Point IDs / Names

● CV-24003 / CV-24003


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24003 / CV-24003

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24007 / CV-24007

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

CV-24007 / CV-24007

Parameter / Unit

Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24007 / CV-24007

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24017 / CV-24017

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24017 / CV-24017

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

●

 CV-24017 / CV-24017

Parameter / Unit

■

 Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24049 / CV-24049

Parameter / Unit


- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24049 / CV-24049

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24053 / CV-24053

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

- CV-24053 / CV-24053


Parameter / Unit

- Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24053 / CV-24053

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24055 / CV-24055

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24055 / CV-24055

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24055 / CV-24055

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24062 / CV-24062

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24062 / CV-24062

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24062 / CV-24062

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24063 / CV-24063

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24063 / CV-24063


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

- CV-24063 / CV-24063

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24064 / CV-24064

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24064 / CV-24064

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24064 / CV-24064

Parameter / Unit

- Hydrogen / % v/v


Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025


Point ID / Name

CCV24065 / CV-24065-TP17

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F






Point IDs / Names

- CV-24065 / CV-24065

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24065 / CV-24065

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24066 / CV-24066

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24066 / CV-24066

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24066 / CV-24066

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24069 / CV-24069

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24069 / CV-24069


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24069 / CV-24069

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24070 / CV-24070

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24070 / CV-24070

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24070 / CV-24070

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24071 / CV-24071

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24071 / CV-24071

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24071 / CV-24071


Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025




Point ID / Name

CCV24075 / CV-24075-TP15

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24075 / CV-24075

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24075 / CV-24075

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24077 / CV-24077

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24077 / CV-24077


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24077 / CV-24077

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025


Point ID / Name

CCV24079 / CV-24079-TP8

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F






Point IDs / Names

- CV-24079 / CV-24079

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24079 / CV-24079

Parameter / Unit

- Hydrogen /



**Chiquita Canyon Landfill - LAB DATA
Points Chart**
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24082 / CV-24082

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24082 / CV-24082


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24082 / CV-24082

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24083 / CV-24083

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24083 / CV-24083

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24083 / CV-24083

Parameter / Unit

■ Hydrogen /

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24084 / CV-24084-TP11

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

- CV-24084-TP11 / CV-
- 24084-TP11


Parameter / Unit

- Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names
CV-24084-TP11 / CV-24084-TP11

Parameter / Unit
Hydrogen / % v/v

SCSeTools



**Chiquita Canyon Landfill - LAB DATA
Points Chart**
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24088 / CV-24088

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24088 / CV-24088


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24088 / CV-24088

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24095 / CV-24095

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24095 / CV-24095


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

- CV-24095 / CV-24095

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24096 / CV-24096

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24096 / CV-24096


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24096 / CV-24096

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24097 / CV-24097

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24097 / CV-24097


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24097 / CV-24097

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24098 / CV-24098

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24098 / CV-24098


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24098 / CV-24098

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24099 / CV-24099

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24099 / CV-24099

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24099 / CV-24099


Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point ID / Name

CCV24100 / CV-24100

Parameter / Unit

Init. Flow / scfm

% CH4 / %

% CO2 / %

% O2 / %

% Bal Gas / %


Init. Static Press / in. H2O

Init. Temp / Deg. F


Adj. Temp / Deg. F

SCSeTools

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24100 / CV-24100

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24101 / CV-24101

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24101 / CV-24101

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24101 / CV-24101

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24102 / CV-24102

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24102 / CV-24102

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24102 / CV-24102

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025


Point ID / Name

CCV24120 / CV-24120

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F





Point IDs / Names

● CV-24120 / CV-24120


Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24120 / CV-24120

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24121 / CV-24121

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24121 / CV-24121

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24121 / CV-24121

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24122 / CV-24122

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24122 / CV-24122

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24122 / CV-24122

Parameter / Unit

■ Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24123 / CV-24123

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24123 / CV-24123


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24123 / CV-24123

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24125 / CV-24125-TP20

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names


● CV-24125 / CV-24125

Parameter / Unit

■ Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

SCSeTools



Point IDs / Names

● CV-24125 / CV-24125

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24126 / CV-24126

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24126 / CV-24126


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24126 / CV-24126

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24127 / CV-24127

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24127 / CV-24127

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24127 / CV-24127

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24128 / CV-24128

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24128 / CV-24128

Parameter / Unit

- Hydrogen / % v/v

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24128 / CV-24128

Parameter / Unit

■ Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CCV24134 / CV-24134-TP19

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24134 / CV-24134

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24134 / CV-24134

Parameter / Unit

■ Hydrogen /

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24138 / CV-24138

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24138 / CV-24138

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24138 / CV-24138

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24139 / CV-24139

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

- CV-24139 / CV-24139


Parameter / Unit

- Carbon Monoxide / ppmv

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24139 / CV-24139


Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025




Point ID / Name

CCV24140 / CV-24140

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F

Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24140 / CV-24140

Parameter / Unit

- Carbon Monoxide /

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24140 / CV-24140

Parameter / Unit

■ Hydrogen / % v/v

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



SCSeTools

Point ID / Name


CCV24141 / CV-24141

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24141 / CV-24141

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24141 / CV-24141

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24142 / CV-24142

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24142 / CV-24142

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● CV-24142 / CV-24142

Parameter / Unit

■ Hydrogen / % v/v

SCSeTools



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24143 / CV-24143

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- CV-24143 / CV-24143

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- CV-24143 / CV-24143

Parameter / Unit

- Hydrogen / % v/v



Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CCV24144 / CV-24144

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



Point IDs / Names

● CV-24144 / CV-24144


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● CV-24144 / CV-24144

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHH1770N / H-1770N

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- H-1770N / H-1770N

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● H-1770N / H-1770N

Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CHH2165W / H-2165W

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- H-2165W / H-2165W

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

- H-2165W / H-2165W

Parameter / Unit

- Hydrogen / % v/v


Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025

Point ID / Name


CHH2273W / H-2273W

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25




Point IDs / Names

- H-2273W / H-2273W

Parameter / Unit

- Carbon Monoxide / ppmv

Chiquita Canyon Landfill - LAB DATA
Points Chart
Date Range : 01/01/2025 to 11/30/2025
Chart generation date : 12/05/2025



Point IDs / Names

● H-2273W / H-2273W


Parameter / Unit

■ Hydrogen / % v/v

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point ID / Name

CSC2001W / SC-2001W

Parameter / Unit

Init. Flow / scfm

% CH4 / %

% CO2 / %

% O2 / %

% Bal Gas / %

Init. Static Press / in. H2O

Init. Temp / Deg. F

Adj. Temp / Deg. F


Chiquita Canyon Landfill

Parameter Chart: Multiscale

Date Range: 01/01/2025 - 11/30/2025

Chart generation date: 12/2/25

SCSeTools



Point IDs / Names

● SC-2001W / SC-2001W


Parameter / Unit

■ Carbon Monoxide /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025



Point IDs / Names

● SC-2001W / SC-2001W

Parameter / Unit

■ Hydrogen /

**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025



Chart generation date : 12/05/2025

Point ID / Name


CTC2383S / TC-2383S

Parameter / Unit

- Init. Flow / scfm
- % CH4 / %
- % CO2 / %
- % O2 / %
- % Bal Gas / %
- Init. Static Press / in. H2O
- Init. Temp / Deg. F
- Adj. Temp / Deg. F



Chiquita Canyon Landfill
Parameter Chart: Multiscale
Date Range: 01/01/2025 - 11/30/2025
Chart generation date: 12/2/25



**Chiquita Canyon Landfill - LAB DATA
Points Chart**

Date Range : 01/01/2025 to 11/30/2025


Chart generation date : 12/05/2025

Point IDs / Names

● TC-2383S / TC-2383S

Parameter / Unit

■ Carbon Monoxide /



Point IDs / Names

● TC-2383S / TC-2383S

Parameter / Unit


■ Hydrogen /

Chiquita Canyon Landfill - LAB DATA
Points Chart

Date Range : 01/01/2025 to 11/30/2025

Chart generation date : 12/05/2025

Thirty Day Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Leaflet | Tiles © Esri — Source: Esri, i-cubed, USDA, USGS, AEX, GeoEye, Getmapping, Aerogrid, IGN, IGP, UPR-EGP, and the GIS User Community, Date of Imagery Overlay: 10/29/2025

Solid Waste Borehole Maximum
Temperature Profiles Over 6 Weeks
for 9/25/2025 to 11/5/2025

SCS ENGINEERS

07224053.00 | November 6, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

From October 30, 2025, through November 5, 2025, there were two recorded temperature decreases and no recorded temperature increases that triggered the notification limits set forth in the LEA's October 4, 2024 letter.


Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-2
 - The 60-foot thermocouple showed a decrease in maximum temperature of 11°F from 168°F to 157°F from November 4th to November 5th.
- TP-03
 - The 30-foot thermocouple remained consistent with previous recorded temperatures.
- TP-07
 - As previously reported, the 60-foot thermocouple showed anomalous readings from October 2nd to October 13th of 175°F up to 2,507°F, October 19th to October 21st, and October 30th to October 31st, indicating issues with the thermocouple and that the readings were most likely erroneous. The wiring was checked on the 60-foot thermocouple and reconnected. Erroneous readings have since continued and the 60-foot thermocouple is being evaluated for replacement in the coming weeks. No other thermocouples at TP-07 showed any such changes in temperatures.
- TP-08
 - As previously reported, the 150-foot thermocouple showed anomalous readings on October 6th and October 7th of 2,507°F, indicating issues with the thermocouple and that the readings were most likely erroneous. After investigation in the field, the wiring of the 150-foot thermocouple was found to be loose and was repaired. Subsequent readings were consistent with previous recorded temperatures and no other thermocouples at TP-08 showed any such changes in temperature.
 - The 150-foot thermocouple remained consistent with previous recorded temperatures.
- TP-10
 - As previously reported all thermocouples except the 45-foot thermocouple showed anomalous readings on October 24th. Subsequent readings were consistent with previous recorded temperatures and no thermocouples showed any changes in temperature. All thermocouples are being evaluated for replacement in the coming weeks.
- TP-16
 - As previously reported, the 45-foot thermocouple showed anomalous readings on October 11th, 13th, and 14th of 2,507°F, and then reading below 100°F in subsequent reading indicating issues with the thermocouple. The 45-foot thermocouple is being evaluated for repair/replacement in coming weeks.
- TP-21
 - The 70-foot thermocouple showed a decrease in maximum temperature of 11°F from 208°F to 197°F from October 29th to November 5th.


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4

Maximum data for 9/25/2025 to 11/5/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5


Maximum data for 9/25/2025 to 11/5/2025



■ 9/25/25-10/2/25 ● 10/2/25-10/9/25 ▲ 10/9/25-10/16/25 ● 10/16/25-10/23/25 ◆ 10/23/25-10/30/25 ◆ 10/31/25-11/5/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6

Maximum data for 9/25/2025 to 11/5/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7


Maximum data for 9/25/2025 to 11/5/2025



9/25/25-10/2/25 10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/31/25-11/5/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15

Maximum data for 9/25/2025 to 11/5/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16


Maximum data for 9/25/2025 to 11/5/2025



■ 9/25/25-10/2/25 ● 10/2/25-10/9/25 ▲ 10/9/25-10/16/25 ● 10/16/25-10/23/25 ◆ 10/23/25-10/30/25 ◆ 10/31/25-11/5/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24

Maximum data for 9/25/2025 to 11/5/2025





Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34

Maximum data for 9/25/2025 to 11/5/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35

Maximum data for 9/25/2025 to 11/5/2025



Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Solid Waste Borehole Maximum
Temperature Profiles Over 6 Weeks
for 10/2/2025 to 11/12/2025

SCS ENGINEERS

07224053.00 | November 13, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

From November 6, 2025, through November 12, 2025, there was one recorded temperature decrease and two recorded temperature increases that triggered the notification limits set forth in the LEA's October 4, 2024 letter.


Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-2
 - The 60-foot thermocouple showed an increase in maximum temperature of 10°F from 157°F to 167°F from November 5th to November 6th, and then a decrease in maximum temperature of 12°F from 167°F to 155°F from November 6th to November 12th.
- TP-07
 - As previously reported, the 60-foot thermocouple showed anomalous readings from October 2nd to October 13th of 175°F up to 2,507°F, October 19th to October 21st, and October 30th to October 31st, indicating issues with the thermocouple and that the readings were most likely erroneous. The wiring was checked on the 60-foot thermocouple and reconnected. Erroneous readings have since continued and the 60-foot thermocouple is being evaluated for replacement in the coming weeks. No other thermocouples at TP-07 showed any such changes in temperatures.
- TP-08
 - As previously reported, the 150-foot thermocouple showed anomalous readings on October 6th and October 7th of 2,507°F, indicating issues with the thermocouple and that the readings were most likely erroneous. After investigation in the field, the wiring of the 150-foot thermocouple was found to be loose and was repaired. Subsequent readings were consistent with previous recorded temperatures and no other thermocouples at TP-08 showed any such changes in temperature.
 - The 150-foot thermocouple showed an increase in maximum temperature of 13°F from 171°F to 184°F from November 11th to November 12th.
- TP-10
 - As previously reported all thermocouples except the 45-foot thermocouple showed anomalous readings on October 24th. Subsequent readings were consistent with previous recorded temperatures and no thermocouples showed any changes in temperature. All thermocouples are being evaluated for replacement in the coming weeks.
- TP-16
 - As previously reported, the 45-foot thermocouple showed anomalous readings on October 11th, 13th, and 14th of 2,507°F, and then reading below 100°F in subsequent reading indicating issues with the thermocouple. The 45-foot thermocouple is being evaluated for repair/replacement in coming weeks.
- TP-21
 - The 70-foot thermocouple remained consistent with previous recorded temperatures.
- TP-28
 - All thermocouples were offline on November 7th for TMP raising and show a 0°F reading for November 7th, since each thermocouple was raised, the elevations of each thermocouple show changes. Changes in temperature before November 7th and after November 7th do not represent changes in temperature for the associated waste.

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29

Maximum data for 10/2/2025 to 11/12/2025





Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31

Maximum data for 10/2/2025 to 11/12/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32


Maximum data for 10/2/2025 to 11/12/2025



10/2/25-10/9/25 10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/7/25-11/12/25



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34

Maximum data for 10/2/2025 to 11/12/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35

Maximum data for 10/2/2025 to 11/12/2025



Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Solid Waste Borehole Maximum
Temperature Profiles Over 6 Weeks
for 10/9/2025 to 11/19/2025

SCS ENGINEERS

07224053.00 | November 20, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

From November 13, 2025, through November 19, 2025, there were two recorded temperature decreases and four recorded temperature increases that triggered the notification limits set forth in the LEA's October 4, 2024 letter.


Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-2
 - The 60-foot thermocouple remained consistent with previous recorded temperatures.
- TP-07
 - As previously reported, the 60-foot thermocouple showed anomalous readings from October 2nd to October 13th of 175°F up to 2,507°F, October 19th to October 21st, and October 30th to October 31st, indicating issues with the thermocouple and that the readings were most likely erroneous. The wiring was checked on the 60-foot thermocouple and reconnected, but erroneous readings continued. The 60-foot thermocouple was replaced and has returned to normal working order. No other thermocouples at TP-07 showed any such changes in temperatures.
- TP-08
 - The 150-foot thermocouple showed a decrease in maximum temperature of 14°F from 184°F to 171°F from November 12th to November 13th, then an increase in maximum temperature of 15°F from 171°F to 186°F from November 13th to November 16th, and then an increase in maximum temperature of 20°F from 186°F to 206°F from November 16th to November 18th.
- TP-10
 - As previously reported all thermocouples except the 45-foot thermocouple showed anomalous readings on October 24th. Subsequent readings were consistent with previous recorded temperatures and no thermocouples showed any changes in temperature. All thermocouples are being evaluated for replacement in the coming weeks.
- TP-16
 - As previously reported, the 45-foot thermocouple showed anomalous readings on October 11th, 13th, and 14th of 2,507°F, and then reading below 100°F in subsequent reading indicating issues with the thermocouple. The 45-foot thermocouple was evaluated and replaced and has returned to normal working order.
- TP-24
 - The 15-foot thermocouple showed a decrease in maximum temperature of 20°F from 130°F to 110°F from November 15th to November 16th.
- TP-25
 - The 110-foot thermocouple showed an increase in maximum temperature of 15°F from 149°F to 164°F from November 12th to November 19th.
 - The 130-foot thermocouple showed an increase in maximum temperature of 17°F from 151°F to 168°F from November 12th to November 19th.
- TP-28
 - All thermocouples were offline on November 7th for TMP raising and show a 0°F reading for November 7th, since each thermocouple was raised, the elevations of each thermocouple show changes. Changes in temperature before November 7th and after November 7th do not represent changes in temperature for the associated waste.


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1

Maximum data for 10/9/2025 to 11/19/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16

Maximum data for 10/9/2025 to 11/19/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20

Maximum data for 10/9/2025 to 11/19/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21

Maximum data for 10/9/2025 to 11/19/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24

Maximum data for 10/9/2025 to 11/19/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27

Maximum data for 10/9/2025 to 11/19/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31


Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32



Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34

Maximum data for 10/9/2025 to 11/19/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35

Maximum data for 10/9/2025 to 11/19/2025



10/9/25-10/16/25 10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/14/25-11/19/25

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Solid Waste Borehole Maximum
Temperature Profiles Over 6 Weeks
for 10/16/2025 to 11/25/2025

SCS ENGINEERS

07224053.00 | November 26, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

From November 20, 2025, through November 25, 2025, there was one recorded temperature decrease and three recorded temperature increases that triggered the notification limits set forth in the LEA's October 4, 2024 letter.


Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-07
 - As previously reported, the 60-foot thermocouple showed anomalous readings from October 2nd to October 13th of 175°F up to 2,507°F, October 19th to October 21st, and October 30th to October 31st, indicating issues with the thermocouple and that the readings were most likely erroneous. The wiring was checked on the 60-foot thermocouple and reconnected, but erroneous readings continued. The 60-foot thermocouple was replaced and has returned to normal working order. No other thermocouples at TP-07 showed any such changes in temperatures.
- TP-08
 - The 45-foot thermocouple showed a decrease in maximum temperature of 11°F from 145°F to 134°F from November 19th to November 21st.
 - The 125-foot thermocouple showed an increase in maximum temperature of 14°F from 157°F to 171°F from November 20th to November 24th.
 - The 150-foot thermocouple showed anomalous readings from November 20th to November 25th of 243°F for a single hour reading. These readings were likely erroneous. The 150-foot thermocouple will be evaluated in the coming weeks for issues or possible replacement.
- TP-16
 - As previously reported, the 45-foot thermocouple showed anomalous readings on October 11th, 13th, and 14th of 2,507°F, and then reading below 100°F in subsequent reading indicating issues with the thermocouple. The 45-foot thermocouple was evaluated and replaced and has returned to normal working order.
- TP-24
 - The 15-foot thermocouple remained consistent with previous recorded temperatures.
- TP-25
 - The 110-foot thermocouple showed an increase in maximum temperature of 11°F from 164°F to 175°F from November 19th to November 25th.
 - The 130-foot thermocouple showed an increase in maximum temperature of 13°F from 168°F to 181°F from November 19th to November 25th.
- TP-28
 - As previously reported, all thermocouples were offline on November 7th for TMP raising and show a 0°F reading for November 7th, since each thermocouple was raised, the elevations of each thermocouple show changes. Changes in temperature before November 7th and after November 7th do not represent changes in temperature for the associated waste.

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11

Maximum data for 10/16/2025 to 11/25/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15

Maximum data for 10/16/2025 to 11/25/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21

Maximum data for 10/16/2025 to 11/25/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27

Maximum data for 10/16/2025 to 11/25/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32


Maximum data for 10/16/2025 to 11/25/2025



10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34


Maximum data for 10/16/2025 to 11/25/2025




10/16/25-10/23/25 10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/21/25-11/25/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35


Maximum data for 10/16/2025 to 11/25/2025



Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill





SCS ENGINEERS ENVIRONMENTAL CONSULTANTS 3500 KILROY AIRPORT WAY, SUITE 300 LONG BEACH, CA 90806 PH: (562) 426-9544				CLIENT:  CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA		SHEET TITLE: EXISTING TEMPERATURE PROBE MAP PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA		NO. REVISION DATE	
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					
				△					

Solid Waste Borehole Maximum
Temperature Profiles Over 6 Weeks
for 10/23/2025 to 12/3/2025

SCS ENGINEERS

07224053.00 | December 4, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

From November 26, 2025, through December 3, 2025, there were two recorded temperature decreases and one recorded temperature increase that triggered the notification limits set forth in the LEA's October 4, 2024 letter.


Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-07
 - As previously reported, the 60-foot thermocouple showed anomalous readings from October 2nd to October 13th of 175°F up to 2,507°F, October 19th to October 21st, and October 30th to October 31st, indicating issues with the thermocouple and that the readings were most likely erroneous. The wiring was checked on the 60-foot thermocouple and reconnected, but erroneous readings continued. The 60-foot thermocouple was replaced and has returned to normal working order. No other thermocouples at TP-07 showed any such changes in temperatures.
- TP-08
 - The 45-foot thermocouple remained consistent with previous recorded temperatures.
 - The 125-foot thermocouple showed a decrease in maximum temperature of 10°F from 171°F to 161°F from November 24th to November 26th, an increase in maximum temperature of 16°F from 161°F to 177°F from November 26th to November 29th, and then a decrease in maximum temperature of 13°F from 177°F to 164°F from November 29th to November 30th.
 - The 150-foot thermocouple continued to show anomalous readings for a single hour readings on each day of the past week, indicating these readings were likely erroneous. The 150-foot thermocouple will be evaluated next week for issues or possible replacement.
- TP-25
 - The 110-foot thermocouple remained consistent with previous recorded temperatures.
 - The 130-foot thermocouple remained consistent with previous recorded temperatures.
- TP-28
 - As previously reported, all thermocouples were offline on November 7th for TMP raising and show a 0°F reading for November 7th, since each thermocouple was raised, the elevations of each thermocouple show changes. Changes in temperature before November 7th and after November 7th do not represent changes in temperature for the associated waste.


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4


Maximum data for 10/23/2025 to 12/3/2025



■ 10/23/25-10/30/25 ● 10/30/25-11/6/25 ▲ 11/6/25-11/13/25 ● 11/13/25-11/20/25 ◆ 11/20/25-11/27/25 ◆ 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35

Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill



Attachment E
November 10, 2025
Reaction Committee
Report

December 10, 2025
File No. 01204123.21-13

Mr. Baitong Chen
South Coast Air Quality Management District
21865 Copley Drive
Diamond Bar, California 91765

Subject: Monthly Reaction Committee Determination on Reaction Area Boundary
Chiquita Canyon Landfill – Castaic, California

Dear Mr. Chen:

In accordance with Condition Nos. 9a and 9b of the Modified Stipulated Order for Abatement (SOFA) pertaining to the Chiquita Canyon Landfill (Landfill or Facility) (Case No. 6177-4), the Reaction Committee has reviewed newly acquired applicable data recorded during the month of November 2025, considered revisions of the estimated extent of elevated temperature landfill (ETLF) conditions exhibited at the subject Facility (referred to as the “Reaction Area” limits), and has prepared this determination on potentially revising the Reaction Area map.

Attachment A presents the Drawing, titled “Reaction Area Map”, prepared by SCS Engineers (SCS) and dated December 9, 2025. The Drawing depicts the Reaction Area boundary as prescribed in Condition No. 9a, which corresponds to the limits of Cells 1/2A, 2B/3, 4, and Module 2B/3/4 P2, as a solid black line. The Drawing also depicts the estimated extent of ETLF conditions being experienced at the site based on the Reaction Committee’s review of scientific data as a dashed magenta line. The rationale that serves as the basis for considering adjustments and modifications to the Reaction Area boundary (or the determination to maintain the decreed boundary), include the following:

- Landfill Gas (LFG) wellhead temperatures in excess of approximately 160 degrees Fahrenheit.
- Poor gas quality (defined as methane levels of less than 30 percent) in conjunction with methane-to-carbon dioxide (CH₄:CO₂) ratios less than 1.0.
- The concentration of hydrogen (H₂) in the LFG measured greater than 2 percent by volume.
- The concentration of carbon monoxide (CO) in the LFG measured greater than 2,000 ppm.
- Accelerated settlement of the landfill surface, defined as approximately 18 inches or greater within a 60-day period, and cracks in landfill cover. This corresponds to a strain value (i.e., settlement rate) rate of 3 percent per year for areas with a 300-foot waste column depth, which we believe is a reasonable average depth in the subject area of interest.
- First-hand observations of Landfill and/or SCS engineering, construction, and operations and maintenance (O&M) field personnel who are on-site related to: 1) atypical excess leachate quantities (presence and quantity of liquids); 2) instances of pressurized liquids emitting from the landfill surface, from boreholes during drilling, and from LFG wells; and, 3) the



characteristics of the odors originating from the select areas of the waste footprint (often described as “chemical-like” and distinctly different from typical LFG or landfill working face odors).

- Observations of subsurface waste conditions and characteristics as noted on borehole drilling logs for recently installed new wells and/or probes.
- Subsurface temperatures recorded at the in-situ waste temperature probes during November 2025.
- Temperature of gas or liquids measured at depth within the LFG well riser pipe (using an automated transmitter or manual field instrumentation).
- Subsurface temperature and pressures associated with drilling activities for new LFG extraction wells during November 2025.

CONSIDERATIONS FOR POTENTIAL ADJUSTMENTS TO THE ESTIMATED EXTENT OF ETLF CONDITIONS (DASHED MAGENTA LINE)

In making its monthly determinations, the Reaction Committee evaluates the above set of data parameters, in conjunction with one another, to identify meaningful trends indicating ETLF conditions, as opposed to fluctuations exhibited in isolated datapoints.

Each month, the Reaction Committee scrutinizes particular areas of the Landfill that have previously exhibited abnormal or fluctuating data, when applicable. As discussed below, despite minor variances in discrete areas of the landfill, the Reaction Committee has not discerned any meaningful trends with respect to the November 2025 data that would indicate the reaction has expanded into these areas.

Near CV-24009

Well CV-24009 is positioned within 60 feet or so of the delineated boundary line and the data recorded during November demonstrates the conditions are generally unchanged during the past four months. This is also the case at adjacent well CV-24008. As noted in previous reports, the Reaction Committee suspects that gas movement from within the reaction area via existing horizontal collectors is the potential cause of the heat and longer-term trend of marginal to poor quality gas at these wells.

Cell 2 Phase 2B

The Reaction Committee considered the data compiled from wells within, and adjacent to, Cell 2 Phase 2B, specifically wells CV-113, CV-2208A, CV-2334, CV-24120, CV-24127, and CV-24135. These wells are positioned between approximately 100 and 300 feet or so beyond the delineated boundary, except for well CV-2208A, which is offset a greater distance to the east. During November, the CH₄ concentrations at these wells either increased or remained generally the same compared to measurements recorded during October. The average LFG temperatures at these wells either decreased or remained generally the same compared to measurements recorded during

October. Increasing CH₄ concentrations and decreasing temperatures do not suggest that ETLF conditions are present at these locations.

Considering the relatively low temperatures that are typically displayed at these wellheads, along with evidence that methanogenesis is not being completely impeded, the Reaction Committee does not believe an adjustment to the boundary of the Reaction Area to include the portions of the waste footprint inclusive of these six wells within or adjacent to Cell 2 Phase 2B is warranted at this time.

Immediate South of Boundary in Modules 2/3B and 4

The Reaction Committee considered the data compiled from wells positioned immediately south of the current delineated boundary within Module 2/3B and Module 4, specifically 9 wells in relatively close proximity of the delineated boundary line (CV-2001, CV-2344, CV-2345, CV-2346, CV-2347, CV-2350, CV-2466, CV-24079/TP-08, and CV-2541). During November, the CH₄ concentrations at these wells either increased or remained generally the same compared to measurements recorded during October. The average LFG temperatures at these wells either decreased or remained generally the same compared to measurements recorded during October. Increasing CH₄ concentrations and decreasing temperatures do not suggest that ETLF conditions are present at these locations.

Considering the relatively low temperatures that are typically displayed at these wellheads, along with the fact that these may be relatively short-term conditions associated with the temporary decommissioning of LFG system infrastructure due to deployment of the additional geosynthetic cover, the Reaction Committee does not believe an adjustment to the boundary of the Reaction Area to include the portions of the waste footprint south of the boundary line in Modules 2/3B and 4 inclusive of these nine wells is warranted at this time.

Subareas Within Data-Driven Reaction Area Boundary

As depicted on the isothermal gradient range maps that are included as **Attachment C** of this monthly Reaction Area Determination Report, the landfill gas wellhead temperatures recorded each month demonstrate several subareas within the data-driven boundary that consistently exhibit substantially lower temperatures than other wellheads within this boundary. One subarea is positioned in the south central portion of the data-driven reaction area and another is positioned in the eastern central portion of the data-driven reaction area. Both subareas contain wells exhibiting temperatures that are below 145 degrees F and many are as low as 130 degrees F. The Reaction Committee continues to review and analyze the data recorded at wells within these subareas to assess whether various operational parameters indicate that the severity of the reaction is diminishing within these subareas, as evidenced by decreasing temperatures and increasing methane-to-carbon dioxide ratios and decreasing hydrogen content at select wells within these subareas.

TEMPERATURE MONITORING PROBE DATA

The Reaction Committee reviewed the temperature measurements recorded during November 2025 by the in-situ temperature monitoring probes. As of November 2025, seven of the 32 probes (TP-2, TP-3, TP-9, TP-11, TP-15, TP-18, and TP-21) are located within the current estimated extent of ETLF conditions (dashed magenta line). Of the remaining twenty-five (25) probes positioned outside of the

boundary, twelve probes are positioned within relatively close proximity (within 200 feet) of this boundary.

The Reaction Committee evaluated the 30-day maximum temperatures recorded in TP-24, TP-26, TP-29, TP-30, and TP-31, which have remained relatively consistent over the previous 6-week period of October 23 through December 3, 2025, except for two short-term (2-day) increases and subsequent decreases at the 240-foot interval in TP-29. The maximum temperature at this thermocouple of 191 degrees F occurred for just a single day, and the average temperature during the 30-day period was 184 degrees F.

The temperature monitoring probe weekly documentation submittals throughout November noted that the temperature values measured at TP-08 at the 150-foot thermocouple are considered to be invalid because of equipment malfunction. This issue was initially identified in September, and repairs to the loose wiring was accomplished in mid-October. However, the extreme erratic fluctuations have continued during November, so the Reaction Committee did not consider these temperature values to be valid during our monthly analysis.

The maximum temperatures recorded during November at specific thermocouples in TP-24, TP-29, and TP-31 are at or greater than 190 degrees F, which may not be significantly elevated for the thermocouples within these probes that are positioned within the deeper waste zones but are potentially indicative of heat generation and accumulation affiliated with reaction conditions when present along with changes in gas composition, excessive leachate production, changes in leachate composition, accelerated settlement, excessive pressures, and other ETLF characteristics. There is less differentiation between the 30-day maximum temperatures in these three probes compared to the 30-day maximum temperatures measured at the four probes within the current estimated extent of ETLF conditions (dashed magenta line), specifically TP-3, TP-9, TP-15, and TP-21. However, the four wells surrounding TP-24 (CV-24086, CV-24087, CV-24174, and CV-24175) recorded average LFG wellhead temperatures during September through November of 114 degrees F, which is well below the range associated with ETLF conditions. Those four wells also recorded average methane concentrations of 39 percent during this period, which is consistent with typical landfill gas methane production for this facility. The three wells surrounding TP-29 (CV-24091, CV-24171, and CV-24207) recorded average LFG wellhead temperatures during September through November of 124 degrees F and average methane concentrations of 47 percent during this period, which suggest normal subsurface decomposition conditions affiliated with methane production. The two wells adjacent to TP-31 (CV-2319 and CV-24111) recorded average LFG wellhead temperatures during September through November of 137 degrees F, which is well below the range associated with ETLF conditions. While the average methane concentration at CV-2319 is 22 percent, the average methane concentration at CV-24111 during the past three months was 43 percent, which is consistent with typical landfill gas methane production for this facility. So, the wells surrounding these three probes do not exhibit evidence of atypical heat or the LFG composition associated with ETLF conditions.

Accordingly, the Reaction Committee does not believe an adjustment to the boundary of the Reaction Area to include the portions of the waste footprint inclusive of TP-24, TP-26, TP-29, TP-30, and TP-31 is warranted at this time.

HYDROGEN CONCENTRATIONS

The Reaction Committee also evaluated the concentration of H₂ in LFG during November 2025. Recall that certain wells positioned to the south and east of the Reaction Area boundary (where dewatering pumping was reactivated but has since experienced some temporary decommissioning due to cover installation) have periodically demonstrated some increased H₂ content in the LFG during the Reaction Committee's review of the data in previous months, which similarly was the case for the November 2025 data. The Reaction Committee noted in its review of the data that these wells did not exhibit elevated temperatures, except for wells CV-24076 and CV-24148. Well CV-24076 had a single instance of a maximum temperature of 162 degrees F, but exhibited an average temperature of 150 degrees during the past three months, and CV-24148 had variability in temperatures ranging between 136 and 173 degrees F during the past three months. There was no evidence of the increased heat that is typical with ETLF conditions at the wells exhibiting atypical H₂ concentrations (except for limited events at wells CV-24076 and CV-24148). As noted previously, the Reaction Committee suspects this increased H₂ content may be attributable to substantial dewatering being accomplished throughout the Reaction Area and may be associated with gas movement from within the Reaction Area by existing horizontal collectors in close proximity. Thus, the presence of elevated H₂ in these isolated locations does not suggest that ETLF conditions are expanding south and east of the delineated boundary. Accordingly, the Reaction Committee does not believe an adjustment to the boundary of the Reaction Area is warranted at this time.

CONCLUSION


As presented on the Drawing included as **Attachment A**, the estimated extent of ETLF conditions (dashed magenta line) is fully contained within the Reaction Area boundary decreed in the SOFA (solid black line). Because the ETLF conditions are fully contained within the Reaction Area boundary and have not expanded into a new cell, the Reaction Committee finds no basis to modify the Reaction Area boundary as prescribed in Condition 9a at this time.

There was no dissenting opinion among the Reaction Committee members regarding this monthly determination. Supporting data is presented on the Drawing included as **Attachment A**. The maximum temperature measurements recorded at the 32 in-situ waste temperature monitoring probes (both 7-Day and 30-Day values) during November are presented in **Attachment B** in graphical format. The LFG wellhead temperatures recorded at the extraction wells for the entire Landfill footprint are reflected on the isothermal gradient range map presented as **Attachment C**. The CH₄:CO₂ ratios measured at the LFG wellheads in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment D**. The H₂ concentrations measured at the LFG wellheads in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment E**. The CO concentrations measured at the LFG wellheads in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment F**. The landfill surface settlement isopach values measured on a quarterly basis (July 2, 2025 compared to October 1, 2025) in the vicinity of the data-driven Reaction Area boundary are depicted on the range map presented as **Attachment G**. The electronic database and recordkeeping platform enables these measurements to be downloaded into a tabular spreadsheet format, which can be submitted to the South Coast Air Quality Management District under separate cover, if requested.

Please contact either of the undersigned if you have questions or require additional information.

Mr. Baitong Chen
December 10, 2025
Page 6

Sincerely,



Robert E. Dick, PE, BCEE
Senior Vice President
SCS Engineers



Patrick S. Sullivan, BCES, CCP
Senior Vice President
SCS Engineers

RED/PSS

cc: Nathaniel Dickel, SCAQMD
Christina Ojeda, SCAQMD
Patrick S. Sullivan, REPA, CPP, BCES, SCS Engineers
Pablo Sanchez Soria, PhD, CIH, CTEH
Neal Bolton, PE, Blue Ridge Services, Inc.
Richard Pleus, PhD, Intertox
Srividhya Viswanathan, PE, SCS Engineers

Enclosures:

Attachment A – Reaction Area Map
Attachment B – In-Situ Waste Temperature Monitoring Probe Data
Attachment C – Isothermal Gradient Range Map
Attachment D – Wellhead Methane-to-Carbon Dioxide Range Map
Attachment E – Wellhead Hydrogen Range Map
Attachment F – Wellhead Carbon Monoxide Range Map
Attachment G – Settlement Isopach Range Map



-

CV-251063/D CV-24149 CV-2550
CV-2473 CV-2474 CV-2314 CV-2

CANYON CELL I

CANYON A

A-D RIDGE

MODULE 5

CELL 6

GENERAL DRAWING NOTES:

1. NORTH ARROW SHOWN HERE IS REFERENCE TO THE CALIFORNIA STATE PLANE ZONE V COORDINATE SYSTEM, NAD 83.
2. THE LOCATION OF ANY EXISTING PIPING, VALVES, TIE-IN LOCATIONS AND OTHER FEATURES ARE APPROXIMATE AND SHOULD BE USED FOR INFORMATION PURPOSES ONLY.

CHIKUITA CANYON LANDFILL
CASTAIC, CALIFORNIA

CHUQUITA CANTON LINDI ILL
CASTAIC, CALIFORNIA

DATE _____

5

Solid Waste Borehole Maximum
Temperature Profiles Over 6 Weeks
for 10/23/2025 to 12/3/2025

SCS ENGINEERS

07224053.00 | December 4, 2025

274 Granite Run Drive
Lancaster, PA 17601
717-550-6330

From November 26, 2025, through December 3, 2025, there were two recorded temperature decreases and one recorded temperature increase that triggered the notification limits set forth in the LEA's October 4, 2024 letter.


Additionally, as of April 4, 2025, twelve new TMPs (TMP-21, TMP-24, TMP-25, TMP-26, TMP-27, TMP-28, TMP-29, TMP-30, TMP-31, TMP-32, TMP-34, and TMP-35) have been installed and are online. None of these twelve new TMPs indicate reaction temperatures occurring outside of the currently delineated data-driven reaction area boundary, and the four TMPs that were able to be drilled to within 25 feet of the liner (TMP-24, TMP-27, TMP-31, and TMP-32) show significantly cooler temperatures at the deepest thermocouple, as expected due to the cooling from the underlying earth.

Chiquita provides the following updates:

- TP-07
 - As previously reported, the 60-foot thermocouple showed anomalous readings from October 2nd to October 13th of 175°F up to 2,507°F, October 19th to October 21st, and October 30th to October 31st, indicating issues with the thermocouple and that the readings were most likely erroneous. The wiring was checked on the 60-foot thermocouple and reconnected, but erroneous readings continued. The 60-foot thermocouple was replaced and has returned to normal working order. No other thermocouples at TP-07 showed any such changes in temperatures.
- TP-08
 - The 45-foot thermocouple remained consistent with previous recorded temperatures.
 - The 125-foot thermocouple showed a decrease in maximum temperature of 10°F from 171°F to 161°F from November 24th to November 26th, an increase in maximum temperature of 16°F from 161°F to 177°F from November 26th to November 29th, and then a decrease in maximum temperature of 13°F from 177°F to 164°F from November 29th to November 30th.
 - The 150-foot thermocouple continued to show anomalous readings for a single hour readings on each day of the past week, indicating these readings were likely erroneous. The 150-foot thermocouple will be evaluated next week for issues or possible replacement.
- TP-25
 - The 110-foot thermocouple remained consistent with previous recorded temperatures.
 - The 130-foot thermocouple remained consistent with previous recorded temperatures.
- TP-28
 - As previously reported, all thermocouples were offline on November 7th for TMP raising and show a 0°F reading for November 7th, since each thermocouple was raised, the elevations of each thermocouple show changes. Changes in temperature before November 7th and after November 7th do not represent changes in temperature for the associated waste.


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-1

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-2


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-3


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-4

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-5

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-6

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-7

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-8


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-9

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-10

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-11


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-12

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-13

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-14

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-15


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-16

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-17


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-18

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-19


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-20

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-21

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-24

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-25

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-26

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-27

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-28


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-29


Maximum data for 10/23/2025 to 12/3/2025



10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25


Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-30

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-31

Maximum data for 10/23/2025 to 12/3/2025




Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-32

Maximum data for 10/23/2025 to 12/3/2025



Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-34


Maximum data for 10/23/2025 to 12/3/2025




10/23/25-10/30/25 10/30/25-11/6/25 11/6/25-11/13/25 11/13/25-11/20/25 11/20/25-11/27/25 11/28/25-12/3/25

Vertical Temperature Profiles from Temperature Probes at Chiquita Landfill for TP-35

Maximum data for 10/23/2025 to 12/3/2025





Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill





Thirty Day Maximum Vertical Temperature Map from Temperature Probes at Chiquita Landfill





DATE: 11/10/2025		PROJ. NO. 01204123.41		ACAD FILE: FENGINEERS							
				APP. BY:							
SCALE: AS SHOWN		DWN. BY:		CHK. BY:							
SHEET: 1											
SCS ENGINEERS ENVIRONMENTAL CONSULTANTS 3500 KILROY AIRPORT WAY, SUITE 300 LONG BEACH, CA 90806 PH: (562) 426-9544											
CLIENT:  CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA											
SHEET TITLE: EXISTING TEMPERATURE PROBE MAP PROJECT TITLE: CHIQUITA CANYON LANDFILL CASTAIC, CALIFORNIA						NO.		REVISION		DATE	
						△					
						△					
						△					
						△					





Ranges Mapped			# Points
	>= 0	and < 0.5	265
	>= 0.5	and < 0.9	173
	>= 0.9	and < 1.1	118
	>= 1.1	and < 1.5	199
	>= 1.5	and < 101	18

Point Type Legend

- ▽ calibration record
- ◇ flare-engine-ghg
- △ monitoring probe
- sample port
- well

ATTACHMENT D

Chiquita Canyon Landfill

Range Map

Parameter: CH₄/CO₂ Ratio (high range)

Analysis Method: Average

Date Range: 11/01/2025 - 11/30/2025

Map generation date : 12/10/2025





Ranges Mapped

				# Points
	>= 0	and <	20000	19
	>= 20000	and <	50000	10
	>= 50000	and <	100000	16
	>= 100000	and <	999999	64

The range values noted above are in units of parts per million (ppm). Divide by 10,000 to convert these values to units of percent by volume.

Point Type Legend

- ▽ calibration record
- ◇ flare-engine-ghg
- △ monitoring probe
- sample port
- well

ATTACHMENT E

Chiquita Canyon Landfill Range Map

Parameter: H2 (mid range)



Analysis Method: Average

Date Range: 11/01/2025 - 11/30/2025

Map generation date : 12/10/2025



Chiquita Canyon Landfill - Quarterly Isopach



October 1, 2025 Survey Image. July 2, 2025 vs. October 1, 2025



Attachment F

Fourth Quarter

2025 November

Map

Chiquita Canyon Landfill - Isopach



December 3, 2025 Survey Image. October 29, 2025 vs. December 3, 2025