

First Quarter 2026 Enhanced Air Monitoring Report, Chiquita Canyon Landfill

Chiquita Canyon Landfill
29201 Henry Mayo Drive
Castaic, California 91384

SCS ENGINEERS

01204123.21 Task 11 | May 15, 2026

3900 Kilroy Airport Way, Suite 300
Long Beach, CA 90806
562-426-9544

Table of Contents

Section	Page
1.0 Introduction	1
2.0 Quarterly Monitoring and Sampling Summary	1
Continuous Monitoring	1
Time Composite Sampling.....	2
3.0 Data Review	3
Continuous Monitoring	3
Micro-GC Data.....	3
Time-Composite Sampling.....	4
VOC Data.....	4
RAW Data.....	5
Onterris Supplementary Analysis	5

Tables (In Text)

Table 1.	Discrete and Time-Composite Sample Analyte List.....	3
Table 2.	Discrete Analytical Samples.....	Error! Bookmark not defined.

Figures

Figure 1	Map of Enhanced Air Monitoring Locations
----------	--

Appendices

Appendix A	Monthly EAMP Air Monitoring Reports
Appendix B	Onterris Supplementary Analysis of SCS Engineers' Q1 2026 EAMP Report

This First Quarter 2026 Enhanced Air Monitoring Report for the Chiquita Canyon Landfill, located at 29201 Henry Mayo Drive, Castaic, California, was prepared and reviewed by the following:



Stipe Markotic
Staff Scientist
SCS ENGINEERS



Quincy Laris
Staff Scientist
SCS ENGINEERS



Raymond H. Huff, REPA
Project Director
SCS ENGINEERS

1.0 INTRODUCTION

This submittal covers the period from January 1 to March 31, 2026 and has been prepared for the Los Angeles County Department of Public Health (DPH) by SCS Engineers (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of Chiquita's enhanced air monitoring program (EAMP) for the Chiquita Canyon Landfill (Landfill). The enhanced air monitoring program recommendations were presented in an August 15, 2023 workplan (Workplan) submitted to DPH. After consultation with Chiquita's toxicologists from Onterris (previously CTEH), the EAMP was further expanded to include collection of weekly 24-hour composite samples analyzed for volatile organic compounds (VOCs) and total reduced sulfur (TRS) at the seven off-site monitoring station locations (MS-06 through MS-12).

Please note, in response to the Unilateral Administrative Order (UAO) issued by the United States Environmental Protection Agency (EPA) on February 21, 2024, an updated Workplan was implemented for the EAMP to address the requirements of the UAO.

Based on discussions with the South Coast Air Quality Management District (SCAQMD), the weekly TRS, odor, and expanded VOC grab sampling at all 12 monitoring station (MS or stations) locations, the two additional on-site locations and three additional off-site locations (17 locations in total), stopped in September 2025.

The EAMP includes the following components:

- Weekly 24 hour sampling for TRS compounds via Method 307.91.
- Weekly 24 hour sampling for an expanded VOC list located in Table 1 via Method TO-15 SIM analysis.
- Installation of ten (10) micro GCs to monitor an expanded list of VOCs as part of the Modified Stipulated Order For Abatement (SOFA). A complete list of analytes is found in Table 1 of the updated Workplan.

A map showing the locations of the monitoring stations is included as **Figure 1**. As shown in **Figure 1**, MS-01 through MS-05 are located around the perimeter of the Landfill, MS-06 through MS-12 are located in the community surrounding the Landfill.

A summary of the methods, results and analysis of the data collected from the first quarter of 2026 is presented below. In addition, all monitoring data referenced in this report has been provided to DPH via monthly monitoring updates. Per the request of DPH, copies of the raw analytical and monitoring data that was previously provided have been included in this report. A copy of the Monthly EAMP Reports during the first quarter of 2026 are included in **Appendix A**.

2.0 QUARTERLY MONITORING AND SAMPLING SUMMARY

CONTINUOUS MONITORING

Chiquita has a network of twelve air monitoring stations with seven stations located throughout the community surrounding the Landfill (MS-06 through MS-12) and the remaining five stations located on-site (MS-01 through MS-05), around the Landfill perimeter.

Beginning in late August and into early September 2023, SCS added two additional monitoring modules to MS-04 and MS-12. MS-04 is located in the northwest corner of the Landfill. MS-12 is located in the community of Val Verde, approximately 0.5 miles northwest of the Landfill. The additional modules provide continuous SO₂ measurement. As of June 26, 2024, SCS added continuous SO₂ modules for all remaining onsite and offsite air monitoring stations.

As of September 2024, eight additional micro-GC units were installed as required by the UAO, for a total of ten micro-GC units monitoring air quality around the Landfill.

TIME COMPOSITE SAMPLING

On a weekly basis, seven (7) 24-hour time-composited air samples are collected from the seven (7) off-site air monitoring stations (MS-06 through MS-12). Time-composite samples are collected over a 24-hour period and analyzed for the constituents listed in **Table 1**.

Samples are analyzed for VOCs using U.S. Environmental Protection Agency (EPA) Method TO-15. TRS samples are analyzed using South Coast Air Quality Management District (SCAQMD) Method 307.91. Results of the time composite samples for the reporting period are contained in the Monthly EAMP Reports included in **Appendix A**.

Table 1. Time-Composite Sample Analyte List

SCAQMD Method 307.91 Analytes			
2-Methylthiophene	Diethyl Sulfide	Isopropyl Mercaptan	tert-Butyl Mercaptan
3-Methylthiophene	Dimethyl Disulfide	Methyl Mercaptan	Tetrahydrothiophene
Bromothiophene	Dimethyl Sulfide (DMS)	Methylethylsulfide	Thiophenol
Carbon Disulfide	Ethyl Mercaptan	n-Butyl Mercaptan	Total Reduced Sulfurs
Carbonyl Sulfide (COS/SO2)	Hydrogen Sulfide (H2S)	n-Propyl Mercaptan	Total Unidentified Sulfur
Diethyl Disulfide	iso-Butyl Mercaptan	sec-Butyl Mercaptan/Thiophene	
EPA Method TO-15 Analytes			
1,1,1-Trichloroethane	4-Ethyltoluene	Dibromochloromethane	Napthalene
1,1,2,2-Tetrachloroethane	4-Methyl-2-pentanone (MiBK)	Dichlorodifluoromethane	n-Butylbenzene
1,1,2-Trichloroethane	Acetaldehyde	Dichlorofluoromethane	n-Propylbenzene
1,1-Dichloroethane	Acetone	Dichlorotetrafluoroethane	o-Xylene
1,1-Dichloroethene	Acrolein	Dimethyl Ether	Propene
1,2,3-Trichloropropane	Acrylonitrile	Ethanol	Sec-butylbenzene
1,2,4-Trichlorobenzene	Allyl Chloride	Ethyl Acetate	Styrene
1,2,4-Trimethylbenzene	Benzene	Ethylbenzene	Tertbutanol (TBA)
1,2-Dibromoethane	Benzyl Chloride (4-Chlorotoluene)	Freon 11	Tetrachloroethene (PCE)
1,2-Dichlorobenzene	Bromodichloromethane	Freon 113	Tetrahydrofuran
1,2-Dichloroethane	Bromoform	Freon 114	Toluene
1,2-Dichloropropane	Bromomethane	Freon 12	trans-1,2-Dichloroethene
1,3,5-Trimethylbenzene	Carbon Disulfide	Heptane	trans-1,3-Dichloropropene
1,3-Butadiene	Carbon Tetrachloride	Hexachlorobutadiene	Trichloroethene (TCE)
1,3-Dichlorobenzene	Chlorobenzene	Hexane	Trichlorofluoromethane
1,4-Dichlorobenzene	Chlorodifluoromethane	Isopropyl Alcohol	Trichlorotrifluoroethane
1,4-Dioxane	Chloroethane	Isopropylbenzene	Vinyl Acetate
2,2,4-Trimethylpentane	Chloroform	m & p-Xylene	Vinyl Bromide
2-Butanone (MEK)	Chloromethane	Methanol	Vinyl Chloride
2-Chlorotoluene	cis-1,2-Dichloroethene	Methyl Methacrylate	a-Pinene
2-Hexanone (MBK)	cis-1,3-Dichloropropene	Methyl Tert Butyl Ether (MTBE)	b-Pinene
2-Propanol (IPA)	Cyclohexane	Methylene Chloride (DCM)	

Note: Some analytical reports may have less analytes, depending on laboratory capabilities.

3.0 DATA REVIEW

CONTINUOUS MONITORING

Micro-GC Data

In response to the modified SOFA issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024, deadline. As of September 2024, eight additional micro-GC units were brought online as required under the UAO. The continuous air monitoring results are hosted online through the Chiquita Canyon website. A link to the real time, continuous data is found below:

<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

Data is publicly available for viewing and download on the website.

Over the reporting period, there was variation in the measured compounds, but no strong trend of increasing or decreasing concentrations.

The California Office of Environmental Health Hazard Assessment (OEHHA) establishes Acute Reference Exposure Levels (Acute RELs) for airborne compounds. The Acute REL for a compound is defined as the concentration level at or below which no adverse health effects are anticipated for 1 hour of exposure to the compound. The micro-GCs measure compounds hourly, which provides data that can be directly compared to Acute RELs. Of the compounds measured, isopropyl alcohol (IPA), 2-butanone, benzene, toluene, methanol, carbon disulfide, styrene, acrolein and m,p-Xylene have an OEHHA Acute REL. During the past quarter, the micro-GCs have not detected any of these compounds at or above their corresponding OEHHA Acute REL on a one-hour basis except for acrolein.

At various times throughout the reporting period, several units recorded acrolein above the acute OEHHA REL that upon further review were ultimately determined to be erroneous readings. These erroneous readings are a result of co-elution of unknown compounds and/or instrumentation deficiencies. A supplemental Acrolein Exceedance Analysis report will be submitted to the SCAQMD detailing the data investigation and conclusion for each of the acrolein exceedances from March 2025 to March 2026. Following data review, two acrolein readings above the acute OEHHA REL were determined to be valid, and they are discussed below.

On January 18, 2026; at 7:00 PM there was an acrolein reading above the acute OEHHA REL at onsite station MS-02. During that hour, acrolein was measured at 1.37 parts per billion (ppb), which is above the acute REL threshold of 1.1 ppb. The wind direction during the time of the exceedance suggests that the unit was downwind from the landfill.

On January 22, 2026, at 5:00 PM there was an acrolein reading above the acute OEHHA REL at onsite station MS-01. During that hour, acrolein was measured at 1.49 ppb; which is above the acute REL threshold 1.1ppb. The wind direction during the time of the exceedance suggests that the unit was downwind from the landfill.

Note, a full shutdown of the main flares occurred on January 16, 2026, and landfill gas (LFG) collection returned to approximately 14,000 standard cubic feet (scfm) by January 26, 2026. Following supplemental review of wind, methane, and site operations data, no strong trend or correlation was established to indicate an alternative source or explanation for the acrolein readings mentioned above other than the landfill. Readings above the acute OEHHA REL were not detected at offsite stations during these events.

TIME-COMPOSITE SAMPLING

During the first quarter of 2026, a total of 97, 24-hour time composite samples were collected from the 7 off-site monitoring stations, MS-06 through MS-12. Samples collected were analyzed using EPA Method TO-15 SIM and SCAQMD Method 307.91. Sampling results are discussed below.

VOC Data

During the reporting period, a total of 90 samples were collected and analyzed for any of 58 different individual VOCs. Out of the 90 samples analyzed, all 90 samples detected one or more VOCs. VOC

analysis may contain fewer results from all 24-hr sampling. Fewer samples may be a result of accessibility issues along with an excluded samples using the QA/QC procedures included in the Standard Operating Procedures for the Enhanced Air Monitoring Program.

RAW DATA

In response to the DPH Response to the First Quarter 2024 Enhanced Air Monitoring Report issued on June 6, 2024, raw data from the Monthly EAMP Reports for the reporting period are now included in **Appendix A**.

ONTERRIS SUPPLEMENTARY ANALYSIS


At the request of CCL, and in response to the DPH's June 6, 2024 letter, Onterris prepared a supplementary analysis for this report which can be found in **Appendix B**.

Figure 1

Map of Enhanced Air Monitoring Locations

Legend

- Micro-GC
- Off-Site Station
- On-Site Station



Google Earth

Image © 2025 Airbus

Community Air Monitoring Program
Continuous Air Monitoring Stations

MS-11

1 mi

Appendix A

Q1 2026 Monthly EAMP Reports

February 20, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: Monthly Enhanced Air Monitoring Program Data, January 2026, Chiquita Canyon Landfill

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the January 2026 24-hr samples are found in **Attachment A**.

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Order for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of



September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:


<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers

attachments


cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (CTEH)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kate Logan (CCL)

FIGURE 1
MAP OF AIR MONITORING LOCATIONS

Legend

- Micro-GC
- Off-Site Station
- On-Site Station



Google Earth

Image © 2025 Airbus

Community Air Monitoring Program
 Continuous Air Monitoring Stations

MS-11

1 mi

N

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

Sample Summary

Raymond Huff	Lab Job #:	550229
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	01/06/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	550229-001	01/06/26 07:15	Air
MS-12	550229-002	01/06/26 07:30	Air
MS-08	550229-003	01/06/26 07:40	Air
MS-09	550229-004	01/06/26 07:59	Air
MS-10	550229-005	01/06/26 08:11	Air
MS-06	550229-006	01/06/26 08:29	Air
MS-11	550229-007	01/06/26 08:41	Air

Case Narrative

SCS Engineers - Long Beach	Lab Job Number: 550229
3900 Kilroy Airport Way	Project No: CHIQUITA WEEKLY AIR
Suite 100	Location: Chiquita Canyon Landfill Air/Odor
Long Beach, CA 90806	Sampling
Raymond Huff	Date Received: 01/06/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 01/06/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



CUSTOMER INFORMATION		PROJECT INFORMATION					
Company:	S&S Engineers	Name:	Christina Cagan Lead Fill Kribber Sampling				
Report To:	Ray Huff	Number:					
Email:	rhuff@ssengineers.com	Address:	Valencia, CA				
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:					
Phone:	562-355-6334 Fax: 562-427-0805	Sampled By:	Jacob Pennington				
Special Instructions:							

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date				
1 MS-07	A	C70070	6L	A70110	1-5-26	0715	1-6-26	0715	-7	X	
2 MS-12	A	C70849	6L	A70432	1-5-26	0730	1-6-26	0730	-9	X	
3 MS-08	A	C70693	6L	A70639	1-5-26	0740	1-6-26	0740	-5	X	
4 MS-09	A	C70359	6L	A70163	1-5-26	0759	1-6-26	0759	-6	X	
5 MS-10	A	C70632	6L	A70670	1-5-26	0811	1-6-26	0811	-0	X	
6 MS-06	A	C70227	6L	A70561	1-5-26	0829	1-6-26	0829	-4	X	
7 MS-11	A	C70290	6L	A70641	1-5-26	0841	1-6-26	0841	-8	X	
8											
9											
10											

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RECEIVED BY:	<i>[Signature]</i>	Jacob Pennington	Res	1-6-26/1142
RELINQUISHED BY:		JETH CO	ENTHALPY	01/06/26 1145
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 01/06/26 WO# 550229 Client: SCSLB

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 01/06/26 By (initials) JKC Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?	x		
7) Does the container count match the CoC?			x
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?			x
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 01/06/26 By (print) JETH CO (sign) [Signature]

Date Labeled 01/06/26 By (print) JETH CO (sign) [Signature]

Analysis Results for 550229

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 550229
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/06/26

Sample ID: MS-07 Lab ID: 550229-001 Collected: 01/06/26 07:15
Matrix: Air

550229-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Freon 12	0.40		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chloromethane	0.44		ppbv	0.11	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Freon 114	0.015		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Bromomethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Methylene Chloride	0.12		ppbv	0.022	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Freon 113	0.061		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chloroform	0.018		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dichloroethane	0.019		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Benzene	0.17		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Carbon Tetrachloride	0.072		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Trichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Toluene	0.15		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Ethylbenzene	0.025		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
m,p-Xylenes	0.064		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Bromoform	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Styrene	0.017		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
o-Xylene	0.025		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2,4-Trimethylbenzene	0.026		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD

Analysis Results for 550229

550229-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Xylene (total)	0.088		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Surrogates				Limits					
Bromofluorobenzene	107%		%REC	60-140	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD

Analysis Results for 550229

Sample ID: MS-12	Lab ID: 550229-002	Collected: 01/06/26 07:30
Matrix: Air		

550229-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Freon 12	0.39		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chloromethane	0.77		ppbv	0.11	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Freon 114	0.014		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Bromomethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chloroethane	0.061		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Freon 113	0.059		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chloroform	0.018		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dichloroethane	0.017		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Benzene	0.17		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Carbon Tetrachloride	0.068		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Trichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Toluene	0.23		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Ethylbenzene	0.036		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
m,p-Xylenes	0.10		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Bromoform	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Styrene	0.025		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
o-Xylene	0.038		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2,4-Trimethylbenzene	0.036		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD

Analysis Results for 550229

550229-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Xylene (total)	0.14		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Surrogates				Limits					
Bromofluorobenzene	106%		%REC	60-140	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD

Analysis Results for 550229

Sample ID: MS-08	Lab ID: 550229-003	Collected: 01/06/26 07:40
Matrix: Air		

550229-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Freon 12	0.39		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chloromethane	0.44		ppbv	0.10	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Freon 114	0.014		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chloroethane	0.049		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Methylene Chloride	0.11		ppbv	0.020	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Freon 113	0.060		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chloroform	0.016		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Benzene	0.18		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Carbon Tetrachloride	0.069		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Toluene	0.25		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Tetrachloroethene	0.010		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Ethylbenzene	0.033		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
m,p-Xylenes	0.10		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Styrene	0.018		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
o-Xylene	0.039		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,3,5-Trimethylbenzene	0.011		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2,4-Trimethylbenzene	0.046		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD

Analysis Results for 550229

550229-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Xylene (total)	0.14		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Surrogates				Limits					
Bromofluorobenzene	107%		%REC	60-140	1	391846	01/07/26 23:53	01/07/26 23:53	OHD

Analysis Results for 550229

Sample ID: MS-09	Lab ID: 550229-004	Collected: 01/06/26 07:59
Matrix: Air		

550229-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Freon 12	0.39		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chloromethane	0.42		ppbv	0.10	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Freon 114	0.014		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chloroethane	0.031		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Methylene Chloride	0.12		ppbv	0.020	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Freon 113	0.059		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chloroform	0.024		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dichloroethane	0.019		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Benzene	0.18		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Carbon Tetrachloride	0.070		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Toluene	0.26		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Tetrachloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Ethylbenzene	0.040		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
m,p-Xylenes	0.12		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Styrene	0.26		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
o-Xylene	0.047		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2,4-Trimethylbenzene	0.033		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD

Analysis Results for 550229

550229-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Xylene (total)	0.16		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Surrogates				Limits					
Bromofluorobenzene	111%		%REC	60-140	1	391846	01/08/26 00:42	01/08/26 00:42	OHD

Analysis Results for 550229

Sample ID: MS-10	Lab ID: 550229-005	Collected: 01/06/26 08:11
Matrix: Air		

550229-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Freon 12	0.38		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chloromethane	0.43		ppbv	0.10	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Freon 114	0.014		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chloroethane	0.016		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Methylene Chloride	0.12		ppbv	0.020	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Freon 113	0.058		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chloroform	0.027		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dichloroethane	0.019		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Benzene	0.21		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Carbon Tetrachloride	0.068		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Toluene	0.30		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Tetrachloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Ethylbenzene	0.037		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
m,p-Xylenes	0.11		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Styrene	0.050		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
o-Xylene	0.043		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,3,5-Trimethylbenzene	0.012		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2,4-Trimethylbenzene	0.041		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD

Analysis Results for 550229

550229-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Xylene (total)	0.16		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Surrogates				Limits					
Bromofluorobenzene	109%		%REC	60-140	1	391846	01/08/26 01:30	01/08/26 01:30	OHD

Analysis Results for 550229

Sample ID: MS-06	Lab ID: 550229-006	Collected: 01/06/26 08:29
Matrix: Air		

550229-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Freon 12	0.39		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chloromethane	0.42		ppbv	0.10	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Freon 114	0.014		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chloroethane	0.077		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Methylene Chloride	0.12		ppbv	0.020	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Freon 113	0.058		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chloroform	0.023		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Benzene	0.20		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Carbon Tetrachloride	0.069		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Toluene	0.26		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Tetrachloroethene	0.011		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Ethylbenzene	0.034		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
m,p-Xylenes	0.089		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Styrene	0.069		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
o-Xylene	0.036		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2,4-Trimethylbenzene	0.040		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD

Analysis Results for 550229

550229-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Xylene (total)	0.12		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Surrogates				Limits					
Bromofluorobenzene	110%		%REC	60-140	1	391846	01/08/26 02:19	01/08/26 02:19	OHD

Analysis Results for 550229

Sample ID: MS-11	Lab ID: 550229-007	Collected: 01/06/26 08:41
Matrix: Air		

550229-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Freon 12	0.39		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chloromethane	0.43		ppbv	0.12	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Freon 114	0.014		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Bromomethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Trichlorofluoromethane	0.18		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Methylene Chloride	0.11		ppbv	0.024	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Freon 113	0.059		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chloroform	0.019		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dichloroethane	0.017		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Benzene	0.087		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Carbon Tetrachloride	0.069		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Trichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Toluene	0.088		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Ethylbenzene	0.014		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
m,p-Xylenes	0.038		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Bromoform	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Styrene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
o-Xylene	0.016		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD

Analysis Results for 550229

550229-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Xylene (total)	0.054		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Surrogates				Limits					
Bromofluorobenzene	107%		%REC	60-140	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1328441	Batch: 391846
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1328441 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	218.9	200.0	pptv	109%		70-130
1,1,1,2-Tetrachloroethane	218.2	200.0	pptv	109%		70-130
Freon 12	182.2	200.0	pptv	91%		70-130
Chloromethane	173.9	200.0	pptv	87%		70-130
Freon 114	184.4	200.0	pptv	92%		70-130
Vinyl Chloride	174.2	200.0	pptv	87%		70-130
Bromomethane	178.4	200.0	pptv	89%		70-130
Chloroethane	194.2	200.0	pptv	97%		70-130
Vinyl bromide	197.8	200.0	pptv	99%		70-130
Trichlorofluoromethane	192.2	200.0	pptv	96%		70-130
1,1-Dichloroethene	196.9	200.0	pptv	98%		70-130
Methylene Chloride	215.9	200.0	pptv	108%		70-130
Freon 113	198.6	200.0	pptv	99%		70-130
trans-1,2-Dichloroethene	188.6	200.0	pptv	94%		70-130
1,1-Dichloroethane	193.0	200.0	pptv	96%		70-130
cis-1,2-Dichloroethene	186.0	200.0	pptv	93%		70-130
Chloroform	194.3	200.0	pptv	97%		70-130
1,2-Dichloroethane	184.9	200.0	pptv	92%		70-130
1,1,1-Trichloroethane	194.9	200.0	pptv	97%		70-130
Benzene	190.1	200.0	pptv	95%		70-130
Carbon Tetrachloride	193.8	200.0	pptv	97%		70-130
1,2-Dichloropropane	201.4	200.0	pptv	101%		70-130
Bromodichloromethane	199.2	200.0	pptv	100%		70-130
Trichloroethene	211.1	200.0	pptv	106%		70-130
cis-1,3-Dichloropropene	204.6	200.0	pptv	102%		70-130
trans-1,3-Dichloropropene	204.4	200.0	pptv	102%		70-130
1,1,2-Trichloroethane	206.8	200.0	pptv	103%		70-130
Toluene	191.2	200.0	pptv	96%		70-130
Dibromochloromethane	196.6	200.0	pptv	98%		70-130
1,2-Dibromoethane	202.5	200.0	pptv	101%		70-130
Tetrachloroethene	213.1	200.0	pptv	107%		70-130
Chlorobenzene	215.1	200.0	pptv	108%		70-130
Ethylbenzene	199.4	200.0	pptv	100%		70-130
m,p-Xylenes	430.1	400.0	pptv	108%		70-130
Bromoform	195.0	200.0	pptv	97%		70-130
Styrene	206.0	200.0	pptv	103%		70-130
o-Xylene	215.8	200.0	pptv	108%		70-130
2-Chlorotoluene	215.1	200.0	pptv	108%		70-130
1,3,5-Trimethylbenzene	229.4	200.0	pptv	115%		70-130
1,2,4-Trimethylbenzene	214.8	200.0	pptv	107%		70-130
Benzyl chloride	232.4	200.0	pptv	116%		70-130
1,3-Dichlorobenzene	235.2	200.0	pptv	118%		70-130
1,4-Dichlorobenzene	230.9	200.0	pptv	115%		70-130
1,2-Dichlorobenzene	224.2	200.0	pptv	112%		70-130
1,2,4-Trichlorobenzene	190.6	200.0	pptv	95%		70-130
Hexachlorobutadiene	205.8	200.0	pptv	103%		70-130

Surrogates

Batch QC

QC1328441 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	318.8	250.0	pptv	128%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1328442	Batch: 391846
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1328442 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	214.0	200.0	pptv	107%		70-130	2	25
1,1,1,2-Tetrachloroethane	213.5	200.0	pptv	107%		70-130	2	25
Freon 12	178.5	200.0	pptv	89%		70-130	2	25
Chloromethane	169.8	200.0	pptv	85%		70-130	2	25
Freon 114	180.3	200.0	pptv	90%		70-130	2	25
Vinyl Chloride	169.6	200.0	pptv	85%		70-130	3	25
Bromomethane	174.6	200.0	pptv	87%		70-130	2	25
Chloroethane	190.9	200.0	pptv	95%		70-130	2	25
Vinyl bromide	194.0	200.0	pptv	97%		70-130	2	25
Trichlorofluoromethane	187.4	200.0	pptv	94%		70-130	3	25
1,1-Dichloroethene	193.8	200.0	pptv	97%		70-130	2	25
Methylene Chloride	211.1	200.0	pptv	106%		70-130	2	25
Freon 113	194.1	200.0	pptv	97%		70-130	2	25
trans-1,2-Dichloroethene	185.7	200.0	pptv	93%		70-130	2	25
1,1-Dichloroethane	188.5	200.0	pptv	94%		70-130	2	25
cis-1,2-Dichloroethene	182.0	200.0	pptv	91%		70-130	2	25
Chloroform	189.4	200.0	pptv	95%		70-130	3	25
1,2-Dichloroethane	179.7	200.0	pptv	90%		70-130	3	25
1,1,1-Trichloroethane	190.3	200.0	pptv	95%		70-130	2	25
Benzene	186.8	200.0	pptv	93%		70-130	2	25
Carbon Tetrachloride	189.8	200.0	pptv	95%		70-130	2	25
1,2-Dichloropropane	197.5	200.0	pptv	99%		70-130	2	25
Bromodichloromethane	193.3	200.0	pptv	97%		70-130	3	25
Trichloroethene	206.2	200.0	pptv	103%		70-130	2	25
cis-1,3-Dichloropropene	197.9	200.0	pptv	99%		70-130	3	25
trans-1,3-Dichloropropene	199.3	200.0	pptv	100%		70-130	3	25
1,1,2-Trichloroethane	200.7	200.0	pptv	100%		70-130	3	25
Toluene	187.4	200.0	pptv	94%		70-130	2	25
Dibromochloromethane	192.4	200.0	pptv	96%		70-130	2	25
1,2-Dibromoethane	197.2	200.0	pptv	99%		70-130	3	25
Tetrachloroethene	208.1	200.0	pptv	104%		70-130	2	25
Chlorobenzene	210.7	200.0	pptv	105%		70-130	2	25
Ethylbenzene	196.5	200.0	pptv	98%		70-130	1	25
m,p-Xylenes	424.2	400.0	pptv	106%		70-130	1	25
Bromoform	191.3	200.0	pptv	96%		70-130	2	25
Styrene	202.6	200.0	pptv	101%		70-130	2	25
o-Xylene	212.1	200.0	pptv	106%		70-130	2	25
2-Chlorotoluene	211.6	200.0	pptv	106%		70-130	2	25
1,3,5-Trimethylbenzene	224.7	200.0	pptv	112%		70-130	2	25
1,2,4-Trimethylbenzene	210.2	200.0	pptv	105%		70-130	2	25
Benzyl chloride	227.9	200.0	pptv	114%		70-130	2	25
1,3-Dichlorobenzene	228.7	200.0	pptv	114%		70-130	3	25
1,4-Dichlorobenzene	227.0	200.0	pptv	113%		70-130	2	25
1,2-Dichlorobenzene	219.4	200.0	pptv	110%		70-130	2	25
1,2,4-Trichlorobenzene	195.0	200.0	pptv	97%		70-130	2	25
Hexachlorobutadiene	201.4	200.0	pptv	101%		70-130	2	25

Batch QC

QC1328442 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	313.8	250.0	pptv	126%		70-130		

Batch QC


Type: Blank	Lab ID: QC1328443	Batch: 391846
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1328443 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Freon 12	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chloromethane	ND		pptv	100	01/07/26 14:21	01/07/26 14:21
Freon 114	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Vinyl Chloride	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Bromomethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Vinyl bromide	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Trichlorofluoromethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1-Dichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Methylene Chloride	ND		pptv	20	01/07/26 14:21	01/07/26 14:21
Freon 113	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
trans-1,2-Dichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1-Dichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
cis-1,2-Dichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chloroform	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1,1-Trichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Benzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Carbon Tetrachloride	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dichloropropane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Bromodichloromethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Trichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
cis-1,3-Dichloropropene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
trans-1,3-Dichloropropene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1,2-Trichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Toluene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Dibromochloromethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dibromoethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Tetrachloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Ethylbenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
m,p-Xylenes	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Bromoform	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Styrene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
o-Xylene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
2-Chlorotoluene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,3,5-Trimethylbenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2,4-Trimethylbenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Benzyl chloride	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,3-Dichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,4-Dichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2,4-Trichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Hexachlorobutadiene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Xylene (total)	ND		pptv	10	01/07/26 14:21	01/07/26 14:21

Batch QC

QC1328443 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	101%		%REC	70-130	01/07/26 14:21	01/07/26 14:21

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260046
REPORT DATE : 01/12/2026


On January 6th, 2026 Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260046-85085
MS-12	260046-85086
MS-08	260046-85087
MS-09	260046-85088
MS-10	260046-85089
MS-06	260046-85090
MS-11	260046-85091


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of **5** pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260046
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/05-06/2026
RECEIVING DATE : 01/06/2026
ANALYSIS DATE : 01/06/2026
REPORT DATE : 01/12/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260046-85089	260046-85090	260046-85091
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260046
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 01/05-06/2026
RECEIVING DATE : 01/06/2026
ANALYSIS DATE : 01/06/2026
REPORT DATE : 01/12/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260046-85085	260046-85086	260046-85087	260046-85088
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 1/6/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8165	0.518	105.0	3.1
Duplicate	7917	0.503	101.8	0.0
Triplicate	7676	0.487	98.7	3.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7749	0.531	104.6	3.7
Duplicate	7405	0.507	99.9	0.9
Triplicate	7267	0.498	98.1	2.8

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8265	0.503	104.6	0.1
Duplicate	8263	0.503	104.6	0.1
Triplicate	8243	0.501	104.3	0.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 252436-80858

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 252436-80858 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.241	0.224	97.6	90.7	7.3
MeSH	<PQL	0.254	0.251	0.251	98.9	98.9	0.0
DMS	<PQL	0.240	0.259	0.259	107.8	107.8	0.0

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.517	104.7
MeSH	0.508	0.553	109.0
DMS	0.481	0.520	108.2


* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV



CHAIN OF CUSTODY RECORD 260046

Client/Project Name SCS Engineers Chiquita Canyon Landfill Air/Bodor Sampling		Project Location Valencia, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Jacob Pennington		(Signature) <i>Jacob Pennington</i>		No. Of Containers 7 507.91 Solfor			
Sample No./ Identification	Date	Time	Lab Sample Number			Type of Sample	Remarks
MS-07	1-5-26	0715	85085			16 Liter Bag	X
MS-12	1-5-26	0730	85086			16 Liter Bag	X
MS-08	1-5-26	0740	85087			16 Liter Bag	X
MS-09	1-5-26	0759	85088			16 Liter Bag	X
MS-10	1-5-26	0811	85089			16 Liter Bag	X
MS-06	1-5-26	0829	85090			16 Liter Bag	X
MS-11	1-5-26	0841	85091	16 Liter Bag	X		
Relinquished by: (Signature) <i>Jacob Pennington</i>		Date	Time	Received by: (Signature)			
Relinquished by: (Signature)		Date	Time	Received by: (Signature)			
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <i>H</i>			
Sample Disposal Method:		Disposed of by: (Signature)					
Sample Collector		Analytical Laboratory AAC Ventura					



Sample Summary

Raymond Huff	Lab Job #:	550762
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	01/13/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	550762-001	01/13/26 07:15	Air
MS-12	550762-002	01/13/26 07:27	Air
MS-08	550762-003	01/13/26 07:37	Air
MS-09	550762-004	01/13/26 07:49	Air
MS-10	550762-005	01/13/26 08:00	Air
MS-06	550762-006	01/13/26 08:17	Air
MS-11	550762-007	01/13/26 08:40	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 550762
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 01/13/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 01/13/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



Login 550762



ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 550762

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION			
Company:	SES Engineers			Name:	Chieula Canyon Landfill Auditor Sampling		
Report To:	Ray Hoff			Number:			
Email:	rhoff@sesengineers.com			Address:	Valencia, CA		
Address:	3900 Kilroy Airport Way suite 300 Long Beach, CA 90806			Global ID:			
Phone:	562-355-6334	Fax:	427-0805	Sampled By:	Jacob Remington		
Special Instructions:							

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date				
1 MS-07	A	C70869	6L	A70548	1-12-26	0715	1-13-26	0715	-27	-4	X
2 MS-12	A	C70041	6L	A70226	1-12-26	0727	1-13-26	0727	-25	-2	X
3 MS-08	A	C70318	6L	A70652	1-12-26	0737	1-13-26	0737	-30	-5	X
4 MS-09	A	C70954	6L	A70440	1-12-26	0749	1-13-26	0749	-35	-9	X
5 MS-10	A	C70874	6L	A70149	1-12-26	0800	1-13-26	0800	-30	-5	X
6 MS-06	A	C70882	6L	A70292	1-12-26	0817	1-13-26	0817	-30	-0	X
7 MS-11	A	C70962	6L	A70536	1-12-26	0840	1-13-26	0840	-30	-10	X
8											
9											
10											

RELINQUISHED BY:	RECEIVED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
			Jacob Remington	Res	1-13-26/1206
			Ray Hoff	EA	1-13-26/1206

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 01/13/26 WO# 550762 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 01/13/26 By (initials) JXR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 01/13/26 By (print) FPD (sign) [Signature]
 Date Labeled 01/13/26 By (print) FPD (sign) [Signature]

Analysis Results for 550762

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 550762
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/13/26

Sample ID: MS-07 Lab ID: 550762-001 Collected: 01/13/26 07:15
Matrix: Air

550762-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Freon 12	0.40		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chloromethane	0.45		ppbv	0.11	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Freon 114	0.014		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Bromomethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chloroethane	0.014		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Methylene Chloride	0.14		ppbv	0.021	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Freon 113	0.061		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chloroform	0.013		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dichloroethane	0.022		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Benzene	0.069		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Carbon Tetrachloride	0.071		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Trichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Toluene	0.065		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
m,p-Xylenes	0.017		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Bromoform	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Styrene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
o-Xylene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2,4-Trimethylbenzene	0.011		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD

Analysis Results for 550762

550762-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Xylene (total)	0.017		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Surrogates				Limits					
Bromofluorobenzene	104%		%REC	60-140	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD

Analysis Results for 550762

Sample ID: MS-12	Lab ID: 550762-002	Collected: 01/13/26 07:27
Matrix: Air		

550762-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Freon 12	0.40		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chloromethane	0.45		ppbv	0.10	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Freon 114	0.014		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chloroethane	0.014		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Methylene Chloride	0.13		ppbv	0.020	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Freon 113	0.061		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chloroform	0.013		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dichloroethane	0.022		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Benzene	0.078		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Carbon Tetrachloride	0.071		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Toluene	0.081		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Ethylbenzene	0.011		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
m,p-Xylenes	0.033		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Styrene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
o-Xylene	0.015		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD

Analysis Results for 550762

550762-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Xylene (total)	0.047		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Surrogates				Limits					
Bromofluorobenzene	111%		%REC	60-140	1	392561	01/15/26 15:44	01/15/26 15:44	OHD

Analysis Results for 550762

Sample ID: MS-08	Lab ID: 550762-003	Collected: 01/13/26 07:37
Matrix: Air		

550762-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Freon 12	0.39		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chloromethane	0.46		ppbv	0.10	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Freon 114	0.014		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chloroethane	0.054		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Methylene Chloride	0.15		ppbv	0.020	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Freon 113	0.059		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chloroform	0.014		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dichloroethane	0.028		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Benzene	0.34		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Carbon Tetrachloride	0.069		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Toluene	1.2		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Ethylbenzene	0.12		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
m,p-Xylenes	0.41		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Styrene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
o-Xylene	0.13		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,3,5-Trimethylbenzene	0.020		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2,4-Trimethylbenzene	0.077		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD

Analysis Results for 550762

550762-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Xylene (total)	0.54		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Surrogates				Limits					
Bromofluorobenzene	110%		%REC	60-140	1	392561	01/15/26 16:33	01/15/26 16:33	OHD

Analysis Results for 550762

Sample ID: MS-09	Lab ID: 550762-004	Collected: 01/13/26 07:49
Matrix: Air		

550762-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Freon 12	0.40		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chloromethane	0.45		ppbv	0.11	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Freon 114	0.014		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Bromomethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chloroethane	0.034		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Methylene Chloride	0.14		ppbv	0.022	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Freon 113	0.061		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chloroform	0.014		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dichloroethane	0.022		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Benzene	0.069		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Carbon Tetrachloride	0.072		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Trichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Toluene	0.052		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
m,p-Xylenes	0.015		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Bromoform	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Styrene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
o-Xylene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD

Analysis Results for 550762

550762-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Xylene (total)	0.015		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Surrogates				Limits					
Bromofluorobenzene	109%		%REC	60-140	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD

Analysis Results for 550762

Sample ID: MS-10
Lab ID: 550762-005
Collected: 01/13/26 08:00
Matrix: Air

550762-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Freon 12	0.39		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chloromethane	0.45		ppbv	0.10	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Freon 114	0.014		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Methylene Chloride	0.14		ppbv	0.020	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Freon 113	0.060		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chloroform	0.015		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dichloroethane	0.022		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Benzene	0.10		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Carbon Tetrachloride	0.070		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Toluene	0.11		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Ethylbenzene	0.011		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
m,p-Xylenes	0.033		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Styrene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
o-Xylene	0.014		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD

Analysis Results for 550762

550762-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Xylene (total)	0.047		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Surrogates				Limits					
Bromofluorobenzene	105%		%REC	60-140	1	392561	01/15/26 18:10	01/15/26 18:10	OHD

Analysis Results for 550762

Sample ID: MS-06	Lab ID: 550762-006	Collected: 01/13/26 08:17
Matrix: Air		

550762-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Freon 12	0.40		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chloromethane	0.45		ppbv	0.10	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Freon 114	0.014		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Methylene Chloride	0.13		ppbv	0.020	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Freon 113	0.060		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chloroform	0.013		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dichloroethane	0.022		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Benzene	0.058		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Carbon Tetrachloride	0.071		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Toluene	0.035		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Ethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
m,p-Xylenes	0.011		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Styrene	0.070		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
o-Xylene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD

Analysis Results for 550762

550762-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Xylene (total)	0.011		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Surrogates				Limits					
Bromofluorobenzene	109%		%REC	60-140	1	392561	01/15/26 18:59	01/15/26 18:59	OHD

Analysis Results for 550762

Sample ID: MS-11	Lab ID: 550762-007	Collected: 01/13/26 08:40
Matrix: Air		

550762-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Freon 12	0.40		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chloromethane	0.45		ppbv	0.12	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Freon 114	0.014		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Bromomethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Trichlorofluoromethane	0.18		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Methylene Chloride	0.14		ppbv	0.024	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Freon 113	0.061		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chloroform	0.013		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dichloroethane	0.022		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Benzene	0.057		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Carbon Tetrachloride	0.072		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Trichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Toluene	0.039		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Ethylbenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
m,p-Xylenes	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Bromoform	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Styrene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
o-Xylene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD

Analysis Results for 550762

550762-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Xylene (total)	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Surrogates				Limits					
Bromofluorobenzene	102%		%REC	60-140	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1330842	Batch: 392561
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1330842 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	235.4	200.0	pptv	118%		70-130
1,1,1,2-Tetrachloroethane	233.7	200.0	pptv	117%		70-130
Freon 12	179.2	200.0	pptv	90%		70-130
Chloromethane	168.6	200.0	pptv	84%		70-130
Freon 114	181.7	200.0	pptv	91%		70-130
Vinyl Chloride	170.9	200.0	pptv	85%		70-130
Bromomethane	178.0	200.0	pptv	89%		70-130
Chloroethane	190.2	200.0	pptv	95%		70-130
Vinyl bromide	192.1	200.0	pptv	96%		70-130
Trichlorofluoromethane	187.3	200.0	pptv	94%		70-130
1,1-Dichloroethene	191.8	200.0	pptv	96%		70-130
Methylene Chloride	213.4	200.0	pptv	107%		70-130
Freon 113	196.2	200.0	pptv	98%		70-130
trans-1,2-Dichloroethene	179.7	200.0	pptv	90%		70-130
1,1-Dichloroethane	186.5	200.0	pptv	93%		70-130
cis-1,2-Dichloroethene	176.0	200.0	pptv	88%		70-130
Chloroform	191.0	200.0	pptv	96%		70-130
1,2-Dichloroethane	177.0	200.0	pptv	89%		70-130
1,1,1-Trichloroethane	188.5	200.0	pptv	94%		70-130
Benzene	181.5	200.0	pptv	91%		70-130
Carbon Tetrachloride	189.9	200.0	pptv	95%		70-130
1,2-Dichloropropane	202.8	200.0	pptv	101%		70-130
Bromodichloromethane	203.5	200.0	pptv	102%		70-130
Trichloroethene	214.7	200.0	pptv	107%		70-130
cis-1,3-Dichloropropene	206.2	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	204.0	200.0	pptv	102%		70-130
1,1,2-Trichloroethane	212.4	200.0	pptv	106%		70-130
Toluene	188.1	200.0	pptv	94%		70-130
Dibromochloromethane	203.5	200.0	pptv	102%		70-130
1,2-Dibromoethane	205.6	200.0	pptv	103%		70-130
Tetrachloroethene	218.2	200.0	pptv	109%		70-130
Chlorobenzene	222.2	200.0	pptv	111%		70-130
Ethylbenzene	197.5	200.0	pptv	99%		70-130
m,p-Xylenes	407.7	400.0	pptv	102%		70-130
Bromoform	208.4	200.0	pptv	104%		70-130
Styrene	205.3	200.0	pptv	103%		70-130
o-Xylene	216.5	200.0	pptv	108%		70-130
2-Chlorotoluene	219.1	200.0	pptv	110%		70-130
1,3,5-Trimethylbenzene	233.2	200.0	pptv	117%		70-130
1,2,4-Trimethylbenzene	217.8	200.0	pptv	109%		70-130
Benzyl chloride	249.9	200.0	pptv	125%		70-130
1,3-Dichlorobenzene	252.3	200.0	pptv	126%		70-130
1,4-Dichlorobenzene	246.3	200.0	pptv	123%		70-130
1,2-Dichlorobenzene	237.6	200.0	pptv	119%		70-130
1,2,4-Trichlorobenzene	205.3	200.0	pptv	103%		70-130
Hexachlorobutadiene	220.9	200.0	pptv	110%		70-130

Surrogates

Batch QC

QC1330842 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	323.2	250.0	pptv	129%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1330843	Batch: 392561
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1330843 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	232.5	200.0	pptv	116%		70-130	1	25
1,1,1,2-Tetrachloroethane	232.0	200.0	pptv	116%		70-130	1	25
Freon 12	178.1	200.0	pptv	89%		70-130	1	25
Chloromethane	167.9	200.0	pptv	84%		70-130	0	25
Freon 114	180.8	200.0	pptv	90%		70-130	1	25
Vinyl Chloride	169.6	200.0	pptv	85%		70-130	1	25
Bromomethane	179.0	200.0	pptv	89%		70-130	1	25
Chloroethane	190.5	200.0	pptv	95%		70-130	0	25
Vinyl bromide	191.7	200.0	pptv	96%		70-130	0	25
Trichlorofluoromethane	186.6	200.0	pptv	93%		70-130	0	25
1,1-Dichloroethene	191.0	200.0	pptv	95%		70-130	0	25
Methylene Chloride	213.0	200.0	pptv	107%		70-130	0	25
Freon 113	195.2	200.0	pptv	98%		70-130	1	25
trans-1,2-Dichloroethene	179.3	200.0	pptv	90%		70-130	0	25
1,1-Dichloroethane	185.6	200.0	pptv	93%		70-130	1	25
cis-1,2-Dichloroethene	175.8	200.0	pptv	88%		70-130	0	25
Chloroform	189.6	200.0	pptv	95%		70-130	1	25
1,2-Dichloroethane	176.8	200.0	pptv	88%		70-130	0	25
1,1,1-Trichloroethane	187.7	200.0	pptv	94%		70-130	0	25
Benzene	181.7	200.0	pptv	91%		70-130	0	25
Carbon Tetrachloride	188.8	200.0	pptv	94%		70-130	1	25
1,2-Dichloropropane	201.3	200.0	pptv	101%		70-130	1	25
Bromodichloromethane	199.9	200.0	pptv	100%		70-130	2	25
Trichloroethene	213.0	200.0	pptv	107%		70-130	1	25
cis-1,3-Dichloropropene	204.8	200.0	pptv	102%		70-130	1	25
trans-1,3-Dichloropropene	206.3	200.0	pptv	103%		70-130	1	25
1,1,2-Trichloroethane	210.0	200.0	pptv	105%		70-130	1	25
Toluene	186.8	200.0	pptv	93%		70-130	1	25
Dibromochloromethane	200.7	200.0	pptv	100%		70-130	1	25
1,2-Dibromoethane	203.6	200.0	pptv	102%		70-130	1	25
Tetrachloroethene	215.6	200.0	pptv	108%		70-130	1	25
Chlorobenzene	220.2	200.0	pptv	110%		70-130	1	25
Ethylbenzene	197.4	200.0	pptv	99%		70-130	0	25
m,p-Xylenes	408.3	400.0	pptv	102%		70-130	0	25
Bromoform	205.8	200.0	pptv	103%		70-130	1	25
Styrene	204.3	200.0	pptv	102%		70-130	0	25
o-Xylene	214.8	200.0	pptv	107%		70-130	1	25
2-Chlorotoluene	217.0	200.0	pptv	109%		70-130	1	25
1,3,5-Trimethylbenzene	229.4	200.0	pptv	115%		70-130	2	25
1,2,4-Trimethylbenzene	214.8	200.0	pptv	107%		70-130	1	25
Benzyl chloride	247.9	200.0	pptv	124%		70-130	1	25
1,3-Dichlorobenzene	250.2	200.0	pptv	125%		70-130	1	25
1,4-Dichlorobenzene	243.6	200.0	pptv	122%		70-130	1	25
1,2-Dichlorobenzene	235.6	200.0	pptv	118%		70-130	1	25
1,2,4-Trichlorobenzene	204.8	200.0	pptv	102%		70-130	0	25
Hexachlorobutadiene	243.5	200.0	pptv	122%		70-130	10	25

Batch QC

QC1330843 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	323.2	250.0	pptv	129%		70-130		

Batch QC


Type: Blank	Lab ID: QC1330844	Batch: 392561
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1330844 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Freon 12	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chloromethane	ND		pptv	100	01/15/26 10:57	01/15/26 10:57
Freon 114	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Vinyl Chloride	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Bromomethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Vinyl bromide	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Trichlorofluoromethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1-Dichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Methylene Chloride	ND		pptv	20	01/15/26 10:57	01/15/26 10:57
Freon 113	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
trans-1,2-Dichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1-Dichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
cis-1,2-Dichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chloroform	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1,1-Trichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Benzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Carbon Tetrachloride	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dichloropropane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Bromodichloromethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Trichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
cis-1,3-Dichloropropene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
trans-1,3-Dichloropropene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1,2-Trichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Toluene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Dibromochloromethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dibromoethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Tetrachloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Ethylbenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
m,p-Xylenes	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Bromoform	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Styrene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
o-Xylene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
2-Chlorotoluene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,3,5-Trimethylbenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2,4-Trimethylbenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Benzyl chloride	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,3-Dichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,4-Dichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2,4-Trichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Hexachlorobutadiene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Xylene (total)	ND		pptv	10	01/15/26 10:57	01/15/26 10:57

Batch QC

QC1330844 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	102%		%REC	70-130	01/15/26 10:57	01/15/26 10:57

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260102
REPORT DATE : 01/15/2026


On January 13th, 2026 Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260102-85305
MS-12	260102-85306
MS-08	260102-85307
MS-09	260102-85308
MS-10	260102-85309
MS-06	260102-85310
MS-11	260102-85311


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of **5** pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260102
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/12-13/2026
RECEIVING DATE : 01/13/2026
ANALYSIS DATE : 01/13/2026
REPORT DATE : 01/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260102-85305	260102-85306	260102-85307	260102-85308
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260102
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/12-13/2026
RECEIVING DATE : 01/13/2026
ANALYSIS DATE : 01/13/2026
REPORT DATE : 01/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260102-85309	260102-85310	260102-85311
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 1/13/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7589	0.482	97.6	1.9
Duplicate	8120	0.516	104.4	4.9
Triplicate	7511	0.477	96.6	3.0

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7173	0.491	96.8	2.0
Duplicate	7638	0.523	103.1	4.3
Triplicate	7151	0.490	96.5	2.3

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7706	0.469	97.5	3.3
Duplicate	8207	0.499	103.9	3.0
Triplicate	7985	0.486	101.1	0.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.251	0.233	101.6	94.3	7.4
MeSH	<PQL	0.254	0.243	0.242	95.8	95.4	0.4
DMS	<PQL	0.240	0.247	0.245	102.8	102.0	0.8

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.495	100.2
MeSH	0.508	0.505	99.5
DMS	0.481	0.496	103.2

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260102

Client/Project Name **SCS Engineers**
 Chiquita Canyon Landfill
 Air/Odor Sampling

Project Location
 Valencia, CA

ANALYSES

Project No. _____ Field Logbook No. _____

Sampler: (Print) **Jacob Pennington** (Signature) **New Parker** No. Of Containers **7**

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Received by: (Signature)	Date	Time	Remarks
MS-07	1-12/13-26	0715-0715	85305	10 liter Bag	X			367.91 SolFor
MS-12	1-13/13-26	0727-0727	85306	10 liter Bag	X			
MS-08	1-12/13-26	0737-0737	85307	10 liter Bag	X			
MS-09	1-12/13-26	0749-0749	85308	10 liter Bag	X			
MS-10	1-12/13-26	0800-0800	85309	10 liter Bag	X			
MS-06	1-12/13-26	0817-0817	85310	10 liter Bag	X			
MS-11	1-12/13-26	0840-0840	85311	10 liter Bag	X			


Relinquished by: (Signature) *[Signature]* Date 1/13/26 Time 0949

Relinquished by: (Signature) _____ Received by: (Signature) _____

Relinquished by: (Signature) _____ Received for Laboratory: (Signature) _____

Sample Disposal Method: _____ Disposed of by: (Signature) _____ Date 1/13/26 Time 0951

Sample Collector _____ Analytical Laboratory **AAC Ventura**



865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Sample Summary

Raymond Huff	Lab Job #:	551281
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	01/21/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	551281-001	01/20/26 07:17	Air
MS-12	551281-002	01/20/26 07:28	Air
MS-08	551281-003	01/20/26 07:40	Air
MS-09	551281-004	01/20/26 07:55	Air
MS-10	551281-005	01/20/26 08:12	Air
MS-06	551281-006	01/20/26 08:24	Air
MS-11	551281-007	01/20/26 08:40	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 551281
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 01/21/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 01/21/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

- High RPD was observed for vinyl chloride in the BS/BSD for batch 393219; this analyte was not detected at or above the RL in the associated samples.
- No other analytical problems were encountered.



Login 551281



ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 557281

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION			
Company:	SES Engineers Ray Hoff			Name:	Chiquita Canyon Landfill Air/Soil Sampling		
Report To:	rhoff@scengineers.com			Number:			
Email:	rhuff@scengineers.com			Address:	Valencia, CA		
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806			Global ID:			
Phone:	562-355-6334 Fax: 562-437-0805			Sampled By:	Jacob Pennington		
Special Instructions							

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (GL or TL)	Flow Controller ID	Date	Time	Date				
1 MS-07	A	C70893	6L	A70285	1-20-26	0717	1-21-26	0717	-30	-6	X
2 MS-12	A	C70446	6L	A70115	1-20-26	0728	1-21-26	0728	-30	-7	X
3 MS-08	A	C70676	6L	A70649	1-20-26	0740	1-21-26	0740	-28	-5	X
4 MS-09	A	C70907	6L	A70576	1-20-26	0755	1-21-26	0755	-29	-5	X
5 MS-10	A	C70447	6L	A70563	1-20-26	0812	1-21-26	0812	-30	-6	X
6 MS-06	A	C70809	6L	A70137	1-20-26	0824	1-21-26	0824	-29	-3	X
7 MS-11	A	C70279	6L	A70201	1-20-26	0840	1-21-26	0840	-29	-9	X
8											
9											
10											

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
		Jacob Pennington	Res	1-21-26 / 12:12
		Cheryl Kim	EA	1/21/26 12:12

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 01/21/26 WO# 551281 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 01/21/26 By (initials) JKC Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?	x		
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 01/21/26 By (print) FPD (sign)

Date Labeled 01/21/26 By (print) NIG (sign) FT NIG

Analysis Results for 551281

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 551281
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/21/26

Sample ID: MS-07	Lab ID: 551281-001	Collected: 01/20/26 07:17
Matrix: Air		

551281-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Freon 12	0.40		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chloromethane	0.47		ppbv	0.10	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Freon 114	0.011		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Methylene Chloride	0.10		ppbv	0.020	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Freon 113	0.061		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chloroform	0.013		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Benzene	0.19		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Carbon Tetrachloride	0.071		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Toluene	0.13		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Ethylbenzene	0.021		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
m,p-Xylenes	0.050		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Styrene	0.010		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
o-Xylene	0.020		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2,4-Trimethylbenzene	0.025		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD

Analysis Results for 551281

551281-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Xylene (total)	0.071		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Surrogates				Limits					
Bromofluorobenzene	101%		%REC	60-140	1	393219	01/22/26 17:11	01/22/26 17:11	OHD

Analysis Results for 551281

Sample ID: MS-12	Lab ID: 551281-002	Collected: 01/20/26 07:28
Matrix: Air		

551281-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Freon 12	0.40		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chloromethane	0.46		ppbv	0.10	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Freon 114	0.014		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Methylene Chloride	0.10		ppbv	0.020	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Freon 113	0.060		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chloroform	0.014		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Benzene	0.086		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Carbon Tetrachloride	0.070		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Toluene	0.18		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Ethylbenzene	0.025		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
m,p-Xylenes	0.084		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Styrene	0.010		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
o-Xylene	0.033		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2,4-Trimethylbenzene	0.042		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD

Analysis Results for 551281

551281-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Xylene (total)	0.12		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1	393219	01/22/26 18:00	01/22/26 18:00	OHD

Analysis Results for 551281

Sample ID: MS-08
Lab ID: 551281-003
Collected: 01/20/26 07:40
Matrix: Air

551281-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Freon 12	0.40		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chloromethane	0.46		ppbv	0.10	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Freon 114	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chloroethane	0.13		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Methylene Chloride	0.10		ppbv	0.020	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Freon 113	0.060		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chloroform	0.013		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Benzene	0.087		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Carbon Tetrachloride	0.071		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Toluene	0.24		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Ethylbenzene	0.033		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
m,p-Xylenes	0.12		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Styrene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
o-Xylene	0.046		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,3,5-Trimethylbenzene	0.014		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2,4-Trimethylbenzene	0.057		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD

Analysis Results for 551281

551281-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Xylene (total)	0.16		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1	393219	01/22/26 19:13	01/22/26 19:13	OHD

Analysis Results for 551281

Sample ID: MS-09	Lab ID: 551281-004	Collected: 01/20/26 07:55
Matrix: Air		

551281-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Freon 12	0.39		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chloromethane	0.48		ppbv	0.10	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Freon 114	0.012		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chloroethane	0.014		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Methylene Chloride	0.10		ppbv	0.020	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Freon 113	0.060		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chloroform	0.019		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Benzene	0.081		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Carbon Tetrachloride	0.070		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Toluene	0.22		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Tetrachloroethene	0.011		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Ethylbenzene	0.019		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
m,p-Xylenes	0.061		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Styrene	0.018		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
o-Xylene	0.023		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2,4-Trimethylbenzene	0.027		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD

Analysis Results for 551281

551281-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Xylene (total)	0.084		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	393219	01/22/26 20:02	01/22/26 20:02	OHD

Analysis Results for 551281

Sample ID: MS-10	Lab ID: 551281-005	Collected: 01/20/26 08:12
Matrix: Air		

551281-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Freon 12	0.39		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chloromethane	0.43		ppbv	0.10	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Freon 114	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Methylene Chloride	0.11		ppbv	0.020	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Freon 113	0.058		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chloroform	0.026		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Benzene	0.18		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Carbon Tetrachloride	0.070		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Toluene	0.41		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Tetrachloroethene	0.010		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Ethylbenzene	0.039		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
m,p-Xylenes	0.13		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Styrene	0.088		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
o-Xylene	0.047		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
2-Chlorotoluene	0.012		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,3,5-Trimethylbenzene	0.017		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2,4-Trimethylbenzene	0.078		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD

Analysis Results for 551281

551281-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Xylene (total)	0.18		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	393219	01/22/26 20:51	01/22/26 20:51	OHD

Analysis Results for 551281

Sample ID: MS-06	Lab ID: 551281-006	Collected: 01/20/26 08:24
Matrix: Air		

551281-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Freon 12	0.39		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chloromethane	0.46		ppbv	0.10	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Freon 114	0.013		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chloroethane	0.012		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Methylene Chloride	0.11		ppbv	0.020	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Freon 113	0.059		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chloroform	0.019		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dichloroethane	0.015		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Benzene	0.10		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Carbon Tetrachloride	0.071		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Toluene	0.19		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Ethylbenzene	0.020		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
m,p-Xylenes	0.061		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Styrene	0.10		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
o-Xylene	0.024		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2,4-Trimethylbenzene	0.026		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD

Analysis Results for 551281

551281-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Xylene (total)	0.085		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Surrogates				Limits					
Bromofluorobenzene	101%		%REC	60-140	1	393219	01/22/26 21:39	01/22/26 21:39	OHD

Analysis Results for 551281

Sample ID: MS-11	Lab ID: 551281-007	Collected: 01/20/26 08:40
Matrix: Air		

551281-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Freon 12	0.40		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chloromethane	0.41		ppbv	0.12	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Freon 114	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Bromomethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Trichlorofluoromethane	0.18		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Methylene Chloride	0.11		ppbv	0.024	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Freon 113	0.059		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chloroform	0.015		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dichloroethane	0.015		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Benzene	0.063		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Carbon Tetrachloride	0.071		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Trichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Toluene	0.084		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Ethylbenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
m,p-Xylenes	0.032		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Bromoform	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Styrene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
o-Xylene	0.013		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD

Analysis Results for 551281

551281-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Xylene (total)	0.045		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1333139	Batch: 393219
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1333139 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	213.3	200.0	pptv	107%		70-130
1,1,1,2-Tetrachloroethane	219.9	200.0	pptv	110%		70-130
Freon 12	184.6	200.0	pptv	92%		70-130
Chloromethane	192.3	200.0	pptv	96%		70-130
Freon 114	192.9	200.0	pptv	96%		70-130
Vinyl Chloride	192.6	200.0	pptv	96%		70-130
Bromomethane	144.8	200.0	pptv	72%		70-130
Chloroethane	206.4	200.0	pptv	103%		70-130
Vinyl bromide	200.1	200.0	pptv	100%		70-130
Trichlorofluoromethane	190.3	200.0	pptv	95%		70-130
1,1-Dichloroethene	196.5	200.0	pptv	98%		70-130
Methylene Chloride	218.0	200.0	pptv	109%		70-130
Freon 113	199.5	200.0	pptv	100%		70-130
trans-1,2-Dichloroethene	198.2	200.0	pptv	99%		70-130
1,1-Dichloroethane	201.5	200.0	pptv	101%		70-130
cis-1,2-Dichloroethene	192.9	200.0	pptv	96%		70-130
Chloroform	191.0	200.0	pptv	96%		70-130
1,2-Dichloroethane	189.7	200.0	pptv	95%		70-130
1,1,1-Trichloroethane	193.9	200.0	pptv	97%		70-130
Benzene	182.6	200.0	pptv	91%		70-130
Carbon Tetrachloride	194.2	200.0	pptv	97%		70-130
1,2-Dichloropropane	216.0	200.0	pptv	108%		70-130
Bromodichloromethane	199.6	200.0	pptv	100%		70-130
Trichloroethene	221.7	200.0	pptv	111%		70-130
cis-1,3-Dichloropropene	206.3	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	206.3	200.0	pptv	103%		70-130
1,1,2-Trichloroethane	208.8	200.0	pptv	104%		70-130
Toluene	185.4	200.0	pptv	93%		70-130
Dibromochloromethane	211.0	200.0	pptv	106%		70-130
1,2-Dibromoethane	201.7	200.0	pptv	101%		70-130
Tetrachloroethene	218.6	200.0	pptv	109%		70-130
Chlorobenzene	206.9	200.0	pptv	103%		70-130
Ethylbenzene	183.7	200.0	pptv	92%		70-130
m,p-Xylenes	378.2	400.0	pptv	95%		70-130
Bromoform	216.1	200.0	pptv	108%		70-130
Styrene	191.3	200.0	pptv	96%		70-130
o-Xylene	199.8	200.0	pptv	100%		70-130
2-Chlorotoluene	204.9	200.0	pptv	102%		70-130
1,3,5-Trimethylbenzene	213.5	200.0	pptv	107%		70-130
1,2,4-Trimethylbenzene	198.5	200.0	pptv	99%		70-130
Benzyl chloride	222.2	200.0	pptv	111%		70-130
1,3-Dichlorobenzene	230.4	200.0	pptv	115%		70-130
1,4-Dichlorobenzene	224.3	200.0	pptv	112%		70-130
1,2-Dichlorobenzene	217.8	200.0	pptv	109%		70-130
1,2,4-Trichlorobenzene	181.3	200.0	pptv	91%		70-130
Hexachlorobutadiene	198.4	200.0	pptv	99%		70-130

Surrogates

Batch QC

QC1333139 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	291.6	250.0	pptv	117%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1333140	Batch: 393219
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1333140 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	212.9	200.0	pptv	106%		70-130	0	25
1,1,1,2-Tetrachloroethane	218.4	200.0	pptv	109%		70-130	1	25
Freon 12	185.0	200.0	pptv	93%		70-130	0	25
Chloromethane	192.5	200.0	pptv	96%		70-130	0	25
Freon 114	192.9	200.0	pptv	96%		70-130	0	25
Vinyl Chloride	140.7	200.0	pptv	70%		70-130	31*	25
Bromomethane	151.4	200.0	pptv	76%		70-130	4	25
Chloroethane	205.2	200.0	pptv	103%		70-130	1	25
Vinyl bromide	198.0	200.0	pptv	99%		70-130	1	25
Trichlorofluoromethane	190.1	200.0	pptv	95%		70-130	0	25
1,1-Dichloroethene	196.7	200.0	pptv	98%		70-130	0	25
Methylene Chloride	217.2	200.0	pptv	109%		70-130	0	25
Freon 113	198.8	200.0	pptv	99%		70-130	0	25
trans-1,2-Dichloroethene	198.1	200.0	pptv	99%		70-130	0	25
1,1-Dichloroethane	201.9	200.0	pptv	101%		70-130	0	25
cis-1,2-Dichloroethene	194.5	200.0	pptv	97%		70-130	1	25
Chloroform	191.1	200.0	pptv	96%		70-130	0	25
1,2-Dichloroethane	190.0	200.0	pptv	95%		70-130	0	25
1,1,1-Trichloroethane	194.0	200.0	pptv	97%		70-130	0	25
Benzene	183.0	200.0	pptv	91%		70-130	0	25
Carbon Tetrachloride	194.3	200.0	pptv	97%		70-130	0	25
1,2-Dichloropropane	216.9	200.0	pptv	108%		70-130	0	25
Bromodichloromethane	200.5	200.0	pptv	100%		70-130	0	25
Trichloroethene	221.3	200.0	pptv	111%		70-130	0	25
cis-1,3-Dichloropropene	207.8	200.0	pptv	104%		70-130	1	25
trans-1,3-Dichloropropene	207.2	200.0	pptv	104%		70-130	0	25
1,1,2-Trichloroethane	210.7	200.0	pptv	105%		70-130	1	25
Toluene	187.5	200.0	pptv	94%		70-130	1	25
Dibromochloromethane	211.6	200.0	pptv	106%		70-130	0	25
1,2-Dibromoethane	203.0	200.0	pptv	102%		70-130	1	25
Tetrachloroethene	219.9	200.0	pptv	110%		70-130	1	25
Chlorobenzene	205.8	200.0	pptv	103%		70-130	1	25
Ethylbenzene	186.1	200.0	pptv	93%		70-130	1	25
m,p-Xylenes	386.2	400.0	pptv	97%		70-130	2	25
Bromoform	213.9	200.0	pptv	107%		70-130	1	25
Styrene	192.8	200.0	pptv	96%		70-130	1	25
o-Xylene	200.8	200.0	pptv	100%		70-130	0	25
2-Chlorotoluene	204.7	200.0	pptv	102%		70-130	0	25
1,3,5-Trimethylbenzene	213.0	200.0	pptv	106%		70-130	0	25
1,2,4-Trimethylbenzene	198.4	200.0	pptv	99%		70-130	0	25
Benzyl chloride	222.7	200.0	pptv	111%		70-130	0	25
1,3-Dichlorobenzene	227.4	200.0	pptv	114%		70-130	1	25
1,4-Dichlorobenzene	220.9	200.0	pptv	110%		70-130	2	25
1,2-Dichlorobenzene	214.5	200.0	pptv	107%		70-130	2	25
1,2,4-Trichlorobenzene	179.9	200.0	pptv	90%		70-130	1	25
Hexachlorobutadiene	195.9	200.0	pptv	98%		70-130	1	25

Batch QC

QC1333140 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	290.1	250.0	pptv	116%		70-130		

Batch QC


Type: Blank	Lab ID: QC1333141	Batch: 393219
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1333141 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Freon 12	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chloromethane	ND		pptv	100	01/22/26 11:37	01/22/26 11:37
Freon 114	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Vinyl Chloride	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Bromomethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Vinyl bromide	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Trichlorofluoromethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1-Dichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Methylene Chloride	ND		pptv	20	01/22/26 11:37	01/22/26 11:37
Freon 113	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
trans-1,2-Dichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1-Dichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
cis-1,2-Dichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chloroform	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1,1-Trichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Benzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Carbon Tetrachloride	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dichloropropane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Bromodichloromethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Trichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
cis-1,3-Dichloropropene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
trans-1,3-Dichloropropene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1,2-Trichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Toluene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Dibromochloromethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dibromoethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Tetrachloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Ethylbenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
m,p-Xylenes	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Bromoform	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Styrene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
o-Xylene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
2-Chlorotoluene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,3,5-Trimethylbenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2,4-Trimethylbenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Benzyl chloride	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,3-Dichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,4-Dichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2,4-Trichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Hexachlorobutadiene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Xylene (total)	ND		pptv	10	01/22/26 11:37	01/22/26 11:37

Batch QC

QC1333141 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates	Limits					
Bromofluorobenzene	86%		%REC	70-130	01/22/26 11:37	01/22/26 11:37

* Value is outside QC limits
 ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260172
REPORT DATE : 01/23/2026


On January 21st 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260172-85556
MS-12	260172-85557
MS-08	260172-85558
MS-09	260172-85559
MS-10	260172-85560
MS-06	260172-85561
MS-11	260172-85562


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of **6** pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260172
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/20-21/2026
RECEIVING DATE : 01/21/2026
ANALYSIS DATE : 01/21/2026
REPORT DATE : 01/23/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260172-85556	260172-85557	260172-85558	260172-85559
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260172
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/20-21/2026
RECEIVING DATE : 01/21/2026
ANALYSIS DATE : 01/21/2026
REPORT DATE : 01/23/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260172-85560	260172-85561	260172-85562
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 1/21/2026
Analyst: NR
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

494.0 ppbV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20930	470	95.2	1.4
Duplicate	21408	481	97.4	0.9
Triplicate	21323	479	97.0	0.5

307.5 ppbV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	19733	514	101.2	0.1
Duplicate	20114	524	103.2	2.0
Triplicate	19300	502	99.0	2.1

480.5 ppbV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22278	493	102.7	0.5
Duplicate	22442	497	103.5	0.2
Triplicate	22477	498	103.6	0.3

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate


Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	247.0	235.9	226.6	95.5	91.7	4.0
MeSH	<PQL	253.8	243.0	240.6	95.8	94.8	1.0
DMS	<PQL	240.3	245.2	256.0	102.1	106.6	4.3

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	494.0	450.5	91.2
MeSH	507.5	492.2	97.0
DMS	480.5	461.9	96.1

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 50.0 ppbV



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 1/21/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8144	0.517	104.7	1.6
Duplicate	7968	0.506	102.4	0.6
Triplicate	7943	0.504	102.1	0.9

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7656	0.524	103.3	1.0
Duplicate	7551	0.517	101.9	0.3
Triplicate	7526	0.515	101.6	0.7

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8279	0.504	104.8	0.5
Duplicate	8169	0.497	103.4	0.8
Triplicate	8266	0.503	104.6	0.3

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.257	0.248	104.0	100.4	3.6
MeSH	<PQL	0.254	0.255	0.259	100.5	102.1	1.6
DMS	<PQL	0.240	0.262	0.260	109.1	108.2	0.8

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.445	90.1
MeSH	0.508	0.486	95.8
DMS	0.481	0.486	101.1

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260172

Client/Project Name S&S Engineers Chiquita Canyon Landfill Air/odor sampling		Project Location Valencia, CA		ANALYSES		
Project No.		Field Logbook No.				
Sampler: (Print) Jacob Pennington		(Signature) <i>Jacob Pennington</i>		No. Of Containers 7		
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks	
MS-07	1-20-26	0717-0717	85556	10 Liter Bag	X	
MS-12	1-20-26	0728-0728	85557	10 Liter Bag	X	
MS-08	1-20-26	0740-0740	85558	10 Liter Bag	X	
MS-09	1-20-26	0755-0755	85559	10 Liter Bag	X	
MS-10	1-20-26	0812-0812	85560	10 Liter Bag	X	
MS-06	1-20-26	0824-0824	85561	10 Liter Bag	X	
MS-11	1-20-26	0840-0840	85562	10 Liter Bag	X	
Relinquished by: (Signature) <i>Jacob Pennington</i>		Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <i>[Signature]</i>	Date	Time
Sample Disposal Method:		Disposed of by: (Signature)		Date	Date	Time
Sample Collector		Analytical Laboratory				



Sample Summary

Raymond Huff	Lab Job #:	551664
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	01/27/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	551664-001	01/27/26 07:15	Air
MS-12	551664-002	01/27/26 07:26	Air
MS-08	551664-003	01/27/26 07:36	Air
MS-09	551664-004	01/27/26 07:49	Air
MS-10	551664-005	01/27/26 08:02	Air
MS-06	551664-006	01/27/26 08:20	Air
MS-11	551664-007	01/27/26 08:41	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 551664
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 01/27/26


This data package contains sample and QC results for six air samples, requested for the above referenced project on 01/27/26. The samples were received in good condition. Sample 005 (MS-10) was received under the original full vacuum, indicating no sample was collected into the canister. Based on lab inspection of the equipment upon receipt in the lab, it is suspected that the canister was not fully engaged into the QC valve on the Flow Controller during sampling.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



Login 551664



Air Chain of Custody Record

Lab Job No. 551664

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION			
Company: SCS Engineers		Name: Chiquita Canyon Landfill Air/Odor Sampling		PO Number:		Analysis Request	
Report To: Ray Huff		Number:		Lab Quote Number:		Required Turnaround Time	
Email: rhuff@scsengineers.com		Address: Valencia, CA				<input type="checkbox"/> Standard <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Custom TAT:	
Address: 3900 Kilroy Airport Suite 300 Long Beach, CA 90806		Global ID:					
Phone: 562-355-6334		Sampled By: Jacob Pennington					
Fax: 562-437-0905							
Special Instructions:							
Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information	Start Sampling Information	Stop Sampling Information	Canister Pressure (in. Hg)	Comments	
1 MS-07	A	Canister ID: C70673 Canister Size (BL or TL): 6L Flow Controller ID: A70986	Date: 1-26-26 Time: 0715	Date: 1-27-26 Time: 0715	-4	X	
2 MS-12	A	Canister ID: C70904 Canister Size (BL or TL): 6L Flow Controller ID: A70110	Date: 1-26-26 Time: 0726	Date: 1-27-26 Time: 0726	-6	X	
3 MS-08	A	Canister ID: C70864 Canister Size (BL or TL): 6L Flow Controller ID: A70100	Date: 1-26-26 Time: 0736	Date: 1-27-26 Time: 0736	-5	X	
4 MS-09	A	Canister ID: C70906 Canister Size (BL or TL): 6L Flow Controller ID: A70622	Date: 1-26-26 Time: 0749	Date: 1-27-26 Time: 0749	-4	X	
5 MS-10	A	Canister ID: C70432 Canister Size (BL or TL): 6L Flow Controller ID: A70624	Date: 1-26-26 Time: 0802	Date: 1-27-26 Time: 0802	-0	X	
6 MS-06	A	Canister ID: C70639 Canister Size (BL or TL): 6L Flow Controller ID: A70442	Date: 1-26-26 Time: 0820	Date: 1-27-26 Time: 0820	-4	X	
7 MS-11	A	Canister ID: C70342 Canister Size (BL or TL): 6L Flow Controller ID: A70580	Date: 1-26-26 Time: 0841	Date: 1-28-26 Time: 0841	-7	X	
8							
9							
10							

SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
	Jacob Pennington	RES	1-27-26 1156
	Ray Huff	EA	1-27-26 1156

SAMPLE RECEIPT CHECKLIST


Section 1: General Info

 Date Received: 01/27/26 WO# 551664 Client: SCS Engineers
Section 2: Shipping / Custody

 Are custody seals present? Yes No

 Custody seals intact on arrival? N/A Yes No On cooler / box On samples

 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging
 Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

 Date Opened 01/27/26 By (initials) LXB Type of ice used: Wet Blue/Gel None

 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples
 No microbiology samples submitted (skip 3b)

 Within temp range 0.0 - 10.0°C or received on ice directly from field.

 Adequate headspace for microbiology analysis.

Section 3c: Air Samples
 No air samples submitted (skip 3c)

 1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?		X	
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.6 - DISCREPANCY ON CANISTER ID
SAMPLE-005: C70432 PER CoC, C70342 PER CANISTER
SAMPLE-007: C70342 PER CoC, C70665 PER CANISTER
- NO SAMPLING DATE AND TIME ON TAGS.
 No additional discrepancies

 Date Logged 01/27/26 By (print) _____ FPD (sign) _____

 Date Labeled 01/27/26 By (print) _____ JXR (sign) For JXR

Analysis Results for 551664

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 551664
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/27/26

Sample ID: MS-07 Lab ID: 551664-001 Collected: 01/27/26 07:15
Matrix: Air

551664-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Freon 12	0.47		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chloromethane	0.54		ppbv	0.10	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Freon 114	0.016		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Methylene Chloride	0.27		ppbv	0.020	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Freon 113	0.064		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chloroform	0.018		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dichloroethane	0.026		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Benzene	0.17		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Toluene	0.22		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Ethylbenzene	0.020		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
m,p-Xylenes	0.050		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Styrene	0.014		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
o-Xylene	0.020		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2,4-Trimethylbenzene	0.022		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD

Analysis Results for 551664

551664-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Xylene (total)	0.069		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	393925	01/30/26 01:45	01/30/26 01:45	OHD

Analysis Results for 551664

Sample ID: MS-12	Lab ID: 551664-002	Collected: 01/27/26 07:26
Matrix: Air		

551664-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Freon 12	0.48		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chloromethane	0.55		ppbv	0.11	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Freon 114	0.016		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Bromomethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Methylene Chloride	0.13		ppbv	0.022	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Freon 113	0.065		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chloroform	0.017		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dichloroethane	0.026		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Benzene	0.14		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Carbon Tetrachloride	0.077		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Trichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Toluene	0.14		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Ethylbenzene	0.023		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
m,p-Xylenes	0.069		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Bromoform	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Styrene	0.013		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
o-Xylene	0.027		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2,4-Trimethylbenzene	0.028		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD

Analysis Results for 551664

551664-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Xylene (total)	0.095		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD

Analysis Results for 551664

Sample ID: MS-08	Lab ID: 551664-003	Collected: 01/27/26 07:36
Matrix: Air		

551664-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Freon 12	0.48		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chloromethane	0.54		ppbv	0.10	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Freon 114	0.017		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Methylene Chloride	0.17		ppbv	0.020	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Freon 113	0.066		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chloroform	0.016		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dichloroethane	0.026		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Benzene	0.12		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Carbon Tetrachloride	0.078		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Toluene	0.18		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Ethylbenzene	0.023		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
m,p-Xylenes	0.078		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Styrene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
o-Xylene	0.029		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2,4-Trimethylbenzene	0.027		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD

Analysis Results for 551664

551664-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Xylene (total)	0.11		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	393925	01/30/26 03:23	01/30/26 03:23	OHD

Analysis Results for 551664

Sample ID: MS-09
Lab ID: 551664-004
Collected: 01/27/26 07:49
Matrix: Air

551664-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Freon 12	0.47		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chloromethane	0.54		ppbv	0.10	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Freon 114	0.016		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chloroethane	0.046		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Methylene Chloride	0.12		ppbv	0.020	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Freon 113	0.065		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chloroform	0.024		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dichloroethane	0.027		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Benzene	0.12		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Toluene	0.19		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Ethylbenzene	0.021		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
m,p-Xylenes	0.061		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Styrene	0.20		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
o-Xylene	0.024		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2,4-Trimethylbenzene	0.018		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD

Analysis Results for 551664

551664-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Xylene (total)	0.085		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	393925	01/30/26 04:12	01/30/26 04:12	OHD

Analysis Results for 551664

Sample ID: MS-06	Lab ID: 551664-006	Collected: 01/27/26 08:20
Matrix: Air		

551664-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Freon 12	0.47		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chloromethane	0.53		ppbv	0.10	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Freon 114	0.016		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chloroethane	0.012		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Methylene Chloride	0.12		ppbv	0.020	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Freon 113	0.065		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chloroform	0.025		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dichloroethane	0.027		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Benzene	0.13		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Toluene	0.19		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Ethylbenzene	0.024		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
m,p-Xylenes	0.070		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Styrene	0.088		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
o-Xylene	0.027		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2,4-Trimethylbenzene	0.023		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD

Analysis Results for 551664

551664-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Xylene (total)	0.097		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	393925	01/30/26 05:00	01/30/26 05:00	OHD

Analysis Results for 551664

Sample ID: MS-11	Lab ID: 551664-007	Collected: 01/27/26 08:41
Matrix: Air		

551664-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Freon 12	0.47		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chloromethane	0.55		ppbv	0.11	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Freon 114	0.016		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Bromomethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Methylene Chloride	0.13		ppbv	0.022	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Freon 113	0.065		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chloroform	0.016		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dichloroethane	0.027		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Benzene	0.10		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Carbon Tetrachloride	0.077		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Trichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Toluene	0.11		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Ethylbenzene	0.015		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
m,p-Xylenes	0.042		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Bromoform	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Styrene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
o-Xylene	0.018		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD

Analysis Results for 551664

551664-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Xylene (total)	0.059		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1335598	Batch: 393925
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1335598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	202.7	200.0	pptv	101%		70-130
1,1,1,2-Tetrachloroethane	203.5	200.0	pptv	102%		70-130
Freon 12	214.3	200.0	pptv	107%		70-130
Chloromethane	209.6	200.0	pptv	105%		70-130
Freon 114	211.1	200.0	pptv	106%		70-130
Vinyl Chloride	216.1	200.0	pptv	108%		70-130
Bromomethane	212.2	200.0	pptv	106%		70-130
Chloroethane	208.7	200.0	pptv	104%		70-130
Vinyl bromide	208.8	200.0	pptv	104%		70-130
Trichlorofluoromethane	217.3	200.0	pptv	109%		70-130
1,1-Dichloroethene	207.7	200.0	pptv	104%		70-130
Methylene Chloride	185.2	200.0	pptv	93%		70-130
Freon 113	215.3	200.0	pptv	108%		70-130
trans-1,2-Dichloroethene	207.2	200.0	pptv	104%		70-130
1,1-Dichloroethane	213.1	200.0	pptv	107%		70-130
cis-1,2-Dichloroethene	206.5	200.0	pptv	103%		70-130
Chloroform	214.8	200.0	pptv	107%		70-130
1,2-Dichloroethane	206.1	200.0	pptv	103%		70-130
1,1,1-Trichloroethane	208.2	200.0	pptv	104%		70-130
Benzene	201.0	200.0	pptv	101%		70-130
Carbon Tetrachloride	212.4	200.0	pptv	106%		70-130
1,2-Dichloropropane	212.2	200.0	pptv	106%		70-130
Bromodichloromethane	222.1	200.0	pptv	111%		70-130
Trichloroethene	194.4	200.0	pptv	97%		70-130
cis-1,3-Dichloropropene	194.4	200.0	pptv	97%		70-130
trans-1,3-Dichloropropene	169.2	200.0	pptv	85%		70-130
1,1,2-Trichloroethane	209.1	200.0	pptv	105%		70-130
Toluene	196.8	200.0	pptv	98%		70-130
Dibromochloromethane	219.8	200.0	pptv	110%		70-130
1,2-Dibromoethane	180.6	200.0	pptv	90%		70-130
Tetrachloroethene	203.4	200.0	pptv	102%		70-130
Chlorobenzene	184.5	200.0	pptv	92%		70-130
Ethylbenzene	190.9	200.0	pptv	95%		70-130
m,p-Xylenes	387.6	400.0	pptv	97%		70-130
Bromoform	214.9	200.0	pptv	107%		70-130
Styrene	178.6	200.0	pptv	89%		70-130
o-Xylene	193.5	200.0	pptv	97%		70-130
2-Chlorotoluene	194.1	200.0	pptv	97%		70-130
1,3,5-Trimethylbenzene	194.0	200.0	pptv	97%		70-130
1,2,4-Trimethylbenzene	191.8	200.0	pptv	96%		70-130
Benzyl chloride	147.4	200.0	pptv	74%		70-130
1,3-Dichlorobenzene	164.6	200.0	pptv	82%		70-130
1,4-Dichlorobenzene	152.5	200.0	pptv	76%		70-130
1,2-Dichlorobenzene	181.2	200.0	pptv	91%		70-130
1,2,4-Trichlorobenzene	155.8	200.0	pptv	78%		70-130
Hexachlorobutadiene	185.1	200.0	pptv	93%		70-130

Surrogates

Batch QC

QC1335598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	247.8	250.0	pptv	99%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1335599	Batch: 393925
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1335599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	208.1	200.0	pptv	104%		70-130	3	25
1,1,1,2-Tetrachloroethane	207.3	200.0	pptv	104%		70-130	2	25
Freon 12	215.8	200.0	pptv	108%		70-130	1	25
Chloromethane	211.8	200.0	pptv	106%		70-130	1	25
Freon 114	213.7	200.0	pptv	107%		70-130	1	25
Vinyl Chloride	216.3	200.0	pptv	108%		70-130	0	25
Bromomethane	213.3	200.0	pptv	107%		70-130	0	25
Chloroethane	210.2	200.0	pptv	105%		70-130	1	25
Vinyl bromide	210.0	200.0	pptv	105%		70-130	1	25
Trichlorofluoromethane	218.4	200.0	pptv	109%		70-130	1	25
1,1-Dichloroethene	208.8	200.0	pptv	104%		70-130	1	25
Methylene Chloride	186.0	200.0	pptv	93%		70-130	0	25
Freon 113	216.7	200.0	pptv	108%		70-130	1	25
trans-1,2-Dichloroethene	208.1	200.0	pptv	104%		70-130	0	25
1,1-Dichloroethane	215.1	200.0	pptv	108%		70-130	1	25
cis-1,2-Dichloroethene	208.6	200.0	pptv	104%		70-130	1	25
Chloroform	216.0	200.0	pptv	108%		70-130	1	25
1,2-Dichloroethane	209.0	200.0	pptv	105%		70-130	1	25
1,1,1-Trichloroethane	211.7	200.0	pptv	106%		70-130	2	25
Benzene	202.8	200.0	pptv	101%		70-130	1	25
Carbon Tetrachloride	216.8	200.0	pptv	108%		70-130	2	25
1,2-Dichloropropane	213.7	200.0	pptv	107%		70-130	1	25
Bromodichloromethane	224.6	200.0	pptv	112%		70-130	1	25
Trichloroethene	195.6	200.0	pptv	98%		70-130	1	25
cis-1,3-Dichloropropene	197.6	200.0	pptv	99%		70-130	2	25
trans-1,3-Dichloropropene	179.7	200.0	pptv	90%		70-130	6	25
1,1,2-Trichloroethane	210.5	200.0	pptv	105%		70-130	1	25
Toluene	198.3	200.0	pptv	99%		70-130	1	25
Dibromochloromethane	223.0	200.0	pptv	112%		70-130	1	25
1,2-Dibromoethane	183.7	200.0	pptv	92%		70-130	2	25
Tetrachloroethene	203.5	200.0	pptv	102%		70-130	0	25
Chlorobenzene	187.1	200.0	pptv	94%		70-130	1	25
Ethylbenzene	194.2	200.0	pptv	97%		70-130	2	25
m,p-Xylenes	395.1	400.0	pptv	99%		70-130	2	25
Bromoform	219.8	200.0	pptv	110%		70-130	2	25
Styrene	183.5	200.0	pptv	92%		70-130	3	25
o-Xylene	198.7	200.0	pptv	99%		70-130	3	25
2-Chlorotoluene	197.7	200.0	pptv	99%		70-130	2	25
1,3,5-Trimethylbenzene	198.3	200.0	pptv	99%		70-130	2	25
1,2,4-Trimethylbenzene	197.7	200.0	pptv	99%		70-130	3	25
Benzyl chloride	162.4	200.0	pptv	81%		70-130	10	25
1,3-Dichlorobenzene	170.9	200.0	pptv	85%		70-130	4	25
1,4-Dichlorobenzene	158.7	200.0	pptv	79%		70-130	4	25
1,2-Dichlorobenzene	186.2	200.0	pptv	93%		70-130	3	25
1,2,4-Trichlorobenzene	164.1	200.0	pptv	82%		70-130	5	25
Hexachlorobutadiene	189.4	200.0	pptv	95%		70-130	2	25

Batch QC

QC1335599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	246.0	250.0	pptv	98%		70-130		

Batch QC


Type: Blank	Lab ID: QC1335600	Batch: 393925
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1335600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Freon 12	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chloromethane	ND		pptv	100	01/29/26 22:49	01/29/26 22:49
Freon 114	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Vinyl Chloride	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Bromomethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Vinyl bromide	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Trichlorofluoromethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1-Dichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Methylene Chloride	ND		pptv	20	01/29/26 22:49	01/29/26 22:49
Freon 113	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
trans-1,2-Dichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1-Dichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
cis-1,2-Dichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chloroform	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1,1-Trichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Benzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Carbon Tetrachloride	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dichloropropane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Bromodichloromethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Trichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
cis-1,3-Dichloropropene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
trans-1,3-Dichloropropene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1,2-Trichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Toluene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Dibromochloromethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dibromoethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Tetrachloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Ethylbenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
m,p-Xylenes	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Bromoform	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Styrene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
o-Xylene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
2-Chlorotoluene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,3,5-Trimethylbenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2,4-Trimethylbenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Benzyl chloride	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,3-Dichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,4-Dichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2,4-Trichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Hexachlorobutadiene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Xylene (total)	ND		pptv	10	01/29/26 22:49	01/29/26 22:49

Batch QC

QC1335600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	91%		%REC	70-130	01/29/26 22:49	01/29/26 22:49

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260213
REPORT DATE : 01/28/2026


On January 27th, 2025, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260213-85711
MS-12	260213-85712
MS-08	260213-85713
MS-09	260213-85714
MS-10	260213-85715
MS-06	260213-85716
MS-11	260213-85717


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260213
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 01/26-27/2026
 RECEIVING DATE : 01/27/2026
 ANALYSIS DATE : 01/27/2026
 REPORT DATE : 01/28/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260213-85711	260213-85712	260213-85713	260213-85714
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260213
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 01/26-27/2026
RECEIVING DATE : 01/27/2026
ANALYSIS DATE : 01/27/2026
REPORT DATE : 01/28/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260213-85715	260213-85716	260213-85717
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 1/27/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7715	0.490	99.2	2.6
Duplicate	7920	0.503	101.8	0.0
Triplicate	8136	0.517	104.6	2.7

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7308	0.501	98.6	2.6
Duplicate	7441	0.510	100.4	0.9
Triplicate	7767	0.532	104.8	3.5

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8016	0.488	101.5	2.1
Duplicate	8255	0.502	104.5	0.9
Triplicate	8281	0.504	104.8	1.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.250	0.262	101.2	106.1	4.7
MeSH	<PQL	0.254	0.265	0.275	104.4	108.4	3.7
DMS	<PQL	0.240	0.258	0.261	107.4	108.6	1.2

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.519	105.1
MeSH	0.508	0.536	105.6
DMS	0.481	0.525	109.3

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260213

Client/Project Name *SES Engineers / Chiquita Canyon Landfill Air/odor Sampling*

Project Location

Valencia, CA

ANALYSES

Field Logbook No.

Project No.

307.91 Seals

No. Of Containers

7

(Signature)

Jacob Pennington

Sampler: (Print)

Jacob Pennington

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks
MS-07	1-26-26	0715-0715	85711	10 Liter Bag	X
MS-12	1-26-26	0726-0726	85712	10 Liter Bag	X
MS-08	1-26-26	0736-0736	85713	10 Liter Bag	X
MS-09	1-26-26	0744-0744	85714	10 Liter Bag	X
MS-10	1-26-26	0802-0802	85715	10 Liter Bag	X
MS-06	1-26-26	0826-0820	85716	10 Liter Bag	X
MS-11	1-26-26	0841-0841	85717	10 Liter Bag	X

Relinquished by: (Signature)

[Signature]

Received by: (Signature)

Time

1-27-26 0940

Date

Time

Relinquished by: (Signature)

Received by: (Signature)

Time

Date

Time

0941

Date

Time

Relinquished by: (Signature)

Received for Laboratory: (Signature)

Time

Date

Time

1/27/26 0941

Date

Time

Sample Disposal Method:

Disposed of by: (Signature)

Time

Date

Time

Sample Collector

Analytical Laboratory

RTS 
Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

AAC Ventura

March 20, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: Monthly Enhanced Air Monitoring Program Data, February 2026, Chiquita Canyon Landfill

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the February 2026 24-hr samples are found in **Attachment A**.

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Order for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of



March 20, 2026


Page 2 of 2

September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:


<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers

attachments


cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (CTEH)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kevin Green (CCL)

FIGURE 1
MAP OF AIR MONITORING LOCATIONS

Legend

- Micro-GC
- Off-Site Station
- On-Site Station



Google Earth

Image © 2025 Airbus


Community Air Monitoring Program
 Continuous Air Monitoring Stations

MS-11

1 mi

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260254
REPORT DATE : 02/04/2026


On February 3rd, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260254-85872
MS-12	260254-85873
MS-08	260254-85874
MS-09	260254-85875
MS-10	260254-85876
MS-06	260254-85877
MS-11	260254-85878


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260254
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 02/02-03/2026
RECEIVING DATE : 02/03/2026
ANALYSIS DATE : 02/03/2026
REPORT DATE : 02/04/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260254-85872	260254-85873	260254-85874	260254-85875
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260254
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/02-03/2026
RECEIVING DATE : 02/03/2026
ANALYSIS DATE : 02/03/2026
REPORT DATE : 02/04/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260254-85876	260254-85877	260254-85878
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/3/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8147	0.517	104.7	0.1
Duplicate	8167	0.519	105.0	0.1
Triplicate	8164	0.518	104.9	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7690	0.527	103.8	0.0
Duplicate	7760	0.531	104.7	0.9
Triplicate	7614	0.521	102.8	1.0

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8266	0.503	104.6	0.0
Duplicate	8276	0.503	104.8	0.2
Triplicate	8248	0.502	104.4	0.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.257	0.246	104.0	99.6	4.4
MeSH	<PQL	0.254	0.258	0.255	101.7	100.5	1.2
DMS	<PQL	0.240	0.259	0.262	107.8	109.1	1.2

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.481	97.4
MeSH	0.508	0.516	101.7
DMS	0.481	0.502	104.5

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

Client/Project Name: SS Engineers / Chiquita Canyon Landfill Air/Gas Sampling

Project Location: Valencia, CA

ANALYSES

Project No. _____ Field Logbook No. _____

Sampler: (Print) Jacob Pennington (Signature) [Signature]


No. Of Containers: 7

307.91 Solfor

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks
MS-07	2-23-26	0715 - 0715	85872	10 Liter Bag	X
MS-12	2-23-26	0730 - 0730	85873	10 Liter Bag	X
MS-08	2-23-26	0743 - 0743	85874	10 Liter Bag	X
MS-09	2-23-26	0759 - 0759	85875	10 Liter Bag	X
MS-10	2-23-26	0815 - 0815	85876	10 Liter Bag	X
MS-06	2-23-26	0828 - 0828	85877	10 Liter Bag	X
MS-11	2-23-26	0842 - 0842	85878	10 Liter Bag	X

Relinquished by: (Signature) <u>[Signature]</u>	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	2-3-26	0953	Received by: (Signature)		
Relinquished by: (Signature)			Received for Laboratory: (Signature) <u>[Signature]</u>	2/3/26	0956
Sample Disposal Method:	Disposed of by: (Signature)		Date	Date	Time

Sample Collector



RTS Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

Sample Summary

Raymond Huff	Lab Job #:	552272
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/03/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	552272-001	02/03/26 07:15	Air
MS-12	552272-002	02/03/26 07:30	Air
MS-08	552272-003	02/03/26 07:43	Air
MS-09	552272-004	02/03/26 07:59	Air
MS-10	552272-005	02/03/26 08:15	Air
MS-06	552272-006	02/03/26 08:28	Air
MS-11	552272-007	02/03/26 08:42	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 552272
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 02/03/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/03/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Bartley Ave., Orange, CA 92660
 Phone: (714) 771-8900 Fax: (714) 838-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 552272

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	S&S Engineers	Name:	Chiquita Canyon Landfill Air Corder Sampling
Report To:	Ray Hoff	Number:	
Email:	rhoff@scessengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:	
Phone:	562-355-6334	Sampled By:	Jacob Pennington
Special Instructions:	Fax: 562-427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date				
MS-07	A	C70068	6L	A70626	2-2-26	0715	2-3-26	0715	-5	X	
MS-12	A	C70055	6L	A70047	2-2-26	0730	2-3-26	0730	-7	X	
MS-08	A	C70305	6L	A70487	2-2-26	0743	2-3-26	0743	-5	X	
MS-09	A	C70930	6L	A70541	2-2-26	0754	2-3-26	0759	-7	X	
MS-10	A	C70844	6L	A70555	2-2-26	0815	2-3-26	0815	-8	X	
MS-06	A	C70315	6L	A70648	2-2-26	0828	2-3-26	0828	-5	X	
MS-11	A	C70445	6L	A70118	2-2-26	0842	2-3-26	0842	-5	X	
8											
9											
10											

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RECEIVED BY:	<i>Anna Taylor</i>	Jacob Pennington	Res	2-3-26/12:23
RELINQUISHED BY:	<i>Anna Roberts</i>	Anna Roberts	QA	2-3-26 12:23
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				



Login 552272



SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 2/3/26 WO# 552272 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 2/3/26 By (initials) AGR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X*		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4, 6* = No sampling times on tags

No additional discrepancies

Date Logged 2/3/26 By (print) ABD (sign) ABD

Date Labeled 2/3/26 By (print) MSK (sign) MSK

Analysis Results for 552272

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 552272
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/03/26

Sample ID: MS-07	Lab ID: 552272-001	Collected: 02/03/26 07:15
Matrix: Air		

552272-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloromethane	0.68		ppbv	0.10	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloroethane	0.067		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Methylene Chloride	0.099		ppbv	0.020	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 113	0.063		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloroform	0.020		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Benzene	0.15		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Toluene	0.20		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Tetrachloroethene	0.013		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Ethylbenzene	0.028		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
m,p-Xylenes	0.080		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Styrene	0.018		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
o-Xylene	0.031		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2,4-Trimethylbenzene	0.033		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD

Analysis Results for 552272

552272-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Xylene (total)	0.11		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 16:43	02/05/26 16:43	OHD

Analysis Results for 552272

Sample ID: MS-12	Lab ID: 552272-002	Collected: 02/03/26 07:30
Matrix: Air		

552272-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 12	0.47		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloromethane	0.56		ppbv	0.10	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Methylene Chloride	0.099		ppbv	0.020	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 113	0.065		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloroform	0.021		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Benzene	0.14		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Carbon Tetrachloride	0.076		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Toluene	0.21		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Tetrachloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Ethylbenzene	0.032		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
m,p-Xylenes	0.10		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Styrene	0.016		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
o-Xylene	0.039		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2,4-Trimethylbenzene	0.034		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD

Analysis Results for 552272

552272-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Xylene (total)	0.14		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 17:31	02/05/26 17:31	OHD

Analysis Results for 552272

Sample ID: MS-08	Lab ID: 552272-003	Collected: 02/03/26 07:43
Matrix: Air		

552272-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloromethane	0.55		ppbv	0.10	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Methylene Chloride	0.097		ppbv	0.020	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 113	0.064		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloroform	0.017		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Benzene	0.16		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Toluene	0.28		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Tetrachloroethene	0.014		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Ethylbenzene	0.044		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
m,p-Xylenes	0.15		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Styrene	0.015		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
o-Xylene	0.057		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,3,5-Trimethylbenzene	0.016		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2,4-Trimethylbenzene	0.061		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD

Analysis Results for 552272

552272-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Xylene (total)	0.21		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	394532	02/05/26 18:20	02/05/26 18:20	OHD

Analysis Results for 552272

Sample ID: MS-09	Lab ID: 552272-004	Collected: 02/03/26 07:59
Matrix: Air		

552272-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 12	0.47		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloromethane	0.57		ppbv	0.11	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 114	0.016		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromomethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloroethane	0.016		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Methylene Chloride	0.10		ppbv	0.021	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 113	0.064		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloroform	0.028		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichloroethane	0.018		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Benzene	0.14		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Carbon Tetrachloride	0.075		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Trichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Toluene	0.34		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Tetrachloroethene	0.011		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Ethylbenzene	0.037		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
m,p-Xylenes	0.12		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromoform	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Styrene	0.070		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
o-Xylene	0.044		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2,4-Trimethylbenzene	0.037		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD

Analysis Results for 552272

552272-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Xylene (total)	0.16		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD

Analysis Results for 552272

Sample ID: MS-10
Lab ID: 552272-005
Collected: 02/03/26 08:15
Matrix: Air

552272-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 12	0.46		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloromethane	0.55		ppbv	0.11	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 114	0.016		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromomethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloroethane	0.068		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 113	0.064		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloroform	0.034		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichloroethane	0.018		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Benzene	0.15		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Carbon Tetrachloride	0.074		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Trichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Toluene	0.41		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Tetrachloroethene	0.017		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Ethylbenzene	0.048		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
m,p-Xylenes	0.16		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromoform	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Styrene	0.055		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
o-Xylene	0.058		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,3,5-Trimethylbenzene	0.012		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2,4-Trimethylbenzene	0.050		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD

Analysis Results for 552272

552272-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Xylene (total)	0.21		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD

Analysis Results for 552272

Sample ID: MS-06	Lab ID: 552272-006	Collected: 02/03/26 08:28
Matrix: Air		

552272-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloromethane	0.54		ppbv	0.10	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Methylene Chloride	0.099		ppbv	0.020	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 113	0.063		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloroform	0.027		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Benzene	0.13		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Carbon Tetrachloride	0.075		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Toluene	0.24		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Tetrachloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Ethylbenzene	0.035		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
m,p-Xylenes	0.11		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Styrene	0.047		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
o-Xylene	0.041		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2,4-Trimethylbenzene	0.037		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD

Analysis Results for 552272

552272-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Xylene (total)	0.15		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 20:45	02/05/26 20:45	OHD

Analysis Results for 552272

Sample ID: MS-11
Lab ID: 552272-007
Collected: 02/03/26 08:42
Matrix: Air

552272-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloromethane	0.57		ppbv	0.10	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloroethane	0.013		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Methylene Chloride	0.10		ppbv	0.020	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 113	0.064		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloroform	0.021		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Benzene	0.093		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Carbon Tetrachloride	0.076		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Toluene	0.21		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Tetrachloroethene	0.012		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Ethylbenzene	0.028		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
m,p-Xylenes	0.091		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Styrene	0.011		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
o-Xylene	0.036		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2,4-Trimethylbenzene	0.037		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD

Analysis Results for 552272

552272-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Xylene (total)	0.13		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 21:34	02/05/26 21:34	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1337598	Batch: 394532
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1337598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	199.6	200.0	pptv	100%		70-130
1,1,1,2-Tetrachloroethane	204.6	200.0	pptv	102%		70-130
Freon 12	206.4	200.0	pptv	103%		70-130
Chloromethane	199.8	200.0	pptv	100%		70-130
Freon 114	206.1	200.0	pptv	103%		70-130
Vinyl Chloride	206.4	200.0	pptv	103%		70-130
Bromomethane	199.3	200.0	pptv	100%		70-130
Chloroethane	201.1	200.0	pptv	101%		70-130
Vinyl bromide	210.5	200.0	pptv	105%		70-130
Trichlorofluoromethane	208.0	200.0	pptv	104%		70-130
1,1-Dichloroethene	212.1	200.0	pptv	106%		70-130
Methylene Chloride	191.5	200.0	pptv	96%		70-130
Freon 113	208.1	200.0	pptv	104%		70-130
trans-1,2-Dichloroethene	208.9	200.0	pptv	104%		70-130
1,1-Dichloroethane	209.2	200.0	pptv	105%		70-130
cis-1,2-Dichloroethene	208.7	200.0	pptv	104%		70-130
Chloroform	208.0	200.0	pptv	104%		70-130
1,2-Dichloroethane	206.4	200.0	pptv	103%		70-130
1,1,1-Trichloroethane	211.7	200.0	pptv	106%		70-130
Benzene	200.9	200.0	pptv	100%		70-130
Carbon Tetrachloride	209.9	200.0	pptv	105%		70-130
1,2-Dichloropropane	209.3	200.0	pptv	105%		70-130
Bromodichloromethane	211.0	200.0	pptv	106%		70-130
Trichloroethene	220.5	200.0	pptv	110%		70-130
cis-1,3-Dichloropropene	206.4	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	205.1	200.0	pptv	103%		70-130
1,1,2-Trichloroethane	211.2	200.0	pptv	106%		70-130
Toluene	211.9	200.0	pptv	106%		70-130
Dibromochloromethane	211.8	200.0	pptv	106%		70-130
1,2-Dibromoethane	207.7	200.0	pptv	104%		70-130
Tetrachloroethene	251.7	200.0	pptv	126%		70-130
Chlorobenzene	205.1	200.0	pptv	103%		70-130
Ethylbenzene	206.7	200.0	pptv	103%		70-130
m,p-Xylenes	415.6	400.0	pptv	104%		70-130
Bromoform	193.8	200.0	pptv	97%		70-130
Styrene	201.7	200.0	pptv	101%		70-130
o-Xylene	210.4	200.0	pptv	105%		70-130
2-Chlorotoluene	205.9	200.0	pptv	103%		70-130
1,3,5-Trimethylbenzene	206.0	200.0	pptv	103%		70-130
1,2,4-Trimethylbenzene	209.4	200.0	pptv	105%		70-130
Benzyl chloride	197.1	200.0	pptv	99%		70-130
1,3-Dichlorobenzene	207.3	200.0	pptv	104%		70-130
1,4-Dichlorobenzene	205.8	200.0	pptv	103%		70-130
1,2-Dichlorobenzene	202.6	200.0	pptv	101%		70-130
1,2,4-Trichlorobenzene	199.1	200.0	pptv	100%		70-130
Hexachlorobutadiene	191.5	200.0	pptv	96%		70-130

Surrogates

Batch QC

QC1337598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	247.1	250.0	pptv	99%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1337599	Batch: 394532
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1337599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	202.5	200.0	pptv	101%		70-130	1	25
1,1,1,2-Tetrachloroethane	207.9	200.0	pptv	104%		70-130	2	25
Freon 12	207.9	200.0	pptv	104%		70-130	1	25
Chloromethane	201.1	200.0	pptv	101%		70-130	1	25
Freon 114	206.6	200.0	pptv	103%		70-130	0	25
Vinyl Chloride	207.4	200.0	pptv	104%		70-130	0	25
Bromomethane	200.1	200.0	pptv	100%		70-130	0	25
Chloroethane	202.7	200.0	pptv	101%		70-130	1	25
Vinyl bromide	211.0	200.0	pptv	105%		70-130	0	25
Trichlorofluoromethane	208.8	200.0	pptv	104%		70-130	0	25
1,1-Dichloroethene	213.3	200.0	pptv	107%		70-130	1	25
Methylene Chloride	192.3	200.0	pptv	96%		70-130	0	25
Freon 113	208.8	200.0	pptv	104%		70-130	0	25
trans-1,2-Dichloroethene	209.6	200.0	pptv	105%		70-130	0	25
1,1-Dichloroethane	210.0	200.0	pptv	105%		70-130	0	25
cis-1,2-Dichloroethene	209.9	200.0	pptv	105%		70-130	1	25
Chloroform	209.0	200.0	pptv	104%		70-130	0	25
1,2-Dichloroethane	206.9	200.0	pptv	103%		70-130	0	25
1,1,1-Trichloroethane	213.7	200.0	pptv	107%		70-130	1	25
Benzene	201.5	200.0	pptv	101%		70-130	0	25
Carbon Tetrachloride	211.1	200.0	pptv	106%		70-130	1	25
1,2-Dichloropropane	211.2	200.0	pptv	106%		70-130	1	25
Bromodichloromethane	213.5	200.0	pptv	107%		70-130	1	25
Trichloroethene	221.0	200.0	pptv	111%		70-130	0	25
cis-1,3-Dichloropropene	207.5	200.0	pptv	104%		70-130	1	25
trans-1,3-Dichloropropene	204.3	200.0	pptv	102%		70-130	0	25
1,1,2-Trichloroethane	211.7	200.0	pptv	106%		70-130	0	25
Toluene	214.3	200.0	pptv	107%		70-130	1	25
Dibromochloromethane	213.2	200.0	pptv	107%		70-130	1	25
1,2-Dibromoethane	208.7	200.0	pptv	104%		70-130	1	25
Tetrachloroethene	251.8	200.0	pptv	126%		70-130	0	25
Chlorobenzene	208.8	200.0	pptv	104%		70-130	2	25
Ethylbenzene	210.7	200.0	pptv	105%		70-130	2	25
m,p-Xylenes	421.3	400.0	pptv	105%		70-130	1	25
Bromoform	194.1	200.0	pptv	97%		70-130	0	25
Styrene	203.6	200.0	pptv	102%		70-130	1	25
o-Xylene	211.4	200.0	pptv	106%		70-130	0	25
2-Chlorotoluene	206.7	200.0	pptv	103%		70-130	0	25
1,3,5-Trimethylbenzene	208.8	200.0	pptv	104%		70-130	1	25
1,2,4-Trimethylbenzene	210.4	200.0	pptv	105%		70-130	0	25
Benzyl chloride	199.5	200.0	pptv	100%		70-130	1	25
1,3-Dichlorobenzene	207.7	200.0	pptv	104%		70-130	0	25
1,4-Dichlorobenzene	207.0	200.0	pptv	103%		70-130	1	25
1,2-Dichlorobenzene	203.5	200.0	pptv	102%		70-130	0	25
1,2,4-Trichlorobenzene	199.2	200.0	pptv	100%		70-130	0	25
Hexachlorobutadiene	191.2	200.0	pptv	96%		70-130	0	25

Batch QC

QC1337599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	246.8	250.0	pptv	99%		70-130		

Batch QC


Type: Blank	Lab ID: QC1337600	Batch: 394532
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1337600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Freon 12	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloromethane	ND		pptv	100	02/05/26 11:10	02/05/26 11:10
Freon 114	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Vinyl Chloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromomethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Vinyl bromide	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Trichlorofluoromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Methylene Chloride	ND		pptv	20	02/05/26 11:10	02/05/26 11:10
Freon 113	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
trans-1,2-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1-Dichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
cis-1,2-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloroform	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,1-Trichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Benzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Carbon Tetrachloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichloropropane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromodichloromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Trichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
cis-1,3-Dichloropropene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
trans-1,3-Dichloropropene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,2-Trichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Toluene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Dibromochloromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dibromoethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Tetrachloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Ethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
m,p-Xylenes	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromoform	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Styrene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
o-Xylene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
2-Chlorotoluene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,3,5-Trimethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2,4-Trimethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Benzyl chloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,3-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,4-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2,4-Trichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Hexachlorobutadiene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Xylene (total)	ND		pptv	10	02/05/26 11:10	02/05/26 11:10

Batch QC

QC1337600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	101%		%REC	70-130	02/05/26 11:10	02/05/26 11:10

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260329
REPORT DATE : 02/16/2026


On February 10th 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260329-86136
MS-12	260329-86137
MS-08	260329-86138
MS-09	260329-86139
MS-10	260329-86140
MS-06	260329-86141
MS-11	260329-86142


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260329
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/09-10/2026
RECEIVING DATE : 02/10/2026
ANALYSIS DATE : 02/10/2026
REPORT DATE : 02/16/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260329-86136	260329-86137	260329-86138	260329-86139
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260329
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/09-10/2026
RECEIVING DATE : 02/10/2026
ANALYSIS DATE : 02/10/2026
REPORT DATE : 02/16/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260329-86140	260329-86141	260329-86142
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/10/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7607	0.483	97.8	0.5
Duplicate	7912	0.502	101.7	3.5
Triplicate	7407	0.470	95.2	3.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7182	0.492	96.9	0.2
Duplicate	7310	0.501	98.7	1.5
Triplicate	7105	0.487	95.9	1.3

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7790	0.474	98.6	1.8
Duplicate	8029	0.488	101.6	1.2
Triplicate	7982	0.485	101.0	0.6

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.223	0.243	90.3	98.4	8.6
MeSH	<PQL	0.254	0.241	0.260	95.0	102.5	7.6
DMS	<PQL	0.240	0.221	0.243	92.0	101.1	9.5

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.481	97.4
MeSH	0.508	0.485	95.6
DMS	0.481	0.456	94.9

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 0.05 ppmV

360329

CHAIN OF CUSTODY RECORD

Client/Project Name S&S Engineering Chevita Canyon Landfill Air/Odor Sampling		Project Location Valencia, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Jacob Pennington		(Signature) <i>Jacob Pennington</i>		No. Of Containers 7			
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	2-9-06	0708-0708	86136	10 Liter Bag	X		
MS-12	2-9-06	0718-0718	86137	10 Liter Bag	X		
MS-08	2-9-06	0726-0726	86138	10 Liter Bag	X		
MS-09	2-9-06	0740-0740	86139	10 Liter Bag	X		
MS-10	2-9-06	0758-0758	86140	10 Liter Bag	X		
MS-06	2-9-06	0814-0814	86141	10 Liter Bag	X		
MS-11	2-9-06	0835-0835	86142	10 Liter Bag	X		
Relinquished by: (Signature) <i>Jacob Pennington</i>		Date	Time	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)		2/10/26	0944				
Relinquished by: (Signature)		Date	Time	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)							
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature)	Date	Time	
Relinquished by: (Signature)				<i>[Signature]</i>	2/10/26	0946	
Sample Disposal Method:		Disposed of by: (Signature)				Date	Time
Sample Collector		Analytical Laboratory				Date	Time
RTS Environmental Inc. 865 Via Lata • Colton, California 92324 (909) 422-1001 Fax (909) 422-0707		AAC Ventura					

307.91 Solفور

Sample Summary

Raymond Huff	Lab Job #:	552768
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/10/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	552768-001	02/10/26 07:08	Air
MS-12	552768-002	02/10/26 07:18	Air
MS-08	552768-003	02/10/26 07:26	Air
MS-09	552768-004	02/10/26 07:40	Air
MS-10	552768-005	02/10/26 07:58	Air
MS-06	552768-006	02/10/26 08:14	Air
MS-11	552768-007	02/10/26 08:35	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 552768
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 02/10/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/10/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209



Air Chain of Custody Record
 Lab Job No. 55276Y

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	S&S Engineers	Name:	Chiquita Canyon Landfill Air/Odor Sampling
Report To:	Ruy Hoff	Number:	
Email:	rhuff@sscengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:	
Phone:	562-355-6334	Sampled By:	Jacob Pennington
Special Instructions:	Fax: 562 427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time			
1 MS-07	A	C70370	6L	A70611	2-9-26	0708	2-10-26	0708	-5	X	Standard <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Custom TAT: _____	
2 MS-12	A	C70367	6L	A70628	2-9-26	0718	2-10-26	0718	-6	X		
3 MS-08	A	C70430	6L	A70635	2-9-26	0726	2-10-26	0726	-5	X		
4 MS-09	A	C70643	6L	A70639	2-9-26	0740	2-10-26	0740	-6	X		
5 MS-10	A	C70358	6L	A70603	2-9-26	0758	2-10-26	0758	-5	X		
6 MS-06	A	C70631	6L	A70248	2-9-26	0814	2-10-26	0814	-9	X		
7 MS-11	A	C70343	6L	A70163	2-9-26	0835	2-10-26	0835	-7	X		
8												
9												
10												

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE/TIME
RECEIVED BY:	<i>[Signature]</i>	Jacob Pennington	RES	2/10/26 - 1152
RELINQUISHED BY:	<i>[Signature]</i>	AR	EA	2/10/26 1102
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				



LogIn 552768

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 02/10/20 WO# 552768 Client: _____

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 02/10/20 By (initials) JXR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 02/10/20 By (print) FPD (sign) 
 Date Labeled 02/10/20 By (print) FPD (sign) _____

Analysis Results for 552768

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 552768
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/10/26

Sample ID: MS-07 Lab ID: 552768-001 Collected: 02/10/26 07:08
Matrix: Air

552768-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 12	0.47		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloromethane	0.57		ppbv	0.10	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloroethane	0.10		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 113	0.065		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloroform	0.020		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Benzene	0.18		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Toluene	0.23		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Tetrachloroethene	0.013		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Ethylbenzene	0.033		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
m,p-Xylenes	0.091		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Styrene	0.025		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
o-Xylene	0.035		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2,4-Trimethylbenzene	0.034		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD

Analysis Results for 552768

552768-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Xylene (total)	0.13		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 11:17	02/11/26 11:17	OHD

Analysis Results for 552768

Sample ID: MS-12	Lab ID: 552768-002	Collected: 02/10/26 07:18
Matrix: Air		

552768-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 12	0.46		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloromethane	0.56		ppbv	0.11	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 114	0.016		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromomethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloroethane	0.14		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Trichlorofluoromethane	0.19		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 113	0.063		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloroform	0.020		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichloroethane	0.017		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Benzene	0.18		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Carbon Tetrachloride	0.075		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Toluene	0.30		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Tetrachloroethene	0.018		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Ethylbenzene	0.042		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
m,p-Xylenes	0.13		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromoform	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Styrene	0.028		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
o-Xylene	0.050		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,3,5-Trimethylbenzene	0.011		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2,4-Trimethylbenzene	0.048		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD

Analysis Results for 552768

552768-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Xylene (total)	0.18		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD

Analysis Results for 552768

Sample ID: MS-08	Lab ID: 552768-003	Collected: 02/10/26 07:26
Matrix: Air		

552768-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 12	0.47		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloromethane	0.56		ppbv	0.10	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloroethane	0.11		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 113	0.065		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloroform	0.020		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Benzene	0.12		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Toluene	0.21		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Tetrachloroethene	0.017		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Ethylbenzene	0.027		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
m,p-Xylenes	0.082		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Styrene	0.016		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
o-Xylene	0.032		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2,4-Trimethylbenzene	0.029		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD

Analysis Results for 552768

552768-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Xylene (total)	0.11		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 12:55	02/11/26 12:55	OHD

Analysis Results for 552768

Sample ID: MS-09	Lab ID: 552768-004	Collected: 02/10/26 07:40
Matrix: Air		

552768-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 12	0.46		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloromethane	0.56		ppbv	0.10	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloroethane	0.090		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 113	0.067		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloroform	0.025		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Benzene	0.18		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Carbon Tetrachloride	0.076		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Toluene	0.37		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Tetrachloroethene	0.016		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Ethylbenzene	0.042		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
m,p-Xylenes	0.13		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Styrene	0.043		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
o-Xylene	0.046		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2,4-Trimethylbenzene	0.038		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD

Analysis Results for 552768

552768-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Xylene (total)	0.17		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	395023	02/11/26 13:43	02/11/26 13:43	OHD

Analysis Results for 552768

Sample ID: MS-10	Lab ID: 552768-005	Collected: 02/10/26 07:58
Matrix: Air		

552768-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 12	0.46		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloromethane	0.55		ppbv	0.10	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Methylene Chloride	0.11		ppbv	0.021	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 113	0.064		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloroform	0.031		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Benzene	0.15		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Toluene	0.34		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Tetrachloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Ethylbenzene	0.043		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
m,p-Xylenes	0.13		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Styrene	0.079		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
o-Xylene	0.049		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,3,5-Trimethylbenzene	0.011		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2,4-Trimethylbenzene	0.045		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD

Analysis Results for 552768

552768-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Xylene (total)	0.18		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 14:32	02/11/26 14:32	OHD

Analysis Results for 552768

Sample ID: MS-06
Lab ID: 552768-006
Collected: 02/10/26 08:14
Matrix: Air

552768-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 12	0.47		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloromethane	0.55		ppbv	0.11	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 114	0.017		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromomethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 113	0.064		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloroform	0.024		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichloroethane	0.018		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Benzene	0.17		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Carbon Tetrachloride	0.077		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Toluene	0.28		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Ethylbenzene	0.039		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
m,p-Xylenes	0.10		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromoform	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Styrene	0.090		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
o-Xylene	0.041		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2,4-Trimethylbenzene	0.030		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD

Analysis Results for 552768

552768-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Xylene (total)	0.15		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD

Analysis Results for 552768

Sample ID: MS-11	Lab ID: 552768-007	Collected: 02/10/26 08:35
Matrix: Air		

552768-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 12	0.46		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloromethane	0.57		ppbv	0.12	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 114	0.016		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromomethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloroethane	0.025		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Trichlorofluoromethane	0.20		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Methylene Chloride	0.11		ppbv	0.023	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 113	0.064		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloroform	0.026		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichloroethane	0.018		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Benzene	0.13		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Carbon Tetrachloride	0.077		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Trichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Toluene	0.23		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Ethylbenzene	0.033		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
m,p-Xylenes	0.094		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromoform	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Styrene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
o-Xylene	0.038		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2,4-Trimethylbenzene	0.031		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD

Analysis Results for 552768

552768-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Xylene (total)	0.13		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1339412	Batch: 395023
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1339412 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	206.8	200.0	pptv	103%		70-130
1,1,1,2-Tetrachloroethane	207.7	200.0	pptv	104%		70-130
Freon 12	211.1	200.0	pptv	106%		70-130
Chloromethane	210.5	200.0	pptv	105%		70-130
Freon 114	212.8	200.0	pptv	106%		70-130
Vinyl Chloride	213.3	200.0	pptv	107%		70-130
Bromomethane	211.5	200.0	pptv	106%		70-130
Chloroethane	205.7	200.0	pptv	103%		70-130
Vinyl bromide	207.6	200.0	pptv	104%		70-130
Trichlorofluoromethane	211.2	200.0	pptv	106%		70-130
1,1-Dichloroethene	210.6	200.0	pptv	105%		70-130
Methylene Chloride	195.5	200.0	pptv	98%		70-130
Freon 113	209.9	200.0	pptv	105%		70-130
trans-1,2-Dichloroethene	210.8	200.0	pptv	105%		70-130
1,1-Dichloroethane	211.6	200.0	pptv	106%		70-130
cis-1,2-Dichloroethene	210.8	200.0	pptv	105%		70-130
Chloroform	209.8	200.0	pptv	105%		70-130
1,2-Dichloroethane	211.0	200.0	pptv	106%		70-130
1,1,1-Trichloroethane	211.4	200.0	pptv	106%		70-130
Benzene	199.0	200.0	pptv	99%		70-130
Carbon Tetrachloride	214.4	200.0	pptv	107%		70-130
1,2-Dichloropropane	210.1	200.0	pptv	105%		70-130
Bromodichloromethane	218.3	200.0	pptv	109%		70-130
Trichloroethene	209.6	200.0	pptv	105%		70-130
cis-1,3-Dichloropropene	215.5	200.0	pptv	108%		70-130
trans-1,3-Dichloropropene	212.3	200.0	pptv	106%		70-130
1,1,2-Trichloroethane	212.2	200.0	pptv	106%		70-130
Toluene	207.5	200.0	pptv	104%		70-130
Dibromochloromethane	219.8	200.0	pptv	110%		70-130
1,2-Dibromoethane	209.4	200.0	pptv	105%		70-130
Tetrachloroethene	221.1	200.0	pptv	111%		70-130
Chlorobenzene	201.4	200.0	pptv	101%		70-130
Ethylbenzene	202.3	200.0	pptv	101%		70-130
m,p-Xylenes	409.1	400.0	pptv	102%		70-130
Bromoform	195.1	200.0	pptv	98%		70-130
Styrene	201.9	200.0	pptv	101%		70-130
o-Xylene	206.1	200.0	pptv	103%		70-130
2-Chlorotoluene	200.6	200.0	pptv	100%		70-130
1,3,5-Trimethylbenzene	204.6	200.0	pptv	102%		70-130
1,2,4-Trimethylbenzene	204.8	200.0	pptv	102%		70-130
Benzyl chloride	196.3	200.0	pptv	98%		70-130
1,3-Dichlorobenzene	202.4	200.0	pptv	101%		70-130
1,4-Dichlorobenzene	198.4	200.0	pptv	99%		70-130
1,2-Dichlorobenzene	195.3	200.0	pptv	98%		70-130
1,2,4-Trichlorobenzene	162.2	200.0	pptv	81%		70-130
Hexachlorobutadiene	187.6	200.0	pptv	94%		70-130

Surrogates

Batch QC

QC1339412 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	242.8	250.0	pptv	97%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1339413	Batch: 395023
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1339413 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	201.0	200.0	pptv	101%		70-130	3	25
1,1,1,2-Tetrachloroethane	201.2	200.0	pptv	101%		70-130	3	25
Freon 12	207.8	200.0	pptv	104%		70-130	2	25
Chloromethane	205.4	200.0	pptv	103%		70-130	2	25
Freon 114	206.9	200.0	pptv	103%		70-130	3	25
Vinyl Chloride	208.4	200.0	pptv	104%		70-130	2	25
Bromomethane	205.6	200.0	pptv	103%		70-130	3	25
Chloroethane	199.6	200.0	pptv	100%		70-130	3	25
Vinyl bromide	202.1	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	205.2	200.0	pptv	103%		70-130	3	25
1,1-Dichloroethene	203.8	200.0	pptv	102%		70-130	3	25
Methylene Chloride	190.5	200.0	pptv	95%		70-130	3	25
Freon 113	204.3	200.0	pptv	102%		70-130	3	25
trans-1,2-Dichloroethene	204.9	200.0	pptv	102%		70-130	3	25
1,1-Dichloroethane	206.4	200.0	pptv	103%		70-130	2	25
cis-1,2-Dichloroethene	205.0	200.0	pptv	103%		70-130	3	25
Chloroform	203.5	200.0	pptv	102%		70-130	3	25
1,2-Dichloroethane	204.5	200.0	pptv	102%		70-130	3	25
1,1,1-Trichloroethane	206.4	200.0	pptv	103%		70-130	2	25
Benzene	194.7	200.0	pptv	97%		70-130	2	25
Carbon Tetrachloride	208.0	200.0	pptv	104%		70-130	3	25
1,2-Dichloropropane	205.0	200.0	pptv	102%		70-130	2	25
Bromodichloromethane	210.7	200.0	pptv	105%		70-130	4	25
Trichloroethene	203.0	200.0	pptv	101%		70-130	3	25
cis-1,3-Dichloropropene	206.6	200.0	pptv	103%		70-130	4	25
trans-1,3-Dichloropropene	204.8	200.0	pptv	102%		70-130	4	25
1,1,2-Trichloroethane	205.6	200.0	pptv	103%		70-130	3	25
Toluene	201.9	200.0	pptv	101%		70-130	3	25
Dibromochloromethane	213.4	200.0	pptv	107%		70-130	3	25
1,2-Dibromoethane	203.5	200.0	pptv	102%		70-130	3	25
Tetrachloroethene	214.1	200.0	pptv	107%		70-130	3	25
Chlorobenzene	196.7	200.0	pptv	98%		70-130	2	25
Ethylbenzene	197.7	200.0	pptv	99%		70-130	2	25
m,p-Xylenes	399.2	400.0	pptv	100%		70-130	2	25
Bromoform	189.3	200.0	pptv	95%		70-130	3	25
Styrene	197.3	200.0	pptv	99%		70-130	2	25
o-Xylene	201.3	200.0	pptv	101%		70-130	2	25
2-Chlorotoluene	195.6	200.0	pptv	98%		70-130	2	25
1,3,5-Trimethylbenzene	199.2	200.0	pptv	100%		70-130	3	25
1,2,4-Trimethylbenzene	199.9	200.0	pptv	100%		70-130	2	25
Benzyl chloride	191.2	200.0	pptv	96%		70-130	3	25
1,3-Dichlorobenzene	197.1	200.0	pptv	99%		70-130	3	25
1,4-Dichlorobenzene	193.2	200.0	pptv	97%		70-130	3	25
1,2-Dichlorobenzene	191.1	200.0	pptv	96%		70-130	2	25
1,2,4-Trichlorobenzene	182.1	200.0	pptv	91%		70-130	12	25
Hexachlorobutadiene	185.9	200.0	pptv	93%		70-130	1	25

Batch QC

QC1339413 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	242.1	250.0	pptv	97%		70-130		

Batch QC


Type: Blank	Lab ID: QC1339414	Batch: 395023
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1339414 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Freon 12	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloromethane	ND		pptv	100	02/11/26 10:25	02/11/26 10:25
Freon 114	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Vinyl Chloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromomethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Vinyl bromide	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Trichlorofluoromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Methylene Chloride	ND		pptv	20	02/11/26 10:25	02/11/26 10:25
Freon 113	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
trans-1,2-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1-Dichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
cis-1,2-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloroform	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,1-Trichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Benzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Carbon Tetrachloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichloropropane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromodichloromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Trichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
cis-1,3-Dichloropropene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
trans-1,3-Dichloropropene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,2-Trichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Toluene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Dibromochloromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dibromoethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Tetrachloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Ethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
m,p-Xylenes	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromoform	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Styrene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
o-Xylene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
2-Chlorotoluene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,3,5-Trimethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2,4-Trimethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Benzyl chloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,3-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,4-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2,4-Trichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Hexachlorobutadiene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Xylene (total)	ND		pptv	10	02/11/26 10:25	02/11/26 10:25

Batch QC

QC1339414 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	94%		%REC	70-130	02/11/26 10:25	02/11/26 10:25

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260396
REPORT DATE : 02/24/2026


On February 18th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260396-86482
MS-12	260396-86483
MS-08	260396-86484
MS-09	260396-86485
MS-10	260396-86486
MS-06	260396-86487
MS-11	260396-86488


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260396
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/17-18/2026
RECEIVING DATE : 02/18/2026
ANALYSIS DATE : 02/18/2026
REPORT DATE : 02/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260396-86482	260396-86483	260396-86484	260396-86485
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260396
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/17-18/2026
RECEIVING DATE : 02/18/2026
ANALYSIS DATE : 02/18/2026
REPORT DATE : 02/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260396-86486	260396-86487	260396-86488
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/18/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

494.0 ppbV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21391	481	97.3	1.2
Duplicate	21402	481	97.4	1.2
Triplicate	22192	499	100.9	2.4

507.5 ppbV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	19623	511	100.6	0.7
Duplicate	19582	510	100.4	0.9
Triplicate	20072	522	102.9	1.6

480.5 ppbV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22086	489	101.8	1.1
Duplicate	22138	490	102.1	0.8
Triplicate	22740	504	104.8	1.9

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86137

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	247.0	256.7	233.3	103.9	94.5	9.5
MeSH	<PQL	253.8	247.8	249.1	97.7	98.2	0.5
DMS	<PQL	240.3	247.0	244.2	102.8	101.6	1.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	494.0	455.5	92.2
MeSH	507.5	507.0	99.9
DMS	480.5	497.5	103.5

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 50.0 ppbV

CHAIN OF CUSTODY RECORD 260396

Client/Project Name **SS Engineers**
 8100 La Croyer Lane, Los Angeles, CA 90044
 Project Location **Valencia / CA**

Project No. **ARBOR Sampling**
 Field Logbook No. **7**

Sampler: (Print) **Jacob Pennington** (Signature) *Jacob Pennington*
 No. Of Containers **7**

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Received by: (Signature)	Date	Time	Remarks
MS-07	2-17/18-26	0715-0715	86482	10 Liter Bag	X			7.91 Sulfur
MS-12	2-17/18-26	0732-0732	86483	10 Liter Bag	X			
MS-08	2-17/18-26	0744-0744	86484	10 Liter Bag	X			
MS-09	2-17/18-26	0756-0756	86485	10 Liter Bag	X			
MS-10	2-17/18-26	0810-0810	86486	10 Liter Bag	X			
MS-06	2-17/18-26	0825-0825	86487	10 Liter Bag	X			
MS-11	2-17/18-26	0850-0850	86488	10 Liter Bag	X			


Relinquished by: (Signature) *Jacob Pennington*
 Date **2/18/26** Time **1003**
 Received by: (Signature) _____ Date _____ Time _____

Relinquished by: (Signature) _____ Date _____ Time _____
 Received by: (Signature) _____ Date _____ Time _____

Relinquished by: (Signature) _____ Date _____ Time _____
 Received by: (Signature) _____ Date _____ Time _____

Sample Disposal Method: _____
 Disposed of by: (Signature) _____ Date _____ Time _____

Sample Collector **Environmental Inc.**
 Analytical Laboratory **AAC Ventura**



Sample Summary

Raymond Huff	Lab Job #:	553527
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/18/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	553527-001	02/18/26 07:15	Air
MS-12	553527-002	02/18/26 07:32	Air
MS-08	553527-003	02/18/26 07:44	Air
MS-09	553527-004	02/18/26 07:56	Air
MS-10	553527-005	02/18/26 08:10	Air
MS-06	553527-006	02/18/26 08:25	Air
MS-11	553527-007	02/18/26 08:50	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 553527
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 02/18/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/18/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

Air Chain of Custody Record

Lab Job No. 553527



931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company: <u>Scs Engineers</u>	Name: <u>Chiquita Canyon Landfill Airborne Sampling</u>	PO Number:	Lab Quote Number:
Report To: <u>Ray Huff</u>	Number:		
Email: <u>rhuff@scsengineers.com</u>	Address: <u>Valencia, CA</u>		
Address: <u>3900 Kilroy Airport Way Suite 300</u> <u>Long Beach CA 90806</u>	Global ID:		
Phone: <u>562-355-6334</u> Fax: <u>427-0805</u>	Sampled By: <u>Jacob Pennington</u>		

Special Instructions:

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time				
1 MS-07	A	C70696	6L	A70175	2-17-26	0715	2-18-26	0715	-28	-8	X		
2 MS-12	A	C70339	6L	A70585	2-17-26	0732	2-18-26	0732	-30	-10	X		
3 MS-08	A	C70807	6L	A70598	2-17-26	0744	2-18-26	0744	-27	-0	X		
4 MS-09	A	C70918	6L	A70623	2-17-26	0756	2-18-26	0756	-28	-4	X		
5 MS-10	A	C70657	6L	A70661	2-17-26	0810	2-18-26	0810	-29	-4	X		
6 MS-06	A	C70942	6L	A70504	2-17-26	0825	2-18-26	0825	-29	-4	X		
7 MS-11	A	C70120	6L	A70437	2-17-26	0850	2-18-26	0850	-30	-2	X		
8													
9													
10													



RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RECEIVED BY:		Ray Huff	Jacob Pennington	2-18-26 / 1212
RELINQUISHED BY:			RES	2-18-26 / 1212
RECEIVED BY:			EA	
RELINQUISHED BY:				
RECEIVED BY:				

Login 553527



SAMPLE RECEIPT CHECKLIST


Section 1: General Info

 Date Received: 02/18/20 WO# 553527 Client: SCS ENGINEERS
Section 2: Shipping / Custody

 Are custody seals present? Yes No

 Custody seals intact on arrival? N/A Yes No On cooler / box On samples

 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging
 Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

 Date Opened 02/18/20 By (initials) JXR Type of ice used: Wet Blue/Gel None

 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples
 No microbiology samples submitted (skip 3b)

 Within temp range 0.0 - 10.0°C or received on ice directly from field.

 Adequate headspace for microbiology analysis.

Section 3c: Air Samples
 No air samples submitted (skip 3c)

 1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

 No additional discrepancies

 Date Logged 02/18/20 By (print) FPD (sign)

 Date Labeled 02/18/20 By (print) NIG (sign)

Analysis Results for 553527

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 553527
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/18/26

Sample ID: MS-07	Lab ID: 553527-001	Collected: 02/18/26 07:15
Matrix: Air		

553527-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 12	0.44		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloromethane	0.53		ppbv	0.11	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 114	0.016		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromomethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Trichlorofluoromethane	0.19		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 113	0.062		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloroform	0.014		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Benzene	0.096		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Carbon Tetrachloride	0.075		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Toluene	0.047		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
m,p-Xylenes	0.014		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromoform	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Styrene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
o-Xylene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD

Analysis Results for 553527

553527-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Xylene (total)	0.014		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD

Analysis Results for 553527

Sample ID: MS-12	Lab ID: 553527-002	Collected: 02/18/26 07:32
Matrix: Air		

553527-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 12	0.42		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloromethane	0.51		ppbv	0.11	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 114	0.015		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromomethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Methylene Chloride	0.10		ppbv	0.022	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 113	0.059		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloroform	0.014		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichloroethane	0.020		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Benzene	0.093		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Carbon Tetrachloride	0.071		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Toluene	0.045		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
m,p-Xylenes	0.014		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromoform	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Styrene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
o-Xylene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD

Analysis Results for 553527

553527-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Xylene (total)	0.014		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD

Analysis Results for 553527

Sample ID: MS-08	Lab ID: 553527-003	Collected: 02/18/26 07:44
Matrix: Air		

553527-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 12	0.42		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloromethane	0.51		ppbv	0.10	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloroethane	0.014		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 113	0.059		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloroform	0.014		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Benzene	0.088		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Carbon Tetrachloride	0.072		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Toluene	0.083		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Tetrachloroethene	0.025		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
m,p-Xylenes	0.023		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Styrene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
o-Xylene	0.010		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD

Analysis Results for 553527

553527-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Xylene (total)	0.033		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Surrogates				Limits					
Bromofluorobenzene	91%		%REC	60-140	1	395603	02/18/26 22:48	02/18/26 22:48	OHD

Analysis Results for 553527

Sample ID: MS-09
Lab ID: 553527-004
Collected: 02/18/26 07:56
Matrix: Air

553527-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 12	0.42		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloromethane	0.54		ppbv	0.10	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloroethane	0.031		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 113	0.060		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloroform	0.016		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Benzene	0.094		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Carbon Tetrachloride	0.073		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Toluene	0.10		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Tetrachloroethene	0.015		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Ethylbenzene	0.011		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
m,p-Xylenes	0.032		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Styrene	0.022		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
o-Xylene	0.012		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD

Analysis Results for 553527

553527-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Xylene (total)	0.045		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Surrogates				Limits					
Bromofluorobenzene	91%		%REC	60-140	1	395603	02/18/26 23:37	02/18/26 23:37	OHD

Analysis Results for 553527

Sample ID: MS-10	Lab ID: 553527-005	Collected: 02/18/26 08:10
Matrix: Air		

553527-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 12	0.42		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloromethane	0.56		ppbv	0.10	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloroethane	0.094		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 113	0.061		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloroform	0.016		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichloroethane	0.021		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Benzene	0.095		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Toluene	0.13		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Tetrachloroethene	0.020		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Ethylbenzene	0.011		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
m,p-Xylenes	0.030		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Styrene	0.028		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
o-Xylene	0.012		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD

Analysis Results for 553527

553527-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Xylene (total)	0.042		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Surrogates				Limits					
Bromofluorobenzene	90%		%REC	60-140	1	395603	02/19/26 00:26	02/19/26 00:26	OHD

Analysis Results for 553527

Sample ID: MS-06
Lab ID: 553527-006
Collected: 02/18/26 08:25
Matrix: Air

553527-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 12	0.44		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloromethane	0.53		ppbv	0.10	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloroethane	0.030		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Methylene Chloride	0.12		ppbv	0.020	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 113	0.061		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloroform	0.015		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichloroethane	0.021		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Benzene	0.094		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Toluene	0.096		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Tetrachloroethene	0.024		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
m,p-Xylenes	0.024		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Styrene	0.016		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
o-Xylene	0.011		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD

Analysis Results for 553527

553527-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Xylene (total)	0.036		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Surrogates				Limits					
Bromofluorobenzene	92%		%REC	60-140	1	395603	02/19/26 01:14	02/19/26 01:14	OHD

Analysis Results for 553527

Sample ID: MS-11
Lab ID: 553527-007
Collected: 02/18/26 08:50
Matrix: Air

553527-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 12	0.44		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloromethane	0.53		ppbv	0.10	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 113	0.061		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloroform	0.014		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Benzene	0.087		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Carbon Tetrachloride	0.075		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Toluene	0.040		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Tetrachloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
m,p-Xylenes	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Styrene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
o-Xylene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD

Analysis Results for 553527

553527-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Xylene (total)	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Surrogates				Limits					
Bromofluorobenzene	93%		%REC	60-140	1	395603	02/19/26 02:03	02/19/26 02:03	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1341408	Batch: 395603
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1341408 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	205.5	200.0	pptv	103%		70-130
1,1,1,2-Tetrachloroethane	210.5	200.0	pptv	105%		70-130
Freon 12	199.6	200.0	pptv	100%		70-130
Chloromethane	196.2	200.0	pptv	98%		70-130
Freon 114	202.5	200.0	pptv	101%		70-130
Vinyl Chloride	200.5	200.0	pptv	100%		70-130
Bromomethane	197.4	200.0	pptv	99%		70-130
Chloroethane	201.5	200.0	pptv	101%		70-130
Vinyl bromide	199.1	200.0	pptv	100%		70-130
Trichlorofluoromethane	200.7	200.0	pptv	100%		70-130
1,1-Dichloroethene	196.2	200.0	pptv	98%		70-130
Methylene Chloride	185.1	200.0	pptv	93%		70-130
Freon 113	201.8	200.0	pptv	101%		70-130
trans-1,2-Dichloroethene	195.1	200.0	pptv	98%		70-130
1,1-Dichloroethane	200.9	200.0	pptv	100%		70-130
cis-1,2-Dichloroethene	194.0	200.0	pptv	97%		70-130
Chloroform	201.8	200.0	pptv	101%		70-130
1,2-Dichloroethane	197.9	200.0	pptv	99%		70-130
1,1,1-Trichloroethane	206.0	200.0	pptv	103%		70-130
Benzene	192.8	200.0	pptv	96%		70-130
Carbon Tetrachloride	203.6	200.0	pptv	102%		70-130
1,2-Dichloropropane	205.8	200.0	pptv	103%		70-130
Bromodichloromethane	206.6	200.0	pptv	103%		70-130
Trichloroethene	197.9	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	204.9	200.0	pptv	102%		70-130
trans-1,3-Dichloropropene	207.4	200.0	pptv	104%		70-130
1,1,2-Trichloroethane	206.3	200.0	pptv	103%		70-130
Toluene	194.6	200.0	pptv	97%		70-130
Dibromochloromethane	207.1	200.0	pptv	104%		70-130
1,2-Dibromoethane	204.0	200.0	pptv	102%		70-130
Tetrachloroethene	211.7	200.0	pptv	106%		70-130
Chlorobenzene	201.6	200.0	pptv	101%		70-130
Ethylbenzene	190.3	200.0	pptv	95%		70-130
m,p-Xylenes	396.6	400.0	pptv	99%		70-130
Bromoform	209.7	200.0	pptv	105%		70-130
Styrene	197.8	200.0	pptv	99%		70-130
o-Xylene	203.3	200.0	pptv	102%		70-130
2-Chlorotoluene	196.8	200.0	pptv	98%		70-130
1,3,5-Trimethylbenzene	200.1	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	195.7	200.0	pptv	98%		70-130
Benzyl chloride	222.6	200.0	pptv	111%		70-130
1,3-Dichlorobenzene	203.5	200.0	pptv	102%		70-130
1,4-Dichlorobenzene	204.0	200.0	pptv	102%		70-130
1,2-Dichlorobenzene	202.3	200.0	pptv	101%		70-130
1,2,4-Trichlorobenzene	173.2	200.0	pptv	87%		70-130
Hexachlorobutadiene	186.6	200.0	pptv	93%		70-130

Surrogates

Batch QC

QC1341408 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	265.0	250.0	pptv	106%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1341409	Batch: 395603
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1341409 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	210.0	200.0	pptv	105%		70-130	2	25
1,1,1,2-Tetrachloroethane	214.6	200.0	pptv	107%		70-130	2	25
Freon 12	202.4	200.0	pptv	101%		70-130	1	25
Chloromethane	197.2	200.0	pptv	99%		70-130	1	25
Freon 114	204.5	200.0	pptv	102%		70-130	1	25
Vinyl Chloride	202.5	200.0	pptv	101%		70-130	1	25
Bromomethane	198.5	200.0	pptv	99%		70-130	1	25
Chloroethane	203.9	200.0	pptv	102%		70-130	1	25
Vinyl bromide	201.0	200.0	pptv	100%		70-130	1	25
Trichlorofluoromethane	203.0	200.0	pptv	102%		70-130	1	25
1,1-Dichloroethene	199.6	200.0	pptv	100%		70-130	2	25
Methylene Chloride	186.7	200.0	pptv	93%		70-130	1	25
Freon 113	205.0	200.0	pptv	102%		70-130	2	25
trans-1,2-Dichloroethene	198.3	200.0	pptv	99%		70-130	2	25
1,1-Dichloroethane	204.1	200.0	pptv	102%		70-130	2	25
cis-1,2-Dichloroethene	197.0	200.0	pptv	98%		70-130	2	25
Chloroform	204.3	200.0	pptv	102%		70-130	1	25
1,2-Dichloroethane	201.3	200.0	pptv	101%		70-130	2	25
1,1,1-Trichloroethane	208.6	200.0	pptv	104%		70-130	1	25
Benzene	196.3	200.0	pptv	98%		70-130	2	25
Carbon Tetrachloride	206.1	200.0	pptv	103%		70-130	1	25
1,2-Dichloropropane	208.4	200.0	pptv	104%		70-130	1	25
Bromodichloromethane	209.0	200.0	pptv	104%		70-130	1	25
Trichloroethene	200.2	200.0	pptv	100%		70-130	1	25
cis-1,3-Dichloropropene	209.3	200.0	pptv	105%		70-130	2	25
trans-1,3-Dichloropropene	212.3	200.0	pptv	106%		70-130	2	25
1,1,2-Trichloroethane	207.8	200.0	pptv	104%		70-130	1	25
Toluene	197.9	200.0	pptv	99%		70-130	2	25
Dibromochloromethane	209.7	200.0	pptv	105%		70-130	1	25
1,2-Dibromoethane	206.8	200.0	pptv	103%		70-130	1	25
Tetrachloroethene	214.9	200.0	pptv	107%		70-130	1	25
Chlorobenzene	207.0	200.0	pptv	103%		70-130	3	25
Ethylbenzene	195.8	200.0	pptv	98%		70-130	3	25
m,p-Xylenes	407.6	400.0	pptv	102%		70-130	3	25
Bromoform	215.5	200.0	pptv	108%		70-130	3	25
Styrene	204.3	200.0	pptv	102%		70-130	3	25
o-Xylene	208.9	200.0	pptv	104%		70-130	3	25
2-Chlorotoluene	203.1	200.0	pptv	102%		70-130	3	25
1,3,5-Trimethylbenzene	205.0	200.0	pptv	103%		70-130	2	25
1,2,4-Trimethylbenzene	201.9	200.0	pptv	101%		70-130	3	25
Benzyl chloride	229.1	200.0	pptv	115%		70-130	3	25
1,3-Dichlorobenzene	209.9	200.0	pptv	105%		70-130	3	25
1,4-Dichlorobenzene	209.5	200.0	pptv	105%		70-130	3	25
1,2-Dichlorobenzene	208.1	200.0	pptv	104%		70-130	3	25
1,2,4-Trichlorobenzene	181.4	200.0	pptv	91%		70-130	5	25
Hexachlorobutadiene	192.4	200.0	pptv	96%		70-130	3	25

Batch QC

QC1341409 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	263.0	250.0	pptv	105%		70-130		

Batch QC


Type: Blank	Lab ID: QC1341410	Batch: 395603
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1341410 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Freon 12	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloromethane	ND		pptv	100	02/18/26 10:39	02/18/26 10:39
Freon 114	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Vinyl Chloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromomethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Vinyl bromide	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Trichlorofluoromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Methylene Chloride	ND		pptv	20	02/18/26 10:39	02/18/26 10:39
Freon 113	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
trans-1,2-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1-Dichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
cis-1,2-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloroform	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,1-Trichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Benzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Carbon Tetrachloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichloropropane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromodichloromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Trichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
cis-1,3-Dichloropropene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
trans-1,3-Dichloropropene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,2-Trichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Toluene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Dibromochloromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dibromoethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Tetrachloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Ethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
m,p-Xylenes	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromoform	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Styrene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
o-Xylene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
2-Chlorotoluene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,3,5-Trimethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2,4-Trimethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Benzyl chloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,3-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,4-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2,4-Trichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Hexachlorobutadiene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Xylene (total)	ND		pptv	10	02/18/26 10:39	02/18/26 10:39

Batch QC

QC1341410 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	91%		%REC	70-130	02/18/26 10:39	02/18/26 10:39

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260439
REPORT DATE : 02/20/2026


On February 24th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260439-86624
MS-12	260439-86625
MS-08	260439-86626
MS-09	260439-86627
MS-10	260439-86628
MS-06	260439-86629
MS-11	260439-86630


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260439
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 02/23-24/2026
 RECEIVING DATE : 02/24/2026
 ANALYSIS DATE : 02/24/2026
 REPORT DATE : 02/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260439-86624	260439-86625	260439-86626	260439-86627
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260439
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/23-24/2026
RECEIVING DATE : 02/24/2026
ANALYSIS DATE : 02/24/2026
REPORT DATE : 02/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260439-86628	260439-86629	260439-86630
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/24/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8085	0.513	103.9	0.2
Duplicate	8121	0.516	104.4	0.2
Triplicate	8095	0.514	104.1	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7469	0.512	100.8	0.4
Duplicate	7695	0.527	103.9	2.6
Triplicate	7337	0.503	99.0	2.2

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8227	0.500	104.1	0.4
Duplicate	8261	0.502	104.6	0.0
Triplicate	8286	0.504	104.9	0.3

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86137

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.223	0.224	90.3	90.7	0.4
MeSH	<PQL	0.254	0.257	0.263	101.3	103.6	2.3
DMS	<PQL	0.240	0.255	0.262	106.1	109.1	2.7

Closing Calibration Verification Standard


Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.458	92.7
MeSH	0.508	0.470	92.6
DMS	0.481	0.453	94.3

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260439

Client/Project Name SiCS Engineers/ Chivita Canyon Landfill Air Odor Sampling		Project Location Valencia, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Jacob Pennington		(Signature) <i>Jacob Pennington</i>		No. Of Containers 7		30791 Seifert	
Sample No./ Identification		Date		Time			
MS-07	2-23/04-26	0730	0730	10 Liter Bag	X	Remarks	
MS-12	2-23/04-26	0740	0740	10 Liter Bag	X		
MS-08	2-23/04-26	0757	0757	10 Liter Bag	X		
MS-09	2-23/04-26	0815	0815	10 Liter Bag	X		
MS-10	2-23/04-26	0825	0825	10 Liter Bag	X		
MS-06	2-23/04-26	0839	0839	10 Liter Bag	X		
MS-11	2-23/04-26	0851	0851	10 Liter Bag	X		
Relinquished by: (Signature) <i>Jacob Pennington</i>		Date	2/24/26	Time	1012	Received by: (Signature)	
Relinquished by: (Signature)		Date		Time		Received by: (Signature)	
Relinquished by: (Signature)		Date		Time		Received for Laboratory: (Signature) <i>[Signature]</i>	
Sample Disposal Method:		Disposed of by: (Signature)					
Sample Collector		Analytical Laboratory AAC Ventura					



Sample Summary

Raymond Huff	Lab Job #:	554082
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/24/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	554082-001	02/24/26 07:30	Air
MS-12	554082-002	02/24/26 07:40	Air
MS-08	554082-003	02/24/26 07:57	Air
MS-09	554082-004	02/24/26 08:15	Air
MS-10	554082-005	02/24/26 08:25	Air
MS-06	554082-006	02/24/26 08:39	Air
MS-11	554082-007	02/24/26 08:51	Air

Case Narrative

SCS Engineers - Long Beach	Lab Job Number: 554082
3700 Kilroy Airport Way	Project No: CHIQUITA WEEKLY AIR
Suite 100	Location: Chiquita Canyon Landfill Air/Odor
Long Beach, CA 90806	Sampling
Raymond Huff	Date Received: 02/24/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/24/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



LOGIN 554082



ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. _____

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SES Engineers	Name:	Chiquita Canyon landfill Kistler Sampling
Report To:	Ray Huff	Number:	
Email:	rhuff@sesengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:	
Phone:	562-355-6334	Sampled By:	Jacob Pennington
Fax:	562-427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date				
1 MS-07	A	C70685	6L	A70568	2-23-26	0730	2-24-26	0730	-7	X	
2 MS-12	A	C70427	6L	A70607	2-23-26	0740	2-24-26	0740	-7	X	
3 MS-08	A	C70359	6L	A70149	2-23-26	0757	2-24-26	0757	-8	X	
4 MS-09	A	C70944	6L	A70699	2-23-26	0815	2-24-26	0815	-8	X	SS A70440
5 MS-10	A	C70979	6L	A70440	2-23-26	0825	2-24-26	0825	-0	X	A70099
6 MS-06	A	C70352	6L	A70605	2-23-26	0839	2-24-26	0839	-10	X	JP
7 MS-11	A	C70235	6L	A70648	2-23-26	0851	2-24-26	0851	-7	X	
8											
9											
10											

RELINQUISHED BY:		PRINT NAME	Jacob Pennington	COMPANY/TITLE	RES	DATE / TIME	2/24/26 12:22
RECEIVED BY:			Nicole Hernandez		EA		2-24-26 12:22
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 02/24/26 WO# 554082 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 02/24/26 By (initials) NCM Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?			
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4C - NO SAMPLING DATE & TIME ON CANISTER TAGS.

No additional discrepancies

Date Logged 02/24/26 By (print) FPD (sign) [Signature]
 Date Labeled 02/24/26 By (print) FPD (sign) [Signature]

Analysis Results for 554082

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 554082
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/24/26

Sample ID: MS-07 Lab ID: 554082-001 Collected: 02/24/26 07:30
Matrix: Air

554082-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 12	0.48		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloromethane	0.54		ppbv	0.10	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 114	0.017		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloroethane	0.026		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Methylene Chloride	0.12		ppbv	0.021	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 113	0.064		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloroform	0.016		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Benzene	0.13		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Carbon Tetrachloride	0.086		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Toluene	0.13		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Tetrachloroethene	0.014		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Ethylbenzene	0.017		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
m,p-Xylenes	0.052		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Styrene	0.017		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
o-Xylene	0.020		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2,4-Trimethylbenzene	0.025		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD

Analysis Results for 554082

554082-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Xylene (total)	0.072		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	396338	02/25/26 16:54	02/25/26 16:54	OHD

Analysis Results for 554082

Sample ID: MS-12	Lab ID: 554082-002	Collected: 02/24/26 07:40
Matrix: Air		

554082-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 12	0.48		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloromethane	0.50		ppbv	0.10	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 114	0.016		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloroethane	0.13		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Methylene Chloride	0.11		ppbv	0.021	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 113	0.063		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloroform	0.017		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Benzene	0.11		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Carbon Tetrachloride	0.085		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Toluene	0.19		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Tetrachloroethene	0.012		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Ethylbenzene	0.023		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
m,p-Xylenes	0.076		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Styrene	0.016		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
o-Xylene	0.028		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2,4-Trimethylbenzene	0.034		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD

Analysis Results for 554082

554082-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Xylene (total)	0.10		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	396338	02/25/26 17:43	02/25/26 17:43	OHD

Analysis Results for 554082

Sample ID: MS-08	Lab ID: 554082-003	Collected: 02/24/26 07:57
Matrix: Air		

554082-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 12	0.48		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloromethane	0.48		ppbv	0.10	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 114	0.016		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Methylene Chloride	0.10		ppbv	0.021	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 113	0.064		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloroform	0.016		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Benzene	0.071		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Carbon Tetrachloride	0.087		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Toluene	0.077		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Tetrachloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Ethylbenzene	0.013		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
m,p-Xylenes	0.042		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Styrene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
o-Xylene	0.016		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2,4-Trimethylbenzene	0.017		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD

Analysis Results for 554082

554082-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Xylene (total)	0.058		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	396338	02/25/26 18:31	02/25/26 18:31	OHD

Analysis Results for 554082

Sample ID: MS-09	Lab ID: 554082-004	Collected: 02/24/26 08:15
Matrix: Air		

554082-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 12	0.47		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloromethane	0.47		ppbv	0.11	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 114	0.016		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloroethane	0.062		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Methylene Chloride	0.12		ppbv	0.022	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 113	0.062		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloroform	0.019		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Benzene	0.11		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Carbon Tetrachloride	0.085		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Toluene	0.24		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Ethylbenzene	0.021		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
m,p-Xylenes	0.069		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Styrene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
o-Xylene	0.025		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2,4-Trimethylbenzene	0.020		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD

Analysis Results for 554082

554082-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Xylene (total)	0.094		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD

Analysis Results for 554082

Sample ID: MS-10	Lab ID: 554082-005	Collected: 02/24/26 08:25
Matrix: Air		

554082-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 12	0.51		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloromethane	0.48		ppbv	0.11	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 114	0.016		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Methylene Chloride	0.099		ppbv	0.021	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 113	0.063		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloroform	0.027		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Benzene	0.11		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Carbon Tetrachloride	0.092		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Toluene	0.17		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Ethylbenzene	0.026		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
m,p-Xylenes	0.089		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Styrene	0.033		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
o-Xylene	0.036		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2,4-Trimethylbenzene	0.039		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD

Analysis Results for 554082

554082-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Xylene (total)	0.13		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD

Analysis Results for 554082

Sample ID: MS-06	Lab ID: 554082-006	Collected: 02/24/26 08:39
Matrix: Air		

554082-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 12	0.49		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloromethane	0.44		ppbv	0.12	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 114	0.016		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromomethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloroethane	0.029		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Trichlorofluoromethane	0.21		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Methylene Chloride	0.11		ppbv	0.024	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 113	0.062		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloroform	0.020		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichloroethane	0.021		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Benzene	0.092		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Carbon Tetrachloride	0.089		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Trichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Toluene	0.16		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Ethylbenzene	0.020		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
m,p-Xylenes	0.061		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromoform	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Styrene	0.074		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
o-Xylene	0.024		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2,4-Trimethylbenzene	0.019		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD

Analysis Results for 554082

554082-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Xylene (total)	0.084		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD

Analysis Results for 554082

Sample ID: MS-11	Lab ID: 554082-007	Collected: 02/24/26 08:51
Matrix: Air		

554082-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 12	0.53		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloromethane	0.48		ppbv	0.11	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 114	0.016		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloroethane	0.058		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Methylene Chloride	0.15		ppbv	0.022	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 113	0.064		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloroform	0.021		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Benzene	0.092		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Carbon Tetrachloride	0.091		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Toluene	0.18		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Ethylbenzene	0.018		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
m,p-Xylenes	0.055		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Styrene	0.014		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
o-Xylene	0.021		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2,4-Trimethylbenzene	0.022		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD

Analysis Results for 554082

554082-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Xylene (total)	0.075		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1344113	Batch: 396338
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1344113 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	198.6	200.0	pptv	99%		70-130
1,1,1,2-Tetrachloroethane	219.7	200.0	pptv	110%		70-130
Freon 12	218.5	200.0	pptv	109%		70-130
Chloromethane	203.8	200.0	pptv	102%		70-130
Freon 114	211.4	200.0	pptv	106%		70-130
Vinyl Chloride	201.3	200.0	pptv	101%		70-130
Bromomethane	199.0	200.0	pptv	100%		70-130
Chloroethane	197.4	200.0	pptv	99%		70-130
Vinyl bromide	208.8	200.0	pptv	104%		70-130
Trichlorofluoromethane	222.5	200.0	pptv	111%		70-130
1,1-Dichloroethene	206.5	200.0	pptv	103%		70-130
Methylene Chloride	192.4	200.0	pptv	96%		70-130
Freon 113	211.3	200.0	pptv	106%		70-130
trans-1,2-Dichloroethene	207.4	200.0	pptv	104%		70-130
1,1-Dichloroethane	209.7	200.0	pptv	105%		70-130
cis-1,2-Dichloroethene	206.0	200.0	pptv	103%		70-130
Chloroform	209.3	200.0	pptv	105%		70-130
1,2-Dichloroethane	215.6	200.0	pptv	108%		70-130
1,1,1-Trichloroethane	225.2	200.0	pptv	113%		70-130
Benzene	190.9	200.0	pptv	95%		70-130
Carbon Tetrachloride	231.0	200.0	pptv	115%		70-130
1,2-Dichloropropane	205.6	200.0	pptv	103%		70-130
Bromodichloromethane	219.8	200.0	pptv	110%		70-130
Trichloroethene	207.7	200.0	pptv	104%		70-130
cis-1,3-Dichloropropene	217.1	200.0	pptv	109%		70-130
trans-1,3-Dichloropropene	221.7	200.0	pptv	111%		70-130
1,1,2-Trichloroethane	206.3	200.0	pptv	103%		70-130
Toluene	199.3	200.0	pptv	100%		70-130
Dibromochloromethane	225.5	200.0	pptv	113%		70-130
1,2-Dibromoethane	211.9	200.0	pptv	106%		70-130
Tetrachloroethene	229.1	200.0	pptv	115%		70-130
Chlorobenzene	199.2	200.0	pptv	100%		70-130
Ethylbenzene	196.1	200.0	pptv	98%		70-130
m,p-Xylenes	402.3	400.0	pptv	101%		70-130
Bromoform	205.3	200.0	pptv	103%		70-130
Styrene	195.3	200.0	pptv	98%		70-130
o-Xylene	203.0	200.0	pptv	102%		70-130
2-Chlorotoluene	197.6	200.0	pptv	99%		70-130
1,3,5-Trimethylbenzene	202.8	200.0	pptv	101%		70-130
1,2,4-Trimethylbenzene	201.4	200.0	pptv	101%		70-130
Benzyl chloride	234.3	200.0	pptv	117%		70-130
1,3-Dichlorobenzene	203.6	200.0	pptv	102%		70-130
1,4-Dichlorobenzene	202.2	200.0	pptv	101%		70-130
1,2-Dichlorobenzene	196.2	200.0	pptv	98%		70-130
1,2,4-Trichlorobenzene	155.4	200.0	pptv	78%		70-130
Hexachlorobutadiene	192.6	200.0	pptv	96%		70-130

Surrogates

Batch QC

QC1344113 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	240.8	250.0	pptv	96%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1344114	Batch: 396338
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1344114 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	197.6	200.0	pptv	99%		70-130	1	25
1,1,1,2-Tetrachloroethane	219.1	200.0	pptv	110%		70-130	0	25
Freon 12	210.6	200.0	pptv	105%		70-130	4	25
Chloromethane	191.2	200.0	pptv	96%		70-130	6	25
Freon 114	202.6	200.0	pptv	101%		70-130	4	25
Vinyl Chloride	190.7	200.0	pptv	95%		70-130	5	25
Bromomethane	191.6	200.0	pptv	96%		70-130	4	25
Chloroethane	191.3	200.0	pptv	96%		70-130	3	25
Vinyl bromide	202.0	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	219.1	200.0	pptv	110%		70-130	2	25
1,1-Dichloroethene	200.7	200.0	pptv	100%		70-130	3	25
Methylene Chloride	187.8	200.0	pptv	94%		70-130	2	25
Freon 113	206.3	200.0	pptv	103%		70-130	2	25
trans-1,2-Dichloroethene	205.1	200.0	pptv	103%		70-130	1	25
1,1-Dichloroethane	206.3	200.0	pptv	103%		70-130	2	25
cis-1,2-Dichloroethene	203.9	200.0	pptv	102%		70-130	1	25
Chloroform	208.0	200.0	pptv	104%		70-130	1	25
1,2-Dichloroethane	213.4	200.0	pptv	107%		70-130	1	25
1,1,1-Trichloroethane	225.5	200.0	pptv	113%		70-130	0	25
Benzene	189.3	200.0	pptv	95%		70-130	1	25
Carbon Tetrachloride	232.8	200.0	pptv	116%		70-130	1	25
1,2-Dichloropropane	203.3	200.0	pptv	102%		70-130	1	25
Bromodichloromethane	221.5	200.0	pptv	111%		70-130	1	25
Trichloroethene	206.6	200.0	pptv	103%		70-130	1	25
cis-1,3-Dichloropropene	220.0	200.0	pptv	110%		70-130	1	25
trans-1,3-Dichloropropene	223.1	200.0	pptv	112%		70-130	1	25
1,1,2-Trichloroethane	205.2	200.0	pptv	103%		70-130	1	25
Toluene	198.7	200.0	pptv	99%		70-130	0	25
Dibromochloromethane	228.5	200.0	pptv	114%		70-130	1	25
1,2-Dibromoethane	213.8	200.0	pptv	107%		70-130	1	25
Tetrachloroethene	228.6	200.0	pptv	114%		70-130	0	25
Chlorobenzene	198.7	200.0	pptv	99%		70-130	0	25
Ethylbenzene	195.6	200.0	pptv	98%		70-130	0	25
m,p-Xylenes	400.4	400.0	pptv	100%		70-130	0	25
Bromoform	208.3	200.0	pptv	104%		70-130	1	25
Styrene	195.4	200.0	pptv	98%		70-130	0	25
o-Xylene	202.7	200.0	pptv	101%		70-130	0	25
2-Chlorotoluene	198.5	200.0	pptv	99%		70-130	0	25
1,3,5-Trimethylbenzene	202.6	200.0	pptv	101%		70-130	0	25
1,2,4-Trimethylbenzene	202.6	200.0	pptv	101%		70-130	1	25
Benzyl chloride	239.4	200.0	pptv	120%		70-130	2	25
1,3-Dichlorobenzene	204.4	200.0	pptv	102%		70-130	0	25
1,4-Dichlorobenzene	198.6	200.0	pptv	99%		70-130	2	25
1,2-Dichlorobenzene	197.5	200.0	pptv	99%		70-130	1	25
1,2,4-Trichlorobenzene	188.0	200.0	pptv	94%		70-130	19	25
Hexachlorobutadiene	200.3	200.0	pptv	100%		70-130	4	25

Batch QC

QC1344114 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	240.2	250.0	pptv	96%		70-130		

Batch QC

Type: Blank	Lab ID: QC1344115	Batch: 396338
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1344115 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Freon 12	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloromethane	ND		pptv	100	02/25/26 09:50	02/25/26 09:50
Freon 114	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Vinyl Chloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromomethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Vinyl bromide	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Trichlorofluoromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Methylene Chloride	ND		pptv	20	02/25/26 09:50	02/25/26 09:50
Freon 113	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
trans-1,2-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1-Dichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
cis-1,2-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloroform	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,1-Trichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Benzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Carbon Tetrachloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichloropropane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromodichloromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Trichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
cis-1,3-Dichloropropene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
trans-1,3-Dichloropropene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,2-Trichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Toluene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Dibromochloromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dibromoethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Tetrachloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Ethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
m,p-Xylenes	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromoform	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Styrene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
o-Xylene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
2-Chlorotoluene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,3,5-Trimethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2,4-Trimethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Benzyl chloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,3-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,4-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2,4-Trichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Hexachlorobutadiene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Xylene (total)	ND		pptv	10	02/25/26 09:50	02/25/26 09:50

Batch QC

QC1344115 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	94%		%REC	70-130	02/25/26 09:50	02/25/26 09:50

ND Not Detected

April 21, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: Monthly Enhanced Air Monitoring Program Data, March 2026, Chiquita Canyon Landfill

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the March 2026 24-hr samples are found in **Attachment A**.

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Order for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of




April 21, 2026
Page 2 of 2

September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:


<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers

attachments


cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (CTEH)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kevin Green (CCL)

FIGURE 1
MAP OF AIR MONITORING LOCATIONS

Legend

- Micro-GC
- Off-Site Station
- On-Site Station



Google Earth

Image © 2025 Airbus

Community Air Monitoring Program
Continuous Air Monitoring Stations

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

Sample Summary

Raymond Huff	Lab Job #:	554705
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	03/03/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	554705-001	03/03/26 07:49	Air
MS-12	554705-002	03/03/26 08:03	Air
MS-08	554705-003	03/03/26 08:17	Air
MS-09	554705-004	03/03/26 08:36	Air
MS-10	554705-005	03/03/26 08:55	Air
MS-06	554705-006	03/03/26 09:25	Air
MS-11	554705-007	03/03/26 08:57	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 554705
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/03/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/03/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

- High response was observed for benzyl chloride in the CCV analyzed 03/04/26 21:05; affected data was qualified with "b".
- High recoveries were observed for benzyl chloride in the BS/BSD for batch 397120; the associated RPD was within limits, and this analyte was not detected at or above the RL in the associated samples.
- No other analytical problems were encountered.



ENTHALPY ANALYTICAL

931 W. Barkley Ave., Orange, CA 92668
Phone: (714) 771-8900 Fax: (714) 538-1208

CUSTOMER INFORMATION			PROJECT INFORMATION		
Company:	SCS Engineers		Name:	Chiquito Canyon Landfill Air/soil	
Report To:	ROY HUFF		Number:		
Email:	rhuff@sensengineers.com		Address:	Venticio, CA	
Address:	3900 Kilgus Airport way suite 300 Long Beach, CA		Global ID:		
Phone:	562-355	Fax: 562-427-0905	Sampled By:	Aiden Sanchez-Orue	
Special Instructions:					

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time				
1 MS-07	A	C70949	6L	A7024	3-2-26	0746	-29	3-3-26	0749	-7	X		
2 MS-12	A	C70315	6L	A70115	3-2-26	0806	-30	3-3-26	0803	-6	X		
3 MS-08	A	C70860	6L	A70639	3-2-26	0814	-28	3-3-26	0817	-7	X		
4 MS-09	A	C70273	6L	A70249	3-2-26	0836	-28	3-3-26	0836	-6	X		
5 MS-10	A	C70699	6L	A70659	3-2-26	0855	-29	3-3-26	0855	-5	X		
6 MS-06	A	C70826	6L	A70095	3-2-26	0925	-29	3-3-26	0925	-4	X		
7 MS-11	A	C70980	6L	A70405	3-2-26	0957	-29	3-3-26	0957	-3	X		
8													
9													
10													

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
		Aiden Sanchez-Orue	RES	3/3/26 1400
		Garry Kin	GA	3/3/26 1400

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 03-MAR-2026 WO# 559705 Client: SCS Eng

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples
 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 03-MAR-2026 By (initials) GCh Type of ice used: Wet Blue/Gel None
 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)
 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)
 If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____
 Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.
 Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	/		
2) Is the sampler's name present on the CoC?	/		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	/		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)	(1) /		/
5) Were all of, and only, the correct samples received?	/		
6) Are sample labels present, legible, and in agreement with the CoC?	/		
7) Does the container count match the CoC?	/		
8) Was sufficient sample volume / mass received for the analyses requested?	/		
9) Were samples received in proper containers for the analyses requested?	/		
10) Were samples received with > 1/2 holding time remaining?	/		
11) Are samples properly preserved as indicated by CoC / labels?	/		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			/
13) Are VOA vials free from headspace/bubbles > 6mm?			/

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 03-MAR-2026 By (print) GCh 3/3/26 (sign) [Signature]
 Date Labeled 03-MAR-2026 By (print) GCh 3/3/26 (sign) [Signature]

Analysis Results for 554705

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 554705
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/03/26

Sample ID: MS-07 Lab ID: 554705-001 Collected: 03/03/26 07:49
Matrix: Air

554705-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Freon 12	0.48		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chloromethane	0.47		ppbv	0.10	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Freon 114	0.016		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chloroethane	0.012		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Methylene Chloride	0.095		ppbv	0.020	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Freon 113	0.065		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chloroform	0.019		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Benzene	0.097		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Carbon Tetrachloride	0.092		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Toluene	0.13		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Ethylbenzene	0.016		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
m,p-Xylenes	0.043		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Styrene	0.024		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
o-Xylene	0.017		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD

Analysis Results for 554705

554705-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Xylene (total)	0.060		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1	397120	03/05/26 00:55	03/05/26 00:55	OHD

Analysis Results for 554705

Sample ID: MS-12
Lab ID: 554705-002
Collected: 03/03/26 08:03
Matrix: Air

554705-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Freon 12	0.48		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chloromethane	0.46		ppbv	0.10	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Freon 114	0.016		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Methylene Chloride	0.096		ppbv	0.020	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Freon 113	0.065		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chloroform	0.020		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Benzene	0.11		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Carbon Tetrachloride	0.093		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Toluene	0.16		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Ethylbenzene	0.025		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
m,p-Xylenes	0.076		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Styrene	0.027		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
o-Xylene	0.030		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2,4-Trimethylbenzene	0.026		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD

Analysis Results for 554705

554705-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Xylene (total)	0.11		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1	397120	03/05/26 01:43	03/05/26 01:43	OHD

Analysis Results for 554705

Sample ID: MS-08	Lab ID: 554705-003	Collected: 03/03/26 08:17
Matrix: Air		

554705-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Freon 12	0.49		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chloromethane	0.46		ppbv	0.11	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Freon 114	0.016		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Bromomethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chloroethane	0.014		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Methylene Chloride	0.098		ppbv	0.022	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Freon 113	0.066		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chloroform	0.018		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dichloroethane	0.017		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Benzene	0.087		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Carbon Tetrachloride	0.093		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Trichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Toluene	0.13		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Tetrachloroethene	0.013		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Ethylbenzene	0.017		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
m,p-Xylenes	0.046		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Bromoform	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Styrene	0.018		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
o-Xylene	0.018		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2,4-Trimethylbenzene	0.019		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD

Analysis Results for 554705

554705-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Xylene (total)	0.064		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD

Analysis Results for 554705

Sample ID: MS-09
Lab ID: 554705-004
Collected: 03/03/26 08:36
Matrix: Air

554705-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Freon 12	0.48		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chloromethane	0.47		ppbv	0.10	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Freon 114	0.016		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chloroethane	0.013		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Methylene Chloride	0.10		ppbv	0.021	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Freon 113	0.065		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chloroform	0.026		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Benzene	0.090		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Carbon Tetrachloride	0.093		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Toluene	0.22		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Ethylbenzene	0.022		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
m,p-Xylenes	0.068		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Styrene	0.17		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
o-Xylene	0.026		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2,4-Trimethylbenzene	0.019		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD

Analysis Results for 554705

554705-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Xylene (total)	0.094		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	397120	03/05/26 03:21	03/05/26 03:21	OHD

Analysis Results for 554705

Sample ID: MS-10	Lab ID: 554705-005	Collected: 03/03/26 08:55
Matrix: Air		

554705-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Freon 12	0.49		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chloromethane	0.48		ppbv	0.10	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Freon 114	0.016		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chloroethane	0.066		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Methylene Chloride	0.10		ppbv	0.020	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Freon 113	0.065		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chloroform	0.029		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Benzene	0.093		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Carbon Tetrachloride	0.093		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Toluene	0.20		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Tetrachloroethene	0.012		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Ethylbenzene	0.022		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
m,p-Xylenes	0.069		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Styrene	0.050		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
o-Xylene	0.026		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2,4-Trimethylbenzene	0.021		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD

Analysis Results for 554705

554705-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Xylene (total)	0.094		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	397120	03/05/26 04:09	03/05/26 04:09	OHD

Analysis Results for 554705

Sample ID: MS-06	Lab ID: 554705-006	Collected: 03/03/26 09:25
Matrix: Air		

554705-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Freon 12	0.49		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chloromethane	0.47		ppbv	0.10	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Freon 114	0.016		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Methylene Chloride	0.12		ppbv	0.020	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Freon 113	0.065		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chloroform	0.023		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Benzene	0.15		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Carbon Tetrachloride	0.094		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Toluene	0.19		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Ethylbenzene	0.023		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
m,p-Xylenes	0.057		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Styrene	0.047		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
o-Xylene	0.023		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2,4-Trimethylbenzene	0.018		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD

Analysis Results for 554705

554705-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Xylene (total)	0.080		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1	397120	03/05/26 04:58	03/05/26 04:58	OHD

Analysis Results for 554705

Sample ID: MS-11
Lab ID: 554705-007
Collected: 03/03/26 08:57
Matrix: Air

554705-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Freon 12	0.49		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chloromethane	0.54		ppbv	0.10	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Freon 114	0.016		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chloroethane	0.022		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Methylene Chloride	0.099		ppbv	0.020	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Freon 113	0.065		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chloroform	0.021		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Benzene	0.19		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Carbon Tetrachloride	0.093		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Toluene	0.18		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Tetrachloroethene	0.019		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Ethylbenzene	0.014		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
m,p-Xylenes	0.041		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Styrene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
o-Xylene	0.016		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD

Analysis Results for 554705

554705-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Xylene (total)	0.057		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	397120	03/05/26 05:46	03/05/26 05:46	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1346686	Batch: 397120
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1346686 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	197.8	200.0	pptv	99%		70-130
1,1,1,2-Tetrachloroethane	222.0	200.0	pptv	111%		70-130
Freon 12	209.5	200.0	pptv	105%		70-130
Chloromethane	178.2	200.0	pptv	89%		70-130
Freon 114	200.5	200.0	pptv	100%		70-130
Vinyl Chloride	185.8	200.0	pptv	93%		70-130
Bromomethane	190.4	200.0	pptv	95%		70-130
Chloroethane	186.4	200.0	pptv	93%		70-130
Vinyl bromide	203.0	200.0	pptv	101%		70-130
Trichlorofluoromethane	226.8	200.0	pptv	113%		70-130
1,1-Dichloroethene	206.0	200.0	pptv	103%		70-130
Methylene Chloride	191.6	200.0	pptv	96%		70-130
Freon 113	207.9	200.0	pptv	104%		70-130
trans-1,2-Dichloroethene	207.8	200.0	pptv	104%		70-130
1,1-Dichloroethane	212.1	200.0	pptv	106%		70-130
cis-1,2-Dichloroethene	208.0	200.0	pptv	104%		70-130
Chloroform	217.3	200.0	pptv	109%		70-130
1,2-Dichloroethane	220.5	200.0	pptv	110%		70-130
1,1,1-Trichloroethane	241.7	200.0	pptv	121%		70-130
Benzene	201.4	200.0	pptv	101%		70-130
Carbon Tetrachloride	244.0	200.0	pptv	122%		70-130
1,2-Dichloropropane	200.8	200.0	pptv	100%		70-130
Bromodichloromethane	223.9	200.0	pptv	112%		70-130
Trichloroethene	198.7	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	221.1	200.0	pptv	111%		70-130
trans-1,3-Dichloropropene	230.3	200.0	pptv	115%		70-130
1,1,2-Trichloroethane	201.4	200.0	pptv	101%		70-130
Toluene	202.7	200.0	pptv	101%		70-130
Dibromochloromethane	223.5	200.0	pptv	112%		70-130
1,2-Dibromoethane	213.6	200.0	pptv	107%		70-130
Tetrachloroethene	232.4	200.0	pptv	116%		70-130
Chlorobenzene	200.6	200.0	pptv	100%		70-130
Ethylbenzene	204.9	200.0	pptv	102%		70-130
m,p-Xylenes	415.7	400.0	pptv	104%		70-130
Bromoform	215.2	200.0	pptv	108%		70-130
Styrene	200.6	200.0	pptv	100%		70-130
o-Xylene	210.8	200.0	pptv	105%		70-130
2-Chlorotoluene	199.2	200.0	pptv	100%		70-130
1,3,5-Trimethylbenzene	208.3	200.0	pptv	104%		70-130
1,2,4-Trimethylbenzene	206.1	200.0	pptv	103%		70-130
Benzyl chloride	275.5	200.0	pptv	138%	b,*	70-130
1,3-Dichlorobenzene	205.2	200.0	pptv	103%		70-130
1,4-Dichlorobenzene	200.7	200.0	pptv	100%		70-130
1,2-Dichlorobenzene	198.2	200.0	pptv	99%		70-130
1,2,4-Trichlorobenzene	166.3	200.0	pptv	83%		70-130
Hexachlorobutadiene	198.9	200.0	pptv	99%		70-130

Surrogates

Batch QC

QC1346686 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	251.4	250.0	pptv	101%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1346687	Batch: 397120
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1346687 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	199.2	200.0	pptv	100%		70-130	1	25
1,1,1,2-Tetrachloroethane	223.4	200.0	pptv	112%		70-130	1	25
Freon 12	211.4	200.0	pptv	106%		70-130	1	25
Chloromethane	177.9	200.0	pptv	89%		70-130	0	25
Freon 114	199.0	200.0	pptv	99%		70-130	1	25
Vinyl Chloride	185.4	200.0	pptv	93%		70-130	0	25
Bromomethane	189.8	200.0	pptv	95%		70-130	0	25
Chloroethane	184.8	200.0	pptv	92%		70-130	1	25
Vinyl bromide	204.3	200.0	pptv	102%		70-130	1	25
Trichlorofluoromethane	227.9	200.0	pptv	114%		70-130	0	25
1,1-Dichloroethene	206.1	200.0	pptv	103%		70-130	0	25
Methylene Chloride	192.6	200.0	pptv	96%		70-130	0	25
Freon 113	208.7	200.0	pptv	104%		70-130	0	25
trans-1,2-Dichloroethene	206.8	200.0	pptv	103%		70-130	0	25
1,1-Dichloroethane	212.6	200.0	pptv	106%		70-130	0	25
cis-1,2-Dichloroethene	207.3	200.0	pptv	104%		70-130	0	25
Chloroform	217.9	200.0	pptv	109%		70-130	0	25
1,2-Dichloroethane	221.2	200.0	pptv	111%		70-130	0	25
1,1,1-Trichloroethane	242.9	200.0	pptv	121%		70-130	0	25
Benzene	201.1	200.0	pptv	101%		70-130	0	25
Carbon Tetrachloride	246.2	200.0	pptv	123%		70-130	1	25
1,2-Dichloropropane	201.4	200.0	pptv	101%		70-130	0	25
Bromodichloromethane	227.3	200.0	pptv	114%		70-130	2	25
Trichloroethene	200.5	200.0	pptv	100%		70-130	1	25
cis-1,3-Dichloropropene	224.1	200.0	pptv	112%		70-130	1	25
trans-1,3-Dichloropropene	234.5	200.0	pptv	117%		70-130	2	25
1,1,2-Trichloroethane	203.2	200.0	pptv	102%		70-130	1	25
Toluene	204.6	200.0	pptv	102%		70-130	1	25
Dibromochloromethane	227.3	200.0	pptv	114%		70-130	2	25
1,2-Dibromoethane	215.6	200.0	pptv	108%		70-130	1	25
Tetrachloroethene	234.3	200.0	pptv	117%		70-130	1	25
Chlorobenzene	201.8	200.0	pptv	101%		70-130	1	25
Ethylbenzene	205.9	200.0	pptv	103%		70-130	1	25
m,p-Xylenes	419.6	400.0	pptv	105%		70-130	1	25
Bromoform	218.0	200.0	pptv	109%		70-130	1	25
Styrene	201.2	200.0	pptv	101%		70-130	0	25
o-Xylene	211.0	200.0	pptv	106%		70-130	0	25
2-Chlorotoluene	200.4	200.0	pptv	100%		70-130	1	25
1,3,5-Trimethylbenzene	209.2	200.0	pptv	105%		70-130	0	25
1,2,4-Trimethylbenzene	209.3	200.0	pptv	105%		70-130	2	25
Benzyl chloride	284.8	200.0	pptv	142%	b,*	70-130	3	25
1,3-Dichlorobenzene	206.4	200.0	pptv	103%		70-130	1	25
1,4-Dichlorobenzene	202.7	200.0	pptv	101%		70-130	1	25
1,2-Dichlorobenzene	199.9	200.0	pptv	100%		70-130	1	25
1,2,4-Trichlorobenzene	195.0	200.0	pptv	98%		70-130	16	25
Hexachlorobutadiene	208.9	200.0	pptv	104%		70-130	5	25

Batch QC

QC1346687 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	247.6	250.0	pptv	99%		70-130		

Batch QC

Type: Blank	Lab ID: QC1346688	Batch: 397120
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1346688 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Freon 12	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chloromethane	ND		pptv	100	03/05/26 00:06	03/05/26 00:06
Freon 114	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Vinyl Chloride	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Bromomethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Vinyl bromide	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Trichlorofluoromethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1-Dichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Methylene Chloride	ND		pptv	20	03/05/26 00:06	03/05/26 00:06
Freon 113	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
trans-1,2-Dichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1-Dichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
cis-1,2-Dichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chloroform	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1,1-Trichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Benzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Carbon Tetrachloride	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dichloropropane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Bromodichloromethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Trichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
cis-1,3-Dichloropropene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
trans-1,3-Dichloropropene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1,2-Trichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Toluene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Dibromochloromethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dibromoethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Tetrachloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Ethylbenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
m,p-Xylenes	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Bromoform	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Styrene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
o-Xylene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
2-Chlorotoluene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,3,5-Trimethylbenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2,4-Trimethylbenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Benzyl chloride	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,3-Dichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,4-Dichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2,4-Trichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Hexachlorobutadiene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Xylene (total)	ND		pptv	10	03/05/26 00:06	03/05/26 00:06


Batch QC

QC1346688 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	99%		%REC	70-130	03/05/26 00:06	03/05/26 00:06

* Value is outside QC limits

ND Not Detected

b See narrative



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Air/Odor Sampling
AAC PROJECT NO. : 260495
REPORT DATE : 03/09/2026


On March 3rd, 2025, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260495-86876
MS-12	260495-86877
MS-08	260495-86878
MS-09	260495-86879
MS-10	260495-86880
MS-06	260495-86881
MS-11	260495-86882


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260495
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 03/02-03/2026
 RECEIVING DATE : 03/03/2026
 ANALYSIS DATE : 03/03/2026
 REPORT DATE : 03/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260495-86876	260495-86877	260495-86878	260495-86879
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO2)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260495
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 03/02-03/2026
 RECEIVING DATE : 03/03/2026
 ANALYSIS DATE : 03/03/2026
 REPORT DATE : 03/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260495-86880	260495-86881	260495-86882
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/3/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7658	0.486	98.4	0.7
Duplicate	7773	0.494	99.9	0.8
Triplicate	7706	0.489	99.1	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7057	0.483	95.2	3.4
Duplicate	7410	0.508	100.0	1.5
Triplicate	7444	0.510	100.5	1.9

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7964	0.484	100.8	1.5
Duplicate	8088	0.492	102.4	0.1
Triplicate	8199	0.499	103.8	1.4

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86137

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.238	0.241	96.4	97.6	1.3
MeSH	<PQL	0.254	0.250	0.263	98.5	103.6	5.1
DMS	<PQL	0.240	0.262	0.262	109.1	109.1	0.0




Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.462	93.5
MeSH	0.508	0.499	98.3
DMS	0.481	0.488	101.6

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260495

Client/Project Name SCS engineers/ Chiquita Landfill Air/soil sampling		Project Location Venteno, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Aiden Sanchez-Ome		(Signature) 		No. Of Containers 7		30791 SWIR	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	3-2/3-26	0746-0749	86876	10 Liter Bag	X		
MS-12	3-2/3-26	0800-0803	86877	10 Liter Bag	X		
MS-08	3-2/3-26	0814-0817	86878	10 Liter Bag	X		
MS-09	3-2/3-26	0836-0836	86879	10 Liter Bag	X		
MS-10	3-2/3-26	0855-0855	86880	10 Liter Bag	X		
MS-06	3-2/3-26	0925-0925	86881	10 Liter Bag	X		
MS-11	3-2/3-26	0957-0957	86882	10 Liter Bag	X		
Relinquished by: (Signature) 		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) 		Date	Time
Sample Disposal Method:		Disposed of by: (Signature)		Date		3/3/26	1534
Sample Collector		Analytical Laboratory		AAC Venteno			



RIS
Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Sample Summary

Raymond Huff	Lab Job #:	555167
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	03/10/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	555167-001	03/10/26 07:45	Air
MS-12	555167-002	03/10/26 08:03	Air
MS-08	555167-003	03/10/26 08:21	Air
MS-09	555167-004	03/10/26 08:40	Air
MS-10	555167-005	03/10/26 08:57	Air
MS-06	555167-006	03/10/26 09:25	Air
MS-11	555167-007	03/10/26 09:58	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 555167
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/10/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/10/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209



Air Chain of Custody Record
 Lab Job No. 555/C7

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS ENGINEERS	Name:	Chiquita Canyon Landfill Air/020/0500/0500/0500
Report To:	Ray Huff	Number:	
Email:	rhuff@scsengineers.com	Address:	Valencia, CA
Address:	3900 Kijoy Airport Way Suite 300 Long Beach, CA	Global ID:	
Phone:	562-355-6334	Sampled By:	Aiden Sanchez-Onc
Fax:	562-427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Date	Time	Date	Time				
1 MS-07	A	C70773	6L	3-9-26	0745	3-10-26	0745	-10	X	Standard <input checked="" type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/>	
2 MS-12	A	C70261	6L	3-9-26	0803	3-10-26	0803	-9	X		
3 MS-08	A	C70325	6L	3-9-26	0820	3-10-26	0821	-6	X		
4 MS-09	A	C70422	6L	3-9-26	0839	3-10-26	0840	-5	X		
5 MS-10	A	C70813	6L	3-9-26	0857	3-10-26	0857	-4	X		
6 MS-06	A	C70906	6L	3-9-26	0925	3-10-26	0925	-5	X		
7 MS-11	A	C70262	6L	3-9-26	0958	3-10-26	0958	-6	X		
8				CR							
9											
10											

LogIn 555167



RELINQUISHED BY:	<i>[Signature]</i>	PRINT NAME	Aiden Sanchez-Onc	COMPANY/TITLE	RES	DATE / TIME	3/10/26 1357
RECEIVED BY:	<i>[Signature]</i>		Michael Kynnes		EA		3/10/26 1357
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 03/10/26 WO# 555167 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 03/10/26 By (initials) MSK Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

N.C. NO SAMPLING DATE & TIME ON CANISTER TAGS.

No additional discrepancies

Date Logged 03/10/26 By (print) FPD (sign) _____

Date Labeled 03/10/26 By (print) JXR (sign) for JXR

Analysis Results for 555167

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 555167
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/10/26

Sample ID: MS-07 Lab ID: 555167-001 Collected: 03/10/26 07:45
Matrix: Air

555167-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Freon 12	0.44		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chloromethane	0.49		ppbv	0.12	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Freon 114	0.015		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Bromomethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Trichlorofluoromethane	0.19		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Methylene Chloride	0.10		ppbv	0.024	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Freon 113	0.061		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chloroform	0.016		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dichloroethane	0.015		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Benzene	0.10		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Carbon Tetrachloride	0.071		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Trichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Toluene	0.11		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Ethylbenzene	0.019		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
m,p-Xylenes	0.052		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Bromoform	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Styrene	0.031		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
o-Xylene	0.021		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD

Analysis Results for 555167

555167-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Hexachlorobutadiene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Xylene (total)	0.073		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Surrogates				Limits					
Bromofluorobenzene	101%		%REC	60-140	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD

Analysis Results for 555167

Sample ID: MS-12
Lab ID: 555167-002
Collected: 03/10/26 08:03
Matrix: Air

555167-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Freon 12	0.45		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chloromethane	0.50		ppbv	0.11	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Freon 114	0.016		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Bromomethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Trichlorofluoromethane	0.19		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Methylene Chloride	0.097		ppbv	0.022	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Freon 113	0.063		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chloroform	0.016		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Benzene	0.11		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Carbon Tetrachloride	0.073		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Trichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Toluene	0.16		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Ethylbenzene	0.026		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
m,p-Xylenes	0.076		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Bromoform	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Styrene	0.021		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
o-Xylene	0.032		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2,4-Trimethylbenzene	0.025		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD

Analysis Results for 555167

555167-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Xylene (total)	0.11		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Surrogates				Limits					
Bromofluorobenzene	102%		%REC	60-140	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD

Analysis Results for 555167

Sample ID: MS-08
Lab ID: 555167-003
Collected: 03/10/26 08:21
Matrix: Air

555167-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Freon 12	0.44		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chloromethane	0.48		ppbv	0.10	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Freon 114	0.015		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Bromomethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chloroethane	0.018		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Vinyl bromide	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Methylene Chloride	0.096		ppbv	0.020	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Freon 113	0.061		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chloroform	0.016		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dichloroethane	0.015		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Benzene	0.098		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Carbon Tetrachloride	0.071		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Trichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Toluene	0.15		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Ethylbenzene	0.022		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
m,p-Xylenes	0.065		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Bromoform	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Styrene	0.020		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
o-Xylene	0.026		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2,4-Trimethylbenzene	0.024		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Benzyl chloride	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD

Analysis Results for 555167

555167-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Xylene (total)	0.091		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Surrogates				Limits					
Bromofluorobenzene	100%		%REC	60-140	1	397676	03/11/26 18:58	03/11/26 18:58	OHD

Analysis Results for 555167

Sample ID: MS-09	Lab ID: 555167-004	Collected: 03/10/26 08:40
Matrix: Air		

555167-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Freon 12	0.44		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chloromethane	0.48		ppbv	0.10	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Freon 114	0.015		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Bromomethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chloroethane	0.042		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Vinyl bromide	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Methylene Chloride	0.11		ppbv	0.020	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Freon 113	0.061		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chloroform	0.021		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Benzene	0.098		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Carbon Tetrachloride	0.070		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Trichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Toluene	0.22		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Tetrachloroethene	0.018		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Ethylbenzene	0.023		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
m,p-Xylenes	0.065		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Bromoform	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Styrene	0.015		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
o-Xylene	0.025		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2,4-Trimethylbenzene	0.021		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Benzyl chloride	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD

Analysis Results for 555167

555167-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Xylene (total)	0.090		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1	397676	03/11/26 19:46	03/11/26 19:46	OHD

Analysis Results for 555167

Sample ID: MS-10	Lab ID: 555167-005	Collected: 03/10/26 08:57
Matrix: Air		

555167-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Freon 12	0.44		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chloromethane	0.48		ppbv	0.10	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Freon 114	0.015		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Bromomethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chloroethane	0.024		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Vinyl bromide	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Methylene Chloride	0.12		ppbv	0.020	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Freon 113	0.060		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chloroform	0.020		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dichloroethane	0.015		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Benzene	0.10		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Carbon Tetrachloride	0.071		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Trichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Toluene	0.20		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Tetrachloroethene	0.015		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Ethylbenzene	0.022		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
m,p-Xylenes	0.064		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Bromoform	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Styrene	0.026		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
o-Xylene	0.025		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2,4-Trimethylbenzene	0.023		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Benzyl chloride	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD

Analysis Results for 555167

555167-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Xylene (total)	0.088		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1	397676	03/11/26 20:35	03/11/26 20:35	OHD

Analysis Results for 555167

Sample ID: MS-06
Lab ID: 555167-006
Collected: 03/10/26 09:25
Matrix: Air

555167-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Freon 12	0.46		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chloromethane	0.57		ppbv	0.10	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Freon 114	0.016		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Bromomethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chloroethane	0.019		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Vinyl bromide	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Methylene Chloride	0.097		ppbv	0.020	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Freon 113	0.063		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chloroform	0.018		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Benzene	0.20		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Carbon Tetrachloride	0.073		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Trichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Toluene	0.23		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Ethylbenzene	0.024		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
m,p-Xylenes	0.059		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Bromoform	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Styrene	0.083		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
o-Xylene	0.023		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Benzyl chloride	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD

Analysis Results for 555167

555167-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Xylene (total)	0.081		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1	397926	03/13/26 14:26	03/13/26 14:26	OHD

Analysis Results for 555167

Sample ID: MS-11	Lab ID: 555167-007	Collected: 03/10/26 09:58
Matrix: Air		

555167-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Freon 12	0.45		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chloromethane	0.52		ppbv	0.11	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Freon 114	0.016		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Bromomethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chloroethane	0.033		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Trichlorofluoromethane	0.19		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Freon 113	0.062		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chloroform	0.021		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Benzene	0.091		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Carbon Tetrachloride	0.072		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Trichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Toluene	0.20		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Tetrachloroethene	0.022		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Ethylbenzene	0.024		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
m,p-Xylenes	0.067		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Bromoform	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Styrene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
o-Xylene	0.027		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2,4-Trimethylbenzene	0.026		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD

Analysis Results for 555167

555167-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Xylene (total)	0.095		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1348750	Batch: 397676
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1348750 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	198.2	200.0	pptv	99%		70-130
1,1,1,2-Tetrachloroethane	194.7	200.0	pptv	97%		70-130
Freon 12	193.0	200.0	pptv	96%		70-130
Chloromethane	181.2	200.0	pptv	91%		70-130
Freon 114	195.5	200.0	pptv	98%		70-130
Vinyl Chloride	191.7	200.0	pptv	96%		70-130
Bromomethane	188.5	200.0	pptv	94%		70-130
Chloroethane	191.1	200.0	pptv	96%		70-130
Vinyl bromide	198.4	200.0	pptv	99%		70-130
Trichlorofluoromethane	196.6	200.0	pptv	98%		70-130
1,1-Dichloroethene	200.8	200.0	pptv	100%		70-130
Methylene Chloride	174.9	200.0	pptv	87%		70-130
Freon 113	199.3	200.0	pptv	100%		70-130
trans-1,2-Dichloroethene	196.3	200.0	pptv	98%		70-130
1,1-Dichloroethane	200.4	200.0	pptv	100%		70-130
cis-1,2-Dichloroethene	196.8	200.0	pptv	98%		70-130
Chloroform	197.0	200.0	pptv	98%		70-130
1,2-Dichloroethane	188.6	200.0	pptv	94%		70-130
1,1,1-Trichloroethane	198.1	200.0	pptv	99%		70-130
Benzene	192.5	200.0	pptv	96%		70-130
Carbon Tetrachloride	194.9	200.0	pptv	97%		70-130
1,2-Dichloropropane	196.3	200.0	pptv	98%		70-130
Bromodichloromethane	195.6	200.0	pptv	98%		70-130
Trichloroethene	190.2	200.0	pptv	95%		70-130
cis-1,3-Dichloropropene	191.2	200.0	pptv	96%		70-130
trans-1,3-Dichloropropene	176.8	200.0	pptv	88%		70-130
1,1,2-Trichloroethane	195.4	200.0	pptv	98%		70-130
Toluene	193.1	200.0	pptv	97%		70-130
Dibromochloromethane	199.4	200.0	pptv	100%		70-130
1,2-Dibromoethane	178.6	200.0	pptv	89%		70-130
Tetrachloroethene	193.9	200.0	pptv	97%		70-130
Chlorobenzene	183.1	200.0	pptv	92%		70-130
Ethylbenzene	198.5	200.0	pptv	99%		70-130
m,p-Xylenes	400.3	400.0	pptv	100%		70-130
Bromoform	204.2	200.0	pptv	102%		70-130
Styrene	183.9	200.0	pptv	92%		70-130
o-Xylene	202.7	200.0	pptv	101%		70-130
2-Chlorotoluene	198.5	200.0	pptv	99%		70-130
1,3,5-Trimethylbenzene	203.6	200.0	pptv	102%		70-130
1,2,4-Trimethylbenzene	202.9	200.0	pptv	101%		70-130
Benzyl chloride	163.9	200.0	pptv	82%		70-130
1,3-Dichlorobenzene	168.9	200.0	pptv	84%		70-130
1,4-Dichlorobenzene	157.6	200.0	pptv	79%		70-130
1,2-Dichlorobenzene	177.8	200.0	pptv	89%		70-130
1,2,4-Trichlorobenzene	167.9	200.0	pptv	84%		70-130
Hexachlorobutadiene	190.2	200.0	pptv	95%		70-130

Surrogates

Batch QC

QC1348750 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	255.5	250.0	pptv	102%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1348751	Batch: 397676
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1348751 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	201.5	200.0	pptv	101%		70-130	2	25
1,1,1,2-Tetrachloroethane	198.5	200.0	pptv	99%		70-130	2	25
Freon 12	196.4	200.0	pptv	98%		70-130	2	25
Chloromethane	183.2	200.0	pptv	92%		70-130	1	25
Freon 114	197.1	200.0	pptv	99%		70-130	1	25
Vinyl Chloride	193.1	200.0	pptv	97%		70-130	1	25
Bromomethane	190.1	200.0	pptv	95%		70-130	1	25
Chloroethane	194.0	200.0	pptv	97%		70-130	2	25
Vinyl bromide	200.4	200.0	pptv	100%		70-130	1	25
Trichlorofluoromethane	198.8	200.0	pptv	99%		70-130	1	25
1,1-Dichloroethene	203.2	200.0	pptv	102%		70-130	1	25
Methylene Chloride	176.4	200.0	pptv	88%		70-130	1	25
Freon 113	200.8	200.0	pptv	100%		70-130	1	25
trans-1,2-Dichloroethene	198.4	200.0	pptv	99%		70-130	1	25
1,1-Dichloroethane	202.8	200.0	pptv	101%		70-130	1	25
cis-1,2-Dichloroethene	199.5	200.0	pptv	100%		70-130	1	25
Chloroform	199.5	200.0	pptv	100%		70-130	1	25
1,2-Dichloroethane	191.8	200.0	pptv	96%		70-130	2	25
1,1,1-Trichloroethane	201.4	200.0	pptv	101%		70-130	2	25
Benzene	194.2	200.0	pptv	97%		70-130	1	25
Carbon Tetrachloride	197.8	200.0	pptv	99%		70-130	2	25
1,2-Dichloropropane	197.0	200.0	pptv	98%		70-130	0	25
Bromodichloromethane	197.8	200.0	pptv	99%		70-130	1	25
Trichloroethene	192.6	200.0	pptv	96%		70-130	1	25
cis-1,3-Dichloropropene	193.0	200.0	pptv	96%		70-130	1	25
trans-1,3-Dichloropropene	179.0	200.0	pptv	89%		70-130	1	25
1,1,2-Trichloroethane	197.7	200.0	pptv	99%		70-130	1	25
Toluene	195.2	200.0	pptv	98%		70-130	1	25
Dibromochloromethane	202.2	200.0	pptv	101%		70-130	1	25
1,2-Dibromoethane	180.7	200.0	pptv	90%		70-130	1	25
Tetrachloroethene	196.2	200.0	pptv	98%		70-130	1	25
Chlorobenzene	186.6	200.0	pptv	93%		70-130	2	25
Ethylbenzene	202.1	200.0	pptv	101%		70-130	2	25
m,p-Xylenes	407.9	400.0	pptv	102%		70-130	2	25
Bromoform	210.2	200.0	pptv	105%		70-130	3	25
Styrene	186.9	200.0	pptv	93%		70-130	2	25
o-Xylene	206.1	200.0	pptv	103%		70-130	2	25
2-Chlorotoluene	202.4	200.0	pptv	101%		70-130	2	25
1,3,5-Trimethylbenzene	205.9	200.0	pptv	103%		70-130	1	25
1,2,4-Trimethylbenzene	204.3	200.0	pptv	102%		70-130	1	25
Benzyl chloride	165.8	200.0	pptv	83%		70-130	1	25
1,3-Dichlorobenzene	171.7	200.0	pptv	86%		70-130	2	25
1,4-Dichlorobenzene	159.4	200.0	pptv	80%		70-130	1	25
1,2-Dichlorobenzene	180.9	200.0	pptv	90%		70-130	2	25
1,2,4-Trichlorobenzene	166.5	200.0	pptv	83%		70-130	1	25
Hexachlorobutadiene	193.2	200.0	pptv	97%		70-130	2	25

Batch QC

QC1348751 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	252.2	250.0	pptv	101%		70-130		

Batch QC

Type: Blank	Lab ID: QC1348752	Batch: 397676
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1348752 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Freon 12	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chloromethane	ND		pptv	100	03/11/26 10:16	03/11/26 10:16
Freon 114	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Vinyl Chloride	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Bromomethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Vinyl bromide	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Trichlorofluoromethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1-Dichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Methylene Chloride	ND		pptv	20	03/11/26 10:16	03/11/26 10:16
Freon 113	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
trans-1,2-Dichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1-Dichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
cis-1,2-Dichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chloroform	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1,1-Trichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Benzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Carbon Tetrachloride	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dichloropropane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Bromodichloromethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Trichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
cis-1,3-Dichloropropene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
trans-1,3-Dichloropropene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1,2-Trichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Toluene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Dibromochloromethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dibromoethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Tetrachloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Ethylbenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
m,p-Xylenes	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Bromoform	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Styrene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
o-Xylene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
2-Chlorotoluene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,3,5-Trimethylbenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2,4-Trimethylbenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Benzyl chloride	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,3-Dichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,4-Dichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2,4-Trichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Hexachlorobutadiene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Xylene (total)	ND		pptv	10	03/11/26 10:16	03/11/26 10:16

Batch QC

QC1348752 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	102%		%REC	70-130	03/11/26 10:16	03/11/26 10:16

Batch QC

Type: Lab Control Sample	Lab ID: QC1349578	Batch: 397926
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1349578 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	209.7	200.0	pptv	105%		70-130
1,1,1,2-Tetrachloroethane	205.7	200.0	pptv	103%		70-130
Freon 12	204.9	200.0	pptv	102%		70-130
Chloromethane	192.5	200.0	pptv	96%		70-130
Freon 114	204.1	200.0	pptv	102%		70-130
Vinyl Chloride	200.7	200.0	pptv	100%		70-130
Bromomethane	196.5	200.0	pptv	98%		70-130
Chloroethane	197.3	200.0	pptv	99%		70-130
Vinyl bromide	205.1	200.0	pptv	103%		70-130
Trichlorofluoromethane	204.1	200.0	pptv	102%		70-130
1,1-Dichloroethene	208.1	200.0	pptv	104%		70-130
Methylene Chloride	181.6	200.0	pptv	91%		70-130
Freon 113	207.2	200.0	pptv	104%		70-130
trans-1,2-Dichloroethene	203.9	200.0	pptv	102%		70-130
1,1-Dichloroethane	208.0	200.0	pptv	104%		70-130
cis-1,2-Dichloroethene	204.7	200.0	pptv	102%		70-130
Chloroform	204.5	200.0	pptv	102%		70-130
1,2-Dichloroethane	197.1	200.0	pptv	99%		70-130
1,1,1-Trichloroethane	206.9	200.0	pptv	103%		70-130
Benzene	200.1	200.0	pptv	100%		70-130
Carbon Tetrachloride	205.1	200.0	pptv	103%		70-130
1,2-Dichloropropane	202.0	200.0	pptv	101%		70-130
Bromodichloromethane	202.8	200.0	pptv	101%		70-130
Trichloroethene	196.3	200.0	pptv	98%		70-130
cis-1,3-Dichloropropene	197.4	200.0	pptv	99%		70-130
trans-1,3-Dichloropropene	184.2	200.0	pptv	92%		70-130
1,1,2-Trichloroethane	202.6	200.0	pptv	101%		70-130
Toluene	199.3	200.0	pptv	100%		70-130
Dibromochloromethane	206.8	200.0	pptv	103%		70-130
1,2-Dibromoethane	184.9	200.0	pptv	92%		70-130
Tetrachloroethene	199.3	200.0	pptv	100%		70-130
Chlorobenzene	192.6	200.0	pptv	96%		70-130
Ethylbenzene	207.4	200.0	pptv	104%		70-130
m,p-Xylenes	419.3	400.0	pptv	105%		70-130
Bromoform	217.6	200.0	pptv	109%		70-130
Styrene	190.9	200.0	pptv	95%		70-130
o-Xylene	211.7	200.0	pptv	106%		70-130
2-Chlorotoluene	207.4	200.0	pptv	104%		70-130
1,3,5-Trimethylbenzene	212.6	200.0	pptv	106%		70-130
1,2,4-Trimethylbenzene	209.3	200.0	pptv	105%		70-130
Benzyl chloride	173.6	200.0	pptv	87%		70-130
1,3-Dichlorobenzene	179.1	200.0	pptv	90%		70-130
1,4-Dichlorobenzene	161.7	200.0	pptv	81%		70-130
1,2-Dichlorobenzene	185.5	200.0	pptv	93%		70-130
1,2,4-Trichlorobenzene	167.3	200.0	pptv	84%		70-130
Hexachlorobutadiene	197.8	200.0	pptv	99%		70-130
Surrogates						

Batch QC

QC1349578 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	248.3	250.0	pptv	99%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1349579	Batch: 397926
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1349579 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	205.4	200.0	pptv	103%		70-130	2	25
1,1,1,2-Tetrachloroethane	202.4	200.0	pptv	101%		70-130	2	25
Freon 12	202.1	200.0	pptv	101%		70-130	1	25
Chloromethane	190.1	200.0	pptv	95%		70-130	1	25
Freon 114	201.9	200.0	pptv	101%		70-130	1	25
Vinyl Chloride	198.9	200.0	pptv	99%		70-130	1	25
Bromomethane	194.0	200.0	pptv	97%		70-130	1	25
Chloroethane	195.8	200.0	pptv	98%		70-130	1	25
Vinyl bromide	204.5	200.0	pptv	102%		70-130	0	25
Trichlorofluoromethane	201.6	200.0	pptv	101%		70-130	1	25
1,1-Dichloroethene	205.7	200.0	pptv	103%		70-130	1	25
Methylene Chloride	179.5	200.0	pptv	90%		70-130	1	25
Freon 113	205.1	200.0	pptv	103%		70-130	1	25
trans-1,2-Dichloroethene	201.1	200.0	pptv	101%		70-130	1	25
1,1-Dichloroethane	205.5	200.0	pptv	103%		70-130	1	25
cis-1,2-Dichloroethene	202.4	200.0	pptv	101%		70-130	1	25
Chloroform	202.3	200.0	pptv	101%		70-130	1	25
1,2-Dichloroethane	193.6	200.0	pptv	97%		70-130	2	25
1,1,1-Trichloroethane	204.1	200.0	pptv	102%		70-130	1	25
Benzene	196.8	200.0	pptv	98%		70-130	2	25
Carbon Tetrachloride	203.0	200.0	pptv	101%		70-130	1	25
1,2-Dichloropropane	200.1	200.0	pptv	100%		70-130	1	25
Bromodichloromethane	200.2	200.0	pptv	100%		70-130	1	25
Trichloroethene	193.6	200.0	pptv	97%		70-130	1	25
cis-1,3-Dichloropropene	195.0	200.0	pptv	97%		70-130	1	25
trans-1,3-Dichloropropene	180.9	200.0	pptv	90%		70-130	2	25
1,1,2-Trichloroethane	200.1	200.0	pptv	100%		70-130	1	25
Toluene	195.6	200.0	pptv	98%		70-130	2	25
Dibromochloromethane	205.6	200.0	pptv	103%		70-130	1	25
1,2-Dibromoethane	181.8	200.0	pptv	91%		70-130	2	25
Tetrachloroethene	197.3	200.0	pptv	99%		70-130	1	25
Chlorobenzene	189.3	200.0	pptv	95%		70-130	2	25
Ethylbenzene	203.2	200.0	pptv	102%		70-130	2	25
m,p-Xylenes	410.6	400.0	pptv	103%		70-130	2	25
Bromoform	215.7	200.0	pptv	108%		70-130	1	25
Styrene	188.5	200.0	pptv	94%		70-130	1	25
o-Xylene	207.3	200.0	pptv	104%		70-130	2	25
2-Chlorotoluene	203.9	200.0	pptv	102%		70-130	2	25
1,3,5-Trimethylbenzene	208.4	200.0	pptv	104%		70-130	2	25
1,2,4-Trimethylbenzene	205.9	200.0	pptv	103%		70-130	2	25
Benzyl chloride	170.1	200.0	pptv	85%		70-130	2	25
1,3-Dichlorobenzene	176.4	200.0	pptv	88%		70-130	1	25
1,4-Dichlorobenzene	159.5	200.0	pptv	80%		70-130	1	25
1,2-Dichlorobenzene	182.6	200.0	pptv	91%		70-130	2	25
1,2,4-Trichlorobenzene	165.0	200.0	pptv	83%		70-130	1	25
Hexachlorobutadiene	195.7	200.0	pptv	98%		70-130	1	25

Batch QC

QC1349579 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	247.9	250.0	pptv	99%		70-130		

Batch QC


Type: Blank	Lab ID: QC1349580	Batch: 397926
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1349580 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Freon 12	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chloromethane	ND		pptv	100	03/13/26 10:37	03/13/26 10:37
Freon 114	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Vinyl Chloride	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Bromomethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Vinyl bromide	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Trichlorofluoromethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1-Dichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Methylene Chloride	ND		pptv	20	03/13/26 10:37	03/13/26 10:37
Freon 113	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
trans-1,2-Dichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1-Dichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
cis-1,2-Dichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chloroform	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1,1-Trichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Benzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Carbon Tetrachloride	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dichloropropane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Bromodichloromethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Trichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
cis-1,3-Dichloropropene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
trans-1,3-Dichloropropene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1,2-Trichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Toluene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Dibromochloromethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dibromoethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Tetrachloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Ethylbenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
m,p-Xylenes	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Bromoform	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Styrene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
o-Xylene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
2-Chlorotoluene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,3,5-Trimethylbenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2,4-Trimethylbenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Benzyl chloride	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,3-Dichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,4-Dichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2,4-Trichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Hexachlorobutadiene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Xylene (total)	ND		pptv	10	03/13/26 10:37	03/13/26 10:37

Batch QC

QC1349580 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	96%		%REC	70-130	03/13/26 10:37	03/13/26 10:37

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260558
REPORT DATE : 03/17/2026


On March 10th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260558-87213
MS-12	260558-87214
MS-08	260558-87215
MS-09	260558-87216
MS-10	260558-87217
MS-06	260558-87218
MS-11	260558-87219


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parma, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260558
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 03/09-10/2026
 RECEIVING DATE : 03/10/2026
 ANALYSIS DATE : 03/10/2026
 REPORT DATE : 03/17/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260558-87213	260558-87214	260558-87215	260558-87216
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260558
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/09-10/2026
RECEIVING DATE : 03/10/2026
ANALYSIS DATE : 03/10/2026
REPORT DATE : 03/17/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260558-87217	260558-87218	260558-87219
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/10/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7665	0.487	98.5	0.7
Duplicate	7426	0.472	95.5	3.8
Triplicate	8070	0.512	103.7	4.5

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7128	0.488	96.2	1.1
Duplicate	7169	0.491	96.7	0.5
Triplicate	7322	0.501	98.8	1.6

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8121	0.494	102.8	2.0
Duplicate	7589	0.462	96.1	4.7
Triplicate	8181	0.498	103.6	2.7

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86137

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.224	0.236	90.7	95.5	5.2
MeSH	<PQL	0.254	0.243	0.261	95.8	102.9	7.1
DMS	<PQL	0.240	0.239	0.256	99.5	106.6	6.9


Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.466	94.3
MeSH	0.508	0.474	93.4
DMS	0.481	0.467	97.2

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

Client/Project Name <i>SCS Environmental Services</i>		Project Location <i>VENTENIA, CA</i>		ANALYSES	
Chiquita Landfill Air/Odor Sampling		Field Logbook No.			
Project No.		(Signature) <i>Aiden Sanchez-O'Neil</i>		No. of Containers <i>7</i>	
Sampler: (Print) <i>Aiden Sanchez-O'Neil</i>		Date		Type of Sample	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks
MS-07	3-9/10-26	0745-0745	87213	10 Liter Bag	X
MS-12	3-9/10-26	0803-0803	87214	10 Liter Bag	X
MS-08	3-9/10-26	0820-0821	87215	10 Liter Bag	X
MS-09	3-9/10-26	0839-0840	87216	10 Liter Bag	X
MS-10	3-9/10-26	0857-0857	87217	10 Liter Bag	X
MS-06	3-9/10-26	0925-0925	87218	10 Liter Bag	X
MS-11	3-9/10-26	0958-0958	87219	10 Liter Bag	X
Relinquished by: (Signature) <i>[Signature]</i>		Date	Time	Received by: (Signature)	Date
Relinquished by: (Signature)					
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature)	Date
Relinquished by: (Signature)				<i>[Signature]</i>	<i>3/10/26</i>
Sample Disposal Method:		Disposed of by: (Signature)		Time	Time
					<i>1137</i>
Sample Collector		Analytical Laboratory		AAC Ventura	



Sample Summary

Raymond Huff	Lab Job #:	555622
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	03/17/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	555622-001	03/17/26 07:27	Air
MS-12	555622-002	03/17/26 07:42	Air
MS-08	555622-003	03/17/26 07:58	Air
MS-09	555622-004	03/17/26 08:16	Air
MS-10	555622-005	03/17/26 08:33	Air
MS-06	555622-006	03/17/26 08:59	Air
MS-11	555622-007	03/17/26 09:26	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 555622
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/17/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/17/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



Login 555622



Air Chain of Custody Record

Lab Job No. 555622

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	<u>SUS Engineers</u>	Name:	<u>Chiquito Canyon Landfill Air/soil Sampling</u>
Report To:	<u>Roy Huff</u>	Number:	
Email:	<u>rhuff@scsengineers.com</u>	Address:	<u>Wenlock, CA</u>
Address:	<u>3900 Kijroy Airport Way Suite 300</u>	Global ID:	
	<u>Lomp Beach, CA</u>	Sampled By:	<u>Aiden Sanchez-Ome</u>
Phone:	<u>562-355-6334</u>	Fax:	<u>427-0805</u>

Special Instructions:

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time
		Canister ID	Canister Size (L or TL)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time			
1 MS-07	A	271064	6L	A70037	3-16-26	0717	3-17-26	0727	-7	X		
2 MS-12	A	271068	6L	A70440	3-16-26	0742	3-17-26	0742	-8	X		
3 MS-08	A	271076	6L	A70662	3-16-26	0758	3-17-26	0758	-0	X		
4 MS-09	A	270649	6L	A70248	3-16-26	0816	3-17-26	0816	-10	X		
5 MS-10	A	271066	6L	A70403	3-16-26	0833	3-17-26	0833	-4	X		
6 MS-06	A	270930	6L	A70558	3-16-26	0859	3-17-26	0859	-5	X		
7 MS-11	A	271075	6L	A70648	3-16-26	0926	3-17-26	0926	-8	X		
8												
9												
10												

RELINQUISHED BY:		SIGNATURE		COMPANY/TITLE		DATE / TIME	
RECEIVED BY:			<u>Aiden Sanchez-Ome</u>		<u>RES</u>	<u>3/17/26</u>	<u>1256</u>
RELINQUISHED BY:					<u>ES</u>	<u>3/17/26</u>	<u>1256</u>
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST


Section 1: General Info

 Date Received: 03/17/26 WO# 555622 Client: SCS Engineers
Section 2: Shipping / Custody

 Are custody seals present? Yes No

 Custody seals intact on arrival? N/A Yes No On cooler / box On samples

 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging
 Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

 Date Opened 03/17/26 By (initials) JXR Type of ice used: Wet Blue/Gel None

 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

 If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR15 CF: +0.4

 Cooler Temp (°C) #1: 2.3 / 2.7 #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples
 No microbiology samples submitted (skip 3b)

 Within temp range 0.0 - 10.0°C or received on ice directly from field.

 Adequate headspace for microbiology analysis.

Section 3c: Air Samples
 No air samples submitted (skip 3c)

 1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?		X	
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.6 - NO SAMPLING DATE & TIME ON CANISTER TAGS

 No additional discrepancies

Date Logged	<u>03/17/26</u>	By (print)	<u>FPD</u>	(sign)	
Date Labeled	<u>03/17/26</u>	By (print)	<u>FPD</u>	(sign)	

[External] - COC Correction 3-16_17-26

From croberts@resenvironmental.com <croberts@resenvironmental.com>

Date Wed 3/18/2026 4:46 AM

To David Tripp <david.tripp@enthalpy.com>

 1 attachment (121 KB)

20260318050755.pdf;

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Good morning Dave, I was going over the Chiquita Canyon work that was completed yesterday when I realized that my tech either wrote backward C's or 7's for the canister ID's. I have sent an updated version to you so you can at least have a copy of the corrections. Sorry for the inconvenience.

Thank you,



Charles Roberts

Air Quality Specialist III

RES Environmental Inc.

865 Via Lata, Colton, CA 92324

Mobile: 626.622.2268

croberts@resenvironmental.com

CONFIDENTIALITY NOTICE: The contents of this email message and any attachments are intended solely for the addressee(s) and may contain confidential, proprietary and/or privileged information and may be legally protected from disclosure. If you are not the intended recipient of this message or their agent, or if this message has been addressed to you in error, please immediately alert the sender by reply email and then delete this message and any attachments and the reply from your system. If you are not the intended recipient, you are hereby notified that any disclosure, use, dissemination, copying, or storage of this message or its attachments is strictly prohibited.



CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SUS Engineers	Name:	Chubito Canyon Washfill Airflow Sampling
Report To:	Roy Huff	Number:	
Email:	rhuff@susengineers.com	Address:	Wentzville, CA
Address:	3900 Kijroy Airport Way Suite 300 Lombard, CA	Global ID:	
Phone:	562-355-6334	Sampled By:	Aiden Sanchez-Ome
Fax:	562-427-0905		

Special Instructions:

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time
		Canister ID	Canister Size (L or TL)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time			
1 MS-07	A C	771064	6L	A70037	3-16-26	0717	-29	3-17-26	0727	-7	X	Standard <input checked="" type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Custom TAT: _____
2 MS-12	A C	771068	6L	A70440	3-16-26	0742	-28	3-17-26	0742	-8	X	
3 MS-08	A C	771076	6L	A70662	3-16-26	0758	-25	3-17-26	0758	-0	X	
4 MS-09	A C	770649	6L	A70248	3-16-26	0816	-28	3-17-26	0816	-10	X	
5 MS-10	A C	771066	6L	A70403	3-16-26	0833	-28	3-17-26	0833	-4	X	
6 MS-06	A C	770930	6L	A70558	3-16-26	0859	-29	3-17-26	0859	-5	X	
7 MS-11	A C	771075	6L	A70648	3-16-26	0926	-28	3-17-26	0926	-8	X	
8												
9												
10												

RELINQUISHED BY:		PRINT NAME	Aiden Sanchez-Ome	COMPANY/TITLE	RES	DATE / TIME	3/17/26 12:56
RECEIVED BY:					ES		3/17/26 12:56
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

Analysis Results for 555622

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 555622
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/17/26

Sample ID: MS-07 Lab ID: 555622-001 Collected: 03/17/26 07:27
Matrix: Air

555622-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Freon 12	0.49		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chloromethane	0.51		ppbv	0.10	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Freon 114	0.017		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Trichlorofluoromethane	0.21		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Methylene Chloride	0.10		ppbv	0.020	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Freon 113	0.063		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chloroform	0.016		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Benzene	0.12		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Carbon Tetrachloride	0.081		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Toluene	0.11		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Ethylbenzene	0.019		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
m,p-Xylenes	0.048		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Styrene	0.013		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
o-Xylene	0.019		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2,4-Trimethylbenzene	0.017		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ

Analysis Results for 555622

555622-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Xylene (total)	0.066		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ

Analysis Results for 555622

Sample ID: MS-12	Lab ID: 555622-002	Collected: 03/17/26 07:42
Matrix: Air		

555622-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Freon 12	0.49		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chloromethane	0.52		ppbv	0.10	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Freon 114	0.017		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chloroethane	0.040		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Trichlorofluoromethane	0.21		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Methylene Chloride	0.11		ppbv	0.021	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Freon 113	0.064		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chloroform	0.017		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dichloroethane	0.015		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Benzene	0.099		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Carbon Tetrachloride	0.081		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Toluene	0.20		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Ethylbenzene	0.031		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
m,p-Xylenes	0.095		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Styrene	0.017		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
o-Xylene	0.037		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2,4-Trimethylbenzene	0.037		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ

Analysis Results for 555622

555622-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Xylene (total)	0.13		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ

Analysis Results for 555622

Sample ID: MS-08
Lab ID: 555622-003
Collected: 03/17/26 07:58
Matrix: Air

555622-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Freon 12	0.49		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chloromethane	0.65		ppbv	0.10	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Freon 114	0.017		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chloroethane	0.10		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Trichlorofluoromethane	0.21		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Methylene Chloride	0.12		ppbv	0.020	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Freon 113	0.064		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chloroform	0.016		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Benzene	0.12		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Carbon Tetrachloride	0.082		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Toluene	0.15		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Tetrachloroethene	0.011		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Ethylbenzene	0.017		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
m,p-Xylenes	0.051		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Styrene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
o-Xylene	0.020		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2,4-Trimethylbenzene	0.028		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ

Analysis Results for 555622

555622-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Xylene (total)	0.072		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Surrogates				Limits					
Bromofluorobenzene	93%		%REC	60-140	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ

Analysis Results for 555622

Sample ID: MS-09	Lab ID: 555622-004	Collected: 03/17/26 08:16
Matrix: Air		

555622-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Freon 12	0.49		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chloromethane	0.53		ppbv	0.12	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Freon 114	0.017		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Vinyl Chloride	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Bromomethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chloroethane	0.023		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Vinyl bromide	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Trichlorofluoromethane	0.21		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Methylene Chloride	0.11		ppbv	0.023	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Freon 113	0.063		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1-Dichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chloroform	0.027		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dichloroethane	0.016		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Benzene	0.12		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Carbon Tetrachloride	0.081		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dichloropropane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Bromodichloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Trichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Toluene	0.30		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Dibromochloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dibromoethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Tetrachloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Ethylbenzene	0.035		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
m,p-Xylenes	0.11		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Bromoform	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Styrene	0.26		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
o-Xylene	0.045		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
2-Chlorotoluene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2,4-Trimethylbenzene	0.041		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Benzyl chloride	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ

Analysis Results for 555622

555622-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Xylene (total)	0.16		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ

Analysis Results for 555622

Sample ID: MS-10	Lab ID: 555622-005	Collected: 03/17/26 08:33
Matrix: Air		

555622-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Freon 12	0.49		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chloromethane	0.52		ppbv	0.10	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Freon 114	0.017		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Trichlorofluoromethane	0.21		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Methylene Chloride	0.10		ppbv	0.020	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Freon 113	0.063		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chloroform	0.034		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dichloroethane	0.016		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Benzene	0.11		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Carbon Tetrachloride	0.082		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Toluene	0.30		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Ethylbenzene	0.036		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
m,p-Xylenes	0.12		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Styrene	0.36		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
o-Xylene	0.044		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2,4-Trimethylbenzene	0.041		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ

Analysis Results for 555622

555622-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Xylene (total)	0.16		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ

Analysis Results for 555622

Sample ID: MS-06	Lab ID: 555622-006	Collected: 03/17/26 08:59
Matrix: Air		

555622-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Freon 12	0.49		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chloromethane	0.51		ppbv	0.10	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Freon 114	0.016		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chloroethane	0.030		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Trichlorofluoromethane	0.21		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Methylene Chloride	0.11		ppbv	0.020	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Freon 113	0.063		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chloroform	0.028		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Benzene	0.095		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Carbon Tetrachloride	0.081		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Toluene	0.25		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Tetrachloroethene	0.016		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Ethylbenzene	0.028		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
m,p-Xylenes	0.090		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Styrene	0.15		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
o-Xylene	0.035		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2,4-Trimethylbenzene	0.033		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ

Analysis Results for 555622

555622-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Xylene (total)	0.12		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ

Analysis Results for 555622

Sample ID: MS-11	Lab ID: 555622-007	Collected: 03/17/26 09:26
Matrix: Air		

555622-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Freon 12	0.49		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chloromethane	0.53		ppbv	0.12	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Freon 114	0.017		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Vinyl Chloride	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Bromomethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chloroethane	0.10		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Vinyl bromide	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Trichlorofluoromethane	0.21		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Methylene Chloride	0.14		ppbv	0.024	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Freon 113	0.063		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1-Dichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chloroform	0.018		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Benzene	0.051		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Carbon Tetrachloride	0.079		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dichloropropane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Bromodichloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Trichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Toluene	0.16		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Dibromochloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dibromoethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Tetrachloroethene	0.014		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Ethylbenzene	0.013		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
m,p-Xylenes	0.043		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Bromoform	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Styrene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
o-Xylene	0.017		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
2-Chlorotoluene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2,4-Trimethylbenzene	0.018		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Benzyl chloride	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ

Analysis Results for 555622

555622-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Xylene (total)	0.060		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Surrogates				Limits					
Bromofluorobenzene	93%		%REC	60-140	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1351662	Batch: 398530
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1351662 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	188.7	200.0	pptv	94%		70-130
1,1,1,2-Tetrachloroethane	206.3	200.0	pptv	103%		70-130
Freon 12	203.3	200.0	pptv	102%		70-130
Chloromethane	173.2	200.0	pptv	87%		70-130
Freon 114	202.5	200.0	pptv	101%		70-130
Vinyl Chloride	181.7	200.0	pptv	91%		70-130
Bromomethane	185.9	200.0	pptv	93%		70-130
Chloroethane	179.6	200.0	pptv	90%		70-130
Vinyl bromide	190.2	200.0	pptv	95%		70-130
Trichlorofluoromethane	211.1	200.0	pptv	106%		70-130
1,1-Dichloroethene	189.9	200.0	pptv	95%		70-130
Methylene Chloride	166.1	200.0	pptv	83%		70-130
Freon 113	197.4	200.0	pptv	99%		70-130
trans-1,2-Dichloroethene	187.5	200.0	pptv	94%		70-130
1,1-Dichloroethane	191.7	200.0	pptv	96%		70-130
cis-1,2-Dichloroethene	188.2	200.0	pptv	94%		70-130
Chloroform	199.3	200.0	pptv	100%		70-130
1,2-Dichloroethane	199.0	200.0	pptv	100%		70-130
1,1,1-Trichloroethane	210.5	200.0	pptv	105%		70-130
Benzene	178.3	200.0	pptv	89%		70-130
Carbon Tetrachloride	215.2	200.0	pptv	108%		70-130
1,2-Dichloropropane	183.8	200.0	pptv	92%		70-130
Bromodichloromethane	206.2	200.0	pptv	103%		70-130
Trichloroethene	192.8	200.0	pptv	96%		70-130
cis-1,3-Dichloropropene	187.9	200.0	pptv	94%		70-130
trans-1,3-Dichloropropene	177.5	200.0	pptv	89%		70-130
1,1,2-Trichloroethane	192.4	200.0	pptv	96%		70-130
Toluene	183.7	200.0	pptv	92%		70-130
Dibromochloromethane	210.9	200.0	pptv	105%		70-130
1,2-Dibromoethane	176.9	200.0	pptv	88%		70-130
Tetrachloroethene	204.4	200.0	pptv	102%		70-130
Chlorobenzene	179.1	200.0	pptv	90%		70-130
Ethylbenzene	187.0	200.0	pptv	94%		70-130
m,p-Xylenes	385.7	400.0	pptv	96%		70-130
Bromoform	211.9	200.0	pptv	106%		70-130
Styrene	174.1	200.0	pptv	87%		70-130
o-Xylene	196.5	200.0	pptv	98%		70-130
2-Chlorotoluene	193.2	200.0	pptv	97%		70-130
1,3,5-Trimethylbenzene	200.0	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	196.9	200.0	pptv	98%		70-130
Benzyl chloride	178.3	200.0	pptv	89%		70-130
1,3-Dichlorobenzene	170.3	200.0	pptv	85%		70-130
1,4-Dichlorobenzene	155.2	200.0	pptv	78%		70-130
1,2-Dichlorobenzene	179.3	200.0	pptv	90%		70-130
1,2,4-Trichlorobenzene	170.8	200.0	pptv	85%		70-130
Hexachlorobutadiene	211.9	200.0	pptv	106%		70-130

Surrogates

Batch QC

QC1351662 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	243.0	250.0	pptv	97%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1351663	Batch: 398530
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1351663 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	196.7	200.0	pptv	98%		70-130	4	25
1,1,1,2-Tetrachloroethane	212.5	200.0	pptv	106%		70-130	3	25
Freon 12	213.7	200.0	pptv	107%		70-130	5	25
Chloromethane	180.2	200.0	pptv	90%		70-130	4	25
Freon 114	208.7	200.0	pptv	104%		70-130	3	25
Vinyl Chloride	187.3	200.0	pptv	94%		70-130	3	25
Bromomethane	192.3	200.0	pptv	96%		70-130	3	25
Chloroethane	186.2	200.0	pptv	93%		70-130	4	25
Vinyl bromide	196.4	200.0	pptv	98%		70-130	3	25
Trichlorofluoromethane	218.3	200.0	pptv	109%		70-130	3	25
1,1-Dichloroethene	196.3	200.0	pptv	98%		70-130	3	25
Methylene Chloride	170.9	200.0	pptv	85%		70-130	3	25
Freon 113	204.2	200.0	pptv	102%		70-130	3	25
trans-1,2-Dichloroethene	194.3	200.0	pptv	97%		70-130	4	25
1,1-Dichloroethane	198.4	200.0	pptv	99%		70-130	3	25
cis-1,2-Dichloroethene	194.4	200.0	pptv	97%		70-130	3	25
Chloroform	206.8	200.0	pptv	103%		70-130	4	25
1,2-Dichloroethane	205.7	200.0	pptv	103%		70-130	3	25
1,1,1-Trichloroethane	217.5	200.0	pptv	109%		70-130	3	25
Benzene	184.2	200.0	pptv	92%		70-130	3	25
Carbon Tetrachloride	222.9	200.0	pptv	111%		70-130	4	25
1,2-Dichloropropane	188.6	200.0	pptv	94%		70-130	3	25
Bromodichloromethane	212.8	200.0	pptv	106%		70-130	3	25
Trichloroethene	196.8	200.0	pptv	98%		70-130	2	25
cis-1,3-Dichloropropene	193.5	200.0	pptv	97%		70-130	3	25
trans-1,3-Dichloropropene	182.9	200.0	pptv	91%		70-130	3	25
1,1,2-Trichloroethane	197.7	200.0	pptv	99%		70-130	3	25
Toluene	190.3	200.0	pptv	95%		70-130	4	25
Dibromochloromethane	217.5	200.0	pptv	109%		70-130	3	25
1,2-Dibromoethane	182.6	200.0	pptv	91%		70-130	3	25
Tetrachloroethene	210.6	200.0	pptv	105%		70-130	3	25
Chlorobenzene	186.2	200.0	pptv	93%		70-130	4	25
Ethylbenzene	195.4	200.0	pptv	98%		70-130	4	25
m,p-Xylenes	401.9	400.0	pptv	100%		70-130	4	25
Bromoform	221.1	200.0	pptv	111%		70-130	4	25
Styrene	182.3	200.0	pptv	91%		70-130	5	25
o-Xylene	204.7	200.0	pptv	102%		70-130	4	25
2-Chlorotoluene	201.3	200.0	pptv	101%		70-130	4	25
1,3,5-Trimethylbenzene	208.6	200.0	pptv	104%		70-130	4	25
1,2,4-Trimethylbenzene	204.8	200.0	pptv	102%		70-130	4	25
Benzyl chloride	187.1	200.0	pptv	94%		70-130	5	25
1,3-Dichlorobenzene	178.2	200.0	pptv	89%		70-130	5	25
1,4-Dichlorobenzene	161.5	200.0	pptv	81%		70-130	4	25
1,2-Dichlorobenzene	186.4	200.0	pptv	93%		70-130	4	25
1,2,4-Trichlorobenzene	177.9	200.0	pptv	89%		70-130	4	25
Hexachlorobutadiene	220.6	200.0	pptv	110%		70-130	4	25

Batch QC

QC1351663 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	241.6	250.0	pptv	97%		70-130		

Batch QC


Type: Blank	Lab ID: QC1351664	Batch: 398530
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1351664 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Freon 12	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chloromethane	ND		pptv	100	03/20/26 09:04	03/20/26 09:04
Freon 114	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Vinyl Chloride	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Bromomethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Vinyl bromide	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Trichlorofluoromethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1-Dichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Methylene Chloride	ND		pptv	20	03/20/26 09:04	03/20/26 09:04
Freon 113	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
trans-1,2-Dichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1-Dichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
cis-1,2-Dichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chloroform	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1,1-Trichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Benzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Carbon Tetrachloride	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dichloropropane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Bromodichloromethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Trichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
cis-1,3-Dichloropropene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
trans-1,3-Dichloropropene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1,2-Trichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Toluene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Dibromochloromethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dibromoethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Tetrachloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Ethylbenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
m,p-Xylenes	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Bromoform	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Styrene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
o-Xylene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
2-Chlorotoluene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,3,5-Trimethylbenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2,4-Trimethylbenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Benzyl chloride	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,3-Dichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,4-Dichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2,4-Trichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Hexachlorobutadiene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Xylene (total)	ND		pptv	10	03/20/26 09:04	03/20/26 09:04

Batch QC

QC1351664 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	90%		%REC	70-130	03/20/26 09:04	03/20/26 09:04

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260628
REPORT DATE : 03/24/2026


On March 17th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260628-87581
MS-12	260628-87582
MS-08	260628-87583
MS-09	260628-87584
MS-10	260628-87585
MS-06	260628-87586
MS-11	260628-87587


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 6 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260628
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 03/16-17/2026
 RECEIVING DATE : 03/17/2026
 ANALYSIS DATE : 03/17-18/2026
 REPORT DATE : 03/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260628-87581	260628-87582	260628-87583	260628-87584
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260628
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/16-17/2026
RECEIVING DATE : 03/17/2026
ANALYSIS DATE : 03/18/2026
REPORT DATE : 03/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260628-87585	260628-87586	260628-87587
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/17/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard
501.3 ppbV H₂S (GC-0301226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22502	506	100.9	3.0
Duplicate	21231	477	95.2	2.8
Triplicate	21811	490	97.8	0.2

513.3 ppbV MeSH (GC-0301226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20687	538	104.9	1.2
Duplicate	19971	520	101.3	2.3
Triplicate	20660	538	104.8	1.1

522.3 ppbV DMS (GC-0301226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	24362	540	103.3	2.5
Duplicate	22926	508	97.2	3.5
Triplicate	24015	532	101.9	1.0

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260620-87542

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate


Sample ID 260620-87542 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	263.0	248.5	104.9	99.2	5.7
MeSH	<PQL	256.6	282.2	281.4	110.0	109.7	0.3
DMS	<PQL	261.1	274.3	283.1	105.1	108.4	3.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	485.9	96.9
MeSH	513.3	536.9	104.6
DMS	522.3	494.9	94.8

* Must be 95-105%, ** Must be 90-110%, *** Must be <10%, **** Must be <5% RPD from Mean result.
PQL = 50.0 ppbV



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/18/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.501 ppmV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7904	0.502	100.1	3.0
Duplicate	7518	0.477	95.2	2.1
Triplicate	7605	0.483	96.3	0.9

0.513 ppmV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7851	0.538	104.8	0.4
Duplicate	7776	0.533	103.8	0.6
Triplicate	7838	0.537	104.6	0.2

0.522 ppmV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8867	0.539	103.3	0.4
Duplicate	8821	0.537	102.7	0.1
Triplicate	8797	0.535	102.5	0.4

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260628-87584

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260628-87584 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.251	0.229	0.227	91.4	90.6	0.9
MeSH	<PQL	0.257	0.257	0.249	100.1	97.0	3.2
DMS	<PQL	0.261	0.277	0.269	106.1	103.0	2.9




Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.501	0.470	93.8
MeSH	0.513	0.514	100.1
DMS	0.522	0.515	98.6

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260628

Client/Project Name 3CS ENGINEERS/ CHICUITO LANDFILL AIRBORNE SAMPLING		Project Location Veneria, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Aiden Sanchez-Ome		(Signature) 		No. Of Containers 7		30791 SMPLS	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	3-16/17-26	0717-0727	87581	10 Liter Bag	X		
MS-12	3-16/17-26	0742-0742	87582	10 Liter Bag	X		
MS-08	3-16/17-26	0758-0758	87583	10 Liter Bag	X		
MS-09	3-16/17-26	0816-0816	87584	10 Liter Bag	X		
MS-10	3-16/17-26	0833-0833	87585	10 Liter Bag	X		
MS-06	3-16/17-26	0859-0859	87586	10 Liter Bag	X		
MS-11	3-16/17-26	0926-0926	87587	10 Liter Bag	X		
Relinquished by: (Signature) 		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) 		Date	Time
Sample Disposal Method:		Disposed of by: (Signature)		Date	Time	Date	Time
Sample Collector		Analytical Laboratory		AAC Ventura			



Sample Summary

Raymond Huff	Lab Job #:	556036
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	03/24/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	556036-001	03/24/26 07:14	Air
MS-12	556036-002	03/24/26 07:32	Air
MS-08	556036-003	03/24/26 07:42	Air
MS-09	556036-004	03/24/26 07:55	Air
MS-10	556036-005	03/24/26 08:08	Air
MS-06	556036-006	03/24/26 08:31	Air
MS-11	556036-007	03/24/26 08:55	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 556036
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/24/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/24/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209



ENTHALPY ANALYTICAL

Air Chain of Custody Record
 Lab Job No. 556036

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS Engineers	Name:	Chiquita Canyon Cond-fill Air/soil Sampling
Report To:	Roy Huff	Number:	
Email:	rhuff@scsengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Lony Beach, CA	Global ID:	
Phone:	562-355-6334	Sampled By:	Aiden Sanchez-Orme
Fax:	562-427-0805		

Special Instructions:

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Analysis Request	Required Turnaround Time							
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date			Time						
1 MS-07	A	C70890	6L	A70650	3/23/26	0714	3/24/26	0714	-7	X						
2 MS-12	A	C70894	6L	A70187	3/23/26	0732	3/24/26	0732	-8	X						
3 MS-08	A	C70658	6L	A70657	3/23/26	0742	3/24/26	0742	-8	X						
4 MS-09	A	C70958	6L	A70459	3/23/26	0755	3/24/26	0755	-5	X						
5 MS-10	A	C70846	6L	A70041	3/23/26	0807	3/24/26	0808	-7	X						
6 MS-06	A	C70941	6L	A70596	3/23/26	0831	3/24/26	0831	-9	X						
7 MS-11	A	C70920	6L	A70163	3/23/26	0855	3/24/26	0855	-8	X						
8																
9																
10																



RELINQUISHED BY:	<i>[Signature]</i>	PRINT NAME	Aiden Sanchez-Orme	COMPANY/TITLE	RES	DATE / TIME	3/24/26 12:26
RECEIVED BY:					EA		3/24/26 12:26
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

Log1n 556036



SAMPLE RECEIPT CHECKLIST


Section 1: General Info

 Date Received: 3/24/26 WO# 556036 Client: SCSLB
Section 2: Shipping / Custody

 Are custody seals present? Yes No

 Custody seals intact on arrival? N/A Yes No On cooler / box On samples

 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging
 Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

 Date Opened 3/24/26 By (initials) JXR Type of ice used: Wet Blue/Gel None

 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples
 No microbiology samples submitted (skip 3b)

 Within temp range 0.0 - 10.0°C or received on ice directly from field.

 Adequate headspace for microbiology analysis.

Section 3c: Air Samples
 No air samples submitted (skip 3c)

 1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?			X
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

 No additional discrepancies

 Date Logged 3/24/26 By (print) NCM (sign) 
 Date Labeled 3/24/26 By (print) NIG (sign) 

Analysis Results for 556036

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 556036
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/24/26

Sample ID: MS-07	Lab ID: 556036-001	Collected: 03/24/26 07:14
Matrix: Air		

556036-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Freon 12	0.48		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chloromethane	0.49		ppbv	0.11	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Freon 114	0.017		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Bromomethane	0.017		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chloroethane	0.050		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Methylene Chloride	0.087		ppbv	0.021	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Freon 113	0.063		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chloroform	0.022		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dichloroethane	0.011		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Benzene	0.13		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Carbon Tetrachloride	0.081		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Toluene	0.40		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Ethylbenzene	0.025		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
m,p-Xylenes	0.064		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Styrene	0.022		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
o-Xylene	0.025		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2,4-Trimethylbenzene	0.025		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD

Analysis Results for 556036

556036-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Xylene (total)	0.089		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD

Analysis Results for 556036

Sample ID: MS-12	Lab ID: 556036-002	Collected: 03/24/26 07:32
Matrix: Air		

556036-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Freon 12	0.49		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chloromethane	0.50		ppbv	0.11	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Freon 114	0.017		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Bromomethane	0.017		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chloroethane	0.013		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Methylene Chloride	0.085		ppbv	0.021	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Freon 113	0.064		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chloroform	0.022		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dichloroethane	0.012		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Benzene	0.12		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Carbon Tetrachloride	0.082		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Toluene	0.22		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Ethylbenzene	0.031		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
m,p-Xylenes	0.084		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Styrene	0.023		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
o-Xylene	0.034		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2,4-Trimethylbenzene	0.030		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD

Analysis Results for 556036

556036-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Xylene (total)	0.12		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD

Analysis Results for 556036

Sample ID: MS-08	Lab ID: 556036-003	Collected: 03/24/26 07:42
Matrix: Air		

556036-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Freon 12	0.49		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chloromethane	0.84		ppbv	0.11	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Freon 114	0.017		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Bromomethane	0.017		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chloroethane	0.092		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Methylene Chloride	0.099		ppbv	0.022	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Freon 113	0.063		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chloroform	0.021		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dichloroethane	0.011		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Benzene	0.23		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Carbon Tetrachloride	0.082		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Toluene	0.26		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Ethylbenzene	0.027		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
m,p-Xylenes	0.074		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Styrene	0.025		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
o-Xylene	0.030		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2,4-Trimethylbenzene	0.029		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD

Analysis Results for 556036

556036-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Xylene (total)	0.10		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD

Analysis Results for 556036

Sample ID: MS-09	Lab ID: 556036-004	Collected: 03/24/26 07:55
Matrix: Air		

556036-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Freon 12	0.48		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chloromethane	0.49		ppbv	0.10	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Freon 114	0.016		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Bromomethane	0.016		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chloroethane	0.013		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Methylene Chloride	0.082		ppbv	0.020	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Freon 113	0.063		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chloroform	0.031		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dichloroethane	0.012		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Benzene	0.11		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Carbon Tetrachloride	0.081		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Trichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Toluene	0.27		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Tetrachloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Ethylbenzene	0.029		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
m,p-Xylenes	0.078		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Bromoform	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Styrene	0.021		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
o-Xylene	0.032		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2,4-Trimethylbenzene	0.026		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Benzyl chloride	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD

Analysis Results for 556036

556036-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Xylene (total)	0.11		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	398828	03/25/26 03:55	03/25/26 03:55	OHD

Analysis Results for 556036

Sample ID: MS-10	Lab ID: 556036-005	Collected: 03/24/26 08:08
Matrix: Air		

556036-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Freon 12	0.48		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chloromethane	0.49		ppbv	0.11	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Freon 114	0.016		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Bromomethane	0.015		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Methylene Chloride	0.084		ppbv	0.021	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Freon 113	0.062		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chloroform	0.025		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dichloroethane	0.012		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Benzene	0.13		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Carbon Tetrachloride	0.081		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Toluene	0.25		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Ethylbenzene	0.031		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
m,p-Xylenes	0.091		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Styrene	0.020		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
o-Xylene	0.036		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,3,5-Trimethylbenzene	0.019		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2,4-Trimethylbenzene	0.075		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD

Analysis Results for 556036

556036-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Xylene (total)	0.13		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD

Analysis Results for 556036

Sample ID: MS-06
Lab ID: 556036-006
Collected: 03/24/26 08:31
Matrix: Air

556036-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Freon 12	0.49		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chloromethane	0.49		ppbv	0.10	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Freon 114	0.017		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Vinyl Chloride	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Bromomethane	0.016		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chloroethane	0.024		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Vinyl bromide	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Methylene Chloride	0.10		ppbv	0.020	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Freon 113	0.063		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chloroform	0.025		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dichloroethane	0.012		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Benzene	0.12		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Carbon Tetrachloride	0.082		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Bromodichloromethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Trichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Toluene	0.26		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Dibromochloromethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Tetrachloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Ethylbenzene	0.032		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
m,p-Xylenes	0.085		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Bromoform	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Styrene	0.11		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
o-Xylene	0.034		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2,4-Trimethylbenzene	0.028		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Benzyl chloride	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD

Analysis Results for 556036

556036-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Xylene (total)	0.12		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	398828	03/25/26 05:33	03/25/26 05:33	OHD

Analysis Results for 556036

Sample ID: MS-11
Lab ID: 556036-007
Collected: 03/24/26 08:55
Matrix: Air

556036-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Freon 12	0.50		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chloromethane	0.50		ppbv	0.11	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Freon 114	0.017		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Bromomethane	0.017		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chloroethane	0.014		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Methylene Chloride	0.092		ppbv	0.022	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Freon 113	0.064		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chloroform	0.035		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dichloroethane	0.012		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Benzene	0.093		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Carbon Tetrachloride	0.082		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Toluene	0.16		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Ethylbenzene	0.024		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
m,p-Xylenes	0.061		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Styrene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
o-Xylene	0.026		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2,4-Trimethylbenzene	0.022		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD

Analysis Results for 556036

556036-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Xylene (total)	0.087		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1352759	Batch: 398828
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1352759 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	184.2	200.0	pptv	92%		70-130
1,1,1,2-Tetrachloroethane	206.6	200.0	pptv	103%		70-130
Freon 12	199.3	200.0	pptv	100%		70-130
Chloromethane	164.3	200.0	pptv	82%		70-130
Freon 114	198.3	200.0	pptv	99%		70-130
Vinyl Chloride	173.6	200.0	pptv	87%		70-130
Bromomethane	181.6	200.0	pptv	91%		70-130
Chloroethane	172.2	200.0	pptv	86%		70-130
Vinyl bromide	185.3	200.0	pptv	93%		70-130
Trichlorofluoromethane	209.0	200.0	pptv	104%		70-130
1,1-Dichloroethene	185.9	200.0	pptv	93%		70-130
Methylene Chloride	160.1	200.0	pptv	80%		70-130
Freon 113	193.0	200.0	pptv	97%		70-130
trans-1,2-Dichloroethene	181.6	200.0	pptv	91%		70-130
1,1-Dichloroethane	184.8	200.0	pptv	92%		70-130
cis-1,2-Dichloroethene	182.1	200.0	pptv	91%		70-130
Chloroform	195.0	200.0	pptv	97%		70-130
1,2-Dichloroethane	195.8	200.0	pptv	98%		70-130
1,1,1-Trichloroethane	209.5	200.0	pptv	105%		70-130
Benzene	173.3	200.0	pptv	87%		70-130
Carbon Tetrachloride	213.6	200.0	pptv	107%		70-130
1,2-Dichloropropane	173.5	200.0	pptv	87%		70-130
Bromodichloromethane	198.8	200.0	pptv	99%		70-130
Trichloroethene	186.3	200.0	pptv	93%		70-130
cis-1,3-Dichloropropene	186.1	200.0	pptv	93%		70-130
trans-1,3-Dichloropropene	173.0	200.0	pptv	86%		70-130
1,1,2-Trichloroethane	184.4	200.0	pptv	92%		70-130
Toluene	179.0	200.0	pptv	89%		70-130
Dibromochloromethane	201.5	200.0	pptv	101%		70-130
1,2-Dibromoethane	172.4	200.0	pptv	86%		70-130
Tetrachloroethene	202.2	200.0	pptv	101%		70-130
Chlorobenzene	177.2	200.0	pptv	89%		70-130
Ethylbenzene	186.8	200.0	pptv	93%		70-130
m,p-Xylenes	383.1	400.0	pptv	96%		70-130
Bromoform	196.5	200.0	pptv	98%		70-130
Styrene	172.3	200.0	pptv	86%		70-130
o-Xylene	194.8	200.0	pptv	97%		70-130
2-Chlorotoluene	194.8	200.0	pptv	97%		70-130
1,3,5-Trimethylbenzene	200.7	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	197.5	200.0	pptv	99%		70-130
Benzyl chloride	177.9	200.0	pptv	89%		70-130
1,3-Dichlorobenzene	170.2	200.0	pptv	85%		70-130
1,4-Dichlorobenzene	154.5	200.0	pptv	77%		70-130
1,2-Dichlorobenzene	178.3	200.0	pptv	89%		70-130
1,2,4-Trichlorobenzene	170.0	200.0	pptv	85%		70-130
Hexachlorobutadiene	213.9	200.0	pptv	107%		70-130

Surrogates

Batch QC

QC1352759 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	248.4	250.0	pptv	99%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1352760	Batch: 398828
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1352760 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	183.2	200.0	pptv	92%		70-130	1	25
1,1,1,2-Tetrachloroethane	204.8	200.0	pptv	102%		70-130	1	25
Freon 12	204.0	200.0	pptv	102%		70-130	2	25
Chloromethane	164.3	200.0	pptv	82%		70-130	0	25
Freon 114	199.1	200.0	pptv	100%		70-130	0	25
Vinyl Chloride	173.6	200.0	pptv	87%		70-130	0	25
Bromomethane	180.9	200.0	pptv	90%		70-130	0	25
Chloroethane	171.1	200.0	pptv	86%		70-130	1	25
Vinyl bromide	185.8	200.0	pptv	93%		70-130	0	25
Trichlorofluoromethane	208.1	200.0	pptv	104%		70-130	0	25
1,1-Dichloroethene	185.2	200.0	pptv	93%		70-130	0	25
Methylene Chloride	160.5	200.0	pptv	80%		70-130	0	25
Freon 113	191.9	200.0	pptv	96%		70-130	1	25
trans-1,2-Dichloroethene	182.0	200.0	pptv	91%		70-130	0	25
1,1-Dichloroethane	185.6	200.0	pptv	93%		70-130	0	25
cis-1,2-Dichloroethene	182.4	200.0	pptv	91%		70-130	0	25
Chloroform	195.2	200.0	pptv	98%		70-130	0	25
1,2-Dichloroethane	195.7	200.0	pptv	98%		70-130	0	25
1,1,1-Trichloroethane	209.7	200.0	pptv	105%		70-130	0	25
Benzene	173.7	200.0	pptv	87%		70-130	0	25
Carbon Tetrachloride	213.0	200.0	pptv	106%		70-130	0	25
1,2-Dichloropropane	174.3	200.0	pptv	87%		70-130	0	25
Bromodichloromethane	200.3	200.0	pptv	100%		70-130	1	25
Trichloroethene	187.0	200.0	pptv	93%		70-130	0	25
cis-1,3-Dichloropropene	185.3	200.0	pptv	93%		70-130	0	25
trans-1,3-Dichloropropene	175.1	200.0	pptv	88%		70-130	1	25
1,1,2-Trichloroethane	184.4	200.0	pptv	92%		70-130	0	25
Toluene	180.1	200.0	pptv	90%		70-130	1	25
Dibromochloromethane	202.3	200.0	pptv	101%		70-130	0	25
1,2-Dibromoethane	175.0	200.0	pptv	88%		70-130	1	25
Tetrachloroethene	203.0	200.0	pptv	101%		70-130	0	25
Chlorobenzene	177.9	200.0	pptv	89%		70-130	0	25
Ethylbenzene	187.2	200.0	pptv	94%		70-130	0	25
m,p-Xylenes	383.5	400.0	pptv	96%		70-130	0	25
Bromoform	197.6	200.0	pptv	99%		70-130	1	25
Styrene	173.4	200.0	pptv	87%		70-130	1	25
o-Xylene	196.2	200.0	pptv	98%		70-130	1	25
2-Chlorotoluene	193.8	200.0	pptv	97%		70-130	0	25
1,3,5-Trimethylbenzene	201.5	200.0	pptv	101%		70-130	0	25
1,2,4-Trimethylbenzene	196.5	200.0	pptv	98%		70-130	1	25
Benzyl chloride	180.2	200.0	pptv	90%		70-130	1	25
1,3-Dichlorobenzene	172.9	200.0	pptv	86%		70-130	2	25
1,4-Dichlorobenzene	156.3	200.0	pptv	78%		70-130	1	25
1,2-Dichlorobenzene	178.5	200.0	pptv	89%		70-130	0	25
1,2,4-Trichlorobenzene	171.2	200.0	pptv	86%		70-130	1	25
Hexachlorobutadiene	214.0	200.0	pptv	107%		70-130	0	25

Batch QC

QC1352760 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	245.9	250.0	pptv	98%		70-130		

Batch QC


Type: Blank	Lab ID: QC1352761	Batch: 398828
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1352761 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Freon 12	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chloromethane	ND		pptv	100	03/24/26 14:32	03/24/26 14:32
Freon 114	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Vinyl Chloride	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Bromomethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Vinyl bromide	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Trichlorofluoromethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1-Dichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Methylene Chloride	ND		pptv	20	03/24/26 14:32	03/24/26 14:32
Freon 113	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
trans-1,2-Dichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1-Dichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
cis-1,2-Dichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chloroform	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1,1-Trichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Benzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Carbon Tetrachloride	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dichloropropane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Bromodichloromethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Trichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
cis-1,3-Dichloropropene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
trans-1,3-Dichloropropene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1,2-Trichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Toluene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Dibromochloromethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dibromoethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Tetrachloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Ethylbenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
m,p-Xylenes	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Bromoform	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Styrene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
o-Xylene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
2-Chlorotoluene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,3,5-Trimethylbenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2,4-Trimethylbenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Benzyl chloride	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,3-Dichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,4-Dichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2,4-Trichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Hexachlorobutadiene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Xylene (total)	ND		pptv	10	03/24/26 14:32	03/24/26 14:32

Batch QC

QC1352761 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	91%		%REC	70-130	03/24/26 14:32	03/24/26 14:32

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260690
REPORT DATE : 03/26/2026


On March 24th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260690-87887
MS-12	260690-87888
MS-08	260690-87889
MS-09	260690-87890
MS-10	260690-87891
MS-06	260690-87892
MS-11	260690-87893

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.


I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of **4** pages.

Page 1



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260690
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/23-24/2026
 RECEIVING DATE : 03/24/2026
 ANALYSIS DATE : 03/24/2026
 REPORT DATE : 03/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260690-87891	260690-87892	260690-87893
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260690
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/23-24/2026
 RECEIVING DATE : 03/24/2026
 ANALYSIS DATE : 03/24/2026
 REPORT DATE : 03/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260690-87887	260690-87888	260690-87889	260690-87890
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report ASTM D-5504

Cal Verification Date: 3/24/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-0301226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21926	493	98.3	0.7
Duplicate	21792	490	97.7	0.1
Triplicate	21602	485	96.8	0.8

513.3 ppbV MeSH (GC-0301226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20646	537	104.7	0.6
Duplicate	20705	539	105.0	0.9
Triplicate	20216	526	102.5	1.5

522.3 ppbV DMS (GC-0301226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	23652	524	100.3	1.3
Duplicate	23593	523	100.1	1.0
Triplicate	22810	505	96.7	2.3

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86137

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	249.1	252.7	99.4	100.8	1.4
MeSH	<PQL	256.6	279.1	278.9	108.7	108.7	0.0
DMS	<PQL	261.1	272.5	272.8	104.4	104.5	0.1


Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	458.0	91.4
MeSH	513.3	497.5	96.9
DMS	522.3	470.9	90.2

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 50.0 ppbV

260690
CHAIN OF CUSTODY RECORD

Client/Project Name Chiquita Comair Airport Sampling		Project Location Union City, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Aiden Sanchez-Osme		(Signature) <i>[Signature]</i>		No. Of Containers 7		307.91 SHFIR	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	3-23/24-26	0714-0714	87887	10 Liter Bag	X		
MS-12	3-23/24-26	0732-0732	87888	10 Liter Bag	X		
MS-08	3-23/24-26	0742-0742	87889	10 Liter Bag	X		
MS-09	3-23/24-26	0755-0755	87890	10 Liter Bag	X		
MS-10	3-23/24-26	0807-0808	87891	10 Liter Bag	X		
MS-06	3-23/24-26	0831-0831	87892	10 Liter Bag	X		
MS-11	3-23/24-26	0855-0855	87893	10 Liter Bag	X		
Relinquished by: (Signature) <i>[Signature]</i>		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <i>[Signature]</i>		Date	Time
Sample Disposal Method:		Disposed of by: (Signature)		Date		Date	Time
Sample Collector		Analytical Laboratory		AAG Ventura			



Sample Summary

Raymond Huff	Lab Job #:	556542
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	03/31/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	556542-001	03/31/26 07:08	Air
MS-12	556542-002	03/31/26 07:21	Air
MS-08	556542-003	03/31/26 07:34	Air
MS-09	556542-004	03/31/26 07:48	Air
MS-10	556542-005	03/31/26 08:00	Air
MS-06	556542-006	03/31/26 08:26	Air
MS-11	556542-007	03/31/26 08:54	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 556542
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/31/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/31/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS Engineers	Name:	Cahuilla canyon landfill Air/soil sampling
Report To:	Roy Huff	Number:	
Email:	rhuff@scsengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA	Global ID:	
Phone:	562-355-6334	Sampled By:	Aigen Sanchez-Orue
Fax: 562-427-0805			

Special Instructions: _____

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Date	Time	Date	Time				
1 MS-07	A	C70985	6L	3/30/26	0708	3/31/26	0708	-9		Standard <input checked="" type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Custom TAT: _____	
2 MS-12	A	C70345	6L	3/30/26	0721	3/31/26	0721	-9			
3 MS-08	A	C70369	6L	3/30/26	0734	3/31/26	0734	-6			
4 MS-09	A	C70618	6L	3/30/26	0748	3/31/26	0748	-7			
5 MS-10	A	C70940	6L	3/30/26	0800	3/31/26	0800	-4			
6 MS-06	A	C70407	6L	3/30/26	0826	3/31/26	0826	-6			
7 MS-11	A	C70615	6L	3/30/26	0854	3/31/26	0854	-6			
8											
9											
10											

RELINQUISHED BY:		PRINT NAME	Aigen Sanchez-Orue	COMPANY/TITLE	RES	DATE / TIME	3/31/26 12:10
RECEIVED BY:					EA		3/31/26 12:10
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							



LogIn 556542



SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 03/31/26 WO# 556542 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 03/31/26 By (initials) JXR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?		X	
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.C - NO SAMPLING DATE & TIME ON CANISTER TAGS.

No additional discrepancies

Date Logged 03/31/26 By (print) FPD (sign) 
 Date Labeled 03/31/26 By (print) FPD (sign) _____

Analysis Results for 556542

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 556542
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/31/26

Sample ID: MS-07	Lab ID: 556542-001	Collected: 03/31/26 07:08
Matrix: Air		

556542-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Freon 12	0.39		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chloromethane	0.46		ppbv	0.12	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Freon 114	0.014		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Bromomethane	0.015		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Trichlorofluoromethane	0.17		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Methylene Chloride	0.10		ppbv	0.023	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Freon 113	0.055		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chloroform	0.022		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dichloroethane	0.016		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Benzene	0.14		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Carbon Tetrachloride	0.067		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Trichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Toluene	0.17		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Ethylbenzene	0.023		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
m,p-Xylenes	0.052		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Bromoform	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Styrene	0.031		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
o-Xylene	0.021		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2,4-Trimethylbenzene	0.017		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD

Analysis Results for 556542

556542-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Hexachlorobutadiene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Xylene (total)	0.073		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Surrogates				Limits					
Bromofluorobenzene	91%		%REC	60-140	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD

Analysis Results for 556542

Sample ID: MS-12	Lab ID: 556542-002	Collected: 03/31/26 07:21
Matrix: Air		

556542-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Freon 12	0.39		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chloromethane	0.49		ppbv	0.11	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Freon 114	0.014		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Bromomethane	0.014		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Methylene Chloride	0.10		ppbv	0.021	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Freon 113	0.055		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chloroform	0.023		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dichloroethane	0.017		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Benzene	0.14		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Carbon Tetrachloride	0.067		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Trichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Toluene	0.21		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Ethylbenzene	0.030		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
m,p-Xylenes	0.078		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Bromoform	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Styrene	0.030		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
o-Xylene	0.033		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2,4-Trimethylbenzene	0.028		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD

Analysis Results for 556542

556542-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Xylene (total)	0.11		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD

Analysis Results for 556542

Sample ID: MS-08	Lab ID: 556542-003	Collected: 03/31/26 07:34
Matrix: Air		

556542-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Freon 12	0.40		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chloromethane	0.49		ppbv	0.10	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Freon 114	0.014		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Vinyl Chloride	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Bromomethane	0.014		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Vinyl bromide	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Methylene Chloride	0.10		ppbv	0.021	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Freon 113	0.055		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chloroform	0.023		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Benzene	0.12		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Carbon Tetrachloride	0.068		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Bromodichloromethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Trichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Toluene	0.16		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Dibromochloromethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Tetrachloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Ethylbenzene	0.022		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
m,p-Xylenes	0.051		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Bromoform	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Styrene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
o-Xylene	0.022		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Benzyl chloride	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD

Analysis Results for 556542

556542-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Xylene (total)	0.072		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Surrogates				Limits					
Bromofluorobenzene	92%		%REC	60-140	1	399734	04/03/26 16:06	04/03/26 16:06	OHD

Analysis Results for 556542

Sample ID: MS-09	Lab ID: 556542-004	Collected: 03/31/26 07:48
Matrix: Air		

556542-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Freon 12	0.40		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chloromethane	0.50		ppbv	0.11	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Freon 114	0.014		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Bromomethane	0.014		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chloroethane	0.13		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Freon 113	0.055		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chloroform	0.030		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dichloroethane	0.017		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Benzene	0.15		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Carbon Tetrachloride	0.067		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Trichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Toluene	0.29		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Ethylbenzene	0.029		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
m,p-Xylenes	0.072		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Bromoform	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Styrene	0.089		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
o-Xylene	0.030		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2,4-Trimethylbenzene	0.027		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD

Analysis Results for 556542

556542-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Xylene (total)	0.10		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Surrogates				Limits					
Bromofluorobenzene	91%		%REC	60-140	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD

Analysis Results for 556542

Sample ID: MS-10	Lab ID: 556542-005	Collected: 03/31/26 08:00
Matrix: Air		

556542-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Freon 12	0.40		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chloromethane	0.53		ppbv	0.10	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Freon 114	0.014		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Vinyl Chloride	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Bromomethane	0.014		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chloroethane	0.10		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Vinyl bromide	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Methylene Chloride	0.10		ppbv	0.020	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Freon 113	0.055		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chloroform	0.026		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Benzene	0.23		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Carbon Tetrachloride	0.068		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Bromodichloromethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Trichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Toluene	0.33		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Dibromochloromethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Tetrachloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Ethylbenzene	0.029		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
m,p-Xylenes	0.075		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Bromoform	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Styrene	0.049		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
o-Xylene	0.031		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2,4-Trimethylbenzene	0.034		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Benzyl chloride	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD

Analysis Results for 556542

556542-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Xylene (total)	0.11		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Surrogates				Limits					
Bromofluorobenzene	92%		%REC	60-140	1	399734	04/03/26 17:51	04/03/26 17:51	OHD

Analysis Results for 556542

Sample ID: MS-06	Lab ID: 556542-006	Collected: 03/31/26 08:26
Matrix: Air		

556542-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Freon 12	0.40		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chloromethane	0.49		ppbv	0.10	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Freon 114	0.014		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Vinyl Chloride	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Bromomethane	0.014		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chloroethane	0.013		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Vinyl bromide	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Methylene Chloride	0.10		ppbv	0.020	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Freon 113	0.056		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chloroform	0.025		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Benzene	0.19		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Carbon Tetrachloride	0.068		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Bromodichloromethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Trichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Toluene	0.24		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Dibromochloromethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Tetrachloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Ethylbenzene	0.029		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
m,p-Xylenes	0.065		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Bromoform	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Styrene	0.079		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
o-Xylene	0.029		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2,4-Trimethylbenzene	0.024		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Benzyl chloride	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD

Analysis Results for 556542

556542-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Xylene (total)	0.094		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Surrogates				Limits					
Bromofluorobenzene	93%		%REC	60-140	1	399734	04/03/26 18:44	04/03/26 18:44	OHD

Analysis Results for 556542

Sample ID: MS-11	Lab ID: 556542-007	Collected: 03/31/26 08:54
Matrix: Air		

556542-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Freon 12	0.40		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chloromethane	0.52		ppbv	0.11	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Freon 114	0.014		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Bromomethane	0.012		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chloroethane	0.020		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Freon 113	0.055		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chloroform	0.026		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Benzene	0.19		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Carbon Tetrachloride	0.068		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Trichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Toluene	0.29		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Ethylbenzene	0.027		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
m,p-Xylenes	0.069		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Bromoform	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Styrene	0.017		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
o-Xylene	0.030		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2,4-Trimethylbenzene	0.029		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD

Analysis Results for 556542

556542-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Xylene (total)	0.098		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Surrogates				Limits					
Bromofluorobenzene	92%		%REC	60-140	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1356067	Batch: 399734
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1356067 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	182.2	200.0	pptv	91%		70-130
1,1,1,2-Tetrachloroethane	180.1	200.0	pptv	90%		70-130
Freon 12	192.4	200.0	pptv	96%		70-130
Chloromethane	187.5	200.0	pptv	94%		70-130
Freon 114	191.5	200.0	pptv	96%		70-130
Vinyl Chloride	191.2	200.0	pptv	96%		70-130
Bromomethane	187.3	200.0	pptv	94%		70-130
Chloroethane	190.3	200.0	pptv	95%		70-130
Vinyl bromide	197.4	200.0	pptv	99%		70-130
Trichlorofluoromethane	192.9	200.0	pptv	96%		70-130
1,1-Dichloroethene	196.3	200.0	pptv	98%		70-130
Methylene Chloride	184.6	200.0	pptv	92%		70-130
Freon 113	193.0	200.0	pptv	96%		70-130
trans-1,2-Dichloroethene	196.0	200.0	pptv	98%		70-130
1,1-Dichloroethane	196.4	200.0	pptv	98%		70-130
cis-1,2-Dichloroethene	197.4	200.0	pptv	99%		70-130
Chloroform	193.5	200.0	pptv	97%		70-130
1,2-Dichloroethane	193.4	200.0	pptv	97%		70-130
1,1,1-Trichloroethane	195.7	200.0	pptv	98%		70-130
Benzene	190.0	200.0	pptv	95%		70-130
Carbon Tetrachloride	194.2	200.0	pptv	97%		70-130
1,2-Dichloropropane	185.8	200.0	pptv	93%		70-130
Bromodichloromethane	182.0	200.0	pptv	91%		70-130
Trichloroethene	185.0	200.0	pptv	92%		70-130
cis-1,3-Dichloropropene	181.9	200.0	pptv	91%		70-130
trans-1,3-Dichloropropene	180.7	200.0	pptv	90%		70-130
1,1,2-Trichloroethane	180.0	200.0	pptv	90%		70-130
Toluene	186.3	200.0	pptv	93%		70-130
Dibromochloromethane	177.4	200.0	pptv	89%		70-130
1,2-Dibromoethane	179.2	200.0	pptv	90%		70-130
Tetrachloroethene	203.8	200.0	pptv	102%		70-130
Chlorobenzene	184.5	200.0	pptv	92%		70-130
Ethylbenzene	187.6	200.0	pptv	94%		70-130
m,p-Xylenes	396.9	400.0	pptv	99%		70-130
Bromoform	174.3	200.0	pptv	87%		70-130
Styrene	193.9	200.0	pptv	97%		70-130
o-Xylene	201.7	200.0	pptv	101%		70-130
2-Chlorotoluene	192.9	200.0	pptv	96%		70-130
1,3,5-Trimethylbenzene	204.9	200.0	pptv	102%		70-130
1,2,4-Trimethylbenzene	201.4	200.0	pptv	101%		70-130
Benzyl chloride	177.2	200.0	pptv	89%		70-130
1,3-Dichlorobenzene	191.7	200.0	pptv	96%		70-130
1,4-Dichlorobenzene	190.0	200.0	pptv	95%		70-130
1,2-Dichlorobenzene	185.3	200.0	pptv	93%		70-130
1,2,4-Trichlorobenzene	153.8	200.0	pptv	77%		70-130
Hexachlorobutadiene	157.7	200.0	pptv	79%		70-130

Surrogates

Batch QC

QC1356067 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	266.7	250.0	pptv	107%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1356068	Batch: 399734
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1356068 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	188.2	200.0	pptv	94%		70-130	3	25
1,1,1,2-Tetrachloroethane	185.2	200.0	pptv	93%		70-130	3	25
Freon 12	198.2	200.0	pptv	99%		70-130	3	25
Chloromethane	192.4	200.0	pptv	96%		70-130	3	25
Freon 114	197.2	200.0	pptv	99%		70-130	3	25
Vinyl Chloride	196.7	200.0	pptv	98%		70-130	3	25
Bromomethane	190.9	200.0	pptv	95%		70-130	2	25
Chloroethane	195.5	200.0	pptv	98%		70-130	3	25
Vinyl bromide	202.4	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	198.0	200.0	pptv	99%		70-130	3	25
1,1-Dichloroethene	201.5	200.0	pptv	101%		70-130	3	25
Methylene Chloride	189.4	200.0	pptv	95%		70-130	3	25
Freon 113	197.7	200.0	pptv	99%		70-130	2	25
trans-1,2-Dichloroethene	201.4	200.0	pptv	101%		70-130	3	25
1,1-Dichloroethane	201.2	200.0	pptv	101%		70-130	2	25
cis-1,2-Dichloroethene	203.6	200.0	pptv	102%		70-130	3	25
Chloroform	198.5	200.0	pptv	99%		70-130	3	25
1,2-Dichloroethane	198.3	200.0	pptv	99%		70-130	3	25
1,1,1-Trichloroethane	200.5	200.0	pptv	100%		70-130	2	25
Benzene	195.8	200.0	pptv	98%		70-130	3	25
Carbon Tetrachloride	198.9	200.0	pptv	99%		70-130	2	25
1,2-Dichloropropane	191.5	200.0	pptv	96%		70-130	3	25
Bromodichloromethane	186.3	200.0	pptv	93%		70-130	2	25
Trichloroethene	190.9	200.0	pptv	95%		70-130	3	25
cis-1,3-Dichloropropene	190.5	200.0	pptv	95%		70-130	5	25
trans-1,3-Dichloropropene	186.3	200.0	pptv	93%		70-130	3	25
1,1,2-Trichloroethane	185.5	200.0	pptv	93%		70-130	3	25
Toluene	191.2	200.0	pptv	96%		70-130	3	25
Dibromochloromethane	182.6	200.0	pptv	91%		70-130	3	25
1,2-Dibromoethane	184.3	200.0	pptv	92%		70-130	3	25
Tetrachloroethene	209.8	200.0	pptv	105%		70-130	3	25
Chlorobenzene	189.2	200.0	pptv	95%		70-130	2	25
Ethylbenzene	194.2	200.0	pptv	97%		70-130	3	25
m,p-Xylenes	401.2	400.0	pptv	100%		70-130	1	25
Bromoform	178.0	200.0	pptv	89%		70-130	2	25
Styrene	200.1	200.0	pptv	100%		70-130	3	25
o-Xylene	211.7	200.0	pptv	106%		70-130	5	25
2-Chlorotoluene	198.9	200.0	pptv	99%		70-130	3	25
1,3,5-Trimethylbenzene	214.4	200.0	pptv	107%		70-130	5	25
1,2,4-Trimethylbenzene	211.0	200.0	pptv	106%		70-130	5	25
Benzyl chloride	182.5	200.0	pptv	91%		70-130	3	25
1,3-Dichlorobenzene	198.4	200.0	pptv	99%		70-130	3	25
1,4-Dichlorobenzene	196.6	200.0	pptv	98%		70-130	3	25
1,2-Dichlorobenzene	191.3	200.0	pptv	96%		70-130	3	25
1,2,4-Trichlorobenzene	159.0	200.0	pptv	79%		70-130	3	25
Hexachlorobutadiene	162.9	200.0	pptv	81%		70-130	3	25

Batch QC

QC1356068 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	263.9	250.0	pptv	106%		70-130		

Batch QC


Type: Blank	Lab ID: QC1356069	Batch: 399734
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1356069 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1,1,2-Tetrachloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Freon 12	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chloromethane	ND		pptv	100	04/03/26 11:11	04/03/26 11:11
Freon 114	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Vinyl Chloride	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Bromomethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Vinyl bromide	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Trichlorofluoromethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1-Dichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Methylene Chloride	ND		pptv	20	04/03/26 11:11	04/03/26 11:11
Freon 113	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
trans-1,2-Dichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1-Dichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
cis-1,2-Dichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chloroform	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1,1-Trichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Benzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Carbon Tetrachloride	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dichloropropane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Bromodichloromethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Trichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
cis-1,3-Dichloropropene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
trans-1,3-Dichloropropene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1,2-Trichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Toluene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Dibromochloromethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dibromoethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Tetrachloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Ethylbenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
m,p-Xylenes	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Bromoform	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Styrene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
o-Xylene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
2-Chlorotoluene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,3,5-Trimethylbenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2,4-Trimethylbenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Benzyl chloride	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,3-Dichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,4-Dichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2,4-Trichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Hexachlorobutadiene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Xylene (total)	ND		pptv	10	04/03/26 11:11	04/03/26 11:11

Batch QC

QC1356069 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	84%		%REC	70-130	04/03/26 11:11	04/03/26 11:11

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260765
REPORT DATE : 04/08/2026


On March 31, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260765-88260
MS-12	260765-88261
MS-08	260765-88262
MS-09	260765-88263
MS-10	260765-88264
MS-06	260765-88265
MS-11	260765-88266


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260765
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/30-31/2026
 RECEIVING DATE : 03/31/2026
 ANALYSIS DATE : 03/31/2026
 REPORT DATE : 04/08/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260765-88260	260765-88261	260765-88262	260765-88263
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260765
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/30-31/2026
 RECEIVING DATE : 03/31/2026
 ANALYSIS DATE : 03/31/2026
 REPORT DATE : 04/08/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260765-88264	260765-88265	260765-88266
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/31/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21861	491	98.0	1.8
Duplicate	21216	477	95.1	1.2
Triplicate	21326	479	95.6	0.7

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20626	537	104.6	0.1
Duplicate	20665	538	104.8	0.1
Triplicate	20625	537	104.6	0.1

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	24005	532	101.8	2.7
Duplicate	23051	511	97.8	1.4
Triplicate	23096	512	98.0	1.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86138

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260329-86138 x2




Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	243.0	231.3	97.0	92.3	4.9
MeSH	<PQL	256.6	269.3	274.9	104.9	107.1	2.1
DMS	<PQL	261.1	256.7	264.4	98.3	101.3	2.9

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	468.8	93.5
MeSH	513.3	542.7	105.7
DMS	522.3	513.6	98.3

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 50.0 ppbV

2-60765
CHAIN OF CUSTODY RECORD

Client/Project Name <u>CCS @ My Needs / Chukita Landfill Air Toxics Sampling</u>		Project Location <u>Venocid, CA</u>		ANALYSES		
Project No.		Field Logbook No.		307.91 SW/AM		
Sampler: (Print) <u>Aiden Sanchez-Ome</u>		(Signature) 				
No. Of Containers <u>7</u>		Type of Sample		Remarks		
Sample No./ Identification	Date	Time	Lab Sample Number			Type of Sample
MS-07	3-30/31-26	0708-0708	88260			10 Liter Bag
MS-12	3-30/31-26	0721-0721	88261			10 Liter Bag
MS-08	3-30/31-26	0734-0734	88262			10 Liter Bag
MS-09	3-30/31-26	0748-0748	88263			10 Liter Bag
MS-10	3-30/31-26	0800-0800	88264			10 Liter Bag
MS-06	3-30/31-26	0826-0826	88265			10 Liter Bag
MS-11	3-30/31-26	0854-0854	88266	10 Liter Bag		
Relinquished by: (Signature) 		Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) 	Date	Time
Sample Disposal Method:		Disposed of by: (Signature)		Date	Time	Time
Sample Collector		Analytical Laboratory		AAC VENTURA		

RTS
Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Appendix B

Onterris Supplementary Analysis of SCS Engineers' Q1 2026 EAMP Report

May 15, 2026

To: Nicole Quick, MD, MPH, Deputy Director for Health Protection, Los Angeles County Department of Public Health
From: Pablo Sanchez Soria, PhD, CIH, Principal Toxicologist, Director, Exposure Assessment & Evaluation
Subject: Onterris Response & Recovery, LLC's (f/k/a CTEH) Supplementary Analysis of SCS Engineers' First Quarter (January 1, 2026 – March 31, 2026) Community 24-hour Analytical Air Sampling Data

1. Overview and Summary of Findings

In accordance with the enhanced air monitoring program (EAMP) for Chiquita Canyon Landfill (CCL), SCS Engineers produced a quarterly report for the first quarter of 2026 (January 1, 2026, to March 31, 2026), summarizing the results from air quality data collected in accordance with the 2019 Community Air Monitoring Plan (CAMP) prepared by SCS Engineers in collaboration with CCL, the Los Angeles County Department of Public Health (DPH), and the Los Angeles County Department of Public Works (DPW). At the request of CCL, and in response to DPH's June 6, 2024, letter (Letter), Onterris Response and Recovery, LLC f/k/a CTEH¹, has prepared this report to provide a supplementary analysis of SCS Engineers' analytical air sampling data pertaining to the evaluation of public health risks.

The following summarizes findings by Onterris from 24-hour "time-composited" air samples collected by SCS Engineers across the community near CCL during the first quarter of 2026 and provides a summary of the methodology used to conduct the analysis.

SCS Engineers collected air samples for the analysis of volatile organic compounds (VOCs) and total reduced sulfur (TRS) compounds. Full laboratory results are provided in SCS Engineers quarterly report. Of all the analytes evaluated in the 24-hour samples deployed across seven community locations (MS-06 – MS-12), there were no analytes detected above their corresponding Office of Environmental Health Hazard Assessment (OEHHA) Chronic Reference Exposure Levels (RELs). In this regard, there were no exceedances of OEHHA RELs documented from 24-hour analytical air samples collected throughout the first quarter of 2026.

¹ As of April 22, 2026, CTEH has rebranded to Onterris Response & Recovery, LLC.

2. Data Evaluation and Methodology

Data Selection for Health-Based Screening Level Assessment

- Community Data

SCS Engineers' first quarterly report of 2026 includes data collected from multiple locations, including locations within the landfill, across the perimeter of CCL, and throughout the community. To evaluate potential health risks for residents near the CCL, concentrations of VOCs and TRS compounds were evaluated throughout the community air sampling locations, including MS-06 – MS-12. For this reason, all data from MS-01 – MS-05, located within the landfill or on the landfill's immediate perimeter, were excluded from this analysis. A figure illustrating these sampling locations is provided in **Appendix A**.

- 24-hour Analytical Data

While community locations selected by SCS Engineers for air monitoring and sampling also include three additional locations beyond MS-06 – MS-12 (S. End Lincoln, Santa Clarita Valley [SCV] and Chiquito Canyon Road), none of these locations included samples collected over a 24-hour period. In this regard, all data from grab samples were excluded from this analysis. Additionally, while SCS Engineers is also collecting air quality data via continuous air monitoring stations across various perimeter and community locations, Onterris has not evaluated these data to make conclusions about public health risks because Onterris is not familiar with the quality assurance and quality control procedures in place for these data.

OEHHA RELs

Analytical results from SCS Engineers' 24-hour samples were compared to OEHHA Chronic RELs, where available. A list of RELs is available on OEHHA's website². These RELs serve as health-protective benchmarks for chronic exposures (chronic being for a period of 1-year to a lifetime), and they are based on the most sensitive health effects reported in scientific literature. OEHHA RELs are designed to protect the most sensitive individuals in the population, including children, the elderly, and those with pre-existing health conditions. OEHHA RELs are airborne concentrations of chemicals at or below which no adverse health effects are anticipated in individuals indefinitely exposed to that level. Due to the conservative nature of health-protective screening levels such as these, it is important to note that exceedances of chronic RELs from single 24-hour sample results do not necessarily indicate that health risks are anticipated. Rather, they may indicate that additional investigation is warranted.

² <https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary>

Analysis

To assess whether exceedances of OEHHA Chronic RELs were observed, results were averaged throughout the quarter by sampling location³. In addition, individual results from single 24-hour samples were compared against OEHHA Chronic RELs screening values⁴ to assess whether additional investigation may be warranted. (i.e., assess trends, wind direction, or other patterns informative of potential sources). The individual 24-hour sampling results are reported as above or below OEHHA Chronic RELs, rather than “exceedance” or “non-exceedance” because individual 24-hour samples do not indicate the potential health risks for which Chronic RELs are protective over chronic exposure durations. If detections were observed above the OEHHA Chronic REL for a particular constituent, the results are discussed in Section 1, above. Individual 24-hour samples were also compared against OEHHA Acute RELs. No detections above Acute RELs were observed across SCS Engineers’ 24-hour analytical air samples collected throughout the first quarter of 2026.

³ Average concentrations include non-detections at one half of the reporting limit, per standard risk assessment practice.

⁴ Individual 24-hour samples were also compared against OEHHA Acute RELs for sake of completeness. No detections above Acute RELs were observed.

Appendix A. SCS Engineers 24-hour Community Air Sampling Locations

