Informe de Monitoreo del Aire Mejorado del Primer Trimestre de 2026, Vertedero de Chiquita Canyon

Vertedero de Chiquita Canyon
29201 Henry Mayo Drive
Castaic, California 91384

SCS ENGINEERS

01204123.21 Tarea 11 | 15 de mayo de 2026

3900 Kilroy Airport Way, Suite 300
Long Beach, CA 90806
562-426 -9544

Tabla de Contenido

Sección Página

1.0 **Introducción** **1**
2.0 **Resumen Trimestral de los Monitoreos y de las Muestras** **1**
Monitoreo Continuo 1
Muestras de Composición Temporal 2
3.0 **Revisión de Datos** **3**
Monitoreo Continuo 3
Datos de los Micro-GC 3
Muestras de Composición Temporal 4
Datos VOC 4
Datos CRUDOS 5
Análisis Complementarios de Onterris 5

Tablas (En Texto)

Tabla 1. Lista de Analitos de Muestras Discretas y de Composición Temporal 3
Tabla 2. Muestras Analíticas Discretas .... **¡Error! Marca no definida.**

Figuras

Figura 1 Mapa de las Ubicaciones de Monitoreo de Aire Mejoradas

Apéndices

Apéndice A Informes Mensuales de Monitoreo del Aire del EAMP
Apéndice B Análisis Complementario de Onterris del Informe del EAMP del 1° Trimestre de 2026 de SCS Engineers

Este Informe de Monitoreo del Aire Mejorado del Primer Trimestre de 2026 del Vertedero de Chiquita Canyon, ubicado en 29201 Henry Mayo Drive, Castaic, California, fue elaborado y revisado por las siguientes personas:



Stipe Markotic
Personal Científico
SCS ENGINEERS



Quincy Laris
Personal Científico
SCS ENGINEERS



Raymond H. Huff, REPA
Director del Proyecto
SCS ENGINEERS

1.0 INTRODUCCIÓN

Esta presentación abarca el período que abarca del 1 de enero al 31 de marzo de 2026 y fue elaborada para el Departamento de Salud Pública (DPH) del Condado de Los Ángeles por SCS Engineers (SCS) en nombre de Chiquita Canyon, LLC (Chiquita) como parte del programa de monitoreo de aire mejorado (EAMP) de Chiquita para el Vertedero de Chiquita Canyon (el Vertedero). Las recomendaciones del programa de monitoreo del aire mejorado se presentaron en un plan de trabajo del 15 de agosto de 2023 (Plan de Trabajo) presentado al DPH. Después de haberlo consultado con toxicólogos de Chiquita de Onterris (ex CTEH), el EAMP se amplió aún más para incluir la toma de muestras de compuestos semanales de 24 horas, analizadas para observar los compuestos orgánicos volátiles (VOCs) y el azufre total reducido (TRS) en siete lugares de estaciones de monitoreo fuera del sitio (MS-06 a MS-12).

Se debe tener en cuenta que en respuesta a la Orden Administrativa Unilateral (UAO) emitida por la Agencia de Protección Ambiental de Estados Unidos (EPA) el 21 de febrero de 2024, se implementó un Plan de Trabajo actualizado para que el EAMP trate los requerimientos de la UAO.

En base a las conversaciones con el Distrito de Gestión de la Calidad del Aire de la Costa Sur (SCAQMD), las tomas de muestras semanales aleatorias de TRS, olores y VOC expandido en las ubicaciones de las 12 estaciones de monitoreo (MS o estaciones), las dos ubicaciones adicionales en el sitio y tres ubicaciones adicionales fuera del sitio (17 ubicaciones en total), se detuvieron en septiembre de 2025.

El EAMP incluye los siguientes componentes:

- Muestreos semanales de 24 horas para compuestos de TRS utilizando el Método 307.91.
- Muestreos semanales de 24 horas para la lista de VOCs ampliada ubicada en la Tabla 1 utilizando el análisis SIM del Método TO-15.
- Instalación de diez (10) micro-GCs para monitorear una lista de VOCs ampliada como parte de la Orden de Depuración Estipulada Modificada (SOFA). En la Tabla 1 del Plan de Trabajo actualizado se encuentra una lista completa de analitos.

Se incluye un mapa que muestra las ubicaciones de las estaciones de monitoreo, como **Figura 1**. Como se muestra en la **Figura 1**, MS-01 a MS-05 se encuentran alrededor del perímetro del Vertedero; MS-06 a MS-12 están ubicados en la comunidad que rodea al Vertedero.

A continuación se presenta un resumen de los métodos, los resultados y los análisis de los datos tomados del primer trimestre de 2026. Además, todos los datos de monitoreo a los que se hace referencia en este informe fueron proporcionados al DPH en actualizaciones de monitoreo mensuales. Según la solicitud del DPH, se incluyeron en este informe copias de los datos analíticos crudos y de monitoreo que se proporcionaron previamente. Se incluye en el **Apéndice A** una copia de los Informes Mensuales del EAMP durante el primer trimestre de 2026.

2.0 RESUMEN TRIMESTRAL DE LOS MONITOREOS Y DE LAS MUESTRAS

MONITOREO CONTINUO

Chiquita tiene una red de doce estaciones de monitoreo del aire, habiendo siete estaciones ubicadas en toda la comunidad que rodea al Vertedero (MS-06 a MS-12) y las otras cinco estaciones se encuentran en el sitio (MS-01 a MS-05), alrededor del perímetro del Vertedero.

A partir de fines de agosto y hacia principios de septiembre de 2023, SCS agregó dos módulos de monitoreo adicionales a MS-04 y MS-12. MS-04 se encuentra en la esquina noroeste del Vertedero. MS-12 se encuentra en la comunidad de Val Verde, aproximadamente a 0.5 millas al noroeste del Vertedero. Los módulos adicionales proporcionan mediciones continuas de SO_2. Al 26 de junio de 2024, SCS agregó módulos de SO_2 continuos a todas las demás estaciones de monitoreo del aire en el sitio y fuera del sitio.

A partir de septiembre de 2024 se instalaron ocho unidades micro-GC adicionales como lo requiere la UAO, dando un total de diez unidades micro-GC que monitorean la calidad del aire alrededor del Vertedero.

MUESTRAS DE COMPOSICIÓN TEMPORAL

Todas las semanas se tomaron siete (7) muestras de aire de composición temporal de 24 horas de siete (7) estaciones de monitoreo del aire fuera del sitio (MS-06 a MS-12). Las muestras de composición temporal se tomaron en un período de 24 horas y se analizaron los constituyentes indicados en la **Tabla 1**.

Se analizan las muestras para observar si hay VOCs presentes, utilizando el Método TO-15 de la Agencia de Protección Ambiental (EPA). Las muestras de TRS se analizan utilizando el Método 307.91 del Distrito de Gestión de la Calidad del Aire de la Costa Sur (SCAQMD). Los resultados de las muestras de composición temporal para el período del informe se encuentran en los Informes Mensuales del EAMP incluidos en el **Apéndice A**.

Tabla 1. Lista de Analitos de Muestras de Composición Temporal

Analitos del Método 307.91 del SCAQMD			
2-Metiltiofeno	Disulfuro de Dietilo	Isopropil Mercaptano	Terbutilmercaptano
3-Metiltiofeno	Disulfuro de Dimetilo	Metilmercaptano	Tetrahidrotiofeno
Bromotiofeno	Sulfuro de Dimetilo (DMS)	Sulfuro Etilo Metilo	Tiofeno
Disulfuro de Carbono	Etilmercaptano	n-Butil Mercaptano	Azufre Total Reducido
Sulfuro de Carbonilo (COS/SO2)	Ácido Sulfhídrico (H2S)	n-propil mercaptano	Azufre Total No Identificado
Disulfuro de Dietilo	iso-Butil Mercaptano	sec-Butil Mercaptano/Tiofeno	
Analitos del Método TO-15 de EPA			
1,1,1-Tricloroetano	4-Etiltolueno	Dibromoclorometano	Naftalina
1,1,2,2-Tetracloroetano	4-Metil-2-pentanona (MiBK)	Diclorodifluorometano	n-Butilbenceno
1,1,2-Tricloroetano	Acetaldehído	Diclorofluorometano	n-Propilbenceno
1,1-Dicloroetano	Acetona	Dicloro-Tetrafluoretano	o-Xileno
1,1-Dicloroeteno	Acroleína	Éter Dimetílico	Propeno
1,2,3-Tricloropropano	Acrilonitrilo	Etanol	Sec-butilbenceno
1,2,4-Triclorobenceno	Cloruro de Alilo	Acetato de Etilo	Estireno
1,2,4-Trimetilbenceno	Benceno	Etilbenceno	Tert butanol (TBA)
1,2-Dibromoetano	Cloruro de Bencilo (4-Clorotolueno)	Freon 11	Tetracloroetileno (PCE)
1,2-Diclorobenceno	Bromodiclorometano	Freon 113	Tetrahidrofurano
1,2-Dicloroetano	Bromoformo	Freon 114	Tolueno
1,2-Dicloropropano	Bromometano	Freon 12	trans-1,2-Dicloroeteno
1,3,5-Trimetilbenceno	Disulfuro de Carbono	Heptano	trans-1,3-Dicloropropeno
1,3-Butadieno	Tetracloruro de carbono	Hexaclorobutadieno	Tricloroeteno (TCE)
1,3-Diclorobenceno	Clorobenceno	Hexano	Triclorofluorometano
1,4-Diclorobenceno	Clorodifluorometano	Alcohol Isopropílico	Triclorotrifluoroetano
1,4-Dioxano	Cloroetano	Isopropilbenceno	Acetato de Vinilo
2,2,4-Trimetilpentano	Cloroformo	m y p-Xileno	Bromuro de Vinilo
2-Butanona (MEK)	Clorometano	Metanol	Cloruro de Vinilo
2-Clorotolueno	cis-1,2-Dicloroeteno	Metracilato de Metilo	Alfa-Pineno
2-Hexanona (MBK)	cis-1,3-Dicloropropeno	Metil-Terbutil Éter (MTBE)	Beta-Pineno
2-Propanol (IPA)	Ciclohexano	Cloruro de Metileno (DCM)	

Nota: Algunos informes analíticos podrán tener menos analitos, dependiendo de las capacidades del laboratorio.

3.0 REVISIÓN DE LOS DATOS

MONITOREO CONTINUO

Datos de los Micro-GC

En respuesta a la SOFA emitida por el SCAQMD el 17 de enero de 2024, se instalaron dos unidades micro-GC en MS-10 y MS-12 para la fecha límite del 1 de mayo de 2024. En septiembre de 2024 se pusieron en línea ocho unidades micro-GC "adicionales" como lo indica la UAO. Los resultados del monitoreo continuo del aire se encuentran online en el sitio web de Chiquita. A continuación se encuentra un enlace a los datos continuos en tiempo real:

https://chiquitacanyon.com/reports/community-air-monitoring-program/

Los datos están disponibles al público y pueden ser revisados y descargados desde el sitio web.

Durante el período del informe, hubo una variación en los compuestos medidos, pero ninguna tendencia fuerte de concentraciones en aumento o disminución.

La Evaluación de Peligros para la Salud de California (OEHHA) establece Niveles de Exposición de Referencia Agudos (RELs Agudos) para compuestos portados en el aire. Se define como REL Agudo de un compuesto como el nivel de concentración por debajo del cual no se prevén efectos adversos para la salud por 1 hora de exposición al compuesto. Los micro -GCs miden los compuestos por hora, proporcionando datos que pueden compararse directamente con RELs Agudos. En los compuestos medidos, el alcohol isopropílico (IPA), la 2-butanona, el benceno, el tolueno, el metanol, el disulfuro de carbono, el estireno, la acroleína y el m,p-Xyleno tienen un REL Agudo de OEHHA. Durante el último trimestre, los micro-GCs no detectaron ninguno de estos compuestos por encima del REL Agudo correspondiente de OEHHA en una hora, excepto acroleína:

En varios momentos durante el período del informe, varias unidades registraron acroleína por encima del REL agudo de OEHHA que ante una mayor revisión se determinó que fueron lecturas erróneas. Estas lecturas erróneas son el resultado de coelución de compuestos desconocidos y/o deficiencias en la instrumentación. Se presentará al SCAQMD un informe del Análisis de Excedencias de Acroleína complementario detallando la investigación de los datos y la conclusión para cada una de las excedencias de acroleína desde marzo de 2025 hasta marzo de 2026. Después de haber revisado los datos, se determinó que dos lecturas de acroleína por encima del REL agudo de OEHHA eran válidas y se analizan a continuación.

El 18 de enero de 2026 a las 7:00 PM hubo una lectura de acroleína por encima del REL agudo de OEHHA en la estación MS-02 del sitio. Durante esa hora, la acroleína se midió en 1.37 partes por billón (ppb), que está por encima del límite del REL agudo de 1.1 ppb. La dirección del viento durante el tiempo de la excedencia sugiere que la unidad estuvo a favor del viento desde el vertedero.

El 22 de enero de 2026 a las 5:00 PM hubo una lectura de acroleína por encima del REL agudo de OEHHA en la estación MS-01 del sitio. Durante esa hora, la acroleína se midió en 1.49 ppb; que está por encima del límite del REL agudo de 1.1 ppb. La dirección del viento durante el tiempo de la excedencia sugiere que la unidad estuvo a favor del viento desde el vertedero.

Se debe tener en cuenta que ocurrió un corte total de las antorchas principales el 16 de enero de 2026 y que la recolección de biogás (LFG) regresó a aproximadamente 14,000 pies cúbicos estándar (scfm) para el 26 de enero de 2026. Después de una revisión complementaria del viento, del metano y de los datos de las operaciones del sitio, no se estableció ninguna tendencia fuerte o correlación que indique un origen o una explicación alternativa para las lecturas de acroleína mencionadas arriba que no sea el vertedero. No se detectaron lecturas por encima del REL agudo de OEHHA en estaciones fuera del sitio durante estos eventos.

MUESTRAS DE COMPOSICIÓN TEMPORAL

Durante el primer trimestre de 2026, se tomó un total de 97 muestras de composición temporal en un período de 24 horas, en 7 estaciones de monitoreo fuera del sitio, de MS-06 a MS-12. Las muestras tomadas fueron analizadas utilizando el Método TO-15 SIM de EPA y el Método 307.91 del SCAQMD. Los resultados de las muestras se tratan a continuación.

Datos de VOC

Durante el período del informe, se tomó un total de 90 muestras que se analizaron para 58 VOCs individuales diferentes. De las 90 muestras analizadas, las 90 muestras detectaron uno o más VOCs. El análisis de VOCs

podrá contener resultados menores de todas las muestras de 24 horas. Los resultados menores pueden ser el resultado de problemas de accesibilidad además de muestras excluidas utilizando los procedimientos de QA/QC incluidos en los Procedimientos Operativos Estándar para el Programa de Monitoreo del Aire Mejorado.

DATOS CRUDOS


En respuesta a la Respuesta del DPH al Informe de Monitoreo del Aire Mejorado del Primer Trimestre de 2024 emitido el 6 de junio de 2024, ahora se incluyen en el **Apéndice A** datos crudos de los Informes Mensuales del EAMP para el período del informe.

ANÁLISIS COMPLEMENTARIOS DE ONTERRIS

A solicitud de CCL y en respuesta a la carta del 6 de junio de 2024 del DPH, Onterris preparó un análisis complementario para este informe que se encuentra en el **Apéndice B**.

Figure 1

Map of Enhanced Air Monitoring Locations


Legend
Micro-GC
Off-Site Station
On-Site Station
MS-09
MS-10
MS-08
MS-12
MS-01
MS-04
MS-06
MS-07
MS-02
MS-03
MS-05
MS-11
Del Valle Rd
Camino Cañon Rd
126
5
Google Earth
Image © 2025 Airbus
Community Air Monitoring Program
Continuous Air Monitoring Stations
N
1 mi

Appendix A

Q1 2026 Monthly EAMP Reports

February 20, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: **Monthly Enhanced Air Monitoring Program Data, January 2026, Chiquita Canyon Landfill**

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the January 2026 24-hr samples are found in **Attachment A.**

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Oder for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of

September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:


https://chiquitacanyon.com/reports/community-air-monitoring-program/

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers


attachments

cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (CTEH)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kate Logan (CCL)

FIGURE 1

MAP OF AIR MONITORING LOCATIONS


Legend
Micro-GC
Off-Site Station
On-Site Station
MS-09
MS-10
MS-08
MS-12
MS-01
MS-04
MS-06
MS-07
MS-02
MS-03
MS-05
MS-11
Del Valle Rd
Camino Cañon Rd
126
5
Google Earth
Image © 2025 Airbus
Community Air Monitoring Program
Continuous Air Monitoring Stations
N
1 mi

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	550229 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 01/06/26

Sample ID	Lab ID	Collected	Matrix
MS-07	550229-001	01/06/26 07:15	Air
MS-12	550229-002	01/06/26 07:30	Air
MS-08	550229-003	01/06/26 07:40	Air
MS-09	550229-004	01/06/26 07:59	Air
MS-10	550229-005	01/06/26 08:11	Air
MS-06	550229-006	01/06/26 08:29	Air
MS-11	550229-007	01/06/26 08:41	Air

Case Narrative

SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: 550229 Project No: CHIQUITA WEEKLY AIR Location: Chiquita Canyon Landfill Air/Odor Sampling Date Received: 01/06/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 01/06/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):
No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 550229

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Kirloder Sampling	Lab Quote Number:
Report To:	Ray Huff			Number:		
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806					
				Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Analysis Request: Extended List To-15

Required Turnaround Time: Standard ☐ 5 Day ☐ 3 Day ☐ 2 Day ☐ 1 Day ☐ Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70070	6L	A70110	1-5-26	0715	-29	1-6-26	0715	-7	X
2	MS-12	A	C70849	6L	A70432	1-5-26	0730	-30	1-6-26	0730	-9	X
3	MS-08	A	C70693	6L	A70639	1-5-26	0740	-30	1-6-26	0740	-5	X
4	MS-09	A	C70359	6L	A70163	1-5-26	0759	-29	1-6-26	0759	-6	X
5	MS-10	A	C70632	6L	A70670	1-5-26	0811	-30	1-6-26	0811	-0	X
6	MS-06	A	C70227	6L	A70561	1-5-26	0829	-29	1-6-26	0829	-4	X
7	MS-11	A	C70290	6L	A70641	1-5-26	0841	-29	1-6-26	0841	-8	X
8												
9												
10												

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	Res	1-6-26 / 1142
RECEIVED BY:		JETH CO	ENTHALPY	01/06/26 1145
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

Login 550229

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 01/06/26 WO# 550229 Client: SCSLB

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ☒ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ☒ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 01/06/26 By (initials) JKC Type of ice used: ☐ Wet ☐ Blue/Gel ☒ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

☒ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____/_____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ☒ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?			X
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

☐ **No additional discrepancies**

Date Logged 01/06/26 **By (print)** JETH CO **(sign)** JHW

Date Labeled 01/06/26 **By (print)** JETH CO **(sign)** JHW

ENTHALPY ANALYTICAL

Analysis Results for 550229

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 550229
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/06/26

Sample ID: MS-07 **Lab ID: 550229-001** **Collected: 01/06/26 07:15**
Matrix: Air

550229-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Freon 12	**0.40**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chloromethane	**0.44**		ppbv	0.11	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Freon 114	**0.015**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Bromomethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Methylene Chloride	**0.12**		ppbv	0.022	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Freon 113	**0.061**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chloroform	**0.018**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dichloroethane	**0.019**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Benzene	**0.17**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Carbon Tetrachloride	**0.072**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Trichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Toluene	**0.15**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Ethylbenzene	**0.025**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
m,p-Xylenes	**0.064**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Bromoform	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Styrene	**0.017**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
o-Xylene	**0.025**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2,4-Trimethylbenzene	**0.026**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

550229-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Xylene (total)	**0.088**		ppbv	0.011	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD
Surrogates				**Limits**					
Bromofluorobenzene	107%		%REC	60-140	1.1	391846	01/07/26 22:15	01/07/26 22:15	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

Sample ID: MS-12	Lab ID: 550229-002	Collected: 01/06/26 07:30
	Matrix: Air	

550229-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Freon 12	**0.39**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chloromethane	**0.77**		ppbv	0.11	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Freon 114	**0.014**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Bromomethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chloroethane	**0.061**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Freon 113	**0.059**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chloroform	**0.018**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Benzene	**0.17**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Carbon Tetrachloride	**0.068**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Trichloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Toluene	**0.23**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Ethylbenzene	**0.036**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
m,p-Xylenes	**0.10**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Bromoform	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Styrene	**0.025**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
o-Xylene	**0.038**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2,4-Trimethylbenzene	**0.036**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

550229-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Xylene (total)	**0.14**		ppbv	0.011	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD
Surrogates				**Limits**					
Bromofluorobenzene	106%		%REC	60-140	1.1	391846	01/07/26 23:04	01/07/26 23:04	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

Sample ID: MS-08	Lab ID: 550229-003	Collected: 01/06/26 07:40
	Matrix: Air	

550229-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Freon 12	**0.39**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chloromethane	**0.44**		ppbv	0.10	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Freon 114	**0.014**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chloroethane	**0.049**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Freon 113	**0.060**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chloroform	**0.016**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Benzene	**0.18**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Carbon Tetrachloride	**0.069**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Toluene	**0.25**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Tetrachloroethene	**0.010**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Ethylbenzene	**0.033**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
m,p-Xylenes	**0.10**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Styrene	**0.018**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
o-Xylene	**0.039**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,3,5-Trimethylbenzene	**0.011**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2,4-Trimethylbenzene	**0.046**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

550229-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Xylene (total)	**0.14**		ppbv	0.010	1	391846	01/07/26 23:53	01/07/26 23:53	OHD
Surrogates				**Limits**					
Bromofluorobenzene	107%		%REC	60-140	1	391846	01/07/26 23:53	01/07/26 23:53	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

Sample ID: MS-09	Lab ID: 550229-004	Collected: 01/06/26 07:59
	Matrix: Air	

550229-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Freon 12	**0.39**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chloromethane	**0.42**		ppbv	0.10	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Freon 114	**0.014**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chloroethane	**0.031**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Freon 113	**0.059**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chloroform	**0.024**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dichloroethane	**0.019**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Benzene	**0.18**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Carbon Tetrachloride	**0.070**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Toluene	**0.26**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Tetrachloroethene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Ethylbenzene	**0.040**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
m,p-Xylenes	**0.12**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Styrene	**0.26**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
o-Xylene	**0.047**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2,4-Trimethylbenzene	**0.033**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

550229-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Xylene (total)	**0.16**		ppbv	0.010	1	391846	01/08/26 00:42	01/08/26 00:42	OHD
Surrogates				**Limits**					
Bromofluorobenzene	111%		%REC	60-140	1	391846	01/08/26 00:42	01/08/26 00:42	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

Sample ID: MS-10	Lab ID: 550229-005	Collected: 01/06/26 08:11
	Matrix: Air	

550229-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Freon 12	**0.38**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chloromethane	**0.43**		ppbv	0.10	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Freon 114	**0.014**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chloroethane	**0.016**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Freon 113	**0.058**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chloroform	**0.027**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dichloroethane	**0.019**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Benzene	**0.21**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Carbon Tetrachloride	**0.068**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Toluene	**0.30**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Tetrachloroethene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Ethylbenzene	**0.037**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
m,p-Xylenes	**0.11**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Styrene	**0.050**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
o-Xylene	**0.043**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,3,5-Trimethylbenzene	**0.012**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2,4-Trimethylbenzene	**0.041**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

550229-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Xylene (total)	**0.16**		ppbv	0.010	1	391846	01/08/26 01:30	01/08/26 01:30	OHD
Surrogates				**Limits**					
Bromofluorobenzene	109%		%REC	60-140	1	391846	01/08/26 01:30	01/08/26 01:30	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

Sample ID: MS-06	Lab ID: 550229-006	Collected: 01/06/26 08:29
	Matrix: Air	

550229-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Freon 12	**0.39**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chloromethane	**0.42**		ppbv	0.10	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Freon 114	**0.014**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Vinyl Chloride	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Bromomethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chloroethane	**0.077**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Vinyl bromide	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Freon 113	**0.058**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chloroform	**0.023**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Benzene	**0.20**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Carbon Tetrachloride	**0.069**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Bromodichloromethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Trichloroethene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Toluene	**0.26**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Dibromochloromethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Tetrachloroethene	**0.011**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Chlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Ethylbenzene	**0.034**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
m,p-Xylenes	**0.089**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Bromoform	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Styrene	**0.069**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
o-Xylene	**0.036**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2,4-Trimethylbenzene	**0.040**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Benzyl chloride	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

550229-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Xylene (total)	**0.12**		ppbv	0.010	1	391846	01/08/26 02:19	01/08/26 02:19	OHD
Surrogates				**Limits**					
Bromofluorobenzene	110%		%REC	60-140	1	391846	01/08/26 02:19	01/08/26 02:19	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

Sample ID: MS-11	Lab ID: 550229-007	Collected: 01/06/26 08:41
	Matrix: Air	

550229-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Freon 12	**0.39**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chloromethane	**0.43**		ppbv	0.12	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Freon 114	**0.014**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Bromomethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Methylene Chloride	**0.11**		ppbv	0.024	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Freon 113	**0.059**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chloroform	**0.019**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Benzene	**0.087**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Carbon Tetrachloride	**0.069**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Trichloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Toluene	**0.088**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Ethylbenzene	**0.014**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
m,p-Xylenes	**0.038**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Bromoform	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Styrene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
o-Xylene	**0.016**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2,4-Trimethylbenzene	**0.015**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550229

550229-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Xylene (total)	**0.054**		ppbv	0.012	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD
Surrogates				**Limits**					
Bromofluorobenzene	107%		%REC	60-140	1.2	391846	01/08/26 03:08	01/08/26 03:08	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1328441**	**Batch:**	**391846**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1328441 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	218.9	200.0	pptv	109%		70-130
1,1,1,2-Tetrachloroethane	218.2	200.0	pptv	109%		70-130
Freon 12	182.2	200.0	pptv	91%		70-130
Chloromethane	173.9	200.0	pptv	87%		70-130
Freon 114	184.4	200.0	pptv	92%		70-130
Vinyl Chloride	174.2	200.0	pptv	87%		70-130
Bromomethane	178.4	200.0	pptv	89%		70-130
Chloroethane	194.2	200.0	pptv	97%		70-130
Vinyl bromide	197.8	200.0	pptv	99%		70-130
Trichlorofluoromethane	192.2	200.0	pptv	96%		70-130
1,1-Dichloroethene	196.9	200.0	pptv	98%		70-130
Methylene Chloride	215.9	200.0	pptv	108%		70-130
Freon 113	198.6	200.0	pptv	99%		70-130
trans-1,2-Dichloroethene	188.6	200.0	pptv	94%		70-130
1,1-Dichloroethane	193.0	200.0	pptv	96%		70-130
cis-1,2-Dichloroethene	186.0	200.0	pptv	93%		70-130
Chloroform	194.3	200.0	pptv	97%		70-130
1,2-Dichloroethane	184.9	200.0	pptv	92%		70-130
1,1,1-Trichloroethane	194.9	200.0	pptv	97%		70-130
Benzene	190.1	200.0	pptv	95%		70-130
Carbon Tetrachloride	193.8	200.0	pptv	97%		70-130
1,2-Dichloropropane	201.4	200.0	pptv	101%		70-130
Bromodichloromethane	199.2	200.0	pptv	100%		70-130
Trichloroethene	211.1	200.0	pptv	106%		70-130
cis-1,3-Dichloropropene	204.6	200.0	pptv	102%		70-130
trans-1,3-Dichloropropene	204.4	200.0	pptv	102%		70-130
1,1,2-Trichloroethane	206.8	200.0	pptv	103%		70-130
Toluene	191.2	200.0	pptv	96%		70-130
Dibromochloromethane	196.6	200.0	pptv	98%		70-130
1,2-Dibromoethane	202.5	200.0	pptv	101%		70-130
Tetrachloroethene	213.1	200.0	pptv	107%		70-130
Chlorobenzene	215.1	200.0	pptv	108%		70-130
Ethylbenzene	199.4	200.0	pptv	100%		70-130
m,p-Xylenes	430.1	400.0	pptv	108%		70-130
Bromoform	195.0	200.0	pptv	97%		70-130
Styrene	206.0	200.0	pptv	103%		70-130
o-Xylene	215.8	200.0	pptv	108%		70-130
2-Chlorotoluene	215.1	200.0	pptv	108%		70-130
1,3,5-Trimethylbenzene	229.4	200.0	pptv	115%		70-130
1,2,4-Trimethylbenzene	214.8	200.0	pptv	107%		70-130
Benzyl chloride	232.4	200.0	pptv	116%		70-130
1,3-Dichlorobenzene	235.2	200.0	pptv	118%		70-130
1,4-Dichlorobenzene	230.9	200.0	pptv	115%		70-130
1,2-Dichlorobenzene	224.2	200.0	pptv	112%		70-130
1,2,4-Trichlorobenzene	190.6	200.0	pptv	95%		70-130
Hexachlorobutadiene	205.8	200.0	pptv	103%		70-130
Surrogates						

Batch QC

QC1328441 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	318.8	250.0	pptv	128%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1328442**	**Batch:**	**391846**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1328442 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	214.0	200.0	pptv	107%		70-130	2	25
1,1,1,2-Tetrachloroethane	213.5	200.0	pptv	107%		70-130	2	25
Freon 12	178.5	200.0	pptv	89%		70-130	2	25
Chloromethane	169.8	200.0	pptv	85%		70-130	2	25
Freon 114	180.3	200.0	pptv	90%		70-130	2	25
Vinyl Chloride	169.6	200.0	pptv	85%		70-130	3	25
Bromomethane	174.6	200.0	pptv	87%		70-130	2	25
Chloroethane	190.9	200.0	pptv	95%		70-130	2	25
Vinyl bromide	194.0	200.0	pptv	97%		70-130	2	25
Trichlorofluoromethane	187.4	200.0	pptv	94%		70-130	3	25
1,1-Dichloroethene	193.8	200.0	pptv	97%		70-130	2	25
Methylene Chloride	211.1	200.0	pptv	106%		70-130	2	25
Freon 113	194.1	200.0	pptv	97%		70-130	2	25
trans-1,2-Dichloroethene	185.7	200.0	pptv	93%		70-130	2	25
1,1-Dichloroethane	188.5	200.0	pptv	94%		70-130	2	25
cis-1,2-Dichloroethene	182.0	200.0	pptv	91%		70-130	2	25
Chloroform	189.4	200.0	pptv	95%		70-130	3	25
1,2-Dichloroethane	179.7	200.0	pptv	90%		70-130	3	25
1,1,1-Trichloroethane	190.3	200.0	pptv	95%		70-130	2	25
Benzene	186.8	200.0	pptv	93%		70-130	2	25
Carbon Tetrachloride	189.8	200.0	pptv	95%		70-130	2	25
1,2-Dichloropropane	197.5	200.0	pptv	99%		70-130	2	25
Bromodichloromethane	193.3	200.0	pptv	97%		70-130	3	25
Trichloroethene	206.2	200.0	pptv	103%		70-130	2	25
cis-1,3-Dichloropropene	197.9	200.0	pptv	99%		70-130	3	25
trans-1,3-Dichloropropene	199.3	200.0	pptv	100%		70-130	3	25
1,1,2-Trichloroethane	200.7	200.0	pptv	100%		70-130	3	25
Toluene	187.4	200.0	pptv	94%		70-130	2	25
Dibromochloromethane	192.4	200.0	pptv	96%		70-130	2	25
1,2-Dibromoethane	197.2	200.0	pptv	99%		70-130	3	25
Tetrachloroethene	208.1	200.0	pptv	104%		70-130	2	25
Chlorobenzene	210.7	200.0	pptv	105%		70-130	2	25
Ethylbenzene	196.5	200.0	pptv	98%		70-130	1	25
m,p-Xylenes	424.2	400.0	pptv	106%		70-130	1	25
Bromoform	191.3	200.0	pptv	96%		70-130	2	25
Styrene	202.6	200.0	pptv	101%		70-130	2	25
o-Xylene	212.1	200.0	pptv	106%		70-130	2	25
2-Chlorotoluene	211.6	200.0	pptv	106%		70-130	2	25
1,3,5-Trimethylbenzene	224.7	200.0	pptv	112%		70-130	2	25
1,2,4-Trimethylbenzene	210.2	200.0	pptv	105%		70-130	2	25
Benzyl chloride	227.9	200.0	pptv	114%		70-130	2	25
1,3-Dichlorobenzene	228.7	200.0	pptv	114%		70-130	3	25
1,4-Dichlorobenzene	227.0	200.0	pptv	113%		70-130	2	25
1,2-Dichlorobenzene	219.4	200.0	pptv	110%		70-130	2	25
1,2,4-Trichlorobenzene	195.0	200.0	pptv	97%		70-130	2	25
Hexachlorobutadiene	201.4	200.0	pptv	101%		70-130	2	25

Batch QC

QC1328442 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	313.8	250.0	pptv	126%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1328443**	**Batch:**	**391846**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1328443 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Freon 12	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chloromethane	ND		pptv	100	01/07/26 14:21	01/07/26 14:21
Freon 114	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Vinyl Chloride	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Bromomethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Vinyl bromide	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Trichlorofluoromethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1-Dichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Methylene Chloride	ND		pptv	20	01/07/26 14:21	01/07/26 14:21
Freon 113	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
trans-1,2-Dichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1-Dichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
cis-1,2-Dichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chloroform	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1,1-Trichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Benzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Carbon Tetrachloride	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dichloropropane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Bromodichloromethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Trichloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
cis-1,3-Dichloropropene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
trans-1,3-Dichloropropene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,1,2-Trichloroethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Toluene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Dibromochloromethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dibromoethane	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Tetrachloroethene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Chlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Ethylbenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
m,p-Xylenes	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Bromoform	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Styrene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
o-Xylene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
2-Chlorotoluene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,3,5-Trimethylbenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2,4-Trimethylbenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Benzyl chloride	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,3-Dichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,4-Dichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2-Dichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
1,2,4-Trichlorobenzene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Hexachlorobutadiene	ND		pptv	10	01/07/26 14:21	01/07/26 14:21
Xylene (total)	ND		pptv	10	01/07/26 14:21	01/07/26 14:21

ENTHALPY ANALYTICAL

Batch QC

QC1328443 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	101%		%REC	70-130	01/07/26 14:21	01/07/26 14:21

ND Not Detected

CLIENT	:	SCS Engineers
PROJECT NAME	:	Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	:	260046
REPORT DATE	:	01/12/2026

On January 6th, 2026 Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260046-85085
MS-12	260046-85086
MS-08	260046-85087
MS-09	260046-85088
MS-10	260046-85089
MS-06	260046-85090
MS-11	260046-85091

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of **5** pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260046
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/05-06/2026
RECEIVING DATE : 01/06/2026
ANALYSIS DATE : 01/06/2026
REPORT DATE : 01/12/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260046-85089	260046-85090	260046-85091
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260046
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/05-06/2026
RECEIVING DATE : 01/06/2026
ANALYSIS DATE : 01/06/2026
REPORT DATE : 01/12/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260046-85085	260046-85086	260046-85087	260046-85088
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 1/6/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8165	0.518	105.0	3.1
Duplicate	7917	0.503	101.8	0.0
Triplicate	7676	0.487	98.7	3.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7749	0.531	104.6	3.7
Duplicate	7405	0.507	99.9	0.9
Triplicate	7267	0.498	98.1	2.8

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8265	0.503	104.6	0.1
Duplicate	8263	0.503	104.6	0.1
Triplicate	8243	0.501	104.3	0.2

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 252436-80858**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 252436-80858 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.241	0.224	97.6	90.7	7.3
MeSH	<PQL	0.254	0.251	0.251	98.9	98.9	0.0
DMS	<PQL	0.240	0.259	0.259	107.8	107.8	0.0

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.517	104.7
MeSH	0.508	0.553	109.0
DMS	0.481	0.520	108.2

Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, * Must be < 5% RPD from Mean result.***

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com • (805) 650-1642

CHAIN OF CUSTODY RECORD 260046

Client/Project Name	Project Location	ANALYSES
SCS Engineers Chiquita Canyon Landfill Air Odor Sampling	Valencia, CA	
Project No.	**Field Logbook No.**	
Sampler: (Print) Jacob Pennington **(Signature)**	**No. Of Containers** 7	

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	50.91 Sulfur	Remarks
MS-07	1-5/6-26	0715 / 0715	~~85085~~ ~~85088~~ 85086	10 Liter Bag	X	
MS-12	1-5/6-26	0730 / 0730	85086	10 Liter Bag	X	
MS-08	1-5/6-26	0740 / 0740	85087	10 Liter Bag	X	
MS-09	1-5/6-26	0759 / 0759	85088	10 Liter Bag	X	
MS-10	1-5/6-26	0811 / 0811	85089	10 Liter Bag	X	
MS-06	1-5/6-26	0829 / 0829	85090	10 Liter Bag	X	
MS-11	1-5/6-26	0841 / 0841	85091	10 Liter Bag	X	

	Date	Time		Date	Time
Relinquished by: (Signature)	1/6/26	0959	**Received by: (Signature)**		
Relinquished by: (Signature)			**Received by: (Signature)**		
Relinquished by: (Signature)			**Received for Laboratory: (Signature)**	1/6/26	1001
Sample Disposal Method:			**Disposed of by: (Signature)**		

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	550762 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 01/13/26

Sample ID	Lab ID	Collected	Matrix
MS-07	550762-001	01/13/26 07:15	Air
MS-12	550762-002	01/13/26 07:27	Air
MS-08	550762-003	01/13/26 07:37	Air
MS-09	550762-004	01/13/26 07:49	Air
MS-10	550762-005	01/13/26 08:00	Air
MS-06	550762-006	01/13/26 08:17	Air
MS-11	550762-007	01/13/26 08:40	Air

Case Narrative

SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: 550762 Project No: CHIQUITA WEEKLY AIR Location: Chiquita Canyon Landfill Air/Odor Sampling Date Received: 01/13/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 01/13/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):
No analytical problems were encountered.

Login 550762

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 550762

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Air/Odor Sampling	
Report To:	Ray Hoff			Number:		Lab Quote Number:
Email:	rhoff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way suite 300					Analysis Request
	Long Beach, CA 90806			Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Required Turnaround Time: Standard ☐ 5 Day ☐ 3 Day ☐ 2 Day ☐ 1 Day ☐ Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Analysis Request: Extended List TO-15	Comments
1	MS-07	A	C70869	6L	A70548	1-12-26	0715	-27	1-13-26	0715	-4	X	
2	MS-12	A	C70041	6L	A70226	1-12-26	0727	-25	1-13-26	0727	-2	X	
3	MS-08	A	C70318	6L	A70652	1-12-26	0737	-30	1-13-26	0737	-5	X	
4	MS-09	A	C70954	6L	A70440	1-12-26	0749	-25	1-13-26	0749	-9	X	
5	MS-10	A	C70874	6L	A70149	1-12-26	0800	-30	1-13-26	0800	-5	X	
6	MS-06	A	C70882	6L	A70292	1-12-26	0817	-30	1-13-26	0817	-0	X	
7	MS-11	A	C70962	6L	A70536	1-12-26	0840	-30	1-13-26	0840	-10	X	
8													
9													
10													

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	RES	1-13-26/1206
RECEIVED BY:		JKP	EA	1-13-26 1206
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 01/13/26 WO# 550762 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ **Yes** ☒ **No**

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 01/13/26 By (initials) JXR Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ■ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?	x		
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

☐ **No additional discrepancies**

Date Logged 01/13/26 **By (print)** FPD **(sign)** _____

Date Labeled 01/13/26 **By (print)** FPD **(sign)** _____

ENTHALPY ANALYTICAL

Analysis Results for 550762

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 550762
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/13/26

Sample ID: MS-07 **Lab ID: 550762-001** **Collected: 01/13/26 07:15**
Matrix: Air

550762-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Freon 12	**0.40**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chloromethane	**0.45**		ppbv	0.11	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Freon 114	**0.014**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Bromomethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chloroethane	**0.014**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Methylene Chloride	**0.14**		ppbv	0.021	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Freon 113	**0.061**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chloroform	**0.013**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dichloroethane	**0.022**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Benzene	**0.069**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Trichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Toluene	**0.065**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
m,p-Xylenes	**0.017**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Bromoform	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Styrene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
o-Xylene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2,4-Trimethylbenzene	**0.011**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

550762-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Xylene (total)	**0.017**		ppbv	0.011	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD
Surrogates				**Limits**					
Bromofluorobenzene	104%		%REC	60-140	1.1	392561	01/15/26 14:55	01/15/26 14:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

Sample ID: MS-12	Lab ID: 550762-002	Collected: 01/13/26 07:27
	Matrix: Air	

550762-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Freon 12	**0.40**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chloromethane	**0.45**		ppbv	0.10	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Freon 114	**0.014**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chloroethane	**0.014**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Methylene Chloride	**0.13**		ppbv	0.020	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Freon 113	**0.061**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chloroform	**0.013**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dichloroethane	**0.022**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Benzene	**0.078**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Toluene	**0.081**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Ethylbenzene	**0.011**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
m,p-Xylenes	**0.033**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Styrene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
o-Xylene	**0.015**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2,4-Trimethylbenzene	**0.015**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

550762-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Xylene (total)	**0.047**		ppbv	0.010	1	392561	01/15/26 15:44	01/15/26 15:44	OHD
Surrogates				**Limits**					
Bromofluorobenzene	111%		%REC	60-140	1	392561	01/15/26 15:44	01/15/26 15:44	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

Sample ID: MS-08	Lab ID: 550762-003	Collected: 01/13/26 07:37
	Matrix: Air	

550762-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Freon 12	**0.39**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chloromethane	**0.46**		ppbv	0.10	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Freon 114	**0.014**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chloroethane	**0.054**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Methylene Chloride	**0.15**		ppbv	0.020	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Freon 113	**0.059**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chloroform	**0.014**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dichloroethane	**0.028**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Benzene	**0.34**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Carbon Tetrachloride	**0.069**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Toluene	**1.2**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Ethylbenzene	**0.12**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
m,p-Xylenes	**0.41**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Styrene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
o-Xylene	**0.13**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,3,5-Trimethylbenzene	**0.020**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2,4-Trimethylbenzene	**0.077**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

550762-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Xylene (total)	**0.54**		ppbv	0.010	1	392561	01/15/26 16:33	01/15/26 16:33	OHD
Surrogates				**Limits**					
Bromofluorobenzene	110%		%REC	60-140	1	392561	01/15/26 16:33	01/15/26 16:33	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

Sample ID: MS-09	Lab ID: 550762-004	Collected: 01/13/26 07:49
	Matrix: Air	

550762-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Freon 12	**0.40**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chloromethane	**0.45**		ppbv	0.11	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Freon 114	**0.014**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Bromomethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chloroethane	**0.034**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Methylene Chloride	**0.14**		ppbv	0.022	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Freon 113	**0.061**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chloroform	**0.014**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dichloroethane	**0.022**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Benzene	**0.069**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Carbon Tetrachloride	**0.072**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Trichloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Toluene	**0.052**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
m,p-Xylenes	**0.015**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Bromoform	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Styrene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
o-Xylene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

550762-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Xylene (total)	**0.015**		ppbv	0.011	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD
Surrogates				**Limits**					
Bromofluorobenzene	109%		%REC	60-140	1.1	392561	01/15/26 17:22	01/15/26 17:22	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

Sample ID: MS-10	Lab ID: 550762-005	Collected: 01/13/26 08:00
	Matrix: Air	

550762-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Freon 12	**0.39**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chloromethane	**0.45**		ppbv	0.10	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Freon 114	**0.014**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Methylene Chloride	**0.14**		ppbv	0.020	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Freon 113	**0.060**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chloroform	**0.015**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dichloroethane	**0.022**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Benzene	**0.10**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Carbon Tetrachloride	**0.070**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Toluene	**0.11**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Ethylbenzene	**0.011**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
m,p-Xylenes	**0.033**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Styrene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
o-Xylene	**0.014**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2,4-Trimethylbenzene	**0.016**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

550762-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Xylene (total)	**0.047**		ppbv	0.010	1	392561	01/15/26 18:10	01/15/26 18:10	OHD
Surrogates				**Limits**					
Bromofluorobenzene	105%		%REC	60-140	1	392561	01/15/26 18:10	01/15/26 18:10	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

Sample ID: MS-06	Lab ID: 550762-006	Collected: 01/13/26 08:17
	Matrix: Air	

550762-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Freon 12	**0.40**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chloromethane	**0.45**		ppbv	0.10	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Freon 114	**0.014**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Vinyl Chloride	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Bromomethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Vinyl bromide	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Methylene Chloride	**0.13**		ppbv	0.020	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Freon 113	**0.060**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chloroform	**0.013**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dichloroethane	**0.022**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Benzene	**0.058**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Bromodichloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Trichloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Toluene	**0.035**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Dibromochloromethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Tetrachloroethene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Chlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Ethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
m,p-Xylenes	**0.011**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Bromoform	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Styrene	**0.070**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
o-Xylene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Benzyl chloride	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

550762-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Xylene (total)	**0.011**		ppbv	0.010	1	392561	01/15/26 18:59	01/15/26 18:59	OHD
Surrogates				**Limits**					
Bromofluorobenzene	109%		%REC	60-140	1	392561	01/15/26 18:59	01/15/26 18:59	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

Sample ID: MS-11	Lab ID: 550762-007	Collected: 01/13/26 08:40
	Matrix: Air	

550762-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Freon 12	**0.40**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chloromethane	**0.45**		ppbv	0.12	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Freon 114	**0.014**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Bromomethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Methylene Chloride	**0.14**		ppbv	0.024	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Freon 113	**0.061**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chloroform	**0.013**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dichloroethane	**0.022**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Benzene	**0.057**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Carbon Tetrachloride	**0.072**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Trichloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Toluene	**0.039**		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Ethylbenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
m,p-Xylenes	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Bromoform	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Styrene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
o-Xylene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 550762

550762-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Xylene (total)	ND		ppbv	0.012	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD
Surrogates				**Limits**					
Bromofluorobenzene	102%		%REC	60-140	1.2	392561	01/15/26 19:48	01/15/26 19:48	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1330842**	**Batch:**	**392561**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1330842 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	235.4	200.0	pptv	118%		70-130
1,1,1,2-Tetrachloroethane	233.7	200.0	pptv	117%		70-130
Freon 12	179.2	200.0	pptv	90%		70-130
Chloromethane	168.6	200.0	pptv	84%		70-130
Freon 114	181.7	200.0	pptv	91%		70-130
Vinyl Chloride	170.9	200.0	pptv	85%		70-130
Bromomethane	178.0	200.0	pptv	89%		70-130
Chloroethane	190.2	200.0	pptv	95%		70-130
Vinyl bromide	192.1	200.0	pptv	96%		70-130
Trichlorofluoromethane	187.3	200.0	pptv	94%		70-130
1,1-Dichloroethene	191.8	200.0	pptv	96%		70-130
Methylene Chloride	213.4	200.0	pptv	107%		70-130
Freon 113	196.2	200.0	pptv	98%		70-130
trans-1,2-Dichloroethene	179.7	200.0	pptv	90%		70-130
1,1-Dichloroethane	186.5	200.0	pptv	93%		70-130
cis-1,2-Dichloroethene	176.0	200.0	pptv	88%		70-130
Chloroform	191.0	200.0	pptv	96%		70-130
1,2-Dichloroethane	177.0	200.0	pptv	89%		70-130
1,1,1-Trichloroethane	188.5	200.0	pptv	94%		70-130
Benzene	181.5	200.0	pptv	91%		70-130
Carbon Tetrachloride	189.9	200.0	pptv	95%		70-130
1,2-Dichloropropane	202.8	200.0	pptv	101%		70-130
Bromodichloromethane	203.5	200.0	pptv	102%		70-130
Trichloroethene	214.7	200.0	pptv	107%		70-130
cis-1,3-Dichloropropene	206.2	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	204.0	200.0	pptv	102%		70-130
1,1,2-Trichloroethane	212.4	200.0	pptv	106%		70-130
Toluene	188.1	200.0	pptv	94%		70-130
Dibromochloromethane	203.5	200.0	pptv	102%		70-130
1,2-Dibromoethane	205.6	200.0	pptv	103%		70-130
Tetrachloroethene	218.2	200.0	pptv	109%		70-130
Chlorobenzene	222.2	200.0	pptv	111%		70-130
Ethylbenzene	197.5	200.0	pptv	99%		70-130
m,p-Xylenes	407.7	400.0	pptv	102%		70-130
Bromoform	208.4	200.0	pptv	104%		70-130
Styrene	205.3	200.0	pptv	103%		70-130
o-Xylene	216.5	200.0	pptv	108%		70-130
2-Chlorotoluene	219.1	200.0	pptv	110%		70-130
1,3,5-Trimethylbenzene	233.2	200.0	pptv	117%		70-130
1,2,4-Trimethylbenzene	217.8	200.0	pptv	109%		70-130
Benzyl chloride	249.9	200.0	pptv	125%		70-130
1,3-Dichlorobenzene	252.3	200.0	pptv	126%		70-130
1,4-Dichlorobenzene	246.3	200.0	pptv	123%		70-130
1,2-Dichlorobenzene	237.6	200.0	pptv	119%		70-130
1,2,4-Trichlorobenzene	205.3	200.0	pptv	103%		70-130
Hexachlorobutadiene	220.9	200.0	pptv	110%		70-130
Surrogates						

Batch QC

QC1330842 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	323.2	250.0	pptv	129%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1330843**	**Batch:**	**392561**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1330843 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	232.5	200.0	pptv	116%		70-130	1	25
1,1,1,2-Tetrachloroethane	232.0	200.0	pptv	116%		70-130	1	25
Freon 12	178.1	200.0	pptv	89%		70-130	1	25
Chloromethane	167.9	200.0	pptv	84%		70-130	0	25
Freon 114	180.8	200.0	pptv	90%		70-130	1	25
Vinyl Chloride	169.6	200.0	pptv	85%		70-130	1	25
Bromomethane	179.0	200.0	pptv	89%		70-130	1	25
Chloroethane	190.5	200.0	pptv	95%		70-130	0	25
Vinyl bromide	191.7	200.0	pptv	96%		70-130	0	25
Trichlorofluoromethane	186.6	200.0	pptv	93%		70-130	0	25
1,1-Dichloroethene	191.0	200.0	pptv	95%		70-130	0	25
Methylene Chloride	213.0	200.0	pptv	107%		70-130	0	25
Freon 113	195.2	200.0	pptv	98%		70-130	1	25
trans-1,2-Dichloroethene	179.3	200.0	pptv	90%		70-130	0	25
1,1-Dichloroethane	185.6	200.0	pptv	93%		70-130	1	25
cis-1,2-Dichloroethene	175.8	200.0	pptv	88%		70-130	0	25
Chloroform	189.6	200.0	pptv	95%		70-130	1	25
1,2-Dichloroethane	176.8	200.0	pptv	88%		70-130	0	25
1,1,1-Trichloroethane	187.7	200.0	pptv	94%		70-130	0	25
Benzene	181.7	200.0	pptv	91%		70-130	0	25
Carbon Tetrachloride	188.8	200.0	pptv	94%		70-130	1	25
1,2-Dichloropropane	201.3	200.0	pptv	101%		70-130	1	25
Bromodichloromethane	199.9	200.0	pptv	100%		70-130	2	25
Trichloroethene	213.0	200.0	pptv	107%		70-130	1	25
cis-1,3-Dichloropropene	204.8	200.0	pptv	102%		70-130	1	25
trans-1,3-Dichloropropene	206.3	200.0	pptv	103%		70-130	1	25
1,1,2-Trichloroethane	210.0	200.0	pptv	105%		70-130	1	25
Toluene	186.8	200.0	pptv	93%		70-130	1	25
Dibromochloromethane	200.7	200.0	pptv	100%		70-130	1	25
1,2-Dibromoethane	203.6	200.0	pptv	102%		70-130	1	25
Tetrachloroethene	215.6	200.0	pptv	108%		70-130	1	25
Chlorobenzene	220.2	200.0	pptv	110%		70-130	1	25
Ethylbenzene	197.4	200.0	pptv	99%		70-130	0	25
m,p-Xylenes	408.3	400.0	pptv	102%		70-130	0	25
Bromoform	205.8	200.0	pptv	103%		70-130	1	25
Styrene	204.3	200.0	pptv	102%		70-130	0	25
o-Xylene	214.8	200.0	pptv	107%		70-130	1	25
2-Chlorotoluene	217.0	200.0	pptv	109%		70-130	1	25
1,3,5-Trimethylbenzene	229.4	200.0	pptv	115%		70-130	2	25
1,2,4-Trimethylbenzene	214.8	200.0	pptv	107%		70-130	1	25
Benzyl chloride	247.9	200.0	pptv	124%		70-130	1	25
1,3-Dichlorobenzene	250.2	200.0	pptv	125%		70-130	1	25
1,4-Dichlorobenzene	243.6	200.0	pptv	122%		70-130	1	25
1,2-Dichlorobenzene	235.6	200.0	pptv	118%		70-130	1	25
1,2,4-Trichlorobenzene	204.8	200.0	pptv	102%		70-130	0	25
Hexachlorobutadiene	243.5	200.0	pptv	122%		70-130	10	25

ENTHALPY ANALYTICAL

Batch QC

QC1330843 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	323.2	250.0	pptv	129%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1330844**	**Batch:**	**392561**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1330844 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Freon 12	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chloromethane	ND		pptv	100	01/15/26 10:57	01/15/26 10:57
Freon 114	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Vinyl Chloride	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Bromomethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Vinyl bromide	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Trichlorofluoromethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1-Dichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Methylene Chloride	ND		pptv	20	01/15/26 10:57	01/15/26 10:57
Freon 113	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
trans-1,2-Dichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1-Dichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
cis-1,2-Dichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chloroform	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1,1-Trichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Benzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Carbon Tetrachloride	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dichloropropane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Bromodichloromethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Trichloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
cis-1,3-Dichloropropene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
trans-1,3-Dichloropropene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,1,2-Trichloroethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Toluene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Dibromochloromethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dibromoethane	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Tetrachloroethene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Chlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Ethylbenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
m,p-Xylenes	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Bromoform	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Styrene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
o-Xylene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
2-Chlorotoluene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,3,5-Trimethylbenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2,4-Trimethylbenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Benzyl chloride	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,3-Dichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,4-Dichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2-Dichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
1,2,4-Trichlorobenzene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Hexachlorobutadiene	ND		pptv	10	01/15/26 10:57	01/15/26 10:57
Xylene (total)	ND		pptv	10	01/15/26 10:57	01/15/26 10:57

ENTHALPY ANALYTICAL

Batch QC

QC1330844 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	102%		%REC	70-130	01/15/26 10:57	01/15/26 10:57

ND Not Detected

Atmospheric Analysis & Consulting, Inc.

CLIENT	:	SCS Engineers
PROJECT NAME	:	Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	:	260102
REPORT DATE	:	01/15/2026

On January 13th, 2026 Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260102-85305
MS-12	260102-85306
MS-08	260102-85307
MS-09	260102-85308
MS-10	260102-85309
MS-06	260102-85310
MS-11	260102-85311

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of **5** pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260102
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/12-13/2026
RECEIVING DATE : 01/13/2026
ANALYSIS DATE : 01/13/2026
REPORT DATE : 01/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260102-85305	260102-85306	260102-85307	260102-85308
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260102
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/12-13/2026
RECEIVING DATE : 01/13/2026
ANALYSIS DATE : 01/13/2026
REPORT DATE : 01/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260102-85309	260102-85310	260102-85311
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 1/13/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7589	0.482	97.6	1.9
Duplicate	8120	0.516	104.4	4.9
Triplicate	7511	0.477	96.6	3.0

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7173	0.491	96.8	2.0
Duplicate	7638	0.523	103.1	4.3
Triplicate	7151	0.490	96.5	2.3

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7706	0.469	97.5	3.3
Duplicate	8207	0.499	103.9	3.0
Triplicate	7985	0.486	101.1	0.2

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 253406-84927**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 253406-84927 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.251	0.233	101.6	94.3	7.4
MeSH	<PQL	0.254	0.243	0.242	95.8	95.4	0.4
DMS	<PQL	0.240	0.247	0.245	102.8	102.0	0.8

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.495	100.2
MeSH	0.508	0.505	99.5
DMS	0.481	0.496	103.2

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 26012

Client/Project Name	Project Location
SCS Engineers Chiquita Canyon Landfill Air/Odor Sampling	Valencia, CA

Project No.	Field Logbook No.

Sampler: (Print)	(Signature)	No. Of Containers
Jacob Pennington		7

ANALYSES

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 SOIFor					Remarks
MS-07	1-12/13-26	0715-0715	85305	1o Liter Bag	X					
MS-12	1-12/13-26	0727-0727	85306	1o Liter Bag	X					
MS-08	1-12/13-26	0737-0737	85307	1o Liter Bag	X					
MS-09	1-12/13-26	0749-0749	85308	1o Liter Bag	X					
MS-10	1-12/13-26	0800-0800	85309	1o Liter Bag	X					
MS-06	1-12/13-26	0817-0817	85310	1o Liter Bag	X					
MS-11	1-12/13-26	0840-0840	85311	1o Liter Bag	X					

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
	1/13/26	0949			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
				1/13/26	0951
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	551281 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 01/21/26

Sample ID	Lab ID	Collected	Matrix
MS-07	551281-001	01/20/26 07:17	Air
MS-12	551281-002	01/20/26 07:28	Air
MS-08	551281-003	01/20/26 07:40	Air
MS-09	551281-004	01/20/26 07:55	Air
MS-10	551281-005	01/20/26 08:12	Air
MS-06	551281-006	01/20/26 08:24	Air
MS-11	551281-007	01/20/26 08:40	Air

Case Narrative

SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: Project No: Location: Date Received:	551281 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 01/21/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 01/21/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

- High RPD was observed for vinyl chloride in the BS/BSD for batch 393219; this analyte was not detected at or above the RL in the associated samples.
- No other analytical problems were encountered.

Login 551281

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 551281

CUSTOMER INFORMATION		PROJECT INFORMATION		PO Number:
Company:	SCS Engineers	Name:	Chiquita Canyon Landfill Ambient Sampling	
Report To:	Ray Huff	Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com	Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:		
Phone:	562-355-6334 Fax: 562 427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Analysis Request

Extended list TO-15

Required Turnaround Time

- Standard ☐
- 5 Day ☐
- 3 Day ☐
- 2 Day ☐
- 1 Day ☐

Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70893	6L	A70285	1-20-26	0717	-30	1-21-26	0717	-6	X
2	MS-12	A	C70446	6L	A70115	1-20-26	0728	-30	1-21-26	0728	-7	X
3	MS-08	A	C70676	6L	A70649	1-20-26	0740	-28	1-21-26	0740	-5	X
4	MS-09	A	C70907	6L	A70576	1-20-26	0755	-29	1-21-26	0755	-5	X
5	MS-10	A	C70447	6L	A70563	1-20-26	0812	-30	1-21-26	0812	-6	X
6	MS-06	A	C70804	6L	A70137	1-20-26	0824	-29	1-21-26	0824	-3	X
7	MS-11	A	C70279	6L	A70201	1-20-26	0840	-29	1-21-26	0840	-9	X
8												
9												
10												

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	RCS	1-21-26 / 1212
RECEIVED BY:		Cherry Kim	EA	1/21/26 1212
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 01/21/26 WO# 551281 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 01/21/26 By (initials) JKC Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: ____/____ #2: ____/____ #3: ____/____ #4: ____/____ #5: ____/____ #6: ____/____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ■ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?	x		
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

☐ **No additional discrepancies**

Date Logged 01/21/26 **By (print)** FPD **(sign)** _____

Date Labeled 01/21/26 **By (print)** NIG **(sign)** NIG

ENTHALPY ANALYTICAL

Analysis Results for 551281

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 551281
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/21/26

Sample ID: MS-07 **Lab ID: 551281-001** **Collected: 01/20/26 07:17**
Matrix: Air

551281-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Freon 12	**0.40**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chloromethane	**0.47**		ppbv	0.10	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Freon 114	**0.011**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Freon 113	**0.061**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chloroform	**0.013**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Benzene	**0.19**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Toluene	**0.13**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Ethylbenzene	**0.021**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
m,p-Xylenes	**0.050**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Styrene	**0.010**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
o-Xylene	**0.020**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2,4-Trimethylbenzene	**0.025**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

551281-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Xylene (total)	**0.071**		ppbv	0.010	1	393219	01/22/26 17:11	01/22/26 17:11	OHD
Surrogates				**Limits**					
Bromofluorobenzene	101%		%REC	60-140	1	393219	01/22/26 17:11	01/22/26 17:11	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

Sample ID: MS-12	Lab ID: 551281-002	Collected: 01/20/26 07:28
	Matrix: Air	

551281-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Freon 12	**0.40**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chloromethane	**0.46**		ppbv	0.10	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Freon 114	**0.014**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Freon 113	**0.060**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chloroform	**0.014**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Benzene	**0.086**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Carbon Tetrachloride	**0.070**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Toluene	**0.18**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Ethylbenzene	**0.025**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
m,p-Xylenes	**0.084**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Styrene	**0.010**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
o-Xylene	**0.033**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2,4-Trimethylbenzene	**0.042**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

551281-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Xylene (total)	**0.12**		ppbv	0.010	1	393219	01/22/26 18:00	01/22/26 18:00	OHD
Surrogates				**Limits**					
Bromofluorobenzene	99%		%REC	60-140	1	393219	01/22/26 18:00	01/22/26 18:00	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

Sample ID: MS-08	Lab ID: 551281-003	Collected: 01/20/26 07:40
	Matrix: Air	

551281-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Freon 12	**0.40**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chloromethane	**0.46**		ppbv	0.10	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Freon 114	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chloroethane	**0.13**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Freon 113	**0.060**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chloroform	**0.013**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Benzene	**0.087**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Toluene	**0.24**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Ethylbenzene	**0.033**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
m,p-Xylenes	**0.12**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Styrene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
o-Xylene	**0.046**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,3,5-Trimethylbenzene	**0.014**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2,4-Trimethylbenzene	**0.057**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

551281-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Xylene (total)	**0.16**		ppbv	0.010	1	393219	01/22/26 19:13	01/22/26 19:13	OHD
Surrogates				**Limits**					
Bromofluorobenzene	98%		%REC	60-140	1	393219	01/22/26 19:13	01/22/26 19:13	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

Sample ID: MS-09	Lab ID: 551281-004	Collected: 01/20/26 07:55
	Matrix: Air	

551281-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Freon 12	**0.39**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chloromethane	**0.48**		ppbv	0.10	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Freon 114	**0.012**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chloroethane	**0.014**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Freon 113	**0.060**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chloroform	**0.019**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Benzene	**0.081**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Carbon Tetrachloride	**0.070**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Toluene	**0.22**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Tetrachloroethene	**0.011**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Ethylbenzene	**0.019**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
m,p-Xylenes	**0.061**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Styrene	**0.018**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
o-Xylene	**0.023**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2,4-Trimethylbenzene	**0.027**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

551281-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Xylene (total)	**0.084**		ppbv	0.010	1	393219	01/22/26 20:02	01/22/26 20:02	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1	393219	01/22/26 20:02	01/22/26 20:02	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

Sample ID: MS-10	Lab ID: 551281-005	Collected: 01/20/26 08:12
	Matrix: Air	

551281-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Freon 12	**0.39**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chloromethane	**0.43**		ppbv	0.10	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Freon 114	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Freon 113	**0.058**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chloroform	**0.026**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Benzene	**0.18**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Carbon Tetrachloride	**0.070**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Toluene	**0.41**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Tetrachloroethene	**0.010**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Ethylbenzene	**0.039**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
m,p-Xylenes	**0.13**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Styrene	**0.088**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
o-Xylene	**0.047**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
2-Chlorotoluene	**0.012**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,3,5-Trimethylbenzene	**0.017**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2,4-Trimethylbenzene	**0.078**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

551281-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Xylene (total)	**0.18**		ppbv	0.010	1	393219	01/22/26 20:51	01/22/26 20:51	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	393219	01/22/26 20:51	01/22/26 20:51	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

Sample ID: MS-06	Lab ID: 551281-006	Collected: 01/20/26 08:24
	Matrix: Air	

551281-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Freon 12	**0.39**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chloromethane	**0.46**		ppbv	0.10	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Freon 114	**0.013**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Bromomethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chloroethane	**0.012**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Vinyl bromide	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Freon 113	**0.059**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chloroform	**0.019**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dichloroethane	**0.015**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Benzene	**0.10**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Trichloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Toluene	**0.19**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Chlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Ethylbenzene	**0.020**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
m,p-Xylenes	**0.061**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Bromoform	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Styrene	**0.10**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
o-Xylene	**0.024**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2,4-Trimethylbenzene	**0.026**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Benzyl chloride	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

551281-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Xylene (total)	**0.085**		ppbv	0.010	1	393219	01/22/26 21:39	01/22/26 21:39	OHD
Surrogates				**Limits**					
Bromofluorobenzene	101%		%REC	60-140	1	393219	01/22/26 21:39	01/22/26 21:39	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551281

Sample ID: MS-11	Lab ID: 551281-007	Collected: 01/20/26 08:40
	Matrix: Air	

551281-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Freon 12	**0.40**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chloromethane	**0.41**		ppbv	0.12	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Freon 114	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Bromomethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Methylene Chloride	**0.11**		ppbv	0.024	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Freon 113	**0.059**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chloroform	**0.015**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dichloroethane	**0.015**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Benzene	**0.063**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Trichloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Toluene	**0.084**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Ethylbenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
m,p-Xylenes	**0.032**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Bromoform	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Styrene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
o-Xylene	**0.013**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2,4-Trimethylbenzene	**0.014**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 551281

551281-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Xylene (total)	**0.045**		ppbv	0.012	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1.2	393219	01/22/26 22:28	01/22/26 22:28	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1333139**	**Batch:**	**393219**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1333139 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	213.3	200.0	pptv	107%		70-130
1,1,1,2-Tetrachloroethane	219.9	200.0	pptv	110%		70-130
Freon 12	184.6	200.0	pptv	92%		70-130
Chloromethane	192.3	200.0	pptv	96%		70-130
Freon 114	192.9	200.0	pptv	96%		70-130
Vinyl Chloride	192.6	200.0	pptv	96%		70-130
Bromomethane	144.8	200.0	pptv	72%		70-130
Chloroethane	206.4	200.0	pptv	103%		70-130
Vinyl bromide	200.1	200.0	pptv	100%		70-130
Trichlorofluoromethane	190.3	200.0	pptv	95%		70-130
1,1-Dichloroethene	196.5	200.0	pptv	98%		70-130
Methylene Chloride	218.0	200.0	pptv	109%		70-130
Freon 113	199.5	200.0	pptv	100%		70-130
trans-1,2-Dichloroethene	198.2	200.0	pptv	99%		70-130
1,1-Dichloroethane	201.5	200.0	pptv	101%		70-130
cis-1,2-Dichloroethene	192.9	200.0	pptv	96%		70-130
Chloroform	191.0	200.0	pptv	96%		70-130
1,2-Dichloroethane	189.7	200.0	pptv	95%		70-130
1,1,1-Trichloroethane	193.9	200.0	pptv	97%		70-130
Benzene	182.6	200.0	pptv	91%		70-130
Carbon Tetrachloride	194.2	200.0	pptv	97%		70-130
1,2-Dichloropropane	216.0	200.0	pptv	108%		70-130
Bromodichloromethane	199.6	200.0	pptv	100%		70-130
Trichloroethene	221.7	200.0	pptv	111%		70-130
cis-1,3-Dichloropropene	206.3	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	206.3	200.0	pptv	103%		70-130
1,1,2-Trichloroethane	208.8	200.0	pptv	104%		70-130
Toluene	185.4	200.0	pptv	93%		70-130
Dibromochloromethane	211.0	200.0	pptv	106%		70-130
1,2-Dibromoethane	201.7	200.0	pptv	101%		70-130
Tetrachloroethene	218.6	200.0	pptv	109%		70-130
Chlorobenzene	206.9	200.0	pptv	103%		70-130
Ethylbenzene	183.7	200.0	pptv	92%		70-130
m,p-Xylenes	378.2	400.0	pptv	95%		70-130
Bromoform	216.1	200.0	pptv	108%		70-130
Styrene	191.3	200.0	pptv	96%		70-130
o-Xylene	199.8	200.0	pptv	100%		70-130
2-Chlorotoluene	204.9	200.0	pptv	102%		70-130
1,3,5-Trimethylbenzene	213.5	200.0	pptv	107%		70-130
1,2,4-Trimethylbenzene	198.5	200.0	pptv	99%		70-130
Benzyl chloride	222.2	200.0	pptv	111%		70-130
1,3-Dichlorobenzene	230.4	200.0	pptv	115%		70-130
1,4-Dichlorobenzene	224.3	200.0	pptv	112%		70-130
1,2-Dichlorobenzene	217.8	200.0	pptv	109%		70-130
1,2,4-Trichlorobenzene	181.3	200.0	pptv	91%		70-130
Hexachlorobutadiene	198.4	200.0	pptv	99%		70-130
Surrogates						

Batch QC

QC1333139 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	291.6	250.0	pptv	117%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1333140**	**Batch:**	**393219**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1333140 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	212.9	200.0	pptv	106%		70-130	0	25
1,1,1,2-Tetrachloroethane	218.4	200.0	pptv	109%		70-130	1	25
Freon 12	185.0	200.0	pptv	93%		70-130	0	25
Chloromethane	192.5	200.0	pptv	96%		70-130	0	25
Freon 114	192.9	200.0	pptv	96%		70-130	0	25
Vinyl Chloride	140.7	200.0	pptv	70%		70-130	31*	25
Bromomethane	151.4	200.0	pptv	76%		70-130	4	25
Chloroethane	205.2	200.0	pptv	103%		70-130	1	25
Vinyl bromide	198.0	200.0	pptv	99%		70-130	1	25
Trichlorofluoromethane	190.1	200.0	pptv	95%		70-130	0	25
1,1-Dichloroethene	196.7	200.0	pptv	98%		70-130	0	25
Methylene Chloride	217.2	200.0	pptv	109%		70-130	0	25
Freon 113	198.8	200.0	pptv	99%		70-130	0	25
trans-1,2-Dichloroethene	198.1	200.0	pptv	99%		70-130	0	25
1,1-Dichloroethane	201.9	200.0	pptv	101%		70-130	0	25
cis-1,2-Dichloroethene	194.5	200.0	pptv	97%		70-130	1	25
Chloroform	191.1	200.0	pptv	96%		70-130	0	25
1,2-Dichloroethane	190.0	200.0	pptv	95%		70-130	0	25
1,1,1-Trichloroethane	194.0	200.0	pptv	97%		70-130	0	25
Benzene	183.0	200.0	pptv	91%		70-130	0	25
Carbon Tetrachloride	194.3	200.0	pptv	97%		70-130	0	25
1,2-Dichloropropane	216.9	200.0	pptv	108%		70-130	0	25
Bromodichloromethane	200.5	200.0	pptv	100%		70-130	0	25
Trichloroethene	221.3	200.0	pptv	111%		70-130	0	25
cis-1,3-Dichloropropene	207.8	200.0	pptv	104%		70-130	1	25
trans-1,3-Dichloropropene	207.2	200.0	pptv	104%		70-130	0	25
1,1,2-Trichloroethane	210.7	200.0	pptv	105%		70-130	1	25
Toluene	187.5	200.0	pptv	94%		70-130	1	25
Dibromochloromethane	211.6	200.0	pptv	106%		70-130	0	25
1,2-Dibromoethane	203.0	200.0	pptv	102%		70-130	1	25
Tetrachloroethene	219.9	200.0	pptv	110%		70-130	1	25
Chlorobenzene	205.8	200.0	pptv	103%		70-130	1	25
Ethylbenzene	186.1	200.0	pptv	93%		70-130	1	25
m,p-Xylenes	386.2	400.0	pptv	97%		70-130	2	25
Bromoform	213.9	200.0	pptv	107%		70-130	1	25
Styrene	192.8	200.0	pptv	96%		70-130	1	25
o-Xylene	200.8	200.0	pptv	100%		70-130	0	25
2-Chlorotoluene	204.7	200.0	pptv	102%		70-130	0	25
1,3,5-Trimethylbenzene	213.0	200.0	pptv	106%		70-130	0	25
1,2,4-Trimethylbenzene	198.4	200.0	pptv	99%		70-130	0	25
Benzyl chloride	222.7	200.0	pptv	111%		70-130	0	25
1,3-Dichlorobenzene	227.4	200.0	pptv	114%		70-130	1	25
1,4-Dichlorobenzene	220.9	200.0	pptv	110%		70-130	2	25
1,2-Dichlorobenzene	214.5	200.0	pptv	107%		70-130	2	25
1,2,4-Trichlorobenzene	179.9	200.0	pptv	90%		70-130	1	25
Hexachlorobutadiene	195.9	200.0	pptv	98%		70-130	1	25

ENTHALPY ANALYTICAL

Batch QC

QC1333140 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	290.1	250.0	pptv	116%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1333141**	**Batch:**	**393219**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1333141 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Freon 12	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chloromethane	ND		pptv	100	01/22/26 11:37	01/22/26 11:37
Freon 114	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Vinyl Chloride	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Bromomethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Vinyl bromide	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Trichlorofluoromethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1-Dichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Methylene Chloride	ND		pptv	20	01/22/26 11:37	01/22/26 11:37
Freon 113	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
trans-1,2-Dichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1-Dichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
cis-1,2-Dichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chloroform	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1,1-Trichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Benzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Carbon Tetrachloride	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dichloropropane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Bromodichloromethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Trichloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
cis-1,3-Dichloropropene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
trans-1,3-Dichloropropene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,1,2-Trichloroethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Toluene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Dibromochloromethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dibromoethane	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Tetrachloroethene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Chlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Ethylbenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
m,p-Xylenes	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Bromoform	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Styrene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
o-Xylene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
2-Chlorotoluene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,3,5-Trimethylbenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2,4-Trimethylbenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Benzyl chloride	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,3-Dichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,4-Dichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2-Dichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
1,2,4-Trichlorobenzene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Hexachlorobutadiene	ND		pptv	10	01/22/26 11:37	01/22/26 11:37
Xylene (total)	ND		pptv	10	01/22/26 11:37	01/22/26 11:37

Batch QC

QC1333141 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	86%		%REC	70-130	01/22/26 11:37	01/22/26 11:37

* Value is outside QC limits
ND Not Detected

CLIENT	: SCS Engineers
PROJECT NAME	: Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	: 260172
REPORT DATE	: 01/23/2026

On January 21st 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260172-85556
MS-12	260172-85557
MS-08	260172-85558
MS-09	260172-85559
MS-10	260172-85560
MS-06	260172-85561
MS-11	260172-85562

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of **6** pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260172
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/20-21/2026
RECEIVING DATE : 01/21/2026
ANALYSIS DATE : 01/21/2026
REPORT DATE : 01/23/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260172-85556	260172-85557	260172-85558	260172-85559
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260172
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/20-21/2026
RECEIVING DATE : 01/21/2026
ANALYSIS DATE : 01/21/2026
REPORT DATE : 01/23/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260172-85560	260172-85561	260172-85562
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 1/21/2026
Analyst: NR
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date: : 02/10/2025

Opening Calibration Verification Standard

494.0 ppbV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20930	470	95.2	1.4
Duplicate	21408	481	97.4	0.9
Triplicate	21323	479	97.0	0.5

507.5 ppbV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	19733	514	101.2	0.1
Duplicate	20114	524	103.2	2.0
Triplicate	19300	502	99.0	2.1

480.5 ppbV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22278	493	102.7	0.5
Duplicate	22442	497	103.5	0.2
Triplicate	22477	498	103.6	0.3

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 253406-84927**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate **Sample ID 253406-84927 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	247.0	235.9	226.6	95.5	91.7	4.0
MeSH	<PQL	253.8	243.0	240.6	95.8	94.8	1.0
DMS	<PQL	240.3	245.2	256.0	102.1	106.6	4.3

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	494.0	450.5	91.2
MeSH	507.5	492.2	97.0
DMS	480.5	461.9	96.1

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 50.0 ppbV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 1/21/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8144	0.517	104.7	1.6
Duplicate	7968	0.506	102.4	0.6
Triplicate	7943	0.504	102.1	0.9

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7656	0.524	103.3	1.0
Duplicate	7551	0.517	101.9	0.3
Triplicate	7526	0.515	101.6	0.7

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8279	0.504	104.8	0.5
Duplicate	8169	0.497	103.4	0.8
Triplicate	8266	0.503	104.6	0.3

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 253406-84927**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 253406-84927 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.257	0.248	104.0	100.4	3.6
MeSH	<PQL	0.254	0.255	0.259	100.5	102.1	1.6
DMS	<PQL	0.240	0.262	0.260	109.1	108.2	0.8

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.445	90.1
MeSH	0.508	0.486	95.8
DMS	0.481	0.486	101.1

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 260172

Client/Project Name	Project Location
SCS Engineers Chiquita Canyon Landfill Airtoxor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print) / **(Signature)**	**No. Of Containers**
Jacob Pennington	7

ANALYSES

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 SOIFor					Remarks
MS-07	1-20/21-26	0717 - 0717	85556	1o Liter Bag	X					
MS-12	1-20/21-26	0728 - 0728	85557	1o Liter Bag	X					
MS-08	1-20/21-26	0740 - 0740	85558	1o Liter Bag	X					
MS-09	1-20/21-26	0755 - 0755	85559	1o Liter Bag	X					
MS-10	1-20/21-26	0812 - 0812	85560	1o Liter Bag	X					
MS-06	1-20/21-26	0824 - 0824	85561	1o Liter Bag	X					
MS-11	1-20/21-26	0840 - 0840	85562	1o Liter Bag	X					

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
	1-21-26	0943			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
				1/21/26	0944
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	551664 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 01/27/26

Sample ID	Lab ID	Collected	Matrix
MS-07	551664-001	01/27/26 07:15	Air
MS-12	551664-002	01/27/26 07:26	Air
MS-08	551664-003	01/27/26 07:36	Air
MS-09	551664-004	01/27/26 07:49	Air
MS-10	551664-005	01/27/26 08:02	Air
MS-06	551664-006	01/27/26 08:20	Air
MS-11	551664-007	01/27/26 08:41	Air

Case Narrative

SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: 551664 Project No: CHIQUITA WEEKLY AIR Location: Chiquita Canyon Landfill Air/Odor Sampling Date Received: 01/27/26

This data package contains sample and QC results for six air samples, requested for the above referenced project on 01/27/26. The samples were received in good condition. Sample 005 (MS-10) was received under the original full vacuum, indicating no sample was collected into the canister. Based on lab inspection of the equipment upon receipt in the lab, it is suspected that the canister was not fully engaged into the QC valve on the Flow Controller during sampling.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

Login 551664

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 551664

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill AirOdor Sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Suite 300 Long Beach, CA 90806			Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Analysis Request

Extended List Jan-15

Required Turnaround Time

Standard ☐
5 Day ☐
3 Day ☐
2 Day ☐
1 Day ☐
Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Extended List Jan-15	Comments
1	MS-07	A	C70673	6L	A70986	1-26-26	0715	-29	1-27-26	0715	-4	X	
2	MS-12	A	C70904	6L	A70110	1-26-26	0726	-27	1-27-26	0726	-6	X	
3	MS-08	A	C70864	6L	A70100	1-26-26	0736	-29	1-27-26	0736	-5	X	
4	MS-09	A	C70906	6L	A70622	1-26-26	0749	-28	1-27-26	0749	-4	X	
5	MS-10	A	C70432	6L	A70624	1-26-26	0802	-30	1-27-26	0802	-0	X	
6	MS-06	A	C70639	6L	A70442	1-26-26	0820	-30	1-27-26	0826	-4	X	
7	MS-11	A	C70342	6L	A70580	1-26-26	0841	-29	1-28-26	0841	-7	X	
8													
9													
10													

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	RES	1-27-26 1156
RECEIVED BY:		JKR	EA	1-27-26 1156
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 01/27/26 WO# 551664 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 01/27/26 By (initials) LXB Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: ____/____ #2: ____/____ #3: ____/____ #4: ____/____ #5: ____/____ #6: ____/____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ■ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?			x
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.6 - DISCREPANCY ON CANISTER ID

SAMPLE-005 : C70432 PER COC, C70342 PER CANISTER

SAMPLE-007 : C70342 PER COC, C70665 PER CANISTER

- NO SAMPLING DATE AND TIME ON TAGS

☐ **No additional discrepancies**

Date Logged 01/27/26 **By (print)** FPD **(sign)** _____

Date Labeled 01/27/26 **By (print)** JXR **(sign)** for JXR

ENTHALPY ANALYTICAL

Analysis Results for 551664

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 551664
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 01/27/26

Sample ID: MS-07 **Lab ID: 551664-001** **Collected: 01/27/26 07:15**
Matrix: Air

551664-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Freon 12	**0.47**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chloromethane	**0.54**		ppbv	0.10	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Freon 114	**0.016**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Methylene Chloride	**0.27**		ppbv	0.020	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Freon 113	**0.064**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chloroform	**0.018**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dichloroethane	**0.026**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Benzene	**0.17**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Toluene	**0.22**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Ethylbenzene	**0.020**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
m,p-Xylenes	**0.050**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Styrene	**0.014**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
o-Xylene	**0.020**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2,4-Trimethylbenzene	**0.022**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

551664-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Xylene (total)	**0.069**		ppbv	0.010	1	393925	01/30/26 01:45	01/30/26 01:45	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	393925	01/30/26 01:45	01/30/26 01:45	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

Sample ID: MS-12	Lab ID: 551664-002	Collected: 01/27/26 07:26
	Matrix: Air	

551664-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Freon 12	**0.48**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chloromethane	**0.55**		ppbv	0.11	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Bromomethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Methylene Chloride	**0.13**		ppbv	0.022	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Freon 113	**0.065**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chloroform	**0.017**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dichloroethane	**0.026**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Benzene	**0.14**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Trichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Toluene	**0.14**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Ethylbenzene	**0.023**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
m,p-Xylenes	**0.069**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Bromoform	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Styrene	**0.013**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
o-Xylene	**0.027**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2,4-Trimethylbenzene	**0.028**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

551664-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Xylene (total)	**0.095**		ppbv	0.011	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1.1	393925	01/30/26 02:34	01/30/26 02:34	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

Sample ID: MS-08	Lab ID: 551664-003	Collected: 01/27/26 07:36
	Matrix: Air	

551664-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Freon 12	**0.48**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chloromethane	**0.54**		ppbv	0.10	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Freon 114	**0.017**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Methylene Chloride	**0.17**		ppbv	0.020	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Freon 113	**0.066**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chloroform	**0.016**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dichloroethane	**0.026**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Benzene	**0.12**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Carbon Tetrachloride	**0.078**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Toluene	**0.18**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Ethylbenzene	**0.023**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
m,p-Xylenes	**0.078**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Styrene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
o-Xylene	**0.029**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2,4-Trimethylbenzene	**0.027**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

551664-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Xylene (total)	**0.11**		ppbv	0.010	1	393925	01/30/26 03:23	01/30/26 03:23	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1	393925	01/30/26 03:23	01/30/26 03:23	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

Sample ID: MS-09	Lab ID: 551664-004	Collected: 01/27/26 07:49
	Matrix: Air	

551664-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Freon 12	**0.47**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chloromethane	**0.54**		ppbv	0.10	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Freon 114	**0.016**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chloroethane	**0.046**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Freon 113	**0.065**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chloroform	**0.024**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dichloroethane	**0.027**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Benzene	**0.12**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Toluene	**0.19**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Ethylbenzene	**0.021**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
m,p-Xylenes	**0.061**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Styrene	**0.20**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
o-Xylene	**0.024**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2,4-Trimethylbenzene	**0.018**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

551664-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Xylene (total)	**0.085**		ppbv	0.010	1	393925	01/30/26 04:12	01/30/26 04:12	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	393925	01/30/26 04:12	01/30/26 04:12	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

Sample ID: MS-06	Lab ID: 551664-006	Collected: 01/27/26 08:20
	Matrix: Air	

551664-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Freon 12	**0.47**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chloromethane	**0.53**		ppbv	0.10	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Freon 114	**0.016**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Vinyl Chloride	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Bromomethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chloroethane	**0.012**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Vinyl bromide	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Freon 113	**0.065**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chloroform	**0.025**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dichloroethane	**0.027**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Benzene	**0.13**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Bromodichloromethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Trichloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Toluene	**0.19**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Dibromochloromethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Tetrachloroethene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Chlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Ethylbenzene	**0.024**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
m,p-Xylenes	**0.070**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Bromoform	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Styrene	**0.088**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
o-Xylene	**0.027**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2,4-Trimethylbenzene	**0.023**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Benzyl chloride	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

551664-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Xylene (total)	**0.097**		ppbv	0.010	1	393925	01/30/26 05:00	01/30/26 05:00	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	393925	01/30/26 05:00	01/30/26 05:00	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 551664

Sample ID: MS-11	Lab ID: 551664-007	Collected: 01/27/26 08:41
	Matrix: Air	

551664-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Freon 12	**0.47**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chloromethane	**0.55**		ppbv	0.11	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Bromomethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Methylene Chloride	**0.13**		ppbv	0.022	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Freon 113	**0.065**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chloroform	**0.016**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dichloroethane	**0.027**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Benzene	**0.10**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Trichloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Toluene	**0.11**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Ethylbenzene	**0.015**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
m,p-Xylenes	**0.042**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Bromoform	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Styrene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
o-Xylene	**0.018**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2,4-Trimethylbenzene	**0.015**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 551664

551664-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Xylene (total)	**0.059**		ppbv	0.011	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1.1	393925	01/30/26 05:49	01/30/26 05:49	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1335598**	**Batch:**	**393925**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1335598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	202.7	200.0	pptv	101%		70-130
1,1,1,2-Tetrachloroethane	203.5	200.0	pptv	102%		70-130
Freon 12	214.3	200.0	pptv	107%		70-130
Chloromethane	209.6	200.0	pptv	105%		70-130
Freon 114	211.1	200.0	pptv	106%		70-130
Vinyl Chloride	216.1	200.0	pptv	108%		70-130
Bromomethane	212.2	200.0	pptv	106%		70-130
Chloroethane	208.7	200.0	pptv	104%		70-130
Vinyl bromide	208.8	200.0	pptv	104%		70-130
Trichlorofluoromethane	217.3	200.0	pptv	109%		70-130
1,1-Dichloroethene	207.7	200.0	pptv	104%		70-130
Methylene Chloride	185.2	200.0	pptv	93%		70-130
Freon 113	215.3	200.0	pptv	108%		70-130
trans-1,2-Dichloroethene	207.2	200.0	pptv	104%		70-130
1,1-Dichloroethane	213.1	200.0	pptv	107%		70-130
cis-1,2-Dichloroethene	206.5	200.0	pptv	103%		70-130
Chloroform	214.8	200.0	pptv	107%		70-130
1,2-Dichloroethane	206.1	200.0	pptv	103%		70-130
1,1,1-Trichloroethane	208.2	200.0	pptv	104%		70-130
Benzene	201.0	200.0	pptv	101%		70-130
Carbon Tetrachloride	212.4	200.0	pptv	106%		70-130
1,2-Dichloropropane	212.2	200.0	pptv	106%		70-130
Bromodichloromethane	222.1	200.0	pptv	111%		70-130
Trichloroethene	194.4	200.0	pptv	97%		70-130
cis-1,3-Dichloropropene	194.4	200.0	pptv	97%		70-130
trans-1,3-Dichloropropene	169.2	200.0	pptv	85%		70-130
1,1,2-Trichloroethane	209.1	200.0	pptv	105%		70-130
Toluene	196.8	200.0	pptv	98%		70-130
Dibromochloromethane	219.8	200.0	pptv	110%		70-130
1,2-Dibromoethane	180.6	200.0	pptv	90%		70-130
Tetrachloroethene	203.4	200.0	pptv	102%		70-130
Chlorobenzene	184.5	200.0	pptv	92%		70-130
Ethylbenzene	190.9	200.0	pptv	95%		70-130
m,p-Xylenes	387.6	400.0	pptv	97%		70-130
Bromoform	214.9	200.0	pptv	107%		70-130
Styrene	178.6	200.0	pptv	89%		70-130
o-Xylene	193.5	200.0	pptv	97%		70-130
2-Chlorotoluene	194.1	200.0	pptv	97%		70-130
1,3,5-Trimethylbenzene	194.0	200.0	pptv	97%		70-130
1,2,4-Trimethylbenzene	191.8	200.0	pptv	96%		70-130
Benzyl chloride	147.4	200.0	pptv	74%		70-130
1,3-Dichlorobenzene	164.6	200.0	pptv	82%		70-130
1,4-Dichlorobenzene	152.5	200.0	pptv	76%		70-130
1,2-Dichlorobenzene	181.2	200.0	pptv	91%		70-130
1,2,4-Trichlorobenzene	155.8	200.0	pptv	78%		70-130
Hexachlorobutadiene	185.1	200.0	pptv	93%		70-130
Surrogates						

Batch QC

QC1335598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	247.8	250.0	pptv	99%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1335599**	**Batch:**	**393925**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1335599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	208.1	200.0	pptv	104%		70-130	3	25
1,1,1,2-Tetrachloroethane	207.3	200.0	pptv	104%		70-130	2	25
Freon 12	215.8	200.0	pptv	108%		70-130	1	25
Chloromethane	211.8	200.0	pptv	106%		70-130	1	25
Freon 114	213.7	200.0	pptv	107%		70-130	1	25
Vinyl Chloride	216.3	200.0	pptv	108%		70-130	0	25
Bromomethane	213.3	200.0	pptv	107%		70-130	0	25
Chloroethane	210.2	200.0	pptv	105%		70-130	1	25
Vinyl bromide	210.0	200.0	pptv	105%		70-130	1	25
Trichlorofluoromethane	218.4	200.0	pptv	109%		70-130	1	25
1,1-Dichloroethene	208.8	200.0	pptv	104%		70-130	1	25
Methylene Chloride	186.0	200.0	pptv	93%		70-130	0	25
Freon 113	216.7	200.0	pptv	108%		70-130	1	25
trans-1,2-Dichloroethene	208.1	200.0	pptv	104%		70-130	0	25
1,1-Dichloroethane	215.1	200.0	pptv	108%		70-130	1	25
cis-1,2-Dichloroethene	208.6	200.0	pptv	104%		70-130	1	25
Chloroform	216.0	200.0	pptv	108%		70-130	1	25
1,2-Dichloroethane	209.0	200.0	pptv	105%		70-130	1	25
1,1,1-Trichloroethane	211.7	200.0	pptv	106%		70-130	2	25
Benzene	202.8	200.0	pptv	101%		70-130	1	25
Carbon Tetrachloride	216.8	200.0	pptv	108%		70-130	2	25
1,2-Dichloropropane	213.7	200.0	pptv	107%		70-130	1	25
Bromodichloromethane	224.6	200.0	pptv	112%		70-130	1	25
Trichloroethene	195.6	200.0	pptv	98%		70-130	1	25
cis-1,3-Dichloropropene	197.6	200.0	pptv	99%		70-130	2	25
trans-1,3-Dichloropropene	179.7	200.0	pptv	90%		70-130	6	25
1,1,2-Trichloroethane	210.5	200.0	pptv	105%		70-130	1	25
Toluene	198.3	200.0	pptv	99%		70-130	1	25
Dibromochloromethane	223.0	200.0	pptv	112%		70-130	1	25
1,2-Dibromoethane	183.7	200.0	pptv	92%		70-130	2	25
Tetrachloroethene	203.5	200.0	pptv	102%		70-130	0	25
Chlorobenzene	187.1	200.0	pptv	94%		70-130	1	25
Ethylbenzene	194.2	200.0	pptv	97%		70-130	2	25
m,p-Xylenes	395.1	400.0	pptv	99%		70-130	2	25
Bromoform	219.8	200.0	pptv	110%		70-130	2	25
Styrene	183.5	200.0	pptv	92%		70-130	3	25
o-Xylene	198.7	200.0	pptv	99%		70-130	3	25
2-Chlorotoluene	197.7	200.0	pptv	99%		70-130	2	25
1,3,5-Trimethylbenzene	198.3	200.0	pptv	99%		70-130	2	25
1,2,4-Trimethylbenzene	197.7	200.0	pptv	99%		70-130	3	25
Benzyl chloride	162.4	200.0	pptv	81%		70-130	10	25
1,3-Dichlorobenzene	170.9	200.0	pptv	85%		70-130	4	25
1,4-Dichlorobenzene	158.7	200.0	pptv	79%		70-130	4	25
1,2-Dichlorobenzene	186.2	200.0	pptv	93%		70-130	3	25
1,2,4-Trichlorobenzene	164.1	200.0	pptv	82%		70-130	5	25
Hexachlorobutadiene	189.4	200.0	pptv	95%		70-130	2	25

Batch QC

QC1335599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	246.0	250.0	pptv	98%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1335600**	**Batch:**	**393925**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1335600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1,1,2-Tetrachloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Freon 12	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chloromethane	ND		pptv	100	01/29/26 22:49	01/29/26 22:49
Freon 114	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Vinyl Chloride	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Bromomethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Vinyl bromide	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Trichlorofluoromethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1-Dichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Methylene Chloride	ND		pptv	20	01/29/26 22:49	01/29/26 22:49
Freon 113	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
trans-1,2-Dichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1-Dichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
cis-1,2-Dichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chloroform	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1,1-Trichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Benzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Carbon Tetrachloride	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dichloropropane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Bromodichloromethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Trichloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
cis-1,3-Dichloropropene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
trans-1,3-Dichloropropene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,1,2-Trichloroethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Toluene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Dibromochloromethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dibromoethane	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Tetrachloroethene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Chlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Ethylbenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
m,p-Xylenes	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Bromoform	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Styrene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
o-Xylene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
2-Chlorotoluene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,3,5-Trimethylbenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2,4-Trimethylbenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Benzyl chloride	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,3-Dichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,4-Dichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2-Dichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
1,2,4-Trichlorobenzene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Hexachlorobutadiene	ND		pptv	10	01/29/26 22:49	01/29/26 22:49
Xylene (total)	ND		pptv	10	01/29/26 22:49	01/29/26 22:49

ENTHALPY ANALYTICAL

Batch QC

QC1335600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	91%		%REC	70-130	01/29/26 22:49	01/29/26 22:49

ND Not Detected

Atmospheric Analysis & Consulting, Inc.

CLIENT	:	SCS Engineers
PROJECT NAME	:	Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	:	260213
REPORT DATE	:	01/28/2026

On January 27th, 2025, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260213-85711
MS-12	260213-85712
MS-08	260213-85713
MS-09	260213-85714
MS-10	260213-85715
MS-06	260213-85716
MS-11	260213-85717

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260213
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/26-27/2026
RECEIVING DATE : 01/27/2026
ANALYSIS DATE : 01/27/2026
REPORT DATE : 01/28/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260213-85711	260213-85712	260213-85713	260213-85714
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260213
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 01/26-27/2026
RECEIVING DATE : 01/27/2026
ANALYSIS DATE : 01/27/2026
REPORT DATE : 01/28/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260213-85715	260213-85716	260213-85717
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 1/27/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7715	0.490	99.2	2.6
Duplicate	7920	0.503	101.8	0.0
Triplicate	8136	0.517	104.6	2.7

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7308	0.501	98.6	2.6
Duplicate	7441	0.510	100.4	0.9
Triplicate	7767	0.532	104.8	3.5

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8016	0.488	101.5	2.1
Duplicate	8255	0.502	104.5	0.9
Triplicate	8281	0.504	104.8	1.2

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 253406-84927**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 253406-84927 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.250	0.262	101.2	106.1	4.7
MeSH	<PQL	0.254	0.265	0.275	104.4	108.4	3.7
DMS	<PQL	0.240	0.258	0.261	107.4	108.6	1.2

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.519	105.1
MeSH	0.508	0.536	105.6
DMS	0.481	0.525	109.3

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 260213

Client/Project Name	Project Location
SCS Engineers / Chiquita Canyon Landfill / Airlodor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print) / **(Signature)**	**No. Of Containers**
Jacob Pennington / [signature]	7

ANALYSES

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 Sulfur					Remarks
MS-07	1-26/27-26	0715 · 0715	85711	1o Liter Bag	X					
MS-12	1-26/27-26	0726 - 0726	85712	1o Liter Bag	X					
MS-08	1-26/27-26	0736 - 0736	85713	1o Liter Bag	X					
MS-09	1-26/27-26	0749 - 0749	85714	1o Liter Bag	X					
MS-10	1-26/27-26	0802 · 0802	85715	1o Liter Bag	X					
MS-06	1-26/27-26	0820 - 0820	85716	1o Liter Bag	X					
MS-11	1-26/27-26	0841 - 0841	85717	1o Liter Bag	X					

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
[signature]	1-27-26	0940			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
					0941
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
			[signature]	1/27/26	0941
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

March 20, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: **Monthly Enhanced Air Monitoring Program Data, February 2026, Chiquita Canyon Landfill**

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the February 2026 24-hr samples are found in **Attachment A.**

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Oder for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of

September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:


https://chiquitacanyon.com/reports/community-air-monitoring-program/

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers


attachments

cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (CTEH)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kevin Green (CCL)

FIGURE 1

MAP OF AIR MONITORING LOCATIONS


Legend
Micro-GC
Off-Site Station
On-Site Station
MS-09
MS-10
MS-08
MS-12
MS-01
MS-04
MS-06
MS-07
MS-02
MS-03
MS-05
MS-11
Del Valle Rd
Camino Cañon Rd
126
5
Google Earth
Image © 2025 Airbus
Community Air Monitoring Program
Continuous Air Monitoring Stations
N
1 mi

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

CLIENT	: SCS Engineers
PROJECT NAME	: Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	: 260254
REPORT DATE	: 02/04/2026

On February 3rd, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260254-85872
MS-12	260254-85873
MS-08	260254-85874
MS-09	260254-85875
MS-10	260254-85876
MS-06	260254-85877
MS-11	260254-85878

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260254
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/02-03/2026
RECEIVING DATE : 02/03/2026
ANALYSIS DATE : 02/03/2026
REPORT DATE : 02/04/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260254-85872	260254-85873	260254-85874	260254-85875
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260254
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/02-03/2026
RECEIVING DATE : 02/03/2026
ANALYSIS DATE : 02/03/2026
REPORT DATE : 02/04/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260254-85876	260254-85877	260254-85878
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 2/3/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8147	0.517	104.7	0.1
Duplicate	8167	0.519	105.0	0.1
Triplicate	8164	0.518	104.9	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7690	0.527	103.8	0.0
Duplicate	7760	0.531	104.7	0.9
Triplicate	7614	0.521	102.8	1.0

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8266	0.503	104.6	0.0
Duplicate	8276	0.503	104.8	0.2
Triplicate	8248	0.502	104.4	0.2

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 253406-84927**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 253406-84927 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.257	0.246	104.0	99.6	4.4
MeSH	<PQL	0.254	0.258	0.255	101.7	100.5	1.2
DMS	<PQL	0.240	0.259	0.262	107.8	109.1	1.2

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.481	97.4
MeSH	0.508	0.516	101.7
DMS	0.481	0.502	104.5

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 260254

Client/Project Name	Project Location
SCS Engineers / Chiquita Canyon Landfill Airdoor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print) Jacob Pennington	**(Signature)**
No. Of Containers 7	

ANALYSES

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 Sulfur					Remarks
MS-07	2-3/3-26	0715 - 0715	85872	10 Liter Bag	X					
MS-12	2-3/3-26	0730 - 0730	85873	10 Liter Bag	X					
MS-08	2-3/3-26	0743 - 0743	85874	10 Liter Bag	X					
MS-09	2-3/3-26	0759 - 0759	85875	10 Liter Bag	X					
MS-10	2-3/3-26	0815 - 0815	85876	10 Liter Bag	X					
MS-06	2-3/3-26	0828 - 0828	85877	10 Liter Bag	X					
MS-11	2-3/3-26	0842 - 0842	85878	10 Liter Bag	X					

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
	2-3-26	0953			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
				2/3/26	0956
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	552272 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 02/03/26

Sample ID	Lab ID	Collected	Matrix
MS-07	552272-001	02/03/26 07:15	Air
MS-12	552272-002	02/03/26 07:30	Air
MS-08	552272-003	02/03/26 07:43	Air
MS-09	552272-004	02/03/26 07:59	Air
MS-10	552272-005	02/03/26 08:15	Air
MS-06	552272-006	02/03/26 08:28	Air
MS-11	552272-007	02/03/26 08:42	Air

Case Narrative

SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: 552272 Project No: CHIQUITA WEEKLY AIR Location: Chiquita Canyon Landfill Air/Odor Sampling Date Received: 02/03/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/03/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):
No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 552272

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Air Odor Sampling	
Report To:	Ray Hoff			Number:		Lab Quote Number:
Email:	rhoff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806					
				Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Analysis Request: Extended List TO-15

Required Turnaround Time: Standard ☑ ; 5 Day ☐ ; 3 Day ☐ ; 2 Day ☐ ; 1 Day ☐ ; Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70068	6L	A70626	2-2-26	0715	-30	2-3-26	0715	-5	
2	MS-12	A	C70055	6L	A70047	2-2-26	0730	-29	2-3-26	0730	-7	
3	MS-08	A	C70305	6L	A70487	2-2-26	0743	-30	2-3-26	0743	-5	
4	MS-09	A	C70930	6L	A70541	2-2-26	0754	-29	2-3-26	0759	-7	
5	MS-10	A	C70844	6L	A70555	2-2-26	0815	-28	2-3-26	0815	-8	
6	MS-06	A	C70315	6L	A70648	2-2-26	0828	-30	2-3-26	0828	-5	
7	MS-11	A	C70445	6L	A70118	2-2-26	0842	-30	2-3-26	0842	-5	
8												
9												
10												

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	Res	2-3-26/1223
RECEIVED BY:		Anna Roberts	CA	2-3-26 12:23
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

Login 552272

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 2/3/26 WO# 552272 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 2/3/26 By (initials) AGR Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X*		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4, 6*: No sampling times on tags.

☐ **No additional discrepancies**

Date Logged 2/3/26 **By (print)** ABD **(sign)** ABD

Date Labeled 2/3/26 **By (print)** MSK **(sign)** ABD for MSK

ENTHALPY ANALYTICAL

Analysis Results for 552272

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 552272
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/03/26

Sample ID: MS-07 **Lab ID: 552272-001** **Collected: 02/03/26 07:15**
Matrix: Air

552272-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 12	**0.46**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloromethane	**0.68**		ppbv	0.10	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 114	**0.016**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloroethane	**0.067**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Methylene Chloride	**0.099**		ppbv	0.020	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 113	**0.063**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloroform	**0.020**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Benzene	**0.15**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Carbon Tetrachloride	**0.074**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Toluene	**0.20**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Tetrachloroethene	**0.013**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Ethylbenzene	**0.028**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
m,p-Xylenes	**0.080**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Styrene	**0.018**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
o-Xylene	**0.031**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2,4-Trimethylbenzene	**0.033**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

552272-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Xylene (total)	**0.11**		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 16:43	02/05/26 16:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

Sample ID: MS-12	Lab ID: 552272-002	Collected: 02/03/26 07:30
	Matrix: Air	

552272-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 12	**0.47**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloromethane	**0.56**		ppbv	0.10	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 114	**0.016**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Methylene Chloride	**0.099**		ppbv	0.020	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 113	**0.065**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloroform	**0.021**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Benzene	**0.14**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Carbon Tetrachloride	**0.076**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Toluene	**0.21**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Tetrachloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Ethylbenzene	**0.032**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
m,p-Xylenes	**0.10**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Styrene	**0.016**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
o-Xylene	**0.039**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2,4-Trimethylbenzene	**0.034**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

552272-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Xylene (total)	**0.14**		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 17:31	02/05/26 17:31	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

Sample ID: MS-08	Lab ID: 552272-003	Collected: 02/03/26 07:43
	Matrix: Air	

552272-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 12	**0.46**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloromethane	**0.55**		ppbv	0.10	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 114	**0.016**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Methylene Chloride	**0.097**		ppbv	0.020	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 113	**0.064**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloroform	**0.017**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Benzene	**0.16**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Carbon Tetrachloride	**0.074**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Toluene	**0.28**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Tetrachloroethene	**0.014**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Ethylbenzene	**0.044**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
m,p-Xylenes	**0.15**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Styrene	**0.015**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
o-Xylene	**0.057**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,3,5-Trimethylbenzene	**0.016**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2,4-Trimethylbenzene	**0.061**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

552272-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Xylene (total)	**0.21**		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1	394532	02/05/26 18:20	02/05/26 18:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

Sample ID: MS-09	Lab ID: 552272-004	Collected: 02/03/26 07:59
	Matrix: Air	

552272-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 12	**0.47**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloromethane	**0.57**		ppbv	0.11	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromomethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloroethane	**0.016**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Methylene Chloride	**0.10**		ppbv	0.021	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 113	**0.064**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloroform	**0.028**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Benzene	**0.14**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Carbon Tetrachloride	**0.075**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Trichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Toluene	**0.34**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Tetrachloroethene	**0.011**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Ethylbenzene	**0.037**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
m,p-Xylenes	**0.12**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromoform	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Styrene	**0.070**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
o-Xylene	**0.044**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2,4-Trimethylbenzene	**0.037**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

552272-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Xylene (total)	**0.16**		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

Sample ID: MS-10	Lab ID: 552272-005	Collected: 02/03/26 08:15
	Matrix: Air	

552272-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 12	**0.46**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloromethane	**0.55**		ppbv	0.11	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromomethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloroethane	**0.068**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 113	**0.064**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloroform	**0.034**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Benzene	**0.15**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Carbon Tetrachloride	**0.074**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Trichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Toluene	**0.41**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Tetrachloroethene	**0.017**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Ethylbenzene	**0.048**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
m,p-Xylenes	**0.16**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromoform	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Styrene	**0.055**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
o-Xylene	**0.058**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,3,5-Trimethylbenzene	**0.012**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2,4-Trimethylbenzene	**0.050**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

552272-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Xylene (total)	**0.21**		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

Sample ID: MS-06	Lab ID: 552272-006	Collected: 02/03/26 08:28
	Matrix: Air	

552272-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 12	**0.46**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloromethane	**0.54**		ppbv	0.10	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 114	**0.016**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Methylene Chloride	**0.099**		ppbv	0.020	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 113	**0.063**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloroform	**0.027**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Benzene	**0.13**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Carbon Tetrachloride	**0.075**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Toluene	**0.24**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Tetrachloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Ethylbenzene	**0.035**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
m,p-Xylenes	**0.11**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Styrene	**0.047**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
o-Xylene	**0.041**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2,4-Trimethylbenzene	**0.037**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

552272-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Xylene (total)	**0.15**		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 20:45	02/05/26 20:45	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

Sample ID: MS-11	Lab ID: 552272-007	Collected: 02/03/26 08:42
	Matrix: Air	

552272-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 12	**0.46**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloromethane	**0.57**		ppbv	0.10	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 114	**0.016**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloroethane	**0.013**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 113	**0.064**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloroform	**0.021**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Benzene	**0.093**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Carbon Tetrachloride	**0.076**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Toluene	**0.21**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Tetrachloroethene	**0.012**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Ethylbenzene	**0.028**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
m,p-Xylenes	**0.091**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Styrene	**0.011**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
o-Xylene	**0.036**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2,4-Trimethylbenzene	**0.037**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552272

552272-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Xylene (total)	**0.13**		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 21:34	02/05/26 21:34	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1337598**	**Batch:**	**394532**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1337598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	199.6	200.0	pptv	100%		70-130
1,1,1,2-Tetrachloroethane	204.6	200.0	pptv	102%		70-130
Freon 12	206.4	200.0	pptv	103%		70-130
Chloromethane	199.8	200.0	pptv	100%		70-130
Freon 114	206.1	200.0	pptv	103%		70-130
Vinyl Chloride	206.4	200.0	pptv	103%		70-130
Bromomethane	199.3	200.0	pptv	100%		70-130
Chloroethane	201.1	200.0	pptv	101%		70-130
Vinyl bromide	210.5	200.0	pptv	105%		70-130
Trichlorofluoromethane	208.0	200.0	pptv	104%		70-130
1,1-Dichloroethene	212.1	200.0	pptv	106%		70-130
Methylene Chloride	191.5	200.0	pptv	96%		70-130
Freon 113	208.1	200.0	pptv	104%		70-130
trans-1,2-Dichloroethene	208.9	200.0	pptv	104%		70-130
1,1-Dichloroethane	209.2	200.0	pptv	105%		70-130
cis-1,2-Dichloroethene	208.7	200.0	pptv	104%		70-130
Chloroform	208.0	200.0	pptv	104%		70-130
1,2-Dichloroethane	206.4	200.0	pptv	103%		70-130
1,1,1-Trichloroethane	211.7	200.0	pptv	106%		70-130
Benzene	200.9	200.0	pptv	100%		70-130
Carbon Tetrachloride	209.9	200.0	pptv	105%		70-130
1,2-Dichloropropane	209.3	200.0	pptv	105%		70-130
Bromodichloromethane	211.0	200.0	pptv	106%		70-130
Trichloroethene	220.5	200.0	pptv	110%		70-130
cis-1,3-Dichloropropene	206.4	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	205.1	200.0	pptv	103%		70-130
1,1,2-Trichloroethane	211.2	200.0	pptv	106%		70-130
Toluene	211.9	200.0	pptv	106%		70-130
Dibromochloromethane	211.8	200.0	pptv	106%		70-130
1,2-Dibromoethane	207.7	200.0	pptv	104%		70-130
Tetrachloroethene	251.7	200.0	pptv	126%		70-130
Chlorobenzene	205.1	200.0	pptv	103%		70-130
Ethylbenzene	206.7	200.0	pptv	103%		70-130
m,p-Xylenes	415.6	400.0	pptv	104%		70-130
Bromoform	193.8	200.0	pptv	97%		70-130
Styrene	201.7	200.0	pptv	101%		70-130
o-Xylene	210.4	200.0	pptv	105%		70-130
2-Chlorotoluene	205.9	200.0	pptv	103%		70-130
1,3,5-Trimethylbenzene	206.0	200.0	pptv	103%		70-130
1,2,4-Trimethylbenzene	209.4	200.0	pptv	105%		70-130
Benzyl chloride	197.1	200.0	pptv	99%		70-130
1,3-Dichlorobenzene	207.3	200.0	pptv	104%		70-130
1,4-Dichlorobenzene	205.8	200.0	pptv	103%		70-130
1,2-Dichlorobenzene	202.6	200.0	pptv	101%		70-130
1,2,4-Trichlorobenzene	199.1	200.0	pptv	100%		70-130
Hexachlorobutadiene	191.5	200.0	pptv	96%		70-130
Surrogates						

Batch QC

QC1337598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	247.1	250.0	pptv	99%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1337599**	**Batch:**	**394532**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1337599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	202.5	200.0	pptv	101%		70-130	1	25
1,1,1,2-Tetrachloroethane	207.9	200.0	pptv	104%		70-130	2	25
Freon 12	207.9	200.0	pptv	104%		70-130	1	25
Chloromethane	201.1	200.0	pptv	101%		70-130	1	25
Freon 114	206.6	200.0	pptv	103%		70-130	0	25
Vinyl Chloride	207.4	200.0	pptv	104%		70-130	0	25
Bromomethane	200.1	200.0	pptv	100%		70-130	0	25
Chloroethane	202.7	200.0	pptv	101%		70-130	1	25
Vinyl bromide	211.0	200.0	pptv	105%		70-130	0	25
Trichlorofluoromethane	208.8	200.0	pptv	104%		70-130	0	25
1,1-Dichloroethene	213.3	200.0	pptv	107%		70-130	1	25
Methylene Chloride	192.3	200.0	pptv	96%		70-130	0	25
Freon 113	208.8	200.0	pptv	104%		70-130	0	25
trans-1,2-Dichloroethene	209.6	200.0	pptv	105%		70-130	0	25
1,1-Dichloroethane	210.0	200.0	pptv	105%		70-130	0	25
cis-1,2-Dichloroethene	209.9	200.0	pptv	105%		70-130	1	25
Chloroform	209.0	200.0	pptv	104%		70-130	0	25
1,2-Dichloroethane	206.9	200.0	pptv	103%		70-130	0	25
1,1,1-Trichloroethane	213.7	200.0	pptv	107%		70-130	1	25
Benzene	201.5	200.0	pptv	101%		70-130	0	25
Carbon Tetrachloride	211.1	200.0	pptv	106%		70-130	1	25
1,2-Dichloropropane	211.2	200.0	pptv	106%		70-130	1	25
Bromodichloromethane	213.5	200.0	pptv	107%		70-130	1	25
Trichloroethene	221.0	200.0	pptv	111%		70-130	0	25
cis-1,3-Dichloropropene	207.5	200.0	pptv	104%		70-130	1	25
trans-1,3-Dichloropropene	204.3	200.0	pptv	102%		70-130	0	25
1,1,2-Trichloroethane	211.7	200.0	pptv	106%		70-130	0	25
Toluene	214.3	200.0	pptv	107%		70-130	1	25
Dibromochloromethane	213.2	200.0	pptv	107%		70-130	1	25
1,2-Dibromoethane	208.7	200.0	pptv	104%		70-130	1	25
Tetrachloroethene	251.8	200.0	pptv	126%		70-130	0	25
Chlorobenzene	208.8	200.0	pptv	104%		70-130	2	25
Ethylbenzene	210.7	200.0	pptv	105%		70-130	2	25
m,p-Xylenes	421.3	400.0	pptv	105%		70-130	1	25
Bromoform	194.1	200.0	pptv	97%		70-130	0	25
Styrene	203.6	200.0	pptv	102%		70-130	1	25
o-Xylene	211.4	200.0	pptv	106%		70-130	0	25
2-Chlorotoluene	206.7	200.0	pptv	103%		70-130	0	25
1,3,5-Trimethylbenzene	208.8	200.0	pptv	104%		70-130	1	25
1,2,4-Trimethylbenzene	210.4	200.0	pptv	105%		70-130	0	25
Benzyl chloride	199.5	200.0	pptv	100%		70-130	1	25
1,3-Dichlorobenzene	207.7	200.0	pptv	104%		70-130	0	25
1,4-Dichlorobenzene	207.0	200.0	pptv	103%		70-130	1	25
1,2-Dichlorobenzene	203.5	200.0	pptv	102%		70-130	0	25
1,2,4-Trichlorobenzene	199.2	200.0	pptv	100%		70-130	0	25
Hexachlorobutadiene	191.2	200.0	pptv	96%		70-130	0	25

Batch QC

QC1337599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	246.8	250.0	pptv	99%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1337600**	**Batch:**	**394532**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1337600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Freon 12	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloromethane	ND		pptv	100	02/05/26 11:10	02/05/26 11:10
Freon 114	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Vinyl Chloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromomethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Vinyl bromide	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Trichlorofluoromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Methylene Chloride	ND		pptv	20	02/05/26 11:10	02/05/26 11:10
Freon 113	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
trans-1,2-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1-Dichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
cis-1,2-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloroform	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,1-Trichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Benzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Carbon Tetrachloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichloropropane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromodichloromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Trichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
cis-1,3-Dichloropropene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
trans-1,3-Dichloropropene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,2-Trichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Toluene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Dibromochloromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dibromoethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Tetrachloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Ethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
m,p-Xylenes	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromoform	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Styrene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
o-Xylene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
2-Chlorotoluene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,3,5-Trimethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2,4-Trimethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Benzyl chloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,3-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,4-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2,4-Trichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Hexachlorobutadiene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Xylene (total)	ND		pptv	10	02/05/26 11:10	02/05/26 11:10

Batch QC

QC1337600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	101%		%REC	70-130	02/05/26 11:10	02/05/26 11:10

ND Not Detected

Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260329
REPORT DATE : 02/16/2026

On February 10th 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260329-86136
MS-12	260329-86137
MS-08	260329-86138
MS-09	260329-86139
MS-10	260329-86140
MS-06	260329-86141
MS-11	260329-86142

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260329
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/09-10/2026
RECEIVING DATE : 02/10/2026
ANALYSIS DATE : 02/10/2026
REPORT DATE : 02/16/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260329-86136	260329-86137	260329-86138	260329-86139
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260329
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/09-10/2026
RECEIVING DATE : 02/10/2026
ANALYSIS DATE : 02/10/2026
REPORT DATE : 02/16/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260329-86140	260329-86141	260329-86142
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 2/10/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7607	0.483	97.8	0.5
Duplicate	7912	0.502	101.7	3.5
Triplicate	7407	0.470	95.2	3.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7182	0.492	96.9	0.2
Duplicate	7310	0.501	98.7	1.5
Triplicate	7105	0.487	95.9	1.3

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7790	0.474	98.6	1.8
Duplicate	8029	0.488	101.6	1.2
Triplicate	7982	0.485	101.0	0.6

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 253406-84927**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 253406-84927 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.223	0.243	90.3	98.4	8.6
MeSH	<PQL	0.254	0.241	0.260	95.0	102.5	7.6
DMS	<PQL	0.240	0.221	0.243	92.0	101.1	9.5

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.481	97.4
MeSH	0.508	0.485	95.6
DMS	0.481	0.456	94.9

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD

260329

Client/Project Name SCS Engineers Chiquita Canyon Landfill Air/Odor Sampling	**Project Location** Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print) Jacob Pennington	**(Signature)**
No. Of Containers 7	

ANALYSES

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 Sulfur					Remarks
MS-07	2-9/10-26	0708-0708	86136	1o Liter Bag	X					
MS-12	2-9/10-26	0718-0718	86137	1o Liter Bag	X					
MS-08	2-9/10-26	0726-0726	86138	1o Liter Bag	X					
MS-09	2-9/10-26	0740-0740	86139	1o Liter Bag	X					
MS-1o	2-9/10-26	0758-0758	86140	1o Liter Bag	X					
MS-06	2-9/10-26	0814-0814	86141	1o Liter Bag	X					
MS-11	2-9/10-26	0835-0835	86142	1o Liter Bag	X					

Relinquished by: (Signature)	**Date** 2/10/26	**Time** 0944	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date** 2/10/26	**Time** 0946
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	552768 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 02/10/26

Sample ID	Lab ID	Collected	Matrix
MS-07	552768-001	02/10/26 07:08	Air
MS-12	552768-002	02/10/26 07:18	Air
MS-08	552768-003	02/10/26 07:26	Air
MS-09	552768-004	02/10/26 07:40	Air
MS-10	552768-005	02/10/26 07:58	Air
MS-06	552768-006	02/10/26 08:14	Air
MS-11	552768-007	02/10/26 08:35	Air

Case Narrative

SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: 552768 Project No: CHIQUITA WEEKLY AIR Location: Chiquita Canyon Landfill Air/Odor Sampling Date Received: 02/10/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/10/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):
No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 552768

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Airodor Sampling	
Report To:	Ray Hoff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300					
	Long Beach, CA 90806			Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Analysis Request: Extended List To 15

Required Turnaround Time: Standard ☐ 5 Day ☐ 3 Day ☐ 2 Day ☐ 1 Day ☐ Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70370	6L	A70611	2-9-26	0708	-29	2-10-26	0708	-5	
2	MS-12	A	C70867	6L	A70628	2-9-26	0718	-27	2-10-26	0718	-6	
3	MS-08	A	C70430	6L	A70635	2-9-26	0726	-28	2-10-26	0726	-5	
4	MS-09	A	C70643	6L	A70639	2-9-26	0740	-29	2-10-26	0740	-6	
5	MS-10	A	C70358	6L	A70603	2-9-26	0758	-30	2-10-26	0758	-5	
6	MS-06	A	C70631	6L	A70248	2-9-26	0814	-30	2-10-26	0814	-9	
7	MS-11	A	C70243	6L	A70163	2-9-26	0835	-28	2-10-26	0835	-7	
8												
9												
10												

Login 552768

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	RES	2/10/26 - 1152
RECEIVED BY:		JKP	CA	2/10/26 1152
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 02/10/26 WO# 552768 Client: _____

Section 2: Shipping / Custody **Are custody seals present?** ☐ **Yes** ■ **No**

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 02/10/26 By (initials) JXR Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ■ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

☐ **No additional discrepancies**

Date Logged 02/10/26 **By (print)** FPD **(sign)** _____

Date Labeled 02/10/26 **By (print)** FPD **(sign)** _____

ENTHALPY ANALYTICAL

Analysis Results for 552768

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 552768
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/10/26

Sample ID: MS-07 **Lab ID: 552768-001** **Collected: 02/10/26 07:08**
Matrix: Air

552768-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 12	**0.47**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloromethane	**0.57**		ppbv	0.10	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 114	**0.016**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloroethane	**0.10**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 113	**0.065**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloroform	**0.020**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Benzene	**0.18**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Toluene	**0.23**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Tetrachloroethene	**0.013**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Ethylbenzene	**0.033**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
m,p-Xylenes	**0.091**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Styrene	**0.025**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
o-Xylene	**0.035**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2,4-Trimethylbenzene	**0.034**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

552768-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Xylene (total)	**0.13**		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 11:17	02/11/26 11:17	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

Sample ID: MS-12	Lab ID: 552768-002	Collected: 02/10/26 07:18
	Matrix: Air	

552768-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 12	**0.46**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloromethane	**0.56**		ppbv	0.11	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromomethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloroethane	**0.14**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 113	**0.063**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloroform	**0.020**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Benzene	**0.18**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Carbon Tetrachloride	**0.075**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Toluene	**0.30**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Tetrachloroethene	**0.018**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Ethylbenzene	**0.042**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
m,p-Xylenes	**0.13**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromoform	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Styrene	**0.028**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
o-Xylene	**0.050**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,3,5-Trimethylbenzene	**0.011**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2,4-Trimethylbenzene	**0.048**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

552768-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Xylene (total)	**0.18**		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

Sample ID: MS-08	Lab ID: 552768-003	Collected: 02/10/26 07:26
	Matrix: Air	

552768-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 12	**0.47**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloromethane	**0.56**		ppbv	0.10	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 114	**0.016**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloroethane	**0.11**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 113	**0.065**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloroform	**0.020**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Benzene	**0.12**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Toluene	**0.21**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Tetrachloroethene	**0.017**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Ethylbenzene	**0.027**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
m,p-Xylenes	**0.082**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Styrene	**0.016**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
o-Xylene	**0.032**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2,4-Trimethylbenzene	**0.029**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

552768-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Xylene (total)	**0.11**		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 12:55	02/11/26 12:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

Sample ID: MS-09	Lab ID: 552768-004	Collected: 02/10/26 07:40
	Matrix: Air	

552768-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 12	**0.46**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloromethane	**0.56**		ppbv	0.10	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 114	**0.016**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloroethane	**0.090**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 113	**0.067**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloroform	**0.025**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Benzene	**0.18**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Carbon Tetrachloride	**0.076**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Toluene	**0.37**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Tetrachloroethene	**0.016**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Ethylbenzene	**0.042**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
m,p-Xylenes	**0.13**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Styrene	**0.043**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
o-Xylene	**0.046**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2,4-Trimethylbenzene	**0.038**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

552768-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Xylene (total)	**0.17**		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1	395023	02/11/26 13:43	02/11/26 13:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

Sample ID: MS-10	Lab ID: 552768-005	Collected: 02/10/26 07:58
	Matrix: Air	

552768-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 12	**0.46**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloromethane	**0.55**		ppbv	0.10	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 114	**0.016**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Methylene Chloride	**0.11**		ppbv	0.021	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 113	**0.064**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloroform	**0.031**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Benzene	**0.15**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Toluene	**0.34**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Tetrachloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Ethylbenzene	**0.043**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
m,p-Xylenes	**0.13**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Styrene	**0.079**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
o-Xylene	**0.049**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,3,5-Trimethylbenzene	**0.011**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2,4-Trimethylbenzene	**0.045**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

552768-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Xylene (total)	**0.18**		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 14:32	02/11/26 14:32	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

Sample ID: MS-06	Lab ID: 552768-006	Collected: 02/10/26 08:14
	Matrix: Air	

552768-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 12	**0.47**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloromethane	**0.55**		ppbv	0.11	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 114	**0.017**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromomethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 113	**0.064**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloroform	**0.024**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Benzene	**0.17**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Toluene	**0.28**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Ethylbenzene	**0.039**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
m,p-Xylenes	**0.10**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromoform	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Styrene	**0.090**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
o-Xylene	**0.041**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2,4-Trimethylbenzene	**0.030**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

552768-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Xylene (total)	**0.15**		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

Sample ID: MS-11	Lab ID: 552768-007	Collected: 02/10/26 08:35
	Matrix: Air	

552768-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 12	**0.46**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloromethane	**0.57**		ppbv	0.12	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 114	**0.016**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromomethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloroethane	**0.025**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Methylene Chloride	**0.11**		ppbv	0.023	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 113	**0.064**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloroform	**0.026**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Benzene	**0.13**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Carbon Tetrachloride	**0.077**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Trichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Toluene	**0.23**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Ethylbenzene	**0.033**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
m,p-Xylenes	**0.094**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromoform	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Styrene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
o-Xylene	**0.038**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2,4-Trimethylbenzene	**0.031**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 552768

552768-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Xylene (total)	**0.13**		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1339412**	**Batch:**	**395023**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1339412 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	206.8	200.0	pptv	103%		70-130
1,1,1,2-Tetrachloroethane	207.7	200.0	pptv	104%		70-130
Freon 12	211.1	200.0	pptv	106%		70-130
Chloromethane	210.5	200.0	pptv	105%		70-130
Freon 114	212.8	200.0	pptv	106%		70-130
Vinyl Chloride	213.3	200.0	pptv	107%		70-130
Bromomethane	211.5	200.0	pptv	106%		70-130
Chloroethane	205.7	200.0	pptv	103%		70-130
Vinyl bromide	207.6	200.0	pptv	104%		70-130
Trichlorofluoromethane	211.2	200.0	pptv	106%		70-130
1,1-Dichloroethene	210.6	200.0	pptv	105%		70-130
Methylene Chloride	195.5	200.0	pptv	98%		70-130
Freon 113	209.9	200.0	pptv	105%		70-130
trans-1,2-Dichloroethene	210.8	200.0	pptv	105%		70-130
1,1-Dichloroethane	211.6	200.0	pptv	106%		70-130
cis-1,2-Dichloroethene	210.8	200.0	pptv	105%		70-130
Chloroform	209.8	200.0	pptv	105%		70-130
1,2-Dichloroethane	211.0	200.0	pptv	106%		70-130
1,1,1-Trichloroethane	211.4	200.0	pptv	106%		70-130
Benzene	199.0	200.0	pptv	99%		70-130
Carbon Tetrachloride	214.4	200.0	pptv	107%		70-130
1,2-Dichloropropane	210.1	200.0	pptv	105%		70-130
Bromodichloromethane	218.3	200.0	pptv	109%		70-130
Trichloroethene	209.6	200.0	pptv	105%		70-130
cis-1,3-Dichloropropene	215.5	200.0	pptv	108%		70-130
trans-1,3-Dichloropropene	212.3	200.0	pptv	106%		70-130
1,1,2-Trichloroethane	212.2	200.0	pptv	106%		70-130
Toluene	207.5	200.0	pptv	104%		70-130
Dibromochloromethane	219.8	200.0	pptv	110%		70-130
1,2-Dibromoethane	209.4	200.0	pptv	105%		70-130
Tetrachloroethene	221.1	200.0	pptv	111%		70-130
Chlorobenzene	201.4	200.0	pptv	101%		70-130
Ethylbenzene	202.3	200.0	pptv	101%		70-130
m,p-Xylenes	409.1	400.0	pptv	102%		70-130
Bromoform	195.1	200.0	pptv	98%		70-130
Styrene	201.9	200.0	pptv	101%		70-130
o-Xylene	206.1	200.0	pptv	103%		70-130
2-Chlorotoluene	200.6	200.0	pptv	100%		70-130
1,3,5-Trimethylbenzene	204.6	200.0	pptv	102%		70-130
1,2,4-Trimethylbenzene	204.8	200.0	pptv	102%		70-130
Benzyl chloride	196.3	200.0	pptv	98%		70-130
1,3-Dichlorobenzene	202.4	200.0	pptv	101%		70-130
1,4-Dichlorobenzene	198.4	200.0	pptv	99%		70-130
1,2-Dichlorobenzene	195.3	200.0	pptv	98%		70-130
1,2,4-Trichlorobenzene	162.2	200.0	pptv	81%		70-130
Hexachlorobutadiene	187.6	200.0	pptv	94%		70-130
Surrogates						

ENTHALPY ANALYTICAL

Batch QC

QC1339412 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	242.8	250.0	pptv	97%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1339413**	**Batch:**	**395023**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1339413 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	201.0	200.0	pptv	101%		70-130	3	25
1,1,1,2-Tetrachloroethane	201.2	200.0	pptv	101%		70-130	3	25
Freon 12	207.8	200.0	pptv	104%		70-130	2	25
Chloromethane	205.4	200.0	pptv	103%		70-130	2	25
Freon 114	206.9	200.0	pptv	103%		70-130	3	25
Vinyl Chloride	208.4	200.0	pptv	104%		70-130	2	25
Bromomethane	205.6	200.0	pptv	103%		70-130	3	25
Chloroethane	199.6	200.0	pptv	100%		70-130	3	25
Vinyl bromide	202.1	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	205.2	200.0	pptv	103%		70-130	3	25
1,1-Dichloroethene	203.8	200.0	pptv	102%		70-130	3	25
Methylene Chloride	190.5	200.0	pptv	95%		70-130	3	25
Freon 113	204.3	200.0	pptv	102%		70-130	3	25
trans-1,2-Dichloroethene	204.9	200.0	pptv	102%		70-130	3	25
1,1-Dichloroethane	206.4	200.0	pptv	103%		70-130	2	25
cis-1,2-Dichloroethene	205.0	200.0	pptv	103%		70-130	3	25
Chloroform	203.5	200.0	pptv	102%		70-130	3	25
1,2-Dichloroethane	204.5	200.0	pptv	102%		70-130	3	25
1,1,1-Trichloroethane	206.4	200.0	pptv	103%		70-130	2	25
Benzene	194.7	200.0	pptv	97%		70-130	2	25
Carbon Tetrachloride	208.0	200.0	pptv	104%		70-130	3	25
1,2-Dichloropropane	205.0	200.0	pptv	102%		70-130	2	25
Bromodichloromethane	210.7	200.0	pptv	105%		70-130	4	25
Trichloroethene	203.0	200.0	pptv	101%		70-130	3	25
cis-1,3-Dichloropropene	206.6	200.0	pptv	103%		70-130	4	25
trans-1,3-Dichloropropene	204.8	200.0	pptv	102%		70-130	4	25
1,1,2-Trichloroethane	205.6	200.0	pptv	103%		70-130	3	25
Toluene	201.9	200.0	pptv	101%		70-130	3	25
Dibromochloromethane	213.4	200.0	pptv	107%		70-130	3	25
1,2-Dibromoethane	203.5	200.0	pptv	102%		70-130	3	25
Tetrachloroethene	214.1	200.0	pptv	107%		70-130	3	25
Chlorobenzene	196.7	200.0	pptv	98%		70-130	2	25
Ethylbenzene	197.7	200.0	pptv	99%		70-130	2	25
m,p-Xylenes	399.2	400.0	pptv	100%		70-130	2	25
Bromoform	189.3	200.0	pptv	95%		70-130	3	25
Styrene	197.3	200.0	pptv	99%		70-130	2	25
o-Xylene	201.3	200.0	pptv	101%		70-130	2	25
2-Chlorotoluene	195.6	200.0	pptv	98%		70-130	2	25
1,3,5-Trimethylbenzene	199.2	200.0	pptv	100%		70-130	3	25
1,2,4-Trimethylbenzene	199.9	200.0	pptv	100%		70-130	2	25
Benzyl chloride	191.2	200.0	pptv	96%		70-130	3	25
1,3-Dichlorobenzene	197.1	200.0	pptv	99%		70-130	3	25
1,4-Dichlorobenzene	193.2	200.0	pptv	97%		70-130	3	25
1,2-Dichlorobenzene	191.1	200.0	pptv	96%		70-130	2	25
1,2,4-Trichlorobenzene	182.1	200.0	pptv	91%		70-130	12	25
Hexachlorobutadiene	185.9	200.0	pptv	93%		70-130	1	25

ENTHALPY ANALYTICAL

Batch QC

QC1339413 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	242.1	250.0	pptv	97%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1339414**	**Batch:**	**395023**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1339414 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Freon 12	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloromethane	ND		pptv	100	02/11/26 10:25	02/11/26 10:25
Freon 114	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Vinyl Chloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromomethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Vinyl bromide	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Trichlorofluoromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Methylene Chloride	ND		pptv	20	02/11/26 10:25	02/11/26 10:25
Freon 113	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
trans-1,2-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1-Dichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
cis-1,2-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloroform	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,1-Trichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Benzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Carbon Tetrachloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichloropropane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromodichloromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Trichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
cis-1,3-Dichloropropene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
trans-1,3-Dichloropropene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,2-Trichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Toluene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Dibromochloromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dibromoethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Tetrachloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Ethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
m,p-Xylenes	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromoform	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Styrene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
o-Xylene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
2-Chlorotoluene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,3,5-Trimethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2,4-Trimethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Benzyl chloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,3-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,4-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2,4-Trichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Hexachlorobutadiene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Xylene (total)	ND		pptv	10	02/11/26 10:25	02/11/26 10:25

ENTHALPY ANALYTICAL

Batch QC

QC1339414 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	94%		%REC	70-130	02/11/26 10:25	02/11/26 10:25

ND Not Detected

Atmospheric Analysis & Consulting, Inc

CLIENT	: SCS Engineers
PROJECT NAME	: Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	: 260396
REPORT DATE	: 02/24/2026

On February 18th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260396-86482
MS-12	260396-86483
MS-08	260396-86484
MS-09	260396-86485
MS-10	260396-86486
MS-06	260396-86487
MS-11	260396-86488

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260396
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/17-18/2026
RECEIVING DATE : 02/18/2026
ANALYSIS DATE : 02/18/2026
REPORT DATE : 02/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260396-86482	260396-86483	260396-86484	260396-86485
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260396
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/17-18/2026
RECEIVING DATE : 02/18/2026
ANALYSIS DATE : 02/18/2026
REPORT DATE : 02/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260396-86486	260396-86487	260396-86488
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 2/18/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date: : 02/10/2025

Opening Calibration Verification Standard

494.0 ppbV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21391	481	97.3	1.2
Duplicate	21402	481	97.4	1.2
Triplicate	22192	499	100.9	2.4

507.5 ppbV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	19623	511	100.6	0.7
Duplicate	19582	510	100.4	0.9
Triplicate	20072	522	102.9	1.6

480.5 ppbV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22086	489	101.8	1.1
Duplicate	22138	490	102.1	0.8
Triplicate	22740	504	104.8	1.9

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 260329-86137**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate **Sample ID 260329-86137 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	247.0	256.7	233.3	103.9	94.5	9.5
MeSH	<PQL	253.8	247.8	249.1	97.7	98.2	0.5
DMS	<PQL	240.3	247.0	244.2	102.8	101.6	1.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	494.0	455.5	92.2
MeSH	507.5	507.0	99.9
DMS	480.5	497.5	103.5

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 50.0 ppbV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 260396

Client/Project Name	Project Location
SCS Engineers Chiquita Canyon Landfill Airfloor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print) / **(Signature)**	**No. Of Containers**
Jacob Pennington / Jacob Pennington	7

ANALYSES

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	3791 Sulfur					Remarks
MS-07	2-17/18-26	0715 - 0715	86482	1o Liter Bag	X					
MS-12	2-17/18-26	0732 - 0732	86483	1o Liter Bag	X					
MS-08	2-17/18-26	0744 - 0744	86484	1o Liter Bag	X					
MS-09	2-17/18-26	0756 - 0756	86485	1o Liter Bag	X					
MS-10	2-17/18-26	0810 - 0810	86486	1o Liter Bag	X					
MS-06	2-17/18-26	0825 - 0825	86487	1o Liter Bag	X					
MS-11	2-17/18-26	0850 - 0850	86488	1o Liter Bag	X					

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
Jacob Pennington	2/18/26	1003			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
				2/18/26	1003
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	553527 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 02/18/26

Sample ID	Lab ID	Collected	Matrix
MS-07	553527-001	02/18/26 07:15	Air
MS-12	553527-002	02/18/26 07:32	Air
MS-08	553527-003	02/18/26 07:44	Air
MS-09	553527-004	02/18/26 07:56	Air
MS-10	553527-005	02/18/26 08:10	Air
MS-06	553527-006	02/18/26 08:25	Air
MS-11	553527-007	02/18/26 08:50	Air

Case Narrative

SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: Project No: Location: Date Received:	553527 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 02/18/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/18/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):
No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 553527

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Airlodor Sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300 Long Beach CA 90806					
				Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Analysis Request: Extended List 2-15

Required Turnaround Time: Standard ☐ 5 Day ☐ 3 Day ☐ 2 Day ☐ 1 Day ☐ Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70696	6L	A70175	2-17-26	0715	-28	2-18-26	0715	-8	X
2	MS-12	A	C70339	6L	A70585	2-17-26	0732	-30	2-18-26	0732	-10	X
3	MS-08	A	C70807	6L	A70598	2-17-26	0744	-27	2-18-26	0744	-0	X
4	MS-09	A	C70918	6L	A70623	2-17-26	0756	-28	2-18-26	0756	-4	X
5	MS-10	A	C70657	6L	A70661	2-17-26	0810	-29	2-18-26	0810	-4	X
6	MS-06	A	C70942	6L	A70504	2-17-26	0825	-29	2-18-26	0825	-4	X
7	MS-11	A	C70120	6L	A70437	2-17-26	0850	-30	2-18-26	0850	-2	X
8												
9												
10												

Login 553527

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	RES	2-18-26 / 1212
RECEIVED BY:		JXR	EA	2-18-26 1212
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 02/18/26 WO# 553527 Client: SCS ENGINEERS

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ☒ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ☒ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 02/18/26 By (initials) JXR Type of ice used: ☐ Wet ☐ Blue/Gel ☒ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

☒ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____/_____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ☒ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

☐ **No additional discrepancies**

Date Logged 02/18/26 **By (print)** FPD **(sign)** _____

Date Labeled 02/18/26 **By (print)** NIG **(sign)** for NIG

ENTHALPY ANALYTICAL

Analysis Results for 553527

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 553527
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/18/26

Sample ID: MS-07 **Lab ID: 553527-001** **Collected: 02/18/26 07:15**
Matrix: Air

553527-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 12	**0.44**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloromethane	**0.53**		ppbv	0.11	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromomethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 113	**0.062**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloroform	**0.014**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichloroethane	**0.021**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Benzene	**0.096**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Carbon Tetrachloride	**0.075**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Toluene	**0.047**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
m,p-Xylenes	**0.014**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromoform	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Styrene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
o-Xylene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

553527-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Xylene (total)	**0.014**		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

Sample ID: MS-12	Lab ID: 553527-002	Collected: 02/18/26 07:32
	Matrix: Air	

553527-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 12	**0.42**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloromethane	**0.51**		ppbv	0.11	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 114	**0.015**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromomethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Methylene Chloride	**0.10**		ppbv	0.022	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 113	**0.059**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloroform	**0.014**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Benzene	**0.093**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Toluene	**0.045**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
m,p-Xylenes	**0.014**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromoform	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Styrene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
o-Xylene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

553527-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Xylene (total)	**0.014**		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Surrogates				**Limits**					
Bromofluorobenzene	98%		%REC	60-140	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

Sample ID: MS-08	Lab ID: 553527-003	Collected: 02/18/26 07:44
	Matrix: Air	

553527-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 12	**0.42**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloromethane	**0.51**		ppbv	0.10	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 114	**0.015**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloroethane	**0.014**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Trichlorofluoromethane	**0.18**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 113	**0.059**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloroform	**0.014**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Benzene	**0.088**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Carbon Tetrachloride	**0.072**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Toluene	**0.083**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Tetrachloroethene	**0.025**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
m,p-Xylenes	**0.023**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Styrene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
o-Xylene	**0.010**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2,4-Trimethylbenzene	**0.014**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

553527-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Xylene (total)	**0.033**		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Surrogates				**Limits**					
Bromofluorobenzene	91%		%REC	60-140	1	395603	02/18/26 22:48	02/18/26 22:48	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

Sample ID: MS-09	Lab ID: 553527-004	Collected: 02/18/26 07:56
	Matrix: Air	

553527-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 12	**0.42**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloromethane	**0.54**		ppbv	0.10	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 114	**0.015**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloroethane	**0.031**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 113	**0.060**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloroform	**0.016**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Benzene	**0.094**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Carbon Tetrachloride	**0.073**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Toluene	**0.10**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Tetrachloroethene	**0.015**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Ethylbenzene	**0.011**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
m,p-Xylenes	**0.032**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Styrene	**0.022**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
o-Xylene	**0.012**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2,4-Trimethylbenzene	**0.014**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

553527-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Xylene (total)	**0.045**		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Surrogates				**Limits**					
Bromofluorobenzene	91%		%REC	60-140	1	395603	02/18/26 23:37	02/18/26 23:37	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

Sample ID: MS-10	Lab ID: 553527-005	Collected: 02/18/26 08:10
	Matrix: Air	

553527-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 12	**0.42**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloromethane	**0.56**		ppbv	0.10	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 114	**0.015**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloroethane	**0.094**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 113	**0.061**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloroform	**0.016**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichloroethane	**0.021**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Benzene	**0.095**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Carbon Tetrachloride	**0.074**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Toluene	**0.13**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Tetrachloroethene	**0.020**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Ethylbenzene	**0.011**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
m,p-Xylenes	**0.030**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Styrene	**0.028**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
o-Xylene	**0.012**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2,4-Trimethylbenzene	**0.015**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

553527-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Xylene (total)	**0.042**		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Surrogates				**Limits**					
Bromofluorobenzene	90%		%REC	60-140	1	395603	02/19/26 00:26	02/19/26 00:26	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

Sample ID: MS-06	Lab ID: 553527-006	Collected: 02/18/26 08:25
	Matrix: Air	

553527-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 12	**0.44**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloromethane	**0.53**		ppbv	0.10	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 114	**0.015**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloroethane	**0.030**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 113	**0.061**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloroform	**0.015**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichloroethane	**0.021**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Benzene	**0.094**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Carbon Tetrachloride	**0.074**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Toluene	**0.096**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Tetrachloroethene	**0.024**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
m,p-Xylenes	**0.024**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Styrene	**0.016**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
o-Xylene	**0.011**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2,4-Trimethylbenzene	**0.016**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

553527-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Xylene (total)	**0.036**		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Surrogates				**Limits**					
Bromofluorobenzene	92%		%REC	60-140	1	395603	02/19/26 01:14	02/19/26 01:14	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

Sample ID: MS-11	Lab ID: 553527-007	Collected: 02/18/26 08:50
	Matrix: Air	

553527-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 12	**0.44**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloromethane	**0.53**		ppbv	0.10	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 114	**0.015**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 113	**0.061**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloroform	**0.014**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Benzene	**0.087**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Carbon Tetrachloride	**0.075**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Toluene	**0.040**		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Tetrachloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
m,p-Xylenes	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Styrene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
o-Xylene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 553527

553527-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Xylene (total)	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Surrogates				**Limits**					
Bromofluorobenzene	93%		%REC	60-140	1	395603	02/19/26 02:03	02/19/26 02:03	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1341408**	**Batch:**	**395603**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1341408 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	205.5	200.0	pptv	103%		70-130
1,1,1,2-Tetrachloroethane	210.5	200.0	pptv	105%		70-130
Freon 12	199.6	200.0	pptv	100%		70-130
Chloromethane	196.2	200.0	pptv	98%		70-130
Freon 114	202.5	200.0	pptv	101%		70-130
Vinyl Chloride	200.5	200.0	pptv	100%		70-130
Bromomethane	197.4	200.0	pptv	99%		70-130
Chloroethane	201.5	200.0	pptv	101%		70-130
Vinyl bromide	199.1	200.0	pptv	100%		70-130
Trichlorofluoromethane	200.7	200.0	pptv	100%		70-130
1,1-Dichloroethene	196.2	200.0	pptv	98%		70-130
Methylene Chloride	185.1	200.0	pptv	93%		70-130
Freon 113	201.8	200.0	pptv	101%		70-130
trans-1,2-Dichloroethene	195.1	200.0	pptv	98%		70-130
1,1-Dichloroethane	200.9	200.0	pptv	100%		70-130
cis-1,2-Dichloroethene	194.0	200.0	pptv	97%		70-130
Chloroform	201.8	200.0	pptv	101%		70-130
1,2-Dichloroethane	197.9	200.0	pptv	99%		70-130
1,1,1-Trichloroethane	206.0	200.0	pptv	103%		70-130
Benzene	192.8	200.0	pptv	96%		70-130
Carbon Tetrachloride	203.6	200.0	pptv	102%		70-130
1,2-Dichloropropane	205.8	200.0	pptv	103%		70-130
Bromodichloromethane	206.6	200.0	pptv	103%		70-130
Trichloroethene	197.9	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	204.9	200.0	pptv	102%		70-130
trans-1,3-Dichloropropene	207.4	200.0	pptv	104%		70-130
1,1,2-Trichloroethane	206.3	200.0	pptv	103%		70-130
Toluene	194.6	200.0	pptv	97%		70-130
Dibromochloromethane	207.1	200.0	pptv	104%		70-130
1,2-Dibromoethane	204.0	200.0	pptv	102%		70-130
Tetrachloroethene	211.7	200.0	pptv	106%		70-130
Chlorobenzene	201.6	200.0	pptv	101%		70-130
Ethylbenzene	190.3	200.0	pptv	95%		70-130
m,p-Xylenes	396.6	400.0	pptv	99%		70-130
Bromoform	209.7	200.0	pptv	105%		70-130
Styrene	197.8	200.0	pptv	99%		70-130
o-Xylene	203.3	200.0	pptv	102%		70-130
2-Chlorotoluene	196.8	200.0	pptv	98%		70-130
1,3,5-Trimethylbenzene	200.1	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	195.7	200.0	pptv	98%		70-130
Benzyl chloride	222.6	200.0	pptv	111%		70-130
1,3-Dichlorobenzene	203.5	200.0	pptv	102%		70-130
1,4-Dichlorobenzene	204.0	200.0	pptv	102%		70-130
1,2-Dichlorobenzene	202.3	200.0	pptv	101%		70-130
1,2,4-Trichlorobenzene	173.2	200.0	pptv	87%		70-130
Hexachlorobutadiene	186.6	200.0	pptv	93%		70-130
Surrogates						

Batch QC

QC1341408 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	265.0	250.0	pptv	106%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1341409**	**Batch:**	**395603**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1341409 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	210.0	200.0	pptv	105%		70-130	2	25
1,1,1,2-Tetrachloroethane	214.6	200.0	pptv	107%		70-130	2	25
Freon 12	202.4	200.0	pptv	101%		70-130	1	25
Chloromethane	197.2	200.0	pptv	99%		70-130	1	25
Freon 114	204.5	200.0	pptv	102%		70-130	1	25
Vinyl Chloride	202.5	200.0	pptv	101%		70-130	1	25
Bromomethane	198.5	200.0	pptv	99%		70-130	1	25
Chloroethane	203.9	200.0	pptv	102%		70-130	1	25
Vinyl bromide	201.0	200.0	pptv	100%		70-130	1	25
Trichlorofluoromethane	203.0	200.0	pptv	102%		70-130	1	25
1,1-Dichloroethene	199.6	200.0	pptv	100%		70-130	2	25
Methylene Chloride	186.7	200.0	pptv	93%		70-130	1	25
Freon 113	205.0	200.0	pptv	102%		70-130	2	25
trans-1,2-Dichloroethene	198.3	200.0	pptv	99%		70-130	2	25
1,1-Dichloroethane	204.1	200.0	pptv	102%		70-130	2	25
cis-1,2-Dichloroethene	197.0	200.0	pptv	98%		70-130	2	25
Chloroform	204.3	200.0	pptv	102%		70-130	1	25
1,2-Dichloroethane	201.3	200.0	pptv	101%		70-130	2	25
1,1,1-Trichloroethane	208.6	200.0	pptv	104%		70-130	1	25
Benzene	196.3	200.0	pptv	98%		70-130	2	25
Carbon Tetrachloride	206.1	200.0	pptv	103%		70-130	1	25
1,2-Dichloropropane	208.4	200.0	pptv	104%		70-130	1	25
Bromodichloromethane	209.0	200.0	pptv	104%		70-130	1	25
Trichloroethene	200.2	200.0	pptv	100%		70-130	1	25
cis-1,3-Dichloropropene	209.3	200.0	pptv	105%		70-130	2	25
trans-1,3-Dichloropropene	212.3	200.0	pptv	106%		70-130	2	25
1,1,2-Trichloroethane	207.8	200.0	pptv	104%		70-130	1	25
Toluene	197.9	200.0	pptv	99%		70-130	2	25
Dibromochloromethane	209.7	200.0	pptv	105%		70-130	1	25
1,2-Dibromoethane	206.8	200.0	pptv	103%		70-130	1	25
Tetrachloroethene	214.9	200.0	pptv	107%		70-130	1	25
Chlorobenzene	207.0	200.0	pptv	103%		70-130	3	25
Ethylbenzene	195.8	200.0	pptv	98%		70-130	3	25
m,p-Xylenes	407.6	400.0	pptv	102%		70-130	3	25
Bromoform	215.5	200.0	pptv	108%		70-130	3	25
Styrene	204.3	200.0	pptv	102%		70-130	3	25
o-Xylene	208.9	200.0	pptv	104%		70-130	3	25
2-Chlorotoluene	203.1	200.0	pptv	102%		70-130	3	25
1,3,5-Trimethylbenzene	205.0	200.0	pptv	103%		70-130	2	25
1,2,4-Trimethylbenzene	201.9	200.0	pptv	101%		70-130	3	25
Benzyl chloride	229.1	200.0	pptv	115%		70-130	3	25
1,3-Dichlorobenzene	209.9	200.0	pptv	105%		70-130	3	25
1,4-Dichlorobenzene	209.5	200.0	pptv	105%		70-130	3	25
1,2-Dichlorobenzene	208.1	200.0	pptv	104%		70-130	3	25
1,2,4-Trichlorobenzene	181.4	200.0	pptv	91%		70-130	5	25
Hexachlorobutadiene	192.4	200.0	pptv	96%		70-130	3	25

ENTHALPY ANALYTICAL

Batch QC

QC1341409 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	263.0	250.0	pptv	105%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1341410**	**Batch:**	**395603**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1341410 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Freon 12	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloromethane	ND		pptv	100	02/18/26 10:39	02/18/26 10:39
Freon 114	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Vinyl Chloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromomethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Vinyl bromide	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Trichlorofluoromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Methylene Chloride	ND		pptv	20	02/18/26 10:39	02/18/26 10:39
Freon 113	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
trans-1,2-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1-Dichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
cis-1,2-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloroform	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,1-Trichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Benzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Carbon Tetrachloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichloropropane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromodichloromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Trichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
cis-1,3-Dichloropropene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
trans-1,3-Dichloropropene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,2-Trichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Toluene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Dibromochloromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dibromoethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Tetrachloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Ethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
m,p-Xylenes	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromoform	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Styrene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
o-Xylene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
2-Chlorotoluene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,3,5-Trimethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2,4-Trimethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Benzyl chloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,3-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,4-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2,4-Trichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Hexachlorobutadiene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Xylene (total)	ND		pptv	10	02/18/26 10:39	02/18/26 10:39

Batch QC

QC1341410 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	91%		%REC	70-130	02/18/26 10:39	02/18/26 10:39

ND Not Detected

Atmospheric Analysis & Consulting, Inc

CLIENT	:	SCS Engineers
PROJECT NAME	:	Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	:	260439
REPORT DATE	:	02/20/2026

On February 24th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260439-86624
MS-12	260439-86625
MS-08	260439-86626
MS-09	260439-86627
MS-10	260439-86628
MS-06	260439-86629
MS-11	260439-86630

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260439
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/23-24/2026
RECEIVING DATE : 02/24/2026
ANALYSIS DATE : 02/24/2026
REPORT DATE : 02/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260439-86624	260439-86625	260439-86626	260439-86627
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260439
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/23-24/2026
RECEIVING DATE : 02/24/2026
ANALYSIS DATE : 02/24/2026
REPORT DATE : 02/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260439-86628	260439-86629	260439-86630
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 2/24/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8085	0.513	103.9	0.2
Duplicate	8121	0.516	104.4	0.2
Triplicate	8095	0.514	104.1	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7469	0.512	100.8	0.4
Duplicate	7695	0.527	103.9	2.6
Triplicate	7337	0.503	99.0	2.2

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8227	0.500	104.1	0.4
Duplicate	8261	0.502	104.6	0.0
Triplicate	8286	0.504	104.9	0.3

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 260329-86137**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 260329-86137 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.223	0.224	90.3	90.7	0.4
MeSH	<PQL	0.254	0.257	0.263	101.3	103.6	2.3
DMS	<PQL	0.240	0.255	0.262	106.1	109.1	2.7

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.458	92.7
MeSH	0.508	0.470	92.6
DMS	0.481	0.453	94.3

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 260439

Client/Project Name	Project Location
SCS Engineers / Chiquita Canyon Landfill Air/Odor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print)	**(Signature)**
Jacob Pennington	

No. Of Containers: 7

ANALYSES

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 Sulfur					Remarks
MS-07	2-23/24-26	0730-0730	86624	1o Liter Bag	X					
MS-12	2-23/24-26	0740-0740	86625	1o Liter Bag	X					
MS-08	2-23/24-26	0757-0757	86626	1o Liter Bag	X					
MS-09	2-23/24-26	0815-0815	86627	1o Liter Bag	X					
MS-10	2-23/24-26	0825-0825	86628	1o Liter Bag	X					
MS-06	2-23/24-26	0839-0839	86629	1o Liter Bag	X					
MS-11	2-23/24-26	0851-0851	86630	1o Liter Bag	X					

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
	2/24/26	1012			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
				2/24/26	1012
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	554082 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 02/24/26

Sample ID	Lab ID	Collected	Matrix
MS-07	554082-001	02/24/26 07:30	Air
MS-12	554082-002	02/24/26 07:40	Air
MS-08	554082-003	02/24/26 07:57	Air
MS-09	554082-004	02/24/26 08:15	Air
MS-10	554082-005	02/24/26 08:25	Air
MS-06	554082-006	02/24/26 08:39	Air
MS-11	554082-007	02/24/26 08:51	Air

Case Narrative

SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: 554082 Project No: CHIQUITA WEEKLY AIR Location: Chiquita Canyon Landfill Air/Odor Sampling Date Received: 02/24/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/24/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):
No analytical problems were encountered.

Login 554082

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. _____

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Airlodar Sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300					Analysis Request
	Long Beach, CA 90806			Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Jacob Pennington	

Special Instructions:

Extended List 10-15

Required Turnaround Time

- Standard ☐
- 5 Day ☐
- 3 Day ☐
- 2 Day ☐
- 1 Day ☐

Custom TAT: _____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70685	6L	A70568	2-23-26	0730	-29	2-24-26	0730	-7	X
2	MS-12	A	C70427	6L	A70607	2-23-26	0740	-30	2-24-26	0740	-7	X
3	MS-08	A	C70359	6L	A70149	2-23-26	0757	-30	2-24-26	0757	-8	X JP
4	MS-09	A	C70944	6L	~~A70669~~	2-23-26	0815	-29	2-24-26	0815	-8	X A70440
5	MS-10	A	C70979	6L	~~A70440~~	2-23-26	0825	-0	2-24-26	0825	-0	X A70099
6	MS-06	A	C70352	6L	A70605	2-23-26	0839	-30	2-24-26	0839	-10	X JP
7	MS-11	A	C70235	6L	A70648	2-23-26	0851	-30	2-24-26	0851	-7	X
8												
9												
10												

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Jacob Pennington	RES	2/24/26 1222
RECEIVED BY:		Nicole Mendoza	EA	2-24-26 12:22
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 02/24/26 WO# 554082 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 02/24/26 By (initials) NCM Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ■ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?			
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.C - NO SAMPLING DATE & TIME ON CANISTER TAGS.

☐ **No additional discrepancies**

Date Logged 02/24/26 **By (print)** FPD **(sign)** _____

Date Labeled 02/24/26 **By (print)** FPD **(sign)** _____

ENTHALPY ANALYTICAL

Analysis Results for 554082

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 554082
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/24/26

Sample ID: MS-07 **Lab ID: 554082-001** **Collected: 02/24/26 07:30**
Matrix: Air

554082-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 12	**0.48**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloromethane	**0.54**		ppbv	0.10	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 114	**0.017**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloroethane	**0.026**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Methylene Chloride	**0.12**		ppbv	0.021	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 113	**0.064**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloroform	**0.016**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Benzene	**0.13**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Carbon Tetrachloride	**0.086**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Toluene	**0.13**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Tetrachloroethene	**0.014**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Ethylbenzene	**0.017**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
m,p-Xylenes	**0.052**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Styrene	**0.017**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
o-Xylene	**0.020**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2,4-Trimethylbenzene	**0.025**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

554082-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Xylene (total)	**0.072**		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1	396338	02/25/26 16:54	02/25/26 16:54	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

Sample ID: MS-12	Lab ID: 554082-002	Collected: 02/24/26 07:40
	Matrix: Air	

554082-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 12	**0.48**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloromethane	**0.50**		ppbv	0.10	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 114	**0.016**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloroethane	**0.13**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Methylene Chloride	**0.11**		ppbv	0.021	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 113	**0.063**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloroform	**0.017**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Benzene	**0.11**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Carbon Tetrachloride	**0.085**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Toluene	**0.19**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Tetrachloroethene	**0.012**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Ethylbenzene	**0.023**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
m,p-Xylenes	**0.076**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Styrene	**0.016**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
o-Xylene	**0.028**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2,4-Trimethylbenzene	**0.034**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

554082-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Xylene (total)	**0.10**		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1	396338	02/25/26 17:43	02/25/26 17:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

Sample ID: MS-08	Lab ID: 554082-003	Collected: 02/24/26 07:57
	Matrix: Air	

554082-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 12	**0.48**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloromethane	**0.48**		ppbv	0.10	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 114	**0.016**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Methylene Chloride	**0.10**		ppbv	0.021	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 113	**0.064**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloroform	**0.016**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichloroethane	**0.020**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Benzene	**0.071**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Carbon Tetrachloride	**0.087**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Toluene	**0.077**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Tetrachloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Ethylbenzene	**0.013**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
m,p-Xylenes	**0.042**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Styrene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
o-Xylene	**0.016**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2,4-Trimethylbenzene	**0.017**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

554082-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Xylene (total)	**0.058**		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1	396338	02/25/26 18:31	02/25/26 18:31	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

Sample ID: MS-09	Lab ID: 554082-004	Collected: 02/24/26 08:15
	Matrix: Air	

554082-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 12	**0.47**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloromethane	**0.47**		ppbv	0.11	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloroethane	**0.062**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Trichlorofluoromethane	**0.20**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Methylene Chloride	**0.12**		ppbv	0.022	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 113	**0.062**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloroform	**0.019**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichloroethane	**0.021**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Benzene	**0.11**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Carbon Tetrachloride	**0.085**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Toluene	**0.24**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Ethylbenzene	**0.021**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
m,p-Xylenes	**0.069**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Styrene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
o-Xylene	**0.025**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2,4-Trimethylbenzene	**0.020**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

554082-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Xylene (total)	**0.094**		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

Sample ID: MS-10	Lab ID: 554082-005	Collected: 02/24/26 08:25
	Matrix: Air	

554082-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 12	**0.51**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloromethane	**0.48**		ppbv	0.11	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Methylene Chloride	**0.099**		ppbv	0.021	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 113	**0.063**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloroform	**0.027**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichloroethane	**0.021**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Benzene	**0.11**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Carbon Tetrachloride	**0.092**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Toluene	**0.17**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Ethylbenzene	**0.026**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
m,p-Xylenes	**0.089**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Styrene	**0.033**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
o-Xylene	**0.036**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2,4-Trimethylbenzene	**0.039**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

554082-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Xylene (total)	**0.13**		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

Sample ID: MS-06	Lab ID: 554082-006	Collected: 02/24/26 08:39
	Matrix: Air	

554082-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 12	**0.49**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloromethane	**0.44**		ppbv	0.12	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 114	**0.016**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromomethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloroethane	**0.029**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Methylene Chloride	**0.11**		ppbv	0.024	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 113	**0.062**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloroform	**0.020**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichloroethane	**0.021**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Benzene	**0.092**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Carbon Tetrachloride	**0.089**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Trichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Toluene	**0.16**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Ethylbenzene	**0.020**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
m,p-Xylenes	**0.061**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromoform	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Styrene	**0.074**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
o-Xylene	**0.024**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2,4-Trimethylbenzene	**0.019**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

554082-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Xylene (total)	**0.084**		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

Sample ID: MS-11	Lab ID: 554082-007	Collected: 02/24/26 08:51
	Matrix: Air	

554082-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 12	**0.53**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloromethane	**0.48**		ppbv	0.11	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloroethane	**0.058**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Methylene Chloride	**0.15**		ppbv	0.022	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 113	**0.064**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloroform	**0.021**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichloroethane	**0.021**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Benzene	**0.092**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Carbon Tetrachloride	**0.091**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Toluene	**0.18**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Ethylbenzene	**0.018**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
m,p-Xylenes	**0.055**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Styrene	**0.014**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
o-Xylene	**0.021**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2,4-Trimethylbenzene	**0.022**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554082

554082-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Xylene (total)	**0.075**		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1344113**	**Batch:**	**396338**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1344113 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	198.6	200.0	pptv	99%		70-130
1,1,1,2-Tetrachloroethane	219.7	200.0	pptv	110%		70-130
Freon 12	218.5	200.0	pptv	109%		70-130
Chloromethane	203.8	200.0	pptv	102%		70-130
Freon 114	211.4	200.0	pptv	106%		70-130
Vinyl Chloride	201.3	200.0	pptv	101%		70-130
Bromomethane	199.0	200.0	pptv	100%		70-130
Chloroethane	197.4	200.0	pptv	99%		70-130
Vinyl bromide	208.8	200.0	pptv	104%		70-130
Trichlorofluoromethane	222.5	200.0	pptv	111%		70-130
1,1-Dichloroethene	206.5	200.0	pptv	103%		70-130
Methylene Chloride	192.4	200.0	pptv	96%		70-130
Freon 113	211.3	200.0	pptv	106%		70-130
trans-1,2-Dichloroethene	207.4	200.0	pptv	104%		70-130
1,1-Dichloroethane	209.7	200.0	pptv	105%		70-130
cis-1,2-Dichloroethene	206.0	200.0	pptv	103%		70-130
Chloroform	209.3	200.0	pptv	105%		70-130
1,2-Dichloroethane	215.6	200.0	pptv	108%		70-130
1,1,1-Trichloroethane	225.2	200.0	pptv	113%		70-130
Benzene	190.9	200.0	pptv	95%		70-130
Carbon Tetrachloride	231.0	200.0	pptv	115%		70-130
1,2-Dichloropropane	205.6	200.0	pptv	103%		70-130
Bromodichloromethane	219.8	200.0	pptv	110%		70-130
Trichloroethene	207.7	200.0	pptv	104%		70-130
cis-1,3-Dichloropropene	217.1	200.0	pptv	109%		70-130
trans-1,3-Dichloropropene	221.7	200.0	pptv	111%		70-130
1,1,2-Trichloroethane	206.3	200.0	pptv	103%		70-130
Toluene	199.3	200.0	pptv	100%		70-130
Dibromochloromethane	225.5	200.0	pptv	113%		70-130
1,2-Dibromoethane	211.9	200.0	pptv	106%		70-130
Tetrachloroethene	229.1	200.0	pptv	115%		70-130
Chlorobenzene	199.2	200.0	pptv	100%		70-130
Ethylbenzene	196.1	200.0	pptv	98%		70-130
m,p-Xylenes	402.3	400.0	pptv	101%		70-130
Bromoform	205.3	200.0	pptv	103%		70-130
Styrene	195.3	200.0	pptv	98%		70-130
o-Xylene	203.0	200.0	pptv	102%		70-130
2-Chlorotoluene	197.6	200.0	pptv	99%		70-130
1,3,5-Trimethylbenzene	202.8	200.0	pptv	101%		70-130
1,2,4-Trimethylbenzene	201.4	200.0	pptv	101%		70-130
Benzyl chloride	234.3	200.0	pptv	117%		70-130
1,3-Dichlorobenzene	203.6	200.0	pptv	102%		70-130
1,4-Dichlorobenzene	202.2	200.0	pptv	101%		70-130
1,2-Dichlorobenzene	196.2	200.0	pptv	98%		70-130
1,2,4-Trichlorobenzene	155.4	200.0	pptv	78%		70-130
Hexachlorobutadiene	192.6	200.0	pptv	96%		70-130
Surrogates						

Batch QC

QC1344113 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	240.8	250.0	pptv	96%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1344114**	**Batch:**	**396338**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1344114 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	197.6	200.0	pptv	99%		70-130	1	25
1,1,1,2-Tetrachloroethane	219.1	200.0	pptv	110%		70-130	0	25
Freon 12	210.6	200.0	pptv	105%		70-130	4	25
Chloromethane	191.2	200.0	pptv	96%		70-130	6	25
Freon 114	202.6	200.0	pptv	101%		70-130	4	25
Vinyl Chloride	190.7	200.0	pptv	95%		70-130	5	25
Bromomethane	191.6	200.0	pptv	96%		70-130	4	25
Chloroethane	191.3	200.0	pptv	96%		70-130	3	25
Vinyl bromide	202.0	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	219.1	200.0	pptv	110%		70-130	2	25
1,1-Dichloroethene	200.7	200.0	pptv	100%		70-130	3	25
Methylene Chloride	187.8	200.0	pptv	94%		70-130	2	25
Freon 113	206.3	200.0	pptv	103%		70-130	2	25
trans-1,2-Dichloroethene	205.1	200.0	pptv	103%		70-130	1	25
1,1-Dichloroethane	206.3	200.0	pptv	103%		70-130	2	25
cis-1,2-Dichloroethene	203.9	200.0	pptv	102%		70-130	1	25
Chloroform	208.0	200.0	pptv	104%		70-130	1	25
1,2-Dichloroethane	213.4	200.0	pptv	107%		70-130	1	25
1,1,1-Trichloroethane	225.5	200.0	pptv	113%		70-130	0	25
Benzene	189.3	200.0	pptv	95%		70-130	1	25
Carbon Tetrachloride	232.8	200.0	pptv	116%		70-130	1	25
1,2-Dichloropropane	203.3	200.0	pptv	102%		70-130	1	25
Bromodichloromethane	221.5	200.0	pptv	111%		70-130	1	25
Trichloroethene	206.6	200.0	pptv	103%		70-130	1	25
cis-1,3-Dichloropropene	220.0	200.0	pptv	110%		70-130	1	25
trans-1,3-Dichloropropene	223.1	200.0	pptv	112%		70-130	1	25
1,1,2-Trichloroethane	205.2	200.0	pptv	103%		70-130	1	25
Toluene	198.7	200.0	pptv	99%		70-130	0	25
Dibromochloromethane	228.5	200.0	pptv	114%		70-130	1	25
1,2-Dibromoethane	213.8	200.0	pptv	107%		70-130	1	25
Tetrachloroethene	228.6	200.0	pptv	114%		70-130	0	25
Chlorobenzene	198.7	200.0	pptv	99%		70-130	0	25
Ethylbenzene	195.6	200.0	pptv	98%		70-130	0	25
m,p-Xylenes	400.4	400.0	pptv	100%		70-130	0	25
Bromoform	208.3	200.0	pptv	104%		70-130	1	25
Styrene	195.4	200.0	pptv	98%		70-130	0	25
o-Xylene	202.7	200.0	pptv	101%		70-130	0	25
2-Chlorotoluene	198.5	200.0	pptv	99%		70-130	0	25
1,3,5-Trimethylbenzene	202.6	200.0	pptv	101%		70-130	0	25
1,2,4-Trimethylbenzene	202.6	200.0	pptv	101%		70-130	1	25
Benzyl chloride	239.4	200.0	pptv	120%		70-130	2	25
1,3-Dichlorobenzene	204.4	200.0	pptv	102%		70-130	0	25
1,4-Dichlorobenzene	198.6	200.0	pptv	99%		70-130	2	25
1,2-Dichlorobenzene	197.5	200.0	pptv	99%		70-130	1	25
1,2,4-Trichlorobenzene	188.0	200.0	pptv	94%		70-130	19	25
Hexachlorobutadiene	200.3	200.0	pptv	100%		70-130	4	25

ENTHALPY ANALYTICAL

Batch QC

QC1344114 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	240.2	250.0	pptv	96%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1344115**	**Batch:**	**396338**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1344115 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Freon 12	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloromethane	ND		pptv	100	02/25/26 09:50	02/25/26 09:50
Freon 114	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Vinyl Chloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromomethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Vinyl bromide	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Trichlorofluoromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Methylene Chloride	ND		pptv	20	02/25/26 09:50	02/25/26 09:50
Freon 113	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
trans-1,2-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1-Dichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
cis-1,2-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloroform	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,1-Trichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Benzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Carbon Tetrachloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichloropropane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromodichloromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Trichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
cis-1,3-Dichloropropene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
trans-1,3-Dichloropropene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,2-Trichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Toluene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Dibromochloromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dibromoethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Tetrachloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Ethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
m,p-Xylenes	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromoform	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Styrene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
o-Xylene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
2-Chlorotoluene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,3,5-Trimethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2,4-Trimethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Benzyl chloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,3-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,4-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2,4-Trichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Hexachlorobutadiene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Xylene (total)	ND		pptv	10	02/25/26 09:50	02/25/26 09:50

Batch QC

QC1344115 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	94%		%REC	70-130	02/25/26 09:50	02/25/26 09:50

ND Not Detected

April 21, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: **Monthly Enhanced Air Monitoring Program Data, March 2026, Chiquita Canyon Landfill**

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the March 2026 24-hr samples are found in **Attachment A.**

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Oder for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of

September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:


https://chiquitacanyon.com/reports/community-air-monitoring-program/

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers


attachments

cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (CTEH)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kevin Green (CCL)

FIGURE 1

MAP OF AIR MONITORING LOCATIONS


Legend
Micro-GC
Off-Site Station
On-Site Station
MS-09
MS-10
MS-08
MS-12
MS-01
MS-04
MS-06
MS-07
MS-02
MS-03
MS-05
MS-11
Del Valle Rd
Camino Cañon Rd
126
5
Google Earth
Image © 2025 Airbus
Community Air Monitoring Program
Continuous Air Monitoring Stations
N
1 mi

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	554705 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/03/26

Sample ID	Lab ID	Collected	Matrix
MS-07	554705-001	03/03/26 07:49	Air
MS-12	554705-002	03/03/26 08:03	Air
MS-08	554705-003	03/03/26 08:17	Air
MS-09	554705-004	03/03/26 08:36	Air
MS-10	554705-005	03/03/26 08:55	Air
MS-06	554705-006	03/03/26 09:25	Air
MS-11	554705-007	03/03/26 08:57	Air

Case Narrative

SCS Engineers - Long Beach 3700 Kilroy Airport Way Suite 100 Long Beach, CA 90806 Raymond Huff	Lab Job Number: 554705 Project No: CHIQUITA WEEKLY AIR Location: Chiquita Canyon Landfill Air/Odor Sampling Date Received: 03/03/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/03/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

- High response was observed for benzyl chloride in the CCV analyzed 03/04/26 21:05; affected data was qualified with "b".
- High recoveries were observed for benzyl chloride in the BS/BSD for batch 397120; the associated RPD was within limits, and this analyte was not detected at or above the RL in the associated samples.
- No other analytical problems were encountered.

Login 554705

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon landfill Air/odor	
Report To:	Roy Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA					Analysis Request: extended list of 15
				Global ID:		
Phone:	562-355	Fax:	562 427-0805	Sampled By:	Aiden Sanchez-Orue	

Special Instructions:

Required Turnaround Time: Standard ☐ 5 Day ☐ 3 Day ☐ 2 Day ☐ 1 Day ☐ Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70949	6L	A70291	3-2-26	0746	-29	3-3-26	0749	-7	
2	MS-12	A	C70315	6L	A70115	3-2-26	0900	-30	3-3-26	0803	-6	
3	MS-08	A	C70860	6L	A70639	3-2-26	0814	-28	3-3-26	0817	-7	
4	MS-09	A	C70273	6L	A70249	3-2-26	0836	-28	3-3-26	0836	-6	
5	MS-10	A	C70659	6L	A70659	3-2-26	0855	-29	3-3-26	0855	-5	
6	MS-06	A	C70926	6L	A70095	3-2-26	0925	-29	3-3-26	0925	-4	
7	MS-11	A	C70984	6L	A70465	3-2-26	0957	-29	3-3-26	0957	-3	
8												
9												
10												

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:	~~Undecipherable~~	Aiden Sanchez-Orue	RES	3/3/26 1420
RECEIVED BY:		Gwenn Kim	EA	3/3/26 1420
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 03-MAR-2026 WO# 554705 Client: SCS Eng

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☑ No

Custody seals intact on arrival? ☑ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ☑ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 03-MAR-2026 By (initials) GCh Type of ice used: ☐ Wet ☐ Blue/Gel ☑ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

☑ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ☑ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ☑ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	✓		
2) Is the sampler's name present on the CoC?	✓		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	✓		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) (1)	✓		✓
5) Were all of, and only, the correct samples received?	✓		
6) Are sample labels present, legible, and in agreement with the CoC?	✓		
7) Does the container count match the CoC?	✓		
8) Was sufficient sample volume / mass received for the analyses requested?	✓		
9) Were samples received in proper containers for the analyses requested?	✓		
10) Were samples received with > 1/2 holding time remaining?	✓		
11) Are samples properly preserved as indicated by CoC / labels?	✓		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			✓
13) Are VOA vials free from headspace/bubbles > 6mm?			✓

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

(1) GCh 3/3/26

☐ **No additional discrepancies**

GCh 3/3/26

Date Logged 03-MAR-2026 **By (print)** EMV **(sign)** _____

Date Labeled 03-MAR-2026 **By (print)** Orange **(sign)** _____

ENTHALPY ANALYTICAL

Analysis Results for 554705

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 554705
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/03/26

Sample ID: MS-07 **Lab ID: 554705-001** **Collected: 03/03/26 07:49**
Matrix: Air

554705-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Freon 12	**0.48**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chloromethane	**0.47**		ppbv	0.10	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Freon 114	**0.016**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chloroethane	**0.012**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Methylene Chloride	**0.095**		ppbv	0.020	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Freon 113	**0.065**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chloroform	**0.019**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Benzene	**0.097**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Carbon Tetrachloride	**0.092**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Toluene	**0.13**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Ethylbenzene	**0.016**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
m,p-Xylenes	**0.043**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Styrene	**0.024**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
o-Xylene	**0.017**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2,4-Trimethylbenzene	**0.015**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

554705-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Xylene (total)	**0.060**		ppbv	0.010	1	397120	03/05/26 00:55	03/05/26 00:55	OHD
Surrogates				**Limits**					
Bromofluorobenzene	99%		%REC	60-140	1	397120	03/05/26 00:55	03/05/26 00:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

Sample ID: MS-12	Lab ID: 554705-002	Collected: 03/03/26 08:03
	Matrix: Air	

554705-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Freon 12	**0.48**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chloromethane	**0.46**		ppbv	0.10	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Freon 114	**0.016**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Methylene Chloride	**0.096**		ppbv	0.020	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Freon 113	**0.065**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chloroform	**0.020**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Benzene	**0.11**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Carbon Tetrachloride	**0.093**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Toluene	**0.16**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Ethylbenzene	**0.025**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
m,p-Xylenes	**0.076**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Styrene	**0.027**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
o-Xylene	**0.030**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2,4-Trimethylbenzene	**0.026**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

554705-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Xylene (total)	**0.11**		ppbv	0.010	1	397120	03/05/26 01:43	03/05/26 01:43	OHD
Surrogates				**Limits**					
Bromofluorobenzene	99%		%REC	60-140	1	397120	03/05/26 01:43	03/05/26 01:43	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

Sample ID: MS-08	Lab ID: 554705-003	Collected: 03/03/26 08:17
	Matrix: Air	

554705-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Freon 12	**0.49**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chloromethane	**0.46**		ppbv	0.11	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Bromomethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chloroethane	**0.014**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Methylene Chloride	**0.098**		ppbv	0.022	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Freon 113	**0.066**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chloroform	**0.018**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Benzene	**0.087**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Carbon Tetrachloride	**0.093**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Trichloroethene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Toluene	**0.13**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Tetrachloroethene	**0.013**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Ethylbenzene	**0.017**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
m,p-Xylenes	**0.046**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Bromoform	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Styrene	**0.018**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
o-Xylene	**0.018**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2,4-Trimethylbenzene	**0.019**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

554705-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Xylene (total)	**0.064**		ppbv	0.011	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1.1	397120	03/05/26 02:32	03/05/26 02:32	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

Sample ID: MS-09	Lab ID: 554705-004	Collected: 03/03/26 08:36
	Matrix: Air	

554705-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Freon 12	**0.48**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chloromethane	**0.47**		ppbv	0.10	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Freon 114	**0.016**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chloroethane	**0.013**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Methylene Chloride	**0.10**		ppbv	0.021	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Freon 113	**0.065**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chloroform	**0.026**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Benzene	**0.090**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Carbon Tetrachloride	**0.093**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Toluene	**0.22**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Ethylbenzene	**0.022**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
m,p-Xylenes	**0.068**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Styrene	**0.17**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
o-Xylene	**0.026**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2,4-Trimethylbenzene	**0.019**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

554705-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Xylene (total)	**0.094**		ppbv	0.010	1	397120	03/05/26 03:21	03/05/26 03:21	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	397120	03/05/26 03:21	03/05/26 03:21	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

Sample ID: MS-10	Lab ID: 554705-005	Collected: 03/03/26 08:55
	Matrix: Air	

554705-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Freon 12	**0.49**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chloromethane	**0.48**		ppbv	0.10	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Freon 114	**0.016**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chloroethane	**0.066**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Freon 113	**0.065**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chloroform	**0.029**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Benzene	**0.093**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Carbon Tetrachloride	**0.093**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Toluene	**0.20**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Tetrachloroethene	**0.012**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Ethylbenzene	**0.022**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
m,p-Xylenes	**0.069**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Styrene	**0.050**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
o-Xylene	**0.026**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2,4-Trimethylbenzene	**0.021**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

554705-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Xylene (total)	**0.094**		ppbv	0.010	1	397120	03/05/26 04:09	03/05/26 04:09	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	397120	03/05/26 04:09	03/05/26 04:09	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

Sample ID: MS-06	Lab ID: 554705-006	Collected: 03/03/26 09:25
	Matrix: Air	

554705-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Freon 12	**0.49**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chloromethane	**0.47**		ppbv	0.10	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Freon 114	**0.016**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Freon 113	**0.065**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chloroform	**0.023**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dichloroethane	**0.018**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Benzene	**0.15**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Carbon Tetrachloride	**0.094**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Toluene	**0.19**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Ethylbenzene	**0.023**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
m,p-Xylenes	**0.057**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Styrene	**0.047**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
o-Xylene	**0.023**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2,4-Trimethylbenzene	**0.018**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

554705-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Xylene (total)	**0.080**		ppbv	0.010	1	397120	03/05/26 04:58	03/05/26 04:58	OHD
Surrogates				**Limits**					
Bromofluorobenzene	99%		%REC	60-140	1	397120	03/05/26 04:58	03/05/26 04:58	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

Sample ID: MS-11	Lab ID: 554705-007	Collected: 03/03/26 08:57
	Matrix: Air	

554705-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Freon 12	**0.49**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chloromethane	**0.54**		ppbv	0.10	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Freon 114	**0.016**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Bromomethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chloroethane	**0.022**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Vinyl bromide	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Methylene Chloride	**0.099**		ppbv	0.020	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Freon 113	**0.065**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chloroform	**0.021**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Benzene	**0.19**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Carbon Tetrachloride	**0.093**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Trichloroethene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Toluene	**0.18**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Tetrachloroethene	**0.019**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Chlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Ethylbenzene	**0.014**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
m,p-Xylenes	**0.041**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Bromoform	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Styrene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
o-Xylene	**0.016**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2,4-Trimethylbenzene	**0.015**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Benzyl chloride	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 554705

554705-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Xylene (total)	**0.057**		ppbv	0.010	1	397120	03/05/26 05:46	03/05/26 05:46	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1	397120	03/05/26 05:46	03/05/26 05:46	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1346686**	**Batch:**	**397120**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1346686 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	197.8	200.0	pptv	99%		70-130
1,1,1,2-Tetrachloroethane	222.0	200.0	pptv	111%		70-130
Freon 12	209.5	200.0	pptv	105%		70-130
Chloromethane	178.2	200.0	pptv	89%		70-130
Freon 114	200.5	200.0	pptv	100%		70-130
Vinyl Chloride	185.8	200.0	pptv	93%		70-130
Bromomethane	190.4	200.0	pptv	95%		70-130
Chloroethane	186.4	200.0	pptv	93%		70-130
Vinyl bromide	203.0	200.0	pptv	101%		70-130
Trichlorofluoromethane	226.8	200.0	pptv	113%		70-130
1,1-Dichloroethene	206.0	200.0	pptv	103%		70-130
Methylene Chloride	191.6	200.0	pptv	96%		70-130
Freon 113	207.9	200.0	pptv	104%		70-130
trans-1,2-Dichloroethene	207.8	200.0	pptv	104%		70-130
1,1-Dichloroethane	212.1	200.0	pptv	106%		70-130
cis-1,2-Dichloroethene	208.0	200.0	pptv	104%		70-130
Chloroform	217.3	200.0	pptv	109%		70-130
1,2-Dichloroethane	220.5	200.0	pptv	110%		70-130
1,1,1-Trichloroethane	241.7	200.0	pptv	121%		70-130
Benzene	201.4	200.0	pptv	101%		70-130
Carbon Tetrachloride	244.0	200.0	pptv	122%		70-130
1,2-Dichloropropane	200.8	200.0	pptv	100%		70-130
Bromodichloromethane	223.9	200.0	pptv	112%		70-130
Trichloroethene	198.7	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	221.1	200.0	pptv	111%		70-130
trans-1,3-Dichloropropene	230.3	200.0	pptv	115%		70-130
1,1,2-Trichloroethane	201.4	200.0	pptv	101%		70-130
Toluene	202.7	200.0	pptv	101%		70-130
Dibromochloromethane	223.5	200.0	pptv	112%		70-130
1,2-Dibromoethane	213.6	200.0	pptv	107%		70-130
Tetrachloroethene	232.4	200.0	pptv	116%		70-130
Chlorobenzene	200.6	200.0	pptv	100%		70-130
Ethylbenzene	204.9	200.0	pptv	102%		70-130
m,p-Xylenes	415.7	400.0	pptv	104%		70-130
Bromoform	215.2	200.0	pptv	108%		70-130
Styrene	200.6	200.0	pptv	100%		70-130
o-Xylene	210.8	200.0	pptv	105%		70-130
2-Chlorotoluene	199.2	200.0	pptv	100%		70-130
1,3,5-Trimethylbenzene	208.3	200.0	pptv	104%		70-130
1,2,4-Trimethylbenzene	206.1	200.0	pptv	103%		70-130
Benzyl chloride	275.5	200.0	pptv	138%	b,*	70-130
1,3-Dichlorobenzene	205.2	200.0	pptv	103%		70-130
1,4-Dichlorobenzene	200.7	200.0	pptv	100%		70-130
1,2-Dichlorobenzene	198.2	200.0	pptv	99%		70-130
1,2,4-Trichlorobenzene	166.3	200.0	pptv	83%		70-130
Hexachlorobutadiene	198.9	200.0	pptv	99%		70-130
Surrogates						

Batch QC

QC1346686 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	251.4	250.0	pptv	101%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1346687**	**Batch:**	**397120**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1346687 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	199.2	200.0	pptv	100%		70-130	1	25
1,1,1,2-Tetrachloroethane	223.4	200.0	pptv	112%		70-130	1	25
Freon 12	211.4	200.0	pptv	106%		70-130	1	25
Chloromethane	177.9	200.0	pptv	89%		70-130	0	25
Freon 114	199.0	200.0	pptv	99%		70-130	1	25
Vinyl Chloride	185.4	200.0	pptv	93%		70-130	0	25
Bromomethane	189.8	200.0	pptv	95%		70-130	0	25
Chloroethane	184.8	200.0	pptv	92%		70-130	1	25
Vinyl bromide	204.3	200.0	pptv	102%		70-130	1	25
Trichlorofluoromethane	227.9	200.0	pptv	114%		70-130	0	25
1,1-Dichloroethene	206.1	200.0	pptv	103%		70-130	0	25
Methylene Chloride	192.6	200.0	pptv	96%		70-130	0	25
Freon 113	208.7	200.0	pptv	104%		70-130	0	25
trans-1,2-Dichloroethene	206.8	200.0	pptv	103%		70-130	0	25
1,1-Dichloroethane	212.6	200.0	pptv	106%		70-130	0	25
cis-1,2-Dichloroethene	207.3	200.0	pptv	104%		70-130	0	25
Chloroform	217.9	200.0	pptv	109%		70-130	0	25
1,2-Dichloroethane	221.2	200.0	pptv	111%		70-130	0	25
1,1,1-Trichloroethane	242.9	200.0	pptv	121%		70-130	0	25
Benzene	201.1	200.0	pptv	101%		70-130	0	25
Carbon Tetrachloride	246.2	200.0	pptv	123%		70-130	1	25
1,2-Dichloropropane	201.4	200.0	pptv	101%		70-130	0	25
Bromodichloromethane	227.3	200.0	pptv	114%		70-130	2	25
Trichloroethene	200.5	200.0	pptv	100%		70-130	1	25
cis-1,3-Dichloropropene	224.1	200.0	pptv	112%		70-130	1	25
trans-1,3-Dichloropropene	234.5	200.0	pptv	117%		70-130	2	25
1,1,2-Trichloroethane	203.2	200.0	pptv	102%		70-130	1	25
Toluene	204.6	200.0	pptv	102%		70-130	1	25
Dibromochloromethane	227.3	200.0	pptv	114%		70-130	2	25
1,2-Dibromoethane	215.6	200.0	pptv	108%		70-130	1	25
Tetrachloroethene	234.3	200.0	pptv	117%		70-130	1	25
Chlorobenzene	201.8	200.0	pptv	101%		70-130	1	25
Ethylbenzene	205.9	200.0	pptv	103%		70-130	1	25
m,p-Xylenes	419.6	400.0	pptv	105%		70-130	1	25
Bromoform	218.0	200.0	pptv	109%		70-130	1	25
Styrene	201.2	200.0	pptv	101%		70-130	0	25
o-Xylene	211.0	200.0	pptv	106%		70-130	0	25
2-Chlorotoluene	200.4	200.0	pptv	100%		70-130	1	25
1,3,5-Trimethylbenzene	209.2	200.0	pptv	105%		70-130	0	25
1,2,4-Trimethylbenzene	209.3	200.0	pptv	105%		70-130	2	25
Benzyl chloride	284.8	200.0	pptv	142%	b,*	70-130	3	25
1,3-Dichlorobenzene	206.4	200.0	pptv	103%		70-130	1	25
1,4-Dichlorobenzene	202.7	200.0	pptv	101%		70-130	1	25
1,2-Dichlorobenzene	199.9	200.0	pptv	100%		70-130	1	25
1,2,4-Trichlorobenzene	195.0	200.0	pptv	98%		70-130	16	25
Hexachlorobutadiene	208.9	200.0	pptv	104%		70-130	5	25

ENTHALPY ANALYTICAL

Batch QC

QC1346687 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	247.6	250.0	pptv	99%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1346688**	**Batch:**	**397120**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1346688 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Freon 12	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chloromethane	ND		pptv	100	03/05/26 00:06	03/05/26 00:06
Freon 114	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Vinyl Chloride	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Bromomethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Vinyl bromide	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Trichlorofluoromethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1-Dichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Methylene Chloride	ND		pptv	20	03/05/26 00:06	03/05/26 00:06
Freon 113	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
trans-1,2-Dichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1-Dichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
cis-1,2-Dichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chloroform	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1,1-Trichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Benzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Carbon Tetrachloride	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dichloropropane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Bromodichloromethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Trichloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
cis-1,3-Dichloropropene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
trans-1,3-Dichloropropene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,1,2-Trichloroethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Toluene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Dibromochloromethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dibromoethane	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Tetrachloroethene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Chlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Ethylbenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
m,p-Xylenes	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Bromoform	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Styrene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
o-Xylene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
2-Chlorotoluene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,3,5-Trimethylbenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2,4-Trimethylbenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Benzyl chloride	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,3-Dichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,4-Dichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2-Dichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
1,2,4-Trichlorobenzene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Hexachlorobutadiene	ND		pptv	10	03/05/26 00:06	03/05/26 00:06
Xylene (total)	ND		pptv	10	03/05/26 00:06	03/05/26 00:06

Batch QC

QC1346688 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	99%		%REC	70-130	03/05/26 00:06	03/05/26 00:06

* Value is outside QC limits
ND Not Detected
b See narrative

Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Air/Odor Sampling
AAC PROJECT NO. : 260495
REPORT DATE : 03/09/2026

On March 3rd, 2025, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260495-86876
MS-12	260495-86877
MS-08	260495-86878
MS-09	260495-86879
MS-10	260495-86880
MS-06	260495-86881
MS-11	260495-86882

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260495
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/02-03/2026
RECEIVING DATE : 03/03/2026
ANALYSIS DATE : 03/03/2026
REPORT DATE : 03/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260495-86876	260495-86877	260495-86878	260495-86879
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260495
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/02-03/2026
RECEIVING DATE : 03/03/2026
ANALYSIS DATE : 03/03/2026
REPORT DATE : 03/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260495-86880	260495-86881	260495-86882
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	<0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 3/3/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7658	0.486	98.4	0.7
Duplicate	7773	0.494	99.9	0.8
Triplicate	7706	0.489	99.1	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7057	0.483	95.2	3.4
Duplicate	7410	0.508	100.0	1.5
Triplicate	7444	0.510	100.5	1.9

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7964	0.484	100.8	1.5
Duplicate	8088	0.492	102.4	0.1
Triplicate	8199	0.499	103.8	1.4

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 260329-86137**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 260329-86137 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.238	0.241	96.4	97.6	1.3
MeSH	<PQL	0.254	0.250	0.263	98.5	103.6	5.1
DMS	<PQL	0.240	0.262	0.262	109.1	109.1	0.0

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.462	93.5
MeSH	0.508	0.499	98.3
DMS	0.481	0.488	101.6

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 260495

Client/Project Name	Project Location
SCS engineers/ Chiquita Landfill Air/odor sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print)	**(Signature)**
Aiden Sanchez-Orue	

No. Of Containers: 7

ANALYSES: 307.91 Sulfur

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 Sulfur					Remarks
MS-07	3-2/3-26	0746-0749	86876	10 Liter Bag	x					
MS-12	3-2/3-26	0800-0803	86877	10 Liter Bag	x					
MS-08	3-2/3-26	0814-0817	86878	10 Liter Bag	x					
MS-09	3-2/3-26	0836-0836	86879	10 Liter Bag	x					
MS-10	3-2/3-26	0855-0855	86880	10 Liter Bag	x					
MS-06	3-2/3-26	0925-0925	86881	10 Liter Bag	x					
MS-11	3-2/3-26	0957-0957	86882	10 Liter Bag	x					

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
	3/3/26	1134			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
				3/3/26	1134
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	555167 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/10/26

Sample ID	Lab ID	Collected	Matrix
MS-07	555167-001	03/10/26 07:45	Air
MS-12	555167-002	03/10/26 08:03	Air
MS-08	555167-003	03/10/26 08:21	Air
MS-09	555167-004	03/10/26 08:40	Air
MS-10	555167-005	03/10/26 08:57	Air
MS-06	555167-006	03/10/26 09:25	Air
MS-11	555167-007	03/10/26 09:58	Air

Case Narrative

SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806 Raymond Huff	Lab Job Number: Project No: Location: Date Received:	555167 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/10/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/10/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 555167

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon landfill Air/odor sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300					
	Long Beach, CA			Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Aiden Sanchez-Orue	

Special Instructions:

Analysis Request: extended list to 15

Required Turnaround Time: Standard ☑ | 5 Day ☐ | 3 Day ☐ | 2 Day ☐ | 1 Day ☐ | Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70773	6L	A70175	3-9-26	0745	-28	3-10-26	0745	-10	
2	MS-12	A	C70261	6L	A70585	3-9-26	0803	-29	3-10-26	0803	-9	
3	MS-08	A	C70325	6L	A70437	3-9-26	0820	-29	3-10-26	0821	-6	
4	MS-09	A	C70422	6L	A70661	3-9-26	0839	-28	3-10-26	0840	-5	
5	MS-10	A	C70813	6L	A70623	3-9-26	0857	-28	3-10-26	0857	-4	
6	MS-06	A	C0906	6L	A70439	3-9-26	0925	-29	3-10-26	0925	-5	
7	MS-11	A	C70262	6L	A70504	3-9-26	0958	-29	3-10-26	0958	-6	
8					CR	~~3-9-26~~						
9												
10												

Login 555167

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:	~~Aiden Sanchez-Orue~~	Aiden Sanchez-Orue	RES	3/10/26 1357
RECEIVED BY:	Michael Kuyper	Michael Kuyper	EA	3/10/26 1357
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 03/10/26 WO# 555167 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 03/10/26 By (initials) MSK Type of ice used: ■ Wet ☐ Blue/Gel ☐ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ☐ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.C. NO SAMPLING DATE & TIME ON CANISTER TAGS.

☐ **No additional discrepancies**

Date Logged 03/10/26 **By (print)** FPD **(sign)** _____

Date Labeled 03/10/26 **By (print)** JXR **(sign)** FOR JXR

ENTHALPY ANALYTICAL

Analysis Results for 555167

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 555167
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/10/26

Sample ID: MS-07 **Lab ID: 555167-001** **Collected: 03/10/26 07:45**
Matrix: Air

555167-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Freon 12	**0.44**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chloromethane	**0.49**		ppbv	0.12	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Freon 114	**0.015**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Bromomethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Methylene Chloride	**0.10**		ppbv	0.024	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Freon 113	**0.061**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chloroform	**0.016**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dichloroethane	**0.015**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Benzene	**0.10**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Trichloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Toluene	**0.11**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Ethylbenzene	**0.019**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
m,p-Xylenes	**0.052**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Bromoform	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Styrene	**0.031**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
o-Xylene	**0.021**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2,4-Trimethylbenzene	**0.015**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

555167-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Hexachlorobutadiene	ND		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Xylene (total)	**0.073**		ppbv	0.012	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD
Surrogates				**Limits**					
Bromofluorobenzene	101%		%REC	60-140	1.2	397676	03/11/26 17:21	03/11/26 17:21	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

Sample ID: MS-12	Lab ID: 555167-002	Collected: 03/10/26 08:03
	Matrix: Air	

555167-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Freon 12	**0.45**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chloromethane	**0.50**		ppbv	0.11	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Bromomethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Methylene Chloride	**0.097**		ppbv	0.022	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Freon 113	**0.063**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chloroform	**0.016**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Benzene	**0.11**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Carbon Tetrachloride	**0.073**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Trichloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Toluene	**0.16**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Ethylbenzene	**0.026**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
m,p-Xylenes	**0.076**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Bromoform	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Styrene	**0.021**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
o-Xylene	**0.032**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2,4-Trimethylbenzene	**0.025**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

555167-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Xylene (total)	**0.11**		ppbv	0.011	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD
Surrogates				**Limits**					
Bromofluorobenzene	102%		%REC	60-140	1.1	397676	03/11/26 18:09	03/11/26 18:09	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

Sample ID: MS-08	Lab ID: 555167-003	Collected: 03/10/26 08:21
	Matrix: Air	

555167-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Freon 12	**0.44**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chloromethane	**0.48**		ppbv	0.10	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Freon 114	**0.015**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Bromomethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chloroethane	**0.018**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Vinyl bromide	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Methylene Chloride	**0.096**		ppbv	0.020	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Freon 113	**0.061**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chloroform	**0.016**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dichloroethane	**0.015**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Benzene	**0.098**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Trichloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Toluene	**0.15**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Chlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Ethylbenzene	**0.022**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
m,p-Xylenes	**0.065**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Bromoform	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Styrene	**0.020**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
o-Xylene	**0.026**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2,4-Trimethylbenzene	**0.024**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Benzyl chloride	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

555167-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Xylene (total)	**0.091**		ppbv	0.010	1	397676	03/11/26 18:58	03/11/26 18:58	OHD
Surrogates				**Limits**					
Bromofluorobenzene	100%		%REC	60-140	1	397676	03/11/26 18:58	03/11/26 18:58	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

Sample ID: MS-09	Lab ID: 555167-004	Collected: 03/10/26 08:40
	Matrix: Air	

555167-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Freon 12	**0.44**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chloromethane	**0.48**		ppbv	0.10	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Freon 114	**0.015**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Bromomethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chloroethane	**0.042**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Vinyl bromide	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Methylene Chloride	**0.11**		ppbv	0.020	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Freon 113	**0.061**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chloroform	**0.021**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Benzene	**0.098**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Carbon Tetrachloride	**0.070**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Trichloroethene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Toluene	**0.22**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Tetrachloroethene	**0.018**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Chlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Ethylbenzene	**0.023**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
m,p-Xylenes	**0.065**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Bromoform	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Styrene	**0.015**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
o-Xylene	**0.025**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2,4-Trimethylbenzene	**0.021**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Benzyl chloride	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

555167-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Xylene (total)	**0.090**		ppbv	0.010	1	397676	03/11/26 19:46	03/11/26 19:46	OHD
Surrogates				**Limits**					
Bromofluorobenzene	98%		%REC	60-140	1	397676	03/11/26 19:46	03/11/26 19:46	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

Sample ID: MS-10	Lab ID: 555167-005	Collected: 03/10/26 08:57
	Matrix: Air	

555167-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Freon 12	**0.44**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chloromethane	**0.48**		ppbv	0.10	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Freon 114	**0.015**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Bromomethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chloroethane	**0.024**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Vinyl bromide	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Methylene Chloride	**0.12**		ppbv	0.020	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Freon 113	**0.060**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chloroform	**0.020**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dichloroethane	**0.015**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Benzene	**0.10**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Carbon Tetrachloride	**0.071**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Trichloroethene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Toluene	**0.20**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Tetrachloroethene	**0.015**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Chlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Ethylbenzene	**0.022**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
m,p-Xylenes	**0.064**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Bromoform	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Styrene	**0.026**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
o-Xylene	**0.025**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2,4-Trimethylbenzene	**0.023**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Benzyl chloride	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

555167-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Xylene (total)	**0.088**		ppbv	0.010	1	397676	03/11/26 20:35	03/11/26 20:35	OHD
Surrogates				**Limits**					
Bromofluorobenzene	98%		%REC	60-140	1	397676	03/11/26 20:35	03/11/26 20:35	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

Sample ID: MS-06	Lab ID: 555167-006	Collected: 03/10/26 09:25
	Matrix: Air	

555167-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Freon 12	**0.46**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chloromethane	**0.57**		ppbv	0.10	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Freon 114	**0.016**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Vinyl Chloride	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Bromomethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chloroethane	**0.019**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Vinyl bromide	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Methylene Chloride	**0.097**		ppbv	0.020	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Freon 113	**0.063**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chloroform	**0.018**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Benzene	**0.20**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Carbon Tetrachloride	**0.073**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Bromodichloromethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Trichloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Toluene	**0.23**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Dibromochloromethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Tetrachloroethene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Chlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Ethylbenzene	**0.024**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
m,p-Xylenes	**0.059**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Bromoform	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Styrene	**0.083**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
o-Xylene	**0.023**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2,4-Trimethylbenzene	**0.016**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Benzyl chloride	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

555167-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Xylene (total)	**0.081**		ppbv	0.010	1	397926	03/13/26 14:26	03/13/26 14:26	OHD
Surrogates				**Limits**					
Bromofluorobenzene	98%		%REC	60-140	1	397926	03/13/26 14:26	03/13/26 14:26	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

Sample ID: MS-11	Lab ID: 555167-007	Collected: 03/10/26 09:58
	Matrix: Air	

555167-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Freon 12	**0.45**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chloromethane	**0.52**		ppbv	0.11	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Bromomethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chloroethane	**0.033**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Trichlorofluoromethane	**0.19**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Freon 113	**0.062**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chloroform	**0.021**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Benzene	**0.091**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Carbon Tetrachloride	**0.072**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Trichloroethene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Toluene	**0.20**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Tetrachloroethene	**0.022**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Ethylbenzene	**0.024**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
m,p-Xylenes	**0.067**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Bromoform	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Styrene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
o-Xylene	**0.027**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2,4-Trimethylbenzene	**0.026**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555167

555167-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Xylene (total)	**0.095**		ppbv	0.011	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1.1	397926	03/13/26 15:15	03/13/26 15:15	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1348750**	**Batch:**	**397676**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1348750 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	198.2	200.0	pptv	99%		70-130
1,1,1,2-Tetrachloroethane	194.7	200.0	pptv	97%		70-130
Freon 12	193.0	200.0	pptv	96%		70-130
Chloromethane	181.2	200.0	pptv	91%		70-130
Freon 114	195.5	200.0	pptv	98%		70-130
Vinyl Chloride	191.7	200.0	pptv	96%		70-130
Bromomethane	188.5	200.0	pptv	94%		70-130
Chloroethane	191.1	200.0	pptv	96%		70-130
Vinyl bromide	198.4	200.0	pptv	99%		70-130
Trichlorofluoromethane	196.6	200.0	pptv	98%		70-130
1,1-Dichloroethene	200.8	200.0	pptv	100%		70-130
Methylene Chloride	174.9	200.0	pptv	87%		70-130
Freon 113	199.3	200.0	pptv	100%		70-130
trans-1,2-Dichloroethene	196.3	200.0	pptv	98%		70-130
1,1-Dichloroethane	200.4	200.0	pptv	100%		70-130
cis-1,2-Dichloroethene	196.8	200.0	pptv	98%		70-130
Chloroform	197.0	200.0	pptv	98%		70-130
1,2-Dichloroethane	188.6	200.0	pptv	94%		70-130
1,1,1-Trichloroethane	198.1	200.0	pptv	99%		70-130
Benzene	192.5	200.0	pptv	96%		70-130
Carbon Tetrachloride	194.9	200.0	pptv	97%		70-130
1,2-Dichloropropane	196.3	200.0	pptv	98%		70-130
Bromodichloromethane	195.6	200.0	pptv	98%		70-130
Trichloroethene	190.2	200.0	pptv	95%		70-130
cis-1,3-Dichloropropene	191.2	200.0	pptv	96%		70-130
trans-1,3-Dichloropropene	176.8	200.0	pptv	88%		70-130
1,1,2-Trichloroethane	195.4	200.0	pptv	98%		70-130
Toluene	193.1	200.0	pptv	97%		70-130
Dibromochloromethane	199.4	200.0	pptv	100%		70-130
1,2-Dibromoethane	178.6	200.0	pptv	89%		70-130
Tetrachloroethene	193.9	200.0	pptv	97%		70-130
Chlorobenzene	183.1	200.0	pptv	92%		70-130
Ethylbenzene	198.5	200.0	pptv	99%		70-130
m,p-Xylenes	400.3	400.0	pptv	100%		70-130
Bromoform	204.2	200.0	pptv	102%		70-130
Styrene	183.9	200.0	pptv	92%		70-130
o-Xylene	202.7	200.0	pptv	101%		70-130
2-Chlorotoluene	198.5	200.0	pptv	99%		70-130
1,3,5-Trimethylbenzene	203.6	200.0	pptv	102%		70-130
1,2,4-Trimethylbenzene	202.9	200.0	pptv	101%		70-130
Benzyl chloride	163.9	200.0	pptv	82%		70-130
1,3-Dichlorobenzene	168.9	200.0	pptv	84%		70-130
1,4-Dichlorobenzene	157.6	200.0	pptv	79%		70-130
1,2-Dichlorobenzene	177.8	200.0	pptv	89%		70-130
1,2,4-Trichlorobenzene	167.9	200.0	pptv	84%		70-130
Hexachlorobutadiene	190.2	200.0	pptv	95%		70-130
Surrogates						

ENTHALPY ANALYTICAL

Batch QC

QC1348750 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	255.5	250.0	pptv	102%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1348751**	**Batch:**	**397676**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1348751 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	201.5	200.0	pptv	101%		70-130	2	25
1,1,1,2-Tetrachloroethane	198.5	200.0	pptv	99%		70-130	2	25
Freon 12	196.4	200.0	pptv	98%		70-130	2	25
Chloromethane	183.2	200.0	pptv	92%		70-130	1	25
Freon 114	197.1	200.0	pptv	99%		70-130	1	25
Vinyl Chloride	193.1	200.0	pptv	97%		70-130	1	25
Bromomethane	190.1	200.0	pptv	95%		70-130	1	25
Chloroethane	194.0	200.0	pptv	97%		70-130	2	25
Vinyl bromide	200.4	200.0	pptv	100%		70-130	1	25
Trichlorofluoromethane	198.8	200.0	pptv	99%		70-130	1	25
1,1-Dichloroethene	203.2	200.0	pptv	102%		70-130	1	25
Methylene Chloride	176.4	200.0	pptv	88%		70-130	1	25
Freon 113	200.8	200.0	pptv	100%		70-130	1	25
trans-1,2-Dichloroethene	198.4	200.0	pptv	99%		70-130	1	25
1,1-Dichloroethane	202.8	200.0	pptv	101%		70-130	1	25
cis-1,2-Dichloroethene	199.5	200.0	pptv	100%		70-130	1	25
Chloroform	199.5	200.0	pptv	100%		70-130	1	25
1,2-Dichloroethane	191.8	200.0	pptv	96%		70-130	2	25
1,1,1-Trichloroethane	201.4	200.0	pptv	101%		70-130	2	25
Benzene	194.2	200.0	pptv	97%		70-130	1	25
Carbon Tetrachloride	197.8	200.0	pptv	99%		70-130	2	25
1,2-Dichloropropane	197.0	200.0	pptv	98%		70-130	0	25
Bromodichloromethane	197.8	200.0	pptv	99%		70-130	1	25
Trichloroethene	192.6	200.0	pptv	96%		70-130	1	25
cis-1,3-Dichloropropene	193.0	200.0	pptv	96%		70-130	1	25
trans-1,3-Dichloropropene	179.0	200.0	pptv	89%		70-130	1	25
1,1,2-Trichloroethane	197.7	200.0	pptv	99%		70-130	1	25
Toluene	195.2	200.0	pptv	98%		70-130	1	25
Dibromochloromethane	202.2	200.0	pptv	101%		70-130	1	25
1,2-Dibromoethane	180.7	200.0	pptv	90%		70-130	1	25
Tetrachloroethene	196.2	200.0	pptv	98%		70-130	1	25
Chlorobenzene	186.6	200.0	pptv	93%		70-130	2	25
Ethylbenzene	202.1	200.0	pptv	101%		70-130	2	25
m,p-Xylenes	407.9	400.0	pptv	102%		70-130	2	25
Bromoform	210.2	200.0	pptv	105%		70-130	3	25
Styrene	186.9	200.0	pptv	93%		70-130	2	25
o-Xylene	206.1	200.0	pptv	103%		70-130	2	25
2-Chlorotoluene	202.4	200.0	pptv	101%		70-130	2	25
1,3,5-Trimethylbenzene	205.9	200.0	pptv	103%		70-130	1	25
1,2,4-Trimethylbenzene	204.3	200.0	pptv	102%		70-130	1	25
Benzyl chloride	165.8	200.0	pptv	83%		70-130	1	25
1,3-Dichlorobenzene	171.7	200.0	pptv	86%		70-130	2	25
1,4-Dichlorobenzene	159.4	200.0	pptv	80%		70-130	1	25
1,2-Dichlorobenzene	180.9	200.0	pptv	90%		70-130	2	25
1,2,4-Trichlorobenzene	166.5	200.0	pptv	83%		70-130	1	25
Hexachlorobutadiene	193.2	200.0	pptv	97%		70-130	2	25

Batch QC

QC1348751 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	252.2	250.0	pptv	101%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1348752**	**Batch:**	**397676**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1348752 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Freon 12	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chloromethane	ND		pptv	100	03/11/26 10:16	03/11/26 10:16
Freon 114	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Vinyl Chloride	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Bromomethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Vinyl bromide	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Trichlorofluoromethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1-Dichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Methylene Chloride	ND		pptv	20	03/11/26 10:16	03/11/26 10:16
Freon 113	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
trans-1,2-Dichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1-Dichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
cis-1,2-Dichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chloroform	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1,1-Trichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Benzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Carbon Tetrachloride	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dichloropropane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Bromodichloromethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Trichloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
cis-1,3-Dichloropropene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
trans-1,3-Dichloropropene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,1,2-Trichloroethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Toluene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Dibromochloromethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dibromoethane	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Tetrachloroethene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Chlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Ethylbenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
m,p-Xylenes	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Bromoform	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Styrene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
o-Xylene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
2-Chlorotoluene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,3,5-Trimethylbenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2,4-Trimethylbenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Benzyl chloride	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,3-Dichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,4-Dichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2-Dichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
1,2,4-Trichlorobenzene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Hexachlorobutadiene	ND		pptv	10	03/11/26 10:16	03/11/26 10:16
Xylene (total)	ND		pptv	10	03/11/26 10:16	03/11/26 10:16

ENTHALPY ANALYTICAL

Batch QC

QC1348752 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	102%		%REC	70-130	03/11/26 10:16	03/11/26 10:16

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1349578**	**Batch:**	**397926**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1349578 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	209.7	200.0	pptv	105%		70-130
1,1,1,2-Tetrachloroethane	205.7	200.0	pptv	103%		70-130
Freon 12	204.9	200.0	pptv	102%		70-130
Chloromethane	192.5	200.0	pptv	96%		70-130
Freon 114	204.1	200.0	pptv	102%		70-130
Vinyl Chloride	200.7	200.0	pptv	100%		70-130
Bromomethane	196.5	200.0	pptv	98%		70-130
Chloroethane	197.3	200.0	pptv	99%		70-130
Vinyl bromide	205.1	200.0	pptv	103%		70-130
Trichlorofluoromethane	204.1	200.0	pptv	102%		70-130
1,1-Dichloroethene	208.1	200.0	pptv	104%		70-130
Methylene Chloride	181.6	200.0	pptv	91%		70-130
Freon 113	207.2	200.0	pptv	104%		70-130
trans-1,2-Dichloroethene	203.9	200.0	pptv	102%		70-130
1,1-Dichloroethane	208.0	200.0	pptv	104%		70-130
cis-1,2-Dichloroethene	204.7	200.0	pptv	102%		70-130
Chloroform	204.5	200.0	pptv	102%		70-130
1,2-Dichloroethane	197.1	200.0	pptv	99%		70-130
1,1,1-Trichloroethane	206.9	200.0	pptv	103%		70-130
Benzene	200.1	200.0	pptv	100%		70-130
Carbon Tetrachloride	205.1	200.0	pptv	103%		70-130
1,2-Dichloropropane	202.0	200.0	pptv	101%		70-130
Bromodichloromethane	202.8	200.0	pptv	101%		70-130
Trichloroethene	196.3	200.0	pptv	98%		70-130
cis-1,3-Dichloropropene	197.4	200.0	pptv	99%		70-130
trans-1,3-Dichloropropene	184.2	200.0	pptv	92%		70-130
1,1,2-Trichloroethane	202.6	200.0	pptv	101%		70-130
Toluene	199.3	200.0	pptv	100%		70-130
Dibromochloromethane	206.8	200.0	pptv	103%		70-130
1,2-Dibromoethane	184.9	200.0	pptv	92%		70-130
Tetrachloroethene	199.3	200.0	pptv	100%		70-130
Chlorobenzene	192.6	200.0	pptv	96%		70-130
Ethylbenzene	207.4	200.0	pptv	104%		70-130
m,p-Xylenes	419.3	400.0	pptv	105%		70-130
Bromoform	217.6	200.0	pptv	109%		70-130
Styrene	190.9	200.0	pptv	95%		70-130
o-Xylene	211.7	200.0	pptv	106%		70-130
2-Chlorotoluene	207.4	200.0	pptv	104%		70-130
1,3,5-Trimethylbenzene	212.6	200.0	pptv	106%		70-130
1,2,4-Trimethylbenzene	209.3	200.0	pptv	105%		70-130
Benzyl chloride	173.6	200.0	pptv	87%		70-130
1,3-Dichlorobenzene	179.1	200.0	pptv	90%		70-130
1,4-Dichlorobenzene	161.7	200.0	pptv	81%		70-130
1,2-Dichlorobenzene	185.5	200.0	pptv	93%		70-130
1,2,4-Trichlorobenzene	167.3	200.0	pptv	84%		70-130
Hexachlorobutadiene	197.8	200.0	pptv	99%		70-130
Surrogates						

Batch QC

QC1349578 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	248.3	250.0	pptv	99%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1349579**	**Batch:**	**397926**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1349579 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	205.4	200.0	pptv	103%		70-130	2	25
1,1,1,2-Tetrachloroethane	202.4	200.0	pptv	101%		70-130	2	25
Freon 12	202.1	200.0	pptv	101%		70-130	1	25
Chloromethane	190.1	200.0	pptv	95%		70-130	1	25
Freon 114	201.9	200.0	pptv	101%		70-130	1	25
Vinyl Chloride	198.9	200.0	pptv	99%		70-130	1	25
Bromomethane	194.0	200.0	pptv	97%		70-130	1	25
Chloroethane	195.8	200.0	pptv	98%		70-130	1	25
Vinyl bromide	204.5	200.0	pptv	102%		70-130	0	25
Trichlorofluoromethane	201.6	200.0	pptv	101%		70-130	1	25
1,1-Dichloroethene	205.7	200.0	pptv	103%		70-130	1	25
Methylene Chloride	179.5	200.0	pptv	90%		70-130	1	25
Freon 113	205.1	200.0	pptv	103%		70-130	1	25
trans-1,2-Dichloroethene	201.1	200.0	pptv	101%		70-130	1	25
1,1-Dichloroethane	205.5	200.0	pptv	103%		70-130	1	25
cis-1,2-Dichloroethene	202.4	200.0	pptv	101%		70-130	1	25
Chloroform	202.3	200.0	pptv	101%		70-130	1	25
1,2-Dichloroethane	193.6	200.0	pptv	97%		70-130	2	25
1,1,1-Trichloroethane	204.1	200.0	pptv	102%		70-130	1	25
Benzene	196.8	200.0	pptv	98%		70-130	2	25
Carbon Tetrachloride	203.0	200.0	pptv	101%		70-130	1	25
1,2-Dichloropropane	200.1	200.0	pptv	100%		70-130	1	25
Bromodichloromethane	200.2	200.0	pptv	100%		70-130	1	25
Trichloroethene	193.6	200.0	pptv	97%		70-130	1	25
cis-1,3-Dichloropropene	195.0	200.0	pptv	97%		70-130	1	25
trans-1,3-Dichloropropene	180.9	200.0	pptv	90%		70-130	2	25
1,1,2-Trichloroethane	200.1	200.0	pptv	100%		70-130	1	25
Toluene	195.6	200.0	pptv	98%		70-130	2	25
Dibromochloromethane	205.6	200.0	pptv	103%		70-130	1	25
1,2-Dibromoethane	181.8	200.0	pptv	91%		70-130	2	25
Tetrachloroethene	197.3	200.0	pptv	99%		70-130	1	25
Chlorobenzene	189.3	200.0	pptv	95%		70-130	2	25
Ethylbenzene	203.2	200.0	pptv	102%		70-130	2	25
m,p-Xylenes	410.6	400.0	pptv	103%		70-130	2	25
Bromoform	215.7	200.0	pptv	108%		70-130	1	25
Styrene	188.5	200.0	pptv	94%		70-130	1	25
o-Xylene	207.3	200.0	pptv	104%		70-130	2	25
2-Chlorotoluene	203.9	200.0	pptv	102%		70-130	2	25
1,3,5-Trimethylbenzene	208.4	200.0	pptv	104%		70-130	2	25
1,2,4-Trimethylbenzene	205.9	200.0	pptv	103%		70-130	2	25
Benzyl chloride	170.1	200.0	pptv	85%		70-130	2	25
1,3-Dichlorobenzene	176.4	200.0	pptv	88%		70-130	1	25
1,4-Dichlorobenzene	159.5	200.0	pptv	80%		70-130	1	25
1,2-Dichlorobenzene	182.6	200.0	pptv	91%		70-130	2	25
1,2,4-Trichlorobenzene	165.0	200.0	pptv	83%		70-130	1	25
Hexachlorobutadiene	195.7	200.0	pptv	98%		70-130	1	25

Batch QC

QC1349579 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	247.9	250.0	pptv	99%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1349580**	**Batch:**	**397926**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1349580 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Freon 12	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chloromethane	ND		pptv	100	03/13/26 10:37	03/13/26 10:37
Freon 114	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Vinyl Chloride	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Bromomethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Vinyl bromide	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Trichlorofluoromethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1-Dichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Methylene Chloride	ND		pptv	20	03/13/26 10:37	03/13/26 10:37
Freon 113	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
trans-1,2-Dichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1-Dichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
cis-1,2-Dichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chloroform	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1,1-Trichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Benzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Carbon Tetrachloride	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dichloropropane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Bromodichloromethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Trichloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
cis-1,3-Dichloropropene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
trans-1,3-Dichloropropene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,1,2-Trichloroethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Toluene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Dibromochloromethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dibromoethane	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Tetrachloroethene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Chlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Ethylbenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
m,p-Xylenes	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Bromoform	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Styrene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
o-Xylene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
2-Chlorotoluene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,3,5-Trimethylbenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2,4-Trimethylbenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Benzyl chloride	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,3-Dichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,4-Dichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2-Dichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
1,2,4-Trichlorobenzene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Hexachlorobutadiene	ND		pptv	10	03/13/26 10:37	03/13/26 10:37
Xylene (total)	ND		pptv	10	03/13/26 10:37	03/13/26 10:37

ENTHALPY ANALYTICAL

Batch QC

QC1349580 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	96%		%REC	70-130	03/13/26 10:37	03/13/26 10:37

ND Not Detected

CLIENT	: SCS Engineers
PROJECT NAME	: Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	: 260558
REPORT DATE	: 03/17/2026

On March 10th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260558-87213
MS-12	260558-87214
MS-08	260558-87215
MS-09	260558-87216
MS-10	260558-87217
MS-06	260558-87218
MS-11	260558-87219

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260558
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/09-10/2026
RECEIVING DATE : 03/10/2026
ANALYSIS DATE : 03/10/2026
REPORT DATE : 03/17/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260558-87213	260558-87214	260558-87215	260558-87216
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260558
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/09-10/2026
RECEIVING DATE : 03/10/2026
ANALYSIS DATE : 03/10/2026
REPORT DATE : 03/17/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260558-87217	260558-87218	260558-87219
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 3/10/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H2S (GC-091924-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7665	0.487	98.5	0.7
Duplicate	7426	0.472	95.5	3.8
Triplicate	8070	0.512	103.7	4.5

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7128	0.488	96.2	1.1
Duplicate	7169	0.491	96.7	0.5
Triplicate	7322	0.501	98.8	1.6

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8121	0.494	102.8	2.0
Duplicate	7589	0.462	96.1	4.7
Triplicate	8181	0.498	103.6	2.7

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 260329-86137**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 260329-86137 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.247	0.224	0.236	90.7	95.5	5.2
MeSH	<PQL	0.254	0.243	0.261	95.8	102.9	7.1
DMS	<PQL	0.240	0.239	0.256	99.5	106.6	6.9

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.494	0.466	94.3
MeSH	0.508	0.474	93.4
DMS	0.481	0.467	97.2

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*
PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 260558

Client/Project Name	Project Location	ANALYSES
SCS engineers/ Chiquita Landfill Air/Odor Sampling	Valencia, CA	
Project No.	**Field Logbook No.**	
Sampler: (Print) Aiden Sanchez-ortiz	**(Signature)**	**No. Of Containers** 7

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 SULFUR					Remarks
MS-07	3-9/10-26	0745-0745	87213	10 Liter Bag	X					
MS-12	3-9/10-26	0803-0803	87214	10 Liter Bag	X					
MS-08	3-9/10-26	0820-0821	87215	10 Liter Bag	X					
MS-09	3-9/10-26	0839-0840	87216	10 Liter Bag	X					
MS-10	3-9/10-26	0857-0857	87217	10 Liter Bag	X					
MS-06	3-9/10-26	0925-0925	87218	10 Liter Bag	X					
MS-11	3-9/10-26	0958-0958	87219	10 Liter Bag	X					

	Date	Time		Date	Time
Relinquished by: (Signature)	3/10/26		**Received by: (Signature)**		
Relinquished by: (Signature)			**Received by: (Signature)**		
Relinquished by: (Signature)			**Received for Laboratory: (Signature)**	3/10/26	1137
Sample Disposal Method:			**Disposed of by: (Signature)**		

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	555622 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/17/26

Sample ID	Lab ID	Collected	Matrix
MS-07	555622-001	03/17/26 07:27	Air
MS-12	555622-002	03/17/26 07:42	Air
MS-08	555622-003	03/17/26 07:58	Air
MS-09	555622-004	03/17/26 08:16	Air
MS-10	555622-005	03/17/26 08:33	Air
MS-06	555622-006	03/17/26 08:59	Air
MS-11	555622-007	03/17/26 09:26	Air

Case Narrative

SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806 Raymond Huff	Lab Job Number: Project No: Location: Date Received:	555622 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/17/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/17/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

Login 555622

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 555622

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Air/odor sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA					
Phone:	562-355-6334	Fax: 562	427-0805	Global ID:		
				Sampled By:	Aiden Sanchez-Orue	

Special Instructions:

Analysis Request: TO-15 extended list

Required Turnaround Time: Standard ☑ | 5 Day ☐ | 3 Day ☐ | 2 Day ☐ | 1 Day ☐ | Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	771064	6L	A70037	3-16-26	0717	-29	3-17-26	0727	-7	
2	MS-12	A	771068	6L	A70440	3-16-26	0742	-28	3-17-26	0742	-8	
3	MS-08	A	771076	6L	A70662	3-16-26	0758	-25	3-17-26	0758	-0	
4	MS-09	A	770649	6L	A70248	3-16-26	0816	-28	3-17-26	0816	-10	
5	MS-10	A	771066	6L	A70403	3-16-26	0833	-28	3-17-26	0833	-4	
6	MS-06	A	770930	6L	A70558	3-16-26	0859	-29	3-17-26	0859	-5	
7	MS-11	A	771075	6L	A70648	3-16-26	0926	-28	3-17-26	0926	-8	
8												
9												
10												

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Aiden Sanchez-Orue	RES	3/17/26 1256
RECEIVED BY:		JKR	EA	3/17/26 1256
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 03/17/26 WO# 555622 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 03/17/26 By (initials) JXR Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR15 CF: +0.4

Cooler Temp (°C) #1: 2.3 / 2.7 #2: ____/____ #3: ____/____ #4: ____/____ #5: ____/____ #6: ____/____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ■ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other_____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?			
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.6 - NO SAMPLING DATE & TIME ON CANISTER TAGS

☐ **No additional discrepancies**

Date Logged 03/17/26 **By (print)** FPD **(sign)** _____

Date Labeled 03/17/26 **By (print)** FPD **(sign)** _____

Outlook

[External] - COC Correction 3-16_17-26

From croberts@resenvironmental.com <croberts@resenvironmental.com>
Date Wed 3/18/2026 4:46 AM
To David Tripp <david.tripp@enthalpy.com>

1 attachment (121 KB)
20260318050755.pdf;

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Good morning Dave, I was going over the Chiquita Canyon work that was completed yesterday when I realized that my tech either wrote backward C's or 7's for the canister ID's. I have sent an updated version to you so you can at least have a copy of the corrections. Sorry for the inconvenience.

Thank you,

Charles Roberts
Air Quality Specialist III
RES Environmental Inc.
865 Via Lata, Colton, CA 92324
Mobile: 626.622.2268
croberts@resenvironmental.com

CONFIDENTIALITY NOTICE: The contents of this email message and any attachments are intended solely for the addressee(s) and may contain confidential, proprietary and/or privileged information and may be legally protected from disclosure. If you are not the intended recipient of this message or their agent, or if this message has been addressed to you in error, please immediately alert the sender by reply email and then delete this message and any attachments and the reply from your system. If you are not the intended recipient, you are hereby notified that any disclosure, use, dissemination, copying, or storage of this message or its attachments is strictly prohibited.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. _____

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita Canyon Landfill Air/odor sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300					
	Long Beach, CA			Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Aiden Sanchez-Orue	

Special Instructions:

Analysis Request: Ext. 15-04-151 modified

Required Turnaround Time: Standard ☑ | 5 Day ☐ | 3 Day ☐ | 2 Day ☐ | 1 Day ☐ | Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (In. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (In. Hg)	Comments
1	MS-07	A (CA C)	~~7~~1064	6L	A70037	3-16-26	07 17	-29	3-17-26	0727	-7	
2	MS-12	A (CA C)	~~7~~1068	6L	A70440	3-16-26	0742	-28	3-17-26	0742	-8	
3	MS-08	A (CA C)	~~7~~1076	6L	A70662	3-16-26	0758	-25	3-17-26	0758	-0	
4	MS-09	A (CA C)	~~7~~0649	6L	A70248	3-16-26	0816	-28	3-17-26	0816	-10	
5	MS-10	A (CA C)	~~7~~1066	6L	A70403	3-16-26	0833	-28	3-17-26	0833	-4	
6	MS-06	A (CA C)	~~7~~0930	6L	A70558	3-16-26	0859	-29	3-17-26	0859	-5	
7	MS-11	A (CA C)	~~7~~1075	6L	A70648	3-16-26	0926	-28	3-17-26	0926	-8	
8												
9												
10												

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Aiden Sanchez-Orue	RES	3/17/26 1256
RECEIVED BY:		JKR	EA	3/17/26 1256
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

ENTHALPY ANALYTICAL

Analysis Results for 555622

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 555622
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/17/26

Sample ID: MS-07 **Lab ID: 555622-001** **Collected: 03/17/26 07:27**
Matrix: Air

555622-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Freon 12	**0.49**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chloromethane	**0.51**		ppbv	0.10	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Freon 114	**0.017**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Methylene Chloride	**0.10**		ppbv	0.020	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Freon 113	**0.063**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chloroform	**0.016**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dichloroethane	**0.014**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Benzene	**0.12**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Carbon Tetrachloride	**0.081**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Toluene	**0.11**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Ethylbenzene	**0.019**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
m,p-Xylenes	**0.048**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Styrene	**0.013**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
o-Xylene	**0.019**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2,4-Trimethylbenzene	**0.017**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

555622-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Xylene (total)	**0.066**		ppbv	0.010	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1	398530	03/20/26 17:10	03/20/26 17:10	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

Sample ID: MS-12	Lab ID: 555622-002	Collected: 03/17/26 07:42
	Matrix: Air	

555622-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Freon 12	**0.49**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chloromethane	**0.52**		ppbv	0.10	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Freon 114	**0.017**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chloroethane	**0.040**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Methylene Chloride	**0.11**		ppbv	0.021	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Freon 113	**0.064**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chloroform	**0.017**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dichloroethane	**0.015**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Benzene	**0.099**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Carbon Tetrachloride	**0.081**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Toluene	**0.20**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Ethylbenzene	**0.031**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
m,p-Xylenes	**0.095**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Styrene	**0.017**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
o-Xylene	**0.037**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2,4-Trimethylbenzene	**0.037**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

555622-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Xylene (total)	**0.13**		ppbv	0.010	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1	398530	03/20/26 17:59	03/20/26 17:59	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

Sample ID: MS-08	Lab ID: 555622-003	Collected: 03/17/26 07:58
	Matrix: Air	

555622-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Freon 12	**0.49**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chloromethane	**0.65**		ppbv	0.10	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Freon 114	**0.017**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chloroethane	**0.10**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Methylene Chloride	**0.12**		ppbv	0.020	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Freon 113	**0.064**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chloroform	**0.016**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dichloroethane	**0.014**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Benzene	**0.12**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Carbon Tetrachloride	**0.082**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Toluene	**0.15**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Tetrachloroethene	**0.011**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Ethylbenzene	**0.017**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
m,p-Xylenes	**0.051**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Styrene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
o-Xylene	**0.020**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2,4-Trimethylbenzene	**0.028**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

555622-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Xylene (total)	**0.072**		ppbv	0.010	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ
Surrogates				**Limits**					
Bromofluorobenzene	93%		%REC	60-140	1	398530	03/20/26 18:47	03/20/26 18:47	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

Sample ID: MS-09	Lab ID: 555622-004	Collected: 03/17/26 08:16
	Matrix: Air	

555622-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Freon 12	**0.49**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chloromethane	**0.53**		ppbv	0.12	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Freon 114	**0.017**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Vinyl Chloride	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Bromomethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chloroethane	**0.023**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Vinyl bromide	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Trichlorofluoromethane	**0.21**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Methylene Chloride	**0.11**		ppbv	0.023	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Freon 113	**0.063**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1-Dichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chloroform	**0.027**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dichloroethane	**0.016**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Benzene	**0.12**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Carbon Tetrachloride	**0.081**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dichloropropane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Bromodichloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Trichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Toluene	**0.30**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Dibromochloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dibromoethane	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Tetrachloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Chlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Ethylbenzene	**0.035**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
m,p-Xylenes	**0.11**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Bromoform	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Styrene	**0.26**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
o-Xylene	**0.045**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
2-Chlorotoluene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2,4-Trimethylbenzene	**0.041**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Benzyl chloride	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

555622-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Xylene (total)	**0.16**		ppbv	0.012	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1.2	398530	03/20/26 19:36	03/20/26 19:36	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

Sample ID: MS-10	Lab ID: 555622-005	Collected: 03/17/26 08:33
	Matrix: Air	

555622-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Freon 12	**0.49**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chloromethane	**0.52**		ppbv	0.10	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Freon 114	**0.017**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Methylene Chloride	**0.10**		ppbv	0.020	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Freon 113	**0.063**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chloroform	**0.034**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Benzene	**0.11**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Carbon Tetrachloride	**0.082**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Toluene	**0.30**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Ethylbenzene	**0.036**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
m,p-Xylenes	**0.12**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Styrene	**0.36**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
o-Xylene	**0.044**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2,4-Trimethylbenzene	**0.041**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

555622-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Xylene (total)	**0.16**		ppbv	0.010	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1	398530	03/20/26 20:24	03/20/26 20:24	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

Sample ID: MS-06	Lab ID: 555622-006	Collected: 03/17/26 08:59
	Matrix: Air	

555622-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Freon 12	**0.49**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chloromethane	**0.51**		ppbv	0.10	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Freon 114	**0.016**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Bromomethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chloroethane	**0.030**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Methylene Chloride	**0.11**		ppbv	0.020	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Freon 113	**0.063**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chloroform	**0.028**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dichloroethane	**0.014**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Benzene	**0.095**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Carbon Tetrachloride	**0.081**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Trichloroethene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Toluene	**0.25**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Tetrachloroethene	**0.016**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Ethylbenzene	**0.028**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
m,p-Xylenes	**0.090**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Bromoform	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Styrene	**0.15**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
o-Xylene	**0.035**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2,4-Trimethylbenzene	**0.033**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

555622-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Xylene (total)	**0.12**		ppbv	0.010	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1	398530	03/20/26 21:13	03/20/26 21:13	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

Sample ID: MS-11	Lab ID: 555622-007	Collected: 03/17/26 09:26
	Matrix: Air	

555622-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Freon 12	**0.49**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chloromethane	**0.53**		ppbv	0.12	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Freon 114	**0.017**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Vinyl Chloride	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Bromomethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chloroethane	**0.10**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Vinyl bromide	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Trichlorofluoromethane	**0.21**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Methylene Chloride	**0.14**		ppbv	0.024	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Freon 113	**0.063**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1-Dichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chloroform	**0.018**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dichloroethane	**0.014**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Benzene	**0.051**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Carbon Tetrachloride	**0.079**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dichloropropane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Bromodichloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Trichloroethene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Toluene	**0.16**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Dibromochloromethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dibromoethane	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Tetrachloroethene	**0.014**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Chlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Ethylbenzene	**0.013**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
m,p-Xylenes	**0.043**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Bromoform	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Styrene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
o-Xylene	**0.017**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
2-Chlorotoluene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2,4-Trimethylbenzene	**0.018**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Benzyl chloride	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 555622

555622-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Xylene (total)	**0.060**		ppbv	0.012	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ
Surrogates				**Limits**					
Bromofluorobenzene	93%		%REC	60-140	1.2	398530	03/20/26 22:02	03/20/26 22:02	ZNZ

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1351662**	**Batch:**	**398530**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1351662 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	188.7	200.0	pptv	94%		70-130
1,1,1,2-Tetrachloroethane	206.3	200.0	pptv	103%		70-130
Freon 12	203.3	200.0	pptv	102%		70-130
Chloromethane	173.2	200.0	pptv	87%		70-130
Freon 114	202.5	200.0	pptv	101%		70-130
Vinyl Chloride	181.7	200.0	pptv	91%		70-130
Bromomethane	185.9	200.0	pptv	93%		70-130
Chloroethane	179.6	200.0	pptv	90%		70-130
Vinyl bromide	190.2	200.0	pptv	95%		70-130
Trichlorofluoromethane	211.1	200.0	pptv	106%		70-130
1,1-Dichloroethene	189.9	200.0	pptv	95%		70-130
Methylene Chloride	166.1	200.0	pptv	83%		70-130
Freon 113	197.4	200.0	pptv	99%		70-130
trans-1,2-Dichloroethene	187.5	200.0	pptv	94%		70-130
1,1-Dichloroethane	191.7	200.0	pptv	96%		70-130
cis-1,2-Dichloroethene	188.2	200.0	pptv	94%		70-130
Chloroform	199.3	200.0	pptv	100%		70-130
1,2-Dichloroethane	199.0	200.0	pptv	100%		70-130
1,1,1-Trichloroethane	210.5	200.0	pptv	105%		70-130
Benzene	178.3	200.0	pptv	89%		70-130
Carbon Tetrachloride	215.2	200.0	pptv	108%		70-130
1,2-Dichloropropane	183.8	200.0	pptv	92%		70-130
Bromodichloromethane	206.2	200.0	pptv	103%		70-130
Trichloroethene	192.8	200.0	pptv	96%		70-130
cis-1,3-Dichloropropene	187.9	200.0	pptv	94%		70-130
trans-1,3-Dichloropropene	177.5	200.0	pptv	89%		70-130
1,1,2-Trichloroethane	192.4	200.0	pptv	96%		70-130
Toluene	183.7	200.0	pptv	92%		70-130
Dibromochloromethane	210.9	200.0	pptv	105%		70-130
1,2-Dibromoethane	176.9	200.0	pptv	88%		70-130
Tetrachloroethene	204.4	200.0	pptv	102%		70-130
Chlorobenzene	179.1	200.0	pptv	90%		70-130
Ethylbenzene	187.0	200.0	pptv	94%		70-130
m,p-Xylenes	385.7	400.0	pptv	96%		70-130
Bromoform	211.9	200.0	pptv	106%		70-130
Styrene	174.1	200.0	pptv	87%		70-130
o-Xylene	196.5	200.0	pptv	98%		70-130
2-Chlorotoluene	193.2	200.0	pptv	97%		70-130
1,3,5-Trimethylbenzene	200.0	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	196.9	200.0	pptv	98%		70-130
Benzyl chloride	178.3	200.0	pptv	89%		70-130
1,3-Dichlorobenzene	170.3	200.0	pptv	85%		70-130
1,4-Dichlorobenzene	155.2	200.0	pptv	78%		70-130
1,2-Dichlorobenzene	179.3	200.0	pptv	90%		70-130
1,2,4-Trichlorobenzene	170.8	200.0	pptv	85%		70-130
Hexachlorobutadiene	211.9	200.0	pptv	106%		70-130
Surrogates						

ENTHALPY ANALYTICAL

Batch QC

QC1351662 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	243.0	250.0	pptv	97%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1351663**	**Batch:**	**398530**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1351663 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	196.7	200.0	pptv	98%		70-130	4	25
1,1,1,2-Tetrachloroethane	212.5	200.0	pptv	106%		70-130	3	25
Freon 12	213.7	200.0	pptv	107%		70-130	5	25
Chloromethane	180.2	200.0	pptv	90%		70-130	4	25
Freon 114	208.7	200.0	pptv	104%		70-130	3	25
Vinyl Chloride	187.3	200.0	pptv	94%		70-130	3	25
Bromomethane	192.3	200.0	pptv	96%		70-130	3	25
Chloroethane	186.2	200.0	pptv	93%		70-130	4	25
Vinyl bromide	196.4	200.0	pptv	98%		70-130	3	25
Trichlorofluoromethane	218.3	200.0	pptv	109%		70-130	3	25
1,1-Dichloroethene	196.3	200.0	pptv	98%		70-130	3	25
Methylene Chloride	170.9	200.0	pptv	85%		70-130	3	25
Freon 113	204.2	200.0	pptv	102%		70-130	3	25
trans-1,2-Dichloroethene	194.3	200.0	pptv	97%		70-130	4	25
1,1-Dichloroethane	198.4	200.0	pptv	99%		70-130	3	25
cis-1,2-Dichloroethene	194.4	200.0	pptv	97%		70-130	3	25
Chloroform	206.8	200.0	pptv	103%		70-130	4	25
1,2-Dichloroethane	205.7	200.0	pptv	103%		70-130	3	25
1,1,1-Trichloroethane	217.5	200.0	pptv	109%		70-130	3	25
Benzene	184.2	200.0	pptv	92%		70-130	3	25
Carbon Tetrachloride	222.9	200.0	pptv	111%		70-130	4	25
1,2-Dichloropropane	188.6	200.0	pptv	94%		70-130	3	25
Bromodichloromethane	212.8	200.0	pptv	106%		70-130	3	25
Trichloroethene	196.8	200.0	pptv	98%		70-130	2	25
cis-1,3-Dichloropropene	193.5	200.0	pptv	97%		70-130	3	25
trans-1,3-Dichloropropene	182.9	200.0	pptv	91%		70-130	3	25
1,1,2-Trichloroethane	197.7	200.0	pptv	99%		70-130	3	25
Toluene	190.3	200.0	pptv	95%		70-130	4	25
Dibromochloromethane	217.5	200.0	pptv	109%		70-130	3	25
1,2-Dibromoethane	182.6	200.0	pptv	91%		70-130	3	25
Tetrachloroethene	210.6	200.0	pptv	105%		70-130	3	25
Chlorobenzene	186.2	200.0	pptv	93%		70-130	4	25
Ethylbenzene	195.4	200.0	pptv	98%		70-130	4	25
m,p-Xylenes	401.9	400.0	pptv	100%		70-130	4	25
Bromoform	221.1	200.0	pptv	111%		70-130	4	25
Styrene	182.3	200.0	pptv	91%		70-130	5	25
o-Xylene	204.7	200.0	pptv	102%		70-130	4	25
2-Chlorotoluene	201.3	200.0	pptv	101%		70-130	4	25
1,3,5-Trimethylbenzene	208.6	200.0	pptv	104%		70-130	4	25
1,2,4-Trimethylbenzene	204.8	200.0	pptv	102%		70-130	4	25
Benzyl chloride	187.1	200.0	pptv	94%		70-130	5	25
1,3-Dichlorobenzene	178.2	200.0	pptv	89%		70-130	5	25
1,4-Dichlorobenzene	161.5	200.0	pptv	81%		70-130	4	25
1,2-Dichlorobenzene	186.4	200.0	pptv	93%		70-130	4	25
1,2,4-Trichlorobenzene	177.9	200.0	pptv	89%		70-130	4	25
Hexachlorobutadiene	220.6	200.0	pptv	110%		70-130	4	25

ENTHALPY ANALYTICAL

Batch QC

QC1351663 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	241.6	250.0	pptv	97%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1351664**	**Batch:**	**398530**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1351664 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Freon 12	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chloromethane	ND		pptv	100	03/20/26 09:04	03/20/26 09:04
Freon 114	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Vinyl Chloride	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Bromomethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Vinyl bromide	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Trichlorofluoromethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1-Dichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Methylene Chloride	ND		pptv	20	03/20/26 09:04	03/20/26 09:04
Freon 113	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
trans-1,2-Dichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1-Dichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
cis-1,2-Dichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chloroform	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1,1-Trichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Benzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Carbon Tetrachloride	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dichloropropane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Bromodichloromethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Trichloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
cis-1,3-Dichloropropene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
trans-1,3-Dichloropropene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,1,2-Trichloroethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Toluene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Dibromochloromethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dibromoethane	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Tetrachloroethene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Chlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Ethylbenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
m,p-Xylenes	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Bromoform	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Styrene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
o-Xylene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
2-Chlorotoluene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,3,5-Trimethylbenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2,4-Trimethylbenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Benzyl chloride	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,3-Dichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,4-Dichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2-Dichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
1,2,4-Trichlorobenzene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Hexachlorobutadiene	ND		pptv	10	03/20/26 09:04	03/20/26 09:04
Xylene (total)	ND		pptv	10	03/20/26 09:04	03/20/26 09:04

ENTHALPY ANALYTICAL

Batch QC

QC1351664 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	90%		%REC	70-130	03/20/26 09:04	03/20/26 09:04

ND Not Detected

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260628
REPORT DATE : 03/24/2026

On March 17th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260628-87581
MS-12	260628-87582
MS-08	260628-87583
MS-09	260628-87584
MS-10	260628-87585
MS-06	260628-87586
MS-11	260628-87587

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 6 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260628
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/16-17/2026
RECEIVING DATE : 03/17/2026
ANALYSIS DATE : 03/17-18/2026
REPORT DATE : 03/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260628-87581	260628-87582	260628-87583	260628-87584
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260628
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/16-17/2026
RECEIVING DATE : 03/17/2026
ANALYSIS DATE : 03/18/2026
REPORT DATE : 03/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260628-87585	260628-87586	260628-87587
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 3/17/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H2S (GC-0301226-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22502	506	100.9	3.0
Duplicate	21231	477	95.2	2.8
Triplicate	21811	490	97.8	0.2

513.3 ppbV MeSH (GC-0301226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20687	538	104.9	1.2
Duplicate	19971	520	101.3	2.3
Triplicate	20660	538	104.8	1.1

522.3 ppbV DMS (GC-0301226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	24362	540	103.3	2.5
Duplicate	22926	508	97.2	3.5
Triplicate	24015	532	101.9	1.0

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis Sample ID 260620-87542

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate Sample ID 260620-87542 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	250.6	263.0	248.5	104.9	99.2	5.7
MeSH	<PQL	256.6	282.2	281.4	110.0	109.7	0.3
DMS	<PQL	261.1	274.3	283.1	105.1	108.4	3.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	501.3	485.9	96.9
MeSH	513.3	536.9	104.6
DMS	522.3	494.9	94.8

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 50.0 ppbV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 3/18/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.501 ppmV H2S (GC-031226-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7904	0.502	100.1	3.0
Duplicate	7518	0.477	95.2	2.1
Triplicate	7605	0.483	96.3	0.9

0.513 ppmV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7851	0.538	104.8	0.4
Duplicate	7776	0.533	103.8	0.6
Triplicate	7838	0.537	104.6	0.2

0.522 ppmV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8867	0.539	103.3	0.4
Duplicate	8821	0.537	102.7	0.1
Triplicate	8797	0.535	102.5	0.4

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 260628-87584**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate **Sample ID 260628-87584 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	0.251	0.229	0.227	91.4	90.6	0.9
MeSH	<PQL	0.257	0.257	0.249	100.1	97.0	3.2
DMS	<PQL	0.261	0.277	0.269	106.1	103.0	2.9

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	0.501	0.470	93.8
MeSH	0.513	0.514	100.1
DMS	0.522	0.515	98.6

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 0.05 ppmV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

CHAIN OF CUSTODY RECORD 26062-8

Client/Project Name	Project Location
SCS Engineers/ Chiquita Landfill Air/Odor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print)	**(Signature)**
Aiden Sanchez-ORE	[signature]

No. Of Containers: 7

ANALYSES: 307.91 SMIAir

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 SMIAir	Remarks
MS-07	3-16/17-26	0717-0727	87581	10 Liter Bag	X	
MS-12	3-16/17-26	0742-0742	87582	10 Liter Bag	X	
MS-08	3-16/17-26	0758-0758	87583	10 Liter Bag	X	
MS-09	3-16/17-26	0816-0816	87584	10 Liter Bag	X	
MS-10	3-16/17-26	0833-0833	87585	10 Liter Bag	X	
MS-06	3-16/17-26	0859-0859	87586	10 Liter Bag	X	
MS-11	3-16/17-26	0926-0926	87587	10 Liter Bag	X	

	Date	Time		Date	Time
Relinquished by: (Signature) [signature]	3/17/26	1057	**Received by: (Signature)**		
Relinquished by: (Signature)			**Received by: (Signature)**		
Relinquished by: (Signature)			**Received for Laboratory: (Signature)** [signature]	3/17/26	1057
Sample Disposal Method:			**Disposed of by: (Signature)**		

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	556036 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/24/26

Sample ID	Lab ID	Collected	Matrix
MS-07	556036-001	03/24/26 07:14	Air
MS-12	556036-002	03/24/26 07:32	Air
MS-08	556036-003	03/24/26 07:42	Air
MS-09	556036-004	03/24/26 07:55	Air
MS-10	556036-005	03/24/26 08:08	Air
MS-06	556036-006	03/24/26 08:31	Air
MS-11	556036-007	03/24/26 08:55	Air

Case Narrative

SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806 Raymond Huff	Lab Job Number: Project No: Location: Date Received:	556036 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/24/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/24/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 556036

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita canyon Landfill Air/odor sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA					
Phone:	562-355-6334	Fax: 562	427-0805	Global ID:		
				Sampled By:	Aiden Sanchez-Orue	

Special Instructions:

Analysis Request: extended 15-min list

Required Turnaround Time: Standard ☑ | 5 Day ☐ | 3 Day ☐ | 2 Day ☐ | 1 Day ☐ | Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70890	6L	A70650	3/23/26	0714	-28	3/24/26	0714	-7	
2	MS-12	A	C70894	6L	A70187	3/23/26	0732	-28	3/24/26	0732	-8	
3	MS-08	A	C70658	6L	A70657	3/23/26	0742	-28	3/24/26	0742	-8	
4	MS-09	A	C70958	6L	A70459	3/23/26	0755	-29	3/24/26	0755	-5	
5	MS-10	A	C70846	6L	A70041	3/23/26	0807	-29	3/24/26	0808	-7	
6	MS-06	A	C70941	6L	A70596	3/23/26	0831	-30	3/24/26	0831	-9	
7	MS-11	A	C70920	6L	A70163	3/23/26	0855	-29	3/24/26	0855	-8	
8												
9												
10												

Login 556036

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:		Aiden Sanchez-Orue	RES	3/24/26 1226
RECEIVED BY:		JKR	EA	3/24/26 1226
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 3/24/26 WO# 556036 Client: SCSLB

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 3/24/26 By (initials) JXR Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____/_____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?			X
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

☐ **No additional discrepancies**

Date Logged 3/24/26 **By (print)** NCM **(sign)** _____

Date Labeled 3/24/26 **By (print)** NIG **(sign)** _____ for NIG

ENTHALPY ANALYTICAL

Analysis Results for 556036

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 556036
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/24/26

Sample ID: MS-07 **Lab ID: 556036-001** **Collected: 03/24/26 07:14**
Matrix: Air

556036-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Freon 12	**0.48**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chloromethane	**0.49**		ppbv	0.11	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Freon 114	**0.017**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Bromomethane	**0.017**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chloroethane	**0.050**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Methylene Chloride	**0.087**		ppbv	0.021	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Freon 113	**0.063**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chloroform	**0.022**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dichloroethane	**0.011**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Benzene	**0.13**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Carbon Tetrachloride	**0.081**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Toluene	**0.40**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Ethylbenzene	**0.025**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
m,p-Xylenes	**0.064**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Styrene	**0.022**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
o-Xylene	**0.025**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2,4-Trimethylbenzene	**0.025**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

556036-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Xylene (total)	**0.089**		ppbv	0.011	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1.1	398828	03/25/26 01:30	03/25/26 01:30	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

Sample ID: MS-12	Lab ID: 556036-002	Collected: 03/24/26 07:32
	Matrix: Air	

556036-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Freon 12	**0.49**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chloromethane	**0.50**		ppbv	0.11	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Freon 114	**0.017**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Bromomethane	**0.017**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chloroethane	**0.013**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Methylene Chloride	**0.085**		ppbv	0.021	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Freon 113	**0.064**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chloroform	**0.022**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dichloroethane	**0.012**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Benzene	**0.12**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Carbon Tetrachloride	**0.082**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Toluene	**0.22**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Ethylbenzene	**0.031**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
m,p-Xylenes	**0.084**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Styrene	**0.023**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
o-Xylene	**0.034**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2,4-Trimethylbenzene	**0.030**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

556036-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Xylene (total)	**0.12**		ppbv	0.011	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1.1	398828	03/25/26 02:18	03/25/26 02:18	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

Sample ID: MS-08	Lab ID: 556036-003	Collected: 03/24/26 07:42
	Matrix: Air	

556036-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Freon 12	**0.49**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chloromethane	**0.84**		ppbv	0.11	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Freon 114	**0.017**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Bromomethane	**0.017**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chloroethane	**0.092**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Methylene Chloride	**0.099**		ppbv	0.022	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Freon 113	**0.063**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chloroform	**0.021**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dichloroethane	**0.011**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Benzene	**0.23**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Carbon Tetrachloride	**0.082**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Toluene	**0.26**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Ethylbenzene	**0.027**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
m,p-Xylenes	**0.074**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Styrene	**0.025**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
o-Xylene	**0.030**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2,4-Trimethylbenzene	**0.029**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

556036-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Xylene (total)	**0.10**		ppbv	0.011	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD
Surrogates				**Limits**					
Bromofluorobenzene	95%		%REC	60-140	1.1	398828	03/25/26 03:07	03/25/26 03:07	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

Sample ID: MS-09	Lab ID: 556036-004	Collected: 03/24/26 07:55
	Matrix: Air	

556036-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Freon 12	**0.48**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chloromethane	**0.49**		ppbv	0.10	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Freon 114	**0.016**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Bromomethane	**0.016**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chloroethane	**0.013**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Methylene Chloride	**0.082**		ppbv	0.020	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Freon 113	**0.063**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chloroform	**0.031**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dichloroethane	**0.012**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Benzene	**0.11**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Carbon Tetrachloride	**0.081**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Trichloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Toluene	**0.27**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Tetrachloroethene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Ethylbenzene	**0.029**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
m,p-Xylenes	**0.078**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Bromoform	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Styrene	**0.021**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
o-Xylene	**0.032**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2,4-Trimethylbenzene	**0.026**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Benzyl chloride	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

556036-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Xylene (total)	**0.11**		ppbv	0.010	1	398828	03/25/26 03:55	03/25/26 03:55	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1	398828	03/25/26 03:55	03/25/26 03:55	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

Sample ID: MS-10	Lab ID: 556036-005	Collected: 03/24/26 08:08
	Matrix: Air	

556036-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Freon 12	**0.48**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chloromethane	**0.49**		ppbv	0.11	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Freon 114	**0.016**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Bromomethane	**0.015**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Methylene Chloride	**0.084**		ppbv	0.021	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Freon 113	**0.062**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chloroform	**0.025**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dichloroethane	**0.012**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Benzene	**0.13**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Carbon Tetrachloride	**0.081**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Toluene	**0.25**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Ethylbenzene	**0.031**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
m,p-Xylenes	**0.091**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Styrene	**0.020**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
o-Xylene	**0.036**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,3,5-Trimethylbenzene	**0.019**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2,4-Trimethylbenzene	**0.075**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

556036-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Xylene (total)	**0.13**		ppbv	0.011	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD
Surrogates				**Limits**					
Bromofluorobenzene	97%		%REC	60-140	1.1	398828	03/25/26 04:44	03/25/26 04:44	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

Sample ID: MS-06	Lab ID: 556036-006	Collected: 03/24/26 08:31
	Matrix: Air	

556036-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Freon 12	**0.49**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chloromethane	**0.49**		ppbv	0.10	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Freon 114	**0.017**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Vinyl Chloride	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Bromomethane	**0.016**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chloroethane	**0.024**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Vinyl bromide	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Trichlorofluoromethane	**0.21**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Freon 113	**0.063**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chloroform	**0.025**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dichloroethane	**0.012**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Benzene	**0.12**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Carbon Tetrachloride	**0.082**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Bromodichloromethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Trichloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Toluene	**0.26**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Dibromochloromethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Tetrachloroethene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Chlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Ethylbenzene	**0.032**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
m,p-Xylenes	**0.085**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Bromoform	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Styrene	**0.11**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
o-Xylene	**0.034**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2,4-Trimethylbenzene	**0.028**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Benzyl chloride	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

556036-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Xylene (total)	**0.12**		ppbv	0.010	1	398828	03/25/26 05:33	03/25/26 05:33	OHD
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1	398828	03/25/26 05:33	03/25/26 05:33	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556036

Sample ID: MS-11	Lab ID: 556036-007	Collected: 03/24/26 08:55
	Matrix: Air	

556036-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Freon 12	**0.50**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chloromethane	**0.50**		ppbv	0.11	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Freon 114	**0.017**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Bromomethane	**0.017**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chloroethane	**0.014**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Trichlorofluoromethane	**0.22**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Methylene Chloride	**0.092**		ppbv	0.022	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Freon 113	**0.064**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chloroform	**0.035**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dichloroethane	**0.012**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Benzene	**0.093**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Carbon Tetrachloride	**0.082**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Trichloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Toluene	**0.16**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Ethylbenzene	**0.024**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
m,p-Xylenes	**0.061**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Bromoform	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Styrene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
o-Xylene	**0.026**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2,4-Trimethylbenzene	**0.022**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 556036

556036-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Xylene (total)	**0.087**		ppbv	0.011	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD
Surrogates				**Limits**					
Bromofluorobenzene	96%		%REC	60-140	1.1	398828	03/25/26 06:21	03/25/26 06:21	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1352759**	**Batch:**	**398828**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1352759 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	184.2	200.0	pptv	92%		70-130
1,1,1,2-Tetrachloroethane	206.6	200.0	pptv	103%		70-130
Freon 12	199.3	200.0	pptv	100%		70-130
Chloromethane	164.3	200.0	pptv	82%		70-130
Freon 114	198.3	200.0	pptv	99%		70-130
Vinyl Chloride	173.6	200.0	pptv	87%		70-130
Bromomethane	181.6	200.0	pptv	91%		70-130
Chloroethane	172.2	200.0	pptv	86%		70-130
Vinyl bromide	185.3	200.0	pptv	93%		70-130
Trichlorofluoromethane	209.0	200.0	pptv	104%		70-130
1,1-Dichloroethene	185.9	200.0	pptv	93%		70-130
Methylene Chloride	160.1	200.0	pptv	80%		70-130
Freon 113	193.0	200.0	pptv	97%		70-130
trans-1,2-Dichloroethene	181.6	200.0	pptv	91%		70-130
1,1-Dichloroethane	184.8	200.0	pptv	92%		70-130
cis-1,2-Dichloroethene	182.1	200.0	pptv	91%		70-130
Chloroform	195.0	200.0	pptv	97%		70-130
1,2-Dichloroethane	195.8	200.0	pptv	98%		70-130
1,1,1-Trichloroethane	209.5	200.0	pptv	105%		70-130
Benzene	173.3	200.0	pptv	87%		70-130
Carbon Tetrachloride	213.6	200.0	pptv	107%		70-130
1,2-Dichloropropane	173.5	200.0	pptv	87%		70-130
Bromodichloromethane	198.8	200.0	pptv	99%		70-130
Trichloroethene	186.3	200.0	pptv	93%		70-130
cis-1,3-Dichloropropene	186.1	200.0	pptv	93%		70-130
trans-1,3-Dichloropropene	173.0	200.0	pptv	86%		70-130
1,1,2-Trichloroethane	184.4	200.0	pptv	92%		70-130
Toluene	179.0	200.0	pptv	89%		70-130
Dibromochloromethane	201.5	200.0	pptv	101%		70-130
1,2-Dibromoethane	172.4	200.0	pptv	86%		70-130
Tetrachloroethene	202.2	200.0	pptv	101%		70-130
Chlorobenzene	177.2	200.0	pptv	89%		70-130
Ethylbenzene	186.8	200.0	pptv	93%		70-130
m,p-Xylenes	383.1	400.0	pptv	96%		70-130
Bromoform	196.5	200.0	pptv	98%		70-130
Styrene	172.3	200.0	pptv	86%		70-130
o-Xylene	194.8	200.0	pptv	97%		70-130
2-Chlorotoluene	194.8	200.0	pptv	97%		70-130
1,3,5-Trimethylbenzene	200.7	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	197.5	200.0	pptv	99%		70-130
Benzyl chloride	177.9	200.0	pptv	89%		70-130
1,3-Dichlorobenzene	170.2	200.0	pptv	85%		70-130
1,4-Dichlorobenzene	154.5	200.0	pptv	77%		70-130
1,2-Dichlorobenzene	178.3	200.0	pptv	89%		70-130
1,2,4-Trichlorobenzene	170.0	200.0	pptv	85%		70-130
Hexachlorobutadiene	213.9	200.0	pptv	107%		70-130
Surrogates						

Batch QC

QC1352759 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	248.4	250.0	pptv	99%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1352760**	**Batch:**	**398828**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1352760 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	183.2	200.0	pptv	92%		70-130	1	25
1,1,1,2-Tetrachloroethane	204.8	200.0	pptv	102%		70-130	1	25
Freon 12	204.0	200.0	pptv	102%		70-130	2	25
Chloromethane	164.3	200.0	pptv	82%		70-130	0	25
Freon 114	199.1	200.0	pptv	100%		70-130	0	25
Vinyl Chloride	173.6	200.0	pptv	87%		70-130	0	25
Bromomethane	180.9	200.0	pptv	90%		70-130	0	25
Chloroethane	171.1	200.0	pptv	86%		70-130	1	25
Vinyl bromide	185.8	200.0	pptv	93%		70-130	0	25
Trichlorofluoromethane	208.1	200.0	pptv	104%		70-130	0	25
1,1-Dichloroethene	185.2	200.0	pptv	93%		70-130	0	25
Methylene Chloride	160.5	200.0	pptv	80%		70-130	0	25
Freon 113	191.9	200.0	pptv	96%		70-130	1	25
trans-1,2-Dichloroethene	182.0	200.0	pptv	91%		70-130	0	25
1,1-Dichloroethane	185.6	200.0	pptv	93%		70-130	0	25
cis-1,2-Dichloroethene	182.4	200.0	pptv	91%		70-130	0	25
Chloroform	195.2	200.0	pptv	98%		70-130	0	25
1,2-Dichloroethane	195.7	200.0	pptv	98%		70-130	0	25
1,1,1-Trichloroethane	209.7	200.0	pptv	105%		70-130	0	25
Benzene	173.7	200.0	pptv	87%		70-130	0	25
Carbon Tetrachloride	213.0	200.0	pptv	106%		70-130	0	25
1,2-Dichloropropane	174.3	200.0	pptv	87%		70-130	0	25
Bromodichloromethane	200.3	200.0	pptv	100%		70-130	1	25
Trichloroethene	187.0	200.0	pptv	93%		70-130	0	25
cis-1,3-Dichloropropene	185.3	200.0	pptv	93%		70-130	0	25
trans-1,3-Dichloropropene	175.1	200.0	pptv	88%		70-130	1	25
1,1,2-Trichloroethane	184.4	200.0	pptv	92%		70-130	0	25
Toluene	180.1	200.0	pptv	90%		70-130	1	25
Dibromochloromethane	202.3	200.0	pptv	101%		70-130	0	25
1,2-Dibromoethane	175.0	200.0	pptv	88%		70-130	1	25
Tetrachloroethene	203.0	200.0	pptv	101%		70-130	0	25
Chlorobenzene	177.9	200.0	pptv	89%		70-130	0	25
Ethylbenzene	187.2	200.0	pptv	94%		70-130	0	25
m,p-Xylenes	383.5	400.0	pptv	96%		70-130	0	25
Bromoform	197.6	200.0	pptv	99%		70-130	1	25
Styrene	173.4	200.0	pptv	87%		70-130	1	25
o-Xylene	196.2	200.0	pptv	98%		70-130	1	25
2-Chlorotoluene	193.8	200.0	pptv	97%		70-130	0	25
1,3,5-Trimethylbenzene	201.5	200.0	pptv	101%		70-130	0	25
1,2,4-Trimethylbenzene	196.5	200.0	pptv	98%		70-130	1	25
Benzyl chloride	180.2	200.0	pptv	90%		70-130	1	25
1,3-Dichlorobenzene	172.9	200.0	pptv	86%		70-130	2	25
1,4-Dichlorobenzene	156.3	200.0	pptv	78%		70-130	1	25
1,2-Dichlorobenzene	178.5	200.0	pptv	89%		70-130	0	25
1,2,4-Trichlorobenzene	171.2	200.0	pptv	86%		70-130	1	25
Hexachlorobutadiene	214.0	200.0	pptv	107%		70-130	0	25

Batch QC

QC1352760 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	245.9	250.0	pptv	98%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1352761**	**Batch:**	**398828**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1352761 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1,1,2-Tetrachloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Freon 12	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chloromethane	ND		pptv	100	03/24/26 14:32	03/24/26 14:32
Freon 114	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Vinyl Chloride	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Bromomethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Vinyl bromide	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Trichlorofluoromethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1-Dichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Methylene Chloride	ND		pptv	20	03/24/26 14:32	03/24/26 14:32
Freon 113	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
trans-1,2-Dichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1-Dichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
cis-1,2-Dichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chloroform	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1,1-Trichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Benzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Carbon Tetrachloride	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dichloropropane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Bromodichloromethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Trichloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
cis-1,3-Dichloropropene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
trans-1,3-Dichloropropene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,1,2-Trichloroethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Toluene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Dibromochloromethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dibromoethane	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Tetrachloroethene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Chlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Ethylbenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
m,p-Xylenes	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Bromoform	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Styrene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
o-Xylene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
2-Chlorotoluene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,3,5-Trimethylbenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2,4-Trimethylbenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Benzyl chloride	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,3-Dichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,4-Dichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2-Dichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
1,2,4-Trichlorobenzene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Hexachlorobutadiene	ND		pptv	10	03/24/26 14:32	03/24/26 14:32
Xylene (total)	ND		pptv	10	03/24/26 14:32	03/24/26 14:32

Batch QC

QC1352761 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	91%		%REC	70-130	03/24/26 14:32	03/24/26 14:32

ND Not Detected

Atmospheric Analysis & Consulting, Inc

CLIENT	:	SCS Engineers
PROJECT NAME	:	Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	:	260690
REPORT DATE	:	03/26/2026

On March 24th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260690-87887
MS-12	260690-87888
MS-08	260690-87889
MS-09	260690-87890
MS-10	260690-87891
MS-06	260690-87892
MS-11	260690-87893

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of **4** pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260690
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/23-24/2026
RECEIVING DATE : 03/24/2026
ANALYSIS DATE : 03/24/2026
REPORT DATE : 03/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260690-87891	260690-87892	260690-87893
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003
www.aaclab.com
(805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260690
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/23-24/2026
RECEIVING DATE : 03/24/2026
ANALYSIS DATE : 03/24/2026
REPORT DATE : 03/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260690-87887	260690-87888	260690-87889	260690-87890
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
ASTM D-5504

Cal Verification Date: 3/24/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H2S (GC-0301226-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21926	493	98.3	0.7
Duplicate	21792	490	97.7	0.1
Triplicate	21602	485	96.8	0.8

513.3 ppbV MeSH (GC-0301226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20646	537	104.7	0.6
Duplicate	20705	539	105.0	0.9
Triplicate	20216	526	102.5	1.5

522.3 ppbV DMS (GC-0301226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	23652	524	100.3	1.3
Duplicate	23593	523	100.1	1.0
Triplicate	22810	505	96.7	2.3

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 260329-86137**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate **Sample ID 260329-86137 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	250.6	249.1	252.7	99.4	100.8	1.4
MeSH	<PQL	256.6	279.1	278.9	108.7	108.7	0.0
DMS	<PQL	261.1	272.5	272.8	104.4	104.5	0.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	501.3	458.0	91.4
MeSH	513.3	497.5	96.9
DMS	522.3	470.9	90.2

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*

PQL = 50.0 ppbV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

260690

CHAIN OF CUSTODY RECORD

Client/Project Name	Project Location
SCS engineers/ Chiquita Landfill Air/odor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print) Aiden Sanchez-Orue	**(Signature)** [redacted]

No. Of Containers: 7

ANALYSES: 307.91 Sulfur

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 Sulfur	Remarks
MS-07	3-23/24-26	0714-0714	87887	10 Liter Bag	X	
MS-12	3-23/24-26	0732-0732	87888	10 Liter Bag	X	
MS-08	3-23/24-26	0742-0742	87889	10 Liter Bag	X	
MS-09	3-23/24-26	0755-0755	87890	10 Liter Bag	X	
MS-10	3-23/24-26	0807-0808	87891	10 Liter Bag	X	
MS-06	3-23/24-26	0831-0831	87892	10 Liter Bag	X	
MS-11	3-23/24-26	0855-0855	87893	10 Liter Bag	X	

Relinquished by: (Signature)	Date	Time	Received by: (Signature)	Date	Time
[redacted]	3/24/26	1027			
Relinquished by: (Signature)	**Date**	**Time**	**Received by: (Signature)**	**Date**	**Time**
Relinquished by: (Signature)	**Date**	**Time**	**Received for Laboratory: (Signature)**	**Date**	**Time**
			[redacted]	3/24/26	1027
Sample Disposal Method:	**Disposed of by: (Signature)**			**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

ENTHALPY ANALYTICAL

Sample Summary

Raymond Huff SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Lab Job #: Project No: Location: Date Received:	556542 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/31/26

Sample ID	Lab ID	Collected	Matrix
MS-07	556542-001	03/31/26 07:08	Air
MS-12	556542-002	03/31/26 07:21	Air
MS-08	556542-003	03/31/26 07:34	Air
MS-09	556542-004	03/31/26 07:48	Air
MS-10	556542-005	03/31/26 08:00	Air
MS-06	556542-006	03/31/26 08:26	Air
MS-11	556542-007	03/31/26 08:54	Air

Case Narrative

SCS Engineers - Long Beach 3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806 Raymond Huff	Lab Job Number: Project No: Location: Date Received:	556542 CHIQUITA WEEKLY AIR Chiquita Canyon Landfill Air/Odor Sampling 03/31/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/31/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-6900 Fax: (714) 538-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. _____

Page 1 of 1

CUSTOMER INFORMATION				PROJECT INFORMATION		PO Number:
Company:	SCS Engineers			Name:	Chiquita canyon landfill Air/odor sampling	
Report To:	Ray Huff			Number:		Lab Quote Number:
Email:	rhuff@scsengineers.com			Address:	Valencia, CA	
Address:	3900 Kilroy Airport Way Suite 300					
	Long Beach, CA			Global ID:		
Phone:	562-355-6334	Fax: 562	427-0805	Sampled By:	Aiden Sanchez-orue	

Special Instructions:

Analysis Request: Extended list TO-15

Required Turnaround Time: Standard ☑ | 5 Day ☐ | 3 Day ☐ | 2 Day ☐ | 1 Day ☐ | Custom TAT: ____

	Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information: Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Start Sampling Information: Date	Time	Canister Pressure (in. Hg)	Stop Sampling Information: Date	Time	Canister Pressure (in. Hg)	Comments
1	MS-07	A	C70985	6L	A70255	3/30/26	0708	-28	3/31/26	0708	-9	
2	MS-12	A	C70345	6L	A70144	3/30/26	0721	-30	3/31/26	0721	-9	
3	MS-08	A	C70369	6L	A70466	3/30/26	0734	-29	3/31/26	0734	-6	
4	MS-09	A	C70618	6L	A70658	3/30/26	0748	-27	3/31/26	0748	-7	
5	MS-10	A	C70940	6L	A70613	3/30/26	0800	-27	3/31/26	0800	-4	
6	MS-06	A	C70407	6L	A70179	3/30/26	0826	-29	3/31/26	0826	-6	
7	MS-11	A	C70615	6L	A70573	3/30/26	0854	-22	3/31/26	0854	-6	
8												
9												
10												

Login 556542

	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RELINQUISHED BY:	[signature]	Aiden Sanchez-orue	RES	3/31/26 1210
RECEIVED BY:	[signature]	JXT2	EA	3/31/26 1210
RELINQUISHED BY:				
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info

Date Received: 03/31/26 WO# 556542 Client: SCS Engineers

Section 2: Shipping / Custody **Are custody seals present?** ☐ Yes ☒ No

Custody seals intact on arrival? ■ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples

☐ Courier ■ Walk-In ☐ Field Sampling ☐ Shipping Info: _____

Section 3a: Condition / Packaging ☐ **Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)**

Date Opened 03/31/26 By (initials) JXR Type of ice used: ☐ Wet ☐ Blue/Gel ■ None

☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

■ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____/_____ #2: _____/_____ #3: _____/_____ #4: _____/_____ #5: _____/_____ #6: _____/_____

Section 3b: Microbiology Samples ■ **No microbiology samples submitted (skip 3b)**

☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.

☐ Adequate headspace for microbiology analysis.

Section 3c: Air Samples ☐ **No air samples submitted (skip 3c)**

☐ 1.4L Canisters ■ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____

Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?			x
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.C - NO SAMPLING DATE & TIME ON CANISTER TAGS.

☐ **No additional discrepancies**

Date Logged 03/31/26 **By (print)** FPD **(sign)** _____

Date Labeled 03/31/26 **By (print)** FPD **(sign)** _____

ENTHALPY ANALYTICAL

Analysis Results for 556542

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 556542
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/31/26

Sample ID: MS-07 **Lab ID: 556542-001** **Collected: 03/31/26 07:08**
Matrix: Air

556542-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Freon 12	**0.39**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chloromethane	**0.46**		ppbv	0.12	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Freon 114	**0.014**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Bromomethane	**0.015**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Methylene Chloride	**0.10**		ppbv	0.023	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Freon 113	**0.055**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chloroform	**0.022**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Benzene	**0.14**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Carbon Tetrachloride	**0.067**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Trichloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Toluene	**0.17**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Ethylbenzene	**0.023**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
m,p-Xylenes	**0.052**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Bromoform	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Styrene	**0.031**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
o-Xylene	**0.021**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2,4-Trimethylbenzene	**0.017**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

556542-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Hexachlorobutadiene	ND		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Xylene (total)	**0.073**		ppbv	0.012	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD
Surrogates				**Limits**					
Bromofluorobenzene	91%		%REC	60-140	1.2	399734	04/03/26 14:20	04/03/26 14:20	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

Sample ID: MS-12	Lab ID: 556542-002	Collected: 03/31/26 07:21
	Matrix: Air	

556542-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Freon 12	**0.39**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chloromethane	**0.49**		ppbv	0.11	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Freon 114	**0.014**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Bromomethane	**0.014**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Methylene Chloride	**0.10**		ppbv	0.021	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Freon 113	**0.055**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chloroform	**0.023**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Benzene	**0.14**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Carbon Tetrachloride	**0.067**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Trichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Toluene	**0.21**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Ethylbenzene	**0.030**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
m,p-Xylenes	**0.078**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Bromoform	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Styrene	**0.030**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
o-Xylene	**0.033**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2,4-Trimethylbenzene	**0.028**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

556542-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Xylene (total)	**0.11**		ppbv	0.011	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD
Surrogates				**Limits**					
Bromofluorobenzene	94%		%REC	60-140	1.1	399734	04/03/26 15:13	04/03/26 15:13	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

Sample ID: MS-08	Lab ID: 556542-003	Collected: 03/31/26 07:34
	Matrix: Air	

556542-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Freon 12	**0.40**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chloromethane	**0.49**		ppbv	0.10	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Freon 114	**0.014**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Vinyl Chloride	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Bromomethane	**0.014**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Vinyl bromide	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Methylene Chloride	**0.10**		ppbv	0.021	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Freon 113	**0.055**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chloroform	**0.023**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Benzene	**0.12**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Carbon Tetrachloride	**0.068**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Bromodichloromethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Trichloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Toluene	**0.16**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Dibromochloromethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Tetrachloroethene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Chlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Ethylbenzene	**0.022**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
m,p-Xylenes	**0.051**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Bromoform	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Styrene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
o-Xylene	**0.022**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2,4-Trimethylbenzene	**0.016**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Benzyl chloride	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

556542-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Xylene (total)	**0.072**		ppbv	0.010	1	399734	04/03/26 16:06	04/03/26 16:06	OHD
Surrogates				**Limits**					
Bromofluorobenzene	92%		%REC	60-140	1	399734	04/03/26 16:06	04/03/26 16:06	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

Sample ID: MS-09	Lab ID: 556542-004	Collected: 03/31/26 07:48
	Matrix: Air	

556542-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Freon 12	**0.40**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chloromethane	**0.50**		ppbv	0.11	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Freon 114	**0.014**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Bromomethane	**0.014**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chloroethane	**0.13**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Freon 113	**0.055**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chloroform	**0.030**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Benzene	**0.15**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Carbon Tetrachloride	**0.067**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Trichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Toluene	**0.29**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Ethylbenzene	**0.029**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
m,p-Xylenes	**0.072**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Bromoform	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Styrene	**0.089**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
o-Xylene	**0.030**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2,4-Trimethylbenzene	**0.027**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

556542-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Xylene (total)	**0.10**		ppbv	0.011	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD
Surrogates				**Limits**					
Bromofluorobenzene	91%		%REC	60-140	1.1	399734	04/03/26 16:59	04/03/26 16:59	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

Sample ID: MS-10	Lab ID: 556542-005	Collected: 03/31/26 08:00
	Matrix: Air	

556542-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Freon 12	**0.40**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chloromethane	**0.53**		ppbv	0.10	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Freon 114	**0.014**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Vinyl Chloride	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Bromomethane	**0.014**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chloroethane	**0.10**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Vinyl bromide	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Freon 113	**0.055**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chloroform	**0.026**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dichloroethane	**0.017**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Benzene	**0.23**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Carbon Tetrachloride	**0.068**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Bromodichloromethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Trichloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Toluene	**0.33**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Dibromochloromethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Tetrachloroethene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Chlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Ethylbenzene	**0.029**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
m,p-Xylenes	**0.075**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Bromoform	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Styrene	**0.049**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
o-Xylene	**0.031**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2,4-Trimethylbenzene	**0.034**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Benzyl chloride	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

556542-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Xylene (total)	**0.11**		ppbv	0.010	1	399734	04/03/26 17:51	04/03/26 17:51	OHD
Surrogates				**Limits**					
Bromofluorobenzene	92%		%REC	60-140	1	399734	04/03/26 17:51	04/03/26 17:51	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

Sample ID: MS-06	Lab ID: 556542-006	Collected: 03/31/26 08:26
	Matrix: Air	

556542-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Freon 12	**0.40**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chloromethane	**0.49**		ppbv	0.10	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Freon 114	**0.014**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Vinyl Chloride	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Bromomethane	**0.014**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chloroethane	**0.013**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Vinyl bromide	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Methylene Chloride	**0.10**		ppbv	0.020	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Freon 113	**0.056**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chloroform	**0.025**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Benzene	**0.19**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Carbon Tetrachloride	**0.068**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Bromodichloromethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Trichloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Toluene	**0.24**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Dibromochloromethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Tetrachloroethene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Chlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Ethylbenzene	**0.029**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
m,p-Xylenes	**0.065**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Bromoform	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Styrene	**0.079**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
o-Xylene	**0.029**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2,4-Trimethylbenzene	**0.024**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Benzyl chloride	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

556542-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Xylene (total)	**0.094**		ppbv	0.010	1	399734	04/03/26 18:44	04/03/26 18:44	OHD
Surrogates				**Limits**					
Bromofluorobenzene	93%		%REC	60-140	1	399734	04/03/26 18:44	04/03/26 18:44	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

Sample ID: MS-11	Lab ID: 556542-007	Collected: 03/31/26 08:54
	Matrix: Air	

556542-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Freon 12	**0.40**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chloromethane	**0.52**		ppbv	0.11	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Freon 114	**0.014**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Bromomethane	**0.012**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chloroethane	**0.020**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Trichlorofluoromethane	**0.17**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Methylene Chloride	**0.11**		ppbv	0.022	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Freon 113	**0.055**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chloroform	**0.026**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dichloroethane	**0.016**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Benzene	**0.19**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Carbon Tetrachloride	**0.068**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Trichloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Toluene	**0.29**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Ethylbenzene	**0.027**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
m,p-Xylenes	**0.069**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Bromoform	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Styrene	**0.017**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
o-Xylene	**0.030**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2,4-Trimethylbenzene	**0.029**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Analysis Results for 556542

556542-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Xylene (total)	**0.098**		ppbv	0.011	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD
Surrogates				**Limits**					
Bromofluorobenzene	92%		%REC	60-140	1.1	399734	04/03/26 19:37	04/03/26 19:37	OHD

ND Not Detected

Results for any subcontracted analyses are not included in this section.

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample**	**Lab ID:**	**QC1356067**	**Batch:**	**399734**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1356067 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	182.2	200.0	pptv	91%		70-130
1,1,1,2-Tetrachloroethane	180.1	200.0	pptv	90%		70-130
Freon 12	192.4	200.0	pptv	96%		70-130
Chloromethane	187.5	200.0	pptv	94%		70-130
Freon 114	191.5	200.0	pptv	96%		70-130
Vinyl Chloride	191.2	200.0	pptv	96%		70-130
Bromomethane	187.3	200.0	pptv	94%		70-130
Chloroethane	190.3	200.0	pptv	95%		70-130
Vinyl bromide	197.4	200.0	pptv	99%		70-130
Trichlorofluoromethane	192.9	200.0	pptv	96%		70-130
1,1-Dichloroethene	196.3	200.0	pptv	98%		70-130
Methylene Chloride	184.6	200.0	pptv	92%		70-130
Freon 113	193.0	200.0	pptv	96%		70-130
trans-1,2-Dichloroethene	196.0	200.0	pptv	98%		70-130
1,1-Dichloroethane	196.4	200.0	pptv	98%		70-130
cis-1,2-Dichloroethene	197.4	200.0	pptv	99%		70-130
Chloroform	193.5	200.0	pptv	97%		70-130
1,2-Dichloroethane	193.4	200.0	pptv	97%		70-130
1,1,1-Trichloroethane	195.7	200.0	pptv	98%		70-130
Benzene	190.0	200.0	pptv	95%		70-130
Carbon Tetrachloride	194.2	200.0	pptv	97%		70-130
1,2-Dichloropropane	185.8	200.0	pptv	93%		70-130
Bromodichloromethane	182.0	200.0	pptv	91%		70-130
Trichloroethene	185.0	200.0	pptv	92%		70-130
cis-1,3-Dichloropropene	181.9	200.0	pptv	91%		70-130
trans-1,3-Dichloropropene	180.7	200.0	pptv	90%		70-130
1,1,2-Trichloroethane	180.0	200.0	pptv	90%		70-130
Toluene	186.3	200.0	pptv	93%		70-130
Dibromochloromethane	177.4	200.0	pptv	89%		70-130
1,2-Dibromoethane	179.2	200.0	pptv	90%		70-130
Tetrachloroethene	203.8	200.0	pptv	102%		70-130
Chlorobenzene	184.5	200.0	pptv	92%		70-130
Ethylbenzene	187.6	200.0	pptv	94%		70-130
m,p-Xylenes	396.9	400.0	pptv	99%		70-130
Bromoform	174.3	200.0	pptv	87%		70-130
Styrene	193.9	200.0	pptv	97%		70-130
o-Xylene	201.7	200.0	pptv	101%		70-130
2-Chlorotoluene	192.9	200.0	pptv	96%		70-130
1,3,5-Trimethylbenzene	204.9	200.0	pptv	102%		70-130
1,2,4-Trimethylbenzene	201.4	200.0	pptv	101%		70-130
Benzyl chloride	177.2	200.0	pptv	89%		70-130
1,3-Dichlorobenzene	191.7	200.0	pptv	96%		70-130
1,4-Dichlorobenzene	190.0	200.0	pptv	95%		70-130
1,2-Dichlorobenzene	185.3	200.0	pptv	93%		70-130
1,2,4-Trichlorobenzene	153.8	200.0	pptv	77%		70-130
Hexachlorobutadiene	157.7	200.0	pptv	79%		70-130
Surrogates						

Batch QC

QC1356067 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	266.7	250.0	pptv	107%		70-130

ENTHALPY ANALYTICAL

Batch QC

Type:	**Lab Control Sample Duplicate**	**Lab ID:**	**QC1356068**	**Batch:**	**399734**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1356068 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	188.2	200.0	pptv	94%		70-130	3	25
1,1,1,2-Tetrachloroethane	185.2	200.0	pptv	93%		70-130	3	25
Freon 12	198.2	200.0	pptv	99%		70-130	3	25
Chloromethane	192.4	200.0	pptv	96%		70-130	3	25
Freon 114	197.2	200.0	pptv	99%		70-130	3	25
Vinyl Chloride	196.7	200.0	pptv	98%		70-130	3	25
Bromomethane	190.9	200.0	pptv	95%		70-130	2	25
Chloroethane	195.5	200.0	pptv	98%		70-130	3	25
Vinyl bromide	202.4	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	198.0	200.0	pptv	99%		70-130	3	25
1,1-Dichloroethene	201.5	200.0	pptv	101%		70-130	3	25
Methylene Chloride	189.4	200.0	pptv	95%		70-130	3	25
Freon 113	197.7	200.0	pptv	99%		70-130	2	25
trans-1,2-Dichloroethene	201.4	200.0	pptv	101%		70-130	3	25
1,1-Dichloroethane	201.2	200.0	pptv	101%		70-130	2	25
cis-1,2-Dichloroethene	203.6	200.0	pptv	102%		70-130	3	25
Chloroform	198.5	200.0	pptv	99%		70-130	3	25
1,2-Dichloroethane	198.3	200.0	pptv	99%		70-130	3	25
1,1,1-Trichloroethane	200.5	200.0	pptv	100%		70-130	2	25
Benzene	195.8	200.0	pptv	98%		70-130	3	25
Carbon Tetrachloride	198.9	200.0	pptv	99%		70-130	2	25
1,2-Dichloropropane	191.5	200.0	pptv	96%		70-130	3	25
Bromodichloromethane	186.3	200.0	pptv	93%		70-130	2	25
Trichloroethene	190.9	200.0	pptv	95%		70-130	3	25
cis-1,3-Dichloropropene	190.5	200.0	pptv	95%		70-130	5	25
trans-1,3-Dichloropropene	186.3	200.0	pptv	93%		70-130	3	25
1,1,2-Trichloroethane	185.5	200.0	pptv	93%		70-130	3	25
Toluene	191.2	200.0	pptv	96%		70-130	3	25
Dibromochloromethane	182.6	200.0	pptv	91%		70-130	3	25
1,2-Dibromoethane	184.3	200.0	pptv	92%		70-130	3	25
Tetrachloroethene	209.8	200.0	pptv	105%		70-130	3	25
Chlorobenzene	189.2	200.0	pptv	95%		70-130	2	25
Ethylbenzene	194.2	200.0	pptv	97%		70-130	3	25
m,p-Xylenes	401.2	400.0	pptv	100%		70-130	1	25
Bromoform	178.0	200.0	pptv	89%		70-130	2	25
Styrene	200.1	200.0	pptv	100%		70-130	3	25
o-Xylene	211.7	200.0	pptv	106%		70-130	5	25
2-Chlorotoluene	198.9	200.0	pptv	99%		70-130	3	25
1,3,5-Trimethylbenzene	214.4	200.0	pptv	107%		70-130	5	25
1,2,4-Trimethylbenzene	211.0	200.0	pptv	106%		70-130	5	25
Benzyl chloride	182.5	200.0	pptv	91%		70-130	3	25
1,3-Dichlorobenzene	198.4	200.0	pptv	99%		70-130	3	25
1,4-Dichlorobenzene	196.6	200.0	pptv	98%		70-130	3	25
1,2-Dichlorobenzene	191.3	200.0	pptv	96%		70-130	3	25
1,2,4-Trichlorobenzene	159.0	200.0	pptv	79%		70-130	3	25
Hexachlorobutadiene	162.9	200.0	pptv	81%		70-130	3	25

Batch QC

QC1356068 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	263.9	250.0	pptv	106%		70-130		

ENTHALPY ANALYTICAL

Batch QC

Type:	**Blank**	**Lab ID:**	**QC1356069**	**Batch:**	**399734**
Matrix:	**Air**	**Method:**	**EPA TO-15 SIM**	**Prep Method:**	**METHOD**

QC1356069 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1,1,2-Tetrachloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Freon 12	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chloromethane	ND		pptv	100	04/03/26 11:11	04/03/26 11:11
Freon 114	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Vinyl Chloride	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Bromomethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Vinyl bromide	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Trichlorofluoromethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1-Dichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Methylene Chloride	ND		pptv	20	04/03/26 11:11	04/03/26 11:11
Freon 113	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
trans-1,2-Dichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1-Dichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
cis-1,2-Dichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chloroform	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1,1-Trichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Benzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Carbon Tetrachloride	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dichloropropane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Bromodichloromethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Trichloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
cis-1,3-Dichloropropene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
trans-1,3-Dichloropropene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,1,2-Trichloroethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Toluene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Dibromochloromethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dibromoethane	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Tetrachloroethene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Chlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Ethylbenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
m,p-Xylenes	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Bromoform	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Styrene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
o-Xylene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
2-Chlorotoluene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,3,5-Trimethylbenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2,4-Trimethylbenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Benzyl chloride	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,3-Dichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,4-Dichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2-Dichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
1,2,4-Trichlorobenzene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Hexachlorobutadiene	ND		pptv	10	04/03/26 11:11	04/03/26 11:11
Xylene (total)	ND		pptv	10	04/03/26 11:11	04/03/26 11:11

ENTHALPY ANALYTICAL

Batch QC

QC1356069 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				**Limits**		
Bromofluorobenzene	84%		%REC	70-130	04/03/26 11:11	04/03/26 11:11

ND Not Detected

CLIENT	: SCS Engineers
PROJECT NAME	: Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO.	: 260765
REPORT DATE	: 04/08/2026

On March 31, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260765-88260
MS-12	260765-88261
MS-08	260765-88262
MS-09	260765-88263
MS-10	260765-88264
MS-06	260765-88265
MS-11	260765-88266

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.

Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260765
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/30-31/2026
RECEIVING DATE : 03/31/2026
ANALYSIS DATE : 03/31/2026
REPORT DATE : 04/08/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260765-88260	260765-88261	260765-88262	260765-88263
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260765
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/30-31/2026
RECEIVING DATE : 03/31/2026
ANALYSIS DATE : 03/31/2026
REPORT DATE : 04/08/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260765-88264	260765-88265	260765-88266
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H_2S (TRS does not include COS and SO2)
Sample Reporting Limit (SRL) is equal to Reporting Limit xAnalysis Dil. Fac.

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

Quality Control/Quality Assurance Report
SCAQMD 307.91

Cal Verification Date: 3/31/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H2S (GC-031226-01)

H_2S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21861	491	98.0	1.8
Duplicate	21216	477	95.1	1.2
Triplicate	21326	479	95.6	0.7

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20626	537	104.6	0.1
Duplicate	20665	538	104.8	0.1
Triplicate	20625	537	104.6	0.1

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	24005	532	101.8	2.7
Duplicate	23051	511	97.8	1.4
Triplicate	23096	512	98.0	1.2

Method Blank

Analyte	Result
H_2S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis **Sample ID 260329-86138**

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H_2S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate **Sample ID 260329-86138 x2**

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H_2S	<PQL	250.6	243.0	231.3	97.0	92.3	4.9
MeSH	<PQL	256.6	269.3	274.9	104.9	107.1	2.1
DMS	<PQL	261.1	256.7	264.4	98.3	101.3	2.9

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H_2S	501.3	468.8	93.5
MeSH	513.3	542.7	105.7
DMS	522.3	513.6	98.3

** Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.*
PQL = 50.0 ppbV

2225 Sperry Ave., Ventura, CA 93003 www.aaclab.com (805) 650-1642

260765

CHAIN OF CUSTODY RECORD

Client/Project Name	Project Location
SCS Engineers / Chiquita Landfill Airlodor Sampling	Valencia, CA
Project No.	**Field Logbook No.**
Sampler: (Print) Aiden Sanchez-Orue	**(Signature)** [redacted]

ANALYSES

No. Of Containers: 7

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	307.91 Sulfur					Remarks
MS-07	3-30/31-26	0708-0708	88260	10 Liter Bag	X					
MS-12	3-30/31-26	0721-0721	88261	10 Liter Bag	X					
MS-08	3-30/31-26	0734-0734	88262	10 Liter Bag	X					
MS-09	3-30/31-26	0748-0748	88263	10 Liter Bag	X					
MS-10	3-30/31-26	0800-0800	88264	10 Liter Bag	X					
MS-06	3-30/31-26	0826-0826	88265	10 Liter Bag	X					
MS-11	3-30/31-26	0854-0854	88266	10 Liter Bag	X					

	Date	Time		Date	Time
Relinquished by: (Signature) [redacted]	3/31/26	1015	**Received by: (Signature)**		
Relinquished by: (Signature)			**Received by: (Signature)**		
Relinquished by: (Signature)			**Received for Laboratory: (Signature)** [redacted]	3/31/26	1015

Sample Disposal Method:	**Disposed of by: (Signature)**	**Date**	**Time**

Sample Collector

RES Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

Appendix B

Onterris Supplementary Analysis of SCS Engineers' Q1 2026 EAMP Report

May 15, 2026

To: Nicole Quick, MD, MPH, Deputy Director for Health Protection, Los Angeles County Department of Public Health
From: Pablo Sanchez Soria, PhD, CIH, Principal Toxicologist, Director, Exposure Assessment & Evaluation
Subject: Onterris Response & Recovery, LLC's (f/k/a CTEH) Supplementary Analysis of SCS Engineers' First Quarter (January 1, 2026 – March 31, 2026) Community 24-hour Analytical Air Sampling Data

1. Overview and Summary of Findings

In accordance with the enhanced air monitoring program (EAMP) for Chiquita Canyon Landfill (CCL), SCS Engineers produced a quarterly report for the first quarter of 2026 (January 1, 2026, to March 31, 2026), summarizing the results from air quality data collected in accordance with the 2019 Community Air Monitoring Plan (CAMP) prepared by SCS Engineers in collaboration with CCL, the Los Angeles County Department of Public Health (DPH), and the Los Angeles County Department of Public Works (DPW). At the request of CCL, and in response to DPH's June 6, 2024, letter (Letter), Onterris Response and Recovery, LLC f/k/a CTEH[1], has prepared this report to provide a supplementary analysis of SCS Engineers' analytical air sampling data pertaining to the evaluation of public health risks.

The following summarizes findings by Onterris from 24-hour "*time-composited*" air samples collected by SCS Engineers across the community near CCL during the first quarter of 2026 and provides a summary of the methodology used to conduct the analysis.

SCS Engineers collected air samples for the analysis of volatile organic compounds (VOCs) and total reduced sulfur (TRS) compounds. Full laboratory results are provided in SCS Engineers quarterly report. Of all the analytes evaluated in the 24-hour samples deployed across seven community locations (MS-06 – MS-12), there were no analytes detected above their corresponding Office of Environmental Health Hazard Assessment (OEHHA) Chronic Reference Exposure Levels (RELs). In this regard, there were no exceedances of OEHHA RELs documented from 24-hour analytical air samples collected throughout the first quarter of 2026.

[1] As of April 22, 2026, CTEH has rebranded to Onterris Response & Recovery, LLC.

2. Data Evaluation and Methodology

Data Selection for Health-Based Screening Level Assessment

- Community Data

SCS Engineers' first quarterly report of 2026 includes data collected from multiple locations, including locations within the landfill, across the perimeter of CCL, and throughout the community. To evaluate potential health risks for residents near the CCL, concentrations of VOCs and TRS compounds were evaluated throughout the community air sampling locations, including MS-06 – MS-12. For this reason, all data from MS-01 – MS-05, located within the landfill or on the landfill's immediate perimeter, were excluded from this analysis. A figure illustrating these sampling locations is provided in **Appendix A**.

- 24-hour Analytical Data

While community locations selected by SCS Engineers for air monitoring and sampling also include three additional locations beyond MS-06 – MS-12 (S. End Lincoln, Santa Clarita Valley [SCV] and Chiquito Canyon Road), none of these locations included samples collected over a 24-hour period. In this regard, all data from grab samples were excluded from this analysis. Additionally, while SCS Engineers is also collecting air quality data via continuous air monitoring stations across various perimeter and community locations, Onterris has not evaluated these data to make conclusions about public health risks because Onterris is not familiar with the quality assurance and quality control procedures in place for these data.

OEHHA RELs

Analytical results from SCS Engineers' 24-hour samples were compared to OEHHA Chronic RELs, where available. A list of RELs is available on OEHHA's website[2]. These RELs serve as health-protective benchmarks for chronic exposures (chronic being for a period of 1-year to a lifetime), and they are based on the most sensitive health effects reported in scientific literature. OEHHA RELs are designed to protect the most sensitive individuals in the population, including children, the elderly, and those with pre-existing health conditions. OEHHA RELs are airborne concentrations of chemicals at or below which no adverse health effects are anticipated in individuals indefinitely exposed to that level. Due to the conservative nature of health-protective screening levels such as these, it is important to note that exceedances of chronic RELs from single 24-hour sample results do not necessarily indicate that health risks are anticipated. Rather, they may indicate that additional investigation is warranted.

[2] https://oehha.ca.gov/air/general-info/oehha-acute-8-hour-and-chronic-reference-exposure-level-rel-summary

Analysis

To assess whether exceedances of OEHHA Chronic RELs were observed, results were averaged throughout the quarter by sampling location[3]. In addition, individual results from single 24-hour samples were compared against OEHHA Chronic RELs screening values[4] to assess whether additional investigation may be warranted. (i.e., assess trends, wind direction, or other patterns informative of potential sources). The individual 24-hour sampling results are reported as above or below OEHHA Chronic RELs, rather than "exceedance" or "non-exceedance" because individual 24-hour samples do not indicate the potential health risks for which Chronic RELs are protective over chronic exposure durations. If detections were observed above the OEHHA Chronic REL for a particular constituent, the results are discussed in Section 1, above. Individual 24-hour samples were also compared against OEHHA Acute RELs. No detections above Acute RELs were observed across SCS Engineers' 24-hour analytical air samples collected throughout the first quarter of 2026.

[3] Average concentrations include non-detections at one half of the reporting limit, per standard risk assessment practice.
[4] Individual 24-hour samples were also compared against OEHHA Acute RELs for sake of completeness. No detections above Acute RELs were observed.

Appendix A. SCS Engineers 24-hour Community Air Sampling Locations

