



February 19, 2026

California Regional Water Quality Control Board
Los Angeles Region
320 W. 4th Street, Suite 200
Los Angeles, California 90013
ATTN: Information Technology Unit

**Subject: Leachate Seep Report
Chiquita Canyon Landfill
WDRs Order No. R4-2018-0172
File No. 67-020**

Pursuant to MRP No. CI-6231 Section B.3.a, Chiquita Canyon, LLC (“Chiquita”) provides the following information regarding a seep that occurred on February 12, 2026, during which approximately 20-40 gallons of characteristically hazardous leachate associated with Group A travelled off of the landfill’s liner to Stage 1 of the South Sedimentation Basin. This is a conservative estimate based on visual observations by Chiquita staff. Chiquita maintains appropriate response materials, including fully stocked spill kits, and has trained staff on site to respond to spills, leaks, and seeps to prevent liquids from entering the stormwater system.

i. Map - A map showing the location(s) of seepage.

The incident occurred just west of grid 210 and south of grid 208, as indicated in **Attachment A**.

ii. Flow rate - An estimate of the flow rate.

The seep had a low flow rate.

iii. Description - A description of the nature of the discharge (e.g., all pertinent observations and analyses).

On February 12, 2026, Chiquita observed a seep outside of Chiquita’s routine seep inspections. At the time of discovery, the liquid from the seep had reached the stormwater channel and a small amount of leachate had reached Stage 1 of the South Sedimentation Basin. Chiquita estimates that approximately 20-40 gallons of leachate travelled through the stormwater channel and entered Stage 1 of the basin.

The liquid was dark brown in color with low viscosity and traveled as a light trickle.

iv. Location – Location of sample(s) collected for laboratory analysis, as appropriate.

On February 12, 2026, during the seep event, Chiquita collected a sample of the seep from the western inlet to Stage 1 of the South Sedimentation Basin. Chiquita circulated these sampling results to members of the Los Angeles Regional Water Quality Control Board (“LARWQCB”) on Sunday, February 15, 2026, and has attached the final report for this sample as **Attachment B**. The sampling results show that the seep was non-detect for benzene.

Following cleanup of the basin, as described below, Chiquita took three additional samples from the basin. One sample was taken from Stage 1 of the basin next to the western inlet. Samples were also taken from further south and along the western portion of Stage 1 of the basin (near where the north pond has the potential to overflow into the south pond), and from Stage 2 of the basin near the standpipes. The results of this sampling were also submitted to members of the LARWQCB on February 15, 2026, and are included hereto as **Attachment C**.

While the stormwater sample report is preliminary, the data for the methods presented are QC’ed and will not change with the final report, which will include additional methods that take longer to run. Analytical results are consistent with stormwater and confirm visual observations that all leachate was removed from the south basin.

v. Corrective measures – approved (or proposed for consideration) by the Regional Board Executive Officer.

Upon discovery of the seep, Chiquita immediately blocked the inlet to Stage 1 of the South Sedimentation Basin and placed soil check dams within the stormwater channel to stop the seep from traveling to the basin. A small visible sheen of dark liquid, approximately 10 feet by 15 feet in area, was observed in Stage 1 of the South Sedimentation Basin. Chiquita promptly deployed a vacuum truck to the basin and removed the leachate along with additional stormwater present within the vicinity of the inlet. In total, approximately 3,360 gallons of liquid were removed from the basin, consisting primarily of stormwater in addition to the estimated volume of leachate. As part of its cleanup efforts, Chiquita also pressure-washed the stormwater channel and culvert leading to the South Sedimentation Basin and removed the wash water by vacuum truck.

To contain the seep, Chiquita dug a containment area at the source of the seep at the western toe to collect the liquid. This containment area is approximately 40 feet in length and has an estimated capacity of approximately 300 gallons. The containment area is also covered by a steel plate, and a layer of 60-mil geomembrane cover to prevent potential emissions in the event liquids reappear. Since February 13, 2026, no active flow has been observed, and no liquid has accumulated in the containment area. Chiquita is monitoring the containment area and is prepared to remove liquids using a vacuum truck in the event they reappear. Further, rock has been added to the access road to ensure reliable access during wet conditions. In total, the cleanup of this seep, including the installation of the containment area, took approximately 24 hours.

February 19, 2026

Page 3 of 3


If you should have any questions regarding this report, please do not hesitate to contact me at (661) 257-3655.

Sincerely,
Chiquita Canyon, LLC

Matt Breuer
Environmental Manager
Waste Connections

Attachments: Attachment A – Grid Map of Seep Location
Attachment B – February 12, 2026 Sampling Results
Attachment C – February 13, 2026 Sampling Results

Attachment A
Grid Map of Seep Location



LEGEND

- CV-69 ACTIVE VERTICAL WELLS ABOVE GRADE
- CV-69 ACTIVE VERTICAL WELLS WITH HOV TEMP
- CV-69 ACTIVE VERTICAL WELLS WITH HOV O2
- CV-69 ACTIVE VERTICAL WELL WITH ELEVATED H2S
- CV-43 ACTIVE VERTICAL WELLS BELOW GRADE
- C-31 ACTIVE HORIZONTAL WELLS
- C-31 ACTIVE HORIZONTAL WELLS WITH HOV TEMP
- C-31 ACTIVE HORIZONTAL WELLS WITH ELEVATED H2S
- C-31 ACTIVE HORIZONTAL WELLS WITH STINGERS
- DW-1 DETECTION WELLS
- ▲ PZ-1 PIEZOMETER
- ▲ CV-39 REMOTE VERTICAL WELL HEADS
- ▲ CV-39 REMOTE VERTICAL WELL HEADS WITH HOV O2
- ▲ CV-39 REMOTE VERTICAL WELL HEADS WITH HOV TEMP
- GP-6 GAS PROBE
- ✦ VALVE
- ⊕ VALVE VAULT
- ⊙ AC ACTIVATED CARBON VESSEL
- LC-6 SAMPLE POINT

NOTES:

1. EXISTING TOPOGRAPHY PLAN IS FROM PROPELLER DATA. THE TOPOGRAPHY DATA IS BASED ON AUGUST 11, 2023.
2. EXISTING GCCS AS-BUILTS DATED 10-18-23.

DATE		CHQUIITA CANYON LANDFILL 29201 HENRY MAYO DRIVE, CASTAIC, CALIFORNIA 91384	
REVISION			
NO.			
SHEET TITLE:	LANDFILL GAS COLLECTION SYSTEM WITH SEM MAP	CHQUIITA CANYON LANDFILL CASTAIC, CALIFORNIA	
PROJECT TITLE:			
CLIENT:		SCS ENGINEERS ENVIRONMENTAL CONSULTANTS <small>10000 WILSON AVENUE, SUITE 100 FORT WORTH, TEXAS 76150 TEL: (817) 424-8544 FAX: (817) 424-8545</small>	
DATE:	10-20-2013	SCALE:	1" = 100'
1 of 1			

Attachment B
February 12, 2026 Sampling Results

Enthalpy Analytical Report

Lab #: 553108 Client: CTEH Chiquita Canyon Landfill - PROJ-037507	Project#: WC CHIQUITACANYON LF Location: Waste Connections Chiquita Canyon ...
Field ID: CACA260212Z-WESTERN-INLET Lab ID: 553108-001 Matrix: Water DF: 50.00	Batch#: 395301 Sampled: 02/12/26 Received: 02/13/26 Analyzed: 02/13/26
	Prep: EPA 5030B Analysis: EPA 8260B Analyst: LYZ

553108-001 Analyte	Result	RL	MDL	Units
Vinyl Chloride	ND	0.3	0.007	mg/L
1,1-Dichloroethene	ND	0.3	0.006	mg/L
2-Butanone	0.3 J	5.0	0.05	mg/L
Chloroform	ND	0.3	0.003	mg/L
Carbon Tetrachloride	ND	0.3	0.003	mg/L
1,2-Dichloroethane	ND	0.3	0.005	mg/L
Benzene	ND	0.3	0.004	mg/L
Trichloroethene	ND	0.3	0.002	mg/L
Tetrachloroethene	ND	0.3	0.004	mg/L
Chlorobenzene	ND	0.3	0.002	mg/L
1,4-Dichlorobenzene	ND	0.3	0.004	mg/L

553108-001 Surrogate	%REC	Limits
Dibromofluoromethane	101	70-130
1,2-Dichloroethane-d4	102	70-130
Toluene-d8	93	70-130
Bromofluorobenzene	104	70-130

Legend

J: Estimated value

MDL: Method Detection Limit

ND: Not Detected at or above MDL

RL: Reporting Limit

DRAFT

Enthalpy Analytical Report

Lab #: 553108 Client: CTEH Chiquita Canyon Landfill - PROJ-037507	Project#: WC CHIQUITACANYON LF Location: Waste Connections Chiquita Canyon ...
Field ID: CACA260212Z-WESTERN-INLET Lab ID: 553108-001 Matrix: Water DF: 1.923	Batch#: 395350 Sampled: 02/12/26 Received: 02/13/26 Prepared: 02/13/26
	Analyzed: 02/14/26 Prep: EPA 3510C Analysis: EPA 8270E Analyst: TJW

553108-001 Analyte	Result	RL	MDL	Units
Pyridine	0.011 J	0.019	0.0054	mg/L
2-Methylphenol	0.017 J	0.019	0.0062	mg/L
3,4-Methylphenol	1.2 E	0.019	0.0058	mg/L
Hexachloroethane	ND	0.019	0.0058	mg/L
Nitrobenzene	ND	0.048	0.016	mg/L
Hexachlorobutadiene	ND	0.019	0.0043	mg/L
2,4,6-Trichlorophenol	ND	0.019	0.0078	mg/L
2,4,5-Trichlorophenol	ND	0.019	0.0071	mg/L
2,4-Dinitrotoluene	ND	0.019	0.0082	mg/L
Hexachlorobenzene	ND	0.019	0.0058	mg/L
Pentachlorophenol	ND	0.048	0.011	mg/L

553108-001 Surrogate	%REC	Limits
2-Fluorophenol	52	15-120
Phenol-d6	93	15-120
2,4,6-Tribromophenol	78	15-140
Nitrobenzene-d5	125 *	15-123
2-Fluorobiphenyl	54	15-120
Terphenyl-d14	77	15-120

Legend

*: Value is outside QC limits

E: Response exceeds instrument's linear range

J: Estimated value

MDL: Method Detection Limit

ND: Not Detected at or above MDL

RL: Reporting Limit

DRAFT

California Title 22 Metals

Lab #: 553108	Project#: WC CHIQUITACANYON LF
Client: CTEH Chiquita Canyon Landfill - PROJ-037507	Location: Waste Connections Chiquita Canyon ...

Field ID: CACA260212Z-WESTERN-INLET	Sampled: 02/12/26	Analyzed: 02/13/26
Lab ID: 553108-001	Received: 02/13/26	
Matrix: Water	Prepared: 02/13/26	

553108-001 Analyte	Result	RL	MDL	Units	DF	Batch#	Prep	Analysis	Analyst
Antimony	ND	0.30	0.078	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Arsenic	0.082 J	0.10	0.064	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Barium	0.98	0.10	0.0044	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Beryllium	ND	0.050	0.0034	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Cadmium	ND	0.050	0.0021	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Chromium	0.078 J	0.10	0.0085	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Cobalt	0.014 J	0.050	0.0034	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Copper	ND	0.10	0.021	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Lead	ND	0.10	0.022	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Mercury	ND	0.080	0.018	mg/L	200.0	395295	EPA 7470A	EPA 7470A	MLL
Molybdenum	ND	0.10	0.023	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Nickel	0.016 J	0.10	0.012	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Selenium	ND	0.30	0.051	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Silver	0.013 J	0.050	0.0070	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Thallium	ND	0.30	0.036	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Vanadium	0.048 J	0.10	0.013	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Zinc	0.13 J	0.50	0.021	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW

Legend

- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Closed-Cup Ignitability (Flashpoint)

Lab #: 553108 Client: CTEH Chiquita Canyon Landfill - PROJ-037507	Project#: WC CHIQUITACANYON LF Location: Waste Connections Chiquita Canyon ...
Field ID: CACA260212Z-WESTERN-INLET Lab ID: 553108-001 Matrix: Water DF: 1.000	Batch#: 395374 Sampled: 02/12/26 Received: 02/13/26 Analyzed: 02/14/26
	Prep: Analysis: EPA 1010 Analyst: ARM

553108-001 Analyte	Result	Units
Flash Point	>203	deg F

pH of Aqueous and non-Aqueous Samples

Lab #: 553108 Client: CTEH Chiquita Canyon Landfill - PROJ-037507	Project#: WC CHIQUITACANYON LF Location: Waste Connections Chiquita Canyon ...
Field ID: CACA260212Z-WESTERN-INLET Lab ID: 553108-001 Matrix: Water DF: 1.000	Batch#: 395378 Sampled: 02/12/26 Received: 02/13/26 Analyzed: 02/14/26
	Prep: Analysis: EPA 9040B Analyst: ARM

553108-001 Analyte	Result	RL	Units	Qual
pH	6.93		SU	H
Temperature	20.40	1.00	deg C	H

Legend

H: Holding time was exceeded
 RL: Reporting Limit

Attachment C
February 13, 2026 Sampling Results

Purgeable Organics by GC/MS

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395299	Prep: EPA 5030B
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: EPA 8260B
Matrix: Water	Received: 02/13/26	Analyst: LYZ
DF: 1.000	Analyzed: 02/13/26	

553152-001 Analyte	Result	RL	MDL	Units
Carbon Disulfide	ND	5.0	0.2	ug/L
Chloroprene	ND	200	0.4	ug/L
3-Chloropropene	ND	5.0	0.3	ug/L
Ethyl methacrylate	ND	50	2.1	ug/L
Ethanol	ND	500	110	ug/L
2-Hexanone	ND	5.0	1.1	ug/L
Isopropanol (IPA)	ND	200	52	ug/L
Methyl acrylonitrile	ND	35	3.7	ug/L
Vinyl Acetate	ND	50	15	ug/L
Acrolein	ND	200	2.7	ug/L
Acrylonitrile	ND	10	0.7	ug/L
Freon 12	ND	5.0	0.1	ug/L
Chloromethane	ND	5.0	0.2	ug/L
Vinyl Chloride	ND	5.0	0.1	ug/L
Bromomethane	ND	5.0	0.2	ug/L
Chloroethane	ND	5.0	0.1	ug/L
Trichlorofluoromethane	ND	5.0	0.06	ug/L
Iodomethane	ND	5.0		ug/L
Acetone	ND	100	5.0	ug/L
Freon 113	ND	5.0	0.1	ug/L
1,1-Dichloroethene	ND	5.0	0.08	ug/L
Methylene Chloride	ND	10	0.2	ug/L
MTBE	ND	5.0	0.09	ug/L
trans-1,2-Dichloroethene	ND	5.0	0.1	ug/L
1,1-Dichloroethane	ND	5.0	0.1	ug/L
2-Butanone	2.0 J	10	1.5	ug/L
cis-1,2-Dichloroethene	ND	5.0	0.09	ug/L
2,2-Dichloropropane	ND	5.0	0.1	ug/L
Chloroform	ND	5.0	0.08	ug/L
Bromochloromethane	ND	5.0	0.2	ug/L
1,1,1-Trichloroethane	ND	5.0	0.09	ug/L
1,1-Dichloropropene	ND	5.0	0.08	ug/L
Carbon Tetrachloride	ND	5.0	0.06	ug/L
1,2-Dichloroethane	ND	5.0	0.1	ug/L
Benzene	0.1 J	1.0	0.1	ug/L
Trichloroethene	ND	5.0	0.1	ug/L
1,2-Dichloropropane	ND	5.0	0.1	ug/L
Bromodichloromethane	ND	5.0	0.09	ug/L
Dibromomethane	ND	5.0	0.1	ug/L
4-Methyl-2-Pentanone	ND	5.0	1.0	ug/L
cis-1,3-Dichloropropene	ND	5.0	0.3	ug/L
Toluene	ND	5.0	0.2	ug/L
trans-1,3-Dichloropropene	ND	5.0	0.3	ug/L
1,1,2-Trichloroethane	ND	5.0	0.2	ug/L
1,3-Dichloropropane	ND	5.0	0.1	ug/L
Tetrachloroethene	ND	5.0	0.1	ug/L

Purgeable Organics by GC/MS

Lab #: 553152

Project#: CCLF STORMWATER

Client: Waste Connections

Location: Stormwater Outlet

553152-001 Analyte	Result	RL	MDL	Units
Dibromochloromethane	ND	5.0	0.08	ug/L
1,2-Dibromoethane	ND	5.0	0.2	ug/L
Chlorobenzene	ND	5.0	0.1	ug/L
1,1,1,2-Tetrachloroethane	ND	5.0	0.08	ug/L
Ethylbenzene	ND	5.0	0.09	ug/L
m,p-Xylenes	ND	5.0	0.2	ug/L
o-Xylene	ND	5.0	0.1	ug/L
Styrene	ND	5.0	0.08	ug/L
Bromoform	ND	5.0	0.08	ug/L
Isopropylbenzene	ND	5.0	0.1	ug/L
1,1,2,2-Tetrachloroethane	ND	5.0	0.2	ug/L
1,2,3-Trichloropropane	ND	5.0	0.2	ug/L
Propylbenzene	ND	5.0	0.1	ug/L
Bromobenzene	ND	5.0	0.09	ug/L
1,3,5-Trimethylbenzene	ND	5.0	0.1	ug/L
2-Chlorotoluene	ND	5.0	0.1	ug/L
4-Chlorotoluene	ND	5.0	0.1	ug/L
tert-Butylbenzene	ND	5.0	0.1	ug/L
1,2,4-Trimethylbenzene	ND	5.0	0.1	ug/L
sec-Butylbenzene	ND	5.0	0.1	ug/L
para-Isopropyl Toluene	ND	5.0	0.1	ug/L
1,3-Dichlorobenzene	ND	5.0	0.1	ug/L
1,4-Dichlorobenzene	ND	5.0	0.2	ug/L
n-Butylbenzene	ND	5.0	0.1	ug/L
1,2-Dichlorobenzene	ND	5.0	0.09	ug/L
1,2-Dibromo-3-Chloropropane	ND	5.0	0.5	ug/L
1,2,4-Trichlorobenzene	ND	5.0	0.2	ug/L
Hexachlorobutadiene	ND	5.0	0.2	ug/L
1,2,3-Trichlorobenzene	ND	5.0	0.1	ug/L
cis-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
trans-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
Xylene (total)	ND	5.0		ug/L

553152-001 Surrogate	%REC	Limits
Dibromofluoromethane	129	70-130
1,2-Dichloroethane-d4	110	70-130
Toluene-d8	98	70-130
Bromofluorobenzene	95	70-130

Legend

J: Estimated value

MDL: Method Detection Limit

ND: Not Detected

RL: Reporting Limit

Purgeable Organics by GC/MS

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395299	Prep: EPA 5030B
Lab ID: 553152-002	Sampled: 02/13/26	Analysis: EPA 8260B
Matrix: Water	Received: 02/13/26	Analyst: LYZ
DF: 1.000	Analyzed: 02/13/26	

553152-002 Analyte	Result	RL	MDL	Units
Carbon Disulfide	ND	5.0	0.2	ug/L
Chloroprene	ND	200	0.4	ug/L
3-Chloropropene	ND	5.0	0.3	ug/L
Ethyl methacrylate	ND	50	2.1	ug/L
Ethanol	ND	500	110	ug/L
2-Hexanone	ND	5.0	1.1	ug/L
Isopropanol (IPA)	ND	200	52	ug/L
Methyl acrylonitrile	ND	35	3.7	ug/L
Vinyl Acetate	ND	50	15	ug/L
Acrolein	ND	200	2.7	ug/L
Acrylonitrile	ND	10	0.7	ug/L
Freon 12	ND	5.0	0.1	ug/L
Chloromethane	ND	5.0	0.2	ug/L
Vinyl Chloride	ND	5.0	0.1	ug/L
Bromomethane	ND	5.0	0.2	ug/L
Chloroethane	ND	5.0	0.1	ug/L
Trichlorofluoromethane	ND	5.0	0.06	ug/L
Iodomethane	ND	5.0		ug/L
Acetone	ND	100	5.0	ug/L
Freon 113	ND	5.0	0.1	ug/L
1,1-Dichloroethene	ND	5.0	0.08	ug/L
Methylene Chloride	ND	10	0.2	ug/L
MTBE	ND	5.0	0.09	ug/L
trans-1,2-Dichloroethene	ND	5.0	0.1	ug/L
1,1-Dichloroethane	ND	5.0	0.1	ug/L
2-Butanone	ND	10	1.5	ug/L
cis-1,2-Dichloroethene	ND	5.0	0.09	ug/L
2,2-Dichloropropane	ND	5.0	0.1	ug/L
Chloroform	ND	5.0	0.08	ug/L
Bromochloromethane	ND	5.0	0.2	ug/L
1,1,1-Trichloroethane	ND	5.0	0.09	ug/L
1,1-Dichloropropene	ND	5.0	0.08	ug/L
Carbon Tetrachloride	ND	5.0	0.06	ug/L
1,2-Dichloroethane	ND	5.0	0.1	ug/L
Benzene	ND	1.0	0.1	ug/L
Trichloroethene	ND	5.0	0.1	ug/L
1,2-Dichloropropane	ND	5.0	0.1	ug/L
Bromodichloromethane	ND	5.0	0.09	ug/L
Dibromomethane	ND	5.0	0.1	ug/L
4-Methyl-2-Pentanone	ND	5.0	1.0	ug/L
cis-1,3-Dichloropropene	ND	5.0	0.3	ug/L
Toluene	ND	5.0	0.2	ug/L
trans-1,3-Dichloropropene	ND	5.0	0.3	ug/L
1,1,2-Trichloroethane	ND	5.0	0.2	ug/L
1,3-Dichloropropane	ND	5.0	0.1	ug/L
Tetrachloroethene	ND	5.0	0.1	ug/L

Purgeable Organics by GC/MS

Lab #: 553152

Project#: CCLF STORMWATER

Client: Waste Connections

Location: Stormwater Outlet

553152-002 Analyte	Result	RL	MDL	Units
Dibromochloromethane	ND	5.0	0.08	ug/L
1,2-Dibromoethane	ND	5.0	0.2	ug/L
Chlorobenzene	ND	5.0	0.1	ug/L
1,1,1,2-Tetrachloroethane	ND	5.0	0.08	ug/L
Ethylbenzene	ND	5.0	0.09	ug/L
m,p-Xylenes	ND	5.0	0.2	ug/L
o-Xylene	ND	5.0	0.1	ug/L
Styrene	ND	5.0	0.08	ug/L
Bromoform	ND	5.0	0.08	ug/L
Isopropylbenzene	ND	5.0	0.1	ug/L
1,1,2,2-Tetrachloroethane	ND	5.0	0.2	ug/L
1,2,3-Trichloropropane	ND	5.0	0.2	ug/L
Propylbenzene	ND	5.0	0.1	ug/L
Bromobenzene	ND	5.0	0.09	ug/L
1,3,5-Trimethylbenzene	ND	5.0	0.1	ug/L
2-Chlorotoluene	ND	5.0	0.1	ug/L
4-Chlorotoluene	ND	5.0	0.1	ug/L
tert-Butylbenzene	ND	5.0	0.1	ug/L
1,2,4-Trimethylbenzene	ND	5.0	0.1	ug/L
sec-Butylbenzene	ND	5.0	0.1	ug/L
para-Isopropyl Toluene	ND	5.0	0.1	ug/L
1,3-Dichlorobenzene	ND	5.0	0.1	ug/L
1,4-Dichlorobenzene	ND	5.0	0.2	ug/L
n-Butylbenzene	ND	5.0	0.1	ug/L
1,2-Dichlorobenzene	ND	5.0	0.09	ug/L
1,2-Dibromo-3-Chloropropane	ND	5.0	0.5	ug/L
1,2,4-Trichlorobenzene	ND	5.0	0.2	ug/L
Hexachlorobutadiene	ND	5.0	0.2	ug/L
1,2,3-Trichlorobenzene	ND	5.0	0.1	ug/L
cis-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
trans-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
Xylene (total)	ND	5.0		ug/L

553152-002 Surrogate	%REC	Limits
Dibromofluoromethane	117	70-130
1,2-Dichloroethane-d4	113	70-130
Toluene-d8	97	70-130
Bromofluorobenzene	95	70-130

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected
- RL:** Reporting Limit

Purgeable Organics by GC/MS

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395299	Prep: EPA 5030B
Lab ID: 553152-003	Sampled: 02/13/26	Analysis: EPA 8260B
Matrix: Water	Received: 02/13/26	Analyst: LYZ
DF: 1.000	Analyzed: 02/13/26	

553152-003 Analyte	Result	RL	MDL	Units
Carbon Disulfide	ND	5.0	0.2	ug/L
Chloroprene	ND	200	0.4	ug/L
3-Chloropropene	ND	5.0	0.3	ug/L
Ethyl methacrylate	ND	50	2.1	ug/L
Ethanol	ND	500	110	ug/L
2-Hexanone	ND	5.0	1.1	ug/L
Isopropanol (IPA)	ND	200	52	ug/L
Methyl acrylonitrile	ND	35	3.7	ug/L
Vinyl Acetate	ND	50	15	ug/L
Acrolein	ND	200	2.7	ug/L
Acrylonitrile	ND	10	0.7	ug/L
Freon 12	ND	5.0	0.1	ug/L
Chloromethane	ND	5.0	0.2	ug/L
Vinyl Chloride	ND	5.0	0.1	ug/L
Bromomethane	ND	5.0	0.2	ug/L
Chloroethane	ND	5.0	0.1	ug/L
Trichlorofluoromethane	ND	5.0	0.06	ug/L
Iodomethane	ND	5.0		ug/L
Acetone	ND	100	5.0	ug/L
Freon 113	ND	5.0	0.1	ug/L
1,1-Dichloroethene	ND	5.0	0.08	ug/L
Methylene Chloride	ND	10	0.2	ug/L
MTBE	ND	5.0	0.09	ug/L
trans-1,2-Dichloroethene	ND	5.0	0.1	ug/L
1,1-Dichloroethane	ND	5.0	0.1	ug/L
2-Butanone	ND	10	1.5	ug/L
cis-1,2-Dichloroethene	ND	5.0	0.09	ug/L
2,2-Dichloropropane	ND	5.0	0.1	ug/L
Chloroform	ND	5.0	0.08	ug/L
Bromochloromethane	ND	5.0	0.2	ug/L
1,1,1-Trichloroethane	ND	5.0	0.09	ug/L
1,1-Dichloropropene	ND	5.0	0.08	ug/L
Carbon Tetrachloride	ND	5.0	0.06	ug/L
1,2-Dichloroethane	ND	5.0	0.1	ug/L
Benzene	ND	1.0	0.1	ug/L
Trichloroethene	ND	5.0	0.1	ug/L
1,2-Dichloropropane	ND	5.0	0.1	ug/L
Bromodichloromethane	ND	5.0	0.09	ug/L
Dibromomethane	ND	5.0	0.1	ug/L
4-Methyl-2-Pentanone	ND	5.0	1.0	ug/L
cis-1,3-Dichloropropene	ND	5.0	0.3	ug/L
Toluene	ND	5.0	0.2	ug/L
trans-1,3-Dichloropropene	ND	5.0	0.3	ug/L
1,1,2-Trichloroethane	ND	5.0	0.2	ug/L
1,3-Dichloropropane	ND	5.0	0.1	ug/L
Tetrachloroethene	ND	5.0	0.1	ug/L

Purgeable Organics by GC/MS

Lab #: 553152

Project#: CCLF STORMWATER

Client: Waste Connections

Location: Stormwater Outlet

553152-003 Analyte	Result	RL	MDL	Units
Dibromochloromethane	ND	5.0	0.08	ug/L
1,2-Dibromoethane	ND	5.0	0.2	ug/L
Chlorobenzene	ND	5.0	0.1	ug/L
1,1,1,2-Tetrachloroethane	ND	5.0	0.08	ug/L
Ethylbenzene	ND	5.0	0.09	ug/L
m,p-Xylenes	ND	5.0	0.2	ug/L
o-Xylene	ND	5.0	0.1	ug/L
Styrene	ND	5.0	0.08	ug/L
Bromoform	ND	5.0	0.08	ug/L
Isopropylbenzene	ND	5.0	0.1	ug/L
1,1,2,2-Tetrachloroethane	ND	5.0	0.2	ug/L
1,2,3-Trichloropropane	ND	5.0	0.2	ug/L
Propylbenzene	ND	5.0	0.1	ug/L
Bromobenzene	ND	5.0	0.09	ug/L
1,3,5-Trimethylbenzene	ND	5.0	0.1	ug/L
2-Chlorotoluene	ND	5.0	0.1	ug/L
4-Chlorotoluene	ND	5.0	0.1	ug/L
tert-Butylbenzene	ND	5.0	0.1	ug/L
1,2,4-Trimethylbenzene	ND	5.0	0.1	ug/L
sec-Butylbenzene	ND	5.0	0.1	ug/L
para-Isopropyl Toluene	ND	5.0	0.1	ug/L
1,3-Dichlorobenzene	ND	5.0	0.1	ug/L
1,4-Dichlorobenzene	ND	5.0	0.2	ug/L
n-Butylbenzene	ND	5.0	0.1	ug/L
1,2-Dichlorobenzene	ND	5.0	0.09	ug/L
1,2-Dibromo-3-Chloropropane	ND	5.0	0.5	ug/L
1,2,4-Trichlorobenzene	ND	5.0	0.2	ug/L
Hexachlorobutadiene	ND	5.0	0.2	ug/L
1,2,3-Trichlorobenzene	ND	5.0	0.1	ug/L
cis-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
trans-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
Xylene (total)	ND	5.0		ug/L

553152-003 Surrogate	%REC	Limits
Dibromofluoromethane	110	70-130
1,2-Dichloroethane-d4	110	70-130
Toluene-d8	97	70-130
Bromofluorobenzene	97	70-130

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected
- RL:** Reporting Limit

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395350	Analyzed: 02/15/26
Lab ID: 553152-001	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8270E
DF: 0.9346	Prepared: 02/14/26	Analyst: ZFA

553152-001 Analyte	Result	RL	MDL	Units
Carbazole	ND	9.3	2.6	ug/L
N-Nitrosodimethylamine	ND	9.3	2.7	ug/L
Aniline	ND	9.3	2.7	ug/L
bis(2-Chloroethyl)ether	ND	23	3.5	ug/L
2-Chlorophenol	ND	9.3	3.4	ug/L
1,3-Dichlorobenzene	ND	9.3	3.1	ug/L
1,4-Dichlorobenzene	ND	9.3	3.2	ug/L
Benzyl alcohol	ND	23	5.4	ug/L
1,2-Dichlorobenzene	ND	9.3	3.1	ug/L
bis(2-Chloroisopropyl) ether	ND	9.3	3.6	ug/L
N-Nitroso-di-n-propylamine	ND	9.3	3.6	ug/L
Hexachloroethane	ND	9.3	2.8	ug/L
Nitrobenzene	ND	23	7.9	ug/L
Isophorone	ND	9.3	3.4	ug/L
2-Nitrophenol	ND	9.3	5.1	ug/L
2,4-Dimethylphenol	ND	9.3	3.0	ug/L
bis(2-Chloroethoxy)methane	ND	9.3	3.4	ug/L
2,4-Dichlorophenol	ND	9.3	3.5	ug/L
1,2,4-Trichlorobenzene	ND	9.3	3.2	ug/L
4-Chloroaniline	ND	9.3	2.9	ug/L
Hexachlorobutadiene	ND	9.3	2.1	ug/L
4-Chloro-3-methylphenol	ND	9.3	3.4	ug/L
2-Methylnaphthalene	ND	9.3	3.1	ug/L
Hexachlorocyclopentadiene	ND	23	7.3	ug/L
2,4,6-Trichlorophenol	ND	9.3	3.8	ug/L
2,4,5-Trichlorophenol	ND	9.3	3.5	ug/L
2-Chloronaphthalene	ND	9.3	3.2	ug/L
2-Nitroaniline	ND	47	4.1	ug/L
Dimethylphthalate	ND	9.3	3.2	ug/L
Acenaphthylene	ND	9.3	3.6	ug/L
2,6-Dinitrotoluene	ND	9.3	4.1	ug/L
3-Nitroaniline	ND	9.3	3.7	ug/L
Acenaphthene	ND	9.3	3.0	ug/L
2,4-Dinitrophenol	ND	47	14	ug/L
4-Nitrophenol	ND	47	7.9	ug/L
Dibenzofuran	ND	9.3	3.0	ug/L
2,4-Dinitrotoluene	ND	9.3	4.0	ug/L
Diethylphthalate	ND	9.3	2.7	ug/L
Fluorene	ND	9.3	2.9	ug/L
4-Chlorophenyl-phenylether	ND	9.3	2.9	ug/L
4-Nitroaniline	ND	9.3	3.1	ug/L
4,6-Dinitro-2-methylphenol	ND	47	16	ug/L
N-Nitrosodiphenylamine	ND	9.3	3.7	ug/L
1,2-diphenylhydrazine (as azobenzene)	ND	9.3	2.7	ug/L
4-Bromophenyl-phenylether	ND	9.3	3.1	ug/L
Hexachlorobenzene	ND	9.3	2.8	ug/L

Enthalpy Analytical Report

Lab #: 553152
Project#: CCLF STORMWATER
Client: Waste Connections
Location: Stormwater Outlet

553152-001 Analyte	Result	RL	MDL	Units
Pentachlorophenol	ND	23	5.3	ug/L
Phenanthrene	ND	9.3	2.7	ug/L
Anthracene	ND	9.3	2.6	ug/L
Di-n-butylphthalate	ND	9.3	2.8	ug/L
Fluoranthene	ND	9.3	2.6	ug/L
Benzydine	ND	47	17	ug/L
Pyrene	ND	9.3	2.5	ug/L
Butylbenzylphthalate	ND	9.3	3.4	ug/L
3,3'-Dichlorobenzidine	ND	23	4.9	ug/L
Benzo(a)anthracene	ND	9.3	2.2	ug/L
Chrysene	ND	9.3	2.3	ug/L
bis(2-Ethylhexyl)phthalate	ND	9.3	3.1	ug/L
Di-n-octylphthalate	ND	9.3	4.4	ug/L
Benzo(b)fluoranthene	ND	9.3	2.8	ug/L
Benzo(k)fluoranthene	ND	9.3	2.9	ug/L
Benzo(a)pyrene	ND	9.3	2.9	ug/L
Indeno(1,2,3-cd)pyrene	ND	9.3	4.0	ug/L
Dibenz(a,h)anthracene	ND	9.3	3.9	ug/L
Benzo(g,h,i)perylene	ND	9.3	3.9	ug/L

553152-001 Surrogate	%REC	Limits
2-Fluorophenol	29	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	64	15-140
Nitrobenzene-d5	57	15-123
2-Fluorobiphenyl	49	15-120
Terphenyl-d14	69	15-120

Legend

- MDL:** Method Detection Limit
ND: Not Detected at or above MDL
RL: Reporting Limit

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395350	Analyzed: 02/15/26
Lab ID: 553152-002	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8270E
DF: 0.9434	Prepared: 02/14/26	Analyst: ZFA

553152-002 Analyte	Result	RL	MDL	Units
Carbazole	ND	9.4	2.6	ug/L
N-Nitrosodimethylamine	ND	9.4	2.7	ug/L
Aniline	ND	9.4	2.7	ug/L
bis(2-Chloroethyl)ether	ND	24	3.5	ug/L
2-Chlorophenol	ND	9.4	3.4	ug/L
1,3-Dichlorobenzene	ND	9.4	3.1	ug/L
1,4-Dichlorobenzene	ND	9.4	3.2	ug/L
Benzyl alcohol	ND	24	5.4	ug/L
1,2-Dichlorobenzene	ND	9.4	3.1	ug/L
bis(2-Chloroisopropyl) ether	ND	9.4	3.6	ug/L
N-Nitroso-di-n-propylamine	ND	9.4	3.6	ug/L
Hexachloroethane	ND	9.4	2.8	ug/L
Nitrobenzene	ND	24	7.9	ug/L
Isophorone	ND	9.4	3.5	ug/L
2-Nitrophenol	ND	9.4	5.1	ug/L
2,4-Dimethylphenol	ND	9.4	3.1	ug/L
bis(2-Chloroethoxy)methane	ND	9.4	3.5	ug/L
2,4-Dichlorophenol	ND	9.4	3.5	ug/L
1,2,4-Trichlorobenzene	ND	9.4	3.2	ug/L
4-Chloroaniline	ND	9.4	2.9	ug/L
Hexachlorobutadiene	ND	9.4	2.1	ug/L
4-Chloro-3-methylphenol	ND	9.4	3.4	ug/L
2-Methylnaphthalene	ND	9.4	3.2	ug/L
Hexachlorocyclopentadiene	ND	24	7.4	ug/L
2,4,6-Trichlorophenol	ND	9.4	3.8	ug/L
2,4,5-Trichlorophenol	ND	9.4	3.5	ug/L
2-Chloronaphthalene	ND	9.4	3.2	ug/L
2-Nitroaniline	ND	47	4.1	ug/L
Dimethylphthalate	ND	9.4	3.2	ug/L
Acenaphthylene	ND	9.4	3.6	ug/L
2,6-Dinitrotoluene	ND	9.4	4.2	ug/L
3-Nitroaniline	ND	9.4	3.8	ug/L
Acenaphthene	ND	9.4	3.1	ug/L
2,4-Dinitrophenol	ND	47	14	ug/L
4-Nitrophenol	ND	47	8.0	ug/L
Dibenzofuran	ND	9.4	3.0	ug/L
2,4-Dinitrotoluene	ND	9.4	4.0	ug/L
Diethylphthalate	ND	9.4	2.8	ug/L
Fluorene	ND	9.4	2.9	ug/L
4-Chlorophenyl-phenylether	ND	9.4	2.9	ug/L
4-Nitroaniline	ND	9.4	3.2	ug/L
4,6-Dinitro-2-methylphenol	ND	47	16	ug/L
N-Nitrosodiphenylamine	ND	9.4	3.7	ug/L
1,2-diphenylhydrazine (as azobenzene)	ND	9.4	2.8	ug/L
4-Bromophenyl-phenylether	ND	9.4	3.1	ug/L
Hexachlorobenzene	ND	9.4	2.9	ug/L

Enthalpy Analytical Report

Lab #: 553152

Project#: CCLF STORMWATER

Client: Waste Connections

Location: Stormwater Outlet

553152-002 Analyte	Result	RL	MDL	Units
Pentachlorophenol	ND	24	5.4	ug/L
Phenanthrene	ND	9.4	2.8	ug/L
Anthracene	ND	9.4	2.6	ug/L
Di-n-butylphthalate	ND	9.4	2.8	ug/L
Fluoranthene	ND	9.4	2.7	ug/L
Benzydine	ND	47	18	ug/L
Pyrene	ND	9.4	2.5	ug/L
Butylbenzylphthalate	ND	9.4	3.4	ug/L
3,3'-Dichlorobenzidine	ND	24	4.9	ug/L
Benzo(a)anthracene	ND	9.4	2.3	ug/L
Chrysene	ND	9.4	2.3	ug/L
bis(2-Ethylhexyl)phthalate	ND	9.4	3.1	ug/L
Di-n-octylphthalate	ND	9.4	4.4	ug/L
Benzo(b)fluoranthene	ND	9.4	2.9	ug/L
Benzo(k)fluoranthene	ND	9.4	2.9	ug/L
Benzo(a)pyrene	ND	9.4	3.0	ug/L
Indeno(1,2,3-cd)pyrene	ND	9.4	4.0	ug/L
Dibenz(a,h)anthracene	ND	9.4	3.9	ug/L
Benzo(g,h,i)perylene	ND	9.4	3.9	ug/L

553152-002 Surrogate	%REC	Limits
2-Fluorophenol	28	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	62	15-140
Nitrobenzene-d5	54	15-123
2-Fluorobiphenyl	48	15-120
Terphenyl-d14	68	15-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395350	Analyzed: 02/15/26
Lab ID: 553152-003	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8270E
DF: 0.9390	Prepared: 02/14/26	Analyst: ZFA

553152-003 Analyte	Result	RL	MDL	Units
Carbazole	ND	9.4	2.6	ug/L
N-Nitrosodimethylamine	ND	9.4	2.7	ug/L
Aniline	ND	9.4	2.7	ug/L
bis(2-Chloroethyl)ether	ND	23	3.5	ug/L
2-Chlorophenol	ND	9.4	3.4	ug/L
1,3-Dichlorobenzene	ND	9.4	3.1	ug/L
1,4-Dichlorobenzene	ND	9.4	3.2	ug/L
Benzyl alcohol	ND	23	5.4	ug/L
1,2-Dichlorobenzene	ND	9.4	3.1	ug/L
bis(2-Chloroisopropyl) ether	ND	9.4	3.6	ug/L
N-Nitroso-di-n-propylamine	ND	9.4	3.6	ug/L
Hexachloroethane	ND	9.4	2.8	ug/L
Nitrobenzene	ND	23	7.9	ug/L
Isophorone	ND	9.4	3.5	ug/L
2-Nitrophenol	ND	9.4	5.1	ug/L
2,4-Dimethylphenol	ND	9.4	3.0	ug/L
bis(2-Chloroethoxy)methane	ND	9.4	3.4	ug/L
2,4-Dichlorophenol	ND	9.4	3.5	ug/L
1,2,4-Trichlorobenzene	ND	9.4	3.2	ug/L
4-Chloroaniline	ND	9.4	2.9	ug/L
Hexachlorobutadiene	ND	9.4	2.1	ug/L
4-Chloro-3-methylphenol	ND	9.4	3.4	ug/L
2-Methylnaphthalene	ND	9.4	3.2	ug/L
Hexachlorocyclopentadiene	ND	23	7.3	ug/L
2,4,6-Trichlorophenol	ND	9.4	3.8	ug/L
2,4,5-Trichlorophenol	ND	9.4	3.5	ug/L
2-Chloronaphthalene	ND	9.4	3.2	ug/L
2-Nitroaniline	ND	47	4.1	ug/L
Dimethylphthalate	ND	9.4	3.2	ug/L
Acenaphthylene	ND	9.4	3.6	ug/L
2,6-Dinitrotoluene	ND	9.4	4.2	ug/L
3-Nitroaniline	ND	9.4	3.7	ug/L
Acenaphthene	ND	9.4	3.0	ug/L
2,4-Dinitrophenol	ND	47	14	ug/L
4-Nitrophenol	ND	47	8.0	ug/L
Dibenzofuran	ND	9.4	3.0	ug/L
2,4-Dinitrotoluene	ND	9.4	4.0	ug/L
Diethylphthalate	ND	9.4	2.7	ug/L
Fluorene	ND	9.4	2.9	ug/L
4-Chlorophenyl-phenylether	ND	9.4	2.9	ug/L
4-Nitroaniline	ND	9.4	3.1	ug/L
4,6-Dinitro-2-methylphenol	ND	47	16	ug/L
N-Nitrosodiphenylamine	ND	9.4	3.7	ug/L
1,2-diphenylhydrazine (as azobenzene)	ND	9.4	2.7	ug/L
4-Bromophenyl-phenylether	ND	9.4	3.1	ug/L
Hexachlorobenzene	ND	9.4	2.8	ug/L

Enthalpy Analytical Report

Lab #: 553152
Project#: CCLF STORMWATER
Client: Waste Connections
Location: Stormwater Outlet

553152-003 Analyte	Result	RL	MDL	Units
Pentachlorophenol	ND	23	5.3	ug/L
Phenanthrene	ND	9.4	2.7	ug/L
Anthracene	ND	9.4	2.6	ug/L
Di-n-butylphthalate	ND	9.4	2.8	ug/L
Fluoranthene	ND	9.4	2.6	ug/L
Benzydine	ND	47	17	ug/L
Pyrene	ND	9.4	2.5	ug/L
Butylbenzylphthalate	ND	9.4	3.4	ug/L
3,3'-Dichlorobenzidine	ND	23	4.9	ug/L
Benzo(a)anthracene	ND	9.4	2.3	ug/L
Chrysene	ND	9.4	2.3	ug/L
bis(2-Ethylhexyl)phthalate	ND	9.4	3.1	ug/L
Di-n-octylphthalate	ND	9.4	4.4	ug/L
Benzo(b)fluoranthene	ND	9.4	2.8	ug/L
Benzo(k)fluoranthene	ND	9.4	2.9	ug/L
Benzo(a)pyrene	ND	9.4	3.0	ug/L
Indeno(1,2,3-cd)pyrene	ND	9.4	4.0	ug/L
Dibenz(a,h)anthracene	ND	9.4	3.9	ug/L
Benzo(g,h,i)perylene	ND	9.4	3.9	ug/L

553152-003 Surrogate	%REC	Limits
2-Fluorophenol	34	15-120
Phenol-d6	26	15-120
2,4,6-Tribromophenol	68	15-140
Nitrobenzene-d5	68	15-123
2-Fluorobiphenyl	55	15-120
Terphenyl-d14	73	15-120

Legend

- MDL:** Method Detection Limit
ND: Not Detected at or above MDL
RL: Reporting Limit

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395350	Analyzed: 02/15/26
Lab ID: 553152-001	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 625.1
DF: 0.9346	Prepared: 02/14/26	Analyst: ZFA

553152-001 Analyte	Result	RL	MDL	Units
Pyridine	ND	9.3	2.6	ug/L
Phenol	ND	9.3	2.0	ug/L
2-Methylphenol	ND	9.3	3.0	ug/L
3-,4-Methylphenol	ND	9.3	2.8	ug/L
Benzoic acid	ND	47	10	ug/L
Naphthalene	ND	9.3	3.4	ug/L
Cresol	ND	9.3		ug/L

553152-001 Surrogate	%REC	Limits
2-Fluorophenol	29	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	64	15-140
Nitrobenzene-d5	57	15-123
2-Fluorobiphenyl	49	15-120
Terphenyl-d14	69	15-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	DF: 0.9346	Prepared: 02/14/26
Type: SAMPLE	Batch#: 395350	Prep: EPA 3510C
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: EPA 625.1
Matrix: Water	Received: 02/13/26	Analyst: ZFA

553152-001 Analyte	Result	RL	MDL	Units	Analyzed
a-Terpineol	ND	9.3	1.9	ug/L	02/14/26

553152-001 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	29 *	36-95	02/15/26
Phenol-d6	23 *	28-82	02/15/26
2,4,6-Tribromophenol	64	61-140	02/15/26
Nitrobenzene-d5	57	48-123	02/15/26
2-Fluorobiphenyl	49 *	51-105	02/15/26
Terphenyl-d14	69	65-117	02/15/26

Field ID: SOUTH BASIN - S CENTRAL	DF: 0.9434	
Type: SAMPLE	Batch#: 395350	
Lab ID: 553152-002	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Prepared: 02/14/26	
	Prep: EPA 3510C	
	Analysis: EPA 625.1	
	Analyst: ZFA	

553152-002 Analyte	Result	RL	MDL	Units	Analyzed
a-Terpineol	ND	9.4	1.9	ug/L	02/14/26

553152-002 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	28 *	36-95	02/15/26
Phenol-d6	23 *	28-82	02/15/26
2,4,6-Tribromophenol	62	61-140	02/15/26
Nitrobenzene-d5	54	48-123	02/15/26
2-Fluorobiphenyl	48 *	51-105	02/15/26
Terphenyl-d14	68	65-117	02/15/26

Field ID: SOUTH BASIN - W CENTRAL	DF: 0.9390	
Type: SAMPLE	Batch#: 395350	
Lab ID: 553152-003	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Prepared: 02/14/26	
	Prep: EPA 3510C	
	Analysis: EPA 625.1	
	Analyst: ZFA	

553152-003 Analyte	Result	RL	MDL	Units	Analyzed
a-Terpineol	ND	9.4	1.9	ug/L	02/14/26

553152-003 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	34 *	36-95	02/15/26
Phenol-d6	26 *	28-82	02/15/26
2,4,6-Tribromophenol	68	61-140	02/15/26
Nitrobenzene-d5	68	48-123	02/15/26
2-Fluorobiphenyl	55	51-105	02/15/26
Terphenyl-d14	73	65-117	02/15/26

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER
Client: Waste Connections	Location: Stormwater Outlet

Type: BLANK	DF: 1.000	Prep: EPA 3510C
Lab ID: QC1340542	Batch#: 395350	Analysis: EPA 625.1
Matrix: Water	Prepared: 02/13/26	Analyst: TJW

QC1340542 Analyte	Result	RL	MDL	Units	Analyzed	Qual
a-Terpineol	ND	10	2.1	ug/L	02/14/26	b

QC1340542 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	42	36-95	02/13/26
Phenol-d6	26 *	28-82	02/13/26
2,4,6-Tribromophenol	54 *	61-140	02/13/26
Nitrobenzene-d5	57	48-123	02/13/26
2-Fluorobiphenyl	55	51-105	02/13/26
Terphenyl-d14	68	65-117	02/13/26

Legend

- *: Value is outside QC limits
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit
- b:** See narrative

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395350	Analyzed: 02/15/26
Lab ID: 553152-002	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 625.1
DF: 0.9434	Prepared: 02/14/26	Analyst: ZFA

553152-002 Analyte	Result	RL	MDL	Units
Pyridine	ND	9.4	2.7	ug/L
Phenol	ND	9.4	2.0	ug/L
2-Methylphenol	ND	9.4	3.1	ug/L
3-,4-Methylphenol	ND	9.4	2.8	ug/L
Benzoic acid	ND	47	10	ug/L
Naphthalene	ND	9.4	3.4	ug/L
Cresol	ND	9.4		ug/L

553152-002 Surrogate	%REC	Limits
2-Fluorophenol	28	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	62	15-140
Nitrobenzene-d5	54	15-123
2-Fluorobiphenyl	48	15-120
Terphenyl-d14	68	15-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395350	Analyzed: 02/15/26
Lab ID: 553152-003	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 625.1
DF: 0.9390	Prepared: 02/14/26	Analyst: ZFA

553152-003 Analyte	Result	RL	MDL	Units
Pyridine	ND	9.4	2.6	ug/L
Phenol	ND	9.4	2.0	ug/L
2-Methylphenol	ND	9.4	3.0	ug/L
3-,4-Methylphenol	ND	9.4	2.8	ug/L
Benzoic acid	ND	47	10	ug/L
Naphthalene	ND	9.4	3.4	ug/L
Cresol	ND	9.4		ug/L

553152-003 Surrogate	%REC	Limits
2-Fluorophenol	34	15-120
Phenol-d6	26	15-120
2,4,6-Tribromophenol	68	15-140
Nitrobenzene-d5	68	15-123
2-Fluorobiphenyl	55	15-120
Terphenyl-d14	73	15-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Enthalpy Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395408	Prep: EPA 3535
Type: SAMPLE	Sampled: 02/13/26	Analysis: EPA 8270C-SIM
Lab ID: 553152-001	Received: 02/13/26	Analyst: ZFA
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/15/26	

553152-001 Analyte	Result	RL	MDL	Units
1,4-Dioxane	2.2	1.0	0.84	ug/L

553152-001 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	98	80-120

Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395408	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-002	Received: 02/13/26	
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/15/26	
	Prep: EPA 3535	
	Analysis: EPA 8270C-SIM	
	Analyst: ZFA	

553152-002 Analyte	Result	RL	MDL	Units
1,4-Dioxane	2.0	1.0	0.84	ug/L

553152-002 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	97	80-120

Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395408	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-003	Received: 02/13/26	
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/15/26	
	Prep: EPA 3535	
	Analysis: EPA 8270C-SIM	
	Analyst: ZFA	

553152-003 Analyte	Result	RL	MDL	Units
1,4-Dioxane	1.9	1.0	0.84	ug/L

553152-003 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	99	80-120

Type: BLANK	Batch#: 395408	Analysis: EPA 8270C-SIM
Lab ID: QC1340760	Prepared: 02/14/26	Analyst: ZFA
Matrix: Water	Analyzed: 02/14/26	
DF: 1.000	Prep: EPA 3535	

QC1340760 Analyte	Result	RL	MDL	Units
1,4-Dioxane	ND	1.0	0.84	ug/L

QC1340760 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	102	80-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Organochlorine Pesticides

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395405	Analyzed: 02/14/26
Lab ID: 553152-001	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8081A
DF: 0.9479	Prepared: 02/14/26	Analyst: HQN

553152-001 Analyte	Result	RL	MDL	Units
alpha-BHC	ND	0.05	0.009	ug/L
beta-BHC	ND	0.05	0.01	ug/L
gamma-BHC	ND	0.05	0.008	ug/L
delta-BHC	ND	0.05	0.01	ug/L
Heptachlor	ND	0.05	0.01	ug/L
Aldrin	ND	0.05	0.01	ug/L
Heptachlor epoxide	ND	0.05	0.009	ug/L
Endosulfan I	ND	0.05	0.01	ug/L
Dieldrin	ND	0.09	0.01	ug/L
4,4'-DDE	ND	0.09	0.01	ug/L
Endrin	ND	0.09	0.01	ug/L
Endosulfan II	ND	0.09	0.02	ug/L
Endosulfan sulfate	ND	0.09	0.01	ug/L
4,4'-DDD	ND	0.09	0.01	ug/L
Endrin aldehyde	ND	0.09	0.02	ug/L
Endrin ketone	ND	0.09	0.02	ug/L
4,4'-DDT	ND	0.09	0.03	ug/L
Methoxychlor	ND	0.09	0.03	ug/L
Toxaphene	ND	1.9	0.4	ug/L
Chlordane (Technical)	ND	0.9	0.2	ug/L

553152-001 Surrogate	%REC	Limits
TCMX	72	29-120
Decachlorobiphenyl	74	33-132

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Organochlorine Pesticides

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395405	Analyzed: 02/14/26
Lab ID: 553152-002	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8081A
DF: 0.9434	Prepared: 02/14/26	Analyst: HQN

553152-002 Analyte	Result	RL	MDL	Units
alpha-BHC	ND	0.05	0.009	ug/L
beta-BHC	ND	0.05	0.01	ug/L
gamma-BHC	ND	0.05	0.008	ug/L
delta-BHC	ND	0.05	0.01	ug/L
Heptachlor	ND	0.05	0.01	ug/L
Aldrin	ND	0.05	0.01	ug/L
Heptachlor epoxide	ND	0.05	0.009	ug/L
Endosulfan I	ND	0.05	0.01	ug/L
Dieldrin	ND	0.09	0.01	ug/L
4,4'-DDE	ND	0.09	0.01	ug/L
Endrin	ND	0.09	0.01	ug/L
Endosulfan II	ND	0.09	0.02	ug/L
Endosulfan sulfate	ND	0.09	0.01	ug/L
4,4'-DDD	ND	0.09	0.01	ug/L
Endrin aldehyde	ND	0.09	0.02	ug/L
Endrin ketone	ND	0.09	0.02	ug/L
4,4'-DDT	ND	0.09	0.03	ug/L
Methoxychlor	ND	0.09	0.03	ug/L
Toxaphene	ND	1.9	0.4	ug/L
Chlordane (Technical)	ND	0.9	0.2	ug/L

553152-002 Surrogate	%REC	Limits
TCMX	74	29-120
Decachlorobiphenyl	76	33-132

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Organochlorine Pesticides

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395405	Analyzed: 02/14/26
Lab ID: 553152-003	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8081A
DF: 0.9390	Prepared: 02/14/26	Analyst: HQN

553152-003 Analyte	Result	RL	MDL	Units
alpha-BHC	ND	0.05	0.009	ug/L
beta-BHC	ND	0.05	0.01	ug/L
gamma-BHC	ND	0.05	0.008	ug/L
delta-BHC	ND	0.05	0.01	ug/L
Heptachlor	ND	0.05	0.01	ug/L
Aldrin	ND	0.05	0.01	ug/L
Heptachlor epoxide	ND	0.05	0.009	ug/L
Endosulfan I	ND	0.05	0.01	ug/L
Dieldrin	ND	0.09	0.01	ug/L
4,4'-DDE	ND	0.09	0.01	ug/L
Endrin	ND	0.09	0.01	ug/L
Endosulfan II	ND	0.09	0.02	ug/L
Endosulfan sulfate	ND	0.09	0.01	ug/L
4,4'-DDD	ND	0.09	0.01	ug/L
Endrin aldehyde	ND	0.09	0.02	ug/L
Endrin ketone	ND	0.09	0.02	ug/L
4,4'-DDT	ND	0.09	0.03	ug/L
Methoxychlor	ND	0.09	0.03	ug/L
Toxaphene	ND	1.9	0.4	ug/L
Chlordane (Technical)	ND	0.9	0.2	ug/L

553152-003 Surrogate	%REC	Limits
TCMX	76	29-120
Decachlorobiphenyl	82	33-132

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Total Organic Carbon by High-Temperature

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395353	Prep: SM 5310B
Type: SAMPLE	Sampled: 02/13/26	Analysis: SM 5310B
Lab ID: 553152-001	Received: 02/13/26	Analyst: ARM
Matrix: Water	Prepared: 02/13/26	
DF: 1.000	Analyzed: 02/13/26	

553152-001 Analyte	Result	RL	MDL	Units
Total Organic Carbon	30	1.0	0.49	mg/L

Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395353	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-002	Received: 02/13/26	
Matrix: Water	Prepared: 02/13/26	
DF: 1.000	Analyzed: 02/13/26	
	Prep: SM 5310B	
	Analysis: SM 5310B	
	Analyst: ARM	

553152-002 Analyte	Result	RL	MDL	Units
Total Organic Carbon	36	1.0	0.49	mg/L

Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395353	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-003	Received: 02/13/26	
Matrix: Water	Prepared: 02/13/26	
DF: 1.000	Analyzed: 02/13/26	
	Prep: SM 5310B	
	Analysis: SM 5310B	
	Analyst: ARM	

553152-003 Analyte	Result	RL	MDL	Units
Total Organic Carbon	30	1.0	0.49	mg/L

Type: BLANK	Batch#: 395353	Analysis: SM 5310B
Lab ID: QC1340552	Prepared: 02/13/26	Analyst: ARM
Matrix: Water	Analyzed: 02/13/26	
DF: 1.000	Prep: SM 5310B	

QC1340552 Analyte	Result	RL	MDL	Units
Total Organic Carbon	ND	1.0	0.49	mg/L

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Polychlorinated Biphenyls (PCBs)

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395405	Analyzed: 02/14/26
Lab ID: 553152-001	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8082
DF: 0.9479	Prepared: 02/14/26	Analyst: HQN

553152-001 Analyte	Result	RL	MDL	Units
Aroclor-1016	ND	0.47	0.29	ug/L
Aroclor-1221	ND	0.47	0.44	ug/L
Aroclor-1232	ND	0.47	0.26	ug/L
Aroclor-1242	ND	0.47	0.27	ug/L
Aroclor-1248	ND	0.47	0.22	ug/L
Aroclor-1254	ND	0.47	0.25	ug/L
Aroclor-1260	ND	0.47	0.31	ug/L
Aroclor-1262	ND	0.47	0.28	ug/L
Aroclor-1268	ND	0.47	0.25	ug/L

553152-001 Surrogate	%REC	Limits
Decachlorobiphenyl (PCB)	62	28-138

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Polychlorinated Biphenyls (PCBs)

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395405	Analyzed: 02/14/26
Lab ID: 553152-002	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8082
DF: 0.9434	Prepared: 02/14/26	Analyst: HQN

553152-002 Analyte	Result	RL	MDL	Units
Aroclor-1016	ND	0.47	0.29	ug/L
Aroclor-1221	ND	0.47	0.44	ug/L
Aroclor-1232	ND	0.47	0.26	ug/L
Aroclor-1242	ND	0.47	0.27	ug/L
Aroclor-1248	ND	0.47	0.22	ug/L
Aroclor-1254	ND	0.47	0.25	ug/L
Aroclor-1260	ND	0.47	0.31	ug/L
Aroclor-1262	ND	0.47	0.28	ug/L
Aroclor-1268	ND	0.47	0.24	ug/L

553152-002 Surrogate	%REC	Limits
Decachlorobiphenyl (PCB)	63	28-138

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Polychlorinated Biphenyls (PCBs)

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395405	Analyzed: 02/14/26
Lab ID: 553152-003	Sampled: 02/13/26	Prep: EPA 3510C
Matrix: Water	Received: 02/13/26	Analysis: EPA 8082
DF: 0.9390	Prepared: 02/14/26	Analyst: HQN

553152-003 Analyte	Result	RL	MDL	Units
Aroclor-1016	ND	0.47	0.28	ug/L
Aroclor-1221	ND	0.47	0.44	ug/L
Aroclor-1232	ND	0.47	0.25	ug/L
Aroclor-1242	ND	0.47	0.27	ug/L
Aroclor-1248	ND	0.47	0.22	ug/L
Aroclor-1254	ND	0.47	0.25	ug/L
Aroclor-1260	ND	0.47	0.31	ug/L
Aroclor-1262	ND	0.47	0.27	ug/L
Aroclor-1268	ND	0.47	0.24	ug/L

553152-003 Surrogate	%REC	Limits
Decachlorobiphenyl (PCB)	67	28-138

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Metals Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	DF: 1.000	Prepared: 02/13/26
Type: SAMPLE	Batch#: 395362	Prep: EPA 3015A
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: EPA 200.7
Matrix: Water	Received: 02/13/26	Analyst: TWJ

553152-001 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	66	0.10	0.022	mg/L	02/14/26
Iron	4.8	0.050	0.017	mg/L	02/15/26
Magnesium	10	0.10	0.010	mg/L	02/14/26
Potassium	12	0.50	0.15	mg/L	02/14/26
Sodium	76	0.50	0.017	mg/L	02/14/26

Field ID: SOUTH BASIN - S CENTRAL	DF: 1.000	
Type: SAMPLE	Batch#: 395362	
Lab ID: 553152-002	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Prepared: 02/13/26	
	Prep: EPA 3015A	
	Analysis: EPA 200.7	
	Analyst: TWJ	

553152-002 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	100	0.10	0.022	mg/L	02/14/26
Iron	23	0.050	0.017	mg/L	02/15/26
Magnesium	19	0.10	0.010	mg/L	02/14/26
Potassium	22	0.50	0.15	mg/L	02/14/26
Sodium	83	0.50	0.017	mg/L	02/14/26

Field ID: SOUTH BASIN - W CENTRAL	DF: 1.000	
Type: SAMPLE	Batch#: 395362	
Lab ID: 553152-003	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Prepared: 02/13/26	
	Prep: EPA 3015A	
	Analysis: EPA 200.7	
	Analyst: TWJ	

553152-003 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	65	0.10	0.022	mg/L	02/14/26
Iron	2.0	0.050	0.017	mg/L	02/15/26
Magnesium	10	0.10	0.010	mg/L	02/14/26
Potassium	14	0.50	0.15	mg/L	02/14/26
Sodium	78	0.50	0.017	mg/L	02/14/26

Type: BLANK	DF: 1.000	
Lab ID: QC1340600	Batch#: 395362	
Matrix: Water	Prepared: 02/13/26	
	Prep: EPA 3015A	
	Analysis: EPA 200.7	
	Analyst: TWJ	

QC1340600 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	ND	0.10	0.022	mg/L	02/14/26
Iron	ND	0.050	0.017	mg/L	02/15/26
Magnesium	ND	0.10	0.010	mg/L	02/14/26
Potassium	ND	0.50	0.15	mg/L	02/14/26
Sodium	ND	0.50	0.017	mg/L	02/14/26

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Metals Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395413	Analyzed: 02/15/26
Lab ID: 553152-001	Sampled: 02/13/26	Prep: EPA 3015A
Matrix: Water	Received: 02/13/26	Analysis: EPA 200.8
DF: 1.000	Prepared: 02/14/26	Analyst: KCD

553152-001 Analyte	Result	RL	MDL	Units	Qual
Antimony	2.1	2.0	1.0	ug/L	
Arsenic	6.8	2.0	0.27	ug/L	
Barium	57	5.0	0.44	ug/L	
Beryllium	0.32 J	1.0	0.060	ug/L	B
Boron	NA				
Cadmium	ND	1.0	0.072	ug/L	
Chromium	6.4	5.0	0.43	ug/L	
Cobalt	2.5	1.0	0.090	ug/L	
Copper	12	3.0	0.96	ug/L	
Lead	2.3 J	5.0	0.23	ug/L	
Manganese	87	10	3.8	ug/L	
Nickel	6.4	5.0	1.3	ug/L	
Selenium	4.2	4.0	1.9	ug/L	
Silver	ND	5.0	0.37	ug/L	
Thallium	ND	1.0	0.25	ug/L	
Tin	ND	5.0	1.5	ug/L	
Vanadium	14	5.0	0.36	ug/L	
Zinc	15	10	7.6	ug/L	

Legend

- NA:** Not Analyzed
- B:** Contamination found in associated Method Blank
- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Metals Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395394	Prep: EPA 245.1
Type: SAMPLE	Sampled: 02/13/26	Analysis: EPA 245.1
Lab ID: 553152-001	Received: 02/13/26	Analyst: KCD
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/14/26	

553152-001 Analyte	Result	RL	MDL	Units
Mercury	ND	0.40	0.091	ug/L

Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395394	Prep: EPA 245.1
Type: SAMPLE	Sampled: 02/13/26	Analysis: EPA 245.1
Lab ID: 553152-002	Received: 02/13/26	Analyst: KCD
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/14/26	

553152-002 Analyte	Result	RL	MDL	Units
Mercury	0.12 J	0.40	0.091	ug/L

Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395394	Prep: EPA 245.1
Type: SAMPLE	Sampled: 02/13/26	Analysis: EPA 245.1
Lab ID: 553152-003	Received: 02/13/26	Analyst: KCD
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/14/26	

553152-003 Analyte	Result	RL	MDL	Units
Mercury	ND	0.40	0.091	ug/L

Type: BLANK	Batch#: 395394	Analysis: EPA 245.1
Lab ID: QC1340688	Prepared: 02/14/26	Analyst: KCD
Matrix: Water	Analyzed: 02/14/26	
DF: 1.000	Prep: EPA 245.1	

QC1340688 Analyte	Result	RL	MDL	Units
Mercury	ND	0.40	0.091	ug/L

Legend
J: Estimated value
MDL: Method Detection Limit
ND: Not Detected at or above MDL
RL: Reporting Limit

Metals Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395413	Analyzed: 02/15/26
Lab ID: 553152-002	Sampled: 02/13/26	Prep: EPA 3015A
Matrix: Water	Received: 02/13/26	Analysis: EPA 200.8
DF: 1.000	Prepared: 02/14/26	Analyst: KCD

553152-002 Analyte	Result	RL	MDL	Units	Qual
Antimony	1.7 J	2.0	1.0	ug/L	
Arsenic	12	2.0	0.27	ug/L	
Barium	230	5.0	0.44	ug/L	
Beryllium	1.1	1.0	0.060	ug/L	B
Boron	NA	^			
Cadmium	0.40 J	1.0	0.072	ug/L	
Chromium	23	5.0	0.43	ug/L	
Cobalt	12	1.0	0.090	ug/L	
Copper	35	3.0	0.96	ug/L	
Lead	20	5.0	0.23	ug/L	
Manganese	410	10	3.8	ug/L	
Nickel	23	5.0	1.3	ug/L	
Selenium	5.3	4.0	1.9	ug/L	
Silver	ND	5.0	0.37	ug/L	
Thallium	ND	1.0	0.25	ug/L	
Tin	ND	5.0	1.5	ug/L	
Vanadium	47	5.0	0.36	ug/L	
Zinc	110	10	7.6	ug/L	

Legend

- NA:** Not Analyzed
- B:** Contamination found in associated Method Blank
- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Metals Analytical Report

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395413	Analyzed: 02/15/26
Lab ID: 553152-003	Sampled: 02/13/26	Prep: EPA 3015A
Matrix: Water	Received: 02/13/26	Analysis: EPA 200.8
DF: 1.000	Prepared: 02/14/26	Analyst: KCD

553152-003 Analyte	Result	RL	MDL	Units	Qual
Antimony	1.7 J	2.0	1.0	ug/L	
Arsenic	6.9	2.0	0.27	ug/L	
Barium	43	5.0	0.44	ug/L	
Beryllium	0.19 J	1.0	0.060	ug/L	B
Boron	NA				
Cadmium	ND	1.0	0.072	ug/L	
Chromium	4.0 J	5.0	0.43	ug/L	
Cobalt	1.7	1.0	0.090	ug/L	
Copper	10	3.0	0.96	ug/L	
Lead	1.7 J	5.0	0.23	ug/L	
Manganese	53	10	3.8	ug/L	
Nickel	4.9 J	5.0	1.3	ug/L	
Selenium	4.1	4.0	1.9	ug/L	
Silver	ND	5.0	0.37	ug/L	
Thallium	ND	1.0	0.25	ug/L	
Tin	ND	5.0	1.5	ug/L	
Vanadium	10	5.0	0.36	ug/L	
Zinc	12	10	7.6	ug/L	

Legend

- NA:** Not Analyzed
- B:** Contamination found in associated Method Blank
- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Total Oil & Grease (HEM)

Lab #: 553152	Project#: CCLF STORMWATER			
Client: Waste Connections	Location: Stormwater Outlet			
Field ID: SOUTH BASIN - NW CORNER	DF: 0.9804	Analyzed: 02/15/26		
Type: SAMPLE	Batch#: 395420	Prep: METHOD		
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: EPA 1664A		
Matrix: Water	Received: 02/13/26	Analyst: JAG		
553152-001 Analyte	Result	RL	MDL	Units
Total Oil and Grease	ND	4.9	0.95	mg/L
Field ID: SOUTH BASIN - S CENTRAL	DF: 0.9901	Analyzed: 02/15/26		
Type: SAMPLE	Batch#: 395420	Prep: METHOD		
Lab ID: 553152-002	Sampled: 02/13/26	Analysis: EPA 1664A		
Matrix: Water	Received: 02/13/26	Analyst: JAG		
553152-002 Analyte	Result	RL	MDL	Units
Total Oil and Grease	ND	5.0	0.96	mg/L
Field ID: SOUTH BASIN - W CENTRAL	DF: 0.9852	Analyzed: 02/15/26		
Type: SAMPLE	Batch#: 395420	Prep: METHOD		
Lab ID: 553152-003	Sampled: 02/13/26	Analysis: EPA 1664A		
Matrix: Water	Received: 02/13/26	Analyst: JAG		
553152-003 Analyte	Result	RL	MDL	Units
Total Oil and Grease	ND	4.9	0.96	mg/L
Type: BLANK	DF: 1.000	Prep: METHOD		
Lab ID: QC1340801	Batch#: 395420	Analysis: EPA 1664A		
Matrix: Water	Analyzed: 02/15/26	Analyst: JAG		
QC1340801 Analyte	Result	RL	MDL	Units
Total Oil and Grease	ND	5.0	0.97	mg/L

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

Alkalinity

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	DF: 2.500	Analyzed: 02/13/26
Type: SAMPLE	Batch#: 395344	Prep: METHOD
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: SM2320B
Matrix: Water	Received: 02/13/26	Analyst: WWC

553152-001 Analyte	Result	RL	Units
Bicarbonate	140	6.0	mg/L
Alkalinity, Total as CaCO3	130	5.0	mg/L

Field ID: SOUTH BASIN - S CENTRAL	DF: 2.500	
Type: SAMPLE	Batch#: 395344	
Lab ID: 553152-002	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Analyzed: 02/13/26	
	Prep: METHOD	
	Analysis: SM2320B	
	Analyst: WWC	

553152-002 Analyte	Result	RL	Units
Bicarbonate	200	6.0	mg/L
Alkalinity, Total as CaCO3	190	5.0	mg/L

Field ID: SOUTH BASIN - W CENTRAL	DF: 2.500	
Type: SAMPLE	Batch#: 395344	
Lab ID: 553152-003	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Analyzed: 02/13/26	
	Prep: METHOD	
	Analysis: SM2320B	
	Analyst: WWC	

553152-003 Analyte	Result	RL	Units
Bicarbonate	130	6.0	mg/L
Alkalinity, Total as CaCO3	150	5.0	mg/L

Type: BLANK	DF: 1.000	
Lab ID: QC1340523	Batch#: 395344	
Matrix: Water	Analyzed: 02/13/26	
	Prep: METHOD	
	Analysis: SM2320B	
	Analyst: WWC	

QC1340523 Analyte	Result	RL	Units
Bicarbonate	ND	2.0	mg/L
Alkalinity, Total as CaCO3	ND	2.0	mg/L

Legend
ND: Not Detected
RL: Reporting Limit

Chemical Oxygen Demand

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395376	Prep: SM 5220D
Type: SAMPLE	Sampled: 02/13/26	Analysis: SM5220D
Lab ID: 553152-001	Received: 02/13/26	Analyst: ARM
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/14/26	

553152-001 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	80	4.0	2.0	mg/L

Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395376	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-002	Received: 02/13/26	
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/14/26	
	Prep: SM 5220D	
	Analysis: SM5220D	
	Analyst: ARM	

553152-002 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	87	4.0	2.0	mg/L

Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395376	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-003	Received: 02/13/26	
Matrix: Water	Prepared: 02/14/26	
DF: 1.000	Analyzed: 02/14/26	
	Prep: SM 5220D	
	Analysis: SM5220D	
	Analyst: ARM	

553152-003 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	92	4.0	2.0	mg/L

Type: BLANK	Batch#: 395376	Analysis: SM5220D
Lab ID: QC1340639	Prepared: 02/14/26	Analyst: ARM
Matrix: Water	Analyzed: 02/14/26	
DF: 1.000	Prep: SM 5220D	

QC1340639 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	ND	4.0	2.0	mg/L

Legend
MDL: Method Detection Limit
ND: Not Detected at or above MDL
RL: Reporting Limit

Conductivity

Lab #: 553152	Project#: CCLF STORMWATER		
Client: Waste Connections	Location: Stormwater Outlet		
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395357	Prep: METHOD	
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: SM2510B	
Matrix: Water	Received: 02/13/26	Analyst: CDR	
DF: 1.000	Analyzed: 02/13/26		
553152-001 Analyte	Result	RL	Units
Specific Conductance	770	1.0	umhos/cm
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395357	Prep: METHOD	
Lab ID: 553152-002	Sampled: 02/13/26	Analysis: SM2510B	
Matrix: Water	Received: 02/13/26	Analyst: CDR	
DF: 1.000	Analyzed: 02/13/26		
553152-002 Analyte	Result	RL	Units
Specific Conductance	860	1.0	umhos/cm
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395357	Prep: METHOD	
Lab ID: 553152-003	Sampled: 02/13/26	Analysis: SM2510B	
Matrix: Water	Received: 02/13/26	Analyst: CDR	
DF: 1.000	Analyzed: 02/13/26		
553152-003 Analyte	Result	RL	Units
Specific Conductance	780	1.0	umhos/cm

Legend

RL: Reporting Limit

Sulfide

Lab #: 553152	Project#: CCLF STORMWATER			
Client: Waste Connections	Location: Stormwater Outlet			
Field ID: SOUTH BASIN - NW CORNER	DF: 1.000	Analyzed: 02/13/26		
Type: SAMPLE	Batch#: 395371	Prep: METHOD		
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: SM 4500-S2-D		
Matrix: Water	Received: 02/13/26	Analyst: TXC		
553152-001 Analyte		Result	RL	Units
Sulfide		ND	0.10	mg/L
Field ID: SOUTH BASIN - S CENTRAL	DF: 1.000	Analyzed: 02/13/26		
Type: SAMPLE	Batch#: 395371	Prep: METHOD		
Lab ID: 553152-002	Sampled: 02/13/26	Analysis: SM 4500-S2-D		
Matrix: Water	Received: 02/13/26	Analyst: TXC		
553152-002 Analyte		Result	RL	Units
Sulfide		ND	0.10	mg/L
Field ID: SOUTH BASIN - W CENTRAL	DF: 1.000	Analyzed: 02/13/26		
Type: SAMPLE	Batch#: 395371	Prep: METHOD		
Lab ID: 553152-003	Sampled: 02/13/26	Analysis: SM 4500-S2-D		
Matrix: Water	Received: 02/13/26	Analyst: TXC		
553152-003 Analyte		Result	RL	Units
Sulfide		ND	0.10	mg/L
Type: BLANK	DF: 1.000	Prep: METHOD		
Lab ID: QC1340626	Batch#: 395371	Analysis: SM 4500-S2-D		
Matrix: Water	Analyzed: 02/13/26	Analyst: TXC		
QC1340626 Analyte		Result	RL	Units
Sulfide		ND	0.10	mg/L

Legend
 ND: Not Detected
 RL: Reporting Limit

Total Dissolved Solids (TDS)

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395339	Prep: METHOD
Type: SAMPLE	Sampled: 02/13/26	Analysis: SM2540C
Lab ID: 553152-001	Received: 02/13/26	Analyst: CDR
Matrix: Water	Prepared: 02/13/26	
DF: 2.000	Analyzed: 02/15/26	

553152-001 Analyte	Result	RL	Units
Total Dissolved Solids	570	20	mg/L

Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395339	Prep: METHOD
Type: SAMPLE	Sampled: 02/13/26	Analysis: SM2540C
Lab ID: 553152-002	Received: 02/13/26	Analyst: CDR
Matrix: Water	Prepared: 02/13/26	
DF: 2.000	Analyzed: 02/15/26	

553152-002 Analyte	Result	RL	Units
Total Dissolved Solids	650	20	mg/L

Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395339	Prep: METHOD
Type: SAMPLE	Sampled: 02/13/26	Analysis: SM2540C
Lab ID: 553152-003	Received: 02/13/26	Analyst: CDR
Matrix: Water	Prepared: 02/13/26	
DF: 2.000	Analyzed: 02/15/26	

553152-003 Analyte	Result	RL	Units
Total Dissolved Solids	560	20	mg/L

Type: BLANK	Batch#: 395339	Analysis: SM2540C
Lab ID: QC1340511	Prepared: 02/13/26	Analyst: CDR
Matrix: Water	Analyzed: 02/15/26	
DF: 1.000	Prep: METHOD	

QC1340511 Analyte	Result	RL	Units
Total Dissolved Solids	ND	10	mg/L

Legend
 ND: Not Detected
 RL: Reporting Limit

Total Phenolics

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	DF: 1.000	Analyzed: 02/13/26
Type: SAMPLE	Batch#: 395317	Prep: METHOD
Lab ID: 553152-001	Sampled: 02/13/26	Analysis: EPA 420.1
Matrix: Water	Received: 02/13/26	Analyst: LVL

553152-001 Analyte	Result	RL	MDL	Units
Total Phenolics	0.011	0.010	0.0056	mg/L

Field ID: SOUTH BASIN - S CENTRAL	DF: 1.000	
Type: SAMPLE	Batch#: 395317	
Lab ID: 553152-002	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Analyzed: 02/13/26	
	Prep: METHOD	
	Analysis: EPA 420.1	
	Analyst: LVL	

553152-002 Analyte	Result	RL	MDL	Units
Total Phenolics	ND	0.010	0.0056	mg/L

Field ID: SOUTH BASIN - W CENTRAL	DF: 1.000	
Type: SAMPLE	Batch#: 395317	
Lab ID: 553152-003	Sampled: 02/13/26	
Matrix: Water	Received: 02/13/26	
	Analyzed: 02/13/26	
	Prep: METHOD	
	Analysis: EPA 420.1	
	Analyst: LVL	

553152-003 Analyte	Result	RL	MDL	Units
Total Phenolics	ND	0.010	0.0056	mg/L

Type: BLANK	DF: 1.000	
Lab ID: QC1340433	Batch#: 395317	
Matrix: Water	Analyzed: 02/13/26	
	Prep: METHOD	
	Analysis: EPA 420.1	
	Analyst: LVL	

QC1340433 Analyte	Result	RL	MDL	Units
Total Phenolics	ND	0.010	0.0056	mg/L

Legend
MDL: Method Detection Limit
ND: Not Detected at or above MDL
RL: Reporting Limit

Total Suspended Solids (TSS)

Lab #: 553152	Project#: CCLF STORMWATER	
Client: Waste Connections	Location: Stormwater Outlet	
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395360	Prep: METHOD
Type: SAMPLE	Sampled: 02/13/26	Analysis: SM2540D
Lab ID: 553152-001	Received: 02/13/26	Analyst: CKN
Matrix: Water	Prepared: 02/13/26	
DF: 1.000	Analyzed: 02/14/26	

553152-001 Analyte	Result	RL	Units
Total Suspended Solids	100	0.5	mg/L

Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395360	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-002	Received: 02/13/26	
Matrix: Water	Prepared: 02/13/26	
DF: 1.000	Analyzed: 02/14/26	
	Prep: METHOD	
	Analysis: SM2540D	
	Analyst: CKN	

553152-002 Analyte	Result	RL	Units
Total Suspended Solids	1,400	0.5	mg/L

Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395360	
Type: SAMPLE	Sampled: 02/13/26	
Lab ID: 553152-003	Received: 02/13/26	
Matrix: Water	Prepared: 02/13/26	
DF: 1.000	Analyzed: 02/14/26	
	Prep: METHOD	
	Analysis: SM2540D	
	Analyst: CKN	

553152-003 Analyte	Result	RL	Units
Total Suspended Solids	61	0.5	mg/L

Type: BLANK	Batch#: 395360	Analysis: SM2540D
Lab ID: QC1340590	Prepared: 02/13/26	Analyst: CKN
Matrix: Water	Analyzed: 02/14/26	
DF: 1.000	Prep: METHOD	

QC1340590 Analyte	Result	RL	Units
Total Suspended Solids	ND	0.5	mg/L

Legend
 ND: Not Detected
 RL: Reporting Limit

Turbidity

Lab #: 553152	Project#: CCLF STORMWATER			
Client: Waste Connections	Location: Stormwater Outlet			
Field ID: SOUTH BASIN - NW CORNER	Batch#: 395367	Prep:		
Lab ID: 553152-001	Sampled: 02/13/26 09:03	Analysis: SM2130B		
Matrix: Water	Received: 02/13/26	Analyst: CDR		
DF: 1.000	Analyzed: 02/13/26 19:24			
553152-001 Analyte	Result	RL	MDL	Units
Turbidity	120	0.20	0.12	NTU
Field ID: SOUTH BASIN - S CENTRAL	Batch#: 395367	Prep:		
Lab ID: 553152-002	Sampled: 02/13/26 09:16	Analysis: SM2130B		
Matrix: Water	Received: 02/13/26	Analyst: CDR		
DF: 1.000	Analyzed: 02/13/26 19:24			
553152-002 Analyte	Result	RL	MDL	Units
Turbidity	1,300	0.20	0.12	NTU
Field ID: SOUTH BASIN - W CENTRAL	Batch#: 395367	Prep:		
Lab ID: 553152-003	Sampled: 02/13/26 11:08	Analysis: SM2130B		
Matrix: Water	Received: 02/13/26	Analyst: CDR		
DF: 1.000	Analyzed: 02/13/26 19:24			
553152-003 Analyte	Result	RL	MDL	Units
Turbidity	67	0.20	0.12	NTU

Legend

MDL: Method Detection Limit

RL: Reporting Limit