

**De:** Sarah Phillips <Sarah.Phillips@WasteConnections.com>  
**Enviado:** Domingo 15 de febrero de 2026 8:59 PM  
**Para:** Vitale, Pavlova@Waterboards; Casas, Enrique@Waterboards  
**Cc:** Matt Breuer; 'emorofuji@ph.lacounty.gov'  
**Asunto:** Ref.: Filtración en la Cuenca Sur  
**Adjuntos:** 553108\_RPTS.pdf; 553152\_RPTS.pdf

Pavlova:

Estamos enviando por e-mail actualizaciones sobre la filtración identificada el jueves 12 de febrero de 2026 en la base de la pendiente oeste. Al 13 de febrero de 2026 la filtración había parado y Chiquita ha limpiado completamente el canal de aguas pluviales y la cuenca sur. Chiquita instaló más infraestructura para evitar que se mezclen lixiviados con aguas pluviales, está monitoreando el área de la filtración activamente y está preparado para remover inmediatamente los líquidos adicionales si vuelve a aparecer la filtración durante los próximos eventos de lluvia. Chiquita está proporcionando este aviso para mantener la transparencia y la coordinación y asegurarse de que la Junta del Agua se mantenga al tanto de nuestras acciones para mitigar cualquier potencial impacto de la filtración.

El 12 de febrero de 2026 se observó un pequeño brillo visible de líquido oscuro de aproximadamente 10 pies por 15 pies en esta zona, en la Etapa 1 de la Cuenca de Sedimentación Sur. Chiquita desplegó inmediatamente un camión de vacío y removió los lixiviados junto con las aguas pluviales adicionales que estaban presentes dentro de las cercanías de la entrada. Estimamos que ingresaron unos 20-40 galones de lixiviados a la Etapa 1 de la cuenca. En total, se removieron aproximadamente 3,360 galones de líquido que consistían principalmente de aguas pluviales, además del volumen de lixiviados estimado. Como parte de estos trabajos de limpieza, Chiquita además lavó a presión el canal de aguas pluviales y las alcantarillas que van hacia la Cuenca de Sedimentación Sur y removió el agua de lavado con un camión de vacío.

Al descubrir la filtración, y como se informó previamente, Chiquita bloqueó inmediatamente la entrada a la Etapa 1 de la Cuenca de Sedimentación Sur y colocó represas filtrantes de suelo dentro del canal de aguas pluviales para detener la filtración, para que no viaje hacia la cuenca. Para contener la filtración, Chiquita cavó un área de contención en el origen de la filtración en el talud oeste para recoger el líquido. Esta área de contención mide aproximadamente 40 pies de largo y tiene una capacidad estimada de aproximadamente 300 galones. Desde el 13 de febrero de 2026 no se ha observado flujo activo y no se ha acumulado líquido en la zona de contención. Chiquita está supervisando la zona de contención y está preparado para remover los líquidos utilizando un camión de vacío en el caso de que reaparezcan durante el próximo evento de lluvia previsto. Además, se agregó piedra a la calle de acceso para asegurar un acceso confiable durante condiciones de lluvia causadas por el evento de lluvias previsto.

El 22 de febrero de 2026, durante el evento de filtración, tomamos una muestra de la filtración de la entrada oeste a la Etapa 1 de la Cuenca de Sedimentación Sur. Se adjunta el informe final de esta muestra. Los resultados muestran que la filtración no tuvo detecciones de benceno.

Después de la limpieza de la cuenca, como se describe arriba, tomamos tres muestras de la cuenca. Una muestra se tomó de la Etapa 1 de la cuenca al lado de la entrada oeste. También se tomaron muestras de más al sur y a lo largo de la parte oeste de la Etapa 1 de la cuenca (cerca de donde rebalsa el estanque del norte hacia el estanque del sur) y de la Etapa 2 de la cuenca sur cerca de las tuberías verticales. Los resultados de estas muestras se adjuntan para su revisión.

Mientras que el informe es preliminar, los datos de los métodos presentados pasaron por control de calidad y no cambiarán con el informe final, que incluirá otros métodos que toman más tiempo de ejecutar. Los resultados analíticos son consistentes con las aguas pluviales y confirman las observaciones visuales de que los lixiviados fueron removidos de la cuenca sur.

El laboratorio continúa revisando la Orden de Investigación Enmendada y su lista de límites para informar ("RLs"). Comprendemos que algunos de los RLs de los resultados analíticos adjuntos no cumplen con los RLs establecidos esta semana por la OI Enmendada. Mientras que el laboratorio tal vez pueda cumplir con estos RLs para diferentes tipos de medios, en este momento no puede hacerlo para aguas pluviales. El laboratorio está trabajando para comprender si puede recalibrar los equipos para cumplir con estos RLs de ahora en adelante. También nos estamos comunicando con otros laboratorios de la zona para determinar si pueden cumplir con estos requerimientos de RL para muestras de aguas pluviales. El laboratorio pudo pasar estas muestras de aguas pluviales sin dilución, pero comprendemos que podrán ser un problema para los laboratorios, dependiendo de la cantidad de partículas suspendidas en las aguas pluviales.

Creemos que los resultados de las muestras de la cuenca confirman que removimos con éxito todos los lixiviados de la cuenca sur. Aunque los resultados indican que podemos quitar los tapones de las tuberías verticales de la cuenca sur, todavía no lo hemos hecho. Dada la cantidad de lluvia estimada, es probable que con los tapones puestos, el agua de la cuenca excederá la compuerta de emergencia como está diseñado y como se describe en el SWPPP de las instalaciones. Si ocurre eso, tomaremos muestras de la descarga, consistentes con nuestras obligaciones bajo la IO.

Como se indicó arriba, el área de la filtración permanecerá bajo constante observación durante todo el evento de lluvia previsto, para asegurar la inmediata remoción de los lixiviados si vuelve a aparecer la filtración. Continuaremos manteniéndolos informados sobre cualquier desarrollo importante.

Gracias,

Sarah

**Sarah Phillips**

248.930.2779



## Enthalpy Analytical Report

<b>Lab #:</b> 553108 <b>Client:</b> CTEH Chiquita Canyon Landfill - PROJ-037507	<b>Project#:</b> WC CHIQUITACANYON LF <b>Location:</b> Waste Connections Chiquita Canyon ...
<b>Field ID:</b> CACA260212Z-WESTERN-INLET <b>Lab ID:</b> 553108-001 <b>Matrix:</b> Water <b>DF:</b> 50.00	<b>Batch#:</b> 395301 <b>Sampled:</b> 02/12/26 <b>Received:</b> 02/13/26 <b>Analyzed:</b> 02/13/26
	<b>Prep:</b> EPA 5030B <b>Analysis:</b> EPA 8260B <b>Analyst:</b> LYZ

553108-001 Analyte	Result	RL	MDL	Units
Vinyl Chloride	ND	0.3	0.007	mg/L
1,1-Dichloroethene	ND	0.3	0.006	mg/L
<b>2-Butanone</b>	<b>0.3 J</b>	<b>5.0</b>	<b>0.05</b>	<b>mg/L</b>
Chloroform	ND	0.3	0.003	mg/L
Carbon Tetrachloride	ND	0.3	0.003	mg/L
1,2-Dichloroethane	ND	0.3	0.005	mg/L
Benzene	ND	0.3	0.004	mg/L
Trichloroethene	ND	0.3	0.002	mg/L
Tetrachloroethene	ND	0.3	0.004	mg/L
Chlorobenzene	ND	0.3	0.002	mg/L
1,4-Dichlorobenzene	ND	0.3	0.004	mg/L

553108-001 Surrogate	%REC	Limits
Dibromofluoromethane	101	70-130
1,2-Dichloroethane-d4	102	70-130
Toluene-d8	93	70-130
Bromofluorobenzene	104	70-130

Legend

- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

DRAFT

## Enthalpy Analytical Report

<b>Lab #:</b> 553108 <b>Client:</b> CTEH Chiquita Canyon Landfill - PROJ-037507	<b>Project#:</b> WC CHIQUITACANYON LF <b>Location:</b> Waste Connections Chiquita Canyon ...
<b>Field ID:</b> CACA260212Z-WESTERN-INLET <b>Lab ID:</b> 553108-001 <b>Matrix:</b> Water <b>DF:</b> 1.923	<b>Batch#:</b> 395350 <b>Sampled:</b> 02/12/26 <b>Received:</b> 02/13/26 <b>Prepared:</b> 02/13/26
	<b>Analyzed:</b> 02/14/26 <b>Prep:</b> EPA 3510C <b>Analysis:</b> EPA 8270E <b>Analyst:</b> TJW

553108-001 Analyte	Result	RL	MDL	Units
<b>Pyridine</b>	<b>0.011 J</b>	0.019	0.0054	mg/L
<b>2-Methylphenol</b>	<b>0.017 J</b>	0.019	0.0062	mg/L
<b>3,4-Methylphenol</b>	<b>1.2 E</b>	0.019	0.0058	mg/L
Hexachloroethane	ND	0.019	0.0058	mg/L
Nitrobenzene	ND	0.048	0.016	mg/L
Hexachlorobutadiene	ND	0.019	0.0043	mg/L
2,4,6-Trichlorophenol	ND	0.019	0.0078	mg/L
2,4,5-Trichlorophenol	ND	0.019	0.0071	mg/L
2,4-Dinitrotoluene	ND	0.019	0.0082	mg/L
Hexachlorobenzene	ND	0.019	0.0058	mg/L
Pentachlorophenol	ND	0.048	0.011	mg/L

553108-001 Surrogate	%REC	Limits
2-Fluorophenol	52	15-120
Phenol-d6	93	15-120
2,4,6-Tribromophenol	78	15-140
Nitrobenzene-d5	125 *	15-123
2-Fluorobiphenyl	54	15-120
Terphenyl-d14	77	15-120

Legend

\*: Value is outside QC limits

E: Response exceeds instrument's linear range

J: Estimated value

MDL: Method Detection Limit

ND: Not Detected at or above MDL

RL: Reporting Limit

DRAFT

### California Title 22 Metals

**Lab #:** 553108

**Project#:** WC CHIQUITACANYON LF

**Client:** CTEH Chiquita Canyon Landfill - PROJ-037507

**Location:** Waste Connections Chiquita Canyon  
 ...

**Field ID:** CACA260212Z-WESTERN-INLET

**Sampled:** 02/12/26

**Analyzed:** 02/13/26

**Lab ID:** 553108-001

**Received:** 02/13/26

**Matrix:** Water

**Prepared:** 02/13/26

553108-001 Analyte	Result	RL	MDL	Units	DF	Batch#	Prep	Analysis	Analyst
Antimony	ND	0.30	0.078	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Arsenic</b>	<b>0.082 J</b>	0.10	0.064	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Barium</b>	<b>0.98</b>	0.10	0.0044	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Beryllium	ND	0.050	0.0034	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Cadmium	ND	0.050	0.0021	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Chromium</b>	<b>0.078 J</b>	0.10	0.0085	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Cobalt</b>	<b>0.014 J</b>	0.050	0.0034	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Copper	ND	0.10	0.021	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Lead	ND	0.10	0.022	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Mercury	ND	0.080	0.018	mg/L	200.0	395295	EPA 7470A	EPA 7470A	MLL
Molybdenum	ND	0.10	0.023	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Nickel</b>	<b>0.016 J</b>	0.10	0.012	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Selenium	ND	0.30	0.051	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Silver</b>	<b>0.013 J</b>	0.050	0.0070	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
Thallium	ND	0.30	0.036	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Vanadium</b>	<b>0.048 J</b>	0.10	0.013	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW
<b>Zinc</b>	<b>0.13 J</b>	0.50	0.021	mg/L	10.00	395311	EPA 3015A	EPA 6010B	SBW

## Legend

**J:** Estimated value

**MDL:** Method Detection Limit

**ND:** Not Detected at or above MDL

**RL:** Reporting Limit

### Closed-Cup Ignitability (Flashpoint)

<b>Lab #:</b> 553108 <b>Client:</b> CTEH Chiquita Canyon Landfill - PROJ-037507	<b>Project#:</b> WC CHIQUITACANYON LF <b>Location:</b> Waste Connections Chiquita Canyon ...
<b>Field ID:</b> CACA260212Z-WESTERN-INLET <b>Lab ID:</b> 553108-001 <b>Matrix:</b> Water <b>DF:</b> 1.000	<b>Batch#:</b> 395374 <b>Sampled:</b> 02/12/26 <b>Received:</b> 02/13/26 <b>Analyzed:</b> 02/14/26
	<b>Prep:</b> <b>Analysis:</b> EPA 1010 <b>Analyst:</b> ARM

553108-001 Analyte	Result	Units
<b>Flash Point</b>	<b>&gt;203</b>	deg F

## pH of Aqueous and non-Aqueous Samples

<b>Lab #:</b> 553108 <b>Client:</b> CTEH Chiquita Canyon Landfill - PROJ-037507	<b>Project#:</b> WC CHIQUITACANYON LF <b>Location:</b> Waste Connections Chiquita Canyon ...
<b>Field ID:</b> CACA260212Z-WESTERN-INLET <b>Lab ID:</b> 553108-001 <b>Matrix:</b> Water <b>DF:</b> 1.000	<b>Batch#:</b> 395378 <b>Sampled:</b> 02/12/26 <b>Received:</b> 02/13/26 <b>Analyzed:</b> 02/14/26
	<b>Prep:</b> <b>Analysis:</b> EPA 9040B <b>Analyst:</b> ARM

553108-001 Analyte	Result	RL	Units	Qual
pH	6.93		SU	H
Temperature	20.40	1.00	deg C	H

Legend

H: Holding time was exceeded  
 RL: Reporting Limit

### Purgeable Organics by GC/MS

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395299	<b>Prep:</b> EPA 5030B
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 8260B
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> LYZ
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26	

553152-001 Analyte	Result	RL	MDL	Units
Carbon Disulfide	ND	5.0	0.2	ug/L
Chloroprene	ND	200	0.4	ug/L
3-Chloropropene	ND	5.0	0.3	ug/L
Ethyl methacrylate	ND	50	2.1	ug/L
Ethanol	ND	500	110	ug/L
2-Hexanone	ND	5.0	1.1	ug/L
Isopropanol (IPA)	ND	200	52	ug/L
Methyl acrylonitrile	ND	35	3.7	ug/L
Vinyl Acetate	ND	50	15	ug/L
Acrolein	ND	200	2.7	ug/L
Acrylonitrile	ND	10	0.7	ug/L
Freon 12	ND	5.0	0.1	ug/L
Chloromethane	ND	5.0	0.2	ug/L
Vinyl Chloride	ND	5.0	0.1	ug/L
Bromomethane	ND	5.0	0.2	ug/L
Chloroethane	ND	5.0	0.1	ug/L
Trichlorofluoromethane	ND	5.0	0.06	ug/L
Iodomethane	ND	5.0		ug/L
Acetone	ND	100	5.0	ug/L
Freon 113	ND	5.0	0.1	ug/L
1,1-Dichloroethene	ND	5.0	0.08	ug/L
Methylene Chloride	ND	10	0.2	ug/L
MTBE	ND	5.0	0.09	ug/L
trans-1,2-Dichloroethene	ND	5.0	0.1	ug/L
1,1-Dichloroethane	ND	5.0	0.1	ug/L
<b>2-Butanone</b>	<b>2.0 J</b>	<b>10</b>	<b>1.5</b>	<b>ug/L</b>
cis-1,2-Dichloroethene	ND	5.0	0.09	ug/L
2,2-Dichloropropane	ND	5.0	0.1	ug/L
Chloroform	ND	5.0	0.08	ug/L
Bromochloromethane	ND	5.0	0.2	ug/L
1,1,1-Trichloroethane	ND	5.0	0.09	ug/L
1,1-Dichloropropene	ND	5.0	0.08	ug/L
Carbon Tetrachloride	ND	5.0	0.06	ug/L
1,2-Dichloroethane	ND	5.0	0.1	ug/L
<b>Benzene</b>	<b>0.1 J</b>	<b>1.0</b>	<b>0.1</b>	<b>ug/L</b>
Trichloroethene	ND	5.0	0.1	ug/L
1,2-Dichloropropane	ND	5.0	0.1	ug/L
Bromodichloromethane	ND	5.0	0.09	ug/L
Dibromomethane	ND	5.0	0.1	ug/L
4-Methyl-2-Pentanone	ND	5.0	1.0	ug/L
cis-1,3-Dichloropropene	ND	5.0	0.3	ug/L
Toluene	ND	5.0	0.2	ug/L
trans-1,3-Dichloropropene	ND	5.0	0.3	ug/L
1,1,2-Trichloroethane	ND	5.0	0.2	ug/L
1,3-Dichloropropane	ND	5.0	0.1	ug/L
Tetrachloroethene	ND	5.0	0.1	ug/L

## Purgeable Organics by GC/MS

**Lab #:** 553152

**Project#:** CCLF STORMWATER

**Client:** Waste Connections

**Location:** Stormwater Outlet

553152-001 Analyte	Result	RL	MDL	Units
Dibromochloromethane	ND	5.0	0.08	ug/L
1,2-Dibromoethane	ND	5.0	0.2	ug/L
Chlorobenzene	ND	5.0	0.1	ug/L
1,1,1,2-Tetrachloroethane	ND	5.0	0.08	ug/L
Ethylbenzene	ND	5.0	0.09	ug/L
m,p-Xylenes	ND	5.0	0.2	ug/L
o-Xylene	ND	5.0	0.1	ug/L
Styrene	ND	5.0	0.08	ug/L
Bromoform	ND	5.0	0.08	ug/L
Isopropylbenzene	ND	5.0	0.1	ug/L
1,1,2,2-Tetrachloroethane	ND	5.0	0.2	ug/L
1,2,3-Trichloropropane	ND	5.0	0.2	ug/L
Propylbenzene	ND	5.0	0.1	ug/L
Bromobenzene	ND	5.0	0.09	ug/L
1,3,5-Trimethylbenzene	ND	5.0	0.1	ug/L
2-Chlorotoluene	ND	5.0	0.1	ug/L
4-Chlorotoluene	ND	5.0	0.1	ug/L
tert-Butylbenzene	ND	5.0	0.1	ug/L
1,2,4-Trimethylbenzene	ND	5.0	0.1	ug/L
sec-Butylbenzene	ND	5.0	0.1	ug/L
para-Isopropyl Toluene	ND	5.0	0.1	ug/L
1,3-Dichlorobenzene	ND	5.0	0.1	ug/L
1,4-Dichlorobenzene	ND	5.0	0.2	ug/L
n-Butylbenzene	ND	5.0	0.1	ug/L
1,2-Dichlorobenzene	ND	5.0	0.09	ug/L
1,2-Dibromo-3-Chloropropane	ND	5.0	0.5	ug/L
1,2,4-Trichlorobenzene	ND	5.0	0.2	ug/L
Hexachlorobutadiene	ND	5.0	0.2	ug/L
1,2,3-Trichlorobenzene	ND	5.0	0.1	ug/L
cis-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
trans-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
Xylene (total)	ND	5.0		ug/L

553152-001 Surrogate	%REC	Limits
Dibromofluoromethane	129	70-130
1,2-Dichloroethane-d4	110	70-130
Toluene-d8	98	70-130
Bromofluorobenzene	95	70-130

Legend

**J:** Estimated value

**MDL:** Method Detection Limit

**ND:** Not Detected

**RL:** Reporting Limit

### Purgeable Organics by GC/MS

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395299	<b>Prep:</b> EPA 5030B
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 8260B
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> LYZ
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26	

553152-002 Analyte	Result	RL	MDL	Units
Carbon Disulfide	ND	5.0	0.2	ug/L
Chloroprene	ND	200	0.4	ug/L
3-Chloropropene	ND	5.0	0.3	ug/L
Ethyl methacrylate	ND	50	2.1	ug/L
Ethanol	ND	500	110	ug/L
2-Hexanone	ND	5.0	1.1	ug/L
Isopropanol (IPA)	ND	200	52	ug/L
Methyl acrylonitrile	ND	35	3.7	ug/L
Vinyl Acetate	ND	50	15	ug/L
Acrolein	ND	200	2.7	ug/L
Acrylonitrile	ND	10	0.7	ug/L
Freon 12	ND	5.0	0.1	ug/L
Chloromethane	ND	5.0	0.2	ug/L
Vinyl Chloride	ND	5.0	0.1	ug/L
Bromomethane	ND	5.0	0.2	ug/L
Chloroethane	ND	5.0	0.1	ug/L
Trichlorofluoromethane	ND	5.0	0.06	ug/L
Iodomethane	ND	5.0		ug/L
Acetone	ND	100	5.0	ug/L
Freon 113	ND	5.0	0.1	ug/L
1,1-Dichloroethene	ND	5.0	0.08	ug/L
Methylene Chloride	ND	10	0.2	ug/L
MTBE	ND	5.0	0.09	ug/L
trans-1,2-Dichloroethene	ND	5.0	0.1	ug/L
1,1-Dichloroethane	ND	5.0	0.1	ug/L
2-Butanone	ND	10	1.5	ug/L
cis-1,2-Dichloroethene	ND	5.0	0.09	ug/L
2,2-Dichloropropane	ND	5.0	0.1	ug/L
Chloroform	ND	5.0	0.08	ug/L
Bromochloromethane	ND	5.0	0.2	ug/L
1,1,1-Trichloroethane	ND	5.0	0.09	ug/L
1,1-Dichloropropene	ND	5.0	0.08	ug/L
Carbon Tetrachloride	ND	5.0	0.06	ug/L
1,2-Dichloroethane	ND	5.0	0.1	ug/L
Benzene	ND	1.0	0.1	ug/L
Trichloroethene	ND	5.0	0.1	ug/L
1,2-Dichloropropane	ND	5.0	0.1	ug/L
Bromodichloromethane	ND	5.0	0.09	ug/L
Dibromomethane	ND	5.0	0.1	ug/L
4-Methyl-2-Pentanone	ND	5.0	1.0	ug/L
cis-1,3-Dichloropropene	ND	5.0	0.3	ug/L
Toluene	ND	5.0	0.2	ug/L
trans-1,3-Dichloropropene	ND	5.0	0.3	ug/L
1,1,2-Trichloroethane	ND	5.0	0.2	ug/L
1,3-Dichloropropane	ND	5.0	0.1	ug/L
Tetrachloroethene	ND	5.0	0.1	ug/L

## Purgeable Organics by GC/MS

**Lab #:** 553152

**Project#:** CCLF STORMWATER

**Client:** Waste Connections

**Location:** Stormwater Outlet

553152-002 Analyte	Result	RL	MDL	Units
Dibromochloromethane	ND	5.0	0.08	ug/L
1,2-Dibromoethane	ND	5.0	0.2	ug/L
Chlorobenzene	ND	5.0	0.1	ug/L
1,1,1,2-Tetrachloroethane	ND	5.0	0.08	ug/L
Ethylbenzene	ND	5.0	0.09	ug/L
m,p-Xylenes	ND	5.0	0.2	ug/L
o-Xylene	ND	5.0	0.1	ug/L
Styrene	ND	5.0	0.08	ug/L
Bromoform	ND	5.0	0.08	ug/L
Isopropylbenzene	ND	5.0	0.1	ug/L
1,1,2,2-Tetrachloroethane	ND	5.0	0.2	ug/L
1,2,3-Trichloropropane	ND	5.0	0.2	ug/L
Propylbenzene	ND	5.0	0.1	ug/L
Bromobenzene	ND	5.0	0.09	ug/L
1,3,5-Trimethylbenzene	ND	5.0	0.1	ug/L
2-Chlorotoluene	ND	5.0	0.1	ug/L
4-Chlorotoluene	ND	5.0	0.1	ug/L
tert-Butylbenzene	ND	5.0	0.1	ug/L
1,2,4-Trimethylbenzene	ND	5.0	0.1	ug/L
sec-Butylbenzene	ND	5.0	0.1	ug/L
para-Isopropyl Toluene	ND	5.0	0.1	ug/L
1,3-Dichlorobenzene	ND	5.0	0.1	ug/L
1,4-Dichlorobenzene	ND	5.0	0.2	ug/L
n-Butylbenzene	ND	5.0	0.1	ug/L
1,2-Dichlorobenzene	ND	5.0	0.09	ug/L
1,2-Dibromo-3-Chloropropane	ND	5.0	0.5	ug/L
1,2,4-Trichlorobenzene	ND	5.0	0.2	ug/L
Hexachlorobutadiene	ND	5.0	0.2	ug/L
1,2,3-Trichlorobenzene	ND	5.0	0.1	ug/L
cis-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
trans-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
Xylene (total)	ND	5.0		ug/L

553152-002 Surrogate	%REC	Limits
Dibromofluoromethane	117	70-130
1,2-Dichloroethane-d4	113	70-130
Toluene-d8	97	70-130
Bromofluorobenzene	95	70-130

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected
- RL:** Reporting Limit

### Purgeable Organics by GC/MS

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395299	<b>Prep:</b> EPA 5030B
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 8260B
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> LYZ
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26	

553152-003 Analyte	Result	RL	MDL	Units
Carbon Disulfide	ND	5.0	0.2	ug/L
Chloroprene	ND	200	0.4	ug/L
3-Chloropropene	ND	5.0	0.3	ug/L
Ethyl methacrylate	ND	50	2.1	ug/L
Ethanol	ND	500	110	ug/L
2-Hexanone	ND	5.0	1.1	ug/L
Isopropanol (IPA)	ND	200	52	ug/L
Methyl acrylonitrile	ND	35	3.7	ug/L
Vinyl Acetate	ND	50	15	ug/L
Acrolein	ND	200	2.7	ug/L
Acrylonitrile	ND	10	0.7	ug/L
Freon 12	ND	5.0	0.1	ug/L
Chloromethane	ND	5.0	0.2	ug/L
Vinyl Chloride	ND	5.0	0.1	ug/L
Bromomethane	ND	5.0	0.2	ug/L
Chloroethane	ND	5.0	0.1	ug/L
Trichlorofluoromethane	ND	5.0	0.06	ug/L
Iodomethane	ND	5.0		ug/L
Acetone	ND	100	5.0	ug/L
Freon 113	ND	5.0	0.1	ug/L
1,1-Dichloroethene	ND	5.0	0.08	ug/L
Methylene Chloride	ND	10	0.2	ug/L
MTBE	ND	5.0	0.09	ug/L
trans-1,2-Dichloroethene	ND	5.0	0.1	ug/L
1,1-Dichloroethane	ND	5.0	0.1	ug/L
2-Butanone	ND	10	1.5	ug/L
cis-1,2-Dichloroethene	ND	5.0	0.09	ug/L
2,2-Dichloropropane	ND	5.0	0.1	ug/L
Chloroform	ND	5.0	0.08	ug/L
Bromochloromethane	ND	5.0	0.2	ug/L
1,1,1-Trichloroethane	ND	5.0	0.09	ug/L
1,1-Dichloropropene	ND	5.0	0.08	ug/L
Carbon Tetrachloride	ND	5.0	0.06	ug/L
1,2-Dichloroethane	ND	5.0	0.1	ug/L
Benzene	ND	1.0	0.1	ug/L
Trichloroethene	ND	5.0	0.1	ug/L
1,2-Dichloropropane	ND	5.0	0.1	ug/L
Bromodichloromethane	ND	5.0	0.09	ug/L
Dibromomethane	ND	5.0	0.1	ug/L
4-Methyl-2-Pentanone	ND	5.0	1.0	ug/L
cis-1,3-Dichloropropene	ND	5.0	0.3	ug/L
Toluene	ND	5.0	0.2	ug/L
trans-1,3-Dichloropropene	ND	5.0	0.3	ug/L
1,1,2-Trichloroethane	ND	5.0	0.2	ug/L
1,3-Dichloropropane	ND	5.0	0.1	ug/L
Tetrachloroethene	ND	5.0	0.1	ug/L

## Purgeable Organics by GC/MS

**Lab #:** 553152

**Project#:** CCLF STORMWATER

**Client:** Waste Connections

**Location:** Stormwater Outlet

553152-003 Analyte	Result	RL	MDL	Units
Dibromochloromethane	ND	5.0	0.08	ug/L
1,2-Dibromoethane	ND	5.0	0.2	ug/L
Chlorobenzene	ND	5.0	0.1	ug/L
1,1,1,2-Tetrachloroethane	ND	5.0	0.08	ug/L
Ethylbenzene	ND	5.0	0.09	ug/L
m,p-Xylenes	ND	5.0	0.2	ug/L
o-Xylene	ND	5.0	0.1	ug/L
Styrene	ND	5.0	0.08	ug/L
Bromoform	ND	5.0	0.08	ug/L
Isopropylbenzene	ND	5.0	0.1	ug/L
1,1,2,2-Tetrachloroethane	ND	5.0	0.2	ug/L
1,2,3-Trichloropropane	ND	5.0	0.2	ug/L
Propylbenzene	ND	5.0	0.1	ug/L
Bromobenzene	ND	5.0	0.09	ug/L
1,3,5-Trimethylbenzene	ND	5.0	0.1	ug/L
2-Chlorotoluene	ND	5.0	0.1	ug/L
4-Chlorotoluene	ND	5.0	0.1	ug/L
tert-Butylbenzene	ND	5.0	0.1	ug/L
1,2,4-Trimethylbenzene	ND	5.0	0.1	ug/L
sec-Butylbenzene	ND	5.0	0.1	ug/L
para-Isopropyl Toluene	ND	5.0	0.1	ug/L
1,3-Dichlorobenzene	ND	5.0	0.1	ug/L
1,4-Dichlorobenzene	ND	5.0	0.2	ug/L
n-Butylbenzene	ND	5.0	0.1	ug/L
1,2-Dichlorobenzene	ND	5.0	0.09	ug/L
1,2-Dibromo-3-Chloropropane	ND	5.0	0.5	ug/L
1,2,4-Trichlorobenzene	ND	5.0	0.2	ug/L
Hexachlorobutadiene	ND	5.0	0.2	ug/L
1,2,3-Trichlorobenzene	ND	5.0	0.1	ug/L
cis-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
trans-1,4-Dichloro-2-butene	ND	5.0	0.4	ug/L
Xylene (total)	ND	5.0		ug/L

553152-003 Surrogate	%REC	Limits
Dibromofluoromethane	110	70-130
1,2-Dichloroethane-d4	110	70-130
Toluene-d8	97	70-130
Bromofluorobenzene	97	70-130

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected
- RL:** Reporting Limit

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395350	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8270E
<b>DF:</b> 0.9346	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ZFA

553152-001 Analyte	Result	RL	MDL	Units
Carbazole	ND	9.3	2.6	ug/L
N-Nitrosodimethylamine	ND	9.3	2.7	ug/L
Aniline	ND	9.3	2.7	ug/L
bis(2-Chloroethyl)ether	ND	23	3.5	ug/L
2-Chlorophenol	ND	9.3	3.4	ug/L
1,3-Dichlorobenzene	ND	9.3	3.1	ug/L
1,4-Dichlorobenzene	ND	9.3	3.2	ug/L
Benzyl alcohol	ND	23	5.4	ug/L
1,2-Dichlorobenzene	ND	9.3	3.1	ug/L
bis(2-Chloroisopropyl) ether	ND	9.3	3.6	ug/L
N-Nitroso-di-n-propylamine	ND	9.3	3.6	ug/L
Hexachloroethane	ND	9.3	2.8	ug/L
Nitrobenzene	ND	23	7.9	ug/L
Isophorone	ND	9.3	3.4	ug/L
2-Nitrophenol	ND	9.3	5.1	ug/L
2,4-Dimethylphenol	ND	9.3	3.0	ug/L
bis(2-Chloroethoxy)methane	ND	9.3	3.4	ug/L
2,4-Dichlorophenol	ND	9.3	3.5	ug/L
1,2,4-Trichlorobenzene	ND	9.3	3.2	ug/L
4-Chloroaniline	ND	9.3	2.9	ug/L
Hexachlorobutadiene	ND	9.3	2.1	ug/L
4-Chloro-3-methylphenol	ND	9.3	3.4	ug/L
2-Methylnaphthalene	ND	9.3	3.1	ug/L
Hexachlorocyclopentadiene	ND	23	7.3	ug/L
2,4,6-Trichlorophenol	ND	9.3	3.8	ug/L
2,4,5-Trichlorophenol	ND	9.3	3.5	ug/L
2-Chloronaphthalene	ND	9.3	3.2	ug/L
2-Nitroaniline	ND	47	4.1	ug/L
Dimethylphthalate	ND	9.3	3.2	ug/L
Acenaphthylene	ND	9.3	3.6	ug/L
2,6-Dinitrotoluene	ND	9.3	4.1	ug/L
3-Nitroaniline	ND	9.3	3.7	ug/L
Acenaphthene	ND	9.3	3.0	ug/L
2,4-Dinitrophenol	ND	47	14	ug/L
4-Nitrophenol	ND	47	7.9	ug/L
Dibenzofuran	ND	9.3	3.0	ug/L
2,4-Dinitrotoluene	ND	9.3	4.0	ug/L
Diethylphthalate	ND	9.3	2.7	ug/L
Fluorene	ND	9.3	2.9	ug/L
4-Chlorophenyl-phenylether	ND	9.3	2.9	ug/L
4-Nitroaniline	ND	9.3	3.1	ug/L
4,6-Dinitro-2-methylphenol	ND	47	16	ug/L
N-Nitrosodiphenylamine	ND	9.3	3.7	ug/L
1,2-diphenylhydrazine (as azobenzene)	ND	9.3	2.7	ug/L
4-Bromophenyl-phenylether	ND	9.3	3.1	ug/L
Hexachlorobenzene	ND	9.3	2.8	ug/L

## Enthalpy Analytical Report

**Lab #: 553152**
**Project#: CCLF STORMWATER**
**Client: Waste Connections**
**Location: Stormwater Outlet**

553152-001 Analyte	Result	RL	MDL	Units
Pentachlorophenol	ND	23	5.3	ug/L
Phenanthrene	ND	9.3	2.7	ug/L
Anthracene	ND	9.3	2.6	ug/L
Di-n-butylphthalate	ND	9.3	2.8	ug/L
Fluoranthene	ND	9.3	2.6	ug/L
Benzydine	ND	47	17	ug/L
Pyrene	ND	9.3	2.5	ug/L
Butylbenzylphthalate	ND	9.3	3.4	ug/L
3,3'-Dichlorobenzidine	ND	23	4.9	ug/L
Benzo(a)anthracene	ND	9.3	2.2	ug/L
Chrysene	ND	9.3	2.3	ug/L
bis(2-Ethylhexyl)phthalate	ND	9.3	3.1	ug/L
Di-n-octylphthalate	ND	9.3	4.4	ug/L
Benzo(b)fluoranthene	ND	9.3	2.8	ug/L
Benzo(k)fluoranthene	ND	9.3	2.9	ug/L
Benzo(a)pyrene	ND	9.3	2.9	ug/L
Indeno(1,2,3-cd)pyrene	ND	9.3	4.0	ug/L
Dibenz(a,h)anthracene	ND	9.3	3.9	ug/L
Benzo(g,h,i)perylene	ND	9.3	3.9	ug/L

553152-001 Surrogate	%REC	Limits
2-Fluorophenol	29	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	64	15-140
Nitrobenzene-d5	57	15-123
2-Fluorobiphenyl	49	15-120
Terphenyl-d14	69	15-120

## Legend

- MDL:** Method Detection Limit  
**ND:** Not Detected at or above MDL  
**RL:** Reporting Limit

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395350	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8270E
<b>DF:</b> 0.9434	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ZFA

553152-002 Analyte	Result	RL	MDL	Units
Carbazole	ND	9.4	2.6	ug/L
N-Nitrosodimethylamine	ND	9.4	2.7	ug/L
Aniline	ND	9.4	2.7	ug/L
bis(2-Chloroethyl)ether	ND	24	3.5	ug/L
2-Chlorophenol	ND	9.4	3.4	ug/L
1,3-Dichlorobenzene	ND	9.4	3.1	ug/L
1,4-Dichlorobenzene	ND	9.4	3.2	ug/L
Benzyl alcohol	ND	24	5.4	ug/L
1,2-Dichlorobenzene	ND	9.4	3.1	ug/L
bis(2-Chloroisopropyl) ether	ND	9.4	3.6	ug/L
N-Nitroso-di-n-propylamine	ND	9.4	3.6	ug/L
Hexachloroethane	ND	9.4	2.8	ug/L
Nitrobenzene	ND	24	7.9	ug/L
Isophorone	ND	9.4	3.5	ug/L
2-Nitrophenol	ND	9.4	5.1	ug/L
2,4-Dimethylphenol	ND	9.4	3.1	ug/L
bis(2-Chloroethoxy)methane	ND	9.4	3.5	ug/L
2,4-Dichlorophenol	ND	9.4	3.5	ug/L
1,2,4-Trichlorobenzene	ND	9.4	3.2	ug/L
4-Chloroaniline	ND	9.4	2.9	ug/L
Hexachlorobutadiene	ND	9.4	2.1	ug/L
4-Chloro-3-methylphenol	ND	9.4	3.4	ug/L
2-Methylnaphthalene	ND	9.4	3.2	ug/L
Hexachlorocyclopentadiene	ND	24	7.4	ug/L
2,4,6-Trichlorophenol	ND	9.4	3.8	ug/L
2,4,5-Trichlorophenol	ND	9.4	3.5	ug/L
2-Chloronaphthalene	ND	9.4	3.2	ug/L
2-Nitroaniline	ND	47	4.1	ug/L
Dimethylphthalate	ND	9.4	3.2	ug/L
Acenaphthylene	ND	9.4	3.6	ug/L
2,6-Dinitrotoluene	ND	9.4	4.2	ug/L
3-Nitroaniline	ND	9.4	3.8	ug/L
Acenaphthene	ND	9.4	3.1	ug/L
2,4-Dinitrophenol	ND	47	14	ug/L
4-Nitrophenol	ND	47	8.0	ug/L
Dibenzofuran	ND	9.4	3.0	ug/L
2,4-Dinitrotoluene	ND	9.4	4.0	ug/L
Diethylphthalate	ND	9.4	2.8	ug/L
Fluorene	ND	9.4	2.9	ug/L
4-Chlorophenyl-phenylether	ND	9.4	2.9	ug/L
4-Nitroaniline	ND	9.4	3.2	ug/L
4,6-Dinitro-2-methylphenol	ND	47	16	ug/L
N-Nitrosodiphenylamine	ND	9.4	3.7	ug/L
1,2-diphenylhydrazine (as azobenzene)	ND	9.4	2.8	ug/L
4-Bromophenyl-phenylether	ND	9.4	3.1	ug/L
Hexachlorobenzene	ND	9.4	2.9	ug/L

## Enthalpy Analytical Report

**Lab #: 553152**
**Project#: CCLF STORMWATER**
**Client: Waste Connections**
**Location: Stormwater Outlet**

553152-002 Analyte	Result	RL	MDL	Units
Pentachlorophenol	ND	24	5.4	ug/L
Phenanthrene	ND	9.4	2.8	ug/L
Anthracene	ND	9.4	2.6	ug/L
Di-n-butylphthalate	ND	9.4	2.8	ug/L
Fluoranthene	ND	9.4	2.7	ug/L
Benzydine	ND	47	18	ug/L
Pyrene	ND	9.4	2.5	ug/L
Butylbenzylphthalate	ND	9.4	3.4	ug/L
3,3'-Dichlorobenzidine	ND	24	4.9	ug/L
Benzo(a)anthracene	ND	9.4	2.3	ug/L
Chrysene	ND	9.4	2.3	ug/L
bis(2-Ethylhexyl)phthalate	ND	9.4	3.1	ug/L
Di-n-octylphthalate	ND	9.4	4.4	ug/L
Benzo(b)fluoranthene	ND	9.4	2.9	ug/L
Benzo(k)fluoranthene	ND	9.4	2.9	ug/L
Benzo(a)pyrene	ND	9.4	3.0	ug/L
Indeno(1,2,3-cd)pyrene	ND	9.4	4.0	ug/L
Dibenz(a,h)anthracene	ND	9.4	3.9	ug/L
Benzo(g,h,i)perylene	ND	9.4	3.9	ug/L

553152-002 Surrogate	%REC	Limits
2-Fluorophenol	28	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	62	15-140
Nitrobenzene-d5	54	15-123
2-Fluorobiphenyl	48	15-120
Terphenyl-d14	68	15-120

## Legend

- MDL:** Method Detection Limit  
**ND:** Not Detected at or above MDL  
**RL:** Reporting Limit

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395350	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8270E
<b>DF:</b> 0.9390	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ZFA

553152-003 Analyte	Result	RL	MDL	Units
Carbazole	ND	9.4	2.6	ug/L
N-Nitrosodimethylamine	ND	9.4	2.7	ug/L
Aniline	ND	9.4	2.7	ug/L
bis(2-Chloroethyl)ether	ND	23	3.5	ug/L
2-Chlorophenol	ND	9.4	3.4	ug/L
1,3-Dichlorobenzene	ND	9.4	3.1	ug/L
1,4-Dichlorobenzene	ND	9.4	3.2	ug/L
Benzyl alcohol	ND	23	5.4	ug/L
1,2-Dichlorobenzene	ND	9.4	3.1	ug/L
bis(2-Chloroisopropyl) ether	ND	9.4	3.6	ug/L
N-Nitroso-di-n-propylamine	ND	9.4	3.6	ug/L
Hexachloroethane	ND	9.4	2.8	ug/L
Nitrobenzene	ND	23	7.9	ug/L
Isophorone	ND	9.4	3.5	ug/L
2-Nitrophenol	ND	9.4	5.1	ug/L
2,4-Dimethylphenol	ND	9.4	3.0	ug/L
bis(2-Chloroethoxy)methane	ND	9.4	3.4	ug/L
2,4-Dichlorophenol	ND	9.4	3.5	ug/L
1,2,4-Trichlorobenzene	ND	9.4	3.2	ug/L
4-Chloroaniline	ND	9.4	2.9	ug/L
Hexachlorobutadiene	ND	9.4	2.1	ug/L
4-Chloro-3-methylphenol	ND	9.4	3.4	ug/L
2-Methylnaphthalene	ND	9.4	3.2	ug/L
Hexachlorocyclopentadiene	ND	23	7.3	ug/L
2,4,6-Trichlorophenol	ND	9.4	3.8	ug/L
2,4,5-Trichlorophenol	ND	9.4	3.5	ug/L
2-Chloronaphthalene	ND	9.4	3.2	ug/L
2-Nitroaniline	ND	47	4.1	ug/L
Dimethylphthalate	ND	9.4	3.2	ug/L
Acenaphthylene	ND	9.4	3.6	ug/L
2,6-Dinitrotoluene	ND	9.4	4.2	ug/L
3-Nitroaniline	ND	9.4	3.7	ug/L
Acenaphthene	ND	9.4	3.0	ug/L
2,4-Dinitrophenol	ND	47	14	ug/L
4-Nitrophenol	ND	47	8.0	ug/L
Dibenzofuran	ND	9.4	3.0	ug/L
2,4-Dinitrotoluene	ND	9.4	4.0	ug/L
Diethylphthalate	ND	9.4	2.7	ug/L
Fluorene	ND	9.4	2.9	ug/L
4-Chlorophenyl-phenylether	ND	9.4	2.9	ug/L
4-Nitroaniline	ND	9.4	3.1	ug/L
4,6-Dinitro-2-methylphenol	ND	47	16	ug/L
N-Nitrosodiphenylamine	ND	9.4	3.7	ug/L
1,2-diphenylhydrazine (as azobenzene)	ND	9.4	2.7	ug/L
4-Bromophenyl-phenylether	ND	9.4	3.1	ug/L
Hexachlorobenzene	ND	9.4	2.8	ug/L

## Enthalpy Analytical Report

**Lab #: 553152**
**Project#: CCLF STORMWATER**
**Client: Waste Connections**
**Location: Stormwater Outlet**

553152-003 Analyte	Result	RL	MDL	Units
Pentachlorophenol	ND	23	5.3	ug/L
Phenanthrene	ND	9.4	2.7	ug/L
Anthracene	ND	9.4	2.6	ug/L
Di-n-butylphthalate	ND	9.4	2.8	ug/L
Fluoranthene	ND	9.4	2.6	ug/L
Benzydine	ND	47	17	ug/L
Pyrene	ND	9.4	2.5	ug/L
Butylbenzylphthalate	ND	9.4	3.4	ug/L
3,3'-Dichlorobenzidine	ND	23	4.9	ug/L
Benzo(a)anthracene	ND	9.4	2.3	ug/L
Chrysene	ND	9.4	2.3	ug/L
bis(2-Ethylhexyl)phthalate	ND	9.4	3.1	ug/L
Di-n-octylphthalate	ND	9.4	4.4	ug/L
Benzo(b)fluoranthene	ND	9.4	2.8	ug/L
Benzo(k)fluoranthene	ND	9.4	2.9	ug/L
Benzo(a)pyrene	ND	9.4	3.0	ug/L
Indeno(1,2,3-cd)pyrene	ND	9.4	4.0	ug/L
Dibenz(a,h)anthracene	ND	9.4	3.9	ug/L
Benzo(g,h,i)perylene	ND	9.4	3.9	ug/L

553152-003 Surrogate	%REC	Limits
2-Fluorophenol	34	15-120
Phenol-d6	26	15-120
2,4,6-Tribromophenol	68	15-140
Nitrobenzene-d5	68	15-123
2-Fluorobiphenyl	55	15-120
Terphenyl-d14	73	15-120

## Legend

- MDL:** Method Detection Limit  
**ND:** Not Detected at or above MDL  
**RL:** Reporting Limit

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395350	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 625.1
<b>DF:</b> 0.9346	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ZFA

553152-001 Analyte	Result	RL	MDL	Units
Pyridine	ND	9.3	2.6	ug/L
Phenol	ND	9.3	2.0	ug/L
2-Methylphenol	ND	9.3	3.0	ug/L
3-,4-Methylphenol	ND	9.3	2.8	ug/L
Benzoic acid	ND	47	10	ug/L
Naphthalene	ND	9.3	3.4	ug/L
Cresol	ND	9.3		ug/L

553152-001 Surrogate	%REC	Limits
2-Fluorophenol	29	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	64	15-140
Nitrobenzene-d5	57	15-123
2-Fluorobiphenyl	49	15-120
Terphenyl-d14	69	15-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>DF:</b> 0.9346	<b>Prepared:</b> 02/14/26
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395350	<b>Prep:</b> EPA 3510C
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 625.1
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> ZFA

553152-001 Analyte	Result	RL	MDL	Units	Analyzed
a-Terpineol	ND	9.3	1.9	ug/L	02/14/26

553152-001 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	29 *	36-95	02/15/26
Phenol-d6	23 *	28-82	02/15/26
2,4,6-Tribromophenol	64	61-140	02/15/26
Nitrobenzene-d5	57	48-123	02/15/26
2-Fluorobiphenyl	49 *	51-105	02/15/26
Terphenyl-d14	69	65-117	02/15/26

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>DF:</b> 0.9434	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395350	
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Prepared:</b> 02/14/26	
	<b>Prep:</b> EPA 3510C	
	<b>Analysis:</b> EPA 625.1	
	<b>Analyst:</b> ZFA	

553152-002 Analyte	Result	RL	MDL	Units	Analyzed
a-Terpineol	ND	9.4	1.9	ug/L	02/14/26

553152-002 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	28 *	36-95	02/15/26
Phenol-d6	23 *	28-82	02/15/26
2,4,6-Tribromophenol	62	61-140	02/15/26
Nitrobenzene-d5	54	48-123	02/15/26
2-Fluorobiphenyl	48 *	51-105	02/15/26
Terphenyl-d14	68	65-117	02/15/26

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>DF:</b> 0.9390	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395350	
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Prepared:</b> 02/14/26	
	<b>Prep:</b> EPA 3510C	
	<b>Analysis:</b> EPA 625.1	
	<b>Analyst:</b> ZFA	

553152-003 Analyte	Result	RL	MDL	Units	Analyzed
a-Terpineol	ND	9.4	1.9	ug/L	02/14/26

553152-003 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	34 *	36-95	02/15/26
Phenol-d6	26 *	28-82	02/15/26
2,4,6-Tribromophenol	68	61-140	02/15/26
Nitrobenzene-d5	68	48-123	02/15/26
2-Fluorobiphenyl	55	51-105	02/15/26
Terphenyl-d14	73	65-117	02/15/26

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet

<b>Type:</b> BLANK	<b>DF:</b> 1.000	<b>Prep:</b> EPA 3510C
<b>Lab ID:</b> QC1340542	<b>Batch#:</b> 395350	<b>Analysis:</b> EPA 625.1
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	<b>Analyst:</b> TJW

QC1340542 Analyte	Result	RL	MDL	Units	Analyzed	Qual
a-Terpineol	ND	10	2.1	ug/L	02/14/26	b

QC1340542 Surrogate	%REC	Limits	Analyzed
2-Fluorophenol	42	36-95	02/13/26
Phenol-d6	26 *	28-82	02/13/26
2,4,6-Tribromophenol	54 *	61-140	02/13/26
Nitrobenzene-d5	57	48-123	02/13/26
2-Fluorobiphenyl	55	51-105	02/13/26
Terphenyl-d14	68	65-117	02/13/26

Legend

\*: Value is outside QC limits

**MDL:** Method Detection Limit

**ND:** Not Detected at or above MDL

**RL:** Reporting Limit

**b:** See narrative

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395350	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 625.1
<b>DF:</b> 0.9434	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ZFA

553152-002 Analyte	Result	RL	MDL	Units
Pyridine	ND	9.4	2.7	ug/L
Phenol	ND	9.4	2.0	ug/L
2-Methylphenol	ND	9.4	3.1	ug/L
3-,4-Methylphenol	ND	9.4	2.8	ug/L
Benzoic acid	ND	47	10	ug/L
Naphthalene	ND	9.4	3.4	ug/L
Cresol	ND	9.4		ug/L

553152-002 Surrogate	%REC	Limits
2-Fluorophenol	28	15-120
Phenol-d6	23	15-120
2,4,6-Tribromophenol	62	15-140
Nitrobenzene-d5	54	15-123
2-Fluorobiphenyl	48	15-120
Terphenyl-d14	68	15-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395350	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 625.1
<b>DF:</b> 0.9390	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ZFA

553152-003 Analyte	Result	RL	MDL	Units
Pyridine	ND	9.4	2.6	ug/L
Phenol	ND	9.4	2.0	ug/L
2-Methylphenol	ND	9.4	3.0	ug/L
3-,4-Methylphenol	ND	9.4	2.8	ug/L
Benzoic acid	ND	47	10	ug/L
Naphthalene	ND	9.4	3.4	ug/L
Cresol	ND	9.4		ug/L

553152-003 Surrogate	%REC	Limits
2-Fluorophenol	34	15-120
Phenol-d6	26	15-120
2,4,6-Tribromophenol	68	15-140
Nitrobenzene-d5	68	15-123
2-Fluorobiphenyl	55	15-120
Terphenyl-d14	73	15-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Enthalpy Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395408	<b>Prep:</b> EPA 3535
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 8270C-SIM
<b>Lab ID:</b> 553152-001	<b>Received:</b> 02/13/26	<b>Analyst:</b> ZFA
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/15/26	

553152-001 Analyte	Result	RL	MDL	Units
1,4-Dioxane	2.2	1.0	0.84	ug/L

553152-001 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	98	80-120

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395408	
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	
<b>Lab ID:</b> 553152-002	<b>Received:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/15/26	
	<b>Prep:</b> EPA 3535	
	<b>Analysis:</b> EPA 8270C-SIM	
	<b>Analyst:</b> ZFA	

553152-002 Analyte	Result	RL	MDL	Units
1,4-Dioxane	2.0	1.0	0.84	ug/L

553152-002 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	97	80-120

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395408	
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	
<b>Lab ID:</b> 553152-003	<b>Received:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/15/26	
	<b>Prep:</b> EPA 3535	
	<b>Analysis:</b> EPA 8270C-SIM	
	<b>Analyst:</b> ZFA	

553152-003 Analyte	Result	RL	MDL	Units
1,4-Dioxane	1.9	1.0	0.84	ug/L

553152-003 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	99	80-120

<b>Type:</b> BLANK	<b>Batch#:</b> 395408	<b>Analysis:</b> EPA 8270C-SIM
<b>Lab ID:</b> QC1340760	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ZFA
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Prep:</b> EPA 3535	

QC1340760 Analyte	Result	RL	MDL	Units
1,4-Dioxane	ND	1.0	0.84	ug/L

QC1340760 Surrogate	%REC	Limits
1,4-Dioxane-d8 (SUR)	102	80-120

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Organochlorine Pesticides

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395405	<b>Analyzed:</b> 02/14/26
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8081A
<b>DF:</b> 0.9479	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> HQN

553152-001 Analyte	Result	RL	MDL	Units
alpha-BHC	ND	0.05	0.009	ug/L
beta-BHC	ND	0.05	0.01	ug/L
gamma-BHC	ND	0.05	0.008	ug/L
delta-BHC	ND	0.05	0.01	ug/L
Heptachlor	ND	0.05	0.01	ug/L
Aldrin	ND	0.05	0.01	ug/L
Heptachlor epoxide	ND	0.05	0.009	ug/L
Endosulfan I	ND	0.05	0.01	ug/L
Dieldrin	ND	0.09	0.01	ug/L
4,4'-DDE	ND	0.09	0.01	ug/L
Endrin	ND	0.09	0.01	ug/L
Endosulfan II	ND	0.09	0.02	ug/L
Endosulfan sulfate	ND	0.09	0.01	ug/L
4,4'-DDD	ND	0.09	0.01	ug/L
Endrin aldehyde	ND	0.09	0.02	ug/L
Endrin ketone	ND	0.09	0.02	ug/L
4,4'-DDT	ND	0.09	0.03	ug/L
Methoxychlor	ND	0.09	0.03	ug/L
Toxaphene	ND	1.9	0.4	ug/L
Chlordane (Technical)	ND	0.9	0.2	ug/L

553152-001 Surrogate	%REC	Limits
TCMX	72	29-120
Decachlorobiphenyl	74	33-132

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Organochlorine Pesticides

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395405	<b>Analyzed:</b> 02/14/26
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8081A
<b>DF:</b> 0.9434	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> HQN

553152-002 Analyte	Result	RL	MDL	Units
alpha-BHC	ND	0.05	0.009	ug/L
beta-BHC	ND	0.05	0.01	ug/L
gamma-BHC	ND	0.05	0.008	ug/L
delta-BHC	ND	0.05	0.01	ug/L
Heptachlor	ND	0.05	0.01	ug/L
Aldrin	ND	0.05	0.01	ug/L
Heptachlor epoxide	ND	0.05	0.009	ug/L
Endosulfan I	ND	0.05	0.01	ug/L
Dieldrin	ND	0.09	0.01	ug/L
4,4'-DDE	ND	0.09	0.01	ug/L
Endrin	ND	0.09	0.01	ug/L
Endosulfan II	ND	0.09	0.02	ug/L
Endosulfan sulfate	ND	0.09	0.01	ug/L
4,4'-DDD	ND	0.09	0.01	ug/L
Endrin aldehyde	ND	0.09	0.02	ug/L
Endrin ketone	ND	0.09	0.02	ug/L
4,4'-DDT	ND	0.09	0.03	ug/L
Methoxychlor	ND	0.09	0.03	ug/L
Toxaphene	ND	1.9	0.4	ug/L
Chlordane (Technical)	ND	0.9	0.2	ug/L

553152-002 Surrogate	%REC	Limits
TCMX	74	29-120
Decachlorobiphenyl	76	33-132

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Organochlorine Pesticides

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395405	<b>Analyzed:</b> 02/14/26
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8081A
<b>DF:</b> 0.9390	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> HQN

553152-003 Analyte	Result	RL	MDL	Units
alpha-BHC	ND	0.05	0.009	ug/L
beta-BHC	ND	0.05	0.01	ug/L
gamma-BHC	ND	0.05	0.008	ug/L
delta-BHC	ND	0.05	0.01	ug/L
Heptachlor	ND	0.05	0.01	ug/L
Aldrin	ND	0.05	0.01	ug/L
Heptachlor epoxide	ND	0.05	0.009	ug/L
Endosulfan I	ND	0.05	0.01	ug/L
Dieldrin	ND	0.09	0.01	ug/L
4,4'-DDE	ND	0.09	0.01	ug/L
Endrin	ND	0.09	0.01	ug/L
Endosulfan II	ND	0.09	0.02	ug/L
Endosulfan sulfate	ND	0.09	0.01	ug/L
4,4'-DDD	ND	0.09	0.01	ug/L
Endrin aldehyde	ND	0.09	0.02	ug/L
Endrin ketone	ND	0.09	0.02	ug/L
4,4'-DDT	ND	0.09	0.03	ug/L
Methoxychlor	ND	0.09	0.03	ug/L
Toxaphene	ND	1.9	0.4	ug/L
Chlordane (Technical)	ND	0.9	0.2	ug/L

553152-003 Surrogate	%REC	Limits
TCMX	76	29-120
Decachlorobiphenyl	82	33-132

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Total Organic Carbon by High-Temperature

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395353	<b>Prep:</b> SM 5310B
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM 5310B
<b>Lab ID:</b> 553152-001	<b>Received:</b> 02/13/26	<b>Analyst:</b> ARM
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26	

553152-001 Analyte	Result	RL	MDL	Units
<b>Total Organic Carbon</b>	<b>30</b>	1.0	0.49	mg/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395353	
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	
<b>Lab ID:</b> 553152-002	<b>Received:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> SM 5310B	
	<b>Analysis:</b> SM 5310B	
	<b>Analyst:</b> ARM	

553152-002 Analyte	Result	RL	MDL	Units
<b>Total Organic Carbon</b>	<b>36</b>	1.0	0.49	mg/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395353	
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	
<b>Lab ID:</b> 553152-003	<b>Received:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> SM 5310B	
	<b>Analysis:</b> SM 5310B	
	<b>Analyst:</b> ARM	

553152-003 Analyte	Result	RL	MDL	Units
<b>Total Organic Carbon</b>	<b>30</b>	1.0	0.49	mg/L

<b>Type:</b> BLANK	<b>Batch#:</b> 395353	<b>Analysis:</b> SM 5310B
<b>Lab ID:</b> QC1340552	<b>Prepared:</b> 02/13/26	<b>Analyst:</b> ARM
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/13/26	
<b>DF:</b> 1.000	<b>Prep:</b> SM 5310B	

QC1340552 Analyte	Result	RL	MDL	Units
<b>Total Organic Carbon</b>	ND	1.0	0.49	mg/L

Legend  
**MDL:** Method Detection Limit  
**ND:** Not Detected at or above MDL  
**RL:** Reporting Limit

## Polychlorinated Biphenyls (PCBs)

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395405	<b>Analyzed:</b> 02/14/26
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8082
<b>DF:</b> 0.9479	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> HQN

553152-001 Analyte	Result	RL	MDL	Units
Aroclor-1016	ND	0.47	0.29	ug/L
Aroclor-1221	ND	0.47	0.44	ug/L
Aroclor-1232	ND	0.47	0.26	ug/L
Aroclor-1242	ND	0.47	0.27	ug/L
Aroclor-1248	ND	0.47	0.22	ug/L
Aroclor-1254	ND	0.47	0.25	ug/L
Aroclor-1260	ND	0.47	0.31	ug/L
Aroclor-1262	ND	0.47	0.28	ug/L
Aroclor-1268	ND	0.47	0.25	ug/L

553152-001 Surrogate	%REC	Limits
Decachlorobiphenyl (PCB)	62	28-138

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Polychlorinated Biphenyls (PCBs)

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395405	<b>Analyzed:</b> 02/14/26
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8082
<b>DF:</b> 0.9434	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> HQN

553152-002 Analyte	Result	RL	MDL	Units
Aroclor-1016	ND	0.47	0.29	ug/L
Aroclor-1221	ND	0.47	0.44	ug/L
Aroclor-1232	ND	0.47	0.26	ug/L
Aroclor-1242	ND	0.47	0.27	ug/L
Aroclor-1248	ND	0.47	0.22	ug/L
Aroclor-1254	ND	0.47	0.25	ug/L
Aroclor-1260	ND	0.47	0.31	ug/L
Aroclor-1262	ND	0.47	0.28	ug/L
Aroclor-1268	ND	0.47	0.24	ug/L

553152-002 Surrogate	%REC	Limits
Decachlorobiphenyl (PCB)	63	28-138

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Polychlorinated Biphenyls (PCBs)

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395405	<b>Analyzed:</b> 02/14/26
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3510C
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 8082
<b>DF:</b> 0.9390	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> HQN

553152-003 Analyte	Result	RL	MDL	Units
Aroclor-1016	ND	0.47	0.28	ug/L
Aroclor-1221	ND	0.47	0.44	ug/L
Aroclor-1232	ND	0.47	0.25	ug/L
Aroclor-1242	ND	0.47	0.27	ug/L
Aroclor-1248	ND	0.47	0.22	ug/L
Aroclor-1254	ND	0.47	0.25	ug/L
Aroclor-1260	ND	0.47	0.31	ug/L
Aroclor-1262	ND	0.47	0.27	ug/L
Aroclor-1268	ND	0.47	0.24	ug/L

553152-003 Surrogate	%REC	Limits
Decachlorobiphenyl (PCB)	67	28-138

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Metals Analytical Report

**Lab #:** 553152

**Project#:** CCLF STORMWATER

**Client:** Waste Connections

**Location:** Stormwater Outlet

**Field ID:** SOUTH BASIN - NW CORNER

**DF:** 1.000

**Prepared:** 02/13/26

**Type:** SAMPLE

**Batch#:** 395362

**Prep:** EPA 3015A

**Lab ID:** 553152-001

**Sampled:** 02/13/26

**Analysis:** EPA 200.7

**Matrix:** Water

**Received:** 02/13/26

**Analyst:** TWJ

553152-001 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	66	0.10	0.022	mg/L	02/14/26
Iron	4.8	0.050	0.017	mg/L	02/15/26
Magnesium	10	0.10	0.010	mg/L	02/14/26
Potassium	12	0.50	0.15	mg/L	02/14/26
Sodium	76	0.50	0.017	mg/L	02/14/26

**Field ID:** SOUTH BASIN - S CENTRAL

**DF:** 1.000

**Prepared:** 02/13/26

**Type:** SAMPLE

**Batch#:** 395362

**Prep:** EPA 3015A

**Lab ID:** 553152-002

**Sampled:** 02/13/26

**Analysis:** EPA 200.7

**Matrix:** Water

**Received:** 02/13/26

**Analyst:** TWJ

553152-002 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	100	0.10	0.022	mg/L	02/14/26
Iron	23	0.050	0.017	mg/L	02/15/26
Magnesium	19	0.10	0.010	mg/L	02/14/26
Potassium	22	0.50	0.15	mg/L	02/14/26
Sodium	83	0.50	0.017	mg/L	02/14/26

**Field ID:** SOUTH BASIN - W CENTRAL

**DF:** 1.000

**Prepared:** 02/13/26

**Type:** SAMPLE

**Batch#:** 395362

**Prep:** EPA 3015A

**Lab ID:** 553152-003

**Sampled:** 02/13/26

**Analysis:** EPA 200.7

**Matrix:** Water

**Received:** 02/13/26

**Analyst:** TWJ

553152-003 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	65	0.10	0.022	mg/L	02/14/26
Iron	2.0	0.050	0.017	mg/L	02/15/26
Magnesium	10	0.10	0.010	mg/L	02/14/26
Potassium	14	0.50	0.15	mg/L	02/14/26
Sodium	78	0.50	0.017	mg/L	02/14/26

**Type:** BLANK

**DF:** 1.000

**Prep:** EPA 3015A

**Lab ID:** QC1340600

**Batch#:** 395362

**Analysis:** EPA 200.7

**Matrix:** Water

**Prepared:** 02/13/26

**Analyst:** TWJ

QC1340600 Analyte	Result	RL	MDL	Units	Analyzed
Calcium	ND	0.10	0.022	mg/L	02/14/26
Iron	ND	0.050	0.017	mg/L	02/15/26
Magnesium	ND	0.10	0.010	mg/L	02/14/26
Potassium	ND	0.50	0.15	mg/L	02/14/26
Sodium	ND	0.50	0.017	mg/L	02/14/26

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Metals Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395413	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3015A
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 200.8
<b>DF:</b> 1.000	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> KCD

553152-001 Analyte	Result	RL	MDL	Units	Qual
<b>Antimony</b>	2.1	2.0	1.0	ug/L	
<b>Arsenic</b>	6.8	2.0	0.27	ug/L	
<b>Barium</b>	57	5.0	0.44	ug/L	
<b>Beryllium</b>	0.32 J	1.0	0.060	ug/L	B
Boron	NA				
Cadmium	ND	1.0	0.072	ug/L	
<b>Chromium</b>	6.4	5.0	0.43	ug/L	
<b>Cobalt</b>	2.5	1.0	0.090	ug/L	
<b>Copper</b>	12	3.0	0.96	ug/L	
<b>Lead</b>	2.3 J	5.0	0.23	ug/L	
<b>Manganese</b>	87	10	3.8	ug/L	
<b>Nickel</b>	6.4	5.0	1.3	ug/L	
<b>Selenium</b>	4.2	4.0	1.9	ug/L	
Silver	ND	5.0	0.37	ug/L	
Thallium	ND	1.0	0.25	ug/L	
Tin	ND	5.0	1.5	ug/L	
<b>Vanadium</b>	14	5.0	0.36	ug/L	
<b>Zinc</b>	15	10	7.6	ug/L	

Legend

- NA:** Not Analyzed
- B:** Contamination found in associated Method Blank
- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Metals Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395394	<b>Prep:</b> EPA 245.1
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 245.1
<b>Lab ID:</b> 553152-001	<b>Received:</b> 02/13/26	<b>Analyst:</b> KCD
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	

553152-001 Analyte	Result	RL	MDL	Units
Mercury	ND	0.40	0.091	ug/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395394	<b>Prep:</b> EPA 245.1
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 245.1
<b>Lab ID:</b> 553152-002	<b>Received:</b> 02/13/26	<b>Analyst:</b> KCD
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	

553152-002 Analyte	Result	RL	MDL	Units
Mercury	0.12 J	0.40	0.091	ug/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395394	<b>Prep:</b> EPA 245.1
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 245.1
<b>Lab ID:</b> 553152-003	<b>Received:</b> 02/13/26	<b>Analyst:</b> KCD
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	

553152-003 Analyte	Result	RL	MDL	Units
Mercury	ND	0.40	0.091	ug/L

<b>Type:</b> BLANK	<b>Batch#:</b> 395394	<b>Analysis:</b> EPA 245.1
<b>Lab ID:</b> QC1340688	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> KCD
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Prep:</b> EPA 245.1	

QC1340688 Analyte	Result	RL	MDL	Units
Mercury	ND	0.40	0.091	ug/L

- Legend
- J:** Estimated value
  - MDL:** Method Detection Limit
  - ND:** Not Detected at or above MDL
  - RL:** Reporting Limit

## Metals Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395413	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3015A
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 200.8
<b>DF:</b> 1.000	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> KCD

553152-002 Analyte	Result	RL	MDL	Units	Qual
Antimony	1.7 J	2.0	1.0	ug/L	
Arsenic	12	2.0	0.27	ug/L	
Barium	230	5.0	0.44	ug/L	
Beryllium	1.1	1.0	0.060	ug/L	B
Boron	NA	^			
Cadmium	0.40 J	1.0	0.072	ug/L	
Chromium	23	5.0	0.43	ug/L	
Cobalt	12	1.0	0.090	ug/L	
Copper	35	3.0	0.96	ug/L	
Lead	20	5.0	0.23	ug/L	
Manganese	410	10	3.8	ug/L	
Nickel	23	5.0	1.3	ug/L	
Selenium	5.3	4.0	1.9	ug/L	
Silver	ND	5.0	0.37	ug/L	
Thallium	ND	1.0	0.25	ug/L	
Tin	ND	5.0	1.5	ug/L	
Vanadium	47	5.0	0.36	ug/L	
Zinc	110	10	7.6	ug/L	

Legend

- NA:** Not Analyzed
- B:** Contamination found in associated Method Blank
- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Metals Analytical Report

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395413	<b>Analyzed:</b> 02/15/26
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Prep:</b> EPA 3015A
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analysis:</b> EPA 200.8
<b>DF:</b> 1.000	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> KCD

553152-003 Analyte	Result	RL	MDL	Units	Qual
<b>Antimony</b>	1.7 J	2.0	1.0	ug/L	
<b>Arsenic</b>	6.9	2.0	0.27	ug/L	
<b>Barium</b>	43	5.0	0.44	ug/L	
<b>Beryllium</b>	0.19 J	1.0	0.060	ug/L	B
Boron	NA				
Cadmium	ND	1.0	0.072	ug/L	
<b>Chromium</b>	4.0 J	5.0	0.43	ug/L	
<b>Cobalt</b>	1.7	1.0	0.090	ug/L	
<b>Copper</b>	10	3.0	0.96	ug/L	
<b>Lead</b>	1.7 J	5.0	0.23	ug/L	
<b>Manganese</b>	53	10	3.8	ug/L	
<b>Nickel</b>	4.9 J	5.0	1.3	ug/L	
<b>Selenium</b>	4.1	4.0	1.9	ug/L	
Silver	ND	5.0	0.37	ug/L	
Thallium	ND	1.0	0.25	ug/L	
Tin	ND	5.0	1.5	ug/L	
<b>Vanadium</b>	10	5.0	0.36	ug/L	
<b>Zinc</b>	12	10	7.6	ug/L	

Legend

- NA:** Not Analyzed
- B:** Contamination found in associated Method Blank
- J:** Estimated value
- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

### Total Oil & Grease (HEM)

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER			
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet			
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>DF:</b> 0.9804	<b>Analyzed:</b> 02/15/26		
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395420	<b>Prep:</b> METHOD		
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 1664A		
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> JAG		
<b>553152-001 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>
Total Oil and Grease	ND	4.9	0.95	mg/L
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>DF:</b> 0.9901	<b>Analyzed:</b> 02/15/26		
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395420	<b>Prep:</b> METHOD		
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 1664A		
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> JAG		
<b>553152-002 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>
Total Oil and Grease	ND	5.0	0.96	mg/L
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>DF:</b> 0.9852	<b>Analyzed:</b> 02/15/26		
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395420	<b>Prep:</b> METHOD		
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 1664A		
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> JAG		
<b>553152-003 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>
Total Oil and Grease	ND	4.9	0.96	mg/L
<b>Type:</b> BLANK	<b>DF:</b> 1.000	<b>Prep:</b> METHOD		
<b>Lab ID:</b> QC1340801	<b>Batch#:</b> 395420	<b>Analysis:</b> EPA 1664A		
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/15/26	<b>Analyst:</b> JAG		
<b>QC1340801 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>
Total Oil and Grease	ND	5.0	0.97	mg/L

Legend

- MDL:** Method Detection Limit
- ND:** Not Detected at or above MDL
- RL:** Reporting Limit

## Alkalinity

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>DF:</b> 2.500	<b>Analyzed:</b> 02/13/26
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395344	<b>Prep:</b> METHOD
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2320B
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> WWC

553152-001 Analyte	Result	RL	Units
Bicarbonate	140	6.0	mg/L
Alkalinity, Total as CaCO3	130	5.0	mg/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>DF:</b> 2.500	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395344	
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> SM2320B	
	<b>Analyst:</b> WWC	

553152-002 Analyte	Result	RL	Units
Bicarbonate	200	6.0	mg/L
Alkalinity, Total as CaCO3	190	5.0	mg/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>DF:</b> 2.500	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395344	
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> SM2320B	
	<b>Analyst:</b> WWC	

553152-003 Analyte	Result	RL	Units
Bicarbonate	130	6.0	mg/L
Alkalinity, Total as CaCO3	150	5.0	mg/L

<b>Type:</b> BLANK	<b>DF:</b> 1.000	
<b>Lab ID:</b> QC1340523	<b>Batch#:</b> 395344	
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> SM2320B	
	<b>Analyst:</b> WWC	

QC1340523 Analyte	Result	RL	Units
Bicarbonate	ND	2.0	mg/L
Alkalinity, Total as CaCO3	ND	2.0	mg/L

Legend  
**ND:** Not Detected  
**RL:** Reporting Limit

## Chemical Oxygen Demand

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet

<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395376	<b>Prep:</b> SM 5220D
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM5220D
<b>Lab ID:</b> 553152-001	<b>Received:</b> 02/13/26	<b>Analyst:</b> ARM
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	

553152-001 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	80	4.0	2.0	mg/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395376	<b>Prep:</b> SM 5220D
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM5220D
<b>Lab ID:</b> 553152-002	<b>Received:</b> 02/13/26	<b>Analyst:</b> ARM
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	

553152-002 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	87	4.0	2.0	mg/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395376	<b>Prep:</b> SM 5220D
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM5220D
<b>Lab ID:</b> 553152-003	<b>Received:</b> 02/13/26	<b>Analyst:</b> ARM
<b>Matrix:</b> Water	<b>Prepared:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	

553152-003 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	92	4.0	2.0	mg/L

<b>Type:</b> BLANK	<b>Batch#:</b> 395376	<b>Analysis:</b> SM5220D
<b>Lab ID:</b> QC1340639	<b>Prepared:</b> 02/14/26	<b>Analyst:</b> ARM
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Prep:</b> SM 5220D	

QC1340639 Analyte	Result	RL	MDL	Units
Chemical Oxygen Demand	ND	4.0	2.0	mg/L

Legend

**MDL:** Method Detection Limit

**ND:** Not Detected at or above MDL

**RL:** Reporting Limit

## Conductivity

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER		
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet		
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395357	<b>Prep:</b> METHOD	
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2510B	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26		
<b>553152-001 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>
<b>Specific Conductance</b>	<b>770</b>	1.0	umhos/cm
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395357	<b>Prep:</b> METHOD	
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2510B	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26		
<b>553152-002 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>
<b>Specific Conductance</b>	<b>860</b>	1.0	umhos/cm
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395357	<b>Prep:</b> METHOD	
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2510B	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26		
<b>553152-003 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>Units</b>
<b>Specific Conductance</b>	<b>780</b>	1.0	umhos/cm

Legend

RL: Reporting Limit

## Sulfide

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395371	<b>Prep:</b> METHOD
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM 4500-S2-D
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> TXC

553152-001 Analyte	Result	RL	Units
Sulfide	ND	0.10	mg/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>DF:</b> 1.000	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395371	
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> SM 4500-S2-D	
	<b>Analyst:</b> TXC	

553152-002 Analyte	Result	RL	Units
Sulfide	ND	0.10	mg/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>DF:</b> 1.000	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395371	
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> SM 4500-S2-D	
	<b>Analyst:</b> TXC	

553152-003 Analyte	Result	RL	Units
Sulfide	ND	0.10	mg/L

<b>Type:</b> BLANK	<b>DF:</b> 1.000	<b>Prep:</b> METHOD
<b>Lab ID:</b> QC1340626	<b>Batch#:</b> 395371	<b>Analysis:</b> SM 4500-S2-D
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/13/26	<b>Analyst:</b> TXC

QC1340626 Analyte	Result	RL	Units
Sulfide	ND	0.10	mg/L

Legend  
**ND:** Not Detected  
**RL:** Reporting Limit

### Total Dissolved Solids (TDS)

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395339	<b>Prep:</b> METHOD
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2540C
<b>Lab ID:</b> 553152-001	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 2.000	<b>Analyzed:</b> 02/15/26	

553152-001 Analyte	Result	RL	Units
<b>Total Dissolved Solids</b>	<b>570</b>	20	mg/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395339	<b>Prep:</b> METHOD
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2540C
<b>Lab ID:</b> 553152-002	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 2.000	<b>Analyzed:</b> 02/15/26	

553152-002 Analyte	Result	RL	Units
<b>Total Dissolved Solids</b>	<b>650</b>	20	mg/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395339	<b>Prep:</b> METHOD
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2540C
<b>Lab ID:</b> 553152-003	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 2.000	<b>Analyzed:</b> 02/15/26	

553152-003 Analyte	Result	RL	Units
<b>Total Dissolved Solids</b>	<b>560</b>	20	mg/L

<b>Type:</b> BLANK	<b>Batch#:</b> 395339	<b>Analysis:</b> SM2540C
<b>Lab ID:</b> QC1340511	<b>Prepared:</b> 02/13/26	<b>Analyst:</b> CDR
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/15/26	
<b>DF:</b> 1.000	<b>Prep:</b> METHOD	

QC1340511 Analyte	Result	RL	Units
<b>Total Dissolved Solids</b>	ND	10	mg/L

Legend  
 ND: Not Detected  
 RL: Reporting Limit

## Total Phenolics

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395317	<b>Prep:</b> METHOD
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> EPA 420.1
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> LVL

553152-001 Analyte	Result	RL	MDL	Units
Total Phenolics	0.011	0.010	0.0056	mg/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>DF:</b> 1.000	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395317	
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> EPA 420.1	
	<b>Analyst:</b> LVL	

553152-002 Analyte	Result	RL	MDL	Units
Total Phenolics	ND	0.010	0.0056	mg/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>DF:</b> 1.000	
<b>Type:</b> SAMPLE	<b>Batch#:</b> 395317	
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	
	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> EPA 420.1	
	<b>Analyst:</b> LVL	

553152-003 Analyte	Result	RL	MDL	Units
Total Phenolics	ND	0.010	0.0056	mg/L

<b>Type:</b> BLANK	<b>DF:</b> 1.000	
<b>Lab ID:</b> QC1340433	<b>Batch#:</b> 395317	
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/13/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> EPA 420.1	
	<b>Analyst:</b> LVL	

QC1340433 Analyte	Result	RL	MDL	Units
Total Phenolics	ND	0.010	0.0056	mg/L

Legend  
**MDL:** Method Detection Limit  
**ND:** Not Detected at or above MDL  
**RL:** Reporting Limit

## Total Suspended Solids (TSS)

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER	
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet	
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395360	<b>Prep:</b> METHOD
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	<b>Analysis:</b> SM2540D
<b>Lab ID:</b> 553152-001	<b>Received:</b> 02/13/26	<b>Analyst:</b> CKN
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	

553152-001 Analyte	Result	RL	Units
<b>Total Suspended Solids</b>	<b>100</b>	0.5	mg/L

<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395360	
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	
<b>Lab ID:</b> 553152-002	<b>Received:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> SM2540D	
	<b>Analyst:</b> CKN	

553152-002 Analyte	Result	RL	Units
<b>Total Suspended Solids</b>	<b>1,400</b>	0.5	mg/L

<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395360	
<b>Type:</b> SAMPLE	<b>Sampled:</b> 02/13/26	
<b>Lab ID:</b> 553152-003	<b>Received:</b> 02/13/26	
<b>Matrix:</b> Water	<b>Prepared:</b> 02/13/26	
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/14/26	
	<b>Prep:</b> METHOD	
	<b>Analysis:</b> SM2540D	
	<b>Analyst:</b> CKN	

553152-003 Analyte	Result	RL	Units
<b>Total Suspended Solids</b>	<b>61</b>	0.5	mg/L

<b>Type:</b> BLANK	<b>Batch#:</b> 395360	<b>Analysis:</b> SM2540D
<b>Lab ID:</b> QC1340590	<b>Prepared:</b> 02/13/26	<b>Analyst:</b> CKN
<b>Matrix:</b> Water	<b>Analyzed:</b> 02/14/26	
<b>DF:</b> 1.000	<b>Prep:</b> METHOD	

QC1340590 Analyte	Result	RL	Units
<b>Total Suspended Solids</b>	ND	0.5	mg/L

Legend  
 ND: Not Detected  
 RL: Reporting Limit

## Turbidity

<b>Lab #:</b> 553152	<b>Project#:</b> CCLF STORMWATER			
<b>Client:</b> Waste Connections	<b>Location:</b> Stormwater Outlet			
<b>Field ID:</b> SOUTH BASIN - NW CORNER	<b>Batch#:</b> 395367	<b>Prep:</b>		
<b>Lab ID:</b> 553152-001	<b>Sampled:</b> 02/13/26 09:03	<b>Analysis:</b> SM2130B		
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR		
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26 19:24			
<b>553152-001 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>
<b>Turbidity</b>	<b>120</b>	0.20	0.12	NTU
<b>Field ID:</b> SOUTH BASIN - S CENTRAL	<b>Batch#:</b> 395367	<b>Prep:</b>		
<b>Lab ID:</b> 553152-002	<b>Sampled:</b> 02/13/26 09:16	<b>Analysis:</b> SM2130B		
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR		
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26 19:24			
<b>553152-002 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>
<b>Turbidity</b>	<b>1,300</b>	0.20	0.12	NTU
<b>Field ID:</b> SOUTH BASIN - W CENTRAL	<b>Batch#:</b> 395367	<b>Prep:</b>		
<b>Lab ID:</b> 553152-003	<b>Sampled:</b> 02/13/26 11:08	<b>Analysis:</b> SM2130B		
<b>Matrix:</b> Water	<b>Received:</b> 02/13/26	<b>Analyst:</b> CDR		
<b>DF:</b> 1.000	<b>Analyzed:</b> 02/13/26 19:24			
<b>553152-003 Analyte</b>	<b>Result</b>	<b>RL</b>	<b>MDL</b>	<b>Units</b>
<b>Turbidity</b>	<b>67</b>	0.20	0.12	NTU

Legend

**MDL:** Method Detection Limit

**RL:** Reporting Limit