



CHIQUITA CANYON
A Waste Connections Company

March 12, 2026

Via E-Mail

Jenny Newman
Assistant Executive Officer
Los Angeles Regional Water Quality Control Board
320 W. 4th Street, Suite 200
Los Angeles, CA 90013
Jenny.Newman@waterboards.ca.gov

Re: January 7, 2026 Notice of Violation – Chiquita Canyon Landfill, 2901 Henry Mayo Drive, Castaic, California (WDID NO. 4 19I022488)

Dear Ms. Newman:

Chiquita Canyon, LLC (“Chiquita”) hereby submits the following response to the Notice of Violation (“NOV”) issued by the California Regional Water Quality Control Board, Los Angeles Region (“Regional Board”) on January 7, 2026 (“January 7 NOV”)¹. The NOV alleges violation of Chiquita’s National Pollutant Discharge Elimination General Permit for Stormwater Discharges Associated with Industrial Activities (Order No. 2014-0057-DWQ, as amended by Order No. 2018-0028-DWQ) (“IGP”).

Chiquita has engaged in verbal and written communications with the Regional Board, the California Department of Toxic Substances Control (“DTSC”), and the U.S. Environmental Protection Agency (“EPA”) (collectively, the “Agencies”) regarding the East Sedimentation Basin (“East Basin”) since November 14, 2025. This response incorporates by reference and supplements those communications, including but not limited to the November 21, 2025, voluntary spill report; the December 23, 2025, information request response; the December 30, 2025, notification regarding suspected discharge from East Basin; the December 30, 2025, telephone conference with the Agencies and related communications; the January 9, 2026, information request response; the January 30, 2026, 30-day storm report made pursuant to the June 26, 2024 Investigative Order; and all other related communications.

While the January 7 NOV does not require written response or corrective action, Chiquita appreciates the opportunity to respond to the allegations in the NOV and provide additional information, as follows:

¹ The NOV was originally issued on January 6, 2026, but was superseded by the January 7 NOV, which corrected certain information.

I. RESPONSE TO ALLEGED NON-STORMWATER DISCHARGES (IGP SECTION III.B)

A. There is No Clear Evidence of a Non-Stormwater Discharge

As described further below, the unintentional discharges through Chiquita's permitted East Basin outfall in December 2025 do not constitute a non-stormwater discharge ("NSWD") under the IGP as the discharges were below the IGP's Effluent Limitation Guideline and benchmark levels for all measured constituents that could indicate leachate commingling with stormwater, including but not limited to benzene. Additionally, no discharge from the East Basin impermissibly bypassed the East Basin's standpipe, which was sleeved in anticipation of heavy rains, or discharged to an unpermitted outfall. There is therefore no evidence that any NSWD occurred from the East Basin and/or reached the Santa Clara River or any regulated waters.

1. No Evidence of Commingled Hazardous Constituents at Time of Discharge

While Chiquita acknowledges that some leachate entered the East Basin on November 14, 2025, several factors suggest that by the time the East Basin unintentionally discharged on or about December 25, 2025, the stormwater that exited the East Basin did not represent a NSWD. This is significantly supported by multiple stormwater samples taken between November 14, 2025 and December 30, 2025, including one from six locations within the East Basin, which indicate non-detections of hazardous constituents, with the minor exception of trace (below reporting limit) detections of benzene on December 30, 2025. The trace detections were 0.00003 mg/L and 0.00004 mg/L – orders of magnitude below the respective laboratory reporting limits. These results are discussed in greater detail below.

2. The East Basin's Contents Were Heavily Diluted with Rain Water

On November 14, 2025, the East Basin was holding 7,973 gallons of leachate, and at that time, the overall capacity of the East Basin was estimated to be roughly 7,299,072 gallons. While the exact volume of stormwater held in the East Basin on November 14 is unknown, the East Basin was likely holding hundreds of thousands, if not millions, of gallons of stormwater. As a result, benzene was not even detectable in same-day sampling, which was shared with the Regional Board and is discussed further below.

In addition, between November 14 and December 25 (six weeks), Chiquita received record amounts of rain from multiple storms, including an atmospheric river storm from the Pacific Ocean that broke rainfall records across southern California. In fact, between November 14 (the date of the spill) and December 26 (the end of the atmospheric river storm event), Chiquita received 16.12 inches of rain, and between December 23 and 26 alone, Chiquita received 7.34 inches of rain. This large amount of fresh rain and stormwater further reduced impacts of the relatively small amount of leachate in the East Basin prior to any stormwater discharge.

3. Significant Evaporation Had Occurred from the East Basin by December 17

Chiquita estimates that approximately 508,000 gallons of liquid—including any benzene or other volatile organic compounds (“VOCs”) that may have been in the leachate—had evaporated from the East Basin by December 17, 2025, after which the site received at least another 7.34 inches of rain, likely more, due to the heavy weather events. Due to the chemical nature of benzene—a highly volatile compound that readily transfers from surface water to the atmosphere—any benzene present in the East Basin would be expected to have dissipated almost entirely through volatilization prior to December 17.² Between evaporation and the several inches of additional rain and fresh stormwater that entered the East Basin, it appears that no statistically meaningful volume of leachate remained in the East Basin by the time the stormwater discharge began.

II. RESPONSE TO ALLEGED POLLUTION, CONTAMINATION, OR NUISANCE (IGP SECTION III.C)

A. All Sampling Results Indicate No Hazard to Public Health or Water Quality

The Regional Board has presented no evidence that any East Basin discharge in December 2025 caused or threatened to cause “pollution, contamination, or nuisance” as alleged in the NOV. These are defined terms by the California Water Code that require hazards to public health via poisoning or spread of disease (contamination³), alterations of water quality which unreasonably affect the beneficial use of waters (pollution⁴), or nuisances which are injurious to health, indecent to the senses, and obstruct the free use of property or enjoyment of life.⁵ As noted above, none of the data across five sampling events of the East Basin support a conclusion that any stormwater discharged from the East Basin resulted in any of these effects:

- November 14, 2025 Sampling by Chiquita (Attachment A)
 - The same day of the November 14 leachate leak, Chiquita collected six samples from six different locations within the East Basin. All samples were non-detect for benzene. These results were included in the November 21, 2025 spill report.
- December 2, 2025 Sampling by Chiquita (Attachment B)
 - On December 2, 2025, Chiquita collected six samples from six different locations within the East Basin. All samples were non-detect for benzene.
- December 29, 2025 Sampling by Chiquita (Attachment C)

² U.S. Environmental Protection Agency, *Consumer Factsheet on: Benzene*, available here: <https://nepis.epa.gov/Exe/ZyPDF.cgi/P1014ZVF.PDF?Dockey=P1014ZVF.PDF> (“If benzene is released to surface water, most of it should evaporate within a few hours.”)

³ Water Code § 13050(k).

⁴ Water Code § 13050(l).

⁵ Water Code § 13050(m).

- The same day site personnel noticed the steel plate covering the East Basin outlet had moved, Chiquita collected a sample near the outlet. The sample was non-detect for benzene and all other VOC analytes.
- December 30, 2025 Sampling by Chiquita (Attachment D)
 - During an inspection by regulators, Chiquita collected a sample near the East Basin's outlet. The sampling report showed a trace detection of benzene (0.00004 mg/L), well below the laboratory reporting limit of 0.001 mg/L.
- December 30, 2025 Sampling by DTSC (Attachment E)
 - DTSC personnel collected a split sample with Chiquita on December 30 near the East Basin's outlet. The sampling report showed a trace detection of benzene (0.00003 mg/L), well below the laboratory reporting limit of 0.005 mg/L.
- December 30, 2025 Sampling by the Regional Board (Attachment F)
 - Regional Board personnel collected a split sample with Chiquita on December 30 near the East Basin's outlet. The sample was non-detect for benzene and all other VOC analytes.

In the course of discussions regarding the East Basin, the Regional Board raised concerns about the dilution factors in the above-listed sampling reports and suggested that the results for benzene were too highly diluted to be representative. However, as communicated via email on December 30, 2025, the dilution factor for benzene in all of Chiquita's reports was 1, meaning that the samples were not diluted prior to benzene analysis. Chiquita therefore maintains that these sampling results are representative.

B. The Regional Board Has Not Met the Burden of Proof Required to Demonstrate IGP Violations

During the December 30, 2025, conference between Chiquita, the Regional Board, and DTSC to discuss mitigation measures, the Regional Board suggested that despite multiple sampling results showing zero or trace detections of benzene and other VOCs, the discharge may still present a risk to aquatic life. However, the Regional Board has provided no factual or legal support for this position and has since publicly acknowledged that sampling results suggest no harm to the environment. At a community meeting on February 10, 2026, a Regional Board representative noted that DTSC and Regional Board sampling results show no exceedances of relevant thresholds. The Regional Board has the burden of demonstrating any violations of the IGP and/or related state law by a preponderance of the available evidence, data, and information, including the existence of each fact that is essential to the cause of action. *See In re Colin-Strawberry Water Co., Inc.*, 2005 WL 1798306 (Cal. P.U.C. July 21, 2005); *see also* Evid. Code, § 500 ("Except as otherwise provided by law, a party has the burden of proof as to each fact the existence or nonexistence of which is essential to the claim for relief or defense that he is

asserting.”). All evidence suggests that any discharge from the East Basin did not present an environmental hazard, likely due to the relatively small amount of leachate commingled with likely millions of gallons of clean stormwater, and to evaporation of benzene over a six-week period prior to discharge.

III. CHIQUITA’S EFFORTS TO PREVENT DISCHARGE AND OVERFLOW FROM EAST BASIN

The January 7 NOV correctly notes that Chiquita notified the Regional Board of a leachate leak on November 14, 2025, during which approximately 7,973 gallons of leachate entered the East Basin. Following this incident, Chiquita took several steps to prevent discharge from the East Basin to surface water, which the January 7 NOV largely omits.

A. Immediate Efforts to Contain and Monitor East Basin

On November 14, 2025, immediately after discovering the issue with the force main pump, Chiquita personnel turned off the pump to stop the flow of liquid. Chiquita collected stormwater samples from the East Basin the same day, which came back non-detect for benzene. Pumping the East Basin was not an immediate option, as access is via an unpaved soil road with a 15% grade and sharp drop, which becomes a major safety hazard in wet conditions. As discussed further below, in order to pump out of the East Basin, Chiquita needed to obtain access through the neighboring property owner.

The East Basin had not discharged in several years and had ample freeboard. The standpipe was likewise sleeved, preventing any discharge from the Basin, and BMPs such as berms were in place to prevent an overflow of stormwater into the East Basin. Therefore, Chiquita decided to address the leachate in the East Basin by allowing it to evaporate and visually monitored progress. Chiquita notified the Regional Board of this plan in its November 21 spill report and received no objections from the Regional Board.

B. Preventative Steps Chiquita Took in Light of Forecasted Storms

Several counties across California experienced a series of severe atmospheric storms in the last week of December that broke rainfall records across the state. In anticipation of the rain, Chiquita took additional steps to prevent discharge from, or overtopping of, the East Basin. For example, Chiquita placed a steel plate sealed with foam and covered with tarp to block the East Basin outlet. Chiquita also built up two soil berms. The photo below shows a temporary berm built around the East Basin outlet creating “Subbasin 1”:



This berm was built to prevent water buildup to put pressure on the steel plate. The photo below shows an additional berm built to create “Subbasin 2” and “Subbasin 3” and separate stormwater that had mixed with leachate (in Subbasin 2) from clean stormwater anticipated with the next storm (in Subbasin 3):



The Regional Board was notified of these efforts along with photographs on December 23, 2025. The Regional Board also conducted an inspection on December 22, 2025, and observed these efforts, as noted in the January 7 NOV.

Between December 23 and 26, 2025, Chiquita received approximately 7.34 inches of rain onsite. When site personnel could safely approach the East Basin on December 29, they heard water flowing and suspected that the steel plate blocking the East Basin outlet had likely shifted due to water pressure against the plate, allowing an unknown amount of liquid to discharge into the permitted discharge channel, likely beginning on December 25 or 26. Chiquita notified the Regional Board on December 29 when the discharge was noticed by site personnel.

The January 7 NOV states: “The leachate comingled stormwater continued to discharge during and after the December 23-26, 2025, storm event.” This is inaccurate. There was no evidence of discharge during the entire period noted. Chiquita believes the discharge occurred no sooner than December 25 or 26. Prior to that, personnel were onsite and monitoring conditions and detected no evidence of discharge. The Regional Board has provided no evidence that the discharge began any sooner than December 25. Below are photographs of the East Basin outlet taken on December 23, showing that it was dry at the time:



Again, out of an abundance of caution, Chiquita collected samples from the East Basin on December 29 (*See Attachment C*). Results were non-detect for benzene.

C. Additional Post-Storm Mitigation Measures

On December 30, 2025, Chiquita had a telephone conference with representatives from the Regional Board, DTSC, and EPA to discuss the status of the East Basin and how to proceed in light of additional anticipated heavy rains. As noted during that conference, there was a risk of both further discharge from the East Basin through the permitted outlet, and that the East Basin would overtop and flow onto the neighboring federal property owned by U.S. Postal Service (“USPS”). The Agencies ordered Chiquita not to discharge through the permitted outlet and to

keep the steel plate in place, even at risk of an uncontrolled discharge. With assistance from the Regional Board, Chiquita was able to obtain access to the neighboring USPS property so it could pump the East Basin if needed.

As mentioned above, on December 30, Chiquita, the Regional Board, and DTSC each took samples of the East Basin. All results for benzene were either non-detect or trace (below the laboratory reporting limit).

Between December 30, 2025 and January 2, 2026, Chiquita undertook significant work to increase the East Basin's capacity and thereby decrease risk of further discharge. For example, the berm separating Subbasin 1 and 2 (described and depicted above) was built up again to prevent additional stormwater from entering Subbasin 1 and putting pressure on the discharge outlet's steel plate. The berm between Subbasin 2 and Subbasin 3 was built up again, and a third berm was installed, creating Subbasin 4 (see figure below, dated December 30):



Personnel also worked to create extra storage space for anticipated additional stormwater by pumping Subbasins 3 and 4 to the South Basin. In addition, the site created diversions so that anticipated stormwater that would have previously flowed to the East Basin flowed instead to the South Basin. On January 2, 2026, Chiquita began to pump stormwater from the East Basin, Subbasins 1 and 2, via USPS's property and send the pumped stormwater to offsite disposal facilities.

Since approximately December 29, 2025, there has been no further evidence of discharge from the East Basin. In the approximately six weeks between the November 14 event and December 25 discharge, the East Basin filled with hundreds of thousands of gallons of rainwater, thereby reducing the potential impact of the leachate resulting from the November 13 spill. The relatively small volume of leachate that entered the East Basin was not reliably detectable by laboratory analysis, such that no discharge from the East Basin presented potential for harm to the environment.

As of February 10, 2026, Subbasin 1 of the East Basin (the area closest to the discharge outlet) has been completely pumped dry and filled with dirt to prevent any further discharge offsite:



Subbasin 2 contains some remnants of leachate-impacted stormwater, and Chiquita continues to pump and dispose of this liquid offsite.

IV. CONCLUSION

The Regional Board does not allege with any specificity how the storm water discharges violate the IGP. The data plainly show that constituent levels in the discharges are below reporting

limits. Chiquita took all reasonable steps to reduce or prevent any discharge in accordance with Section XXI.E of the IGP in the face of record-breaking atmospheric river storm events.

Therefore, Chiquita respectfully requests that the Water Board withdraw the January 7 NOV.

Chiquita continues to actively implement BMPs to effectively mitigate and reduce the impacts of leachate and stormwater at the Landfill pursuant to the IGP. Chiquita will continue to do so and is committed to compliance with its SWPPP and the IGP through all BMPs and other protocols designed and implemented at the Landfill.

Regards,



Kevin Green
District Manager
Chiquita Canyon, LLC

cc John Perkey, Chiquita Canyon
 Dylan Smith, Chiquita Canyon
 Sarah Phillips, Chiquita Canyon
 Enrique Casas, Los Angeles Regional Water Quality Control Board
 Russ Colby, Los Angeles Regional Water Quality Control Board
 Pavlova Vitale, Los Angeles Regional Water Quality Control Board
 Karen Gork, LEA
 Eric Morofuji, LEA
 Wes Mindermann, CalRecycle
 Jeff Lindberg, California Air Resources Board
 Jack Cheng, South Coast Air Quality Management District
 Larry Israel, South Coast Air Quality Management District
 Erin Neal, DTSC
 Zanalee Zmily, DTSC
 Dylan Clark, DTSC
 Amy Miller, United States Environmental Protection Agency
 Laura Friedli, United States Environmental Protection Agency
 Todd Sax, California Environmental Protection Agency



ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number : 546928
Report Level : II
Report Date : 11/16/2025

Analytical Report *prepared for:*

Kyle Lopic
CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118

Project: EAST BASIN - East Basin Waters & Soils

Authorized for release by:

David Tripp, Project Manager
657-581-4710
david.tripp@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, CA ELAP #1338-S1, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, ORELAP# 4197

Sample Summary

| | |
|---|---|
| Kyle Lopic CTEH Chiquita Canyon Landfill - PROJ- 037507 5120 Northshore Drive North Little Rock, AR 72118 | Lab Job #: 546928 Project No: EAST BASIN Location: East Basin Waters & Soils Date Received: 11/15/25 |
|---|---|

| Sample ID | Lab ID | Collected | Matrix |
|-----------------------|------------|----------------|--------|
| EAST BASIN -SE CORNER | 546928-001 | 11/14/25 17:45 | Water |
| EAST BASIN -S CENTRAL | 546928-002 | 11/14/25 17:52 | Water |
| EAST BASIN -SW CORNER | 546928-003 | 11/14/25 17:59 | Water |
| EAST BASIN -NW CORNER | 546928-004 | 11/14/25 18:06 | Water |
| EAST BASIN -N CENTRAL | 546928-005 | 11/14/25 18:10 | Water |
| EAST BASIN -NE CORNER | 546928-006 | 11/14/25 18:16 | Water |

Case Narrative

CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118
Kyle Lopic

Lab Job Number: 546928
Project No: EAST BASIN
Location: East Basin Waters & Soils
Date Received: 11/15/25

This data package contains sample and QC results for six water samples, requested for the above referenced project on 11/15/25. The samples were received in good condition.

Volatile Organics by GC/MS (EPA 8260B):

- Many samples had pH greater than 2.
- No other analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 8270C):

No analytical problems were encountered.

Metals (EPA 6010B and EPA 7470A):

No analytical problems were encountered.

Closed-Cup Ignitability (Flashpoint) (EPA 1010):

- Sample results preceded by '>' do not meet the definition of an ignitable waste as defined in 40 CFR 261.21 and 22 CCR 66261.
- No analytical problems were encountered.

pH of Aqueous and non-Aqueous Samples (EPA 9040B):

No analytical problems were encountered.

Detection Summary

Kyle Lopic
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 546928
 Project No: EAST BASIN
 Location: East Basin Waters & Soils
 Date Received: 11/15/25

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -SE CORNER | Lab ID: 546928-001 Matrix: Water | Collected: 11/14/25 17:45 |
|--|---|----------------------------------|

| 546928-001 Analyte | Result | Qual | Units | RL | MDL |
|---|----------|------|-------|---------|----------|
| Method: EPA 1010 | | | | | |
| Flash Point | >203 | | deg F | | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0065 | J | mg/L | 0.010 | 0.0042 |
| Barium | 0.099 | | mg/L | 0.010 | 0.0016 |
| Chromium | 0.0067 | J | mg/L | 0.010 | 0.0017 |
| Copper | 0.011 | | mg/L | 0.010 | 0.0062 |
| Nickel | 0.0051 | J | mg/L | 0.010 | 0.0030 |
| Silver | 0.0082 | | mg/L | 0.0050 | 0.0024 |
| Vanadium | 0.015 | | mg/L | 0.010 | 0.0014 |
| Zinc | 0.015 | J | mg/L | 0.050 | 0.010 |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | |
| Mercury | 0.000074 | J | mg/L | 0.00040 | 0.000032 |
| Method: EPA 9040B | | | | | |
| pH | 7.81 | H | SU | | |
| Temperature | 18.20 | H | deg C | 1.00 | |

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -S CENTRAL | Lab ID: 546928-002 Matrix: Water | Collected: 11/14/25 17:52 |
|--|---|----------------------------------|

| 546928-002 Analyte | Result | Qual | Units | RL | MDL |
|---|----------|------|-------|---------|----------|
| Method: EPA 1010 | | | | | |
| Flash Point | >203 | | deg F | | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0063 | J | mg/L | 0.010 | 0.0042 |
| Barium | 0.095 | | mg/L | 0.010 | 0.0016 |
| Chromium | 0.0054 | J | mg/L | 0.010 | 0.0017 |
| Copper | 0.010 | | mg/L | 0.010 | 0.0062 |
| Molybdenum | 0.0047 | J | mg/L | 0.010 | 0.0043 |
| Nickel | 0.0035 | J | mg/L | 0.010 | 0.0030 |
| Vanadium | 0.013 | | mg/L | 0.010 | 0.0014 |
| Zinc | 0.013 | J | mg/L | 0.050 | 0.010 |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | |
| Mercury | 0.000064 | J | mg/L | 0.00040 | 0.000032 |
| Method: EPA 9040B | | | | | |
| pH | 7.79 | H | SU | | |
| Temperature | 18.10 | H | deg C | 1.00 | |

Detection Summary

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -SW CORNER | Lab ID: 546928-003 Matrix: Water | Collected: 11/14/25 17:59 |
|--|---|----------------------------------|

| 546928-003 Analyte | Result | Qual | Units | RL | MDL |
|---|---------|------|-------|---------|----------|
| Method: EPA 1010 | | | | | |
| Flash Point | >203 | | deg F | | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.025 | | mg/L | 0.010 | 0.0042 |
| Barium | 0.67 | | mg/L | 0.010 | 0.0016 |
| Beryllium | 0.0030 | J | mg/L | 0.0050 | 0.00029 |
| Chromium | 0.084 | | mg/L | 0.010 | 0.0017 |
| Cobalt | 0.043 | | mg/L | 0.0050 | 0.0020 |
| Copper | 0.10 | | mg/L | 0.010 | 0.0062 |
| Lead | 0.046 | | mg/L | 0.010 | 0.0036 |
| Nickel | 0.076 | | mg/L | 0.010 | 0.0030 |
| Vanadium | 0.17 | | mg/L | 0.010 | 0.0014 |
| Zinc | 0.28 | | mg/L | 0.050 | 0.010 |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | |
| Mercury | 0.00032 | J | mg/L | 0.00040 | 0.000032 |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | |
| 2-Butanone | 0.006 | J | mg/L | 0.1 | 0.001 |
| Method: EPA 9040B | | | | | |
| pH | 8.45 | H | SU | | |
| Temperature | 17.90 | H | deg C | 1.00 | |

Detection Summary

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -NW CORNER | Lab ID: 546928-004 Matrix: Water | Collected: 11/14/25 18:06 |
|--|---|----------------------------------|

| 546928-004 Analyte | Result | Qual | Units | RL | MDL |
|---|----------|------|-------|---------|----------|
| Method: EPA 1010 | | | | | |
| Flash Point | >203 | | deg F | | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0089 | J | mg/L | 0.010 | 0.0042 |
| Barium | 0.18 | | mg/L | 0.010 | 0.0016 |
| Beryllium | 0.00032 | J | mg/L | 0.0050 | 0.00029 |
| Chromium | 0.014 | | mg/L | 0.010 | 0.0017 |
| Cobalt | 0.0082 | | mg/L | 0.0050 | 0.0020 |
| Copper | 0.022 | | mg/L | 0.010 | 0.0062 |
| Lead | 0.0043 | J | mg/L | 0.010 | 0.0036 |
| Molybdenum | 0.0044 | J | mg/L | 0.010 | 0.0043 |
| Nickel | 0.015 | | mg/L | 0.010 | 0.0030 |
| Vanadium | 0.033 | | mg/L | 0.010 | 0.0014 |
| Zinc | 0.056 | | mg/L | 0.050 | 0.010 |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | |
| Mercury | 0.000091 | J | mg/L | 0.00040 | 0.000032 |
| Method: EPA 9040B | | | | | |
| pH | 7.80 | H | SU | | |
| Temperature | 18.20 | H | deg C | 1.00 | |

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -N CENTRAL | Lab ID: 546928-005 Matrix: Water | Collected: 11/14/25 18:10 |
|--|---|----------------------------------|

| 546928-005 Analyte | Result | Qual | Units | RL | MDL |
|---|----------|------|-------|---------|----------|
| Method: EPA 1010 | | | | | |
| Flash Point | >203 | | deg F | | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0065 | J | mg/L | 0.010 | 0.0042 |
| Barium | 0.088 | | mg/L | 0.010 | 0.0016 |
| Chromium | 0.0045 | J | mg/L | 0.010 | 0.0017 |
| Copper | 0.0090 | J | mg/L | 0.010 | 0.0062 |
| Nickel | 0.0033 | J | mg/L | 0.010 | 0.0030 |
| Vanadium | 0.010 | | mg/L | 0.010 | 0.0014 |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | |
| Mercury | 0.000077 | J | mg/L | 0.00040 | 0.000032 |
| Method: EPA 9040B | | | | | |
| pH | 7.80 | H | SU | | |
| Temperature | 18.10 | H | deg C | 1.00 | |

Detection Summary

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -NE CORNER | Lab ID: 546928-006 Matrix: Water | Collected: 11/14/25 18:16 |
|--|---|----------------------------------|

| 546928-006 Analyte | Result | Qual | Units | RL | MDL |
|---|-----------------|------|-------|---------|----------|
| Method: EPA 1010 | | | | | |
| Flash Point | >203 | | deg F | | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0063 | J | mg/L | 0.010 | 0.0042 |
| Barium | 0.086 | | mg/L | 0.010 | 0.0016 |
| Chromium | 0.0036 | J | mg/L | 0.010 | 0.0017 |
| Copper | 0.0093 | J | mg/L | 0.010 | 0.0062 |
| Vanadium | 0.0094 | J | mg/L | 0.010 | 0.0014 |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | |
| Mercury | 0.000057 | J | mg/L | 0.00040 | 0.000032 |
| Method: EPA 9040B | | | | | |
| pH | 7.79 | H | SU | | |
| Temperature | 18.10 | H | deg C | 1.00 | |

- > Value exceeds indicated concentration
- H Holding time was exceeded
- J Estimated value



| Chain of Custody Record | | | | Turn Around Time (rush by advanced notice only) | | | | | | | |
|--|---|----|---|---|--|--------|---|--|--|---|--|
| Lab No: | | | | Standard: | | 5 Day: | | 3 Day: | | | |
| Page: | 1 | of | 1 | 2 Day: | | 1 Day: | X | Custom TAT: | | | |
| Enthalpy Analytical - Orange 931 W. Barkley Avenue, Orange, CA 92868 Phone 714-771-6900 | | | | Matrix: A = Air S = Soil/Solid W = Water DW = Drinking Water SD = Sediment PP = Pure Product SEA = Sea Water SW = Swab T = Tissue WP = Wipe O = Other | | | | Preservatives: _____ 1 = _____ Na ₂ S ₂ O ₃ 2 = HCl 3 = HNO ₃ 4 = H ₂ SO ₄ 5 = NaOH 6 = Other | | Sample Receipt Temp: 1R18 1.0/1.3 (lab use only) | |

| CUSTOMER INFORMATION | | PROJECT INFORMATION | | Analysis Request | | | | | Test Instructions / Comments | |
|----------------------|-----------------------------|---------------------|-----------------------------------|----------------------|---------------|----------------|-----------------|----------------|---|--|
| Company: | CTEH | LIMS Account: | CTEH-CHIQUITA | 6010/7470 T22 Metals | EPA 8260 VOCs | EPA 8270 SVOCs | FLASHPOINT 1010 | EPA 9040b (pH) | DAILY LEACHATES For reporting total concentrations on TCLP List analytes. HOLD samples for further process, as needed. Then return to Chiquita Canyon LF. Email report to: kylapic@montrose-env.com labresults@cteh.com; et al. | |
| Report To: | Kyle Lapic | LIMS Proj. Name: | WC CHIQUITACANYON LF | | | | | | | |
| Email: | labresults@cteh.com | Project #: | Proj-037507 | | | | | | | |
| Address: | 5120 North Shore Drive | P.O. #: | PO-4050-24-00351 | | | | | | | |
| | North Little Rock, AR 72118 | Address: | 29201 Henry Mayo Dr., Castaic, CA | | | | | | | |
| Phone: | 504-616-2427 | Global ID: | | | | | | | | |
| Fax: | | Sampled By: | CH, MT | | | | | | | |

| Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. | | | | | | | | | | |
|-----------|-----------------------|---------------|--------|----------------------|-------|---|---|---|---|---|---|--|--|--|--|
| 1 | EAST BASIN -SE CORNER | 11/14/25 | 1745 | W | 5 | 6 | X | X | X | X | X | | | | |
| 2 | EAST BASIN -S CENTRAL | 11/14/25 | 1752 | W | 5 | 6 | X | X | X | X | X | | | | |
| 3 | EAST BASIN -SW CORNER | 11/14/25 | 1759 | W | 5 | 6 | X | X | X | X | X | | | | |
| 4 | EAST BASIN -NW CORNER | 11/14/25 | 1806 | W | 5 | 6 | X | X | X | X | X | | | | |
| 5 | EAST BASIN -N CENTRAL | 11/14/25 | 1810 | W | 5 | 6 | X | X | X | X | X | | | | |
| 6 | EAST BASIN -NE CORNER | 11/14/25 | 1816 | W | 5 | 6 | X | X | X | X | X | | | | |
| 7 | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |



Login 546928



| | Signature | Print Name | Company / Title | Date / Time |
|-------------------------------|-----------|-------------|-----------------|-------------|
| ¹ Relinquished By: | | Math Tugale | CTEH | 11/15 0640 |
| ¹ Received By: | | JXR | EA | 11/18 0730 |
| ² Relinquished By: | | | | |
| ² Received By: | | | | |
| ³ Relinquished By: | | | | |
| ³ Received By: | | | | |

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 11/15/25 WO# 546928 Client: CTEH

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 11/15/25 By (initials) JXR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR18 CF: +0.3

Cooler Temp (°C) #1: 1.0 / 1.3 #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

| | YES | NO | N/A |
|---|-----|----|-----|
| 1) Were custody papers present, filled properly, and legible? | X | | |
| 2) Is the sampler's name present on the CoC? | X | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | X | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | X | | |
| 5) Were all of, and only, the correct samples received? | X | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | X | | |
| 7) Does the container count match the CoC? | X | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | X | | |
| 9) Were samples received in proper containers for the analyses requested? | X | | |
| 10) Were samples received with > 1/2 holding time remaining? | X | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | X | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | X |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | X | | |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 11/15/25 By (print) JXR (sign) _____

Date Labeled 11/15/25 By (print) JXR (sign) 

Analysis Results for 546928

Kyle Lopic
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 546928
 Project No: EAST BASIN
 Location: East Basin Waters & Soils
 Date Received: 11/15/25

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -SE CORNER | Lab ID: 546928-001 Matrix: Water | Collected: 11/14/25 17:45 |
|--|---|----------------------------------|

| 546928-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|---|----------|------|-------|---------------|----------|----|--------|----------|----------|----------|-----|
| Method: EPA 1010 | | | | | | | | | | | |
| Flash Point | >203 | | deg F | | | 1 | 387565 | 11/16/25 | 11/16/25 | BDR | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.015 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Arsenic | 0.0065 | J | mg/L | 0.010 | 0.0042 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Barium | 0.099 | | mg/L | 0.010 | 0.0016 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Beryllium | ND | | mg/L | 0.0050 | 0.00029 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cadmium | ND | | mg/L | 0.0050 | 0.00086 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Chromium | 0.0067 | J | mg/L | 0.010 | 0.0017 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cobalt | ND | | mg/L | 0.0050 | 0.0020 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Copper | 0.011 | | mg/L | 0.010 | 0.0062 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Lead | ND | | mg/L | 0.010 | 0.0036 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Molybdenum | ND | | mg/L | 0.010 | 0.0043 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Nickel | 0.0051 | J | mg/L | 0.010 | 0.0030 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Selenium | ND | | mg/L | 0.030 | 0.0082 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Silver | 0.0082 | | mg/L | 0.0050 | 0.0024 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Thallium | ND | | mg/L | 0.030 | 0.0097 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Vanadium | 0.015 | | mg/L | 0.010 | 0.0014 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Zinc | 0.015 | J | mg/L | 0.050 | 0.010 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | | | | | | | |
| Mercury | 0.000074 | J | mg/L | 0.00040 | 0.000032 | 1 | 387516 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 2-Butanone | ND | | mg/L | 0.1 | 0.001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Benzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Trichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Surrogates | | | | Limits | | | | | | | |
| Dibromofluoromethane | 111% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,2-Dichloroethane-d4 | 100% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Toluene-d8 | 100% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Bromofluorobenzene | 106% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |

Analysis Results for 546928

| 546928-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------------|------|-------|---------------|--------|-----|--------|----------|----------|---------|
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.019 | 0.0054 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2-Methylphenol | ND | | mg/L | 0.019 | 0.0062 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 3-,4-Methylphenol | ND | | mg/L | 0.019 | 0.0057 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Hexachloroethane | ND | | mg/L | 0.019 | 0.0057 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Nitrobenzene | ND | | mg/L | 0.048 | 0.016 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Hexachlorobutadiene | ND | | mg/L | 0.019 | 0.0042 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.019 | 0.0077 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.019 | 0.0071 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.019 | 0.0081 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Hexachlorobenzene | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Pentachlorophenol | ND | | mg/L | 0.048 | 0.011 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 48% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Phenol-d6 | 33% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4,6-Tribromophenol | 81% | | %REC | 15-140 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Nitrobenzene-d5 | 78% | | %REC | 15-123 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2-Fluorobiphenyl | 74% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Terphenyl-d14 | 89% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Method: EPA 9040B | | | | | | | | | | |
| pH | 7.81 | H | SU | | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |
| Temperature | 18.20 | H | deg C | 1.00 | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |

Analysis Results for 546928

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -S CENTRAL | Lab ID: 546928-002 Matrix: Water | Collected: 11/14/25 17:52 |
|--|---|----------------------------------|

| 546928-002 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|---|----------|------|---------------|---------|----------|-----|--------|----------|----------|----------|-----|
| Method: EPA 1010 | | | | | | | | | | | |
| Flash Point | >203 | | deg F | | | 1 | 387565 | 11/16/25 | 11/16/25 | BDR | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.015 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Arsenic | 0.0063 | J | mg/L | 0.010 | 0.0042 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Barium | 0.095 | | mg/L | 0.010 | 0.0016 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Beryllium | ND | | mg/L | 0.0050 | 0.00029 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cadmium | ND | | mg/L | 0.0050 | 0.00086 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Chromium | 0.0054 | J | mg/L | 0.010 | 0.0017 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cobalt | ND | | mg/L | 0.0050 | 0.0020 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Copper | 0.010 | | mg/L | 0.010 | 0.0062 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Lead | ND | | mg/L | 0.010 | 0.0036 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Molybdenum | 0.0047 | J | mg/L | 0.010 | 0.0043 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Nickel | 0.0035 | J | mg/L | 0.010 | 0.0030 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Selenium | ND | | mg/L | 0.030 | 0.0082 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Silver | ND | | mg/L | 0.0050 | 0.0024 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Thallium | ND | | mg/L | 0.030 | 0.0097 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Vanadium | 0.013 | | mg/L | 0.010 | 0.0014 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Zinc | 0.013 | J | mg/L | 0.050 | 0.010 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | | | | | | | |
| Mercury | 0.000064 | J | mg/L | 0.00040 | 0.000032 | 1 | 387516 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 2-Butanone | ND | | mg/L | 0.1 | 0.001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Benzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Trichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Surrogates | | | Limits | | | | | | | | |
| Dibromofluoromethane | 110% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,2-Dichloroethane-d4 | 100% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Toluene-d8 | 100% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Bromofluorobenzene | 107% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.019 | 0.0054 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS | |
| 2-Methylphenol | ND | | mg/L | 0.019 | 0.0062 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS | |
| 3-,4-Methylphenol | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS | |
| Hexachloroethane | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS | |

Analysis Results for 546928

| 546928-002 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|-----|--------|----------|----------|---------|
| Nitrobenzene | ND | | mg/L | 0.048 | 0.016 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Hexachlorobutadiene | ND | | mg/L | 0.019 | 0.0043 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.019 | 0.0078 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.019 | 0.0071 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.019 | 0.0082 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Hexachlorobenzene | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Pentachlorophenol | ND | | mg/L | 0.048 | 0.011 | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 59% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Phenol-d6 | 46% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2,4,6-Tribromophenol | 88% | | %REC | 15-140 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Nitrobenzene-d5 | 87% | | %REC | 15-123 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| 2-Fluorobiphenyl | 72% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Terphenyl-d14 | 93% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/15/25 | MSS |
| Method: EPA 9040B | | | | | | | | | | |
| pH | 7.79 | H | SU | | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |
| Temperature | 18.10 | H | deg C | 1.00 | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |

Analysis Results for 546928

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -SW CORNER | Lab ID: 546928-003 Matrix: Water | Collected: 11/14/25 17:59 |
|--|---|----------------------------------|

| 546928-003 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|---|---------|------|---------------|---------|----------|----|--------|----------|----------|----------|-----|
| Method: EPA 1010 | | | | | | | | | | | |
| Flash Point | >203 | | deg F | | | 1 | 387565 | 11/16/25 | 11/16/25 | BDR | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.015 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Arsenic | 0.025 | | mg/L | 0.010 | 0.0042 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Barium | 0.67 | | mg/L | 0.010 | 0.0016 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Beryllium | 0.0030 | J | mg/L | 0.0050 | 0.00029 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cadmium | ND | | mg/L | 0.0050 | 0.00086 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Chromium | 0.084 | | mg/L | 0.010 | 0.0017 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cobalt | 0.043 | | mg/L | 0.0050 | 0.0020 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Copper | 0.10 | | mg/L | 0.010 | 0.0062 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Lead | 0.046 | | mg/L | 0.010 | 0.0036 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Molybdenum | ND | | mg/L | 0.010 | 0.0043 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Nickel | 0.076 | | mg/L | 0.010 | 0.0030 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Selenium | ND | | mg/L | 0.030 | 0.0082 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Silver | ND | | mg/L | 0.0050 | 0.0024 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Thallium | ND | | mg/L | 0.030 | 0.0097 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Vanadium | 0.17 | | mg/L | 0.010 | 0.0014 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Zinc | 0.28 | | mg/L | 0.050 | 0.010 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | | | | | | | |
| Mercury | 0.00032 | J | mg/L | 0.00040 | 0.000032 | 1 | 387516 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 2-Butanone | 0.006 | J | mg/L | 0.1 | 0.001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Benzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Trichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Surrogates | | | Limits | | | | | | | | |
| Dibromofluoromethane | 111% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,2-Dichloroethane-d4 | 101% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Toluene-d8 | 99% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Bromofluorobenzene | 104% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.020 | 0.0055 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| 2-Methylphenol | ND | | mg/L | 0.020 | 0.0064 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| 3-,4-Methylphenol | ND | | mg/L | 0.020 | 0.0059 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| Hexachloroethane | ND | | mg/L | 0.020 | 0.0059 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS | |

Analysis Results for 546928

| 546928-003 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|----|--------|----------|----------|---------|
| Nitrobenzene | ND | | mg/L | 0.049 | 0.016 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobutadiene | ND | | mg/L | 0.020 | 0.0043 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.020 | 0.0080 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.020 | 0.0073 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.020 | 0.0083 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobenzene | ND | | mg/L | 0.020 | 0.0059 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Pentachlorophenol | ND | | mg/L | 0.049 | 0.011 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 57% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Phenol-d6 | 41% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Tribromophenol | 75% | | %REC | 15-140 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Nitrobenzene-d5 | 81% | | %REC | 15-123 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2-Fluorobiphenyl | 65% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Terphenyl-d14 | 81% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Method: EPA 9040B | | | | | | | | | | |
| pH | 8.45 | H | SU | | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |
| Temperature | 17.90 | H | deg C | 1.00 | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |

Analysis Results for 546928

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -NW CORNER | Lab ID: 546928-004 Matrix: Water | Collected: 11/14/25 18:06 |
|--|---|----------------------------------|

| 546928-004 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|---|----------|------|-------|---------------|----------|-----|--------|----------|----------|----------|-----|
| Method: EPA 1010 | | | | | | | | | | | |
| Flash Point | >203 | | deg F | | | 1 | 387565 | 11/16/25 | 11/16/25 | BDR | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.015 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Arsenic | 0.0089 | J | mg/L | 0.010 | 0.0042 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Barium | 0.18 | | mg/L | 0.010 | 0.0016 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Beryllium | 0.00032 | J | mg/L | 0.0050 | 0.00029 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cadmium | ND | | mg/L | 0.0050 | 0.00086 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Chromium | 0.014 | | mg/L | 0.010 | 0.0017 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cobalt | 0.0082 | | mg/L | 0.0050 | 0.0020 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Copper | 0.022 | | mg/L | 0.010 | 0.0062 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Lead | 0.0043 | J | mg/L | 0.010 | 0.0036 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Molybdenum | 0.0044 | J | mg/L | 0.010 | 0.0043 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Nickel | 0.015 | | mg/L | 0.010 | 0.0030 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Selenium | ND | | mg/L | 0.030 | 0.0082 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Silver | ND | | mg/L | 0.0050 | 0.0024 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Thallium | ND | | mg/L | 0.030 | 0.0097 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Vanadium | 0.033 | | mg/L | 0.010 | 0.0014 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Zinc | 0.056 | | mg/L | 0.050 | 0.010 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | | | | | | | |
| Mercury | 0.000091 | J | mg/L | 0.00040 | 0.000032 | 1 | 387516 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 2-Butanone | ND | | mg/L | 0.1 | 0.001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Benzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Trichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Surrogates | | | | Limits | | | | | | | |
| Dibromofluoromethane | 111% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,2-Dichloroethane-d4 | 102% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Toluene-d8 | 101% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Bromofluorobenzene | 107% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.019 | 0.0054 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| 2-Methylphenol | ND | | mg/L | 0.019 | 0.0062 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| 3-,4-Methylphenol | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| Hexachloroethane | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |

Analysis Results for 546928

| 546928-004 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|-----|--------|----------|----------|---------|
| Nitrobenzene | ND | | mg/L | 0.048 | 0.016 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobutadiene | ND | | mg/L | 0.019 | 0.0043 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.019 | 0.0078 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.019 | 0.0071 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.019 | 0.0082 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobenzene | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Pentachlorophenol | ND | | mg/L | 0.048 | 0.011 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 66% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Phenol-d6 | 45% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Tribromophenol | 100% | | %REC | 15-140 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Nitrobenzene-d5 | 102% | | %REC | 15-123 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2-Fluorobiphenyl | 89% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Terphenyl-d14 | 108% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Method: EPA 9040B | | | | | | | | | | |
| pH | 7.80 | H | SU | | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |
| Temperature | 18.20 | H | deg C | 1.00 | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |

Analysis Results for 546928

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -N CENTRAL | Lab ID: 546928-005 Matrix: Water | Collected: 11/14/25 18:10 |
|--|---|----------------------------------|

| 546928-005 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|---|----------|------|-------|---------------|----------|-----|--------|----------|----------|----------|-----|
| Method: EPA 1010 | | | | | | | | | | | |
| Flash Point | >203 | | deg F | | | 1 | 387565 | 11/16/25 | 11/16/25 | BDR | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.015 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Arsenic | 0.0065 | J | mg/L | 0.010 | 0.0042 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Barium | 0.088 | | mg/L | 0.010 | 0.0016 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Beryllium | ND | | mg/L | 0.0050 | 0.00029 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cadmium | ND | | mg/L | 0.0050 | 0.00086 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Chromium | 0.0045 | J | mg/L | 0.010 | 0.0017 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Cobalt | ND | | mg/L | 0.0050 | 0.0020 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Copper | 0.0090 | J | mg/L | 0.010 | 0.0062 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Lead | ND | | mg/L | 0.010 | 0.0036 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Molybdenum | ND | | mg/L | 0.010 | 0.0043 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Nickel | 0.0033 | J | mg/L | 0.010 | 0.0030 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Selenium | ND | | mg/L | 0.030 | 0.0082 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Silver | ND | | mg/L | 0.0050 | 0.0024 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Thallium | ND | | mg/L | 0.030 | 0.0097 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Vanadium | 0.010 | | mg/L | 0.010 | 0.0014 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Zinc | ND | | mg/L | 0.050 | 0.010 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | | | | | | | |
| Mercury | 0.000077 | J | mg/L | 0.00040 | 0.000032 | 1 | 387516 | 11/15/25 | 11/15/25 | KAM | |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 2-Butanone | ND | | mg/L | 0.1 | 0.001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Benzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Trichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST | |
| Surrogates | | | | Limits | | | | | | | |
| Dibromofluoromethane | 111% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,2-Dichloroethane-d4 | 100% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Toluene-d8 | 98% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Bromofluorobenzene | 104% | | %REC | 70-130 | | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.019 | 0.0054 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| 2-Methylphenol | ND | | mg/L | 0.019 | 0.0062 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| 3-,4-Methylphenol | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |
| Hexachloroethane | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS | |

Analysis Results for 546928

| 546928-005 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|-----|--------|----------|----------|---------|
| Nitrobenzene | ND | | mg/L | 0.048 | 0.016 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobutadiene | ND | | mg/L | 0.019 | 0.0043 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.019 | 0.0078 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.019 | 0.0071 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.019 | 0.0082 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobenzene | ND | | mg/L | 0.019 | 0.0058 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Pentachlorophenol | ND | | mg/L | 0.048 | 0.011 | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 51% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Phenol-d6 | 36% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Tribromophenol | 78% | | %REC | 15-140 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Nitrobenzene-d5 | 79% | | %REC | 15-123 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2-Fluorobiphenyl | 70% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Terphenyl-d14 | 84% | | %REC | 15-120 | | 1.9 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Method: EPA 9040B | | | | | | | | | | |
| pH | 7.80 | H | SU | | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |
| Temperature | 18.10 | H | deg C | 1.00 | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |

Analysis Results for 546928

| | | |
|--|---|----------------------------------|
| Sample ID: EAST BASIN -NE CORNER | Lab ID: 546928-006 Matrix: Water | Collected: 11/14/25 18:16 |
|--|---|----------------------------------|

| 546928-006 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---|----------|------|-------|---------------|----------|----|--------|----------|----------|---------|
| Method: EPA 1010 | | | | | | | | | | |
| Flash Point | >203 | | deg F | | | 1 | 387565 | 11/16/25 | 11/16/25 | BDR |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.015 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Arsenic | 0.0063 | J | mg/L | 0.010 | 0.0042 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Barium | 0.086 | | mg/L | 0.010 | 0.0016 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Beryllium | ND | | mg/L | 0.0050 | 0.00029 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Cadmium | ND | | mg/L | 0.0050 | 0.00086 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Chromium | 0.0036 | J | mg/L | 0.010 | 0.0017 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Cobalt | ND | | mg/L | 0.0050 | 0.0020 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Copper | 0.0093 | J | mg/L | 0.010 | 0.0062 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Lead | ND | | mg/L | 0.010 | 0.0036 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Molybdenum | ND | | mg/L | 0.010 | 0.0043 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Nickel | ND | | mg/L | 0.010 | 0.0030 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Selenium | ND | | mg/L | 0.030 | 0.0082 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Silver | ND | | mg/L | 0.0050 | 0.0024 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Thallium | ND | | mg/L | 0.030 | 0.0097 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Vanadium | 0.0094 | J | mg/L | 0.010 | 0.0014 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Zinc | ND | | mg/L | 0.050 | 0.010 | 1 | 387517 | 11/15/25 | 11/15/25 | KAM |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | | | | | | |
| Mercury | 0.000057 | J | mg/L | 0.00040 | 0.000032 | 1 | 387516 | 11/15/25 | 11/15/25 | KAM |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 2-Butanone | ND | | mg/L | 0.1 | 0.001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Benzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Trichloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.0001 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.0002 | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 110% | | %REC | 70-130 | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| 1,2-Dichloroethane-d4 | 100% | | %REC | 70-130 | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Toluene-d8 | 101% | | %REC | 70-130 | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Bromofluorobenzene | 106% | | %REC | 70-130 | | 1 | 387530 | 11/15/25 | 11/15/25 | ZST |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.020 | 0.0055 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2-Methylphenol | ND | | mg/L | 0.020 | 0.0064 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 3-,4-Methylphenol | ND | | mg/L | 0.020 | 0.0059 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachloroethane | ND | | mg/L | 0.020 | 0.0059 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |

Analysis Results for 546928

| 546928-006 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|----|--------|----------|----------|---------|
| Nitrobenzene | ND | | mg/L | 0.049 | 0.016 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobutadiene | ND | | mg/L | 0.020 | 0.0043 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.020 | 0.0080 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.020 | 0.0073 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.020 | 0.0083 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Hexachlorobenzene | ND | | mg/L | 0.020 | 0.0059 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Pentachlorophenol | ND | | mg/L | 0.049 | 0.011 | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 58% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Phenol-d6 | 41% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2,4,6-Tribromophenol | 92% | | %REC | 15-140 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Nitrobenzene-d5 | 89% | | %REC | 15-123 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| 2-Fluorobiphenyl | 82% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Terphenyl-d14 | 95% | | %REC | 15-120 | | 2 | 387519 | 11/15/25 | 11/16/25 | MSS |
| Method: EPA 9040B | | | | | | | | | | |
| pH | 7.79 | H | SU | | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |
| Temperature | 18.10 | H | deg C | 1.00 | | 1 | 387558 | 11/16/25 | 11/16/25 | ARM |

> Value exceeds indicated concentration
 H Holding time was exceeded
 J Estimated value
 ND Not Detected

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1313547 | Batch: 387517 |
| Matrix (Source ID): Water (546759-001) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1313547 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Antimony | 0.3551 | ND | 0.4000 | mg/L | 89% | | 75-125 | 1 |
| Arsenic | 0.3845 | 0.01512 | 0.4000 | mg/L | 92% | | 75-125 | 1 |
| Barium | 0.3805 | 0.02074 | 0.4000 | mg/L | 90% | | 75-125 | 1 |
| Beryllium | 0.3552 | ND | 0.4000 | mg/L | 89% | | 75-125 | 1 |
| Cadmium | 0.3376 | ND | 0.4000 | mg/L | 84% | | 75-125 | 1 |
| Chromium | 0.3533 | ND | 0.4000 | mg/L | 88% | | 75-125 | 1 |
| Cobalt | 0.3548 | 0.002863 | 0.4000 | mg/L | 88% | | 75-125 | 1 |
| Copper | 0.4293 | 0.01260 | 0.4000 | mg/L | 104% | | 75-125 | 1 |
| Lead | 0.3552 | ND | 0.4000 | mg/L | 89% | | 75-125 | 1 |
| Molybdenum | 0.3482 | ND | 0.4000 | mg/L | 87% | | 75-125 | 1 |
| Nickel | 0.3565 | ND | 0.4000 | mg/L | 89% | | 75-125 | 1 |
| Selenium | 0.3862 | 0.02999 | 0.4000 | mg/L | 89% | | 75-125 | 1 |
| Silver | 0.1862 | ND | 0.2000 | mg/L | 93% | | 75-125 | 1 |
| Thallium | 0.3324 | ND | 0.4000 | mg/L | 83% | | 75-125 | 1 |
| Vanadium | 0.3659 | 0.003708 | 0.4000 | mg/L | 91% | | 75-125 | 1 |
| Zinc | 0.3650 | ND | 0.4000 | mg/L | 91% | | 75-125 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1313548 | Batch: 387517 |
| Matrix (Source ID): Water (546759-001) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1313548 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Antimony | 0.3290 | ND | 0.4000 | mg/L | 82% | | 75-125 | 8 | 20 | 1 |
| Arsenic | 0.3508 | 0.01512 | 0.4000 | mg/L | 84% | | 75-125 | 9 | 20 | 1 |
| Barium | 0.3524 | 0.02074 | 0.4000 | mg/L | 83% | | 75-125 | 8 | 20 | 1 |
| Beryllium | 0.3248 | ND | 0.4000 | mg/L | 81% | | 75-125 | 9 | 20 | 1 |
| Cadmium | 0.3098 | ND | 0.4000 | mg/L | 77% | | 75-125 | 9 | 20 | 1 |
| Chromium | 0.3233 | ND | 0.4000 | mg/L | 81% | | 75-125 | 9 | 20 | 1 |
| Cobalt | 0.3252 | 0.002863 | 0.4000 | mg/L | 81% | | 75-125 | 9 | 20 | 1 |
| Copper | 0.3932 | 0.01260 | 0.4000 | mg/L | 95% | | 75-125 | 9 | 20 | 1 |
| Lead | 0.3266 | ND | 0.4000 | mg/L | 82% | | 75-125 | 8 | 20 | 1 |
| Molybdenum | 0.3190 | ND | 0.4000 | mg/L | 80% | | 75-125 | 9 | 20 | 1 |
| Nickel | 0.3272 | ND | 0.4000 | mg/L | 82% | | 75-125 | 9 | 20 | 1 |
| Selenium | 0.3541 | 0.02999 | 0.4000 | mg/L | 81% | | 75-125 | 9 | 20 | 1 |
| Silver | 0.1698 | ND | 0.2000 | mg/L | 85% | | 75-125 | 9 | 20 | 1 |
| Thallium | 0.3051 | ND | 0.4000 | mg/L | 76% | | 75-125 | 9 | 20 | 1 |
| Vanadium | 0.3342 | 0.003708 | 0.4000 | mg/L | 83% | | 75-125 | 9 | 20 | 1 |
| Zinc | 0.3331 | ND | 0.4000 | mg/L | 83% | | 75-125 | 9 | 20 | 1 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Serial Dilution | Lab ID: QC1313549 | Batch: 387517 |
| Matrix (Source ID): Water (546928-001) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1313549 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|---------|----------------------|-------|------|-----|---------|----|
| Antimony | ND | ND | mg/L | | | | 5 |
| Arsenic | ND | 0.006469 | mg/L | | | | 5 |
| Barium | 0.1051 | 0.09938 | mg/L | | | | 5 |
| Beryllium | ND | ND | mg/L | | | | 5 |
| Cadmium | ND | ND | mg/L | | | | 5 |
| Chromium | ND | 0.006746 | mg/L | | | | 5 |
| Cobalt | ND | ND | mg/L | | | | 5 |
| Copper | ND | 0.01104 | mg/L | | | | 5 |
| Lead | ND | ND | mg/L | | | | 5 |
| Molybdenum | ND | ND | mg/L | | | | 5 |
| Nickel | ND | 0.005075 | mg/L | | | | 5 |
| Selenium | ND | ND | mg/L | | | | 5 |
| Silver | ND | 0.008163 | mg/L | | | | 5 |
| Thallium | ND | ND | mg/L | | | | 5 |
| Vanadium | 0.01823 | 0.01530 | mg/L | J | | | 5 |
| Zinc | ND | 0.01520 | mg/L | | | | 5 |

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1313550 | Batch: 387517 |
| Matrix: Water | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1313550 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|--------|---------|----------|----------|
| Antimony | ND | | mg/L | 0.030 | 0.015 | 11/15/25 | 11/15/25 |
| Arsenic | ND | | mg/L | 0.010 | 0.0042 | 11/15/25 | 11/15/25 |
| Barium | ND | | mg/L | 0.010 | 0.0016 | 11/15/25 | 11/15/25 |
| Beryllium | ND | | mg/L | 0.0050 | 0.00029 | 11/15/25 | 11/15/25 |
| Cadmium | ND | | mg/L | 0.0050 | 0.00086 | 11/15/25 | 11/15/25 |
| Chromium | ND | | mg/L | 0.010 | 0.0017 | 11/15/25 | 11/15/25 |
| Cobalt | ND | | mg/L | 0.0050 | 0.0020 | 11/15/25 | 11/15/25 |
| Copper | ND | | mg/L | 0.010 | 0.0062 | 11/15/25 | 11/15/25 |
| Lead | ND | | mg/L | 0.010 | 0.0036 | 11/15/25 | 11/15/25 |
| Molybdenum | ND | | mg/L | 0.010 | 0.0043 | 11/15/25 | 11/15/25 |
| Nickel | ND | | mg/L | 0.010 | 0.0030 | 11/15/25 | 11/15/25 |
| Selenium | ND | | mg/L | 0.030 | 0.0082 | 11/15/25 | 11/15/25 |
| Silver | ND | | mg/L | 0.0050 | 0.0024 | 11/15/25 | 11/15/25 |
| Thallium | ND | | mg/L | 0.030 | 0.0097 | 11/15/25 | 11/15/25 |
| Vanadium | ND | | mg/L | 0.010 | 0.0014 | 11/15/25 | 11/15/25 |
| Zinc | ND | | mg/L | 0.050 | 0.010 | 11/15/25 | 11/15/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1313551 | Batch: 387517 |
| Matrix: Water | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1313551 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Antimony | 0.3934 | 0.4000 | mg/L | 98% | | 80-120 |
| Arsenic | 0.3855 | 0.4000 | mg/L | 96% | | 80-120 |
| Barium | 0.3880 | 0.4000 | mg/L | 97% | | 80-120 |
| Beryllium | 0.3885 | 0.4000 | mg/L | 97% | | 80-120 |
| Cadmium | 0.3752 | 0.4000 | mg/L | 94% | | 80-120 |
| Chromium | 0.3845 | 0.4000 | mg/L | 96% | | 80-120 |
| Cobalt | 0.3810 | 0.4000 | mg/L | 95% | | 80-120 |
| Copper | 0.3758 | 0.4000 | mg/L | 94% | | 80-120 |
| Lead | 0.3889 | 0.4000 | mg/L | 97% | | 80-120 |
| Molybdenum | 0.3799 | 0.4000 | mg/L | 95% | | 80-120 |
| Nickel | 0.3839 | 0.4000 | mg/L | 96% | | 80-120 |
| Selenium | 0.3719 | 0.4000 | mg/L | 93% | | 80-120 |
| Silver | 0.1880 | 0.2000 | mg/L | 94% | | 80-120 |
| Thallium | 0.3832 | 0.4000 | mg/L | 96% | | 80-120 |
| Vanadium | 0.3842 | 0.4000 | mg/L | 96% | | 80-120 |
| Zinc | 0.3983 | 0.4000 | mg/L | 100% | | 80-120 |

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1313543 | Batch: 387516 |
| Matrix: Water | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1313543 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|---------|----------|----------|----------|
| Mercury | ND | | mg/L | 0.00040 | 0.000032 | 11/15/25 | 11/15/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1313544 | Batch: 387516 |
| Matrix: Water | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1313544 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|----------|----------|-------|----------|------|--------|
| Mercury | 0.005059 | 0.005000 | mg/L | 101% | | 80-120 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1313545 | Batch: 387516 |
| Matrix (Source ID): Water (546872-001) | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1313545 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|
| Mercury | 0.9677 | ND | 1.000 | mg/L | 97% | | 75-125 | 200 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1313546 | Batch: 387516 |
| Matrix (Source ID): Water (546872-001) | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1313546 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|-----|-----|
| Mercury | 0.9748 | ND | 1.000 | mg/L | 97% | | 75-125 | 1 | 20 | 200 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1313594 | Batch: 387530 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1313594 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Vinyl Chloride | 0.04296 | 0.05000 | mg/L | 86% | | 70-131 |
| 1,1-Dichloroethene | 0.04633 | 0.05000 | mg/L | 93% | | 69-128 |
| 2-Butanone | 0.1297 | 0.1250 | mg/L | 104% | | 58-139 |
| Chloroform | 0.04990 | 0.05000 | mg/L | 100% | | 73-125 |
| Carbon Tetrachloride | 0.05390 | 0.05000 | mg/L | 108% | | 70-130 |
| 1,2-Dichloroethane | 0.04833 | 0.05000 | mg/L | 97% | | 71-121 |
| Benzene | 0.05039 | 0.05000 | mg/L | 101% | | 76-121 |
| Trichloroethene | 0.05551 | 0.05000 | mg/L | 111% | | 76-124 |
| Tetrachloroethene | 0.05888 | 0.05000 | mg/L | 118% | | 75-125 |
| Chlorobenzene | 0.05408 | 0.05000 | mg/L | 108% | | 78-120 |
| 1,4-Dichlorobenzene | 0.04791 | 0.05000 | mg/L | 96% | | 77-120 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 0.05348 | 0.05000 | mg/L | 107% | | 70-130 |
| 1,2-Dichloroethane-d4 | 0.04705 | 0.05000 | mg/L | 94% | | 70-130 |
| Toluene-d8 | 0.05044 | 0.05000 | mg/L | 101% | | 70-130 |
| Bromofluorobenzene | 0.05384 | 0.05000 | mg/L | 108% | | 70-130 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1313595 | Batch: 387530 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1313595 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Vinyl Chloride | 0.04027 | 0.05000 | mg/L | 81% | | 70-131 | 6 | 27 |
| 1,1-Dichloroethene | 0.04296 | 0.05000 | mg/L | 86% | | 69-128 | 8 | 23 |
| 2-Butanone | 0.1209 | 0.1250 | mg/L | 97% | | 58-139 | 7 | 23 |
| Chloroform | 0.04616 | 0.05000 | mg/L | 92% | | 73-125 | 8 | 21 |
| Carbon Tetrachloride | 0.04937 | 0.05000 | mg/L | 99% | | 70-130 | 9 | 23 |
| 1,2-Dichloroethane | 0.04506 | 0.05000 | mg/L | 90% | | 71-121 | 7 | 20 |
| Benzene | 0.04731 | 0.05000 | mg/L | 95% | | 76-121 | 6 | 21 |
| Trichloroethene | 0.05218 | 0.05000 | mg/L | 104% | | 76-124 | 6 | 22 |
| Tetrachloroethene | 0.05555 | 0.05000 | mg/L | 111% | | 75-125 | 6 | 22 |
| Chlorobenzene | 0.05152 | 0.05000 | mg/L | 103% | | 78-120 | 5 | 20 |
| 1,4-Dichlorobenzene | 0.04357 | 0.05000 | mg/L | 87% | | 77-120 | 9 | 20 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.05369 | 0.05000 | mg/L | 107% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 0.04734 | 0.05000 | mg/L | 95% | | 70-130 | | |
| Toluene-d8 | 0.05127 | 0.05000 | mg/L | 103% | | 70-130 | | |
| Bromofluorobenzene | 0.05176 | 0.05000 | mg/L | 104% | | 70-130 | | |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1313599 | Batch: 387530 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1313599 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|--------|---------|----------|----------|
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.0001 | 11/15/25 | 11/15/25 |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.0001 | 11/15/25 | 11/15/25 |
| 2-Butanone | ND | | mg/L | 0.1 | 0.001 | 11/15/25 | 11/15/25 |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 11/15/25 | 11/15/25 |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.0001 | 11/15/25 | 11/15/25 |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0002 | 11/15/25 | 11/15/25 |
| Benzene | ND | | mg/L | 0.005 | 0.0001 | 11/15/25 | 11/15/25 |
| Trichloroethene | ND | | mg/L | 0.005 | 0.0001 | 11/15/25 | 11/15/25 |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0002 | 11/15/25 | 11/15/25 |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.0001 | 11/15/25 | 11/15/25 |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.0002 | 11/15/25 | 11/15/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 108% | | %REC | 70-130 | | 11/15/25 | 11/15/25 |
| 1,2-Dichloroethane-d4 | 95% | | %REC | 70-130 | | 11/15/25 | 11/15/25 |
| Toluene-d8 | 101% | | %REC | 70-130 | | 11/15/25 | 11/15/25 |
| Bromofluorobenzene | 106% | | %REC | 70-130 | | 11/15/25 | 11/15/25 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1313644 | Batch: 387530 |
| Matrix (Source ID): Water (546458-015) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1313644 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|----|
| Vinyl Chloride | 0.01575 | ND | 0.02000 | mg/L | 79% | | 64-128 | 1 |
| 1,1-Dichloroethene | 0.01865 | 0.001465 | 0.02000 | mg/L | 86% | | 62-131 | 1 |
| 2-Butanone | 0.04802 | ND | 0.05000 | mg/L | 96% | | 48-157 | 1 |
| Chloroform | 0.01923 | 0.0002028 | 0.02000 | mg/L | 95% | | 67-127 | 1 |
| Carbon Tetrachloride | 0.02023 | ND | 0.02000 | mg/L | 101% | | 70-140 | 1 |
| 1,2-Dichloroethane | 0.01888 | ND | 0.02000 | mg/L | 94% | | 68-122 | 1 |
| Benzene | 0.01875 | ND | 0.02000 | mg/L | 94% | | 70-123 | 1 |
| Trichloroethene | 0.02910 | 0.007136 | 0.02000 | mg/L | 110% | | 65-131 | 1 |
| Tetrachloroethene | 0.02280 | 0.0005805 | 0.02000 | mg/L | 111% | | 65-132 | 1 |
| Chlorobenzene | 0.02048 | ND | 0.02000 | mg/L | 102% | | 72-121 | 1 |
| 1,4-Dichlorobenzene | 0.01759 | ND | 0.02000 | mg/L | 88% | | 71-122 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.05360 | | 0.05000 | mg/L | 107% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 0.04661 | | 0.05000 | mg/L | 93% | | 70-130 | 1 |
| Toluene-d8 | 0.05045 | | 0.05000 | mg/L | 101% | | 70-130 | 1 |
| Bromofluorobenzene | 0.05294 | | 0.05000 | mg/L | 106% | | 70-130 | 1 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1313645 | Batch: 387530 |
| Matrix (Source ID): Water (546458-015) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1313645 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|-----|---------|----|
| Vinyl Chloride | 0.01562 | ND | 0.02000 | mg/L | 78% | | 64-128 | 1 | 29 | 1 |
| 1,1-Dichloroethene | 0.01802 | 0.001465 | 0.02000 | mg/L | 83% | | 62-131 | 3 | 31 | 1 |
| 2-Butanone | 0.04750 | ND | 0.05000 | mg/L | 95% | | 48-157 | 1 | 30 | 1 |
| Chloroform | 0.01903 | 0.0002028 | 0.02000 | mg/L | 94% | | 67-127 | 1 | 30 | 1 |
| Carbon Tetrachloride | 0.01953 | ND | 0.02000 | mg/L | 98% | | 70-140 | 4 | 32 | 1 |
| 1,2-Dichloroethane | 0.01866 | ND | 0.02000 | mg/L | 93% | | 68-122 | 1 | 29 | 1 |
| Benzene | 0.01839 | ND | 0.02000 | mg/L | 92% | | 70-123 | 2 | 31 | 1 |
| Trichloroethene | 0.02703 | 0.007136 | 0.02000 | mg/L | 99% | | 65-131 | 7 | 31 | 1 |
| Tetrachloroethene | 0.02233 | 0.0005805 | 0.02000 | mg/L | 109% | | 65-132 | 2 | 31 | 1 |
| Chlorobenzene | 0.02026 | ND | 0.02000 | mg/L | 101% | | 72-121 | 1 | 29 | 1 |
| 1,4-Dichlorobenzene | 0.01762 | ND | 0.02000 | mg/L | 88% | | 71-122 | 0 | 29 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 0.05400 | | 0.05000 | mg/L | 108% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 0.04695 | | 0.05000 | mg/L | 94% | | 70-130 | | | 1 |
| Toluene-d8 | 0.05036 | | 0.05000 | mg/L | 101% | | 70-130 | | | 1 |
| Bromofluorobenzene | 0.05202 | | 0.05000 | mg/L | 104% | | 70-130 | | | 1 |

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1313552 | Batch: 387519 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1313552 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|--------|----------|----------|
| Pyridine | ND | | mg/L | 0.010 | 0.0028 | 11/15/25 | 11/15/25 |
| 2-Methylphenol | ND | | mg/L | 0.010 | 0.0032 | 11/15/25 | 11/15/25 |
| 3-,4-Methylphenol | ND | | mg/L | 0.010 | 0.0030 | 11/15/25 | 11/15/25 |
| Hexachloroethane | ND | | mg/L | 0.010 | 0.0030 | 11/15/25 | 11/15/25 |
| Nitrobenzene | ND | | mg/L | 0.025 | 0.0084 | 11/15/25 | 11/15/25 |
| Hexachlorobutadiene | ND | | mg/L | 0.010 | 0.0022 | 11/15/25 | 11/15/25 |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.010 | 0.0041 | 11/15/25 | 11/15/25 |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.010 | 0.0037 | 11/15/25 | 11/15/25 |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.010 | 0.0043 | 11/15/25 | 11/15/25 |
| Hexachlorobenzene | ND | | mg/L | 0.010 | 0.0030 | 11/15/25 | 11/15/25 |
| Pentachlorophenol | ND | | mg/L | 0.025 | 0.0057 | 11/15/25 | 11/15/25 |
| Surrogates | | | | Limits | | | |
| 2-Fluorophenol | 40% | | %REC | 15-120 | | 11/15/25 | 11/15/25 |
| Phenol-d6 | 24% | | %REC | 15-120 | | 11/15/25 | 11/15/25 |
| 2,4,6-Tribromophenol | 77% | | %REC | 15-140 | | 11/15/25 | 11/15/25 |
| Nitrobenzene-d5 | 94% | | %REC | 15-123 | | 11/15/25 | 11/15/25 |
| 2-Fluorobiphenyl | 89% | | %REC | 15-120 | | 11/15/25 | 11/15/25 |
| Terphenyl-d14 | 86% | | %REC | 15-120 | | 11/15/25 | 11/15/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1313553 | Batch: 387519 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1313553 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Pyridine | 0.02959 | 0.07500 | mg/L | 39% | | 13-120 |
| 2-Methylphenol | 0.05769 | 0.07500 | mg/L | 77% | | 44-120 |
| 3-,4-Methylphenol | 0.05035 | 0.07500 | mg/L | 67% | | 40-120 |
| Hexachloroethane | 0.05871 | 0.07500 | mg/L | 78% | | 33-120 |
| Nitrobenzene | 0.07588 | 0.07500 | mg/L | 101% | | 51-120 |
| Hexachlorobutadiene | 0.05671 | 0.07500 | mg/L | 76% | | 30-120 |
| 2,4,6-Trichlorophenol | 0.07344 | 0.07500 | mg/L | 98% | | 60-122 |
| 2,4,5-Trichlorophenol | 0.07221 | 0.07500 | mg/L | 96% | | 62-124 |
| 2,4-Dinitrotoluene | 0.08093 | 0.07500 | mg/L | 108% | | 69-127 |
| Hexachlorobenzene | 0.06824 | 0.07500 | mg/L | 91% | | 62-120 |
| Pentachlorophenol | 0.06401 | 0.07500 | mg/L | 85% | | 51-120 |
| Surrogates | | | | | | |
| 2-Fluorophenol | 0.01846 | 0.04000 | mg/L | 46% | | 15-120 |
| Phenol-d6 | 0.01152 | 0.04000 | mg/L | 29% | | 15-120 |
| 2,4,6-Tribromophenol | 0.03626 | 0.04000 | mg/L | 91% | | 15-140 |
| Nitrobenzene-d5 | 0.04088 | 0.04000 | mg/L | 102% | | 15-123 |
| 2-Fluorobiphenyl | 0.03675 | 0.04000 | mg/L | 92% | | 15-120 |
| Terphenyl-d14 | 0.04519 | 0.04000 | mg/L | 113% | | 15-120 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1313554 | Batch: 387519 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1313554 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Pyridine | 0.03186 | 0.07500 | mg/L | 42% | | 13-120 | 7 | 62 |
| 2-Methylphenol | 0.05953 | 0.07500 | mg/L | 79% | | 44-120 | 3 | 51 |
| 3-,4-Methylphenol | 0.05159 | 0.07500 | mg/L | 69% | | 40-120 | 2 | 51 |
| Hexachloroethane | 0.05972 | 0.07500 | mg/L | 80% | | 33-120 | 2 | 59 |
| Nitrobenzene | 0.07811 | 0.07500 | mg/L | 104% | | 51-120 | 3 | 52 |
| Hexachlorobutadiene | 0.05804 | 0.07500 | mg/L | 77% | | 30-120 | 2 | 58 |
| 2,4,6-Trichlorophenol | 0.07730 | 0.07500 | mg/L | 103% | | 60-122 | 5 | 49 |
| 2,4,5-Trichlorophenol | 0.07655 | 0.07500 | mg/L | 102% | | 62-124 | 6 | 46 |
| 2,4-Dinitrotoluene | 0.08536 | 0.07500 | mg/L | 114% | | 69-127 | 5 | 40 |
| Hexachlorobenzene | 0.06876 | 0.07500 | mg/L | 92% | | 62-120 | 1 | 41 |
| Pentachlorophenol | 0.06126 | 0.07500 | mg/L | 82% | | 51-120 | 4 | 42 |
| Surrogates | | | | | | | | |
| 2-Fluorophenol | 0.02002 | 0.04000 | mg/L | 50% | | 15-120 | | |
| Phenol-d6 | 0.01274 | 0.04000 | mg/L | 32% | | 15-120 | | |
| 2,4,6-Tribromophenol | 0.03920 | 0.04000 | mg/L | 98% | | 15-140 | | |
| Nitrobenzene-d5 | 0.04180 | 0.04000 | mg/L | 105% | | 15-123 | | |
| 2-Fluorobiphenyl | 0.03921 | 0.04000 | mg/L | 98% | | 15-120 | | |
| Terphenyl-d14 | 0.04253 | 0.04000 | mg/L | 106% | | 15-120 | | |

Batch QC

| | | |
|---|--------------------------|----------------------|
| Type: Sample Duplicate | Lab ID: QC1313700 | Batch: 387558 |
| Matrix (Source ID): Water (546872-001) | Method: EPA 9040B | |

| QC1313700 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|--------|----------------------------|-------|------|-----|------------|----|
| pH | 6.020 | 6.010 | SU | | 0 | 20 | 1 |
| Temperature | 18.50 | 18.80 | deg C | | 2 | 20 | 1 |

J Estimated value
 ND Not Detected



ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number : 548215
Report Level : II
Report Date : 12/11/2025

Analytical Report *prepared for:*

Helen Dubach
CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118

Project: EAST BASIN - East Basin Waters & Soils

Authorized for release by:

David Tripp, Project Manager
657-581-4710
david.tripp@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, CA ELAP #1338-S1, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, ORELAP# 4197

Sample Summary

| | |
|---|---|
| Helen Dubach CTEH Chiquita Canyon Landfill - PROJ- 037507 5120 Northshore Drive North Little Rock, AR 72118 | Lab Job #: 548215 Project No: EAST BASIN Location: East Basin Waters & Soils Date Received: 12/03/25 |
|---|---|

| Sample ID | Lab ID | Collected | Matrix |
|------------------------|------------|----------------|--------|
| EAST BASIN - SE CORNER | 548215-001 | 12/02/25 12:10 | Soil |
| EAST BASIN - S CENTRAL | 548215-002 | 12/02/25 12:20 | Soil |
| EAST BASIN - SW CORNER | 548215-003 | 12/02/25 12:27 | Soil |
| EAST BASIN - NW CORNER | 548215-004 | 12/02/25 13:02 | Soil |
| EAST BASIN - N CENTRAL | 548215-005 | 12/02/25 12:48 | Soil |
| EAST BASIN - NE CORNER | 548215-006 | 12/02/25 12:40 | Soil |

Case Narrative

CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118
Helen Dubach

Lab Job Number: 548215
Project No: EAST BASIN
Location: East Basin Waters & Soils
Date Received: 12/03/25

This data package contains sample and QC results for six soil samples, requested for the above referenced project on 12/03/25. The samples were received in good condition.

Volatile Organics by GC/MS (EPA 8260B):

- Low recoveries were observed for 1,1-dichloroethene, 2-butanone, and vinyl chloride in the MS/MSD for batch 389250; the parent sample was not a project sample, the BS/BSD were within limits, and the associated RPDs were within limits.
- 548215-005 was diluted for analysis after 2 attempts at undiluted analysis that both yielded low Internal Standard drift (ISTD). The corrective action to produce acceptable ISTDs is to perform methanol extraction which has a minimum dilution of 50X.??
- No other analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 8270C):

No analytical problems were encountered.

Semivolatile Organics by GC/MS SIM (EPA 8270C-SIM):

No analytical problems were encountered.

Metals (EPA 6010B and EPA 7471A):

- High response was observed for thallium in the CCV analyzed 12/04/25 13:34; affected data was qualified with "b".
- High response was observed for thallium in the CCV analyzed 12/04/25 14:34; affected data was qualified with "b".
- Low recoveries were observed for antimony in the MS/MSD for batch 389143; the parent sample was not a project sample, the LCS was within limits, and the associated RPD was within limits. High recoveries were observed for barium, lead, and vanadium in the MSD for batch 389143; the LCS was within limits, and the associated RPDs were within limits.
- No other analytical problems were encountered.

pH of Solid Samples (EPA 9045C):

No analytical problems were encountered.

Ignitability of Solids (EPA 1030 Modified):

No analytical problems were encountered.

Detection Summary

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 548215
 Project No: EAST BASIN
 Location: East Basin Waters & Soils
 Date Received: 12/03/25

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - SE CORNER | Lab ID: 548215-001 Matrix: Soil | Collected: 12/02/25 12:10 |
|---|--|----------------------------------|

| 548215-001 Analyte | Result | Qual | Units | RL | MDL |
|---|--------|------|-------|------|-------|
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | |
| Arsenic | 2.2 | | mg/Kg | 0.97 | 0.14 |
| Barium | 16 | | mg/Kg | 0.97 | 0.31 |
| Beryllium | 0.16 | J | mg/Kg | 0.49 | 0.049 |
| Chromium | 4.2 | | mg/Kg | 0.97 | 0.26 |
| Cobalt | 1.5 | | mg/Kg | 0.49 | 0.085 |
| Copper | 2.2 | | mg/Kg | 0.97 | 0.44 |
| Lead | 1.4 | | mg/Kg | 0.97 | 0.50 |
| Nickel | 3.1 | | mg/Kg | 0.97 | 0.22 |
| Vanadium | 7.3 | | mg/Kg | 0.97 | 0.33 |
| Zinc | 16 | | mg/Kg | 4.9 | 0.97 |
| Method: EPA 9045C | | | | | |
| pH | 8.09 | | SU | | |
| Temperature | 22.30 | | deg C | 1.00 | |

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - S CENTRAL | Lab ID: 548215-002 Matrix: Soil | Collected: 12/02/25 12:20 |
|---|--|----------------------------------|

| 548215-002 Analyte | Result | Qual | Units | RL | MDL |
|---|--------|------|-------|------|-------|
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | |
| Arsenic | 1.5 | | mg/Kg | 0.97 | 0.14 |
| Barium | 31 | | mg/Kg | 0.97 | 0.31 |
| Beryllium | 0.19 | J | mg/Kg | 0.49 | 0.049 |
| Chromium | 5.8 | | mg/Kg | 0.97 | 0.26 |
| Cobalt | 2.5 | | mg/Kg | 0.49 | 0.085 |
| Copper | 3.3 | | mg/Kg | 0.97 | 0.44 |
| Lead | 1.9 | | mg/Kg | 0.97 | 0.50 |
| Nickel | 4.4 | | mg/Kg | 0.97 | 0.22 |
| Vanadium | 11 | | mg/Kg | 0.97 | 0.33 |
| Zinc | 17 | | mg/Kg | 4.9 | 0.97 |
| Method: EPA 9045C | | | | | |
| pH | 8.30 | | SU | | |
| Temperature | 22.30 | | deg C | 1.00 | |

Detection Summary

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - SW CORNER | Lab ID: 548215-003 Matrix: Soil | Collected: 12/02/25 12:27 |
|---|--|----------------------------------|

| 548215-003 Analyte | Result | Qual | Units | RL | MDL |
|---|--------|------|-------|------|-------|
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | |
| Antimony | 0.99 | J | mg/Kg | 3.0 | 0.63 |
| Arsenic | 3.3 | | mg/Kg | 1.0 | 0.14 |
| Barium | 68 | | mg/Kg | 1.0 | 0.32 |
| Beryllium | 0.37 | J | mg/Kg | 0.50 | 0.051 |
| Chromium | 15 | | mg/Kg | 1.0 | 0.27 |
| Cobalt | 6.3 | | mg/Kg | 0.50 | 0.088 |
| Copper | 11 | | mg/Kg | 1.0 | 0.46 |
| Lead | 7.5 | | mg/Kg | 1.0 | 0.52 |
| Nickel | 12 | | mg/Kg | 1.0 | 0.23 |
| Thallium | 0.71 | J | mg/Kg | 3.0 | 0.54 |
| Vanadium | 27 | | mg/Kg | 1.0 | 0.34 |
| Zinc | 41 | | mg/Kg | 5.0 | 1.0 |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | |
| 2-Butanone | 0.004 | J | mg/Kg | 0.1 | 0.003 |
| Method: EPA 9045C | | | | | |
| pH | 8.23 | | SU | | |
| Temperature | 22.30 | | deg C | 1.00 | |

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - NW CORNER | Lab ID: 548215-004 Matrix: Soil | Collected: 12/02/25 13:02 |
|---|--|----------------------------------|

| 548215-004 Analyte | Result | Qual | Units | RL | MDL |
|---|--------|------|-------|------|-------|
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | |
| Antimony | 0.68 | J | mg/Kg | 2.9 | 0.60 |
| Arsenic | 3.0 | | mg/Kg | 0.95 | 0.14 |
| Barium | 61 | | mg/Kg | 0.95 | 0.31 |
| Beryllium | 0.37 | J | mg/Kg | 0.48 | 0.048 |
| Chromium | 14 | | mg/Kg | 0.95 | 0.25 |
| Cobalt | 5.8 | | mg/Kg | 0.48 | 0.083 |
| Copper | 10 | | mg/Kg | 0.95 | 0.44 |
| Lead | 3.8 | | mg/Kg | 0.95 | 0.49 |
| Nickel | 11 | | mg/Kg | 0.95 | 0.22 |
| Thallium | 0.67 | J | mg/Kg | 2.9 | 0.52 |
| Vanadium | 26 | | mg/Kg | 0.95 | 0.32 |
| Zinc | 33 | | mg/Kg | 4.8 | 0.96 |
| Method: EPA 9045C | | | | | |
| pH | 8.42 | | SU | | |
| Temperature | 22.20 | | deg C | 1.00 | |

Detection Summary

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - N CENTRAL | Lab ID: 548215-005 Matrix: Soil | Collected: 12/02/25 12:48 |
|---|--|----------------------------------|

| 548215-005 Analyte | Result | Qual | Units | RL | MDL |
|---|--------|------|-------|------|-------|
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | |
| Arsenic | 1.3 | | mg/Kg | 0.95 | 0.14 |
| Barium | 37 | | mg/Kg | 0.95 | 0.31 |
| Beryllium | 0.24 | J | mg/Kg | 0.48 | 0.048 |
| Chromium | 7.1 | | mg/Kg | 0.95 | 0.25 |
| Cobalt | 2.7 | | mg/Kg | 0.48 | 0.083 |
| Copper | 4.0 | | mg/Kg | 0.95 | 0.44 |
| Lead | 2.4 | | mg/Kg | 0.95 | 0.49 |
| Nickel | 5.1 | | mg/Kg | 0.95 | 0.22 |
| Vanadium | 13 | | mg/Kg | 0.95 | 0.32 |
| Zinc | 22 | | mg/Kg | 4.8 | 0.96 |
| Method: EPA 9045C | | | | | |
| pH | 8.07 | | SU | | |
| Temperature | 22.40 | | deg C | 1.00 | |

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - NE CORNER | Lab ID: 548215-006 Matrix: Soil | Collected: 12/02/25 12:40 |
|---|--|----------------------------------|

| 548215-006 Analyte | Result | Qual | Units | RL | MDL |
|---|--------|------|-------|------|-------|
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | |
| Antimony | 0.69 | J | mg/Kg | 2.9 | 0.61 |
| Arsenic | 1.7 | | mg/Kg | 0.96 | 0.14 |
| Barium | 34 | | mg/Kg | 0.96 | 0.31 |
| Beryllium | 0.32 | J | mg/Kg | 0.48 | 0.049 |
| Chromium | 9.1 | | mg/Kg | 0.96 | 0.26 |
| Cobalt | 3.5 | | mg/Kg | 0.48 | 0.084 |
| Copper | 5.4 | | mg/Kg | 0.96 | 0.44 |
| Lead | 3.0 | | mg/Kg | 0.96 | 0.50 |
| Nickel | 6.8 | | mg/Kg | 0.96 | 0.22 |
| Selenium | 0.54 | J | mg/Kg | 2.9 | 0.46 |
| Vanadium | 16 | | mg/Kg | 0.96 | 0.32 |
| Zinc | 34 | | mg/Kg | 4.8 | 0.96 |
| Method: EPA 9045C | | | | | |
| pH | 8.39 | | SU | | |
| Temperature | 22.40 | | deg C | 1.00 | |

J Estimated value

Chain of Custody Record

Turn Around Time (rush by advanced notice only)

Lab No:

Standard:

5 Day:

3 Day:

Page: 1 of 1

2 Day:

1 Day: **X**

Custom TAT:

Enthalpy Analytical - Orange

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

Matrix: A = Air S = Soil/Solid W =
 Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

Preservatives: 1 =
 Na₂S₂O₃ 2 = HCl 3 = HNO₃
 4 = H₂SO₄ 5 = NaOH 6 = Other

Sample Receipt Temp:

(lab use only)

CUSTOMER INFORMATION

PROJECT INFORMATION

Analysis Request

Test Instructions / Comments

Company: CTEH
 Report To: Kyle Lopic
 Email: labresults@cteh.com
 Address: 5120 North Shore Drive
 North Little Rock, AR 72118
 Phone: 504-616-2427
 Fax:

LIMS Account: CTEH-CHIQUITA
 LIMS Proj. Name: WC CHIQUITACANYON LF
 Project #: Proj-037507
 P.O. #: PO-4050-24-00351
 Address: 29201 Henry Mayo Dr., Castaic, CA
 Global ID:
 Sampled By: MT

| | | | | | |
|----------------------|---------------|----------------|-----------------|----------------|-------------|
| 6010/7470 T22 Metals | EPA 8260 VOCs | EPA 8270 SVOCs | FLASHPOINT 1030 | EPA 9045C (pH) | 1,4 Dioxane |
|----------------------|---------------|----------------|-----------------|----------------|-------------|

DAILY LEACHATES

For reporting total concentrations on TCLP List analytes.

HOLD samples for further process, as needed. Then return to Chiquita Canyon LF.

Email report to:
 kylapic@montrose-env.com
 labresults@cteh.com; et al.

| Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. | 6010/7470 T22 Metals | EPA 8260 VOCs | EPA 8270 SVOCs | FLASHPOINT 1030 | EPA 9045C (pH) | 1,4 Dioxane |
|--------------------------|---------------|---------------|--------|----------------------|-------|----------------------|---------------|----------------|-----------------|----------------|-------------|
| 1 EAST BASIN - SE CORNER | 12/02/25 | 1210 | S | 2 | 6 | X | X | X | X | X | X |
| 2 EAST BASIN - S CENTRAL | 12/02/25 | 1220 | S | 2 | 6 | X | X | X | X | X | X |
| 3 EAST BASIN - SW CORNER | 12/02/25 | 1227 | S | 2 | 6 | X | X | X | X | X | X |
| 4 EAST BASIN - NW CORNER | 12/02/25 | 1302 | S | 2 | 6 | X | X | X | X | X | X |
| 5 EAST BASIN - N CENTRAL | 12/02/25 | 1248 | S | 2 | 6 | X | X | X | X | X | X |
| 6 EAST BASIN - NE CORNER | 12/02/25 | 1240 | S | 2 | 6 | X | X | X | X | X | X |
| 7 | | | | | | | | | | | |
| 8 | | | | | | | | | | | |
| 9 | | | | | | | | | | | |
| 10 | | | | | | | | | | | |



| | Signature | Print Name | Company / Title | Date / Time |
|-------------------------------|-----------|-------------|-----------------|--------------|
| ¹ Relinquished By: | | Matt Fuggle | CTEH | 12/3 0500 |
| ¹ Received By: | | JAR | EA | 12/3/25 0730 |
| ² Relinquished By: | | | | |
| ² Received By: | | | | |
| ³ Relinquished By: | | | | |
| ³ Received By: | | | | |

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 12/03/2025 WO# 54825 Client: CEH-Chiquita

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 12/03/2025 By (initials) JXR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR15 CF: +0.4

Cooler Temp (°C) #1: 6.7 / 2.1 #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

| | YES | NO | N/A |
|---|--------------|----|-----|
| 1) Were custody papers present, filled properly, and legible? | / | | |
| 2) Is the sampler's name present on the CoC? | / | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | / | / | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | / | | |
| 5) Were all of, and only, the correct samples received? | / | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | | / | |
| 7) Does the container count match the CoC? | / | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | / | | |
| 9) Were samples received in proper containers for the analyses requested? | / | | |
| 10) Were samples received with > 1/2 holding time remaining? | / | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | / | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | / |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | | / |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.3 liquid visible inside jars for 001, 002, 003, ~~004~~ 005, 006

4.6 All samples have "CACA2512025-" written on the labels before the part of the ID that matches the CoC

No additional discrepancies

Date Logged 12/02/2025 By (print) G.C.K (sign) _____

Date Labeled 12/03/2025 By (print) JXR (sign) _____

Analysis Results for 548215

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 548215
 Project No: EAST BASIN
 Location: East Basin Waters & Soils
 Date Received: 12/03/25

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - SE CORNER | Lab ID: 548215-001 Matrix: Soil | Collected: 12/02/25 12:10 |
|---|--|----------------------------------|

| 548215-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--|---------------|------|--------|---------------|--------|------|--------|----------|----------|---------|
| Method: EPA 1030 Modified Prep Method: EPA 1030 | | | | | | | | | | |
| Ignitability | NOT IGNITABLE | ND | mm/sec | | | 1 | 389577 | 12/09/25 | 12/09/25 | ARM |
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | | | | | | |
| Antimony | ND | | mg/Kg | 2.9 | 0.61 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Arsenic | 2.2 | | mg/Kg | 0.97 | 0.14 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Barium | 16 | | mg/Kg | 0.97 | 0.31 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Beryllium | 0.16 | J | mg/Kg | 0.49 | 0.049 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cadmium | ND | | mg/Kg | 0.49 | 0.058 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Chromium | 4.2 | | mg/Kg | 0.97 | 0.26 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cobalt | 1.5 | | mg/Kg | 0.49 | 0.085 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Copper | 2.2 | | mg/Kg | 0.97 | 0.44 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Lead | 1.4 | | mg/Kg | 0.97 | 0.50 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Molybdenum | ND | | mg/Kg | 0.97 | 0.85 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Nickel | 3.1 | | mg/Kg | 0.97 | 0.22 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Selenium | ND | | mg/Kg | 2.9 | 0.46 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Silver | ND | | mg/Kg | 0.49 | 0.13 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Thallium | ND | | mg/Kg | 2.9 | 0.53 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Vanadium | 7.3 | | mg/Kg | 0.97 | 0.33 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Zinc | 16 | | mg/Kg | 4.9 | 0.97 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Method: EPA 7471A Prep Method: EPA 7471A | | | | | | | | | | |
| Mercury | ND | | mg/Kg | 0.14 | 0.0067 | 1 | 389149 | 12/04/25 | 12/04/25 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.001 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 2-Butanone | ND | | mg/Kg | 0.1 | 0.003 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0003 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.001 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0005 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Benzene | ND | | mg/Kg | 0.005 | 0.0005 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.0007 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0003 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 96% | | %REC | 70-130 | | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane-d4 | 104% | | %REC | 70-130 | | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Toluene-d8 | 97% | | %REC | 70-130 | | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Bromofluorobenzene | 97% | | %REC | 70-130 | | 0.99 | 389251 | 12/05/25 | 12/05/25 | EJB |

Analysis Results for 548215

| 548215-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|-------|----|--------|----------|----------|---------|
| Method: EPA 8270C-SIM | | | | | | | | | | |
| Prep Method: EPA 3546 | | | | | | | | | | |
| 1,4-Dioxane | ND | | ug/Kg | 25 | 3.2 | 1 | 389193 | 12/04/25 | 12/05/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 99% | | %REC | 80-120 | | 1 | 389193 | 12/04/25 | 12/05/25 | MSS |
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3546 | | | | | | | | | | |
| Pyridine | ND | | mg/Kg | 0.25 | 0.043 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| 2-Methylphenol | ND | | mg/Kg | 0.25 | 0.081 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| 3-,4-Methylphenol | ND | | mg/Kg | 0.40 | 0.071 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Hexachloroethane | ND | | mg/Kg | 0.25 | 0.078 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Nitrobenzene | ND | | mg/Kg | 1.2 | 0.34 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Hexachlorobutadiene | ND | | mg/Kg | 0.25 | 0.070 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| 2,4,6-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.070 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| 2,4,5-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.067 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| 2,4-Dinitrotoluene | ND | | mg/Kg | 0.25 | 0.11 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Hexachlorobenzene | ND | | mg/Kg | 0.25 | 0.077 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Pentachlorophenol | ND | | mg/Kg | 1.2 | 0.25 | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 92% | | %REC | 34-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Phenol-d6 | 92% | | %REC | 40-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| 2,4,6-Tribromophenol | 72% | | %REC | 28-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Nitrobenzene-d5 | 91% | | %REC | 42-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| 2-Fluorobiphenyl | 81% | | %REC | 46-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Terphenyl-d14 | 76% | | %REC | 50-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | ZFA |
| Method: EPA 9045C | | | | | | | | | | |
| pH | 8.09 | | SU | | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |
| Temperature | 22.30 | | deg C | 1.00 | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |

Analysis Results for 548215

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - S CENTRAL | Lab ID: 548215-002 Matrix: Soil | Collected: 12/02/25 12:20 |
|---|--|----------------------------------|

| 548215-002 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|--|---------------|------|--------|---------------|--------|------|--------|----------|----------|----------|-----|
| Method: EPA 1030 Modified Prep Method: EPA 1030 | | | | | | | | | | | |
| Ignitability | NOT IGNITABLE | ND | mm/sec | | | 1 | 389577 | 12/09/25 | 12/09/25 | ARM | |
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | | | | | | | |
| Antimony | ND | | mg/Kg | 2.9 | 0.61 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Arsenic | 1.5 | | mg/Kg | 0.97 | 0.14 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Barium | 31 | | mg/Kg | 0.97 | 0.31 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Beryllium | 0.19 | J | mg/Kg | 0.49 | 0.049 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Cadmium | ND | | mg/Kg | 0.49 | 0.058 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Chromium | 5.8 | | mg/Kg | 0.97 | 0.26 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Cobalt | 2.5 | | mg/Kg | 0.49 | 0.085 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Copper | 3.3 | | mg/Kg | 0.97 | 0.44 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Lead | 1.9 | | mg/Kg | 0.97 | 0.50 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Molybdenum | ND | | mg/Kg | 0.97 | 0.85 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Nickel | 4.4 | | mg/Kg | 0.97 | 0.22 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Selenium | ND | | mg/Kg | 2.9 | 0.46 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Silver | ND | | mg/Kg | 0.49 | 0.13 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Thallium | ND | | mg/Kg | 2.9 | 0.53 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Vanadium | 11 | | mg/Kg | 0.97 | 0.33 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Zinc | 17 | | mg/Kg | 4.9 | 0.97 | 0.97 | 389143 | 12/04/25 | 12/04/25 | CAP | |
| Method: EPA 7471A Prep Method: EPA 7471A | | | | | | | | | | | |
| Mercury | ND | | mg/Kg | 0.16 | 0.0076 | 1.2 | 389149 | 12/04/25 | 12/04/25 | SMP | |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.001 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| 2-Butanone | ND | | mg/Kg | 0.1 | 0.003 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0003 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.001 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0005 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| Benzene | ND | | mg/Kg | 0.005 | 0.0005 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.0007 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0003 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 1 | 389251 | 12/05/25 | 12/05/25 | EJB | |
| Surrogates | | | | Limits | | | | | | | |
| Dibromofluoromethane | 98% | | %REC | 70-130 | | | 1 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane-d4 | 104% | | %REC | 70-130 | | | 1 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Toluene-d8 | 97% | | %REC | 70-130 | | | 1 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Bromofluorobenzene | 95% | | %REC | 70-130 | | | 1 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Method: EPA 8270C-SIM Prep Method: EPA 3546 | | | | | | | | | | | |
| 1,4-Dioxane | ND | | ug/Kg | 25 | 3.2 | 1 | 389193 | 12/04/25 | 12/05/25 | MSS | |
| Surrogates | | | | Limits | | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 100% | | %REC | 80-120 | | | 1 | 389193 | 12/04/25 | 12/05/25 | MSS |

Analysis Results for 548215

| 548215-002 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|-------|------|--------|----------|----------|---------|
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3546 | | | | | | | | | | |
| Pyridine | ND | | mg/Kg | 0.25 | 0.043 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Methylphenol | ND | | mg/Kg | 0.25 | 0.080 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 3-,4-Methylphenol | ND | | mg/Kg | 0.40 | 0.070 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachloroethane | ND | | mg/Kg | 0.25 | 0.077 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene | ND | | mg/Kg | 1.2 | 0.33 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobutadiene | ND | | mg/Kg | 0.25 | 0.069 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.069 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.066 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/Kg | 0.25 | 0.11 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobenzene | ND | | mg/Kg | 0.25 | 0.077 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Pentachlorophenol | ND | | mg/Kg | 1.2 | 0.25 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 59% | | %REC | 34-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Phenol-d6 | 60% | | %REC | 40-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Tribromophenol | 46% | | %REC | 28-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene-d5 | 58% | | %REC | 42-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Fluorobiphenyl | 51% | | %REC | 46-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Terphenyl-d14 | 51% | | %REC | 50-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Method: EPA 9045C | | | | | | | | | | |
| pH | 8.30 | | SU | | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |
| Temperature | 22.30 | | deg C | 1.00 | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |

Analysis Results for 548215

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - SW CORNER | Lab ID: 548215-003 Matrix: Soil | Collected: 12/02/25 12:27 |
|---|--|----------------------------------|

| 548215-003 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--|---------------|------|--------|---------------|--------|------|--------|----------|----------|---------|
| Method: EPA 1030 Modified Prep Method: EPA 1030 | | | | | | | | | | |
| Ignitability | NOT IGNITABLE | ND | mm/sec | | | 1 | 389577 | 12/09/25 | 12/09/25 | LVL |
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | | | | | | |
| Antimony | 0.99 | J | mg/Kg | 3.0 | 0.63 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Arsenic | 3.3 | | mg/Kg | 1.0 | 0.14 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Barium | 68 | | mg/Kg | 1.0 | 0.32 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Beryllium | 0.37 | J | mg/Kg | 0.50 | 0.051 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cadmium | ND | | mg/Kg | 0.50 | 0.060 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Chromium | 15 | | mg/Kg | 1.0 | 0.27 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cobalt | 6.3 | | mg/Kg | 0.50 | 0.088 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Copper | 11 | | mg/Kg | 1.0 | 0.46 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Lead | 7.5 | | mg/Kg | 1.0 | 0.52 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Molybdenum | ND | | mg/Kg | 1.0 | 0.87 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Nickel | 12 | | mg/Kg | 1.0 | 0.23 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Selenium | ND | | mg/Kg | 3.0 | 0.47 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Silver | ND | | mg/Kg | 0.50 | 0.13 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Thallium | 0.71 | J | mg/Kg | 3.0 | 0.54 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Vanadium | 27 | | mg/Kg | 1.0 | 0.34 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Zinc | 41 | | mg/Kg | 5.0 | 1.0 | 1 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Method: EPA 7471A Prep Method: EPA 7471A | | | | | | | | | | |
| Mercury | ND | | mg/Kg | 0.16 | 0.0074 | 1.2 | 389149 | 12/04/25 | 12/04/25 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.001 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 2-Butanone | 0.004 | J | mg/Kg | 0.1 | 0.003 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0003 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.001 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0005 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Benzene | ND | | mg/Kg | 0.005 | 0.0005 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.0007 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0002 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 97% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane-d4 | 103% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Toluene-d8 | 98% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Bromofluorobenzene | 96% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Method: EPA 8270C-SIM Prep Method: EPA 3546 | | | | | | | | | | |
| 1,4-Dioxane | ND | | ug/Kg | 25 | 3.2 | 1 | 389193 | 12/04/25 | 12/05/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 101% | | %REC | 80-120 | | 1 | 389193 | 12/04/25 | 12/05/25 | MSS |

Analysis Results for 548215

| 548215-003 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|-------|----|--------|----------|----------|---------|
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3546 | | | | | | | | | | |
| Pyridine | ND | | mg/Kg | 0.25 | 0.043 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Methylphenol | ND | | mg/Kg | 0.25 | 0.081 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 3-,4-Methylphenol | ND | | mg/Kg | 0.40 | 0.071 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachloroethane | ND | | mg/Kg | 0.25 | 0.078 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene | ND | | mg/Kg | 1.2 | 0.34 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobutadiene | ND | | mg/Kg | 0.25 | 0.069 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.069 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.067 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/Kg | 0.25 | 0.11 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobenzene | ND | | mg/Kg | 0.25 | 0.077 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Pentachlorophenol | ND | | mg/Kg | 1.2 | 0.25 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 64% | | %REC | 34-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Phenol-d6 | 66% | | %REC | 40-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Tribromophenol | 59% | | %REC | 28-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene-d5 | 68% | | %REC | 42-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Fluorobiphenyl | 63% | | %REC | 46-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Terphenyl-d14 | 65% | | %REC | 50-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Method: EPA 9045C | | | | | | | | | | |
| pH | 8.23 | | SU | | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |
| Temperature | 22.30 | | deg C | 1.00 | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |

Analysis Results for 548215

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - NW CORNER | Lab ID: 548215-004 Matrix: Soil | Collected: 12/02/25 13:02 |
|---|--|----------------------------------|

| 548215-004 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--|---------------|------|--------|---------------|--------|------|--------|----------|----------|---------|
| Method: EPA 1030 Modified Prep Method: EPA 1030 | | | | | | | | | | |
| Ignitability | NOT IGNITABLE | ND | mm/sec | | | 1 | 389577 | 12/09/25 | 12/09/25 | LVL |
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | | | | | | |
| Antimony | 0.68 | J | mg/Kg | 2.9 | 0.60 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Arsenic | 3.0 | | mg/Kg | 0.95 | 0.14 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Barium | 61 | | mg/Kg | 0.95 | 0.31 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Beryllium | 0.37 | J | mg/Kg | 0.48 | 0.048 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cadmium | ND | | mg/Kg | 0.48 | 0.057 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Chromium | 14 | | mg/Kg | 0.95 | 0.25 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cobalt | 5.8 | | mg/Kg | 0.48 | 0.083 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Copper | 10 | | mg/Kg | 0.95 | 0.44 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Lead | 3.8 | | mg/Kg | 0.95 | 0.49 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Molybdenum | ND | | mg/Kg | 0.95 | 0.83 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Nickel | 11 | | mg/Kg | 0.95 | 0.22 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Selenium | ND | | mg/Kg | 2.9 | 0.45 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Silver | ND | | mg/Kg | 0.48 | 0.13 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Thallium | 0.67 | J | mg/Kg | 2.9 | 0.52 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Vanadium | 26 | | mg/Kg | 0.95 | 0.32 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Zinc | 33 | | mg/Kg | 4.8 | 0.96 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Method: EPA 7471A Prep Method: EPA 7471A | | | | | | | | | | |
| Mercury | ND | | mg/Kg | 0.16 | 0.0073 | 1.1 | 389149 | 12/04/25 | 12/04/25 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.001 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 2-Butanone | ND | | mg/Kg | 0.1 | 0.003 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0003 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.001 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0005 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Benzene | ND | | mg/Kg | 0.005 | 0.0005 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.0007 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0002 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 98% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane-d4 | 105% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Toluene-d8 | 98% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Bromofluorobenzene | 94% | | %REC | 70-130 | | 0.98 | 389251 | 12/05/25 | 12/05/25 | EJB |
| Method: EPA 8270C-SIM Prep Method: EPA 3546 | | | | | | | | | | |
| 1,4-Dioxane | ND | | ug/Kg | 25 | 3.2 | 1 | 389193 | 12/04/25 | 12/05/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 98% | | %REC | 80-120 | | 1 | 389193 | 12/04/25 | 12/05/25 | MSS |

Analysis Results for 548215

| 548215-004 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|-------|----|--------|----------|----------|---------|
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3546 | | | | | | | | | | |
| Pyridine | ND | | mg/Kg | 0.25 | 0.043 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Methylphenol | ND | | mg/Kg | 0.25 | 0.081 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 3-,4-Methylphenol | ND | | mg/Kg | 0.40 | 0.071 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachloroethane | ND | | mg/Kg | 0.25 | 0.078 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene | ND | | mg/Kg | 1.2 | 0.34 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobutadiene | ND | | mg/Kg | 0.25 | 0.070 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.070 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.067 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/Kg | 0.25 | 0.11 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobenzene | ND | | mg/Kg | 0.25 | 0.077 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Pentachlorophenol | ND | | mg/Kg | 1.2 | 0.25 | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 71% | | %REC | 34-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Phenol-d6 | 75% | | %REC | 40-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Tribromophenol | 67% | | %REC | 28-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene-d5 | 74% | | %REC | 42-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Fluorobiphenyl | 65% | | %REC | 46-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Terphenyl-d14 | 72% | | %REC | 50-120 | | 1 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Method: EPA 9045C | | | | | | | | | | |
| pH | 8.42 | | SU | | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |
| Temperature | 22.20 | | deg C | 1.00 | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |

Analysis Results for 548215

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - N CENTRAL | Lab ID: 548215-005 Matrix: Soil | Collected: 12/02/25 12:48 |
|---|--|----------------------------------|

| 548215-005 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--|---------------|------|--------|---------------|--------|------|--------|----------|----------|---------|
| Method: EPA 1030 Modified Prep Method: EPA 1030 | | | | | | | | | | |
| Ignitability | NOT IGNITABLE | ND | mm/sec | | | 1 | 389577 | 12/09/25 | 12/09/25 | LVL |
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | | | | | | |
| Antimony | ND | | mg/Kg | 2.9 | 0.60 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Arsenic | 1.3 | | mg/Kg | 0.95 | 0.14 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Barium | 37 | | mg/Kg | 0.95 | 0.31 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Beryllium | 0.24 | J | mg/Kg | 0.48 | 0.048 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cadmium | ND | | mg/Kg | 0.48 | 0.057 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Chromium | 7.1 | | mg/Kg | 0.95 | 0.25 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cobalt | 2.7 | | mg/Kg | 0.48 | 0.083 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Copper | 4.0 | | mg/Kg | 0.95 | 0.44 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Lead | 2.4 | | mg/Kg | 0.95 | 0.49 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Molybdenum | ND | | mg/Kg | 0.95 | 0.83 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Nickel | 5.1 | | mg/Kg | 0.95 | 0.22 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Selenium | ND | | mg/Kg | 2.9 | 0.45 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Silver | ND | | mg/Kg | 0.48 | 0.13 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Thallium | ND | | mg/Kg | 2.9 | 0.52 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Vanadium | 13 | | mg/Kg | 0.95 | 0.32 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Zinc | 22 | | mg/Kg | 4.8 | 0.96 | 0.95 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Method: EPA 7471A Prep Method: EPA 7471A | | | | | | | | | | |
| Mercury | ND | | mg/Kg | 0.16 | 0.0074 | 1.2 | 389149 | 12/04/25 | 12/04/25 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/Kg | 0.3 | 0.04 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.3 | 0.05 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| 2-Butanone | ND | | mg/Kg | 5.1 | 0.2 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Chloroform | ND | | mg/Kg | 0.3 | 0.03 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Carbon Tetrachloride | ND | | mg/Kg | 0.3 | 0.03 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.3 | 0.02 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Benzene | ND | | mg/Kg | 0.3 | 0.04 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Trichloroethene | ND | | mg/Kg | 0.3 | 0.02 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Tetrachloroethene | ND | | mg/Kg | 0.3 | 0.03 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Chlorobenzene | ND | | mg/Kg | 0.3 | 0.04 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.3 | 0.03 | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 101% | | %REC | 70-130 | | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| 1,2-Dichloroethane-d4 | 109% | | %REC | 70-130 | | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Toluene-d8 | 97% | | %REC | 70-130 | | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Bromofluorobenzene | 97% | | %REC | 70-130 | | 51 | 389661 | 12/10/25 | 12/10/25 | EJB |
| Method: EPA 8270C-SIM Prep Method: EPA 3546 | | | | | | | | | | |
| 1,4-Dioxane | ND | | ug/Kg | 25 | 3.2 | 0.99 | 389193 | 12/04/25 | 12/05/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 101% | | %REC | 80-120 | | 0.99 | 389193 | 12/04/25 | 12/05/25 | MSS |

Analysis Results for 548215

| 548215-005 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|-------|------|--------|----------|----------|---------|
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3546 | | | | | | | | | | |
| Pyridine | ND | | mg/Kg | 0.25 | 0.043 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Methylphenol | ND | | mg/Kg | 0.25 | 0.080 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 3-,4-Methylphenol | ND | | mg/Kg | 0.40 | 0.070 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachloroethane | ND | | mg/Kg | 0.25 | 0.077 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene | ND | | mg/Kg | 1.2 | 0.33 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobutadiene | ND | | mg/Kg | 0.25 | 0.069 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.069 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.066 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/Kg | 0.25 | 0.11 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobenzene | ND | | mg/Kg | 0.25 | 0.077 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Pentachlorophenol | ND | | mg/Kg | 1.2 | 0.25 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 84% | | %REC | 34-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Phenol-d6 | 85% | | %REC | 40-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Tribromophenol | 66% | | %REC | 28-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene-d5 | 84% | | %REC | 42-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Fluorobiphenyl | 77% | | %REC | 46-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Terphenyl-d14 | 75% | | %REC | 50-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Method: EPA 9045C | | | | | | | | | | |
| pH | 8.07 | | SU | | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |
| Temperature | 22.40 | | deg C | 1.00 | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |

Analysis Results for 548215

| | | |
|---|--|----------------------------------|
| Sample ID: EAST BASIN - NE CORNER | Lab ID: 548215-006 Matrix: Soil | Collected: 12/02/25 12:40 |
|---|--|----------------------------------|

| 548215-006 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--|---------------|------|--------|---------------|--------|------|--------|----------|----------|---------|
| Method: EPA 1030 Modified Prep Method: EPA 1030 | | | | | | | | | | |
| Ignitability | NOT IGNITABLE | ND | mm/sec | | | 1 | 389577 | 12/09/25 | 12/09/25 | LVL |
| Method: EPA 6010B Prep Method: EPA 3050B | | | | | | | | | | |
| Antimony | 0.69 | J | mg/Kg | 2.9 | 0.61 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Arsenic | 1.7 | | mg/Kg | 0.96 | 0.14 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Barium | 34 | | mg/Kg | 0.96 | 0.31 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Beryllium | 0.32 | J | mg/Kg | 0.48 | 0.049 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cadmium | ND | | mg/Kg | 0.48 | 0.057 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Chromium | 9.1 | | mg/Kg | 0.96 | 0.26 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Cobalt | 3.5 | | mg/Kg | 0.48 | 0.084 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Copper | 5.4 | | mg/Kg | 0.96 | 0.44 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Lead | 3.0 | | mg/Kg | 0.96 | 0.50 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Molybdenum | ND | | mg/Kg | 0.96 | 0.84 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Nickel | 6.8 | | mg/Kg | 0.96 | 0.22 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Selenium | 0.54 | J | mg/Kg | 2.9 | 0.46 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Silver | ND | | mg/Kg | 0.48 | 0.13 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Thallium | ND | | mg/Kg | 2.9 | 0.52 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Vanadium | 16 | | mg/Kg | 0.96 | 0.32 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Zinc | 34 | | mg/Kg | 4.8 | 0.96 | 0.96 | 389143 | 12/04/25 | 12/04/25 | CAP |
| Method: EPA 7471A Prep Method: EPA 7471A | | | | | | | | | | |
| Mercury | ND | | mg/Kg | 0.16 | 0.0074 | 1.2 | 389149 | 12/04/25 | 12/04/25 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.001 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| 2-Butanone | ND | | mg/Kg | 0.1 | 0.005 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0008 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.0009 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0009 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Benzene | ND | | mg/Kg | 0.005 | 0.0008 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0005 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0007 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0007 | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 105% | | %REC | 70-130 | | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| 1,2-Dichloroethane-d4 | 97% | | %REC | 70-130 | | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Toluene-d8 | 102% | | %REC | 70-130 | | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Bromofluorobenzene | 93% | | %REC | 70-130 | | 0.99 | 389250 | 12/05/25 | 12/05/25 | EJB |
| Method: EPA 8270C-SIM Prep Method: EPA 3546 | | | | | | | | | | |
| 1,4-Dioxane | ND | | ug/Kg | 25 | 3.2 | 0.99 | 389193 | 12/04/25 | 12/05/25 | MSS |
| Surrogates | | | | Limits | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 99% | | %REC | 80-120 | | 0.99 | 389193 | 12/04/25 | 12/05/25 | MSS |

Analysis Results for 548215

| 548215-006 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|-------|------|--------|----------|----------|---------|
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3546 | | | | | | | | | | |
| Pyridine | ND | | mg/Kg | 0.25 | 0.043 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Methylphenol | ND | | mg/Kg | 0.25 | 0.080 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 3-,4-Methylphenol | ND | | mg/Kg | 0.40 | 0.070 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachloroethane | ND | | mg/Kg | 0.25 | 0.077 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene | ND | | mg/Kg | 1.2 | 0.33 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobutadiene | ND | | mg/Kg | 0.25 | 0.069 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.069 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.066 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/Kg | 0.25 | 0.11 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Hexachlorobenzene | ND | | mg/Kg | 0.25 | 0.077 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Pentachlorophenol | ND | | mg/Kg | 1.2 | 0.25 | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 89% | | %REC | 34-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Phenol-d6 | 89% | | %REC | 40-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2,4,6-Tribromophenol | 76% | | %REC | 28-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Nitrobenzene-d5 | 89% | | %REC | 42-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| 2-Fluorobiphenyl | 83% | | %REC | 46-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Terphenyl-d14 | 77% | | %REC | 50-120 | | 0.99 | 389191 | 12/04/25 | 12/06/25 | TJW |
| Method: EPA 9045C | | | | | | | | | | |
| pH | 8.39 | | SU | | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |
| Temperature | 22.40 | | deg C | 1.00 | | 1 | 389157 | 12/04/25 | 12/04/25 | ARM |

J Estimated value
 ND Not Detected

Batch QC

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1319164 | Batch: 389143 |
| Matrix: Soil | Method: EPA 6010B | Prep Method: EPA 3050B |

| QC1319164 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|------|-------|----------|----------|
| Antimony | ND | | mg/Kg | 3.0 | 0.63 | 12/04/25 | 12/04/25 |
| Arsenic | ND | | mg/Kg | 1.0 | 0.14 | 12/04/25 | 12/04/25 |
| Barium | ND | | mg/Kg | 1.0 | 0.32 | 12/04/25 | 12/04/25 |
| Beryllium | ND | | mg/Kg | 0.50 | 0.051 | 12/04/25 | 12/04/25 |
| Cadmium | ND | | mg/Kg | 0.50 | 0.060 | 12/04/25 | 12/04/25 |
| Chromium | ND | | mg/Kg | 1.0 | 0.27 | 12/04/25 | 12/04/25 |
| Cobalt | ND | | mg/Kg | 0.50 | 0.088 | 12/04/25 | 12/04/25 |
| Copper | ND | | mg/Kg | 1.0 | 0.46 | 12/04/25 | 12/04/25 |
| Lead | ND | | mg/Kg | 1.0 | 0.52 | 12/04/25 | 12/04/25 |
| Molybdenum | ND | | mg/Kg | 1.0 | 0.87 | 12/04/25 | 12/04/25 |
| Nickel | ND | | mg/Kg | 1.0 | 0.23 | 12/04/25 | 12/04/25 |
| Selenium | ND | | mg/Kg | 3.0 | 0.47 | 12/04/25 | 12/04/25 |
| Silver | ND | | mg/Kg | 0.50 | 0.13 | 12/04/25 | 12/04/25 |
| Thallium | ND | | mg/Kg | 3.0 | 0.54 | 12/04/25 | 12/04/25 |
| Vanadium | ND | | mg/Kg | 1.0 | 0.34 | 12/04/25 | 12/04/25 |
| Zinc | ND | | mg/Kg | 5.0 | 1.0 | 12/04/25 | 12/04/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1319165 | Batch: 389143 |
| Matrix: Soil | Method: EPA 6010B | Prep Method: EPA 3050B |

| QC1319165 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Antimony | 103.1 | 100.0 | mg/Kg | 103% | | 80-120 |
| Arsenic | 99.09 | 100.0 | mg/Kg | 99% | | 80-120 |
| Barium | 107.8 | 100.0 | mg/Kg | 108% | | 80-120 |
| Beryllium | 100.3 | 100.0 | mg/Kg | 100% | | 80-120 |
| Cadmium | 100.6 | 100.0 | mg/Kg | 101% | | 80-120 |
| Chromium | 107.5 | 100.0 | mg/Kg | 107% | | 80-120 |
| Cobalt | 111.0 | 100.0 | mg/Kg | 111% | | 80-120 |
| Copper | 101.6 | 100.0 | mg/Kg | 102% | | 80-120 |
| Lead | 112.0 | 100.0 | mg/Kg | 112% | | 80-120 |
| Molybdenum | 100.4 | 100.0 | mg/Kg | 100% | | 80-120 |
| Nickel | 110.8 | 100.0 | mg/Kg | 111% | | 80-120 |
| Selenium | 95.25 | 100.0 | mg/Kg | 95% | | 80-120 |
| Silver | 46.79 | 50.00 | mg/Kg | 94% | | 80-120 |
| Thallium | 115.3 | 100.0 | mg/Kg | 115% | b | 80-120 |
| Vanadium | 96.83 | 100.0 | mg/Kg | 97% | | 80-120 |
| Zinc | 105.8 | 100.0 | mg/Kg | 106% | | 80-120 |

Batch QC

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1319166 | Batch: 389143 |
| Matrix (Source ID): Soil (548121-001) | Method: EPA 6010B | Prep Method: EPA 3050B |

| QC1319166 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|------|
| Antimony | 27.31 | 1.715 | 98.04 | mg/Kg | 26% | * | 75-125 | 0.98 |
| Arsenic | 102.5 | 6.369 | 98.04 | mg/Kg | 98% | | 75-125 | 0.98 |
| Barium | 267.9 | 160.8 | 98.04 | mg/Kg | 109% | | 75-125 | 0.98 |
| Beryllium | 95.81 | 0.4002 | 98.04 | mg/Kg | 97% | | 75-125 | 0.98 |
| Cadmium | 97.69 | ND | 98.04 | mg/Kg | 100% | | 75-125 | 0.98 |
| Chromium | 179.3 | 67.77 | 98.04 | mg/Kg | 114% | | 75-125 | 0.98 |
| Cobalt | 114.7 | 14.92 | 98.04 | mg/Kg | 102% | | 75-125 | 0.98 |
| Copper | 135.8 | 34.82 | 98.04 | mg/Kg | 103% | | 75-125 | 0.98 |
| Lead | 117.5 | 16.66 | 98.04 | mg/Kg | 103% | | 75-125 | 0.98 |
| Molybdenum | 90.39 | ND | 98.04 | mg/Kg | 92% | | 75-125 | 0.98 |
| Nickel | 184.9 | 83.31 | 98.04 | mg/Kg | 104% | | 75-125 | 0.98 |
| Selenium | 92.35 | ND | 98.04 | mg/Kg | 94% | | 75-125 | 0.98 |
| Silver | 44.54 | ND | 49.02 | mg/Kg | 91% | | 75-125 | 0.98 |
| Thallium | 105.8 | 1.591 | 98.04 | mg/Kg | 106% | b | 75-125 | 0.98 |
| Vanadium | 148.5 | 45.73 | 98.04 | mg/Kg | 105% | | 75-125 | 0.98 |
| Zinc | 164.0 | 72.32 | 98.04 | mg/Kg | 93% | | 75-125 | 0.98 |

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1319167 | Batch: 389143 |
| Matrix (Source ID): Soil (548121-001) | Method: EPA 6010B | Prep Method: EPA 3050B |

| QC1319167 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|------|
| Antimony | 28.93 | 1.715 | 98.04 | mg/Kg | 28% | * | 75-125 | 6 | 35 | 0.98 |
| Arsenic | 103.3 | 6.369 | 98.04 | mg/Kg | 99% | | 75-125 | 1 | 20 | 0.98 |
| Barium | 296.5 | 160.8 | 98.04 | mg/Kg | 138% | * | 75-125 | 10 | 31 | 0.98 |
| Beryllium | 96.69 | 0.4002 | 98.04 | mg/Kg | 98% | | 75-125 | 1 | 20 | 0.98 |
| Cadmium | 99.30 | ND | 98.04 | mg/Kg | 101% | | 75-125 | 2 | 20 | 0.98 |
| Chromium | 184.3 | 67.77 | 98.04 | mg/Kg | 119% | | 75-125 | 3 | 25 | 0.98 |
| Cobalt | 118.2 | 14.92 | 98.04 | mg/Kg | 105% | | 75-125 | 3 | 20 | 0.98 |
| Copper | 143.8 | 34.82 | 98.04 | mg/Kg | 111% | | 75-125 | 6 | 25 | 0.98 |
| Lead | 150.4 | 16.66 | 98.04 | mg/Kg | 136% | * | 75-125 | 25 | 28 | 0.98 |
| Molybdenum | 90.45 | ND | 98.04 | mg/Kg | 92% | | 75-125 | 0 | 20 | 0.98 |
| Nickel | 189.6 | 83.31 | 98.04 | mg/Kg | 108% | | 75-125 | 3 | 29 | 0.98 |
| Selenium | 90.81 | ND | 98.04 | mg/Kg | 93% | | 75-125 | 2 | 20 | 0.98 |
| Silver | 44.90 | ND | 49.02 | mg/Kg | 92% | | 75-125 | 1 | 20 | 0.98 |
| Thallium | 107.0 | 1.591 | 98.04 | mg/Kg | 108% | b | 75-125 | 1 | 20 | 0.98 |
| Vanadium | 177.5 | 45.73 | 98.04 | mg/Kg | 134% | * | 75-125 | 18 | 20 | 0.98 |
| Zinc | 176.7 | 72.32 | 98.04 | mg/Kg | 106% | | 75-125 | 7 | 31 | 0.98 |

Batch QC

| | | |
|--|--------------------------|-------------------------------|
| Type: Post Digest Spike | Lab ID: QC1319168 | Batch: 389143 |
| Matrix (Source ID): Soil (548121-001) | Method: EPA 6010B | Prep Method: EPA 3050B |

| QC1319168 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|------|
| Antimony | 102.8 | 1.715 | 99.01 | mg/Kg | 102% | | 75-125 | 0.99 |
| Arsenic | 103.1 | 6.369 | 99.01 | mg/Kg | 98% | | 75-125 | 0.99 |
| Barium | 246.9 | 160.8 | 99.01 | mg/Kg | 87% | | 75-125 | 0.99 |
| Beryllium | 95.69 | 0.4002 | 99.01 | mg/Kg | 96% | | 75-125 | 0.99 |
| Cadmium | 97.43 | ND | 99.01 | mg/Kg | 98% | | 75-125 | 0.99 |
| Chromium | 168.7 | 67.77 | 99.01 | mg/Kg | 102% | | 75-125 | 0.99 |
| Cobalt | 113.5 | 14.92 | 99.01 | mg/Kg | 100% | | 75-125 | 0.99 |
| Copper | 132.7 | 34.82 | 99.01 | mg/Kg | 99% | | 75-125 | 0.99 |
| Lead | 117.3 | 16.66 | 99.01 | mg/Kg | 102% | | 75-125 | 0.99 |
| Molybdenum | 98.47 | ND | 99.01 | mg/Kg | 99% | | 75-125 | 0.99 |
| Nickel | 180.5 | 83.31 | 99.01 | mg/Kg | 98% | | 75-125 | 0.99 |
| Selenium | 94.80 | ND | 99.01 | mg/Kg | 96% | | 75-125 | 0.99 |
| Silver | 45.54 | ND | 49.50 | mg/Kg | 92% | | 75-125 | 0.99 |
| Thallium | 106.3 | 1.591 | 99.01 | mg/Kg | 106% | b | 75-125 | 0.99 |
| Vanadium | 136.6 | 45.73 | 99.01 | mg/Kg | 92% | | 75-125 | 0.99 |
| Zinc | 165.1 | 72.32 | 99.01 | mg/Kg | 94% | | 75-125 | 5 |

| | | |
|--|--------------------------|-------------------------------|
| Type: Serial Dilution | Lab ID: QC1319169 | Batch: 389143 |
| Matrix (Source ID): Soil (548121-001) | Method: EPA 6010B | Prep Method: EPA 3050B |

| QC1319169 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|---------|----------------------|-------|------|-----|---------|----|
| Antimony | 2.408 | 1.715 | mg/Kg | ND | | | 5 |
| Arsenic | 7.420 | 6.369 | mg/Kg | | | | 5 |
| Barium | 168.6 | 160.8 | mg/Kg | | | | 5 |
| Beryllium | 0.3869 | 0.4002 | mg/Kg | J | | | 5 |
| Cadmium | -0.1484 | ND | mg/Kg | ND | | | 5 |
| Chromium | 76.98 | 67.77 | mg/Kg | | | | 5 |
| Cobalt | 16.85 | 14.92 | mg/Kg | | | | 5 |
| Copper | 37.01 | 34.82 | mg/Kg | | | | 5 |
| Lead | 18.32 | 16.66 | mg/Kg | | | | 5 |
| Molybdenum | 0.3782 | ND | mg/Kg | ND | | | 5 |
| Nickel | 95.75 | 83.31 | mg/Kg | | | | 5 |
| Selenium | 0.4419 | ND | mg/Kg | ND | | | 5 |
| Silver | -0.5382 | ND | mg/Kg | ND | | | 5 |
| Thallium | 2.195 | 1.591 | mg/Kg | ND,b | | | 5 |
| Vanadium | 49.44 | 45.73 | mg/Kg | | | | 5 |
| Zinc | 67.12 | 72.32 | mg/Kg | J | | | 25 |

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1319197 | Batch: 389149 |
| Matrix: Soil | Method: EPA 7471A | Prep Method: EPA 7471A |

| QC1319197 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|------|--------|----------|----------|
| Mercury | ND | | mg/Kg | 0.14 | 0.0065 | 12/04/25 | 12/04/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1319198 | Batch: 389149 |
| Matrix: Soil | Method: EPA 7471A | Prep Method: EPA 7471A |

| QC1319198 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Mercury | 0.8049 | 0.8333 | mg/Kg | 97% | | 80-120 |

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1319199 | Batch: 389149 |
| Matrix (Source ID): Soil (548192-005) | Method: EPA 7471A | Prep Method: EPA 7471A |

| QC1319199 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|
| Mercury | 0.9508 | ND | 0.9804 | mg/Kg | 97% | | 75-125 | 1.2 |

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1319200 | Batch: 389149 |
| Matrix (Source ID): Soil (548192-005) | Method: EPA 7471A | Prep Method: EPA 7471A |

| QC1319200 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|-----|
| Mercury | 0.8637 | ND | 0.8929 | mg/Kg | 97% | | 75-125 | 0 | 20 | 1.1 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1319506 | Batch: 389250 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319506 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Vinyl Chloride | 0.04621 | 0.05000 | mg/Kg | 92% | | 68-131 |
| 1,1-Dichloroethene | 0.04159 | 0.05000 | mg/Kg | 83% | | 72-130 |
| 2-Butanone | 0.1304 | 0.1250 | mg/Kg | 104% | | 61-142 |
| Chloroform | 0.04849 | 0.05000 | mg/Kg | 97% | | 76-127 |
| Carbon Tetrachloride | 0.05148 | 0.05000 | mg/Kg | 103% | | 68-134 |
| 1,2-Dichloroethane | 0.04693 | 0.05000 | mg/Kg | 94% | | 73-126 |
| Benzene | 0.05092 | 0.05000 | mg/Kg | 102% | | 76-126 |
| Trichloroethene | 0.05239 | 0.05000 | mg/Kg | 105% | | 74-121 |
| Tetrachloroethene | 0.04902 | 0.05000 | mg/Kg | 98% | | 80-124 |
| Chlorobenzene | 0.04742 | 0.05000 | mg/Kg | 95% | | 80-121 |
| 1,4-Dichlorobenzene | 0.04443 | 0.05000 | mg/Kg | 89% | | 76-126 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 0.05170 | 0.05000 | mg/Kg | 103% | | 70-130 |
| 1,2-Dichloroethane-d4 | 0.04647 | 0.05000 | mg/Kg | 93% | | 70-130 |
| Toluene-d8 | 0.05169 | 0.05000 | mg/Kg | 103% | | 70-130 |
| Bromofluorobenzene | 0.04813 | 0.05000 | mg/Kg | 96% | | 70-130 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1319507 | Batch: 389250 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319507 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Vinyl Chloride | 0.04578 | 0.05000 | mg/Kg | 92% | | 68-131 | 1 | 32 |
| 1,1-Dichloroethene | 0.04078 | 0.05000 | mg/Kg | 82% | | 72-130 | 2 | 26 |
| 2-Butanone | 0.1220 | 0.1250 | mg/Kg | 98% | | 61-142 | 7 | 33 |
| Chloroform | 0.04844 | 0.05000 | mg/Kg | 97% | | 76-127 | 0 | 24 |
| Carbon Tetrachloride | 0.04991 | 0.05000 | mg/Kg | 100% | | 68-134 | 3 | 26 |
| 1,2-Dichloroethane | 0.04580 | 0.05000 | mg/Kg | 92% | | 73-126 | 2 | 23 |
| Benzene | 0.05055 | 0.05000 | mg/Kg | 101% | | 76-126 | 1 | 24 |
| Trichloroethene | 0.05310 | 0.05000 | mg/Kg | 106% | | 74-121 | 1 | 26 |
| Tetrachloroethene | 0.04888 | 0.05000 | mg/Kg | 98% | | 80-124 | 0 | 24 |
| Chlorobenzene | 0.04702 | 0.05000 | mg/Kg | 94% | | 80-121 | 1 | 23 |
| 1,4-Dichlorobenzene | 0.04409 | 0.05000 | mg/Kg | 88% | | 76-126 | 1 | 27 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.04948 | 0.05000 | mg/Kg | 99% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 0.04642 | 0.05000 | mg/Kg | 93% | | 70-130 | | |
| Toluene-d8 | 0.05293 | 0.05000 | mg/Kg | 106% | | 70-130 | | |
| Bromofluorobenzene | 0.04871 | 0.05000 | mg/Kg | 97% | | 70-130 | | |

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1319510 | Batch: 389250 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319510 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|------|----------|----------|
| Vinyl Chloride | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| 2-Butanone | ND | | mg/Kg | 5.0 | 0.1 | 12/05/25 | 12/05/25 |
| Chloroform | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| Carbon Tetrachloride | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| Benzene | ND | | mg/Kg | 0.3 | 0.02 | 12/05/25 | 12/05/25 |
| Trichloroethene | ND | | mg/Kg | 0.3 | 0.02 | 12/05/25 | 12/05/25 |
| Tetrachloroethene | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| Chlorobenzene | ND | | mg/Kg | 0.3 | 0.04 | 12/05/25 | 12/05/25 |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.3 | 0.06 | 12/05/25 | 12/05/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 94% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane-d4 | 95% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Toluene-d8 | 103% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Bromofluorobenzene | 100% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |

Batch QC

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1319511 | Batch: 389250 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319511 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|--------|--------|----------|----------|
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.001 | 12/05/25 | 12/05/25 |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 12/05/25 | 12/05/25 |
| 2-Butanone | ND | | mg/Kg | 0.1 | 0.005 | 12/05/25 | 12/05/25 |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0008 | 12/05/25 | 12/05/25 |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.0009 | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0009 | 12/05/25 | 12/05/25 |
| Benzene | ND | | mg/Kg | 0.005 | 0.0008 | 12/05/25 | 12/05/25 |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 12/05/25 | 12/05/25 |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0006 | 12/05/25 | 12/05/25 |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0007 | 12/05/25 | 12/05/25 |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0007 | 12/05/25 | 12/05/25 |
| Surrogates | Limits | | | | | | |
| Dibromofluoromethane | 101% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane-d4 | 94% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Toluene-d8 | 104% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Bromofluorobenzene | 93% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1319639 | Batch: 389250 |
| Matrix (Source ID): Soil (548289-002) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319639 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|----|
| Vinyl Chloride | 0.01107 | ND | 0.02041 | mg/Kg | 54% | * | 58-127 | 1 |
| 1,1-Dichloroethene | 0.01070 | ND | 0.02041 | mg/Kg | 52% | * | 56-129 | 1 |
| 2-Butanone | 0.02323 | ND | 0.05102 | mg/Kg | 46% | | 41-158 | 1 |
| Chloroform | 0.01321 | ND | 0.02041 | mg/Kg | 65% | | 56-132 | 1 |
| Carbon Tetrachloride | 0.01313 | ND | 0.02041 | mg/Kg | 64% | | 49-131 | 1 |
| 1,2-Dichloroethane | 0.01282 | ND | 0.02041 | mg/Kg | 63% | | 52-132 | 1 |
| Benzene | 0.01319 | ND | 0.02041 | mg/Kg | 65% | | 54-128 | 1 |
| Trichloroethene | 0.01364 | ND | 0.02041 | mg/Kg | 67% | | 48-128 | 1 |
| Tetrachloroethene | 0.01306 | ND | 0.02041 | mg/Kg | 64% | | 51-130 | 1 |
| Chlorobenzene | 0.01207 | ND | 0.02041 | mg/Kg | 59% | | 50-125 | 1 |
| 1,4-Dichlorobenzene | 0.01069 | ND | 0.02041 | mg/Kg | 52% | | 38-127 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.05115 | | 0.05102 | mg/Kg | 100% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 0.04890 | | 0.05102 | mg/Kg | 96% | | 70-130 | 1 |
| Toluene-d8 | 0.05197 | | 0.05102 | mg/Kg | 102% | | 70-130 | 1 |
| Bromofluorobenzene | 0.04763 | | 0.05102 | mg/Kg | 93% | | 70-130 | 1 |

Batch QC

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1319640 | Batch: 389250 |
| Matrix (Source ID): Soil (548289-002) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319640 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|-----|---------|----|
| Vinyl Chloride | 0.01027 | ND | 0.02041 | mg/Kg | 50% | * | 58-127 | 8 | 40 | 1 |
| 1,1-Dichloroethene | 0.01048 | ND | 0.02041 | mg/Kg | 51% | * | 56-129 | 2 | 41 | 1 |
| 2-Butanone | 0.02017 | ND | 0.05102 | mg/Kg | 40% | * | 41-158 | 14 | 50 | 1 |
| Chloroform | 0.01281 | ND | 0.02041 | mg/Kg | 63% | | 56-132 | 3 | 41 | 1 |
| Carbon Tetrachloride | 0.01231 | ND | 0.02041 | mg/Kg | 60% | | 49-131 | 6 | 45 | 1 |
| 1,2-Dichloroethane | 0.01218 | ND | 0.02041 | mg/Kg | 60% | | 52-132 | 5 | 44 | 1 |
| Benzene | 0.01285 | ND | 0.02041 | mg/Kg | 63% | | 54-128 | 3 | 45 | 1 |
| Trichloroethene | 0.01313 | ND | 0.02041 | mg/Kg | 64% | | 48-128 | 4 | 47 | 1 |
| Tetrachloroethene | 0.01237 | ND | 0.02041 | mg/Kg | 61% | | 51-130 | 5 | 46 | 1 |
| Chlorobenzene | 0.01170 | ND | 0.02041 | mg/Kg | 57% | | 50-125 | 3 | 44 | 1 |
| 1,4-Dichlorobenzene | 0.01035 | ND | 0.02041 | mg/Kg | 51% | | 38-127 | 3 | 49 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 0.05096 | | 0.05102 | mg/Kg | 100% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 0.04758 | | 0.05102 | mg/Kg | 93% | | 70-130 | | | 1 |
| Toluene-d8 | 0.05116 | | 0.05102 | mg/Kg | 100% | | 70-130 | | | 1 |
| Bromofluorobenzene | 0.04802 | | 0.05102 | mg/Kg | 94% | | 70-130 | | | 1 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1319512 | Batch: 389251 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319512 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Vinyl Chloride | 0.05592 | 0.05000 | mg/Kg | 112% | | 68-131 |
| 1,1-Dichloroethene | 0.05601 | 0.05000 | mg/Kg | 112% | | 72-130 |
| 2-Butanone | 0.1359 | 0.1250 | mg/Kg | 109% | | 61-142 |
| Chloroform | 0.05283 | 0.05000 | mg/Kg | 106% | | 76-127 |
| Carbon Tetrachloride | 0.04776 | 0.05000 | mg/Kg | 96% | | 68-134 |
| 1,2-Dichloroethane | 0.05452 | 0.05000 | mg/Kg | 109% | | 73-126 |
| Benzene | 0.05160 | 0.05000 | mg/Kg | 103% | | 76-126 |
| Trichloroethene | 0.04957 | 0.05000 | mg/Kg | 99% | | 74-121 |
| Tetrachloroethene | 0.05132 | 0.05000 | mg/Kg | 103% | | 80-124 |
| Chlorobenzene | 0.05332 | 0.05000 | mg/Kg | 107% | | 80-121 |
| 1,4-Dichlorobenzene | 0.05345 | 0.05000 | mg/Kg | 107% | | 76-126 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 0.04571 | 0.05000 | mg/Kg | 91% | | 70-130 |
| 1,2-Dichloroethane-d4 | 0.05093 | 0.05000 | mg/Kg | 102% | | 70-130 |
| Toluene-d8 | 0.05006 | 0.05000 | mg/Kg | 100% | | 70-130 |
| Bromofluorobenzene | 0.04926 | 0.05000 | mg/Kg | 99% | | 70-130 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1319513 | Batch: 389251 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319513 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Vinyl Chloride | 0.05452 | 0.05000 | mg/Kg | 109% | | 68-131 | 3 | 32 |
| 1,1-Dichloroethene | 0.05433 | 0.05000 | mg/Kg | 109% | | 72-130 | 3 | 26 |
| 2-Butanone | 0.1367 | 0.1250 | mg/Kg | 109% | | 61-142 | 1 | 33 |
| Chloroform | 0.05097 | 0.05000 | mg/Kg | 102% | | 76-127 | 4 | 24 |
| Carbon Tetrachloride | 0.04631 | 0.05000 | mg/Kg | 93% | | 68-134 | 3 | 26 |
| 1,2-Dichloroethane | 0.05408 | 0.05000 | mg/Kg | 108% | | 73-126 | 1 | 23 |
| Benzene | 0.05112 | 0.05000 | mg/Kg | 102% | | 76-126 | 1 | 24 |
| Trichloroethene | 0.04751 | 0.05000 | mg/Kg | 95% | | 74-121 | 4 | 26 |
| Tetrachloroethene | 0.04751 | 0.05000 | mg/Kg | 95% | | 80-124 | 8 | 24 |
| Chlorobenzene | 0.04927 | 0.05000 | mg/Kg | 99% | | 80-121 | 8 | 23 |
| 1,4-Dichlorobenzene | 0.04991 | 0.05000 | mg/Kg | 100% | | 76-126 | 7 | 27 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.04595 | 0.05000 | mg/Kg | 92% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 0.05553 | 0.05000 | mg/Kg | 111% | | 70-130 | | |
| Toluene-d8 | 0.04919 | 0.05000 | mg/Kg | 98% | | 70-130 | | |
| Bromofluorobenzene | 0.04815 | 0.05000 | mg/Kg | 96% | | 70-130 | | |

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1319516 | Batch: 389251 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319516 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|------|----------|----------|
| Vinyl Chloride | ND | | mg/Kg | 0.3 | 0.1 | 12/05/25 | 12/05/25 |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.3 | 0.08 | 12/05/25 | 12/05/25 |
| 2-Butanone | ND | | mg/Kg | 5.0 | 0.1 | 12/05/25 | 12/05/25 |
| Chloroform | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| Carbon Tetrachloride | ND | | mg/Kg | 0.3 | 0.06 | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.3 | 0.02 | 12/05/25 | 12/05/25 |
| Benzene | ND | | mg/Kg | 0.3 | 0.04 | 12/05/25 | 12/05/25 |
| Trichloroethene | ND | | mg/Kg | 0.3 | 0.04 | 12/05/25 | 12/05/25 |
| Tetrachloroethene | ND | | mg/Kg | 0.3 | 0.04 | 12/05/25 | 12/05/25 |
| Chlorobenzene | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.3 | 0.03 | 12/05/25 | 12/05/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 87% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane-d4 | 105% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Toluene-d8 | 96% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Bromofluorobenzene | 95% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |

Batch QC

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1319517 | Batch: 389251 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319517 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|--------|--------|----------|----------|
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.001 | 12/05/25 | 12/05/25 |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.001 | 12/05/25 | 12/05/25 |
| 2-Butanone | ND | | mg/Kg | 0.1 | 0.003 | 12/05/25 | 12/05/25 |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0003 | 12/05/25 | 12/05/25 |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.001 | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0005 | 12/05/25 | 12/05/25 |
| Benzene | ND | | mg/Kg | 0.005 | 0.0005 | 12/05/25 | 12/05/25 |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.0007 | 12/05/25 | 12/05/25 |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0003 | 12/05/25 | 12/05/25 |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 12/05/25 | 12/05/25 |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0004 | 12/05/25 | 12/05/25 |
| Surrogates | Limits | | | | | | |
| Dibromofluoromethane | 93% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| 1,2-Dichloroethane-d4 | 105% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Toluene-d8 | 97% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |
| Bromofluorobenzene | 95% | | %REC | 70-130 | | 12/05/25 | 12/05/25 |

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1319617 | Batch: 389251 |
| Matrix (Source ID): Soil (547629-015) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319617 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|----|
| Vinyl Chloride | 0.01948 | ND | 0.02045 | mg/Kg | 95% | | 58-127 | 1 |
| 1,1-Dichloroethene | 0.01983 | ND | 0.02045 | mg/Kg | 97% | | 56-129 | 1 |
| 2-Butanone | 0.04823 | ND | 0.05112 | mg/Kg | 94% | | 41-158 | 1 |
| Chloroform | 0.01948 | ND | 0.02045 | mg/Kg | 95% | | 56-132 | 1 |
| Carbon Tetrachloride | 0.01554 | ND | 0.02045 | mg/Kg | 76% | | 49-131 | 1 |
| 1,2-Dichloroethane | 0.02029 | ND | 0.02045 | mg/Kg | 99% | | 52-132 | 1 |
| Benzene | 0.01814 | ND | 0.02045 | mg/Kg | 89% | | 54-128 | 1 |
| Trichloroethene | 0.01624 | ND | 0.02045 | mg/Kg | 79% | | 48-128 | 1 |
| Tetrachloroethene | 0.01661 | ND | 0.02045 | mg/Kg | 81% | | 51-130 | 1 |
| Chlorobenzene | 0.01719 | ND | 0.02045 | mg/Kg | 84% | | 50-125 | 1 |
| 1,4-Dichlorobenzene | 0.01512 | ND | 0.02045 | mg/Kg | 74% | | 38-127 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.04840 | | 0.05112 | mg/Kg | 95% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 0.05580 | | 0.05112 | mg/Kg | 109% | | 70-130 | 1 |
| Toluene-d8 | 0.04949 | | 0.05112 | mg/Kg | 97% | | 70-130 | 1 |
| Bromofluorobenzene | 0.04929 | | 0.05112 | mg/Kg | 96% | | 70-130 | 1 |

Batch QC

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1319618 | Batch: 389251 |
| Matrix (Source ID): Soil (547629-015) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1319618 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|-----|---------|----|
| Vinyl Chloride | 0.01454 | ND | 0.02049 | mg/Kg | 71% | | 58-127 | 29 | 40 | 1 |
| 1,1-Dichloroethene | 0.01430 | ND | 0.02049 | mg/Kg | 70% | | 56-129 | 33 | 41 | 1 |
| 2-Butanone | 0.03395 | ND | 0.05123 | mg/Kg | 66% | | 41-158 | 35 | 50 | 1 |
| Chloroform | 0.01439 | ND | 0.02049 | mg/Kg | 70% | | 56-132 | 30 | 41 | 1 |
| Carbon Tetrachloride | 0.01122 | ND | 0.02049 | mg/Kg | 55% | | 49-131 | 32 | 45 | 1 |
| 1,2-Dichloroethane | 0.01449 | ND | 0.02049 | mg/Kg | 71% | | 52-132 | 34 | 44 | 1 |
| Benzene | 0.01311 | ND | 0.02049 | mg/Kg | 64% | | 54-128 | 32 | 45 | 1 |
| Trichloroethene | 0.01161 | ND | 0.02049 | mg/Kg | 57% | | 48-128 | 33 | 47 | 1 |
| Tetrachloroethene | 0.01234 | ND | 0.02049 | mg/Kg | 60% | | 51-130 | 30 | 46 | 1 |
| Chlorobenzene | 0.01206 | ND | 0.02049 | mg/Kg | 59% | | 50-125 | 35 | 44 | 1 |
| 1,4-Dichlorobenzene | 0.01033 | ND | 0.02049 | mg/Kg | 50% | | 38-127 | 38 | 49 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 0.04840 | | 0.05123 | mg/Kg | 94% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 0.05442 | | 0.05123 | mg/Kg | 106% | | 70-130 | | | 1 |
| Toluene-d8 | 0.04950 | | 0.05123 | mg/Kg | 97% | | 70-130 | | | 1 |
| Bromofluorobenzene | 0.04944 | | 0.05123 | mg/Kg | 97% | | 70-130 | | | 1 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1321004 | Batch: 389661 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1321004 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Vinyl Chloride | 0.05009 | 0.05000 | mg/Kg | 100% | | 68-131 |
| 1,1-Dichloroethene | 0.05498 | 0.05000 | mg/Kg | 110% | | 72-130 |
| 2-Butanone | 0.1680 | 0.1250 | mg/Kg | 134% | | 61-142 |
| Chloroform | 0.05240 | 0.05000 | mg/Kg | 105% | | 76-127 |
| Carbon Tetrachloride | 0.04826 | 0.05000 | mg/Kg | 97% | | 68-134 |
| 1,2-Dichloroethane | 0.05457 | 0.05000 | mg/Kg | 109% | | 73-126 |
| Benzene | 0.05258 | 0.05000 | mg/Kg | 105% | | 76-126 |
| Trichloroethene | 0.04595 | 0.05000 | mg/Kg | 92% | | 74-121 |
| Tetrachloroethene | 0.04719 | 0.05000 | mg/Kg | 94% | | 80-124 |
| Chlorobenzene | 0.04834 | 0.05000 | mg/Kg | 97% | | 80-121 |
| 1,4-Dichlorobenzene | 0.05033 | 0.05000 | mg/Kg | 101% | | 76-126 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 0.05320 | 0.05000 | mg/Kg | 106% | | 70-130 |
| 1,2-Dichloroethane-d4 | 0.05608 | 0.05000 | mg/Kg | 112% | | 70-130 |
| Toluene-d8 | 0.04858 | 0.05000 | mg/Kg | 97% | | 70-130 |
| Bromofluorobenzene | 0.04871 | 0.05000 | mg/Kg | 97% | | 70-130 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1321005 | Batch: 389661 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1321005 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Vinyl Chloride | 0.04908 | 0.05000 | mg/Kg | 98% | | 68-131 | 2 | 32 |
| 1,1-Dichloroethene | 0.05338 | 0.05000 | mg/Kg | 107% | | 72-130 | 3 | 26 |
| 2-Butanone | 0.1654 | 0.1250 | mg/Kg | 132% | | 61-142 | 2 | 33 |
| Chloroform | 0.05111 | 0.05000 | mg/Kg | 102% | | 76-127 | 2 | 24 |
| Carbon Tetrachloride | 0.04694 | 0.05000 | mg/Kg | 94% | | 68-134 | 3 | 26 |
| 1,2-Dichloroethane | 0.05273 | 0.05000 | mg/Kg | 105% | | 73-126 | 3 | 23 |
| Benzene | 0.05165 | 0.05000 | mg/Kg | 103% | | 76-126 | 2 | 24 |
| Trichloroethene | 0.04596 | 0.05000 | mg/Kg | 92% | | 74-121 | 0 | 26 |
| Tetrachloroethene | 0.04577 | 0.05000 | mg/Kg | 92% | | 80-124 | 3 | 24 |
| Chlorobenzene | 0.04679 | 0.05000 | mg/Kg | 94% | | 80-121 | 3 | 23 |
| 1,4-Dichlorobenzene | 0.04843 | 0.05000 | mg/Kg | 97% | | 76-126 | 4 | 27 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.05291 | 0.05000 | mg/Kg | 106% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 0.05260 | 0.05000 | mg/Kg | 105% | | 70-130 | | |
| Toluene-d8 | 0.04921 | 0.05000 | mg/Kg | 98% | | 70-130 | | |
| Bromofluorobenzene | 0.04898 | 0.05000 | mg/Kg | 98% | | 70-130 | | |

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1321009 | Batch: 389661 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1321009 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|--------|----------|----------|
| Vinyl Chloride | ND | | mg/Kg | 0.005 | 0.0007 | 12/10/25 | 12/10/25 |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.005 | 0.0004 | 12/10/25 | 12/10/25 |
| 2-Butanone | ND | | mg/Kg | 0.1 | 0.002 | 12/10/25 | 12/10/25 |
| Chloroform | ND | | mg/Kg | 0.005 | 0.0004 | 12/10/25 | 12/10/25 |
| Carbon Tetrachloride | ND | | mg/Kg | 0.005 | 0.0003 | 12/10/25 | 12/10/25 |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.005 | 0.0004 | 12/10/25 | 12/10/25 |
| Benzene | ND | | mg/Kg | 0.005 | 0.0004 | 12/10/25 | 12/10/25 |
| Trichloroethene | ND | | mg/Kg | 0.005 | 0.0007 | 12/10/25 | 12/10/25 |
| Tetrachloroethene | ND | | mg/Kg | 0.005 | 0.0005 | 12/10/25 | 12/10/25 |
| Chlorobenzene | ND | | mg/Kg | 0.005 | 0.0003 | 12/10/25 | 12/10/25 |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.005 | 0.0005 | 12/10/25 | 12/10/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 102% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |
| 1,2-Dichloroethane-d4 | 104% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |
| Toluene-d8 | 98% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |
| Bromofluorobenzene | 98% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |

Batch QC

| | | |
|---------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1321010 | Batch: 389661 |
| Matrix: Soil | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1321010 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|--------|------|----------|----------|
| Vinyl Chloride | ND | | mg/Kg | 0.3 | 0.04 | 12/10/25 | 12/10/25 |
| 1,1-Dichloroethene | ND | | mg/Kg | 0.3 | 0.05 | 12/10/25 | 12/10/25 |
| 2-Butanone | ND | | mg/Kg | 5.0 | 0.1 | 12/10/25 | 12/10/25 |
| Chloroform | ND | | mg/Kg | 0.3 | 0.03 | 12/10/25 | 12/10/25 |
| Carbon Tetrachloride | ND | | mg/Kg | 0.3 | 0.03 | 12/10/25 | 12/10/25 |
| 1,2-Dichloroethane | ND | | mg/Kg | 0.3 | 0.02 | 12/10/25 | 12/10/25 |
| Benzene | ND | | mg/Kg | 0.3 | 0.04 | 12/10/25 | 12/10/25 |
| Trichloroethene | ND | | mg/Kg | 0.3 | 0.02 | 12/10/25 | 12/10/25 |
| Tetrachloroethene | ND | | mg/Kg | 0.3 | 0.03 | 12/10/25 | 12/10/25 |
| Chlorobenzene | ND | | mg/Kg | 0.3 | 0.04 | 12/10/25 | 12/10/25 |
| 1,4-Dichlorobenzene | ND | | mg/Kg | 0.3 | 0.03 | 12/10/25 | 12/10/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 101% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |
| 1,2-Dichloroethane-d4 | 107% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |
| Toluene-d8 | 95% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |
| Bromofluorobenzene | 99% | | %REC | 70-130 | | 12/10/25 | 12/10/25 |

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1321103 | Batch: 389661 |
| Matrix (Source ID): Soil (548639-016) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1321103 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|----|
| Vinyl Chloride | 0.01386 | ND | 0.02012 | mg/Kg | 69% | | 58-127 | 1 |
| 1,1-Dichloroethene | 0.01539 | ND | 0.02012 | mg/Kg | 76% | | 56-129 | 1 |
| 2-Butanone | 0.05794 | ND | 0.05030 | mg/Kg | 115% | | 41-158 | 1 |
| Chloroform | 0.01507 | ND | 0.02012 | mg/Kg | 75% | | 56-132 | 1 |
| Carbon Tetrachloride | 0.01246 | ND | 0.02012 | mg/Kg | 62% | | 49-131 | 1 |
| 1,2-Dichloroethane | 0.01602 | ND | 0.02012 | mg/Kg | 80% | | 52-132 | 1 |
| Benzene | 0.01451 | ND | 0.02012 | mg/Kg | 72% | | 54-128 | 1 |
| Trichloroethene | 0.01377 | ND | 0.02012 | mg/Kg | 68% | | 48-128 | 1 |
| Tetrachloroethene | 0.01352 | ND | 0.02012 | mg/Kg | 67% | | 51-130 | 1 |
| Chlorobenzene | 0.01362 | ND | 0.02012 | mg/Kg | 68% | | 50-125 | 1 |
| 1,4-Dichlorobenzene | 0.01446 | ND | 0.02012 | mg/Kg | 72% | | 38-127 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.05274 | | 0.05030 | mg/Kg | 105% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 0.05486 | | 0.05030 | mg/Kg | 109% | | 70-130 | 1 |
| Toluene-d8 | 0.04794 | | 0.05030 | mg/Kg | 95% | | 70-130 | 1 |
| Bromofluorobenzene | 0.04942 | | 0.05030 | mg/Kg | 98% | | 70-130 | 1 |

Batch QC

| | | |
|--|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1321104 | Batch: 389661 |
| Matrix (Source ID): Soil (548639-016) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1321104 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|-----|---------|----|
| Vinyl Chloride | 0.01236 | ND | 0.02016 | mg/Kg | 61% | | 58-127 | 12 | 40 | 1 |
| 1,1-Dichloroethene | 0.01382 | ND | 0.02016 | mg/Kg | 69% | | 56-129 | 11 | 41 | 1 |
| 2-Butanone | 0.05119 | ND | 0.05040 | mg/Kg | 102% | | 41-158 | 13 | 50 | 1 |
| Chloroform | 0.01367 | ND | 0.02016 | mg/Kg | 68% | | 56-132 | 10 | 41 | 1 |
| Carbon Tetrachloride | 0.01118 | ND | 0.02016 | mg/Kg | 55% | | 49-131 | 11 | 45 | 1 |
| 1,2-Dichloroethane | 0.01428 | ND | 0.02016 | mg/Kg | 71% | | 52-132 | 12 | 44 | 1 |
| Benzene | 0.01311 | ND | 0.02016 | mg/Kg | 65% | | 54-128 | 10 | 45 | 1 |
| Trichloroethene | 0.01264 | ND | 0.02016 | mg/Kg | 63% | | 48-128 | 9 | 47 | 1 |
| Tetrachloroethene | 0.01210 | ND | 0.02016 | mg/Kg | 60% | | 51-130 | 11 | 46 | 1 |
| Chlorobenzene | 0.01213 | ND | 0.02016 | mg/Kg | 60% | | 50-125 | 12 | 44 | 1 |
| 1,4-Dichlorobenzene | 0.01240 | ND | 0.02016 | mg/Kg | 62% | | 38-127 | 16 | 49 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 0.05218 | | 0.05040 | mg/Kg | 104% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 0.05443 | | 0.05040 | mg/Kg | 108% | | 70-130 | | | 1 |
| Toluene-d8 | 0.04834 | | 0.05040 | mg/Kg | 96% | | 70-130 | | | 1 |
| Bromofluorobenzene | 0.04904 | | 0.05040 | mg/Kg | 97% | | 70-130 | | | 1 |

| | | |
|---------------------|--------------------------|------------------------------|
| Type: Blank | Lab ID: QC1319315 | Batch: 389191 |
| Matrix: Soil | Method: EPA 8270C | Prep Method: EPA 3546 |

| QC1319315 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|-------|----------|----------|
| Pyridine | ND | | mg/Kg | 0.25 | 0.043 | 12/04/25 | 12/06/25 |
| 2-Methylphenol | ND | | mg/Kg | 0.25 | 0.080 | 12/04/25 | 12/06/25 |
| 3-,4-Methylphenol | ND | | mg/Kg | 0.40 | 0.070 | 12/04/25 | 12/06/25 |
| Hexachloroethane | ND | | mg/Kg | 0.25 | 0.077 | 12/04/25 | 12/06/25 |
| Nitrobenzene | ND | | mg/Kg | 1.2 | 0.33 | 12/04/25 | 12/06/25 |
| Hexachlorobutadiene | ND | | mg/Kg | 0.25 | 0.069 | 12/04/25 | 12/06/25 |
| 2,4,6-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.069 | 12/04/25 | 12/06/25 |
| 2,4,5-Trichlorophenol | ND | | mg/Kg | 0.25 | 0.066 | 12/04/25 | 12/06/25 |
| 2,4-Dinitrotoluene | ND | | mg/Kg | 0.25 | 0.11 | 12/04/25 | 12/06/25 |
| Hexachlorobenzene | ND | | mg/Kg | 0.25 | 0.077 | 12/04/25 | 12/06/25 |
| Pentachlorophenol | ND | | mg/Kg | 1.2 | 0.25 | 12/04/25 | 12/06/25 |
| Surrogates | | | | Limits | | | |
| 2-Fluorophenol | 83% | | %REC | 34-120 | | 12/04/25 | 12/06/25 |
| Phenol-d6 | 82% | | %REC | 40-120 | | 12/04/25 | 12/06/25 |
| 2,4,6-Tribromophenol | 71% | | %REC | 28-120 | | 12/04/25 | 12/06/25 |
| Nitrobenzene-d5 | 82% | | %REC | 42-120 | | 12/04/25 | 12/06/25 |
| 2-Fluorobiphenyl | 73% | | %REC | 46-120 | | 12/04/25 | 12/06/25 |
| Terphenyl-d14 | 73% | | %REC | 50-120 | | 12/04/25 | 12/06/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|------------------------------|
| Type: Lab Control Sample | Lab ID: QC1319316 | Batch: 389191 |
| Matrix: Soil | Method: EPA 8270C | Prep Method: EPA 3546 |

| QC1319316 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|--------|--------|-------|----------|------|--------|
| Pyridine | 1.906 | 3.731 | mg/Kg | 51% | | 23-120 |
| 2-Methylphenol | 3.185 | 3.731 | mg/Kg | 85% | | 49-124 |
| 3-,4-Methylphenol | 3.135 | 3.731 | mg/Kg | 84% | | 51-127 |
| Hexachloroethane | 2.981 | 3.731 | mg/Kg | 80% | | 48-120 |
| Nitrobenzene | 3.062 | 3.731 | mg/Kg | 82% | | 49-122 |
| Hexachlorobutadiene | 2.519 | 3.731 | mg/Kg | 68% | | 44-120 |
| 2,4,6-Trichlorophenol | 3.075 | 3.731 | mg/Kg | 82% | | 54-124 |
| 2,4,5-Trichlorophenol | 2.954 | 3.731 | mg/Kg | 79% | | 53-128 |
| 2,4-Dinitrotoluene | 3.002 | 3.731 | mg/Kg | 80% | | 57-129 |
| Hexachlorobenzene | 2.721 | 3.731 | mg/Kg | 73% | | 52-121 |
| Pentachlorophenol | 2.475 | 3.731 | mg/Kg | 66% | | 41-120 |
| Surrogates | | | | | | |
| 2-Fluorophenol | 1.664 | 1.990 | mg/Kg | 84% | | 34-120 |
| Phenol-d6 | 1.640 | 1.990 | mg/Kg | 82% | | 40-120 |
| 2,4,6-Tribromophenol | 1.536 | 1.990 | mg/Kg | 77% | | 28-120 |
| Nitrobenzene-d5 | 1.687 | 1.990 | mg/Kg | 85% | | 42-120 |
| 2-Fluorobiphenyl | 1.389 | 1.990 | mg/Kg | 70% | | 46-120 |
| Terphenyl-d14 | 1.523 | 1.990 | mg/Kg | 77% | | 50-120 |

| | | |
|--|--------------------------|------------------------------|
| Type: Matrix Spike | Lab ID: QC1319319 | Batch: 389191 |
| Matrix (Source ID): Soil (548215-001) | Method: EPA 8270C | Prep Method: EPA 3546 |

| QC1319319 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Pyridine | 1.888 | ND | 3.731 | mg/Kg | 51% | | 23-120 | 1 |
| 2-Methylphenol | 3.469 | ND | 3.731 | mg/Kg | 93% | | 41-120 | 1 |
| 3-,4-Methylphenol | 3.458 | ND | 3.731 | mg/Kg | 93% | | 44-120 | 1 |
| Hexachloroethane | 3.028 | ND | 3.731 | mg/Kg | 81% | | 42-120 | 1 |
| Nitrobenzene | 3.315 | ND | 3.731 | mg/Kg | 89% | | 46-120 | 1 |
| Hexachlorobutadiene | 2.421 | ND | 3.731 | mg/Kg | 65% | | 39-120 | 1 |
| 2,4,6-Trichlorophenol | 3.174 | ND | 3.731 | mg/Kg | 85% | | 44-120 | 1 |
| 2,4,5-Trichlorophenol | 3.126 | ND | 3.731 | mg/Kg | 84% | | 45-120 | 1 |
| 2,4-Dinitrotoluene | 3.043 | ND | 3.731 | mg/Kg | 82% | | 51-120 | 1 |
| Hexachlorobenzene | 2.789 | ND | 3.731 | mg/Kg | 75% | | 49-120 | 1 |
| Pentachlorophenol | 2.254 | ND | 3.731 | mg/Kg | 60% | | 35-120 | 1 |
| Surrogates | | | | | | | | |
| 2-Fluorophenol | 1.665 | | 1.990 | mg/Kg | 84% | | 34-120 | 1 |
| Phenol-d6 | 1.699 | | 1.990 | mg/Kg | 85% | | 40-120 | 1 |
| 2,4,6-Tribromophenol | 1.553 | | 1.990 | mg/Kg | 78% | | 28-120 | 1 |
| Nitrobenzene-d5 | 1.829 | | 1.990 | mg/Kg | 92% | | 42-120 | 1 |
| 2-Fluorobiphenyl | 1.472 | | 1.990 | mg/Kg | 74% | | 46-120 | 1 |
| Terphenyl-d14 | 1.518 | | 1.990 | mg/Kg | 76% | | 50-120 | 1 |

Batch QC

| | | |
|--|--------------------------|------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1319320 | Batch: 389191 |
| Matrix (Source ID): Soil (548215-001) | Method: EPA 8270C | Prep Method: EPA 3546 |

| QC1319320 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Pyridine | 1.921 | ND | 3.750 | mg/Kg | 51% | | 23-120 | 1 | 44 | 1 |
| 2-Methylphenol | 3.464 | ND | 3.750 | mg/Kg | 92% | | 41-120 | 1 | 40 | 1 |
| 3-,4-Methylphenol | 3.458 | ND | 3.750 | mg/Kg | 92% | | 44-120 | 0 | 37 | 1 |
| Hexachloroethane | 3.079 | ND | 3.750 | mg/Kg | 82% | | 42-120 | 1 | 40 | 1 |
| Nitrobenzene | 3.318 | ND | 3.750 | mg/Kg | 88% | | 46-120 | 0 | 36 | 1 |
| Hexachlorobutadiene | 2.628 | ND | 3.750 | mg/Kg | 70% | | 39-120 | 8 | 38 | 1 |
| 2,4,6-Trichlorophenol | 3.347 | ND | 3.750 | mg/Kg | 89% | | 44-120 | 5 | 38 | 1 |
| 2,4,5-Trichlorophenol | 3.331 | ND | 3.750 | mg/Kg | 89% | | 45-120 | 6 | 38 | 1 |
| 2,4-Dinitrotoluene | 3.223 | ND | 3.750 | mg/Kg | 86% | | 51-120 | 5 | 35 | 1 |
| Hexachlorobenzene | 2.938 | ND | 3.750 | mg/Kg | 78% | | 49-120 | 5 | 34 | 1 |
| Pentachlorophenol | 2.374 | ND | 3.750 | mg/Kg | 63% | | 35-120 | 5 | 39 | 1 |
| Surrogates | | | | | | | | | | |
| 2-Fluorophenol | 1.739 | | 2.000 | mg/Kg | 87% | | 34-120 | | | 1 |
| Phenol-d6 | 1.754 | | 2.000 | mg/Kg | 88% | | 40-120 | | | 1 |
| 2,4,6-Tribromophenol | 1.699 | | 2.000 | mg/Kg | 85% | | 28-120 | | | 1 |
| Nitrobenzene-d5 | 1.836 | | 2.000 | mg/Kg | 92% | | 42-120 | | | 1 |
| 2-Fluorobiphenyl | 1.562 | | 2.000 | mg/Kg | 78% | | 46-120 | | | 1 |
| Terphenyl-d14 | 1.630 | | 2.000 | mg/Kg | 82% | | 50-120 | | | 1 |

| | | |
|---------------------|------------------------------|------------------------------|
| Type: Blank | Lab ID: QC1319321 | Batch: 389193 |
| Matrix: Soil | Method: EPA 8270C-SIM | Prep Method: EPA 3546 |

| QC1319321 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|----------------------|--------|------|-------|---------------|-----|----------|----------|
| 1,4-Dioxane | ND | | ug/Kg | 25 | 3.2 | 12/04/25 | 12/05/25 |
| Surrogates | | | | | | | |
| | | | | Limits | | | |
| 1,4-Dioxane-d8 (SUR) | 101% | | %REC | 80-120 | | 12/04/25 | 12/05/25 |

| | | |
|---------------------------------|------------------------------|------------------------------|
| Type: Lab Control Sample | Lab ID: QC1319322 | Batch: 389193 |
| Matrix: Soil | Method: EPA 8270C-SIM | Prep Method: EPA 3546 |

| QC1319322 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|----------------------|--------|--------|-------|----------|------|--------|
| 1,4-Dioxane | 52.98 | 49.75 | ug/Kg | 106% | | 65-135 |
| Surrogates | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 49.71 | 49.75 | ug/Kg | 100% | | 80-120 |

| | | |
|--|------------------------------|------------------------------|
| Type: Matrix Spike | Lab ID: QC1319323 | Batch: 389193 |
| Matrix (Source ID): Soil (548215-003) | Method: EPA 8270C-SIM | Prep Method: EPA 3546 |

| QC1319323 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|----------------------|--------|----------------------|--------|-------|----------|------|--------|------|
| 1,4-Dioxane | 52.81 | ND | 49.50 | ug/Kg | 107% | | 65-135 | 0.99 |
| Surrogates | | | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 49.63 | | 49.50 | ug/Kg | 100% | | 80-120 | 0.99 |

Batch QC

| | | |
|--|------------------------------|------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1319324 | Batch: 389193 |
| Matrix (Source ID): Soil (548215-003) | Method: EPA 8270C-SIM | Prep Method: EPA 3546 |

| QC1319324 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|----------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|------|
| 1,4-Dioxane | 51.38 | ND | 49.50 | ug/Kg | 104% | | 65-135 | 3 | 30 | 0.99 |
| Surrogates | | | | | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 49.46 | | 49.50 | ug/Kg | 100% | | 80-120 | | | 0.99 |

| | | |
|--|--------------------------|----------------------|
| Type: Sample Duplicate | Lab ID: QC1319229 | Batch: 389157 |
| Matrix (Source ID): Miscell. (548295-001) | Method: EPA 9045C | |

| QC1319229 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|-------|------|-----|---------|----|
| pH | 5.890 | 5.880 | SU | | 0 | 20 | 1 |
| Temperature | 22.40 | 22.30 | deg C | | 0 | 20 | 1 |

- * Value is outside QC limits
- J Estimated value
- ND Not Detected
- b See narrative



ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number : 549864
Report Level : II
Report Date : 12/30/2025

Analytical Report *prepared for:*

Helen Dubach
CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118

Project: EAST BASIN - East Basin Waters & Soils

Authorized for release by:

David Tripp, Project Manager
657-581-4710
david.tripp@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, CA ELAP #1338-S1, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, ORELAP# 4197

Sample Summary

Helen Dubach
CTEH Chiquita Canyon Landfill - PROJ-
037507
5120 Northshore Drive
North Little Rock, AR 72118

Lab Job #: 549864
Project No: EAST BASIN
Location: East Basin Waters & Soils
Date Received: 12/29/25

| Sample ID | Lab ID | Collected | Matrix |
|-----------------------------|---------------|------------------|---------------|
| CACA251229Z011SW-EAST BASIN | 549864-001 | 12/29/25 11:05 | Water |

Case Narrative

CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118
Helen Dubach

Lab Job Number: 549864
Project No: EAST BASIN
Location: East Basin Waters & Soils
Date Received: 12/29/25

This data package contains sample and QC results for one water sample, requested for the above referenced project on 12/29/25. The sample was received cold and intact.

Volatile Organics by GC/MS (EPA 8260B):

No analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 8270C):

- High RPD was observed for pyridine in the BS/BSD for batch 391224; this analyte was not detected at or above the RL in the associated sample.
- No other analytical problems were encountered.

Metals (EPA 6010B and EPA 7470A):

- Molybdenum was detected between the MDL and the RL in the method blank for batch 391221; this analyte was not detected in the sample at or above the RL.
- No other analytical problems were encountered.

Closed-Cup Ignitability (Flashpoint) (EPA 1010):

- Sample results preceded by '>' do not meet the definition of an ignitable waste as defined in 40 CFR 261.21 and 22 CCR 66261.
- No analytical problems were encountered.

pH of Aqueous and non-Aqueous Samples (EPA 9040B):

No analytical problems were encountered.

Detection Summary

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 549864
 Project No: EAST BASIN
 Location: East Basin Waters & Soils
 Date Received: 12/29/25

| | | |
|------------------------------------|---------------------------|----------------------------------|
| Sample ID: | Lab ID: 549864-001 | Collected: 12/29/25 11:05 |
| CACA251229Z011SW-EAST BASIN | Matrix: Water | |

| 549864-001 Analyte | Result | Qual | Units | RL | MDL |
|---|---------|------|-------|---------|----------|
| Method: EPA 1010 | | | | | |
| Flash Point | >203 | | deg F | | |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0061 | J | mg/L | 0.010 | 0.0034 |
| Barium | 0.060 | | mg/L | 0.010 | 0.00091 |
| Chromium | 0.0023 | J | mg/L | 0.010 | 0.00079 |
| Copper | 0.0067 | J | mg/L | 0.010 | 0.0027 |
| Molybdenum | 0.0047 | B,J | mg/L | 0.010 | 0.0017 |
| Nickel | 0.0027 | J | mg/L | 0.010 | 0.00064 |
| Selenium | 0.0058 | J | mg/L | 0.030 | 0.0051 |
| Silver | 0.0045 | J | mg/L | 0.0050 | 0.00071 |
| Vanadium | 0.0051 | J | mg/L | 0.010 | 0.00072 |
| Zinc | 0.010 | J | mg/L | 0.050 | 0.0019 |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | |
| Mercury | 0.00010 | J | mg/L | 0.00040 | 0.000032 |
| Method: EPA 9040B | | | | | |
| pH | 7.89 | | SU | | |
| Temperature | 18.20 | | deg C | 1.00 | |

> Value exceeds indicated concentration
 B Contamination found in associated Method Blank
 J Estimated value

Chain of Custody Record
 Lab No: **549864**
 Page: **1** of **1**

Turn Around Time (rush by advanced notice only)
 Standard: 5 Day: 3 Day: Custom TAT:
 1 Day: **X**

Sample Receipt Temp:
 1 = Na₂S₂O₃ 2 = HCl 3 = HNO₃
 4 = H₂SO₄ 5 = NaOH 6 = Other
 (lab use only)

Matrix: A = Air S = Soil/Solid
 W = Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

PROJECT INFORMATION

LIMS Account: **CTEH-CHIQUITA**
 LIMS Proj. Name: **WC CHIQUITACANYON LF**
 Project #: **Proj-037507**
 P.O. #: **PO-4050-24-00351**
 Address: **29201 Henry Mayo Dr., Castaic, CA**
 Global ID:
 Sampled By: **GA, CH**

| CUSTOMER INFORMATION | | PROJECT INFORMATION | | | ANALYSIS REQUEST | | | | TEST INSTRUCTIONS / COMMENTS | | | | | | |
|------------------------------|-----------------------------|---------------------|-----------------------------------|----------------------|------------------|-----------------|---|---|------------------------------|---|--|--|--|--|--|
| Company: | CTEH | LIMS Account: | CTEH-CHIQUITA | | | | | DAILY LEACHATES | | | | | | | |
| Report To: | Kyle Lopic | LIMS Proj. Name: | WC CHIQUITACANYON LF | 6010/7470 T22 Metals | X | EPA 8260 VOCs | X | For reporting total concentrations on TCLP List analytes. | | | | | | | |
| Email: | labresults@cteh.com | Project #: | Proj-037507 | EPA 8270 SVOCs | X | FLASHPOINT 1010 | X | HOLD samples for further process, as needed. Then return to Chiquita Canyon LF. | | | | | | | |
| Address: | 5120 North Shore Drive | P.O. #: | PO-4050-24-00351 | EPA 9040b (pH) | X | | | | | Email report to: kylapic@montrose-env.com labresults@cteh.com; et al. | | | | | |
| Phone: | North Little Rock, AR 72118 | Address: | 29201 Henry Mayo Dr., Castaic, CA | | | | | | | | | | | | |
| Phone: | 504-616-2427 | Global ID: | | | | | | | | | | | | | |
| Fax: | | Sampled By: | GA, CH | | | | | | | | | | | | |
| Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. | | | | | | | | | | |
| 1 CACA251229201SW-EAST BASIN | 12/29/25 | 1105 | W | 5 | 6 | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | |

Signature
 Signature: *[Signature]*
 Print Name: **Michael Krone**

Company / Title
 Company: **CTEH**
 Title: **EA**

Date / Time
 Date: **12/29/25**
 Time: **13:20**

Relinquished By:
Received By:
Relinquished By:
Received By:
Relinquished By:
Received By:

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 12/29/25 WO# 549864 Client: CTEH-Chiquita

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 12/29/25 By (initials) MSK Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR 15 CF: +0.4

Cooler Temp (°C) #1: 1.7 / 2.1 #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

| | YES | NO | N/A |
|---|-----|----|-----|
| 1) Were custody papers present, filled properly, and legible? | X | | |
| 2) Is the sampler's name present on the CoC? | X | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | X | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | X | | |
| 5) Were all of, and only, the correct samples received? | X | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | ✓ | | |
| 7) Does the container count match the CoC? | X | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | X | | |
| 9) Were samples received in proper containers for the analyses requested? | X | | |
| 10) Were samples received with > 1/2 holding time remaining? | X | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | X | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | X |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | ✓ | |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 12/29/25 By (print) FPD (sign) _____
 Date Labeled 12/29/25 By (print) MSK (sign) _____

Analysis Results for 549864

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 549864
 Project No: EAST BASIN
 Location: East Basin Waters & Soils
 Date Received: 12/29/25

| | | |
|---|---|----------------------------------|
| Sample ID: CACAA251229Z011SW-EAST BASIN | Lab ID: 549864-001 Matrix: Water | Collected: 12/29/25 11:05 |
|---|---|----------------------------------|

| 549864-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---|---------|------|-------|---------------|----------|----|--------|----------|----------|---------|
| Method: EPA 1010 | | | | | | | | | | |
| Flash Point | >203 | | deg F | | | 1 | 391213 | 12/29/25 | 12/29/25 | BDR |
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.0064 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Arsenic | 0.0061 | J | mg/L | 0.010 | 0.0034 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Barium | 0.060 | | mg/L | 0.010 | 0.00091 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Beryllium | ND | | mg/L | 0.0050 | 0.00010 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Cadmium | ND | | mg/L | 0.0050 | 0.00031 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Chromium | 0.0023 | J | mg/L | 0.010 | 0.00079 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Cobalt | ND | | mg/L | 0.0050 | 0.00080 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Copper | 0.0067 | J | mg/L | 0.010 | 0.0027 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Lead | ND | | mg/L | 0.010 | 0.0020 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Molybdenum | 0.0047 | B,J | mg/L | 0.010 | 0.0017 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Nickel | 0.0027 | J | mg/L | 0.010 | 0.00064 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Selenium | 0.0058 | J | mg/L | 0.030 | 0.0051 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Silver | 0.0045 | J | mg/L | 0.0050 | 0.00071 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Thallium | ND | | mg/L | 0.030 | 0.0030 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Vanadium | 0.0051 | J | mg/L | 0.010 | 0.00072 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Zinc | 0.010 | J | mg/L | 0.050 | 0.0019 | 1 | 391221 | 12/29/25 | 12/29/25 | CAP |
| Method: EPA 7470A Prep Method: EPA 7470A | | | | | | | | | | |
| Mercury | 0.00010 | J | mg/L | 0.00040 | 0.000032 | 1 | 391223 | 12/29/25 | 12/29/25 | KCD |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.00006 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| 2-Butanone | ND | | mg/L | 0.1 | 0.002 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.00007 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0001 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| Benzene | ND | | mg/L | 0.005 | 0.00003 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| Trichloroethene | ND | | mg/L | 0.005 | 0.00005 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391196 | 12/29/25 | 12/29/25 | ZXL |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 94% | | %REC | 70-130 | | | 1 | 391196 | 12/29/25 | ZXL |
| 1,2-Dichloroethane-d4 | 100% | | %REC | 70-130 | | | 1 | 391196 | 12/29/25 | ZXL |
| Toluene-d8 | 99% | | %REC | 70-130 | | | 1 | 391196 | 12/29/25 | ZXL |
| Bromofluorobenzene | 99% | | %REC | 70-130 | | | 1 | 391196 | 12/29/25 | ZXL |

Analysis Results for 549864

| 549864-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------------|------|-------|---------------|--------|----|--------|----------|----------|---------|
| Method: EPA 8270C | | | | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.010 | 0.0028 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| 2-Methylphenol | ND | | mg/L | 0.010 | 0.0032 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| 3-,4-Methylphenol | ND | | mg/L | 0.010 | 0.0030 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Hexachloroethane | ND | | mg/L | 0.010 | 0.0030 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Nitrobenzene | ND | | mg/L | 0.025 | 0.0084 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Hexachlorobutadiene | ND | | mg/L | 0.010 | 0.0022 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.010 | 0.0041 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.010 | 0.0037 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.010 | 0.0043 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Hexachlorobenzene | ND | | mg/L | 0.010 | 0.0030 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Pentachlorophenol | ND | | mg/L | 0.025 | 0.0057 | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 62% | | %REC | 15-120 | | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Phenol-d6 | 47% | | %REC | 15-120 | | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| 2,4,6-Tribromophenol | 85% | | %REC | 15-140 | | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Nitrobenzene-d5 | 70% | | %REC | 15-123 | | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| 2-Fluorobiphenyl | 68% | | %REC | 15-120 | | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Terphenyl-d14 | 81% | | %REC | 15-120 | | 1 | 391224 | 12/29/25 | 12/29/25 | TJW |
| Method: EPA 9040B | | | | | | | | | | |
| pH | 7.89 | | SU | | | 1 | 391220 | 12/29/25 | 12/29/25 | BDR |
| Temperature | 18.20 | | deg C | 1.00 | | 1 | 391220 | 12/29/25 | 12/29/25 | BDR |

- > Value exceeds indicated concentration
- B Contamination found in associated Method Blank
- J Estimated value
- ND Not Detected

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326345 | Batch: 391221 |
| Matrix: Water | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1326345 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|--------|---------|----------|----------|
| Antimony | ND | | mg/L | 0.030 | 0.0064 | 12/29/25 | 12/29/25 |
| Arsenic | ND | | mg/L | 0.010 | 0.0034 | 12/29/25 | 12/29/25 |
| Barium | ND | | mg/L | 0.010 | 0.00091 | 12/29/25 | 12/29/25 |
| Beryllium | ND | | mg/L | 0.0050 | 0.00010 | 12/29/25 | 12/29/25 |
| Cadmium | ND | | mg/L | 0.0050 | 0.00031 | 12/29/25 | 12/29/25 |
| Chromium | ND | | mg/L | 0.010 | 0.00079 | 12/29/25 | 12/29/25 |
| Cobalt | ND | | mg/L | 0.0050 | 0.00080 | 12/29/25 | 12/29/25 |
| Copper | ND | | mg/L | 0.010 | 0.0027 | 12/29/25 | 12/29/25 |
| Lead | ND | | mg/L | 0.010 | 0.0020 | 12/29/25 | 12/29/25 |
| Molybdenum | 0.0049 | J | mg/L | 0.010 | 0.0017 | 12/29/25 | 12/29/25 |
| Nickel | ND | | mg/L | 0.010 | 0.00064 | 12/29/25 | 12/29/25 |
| Selenium | ND | | mg/L | 0.030 | 0.0051 | 12/29/25 | 12/29/25 |
| Silver | ND | | mg/L | 0.0050 | 0.00071 | 12/29/25 | 12/29/25 |
| Thallium | ND | | mg/L | 0.030 | 0.0030 | 12/29/25 | 12/29/25 |
| Vanadium | ND | | mg/L | 0.010 | 0.00072 | 12/29/25 | 12/29/25 |
| Zinc | ND | | mg/L | 0.050 | 0.0019 | 12/29/25 | 12/29/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326346 | Batch: 391221 |
| Matrix: Water | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1326346 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Antimony | 0.3918 | 0.4000 | mg/L | 98% | | 80-120 |
| Arsenic | 0.3774 | 0.4000 | mg/L | 94% | | 80-120 |
| Barium | 0.3854 | 0.4000 | mg/L | 96% | | 80-120 |
| Beryllium | 0.3907 | 0.4000 | mg/L | 98% | | 80-120 |
| Cadmium | 0.3822 | 0.4000 | mg/L | 96% | | 80-120 |
| Chromium | 0.3832 | 0.4000 | mg/L | 96% | | 80-120 |
| Cobalt | 0.3798 | 0.4000 | mg/L | 95% | | 80-120 |
| Copper | 0.3805 | 0.4000 | mg/L | 95% | | 80-120 |
| Lead | 0.3828 | 0.4000 | mg/L | 96% | | 80-120 |
| Molybdenum | 0.3812 | 0.4000 | mg/L | 95% | | 80-120 |
| Nickel | 0.3793 | 0.4000 | mg/L | 95% | | 80-120 |
| Selenium | 0.3647 | 0.4000 | mg/L | 91% | | 80-120 |
| Silver | 0.1793 | 0.2000 | mg/L | 90% | | 80-120 |
| Thallium | 0.3862 | 0.4000 | mg/L | 97% | | 80-120 |
| Vanadium | 0.3896 | 0.4000 | mg/L | 97% | | 80-120 |
| Zinc | 0.3827 | 0.4000 | mg/L | 96% | | 80-120 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326347 | Batch: 391221 |
| Matrix (Source ID): Water (549865-001) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1326347 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Antimony | 3.986 | ND | 4.000 | mg/L | 100% | | 75-125 | 10 |
| Arsenic | 4.237 | 0.3318 | 4.000 | mg/L | 98% | | 75-125 | 10 |
| Barium | 7.148 | 3.421 | 4.000 | mg/L | 93% | | 75-125 | 10 |
| Beryllium | 3.830 | 0.002441 | 4.000 | mg/L | 96% | | 75-125 | 10 |
| Cadmium | 3.624 | ND | 4.000 | mg/L | 91% | | 75-125 | 10 |
| Chromium | 3.956 | 0.1657 | 4.000 | mg/L | 95% | | 75-125 | 10 |
| Cobalt | 3.782 | 0.02477 | 4.000 | mg/L | 94% | | 75-125 | 10 |
| Copper | 4.420 | ND | 4.000 | mg/L | 111% | | 75-125 | 10 |
| Lead | 3.687 | ND | 4.000 | mg/L | 92% | | 75-125 | 10 |
| Molybdenum | 3.820 | 0.01984 | 4.000 | mg/L | 95% | | 75-125 | 10 |
| Nickel | 3.756 | 0.07620 | 4.000 | mg/L | 92% | | 75-125 | 10 |
| Selenium | 3.932 | 0.05869 | 4.000 | mg/L | 97% | | 75-125 | 10 |
| Silver | 1.936 | ND | 2.000 | mg/L | 97% | | 75-125 | 10 |
| Thallium | 3.753 | ND | 4.000 | mg/L | 94% | | 75-125 | 10 |
| Vanadium | 3.997 | 0.06733 | 4.000 | mg/L | 98% | | 75-125 | 10 |
| Zinc | 4.308 | 0.6400 | 4.000 | mg/L | 92% | | 75-125 | 10 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326348 | Batch: 391221 |
| Matrix (Source ID): Water (549865-001) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1326348 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Antimony | 3.847 | ND | 4.000 | mg/L | 96% | | 75-125 | 4 | 20 | 10 |
| Arsenic | 4.110 | 0.3318 | 4.000 | mg/L | 94% | | 75-125 | 3 | 20 | 10 |
| Barium | 6.999 | 3.421 | 4.000 | mg/L | 89% | | 75-125 | 2 | 20 | 10 |
| Beryllium | 3.698 | 0.002441 | 4.000 | mg/L | 92% | | 75-125 | 4 | 20 | 10 |
| Cadmium | 3.502 | ND | 4.000 | mg/L | 88% | | 75-125 | 3 | 20 | 10 |
| Chromium | 3.829 | 0.1657 | 4.000 | mg/L | 92% | | 75-125 | 3 | 20 | 10 |
| Cobalt | 3.659 | 0.02477 | 4.000 | mg/L | 91% | | 75-125 | 3 | 20 | 10 |
| Copper | 4.272 | ND | 4.000 | mg/L | 107% | | 75-125 | 3 | 20 | 10 |
| Lead | 3.565 | ND | 4.000 | mg/L | 89% | | 75-125 | 3 | 20 | 10 |
| Molybdenum | 3.714 | 0.01984 | 4.000 | mg/L | 92% | | 75-125 | 3 | 20 | 10 |
| Nickel | 3.638 | 0.07620 | 4.000 | mg/L | 89% | | 75-125 | 3 | 20 | 10 |
| Selenium | 3.790 | 0.05869 | 4.000 | mg/L | 93% | | 75-125 | 4 | 20 | 10 |
| Silver | 1.883 | ND | 2.000 | mg/L | 94% | | 75-125 | 3 | 20 | 10 |
| Thallium | 3.622 | ND | 4.000 | mg/L | 91% | | 75-125 | 4 | 20 | 10 |
| Vanadium | 3.869 | 0.06733 | 4.000 | mg/L | 95% | | 75-125 | 3 | 20 | 10 |
| Zinc | 4.174 | 0.6400 | 4.000 | mg/L | 88% | | 75-125 | 3 | 20 | 10 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Serial Dilution | Lab ID: QC1326349 | Batch: 391221 |
| Matrix (Source ID): Water (549865-001) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1326349 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|---------|----------------------|-------|------|-----|---------|----|
| Antimony | ND | ND | mg/L | | | | 50 |
| Arsenic | 0.3516 | 0.3318 | mg/L | J | | | 50 |
| Barium | 3.377 | 3.421 | mg/L | | | | 50 |
| Beryllium | ND | 0.002441 | mg/L | | | | 50 |
| Cadmium | ND | ND | mg/L | | | | 50 |
| Chromium | 0.1669 | 0.1657 | mg/L | J | | | 50 |
| Cobalt | ND | 0.02477 | mg/L | | | | 50 |
| Copper | ND | ND | mg/L | | | | 50 |
| Lead | ND | ND | mg/L | | | | 50 |
| Molybdenum | ND | 0.01984 | mg/L | | | | 50 |
| Nickel | 0.07661 | 0.07620 | mg/L | J | | | 50 |
| Selenium | ND | 0.05869 | mg/L | | | | 50 |
| Silver | ND | ND | mg/L | | | | 50 |
| Thallium | ND | ND | mg/L | | | | 50 |
| Vanadium | 0.07934 | 0.06733 | mg/L | J | | | 50 |
| Zinc | 0.6683 | 0.6400 | mg/L | J | | | 50 |

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326356 | Batch: 391223 |
| Matrix: Water | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1326356 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|---------|----------|----------|----------|
| Mercury | ND | | mg/L | 0.00040 | 0.000032 | 12/29/25 | 12/29/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326357 | Batch: 391223 |
| Matrix: Water | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1326357 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|----------|----------|-------|----------|------|--------|
| Mercury | 0.005422 | 0.005000 | mg/L | 108% | | 80-120 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326358 | Batch: 391223 |
| Matrix (Source ID): Water (549865-001) | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1326358 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|
| Mercury | 0.9910 | 0.01696 | 1.000 | mg/L | 97% | | 75-125 | 200 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326359 | Batch: 391223 |
| Matrix (Source ID): Water (549865-001) | Method: EPA 7470A | Prep Method: EPA 7470A |

| QC1326359 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|-----|
| Mercury | 1.004 | 0.01696 | 1.000 | mg/L | 99% | | 75-125 | 1 | 20 | 200 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326262 | Batch: 391196 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326262 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Vinyl Chloride | 0.04380 | 0.05000 | mg/L | 88% | | 70-131 |
| 1,1-Dichloroethene | 0.04578 | 0.05000 | mg/L | 92% | | 69-128 |
| 2-Butanone | 0.1213 | 0.1250 | mg/L | 97% | | 58-139 |
| Chloroform | 0.04648 | 0.05000 | mg/L | 93% | | 73-125 |
| Carbon Tetrachloride | 0.04247 | 0.05000 | mg/L | 85% | | 70-130 |
| 1,2-Dichloroethane | 0.04706 | 0.05000 | mg/L | 94% | | 71-121 |
| Benzene | 0.04428 | 0.05000 | mg/L | 89% | | 76-121 |
| Trichloroethene | 0.04218 | 0.05000 | mg/L | 84% | | 76-124 |
| Tetrachloroethene | 0.03928 | 0.05000 | mg/L | 79% | | 75-125 |
| Chlorobenzene | 0.04336 | 0.05000 | mg/L | 87% | | 78-120 |
| 1,4-Dichlorobenzene | 0.04581 | 0.05000 | mg/L | 92% | | 77-120 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 0.05043 | 0.05000 | mg/L | 101% | | 70-130 |
| 1,2-Dichloroethane-d4 | 0.05454 | 0.05000 | mg/L | 109% | | 70-130 |
| Toluene-d8 | 0.04678 | 0.05000 | mg/L | 94% | | 70-130 |
| Bromofluorobenzene | 0.04874 | 0.05000 | mg/L | 97% | | 70-130 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326263 | Batch: 391196 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326263 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Vinyl Chloride | 0.04321 | 0.05000 | mg/L | 86% | | 70-131 | 1 | 27 |
| 1,1-Dichloroethene | 0.04432 | 0.05000 | mg/L | 89% | | 69-128 | 3 | 23 |
| 2-Butanone | 0.1280 | 0.1250 | mg/L | 102% | | 58-139 | 5 | 23 |
| Chloroform | 0.04861 | 0.05000 | mg/L | 97% | | 73-125 | 4 | 21 |
| Carbon Tetrachloride | 0.04639 | 0.05000 | mg/L | 93% | | 70-130 | 9 | 23 |
| 1,2-Dichloroethane | 0.04778 | 0.05000 | mg/L | 96% | | 71-121 | 2 | 20 |
| Benzene | 0.04552 | 0.05000 | mg/L | 91% | | 76-121 | 3 | 21 |
| Trichloroethene | 0.04181 | 0.05000 | mg/L | 84% | | 76-124 | 1 | 22 |
| Tetrachloroethene | 0.04169 | 0.05000 | mg/L | 83% | | 75-125 | 6 | 22 |
| Chlorobenzene | 0.04450 | 0.05000 | mg/L | 89% | | 78-120 | 3 | 20 |
| 1,4-Dichlorobenzene | 0.04668 | 0.05000 | mg/L | 93% | | 77-120 | 2 | 20 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.05091 | 0.05000 | mg/L | 102% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 0.05259 | 0.05000 | mg/L | 105% | | 70-130 | | |
| Toluene-d8 | 0.04876 | 0.05000 | mg/L | 98% | | 70-130 | | |
| Bromofluorobenzene | 0.04756 | 0.05000 | mg/L | 95% | | 70-130 | | |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326266 | Batch: 391196 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326266 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|--------|---------|----------|----------|
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.00006 | 12/29/25 | 12/29/25 |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.00009 | 12/29/25 | 12/29/25 |
| 2-Butanone | ND | | mg/L | 0.1 | 0.002 | 12/29/25 | 12/29/25 |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 12/29/25 | 12/29/25 |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.00007 | 12/29/25 | 12/29/25 |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0001 | 12/29/25 | 12/29/25 |
| Benzene | ND | | mg/L | 0.005 | 0.00003 | 12/29/25 | 12/29/25 |
| Trichloroethene | ND | | mg/L | 0.005 | 0.00005 | 12/29/25 | 12/29/25 |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0001 | 12/29/25 | 12/29/25 |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 12/29/25 | 12/29/25 |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 12/29/25 | 12/29/25 |
| Surrogates | Limits | | | | | | |
| Dibromofluoromethane | 96% | | %REC | 70-130 | | 12/29/25 | 12/29/25 |
| 1,2-Dichloroethane-d4 | 96% | | %REC | 70-130 | | 12/29/25 | 12/29/25 |
| Toluene-d8 | 101% | | %REC | 70-130 | | 12/29/25 | 12/29/25 |
| Bromofluorobenzene | 100% | | %REC | 70-130 | | 12/29/25 | 12/29/25 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326317 | Batch: 391196 |
| Matrix (Source ID): Water (549507-015) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326317 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|----|
| Vinyl Chloride | 0.02064 | ND | 0.02000 | mg/L | 103% | | 64-128 | 1 |
| 1,1-Dichloroethene | 0.01956 | ND | 0.02000 | mg/L | 98% | | 62-131 | 1 |
| 2-Butanone | 0.05370 | ND | 0.05000 | mg/L | 107% | | 48-157 | 1 |
| Chloroform | 0.02160 | ND | 0.02000 | mg/L | 108% | | 67-127 | 1 |
| Carbon Tetrachloride | 0.01857 | ND | 0.02000 | mg/L | 93% | | 70-140 | 1 |
| 1,2-Dichloroethane | 0.02046 | ND | 0.02000 | mg/L | 102% | | 68-122 | 1 |
| Benzene | 0.01855 | ND | 0.02000 | mg/L | 93% | | 70-123 | 1 |
| Trichloroethene | 0.01760 | ND | 0.02000 | mg/L | 88% | | 65-131 | 1 |
| Tetrachloroethene | 0.01659 | ND | 0.02000 | mg/L | 83% | | 65-132 | 1 |
| Chlorobenzene | 0.01911 | ND | 0.02000 | mg/L | 96% | | 72-121 | 1 |
| 1,4-Dichlorobenzene | 0.01942 | ND | 0.02000 | mg/L | 97% | | 71-122 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.05153 | | 0.05000 | mg/L | 103% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 0.05220 | | 0.05000 | mg/L | 104% | | 70-130 | 1 |
| Toluene-d8 | 0.04811 | | 0.05000 | mg/L | 96% | | 70-130 | 1 |
| Bromofluorobenzene | 0.04812 | | 0.05000 | mg/L | 96% | | 70-130 | 1 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326318 | Batch: 391196 |
| Matrix (Source ID): Water (549507-015) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326318 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|-----|---------|----|
| Vinyl Chloride | 0.01930 | ND | 0.02000 | mg/L | 96% | | 64-128 | 7 | 29 | 1 |
| 1,1-Dichloroethene | 0.01814 | ND | 0.02000 | mg/L | 91% | | 62-131 | 8 | 31 | 1 |
| 2-Butanone | 0.05257 | ND | 0.05000 | mg/L | 105% | | 48-157 | 2 | 30 | 1 |
| Chloroform | 0.01982 | ND | 0.02000 | mg/L | 99% | | 67-127 | 9 | 30 | 1 |
| Carbon Tetrachloride | 0.01796 | ND | 0.02000 | mg/L | 90% | | 70-140 | 3 | 32 | 1 |
| 1,2-Dichloroethane | 0.01981 | ND | 0.02000 | mg/L | 99% | | 68-122 | 3 | 29 | 1 |
| Benzene | 0.01817 | ND | 0.02000 | mg/L | 91% | | 70-123 | 2 | 31 | 1 |
| Trichloroethene | 0.01588 | ND | 0.02000 | mg/L | 79% | | 65-131 | 10 | 31 | 1 |
| Tetrachloroethene | 0.01509 | ND | 0.02000 | mg/L | 75% | | 65-132 | 10 | 31 | 1 |
| Chlorobenzene | 0.01664 | ND | 0.02000 | mg/L | 83% | | 72-121 | 14 | 29 | 1 |
| 1,4-Dichlorobenzene | 0.01856 | ND | 0.02000 | mg/L | 93% | | 71-122 | 5 | 29 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 0.05252 | | 0.05000 | mg/L | 105% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 0.05566 | | 0.05000 | mg/L | 111% | | 70-130 | | | 1 |
| Toluene-d8 | 0.04635 | | 0.05000 | mg/L | 93% | | 70-130 | | | 1 |
| Bromofluorobenzene | 0.04990 | | 0.05000 | mg/L | 100% | | 70-130 | | | 1 |

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326361 | Batch: 391224 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1326361 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|--------|----------|----------|
| Pyridine | ND | | mg/L | 0.010 | 0.0028 | 12/29/25 | 12/29/25 |
| 2-Methylphenol | ND | | mg/L | 0.010 | 0.0032 | 12/29/25 | 12/29/25 |
| 3-,4-Methylphenol | ND | | mg/L | 0.010 | 0.0030 | 12/29/25 | 12/29/25 |
| Hexachloroethane | ND | | mg/L | 0.010 | 0.0030 | 12/29/25 | 12/29/25 |
| Nitrobenzene | ND | | mg/L | 0.025 | 0.0084 | 12/29/25 | 12/29/25 |
| Hexachlorobutadiene | ND | | mg/L | 0.010 | 0.0022 | 12/29/25 | 12/29/25 |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.010 | 0.0041 | 12/29/25 | 12/29/25 |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.010 | 0.0037 | 12/29/25 | 12/29/25 |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.010 | 0.0043 | 12/29/25 | 12/29/25 |
| Hexachlorobenzene | ND | | mg/L | 0.010 | 0.0030 | 12/29/25 | 12/29/25 |
| Pentachlorophenol | ND | | mg/L | 0.025 | 0.0057 | 12/29/25 | 12/29/25 |
| Surrogates | | | | Limits | | | |
| 2-Fluorophenol | 59% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |
| Phenol-d6 | 36% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |
| 2,4,6-Tribromophenol | 78% | | %REC | 15-140 | | 12/29/25 | 12/29/25 |
| Nitrobenzene-d5 | 89% | | %REC | 15-123 | | 12/29/25 | 12/29/25 |
| 2-Fluorobiphenyl | 88% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |
| Terphenyl-d14 | 106% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326362 | Batch: 391224 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1326362 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Pyridine | 0.02629 | 0.07500 | mg/L | 35% | | 13-120 |
| 2-Methylphenol | 0.06698 | 0.07500 | mg/L | 89% | | 44-120 |
| 3-,4-Methylphenol | 0.06044 | 0.07500 | mg/L | 81% | | 40-120 |
| Hexachloroethane | 0.06981 | 0.07500 | mg/L | 93% | | 33-120 |
| Nitrobenzene | 0.07554 | 0.07500 | mg/L | 101% | | 51-120 |
| Hexachlorobutadiene | 0.06180 | 0.07500 | mg/L | 82% | | 30-120 |
| 2,4,6-Trichlorophenol | 0.07966 | 0.07500 | mg/L | 106% | | 60-122 |
| 2,4,5-Trichlorophenol | 0.07786 | 0.07500 | mg/L | 104% | | 62-124 |
| 2,4-Dinitrotoluene | 0.08456 | 0.07500 | mg/L | 113% | | 69-127 |
| Hexachlorobenzene | 0.07361 | 0.07500 | mg/L | 98% | | 62-120 |
| Pentachlorophenol | 0.06608 | 0.07500 | mg/L | 88% | | 51-120 |
| Surrogates | | | | | | |
| 2-Fluorophenol | 0.02303 | 0.04000 | mg/L | 58% | | 15-120 |
| Phenol-d6 | 0.01462 | 0.04000 | mg/L | 37% | | 15-120 |
| 2,4,6-Tribromophenol | 0.03946 | 0.04000 | mg/L | 99% | | 15-140 |
| Nitrobenzene-d5 | 0.04064 | 0.04000 | mg/L | 102% | | 15-123 |
| 2-Fluorobiphenyl | 0.03730 | 0.04000 | mg/L | 93% | | 15-120 |
| Terphenyl-d14 | 0.04191 | 0.04000 | mg/L | 105% | | 15-120 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326363 | Batch: 391224 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1326363 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Pyridine | 0.01247 | 0.07500 | mg/L | 17% | | 13-120 | 71* | 62 |
| 2-Methylphenol | 0.06179 | 0.07500 | mg/L | 82% | | 44-120 | 8 | 51 |
| 3-,4-Methylphenol | 0.05580 | 0.07500 | mg/L | 74% | | 40-120 | 8 | 51 |
| Hexachloroethane | 0.06505 | 0.07500 | mg/L | 87% | | 33-120 | 7 | 59 |
| Nitrobenzene | 0.06886 | 0.07500 | mg/L | 92% | | 51-120 | 9 | 52 |
| Hexachlorobutadiene | 0.05788 | 0.07500 | mg/L | 77% | | 30-120 | 7 | 58 |
| 2,4,6-Trichlorophenol | 0.07534 | 0.07500 | mg/L | 100% | | 60-122 | 6 | 49 |
| 2,4,5-Trichlorophenol | 0.07306 | 0.07500 | mg/L | 97% | | 62-124 | 6 | 46 |
| 2,4-Dinitrotoluene | 0.08274 | 0.07500 | mg/L | 110% | | 69-127 | 2 | 40 |
| Hexachlorobenzene | 0.07393 | 0.07500 | mg/L | 99% | | 62-120 | 0 | 41 |
| Pentachlorophenol | 0.06692 | 0.07500 | mg/L | 89% | | 51-120 | 1 | 42 |
| Surrogates | | | | | | | | |
| 2-Fluorophenol | 0.02040 | 0.04000 | mg/L | 51% | | 15-120 | | |
| Phenol-d6 | 0.01347 | 0.04000 | mg/L | 34% | | 15-120 | | |
| 2,4,6-Tribromophenol | 0.03976 | 0.04000 | mg/L | 99% | | 15-140 | | |
| Nitrobenzene-d5 | 0.03700 | 0.04000 | mg/L | 92% | | 15-123 | | |
| 2-Fluorobiphenyl | 0.03595 | 0.04000 | mg/L | 90% | | 15-120 | | |
| Terphenyl-d14 | 0.04155 | 0.04000 | mg/L | 104% | | 15-120 | | |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326367 | Batch: 391224 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1326367 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|--------|--------|----------|----------|
| Pyridine | ND | | mg/L | 0.010 | 0.0028 | 12/29/25 | 12/29/25 |
| 2-Methylphenol | ND | | mg/L | 0.010 | 0.0032 | 12/29/25 | 12/29/25 |
| 3-,4-Methylphenol | ND | | mg/L | 0.010 | 0.0030 | 12/29/25 | 12/29/25 |
| Hexachloroethane | ND | | mg/L | 0.010 | 0.0030 | 12/29/25 | 12/29/25 |
| Nitrobenzene | ND | | mg/L | 0.025 | 0.0084 | 12/29/25 | 12/29/25 |
| Hexachlorobutadiene | ND | | mg/L | 0.010 | 0.0022 | 12/29/25 | 12/29/25 |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.010 | 0.0041 | 12/29/25 | 12/29/25 |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.010 | 0.0037 | 12/29/25 | 12/29/25 |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.010 | 0.0043 | 12/29/25 | 12/29/25 |
| Hexachlorobenzene | ND | | mg/L | 0.010 | 0.0030 | 12/29/25 | 12/29/25 |
| Pentachlorophenol | ND | | mg/L | 0.025 | 0.0057 | 12/29/25 | 12/29/25 |
| Surrogates | | | | Limits | | | |
| 2-Fluorophenol | 55% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |
| Phenol-d6 | 37% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |
| 2,4,6-Tribromophenol | 81% | | %REC | 15-140 | | 12/29/25 | 12/29/25 |
| Nitrobenzene-d5 | 89% | | %REC | 15-123 | | 12/29/25 | 12/29/25 |
| 2-Fluorobiphenyl | 89% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |
| Terphenyl-d14 | 103% | | %REC | 15-120 | | 12/29/25 | 12/29/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326368 | Batch: 391224 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1326368 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Pyridine | 0.02216 | 0.07500 | mg/L | 30% | | 13-120 |
| 2-Methylphenol | 0.06581 | 0.07500 | mg/L | 88% | | 44-120 |
| 3-,4-Methylphenol | 0.06201 | 0.07500 | mg/L | 83% | | 40-120 |
| Hexachloroethane | 0.06707 | 0.07500 | mg/L | 89% | | 33-120 |
| Nitrobenzene | 0.07280 | 0.07500 | mg/L | 97% | | 51-120 |
| Hexachlorobutadiene | 0.05835 | 0.07500 | mg/L | 78% | | 30-120 |
| 2,4,6-Trichlorophenol | 0.07641 | 0.07500 | mg/L | 102% | | 60-122 |
| 2,4,5-Trichlorophenol | 0.07741 | 0.07500 | mg/L | 103% | | 62-124 |
| 2,4-Dinitrotoluene | 0.08433 | 0.07500 | mg/L | 112% | | 69-127 |
| Hexachlorobenzene | 0.07241 | 0.07500 | mg/L | 97% | | 62-120 |
| Pentachlorophenol | 0.06924 | 0.07500 | mg/L | 92% | | 51-120 |
| Surrogates | | | | | | |
| 2-Fluorophenol | 0.02315 | 0.04000 | mg/L | 58% | | 15-120 |
| Phenol-d6 | 0.01586 | 0.04000 | mg/L | 40% | | 15-120 |
| 2,4,6-Tribromophenol | 0.04098 | 0.04000 | mg/L | 102% | | 15-140 |
| Nitrobenzene-d5 | 0.03973 | 0.04000 | mg/L | 99% | | 15-123 |
| 2-Fluorobiphenyl | 0.03524 | 0.04000 | mg/L | 88% | | 15-120 |
| Terphenyl-d14 | 0.04292 | 0.04000 | mg/L | 107% | | 15-120 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326369 | Batch: 391224 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1326369 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Pyridine | 0.01821 | 0.07500 | mg/L | 24% | | 13-120 | 20 | 62 |
| 2-Methylphenol | 0.05726 | 0.07500 | mg/L | 76% | | 44-120 | 14 | 51 |
| 3-,4-Methylphenol | 0.05149 | 0.07500 | mg/L | 69% | | 40-120 | 19 | 51 |
| Hexachloroethane | 0.06977 | 0.07500 | mg/L | 93% | | 33-120 | 4 | 59 |
| Nitrobenzene | 0.07298 | 0.07500 | mg/L | 97% | | 51-120 | 0 | 52 |
| Hexachlorobutadiene | 0.06306 | 0.07500 | mg/L | 84% | | 30-120 | 8 | 58 |
| 2,4,6-Trichlorophenol | 0.08220 | 0.07500 | mg/L | 110% | | 60-122 | 7 | 49 |
| 2,4,5-Trichlorophenol | 0.08153 | 0.07500 | mg/L | 109% | | 62-124 | 5 | 46 |
| 2,4-Dinitrotoluene | 0.08631 | 0.07500 | mg/L | 115% | | 69-127 | 2 | 40 |
| Hexachlorobenzene | 0.07603 | 0.07500 | mg/L | 101% | | 62-120 | 5 | 41 |
| Pentachlorophenol | 0.07004 | 0.07500 | mg/L | 93% | | 51-120 | 1 | 42 |
| Surrogates | | | | | | | | |
| 2-Fluorophenol | 0.01755 | 0.04000 | mg/L | 44% | | 15-120 | | |
| Phenol-d6 | 0.01072 | 0.04000 | mg/L | 27% | | 15-120 | | |
| 2,4,6-Tribromophenol | 0.04340 | 0.04000 | mg/L | 109% | | 15-140 | | |
| Nitrobenzene-d5 | 0.04060 | 0.04000 | mg/L | 101% | | 15-123 | | |
| 2-Fluorobiphenyl | 0.03849 | 0.04000 | mg/L | 96% | | 15-120 | | |
| Terphenyl-d14 | 0.04375 | 0.04000 | mg/L | 109% | | 15-120 | | |

| | | |
|---|--------------------------|----------------------|
| Type: Sample Duplicate | Lab ID: QC1326338 | Batch: 391220 |
| Matrix (Source ID): Water (549827-001) | Method: EPA 9040B | |

| QC1326338 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|-------|------|-----|---------|----|
| pH | 5.950 | 5.930 | SU | | 0 | 20 | 1 |
| Temperature | 21.70 | 21.50 | deg C | | 1 | 20 | 1 |

* Value is outside QC limits

J Estimated value

ND Not Detected



ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number : 549965
Report Level : II
Report Date : 01/08/2026

Analytical Report *prepared for:*

Helen Dubach
CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118

Project: EAST BASIN - East Basin Waters & Soils - Stormwater Scope

Authorized for release by:

David Tripp, Project Manager
657-581-4710
david.tripp@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, CA ELAP #1338-S1, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, ORELAP# 4197

Sample Summary

| | | |
|-----------------------|----------------|--|
| Helen Dubach | Lab Job #: | 549965 |
| CTEH Chiquita | Project No: | EAST BASIN |
| Canyon Landfill - | Location: | East Basin Waters & Soils - Stormwater Scope |
| PROJ-037507 | Date Received: | 12/30/25 |
| 5120 Northshore | | |
| Drive | | |
| North Little Rock, AR | | |
| 72118 | | |

| Sample ID | Lab ID | Collected | Matrix |
|------------------|---------------|------------------|---------------|
| EAST BASIN | 549965-001 | 12/30/25 11:45 | Water |

Case Narrative

CTEH Chiquita Canyon Landfill - PROJ-
037507
5120 Northshore Drive
North Little Rock, AR 72118
Helen Dubach

Lab Job Number: 549965
Project No: EAST BASIN
Location: East Basin Waters & Soils -
Stormwater Scope
Date Received: 12/30/25

This data package contains sample and QC results for one water sample, requested for the above referenced project on 12/30/25. The sample was received in good condition. No Coliform testing per no sample collected for COLI and prior text notification that Coliforms would not be collected (confirmed by phone with CTEH field crew 12/30/25).

Volatile Organics by GC/MS (EPA 8260B):

- Low recovery was observed for chlorobenzene in the MS for batch 391356; the parent sample was not a project sample, the BS/BSD were within limits, and the associated RPD was within limits.
- EAST BASIN (lab # 549965-001) had pH greater than 2.
- No other analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 8270C):

No analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 625.1):

No analytical problems were encountered.

Semivolatile Organics by GC/MS SIM (EPA 8270C-SIM):

No analytical problems were encountered.

Pesticides (EPA 8081A):

No analytical problems were encountered.

Total Organic Carbon by IR (SM 5310B):

No analytical problems were encountered.

PCBs (EPA 8082):

No analytical problems were encountered.

Metals (EPA 200.7, EPA 200.8, and EPA 245.1):

- Low recoveries were observed for boron, antimony, and tin in the MS/MSD for batch 391329; the parent sample was not a project sample, the LCS was within limits, and the associated RPDs were within limits.
- Sodium was detected between the MDL and the RL in the method blank for batch 391342; this analyte was detected in the sample at a level at least 10 times that of the blank.
- No other analytical problems were encountered.

Ion Chromatography (EPA 300.0):

- Responses exceeding the instrument's linear range were observed for nitrogen, nitrate and sulfate in the MS/MSD for batch 391299 and the MS/MSD of EAST BASIN (lab # 549965-001); affected data was qualified with "E".
- No other analytical problems were encountered.

Conductivity (SM2510B):

No analytical problems were encountered.

Total Oil & Grease (HEM) (EPA 1664A):

- Matrix spikes were not performed for this analysis due to insufficient sample volume.
- No analytical problems were encountered.

Total Phenolics (EPA 420.1):

No analytical problems were encountered.

Alkalinity (SM2320B):

No analytical problems were encountered.

Sulfide (SM 4500-S2-D):

No analytical problems were encountered.

Total Dissolved Solids (TDS) (SM2540C):

No analytical problems were encountered.

Total Suspended Solids (TSS) (SM2540D):

No analytical problems were encountered.

Chemical Oxygen Demand (SM5220D):

No analytical problems were encountered.

Biochemical Oxygen Demand (SM5210B):

No analytical problems were encountered.

Turbidity (SM2130B):

No analytical problems were encountered.

Cyanide - Semi-Automated Method (SM 4500-CN-E and SM 4500-CN-E):

- High RPD was observed for cyanide in the MS/MSD for batch 391320; the parent sample was not a project sample, and this analyte was not detected at or above the RL in the associated sample.
- No other analytical problems were encountered.

Ammonia and TKN- Semi-Automated Method (SM 4500-NH3-G):

No analytical problems were encountered.

Organophosphorus Pesticides (EPA 8141A):

Pace Laboratories in Bakersfield, CA performed the analysis (see sublab report section for certifications). Please see the Pace Laboratories case narrative.

8151A Chlorinated Herbicides (EPA 8151A):

McC Campbell Analytical, Inc. in Pittsburg, CA performed the analysis (NELAP certified). Please see the McC Campbell Analytical, Inc. case narrative.

RSK-175 CO2 (RSK-175):

McC Campbell Analytical, Inc. in Pittsburg, CA performed the analysis (see sublab report section for certifications). Please see the McC Campbell Analytical, Inc. case narrative.

Dioxins & Furans (EPA 8290):

Enthalpy - El Dorado Hills in El Dorado Hills, CA performed the analysis (see sublab report section for certifications). Please see the Enthalpy - El Dorado Hills case narrative.

Detection Summary

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 549965
 Project No: EAST BASIN
 Location: East Basin Waters & Soils - Stormwater Scope
 Date Received: 12/30/25

Sample ID: EAST BASIN Lab ID: 549965-001 Collected: 12/30/25 11:45
Matrix: Water

| 549965-001 Analyte | Result | Qual | Units | RL | MDL |
|--|--------|------|-------|-------|--------|
| Method: EPA 200.7 Prep Method: EPA 3015A | | | | | |
| Calcium | 51 | | mg/L | 0.10 | 0.0095 |
| Iron | 0.71 | | mg/L | 0.050 | 0.017 |
| Magnesium | 11 | | mg/L | 0.10 | 0.017 |
| Potassium | 13 | | mg/L | 0.50 | 0.20 |
| Sodium | 57 | | mg/L | 0.50 | 0.017 |
| Method: EPA 200.8 Prep Method: EPA 3015A | | | | | |
| Arsenic | 4.3 | | ug/L | 2.0 | 0.30 |
| Barium | 62 | | ug/L | 5.0 | 0.44 |
| Boron | 210 | | ug/L | 100 | 57 |
| Chromium | 2.3 | J | ug/L | 5.0 | 0.40 |
| Cobalt | 0.76 | J | ug/L | 1.0 | 0.14 |
| Copper | 5.3 | | ug/L | 3.0 | 0.84 |
| Lead | 0.52 | J | ug/L | 5.0 | 0.23 |
| Manganese | 29 | | ug/L | 10 | 4.3 |
| Nickel | 3.0 | J | ug/L | 5.0 | 0.91 |
| Selenium | 5.4 | | ug/L | 4.0 | 1.8 |
| Vanadium | 4.0 | J | ug/L | 5.0 | 0.59 |
| Zinc | 9.0 | J | ug/L | 10 | 7.6 |
| Method: EPA 300.0 Prep Method: METHOD | | | | | |
| Fluoride | 0.24 | | mg/L | 0.20 | 0.072 |
| Chloride | 28 | | mg/L | 1.0 | 0.27 |
| Nitrogen, Nitrite | 0.13 | | mg/L | 0.10 | 0.02 |
| Nitrogen, Nitrate | 1.8 | | mg/L | 0.10 | 0.05 |
| Sulfate | 130 | | mg/L | 10 | 2.5 |
| Method: EPA 350.1 Prep Method: METHOD | | | | | |
| Ammonia-N | 0.25 | | mg/L | 0.10 | 0.050 |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | |
| Benzene | 0.04 | J | ug/L | 1.0 | 0.03 |
| Method: EPA 8270C-SIM Prep Method: EPA 3535 | | | | | |
| 1,4-Dioxane | 1.0 | | ug/L | 1.0 | 0.84 |
| Method: SM 5310B Prep Method: SM 5310B | | | | | |
| Total Organic Carbon | 30 | | mg/L | 1.0 | 0.49 |
| Method: SM2130B | | | | | |
| Turbidity | 50 | | NTU | 0.20 | 0.12 |

Detection Summary

| 549965-001 Analyte | Result | Qual | Units | RL | MDL |
|--|------------|------|----------|-----|-----|
| Method: SM2320B Prep Method: METHOD | | | | | |
| Bicarbonate | 140 | | mg/L | 5.0 | |
| Alkalinity, Total as CaCO ₃ | 110 | | mg/L | 5.0 | |
| Method: SM2510B Prep Method: METHOD | | | | | |
| Specific Conductance | 630 | | umhos/cm | 1.0 | |
| Method: SM2540C Prep Method: METHOD | | | | | |
| Total Dissolved Solids | 440 | | mg/L | 20 | |
| Method: SM2540D Prep Method: METHOD | | | | | |
| Total Suspended Solids | 49 | | mg/L | 0.5 | |
| Method: SM5210B Prep Method: METHOD | | | | | |
| Biochemical Oxygen Demand | 4.8 | BOD5 | mg/L | 3.0 | |
| Method: SM5220D Prep Method: SM 5220D | | | | | |
| Chemical Oxygen Demand | 77 | | mg/L | 4.0 | 2.0 |

BOD5 Estimated result, under-depleted, highest volume replicate reported
 J Estimated value



Login 549965



Entnaipy Analytical - Orange

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

Chain of Custody Record

Lab No: 549965

Page: 1 of 3

Matrix: A = Air S = Soil/Solid
 W = Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

Standard: X
 2 Day:
 3 Day:
 Custom TAT:

Preservatives:
 1 = Na₂S₂O₃ 2 = HCl 3 = HNO₃
 4 = H₂SO₄ 5 = NaOH 6 = Other

Sample Receipt Temp:
115 4.4 / 4.2
2.2 / 4.2
 (lab use only)

| CUSTOMER INFORMATION | | | | PROJECT INFORMATION | | | | Analysis Request | | | | Test Instructions / Comments | | | | | | | |
|----------------------|------------|---|--------------|---------------------|---------------|--------|----------------------|------------------|-----------------|-----------------------------------|-----------------------------|------------------------------|-----------------------------------|---------------|-----------|-----------------------------|-------|-------------------|---|
| Company: | Name: | East Basin | Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. | 8151 Herbicides | 8141 Organophosphorous Pesticides | 8081 Pesticides / 8082 PCBs | 4500-CN-E Cyanide | 200.7/200.8 Metals (see comments) | 245.1 Mercury | 8260 VOCs | 8260 Acrolein/Acrylonitrile | 8270C | 8290 2,3,7,8-TCDD | |
| Chiquita Canyon, LLC | Kate Logan | 29201 Henry Mayo Drive Castaic, CA 91384 | 682-559-3880 | 12/30/25 | 1145 | W | 30 | 6,2,4,1 | X | X | X | X | X | X | X | X | X | X | 200.8 - Ag, As, B, Ba, Be, Cd, Co, Cr, Cu, Ni, Mn, Pb, Sb, Se, Sn, Tl, V, Zn 200.7 - Fe, Ca, K, Mg, Na Additional email recipients: matt.breuer@wasteconnections.com stormwater@wasteconnections.com tmb@swteng.com aav@swteng.com Direct invoices to: Maribel Bolanos (661) 257-3665 Temp: 14°C, pH 8.33 |
| Report To: | Number: | Address: | Global ID: | Sampled By: | | | | | | | | | | | | | | | |
| Email: | P.O. #: | | | | | | | | | | | | | | | | | | |
| Signature | Print Name | Company / Title | Date / Time | | | | | | | | | | | | | | | | |
| <i>[Signature]</i> | MaH Tushk | CIEH | 12/30 1510 | | | | | | | | | | | | | | | | |
| 1 Relinquished By: | | | | | | | | | | | | | | | | | | | |
| 1 Received By: | | | | | | | | | | | | | | | | | | | |
| 2 Relinquished By: | | | | | | | | | | | | | | | | | | | |
| 2 Received By: | | | | | | | | | | | | | | | | | | | |
| 3 Relinquished By: | | | | | | | | | | | | | | | | | | | |
| 3 Received By: | | | | | | | | | | | | | | | | | | | |



Enthalpy Analytical - Orange
 931 W. Barkley Avenue, Orange, CA 92868
 Phone 714-771-6900

Chain of Custody Record
 Lab No: 549905
 Page: 2 of 3

Matrix: A = Air S = Soil/Solid
 W = Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

Turn Around Time (rush by advanced notice only)
 Standard: 5 Day: 3 Day:
 2 Day: 1 Day: Custom TAT:

Preservatives:
 1 = Na₂S₂O₃ 2 = HCl 3 = HNO₃
 4 = H₂SO₄ 5 = NaOH 6 = Other
 (lab use only)

| CUSTOMER INFORMATION | | | | PROJECT INFORMATION | | | | Analysis Request | | | | Test Instructions / Comments | | | | | | | | |
|----------------------|--|-------------|------------------------|---------------------|---------------|---------------|--------|----------------------|---------|---------------------------|-----------------------|------------------------------|-------------|---------------|--|-----------|-----------|----------------------|--------------------|---|
| Company: | Chiquita Canyon, LLC | Name: | East Basin | Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. | SM4500-S2-D Total Sulfide | 420.1 Total Phenolics | 1664A Oil and Grease | SM5210B BOD | 9221F E. Coll | 300.0 Cl, Br, F, NO ₃ , NO ₂ , SO ₄ | 2540D TSS | 5310B TOC | 8270 SIM 1,4-Dioxane | SM2320B Alkalinity | Additional email recipients: matt.breuer@wasteconnections.com stormwater@wasteconnections.com tmb@swteng.com aav@swteng.com Direct invoices to: Maribel Bolanos (661) 257-3665 |
| Report To: | Kate Logan | Number: | | | | | | | | | | | | | | | | | | |
| Email: | kate.logan@wasteconnections.com | P.O. #: | | | | | | | | | | | | | | | | | | |
| Address: | 29201 Henry Mayo Drive | Address: | 29201 Henry Mayo Drive | | | | | | | | | | | | | | | | | |
| | Castaic, CA 91384 | | Castaic, CA 91384 | | | | | | | | | | | | | | | | | |
| Phone: | 682-559-3880 | Global ID: | | | | | | | | | | | | | | | | | | |
| Fax: | | Sampled By: | MT, CH | | | | | | | | | | | | | | | | | |
| 1 | East Basin | | | | 12/30/25 | 1145 | W | 30 | 6,2,4,1 | | | | | | | | | | | Temp: 14°C, pH 8.33 |
| 2 | | | | | | | | | | | | | | | | | | | | |
| 3 | | | | | | | | | | | | | | | | | | | | |
| 4 | | | | | | | | | | | | | | | | | | | | |
| 5 | | | | | | | | | | | | | | | | | | | | |
| 6 | | | | | | | | | | | | | | | | | | | | |
| 7 | | | | | | | | | | | | | | | | | | | | |
| 8 | | | | | | | | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | | | | | | | | |

| Signature | Print Name | Company / Title | Date / Time |
|-----------|-----------------|-----------------|---------------|
| | Maribel Bolanos | CTEH | 12/30 1510 |
| | Kate Logan | EP | 12/30/25 1510 |
| | | | |
| | | | |
| | | | |
| | | | |



Enthalpy Analytical - Orange

931 W. Barkley Avenue, Orange, CA 92868

Phone 714-771-6900

Chain of Custody Record

Lab No: *99965*

Page: 3 of 3

Matrix: A = Air S = Soil/Solid
 W = Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

Turn Around Time (rush by advanced notice only)

Standard: X 5 Day: 3 Day:
 2 Day: 1 Day: Custom TAT:

Sample Receipt Temp:

Preservatives:
 1 = Na₂S₂O₃ 2 = HCl 3 = HNO₃
 4 = H₂SO₄ 5 = NaOH 6 = Other
 (lab use only)

CUSTOMER INFORMATION

Company: Chiquita Canyon, LLC
 Report To: Kate Logan
 Email: kate.logan@wastecconnections.com
 Address: 29201 Henry Mayo Drive
 Castaic, CA 91384
 Phone: 682-559-3880
 Fax:
 Name: East Basin
 Number:
 P.O. #:
 Address: 29201 Henry Mayo Drive
 Castaic, CA 91384
 Global ID:
 Sampled By: MT, CH

PROJECT INFORMATION

Analysis Request
 SM220D Chemical Oxygen Demand
 SM2510B Specific Conductance
 RSK-175 Carbon Dioxide
 2540E TDS
 SM2130B Turbidity
 350.1 Ammonia
 625.1 - See Comments
 625.1 Alpha-Terpineol

Test Instructions / Comments

625.1 - Benzoic Acid, Pyridine, Phenol, 2-methylphenol, 3,4-methylphenol, Cresol, Naphthalene, alpha-terpineol
 Additional email recipients:
 matt.breuer@wastecconnections.com
 stormwater@wastecconnections.com
 tmb@swteng.com
 aav@swteng.com
 Direct invoices to:
 Maribel Bolanos
 (661) 257-3665
 Temp: 14°C, pH 8.33

| Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. |
|--------------|---------------|---------------|--------|----------------------|---------|
| 1 East Basin | 12/30/25 | 1145 | W | 30 | 6,2,4,1 |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |

Signature

[Signature]

Print Name

MAH TESSIE
MA

Company / Title

CTEH
EA

Date / Time

12/30/25 1510
12/30/25 1510

- 1 Relinquished By:
- 1 Received By:
- 2 Relinquished By:
- 2 Received By:
- 3 Relinquished By:
- 3 Received By:

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 12/20/15 WO# 549965 Client: Chiquita Canyon

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 12/20/15 By (initials) JKR / JKC Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: 1215 CF: 70.7

Cooler Temp (°C) #1: 4.4 / 4.8 #2: 3.8 / 4.2 #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

| | YES | NO | N/A |
|---|-------------------------------------|----|-------------------------------------|
| 1) Were custody papers present, filled properly, and legible? | <input checked="" type="checkbox"/> | | |
| 2) Is the sampler's name present on the CoC? | <input checked="" type="checkbox"/> | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | <input checked="" type="checkbox"/> | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | | | <input checked="" type="checkbox"/> |
| 5) Were all of, and only, the correct samples received? | <input checked="" type="checkbox"/> | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | <input checked="" type="checkbox"/> | | |
| 7) Does the container count match the CoC? | <input checked="" type="checkbox"/> | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | <input checked="" type="checkbox"/> | | |
| 9) Were samples received in proper containers for the analyses requested? | <input checked="" type="checkbox"/> | | |
| 10) Were samples received with > 1/2 holding time remaining? | <input checked="" type="checkbox"/> | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | <input checked="" type="checkbox"/> | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | <input checked="" type="checkbox"/> |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | <input checked="" type="checkbox"/> | | |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 12/30/15 By (print) GCK (sign)

Date Labeled 12/30/15 By (print) JKR / AGR (sign)

Analysis Results for 549965

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 549965
 Project No: EAST BASIN
 Location: East Basin Waters & Soils - Stormwater Scope
 Date Received: 12/30/25

| | | |
|------------------------------|---------------------------|----------------------------------|
| Sample ID: EAST BASIN | Lab ID: 549965-001 | Collected: 12/30/25 11:45 |
| Matrix: Water | | |

| 549965-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---|-------------|------|-------|-------|--------|------|--------|-------------------|-------------------|---------|
| Method: EPA 1664A Prep Method: METHOD | | | | | | | | | | |
| Total Oil and Grease | ND | | mg/L | 4.9 | 0.96 | 0.99 | 391347 | 12/31/25 | 12/31/25 | JAG |
| Method: EPA 200.7 Prep Method: EPA 3015A | | | | | | | | | | |
| Calcium | 51 | | mg/L | 0.10 | 0.0095 | 1 | 391342 | 12/30/25 | 12/30/25 | KAM |
| Iron | 0.71 | | mg/L | 0.050 | 0.017 | 1 | 391342 | 12/30/25 | 12/30/25 | KAM |
| Magnesium | 11 | | mg/L | 0.10 | 0.017 | 1 | 391342 | 12/30/25 | 12/30/25 | KAM |
| Potassium | 13 | | mg/L | 0.50 | 0.20 | 1 | 391342 | 12/30/25 | 12/30/25 | KAM |
| Sodium | 57 | | mg/L | 0.50 | 0.017 | 1 | 391342 | 12/30/25 | 12/30/25 | KAM |
| Method: EPA 200.8 Prep Method: EPA 3015A | | | | | | | | | | |
| Antimony | ND | | ug/L | 2.0 | 1.3 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Arsenic | 4.3 | | ug/L | 2.0 | 0.30 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Barium | 62 | | ug/L | 5.0 | 0.44 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Beryllium | ND | | ug/L | 1.0 | 0.096 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Boron | 210 | | ug/L | 100 | 57 | 10 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Cadmium | ND | | ug/L | 1.0 | 0.21 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Chromium | 2.3 | J | ug/L | 5.0 | 0.40 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Cobalt | 0.76 | J | ug/L | 1.0 | 0.14 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Copper | 5.3 | | ug/L | 3.0 | 0.84 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Lead | 0.52 | J | ug/L | 5.0 | 0.23 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Manganese | 29 | | ug/L | 10 | 4.3 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Nickel | 3.0 | J | ug/L | 5.0 | 0.91 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Selenium | 5.4 | | ug/L | 4.0 | 1.8 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Silver | ND | | ug/L | 5.0 | 0.37 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Thallium | ND | | ug/L | 1.0 | 0.14 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Tin | ND | | ug/L | 5.0 | 1.5 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Vanadium | 4.0 | J | ug/L | 5.0 | 0.59 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Zinc | 9.0 | J | ug/L | 10 | 7.6 | 1 | 391329 | 12/30/25 | 12/30/25 | DXC |
| Method: EPA 245.1 Prep Method: EPA 245.1 | | | | | | | | | | |
| Mercury | ND | | ug/L | 0.40 | 0.032 | 1 | 391337 | 12/30/25 | 12/31/25 | MLL |
| Method: EPA 300.0 Prep Method: METHOD | | | | | | | | | | |
| Fluoride | 0.24 | | mg/L | 0.20 | 0.072 | 1 | 391299 | 12/30/25 16:30 | 12/30/25 17:36 | KUM |
| Chloride | 28 | | mg/L | 1.0 | 0.27 | 1 | 391299 | 12/30/25 16:30 | 12/30/25 17:36 | KUM |
| Nitrogen, Nitrite | 0.13 | | mg/L | 0.10 | 0.02 | 1 | 391299 | 12/30/25 16:30 | 12/30/25 17:36 | KUM |
| Bromide | ND | | mg/L | 0.30 | 0.060 | 1 | 391299 | 12/30/25 16:30 | 12/30/25 17:36 | KUM |

Analysis Results for 549965

| 549965-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|---|-------------|------|-------|---------------|--------|------|--------|-------------------|-------------------|----------|-----|
| Nitrogen, Nitrate | 1.8 | | mg/L | 0.10 | 0.05 | 1 | 391299 | 12/30/25 16:30 | 12/30/25 17:36 | KUM | |
| Sulfate | 130 | | mg/L | 10 | 2.5 | 10 | 391299 | 12/30/25 16:30 | 12/30/25 18:36 | KUM | |
| Method: EPA 350.1 Prep Method: METHOD | | | | | | | | | | | |
| Ammonia-N | 0.25 | | mg/L | 0.10 | 0.050 | 1 | 391374 | 12/31/25 | 12/31/25 | CKN | |
| Method: EPA 420.1 Prep Method: METHOD | | | | | | | | | | | |
| Total Phenolics | ND | | mg/L | 0.010 | 0.0065 | 1 | 391379 | 12/31/25 | 12/31/25 | LVL | |
| Method: EPA 625.1 Prep Method: EPA 3510C | | | | | | | | | | | |
| Benzoic acid | ND | | ug/L | 48 | 10 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| Phenol | ND | | ug/L | 9.7 | 2.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| Naphthalene | ND | | ug/L | 9.7 | 3.5 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| Cresol | ND | | ug/L | 9.7 | | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| a-Terpineol | ND | | ug/L | 9.7 | 2.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| Method: EPA 8081A Prep Method: EPA 3510C | | | | | | | | | | | |
| alpha-BHC | ND | | ug/L | 0.05 | 0.01 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| beta-BHC | ND | | ug/L | 0.05 | 0.02 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| gamma-BHC | ND | | ug/L | 0.05 | 0.01 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| delta-BHC | ND | | ug/L | 0.05 | 0.009 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Heptachlor | ND | | ug/L | 0.05 | 0.02 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aldrin | ND | | ug/L | 0.05 | 0.02 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Heptachlor epoxide | ND | | ug/L | 0.05 | 0.01 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Endosulfan I | ND | | ug/L | 0.05 | 0.02 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Dieldrin | ND | | ug/L | 0.1 | 0.01 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| 4,4'-DDE | ND | | ug/L | 0.1 | 0.01 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Endrin | ND | | ug/L | 0.1 | 0.01 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Endosulfan II | ND | | ug/L | 0.1 | 0.01 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Endosulfan sulfate | ND | | ug/L | 0.1 | 0.02 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| 4,4'-DDD | ND | | ug/L | 0.1 | 0.03 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Endrin aldehyde | ND | | ug/L | 0.1 | 0.02 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Endrin ketone | ND | | ug/L | 0.1 | 0.02 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| 4,4'-DDT | ND | | ug/L | 0.1 | 0.07 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Methoxychlor | ND | | ug/L | 0.1 | 0.07 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Toxaphene | ND | | ug/L | 2.0 | 0.6 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Chlordane (Technical) | ND | | ug/L | 1.0 | 0.3 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Surrogates | | | | Limits | | | | | | | |
| TCMX | 76% | | %REC | 29-120 | | | 1 | 391325 | 12/30/25 | 12/31/25 | XLY |
| Decachlorobiphenyl | 84% | | %REC | 33-132 | | | 1 | 391325 | 12/30/25 | 12/31/25 | XLY |
| Method: EPA 8082 Prep Method: EPA 3510C | | | | | | | | | | | |
| Aroclor-1016 | ND | | ug/L | 0.50 | 0.30 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aroclor-1221 | ND | | ug/L | 0.50 | 0.47 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aroclor-1232 | ND | | ug/L | 0.50 | 0.27 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aroclor-1242 | ND | | ug/L | 0.50 | 0.29 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aroclor-1248 | ND | | ug/L | 0.50 | 0.24 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aroclor-1254 | ND | | ug/L | 0.50 | 0.27 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aroclor-1260 | ND | | ug/L | 0.50 | 0.33 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |
| Aroclor-1262 | ND | | ug/L | 0.50 | 0.29 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY | |

Analysis Results for 549965

| 549965-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|-------------|------|-------|---------------|------|----|--------|----------|----------|---------|
| Aroclor-1268 | ND | | ug/L | 0.50 | 0.26 | 1 | 391325 | 12/30/25 | 12/31/25 | XLY |
| Surrogates | | | | Limits | | | | | | |
| Decachlorobiphenyl (PCB) | 81% | | %REC | 28-138 | | 1 | 391325 | 12/30/25 | 12/31/25 | XLY |
| Method: EPA 8260B | | | | | | | | | | |
| Prep Method: EPA 5030B | | | | | | | | | | |
| Carbon Disulfide | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 2-Chloroethylvinylether | ND | | ug/L | 50 | 1.9 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Chloroprene | ND | | ug/L | 200 | 0.4 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 3-Chloropropene | ND | | ug/L | 5.0 | 0.3 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Ethyl methacrylate | ND | | ug/L | 50 | 2.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Ethanol | ND | | ug/L | 500 | 110 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 2-Hexanone | ND | | ug/L | 5.0 | 1.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Iodomethane | ND | | ug/L | 10 | 4.4 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Isopropanol (IPA) | ND | | ug/L | 200 | 52 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Methyl acrylonitrile | ND | | ug/L | 35 | 3.7 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Vinyl Acetate | ND | | ug/L | 50 | 15 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Acrolein | ND | | ug/L | 200 | 2.7 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Acrylonitrile | ND | | ug/L | 10 | 0.7 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Freon 12 | ND | | ug/L | 5.0 | 0.08 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Chloromethane | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Vinyl Chloride | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Bromomethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Chloroethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Trichlorofluoromethane | ND | | ug/L | 5.0 | 0.05 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Acetone | ND | | ug/L | 100 | 5.0 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Freon 113 | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,1-Dichloroethene | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Methylene Chloride | ND | | ug/L | 5.0 | 0.2 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| MTBE | ND | | ug/L | 5.0 | 0.08 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| trans-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,1-Dichloroethane | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 2-Butanone | ND | | ug/L | 100 | 1.5 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| cis-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 2,2-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Chloroform | ND | | ug/L | 5.0 | 0.08 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Bromochloromethane | ND | | ug/L | 5.0 | 0.2 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,1,1-Trichloroethane | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,1-Dichloropropene | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Carbon Tetrachloride | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dichloroethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Benzene | 0.04 | J | ug/L | 1.0 | 0.03 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Trichloroethene | ND | | ug/L | 5.0 | 0.05 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Bromodichloromethane | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Dibromomethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 4-Methyl-2-Pentanone | ND | | ug/L | 5.0 | 1.0 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| cis-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Toluene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| trans-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.08 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,1,2-Trichloroethane | ND | | ug/L | 5.0 | 0.2 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,3-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Tetrachloroethene | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |

Analysis Results for 549965

| 549965-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist | |
|--|------------|------|-------|---------------|--------|------|--------|----------|----------|----------|-----|
| Dibromochloromethane | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,2-Dibromoethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Chlorobenzene | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,1,1,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Ethylbenzene | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| m,p-Xylenes | ND | | ug/L | 10 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| o-Xylene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Styrene | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Bromoform | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Isopropylbenzene | ND | | ug/L | 5.0 | 0.05 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,1,2,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,2,3-Trichloropropane | ND | | ug/L | 5.0 | 0.1 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Propylbenzene | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Bromobenzene | ND | | ug/L | 5.0 | 0.03 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,3,5-Trimethylbenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 2-Chlorotoluene | ND | | ug/L | 5.0 | 0.05 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 4-Chlorotoluene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| tert-Butylbenzene | ND | | ug/L | 5.0 | 0.03 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,2,4-Trimethylbenzene | ND | | ug/L | 5.0 | 0.03 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| sec-Butylbenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| para-Isopropyl Toluene | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,3-Dichlorobenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,4-Dichlorobenzene | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| n-Butylbenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,2-Dichlorobenzene | ND | | ug/L | 5.0 | 0.09 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,2-Dibromo-3-Chloropropane | ND | | ug/L | 5.0 | 0.5 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,2,4-Trichlorobenzene | ND | | ug/L | 5.0 | 0.07 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Hexachlorobutadiene | ND | | ug/L | 5.0 | 0.2 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Naphthalene | ND | | ug/L | 5.0 | 0.2 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| 1,2,3-Trichlorobenzene | ND | | ug/L | 5.0 | 0.08 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| cis-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.4 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| trans-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.4 | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Xylene (total) | ND | | ug/L | 5.0 | | 1 | 391356 | 12/31/25 | 12/31/25 | TCN | |
| Surrogates | | | | Limits | | | | | | | |
| Dibromofluoromethane | 95% | | %REC | 70-130 | | | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dichloroethane-d4 | 106% | | %REC | 70-130 | | | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Toluene-d8 | 96% | | %REC | 70-130 | | | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Bromofluorobenzene | 99% | | %REC | 70-130 | | | 1 | 391356 | 12/31/25 | 12/31/25 | TCN |
| Method: EPA 8270C-SIM Prep Method: EPA 3535 | | | | | | | | | | | |
| 1,4-Dioxane | 1.0 | | ug/L | 1.0 | 0.84 | 1 | 391351 | 12/30/25 | 12/30/25 | ZFA | |
| Surrogates | | | | Limits | | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 97% | | %REC | 80-120 | | | 1 | 391351 | 12/30/25 | 12/30/25 | ZFA |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | | |
| Carbazole | ND | | ug/L | 9.7 | 2.7 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| Pyridine | ND | | mg/L | 0.0097 | 0.0027 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| N-Nitrosodimethylamine | ND | | ug/L | 9.7 | 2.8 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| Aniline | ND | | ug/L | 9.7 | 2.8 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |
| bis(2-Chloroethyl)ether | ND | | ug/L | 24 | 3.6 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW | |

Analysis Results for 549965

| 549965-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------------------|--------|------|-------|--------|--------|------|--------|----------|----------|---------|
| 2-Chlorophenol | ND | | ug/L | 9.7 | 3.5 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 1,3-Dichlorobenzene | ND | | ug/L | 9.7 | 3.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 1,4-Dichlorobenzene | ND | | ug/L | 9.7 | 3.3 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Benzyl alcohol | ND | | ug/L | 24 | 5.6 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 1,2-Dichlorobenzene | ND | | ug/L | 9.7 | 3.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2-Methylphenol | ND | | mg/L | 0.0097 | 0.0031 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| bis(2-Chloroisopropyl) ether | ND | | ug/L | 9.7 | 3.7 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 3-,4-Methylphenol | ND | | mg/L | 0.0097 | 0.0029 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| N-Nitroso-di-n-propylamine | ND | | ug/L | 9.7 | 3.7 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Hexachloroethane | ND | | mg/L | 0.0097 | 0.0029 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Nitrobenzene | ND | | mg/L | 0.024 | 0.0081 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Isophorone | ND | | ug/L | 9.7 | 3.6 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2-Nitrophenol | ND | | ug/L | 9.7 | 5.3 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,4-Dimethylphenol | ND | | ug/L | 9.7 | 3.1 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| bis(2-Chloroethoxy)methane | ND | | ug/L | 9.7 | 3.5 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,4-Dichlorophenol | ND | | ug/L | 9.7 | 3.6 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 1,2,4-Trichlorobenzene | ND | | ug/L | 9.7 | 3.3 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 4-Chloroaniline | ND | | ug/L | 9.7 | 3.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Hexachlorobutadiene | ND | | mg/L | 0.0097 | 0.0021 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 4-Chloro-3-methylphenol | ND | | ug/L | 9.7 | 3.5 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2-Methylnaphthalene | ND | | ug/L | 9.7 | 3.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Hexachlorocyclopentadiene | ND | | ug/L | 24 | 7.5 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.0097 | 0.0039 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.0097 | 0.0036 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2-Chloronaphthalene | ND | | ug/L | 9.7 | 3.3 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2-Nitroaniline | ND | | ug/L | 48 | 4.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Dimethylphthalate | ND | | ug/L | 9.7 | 3.3 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Acenaphthylene | ND | | ug/L | 9.7 | 3.7 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,6-Dinitrotoluene | ND | | ug/L | 9.7 | 4.3 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 3-Nitroaniline | ND | | ug/L | 9.7 | 3.9 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Acenaphthene | ND | | ug/L | 9.7 | 3.1 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,4-Dinitrophenol | ND | | ug/L | 48 | 14 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 4-Nitrophenol | ND | | ug/L | 48 | 8.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Dibenzofuran | ND | | ug/L | 9.7 | 3.1 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.0097 | 0.0041 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Diethylphthalate | ND | | ug/L | 9.7 | 2.8 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Fluorene | ND | | ug/L | 9.7 | 3.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 4-Chlorophenyl-phenylether | ND | | ug/L | 9.7 | 3.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 4-Nitroaniline | ND | | ug/L | 9.7 | 3.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 4,6-Dinitro-2-methylphenol | ND | | ug/L | 48 | 17 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| N-Nitrosodiphenylamine | ND | | ug/L | 9.7 | 3.8 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 1,2-diphenylhydrazine (as azobenzene) | ND | | ug/L | 9.7 | 2.8 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 4-Bromophenyl-phenylether | ND | | ug/L | 9.7 | 3.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Hexachlorobenzene | ND | | mg/L | 0.0097 | 0.0029 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Pentachlorophenol | ND | | mg/L | 0.024 | 0.0055 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Phenanthrene | ND | | ug/L | 9.7 | 2.8 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Anthracene | ND | | ug/L | 9.7 | 2.7 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Di-n-butylphthalate | ND | | ug/L | 9.7 | 2.9 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Fluoranthene | ND | | ug/L | 9.7 | 2.7 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Benzidine | ND | | ug/L | 48 | 18 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Pyrene | ND | | ug/L | 9.7 | 2.6 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |

Analysis Results for 549965

| 549965-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---|------------|------|----------|---------------|--------|------|--------|-------------------|-------------------|---------|
| Butylbenzylphthalate | ND | | ug/L | 9.7 | 3.5 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 3,3'-Dichlorobenzidine | ND | | ug/L | 24 | 5.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Benzo(a)anthracene | ND | | ug/L | 9.7 | 2.3 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Chrysene | ND | | ug/L | 9.7 | 2.4 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| bis(2-Ethylhexyl)phthalate | ND | | ug/L | 9.7 | 3.2 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Di-n-octylphthalate | ND | | ug/L | 9.7 | 4.5 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Benzo(b)fluoranthene | ND | | ug/L | 9.7 | 2.9 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Benzo(k)fluoranthene | ND | | ug/L | 9.7 | 3.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Benzo(a)pyrene | ND | | ug/L | 9.7 | 3.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Indeno(1,2,3-cd)pyrene | ND | | ug/L | 9.7 | 4.1 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Dibenz(a,h)anthracene | ND | | ug/L | 9.7 | 4.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Benzo(g,h,i)perylene | ND | | ug/L | 9.7 | 4.0 | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 48% | | %REC | 15-120 | | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Phenol-d6 | 30% | | %REC | 15-120 | | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2,4,6-Tribromophenol | 88% | | %REC | 15-140 | | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Nitrobenzene-d5 | 75% | | %REC | 15-123 | | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| 2-Fluorobiphenyl | 71% | | %REC | 15-120 | | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Terphenyl-d14 | 87% | | %REC | 15-120 | | 0.97 | 391341 | 12/30/25 | 12/31/25 | TJW |
| Method: SM 4500-CN-E Prep Method: METHOD | | | | | | | | | | |
| Cyanide | ND | | mg/L | 0.0050 | 0.0017 | 0.5 | 391320 | 12/30/25 | 12/31/25 | JAK |
| Method: SM 4500-S2-D Prep Method: METHOD | | | | | | | | | | |
| Sulfide | ND | | mg/L | 0.10 | | 1 | 391360 | 12/30/25 | 12/30/25 | TXC |
| Method: SM 5310B Prep Method: SM 5310B | | | | | | | | | | |
| Total Organic Carbon | 30 | | mg/L | 1.0 | 0.49 | 1 | 391339 | 12/30/25 | 12/31/25 | BDR |
| Method: SM2130B | | | | | | | | | | |
| Turbidity | 50 | | NTU | 0.20 | 0.12 | 1 | 391318 | 12/30/25 16:40 | 12/30/25 16:40 | TRR |
| Method: SM2320B Prep Method: METHOD | | | | | | | | | | |
| Bicarbonate | 140 | | mg/L | 5.0 | | 2.5 | 391408 | 12/31/25 | 12/31/25 | WWC |
| Carbonate | ND | | mg/L | 5.0 | | 2.5 | 391408 | 12/31/25 | 12/31/25 | WWC |
| Hydroxide | ND | | mg/L | 5.0 | | 2.5 | 391408 | 12/31/25 | 12/31/25 | WWC |
| Alkalinity, Total as CaCO3 | 110 | | mg/L | 5.0 | | 2.5 | 391408 | 12/31/25 | 12/31/25 | WWC |
| Method: SM2510B Prep Method: METHOD | | | | | | | | | | |
| Specific Conductance | 630 | | umhos/cm | 1.0 | | 1 | 391346 | 12/30/25 | 12/30/25 | AAB |
| Method: SM2540C Prep Method: METHOD | | | | | | | | | | |
| Total Dissolved Solids | 440 | | mg/L | 20 | | 2 | 391345 | 12/30/25 | 12/31/25 | AAB |
| Method: SM2540D Prep Method: METHOD | | | | | | | | | | |
| Total Suspended Solids | 49 | | mg/L | 0.5 | | 1 | 391335 | 12/30/25 | 12/31/25 | CKN |
| Method: SM5210B Prep Method: METHOD | | | | | | | | | | |
| Biochemical Oxygen Demand | 4.8 | BOD5 | mg/L | 3.0 | | 1 | 391332 | 12/30/25 16:05 | 01/04/26 12:56 | AAB |

Analysis Results for 549965

| 549965-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------|------|-------|-----|-----|----|--------|----------|----------|---------|
| Method: SM5220D | | | | | | | | | | |
| Prep Method: SM 5220D | | | | | | | | | | |
| Chemical Oxygen Demand | 77 | | mg/L | 4.0 | 2.0 | 1 | 391311 | 12/31/25 | 12/31/25 | ARM |

BOD5 Estimated result, under-depleted, highest volume replicate reported
 J Estimated value
 ND Not Detected

Batch QC

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1327024 | Batch: 391347 |
| Matrix: Water | Method: EPA 1664A | Prep Method: METHOD |

| QC1327024 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|----------------------|--------|------|-------|-----|------|----------|----------|
| Total Oil and Grease | ND | | mg/L | 5.0 | 0.97 | 12/31/25 | 12/31/25 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1327025 | Batch: 391347 |
| Matrix: Water | Method: EPA 1664A | Prep Method: METHOD |

| QC1327025 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|----------------------|--------|--------|-------|----------|------|--------|
| Total Oil and Grease | 37.80 | 40.00 | mg/L | 95% | | 78-114 |

| | | |
|---|--------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1327026 | Batch: 391347 |
| Matrix: Water | Method: EPA 1664A | Prep Method: METHOD |

| QC1327026 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|----------------------|--------|--------|-------|----------|------|--------|-----|---------|
| Total Oil and Grease | 37.40 | 40.00 | mg/L | 94% | | 78-114 | 1 | 18 |

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326763 | Batch: 391342 |
| Matrix: Water | Method: EPA 200.7 | Prep Method: EPA 3015A |

| QC1326763 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|-------|--------|----------|----------|
| Calcium | ND | | mg/L | 0.10 | 0.0095 | 12/30/25 | 12/30/25 |
| Iron | ND | | mg/L | 0.050 | 0.017 | 12/30/25 | 12/30/25 |
| Magnesium | ND | | mg/L | 0.10 | 0.017 | 12/30/25 | 12/30/25 |
| Potassium | ND | | mg/L | 0.50 | 0.20 | 12/30/25 | 12/30/25 |
| Sodium | 0.081 | J | mg/L | 0.50 | 0.017 | 12/30/25 | 12/30/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326764 | Batch: 391342 |
| Matrix: Water | Method: EPA 200.7 | Prep Method: EPA 3015A |

| QC1326764 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Calcium | 20.92 | 20.40 | mg/L | 103% | | 85-115 |
| Iron | 0.4051 | 0.4000 | mg/L | 101% | | 85-115 |
| Magnesium | 21.95 | 20.40 | mg/L | 108% | | 85-115 |
| Potassium | 24.78 | 24.00 | mg/L | 103% | | 85-115 |
| Sodium | 20.80 | 20.40 | mg/L | 102% | | 85-115 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326765 | Batch: 391342 |
| Matrix (Source ID): Water (549935-001) | Method: EPA 200.7 | Prep Method: EPA 3015A |

| QC1326765 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Calcium | 86.38 | 66.17 | 20.40 | mg/L | 99% | | 75-125 | 1 |
| Iron | 0.4749 | 0.06769 | 0.4000 | mg/L | 102% | | 75-125 | 1 |
| Magnesium | 53.00 | 31.31 | 20.40 | mg/L | 106% | | 75-125 | 1 |
| Potassium | 45.63 | 19.24 | 24.00 | mg/L | 110% | | 75-125 | 1 |
| Sodium | 660.6 | 647.2 | 20.40 | mg/L | 66% | NM | 75-125 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326766 | Batch: 391342 |
| Matrix (Source ID): Water (549935-001) | Method: EPA 200.7 | Prep Method: EPA 3015A |

| QC1326766 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Calcium | 86.44 | 66.17 | 20.40 | mg/L | 99% | | 75-125 | 0 | 20 | 1 |
| Iron | 0.4796 | 0.06769 | 0.4000 | mg/L | 103% | | 75-125 | 1 | 20 | 1 |
| Magnesium | 53.16 | 31.31 | 20.40 | mg/L | 107% | | 75-125 | 0 | 20 | 1 |
| Potassium | 45.81 | 19.24 | 24.00 | mg/L | 111% | | 75-125 | 0 | 20 | 1 |
| Sodium | 660.2 | 647.2 | 20.40 | mg/L | 64% | NM | 75-125 | 0 | 20 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Serial Dilution | Lab ID: QC1326769 | Batch: 391342 |
| Matrix (Source ID): Water (549935-001) | Method: EPA 200.7 | Prep Method: EPA 3015A |

| QC1326769 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|-------|------|-----|---------|----|
| Calcium | 67.42 | 66.17 | mg/L | | | | 5 |
| Iron | ND | 0.06769 | mg/L | | | | 5 |
| Magnesium | 31.95 | 31.31 | mg/L | | | | 5 |
| Potassium | 17.97 | 19.24 | mg/L | | | | 5 |
| Sodium | 688.0 | 647.2 | mg/L | | | | 5 |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326705 | Batch: 391329 |
| Matrix: Water | Method: EPA 200.8 | Prep Method: EPA 3015A |

| QC1326705 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|-----|-------|----------|----------|
| Antimony | ND | | ug/L | 2.0 | 1.3 | 12/30/25 | 12/30/25 |
| Arsenic | ND | | ug/L | 2.0 | 0.30 | 12/30/25 | 12/30/25 |
| Barium | ND | | ug/L | 5.0 | 0.44 | 12/30/25 | 12/30/25 |
| Beryllium | ND | | ug/L | 1.0 | 0.096 | 12/30/25 | 12/30/25 |
| Boron | ND | | ug/L | 10 | 5.7 | 12/30/25 | 12/30/25 |
| Cadmium | ND | | ug/L | 1.0 | 0.21 | 12/30/25 | 12/30/25 |
| Chromium | ND | | ug/L | 5.0 | 0.40 | 12/30/25 | 12/30/25 |
| Cobalt | ND | | ug/L | 1.0 | 0.14 | 12/30/25 | 12/30/25 |
| Copper | ND | | ug/L | 3.0 | 0.84 | 12/30/25 | 12/30/25 |
| Lead | ND | | ug/L | 5.0 | 0.23 | 12/30/25 | 12/30/25 |
| Manganese | ND | | ug/L | 10 | 4.3 | 12/30/25 | 12/30/25 |
| Nickel | ND | | ug/L | 5.0 | 0.91 | 12/30/25 | 12/30/25 |
| Selenium | ND | | ug/L | 4.0 | 1.8 | 12/30/25 | 12/30/25 |
| Silver | ND | | ug/L | 5.0 | 0.37 | 12/30/25 | 12/30/25 |
| Thallium | ND | | ug/L | 1.0 | 0.14 | 12/30/25 | 12/30/25 |
| Tin | ND | | ug/L | 5.0 | 1.5 | 12/30/25 | 12/30/25 |
| Vanadium | ND | | ug/L | 5.0 | 0.59 | 12/30/25 | 12/30/25 |
| Zinc | ND | | ug/L | 10 | 7.6 | 12/30/25 | 12/30/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326706 | Batch: 391329 |
| Matrix: Water | Method: EPA 200.8 | Prep Method: EPA 3015A |

| QC1326706 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Antimony | 103.4 | 100.0 | ug/L | 103% | | 85-115 |
| Arsenic | 96.19 | 100.0 | ug/L | 96% | | 85-115 |
| Barium | 100.9 | 100.0 | ug/L | 101% | | 85-115 |
| Beryllium | 93.54 | 100.0 | ug/L | 94% | | 85-115 |
| Boron | 100.1 | 100.0 | ug/L | 100% | | 85-115 |
| Cadmium | 99.07 | 100.0 | ug/L | 99% | | 85-115 |
| Chromium | 97.49 | 100.0 | ug/L | 97% | | 85-115 |
| Cobalt | 101.0 | 100.0 | ug/L | 101% | | 85-115 |
| Copper | 98.33 | 100.0 | ug/L | 98% | | 85-115 |
| Lead | 97.12 | 100.0 | ug/L | 97% | | 85-115 |
| Manganese | 99.76 | 100.0 | ug/L | 100% | | 85-115 |
| Nickel | 100.3 | 100.0 | ug/L | 100% | | 85-115 |
| Selenium | 91.24 | 100.0 | ug/L | 91% | | 85-115 |
| Silver | 51.02 | 50.00 | ug/L | 102% | | 85-115 |
| Thallium | 98.07 | 100.0 | ug/L | 98% | | 85-115 |
| Tin | 93.90 | 100.0 | ug/L | 94% | | 85-115 |
| Vanadium | 97.79 | 100.0 | ug/L | 98% | | 85-115 |
| Zinc | 97.91 | 100.0 | ug/L | 98% | | 85-115 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326707 | Batch: 391329 |
| Matrix (Source ID): Water (549930-001) | Method: EPA 200.8 | Prep Method: EPA 3015A |

| QC1326707 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Antimony | 66.61 | 1.810 | 100.0 | ug/L | 65% | * | 70-130 | 1 |
| Arsenic | 96.17 | 4.239 | 100.0 | ug/L | 92% | | 70-130 | 1 |
| Barium | 246.6 | 144.2 | 100.0 | ug/L | 102% | | 70-130 | 1 |
| Beryllium | 100.2 | 0.2020 | 100.0 | ug/L | 100% | | 70-130 | 1 |
| Boron | 161.3 | 95.06 | 100.0 | ug/L | 66% | * | 70-130 | 10 |
| Cadmium | 98.17 | 0.4350 | 100.0 | ug/L | 98% | | 70-130 | 1 |
| Chromium | 132.1 | 32.26 | 100.0 | ug/L | 100% | | 70-130 | 1 |
| Cobalt | 106.6 | 8.126 | 100.0 | ug/L | 99% | | 70-130 | 1 |
| Copper | 293.1 | 179.2 | 100.0 | ug/L | 114% | | 70-130 | 1 |
| Lead | 133.7 | 36.51 | 100.0 | ug/L | 97% | | 70-130 | 1 |
| Manganese | 538.2 | 429.8 | 100.0 | ug/L | 108% | NM | 70-130 | 1 |
| Nickel | 130.8 | 29.59 | 100.0 | ug/L | 101% | | 70-130 | 1 |
| Selenium | 102.1 | ND | 100.0 | ug/L | 102% | | 70-130 | 10 |
| Silver | 50.48 | ND | 50.00 | ug/L | 101% | | 70-130 | 1 |
| Thallium | 97.44 | ND | 100.0 | ug/L | 97% | | 70-130 | 1 |
| Tin | 43.40 | ND | 100.0 | ug/L | 43% | * | 70-130 | 1 |
| Vanadium | 116.9 | 18.92 | 100.0 | ug/L | 98% | | 70-130 | 1 |
| Zinc | 463.6 | 359.9 | 100.0 | ug/L | 104% | | 70-130 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326708 | Batch: 391329 |
| Matrix (Source ID): Water (549930-001) | Method: EPA 200.8 | Prep Method: EPA 3015A |

| QC1326708 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Antimony | 68.60 | 1.810 | 100.0 | ug/L | 67% | * | 70-130 | 3 | 20 | 1 |
| Arsenic | 98.69 | 4.239 | 100.0 | ug/L | 94% | | 70-130 | 3 | 20 | 1 |
| Barium | 253.1 | 144.2 | 100.0 | ug/L | 109% | | 70-130 | 3 | 20 | 1 |
| Beryllium | 97.80 | 0.2020 | 100.0 | ug/L | 98% | | 70-130 | 2 | 20 | 1 |
| Boron | 162.6 | 95.06 | 100.0 | ug/L | 68% | * | 70-130 | 1 | 20 | 10 |
| Cadmium | 99.06 | 0.4350 | 100.0 | ug/L | 99% | | 70-130 | 1 | 20 | 1 |
| Chromium | 141.9 | 32.26 | 100.0 | ug/L | 110% | | 70-130 | 7 | 20 | 1 |
| Cobalt | 112.1 | 8.126 | 100.0 | ug/L | 104% | | 70-130 | 5 | 20 | 1 |
| Copper | 302.4 | 179.2 | 100.0 | ug/L | 123% | | 70-130 | 3 | 20 | 1 |
| Lead | 135.3 | 36.51 | 100.0 | ug/L | 99% | | 70-130 | 1 | 20 | 1 |
| Manganese | 586.0 | 429.8 | 100.0 | ug/L | 156% | NM | 70-130 | 8 | 20 | 1 |
| Nickel | 138.8 | 29.59 | 100.0 | ug/L | 109% | | 70-130 | 6 | 20 | 1 |
| Selenium | 97.94 | ND | 100.0 | ug/L | 98% | | 70-130 | 4 | 20 | 10 |
| Silver | 50.66 | ND | 50.00 | ug/L | 101% | | 70-130 | 0 | 20 | 1 |
| Thallium | 93.96 | ND | 100.0 | ug/L | 94% | | 70-130 | 4 | 20 | 1 |
| Tin | 46.81 | ND | 100.0 | ug/L | 47% | * | 70-130 | 8 | 20 | 1 |
| Vanadium | 123.8 | 18.92 | 100.0 | ug/L | 105% | | 70-130 | 6 | 20 | 1 |
| Zinc | 472.8 | 359.9 | 100.0 | ug/L | 113% | | 70-130 | 2 | 20 | 1 |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326743 | Batch: 391337 |
| Matrix: Water | Method: EPA 245.1 | Prep Method: EPA 245.1 |

| QC1326743 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|------|-------|----------|----------|
| Mercury | ND | | ug/L | 0.40 | 0.032 | 12/30/25 | 12/31/25 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326744 | Batch: 391337 |
| Matrix: Water | Method: EPA 245.1 | Prep Method: EPA 245.1 |

| QC1326744 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Mercury | 5.227 | 5.000 | ug/L | 105% | | 85-115 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326745 | Batch: 391337 |
| Matrix (Source ID): Water (549973-003) | Method: EPA 245.1 | Prep Method: EPA 245.1 |

| QC1326745 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|
| Mercury | 962.1 | ND | 1000 | ug/L | 96% | | 75-125 | 200 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326746 | Batch: 391337 |
| Matrix (Source ID): Water (549973-003) | Method: EPA 245.1 | Prep Method: EPA 245.1 |

| QC1326746 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|-----|-----|
| Mercury | 987.8 | ND | 1000 | ug/L | 99% | | 75-125 | 3 | 20 | 200 |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326605 | Batch: 391299 |
| Matrix: Water | Method: EPA 300.0 | Prep Method: METHOD |

| QC1326605 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|------|-------|----------------|----------------|
| Fluoride | ND | | mg/L | 0.20 | 0.072 | 12/30/25 10:30 | 12/30/25 11:58 |
| Chloride | ND | | mg/L | 1.0 | 0.27 | 12/30/25 10:30 | 12/30/25 11:58 |
| Nitrogen, Nitrite | ND | | mg/L | 0.10 | 0.02 | 12/30/25 10:30 | 12/30/25 11:58 |
| Bromide | ND | | mg/L | 0.30 | 0.060 | 12/30/25 10:30 | 12/30/25 11:58 |
| Nitrogen, Nitrate | ND | | mg/L | 0.10 | 0.05 | 12/30/25 10:30 | 12/30/25 11:58 |
| Sulfate | ND | | mg/L | 1.0 | 0.25 | 12/30/25 10:30 | 12/30/25 11:58 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326606 | Batch: 391299 |
| Matrix: Water | Method: EPA 300.0 | Prep Method: METHOD |

| QC1326606 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Fluoride | 9.769 | 10.00 | mg/L | 98% | | 90-110 |
| Chloride | 46.61 | 50.00 | mg/L | 93% | | 90-110 |
| Nitrogen, Nitrite | 4.567 | 4.567 | mg/L | 100% | | 90-110 |
| Bromide | 14.51 | 15.00 | mg/L | 97% | | 90-110 |
| Nitrogen, Nitrate | 4.390 | 4.518 | mg/L | 97% | | 90-110 |
| Sulfate | 24.71 | 25.00 | mg/L | 99% | | 90-110 |

Batch QC

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1326607 | Batch: 391299 |
| Matrix (Source ID): Water (549896-001) | Method: EPA 300.0 | Prep Method: METHOD |

| QC1326607 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Fluoride | 20.59 | 0.4523 | 20.00 | mg/L | 101% | | 80-129 | 1 |
| Chloride | 118.2 | 15.25 | 100.0 | mg/L | 103% | | 80-123 | 1 |
| Nitrogen, Nitrite | 9.463 | 0.07136 | 9.134 | mg/L | 103% | | 80-122 | 1 |
| Bromide | 15.06 | 0.1033 | 15.00 | mg/L | 100% | | 80-121 | 1 |
| Nitrogen, Nitrate | 19.30 | 10.71 | 9.036 | mg/L | 95% | E | 80-123 | 1 |
| Sulfate | 88.64 | 39.89 | 50.00 | mg/L | 97% | | 79-124 | 1 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326608 | Batch: 391299 |
| Matrix (Source ID): Water (549896-001) | Method: EPA 300.0 | Prep Method: METHOD |

| QC1326608 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Fluoride | 20.28 | 0.4523 | 20.00 | mg/L | 99% | | 80-129 | 2 | 21 | 1 |
| Chloride | 116.7 | 15.25 | 100.0 | mg/L | 101% | | 80-123 | 1 | 20 | 1 |
| Nitrogen, Nitrite | 9.327 | 0.07136 | 9.134 | mg/L | 101% | | 80-122 | 1 | 21 | 1 |
| Bromide | 14.89 | 0.1033 | 15.00 | mg/L | 99% | | 80-121 | 1 | 20 | 1 |
| Nitrogen, Nitrate | 19.16 | 10.71 | 9.036 | mg/L | 93% | E | 80-123 | | 20 | 1 |
| Sulfate | 88.00 | 39.89 | 50.00 | mg/L | 96% | | 79-124 | 1 | 20 | 1 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1326767 | Batch: 391299 |
| Matrix (Source ID): Water (549965-001) | Method: EPA 300.0 | Prep Method: METHOD |

| QC1326767 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Fluoride | 19.35 | 0.2353 | 20.00 | mg/L | 96% | | 80-129 | 1 |
| Chloride | 126.5 | 27.97 | 100.0 | mg/L | 99% | | 80-123 | 1 |
| Nitrogen, Nitrite | 9.084 | 0.1324 | 9.134 | mg/L | 98% | | 80-122 | 1 |
| Bromide | 14.34 | ND | 15.00 | mg/L | 96% | | 80-121 | 1 |
| Nitrogen, Nitrate | 10.48 | 1.808 | 9.036 | mg/L | 96% | | 80-123 | 1 |
| Sulfate | 173.8 | 132.5 | 50.00 | mg/L | 83% | E | 79-124 | 1 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326768 | Batch: 391299 |
| Matrix (Source ID): Water (549965-001) | Method: EPA 300.0 | Prep Method: METHOD |

| QC1326768 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Fluoride | 19.84 | 0.2353 | 20.00 | mg/L | 98% | | 80-129 | 3 | 21 | 1 |
| Chloride | 128.6 | 27.97 | 100.0 | mg/L | 101% | | 80-123 | 2 | 20 | 1 |
| Nitrogen, Nitrite | 9.302 | 0.1324 | 9.134 | mg/L | 100% | | 80-122 | 2 | 21 | 1 |
| Bromide | 14.66 | ND | 15.00 | mg/L | 98% | | 80-121 | 2 | 20 | 1 |
| Nitrogen, Nitrate | 10.66 | 1.808 | 9.036 | mg/L | 98% | | 80-123 | 2 | 20 | 1 |
| Sulfate | 174.7 | 132.5 | 50.00 | mg/L | 85% | E | 79-124 | | 20 | 1 |

Batch QC

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326901 | Batch: 391374 |
| Matrix: Water | Method: EPA 350.1 | Prep Method: METHOD |

| QC1326901 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|------|-------|----------|----------|
| Ammonia-N | ND | | mg/L | 0.10 | 0.050 | 12/31/25 | 12/31/25 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326902 | Batch: 391374 |
| Matrix: Water | Method: EPA 350.1 | Prep Method: METHOD |

| QC1326902 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Ammonia-N | 0.9807 | 1.000 | mg/L | 98% | | 90-110 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1326903 | Batch: 391374 |
| Matrix (Source ID): Water (549732-006) | Method: EPA 350.1 | Prep Method: METHOD |

| QC1326903 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Ammonia-N | 0.9740 | ND | 1.000 | mg/L | 97% | | 90-110 | 1 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326904 | Batch: 391374 |
| Matrix (Source ID): Water (549732-006) | Method: EPA 350.1 | Prep Method: METHOD |

| QC1326904 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Ammonia-N | 0.9785 | ND | 1.000 | mg/L | 98% | | 90-110 | 0 | 20 | 1 |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326925 | Batch: 391379 |
| Matrix: Water | Method: EPA 420.1 | Prep Method: METHOD |

| QC1326925 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|-------|--------|----------|----------|
| Total Phenolics | ND | | mg/L | 0.010 | 0.0065 | 12/31/25 | 12/31/25 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326926 | Batch: 391379 |
| Matrix: Water | Method: EPA 420.1 | Prep Method: METHOD |

| QC1326926 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|---------|---------|-------|----------|------|--------|
| Total Phenolics | 0.09300 | 0.08000 | mg/L | 116% | | 80-120 |

| | | |
|---|--------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326927 | Batch: 391379 |
| Matrix: Water | Method: EPA 420.1 | Prep Method: METHOD |

| QC1326927 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Total Phenolics | 0.08300 | 0.08000 | mg/L | 104% | | 80-120 | 11 | 20 |

Batch QC

| | | |
|----------------------|--------------------------|----------------------|
| Type: Blank | Lab ID: QC1326760 | Batch: 391341 |
| Matrix: Water | | |

| QC1326760 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|------------------------------|--------|------|-------|-------|--------|----------|----------|
| Method: EPA 625.1 | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | |
| a-Terpineol | ND | | ug/L | 10 | 2.1 | 12/30/25 | 12/31/25 |
| Benzoic acid | ND | | ug/L | 50 | 11 | 12/30/25 | 12/31/25 |
| Phenol | ND | | ug/L | 10 | 2.1 | 12/30/25 | 12/31/25 |
| Naphthalene | ND | | ug/L | 10 | 3.6 | 12/30/25 | 12/31/25 |
| Cresol | ND | | ug/L | 10 | | 12/30/25 | 12/31/25 |
| Method: EPA 8270C | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | |
| Carbazole | ND | | ug/L | 10 | 2.8 | 12/30/25 | 12/31/25 |
| Pyridine | ND | | mg/L | 0.010 | 0.0028 | 12/30/25 | 12/31/25 |
| N-Nitrosodimethylamine | ND | | ug/L | 10 | 2.9 | 12/30/25 | 12/31/25 |
| Aniline | ND | | ug/L | 10 | 2.8 | 12/30/25 | 12/31/25 |
| bis(2-Chloroethyl)ether | ND | | ug/L | 25 | 3.7 | 12/30/25 | 12/31/25 |
| 2-Chlorophenol | ND | | ug/L | 10 | 3.6 | 12/30/25 | 12/31/25 |
| 1,3-Dichlorobenzene | ND | | ug/L | 10 | 3.3 | 12/30/25 | 12/31/25 |
| 1,4-Dichlorobenzene | ND | | ug/L | 10 | 3.4 | 12/30/25 | 12/31/25 |
| Benzyl alcohol | ND | | ug/L | 25 | 5.8 | 12/30/25 | 12/31/25 |
| 1,2-Dichlorobenzene | ND | | ug/L | 10 | 3.3 | 12/30/25 | 12/31/25 |
| 2-Methylphenol | ND | | mg/L | 0.010 | 0.0032 | 12/30/25 | 12/31/25 |
| bis(2-Chloroisopropyl) ether | ND | | ug/L | 10 | 3.8 | 12/30/25 | 12/31/25 |
| 3-,4-Methylphenol | ND | | mg/L | 0.010 | 0.0030 | 12/30/25 | 12/31/25 |
| N-Nitroso-di-n-propylamine | ND | | ug/L | 10 | 3.9 | 12/30/25 | 12/31/25 |
| Hexachloroethane | ND | | mg/L | 0.010 | 0.0030 | 12/30/25 | 12/31/25 |
| Nitrobenzene | ND | | mg/L | 0.025 | 0.0084 | 12/30/25 | 12/31/25 |
| Isophorone | ND | | ug/L | 10 | 3.7 | 12/30/25 | 12/31/25 |
| 2-Nitrophenol | ND | | ug/L | 10 | 5.4 | 12/30/25 | 12/31/25 |
| 2,4-Dimethylphenol | ND | | ug/L | 10 | 3.2 | 12/30/25 | 12/31/25 |
| bis(2-Chloroethoxy)methane | ND | | ug/L | 10 | 3.7 | 12/30/25 | 12/31/25 |
| 2,4-Dichlorophenol | ND | | ug/L | 10 | 3.7 | 12/30/25 | 12/31/25 |
| 1,2,4-Trichlorobenzene | ND | | ug/L | 10 | 3.4 | 12/30/25 | 12/31/25 |
| 4-Chloroaniline | ND | | ug/L | 10 | 3.1 | 12/30/25 | 12/31/25 |
| Hexachlorobutadiene | ND | | mg/L | 0.010 | 0.0022 | 12/30/25 | 12/31/25 |
| 4-Chloro-3-methylphenol | ND | | ug/L | 10 | 3.6 | 12/30/25 | 12/31/25 |
| 2-Methylnaphthalene | ND | | ug/L | 10 | 3.4 | 12/30/25 | 12/31/25 |
| Hexachlorocyclopentadiene | ND | | ug/L | 25 | 7.8 | 12/30/25 | 12/31/25 |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.010 | 0.0041 | 12/30/25 | 12/31/25 |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.010 | 0.0037 | 12/30/25 | 12/31/25 |
| 2-Chloronaphthalene | ND | | ug/L | 10 | 3.4 | 12/30/25 | 12/31/25 |
| 2-Nitroaniline | ND | | ug/L | 50 | 4.3 | 12/30/25 | 12/31/25 |
| Dimethylphthalate | ND | | ug/L | 10 | 3.4 | 12/30/25 | 12/31/25 |
| Acenaphthylene | ND | | ug/L | 10 | 3.9 | 12/30/25 | 12/31/25 |
| 2,6-Dinitrotoluene | ND | | ug/L | 10 | 4.4 | 12/30/25 | 12/31/25 |
| 3-Nitroaniline | ND | | ug/L | 10 | 4.0 | 12/30/25 | 12/31/25 |
| Acenaphthene | ND | | ug/L | 10 | 3.2 | 12/30/25 | 12/31/25 |
| 2,4-Dinitrophenol | ND | | ug/L | 50 | 15 | 12/30/25 | 12/31/25 |
| 4-Nitrophenol | ND | | ug/L | 50 | 8.5 | 12/30/25 | 12/31/25 |

Batch QC

| QC1326760 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|---------------------------------------|--------|------|-------|---------------|--------|----------|----------|
| Dibenzofuran | ND | | ug/L | 10 | 3.2 | 12/30/25 | 12/31/25 |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.010 | 0.0043 | 12/30/25 | 12/31/25 |
| Diethylphthalate | ND | | ug/L | 10 | 2.9 | 12/30/25 | 12/31/25 |
| Fluorene | ND | | ug/L | 10 | 3.1 | 12/30/25 | 12/31/25 |
| 4-Chlorophenyl-phenylether | ND | | ug/L | 10 | 3.1 | 12/30/25 | 12/31/25 |
| 4-Nitroaniline | ND | | ug/L | 10 | 3.3 | 12/30/25 | 12/31/25 |
| 4,6-Dinitro-2-methylphenol | ND | | ug/L | 50 | 17 | 12/30/25 | 12/31/25 |
| N-Nitrosodiphenylamine | ND | | ug/L | 10 | 4.0 | 12/30/25 | 12/31/25 |
| 1,2-diphenylhydrazine (as azobenzene) | ND | | ug/L | 10 | 2.9 | 12/30/25 | 12/31/25 |
| 4-Bromophenyl-phenylether | ND | | ug/L | 10 | 3.3 | 12/30/25 | 12/31/25 |
| Hexachlorobenzene | ND | | mg/L | 0.010 | 0.0030 | 12/30/25 | 12/31/25 |
| Pentachlorophenol | ND | | mg/L | 0.025 | 0.0057 | 12/30/25 | 12/31/25 |
| Phenanthrene | ND | | ug/L | 10 | 2.9 | 12/30/25 | 12/31/25 |
| Anthracene | ND | | ug/L | 10 | 2.8 | 12/30/25 | 12/31/25 |
| Di-n-butylphthalate | ND | | ug/L | 10 | 3.0 | 12/30/25 | 12/31/25 |
| Fluoranthene | ND | | ug/L | 10 | 2.8 | 12/30/25 | 12/31/25 |
| Benzidine | ND | | ug/L | 50 | 19 | 12/30/25 | 12/31/25 |
| Pyrene | ND | | ug/L | 10 | 2.7 | 12/30/25 | 12/31/25 |
| Butylbenzylphthalate | ND | | ug/L | 10 | 3.6 | 12/30/25 | 12/31/25 |
| 3,3'-Dichlorobenzidine | ND | | ug/L | 25 | 5.2 | 12/30/25 | 12/31/25 |
| Benzo(a)anthracene | ND | | ug/L | 10 | 2.4 | 12/30/25 | 12/31/25 |
| Chrysene | ND | | ug/L | 10 | 2.5 | 12/30/25 | 12/31/25 |
| bis(2-Ethylhexyl)phthalate | ND | | ug/L | 10 | 3.3 | 12/30/25 | 12/31/25 |
| Di-n-octylphthalate | ND | | ug/L | 10 | 4.7 | 12/30/25 | 12/31/25 |
| Benzo(b)fluoranthene | ND | | ug/L | 10 | 3.0 | 12/30/25 | 12/31/25 |
| Benzo(k)fluoranthene | ND | | ug/L | 10 | 3.1 | 12/30/25 | 12/31/25 |
| Benzo(a)pyrene | ND | | ug/L | 10 | 3.1 | 12/30/25 | 12/31/25 |
| Indeno(1,2,3-cd)pyrene | ND | | ug/L | 10 | 4.2 | 12/30/25 | 12/31/25 |
| Dibenz(a,h)anthracene | ND | | ug/L | 10 | 4.2 | 12/30/25 | 12/31/25 |
| Benzo(g,h,i)perylene | ND | | ug/L | 10 | 4.1 | 12/30/25 | 12/31/25 |
| Surrogates | | | | Limits | | | |
| 2-Fluorophenol | 56% | | %REC | 15-120 | | 12/30/25 | 12/31/25 |
| Phenol-d6 | 32% | | %REC | 15-120 | | 12/30/25 | 12/31/25 |
| 2,4,6-Tribromophenol | 86% | | %REC | 15-140 | | 12/30/25 | 12/31/25 |
| Nitrobenzene-d5 | 84% | | %REC | 15-123 | | 12/30/25 | 12/31/25 |
| 2-Fluorobiphenyl | 78% | | %REC | 15-120 | | 12/30/25 | 12/31/25 |
| Terphenyl-d14 | 98% | | %REC | 15-120 | | 12/30/25 | 12/31/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|----------------------|
| Type: Lab Control Sample | Lab ID: QC1326761 | Batch: 391341 |
| Matrix: Water | | |

| QC1326761 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|----------------------------|---------|---------|-------|----------|------|--------|
| Method: EPA 625.1 | | | | | | |
| Prep Method: EPA 3510C | | | | | | |
| Naphthalene | 64.18 | 75.00 | ug/L | 86% | | 23-133 |
| Method: EPA 8270C | | | | | | |
| Prep Method: EPA 3510C | | | | | | |
| Pyridine | 0.02919 | 0.07500 | mg/L | 39% | | 13-120 |
| Phenol | 27.20 | 75.00 | ug/L | 36% | | 14-120 |
| 2-Chlorophenol | 57.46 | 75.00 | ug/L | 77% | | 46-120 |
| 1,4-Dichlorobenzene | 58.80 | 75.00 | ug/L | 78% | | 42-120 |
| 2-Methylphenol | 0.05608 | 0.07500 | mg/L | 75% | | 44-120 |
| 3-,4-Methylphenol | 0.05234 | 0.07500 | mg/L | 70% | | 40-120 |
| N-Nitroso-di-n-propylamine | 65.91 | 75.00 | ug/L | 88% | | 54-121 |
| Hexachloroethane | 0.05747 | 0.07500 | mg/L | 77% | | 33-120 |
| Nitrobenzene | 0.06373 | 0.07500 | mg/L | 85% | | 51-120 |
| 2,4-Dimethylphenol | 62.22 | 75.00 | ug/L | 83% | | 48-120 |
| 1,2,4-Trichlorobenzene | 61.56 | 75.00 | ug/L | 82% | | 45-120 |
| Hexachlorobutadiene | 0.05134 | 0.07500 | mg/L | 68% | | 30-120 |
| 4-Chloro-3-methylphenol | 68.32 | 75.00 | ug/L | 91% | | 60-121 |
| 2,4,6-Trichlorophenol | 0.06820 | 0.07500 | mg/L | 91% | | 60-122 |
| 2,4,5-Trichlorophenol | 0.06706 | 0.07500 | mg/L | 89% | | 62-124 |
| Acenaphthene | 61.89 | 75.00 | ug/L | 83% | | 56-120 |
| 4-Nitrophenol | 33.07 | 75.00 | ug/L | 44% | | 17-120 |
| 2,4-Dinitrotoluene | 0.07404 | 0.07500 | mg/L | 99% | | 69-127 |
| Hexachlorobenzene | 0.06922 | 0.07500 | mg/L | 92% | | 62-120 |
| Pentachlorophenol | 0.06520 | 0.07500 | mg/L | 87% | | 51-120 |
| Pyrene | 75.70 | 75.00 | ug/L | 101% | | 68-123 |
| Chrysene | 71.54 | 75.00 | ug/L | 95% | | 66-120 |
| Benzo(b)fluoranthene | 79.87 | 75.00 | ug/L | 106% | | 67-120 |
| Surrogates | | | | | | |
| 2-Fluorophenol | 0.02294 | 0.04000 | mg/L | 57% | | 15-120 |
| Phenol-d6 | 0.01445 | 0.04000 | mg/L | 36% | | 15-120 |
| 2,4,6-Tribromophenol | 0.03880 | 0.04000 | mg/L | 97% | | 15-140 |
| Nitrobenzene-d5 | 0.03490 | 0.04000 | mg/L | 87% | | 15-123 |
| 2-Fluorobiphenyl | 0.03370 | 0.04000 | mg/L | 84% | | 15-120 |
| Terphenyl-d14 | 0.04313 | 0.04000 | mg/L | 108% | | 15-120 |

Batch QC

| | | |
|---|--------------------------|----------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326762 | Batch: 391341 |
| Matrix: Water | | |

| QC1326762 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|----------------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Method: EPA 625.1 | | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | | |
| Naphthalene | 56.83 | 75.00 | ug/L | 76% | | 23-133 | 12 | 50 |
| Method: EPA 8270C | | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | | |
| Pyridine | 0.02466 | 0.07500 | mg/L | 33% | | 13-120 | 17 | 62 |
| Phenol | 24.04 | 75.00 | ug/L | 32% | | 14-120 | 12 | 52 |
| 2-Chlorophenol | 51.96 | 75.00 | ug/L | 69% | | 46-120 | 10 | 52 |
| 1,4-Dichlorobenzene | 53.12 | 75.00 | ug/L | 71% | | 42-120 | 10 | 53 |
| 2-Methylphenol | 0.05198 | 0.07500 | mg/L | 69% | | 44-120 | 8 | 51 |
| 3-,4-Methylphenol | 0.04903 | 0.07500 | mg/L | 65% | | 40-120 | 7 | 51 |
| N-Nitroso-di-n-propylamine | 64.87 | 75.00 | ug/L | 86% | | 54-121 | 2 | 52 |
| Hexachloroethane | 0.05377 | 0.07500 | mg/L | 72% | | 33-120 | 7 | 59 |
| Nitrobenzene | 0.05797 | 0.07500 | mg/L | 77% | | 51-120 | 9 | 52 |
| 2,4-Dimethylphenol | 60.94 | 75.00 | ug/L | 81% | | 48-120 | 2 | 52 |
| 1,2,4-Trichlorobenzene | 56.89 | 75.00 | ug/L | 76% | | 45-120 | 8 | 54 |
| Hexachlorobutadiene | 0.04461 | 0.07500 | mg/L | 59% | | 30-120 | 14 | 58 |
| 4-Chloro-3-methylphenol | 67.30 | 75.00 | ug/L | 90% | | 60-121 | 2 | 47 |
| 2,4,6-Trichlorophenol | 0.06772 | 0.07500 | mg/L | 90% | | 60-122 | 1 | 49 |
| 2,4,5-Trichlorophenol | 0.06697 | 0.07500 | mg/L | 89% | | 62-124 | 0 | 46 |
| Acenaphthene | 66.50 | 75.00 | ug/L | 89% | | 56-120 | 7 | 46 |
| 4-Nitrophenol | 34.12 | 75.00 | ug/L | 45% | | 17-120 | 3 | 44 |
| 2,4-Dinitrotoluene | 0.08273 | 0.07500 | mg/L | 110% | | 69-127 | 11 | 40 |
| Hexachlorobenzene | 0.07129 | 0.07500 | mg/L | 95% | | 62-120 | 3 | 41 |
| Pentachlorophenol | 0.07127 | 0.07500 | mg/L | 95% | | 51-120 | 9 | 42 |
| Pyrene | 79.41 | 75.00 | ug/L | 106% | | 68-123 | 5 | 39 |
| Chrysene | 76.89 | 75.00 | ug/L | 103% | | 66-120 | 7 | 38 |
| Benzo(b)fluoranthene | 85.27 | 75.00 | ug/L | 114% | | 67-120 | 7 | 39 |
| Surrogates | | | | | | | | |
| 2-Fluorophenol | 0.01955 | 0.04000 | mg/L | 49% | | 15-120 | | |
| Phenol-d6 | 0.01221 | 0.04000 | mg/L | 31% | | 15-120 | | |
| 2,4,6-Tribromophenol | 0.04327 | 0.04000 | mg/L | 108% | | 15-140 | | |
| Nitrobenzene-d5 | 0.03170 | 0.04000 | mg/L | 79% | | 15-123 | | |
| 2-Fluorobiphenyl | 0.03225 | 0.04000 | mg/L | 81% | | 15-120 | | |
| Terphenyl-d14 | 0.04438 | 0.04000 | mg/L | 111% | | 15-120 | | |

Batch QC

| | | |
|----------------------|--------------------------|----------------------|
| Type: Blank | Lab ID: QC1326689 | Batch: 391325 |
| Matrix: Water | | |

| QC1326689 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|--------------------------|--------|------|-------|---------------|-------|----------|----------|
| Method: EPA 8081A | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | |
| alpha-BHC | ND | | ug/L | 0.05 | 0.01 | 12/30/25 | 12/30/25 |
| beta-BHC | ND | | ug/L | 0.05 | 0.02 | 12/30/25 | 12/30/25 |
| gamma-BHC | ND | | ug/L | 0.05 | 0.01 | 12/30/25 | 12/30/25 |
| delta-BHC | ND | | ug/L | 0.05 | 0.009 | 12/30/25 | 12/30/25 |
| Heptachlor | ND | | ug/L | 0.05 | 0.02 | 12/30/25 | 12/30/25 |
| Aldrin | ND | | ug/L | 0.05 | 0.02 | 12/30/25 | 12/30/25 |
| Heptachlor epoxide | ND | | ug/L | 0.05 | 0.01 | 12/30/25 | 12/30/25 |
| Endosulfan I | ND | | ug/L | 0.05 | 0.02 | 12/30/25 | 12/30/25 |
| Dieldrin | ND | | ug/L | 0.1 | 0.01 | 12/30/25 | 12/30/25 |
| 4,4'-DDE | ND | | ug/L | 0.1 | 0.01 | 12/30/25 | 12/30/25 |
| Endrin | ND | | ug/L | 0.1 | 0.01 | 12/30/25 | 12/30/25 |
| Endosulfan II | ND | | ug/L | 0.1 | 0.01 | 12/30/25 | 12/30/25 |
| Endosulfan sulfate | ND | | ug/L | 0.1 | 0.02 | 12/30/25 | 12/30/25 |
| 4,4'-DDD | ND | | ug/L | 0.1 | 0.03 | 12/30/25 | 12/30/25 |
| Endrin aldehyde | ND | | ug/L | 0.1 | 0.02 | 12/30/25 | 12/30/25 |
| Endrin ketone | ND | | ug/L | 0.1 | 0.02 | 12/30/25 | 12/30/25 |
| 4,4'-DDT | ND | | ug/L | 0.1 | 0.07 | 12/30/25 | 12/30/25 |
| Methoxychlor | ND | | ug/L | 0.1 | 0.07 | 12/30/25 | 12/30/25 |
| Toxaphene | ND | | ug/L | 2.0 | 0.6 | 12/30/25 | 12/30/25 |
| Chlordane (Technical) | ND | | ug/L | 1.0 | 0.3 | 12/30/25 | 12/30/25 |
| Surrogates | | | | Limits | | | |
| TCMX | 63% | | %REC | 29-120 | | 12/30/25 | 12/30/25 |
| Decachlorobiphenyl | 91% | | %REC | 33-132 | | 12/30/25 | 12/30/25 |
| Method: EPA 8082 | | | | | | | |
| Prep Method: EPA 3510C | | | | | | | |
| Aroclor-1016 | ND | | ug/L | 0.50 | 0.30 | 12/30/25 | 12/30/25 |
| Aroclor-1221 | ND | | ug/L | 0.50 | 0.47 | 12/30/25 | 12/30/25 |
| Aroclor-1232 | ND | | ug/L | 0.50 | 0.27 | 12/30/25 | 12/30/25 |
| Aroclor-1242 | ND | | ug/L | 0.50 | 0.29 | 12/30/25 | 12/30/25 |
| Aroclor-1248 | ND | | ug/L | 0.50 | 0.24 | 12/30/25 | 12/30/25 |
| Aroclor-1254 | ND | | ug/L | 0.50 | 0.27 | 12/30/25 | 12/30/25 |
| Aroclor-1260 | ND | | ug/L | 0.50 | 0.33 | 12/30/25 | 12/30/25 |
| Aroclor-1262 | ND | | ug/L | 0.50 | 0.29 | 12/30/25 | 12/30/25 |
| Aroclor-1268 | ND | | ug/L | 0.50 | 0.26 | 12/30/25 | 12/30/25 |
| Surrogates | | | | Limits | | | |
| Decachlorobiphenyl (PCB) | 89% | | %REC | 28-138 | | 12/30/25 | 12/30/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326690 | Batch: 391325 |
| Matrix: Water | Method: EPA 8081A | Prep Method: EPA 3510C |

| QC1326690 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------|--------|--------|-------|----------|------|--------|
| alpha-BHC | 0.4430 | 0.5000 | ug/L | 89% | | 66-121 |
| beta-BHC | 0.4594 | 0.5000 | ug/L | 92% | | 73-120 |
| gamma-BHC | 0.4757 | 0.5000 | ug/L | 95% | | 68-125 |
| delta-BHC | 0.4867 | 0.5000 | ug/L | 97% | | 68-131 |
| Heptachlor | 0.4404 | 0.5000 | ug/L | 88% | | 63-120 |
| Aldrin | 0.4151 | 0.5000 | ug/L | 83% | | 56-120 |
| Heptachlor epoxide | 0.4420 | 0.5000 | ug/L | 88% | | 65-120 |
| Endosulfan I | 0.4641 | 0.5000 | ug/L | 93% | | 68-124 |
| Dieldrin | 0.4507 | 0.5000 | ug/L | 90% | | 66-124 |
| 4,4'-DDE | 0.4585 | 0.5000 | ug/L | 92% | | 67-131 |
| Endrin | 0.4665 | 0.5000 | ug/L | 93% | | 68-135 |
| Endosulfan II | 0.4789 | 0.5000 | ug/L | 96% | | 71-130 |
| Endosulfan sulfate | 0.4736 | 0.5000 | ug/L | 95% | | 68-128 |
| 4,4'-DDD | 0.4129 | 0.5000 | ug/L | 83% | # | 65-130 |
| Endrin aldehyde | 0.4383 | 0.5000 | ug/L | 88% | | 67-124 |
| Endrin ketone | 0.5021 | 0.5000 | ug/L | 100% | | 69-137 |
| 4,4'-DDT | 0.4769 | 0.5000 | ug/L | 95% | | 65-136 |
| Methoxychlor | 0.5073 | 0.5000 | ug/L | 101% | | 69-150 |
| Surrogates | | | | | | |
| TCMX | 0.3609 | 0.5000 | ug/L | 72% | | 29-120 |
| Decachlorobiphenyl | 0.4524 | 0.5000 | ug/L | 90% | | 33-132 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326691 | Batch: 391325 |
| Matrix: Water | Method: EPA 8081A | Prep Method: EPA 3510C |

| QC1326691 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------|--------|--------|-------|----------|------|--------|-----|---------|
| alpha-BHC | 0.4756 | 0.5000 | ug/L | 95% | | 66-121 | 7 | 20 |
| beta-BHC | 0.4782 | 0.5000 | ug/L | 96% | | 73-120 | 4 | 20 |
| gamma-BHC | 0.5119 | 0.5000 | ug/L | 102% | | 68-125 | 7 | 20 |
| delta-BHC | 0.5228 | 0.5000 | ug/L | 105% | | 68-131 | 7 | 20 |
| Heptachlor | 0.4665 | 0.5000 | ug/L | 93% | | 63-120 | 6 | 24 |
| Aldrin | 0.4384 | 0.5000 | ug/L | 88% | | 56-120 | 5 | 30 |
| Heptachlor epoxide | 0.4596 | 0.5000 | ug/L | 92% | | 65-120 | 4 | 20 |
| Endosulfan I | 0.5008 | 0.5000 | ug/L | 100% | | 68-124 | 8 | 20 |
| Dieldrin | 0.4708 | 0.5000 | ug/L | 94% | | 66-124 | 4 | 22 |
| 4,4'-DDE | 0.4867 | 0.5000 | ug/L | 97% | | 67-131 | 6 | 21 |
| Endrin | 0.4987 | 0.5000 | ug/L | 100% | | 68-135 | 7 | 20 |
| Endosulfan II | 0.4946 | 0.5000 | ug/L | 99% | | 71-130 | 3 | 21 |
| Endosulfan sulfate | 0.4849 | 0.5000 | ug/L | 97% | | 68-128 | 2 | 21 |
| 4,4'-DDD | 0.4329 | 0.5000 | ug/L | 87% | # | 65-130 | 5 | 22 |
| Endrin aldehyde | 0.4447 | 0.5000 | ug/L | 89% | | 67-124 | 1 | 20 |
| Endrin ketone | 0.5167 | 0.5000 | ug/L | 103% | | 69-137 | 3 | 21 |
| 4,4'-DDT | 0.5009 | 0.5000 | ug/L | 100% | | 65-136 | 5 | 23 |
| Methoxychlor | 0.5151 | 0.5000 | ug/L | 103% | | 69-150 | 2 | 23 |
| Surrogates | | | | | | | | |
| TCMX | 0.3753 | 0.5000 | ug/L | 75% | | 29-120 | | |
| Decachlorobiphenyl | 0.4517 | 0.5000 | ug/L | 90% | | 33-132 | | |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326692 | Batch: 391325 |
| Matrix: Water | Method: EPA 8082 | Prep Method: EPA 3510C |

| QC1326692 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------------|--------|--------|-------|----------|------|--------|
| Aroclor-1016 | 4.303 | 5.000 | ug/L | 86% | | 69-120 |
| Aroclor-1260 | 4.503 | 5.000 | ug/L | 90% | | 72-124 |
| Surrogates | | | | | | |
| Decachlorobiphenyl (PCB) | 0.4709 | 0.5000 | ug/L | 94% | | 28-138 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326693 | Batch: 391325 |
| Matrix: Water | Method: EPA 8082 | Prep Method: EPA 3510C |

| QC1326693 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| Aroclor-1016 | 4.141 | 5.000 | ug/L | 83% | | 69-120 | 4 | 22 |
| Aroclor-1260 | 4.387 | 5.000 | ug/L | 88% | | 72-124 | 3 | 25 |
| Surrogates | | | | | | | | |
| Decachlorobiphenyl (PCB) | 0.4717 | 0.5000 | ug/L | 94% | | 28-138 | | |

Batch QC

| | | |
|------------------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326694 | Batch: 391325 |
| Matrix: TCLP Leachate | Method: EPA 8081A | Prep Method: EPA 3510C |

| QC1326694 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|-------|----------|----------|
| alpha-BHC | ND | | ug/L | 0.10 | 0.029 | 12/30/25 | 12/30/25 |
| beta-BHC | ND | | ug/L | 0.10 | 0.031 | 12/30/25 | 12/30/25 |
| gamma-BHC | ND | | ug/L | 0.10 | 0.020 | 12/30/25 | 12/30/25 |
| delta-BHC | ND | | ug/L | 0.10 | 0.017 | 12/30/25 | 12/30/25 |
| Heptachlor | ND | | ug/L | 0.10 | 0.031 | 12/30/25 | 12/30/25 |
| Aldrin | ND | | ug/L | 0.10 | 0.049 | 12/30/25 | 12/30/25 |
| Heptachlor epoxide | ND | | ug/L | 0.10 | 0.030 | 12/30/25 | 12/30/25 |
| Endosulfan I | ND | | ug/L | 0.10 | 0.031 | 12/30/25 | 12/30/25 |
| Dieldrin | ND | | ug/L | 0.20 | 0.025 | 12/30/25 | 12/30/25 |
| 4,4'-DDE | ND | | ug/L | 0.20 | 0.028 | 12/30/25 | 12/30/25 |
| Endrin | ND | | ug/L | 0.20 | 0.028 | 12/30/25 | 12/30/25 |
| Endosulfan II | ND | | ug/L | 0.20 | 0.029 | 12/30/25 | 12/30/25 |
| Endosulfan sulfate | ND | | ug/L | 0.20 | 0.038 | 12/30/25 | 12/30/25 |
| 4,4'-DDD | ND | | ug/L | 0.20 | 0.064 | 12/30/25 | 12/30/25 |
| Endrin aldehyde | ND | | ug/L | 0.20 | 0.039 | 12/30/25 | 12/30/25 |
| Endrin ketone | ND | | ug/L | 0.20 | 0.040 | 12/30/25 | 12/30/25 |
| 4,4'-DDT | ND | | ug/L | 0.20 | 0.14 | 12/30/25 | 12/30/25 |
| Methoxychlor | ND | | ug/L | 0.20 | 0.14 | 12/30/25 | 12/30/25 |
| Toxaphene | ND | | ug/L | 4.0 | 1.2 | 12/30/25 | 12/30/25 |
| Chlordane (Technical) | ND | | ug/L | 2.0 | 0.56 | 12/30/25 | 12/30/25 |
| Surrogates | | | | Limits | | | |
| TCMX | 64% | | %REC | 29-120 | | 12/30/25 | 12/30/25 |
| Decachlorobiphenyl | 94% | | %REC | 33-132 | | 12/30/25 | 12/30/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326695 | Batch: 391325 |
| Matrix: TCLP Leachate | Method: EPA 8081A | Prep Method: EPA 3510C |

| QC1326695 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------|--------|--------|-------|----------|------|--------|
| alpha-BHC | 0.9777 | 1.000 | ug/L | 98% | | 66-121 |
| beta-BHC | 1.015 | 1.000 | ug/L | 101% | | 73-120 |
| gamma-BHC | 1.048 | 1.000 | ug/L | 105% | | 68-125 |
| delta-BHC | 1.087 | 1.000 | ug/L | 109% | | 68-131 |
| Heptachlor | 0.9586 | 1.000 | ug/L | 96% | | 63-120 |
| Aldrin | 0.9198 | 1.000 | ug/L | 92% | | 56-120 |
| Heptachlor epoxide | 0.9625 | 1.000 | ug/L | 96% | | 65-120 |
| Endosulfan I | 1.023 | 1.000 | ug/L | 102% | | 68-124 |
| Dieldrin | 0.9880 | 1.000 | ug/L | 99% | | 66-124 |
| 4,4'-DDE | 1.034 | 1.000 | ug/L | 103% | | 67-131 |
| Endrin | 1.120 | 1.000 | ug/L | 112% | | 68-135 |
| Endosulfan II | 1.046 | 1.000 | ug/L | 105% | | 71-130 |
| Endosulfan sulfate | 1.023 | 1.000 | ug/L | 102% | | 68-128 |
| 4,4'-DDD | 0.9197 | 1.000 | ug/L | 92% | # | 65-130 |
| Endrin aldehyde | 0.8889 | 1.000 | ug/L | 89% | | 67-124 |
| Endrin ketone | 1.076 | 1.000 | ug/L | 108% | | 69-137 |
| 4,4'-DDT | 1.076 | 1.000 | ug/L | 108% | | 65-136 |
| Methoxychlor | 1.145 | 1.000 | ug/L | 115% | | 69-150 |
| Surrogates | | | | | | |
| TCMX | 0.7272 | 1.000 | ug/L | 73% | | 29-120 |
| Decachlorobiphenyl | 0.9672 | 1.000 | ug/L | 97% | | 33-132 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Sample Spike | Lab ID: QC1326696 | Batch: 391325 |
| Matrix (Source ID): TCLP Leachate (545900-003) | Method: EPA 8081A | Prep Method: EPA 3510C |

| QC1326696 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|--------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| alpha-BHC | 0.9512 | ND | 1.000 | ug/L | 95% | | 40-130 | 2 |
| beta-BHC | 1.001 | ND | 1.000 | ug/L | 100% | | 44-134 | 2 |
| gamma-BHC | 1.035 | ND | 1.000 | ug/L | 103% | | 41-133 | 2 |
| delta-BHC | 1.061 | ND | 1.000 | ug/L | 106% | | 42-139 | 2 |
| Heptachlor | 0.9342 | ND | 1.000 | ug/L | 93% | | 34-135 | 2 |
| Aldrin | 0.8866 | ND | 1.000 | ug/L | 89% | | 42-125 | 2 |
| Heptachlor epoxide | 0.9423 | ND | 1.000 | ug/L | 94% | | 37-139 | 2 |
| Endosulfan I | 0.9927 | ND | 1.000 | ug/L | 99% | | 45-146 | 2 |
| Dieldrin | 0.9631 | ND | 1.000 | ug/L | 96% | | 39-140 | 2 |
| 4,4'-DDE | 0.9948 | ND | 1.000 | ug/L | 99% | | 34-145 | 2 |
| Endrin | 1.071 | ND | 1.000 | ug/L | 107% | | 41-147 | 2 |
| Endosulfan II | 1.025 | ND | 1.000 | ug/L | 103% | | 24-152 | 2 |
| Endosulfan sulfate | 1.003 | ND | 1.000 | ug/L | 100% | | 38-141 | 2 |
| 4,4'-DDD | 0.8940 | ND | 1.000 | ug/L | 89% | # | 31-158 | 2 |
| Endrin aldehyde | 0.9430 | ND | 1.000 | ug/L | 94% | | 36-142 | 2 |
| Endrin ketone | 1.061 | ND | 1.000 | ug/L | 106% | | 39-152 | 2 |
| 4,4'-DDT | 1.048 | ND | 1.000 | ug/L | 105% | | 43-140 | 2 |
| Methoxychlor | 1.101 | ND | 1.000 | ug/L | 110% | | 29-167 | 2 |
| Surrogates | | | | | | | | |
| TCMX | 0.7082 | | 1.000 | ug/L | 71% | | 29-120 | 2 |
| Decachlorobiphenyl | 0.9791 | | 1.000 | ug/L | 98% | | 33-132 | 2 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326830 | Batch: 391356 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326830 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|--------|--------|-------|----------|------|--------|
| 1,1-Dichloroethene | 51.94 | 50.00 | ug/L | 104% | | 69-128 |
| MTBE | 47.25 | 50.00 | ug/L | 95% | | 66-125 |
| Benzene | 50.54 | 50.00 | ug/L | 101% | | 76-121 |
| Trichloroethene | 46.08 | 50.00 | ug/L | 92% | | 76-124 |
| Toluene | 51.06 | 50.00 | ug/L | 102% | | 76-120 |
| Chlorobenzene | 46.11 | 50.00 | ug/L | 92% | | 78-120 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 48.93 | 50.00 | ug/L | 98% | | 70-130 |
| 1,2-Dichloroethane-d4 | 54.05 | 50.00 | ug/L | 108% | | 70-130 |
| Toluene-d8 | 46.76 | 50.00 | ug/L | 94% | | 70-130 |
| Bromofluorobenzene | 46.66 | 50.00 | ug/L | 93% | | 70-130 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326831 | Batch: 391356 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326831 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1-Dichloroethene | 53.45 | 50.00 | ug/L | 107% | | 69-128 | 3 | 23 |
| MTBE | 50.14 | 50.00 | ug/L | 100% | | 66-125 | 6 | 22 |
| Benzene | 53.57 | 50.00 | ug/L | 107% | | 76-121 | 6 | 21 |
| Trichloroethene | 46.54 | 50.00 | ug/L | 93% | | 76-124 | 1 | 22 |
| Toluene | 55.24 | 50.00 | ug/L | 110% | | 76-120 | 8 | 21 |
| Chlorobenzene | 50.03 | 50.00 | ug/L | 100% | | 78-120 | 8 | 20 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 50.36 | 50.00 | ug/L | 101% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 55.69 | 50.00 | ug/L | 111% | | 70-130 | | |
| Toluene-d8 | 47.39 | 50.00 | ug/L | 95% | | 70-130 | | |
| Bromofluorobenzene | 46.96 | 50.00 | ug/L | 94% | | 70-130 | | |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326864 | Batch: 391356 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326864 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|------|----------|----------|
| Carbon Disulfide | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 2-Chloroethylvinylether | ND | | ug/L | 50 | 1.9 | 12/31/25 | 12/31/25 |
| Chloroprene | ND | | ug/L | 200 | 0.4 | 12/31/25 | 12/31/25 |
| 3-Chloropropene | ND | | ug/L | 5.0 | 0.3 | 12/31/25 | 12/31/25 |
| Ethyl methacrylate | ND | | ug/L | 50 | 2.1 | 12/31/25 | 12/31/25 |
| Ethanol | ND | | ug/L | 500 | 110 | 12/31/25 | 12/31/25 |
| 2-Hexanone | ND | | ug/L | 5.0 | 1.1 | 12/31/25 | 12/31/25 |
| Iodomethane | ND | | ug/L | 10 | 4.4 | 12/31/25 | 12/31/25 |
| Isopropanol (IPA) | ND | | ug/L | 200 | 52 | 12/31/25 | 12/31/25 |
| Methyl acrylonitrile | ND | | ug/L | 35 | 3.7 | 12/31/25 | 12/31/25 |
| Vinyl Acetate | ND | | ug/L | 50 | 15 | 12/31/25 | 12/31/25 |
| Acrolein | ND | | ug/L | 200 | 2.7 | 12/31/25 | 12/31/25 |
| Acrylonitrile | ND | | ug/L | 10 | 0.7 | 12/31/25 | 12/31/25 |
| Freon 12 | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| Chloromethane | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| Vinyl Chloride | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| Bromomethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Chloroethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Trichlorofluoromethane | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| Acetone | ND | | ug/L | 100 | 5.0 | 12/31/25 | 12/31/25 |
| Freon 113 | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 1,1-Dichloroethene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| Methylene Chloride | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| MTBE | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| trans-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 1,1-Dichloroethane | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 2-Butanone | ND | | ug/L | 100 | 1.5 | 12/31/25 | 12/31/25 |
| cis-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 2,2-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Chloroform | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| Bromochloromethane | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| 1,1,1-Trichloroethane | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 1,1-Dichloropropene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| Carbon Tetrachloride | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 1,2-Dichloroethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Benzene | ND | | ug/L | 1.0 | 0.03 | 12/31/25 | 12/31/25 |
| Trichloroethene | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| 1,2-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Bromodichloromethane | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| Dibromomethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 4-Methyl-2-Pentanone | ND | | ug/L | 5.0 | 1.0 | 12/31/25 | 12/31/25 |
| cis-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| Toluene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| trans-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| 1,1,2-Trichloroethane | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| 1,3-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Tetrachloroethene | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |

Batch QC

| QC1326864 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------------|--------|------|-------|---------------|------|----------|----------|
| Dibromochloromethane | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| 1,2-Dibromoethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Chlorobenzene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Ethylbenzene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| m,p-Xylenes | ND | | ug/L | 10 | 0.1 | 12/31/25 | 12/31/25 |
| o-Xylene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| Styrene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| Bromoform | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| Isopropylbenzene | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 1,2,3-Trichloropropane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Propylbenzene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| Bromobenzene | ND | | ug/L | 5.0 | 0.03 | 12/31/25 | 12/31/25 |
| 1,3,5-Trimethylbenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 2-Chlorotoluene | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| 4-Chlorotoluene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| tert-Butylbenzene | ND | | ug/L | 5.0 | 0.03 | 12/31/25 | 12/31/25 |
| 1,2,4-Trimethylbenzene | ND | | ug/L | 5.0 | 0.03 | 12/31/25 | 12/31/25 |
| sec-Butylbenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| para-Isopropyl Toluene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 1,3-Dichlorobenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 1,4-Dichlorobenzene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| n-Butylbenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 1,2-Dichlorobenzene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| 1,2-Dibromo-3-Chloropropane | ND | | ug/L | 5.0 | 0.5 | 12/31/25 | 12/31/25 |
| 1,2,4-Trichlorobenzene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| Hexachlorobutadiene | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| Naphthalene | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| 1,2,3-Trichlorobenzene | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| cis-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.4 | 12/31/25 | 12/31/25 |
| trans-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.4 | 12/31/25 | 12/31/25 |
| Xylene (total) | ND | | ug/L | 5.0 | | 12/31/25 | 12/31/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 94% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| 1,2-Dichloroethane-d4 | 99% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| Toluene-d8 | 99% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| Bromofluorobenzene | 95% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326865 | Batch: 391356 |
| Matrix (Source ID): Water (549582-001) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326865 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| 1,1-Dichloroethene | 15.26 | ND | 20.00 | ug/L | 76% | | 62-131 | 1 |
| MTBE | 14.54 | 0.7283 | 20.00 | ug/L | 69% | | 61-124 | 1 |
| Benzene | 15.04 | ND | 20.00 | ug/L | 75% | | 70-123 | 1 |
| Trichloroethene | 13.74 | ND | 20.00 | ug/L | 69% | | 65-131 | 1 |
| Toluene | 14.90 | ND | 20.00 | ug/L | 74% | | 69-120 | 1 |
| Chlorobenzene | 13.96 | ND | 20.00 | ug/L | 70% | * | 72-121 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 48.99 | | 50.00 | ug/L | 98% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 52.83 | | 50.00 | ug/L | 106% | | 70-130 | 1 |
| Toluene-d8 | 48.59 | | 50.00 | ug/L | 97% | | 70-130 | 1 |
| Bromofluorobenzene | 48.62 | | 50.00 | ug/L | 97% | | 70-130 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326866 | Batch: 391356 |
| Matrix (Source ID): Water (549582-001) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326866 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| 1,1-Dichloroethene | 16.18 | ND | 20.00 | ug/L | 81% | | 62-131 | 6 | 31 | 1 |
| MTBE | 18.17 | 0.7283 | 20.00 | ug/L | 87% | | 61-124 | 22 | 30 | 1 |
| Benzene | 17.18 | ND | 20.00 | ug/L | 86% | | 70-123 | 13 | 31 | 1 |
| Trichloroethene | 14.32 | ND | 20.00 | ug/L | 72% | | 65-131 | 4 | 31 | 1 |
| Toluene | 16.12 | ND | 20.00 | ug/L | 81% | | 69-120 | 8 | 29 | 1 |
| Chlorobenzene | 15.56 | ND | 20.00 | ug/L | 78% | | 72-121 | 11 | 29 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 51.58 | | 50.00 | ug/L | 103% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 57.15 | | 50.00 | ug/L | 114% | | 70-130 | | | 1 |
| Toluene-d8 | 47.22 | | 50.00 | ug/L | 94% | | 70-130 | | | 1 |
| Bromofluorobenzene | 49.89 | | 50.00 | ug/L | 100% | | 70-130 | | | 1 |

| | | |
|----------------------|------------------------------|------------------------------|
| Type: Blank | Lab ID: QC1326804 | Batch: 391351 |
| Matrix: Water | Method: EPA 8270C-SIM | Prep Method: EPA 3535 |

| QC1326804 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|----------------------|--------|------|-------|--------|------|----------|----------|
| 1,4-Dioxane | ND | | ug/L | 1.0 | 0.84 | 12/30/25 | 12/30/25 |
| Surrogates | | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 101% | | %REC | 80-120 | | 12/30/25 | 12/30/25 |

Batch QC

| | | |
|---------------------------------|------------------------------|------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326805 | Batch: 391351 |
| Matrix: Water | Method: EPA 8270C-SIM | Prep Method: EPA 3535 |

| QC1326805 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|----------------------|--------|--------|-------|----------|------|--------|
| 1,4-Dioxane | 10.84 | 10.00 | ug/L | 108% | | 79-120 |
| Surrogates | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 9.794 | 10.00 | ug/L | 98% | | 80-120 |

| | | |
|---|------------------------------|------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326806 | Batch: 391351 |
| Matrix: Water | Method: EPA 8270C-SIM | Prep Method: EPA 3535 |

| QC1326806 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|----------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,4-Dioxane | 11.67 | 10.00 | ug/L | 117% | | 79-120 | 7 | 20 |
| Surrogates | | | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 10.19 | 10.00 | ug/L | 102% | | 80-120 | | |

| | | |
|----------------------|-----------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326671 | Batch: 391320 |
| Matrix: Water | Method: SM 4500-CN-E | Prep Method: METHOD |

| QC1326671 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|--------|--------|----------|----------|
| Cyanide | ND | | mg/L | 0.0050 | 0.0017 | 12/30/25 | 12/31/25 |

| | | |
|---------------------------------|-----------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326672 | Batch: 391320 |
| Matrix: Water | Method: SM 4500-CN-E | Prep Method: METHOD |

| QC1326672 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Cyanide | 0.1066 | 0.1000 | mg/L | 107% | | 85-115 |

| | | |
|---|-----------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1326673 | Batch: 391320 |
| Matrix (Source ID): Water (549637-003) | Method: SM 4500-CN-E | Prep Method: METHOD |

| QC1326673 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|
| Cyanide | 0.1007 | ND | 0.1000 | mg/L | 101% | | 80-120 | 0.5 |

| | | |
|---|-----------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326674 | Batch: 391320 |
| Matrix (Source ID): Water (549637-003) | Method: SM 4500-CN-E | Prep Method: METHOD |

| QC1326674 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|-----|
| Cyanide | 0.1024 | ND | 0.1000 | mg/L | 102% | | 80-120 | 2 | 20 | 0.5 |

Batch QC

| | | |
|---|-----------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1326709 | Batch: 391320 |
| Matrix (Source ID): Water (549849-001) | Method: SM 4500-CN-E | Prep Method: METHOD |

| QC1326709 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|-----------|----------------------|--------|-------|----------|-------|--------|-----|
| Cyanide | 0.0008465 | ND | 0.1000 | mg/L | 0% | ND,NM | 80-120 | 0.5 |

| | | |
|---|-----------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326710 | Batch: 391320 |
| Matrix (Source ID): Water (549849-001) | Method: SM 4500-CN-E | Prep Method: METHOD |

| QC1326710 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | Lim | DF |
|-------------------|------------|----------------------|--------|-------|----------|-------|--------|------|-----|-----|
| Cyanide | -0.0001608 | ND | 0.1000 | mg/L | 0% | ND,NM | 80-120 | 294* | 20 | 0.5 |

| | | |
|----------------------|-----------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326851 | Batch: 391360 |
| Matrix: Water | Method: SM 4500-S2-D | Prep Method: METHOD |

| QC1326851 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|------|-----|----------|----------|
| Sulfide | ND | | mg/L | 0.10 | | 12/30/25 | 12/30/25 |

| | | |
|---------------------------------|-----------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326852 | Batch: 391360 |
| Matrix: Water | Method: SM 4500-S2-D | Prep Method: METHOD |

| QC1326852 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Sulfide | 0.9000 | 1.000 | mg/L | 90% | | 90-110 |

| | | |
|---|-----------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1326853 | Batch: 391360 |
| Matrix (Source ID): Water (549841-001) | Method: SM 4500-S2-D | Prep Method: METHOD |

| QC1326853 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Sulfide | 0.9000 | ND | 1.000 | mg/L | 90% | | 80-120 | 1 |

| | | |
|---|-----------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326854 | Batch: 391360 |
| Matrix (Source ID): Water (549841-001) | Method: SM 4500-S2-D | Prep Method: METHOD |

| QC1326854 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|-----|----|
| Sulfide | 0.9000 | ND | 1.000 | mg/L | 90% | | 80-120 | 0 | 20 | 1 |

| | | |
|----------------------|--------------------------|------------------------------|
| Type: Blank | Lab ID: QC1326752 | Batch: 391339 |
| Matrix: Water | Method: SM 5310B | Prep Method: SM 5310B |

| QC1326752 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|----------------------|--------|------|-------|-----|------|----------|----------|
| Total Organic Carbon | ND | | mg/L | 1.0 | 0.49 | 12/30/25 | 12/30/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326753 | Batch: 391339 |
| Matrix: Water | Method: SM 5310B | Prep Method: SM 5310B |

| QC1326753 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|----------------------|--------|--------|-------|----------|------|--------|
| Total Organic Carbon | 24.50 | 25.00 | mg/L | 98% | | 85-115 |

| | | |
|---|--------------------------|------------------------------|
| Type: Matrix Spike | Lab ID: QC1326754 | Batch: 391339 |
| Matrix (Source ID): Water (549965-001) | Method: SM 5310B | Prep Method: SM 5310B |

| QC1326754 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|----------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Total Organic Carbon | 56.41 | 30.24 | 25.00 | mg/L | 105% | | 75-125 | 1 |

| | | |
|---|--------------------------|------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326755 | Batch: 391339 |
| Matrix (Source ID): Water (549965-001) | Method: SM 5310B | Prep Method: SM 5310B |

| QC1326755 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|----------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Total Organic Carbon | 57.50 | 30.24 | 25.00 | mg/L | 109% | | 75-125 | 2 | 25 | 1 |

| | | |
|---|--------------------------|----------------------|
| Type: Sample Duplicate | Lab ID: QC1326664 | Batch: 391318 |
| Matrix (Source ID): Water (549841-001) | Method: SM2130B | |

| QC1326664 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|-------|------|-----|---------|----|
| Turbidity | ND | 0.1300 | NTU | | | 20 | 1 |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1327003 | Batch: 391408 |
| Matrix: Water | Method: SM2320B | Prep Method: METHOD |

| QC1327003 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|----------------------------|--------|------|-------|-----|-----|----------|----------|
| Bicarbonate | ND | | mg/L | 2.0 | | 12/31/25 | 12/31/25 |
| Carbonate | ND | | mg/L | 2.0 | | 12/31/25 | 12/31/25 |
| Hydroxide | ND | | mg/L | 2.0 | | 12/31/25 | 12/31/25 |
| Alkalinity, Total as CaCO3 | ND | | mg/L | 2.0 | | 12/31/25 | 12/31/25 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1327004 | Batch: 391408 |
| Matrix: Water | Method: SM2320B | Prep Method: METHOD |

| QC1327004 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|----------------------------|--------|--------|-------|----------|------|--------|
| Alkalinity, Total as CaCO3 | 936.1 | 1000 | mg/L | 94% | | 90-110 |

Batch QC

| | | |
|--|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1327005 | Batch: 391408 |
| Matrix (Source ID): Drinking Water (549874-001) | Method: SM2320B | Prep Method: METHOD |

| QC1327005 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|----------------------------|--------|----------------------|-------|------|-----|---------|----|
| Bicarbonate | 86.21 | 87.55 | mg/L | | 2 | 20 | 1 |
| Carbonate | ND | ND | mg/L | | | 20 | 1 |
| Hydroxide | ND | ND | mg/L | | | 20 | 1 |
| Alkalinity, Total as CaCO3 | 70.66 | 71.76 | mg/L | | 2 | 20 | 1 |

| | | |
|---|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1326781 | Batch: 391346 |
| Matrix (Source ID): Water (549766-001) | Method: SM2510B | Prep Method: METHOD |

| QC1326781 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|----------------------|--------|----------------------|----------|------|-----|---------|----|
| Specific Conductance | 1,740 | 1741 | umhos/cm | | 0 | 20 | 1 |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326778 | Batch: 391345 |
| Matrix: Water | Method: SM2540C | Prep Method: METHOD |

| QC1326778 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|------------------------|--------|------|-------|----|-----|----------|----------|
| Total Dissolved Solids | ND | | mg/L | 10 | | 12/30/25 | 12/31/25 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326779 | Batch: 391345 |
| Matrix: Water | Method: SM2540C | Prep Method: METHOD |

| QC1326779 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|------------------------|--------|--------|-------|----------|------|--------|
| Total Dissolved Solids | 1,022 | 1000 | mg/L | 102% | | 90-110 |

| | | |
|---|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1326780 | Batch: 391345 |
| Matrix (Source ID): Water (549766-001) | Method: SM2540C | Prep Method: METHOD |

| QC1326780 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|------------------------|--------|----------------------|-------|------|-----|---------|----|
| Total Dissolved Solids | 1,154 | 1154 | mg/L | | 0 | 5 | 2 |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326832 | Batch: 391335 |
| Matrix: Water | Method: SM2540D | Prep Method: METHOD |

| QC1326832 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|------------------------|--------|------|-------|-----|-----|----------|----------|
| Total Suspended Solids | ND | | mg/L | 0.5 | | 12/30/25 | 12/31/25 |

Batch QC

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326833 | Batch: 391335 |
| Matrix: Water | Method: SM2540D | Prep Method: METHOD |

| QC1326833 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|------------------------|--------|--------|-------|----------|------|--------|
| Total Suspended Solids | 103.5 | 100.0 | mg/L | 103% | | 90-110 |

| | | |
|---|--------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326834 | Batch: 391335 |
| Matrix: Water | Method: SM2540D | Prep Method: METHOD |

| QC1326834 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| Total Suspended Solids | 101.0 | 100.0 | mg/L | 101% | | 90-110 | 2 | 5 |

| | | |
|---|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1326835 | Batch: 391335 |
| Matrix (Source ID): Water (549709-039) | Method: SM2540D | Prep Method: METHOD |

| QC1326835 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|------------------------|--------|----------------------|-------|------|-----|---------|----|
| Total Suspended Solids | 242.1 | 232.2 | mg/L | | 4 | 5 | 1 |

| | | |
|---|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1326836 | Batch: 391335 |
| Matrix (Source ID): Water (549965-001) | Method: SM2540D | Prep Method: METHOD |

| QC1326836 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|------------------------|--------|----------------------|-------|------|-----|---------|----|
| Total Suspended Solids | 50.20 | 49.00 | mg/L | | 2 | 5 | 1 |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1326722 | Batch: 391332 |
| Matrix: Water | Method: SM5210B | Prep Method: METHOD |

| QC1326722 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|-----|----------------|----------------|
| Biochemical Oxygen Demand | ND | | mg/L | 3.0 | | 12/30/25 16:05 | 01/04/26 12:56 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1326723 | Batch: 391332 |
| Matrix: Water | Method: SM5210B | Prep Method: METHOD |

| QC1326723 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|---------------------------|--------|--------|-------|----------|------|------------|
| Biochemical Oxygen Demand | 207.5 | 198.0 | mg/L | 105% | | 84.6-115.4 |

| | | |
|---|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1326724 | Batch: 391332 |
| Matrix (Source ID): Water (549965-001) | Method: SM5210B | Prep Method: METHOD |

| QC1326724 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|---------------------------|--------|----------------------|-------|------|-----|---------|----|
| Biochemical Oxygen Demand | 3.930 | 4.770 | mg/L | BOD5 | 19 | 30 | 1 |

Batch QC

| | | |
|----------------------|--------------------------|------------------------------|
| Type: Blank | Lab ID: QC1326675 | Batch: 391311 |
| Matrix: Water | Method: SM5220D | Prep Method: SM 5220D |

| QC1326675 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|------------------------|--------|------|-------|-----|-----|----------|----------|
| Chemical Oxygen Demand | ND | | mg/L | 4.0 | 2.0 | 12/31/25 | 12/31/25 |

| | | |
|---------------------------------|--------------------------|------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326676 | Batch: 391311 |
| Matrix: Water | Method: SM5220D | Prep Method: SM 5220D |

| QC1326676 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|------------------------|--------|--------|-------|----------|------|--------|
| Chemical Oxygen Demand | 100.0 | 100.0 | mg/L | 100% | | 90-110 |

| | | |
|---|--------------------------|------------------------------|
| Type: Matrix Spike | Lab ID: QC1326678 | Batch: 391311 |
| Matrix (Source ID): Water (549965-001) | Method: SM5220D | Prep Method: SM 5220D |

| QC1326678 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|------------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Chemical Oxygen Demand | 172.0 | 77.00 | 100.0 | mg/L | 95% | | 75-125 | 2 |

| | | |
|---|--------------------------|------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326679 | Batch: 391311 |
| Matrix (Source ID): Water (549965-001) | Method: SM5220D | Prep Method: SM 5220D |

| QC1326679 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|------------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Chemical Oxygen Demand | 174.0 | 77.00 | 100.0 | mg/L | 97% | | 75-125 | 1 | 20 | 2 |

- # CCV drift outside limits; average CCV drift within limits per method requirements
- * Value is outside QC limits
- BOD5 Estimated result, under-depleted, highest volume replicate reported
- E Response exceeds instrument's linear range
- J Estimated value
- ND Not Detected
- NM Not Meaningful

Laboratory Job Number 549965

Subcontracted Products

Pace Laboratories



Date of Report: 01/07/2026

David Tripp

Enthalpy Laboratories-Orange
931 West Barkley Avenue
Orange, CA 92868

Client Project: EO-549965
Pace Project: Chiquita Canyon Landfill Stormwater
Pace Work Order: 2522192
Invoice ID: B529538

Enclosed are the results of analyses for samples received by the laboratory on 12/31/2025. If you have any questions concerning this report, please feel free to contact me.

Revised Report: This report supersedes Report ID 1001646569
Reason: Corrected project name

Sincerely,

Contact Person: Ragen Williams
Client Service Rep

Steven Bennett
Operations Manager

Certifications: CA ELAP #1186; NV #CA00014; OR ELAP #4032-001; AK UST101

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

Table of Contents

Sample Information

| | |
|---|---|
| Chain of Custody and Cooler Receipt form..... | 3 |
| Laboratory / Client Sample Cross Reference..... | 5 |

Sample Results

2522192-01 - EAST BASIN

| | |
|--|---|
| Organo-Phosphorus Pesticide Analysis (EPA Method 8141A)..... | 6 |
|--|---|

Quality Control Reports

Organo-Phosphorus Pesticide Analysis (EPA Method 8141A)

| | |
|--------------------------------|---|
| Method Blank Analysis..... | 7 |
| Laboratory Control Sample..... | 8 |

Notes

| | |
|----------------------------|---|
| Notes and Definitions..... | 9 |
|----------------------------|---|

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



931 West Barkley Ave
Orange, CA 92868
(714) 771-6900



2522192

Subcontract Laboratory:

Pace Laboratories
4100 Atlas Court
Bakersfield, CA 93308
ATTN: Ragen Schallock
PO #: Required, to be sent via email

2522192

RUSH

Enthalpy Order: EO-549965

PM: David Tripp
Email: david.tripp@enthalpy.com
CC: incomingreports@enthalpy.com
Phone: 657-581-4710

Results Due: RUSH 5wd TAT

Report Level: II



Report To: MDL

EDDs: ELM_TransferOut (Standard Excel Transfer EDD, 3 tabs)

Notes:

Chiquita Canyon Landfill Stormwater. 5wd RUSH please.

| Sample ID | Collected | Lab ID | # Cont. | Matrix | Analysis Requested | Comment |
|------------|-------------------|------------|---------|--------|-----------------------------|---------|
| EAST BASIN | 30-DEC-2025 11:45 | 549965-001 | 1 | Water | Organophosphorus Pesticides | |

| Notes: | Relinquished By: | Received By: |
|--------|---|---|
| |  |  |
| | Date: 12-30-25 16:13 | Date: 12-31-25 10:30 |
| | Date: | Date: |
| | Date: | Date: |

Chain of Custody and Cooler Receipt Form for 2522192 Page 2 of 2

| | | | | | | | | | | |
|--|----------------|---|--|--|--|---|---|---|---|----|
| PACE ANALYTICAL | | COOLER RECEIPT FORM | | Page <u>1</u> Of <u>1</u> | | | | | | |
| Submission #: <u>2522192</u> | | | | | | | | | | |
| SHIPPING INFORMATION Fed Ex <input checked="" type="checkbox"/> UPS <input type="checkbox"/> GSO / GLS <input type="checkbox"/> Hand Delivery <input type="checkbox"/> Pace Lab Field Service <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____ | | | SHIPPING CONTAINER Ice Chest <input checked="" type="checkbox"/> None <input type="checkbox"/> Box <input type="checkbox"/> Other <input type="checkbox"/> (Specify) _____ | | FREE LIQUID YES <input type="checkbox"/> NO <input checked="" type="checkbox"/> <u>W/S</u> | | | | | |
| Refrigerant: Ice <input checked="" type="checkbox"/> Blue Ice <input type="checkbox"/> None <input type="checkbox"/> Other <input type="checkbox"/> Comments: _____ | | | | | | | | | | |
| Custody Seals Ice Chest <input type="checkbox"/> Containers <input type="checkbox"/> None <input checked="" type="checkbox"/> Comments: _____ Intact? Yes <input type="checkbox"/> No <input type="checkbox"/> Intact? Yes <input type="checkbox"/> No <input type="checkbox"/> | | | | | | | | | | |
| All samples received? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> All samples containers intact? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Description(s) match COC? Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> | | | | | | | | | | |
| COC Received <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | | Emissivity: <u>0.97</u> Container: <u>NA</u> Thermometer ID: <u>366</u> Temperature: (A) <u>3.5</u> °C / (C) <u>3.6</u> °C | | Date/Time <u>12-31-29/050</u> Analyst Init <u>mac</u> | | | | | | |
| SAMPLE CONTAINERS | SAMPLE NUMBERS | | | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| QT PE UNPRES | | | | | | | | | | |
| 4oz / 8oz / 16oz PE UNPRES | | | | | | | | | | |
| 2oz Cr ⁶ | | | | | | | | | | |
| QT INORGANIC CHEMICAL METALS | | | | | | | | | | |
| INORGANIC CHEMICAL METALS 4oz / 8oz / 16oz | | | | | | | | | | |
| PT CYANIDE | | | | | | | | | | |
| PT NITROGEN FORMS | | | | | | | | | | |
| PT TOTAL SULFIDE | | | | | | | | | | |
| 2oz. NITRATE / NITRITE | | | | | | | | | | |
| PT TOTAL ORGANIC CARBON | | | | | | | | | | |
| PT CHEMICAL OXYGEN DEMAND | | | | | | | | | | |
| PIA PHENOLICS | | | | | | | | | | |
| 40ml VOA VIAL TRAVEL BLANK | | | | | | | | | | |
| 40ml VOA VIAL | | | | | | | | | | |
| QT EPA 1664B | <u>A</u> | | | | | | | | | |
| PT ODOR | | | | | | | | | | |
| RADIOLOGICAL | | | | | | | | | | |
| BACTERIOLOGICAL | | | | | | | | | | |
| 40 ml VOA VIAL- 504 | | | | | | | | | | |
| QT EPA 508/608.3/8081A | | | | | | | | | | |
| QT EPA 515.1/8151A | | | | | | | | | | |
| QT EPA 525.2 | | | | | | | | | | |
| QT EPA 525.2 TRAVEL BLANK | | | | | | | | | | |
| 40ml EPA 547 | | | | | | | | | | |
| 40ml EPA 531.1 | | | | | | | | | | |
| 8oz EPA 548.1 | | | | | | | | | | |
| QT EPA 549.2 | | | | | | | | | | |
| QT EPA 8015M | | | | | | | | | | |
| QT EPA 8270C | | | | | | | | | | |
| 8oz / 16oz / 32oz AMBER | | | | | | | | | | |
| 8oz / 16oz / 32oz JAR | | | | | | | | | | |
| SOIL SLEEVE | | | | | | | | | | |
| PCB VIAL | | | | | | | | | | |
| PLASTIC BAG | | | | | | | | | | |
| TEDLAR BAG | | | | | | | | | | |
| FERROUS IRON | | | | | | | | | | |
| ENCORE | | | | | | | | | | |
| SMART KIT | | | | | | | | | | |
| SUMMA CANISTER | | | | | | | | | | |

CHK BY CLZ DISTRIBUTION
 SUB OUT

Comments: _____
 Sample Numbering Completed By: mac Date/Time: 12-31-29 11:36
 A = Actual / C = Corrected

Rev 23 05/20/22

[S:\WP\Doc\WordPerfect\LAB_COC\FORMS\ISL\MREC.v.20]

Enthalpy Laboratories-Orange
931 West Barkley Avenue
Orange, CA 92868

Reported: 01/07/2026 23:09
Project: Chiquita Canyon Landfill Stormwater
Project Number: EO-549965
Project Manager: David Tripp

Laboratory / Client Sample Cross Reference

| Laboratory | Client Sample Information | | Receive Date: | 12/31/2025 10:50 |
|------------|---------------------------|------------|-----------------------|------------------|
| 2522192-01 | COC Number: | --- | Sampling Date: | 12/30/2025 11:45 |
| | Project Number: | --- | Sample Depth: | --- |
| | Sampling Location: | --- | Lab Matrix: | Water |
| | Sampling Point: | EAST BASIN | Sample Type: | Water |
| | Sampled By: | client | | |

Enthalpy Laboratories-Orange
931 West Barkley Avenue
Orange, CA 92868

Reported: 01/07/2026 23:09
Project: Chiquita Canyon Landfill Stormwater
Project Number: EO-549965
Project Manager: David Tripp

Organo-Phosphorus Pesticide Analysis (EPA Method 8141A)

| | |
|-----------------------------------|--|
| Pace Sample ID: 2522192-01 | Client Sample Name: EAST BASIN, 12/30/2025 11:45:00AM, client |
|-----------------------------------|--|

| Constituent | Result | Units | PQL | MDL | Method | MB Bias | Lab Quals | DCN |
|--------------------------------|--------|-------|----------------------|-------|-----------|---------|-----------|-----|
| Azinphos methyl | ND | ug/L | 0.50 | 0.12 | EPA-8141A | ND | | 1 |
| Bolstar | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Chlorpyrifos | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Coumaphos | ND | ug/L | 0.50 | 0.11 | EPA-8141A | ND | | 1 |
| Demeton O/S | ND | ug/L | 0.20 | 0.056 | EPA-8141A | ND | | 1 |
| Diazinon | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Dichlorvos | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Disulfoton | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Ethoprop | ND | ug/L | 0.20 | 0.052 | EPA-8141A | ND | | 1 |
| Fensulfothion | ND | ug/L | 0.20 | 0.051 | EPA-8141A | ND | | 1 |
| Fenthion | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Merphos | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Methyl parathion | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Mevinphos | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Naled | ND | ug/L | 0.50 | 0.17 | EPA-8141A | ND | | 1 |
| Phorate | ND | ug/L | 0.20 | 0.066 | EPA-8141A | ND | | 1 |
| Ronnel (Fenchlorphos) | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Stirophos (Tetrachlorvinphos) | ND | ug/L | 0.20 | 0.082 | EPA-8141A | ND | | 1 |
| Tokuthion (Prothiofos) | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Trichloronate | ND | ug/L | 0.20 | 0.050 | EPA-8141A | ND | | 1 |
| Triphenylphosphate (Surrogate) | 109 | % | 50 - 130 (LCL - UCL) | | EPA-8141A | | | 1 |

| DCN | Method | Prep Date | Run | | Analyst | Instrument | Dilution | QC | |
|-----|-----------|----------------|-----------|-------|---------|------------|----------|----------|-------------|
| | | | Date/Time | | | | | Batch ID | Prep Method |
| 1 | EPA-8141A | 01/05/26 17:40 | 01/06/26 | 20:54 | IJC | GC-18 | 1.002 | B225029 | EPA 3510C |

DCN = Data Continuation Number

Enthalpy Laboratories-Orange
931 West Barkley Avenue
Orange, CA 92868

Reported: 01/07/2026 23:09
Project: Chiquita Canyon Landfill Stormwater
Project Number: EO-549965
Project Manager: David Tripp

Organo-Phosphorus Pesticide Analysis (EPA Method 8141A)

Quality Control Report - Method Blank Analysis

| Constituent | QC Sample ID | MB Result | Units | PQL | MDL | Lab Quals | Run # |
|---------------------------------------|---------------------|-------------|----------|-----------------------------|-------|-----------|----------|
| QC Batch ID: B225029 | | | | | | | |
| Azinphos methyl | B225029-BLK1 | ND | ug/L | 0.50 | 0.12 | | 1 |
| Bolstar | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Chlorpyrifos | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Coumaphos | B225029-BLK1 | ND | ug/L | 0.50 | 0.11 | | 1 |
| Demeton O/S | B225029-BLK1 | ND | ug/L | 0.20 | 0.056 | | 1 |
| Diazinon | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Dichlorvos | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Disulfoton | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Ethoprop | B225029-BLK1 | ND | ug/L | 0.20 | 0.052 | | 1 |
| Fensulfothion | B225029-BLK1 | ND | ug/L | 0.20 | 0.051 | | 1 |
| Fenthion | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Merphos | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Methyl parathion | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Mevinphos | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Naled | B225029-BLK1 | ND | ug/L | 0.50 | 0.17 | | 1 |
| Phorate | B225029-BLK1 | ND | ug/L | 0.20 | 0.066 | | 1 |
| Ronnel (Fenchlorphos) | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Stirophos (Tetrachlorvinphos) | B225029-BLK1 | ND | ug/L | 0.20 | 0.082 | | 1 |
| Tokuthion (Prothiofos) | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Trichloronate | B225029-BLK1 | ND | ug/L | 0.20 | 0.050 | | 1 |
| Triphenylphosphate (Surrogate) | B225029-BLK1 | 78.2 | % | 50 - 130 (LCL - UCL) | | | 1 |

| Run # | QC Sample ID | QC Type | Method | Prep Date | Run Date Time | Analyst | Instrument | Dilution |
|-------|--------------|---------|-----------|-----------|----------------|---------|------------|----------|
| 1 | B225029-BLK1 | PB | EPA-8141A | 01/05/26 | 01/06/26 17:26 | IJC | GC-18 | 1 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

Enthalpy Laboratories-Orange
931 West Barkley Avenue
Orange, CA 92868

Reported: 01/07/2026 23:09
Project: Chiquita Canyon Landfill Stormwater
Project Number: EO-549965
Project Manager: David Tripp

Organo-Phosphorus Pesticide Analysis (EPA Method 8141A)

Quality Control Report - Laboratory Control Sample

| Constituent | QC Sample ID | Type | Result | Spike Level | Units | Percent Recovery | RPD | Control Limits | | Lab Quals | Run # |
|--------------------------------|--------------|------|--------|-------------|-------|------------------|-----|------------------|-----|-----------|-------|
| | | | | | | | | Percent Recovery | RPD | | |
| QC Batch ID: B225029 | | | | | | | | | | | |
| Bolstar | B225029-BS1 | LCS | 1.6950 | 2.0000 | ug/L | 84.8 | | 50 - 130 | | | 1 |
| | B225029-BSD1 | LCSD | 1.7100 | 2.0000 | ug/L | 85.5 | 0.9 | 50 - 130 | 30 | | 2 |
| Chlorpyrifos | B225029-BS1 | LCS | 1.9700 | 2.0000 | ug/L | 98.5 | | 60 - 120 | | | 1 |
| | B225029-BSD1 | LCSD | 1.9650 | 2.0000 | ug/L | 98.2 | 0.3 | 60 - 120 | 30 | | 2 |
| Diazinon | B225029-BS1 | LCS | 1.8600 | 2.0000 | ug/L | 93.0 | | 60 - 130 | | | 1 |
| | B225029-BSD1 | LCSD | 1.8750 | 2.0000 | ug/L | 93.8 | 0.8 | 60 - 130 | 30 | | 2 |
| Methyl parathion | B225029-BS1 | LCS | 1.9700 | 2.0000 | ug/L | 98.5 | | 60 - 120 | | | 1 |
| | B225029-BSD1 | LCSD | 2.0050 | 2.0000 | ug/L | 100 | 1.8 | 60 - 120 | 30 | | 2 |
| Mevinphos | B225029-BS1 | LCS | 1.4550 | 2.0000 | ug/L | 72.8 | | 50 - 120 | | | 1 |
| | B225029-BSD1 | LCSD | 1.5100 | 2.0000 | ug/L | 75.5 | 3.7 | 50 - 120 | 30 | | 2 |
| Ronnel (Fenclorphos) | B225029-BS1 | LCS | 1.9100 | 2.0000 | ug/L | 95.5 | | 50 - 120 | | | 1 |
| | B225029-BSD1 | LCSD | 2.0050 | 2.0000 | ug/L | 100 | 4.9 | 50 - 120 | 30 | | 2 |
| Stirophos (Tetrachlorvinphos) | B225029-BS1 | LCS | 1.9850 | 2.0000 | ug/L | 99.2 | | 50 - 120 | | | 1 |
| | B225029-BSD1 | LCSD | 1.8700 | 2.0000 | ug/L | 93.5 | 6.0 | 50 - 120 | 30 | | 2 |
| Triphenylphosphate (Surrogate) | B225029-BS1 | LCS | 2.4100 | 2.5000 | ug/L | 96.4 | | 50 - 130 | | | 1 |
| | B225029-BSD1 | LCSD | 2.4200 | 2.5000 | ug/L | 96.8 | 0.4 | 50 - 130 | | | 2 |

| Run # | QC Sample ID | QC Type | Method | Prep Date | Run | | Analyst | Instrument | Dilution |
|-------|--------------|---------|-----------|-----------|----------------|--|---------|------------|----------|
| | | | | | Date Time | | | | |
| 1 | B225029-BS1 | LCS | EPA-8141A | 01/05/26 | 01/06/26 17:56 | | IJC | GC-18 | 1 |
| 2 | B225029-BSD1 | LCSD | EPA-8141A | 01/05/26 | 01/06/26 18:25 | | IJC | GC-18 | 1 |

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.



Enthalpy Laboratories-Orange
931 West Barkley Avenue
Orange, CA 92868

Reported: 01/07/2026 23:09
Project: Chiquita Canyon Landfill Stormwater
Project Number: EO-549965
Project Manager: David Tripp

Notes And Definitions

- MDL Method Detection Limit
- ND Analyte Not Detected
- PQL Practical Quantitation Limit

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.
All results listed in this report are for the exclusive use of the submitting party. Pace Analytical assumes no responsibility for report alteration, separation, detachment or third party interpretation.

Laboratory Job Number 549965

Subcontracted Products

McCampbell Analytical, Inc.



McC Campbell Analytical, Inc.

"When Quality Counts"

Analytical Report

WorkOrder: 2512K12

Report Created for: Enthalpy Analytical

931 West Barkley Avenue
Orange, CA 92868

Project Contact: David Tripp

Project P.O.: 079649

Project: EO-549965

Project Location:

Project Received: 12/31/2025

Analytical Report reviewed & approved for release on 01/07/2026 by:

Ana Venegas
Project Manager

The report shall not be reproduced except in full, without the written approval of the laboratory. The analytical results relate only to the items tested. Results reported conform to the most current regulatory standards, where applicable, unless otherwise stated.





Glossary of Terms & Qualifier Definitions

Client: Enthalpy Analytical

WorkOrder: 2512K12

Project: EO-549965

Glossary Abbreviation

| | |
|----------------|--|
| %D | Serial Dilution Percent Difference |
| 95% Interval | 95% Confident Interval |
| CCV | Continuing Calibration Verification. |
| CCV REC (%) | % recovery of Continuing Calibration Verification. |
| CPT | Consumer Product Testing not NELAP Accredited |
| DF | Dilution Factor |
| DI WET | (DISTLC) Waste Extraction Test using DI water |
| DISS | Dissolved (direct analysis of 0.45 µm filtered and acidified water sample) |
| DLT | Dilution Test (Serial Dilution) |
| DUP | Duplicate |
| EDL | Estimated Detection Limit |
| ERS | External reference sample. Second source calibration verification. |
| ITEF | International Toxicity Equivalence Factor |
| LCS | Laboratory Control Sample |
| LCS2 | Second LCS for the batch. Spike level is lower than that for the first LCS; applicable to method 1633. |
| LQL | Lowest Quantitation Level |
| MB | Method Blank |
| MB IS/SS % Rec | % Recovery of Internal Standard or Surrogate in Method Blank, if applicable |
| MB SS % Rec | % Recovery of Surrogate in Method Blank, if applicable |
| MDL | Method Detection Limit ¹ |
| ML | Minimum Level of Quantitation |
| MS | Matrix Spike |
| MSD | Matrix Spike Duplicate |
| NA | Not Applicable |
| ND | Not detected at or above the indicated MDL or RL. |
| NR | Data Not Reported due to matrix interference or insufficient sample amount. |
| PDS | Post Digestion Spike |
| PF | Prep Factor |
| RD | Relative Difference |
| RL | Reporting Limit ² |
| RPD | Relative Percent Difference |
| RRT | Relative Retention Time |
| RSD | Relative Standard Deviation |
| SNR | Surrogate is diluted out of the calibration range |

¹ MDL is the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results. Definition and Procedure for the Determination of the Method Detection Limit, Revision 2, 40CFR, Part 136, Appendix B, EPA 821-R-16-006, December 2016. Values are based upon our default extraction volume/amount and are subject to change.

² RL is the lowest level that can be reliably determined within specified limits of precision and accuracy during routine laboratory operating conditions. (The RL cannot be lower than the lowest calibration standard used in the initial calibration of the instrument and must be greater than the MDL.) Values are based upon our default extraction volume/amount and are subject to change.



Glossary of Terms & Qualifier Definitions

Client: Enthalpy Analytical

WorkOrder: 2512K12

Project: EO-549965

| | |
|------------|---|
| SPK Val | Spike Value |
| SPKRef Val | Spike Reference Value |
| SPLP | Synthetic Precipitation Leachate Procedure |
| ST | Sorbent Tube |
| TCLP | Toxicity Characteristic Leachate Procedure |
| TEQ | Toxicity Equivalents |
| TNTC | "Too Numerous to Count;" greater than 250 colonies observed on the plate. |
| TPH-Diesel | Sample results for semi-volatile TPH (diesel, kerosene, oil, etc) were calculated using a background subtraction procedure to correct for instrument baseline rise (column bleed) as described in Sec 7.7.2.2 of EPA 8015 B, C. |
| TZA | TimeZone Net Adjustment for sample collected outside of MAI's Coordinated Universal Time (UTC). (Adjustment for Daylight Saving is not accounted.) |
| WET (STLC) | Waste Extraction Test (Soluble Threshold Limit Concentration) |

Analytical Qualifiers

a3 Sample diluted due to high organic content interfering with quantitative/or qualitative analysis.



Analytical Report

Client: Enthelpy Analytical
Date Received: 12/31/2025 10:05
Date Prepared: 01/05/2026
Project: EO-549965

WorkOrder: 2512K12
Extraction Method: E8151A
Analytical Method: E8151A
Unit: µg/L

Chlorinated Herbicides by GC-ECD

| Client ID | Lab ID | Matrix | Date Collected | Instrument FileID | Batch ID |
|------------|--------------|--------|------------------|-------------------|----------|
| EAST BASIN | 2512K12-001A | Water | 12/30/2025 11:45 | GC15A 01052625.D | 333054 |

| Analytes | Result | MDL | RL | DF | Date Analyzed |
|--|--------|------|-----|----|------------------|
| Acifluorfen | ND | 5.3 | 10 | 10 | 01/05/2026 23:21 |
| Bentazon | ND | 3.2 | 10 | 10 | 01/05/2026 23:21 |
| Chloramben | ND | 6.4 | 10 | 10 | 01/05/2026 23:21 |
| 2,4-D (Dichlorophenoxyacetic acid) | ND | 0.79 | 2.0 | 10 | 01/05/2026 23:21 |
| 2,4-DB | ND | 4.2 | 10 | 10 | 01/05/2026 23:21 |
| Dalapon | ND | 7.7 | 10 | 10 | 01/05/2026 23:21 |
| D CPA (mono & diacid) | ND | 5.0 | 10 | 10 | 01/05/2026 23:21 |
| Dicamba | ND | 0.74 | 2.0 | 10 | 01/05/2026 23:21 |
| 3,5-Dichlorobenzoic Acid | ND | 2.4 | 10 | 10 | 01/05/2026 23:21 |
| Dichloroprop | ND | 3.5 | 10 | 10 | 01/05/2026 23:21 |
| Dinoseb (DNBP) | ND | 3.0 | 10 | 10 | 01/05/2026 23:21 |
| MCPA | ND | 13 | 20 | 10 | 01/05/2026 23:21 |
| MCPP | ND | 12 | 20 | 10 | 01/05/2026 23:21 |
| 4-Nitrophenol | ND | 7.7 | 10 | 10 | 01/05/2026 23:21 |
| Pentachlorophenol (PCP) | ND | 0.55 | 2.0 | 10 | 01/05/2026 23:21 |
| Picloram | ND | 3.8 | 10 | 10 | 01/05/2026 23:21 |
| 2,4,5-T (Trichlorophenoxy acetic acid) | ND | 1.0 | 2.0 | 10 | 01/05/2026 23:21 |
| 2,4,5-TP (Silvex) | ND | 1.6 | 5.0 | 10 | 01/05/2026 23:21 |

| Surrogates | REC (%) | Limits | DF | Date Analyzed |
|------------|---------|--------|----|------------------|
| DCAA | 108 | 60-140 | 10 | 01/05/2026 23:21 |

Analyst(s): DP

Analytical Comments: a3



Analytical Report

Client: Enthalpy Analytical
Date Received: 12/31/2025 10:05
Date Prepared: 01/06/2026
Project: EO-549965

WorkOrder: 2512K12
Extraction Method: RSK175
Analytical Method: RSK175
Unit: µg/L

Dissolved Carbon Dioxide by RSK 175

| Client ID | Lab ID | Matrix | Date Collected | Instrument FileID | Batch ID |
|------------|--------------|--------|------------------|-------------------|----------|
| EAST BASIN | 2512K12-001B | Water | 12/30/2025 11:45 | GC26 0106261104.D | 333187 |

| Analytes | Result | MDL | RL | DF | Date Analyzed |
|----------------|--------|-----|-----|----|------------------|
| Carbon Dioxide | 4000 | 250 | 250 | 5 | 01/06/2026 14:17 |

Analyst(s): CLO



Quality Control Report

Client: Enthalpy Analytical
Date Prepared: 01/05/2026
Date Analyzed: 01/05/2026
Instrument: GC15A
Matrix: Water
Project: EO-549965

WorkOrder: 2512K12
BatchID: 333054
Extraction Method: E8151A
Analytical Method: E8151A
Unit: µg/L
Sample ID: MB/LCS/LCSD-333054

QC Summary Report for E8151A

| Analyte | MB Result | MDL | RL | SPK Val | MB IS/SS %REC | MB IS/SS Limits |
|--|-----------|-------|------|---------|---------------|-----------------|
| Acifluorfen | ND | 0.53 | 1.0 | - | - | - |
| Bentazon | ND | 0.32 | 1.0 | - | - | - |
| Chloramben | ND | 0.64 | 1.0 | - | - | - |
| 2,4-D (Dichlorophenoxyacetic acid) | ND | 0.079 | 0.20 | - | - | - |
| 2,4-DB | ND | 0.42 | 1.0 | - | - | - |
| Dalapon | ND | 0.77 | 1.0 | - | - | - |
| DCPA (mono & diacid) | ND | 0.50 | 1.0 | - | - | - |
| Dicamba | ND | 0.074 | 0.20 | - | - | - |
| 3,5-Dichlorobenzoic Acid | ND | 0.24 | 1.0 | - | - | - |
| Dichloroprop | ND | 0.35 | 1.0 | - | - | - |
| Dinoseb (DNBP) | ND | 0.30 | 1.0 | - | - | - |
| MCPA | ND | 1.3 | 2.0 | - | - | - |
| MCPP | ND | 1.2 | 2.0 | - | - | - |
| 4-Nitrophenol | ND | 0.77 | 1.0 | - | - | - |
| Pentachlorophenol (PCP) | ND | 0.055 | 0.20 | - | - | - |
| Picloram | ND | 0.38 | 1.0 | - | - | - |
| 2,4,5-T (Trichlorophenoxy acetic acid) | ND | 0.10 | 0.20 | - | - | - |
| 2,4,5-TP (Silvex) | ND | 0.16 | 0.50 | - | - | - |
| Surrogate Recovery | | | | | | |
| DCAA | 9.3 | | | 10 | 93 | 70-130 |



Quality Control Report

Client: Enthalpy Analytical
Date Prepared: 01/05/2026
Date Analyzed: 01/05/2026
Instrument: GC15A
Matrix: Water
Project: EO-549965

WorkOrder: 2512K12
BatchID: 333054
Extraction Method: E8151A
Analytical Method: E8151A
Unit: µg/L
Sample ID: MB/LCS/LCSD-333054

QC Summary Report for E8151A

| Analyte | LCS Result | LCSD Result | SPK Val | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Limit |
|--|------------|-------------|---------|----------|-----------|-----------------|-------|-----------|
| Acifluorfen | 8.8 | 8.8 | 10 | 88 | 88 | 70-130 | 0.465 | 30 |
| Bentazon | 12 | 12 | 10 | 118 | 122 | 70-130 | 3.11 | 30 |
| Chloramben | 10 | 10 | 10 | 101 | 103 | 70-130 | 1.84 | 30 |
| 2,4-D (Dichlorophenoxyacetic acid) | 11 | 11 | 10 | 108 | 111 | 70-130 | 2.64 | 30 |
| 2,4-DB | 11 | 11 | 10 | 114 | 114 | 70-130 | 0.562 | 30 |
| Dalapon | 10 | 11 | 10 | 104 | 111 | 70-130 | 6.49 | 30 |
| DCPA (mono & diacid) | 9.6 | 9.2 | 10 | 96 | 92 | 70-130 | 4.75 | 30 |
| Dicamba | 9.2 | 9.6 | 10 | 92 | 96 | 70-130 | 4.07 | 30 |
| 3,5-Dichlorobenzoic Acid | 9.2 | 9.7 | 10 | 92 | 97 | 70-130 | 5.27 | 30 |
| Dichloroprop | 11 | 12 | 10 | 112 | 116 | 70-130 | 2.72 | 30 |
| Dinoseb (DNBP) | 10 | 10 | 10 | 101 | 102 | 70-130 | 1.20 | 30 |
| MCPA | 95 | 99 | 100 | 95 | 99 | 70-130 | 4.20 | 30 |
| MCPP | 91 | 98 | 100 | 91 | 98 | 70-130 | 6.49 | 30 |
| 4-Nitrophenol | 9.3 | 9.7 | 10 | 93 | 97 | 70-130 | 3.98 | 30 |
| Pentachlorophenol (PCP) | 9.8 | 10 | 10 | 98 | 100 | 70-130 | 2.47 | 30 |
| Picloram | 9.4 | 9.3 | 10 | 94 | 93 | 70-130 | 1.97 | 30 |
| 2,4,5-T (Trichlorophenoxy acetic acid) | 9.9 | 10 | 10 | 99 | 100 | 70-130 | 1.43 | 30 |
| 2,4,5-TP (Silvex) | 9.9 | 10 | 10 | 99 | 102 | 70-130 | 2.98 | 30 |
| Surrogate Recovery | | | | | | | | |
| DCAA | 9.8 | 10 | 10 | 98 | 103 | 70-130 | 4.57 | 30 |



Quality Control Report

Client: Enthalpy Analytical
Date Prepared: 01/06/2026
Date Analyzed: 01/06/2026
Instrument: GC26
Matrix: Water
Project: EO-549965

WorkOrder: 2512K12
BatchID: 333187
Extraction Method: RSK175
Analytical Method: RSK175
Unit: µg/L
Sample ID: MB/LCS/LCSD-333187

QC Summary Report for RSK175

| Analyte | MB Result | MDL | RL | | | |
|----------------|-----------|-----|----|---|---|---|
| Carbon Dioxide | ND | 50 | 50 | - | - | - |

| Analyte | LCS Result | LCSD Result | SPK Val | LCS %REC | LCSD %REC | LCS/LCSD Limits | RPD | RPD Limit |
|----------------|------------|-------------|---------|----------|-----------|-----------------|------|-----------|
| Carbon Dioxide | 140 | 150 | 187.2 | 75 | 81 | 70-130 | 7.42 | 30 |



Certified Analyte List

Client: Enthalpy Analytical

WorkOrder: 2512K12

Project: EO-549965

| Analyte | Cert 1 | Cert 2 | Cert 3 | Cert 4 | Cert 5 | Analytical Method | Matrix |
|--|----------------------------------|----------------------------------|-----------------------|-----------------------|-----------------------|-------------------|--------|
| 2,4,5-T (Trichlorophenoxy acetic acid) | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| 2,4,5-TP (Silvex) | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| 2,4-D (Dichlorophenoxyacetic acid) | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| 2,4-DB | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| 3,5-Dichlorobenzoic Acid | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| 4-Nitrophenol | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Acifluorfen | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Bentazon | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Chloramben | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Dalapon | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| DCPA (mono & diacid) | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Dicamba | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Dichloroprop | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Dinoseb (DNBP) | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| MCPA | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| MCPP | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Pentachlorophenol (PCP) | <input checked="" type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |
| Picloram | <input type="radio"/> | <input checked="" type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | E8151A | Water |

Certifications

Cert 1 CA ELAP 1644
 Cert 2 ORELAP (NELAP) 4033

The Certified Analyte Report lists the compounds for which MAI is accredited at the time of issuance. Although MAI holds multiple accreditations, methods with extensive compound lists may not be fully accredited due to state agency availability.



1534 Willow Pass Rd
Pittsburg, CA 94565-1701
(925) 252-9262

WaterTrax CLIP EDF

CHAIN-OF-CUSTODY RECORD

WorkOrder: 2512K12 **ClientCode:** ENO **QuoteID:** 252619
 EQulS Dry-Weight Email HardCopy ThirdParty J-flag
 Detection Summary **Excel** [A1_Standard_QC]

Report to:
David Tripp
Enthalpy Analytical
931 West Barkley Avenue
Orange, CA 92868
714-771-9908 FAX:

Email: david.tripp@enthalpy.com
cc/3rd Party: incomingreports@enthalpy.com;
PO: 079649
Project: EO-549965

Bill to:
Accounts Payable/Enthalpy SoCal
Montrose Environmental Group
PO Box 842165
Boston, MA 02284-2165
003EL_ap@montrose-env.com

Requested TAT: 5 days;

Date Received: 12/31/2025
Date Logged: 12/31/2025

| Lab ID | ClientSampID | Matrix | Collection Date | Hold | Requested Tests (See legend below) | | | | | | | | | | | | |
|-------------|--------------|--------|------------------|--------------------------|------------------------------------|---|---|---|---|---|---|---|---|----|----|----|--|
| | | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | |
| 2512K12-001 | EAST BASIN | Water | 12/30/2025 11:45 | <input type="checkbox"/> | A | A | B | | | | | | | | | | |

Test Legend:

| | | | | | | | |
|---|--------|----|----------------|----|--------------|----|--|
| 1 | 8151_W | 2 | PRDisposal Fee | 3 | RSK175_CO2_W | 4 | |
| 5 | | 6 | | 7 | | 8 | |
| 9 | | 10 | | 11 | | 12 | |

Prepared by: Agustina Venegas

Comments:

NOTE: Soil samples are discarded 60 days after receipt unless other arrangements are made (Water samples are 30 days).
Hazardous samples will be returned to client or disposed of at client expense.



WORK ORDER SUMMARY

Client Name: ENTHALPY ANALYTICAL

Project: EO-549965

Work Order: 2512K12

Client Contact: David Tripp

QC Level: LEVEL 2

Contact's Email: david.tripp@enthalpy.com

Comments:

Date Logged: 12/31/2025

WaterTrax CLIP EDF Excel EQUIS Email HardCopy ThirdParty J-flag

| LabID | ClientSampID | Matrix | Test Name | Cont./Comp. | Bottle & Preservative | U** | Head Space | Dry-Weight | Collection Date & Time | TAT | Test Due Date | Sediment Content | Hold | Sub Out |
|-------|--------------|--------|---------------------------------|-------------|--------------------------|--------------------------|--------------------------|--------------------------|------------------------|--------|---------------|------------------|--------------------------|--------------------------|
| 001A | EAST BASIN | Water | E8151A (Chlorinated Herbicides) | 1 | 1LA Narrow Mouth, Unpres | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12/30/2025 11:45 | 5 days | 1/8/2026 | Present | <input type="checkbox"/> | <input type="checkbox"/> |
| 001B | EAST BASIN | Water | RSK175 (CO2) | 2 | VOA, Unpres | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12/30/2025 11:45 | 5 days | 1/8/2026 | Present | <input type="checkbox"/> | <input type="checkbox"/> |

NOTES: * STLC and TCLP extractions require 2 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 3 days from sample submission).

- ISM prep requires 5 to 10 days to complete; therefore, all TATs begin after the extraction is completed (i.e., One-day TAT yields results in 6 to 11 days from sample submission). Due date listed on WO summary will not accurately reflect the time needed for sample preparation.

- Organic extracts are held for 40 days before disposal; Inorganic extract are held for 30 days.

- MAI assumes that all material present in the provided sampling container is considered part of the sample - MAI does not exclude any material from the sample prior to sample preparation unless requested in writing by the client.

U** = An unpreserved container was received for a method that suggests a preservation in order to extend hold time for analysis.



ENTHALPY ANALYTICAL

931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

251242

Subcontract Laboratory:
McCampbell Analytical, Inc.
1534 Willow Pass Rd.
Pittsburg, CA 94565
ATTN: Quote ID: 252619
PO #: PO-079649

Enthalpy Order: EO-549965
PM: David Tripp
Email: david.tripp@enthalpy.com
CC: incomingreports@enthalpy.com
Phone: 657-581-4710

Results Due: RUSH 5wd TAT
Report Level: II
Report To: MDL
EDDs: Standard Excel
EDD

Notes:

Chiquita Canyon Landfill Stormwater. 5wd RUSH please.

| Sample ID | Collected | Lab ID | # Cont. | Matrix | Analysis Requested | Comment |
|------------|-------------------|------------|---------|--------|----------------------------------|---------|
| EAST BASIN | 30-DEC-2025 11:45 | 549965-001 | 1 | Water | EPA 8151A Chlorinated Herbicides | |
| | | | 2 | Water | RSK-175 CO2 | |

| Notes: | Relinquished By: | Received By: |
|--------|----------------------|----------------------|
| | | |
| | Date: 12-30-25 16:41 | Date: 12/31/25 1005A |
| | Date: | Date: |
| | Date: | Date: |

0.7CINET
1P39

GSD:563914119



Sample Receipt Checklist

Client Name: Enthalpy Analytical
 Project: EO-549965

Date and Time Received: 12/31/2025 10:05
 Date Logged: 12/31/2025

WorkOrder No: 2512K12 Matrix: Water
 Carrier: Golden State Overnight

Received by: Agustina Venegas
 Logged by: Agustina Venegas

Chain of Custody (COC) Information

| | | | |
|---|---|--|-----------------------------|
| Chain of custody present? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Chain of custody signed when relinquished and received? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Chain of custody agrees with sample labels? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample IDs noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Date and Time of collection noted by Client on COC? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sampler's name noted on COC? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | |
| COC agrees with Quote? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| COC quote NOT expired? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |

Sample Receipt Information

| | | | |
|--|---|-----------------------------|--|
| Custody seals intact on shipping container/cooler? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Custody seals intact on sample bottles? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Shipping container/cooler in good condition? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Samples in proper containers/bottles? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sample containers intact? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| Sufficient sample volume for indicated test? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

Sample Preservation and Hold Time (HT) Information

| | | | |
|---|---|-----------------------------|-----------------------------|
| All samples received within holding time? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| Samples Received on Ice? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |

(Ice Type: WET ICE)

| | | | |
|--|---|-----------------------------|--|
| Sample/Temp Blank temperature | | Temp: 0.7°C | NA <input type="checkbox"/> |
| ZHS conditional analyses: VOA meets zero headspace requirement (VOCs, TPHg/BTEX, RSK)? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| Sample labels checked for correct preservation? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| pH acceptable upon receipt (Metal: <2)? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |

UCMR Samples:

| | | | |
|--|------------------------------|-----------------------------|--|
| pH tested and acceptable upon receipt (200.7: ≤2; 533: 6 - 8; 537.1: 6 - 8)? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| Free Chlorine tested and acceptable upon receipt (<0.1mg/L) [not applicable to 200.7]? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |

Comments:

Laboratory Job Number 549965

Subcontracted Products

Enthalpy - El Dorado Hills



January 08, 2026

**Enthalpy Analytical - El Dorado Hills
Work Order No. 2512252**

Mr. David Tripp
Enthalpy Analytical
931 W. Barkley Avenue
Orange, CA 92868

Dear Mr. Tripp,

Enclosed are the results for the sample set received at Enthalpy Analytical - EDH on December 31, 2025 under your Project Name 'EO-549965'.

Enthalpy Analytical - EDH is committed to serving you effectively. If you require additional information, please contact me at 916-673-1520 or by email at mark.rein@enthalpy.com.

Thank you for choosing Enthalpy Analytical - EDH as part of your analytical support team.

Sincerely,

A handwritten signature in black ink, appearing to read 'Mark Rein', is displayed within a light grey rectangular box.

Mark Rein
Project Manager

Enthalpy Analytical -EDH certifies that the report herein meets all the requirements set forth by NELAP for those applicable test methods. Results relate only to the samples as received by the laboratory. This report should not be reproduced except in full without the written approval of Enthalpy Analytical -EDH.

Enthalpy Analytical - EDH Work Order No. 2512252

Case Narrative

Sample Condition on Receipt:

One water sample was received and stored securely in accordance with Enthalpy Analytical - EDH standard operating procedures and EPA methodology. The sample was received in good condition and within the method temperature requirements.

Analytical Notes:

EPA Method 8290A

The sample was extracted and analyzed for 2,3,7,8-TCDD by EPA Method 8290A using a ZB-DIOXIN GC column.

Holding Times

The method holding time criteria was met for this sample.

Quality Control

The Initial Calibration and Continuing Calibration Verifications met the method acceptance criteria.

A Method Blank and Ongoing Precision and Recovery (OPR) sample were extracted and analyzed with the preparation batch. No analytes were detected above the sample quantitation limits in the Method Blank. The OPR recoveries were within the method acceptance criteria.

Labeled standard recoveries for all QC and field samples were within method acceptance criteria.

Table of Contents

| | |
|-------------------------|----|
| Case Narrative..... | 1 |
| Table of Contents..... | 3 |
| Sample Inventory..... | 4 |
| Analytical Results..... | 5 |
| Qualifiers..... | 9 |
| Certifications..... | 10 |
| Sample Receipt..... | 11 |

Sample Inventory Report

| Sample ID | Client Sample ID | Sampled | Received | Components/Containers |
|------------------|-------------------------|-----------------|-----------------|------------------------------|
| 2512252-01 | EAST BASIN | 30-Dec-25 11:45 | 31-Dec-25 11:03 | Amber Glass NM Bottle, 1L |

ANALYTICAL RESULTS

Sample ID: Method Blank
EPA Method 8290A

| Client Data | | Laboratory Data | | | |
|-------------|---------------------|-----------------|--------------|-----------------|-----------|
| Name: | Enthalpy Analytical | Lab Sample: | B26A008-BLK1 | Date Extracted: | 05-Jan-26 |
| Project: | EO-549965 | QC Batch: | B26A008 | Sample Size: | 1.00 L |
| Matrix: | Aqueous | | | Column: | ZB-DIOXIN |

| Analyte | Conc. (pg/L) | MDL | RL | Qualifiers | Analyzed | Dilution |
|-------------------|--------------|------------|----------|------------|-----------------|----------|
| 2,3,7,8-TCDD | ND | 1.78 | 5.00 | | 06-Jan-26 11:10 | 1 |
| Labeled Standards | Type | % Recovery | Limits | Qualifiers | Analyzed | Dilution |
| 13C-2,3,7,8-TCDD | IS | 92.5 | 40 - 135 | | 06-Jan-26 11:10 | 1 |
| 37Cl-2,3,7,8-TCDD | CRS | 94.5 | 40 - 135 | | 06-Jan-26 11:10 | 1 |

MDL - Method Detection Limit

RL - Reporting limit

Results reported to MDL.

Sample ID: OPR
EPA Method 8290A

| Client Data | | Laboratory Data | | | |
|-------------|---------------------|-----------------|-------------|-----------------|-----------------|
| Name: | Enthalpy Analytical | Lab Sample: | B26A008-BS1 | | |
| Project: | EO-549965 | QC Batch: | B26A008 | Date Extracted: | 05-Jan-26 08:02 |
| Matrix: | Aqueous | Sample Size: | 1.00 L | Column: | ZB-DIOXIN |

| Analyte | Amt Found (pg/L) | Spike Amt | % Recovery | Limits | Qualifiers | Analyzed | Dilution |
|-------------------|------------------|-----------|------------|----------|------------|-----------------|----------|
| 2,3,7,8-TCDD | 169 | 200 | 84.3 | 70 - 130 | | 06-Jan-26 08:57 | 1 |
| Labeled Standards | Type | | % Recovery | Limits | Qualifiers | Analyzed | Dilution |
| 13C-2,3,7,8-TCDD | IS | | 95.3 | 40 - 135 | | 06-Jan-26 08:57 | 1 |
| 37Cl-2,3,7,8-TCDD | CRS | | 92.7 | 40 - 135 | | 06-Jan-26 08:57 | 1 |

Sample ID: EAST BASIN
EPA Method 8290A

| Client Data | | Laboratory Data | | | | |
|-----------------|---------------------|-----------------|------------|-----------------|-----------------|--|
| Name: | Enthalpy Analytical | Lab Sample: | 2512252-01 | Date Received: | 31-Dec-25 11:03 | |
| Project: | EO-549965 | QC Batch: | B26A008 | Date Extracted: | 05-Jan-26 | |
| Matrix: | Water | Sample Size: | 0.974 L | Column: | ZB-DIOXIN | |
| Date Collected: | 30-Dec-25 11:45 | | | | | |

| Analyte | Conc. (pg/L) | MDL | RL | Qualifiers | Analyzed | Dilution |
|-------------------|--------------|------------|----------|------------|-----------------|----------|
| 2,3,7,8-TCDD | ND | 1.83 | 5.13 | | 06-Jan-26 12:40 | 1 |
| Labeled Standards | Type | % Recovery | Limits | Qualifiers | Analyzed | Dilution |
| 13C-2,3,7,8-TCDD | IS | 90.8 | 40 - 135 | | 06-Jan-26 12:40 | 1 |
| 37Cl-2,3,7,8-TCDD | CRS | 96.6 | 40 - 135 | | 06-Jan-26 12:40 | 1 |

MDL - Method Detection Limit

RL - Reporting limit

Results reported to MDL.

DATA QUALIFIERS & ABBREVIATIONS

| | |
|---------|--|
| B | Compound was also detected in the method blank |
| Conc. | Concentration |
| CRS | Cleanup Recovery Standard |
| D | Dilution |
| DL | Detection Limit |
| E | Concentration exceeded the calibration range |
| EDL | Estimated Detection Limit |
| EMPC | Estimated Maximum Possible Concentration |
| H | Recovery and/or RPD was outside laboratory acceptance limits |
| I | Chemical Interference |
| IS | Internal Standard |
| J | Estimated Concentration below the Reporting Limit/LOQ |
| LOD | Limit of Detection |
| LOQ | Limit of Quantitation |
| MDL | Method Detection Limit |
| NA | Not Applicable |
| ND | Not Detected |
| OPR | Ongoing Precision and Recovery sample |
| P | Concentration may include contribution from chlorinated diphenyl ether(s). |
| Q | Ion transition ratio is outside of the acceptance criteria. |
| RL | Reporting Limit (MRL) |
| TEQ | Toxic Equivalency, sum of the toxic equivalency factors (TEF) multiplied by the sample concentrations. |
| TEQMax | TEQ calculated using the detection limit as the concentration for non-detects |
| TEQMin | TEQ calculated using zero as the concentration for non-detects |
| TEQRisk | TEQ calculated using ½ the detection limit as the concentration for non-detects |
| U | Not Detected (specific projects only) |
| * | See Cover Letter |

Unless otherwise noted, solid sample results are reported in dry weight. Tissue samples are reported in wet weight.

Enthalpy Analytical - EDH Certifications

| Accrediting Authority | Certificate Number |
|---|--------------------|
| Alaska Department of Environmental Conservation | 17-013 |
| Arkansas Department of Environmental Quality | 21-023-0 |
| California Department of Health – ELAP | 2892 |
| DoD ELAP - A2LA Accredited - ISO/IEC 17025 | 3091.01 |
| Florida Department of Health | E87777 |
| Hawaii Department of Health | N/A |
| Louisiana Department of Environmental Quality | 01977 |
| Maine Department of Health | 2020018 |
| Michigan Department of Environmental Quality | 9932 |
| Minnesota Department of Health | 2211390 |
| Nevada Division of Environmental Protection | CA00413 |
| New Hampshire Environmental Accreditation Program | 207721 |
| New Jersey Department of Environmental Protection | CA003 |
| New York Department of Health | 11411 |
| Ohio Environmental Protection Agency | 87778 |
| Oregon Laboratory Accreditation Program | 4042-021 |
| Texas Commission on Environmental Quality | T104704189-22-13 |
| Vermont Department of Health | VT-4042 |
| Virginia Department of General Services | 11276 |
| Washington Department of Ecology | C584 |
| Wisconsin Department of Natural Resources | 998036160 |

Current certificates and lists of licensed parameters can be found at Enthalpy.com/Resources/Accreditations.

Subcontract Laboratory:

 Enthalpy - El Dorado Hills
 1104 Windfield Way
 El Dorado Hills, CA 95762
 ATTN: Mark Rein
 PO #: Required, to be sent via email

Enthalpy Order: EO-549965

 PM: David Tripp
 Email: david.tripp@enthalpy.com
 CC: incomingreports@enthalpy.com
 Phone: 657-581-4710


 Results Due: RUSH 5wd TAT
 Report Level: II
 Report To: MDL
 EDDs: BLDR:Enthalpy (the normal EDD you send to Orange)

2512252
3.8°C

Notes:

5wd RUSH please - per prior agreement. Stormwater Special - leachate spill, but expected to be "clean" except for some particulates (normal for this site).

| Sample ID | Collected | Lab ID | # Cont. | Matrix | Analysis Requested | Comment |
|------------|-------------------|------------|---------|--------|------------------------------|---------|
| EAST BASIN | 30-DEC-2025 11:45 | 549965-001 | 1 | Water | EPA 8290 - 2,3,7,8-TCDD Only | |

| Notes: | Relinquished By: | Received By: | |
|--------|---|----------------------------|------------------------|
| |  | <i>Kelia Wadsworth</i> | <i>Kelia Wadsworth</i> |
| | Date: <i>12-30-25 16:41</i> | Date: <i>12/31/25 1103</i> | |
| | Date: | Date: | |
| | Date: | Date: | |

CoC/Label Reconciliation Report WO# 2512252

| LabNumber | CoC Sample ID | SampleAlias | Sample Date/Time | Container | BaseMatrix | Sample Comments |
|------------|---------------|-------------|------------------|---------------------------|------------|-----------------|
| 2512252-01 | A EAST BASIN | 549965-001 | 30-Dec-25 11:45 | Amber Glass NM Bottle, 1L | Aqueous | |

Checkmarks indicate that information on the COC reconciled with the sample label.
Any discrepancies are noted in the following columns.

| CONDITION | Yes | No | NA |
|--|-----|----|----|
| Sample Container Intact? | ✓ | | |
| Sample Container(s) Custody Seals Intact? | | | ✓ |
| Custody Seals On Cooler Intact? | | | ✓ |
| Adequate Sample Volume? | ✓ | | |
| Container Type Appropriate for Analysis(es)? | ✓ | | |

Comments:

A) No back up volume

Preservation Documented: Na2S2O3 Trizma NH4CH3CO2 None Other

Verified by/Date: *KYA 12/31/25*
WWS 12/31/25



ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number : 550009
Report Level : II
Report Date : 01/06/2026

Analytical Report *prepared for:*

Helen Dubach
CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118

Project: EAST BASIN - East Basin Waters & Soils - Collected by/for DTSC (Split)

Authorized for release by:

David Tripp, Project Manager
657-581-4710
david.tripp@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, CA ELAP #1338-S1, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, ORELAP# 4197

Sample Summary

| | | |
|-----------------------------|----------------|---------------------------------------|
| Helen Dubach | Lab Job #: | 550009 |
| CTEH Chiquita Canyon | Project No: | EAST BASIN |
| Landfill - PROJ-037507 | Location: | East Basin Waters & Soils - Collected |
| 5120 Northshore Drive | | by/for DTSC (Split) |
| North Little Rock, AR 72118 | Date Received: | 12/31/25 |

| Sample ID | Lab ID | Collected | Matrix |
|------------------|---------------|------------------|---------------|
| CCLEB-1A | 550009-001 | 12/30/25 15:42 | Water |
| CCLEB-2A | 550009-002 | 12/30/25 16:06 | Water |
| CCLEB-3A | 550009-003 | 12/30/25 16:20 | Water |

Case Narrative

CTEH Chiquita Canyon Landfill -
PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118
Helen Dubach

Lab Job Number: 550009
Project No: EAST BASIN
Location: East Basin Waters & Soils - Collected
by/for DTSC (Split)
Date Received: 12/31/25

This data package contains sample and QC results for three water samples, requested for the above referenced project on 12/31/25. The samples were received on ice and intact, directly from the field.

Volatile Organics by GC/MS (EPA 8260B):

- High recovery was observed for 2-butanone in the MS of CCLEB-1A (lab # 550009-001); the BS/BSD were within limits, the associated RPD was within limits, and this analyte was not detected at or above the RL in the associated samples.
- CCLEB-1A (lab # 550009-001), CCLEB-2A (lab # 550009-002), and CCLEB-3A (lab # 550009-003) had pH greater than 2.
- No other analytical problems were encountered.

Semivolatile Organics by GC/MS (EPA 8270C):

No analytical problems were encountered.

Metals (EPA 6010B and EPA 7470A):

No analytical problems were encountered.

pH of Aqueous Samples (SM 4500-H+ B):

No analytical problems were encountered.

Detection Summary

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 550009
 Project No: EAST BASIN
 Location: East Basin Waters & Soils - Collectec
 by/for DTSC (Split)
 Date Received: 12/31/25

Sample ID: CCLEB-1A Lab ID: 550009-001 Collected: 12/30/25 15:42
Matrix: Water

| 550009-001 Analyte | Result | Qual | Units | RL | MDL |
|---|---------|------|-------|--------|---------|
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0055 | J | mg/L | 0.010 | 0.0034 |
| Barium | 0.063 | | mg/L | 0.010 | 0.00091 |
| Chromium | 0.0020 | J | mg/L | 0.010 | 0.00079 |
| Cobalt | 0.00090 | J | mg/L | 0.0050 | 0.00080 |
| Copper | 0.0085 | J | mg/L | 0.010 | 0.0027 |
| Molybdenum | 0.0033 | J | mg/L | 0.010 | 0.0017 |
| Nickel | 0.0032 | J | mg/L | 0.010 | 0.00064 |
| Selenium | 0.0060 | J | mg/L | 0.030 | 0.0051 |
| Vanadium | 0.0039 | J | mg/L | 0.010 | 0.00072 |
| Zinc | 0.011 | J | mg/L | 0.050 | 0.0019 |
| Method: SM 4500-H+ B | | | | | |
| pH | 7.43 | H | SU | | |
| Temperature | 20.20 | H | deg C | 1.00 | |

Sample ID: CCLEB-2A Lab ID: 550009-002 Collected: 12/30/25 16:06
Matrix: Water

| 550009-002 Analyte | Result | Qual | Units | RL | MDL |
|---|---------|------|-------|--------|---------|
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0048 | J | mg/L | 0.010 | 0.0034 |
| Barium | 0.062 | | mg/L | 0.010 | 0.00091 |
| Chromium | 0.0054 | J | mg/L | 0.010 | 0.00079 |
| Cobalt | 0.0013 | J | mg/L | 0.0050 | 0.00080 |
| Copper | 0.0095 | J | mg/L | 0.010 | 0.0027 |
| Molybdenum | 0.0039 | J | mg/L | 0.010 | 0.0017 |
| Nickel | 0.0049 | J | mg/L | 0.010 | 0.00064 |
| Selenium | 0.0079 | J | mg/L | 0.030 | 0.0051 |
| Vanadium | 0.0061 | J | mg/L | 0.010 | 0.00072 |
| Zinc | 0.0099 | J | mg/L | 0.050 | 0.0019 |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | |
| Benzene | 0.00003 | J | mg/L | 0.005 | 0.00003 |
| Method: SM 4500-H+ B | | | | | |
| pH | 7.59 | H | SU | | |
| Temperature | 20.40 | H | deg C | 1.00 | |

Detection Summary

| | | |
|----------------------------|---------------------------|----------------------------------|
| Sample ID: CCLEB-3A | Lab ID: 550009-003 | Collected: 12/30/25 16:20 |
| Matrix: Water | | |

| 550009-003 Analyte | Result | Qual | Units | RL | MDL |
|------------------------|-----------------|------|-------|---------|----------|
| Method: EPA 6010B | | | | | |
| Prep Method: EPA 3015A | | | | | |
| Arsenic | 0.0057 | J | mg/L | 0.010 | 0.0034 |
| Barium | 0.076 | | mg/L | 0.010 | 0.00091 |
| Beryllium | 0.00010 | J | mg/L | 0.0050 | 0.00010 |
| Chromium | 0.0034 | J | mg/L | 0.010 | 0.00079 |
| Cobalt | 0.0016 | J | mg/L | 0.0050 | 0.00080 |
| Copper | 0.012 | | mg/L | 0.010 | 0.0027 |
| Molybdenum | 0.0039 | J | mg/L | 0.010 | 0.0017 |
| Nickel | 0.0047 | J | mg/L | 0.010 | 0.00064 |
| Selenium | 0.0071 | J | mg/L | 0.030 | 0.0051 |
| Vanadium | 0.0078 | J | mg/L | 0.010 | 0.00072 |
| Zinc | 0.021 | J | mg/L | 0.050 | 0.0019 |
| Method: EPA 7470A | | | | | |
| Prep Method: METHOD | | | | | |
| Mercury | 0.000034 | J | mg/L | 0.00040 | 0.000032 |
| Method: SM 4500-H+ B | | | | | |
| pH | 7.40 | H | SU | | |
| Temperature | 20.60 | H | deg C | 1.00 | |

H Holding time was exceeded
 J Estimated value

ENTHALPY ANALYTICAL

Enthalpy Analytical - Orange
 931 W. Barkley Avenue, Orange, CA 92868
 Phone 714-771-6900

Chain of Custody Record
 Lab No: 550009
 Page: 1 of 1

Turn Around Time (rush by advanced notice only)
 Standard: 3 Day: Custom TAT:
 5 Day: 1 Day: X

Matrix: A = Air S = Soil/Solid
 W = Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

Preservatives:
 1 = $\text{Na}_2\text{S}_2\text{O}_3$ 2 = HCl 3 = HNO_3
 4 = H_2SO_4 5 = NaOH 6 = Other

Sample Receipt Temp:
 S-L / S-Y
 IRL is CF: + 0.2
 (lab use only)

| CUSTOMER INFORMATION | | PROJECT INFORMATION | | Analysis Request | | Test Instructions / Comments | |
|----------------------|------------------------|---------------------|-----------------------------|------------------|--|------------------------------|--|
| Company: | Chiquita Canyon, LLC | Name: | East Basin | | | | |
| Report To: | Kyle Lopic | Number: | | | | | |
| Email: | labresults@cteh.com | P.O. #: | | | | | |
| Address: | 29201 Henry Mayo Drive | Address: | 29201 Henry Mayo Drive | | | | |
| | Castaic, CA 91384 | | Castaic, CA 91384 | | | | |
| Phone: | 682-559-3880 | Global ID: | | | | | |
| Fax: | | Sampled By: | CH, MT, Christopher McGuire | | | | |



| Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. | Company / Title | Date / Time |
|------------|---------------|---------------|--------|----------------------|-------|-----------------|---------------|
| 1 CCLEB-1A | 12/30/25 | 1542 | W | 2 | 6 | | |
| 2 CCLEB-2A | 12/30/25 | 1606 | W | 2 | 6 | CTEH | 12/31 0610 |
| 3 CCLEB-3A | 12/30/25 | 1620 | W | 2 | 6 | EM | 12/31/25 0657 |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |
| 7 | | | | | | | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |

| Signature | Print Name |
|-----------|-------------|
| | Matt Tuggle |
| | FORUM |

| | |
|--------------------|--|
| 1 Relinquished By: | |
| 1 Received By: | |
| 2 Relinquished By: | |
| 2 Received By: | |
| 3 Relinquished By: | |
| 3 Received By: | |

12/31 0615

Please hold until I'm able to contact the DTSC
to determine which methods to run on these samples.

Call with any questions: Matt Toggie 979-229-5300

Thanks,

Matt

(with CTEH @ Chiquita Canyon)

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 12/31/25 WO# 550009 Client: Waste Connections

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 12/31/25 By (initials) FPD Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR10 CF: +0.2

Cooler Temp (°C) #1: 5.2 / 5.4 #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

| | YES | NO | N/A |
|---|-----|----|-----|
| 1) Were custody papers present, filled properly, and legible? | x | | |
| 2) Is the sampler's name present on the CoC? | x | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | x | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | x | | |
| 5) Were all of, and only, the correct samples received? | x | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | x | | |
| 7) Does the container count match the CoC? | x | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | x | | |
| 9) Were samples received in proper containers for the analyses requested? | x | | |
| 10) Were samples received with > 1/2 holding time remaining? | x | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | x | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | x |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | | x |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 12/31/25 By (print) FPD (sign) 

Date Labeled 12/31/25 By (print) FPD (sign) _____

From: Neal, Erin@DTSC <Erin.Neal@dtsc.ca.gov>

Sent: Wednesday, December 31, 2025 1:52:08 PM

To: Kate Logan <Kate.Logan@WasteConnections.com>

Cc: Amanda Froman <Amanda.Froman@WasteConnections.com>; Zmily, Zanalée@DTSC <Zanalée.Zmily@dtsc.ca.gov>; Hsieh, Patrick@DTSC <Patrick.Hsieh@dtsc.ca.gov>

Subject: 12/30/2025 DTSC Sampling Analyses

Hi Kate,

DTSC received a call from CCL earlier today requesting a list of analyses DTSC plans to run on the samples collected on 12/30/2025 at CCL. My work cell phone's call function is not currently working, so I apologize for the inconvenience if CCL tried to reach out to me directly.

The following analyses will be run on the samples collected:

- TCLP VOCs/SVOCs
- Total metals
- pH

Thanks,



Erin Neal (*she/her/hers*)

Senior Environmental Scientist (Specialist)

Office of Criminal Investigations

916-516-6608

Erin.Neal@dtsc.ca.gov

Department of Toxic Substances Control

California Environmental Protection Agency

Confidentiality Notice: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message

Analysis Results for 550009

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 550009
 Project No: EAST BASIN
 Location: East Basin Waters & Soils - Collectec
 by/for DTSC (Split)
 Date Received: 12/31/25

| | | |
|----------------------------|---------------------------|----------------------------------|
| Sample ID: CCLEB-1A | Lab ID: 550009-001 | Collected: 12/30/25 15:42 |
| Matrix: Water | | |

| 550009-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---|----------------|------|-------|---------|----------|-----|--------|----------|----------|---------|
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.0064 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Arsenic | 0.0055 | J | mg/L | 0.010 | 0.0034 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Barium | 0.063 | | mg/L | 0.010 | 0.00091 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Beryllium | ND | | mg/L | 0.0050 | 0.00010 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Cadmium | ND | | mg/L | 0.0050 | 0.00031 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Chromium | 0.0020 | J | mg/L | 0.010 | 0.00079 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Cobalt | 0.00090 | J | mg/L | 0.0050 | 0.00080 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Copper | 0.0085 | J | mg/L | 0.010 | 0.0027 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Lead | ND | | mg/L | 0.010 | 0.0020 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Molybdenum | 0.0033 | J | mg/L | 0.010 | 0.0017 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Nickel | 0.0032 | J | mg/L | 0.010 | 0.00064 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Selenium | 0.0060 | J | mg/L | 0.030 | 0.0051 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Silver | ND | | mg/L | 0.0050 | 0.00071 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Thallium | ND | | mg/L | 0.030 | 0.0030 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Vanadium | 0.0039 | J | mg/L | 0.010 | 0.00072 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Zinc | 0.011 | J | mg/L | 0.050 | 0.0019 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Method: EPA 7470A Prep Method: METHOD | | | | | | | | | | |
| Mercury | ND | | mg/L | 0.00040 | 0.000032 | 1 | 391448 | 01/02/26 | 01/02/26 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.00006 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 2-Butanone | ND | | mg/L | 0.1 | 0.002 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.00007 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0001 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Benzene | ND | | mg/L | 0.005 | 0.00003 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Trichloroethene | ND | | mg/L | 0.005 | 0.00005 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Surrogates | | | | | | | | | | |
| Limits | | | | | | | | | | |
| Dibromofluoromethane | 96% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,2-Dichloroethane-d4 | 109% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Toluene-d8 | 94% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Bromofluorobenzene | 94% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.011 | 0.0030 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |

Analysis Results for 550009

| 550009-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|-----|--------|----------------|----------------|---------|
| 2-Methylphenol | ND | | mg/L | 0.011 | 0.0034 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 3-,4-Methylphenol | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachloroethane | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Nitrobenzene | ND | | mg/L | 0.026 | 0.0088 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachlorobutadiene | ND | | mg/L | 0.011 | 0.0023 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.011 | 0.0043 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.011 | 0.0039 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.011 | 0.0045 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachlorobenzene | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Pentachlorophenol | ND | | mg/L | 0.026 | 0.0060 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 52% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Phenol-d6 | 34% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4,6-Tribromophenol | 99% | | %REC | 15-140 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Nitrobenzene-d5 | 82% | | %REC | 15-123 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2-Fluorobiphenyl | 82% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Terphenyl-d14 | 94% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Method: SM 4500-H+ B | | | | | | | | | | |
| pH | 7.43 | H | SU | | | 1 | 391435 | 12/31/25 17:11 | 12/31/25 17:11 | AAB |
| Temperature | 20.20 | H | deg C | 1.00 | | 1 | 391435 | 12/31/25 17:11 | 12/31/25 17:11 | AAB |

Analysis Results for 550009

| | | |
|----------------------------|---------------------------|----------------------------------|
| Sample ID: CCLEB-2A | Lab ID: 550009-002 | Collected: 12/30/25 16:06 |
| Matrix: Water | | |

| 550009-002 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---|----------------|------|-------|---------------|----------|-----|--------|----------|----------|---------|
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.0064 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Arsenic | 0.0048 | J | mg/L | 0.010 | 0.0034 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Barium | 0.062 | | mg/L | 0.010 | 0.00091 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Beryllium | ND | | mg/L | 0.0050 | 0.00010 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Cadmium | ND | | mg/L | 0.0050 | 0.00031 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Chromium | 0.0054 | J | mg/L | 0.010 | 0.00079 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Cobalt | 0.0013 | J | mg/L | 0.0050 | 0.00080 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Copper | 0.0095 | J | mg/L | 0.010 | 0.0027 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Lead | ND | | mg/L | 0.010 | 0.0020 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Molybdenum | 0.0039 | J | mg/L | 0.010 | 0.0017 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Nickel | 0.0049 | J | mg/L | 0.010 | 0.00064 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Selenium | 0.0079 | J | mg/L | 0.030 | 0.0051 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Silver | ND | | mg/L | 0.0050 | 0.00071 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Thallium | ND | | mg/L | 0.030 | 0.0030 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Vanadium | 0.0061 | J | mg/L | 0.010 | 0.00072 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Zinc | 0.0099 | J | mg/L | 0.050 | 0.0019 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Method: EPA 7470A Prep Method: METHOD | | | | | | | | | | |
| Mercury | ND | | mg/L | 0.00040 | 0.000032 | 1 | 391448 | 01/02/26 | 01/02/26 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.00006 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 2-Butanone | ND | | mg/L | 0.1 | 0.002 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.00007 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0001 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Benzene | 0.00003 | J | mg/L | 0.005 | 0.00003 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Trichloroethene | ND | | mg/L | 0.005 | 0.00005 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 95% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,2-Dichloroethane-d4 | 108% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Toluene-d8 | 95% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Bromofluorobenzene | 95% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.011 | 0.0030 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2-Methylphenol | ND | | mg/L | 0.011 | 0.0034 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 3-,4-Methylphenol | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachloroethane | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Nitrobenzene | ND | | mg/L | 0.026 | 0.0088 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachlorobutadiene | ND | | mg/L | 0.011 | 0.0023 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |

Analysis Results for 550009

| 550009-002 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|-----|--------|----------------|----------------|---------|
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.011 | 0.0043 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.011 | 0.0039 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.011 | 0.0045 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachlorobenzene | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Pentachlorophenol | ND | | mg/L | 0.026 | 0.0060 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 57% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Phenol-d6 | 38% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4,6-Tribromophenol | 100% | | %REC | 15-140 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Nitrobenzene-d5 | 85% | | %REC | 15-123 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2-Fluorobiphenyl | 86% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Terphenyl-d14 | 99% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Method: SM 4500-H+ B | | | | | | | | | | |
| pH | 7.59 | H | SU | | | 1 | 391435 | 12/31/25 17:11 | 12/31/25 17:11 | AAB |
| Temperature | 20.40 | H | deg C | 1.00 | | 1 | 391435 | 12/31/25 17:11 | 12/31/25 17:11 | AAB |

Analysis Results for 550009

| | | |
|----------------------------|---------------------------|----------------------------------|
| Sample ID: CCLEB-3A | Lab ID: 550009-003 | Collected: 12/30/25 16:20 |
| Matrix: Water | | |

| 550009-003 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|---|----------|------|-------|---------------|----------|-----|--------|----------|----------|---------|
| Method: EPA 6010B Prep Method: EPA 3015A | | | | | | | | | | |
| Antimony | ND | | mg/L | 0.030 | 0.0064 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Arsenic | 0.0057 | J | mg/L | 0.010 | 0.0034 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Barium | 0.076 | | mg/L | 0.010 | 0.00091 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Beryllium | 0.00010 | J | mg/L | 0.0050 | 0.00010 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Cadmium | ND | | mg/L | 0.0050 | 0.00031 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Chromium | 0.0034 | J | mg/L | 0.010 | 0.00079 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Cobalt | 0.0016 | J | mg/L | 0.0050 | 0.00080 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Copper | 0.012 | | mg/L | 0.010 | 0.0027 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Lead | ND | | mg/L | 0.010 | 0.0020 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Molybdenum | 0.0039 | J | mg/L | 0.010 | 0.0017 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Nickel | 0.0047 | J | mg/L | 0.010 | 0.00064 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Selenium | 0.0071 | J | mg/L | 0.030 | 0.0051 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Silver | ND | | mg/L | 0.0050 | 0.00071 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Thallium | ND | | mg/L | 0.030 | 0.0030 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Vanadium | 0.0078 | J | mg/L | 0.010 | 0.00072 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Zinc | 0.021 | J | mg/L | 0.050 | 0.0019 | 1 | 391449 | 01/02/26 | 01/02/26 | SBW |
| Method: EPA 7470A Prep Method: METHOD | | | | | | | | | | |
| Mercury | 0.000034 | J | mg/L | 0.00040 | 0.000032 | 1 | 391448 | 01/02/26 | 01/02/26 | SMP |
| Method: EPA 8260B Prep Method: EPA 5030B | | | | | | | | | | |
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.00006 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 2-Butanone | ND | | mg/L | 0.1 | 0.002 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.00007 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0001 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Benzene | ND | | mg/L | 0.005 | 0.00003 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Trichloroethene | ND | | mg/L | 0.005 | 0.00005 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0001 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 96% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| 1,2-Dichloroethane-d4 | 106% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Toluene-d8 | 94% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Bromofluorobenzene | 97% | | %REC | 70-130 | | 1 | 391377 | 12/31/25 | 12/31/25 | YAH |
| Method: EPA 8270C Prep Method: EPA 3510C | | | | | | | | | | |
| Pyridine | ND | | mg/L | 0.011 | 0.0030 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2-Methylphenol | ND | | mg/L | 0.011 | 0.0034 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 3-,4-Methylphenol | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachloroethane | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Nitrobenzene | ND | | mg/L | 0.026 | 0.0088 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachlorobutadiene | ND | | mg/L | 0.011 | 0.0023 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |

Analysis Results for 550009

| 550009-003 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|-----------------------|--------------|------|-------|---------------|--------|-----|--------|----------------|----------------|---------|
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.011 | 0.0043 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.011 | 0.0039 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.011 | 0.0045 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Hexachlorobenzene | ND | | mg/L | 0.011 | 0.0032 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Pentachlorophenol | ND | | mg/L | 0.026 | 0.0060 | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 2-Fluorophenol | 60% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Phenol-d6 | 40% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2,4,6-Tribromophenol | 102% | | %REC | 15-140 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Nitrobenzene-d5 | 89% | | %REC | 15-123 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| 2-Fluorobiphenyl | 87% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Terphenyl-d14 | 96% | | %REC | 15-120 | | 1.1 | 391432 | 12/31/25 | 01/01/26 | TJW |
| Method: SM 4500-H+ B | | | | | | | | | | |
| pH | 7.40 | H | SU | | | 1 | 391435 | 12/31/25 17:11 | 12/31/25 17:11 | AAB |
| Temperature | 20.60 | H | deg C | 1.00 | | 1 | 391435 | 12/31/25 17:11 | 12/31/25 17:11 | AAB |

H Holding time was exceeded
 J Estimated value
 ND Not Detected

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1327153 | Batch: 391449 |
| Matrix: Water | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1327153 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|--------|---------|----------|----------|
| Antimony | ND | | mg/L | 0.030 | 0.0064 | 01/02/26 | 01/02/26 |
| Arsenic | ND | | mg/L | 0.010 | 0.0034 | 01/02/26 | 01/02/26 |
| Barium | ND | | mg/L | 0.010 | 0.00091 | 01/02/26 | 01/02/26 |
| Beryllium | ND | | mg/L | 0.0050 | 0.00010 | 01/02/26 | 01/02/26 |
| Cadmium | ND | | mg/L | 0.0050 | 0.00031 | 01/02/26 | 01/02/26 |
| Chromium | ND | | mg/L | 0.010 | 0.00079 | 01/02/26 | 01/02/26 |
| Cobalt | ND | | mg/L | 0.0050 | 0.00080 | 01/02/26 | 01/02/26 |
| Copper | ND | | mg/L | 0.010 | 0.0027 | 01/02/26 | 01/02/26 |
| Lead | ND | | mg/L | 0.010 | 0.0020 | 01/02/26 | 01/02/26 |
| Molybdenum | ND | | mg/L | 0.010 | 0.0017 | 01/02/26 | 01/02/26 |
| Nickel | ND | | mg/L | 0.010 | 0.00064 | 01/02/26 | 01/02/26 |
| Selenium | ND | | mg/L | 0.030 | 0.0051 | 01/02/26 | 01/02/26 |
| Silver | ND | | mg/L | 0.0050 | 0.00071 | 01/02/26 | 01/02/26 |
| Thallium | ND | | mg/L | 0.030 | 0.0030 | 01/02/26 | 01/02/26 |
| Vanadium | ND | | mg/L | 0.010 | 0.00072 | 01/02/26 | 01/02/26 |
| Zinc | ND | | mg/L | 0.050 | 0.0019 | 01/02/26 | 01/02/26 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1327154 | Batch: 391449 |
| Matrix: Water | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1327154 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|--------|--------|-------|----------|------|--------|
| Antimony | 0.3741 | 0.4000 | mg/L | 94% | | 80-120 |
| Arsenic | 0.3613 | 0.4000 | mg/L | 90% | | 80-120 |
| Barium | 0.3669 | 0.4000 | mg/L | 92% | | 80-120 |
| Beryllium | 0.3719 | 0.4000 | mg/L | 93% | | 80-120 |
| Cadmium | 0.3691 | 0.4000 | mg/L | 92% | | 80-120 |
| Chromium | 0.3687 | 0.4000 | mg/L | 92% | | 80-120 |
| Cobalt | 0.3651 | 0.4000 | mg/L | 91% | | 80-120 |
| Copper | 0.3598 | 0.4000 | mg/L | 90% | | 80-120 |
| Lead | 0.3686 | 0.4000 | mg/L | 92% | | 80-120 |
| Molybdenum | 0.3604 | 0.4000 | mg/L | 90% | | 80-120 |
| Nickel | 0.3661 | 0.4000 | mg/L | 92% | | 80-120 |
| Selenium | 0.3528 | 0.4000 | mg/L | 88% | | 80-120 |
| Silver | 0.1712 | 0.2000 | mg/L | 86% | | 80-120 |
| Thallium | 0.3746 | 0.4000 | mg/L | 94% | | 80-120 |
| Vanadium | 0.3663 | 0.4000 | mg/L | 92% | | 80-120 |
| Zinc | 0.3727 | 0.4000 | mg/L | 93% | | 80-120 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1327155 | Batch: 391449 |
| Matrix (Source ID): Water (550019-005) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1327155 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| Antimony | 0.3762 | ND | 0.4000 | mg/L | 94% | | 75-125 | 1 |
| Arsenic | 0.3758 | 0.007961 | 0.4000 | mg/L | 92% | | 75-125 | 1 |
| Barium | 0.4025 | 0.03480 | 0.4000 | mg/L | 92% | | 75-125 | 1 |
| Beryllium | 0.3752 | ND | 0.4000 | mg/L | 94% | | 75-125 | 1 |
| Cadmium | 0.3638 | 0.0003239 | 0.4000 | mg/L | 91% | | 75-125 | 1 |
| Chromium | 0.3774 | 0.006633 | 0.4000 | mg/L | 93% | | 75-125 | 1 |
| Cobalt | 0.3722 | ND | 0.4000 | mg/L | 93% | | 75-125 | 1 |
| Copper | 0.3948 | 0.01699 | 0.4000 | mg/L | 94% | | 75-125 | 1 |
| Lead | 0.3708 | 0.005051 | 0.4000 | mg/L | 91% | | 75-125 | 1 |
| Molybdenum | 0.3603 | 0.004553 | 0.4000 | mg/L | 89% | | 75-125 | 1 |
| Nickel | 0.3743 | 0.008669 | 0.4000 | mg/L | 91% | | 75-125 | 1 |
| Selenium | 0.3653 | 0.005706 | 0.4000 | mg/L | 90% | | 75-125 | 1 |
| Silver | 0.1744 | ND | 0.2000 | mg/L | 87% | | 75-125 | 1 |
| Thallium | 0.3709 | ND | 0.4000 | mg/L | 93% | | 75-125 | 1 |
| Vanadium | 0.3715 | 0.001242 | 0.4000 | mg/L | 93% | | 75-125 | 1 |
| Zinc | 0.7288 | 0.3603 | 0.4000 | mg/L | 92% | | 75-125 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1327156 | Batch: 391449 |
| Matrix (Source ID): Water (550019-005) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1327156 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| Antimony | 0.3718 | ND | 0.4000 | mg/L | 93% | | 75-125 | 1 | 20 | 1 |
| Arsenic | 0.3746 | 0.007961 | 0.4000 | mg/L | 92% | | 75-125 | 0 | 20 | 1 |
| Barium | 0.4001 | 0.03480 | 0.4000 | mg/L | 91% | | 75-125 | 1 | 20 | 1 |
| Beryllium | 0.3728 | ND | 0.4000 | mg/L | 93% | | 75-125 | 1 | 20 | 1 |
| Cadmium | 0.3623 | 0.0003239 | 0.4000 | mg/L | 90% | | 75-125 | 0 | 20 | 1 |
| Chromium | 0.3759 | 0.006633 | 0.4000 | mg/L | 92% | | 75-125 | 0 | 20 | 1 |
| Cobalt | 0.3691 | ND | 0.4000 | mg/L | 92% | | 75-125 | 1 | 20 | 1 |
| Copper | 0.3913 | 0.01699 | 0.4000 | mg/L | 94% | | 75-125 | 1 | 20 | 1 |
| Lead | 0.3678 | 0.005051 | 0.4000 | mg/L | 91% | | 75-125 | 1 | 20 | 1 |
| Molybdenum | 0.3558 | 0.004553 | 0.4000 | mg/L | 88% | | 75-125 | 1 | 20 | 1 |
| Nickel | 0.3713 | 0.008669 | 0.4000 | mg/L | 91% | | 75-125 | 1 | 20 | 1 |
| Selenium | 0.3618 | 0.005706 | 0.4000 | mg/L | 89% | | 75-125 | 1 | 20 | 1 |
| Silver | 0.1736 | ND | 0.2000 | mg/L | 87% | | 75-125 | 0 | 20 | 1 |
| Thallium | 0.3696 | ND | 0.4000 | mg/L | 92% | | 75-125 | 0 | 20 | 1 |
| Vanadium | 0.3692 | 0.001242 | 0.4000 | mg/L | 92% | | 75-125 | 1 | 20 | 1 |
| Zinc | 0.7283 | 0.3603 | 0.4000 | mg/L | 92% | | 75-125 | 0 | 20 | 1 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Serial Dilution | Lab ID: QC1327285 | Batch: 391449 |
| Matrix (Source ID): Water (549903-001) | Method: EPA 6010B | Prep Method: EPA 3015A |

| QC1327285 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|-----------|----------------------|-------|------|-----|---------|----|
| Antimony | ND | ND | mg/L | | | | 5 |
| Arsenic | 0.1097 | 0.1042 | mg/L | | | | 5 |
| Barium | 0.5267 | 0.5253 | mg/L | | | | 5 |
| Beryllium | 0.0008256 | 0.0008262 | mg/L | J | | | 5 |
| Cadmium | 0.001981 | 0.001694 | mg/L | J | | | 5 |
| Chromium | 0.05838 | 0.05835 | mg/L | | | | 5 |
| Cobalt | 0.01525 | 0.01470 | mg/L | J | | | 5 |
| Copper | 0.05322 | 0.05345 | mg/L | | | | 5 |
| Lead | 0.02307 | 0.02672 | mg/L | J | | | 5 |
| Molybdenum | 0.01814 | 0.008685 | mg/L | J | | | 5 |
| Nickel | 0.1074 | 0.1070 | mg/L | | | | 5 |
| Selenium | ND | 0.005076 | mg/L | | | | 5 |
| Silver | ND | ND | mg/L | | | | 5 |
| Thallium | ND | 0.003512 | mg/L | | | | 5 |
| Vanadium | 0.05891 | 0.06007 | mg/L | | | | 5 |
| Zinc | 0.08932 | 0.08978 | mg/L | J | | | 5 |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1327149 | Batch: 391448 |
| Matrix: Water | Method: EPA 7470A | Prep Method: METHOD |

| QC1327149 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-------------------|--------|------|-------|---------|----------|----------|----------|
| Mercury | ND | | mg/L | 0.00040 | 0.000032 | 01/02/26 | 01/02/26 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1327150 | Batch: 391448 |
| Matrix: Filtrate | Method: EPA 7470A | Prep Method: METHOD |

| QC1327150 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-------------------|----------|----------|-------|----------|------|--------|
| Mercury | 0.004876 | 0.005000 | mg/L | 98% | | 80-120 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1327151 | Batch: 391448 |
| Matrix (Source ID): Water (549903-001) | Method: EPA 7470A | Prep Method: METHOD |

| QC1327151 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|----------|----------------------|----------|-------|----------|------|--------|----|
| Mercury | 0.004415 | 0.0002832 | 0.005000 | mg/L | 83% | | 75-125 | 1 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1327152 | Batch: 391448 |
| Matrix (Source ID): Water (549903-001) | Method: EPA 7470A | Prep Method: METHOD |

| QC1327152 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|----------|----------------------|----------|-------|----------|------|--------|-----|---------|----|
| Mercury | 0.004488 | 0.0002832 | 0.005000 | mg/L | 84% | | 75-125 | 2 | 20 | 1 |

Batch QC

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike | Lab ID: QC1327161 | Batch: 391448 |
| Matrix (Source ID): Water (550054-001) | Method: EPA 7470A | Prep Method: METHOD |

| QC1327161 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|
| Mercury | 0.9333 | 0.009998 | 1.000 | mg/L | 92% | | 75-125 | 200 |

| | | |
|---|--------------------------|----------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1327162 | Batch: 391448 |
| Matrix (Source ID): Water (550054-001) | Method: EPA 7470A | Prep Method: METHOD |

| QC1327162 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|-----|
| Mercury | 0.9802 | 0.009998 | 1.000 | mg/L | 97% | | 75-125 | 5 | 20 | 200 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326913 | Batch: 391377 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326913 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Vinyl Chloride | 0.05238 | 0.05000 | mg/L | 105% | | 70-131 |
| 1,1-Dichloroethene | 0.04913 | 0.05000 | mg/L | 98% | | 69-128 |
| 2-Butanone | 0.1545 | 0.1250 | mg/L | 124% | | 58-139 |
| Chloroform | 0.05349 | 0.05000 | mg/L | 107% | | 73-125 |
| Carbon Tetrachloride | 0.05105 | 0.05000 | mg/L | 102% | | 70-130 |
| 1,2-Dichloroethane | 0.05452 | 0.05000 | mg/L | 109% | | 71-121 |
| Benzene | 0.05144 | 0.05000 | mg/L | 103% | | 76-121 |
| Trichloroethene | 0.04574 | 0.05000 | mg/L | 91% | | 76-124 |
| Tetrachloroethene | 0.04036 | 0.05000 | mg/L | 81% | | 75-125 |
| Chlorobenzene | 0.04609 | 0.05000 | mg/L | 92% | | 78-120 |
| 1,4-Dichlorobenzene | 0.05060 | 0.05000 | mg/L | 101% | | 77-120 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 0.04701 | 0.05000 | mg/L | 94% | | 70-130 |
| 1,2-Dichloroethane-d4 | 0.05025 | 0.05000 | mg/L | 101% | | 70-130 |
| Toluene-d8 | 0.04772 | 0.05000 | mg/L | 95% | | 70-130 |
| Bromofluorobenzene | 0.04892 | 0.05000 | mg/L | 98% | | 70-130 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326914 | Batch: 391377 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326914 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Vinyl Chloride | 0.05238 | 0.05000 | mg/L | 105% | | 70-131 | 0 | 27 |
| 1,1-Dichloroethene | 0.04972 | 0.05000 | mg/L | 99% | | 69-128 | 1 | 23 |
| 2-Butanone | 0.1621 | 0.1250 | mg/L | 130% | | 58-139 | 5 | 23 |
| Chloroform | 0.05231 | 0.05000 | mg/L | 105% | | 73-125 | 2 | 21 |
| Carbon Tetrachloride | 0.05189 | 0.05000 | mg/L | 104% | | 70-130 | 2 | 23 |
| 1,2-Dichloroethane | 0.05429 | 0.05000 | mg/L | 109% | | 71-121 | 0 | 20 |
| Benzene | 0.05196 | 0.05000 | mg/L | 104% | | 76-121 | 1 | 21 |
| Trichloroethene | 0.04511 | 0.05000 | mg/L | 90% | | 76-124 | 1 | 22 |
| Tetrachloroethene | 0.04103 | 0.05000 | mg/L | 82% | | 75-125 | 2 | 22 |
| Chlorobenzene | 0.04573 | 0.05000 | mg/L | 91% | | 78-120 | 1 | 20 |
| 1,4-Dichlorobenzene | 0.05074 | 0.05000 | mg/L | 101% | | 77-120 | 0 | 20 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.04573 | 0.05000 | mg/L | 91% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 0.05604 | 0.05000 | mg/L | 112% | | 70-130 | | |
| Toluene-d8 | 0.04867 | 0.05000 | mg/L | 97% | | 70-130 | | |
| Bromofluorobenzene | 0.04977 | 0.05000 | mg/L | 100% | | 70-130 | | |

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326918 | Batch: 391377 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326918 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|---------------|---------|----------|----------|
| Vinyl Chloride | ND | | mg/L | 0.005 | 0.00006 | 12/31/25 | 12/31/25 |
| 1,1-Dichloroethene | ND | | mg/L | 0.005 | 0.00009 | 12/31/25 | 12/31/25 |
| 2-Butanone | ND | | mg/L | 0.1 | 0.002 | 12/31/25 | 12/31/25 |
| Chloroform | ND | | mg/L | 0.005 | 0.00008 | 12/31/25 | 12/31/25 |
| Carbon Tetrachloride | ND | | mg/L | 0.005 | 0.00007 | 12/31/25 | 12/31/25 |
| 1,2-Dichloroethane | ND | | mg/L | 0.005 | 0.0001 | 12/31/25 | 12/31/25 |
| Benzene | ND | | mg/L | 0.005 | 0.00003 | 12/31/25 | 12/31/25 |
| Trichloroethene | ND | | mg/L | 0.005 | 0.00005 | 12/31/25 | 12/31/25 |
| Tetrachloroethene | ND | | mg/L | 0.005 | 0.0001 | 12/31/25 | 12/31/25 |
| Chlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 12/31/25 | 12/31/25 |
| 1,4-Dichlorobenzene | ND | | mg/L | 0.005 | 0.00009 | 12/31/25 | 12/31/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 92% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| 1,2-Dichloroethane-d4 | 103% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| Toluene-d8 | 96% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| Bromofluorobenzene | 98% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1327098 | Batch: 391377 |
| Matrix (Source ID): Water (550009-001) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1327098 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|----|
| Vinyl Chloride | 0.02060 | ND | 0.02000 | mg/L | 103% | | 64-128 | 1 |
| 1,1-Dichloroethene | 0.01914 | ND | 0.02000 | mg/L | 96% | | 62-131 | 1 |
| 2-Butanone | 0.07934 | ND | 0.05000 | mg/L | 159% | * | 48-157 | 1 |
| Chloroform | 0.02143 | ND | 0.02000 | mg/L | 107% | | 67-127 | 1 |
| Carbon Tetrachloride | 0.01954 | ND | 0.02000 | mg/L | 98% | | 70-140 | 1 |
| 1,2-Dichloroethane | 0.02264 | ND | 0.02000 | mg/L | 113% | | 68-122 | 1 |
| Benzene | 0.02013 | ND | 0.02000 | mg/L | 101% | | 70-123 | 1 |
| Trichloroethene | 0.01820 | ND | 0.02000 | mg/L | 91% | | 65-131 | 1 |
| Tetrachloroethene | 0.01606 | ND | 0.02000 | mg/L | 80% | | 65-132 | 1 |
| Chlorobenzene | 0.01828 | ND | 0.02000 | mg/L | 91% | | 72-121 | 1 |
| 1,4-Dichlorobenzene | 0.02077 | ND | 0.02000 | mg/L | 104% | | 71-122 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 0.04862 | | 0.05000 | mg/L | 97% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 0.05523 | | 0.05000 | mg/L | 110% | | 70-130 | 1 |
| Toluene-d8 | 0.04713 | | 0.05000 | mg/L | 94% | | 70-130 | 1 |
| Bromofluorobenzene | 0.04850 | | 0.05000 | mg/L | 97% | | 70-130 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1327099 | Batch: 391377 |
| Matrix (Source ID): Water (550009-001) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1327099 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | Lim | DF |
|-----------------------|---------|----------------------|---------|-------|----------|------|--------|-----|-----|----|
| Vinyl Chloride | 0.02065 | ND | 0.02000 | mg/L | 103% | | 64-128 | 0 | 29 | 1 |
| 1,1-Dichloroethene | 0.01894 | ND | 0.02000 | mg/L | 95% | | 62-131 | 1 | 31 | 1 |
| 2-Butanone | 0.07499 | ND | 0.05000 | mg/L | 150% | | 48-157 | 6 | 30 | 1 |
| Chloroform | 0.02223 | ND | 0.02000 | mg/L | 111% | | 67-127 | 4 | 30 | 1 |
| Carbon Tetrachloride | 0.02000 | ND | 0.02000 | mg/L | 100% | | 70-140 | 2 | 32 | 1 |
| 1,2-Dichloroethane | 0.02246 | ND | 0.02000 | mg/L | 112% | | 68-122 | 1 | 29 | 1 |
| Benzene | 0.02075 | ND | 0.02000 | mg/L | 104% | | 70-123 | 3 | 31 | 1 |
| Trichloroethene | 0.01844 | ND | 0.02000 | mg/L | 92% | | 65-131 | 1 | 31 | 1 |
| Tetrachloroethene | 0.01613 | ND | 0.02000 | mg/L | 81% | | 65-132 | 0 | 31 | 1 |
| Chlorobenzene | 0.01838 | ND | 0.02000 | mg/L | 92% | | 72-121 | 1 | 29 | 1 |
| 1,4-Dichlorobenzene | 0.02042 | ND | 0.02000 | mg/L | 102% | | 71-122 | 2 | 29 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 0.04836 | | 0.05000 | mg/L | 97% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 0.05531 | | 0.05000 | mg/L | 111% | | 70-130 | | | 1 |
| Toluene-d8 | 0.04700 | | 0.05000 | mg/L | 94% | | 70-130 | | | 1 |
| Bromofluorobenzene | 0.04725 | | 0.05000 | mg/L | 95% | | 70-130 | | | 1 |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1327086 | Batch: 391432 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1327086 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------|--------|------|-------|--------|--------|----------|----------|
| Pyridine | ND | | mg/L | 0.010 | 0.0028 | 12/31/25 | 01/01/26 |
| 2-Methylphenol | ND | | mg/L | 0.010 | 0.0032 | 12/31/25 | 01/01/26 |
| 3-,4-Methylphenol | ND | | mg/L | 0.010 | 0.0030 | 12/31/25 | 01/01/26 |
| Hexachloroethane | ND | | mg/L | 0.010 | 0.0030 | 12/31/25 | 01/01/26 |
| Nitrobenzene | ND | | mg/L | 0.025 | 0.0084 | 12/31/25 | 01/01/26 |
| Hexachlorobutadiene | ND | | mg/L | 0.010 | 0.0022 | 12/31/25 | 01/01/26 |
| 2,4,6-Trichlorophenol | ND | | mg/L | 0.010 | 0.0041 | 12/31/25 | 01/01/26 |
| 2,4,5-Trichlorophenol | ND | | mg/L | 0.010 | 0.0037 | 12/31/25 | 01/01/26 |
| 2,4-Dinitrotoluene | ND | | mg/L | 0.010 | 0.0043 | 12/31/25 | 01/01/26 |
| Hexachlorobenzene | ND | | mg/L | 0.010 | 0.0030 | 12/31/25 | 01/01/26 |
| Pentachlorophenol | ND | | mg/L | 0.025 | 0.0057 | 12/31/25 | 01/01/26 |
| Surrogates | | | | Limits | | | |
| 2-Fluorophenol | 53% | | %REC | 15-120 | | 12/31/25 | 01/01/26 |
| Phenol-d6 | 35% | | %REC | 15-120 | | 12/31/25 | 01/01/26 |
| 2,4,6-Tribromophenol | 94% | | %REC | 15-140 | | 12/31/25 | 01/01/26 |
| Nitrobenzene-d5 | 90% | | %REC | 15-123 | | 12/31/25 | 01/01/26 |
| 2-Fluorobiphenyl | 90% | | %REC | 15-120 | | 12/31/25 | 01/01/26 |
| Terphenyl-d14 | 102% | | %REC | 15-120 | | 12/31/25 | 01/01/26 |

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1327087 | Batch: 391432 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1327087 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|---------|---------|-------|----------|------|--------|
| Pyridine | 0.03225 | 0.07500 | mg/L | 43% | | 13-120 |
| 2-Methylphenol | 0.05801 | 0.07500 | mg/L | 77% | | 44-120 |
| 3-,4-Methylphenol | 0.05357 | 0.07500 | mg/L | 71% | | 40-120 |
| Hexachloroethane | 0.05534 | 0.07500 | mg/L | 74% | | 33-120 |
| Nitrobenzene | 0.06484 | 0.07500 | mg/L | 86% | | 51-120 |
| Hexachlorobutadiene | 0.05106 | 0.07500 | mg/L | 68% | | 30-120 |
| 2,4,6-Trichlorophenol | 0.07181 | 0.07500 | mg/L | 96% | | 60-122 |
| 2,4,5-Trichlorophenol | 0.07028 | 0.07500 | mg/L | 94% | | 62-124 |
| 2,4-Dinitrotoluene | 0.07768 | 0.07500 | mg/L | 104% | | 69-127 |
| Hexachlorobenzene | 0.06762 | 0.07500 | mg/L | 90% | | 62-120 |
| Pentachlorophenol | 0.06321 | 0.07500 | mg/L | 84% | | 51-120 |
| Surrogates | | | | | | |
| 2-Fluorophenol | 0.02029 | 0.04000 | mg/L | 51% | | 15-120 |
| Phenol-d6 | 0.01361 | 0.04000 | mg/L | 34% | | 15-120 |
| 2,4,6-Tribromophenol | 0.03827 | 0.04000 | mg/L | 96% | | 15-140 |
| Nitrobenzene-d5 | 0.03407 | 0.04000 | mg/L | 85% | | 15-123 |
| 2-Fluorobiphenyl | 0.03452 | 0.04000 | mg/L | 86% | | 15-120 |
| Terphenyl-d14 | 0.03959 | 0.04000 | mg/L | 99% | | 15-120 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1327088 | Batch: 391432 |
| Matrix: Water | Method: EPA 8270C | Prep Method: EPA 3510C |

| QC1327088 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|---------|---------|-------|----------|------|--------|-----|---------|
| Pyridine | 0.03337 | 0.07500 | mg/L | 44% | | 13-120 | 3 | 62 |
| 2-Methylphenol | 0.05921 | 0.07500 | mg/L | 79% | | 44-120 | 2 | 51 |
| 3-,4-Methylphenol | 0.05436 | 0.07500 | mg/L | 72% | | 40-120 | 1 | 51 |
| Hexachloroethane | 0.05583 | 0.07500 | mg/L | 74% | | 33-120 | 1 | 59 |
| Nitrobenzene | 0.06549 | 0.07500 | mg/L | 87% | | 51-120 | 1 | 52 |
| Hexachlorobutadiene | 0.05000 | 0.07500 | mg/L | 67% | | 30-120 | 2 | 58 |
| 2,4,6-Trichlorophenol | 0.07379 | 0.07500 | mg/L | 98% | | 60-122 | 3 | 49 |
| 2,4,5-Trichlorophenol | 0.07218 | 0.07500 | mg/L | 96% | | 62-124 | 3 | 46 |
| 2,4-Dinitrotoluene | 0.07935 | 0.07500 | mg/L | 106% | | 69-127 | 2 | 40 |
| Hexachlorobenzene | 0.07023 | 0.07500 | mg/L | 94% | | 62-120 | 4 | 41 |
| Pentachlorophenol | 0.06607 | 0.07500 | mg/L | 88% | | 51-120 | 4 | 42 |
| Surrogates | | | | | | | | |
| 2-Fluorophenol | 0.02073 | 0.04000 | mg/L | 52% | | 15-120 | | |
| Phenol-d6 | 0.01397 | 0.04000 | mg/L | 35% | | 15-120 | | |
| 2,4,6-Tribromophenol | 0.03924 | 0.04000 | mg/L | 98% | | 15-140 | | |
| Nitrobenzene-d5 | 0.03462 | 0.04000 | mg/L | 87% | | 15-123 | | |
| 2-Fluorobiphenyl | 0.03467 | 0.04000 | mg/L | 87% | | 15-120 | | |
| Terphenyl-d14 | 0.04007 | 0.04000 | mg/L | 100% | | 15-120 | | |

| | | |
|---|-----------------------------|----------------------|
| Type: Sample Duplicate | Lab ID: QC1327100 | Batch: 391435 |
| Matrix (Source ID): Water (549849-001) | Method: SM 4500-H+ B | |

| QC1327100 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|-------------------|--------|----------------------|-------|------|-----|---------|----|
| pH | 7.620 | 7.610 | SU | | 0 | 20 | 1 |
| Temperature | 20.70 | 20.60 | deg C | | 0 | 20 | 1 |

* Value is outside QC limits
 J Estimated value
 ND Not Detected



ENTHALPY
ANALYTICAL

Enthalpy Analytical
931 West Barkley Ave
Orange, CA 92868
(714) 771-6900

enthalpy.com

Lab Job Number : 549994
Report Level : II
Report Date : 01/02/2026

Analytical Report *prepared for:*

Helen Dubach
CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118

Project: EAST BASIN - East Basin Waters & Soils - Collected by/for Waterboards

Authorized for release by:

David Tripp, Project Manager
657-581-4710
david.tripp@enthalpy.com

This data package has been reviewed for technical correctness and completeness. Release of this data has been authorized by the Laboratory Manager or the Manager's designee, as verified by the above signature which applies to this PDF file as well as any associated electronic data deliverable files. The results contained in this report meet all requirements of NELAP and pertain only to those samples which were submitted for analysis. This report may be reproduced only in its entirety.

CA ELAP# 1338, CA ELAP #1338-S1, NELAP# 4038, SCAQMD LAP# 18LA0518, LACSD ID# 10105, ORELAP# 4197

Sample Summary

| | | |
|-----------------------------|----------------|---------------------------------------|
| Helen Dubach | Lab Job #: | 549994 |
| CTEH Chiquita Canyon | Project No: | EAST BASIN |
| Landfill - PROJ-037507 | Location: | East Basin Waters & Soils - Collected |
| 5120 Northshore Drive | | by/for Waterboards |
| North Little Rock, AR 72118 | Date Received: | 12/31/25 |

| Sample ID | Lab ID | Collected | Matrix |
|------------------|---------------|------------------|---------------|
| EAST123025 | 549994-001 | 12/30/25 15:46 | Water |

Case Narrative

CTEH Chiquita Canyon Landfill -
PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118
Helen Dubach

Lab Job Number: 549994
Project No: EAST BASIN
Location: East Basin Waters & Soils - Collected
by/for Waterboards
Date Received: 12/31/25

This data package contains sample and QC results for one water sample, requested for the above referenced project on 12/31/25. The sample was received in good condition overall. The following were, however, noted by our Receiving staff - * - All three bottles received in 1L clear glass, wrapped in foil, no preservation, and with some headspace.* - The TSS container was received with a custody seal, but the other two bottles were not.* - The sample collection time on the TSS bottle differed by a few minutes from the other two bottles and the COC - 1542 versus 1546, respectively.

Volatile Organics by GC/MS (EPA 8260B):

- Toluene was detected between the MDL and the RL in the method blank for batch 391387; this analyte was not detected in the sample at or above the RL.
- EAST123025 (lab # 549994-001) was analyzed with more than 1 mL of headspace in the VOA vial.
- EAST123025 (lab # 549994-001) had pH greater than 2.
- No other analytical problems were encountered.

Semivolatile Organics by GC/MS SIM (EPA 8270C-SIM):

No analytical problems were encountered.

Total Suspended Solids (TSS) (SM2540D):

No analytical problems were encountered.


Detection Summary

Helen Dubach
 CTEH Chiquita Canyon Landfill - PROJ-037507
 5120 Northshore Drive
 North Little Rock, AR 72118

Lab Job #: 549994
 Project No: EAST BASIN
 Location: East Basin Waters & Soils - Collectec
 by/for Waterboards
 Date Received: 12/31/25

Sample ID: EAST123025 Lab ID: 549994-001 Collected: 12/30/25 15:46
Matrix: Water

| 549994-001 Analyte | Result | Qual | Units | RL | MDL |
|--|--------|------|-------|-----|------|
| Method: EPA 8270C-SIM Prep Method: EPA 3535 | | | | | |
| 1,4-Dioxane | 1.0 | | ug/L | 1.0 | 0.84 |
| Method: SM2540D Prep Method: METHOD | | | | | |
| Total Suspended Solids | 3.7 | | mg/L | 0.5 | |



Enthalpy Analytical - Orange
 931 W. Barkley Avenue, Orange, CA 92868
 Phone 714-771-6900

Chain of Custody Record
 Lab No: 549994
 Page: 1 of 1

Turn Around Time (rush by advanced notice only)
 Standard: 3 Day: Custom TAT:
 5 Day: 1 Day: X

Matrix: A = Air S = Soil/Solid
 W = Water DW = Drinking Water SD = Sediment
 PP = Pure Product SEA = Sea Water
 SW = Swab T = Tissue WP = Wipe O = Other

Preservatives:
 1 = Na₂S₂O₃ 2 = HCl 3 = HNO₃
 4 = H₂SO₄ 5 = NaOH 6 = Other
Sample Receipt Temp:
 5.6/5.8
 7.10 CF: 10.2
 (lab use only)

| CUSTOMER INFORMATION | | PROJECT INFORMATION | | Analysis Request | | Test Instructions / Comments | |
|----------------------|------------------------|---------------------|-----------------------------|------------------|--|------------------------------|--|
| Company: | Chiquita Canyon, LLC | Name: | East Basin | | | | |
| Report To: | Kyle Lopic | Number: | | | | | |
| Email: | labresults@cteh.com | P.O. #: | | | | | |
| Address: | 29201 Henry Mayo Drive | Address: | 29201 Henry Mayo Drive | | | | |
| | Castaic, CA 91384 | | Castaic, CA 91384 | | | | |
| Phone: | 682-559-3880 | Global ID: | | | | | |
| Fax: | | Sampled By: | CH, MT, Christopher McGuire | | | | |

| Sample ID | Sampling Date | Sampling Time | Matrix | Container No. / Size | Pres. |
|--------------|---------------|---------------|--------|----------------------|-------|
| 1 EAST123025 | 12/30/25 | 1546 | W | 3 | 6 |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |
| 5 | | | | | |
| 6 | | | | | |
| 7 | | | | | |
| 8 | | | | | |
| 9 | | | | | |
| 10 | | | | | |

| Signature | Print Name | Company / Title | Date / Time |
|--------------------|------------|-----------------|---------------|
| | Alex Tessa | CTEH | 12/31 0610 |
| | FOR OWN | GM | 12/31/25 0658 |
| 1 Relinquished By: | | | |
| 1 Received By: | | | |
| 2 Relinquished By: | | | |
| 2 Received By: | | | |
| 3 Relinquished By: | | | |
| 3 Received By: | | | |



Login 549994

2540D TSS X
 8270 SIM 1,4-Dioxane X
 VOCs X

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 12/31/25 WO# 549994 Client: Waste Connections

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 12/31/25 By (initials) FPD Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR10 CF: +0.2

Cooler Temp (°C) #1: 5.6 / 5.8 #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

| | YES | NO | N/A |
|---|-----|----|-----|
| 1) Were custody papers present, filled properly, and legible? | X | | |
| 2) Is the sampler's name present on the CoC? | X | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | X | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | X | | |
| 5) Were all of, and only, the correct samples received? | X | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | | X | |
| 7) Does the container count match the CoC? | X | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | X | | |
| 9) Were samples received in proper containers for the analyses requested? | | X | |
| 10) Were samples received with > 1/2 holding time remaining? | X | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | X | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | X |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | | X |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

2 - ONLY THE CONTAINER FOR TSS RECEIVED WITH CUSTODY SEAL.

4.6 - SAMPLING TIME DISCREPANCY ON TSS CONTAINER - 1546 PER CoC, 1542 PER LABEL, THE OTHER 2 CONTAINERS MATCHED WITH THE CoC.

4.9 - SAMPLES RECEIVED IN 3-LITER WIDE MOUTH CLEAR JARS, NOT IN PROPER CONTAINER FOR VOCs.

No additional discrepancies

Date Logged 12/31/25 By (print) FPD (sign)

Date Labeled 12/31/25 By (print) FPD (sign)

Analysis Results for 549994

Helen Dubach
CTEH Chiquita Canyon Landfill - PROJ-037507
5120 Northshore Drive
North Little Rock, AR 72118

Lab Job #: 549994
Project No: EAST BASIN
Location: East Basin Waters & Soils - Collectec
by/for Waterboards
Date Received: 12/31/25

Sample ID: EAST123025

Lab ID: 549994-001

Collected: 12/30/25 15:46

Matrix: Water

| 549994-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--------------------------|--------|------|-------|-----|------|----|--------|----------|----------|---------|
| Method: EPA 8260B | | | | | | | | | | |
| Prep Method: EPA 5030B | | | | | | | | | | |
| Carbon Disulfide | ND | | ug/L | 5.0 | 0.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 2-Chloroethylvinylether | ND | | ug/L | 50 | 0.2 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Chloroprene | ND | | ug/L | 200 | 0.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 3-Chloropropene | ND | | ug/L | 5.0 | 0.2 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Ethyl methacrylate | ND | | ug/L | 50 | 2.4 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Ethanol | ND | | ug/L | 500 | 130 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 2-Hexanone | ND | | ug/L | 5.0 | 0.6 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Iodomethane | ND | | ug/L | 10 | 3.0 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Isopropanol (IPA) | ND | | ug/L | 200 | 40 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Methyl acrylonitrile | ND | | ug/L | 35 | 1.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Vinyl Acetate | ND | | ug/L | 50 | 2.4 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Acrolein | ND | | ug/L | 200 | 2.0 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Acrylonitrile | ND | | ug/L | 10 | 0.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Freon 12 | ND | | ug/L | 5.0 | 0.2 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Chloromethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Vinyl Chloride | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Bromomethane | ND | | ug/L | 5.0 | 0.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Chloroethane | ND | | ug/L | 5.0 | 0.05 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Trichlorofluoromethane | ND | | ug/L | 5.0 | 0.08 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Acetone | ND | | ug/L | 100 | 8.8 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Freon 113 | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,1-Dichloroethene | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Methylene Chloride | ND | | ug/L | 5.0 | 0.2 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| MTBE | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| trans-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,1-Dichloroethane | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 2-Butanone | ND | | ug/L | 100 | 0.9 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| cis-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.09 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 2,2-Dichloropropane | ND | | ug/L | 5.0 | 0.09 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Chloroform | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Bromochloromethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,1,1-Trichloroethane | ND | | ug/L | 5.0 | 0.03 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,1-Dichloropropene | ND | | ug/L | 5.0 | 0.08 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Carbon Tetrachloride | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dichloroethane | ND | | ug/L | 5.0 | 0.09 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Benzene | ND | | ug/L | 1.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Trichloroethene | ND | | ug/L | 5.0 | 0.05 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dichloropropane | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Bromodichloromethane | ND | | ug/L | 5.0 | 0.05 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Dibromomethane | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |

Analysis Results for 549994

| 549994-001 Analyte | Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--|--------|------|-------|---------------|------|----|--------|----------|----------|---------|
| 4-Methyl-2-Pentanone | ND | | ug/L | 5.0 | 0.5 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| cis-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.08 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Toluene | ND | | ug/L | 5.0 | 0.05 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| trans-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.03 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,1,2-Trichloroethane | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,3-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Tetrachloroethene | ND | | ug/L | 5.0 | 0.09 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Dibromochloromethane | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dibromoethane | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Chlorobenzene | ND | | ug/L | 5.0 | 0.05 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,1,1,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Ethylbenzene | ND | | ug/L | 5.0 | 0.04 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| m,p-Xylenes | ND | | ug/L | 10 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| o-Xylene | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Styrene | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Bromoform | ND | | ug/L | 5.0 | 0.08 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Isopropylbenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,1,2,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2,3-Trichloropropane | ND | | ug/L | 5.0 | 0.09 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Propylbenzene | ND | | ug/L | 5.0 | 0.05 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Bromobenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,3,5-Trimethylbenzene | ND | | ug/L | 5.0 | 0.08 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 2-Chlorotoluene | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 4-Chlorotoluene | ND | | ug/L | 5.0 | 0.08 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| tert-Butylbenzene | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2,4-Trimethylbenzene | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| sec-Butylbenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| para-Isopropyl Toluene | ND | | ug/L | 5.0 | 0.05 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,3-Dichlorobenzene | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,4-Dichlorobenzene | ND | | ug/L | 5.0 | 0.07 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| n-Butylbenzene | ND | | ug/L | 5.0 | 0.08 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dichlorobenzene | ND | | ug/L | 5.0 | 0.04 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dibromo-3-Chloropropane | ND | | ug/L | 5.0 | 0.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2,4-Trichlorobenzene | ND | | ug/L | 5.0 | 0.1 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Hexachlorobutadiene | ND | | ug/L | 5.0 | 0.06 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Naphthalene | ND | | ug/L | 5.0 | 0.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2,3-Trichlorobenzene | ND | | ug/L | 5.0 | 0.09 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| cis-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.3 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| trans-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.2 | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Xylene (total) | ND | | ug/L | 5.0 | | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Surrogates | | | | Limits | | | | | | |
| Dibromofluoromethane | 123% | | %REC | 70-130 | | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| 1,2-Dichloroethane-d4 | 114% | | %REC | 70-130 | | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Toluene-d8 | 90% | | %REC | 70-130 | | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Bromofluorobenzene | 87% | | %REC | 70-130 | | 1 | 391387 | 12/31/25 | 12/31/25 | TCN |
| Method: EPA 8270C-SIM Prep Method: EPA 3535 | | | | | | | | | | |
| 1,4-Dioxane | 1.0 | | ug/L | 1.0 | 0.84 | 1 | 391351 | 12/31/25 | 12/31/25 | TJW |
| Surrogates | | | | Limits | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 102% | | %REC | 80-120 | | 1 | 391351 | 12/31/25 | 12/31/25 | TJW |

Analysis Results for 549994

549994-001 Analyte

| Result | Qual | Units | RL | MDL | DF | Batch | Prepared | Analyzed | Chemist |
|--------|------|-------|----|-----|----|-------|----------|----------|---------|
|--------|------|-------|----|-----|----|-------|----------|----------|---------|

Method: SM2540D

Prep Method: METHOD

| | | | | | | | | |
|------------------------|------------|------|-----|---|--------|----------|----------|-----|
| Total Suspended Solids | 3.7 | mg/L | 0.5 | 1 | 391415 | 12/31/25 | 01/02/26 | TRR |
|------------------------|------------|------|-----|---|--------|----------|----------|-----|

ND Not Detected

Batch QC

| | | |
|---------------------------------|--------------------------|-------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326958 | Batch: 391387 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326958 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|-----------------------|--------|--------|-------|----------|------|--------|
| 1,1-Dichloroethene | 50.77 | 50.00 | ug/L | 102% | | 69-128 |
| MTBE | 56.84 | 50.00 | ug/L | 114% | | 66-125 |
| Benzene | 54.90 | 50.00 | ug/L | 110% | | 76-121 |
| Trichloroethene | 55.10 | 50.00 | ug/L | 110% | | 76-124 |
| Toluene | 59.34 | 50.00 | ug/L | 119% | | 76-120 |
| Chlorobenzene | 47.70 | 50.00 | ug/L | 95% | | 78-120 |
| Surrogates | | | | | | |
| Dibromofluoromethane | 55.05 | 50.00 | ug/L | 110% | | 70-130 |
| 1,2-Dichloroethane-d4 | 51.74 | 50.00 | ug/L | 103% | | 70-130 |
| Toluene-d8 | 60.63 | 50.00 | ug/L | 121% | | 70-130 |
| Bromofluorobenzene | 47.23 | 50.00 | ug/L | 94% | | 70-130 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326959 | Batch: 391387 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326959 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|-----------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1-Dichloroethene | 47.22 | 50.00 | ug/L | 94% | | 69-128 | 7 | 23 |
| MTBE | 50.23 | 50.00 | ug/L | 100% | | 66-125 | 12 | 22 |
| Benzene | 52.12 | 50.00 | ug/L | 104% | | 76-121 | 5 | 21 |
| Trichloroethene | 54.01 | 50.00 | ug/L | 108% | | 76-124 | 2 | 22 |
| Toluene | 52.00 | 50.00 | ug/L | 104% | | 76-120 | 13 | 21 |
| Chlorobenzene | 47.08 | 50.00 | ug/L | 94% | | 78-120 | 1 | 20 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 53.21 | 50.00 | ug/L | 106% | | 70-130 | | |
| 1,2-Dichloroethane-d4 | 50.17 | 50.00 | ug/L | 100% | | 70-130 | | |
| Toluene-d8 | 55.19 | 50.00 | ug/L | 110% | | 70-130 | | |
| Bromofluorobenzene | 54.03 | 50.00 | ug/L | 108% | | 70-130 | | |

Batch QC

| | | |
|----------------------|--------------------------|-------------------------------|
| Type: Blank | Lab ID: QC1326963 | Batch: 391387 |
| Matrix: Water | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326963 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|------|----------|----------|
| Carbon Disulfide | ND | | ug/L | 5.0 | 0.3 | 12/31/25 | 12/31/25 |
| 2-Chloroethylvinylether | ND | | ug/L | 50 | 0.2 | 12/31/25 | 12/31/25 |
| Chloroprene | ND | | ug/L | 200 | 0.3 | 12/31/25 | 12/31/25 |
| 3-Chloropropene | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| Ethyl methacrylate | ND | | ug/L | 50 | 2.4 | 12/31/25 | 12/31/25 |
| Ethanol | ND | | ug/L | 500 | 130 | 12/31/25 | 12/31/25 |
| 2-Hexanone | ND | | ug/L | 5.0 | 0.6 | 12/31/25 | 12/31/25 |
| Iodomethane | ND | | ug/L | 10 | 3.0 | 12/31/25 | 12/31/25 |
| Isopropanol (IPA) | ND | | ug/L | 200 | 40 | 12/31/25 | 12/31/25 |
| Methyl acrylonitrile | ND | | ug/L | 35 | 1.3 | 12/31/25 | 12/31/25 |
| Vinyl Acetate | ND | | ug/L | 50 | 2.4 | 12/31/25 | 12/31/25 |
| Acrolein | ND | | ug/L | 200 | 2.0 | 12/31/25 | 12/31/25 |
| Acrylonitrile | ND | | ug/L | 10 | 0.3 | 12/31/25 | 12/31/25 |
| Freon 12 | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| Chloromethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Vinyl Chloride | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Bromomethane | ND | | ug/L | 5.0 | 0.3 | 12/31/25 | 12/31/25 |
| Chloroethane | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| Trichlorofluoromethane | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| Acetone | ND | | ug/L | 100 | 8.8 | 12/31/25 | 12/31/25 |
| Freon 113 | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 1,1-Dichloroethene | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Methylene Chloride | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| MTBE | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| trans-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 1,1-Dichloroethane | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 2-Butanone | ND | | ug/L | 100 | 0.9 | 12/31/25 | 12/31/25 |
| cis-1,2-Dichloroethene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| 2,2-Dichloropropane | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| Chloroform | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| Bromochloromethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 1,1,1-Trichloroethane | ND | | ug/L | 5.0 | 0.03 | 12/31/25 | 12/31/25 |
| 1,1-Dichloropropene | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| Carbon Tetrachloride | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 1,2-Dichloroethane | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| Benzene | ND | | ug/L | 1.0 | 0.07 | 12/31/25 | 12/31/25 |
| Trichloroethene | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| 1,2-Dichloropropane | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| Bromodichloromethane | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| Dibromomethane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| 4-Methyl-2-Pentanone | ND | | ug/L | 5.0 | 0.5 | 12/31/25 | 12/31/25 |
| cis-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| Toluene | 0.09 | J | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| trans-1,3-Dichloropropene | ND | | ug/L | 5.0 | 0.03 | 12/31/25 | 12/31/25 |
| 1,1,2-Trichloroethane | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 1,3-Dichloropropane | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Tetrachloroethene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |

Batch QC

| QC1326963 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|-----------------------------|--------|------|-------|---------------|------|----------|----------|
| Dibromochloromethane | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 1,2-Dibromoethane | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| Chlorobenzene | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| 1,1,1,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| Ethylbenzene | ND | | ug/L | 5.0 | 0.04 | 12/31/25 | 12/31/25 |
| m,p-Xylenes | ND | | ug/L | 10 | 0.1 | 12/31/25 | 12/31/25 |
| o-Xylene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| Styrene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| Bromoform | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| Isopropylbenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 1,1,2,2-Tetrachloroethane | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 1,2,3-Trichloropropane | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| Propylbenzene | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| Bromobenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 1,3,5-Trimethylbenzene | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| 2-Chlorotoluene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 4-Chlorotoluene | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| tert-Butylbenzene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| 1,2,4-Trimethylbenzene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| sec-Butylbenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| para-Isopropyl Toluene | ND | | ug/L | 5.0 | 0.05 | 12/31/25 | 12/31/25 |
| 1,3-Dichlorobenzene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| 1,4-Dichlorobenzene | ND | | ug/L | 5.0 | 0.07 | 12/31/25 | 12/31/25 |
| n-Butylbenzene | ND | | ug/L | 5.0 | 0.08 | 12/31/25 | 12/31/25 |
| 1,2-Dichlorobenzene | ND | | ug/L | 5.0 | 0.04 | 12/31/25 | 12/31/25 |
| 1,2-Dibromo-3-Chloropropane | ND | | ug/L | 5.0 | 0.3 | 12/31/25 | 12/31/25 |
| 1,2,4-Trichlorobenzene | ND | | ug/L | 5.0 | 0.1 | 12/31/25 | 12/31/25 |
| Hexachlorobutadiene | ND | | ug/L | 5.0 | 0.06 | 12/31/25 | 12/31/25 |
| Naphthalene | ND | | ug/L | 5.0 | 0.3 | 12/31/25 | 12/31/25 |
| 1,2,3-Trichlorobenzene | ND | | ug/L | 5.0 | 0.09 | 12/31/25 | 12/31/25 |
| cis-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.3 | 12/31/25 | 12/31/25 |
| trans-1,4-Dichloro-2-butene | ND | | ug/L | 5.0 | 0.2 | 12/31/25 | 12/31/25 |
| Xylene (total) | ND | | ug/L | 5.0 | | 12/31/25 | 12/31/25 |
| Surrogates | | | | Limits | | | |
| Dibromofluoromethane | 128% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| 1,2-Dichloroethane-d4 | 113% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| Toluene-d8 | 85% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |
| Bromofluorobenzene | 99% | | %REC | 70-130 | | 12/31/25 | 12/31/25 |

Batch QC

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike | Lab ID: QC1326991 | Batch: 391387 |
| Matrix (Source ID): Water (549612-001) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326991 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | DF |
|-----------------------|--------|----------------------|--------|-------|----------|------|--------|----|
| 1,1-Dichloroethene | 19.09 | ND | 20.00 | ug/L | 95% | | 62-131 | 1 |
| MTBE | 17.65 | ND | 20.00 | ug/L | 88% | | 61-124 | 1 |
| Benzene | 18.96 | ND | 20.00 | ug/L | 95% | | 70-123 | 1 |
| Trichloroethene | 15.37 | ND | 20.00 | ug/L | 77% | | 65-131 | 1 |
| Toluene | 15.57 | ND | 20.00 | ug/L | 78% | | 69-120 | 1 |
| Chlorobenzene | 15.64 | ND | 20.00 | ug/L | 78% | | 72-121 | 1 |
| Surrogates | | | | | | | | |
| Dibromofluoromethane | 57.42 | | 50.00 | ug/L | 115% | | 70-130 | 1 |
| 1,2-Dichloroethane-d4 | 52.93 | | 50.00 | ug/L | 106% | | 70-130 | 1 |
| Toluene-d8 | 45.58 | | 50.00 | ug/L | 91% | | 70-130 | 1 |
| Bromofluorobenzene | 45.21 | | 50.00 | ug/L | 90% | | 70-130 | 1 |

| | | |
|---|--------------------------|-------------------------------|
| Type: Matrix Spike Duplicate | Lab ID: QC1326992 | Batch: 391387 |
| Matrix (Source ID): Water (549612-001) | Method: EPA 8260B | Prep Method: EPA 5030B |

| QC1326992 Analyte | Result | Source Sample Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim | DF |
|-----------------------|--------|----------------------|--------|-------|----------|------|--------|-----|---------|----|
| 1,1-Dichloroethene | 16.61 | ND | 20.00 | ug/L | 83% | | 62-131 | 14 | 31 | 1 |
| MTBE | 19.02 | ND | 20.00 | ug/L | 95% | | 61-124 | 8 | 30 | 1 |
| Benzene | 18.47 | ND | 20.00 | ug/L | 92% | | 70-123 | 3 | 31 | 1 |
| Trichloroethene | 16.52 | ND | 20.00 | ug/L | 83% | | 65-131 | 7 | 31 | 1 |
| Toluene | 15.54 | ND | 20.00 | ug/L | 78% | | 69-120 | 0 | 29 | 1 |
| Chlorobenzene | 15.45 | ND | 20.00 | ug/L | 77% | | 72-121 | 1 | 29 | 1 |
| Surrogates | | | | | | | | | | |
| Dibromofluoromethane | 51.57 | | 50.00 | ug/L | 103% | | 70-130 | | | 1 |
| 1,2-Dichloroethane-d4 | 49.57 | | 50.00 | ug/L | 99% | | 70-130 | | | 1 |
| Toluene-d8 | 46.76 | | 50.00 | ug/L | 94% | | 70-130 | | | 1 |
| Bromofluorobenzene | 56.47 | | 50.00 | ug/L | 113% | | 70-130 | | | 1 |

| | | |
|----------------------|------------------------------|------------------------------|
| Type: Blank | Lab ID: QC1326804 | Batch: 391351 |
| Matrix: Water | Method: EPA 8270C-SIM | Prep Method: EPA 3535 |

| QC1326804 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|----------------------|--------|------|-------|---------------|------|----------|----------|
| 1,4-Dioxane | ND | | ug/L | 1.0 | 0.84 | 12/30/25 | 12/30/25 |
| Surrogates | | | | Limits | | | |
| 1,4-Dioxane-d8 (SUR) | 101% | | %REC | 80-120 | | 12/30/25 | 12/30/25 |

Batch QC

| | | |
|---------------------------------|------------------------------|------------------------------|
| Type: Lab Control Sample | Lab ID: QC1326805 | Batch: 391351 |
| Matrix: Water | Method: EPA 8270C-SIM | Prep Method: EPA 3535 |

| QC1326805 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|----------------------|--------|--------|-------|----------|------|--------|
| 1,4-Dioxane | 10.84 | 10.00 | ug/L | 108% | | 79-120 |
| Surrogates | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 9.794 | 10.00 | ug/L | 98% | | 80-120 |

| | | |
|---|------------------------------|------------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1326806 | Batch: 391351 |
| Matrix: Water | Method: EPA 8270C-SIM | Prep Method: EPA 3535 |

| QC1326806 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|----------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,4-Dioxane | 11.67 | 10.00 | ug/L | 117% | | 79-120 | 7 | 20 |
| Surrogates | | | | | | | | |
| 1,4-Dioxane-d8 (SUR) | 10.19 | 10.00 | ug/L | 102% | | 80-120 | | |

| | | |
|----------------------|--------------------------|----------------------------|
| Type: Blank | Lab ID: QC1327027 | Batch: 391415 |
| Matrix: Water | Method: SM2540D | Prep Method: METHOD |

| QC1327027 Analyte | Result | Qual | Units | RL | MDL | Prepared | Analyzed |
|------------------------|--------|------|-------|-----|-----|----------|----------|
| Total Suspended Solids | ND | | mg/L | 0.5 | | 12/31/25 | 01/02/26 |

| | | |
|---------------------------------|--------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1327028 | Batch: 391415 |
| Matrix: Water | Method: SM2540D | Prep Method: METHOD |

| QC1327028 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|------------------------|--------|--------|-------|----------|------|--------|
| Total Suspended Solids | 100.1 | 100.0 | mg/L | 100% | | 90-110 |

| | | |
|---|--------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1327029 | Batch: 391415 |
| Matrix: Water | Method: SM2540D | Prep Method: METHOD |

| QC1327029 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| Total Suspended Solids | 99.95 | 100.0 | mg/L | 100% | | 90-110 | 0 | 5 |

| | | |
|---|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1327030 | Batch: 391415 |
| Matrix (Source ID): Water (549752-004) | Method: SM2540D | Prep Method: METHOD |

| QC1327030 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|------------------------|--------|----------------------|-------|------|-----|---------|----|
| Total Suspended Solids | 84.00 | 82.67 | mg/L | | 2 | 5 | 1 |

Batch QC

| | | |
|---|--------------------------|----------------------------|
| Type: Sample Duplicate | Lab ID: QC1327031 | Batch: 391415 |
| Matrix (Source ID): Water (549752-019) | Method: SM2540D | Prep Method: METHOD |

| QC1327031 Analyte | Result | Source Sample Result | Units | Qual | RPD | RPD Lim | DF |
|------------------------|--------|----------------------------|-------|------|-----|------------|----|
| Total Suspended Solids | 60.00 | 59.74 | mg/L | | 0 | 5 | 1 |

J Estimated value
 ND Not Detected