

March 20, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: Monthly Enhanced Air Monitoring Program Data, February 2026, Chiquita Canyon Landfill

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the February 2026 24-hr samples are found in **Attachment A**.

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Order for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of




September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:


<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers

attachments


cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (CTEH)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kevin Green (CCL)

FIGURE 1
MAP OF AIR MONITORING LOCATIONS

Legend

- Micro-GC
- Off-Site Station
- On-Site Station



Google Earth

Image © 2025 Airbus


Community Air Monitoring Program
 Continuous Air Monitoring Stations

MS-11

1 mi

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260254
REPORT DATE : 02/04/2026


On February 3rd, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260254-85872
MS-12	260254-85873
MS-08	260254-85874
MS-09	260254-85875
MS-10	260254-85876
MS-06	260254-85877
MS-11	260254-85878


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260254
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 02/02-03/2026
RECEIVING DATE : 02/03/2026
ANALYSIS DATE : 02/03/2026
REPORT DATE : 02/04/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260254-85872	260254-85873	260254-85874	260254-85875
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260254
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/02-03/2026
RECEIVING DATE : 02/03/2026
ANALYSIS DATE : 02/03/2026
REPORT DATE : 02/04/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260254-85876	260254-85877	260254-85878
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/3/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8147	0.517	104.7	0.1
Duplicate	8167	0.519	105.0	0.1
Triplicate	8164	0.518	104.9	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7690	0.527	103.8	0.0
Duplicate	7760	0.531	104.7	0.9
Triplicate	7614	0.521	102.8	1.0

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8266	0.503	104.6	0.0
Duplicate	8276	0.503	104.8	0.2
Triplicate	8248	0.502	104.4	0.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.257	0.246	104.0	99.6	4.4
MeSH	<PQL	0.254	0.258	0.255	101.7	100.5	1.2
DMS	<PQL	0.240	0.259	0.262	107.8	109.1	1.2

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.481	97.4
MeSH	0.508	0.516	101.7
DMS	0.481	0.502	104.5

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

Client/Project Name: *SS Engineers / Chiquita Canyon Landfill Air/Gas Sampling*

Project Location: *Valencia, CA*

ANALYSES

Project No. _____ Field Logbook No. _____

Sampler: (Print) *Jacob Pennington* (Signature) *Jacob Pennington*


No. Of Containers: *7*

307.91 Solfor

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks
MS-07	2-23-26	0715 - 0715	85872	10 Liter Bag	X
MS-12	2-23-26	0730 - 0730	85873	10 Liter Bag	X
MS-08	2-23-26	0743 - 0743	85874	10 Liter Bag	X
MS-09	2-23-26	0759 - 0759	85875	10 Liter Bag	X
MS-10	2-23-26	0815 - 0815	85876	10 Liter Bag	X
MS-06	2-23-26	0828 - 0828	85877	10 Liter Bag	X
MS-11	2-23-26	0842 - 0842	85878	10 Liter Bag	X

Relinquished by: (Signature) <i>Jacob Pennington</i>	Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)	2-3-26	0953	Received by: (Signature)		
Relinquished by: (Signature)			Received for Laboratory: (Signature)	2/3/26	0956
Sample Disposal Method:	Disposed of by: (Signature)		Date	Date	Time

Sample Collector



RTS
Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Analytical Laboratory

AAC Ventura

Sample Summary

Raymond Huff	Lab Job #:	552272
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/03/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	552272-001	02/03/26 07:15	Air
MS-12	552272-002	02/03/26 07:30	Air
MS-08	552272-003	02/03/26 07:43	Air
MS-09	552272-004	02/03/26 07:59	Air
MS-10	552272-005	02/03/26 08:15	Air
MS-06	552272-006	02/03/26 08:28	Air
MS-11	552272-007	02/03/26 08:42	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 552272
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 02/03/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/03/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Bartley Ave., Orange, CA 92660
 Phone: (714) 771-8900 Fax: (714) 528-1209

ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. 552272

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	S&S Engineers	Name:	Chiquita Canyon Landfill Airborne Sampling
Report To:	Ray Hoff	Number:	
Email:	rhoff@scessengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:	
Phone:	562-355-6334	Sampled By:	Jacob Pennington
Special Instructions:	Fax: 562-427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date				
MS-07	A	C70068	6L	A70626	2-2-26	0715	2-3-26	0715	-5	X	
MS-12	A	C70055	6L	A70047	2-2-26	0730	2-3-26	0730	-7	X	
MS-08	A	C70305	6L	A70487	2-2-26	0743	2-3-26	0743	-5	X	
MS-09	A	C70930	6L	A70541	2-2-26	0754	2-3-26	0759	-7	X	
MS-10	A	C70844	6L	A70555	2-2-26	0815	2-3-26	0815	-8	X	
MS-06	A	C70315	6L	A70648	2-2-26	0828	2-3-26	0828	-5	X	
MS-11	A	C70445	6L	A70118	2-2-26	0842	2-3-26	0842	-5	X	
8											
9											
10											

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RECEIVED BY:	<i>Anna Taylor</i>	Jacob Pennington	Res	2-3-26/12:23
RELINQUISHED BY:	<i>Anna Roberts</i>	Anna Roberts	QA	2-3-26 12:23
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				



Login 552272



SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 2/3/26 WO# 552272 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 2/3/26 By (initials) AGR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X*		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4, 6* = No sampling times on tags

No additional discrepancies

Date Logged 2/3/26 By (print) ABD (sign) [Signature]
 Date Labeled 2/3/26 By (print) MSK (sign) [Signature]

Analysis Results for 552272

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 552272
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/03/26

Sample ID: MS-07	Lab ID: 552272-001	Collected: 02/03/26 07:15
Matrix: Air		

552272-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloromethane	0.68		ppbv	0.10	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloroethane	0.067		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Methylene Chloride	0.099		ppbv	0.020	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Freon 113	0.063		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chloroform	0.020		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Benzene	0.15		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Toluene	0.20		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Tetrachloroethene	0.013		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Ethylbenzene	0.028		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
m,p-Xylenes	0.080		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Styrene	0.018		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
o-Xylene	0.031		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2,4-Trimethylbenzene	0.033		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD

Analysis Results for 552272

552272-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Xylene (total)	0.11		ppbv	0.010	1	394532	02/05/26 16:43	02/05/26 16:43	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 16:43	02/05/26 16:43	OHD

Analysis Results for 552272

Sample ID: MS-12
Lab ID: 552272-002
Collected: 02/03/26 07:30
Matrix: Air

552272-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 12	0.47		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloromethane	0.56		ppbv	0.10	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Methylene Chloride	0.099		ppbv	0.020	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Freon 113	0.065		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chloroform	0.021		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Benzene	0.14		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Carbon Tetrachloride	0.076		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Toluene	0.21		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Tetrachloroethene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Ethylbenzene	0.032		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
m,p-Xylenes	0.10		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Styrene	0.016		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
o-Xylene	0.039		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2,4-Trimethylbenzene	0.034		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD

Analysis Results for 552272

552272-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Xylene (total)	0.14		ppbv	0.010	1	394532	02/05/26 17:31	02/05/26 17:31	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 17:31	02/05/26 17:31	OHD

Analysis Results for 552272

Sample ID: MS-08	Lab ID: 552272-003	Collected: 02/03/26 07:43
Matrix: Air		

552272-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloromethane	0.55		ppbv	0.10	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Methylene Chloride	0.097		ppbv	0.020	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Freon 113	0.064		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chloroform	0.017		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Benzene	0.16		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Toluene	0.28		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Tetrachloroethene	0.014		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Ethylbenzene	0.044		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
m,p-Xylenes	0.15		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Styrene	0.015		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
o-Xylene	0.057		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,3,5-Trimethylbenzene	0.016		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2,4-Trimethylbenzene	0.061		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD

Analysis Results for 552272

552272-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Xylene (total)	0.21		ppbv	0.010	1	394532	02/05/26 18:20	02/05/26 18:20	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	394532	02/05/26 18:20	02/05/26 18:20	OHD

Analysis Results for 552272

Sample ID: MS-09
Lab ID: 552272-004
Collected: 02/03/26 07:59
Matrix: Air

552272-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 12	0.47		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloromethane	0.57		ppbv	0.11	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 114	0.016		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromomethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloroethane	0.016		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Methylene Chloride	0.10		ppbv	0.021	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Freon 113	0.064		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chloroform	0.028		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichloroethane	0.018		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Benzene	0.14		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Carbon Tetrachloride	0.075		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Trichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Toluene	0.34		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Tetrachloroethene	0.011		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Ethylbenzene	0.037		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
m,p-Xylenes	0.12		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Bromoform	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Styrene	0.070		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
o-Xylene	0.044		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2,4-Trimethylbenzene	0.037		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD

Analysis Results for 552272

552272-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Xylene (total)	0.16		ppbv	0.011	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	394532	02/05/26 19:08	02/05/26 19:08	OHD

Analysis Results for 552272

Sample ID: MS-10	Lab ID: 552272-005	Collected: 02/03/26 08:15
Matrix: Air		

552272-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 12	0.46		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloromethane	0.55		ppbv	0.11	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 114	0.016		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromomethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloroethane	0.068		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Freon 113	0.064		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chloroform	0.034		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichloroethane	0.018		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Benzene	0.15		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Carbon Tetrachloride	0.074		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Trichloroethene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Toluene	0.41		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Tetrachloroethene	0.017		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Ethylbenzene	0.048		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
m,p-Xylenes	0.16		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Bromoform	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Styrene	0.055		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
o-Xylene	0.058		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,3,5-Trimethylbenzene	0.012		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2,4-Trimethylbenzene	0.050		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD

Analysis Results for 552272

552272-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Xylene (total)	0.21		ppbv	0.011	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	394532	02/05/26 19:57	02/05/26 19:57	OHD

Analysis Results for 552272

Sample ID: MS-06	Lab ID: 552272-006	Collected: 02/03/26 08:28
Matrix: Air		

552272-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloromethane	0.54		ppbv	0.10	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Methylene Chloride	0.099		ppbv	0.020	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Freon 113	0.063		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chloroform	0.027		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Benzene	0.13		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Carbon Tetrachloride	0.075		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Toluene	0.24		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Tetrachloroethene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Ethylbenzene	0.035		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
m,p-Xylenes	0.11		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Styrene	0.047		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
o-Xylene	0.041		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2,4-Trimethylbenzene	0.037		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD

Analysis Results for 552272

552272-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Xylene (total)	0.15		ppbv	0.010	1	394532	02/05/26 20:45	02/05/26 20:45	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 20:45	02/05/26 20:45	OHD

Analysis Results for 552272

Sample ID: MS-11
Lab ID: 552272-007
Collected: 02/03/26 08:42
Matrix: Air

552272-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 12	0.46		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloromethane	0.57		ppbv	0.10	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 114	0.016		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Vinyl Chloride	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromomethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloroethane	0.013		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Vinyl bromide	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Methylene Chloride	0.10		ppbv	0.020	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Freon 113	0.064		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chloroform	0.021		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Benzene	0.093		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Carbon Tetrachloride	0.076		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromodichloromethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Trichloroethene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Toluene	0.21		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Dibromochloromethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Tetrachloroethene	0.012		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Chlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Ethylbenzene	0.028		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
m,p-Xylenes	0.091		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Bromoform	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Styrene	0.011		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
o-Xylene	0.036		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2,4-Trimethylbenzene	0.037		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Benzyl chloride	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD

Analysis Results for 552272

552272-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Xylene (total)	0.13		ppbv	0.010	1	394532	02/05/26 21:34	02/05/26 21:34	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	394532	02/05/26 21:34	02/05/26 21:34	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1337598	Batch: 394532
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1337598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	199.6	200.0	pptv	100%		70-130
1,1,1,2-Tetrachloroethane	204.6	200.0	pptv	102%		70-130
Freon 12	206.4	200.0	pptv	103%		70-130
Chloromethane	199.8	200.0	pptv	100%		70-130
Freon 114	206.1	200.0	pptv	103%		70-130
Vinyl Chloride	206.4	200.0	pptv	103%		70-130
Bromomethane	199.3	200.0	pptv	100%		70-130
Chloroethane	201.1	200.0	pptv	101%		70-130
Vinyl bromide	210.5	200.0	pptv	105%		70-130
Trichlorofluoromethane	208.0	200.0	pptv	104%		70-130
1,1-Dichloroethene	212.1	200.0	pptv	106%		70-130
Methylene Chloride	191.5	200.0	pptv	96%		70-130
Freon 113	208.1	200.0	pptv	104%		70-130
trans-1,2-Dichloroethene	208.9	200.0	pptv	104%		70-130
1,1-Dichloroethane	209.2	200.0	pptv	105%		70-130
cis-1,2-Dichloroethene	208.7	200.0	pptv	104%		70-130
Chloroform	208.0	200.0	pptv	104%		70-130
1,2-Dichloroethane	206.4	200.0	pptv	103%		70-130
1,1,1-Trichloroethane	211.7	200.0	pptv	106%		70-130
Benzene	200.9	200.0	pptv	100%		70-130
Carbon Tetrachloride	209.9	200.0	pptv	105%		70-130
1,2-Dichloropropane	209.3	200.0	pptv	105%		70-130
Bromodichloromethane	211.0	200.0	pptv	106%		70-130
Trichloroethene	220.5	200.0	pptv	110%		70-130
cis-1,3-Dichloropropene	206.4	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	205.1	200.0	pptv	103%		70-130
1,1,2-Trichloroethane	211.2	200.0	pptv	106%		70-130
Toluene	211.9	200.0	pptv	106%		70-130
Dibromochloromethane	211.8	200.0	pptv	106%		70-130
1,2-Dibromoethane	207.7	200.0	pptv	104%		70-130
Tetrachloroethene	251.7	200.0	pptv	126%		70-130
Chlorobenzene	205.1	200.0	pptv	103%		70-130
Ethylbenzene	206.7	200.0	pptv	103%		70-130
m,p-Xylenes	415.6	400.0	pptv	104%		70-130
Bromoform	193.8	200.0	pptv	97%		70-130
Styrene	201.7	200.0	pptv	101%		70-130
o-Xylene	210.4	200.0	pptv	105%		70-130
2-Chlorotoluene	205.9	200.0	pptv	103%		70-130
1,3,5-Trimethylbenzene	206.0	200.0	pptv	103%		70-130
1,2,4-Trimethylbenzene	209.4	200.0	pptv	105%		70-130
Benzyl chloride	197.1	200.0	pptv	99%		70-130
1,3-Dichlorobenzene	207.3	200.0	pptv	104%		70-130
1,4-Dichlorobenzene	205.8	200.0	pptv	103%		70-130
1,2-Dichlorobenzene	202.6	200.0	pptv	101%		70-130
1,2,4-Trichlorobenzene	199.1	200.0	pptv	100%		70-130
Hexachlorobutadiene	191.5	200.0	pptv	96%		70-130

Surrogates

Batch QC

QC1337598 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	247.1	250.0	pptv	99%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1337599	Batch: 394532
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1337599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	202.5	200.0	pptv	101%		70-130	1	25
1,1,1,2-Tetrachloroethane	207.9	200.0	pptv	104%		70-130	2	25
Freon 12	207.9	200.0	pptv	104%		70-130	1	25
Chloromethane	201.1	200.0	pptv	101%		70-130	1	25
Freon 114	206.6	200.0	pptv	103%		70-130	0	25
Vinyl Chloride	207.4	200.0	pptv	104%		70-130	0	25
Bromomethane	200.1	200.0	pptv	100%		70-130	0	25
Chloroethane	202.7	200.0	pptv	101%		70-130	1	25
Vinyl bromide	211.0	200.0	pptv	105%		70-130	0	25
Trichlorofluoromethane	208.8	200.0	pptv	104%		70-130	0	25
1,1-Dichloroethene	213.3	200.0	pptv	107%		70-130	1	25
Methylene Chloride	192.3	200.0	pptv	96%		70-130	0	25
Freon 113	208.8	200.0	pptv	104%		70-130	0	25
trans-1,2-Dichloroethene	209.6	200.0	pptv	105%		70-130	0	25
1,1-Dichloroethane	210.0	200.0	pptv	105%		70-130	0	25
cis-1,2-Dichloroethene	209.9	200.0	pptv	105%		70-130	1	25
Chloroform	209.0	200.0	pptv	104%		70-130	0	25
1,2-Dichloroethane	206.9	200.0	pptv	103%		70-130	0	25
1,1,1-Trichloroethane	213.7	200.0	pptv	107%		70-130	1	25
Benzene	201.5	200.0	pptv	101%		70-130	0	25
Carbon Tetrachloride	211.1	200.0	pptv	106%		70-130	1	25
1,2-Dichloropropane	211.2	200.0	pptv	106%		70-130	1	25
Bromodichloromethane	213.5	200.0	pptv	107%		70-130	1	25
Trichloroethene	221.0	200.0	pptv	111%		70-130	0	25
cis-1,3-Dichloropropene	207.5	200.0	pptv	104%		70-130	1	25
trans-1,3-Dichloropropene	204.3	200.0	pptv	102%		70-130	0	25
1,1,2-Trichloroethane	211.7	200.0	pptv	106%		70-130	0	25
Toluene	214.3	200.0	pptv	107%		70-130	1	25
Dibromochloromethane	213.2	200.0	pptv	107%		70-130	1	25
1,2-Dibromoethane	208.7	200.0	pptv	104%		70-130	1	25
Tetrachloroethene	251.8	200.0	pptv	126%		70-130	0	25
Chlorobenzene	208.8	200.0	pptv	104%		70-130	2	25
Ethylbenzene	210.7	200.0	pptv	105%		70-130	2	25
m,p-Xylenes	421.3	400.0	pptv	105%		70-130	1	25
Bromoform	194.1	200.0	pptv	97%		70-130	0	25
Styrene	203.6	200.0	pptv	102%		70-130	1	25
o-Xylene	211.4	200.0	pptv	106%		70-130	0	25
2-Chlorotoluene	206.7	200.0	pptv	103%		70-130	0	25
1,3,5-Trimethylbenzene	208.8	200.0	pptv	104%		70-130	1	25
1,2,4-Trimethylbenzene	210.4	200.0	pptv	105%		70-130	0	25
Benzyl chloride	199.5	200.0	pptv	100%		70-130	1	25
1,3-Dichlorobenzene	207.7	200.0	pptv	104%		70-130	0	25
1,4-Dichlorobenzene	207.0	200.0	pptv	103%		70-130	1	25
1,2-Dichlorobenzene	203.5	200.0	pptv	102%		70-130	0	25
1,2,4-Trichlorobenzene	199.2	200.0	pptv	100%		70-130	0	25
Hexachlorobutadiene	191.2	200.0	pptv	96%		70-130	0	25

Batch QC

QC1337599 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	246.8	250.0	pptv	99%		70-130		

Batch QC


Type: Blank	Lab ID: QC1337600	Batch: 394532
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1337600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Freon 12	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloromethane	ND		pptv	100	02/05/26 11:10	02/05/26 11:10
Freon 114	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Vinyl Chloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromomethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Vinyl bromide	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Trichlorofluoromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Methylene Chloride	ND		pptv	20	02/05/26 11:10	02/05/26 11:10
Freon 113	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
trans-1,2-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1-Dichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
cis-1,2-Dichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chloroform	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,1-Trichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Benzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Carbon Tetrachloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichloropropane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromodichloromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Trichloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
cis-1,3-Dichloropropene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
trans-1,3-Dichloropropene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,1,2-Trichloroethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Toluene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Dibromochloromethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dibromoethane	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Tetrachloroethene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Chlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Ethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
m,p-Xylenes	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Bromoform	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Styrene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
o-Xylene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
2-Chlorotoluene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,3,5-Trimethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2,4-Trimethylbenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Benzyl chloride	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,3-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,4-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2-Dichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
1,2,4-Trichlorobenzene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Hexachlorobutadiene	ND		pptv	10	02/05/26 11:10	02/05/26 11:10
Xylene (total)	ND		pptv	10	02/05/26 11:10	02/05/26 11:10

Batch QC

QC1337600 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	101%		%REC	70-130	02/05/26 11:10	02/05/26 11:10

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260329
REPORT DATE : 02/16/2026


On February 10th 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260329-86136
MS-12	260329-86137
MS-08	260329-86138
MS-09	260329-86139
MS-10	260329-86140
MS-06	260329-86141
MS-11	260329-86142


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260329
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/09-10/2026
RECEIVING DATE : 02/10/2026
ANALYSIS DATE : 02/10/2026
REPORT DATE : 02/16/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260329-86136	260329-86137	260329-86138	260329-86139
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO2)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260329
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/09-10/2026
RECEIVING DATE : 02/10/2026
ANALYSIS DATE : 02/10/2026
REPORT DATE : 02/16/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260329-86140	260329-86141	260329-86142
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/10/2026
Analyst: NR
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7607	0.483	97.8	0.5
Duplicate	7912	0.502	101.7	3.5
Triplicate	7407	0.470	95.2	3.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7182	0.492	96.9	0.2
Duplicate	7310	0.501	98.7	1.5
Triplicate	7105	0.487	95.9	1.3

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7790	0.474	98.6	1.8
Duplicate	8029	0.488	101.6	1.2
Triplicate	7982	0.485	101.0	0.6

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 253406-84927

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 253406-84927 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.223	0.243	90.3	98.4	8.6
MeSH	<PQL	0.254	0.241	0.260	95.0	102.5	7.6
DMS	<PQL	0.240	0.221	0.243	92.0	101.1	9.5

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.481	97.4
MeSH	0.508	0.485	95.6
DMS	0.481	0.456	94.9


* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 0.05 ppmV

360329

CHAIN OF CUSTODY RECORD

Client/Project Name S&S Engineering Cheveta Canyon Landfill Air/Odor Sampling		Project Location Valencia, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Jacob Pennington		(Signature) <i>Jacob Pennington</i>		No. Of Containers 7			
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	2-9-06	0708-0708	86136	10 Liter Bag	X		
MS-12	2-9-06	0718-0718	86137	10 Liter Bag	X		
MS-08	2-9-06	0726-0726	86138	10 Liter Bag	X		
MS-09	2-9-06	0740-0740	86139	10 Liter Bag	X		
MS-10	2-9-06	0758-0758	86140	10 Liter Bag	X		
MS-06	2-9-06	0814-0814	86141	10 Liter Bag	X		
MS-11	2-9-06	0835-0835	86142	10 Liter Bag	X		
Relinquished by: (Signature) <i>Jacob Pennington</i>		Date	Time	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)		2/10/26	0944				
Relinquished by: (Signature)		Date	Time	Received by: (Signature)	Date	Time	
Relinquished by: (Signature)							
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature)	Date	Time	
Relinquished by: (Signature)				<i>[Signature]</i>	2/10/26	0946	
Sample Disposal Method:		Disposed of by: (Signature)				Date	Time
Sample Collector		Analytical Laboratory				Date	Time
RTS Environmental Inc. 865 Via Lata • Colton, California 92324 (909) 422-1001 Fax (909) 422-0707		AAC Ventura					

307.91 Sulfur



AAC Ventura

Sample Summary

Raymond Huff	Lab Job #:	552768
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/10/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	552768-001	02/10/26 07:08	Air
MS-12	552768-002	02/10/26 07:18	Air
MS-08	552768-003	02/10/26 07:26	Air
MS-09	552768-004	02/10/26 07:40	Air
MS-10	552768-005	02/10/26 07:58	Air
MS-06	552768-006	02/10/26 08:14	Air
MS-11	552768-007	02/10/26 08:35	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 552768
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 02/10/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/10/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209



Air Chain of Custody Record
 Lab Job No. 552768

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	S&S Engineers	Name:	Chiquita Canyon Landfill Air/Odor Sampling
Report To:	Ruy Hoff	Number:	
Email:	rhuff@ssecsengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:	
Phone:	562-355-6334	Sampled By:	Jacob Pennington
Special Instructions:	Fax: 562 427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time			
1 MS-07	A	C70370	6L	A70611	2-9-26	0708	2-10-26	0708	-5	X	<input type="checkbox"/> Standard <input type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day Custom TAT: _____	
2 MS-12	A	C70367	6L	A70628	2-9-26	0718	2-10-26	0718	-6	X		
3 MS-08	A	C70430	6L	A70635	2-9-26	0726	2-10-26	0726	-5	X		
4 MS-09	A	C70643	6L	A70639	2-9-26	0740	2-10-26	0740	-6	X		
5 MS-10	A	C70358	6L	A70603	2-9-26	0758	2-10-26	0758	-5	X		
6 MS-06	A	C70631	6L	A70248	2-9-26	0814	2-10-26	0814	-9	X		
7 MS-11	A	C70343	6L	A70163	2-9-26	0835	2-10-26	0835	-7	X		
8												
9												
10												

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE/TIME
RECEIVED BY:	<i>[Signature]</i>	Jacob Pennington	RES	2/10/26 - 1152
RELINQUISHED BY:	<i>[Signature]</i>	AR	EA	2/10/26 1102
RECEIVED BY:				
RELINQUISHED BY:				
RECEIVED BY:				



Log in 552768

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 02/10/20 WO# 552768 Client: _____

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 02/10/20 By (initials) JXR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?			X
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 02/10/20 By (print) FPD (sign) [Signature]
 Date Labeled 02/10/20 By (print) FPD (sign) [Signature]

Analysis Results for 552768

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 552768
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/10/26

Sample ID: MS-07	Lab ID: 552768-001	Collected: 02/10/26 07:08
Matrix: Air		

552768-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 12	0.47		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloromethane	0.57		ppbv	0.10	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloroethane	0.10		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Freon 113	0.065		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chloroform	0.020		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Benzene	0.18		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Toluene	0.23		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Tetrachloroethene	0.013		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Ethylbenzene	0.033		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
m,p-Xylenes	0.091		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Styrene	0.025		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
o-Xylene	0.035		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2,4-Trimethylbenzene	0.034		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD

Analysis Results for 552768

552768-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Xylene (total)	0.13		ppbv	0.010	1	395023	02/11/26 11:17	02/11/26 11:17	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 11:17	02/11/26 11:17	OHD

Analysis Results for 552768

Sample ID: MS-12
Lab ID: 552768-002
Collected: 02/10/26 07:18
Matrix: Air

552768-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 12	0.46		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloromethane	0.56		ppbv	0.11	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 114	0.016		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromomethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloroethane	0.14		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Trichlorofluoromethane	0.19		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Freon 113	0.063		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chloroform	0.020		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichloroethane	0.017		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Benzene	0.18		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Carbon Tetrachloride	0.075		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Toluene	0.30		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Tetrachloroethene	0.018		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Ethylbenzene	0.042		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
m,p-Xylenes	0.13		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Bromoform	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Styrene	0.028		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
o-Xylene	0.050		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,3,5-Trimethylbenzene	0.011		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2,4-Trimethylbenzene	0.048		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD

Analysis Results for 552768

552768-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Xylene (total)	0.18		ppbv	0.011	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1.1	395023	02/11/26 12:06	02/11/26 12:06	OHD

Analysis Results for 552768

Sample ID: MS-08	Lab ID: 552768-003	Collected: 02/10/26 07:26
Matrix: Air		

552768-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 12	0.47		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloromethane	0.56		ppbv	0.10	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloroethane	0.11		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Freon 113	0.065		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chloroform	0.020		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Benzene	0.12		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Toluene	0.21		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Tetrachloroethene	0.017		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Ethylbenzene	0.027		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
m,p-Xylenes	0.082		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Styrene	0.016		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
o-Xylene	0.032		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2,4-Trimethylbenzene	0.029		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD

Analysis Results for 552768

552768-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Xylene (total)	0.11		ppbv	0.010	1	395023	02/11/26 12:55	02/11/26 12:55	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 12:55	02/11/26 12:55	OHD

Analysis Results for 552768

Sample ID: MS-09	Lab ID: 552768-004	Collected: 02/10/26 07:40
Matrix: Air		

552768-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 12	0.46		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloromethane	0.56		ppbv	0.10	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloroethane	0.090		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Freon 113	0.067		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chloroform	0.025		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Benzene	0.18		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Carbon Tetrachloride	0.076		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Toluene	0.37		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Tetrachloroethene	0.016		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Ethylbenzene	0.042		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
m,p-Xylenes	0.13		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Styrene	0.043		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
o-Xylene	0.046		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2,4-Trimethylbenzene	0.038		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD

Analysis Results for 552768

552768-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Xylene (total)	0.17		ppbv	0.010	1	395023	02/11/26 13:43	02/11/26 13:43	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	395023	02/11/26 13:43	02/11/26 13:43	OHD

Analysis Results for 552768

Sample ID: MS-10	Lab ID: 552768-005	Collected: 02/10/26 07:58
Matrix: Air		

552768-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 12	0.46		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloromethane	0.55		ppbv	0.10	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 114	0.016		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromomethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Vinyl bromide	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Trichlorofluoromethane	0.20		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Methylene Chloride	0.11		ppbv	0.021	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Freon 113	0.064		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chloroform	0.031		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Benzene	0.15		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Carbon Tetrachloride	0.077		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Trichloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Toluene	0.34		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Tetrachloroethene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Chlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Ethylbenzene	0.043		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
m,p-Xylenes	0.13		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Bromoform	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Styrene	0.079		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
o-Xylene	0.049		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,3,5-Trimethylbenzene	0.011		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2,4-Trimethylbenzene	0.045		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Benzyl chloride	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD

Analysis Results for 552768

552768-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Xylene (total)	0.18		ppbv	0.010	1	395023	02/11/26 14:32	02/11/26 14:32	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	395023	02/11/26 14:32	02/11/26 14:32	OHD

Analysis Results for 552768

Sample ID: MS-06	Lab ID: 552768-006	Collected: 02/10/26 08:14
Matrix: Air		

552768-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 12	0.47		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloromethane	0.55		ppbv	0.11	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 114	0.017		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromomethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Freon 113	0.064		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chloroform	0.024		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichloroethane	0.018		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Benzene	0.17		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Carbon Tetrachloride	0.077		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Toluene	0.28		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Ethylbenzene	0.039		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
m,p-Xylenes	0.10		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Bromoform	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Styrene	0.090		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
o-Xylene	0.041		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2,4-Trimethylbenzene	0.030		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD

Analysis Results for 552768

552768-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Xylene (total)	0.15		ppbv	0.011	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.1	395023	02/11/26 15:20	02/11/26 15:20	OHD

Analysis Results for 552768

Sample ID: MS-11
Lab ID: 552768-007
Collected: 02/10/26 08:35
Matrix: Air

552768-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 12	0.46		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloromethane	0.57		ppbv	0.12	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 114	0.016		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromomethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloroethane	0.025		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Trichlorofluoromethane	0.20		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Methylene Chloride	0.11		ppbv	0.023	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Freon 113	0.064		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chloroform	0.026		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichloroethane	0.018		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Benzene	0.13		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Carbon Tetrachloride	0.077		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Trichloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Toluene	0.23		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Ethylbenzene	0.033		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
m,p-Xylenes	0.094		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Bromoform	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Styrene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
o-Xylene	0.038		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2,4-Trimethylbenzene	0.031		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD

Analysis Results for 552768

552768-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Xylene (total)	0.13		ppbv	0.012	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.2	395023	02/11/26 16:09	02/11/26 16:09	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1339412	Batch: 395023
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1339412 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	206.8	200.0	pptv	103%		70-130
1,1,1,2-Tetrachloroethane	207.7	200.0	pptv	104%		70-130
Freon 12	211.1	200.0	pptv	106%		70-130
Chloromethane	210.5	200.0	pptv	105%		70-130
Freon 114	212.8	200.0	pptv	106%		70-130
Vinyl Chloride	213.3	200.0	pptv	107%		70-130
Bromomethane	211.5	200.0	pptv	106%		70-130
Chloroethane	205.7	200.0	pptv	103%		70-130
Vinyl bromide	207.6	200.0	pptv	104%		70-130
Trichlorofluoromethane	211.2	200.0	pptv	106%		70-130
1,1-Dichloroethene	210.6	200.0	pptv	105%		70-130
Methylene Chloride	195.5	200.0	pptv	98%		70-130
Freon 113	209.9	200.0	pptv	105%		70-130
trans-1,2-Dichloroethene	210.8	200.0	pptv	105%		70-130
1,1-Dichloroethane	211.6	200.0	pptv	106%		70-130
cis-1,2-Dichloroethene	210.8	200.0	pptv	105%		70-130
Chloroform	209.8	200.0	pptv	105%		70-130
1,2-Dichloroethane	211.0	200.0	pptv	106%		70-130
1,1,1-Trichloroethane	211.4	200.0	pptv	106%		70-130
Benzene	199.0	200.0	pptv	99%		70-130
Carbon Tetrachloride	214.4	200.0	pptv	107%		70-130
1,2-Dichloropropane	210.1	200.0	pptv	105%		70-130
Bromodichloromethane	218.3	200.0	pptv	109%		70-130
Trichloroethene	209.6	200.0	pptv	105%		70-130
cis-1,3-Dichloropropene	215.5	200.0	pptv	108%		70-130
trans-1,3-Dichloropropene	212.3	200.0	pptv	106%		70-130
1,1,2-Trichloroethane	212.2	200.0	pptv	106%		70-130
Toluene	207.5	200.0	pptv	104%		70-130
Dibromochloromethane	219.8	200.0	pptv	110%		70-130
1,2-Dibromoethane	209.4	200.0	pptv	105%		70-130
Tetrachloroethene	221.1	200.0	pptv	111%		70-130
Chlorobenzene	201.4	200.0	pptv	101%		70-130
Ethylbenzene	202.3	200.0	pptv	101%		70-130
m,p-Xylenes	409.1	400.0	pptv	102%		70-130
Bromoform	195.1	200.0	pptv	98%		70-130
Styrene	201.9	200.0	pptv	101%		70-130
o-Xylene	206.1	200.0	pptv	103%		70-130
2-Chlorotoluene	200.6	200.0	pptv	100%		70-130
1,3,5-Trimethylbenzene	204.6	200.0	pptv	102%		70-130
1,2,4-Trimethylbenzene	204.8	200.0	pptv	102%		70-130
Benzyl chloride	196.3	200.0	pptv	98%		70-130
1,3-Dichlorobenzene	202.4	200.0	pptv	101%		70-130
1,4-Dichlorobenzene	198.4	200.0	pptv	99%		70-130
1,2-Dichlorobenzene	195.3	200.0	pptv	98%		70-130
1,2,4-Trichlorobenzene	162.2	200.0	pptv	81%		70-130
Hexachlorobutadiene	187.6	200.0	pptv	94%		70-130

Surrogates

Batch QC

QC1339412 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	242.8	250.0	pptv	97%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1339413	Batch: 395023
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1339413 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	201.0	200.0	pptv	101%		70-130	3	25
1,1,1,2-Tetrachloroethane	201.2	200.0	pptv	101%		70-130	3	25
Freon 12	207.8	200.0	pptv	104%		70-130	2	25
Chloromethane	205.4	200.0	pptv	103%		70-130	2	25
Freon 114	206.9	200.0	pptv	103%		70-130	3	25
Vinyl Chloride	208.4	200.0	pptv	104%		70-130	2	25
Bromomethane	205.6	200.0	pptv	103%		70-130	3	25
Chloroethane	199.6	200.0	pptv	100%		70-130	3	25
Vinyl bromide	202.1	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	205.2	200.0	pptv	103%		70-130	3	25
1,1-Dichloroethene	203.8	200.0	pptv	102%		70-130	3	25
Methylene Chloride	190.5	200.0	pptv	95%		70-130	3	25
Freon 113	204.3	200.0	pptv	102%		70-130	3	25
trans-1,2-Dichloroethene	204.9	200.0	pptv	102%		70-130	3	25
1,1-Dichloroethane	206.4	200.0	pptv	103%		70-130	2	25
cis-1,2-Dichloroethene	205.0	200.0	pptv	103%		70-130	3	25
Chloroform	203.5	200.0	pptv	102%		70-130	3	25
1,2-Dichloroethane	204.5	200.0	pptv	102%		70-130	3	25
1,1,1-Trichloroethane	206.4	200.0	pptv	103%		70-130	2	25
Benzene	194.7	200.0	pptv	97%		70-130	2	25
Carbon Tetrachloride	208.0	200.0	pptv	104%		70-130	3	25
1,2-Dichloropropane	205.0	200.0	pptv	102%		70-130	2	25
Bromodichloromethane	210.7	200.0	pptv	105%		70-130	4	25
Trichloroethene	203.0	200.0	pptv	101%		70-130	3	25
cis-1,3-Dichloropropene	206.6	200.0	pptv	103%		70-130	4	25
trans-1,3-Dichloropropene	204.8	200.0	pptv	102%		70-130	4	25
1,1,2-Trichloroethane	205.6	200.0	pptv	103%		70-130	3	25
Toluene	201.9	200.0	pptv	101%		70-130	3	25
Dibromochloromethane	213.4	200.0	pptv	107%		70-130	3	25
1,2-Dibromoethane	203.5	200.0	pptv	102%		70-130	3	25
Tetrachloroethene	214.1	200.0	pptv	107%		70-130	3	25
Chlorobenzene	196.7	200.0	pptv	98%		70-130	2	25
Ethylbenzene	197.7	200.0	pptv	99%		70-130	2	25
m,p-Xylenes	399.2	400.0	pptv	100%		70-130	2	25
Bromoform	189.3	200.0	pptv	95%		70-130	3	25
Styrene	197.3	200.0	pptv	99%		70-130	2	25
o-Xylene	201.3	200.0	pptv	101%		70-130	2	25
2-Chlorotoluene	195.6	200.0	pptv	98%		70-130	2	25
1,3,5-Trimethylbenzene	199.2	200.0	pptv	100%		70-130	3	25
1,2,4-Trimethylbenzene	199.9	200.0	pptv	100%		70-130	2	25
Benzyl chloride	191.2	200.0	pptv	96%		70-130	3	25
1,3-Dichlorobenzene	197.1	200.0	pptv	99%		70-130	3	25
1,4-Dichlorobenzene	193.2	200.0	pptv	97%		70-130	3	25
1,2-Dichlorobenzene	191.1	200.0	pptv	96%		70-130	2	25
1,2,4-Trichlorobenzene	182.1	200.0	pptv	91%		70-130	12	25
Hexachlorobutadiene	185.9	200.0	pptv	93%		70-130	1	25

Batch QC

QC1339413 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	242.1	250.0	pptv	97%		70-130		

Batch QC


Type: Blank	Lab ID: QC1339414	Batch: 395023
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1339414 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Freon 12	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloromethane	ND		pptv	100	02/11/26 10:25	02/11/26 10:25
Freon 114	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Vinyl Chloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromomethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Vinyl bromide	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Trichlorofluoromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Methylene Chloride	ND		pptv	20	02/11/26 10:25	02/11/26 10:25
Freon 113	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
trans-1,2-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1-Dichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
cis-1,2-Dichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chloroform	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,1-Trichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Benzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Carbon Tetrachloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichloropropane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromodichloromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Trichloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
cis-1,3-Dichloropropene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
trans-1,3-Dichloropropene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,1,2-Trichloroethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Toluene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Dibromochloromethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dibromoethane	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Tetrachloroethene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Chlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Ethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
m,p-Xylenes	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Bromoform	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Styrene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
o-Xylene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
2-Chlorotoluene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,3,5-Trimethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2,4-Trimethylbenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Benzyl chloride	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,3-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,4-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2-Dichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
1,2,4-Trichlorobenzene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Hexachlorobutadiene	ND		pptv	10	02/11/26 10:25	02/11/26 10:25
Xylene (total)	ND		pptv	10	02/11/26 10:25	02/11/26 10:25

Batch QC

QC1339414 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	94%		%REC	70-130	02/11/26 10:25	02/11/26 10:25

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260396
REPORT DATE : 02/24/2026


On February 18th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260396-86482
MS-12	260396-86483
MS-08	260396-86484
MS-09	260396-86485
MS-10	260396-86486
MS-06	260396-86487
MS-11	260396-86488


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260396
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 02/17-18/2026
RECEIVING DATE : 02/18/2026
ANALYSIS DATE : 02/18/2026
REPORT DATE : 02/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260396-86482	260396-86483	260396-86484	260396-86485
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260396
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/17-18/2026
RECEIVING DATE : 02/18/2026
ANALYSIS DATE : 02/18/2026
REPORT DATE : 02/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260396-86486	260396-86487	260396-86488
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/18/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

494.0 ppbV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21391	481	97.3	1.2
Duplicate	21402	481	97.4	1.2
Triplicate	22192	499	100.9	2.4

507.5 ppbV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	19623	511	100.6	0.7
Duplicate	19582	510	100.4	0.9
Triplicate	20072	522	102.9	1.6

480.5 ppbV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22086	489	101.8	1.1
Duplicate	22138	490	102.1	0.8
Triplicate	22740	504	104.8	1.9

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86137

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	247.0	256.7	233.3	103.9	94.5	9.5
MeSH	<PQL	253.8	247.8	249.1	97.7	98.2	0.5
DMS	<PQL	240.3	247.0	244.2	102.8	101.6	1.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	494.0	455.5	92.2
MeSH	507.5	507.0	99.9
DMS	480.5	497.5	103.5

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 50.0 ppbV

CHAIN OF CUSTODY RECORD 260396

Client/Project Name **SS Engineers**
 8100 La Croyer Lane, Los Angeles, CA 90044
 Project Location **Valencia, CA**

Project No. **Arbor Sampling** Field Logbook No. **ANALYSES**

Sampler: (Print) **Jacob Pennington** (Signature) *Jacob Pennington* No. Of Containers **7**

Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Received by: (Signature)	Date	Time	Remarks
MS-07	2-17/18-26	0715-0715	86482	10 Liter Bag	X			7.91 Sulfur
MS-12	2-17/18-26	0732-0732	86483	10 Liter Bag	X			
MS-08	2-17/18-26	0744-0744	86484	10 Liter Bag	X			
MS-09	2-17/18-26	0756-0756	86485	10 Liter Bag	X			
MS-10	2-17/18-26	0810-0810	86486	10 Liter Bag	X			
MS-06	2-17/18-26	0825-0825	86487	10 Liter Bag	X			
MS-11	2-17/18-26	0850-0850	86488	10 Liter Bag	X			

Relinquished by: (Signature) *Jacob Pennington* Date **2/18/26** Time **1003** Received by: (Signature) _____ Date _____ Time _____

Relinquished by: (Signature) _____ Date _____ Time _____ Received by: (Signature) _____ Date _____ Time _____

Relinquished by: (Signature) _____ Date _____ Time _____ Received for Laboratory: (Signature) _____ Date **2/18/26** Time **1003**

Sample Disposal Method: _____ Disposed of by: (Signature) _____

Sample Collector **RTS Environmental Inc.** Analytical Laboratory **AAC Ventura**

865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Sample Summary

Raymond Huff	Lab Job #:	553527
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/18/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	553527-001	02/18/26 07:15	Air
MS-12	553527-002	02/18/26 07:32	Air
MS-08	553527-003	02/18/26 07:44	Air
MS-09	553527-004	02/18/26 07:56	Air
MS-10	553527-005	02/18/26 08:10	Air
MS-06	553527-006	02/18/26 08:25	Air
MS-11	553527-007	02/18/26 08:50	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 553527
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 02/18/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/18/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

Air Chain of Custody Record

Lab Job No. 553527



931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company: <u>Scs Engineers</u>	Name: <u>Chiquita Canyon Landfill Air/odor Sampling</u>	PO Number:	Lab Quote Number:
Report To: <u>Ray Huff</u>	Number:		
Email: <u>rhuff@scsengineers.com</u>	Address: <u>Valencia, CA</u>		
Address: <u>3900 Kilroy Airport Way Suite 300</u>			
<u>Long Beach CA 90806</u>			
Phone: <u>562-355-6334</u>	Global ID:		
Fax: <u>427-0805</u>	Sampled By: <u>Jacob Pennington</u>		

Special Instructions:

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time				
1 MS-07	A	C70696	6L	A70175	2-17-26	0715	2-18-26	0715	-28	-8	X		
2 MS-12	A	C70339	6L	A70585	2-17-26	0732	2-18-26	0732	-30	-10	X		
3 MS-08	A	C70807	6L	A70598	2-17-26	0744	2-18-26	0744	-27	-0	X		
4 MS-09	A	C70918	6L	A70623	2-17-26	0756	2-18-26	0756	-28	-4	X		
5 MS-10	A	C70657	6L	A70661	2-17-26	0810	2-18-26	0810	-29	-4	X		
6 MS-06	A	C70942	6L	A70504	2-17-26	0825	2-18-26	0825	-29	-4	X		
7 MS-11	A	C70120	6L	A70437	2-17-26	0850	2-18-26	0850	-30	-2	X		
8													
9													
10													

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
RECEIVED BY:		Ray Huff	Jacob Pennington	2-18-26 / 1212
RELINQUISHED BY:			RES	2-18-26 / 1212
RECEIVED BY:			EA	
RELINQUISHED BY:				
RECEIVED BY:				

Login 553527



Analysis Results for 553527

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 553527
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/18/26

Sample ID: MS-07	Lab ID: 553527-001	Collected: 02/18/26 07:15
Matrix: Air		

553527-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 12	0.44		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloromethane	0.53		ppbv	0.11	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 114	0.016		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromomethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Trichlorofluoromethane	0.19		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Freon 113	0.062		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chloroform	0.014		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Benzene	0.096		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Carbon Tetrachloride	0.075		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Toluene	0.047		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
m,p-Xylenes	0.014		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Bromoform	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Styrene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
o-Xylene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD

Analysis Results for 553527

553527-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Xylene (total)	0.014		ppbv	0.011	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1.1	395603	02/18/26 21:10	02/18/26 21:10	OHD

Analysis Results for 553527

Sample ID: MS-12	Lab ID: 553527-002	Collected: 02/18/26 07:32
Matrix: Air		

553527-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 12	0.42		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloromethane	0.51		ppbv	0.11	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 114	0.015		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromomethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Methylene Chloride	0.10		ppbv	0.022	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Freon 113	0.059		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chloroform	0.014		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichloroethane	0.020		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Benzene	0.093		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Carbon Tetrachloride	0.071		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Trichloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Toluene	0.045		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
m,p-Xylenes	0.014		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Bromoform	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Styrene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
o-Xylene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD

Analysis Results for 553527

553527-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Xylene (total)	0.014		ppbv	0.011	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1.1	395603	02/18/26 21:59	02/18/26 21:59	OHD

Analysis Results for 553527

Sample ID: MS-08
Lab ID: 553527-003
Collected: 02/18/26 07:44
Matrix: Air

553527-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 12	0.42		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloromethane	0.51		ppbv	0.10	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloroethane	0.014		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Freon 113	0.059		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chloroform	0.014		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Benzene	0.088		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Carbon Tetrachloride	0.072		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Toluene	0.083		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Tetrachloroethene	0.025		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
m,p-Xylenes	0.023		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Styrene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
o-Xylene	0.010		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD

Analysis Results for 553527

553527-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Xylene (total)	0.033		ppbv	0.010	1	395603	02/18/26 22:48	02/18/26 22:48	OHD
Surrogates				Limits					
Bromofluorobenzene	91%		%REC	60-140	1	395603	02/18/26 22:48	02/18/26 22:48	OHD

Analysis Results for 553527

Sample ID: MS-09
Lab ID: 553527-004
Collected: 02/18/26 07:56
Matrix: Air

553527-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 12	0.42		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloromethane	0.54		ppbv	0.10	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloroethane	0.031		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Freon 113	0.060		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chloroform	0.016		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Benzene	0.094		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Carbon Tetrachloride	0.073		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Toluene	0.10		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Tetrachloroethene	0.015		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Ethylbenzene	0.011		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
m,p-Xylenes	0.032		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Styrene	0.022		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
o-Xylene	0.012		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD

Analysis Results for 553527

553527-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Xylene (total)	0.045		ppbv	0.010	1	395603	02/18/26 23:37	02/18/26 23:37	OHD
Surrogates				Limits					
Bromofluorobenzene	91%		%REC	60-140	1	395603	02/18/26 23:37	02/18/26 23:37	OHD

Analysis Results for 553527

Sample ID: MS-10	Lab ID: 553527-005	Collected: 02/18/26 08:10
Matrix: Air		

553527-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 12	0.42		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloromethane	0.56		ppbv	0.10	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloroethane	0.094		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Freon 113	0.061		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chloroform	0.016		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichloroethane	0.021		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Benzene	0.095		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Toluene	0.13		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Tetrachloroethene	0.020		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Ethylbenzene	0.011		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
m,p-Xylenes	0.030		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Styrene	0.028		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
o-Xylene	0.012		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD

Analysis Results for 553527

553527-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Xylene (total)	0.042		ppbv	0.010	1	395603	02/19/26 00:26	02/19/26 00:26	OHD
Surrogates				Limits					
Bromofluorobenzene	90%		%REC	60-140	1	395603	02/19/26 00:26	02/19/26 00:26	OHD

Analysis Results for 553527

Sample ID: MS-06
Lab ID: 553527-006
Collected: 02/18/26 08:25
Matrix: Air

553527-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 12	0.44		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloromethane	0.53		ppbv	0.10	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloroethane	0.030		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Methylene Chloride	0.12		ppbv	0.020	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Freon 113	0.061		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chloroform	0.015		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichloroethane	0.021		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Benzene	0.094		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Toluene	0.096		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Tetrachloroethene	0.024		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
m,p-Xylenes	0.024		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Styrene	0.016		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
o-Xylene	0.011		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD

Analysis Results for 553527

553527-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Xylene (total)	0.036		ppbv	0.010	1	395603	02/19/26 01:14	02/19/26 01:14	OHD
Surrogates				Limits					
Bromofluorobenzene	92%		%REC	60-140	1	395603	02/19/26 01:14	02/19/26 01:14	OHD

Analysis Results for 553527

Sample ID: MS-11	Lab ID: 553527-007	Collected: 02/18/26 08:50
Matrix: Air		

553527-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 12	0.44		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloromethane	0.53		ppbv	0.10	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 114	0.015		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Vinyl Chloride	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromomethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Vinyl bromide	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Methylene Chloride	0.11		ppbv	0.020	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Freon 113	0.061		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chloroform	0.014		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Benzene	0.087		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Carbon Tetrachloride	0.075		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromodichloromethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Trichloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Toluene	0.040		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Dibromochloromethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Tetrachloroethene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Chlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Ethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
m,p-Xylenes	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Bromoform	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Styrene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
o-Xylene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Benzyl chloride	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD

Analysis Results for 553527

553527-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Xylene (total)	ND		ppbv	0.010	1	395603	02/19/26 02:03	02/19/26 02:03	OHD
Surrogates				Limits					
Bromofluorobenzene	93%		%REC	60-140	1	395603	02/19/26 02:03	02/19/26 02:03	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1341408	Batch: 395603
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1341408 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	205.5	200.0	pptv	103%		70-130
1,1,1,2-Tetrachloroethane	210.5	200.0	pptv	105%		70-130
Freon 12	199.6	200.0	pptv	100%		70-130
Chloromethane	196.2	200.0	pptv	98%		70-130
Freon 114	202.5	200.0	pptv	101%		70-130
Vinyl Chloride	200.5	200.0	pptv	100%		70-130
Bromomethane	197.4	200.0	pptv	99%		70-130
Chloroethane	201.5	200.0	pptv	101%		70-130
Vinyl bromide	199.1	200.0	pptv	100%		70-130
Trichlorofluoromethane	200.7	200.0	pptv	100%		70-130
1,1-Dichloroethene	196.2	200.0	pptv	98%		70-130
Methylene Chloride	185.1	200.0	pptv	93%		70-130
Freon 113	201.8	200.0	pptv	101%		70-130
trans-1,2-Dichloroethene	195.1	200.0	pptv	98%		70-130
1,1-Dichloroethane	200.9	200.0	pptv	100%		70-130
cis-1,2-Dichloroethene	194.0	200.0	pptv	97%		70-130
Chloroform	201.8	200.0	pptv	101%		70-130
1,2-Dichloroethane	197.9	200.0	pptv	99%		70-130
1,1,1-Trichloroethane	206.0	200.0	pptv	103%		70-130
Benzene	192.8	200.0	pptv	96%		70-130
Carbon Tetrachloride	203.6	200.0	pptv	102%		70-130
1,2-Dichloropropane	205.8	200.0	pptv	103%		70-130
Bromodichloromethane	206.6	200.0	pptv	103%		70-130
Trichloroethene	197.9	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	204.9	200.0	pptv	102%		70-130
trans-1,3-Dichloropropene	207.4	200.0	pptv	104%		70-130
1,1,2-Trichloroethane	206.3	200.0	pptv	103%		70-130
Toluene	194.6	200.0	pptv	97%		70-130
Dibromochloromethane	207.1	200.0	pptv	104%		70-130
1,2-Dibromoethane	204.0	200.0	pptv	102%		70-130
Tetrachloroethene	211.7	200.0	pptv	106%		70-130
Chlorobenzene	201.6	200.0	pptv	101%		70-130
Ethylbenzene	190.3	200.0	pptv	95%		70-130
m,p-Xylenes	396.6	400.0	pptv	99%		70-130
Bromoform	209.7	200.0	pptv	105%		70-130
Styrene	197.8	200.0	pptv	99%		70-130
o-Xylene	203.3	200.0	pptv	102%		70-130
2-Chlorotoluene	196.8	200.0	pptv	98%		70-130
1,3,5-Trimethylbenzene	200.1	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	195.7	200.0	pptv	98%		70-130
Benzyl chloride	222.6	200.0	pptv	111%		70-130
1,3-Dichlorobenzene	203.5	200.0	pptv	102%		70-130
1,4-Dichlorobenzene	204.0	200.0	pptv	102%		70-130
1,2-Dichlorobenzene	202.3	200.0	pptv	101%		70-130
1,2,4-Trichlorobenzene	173.2	200.0	pptv	87%		70-130
Hexachlorobutadiene	186.6	200.0	pptv	93%		70-130

Surrogates

Batch QC

QC1341408 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	265.0	250.0	pptv	106%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1341409	Batch: 395603
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1341409 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	210.0	200.0	pptv	105%		70-130	2	25
1,1,1,2-Tetrachloroethane	214.6	200.0	pptv	107%		70-130	2	25
Freon 12	202.4	200.0	pptv	101%		70-130	1	25
Chloromethane	197.2	200.0	pptv	99%		70-130	1	25
Freon 114	204.5	200.0	pptv	102%		70-130	1	25
Vinyl Chloride	202.5	200.0	pptv	101%		70-130	1	25
Bromomethane	198.5	200.0	pptv	99%		70-130	1	25
Chloroethane	203.9	200.0	pptv	102%		70-130	1	25
Vinyl bromide	201.0	200.0	pptv	100%		70-130	1	25
Trichlorofluoromethane	203.0	200.0	pptv	102%		70-130	1	25
1,1-Dichloroethene	199.6	200.0	pptv	100%		70-130	2	25
Methylene Chloride	186.7	200.0	pptv	93%		70-130	1	25
Freon 113	205.0	200.0	pptv	102%		70-130	2	25
trans-1,2-Dichloroethene	198.3	200.0	pptv	99%		70-130	2	25
1,1-Dichloroethane	204.1	200.0	pptv	102%		70-130	2	25
cis-1,2-Dichloroethene	197.0	200.0	pptv	98%		70-130	2	25
Chloroform	204.3	200.0	pptv	102%		70-130	1	25
1,2-Dichloroethane	201.3	200.0	pptv	101%		70-130	2	25
1,1,1-Trichloroethane	208.6	200.0	pptv	104%		70-130	1	25
Benzene	196.3	200.0	pptv	98%		70-130	2	25
Carbon Tetrachloride	206.1	200.0	pptv	103%		70-130	1	25
1,2-Dichloropropane	208.4	200.0	pptv	104%		70-130	1	25
Bromodichloromethane	209.0	200.0	pptv	104%		70-130	1	25
Trichloroethene	200.2	200.0	pptv	100%		70-130	1	25
cis-1,3-Dichloropropene	209.3	200.0	pptv	105%		70-130	2	25
trans-1,3-Dichloropropene	212.3	200.0	pptv	106%		70-130	2	25
1,1,2-Trichloroethane	207.8	200.0	pptv	104%		70-130	1	25
Toluene	197.9	200.0	pptv	99%		70-130	2	25
Dibromochloromethane	209.7	200.0	pptv	105%		70-130	1	25
1,2-Dibromoethane	206.8	200.0	pptv	103%		70-130	1	25
Tetrachloroethene	214.9	200.0	pptv	107%		70-130	1	25
Chlorobenzene	207.0	200.0	pptv	103%		70-130	3	25
Ethylbenzene	195.8	200.0	pptv	98%		70-130	3	25
m,p-Xylenes	407.6	400.0	pptv	102%		70-130	3	25
Bromoform	215.5	200.0	pptv	108%		70-130	3	25
Styrene	204.3	200.0	pptv	102%		70-130	3	25
o-Xylene	208.9	200.0	pptv	104%		70-130	3	25
2-Chlorotoluene	203.1	200.0	pptv	102%		70-130	3	25
1,3,5-Trimethylbenzene	205.0	200.0	pptv	103%		70-130	2	25
1,2,4-Trimethylbenzene	201.9	200.0	pptv	101%		70-130	3	25
Benzyl chloride	229.1	200.0	pptv	115%		70-130	3	25
1,3-Dichlorobenzene	209.9	200.0	pptv	105%		70-130	3	25
1,4-Dichlorobenzene	209.5	200.0	pptv	105%		70-130	3	25
1,2-Dichlorobenzene	208.1	200.0	pptv	104%		70-130	3	25
1,2,4-Trichlorobenzene	181.4	200.0	pptv	91%		70-130	5	25
Hexachlorobutadiene	192.4	200.0	pptv	96%		70-130	3	25

Batch QC

QC1341409 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	263.0	250.0	pptv	105%		70-130		

Batch QC


Type: Blank	Lab ID: QC1341410	Batch: 395603
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1341410 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Freon 12	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloromethane	ND		pptv	100	02/18/26 10:39	02/18/26 10:39
Freon 114	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Vinyl Chloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromomethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Vinyl bromide	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Trichlorofluoromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Methylene Chloride	ND		pptv	20	02/18/26 10:39	02/18/26 10:39
Freon 113	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
trans-1,2-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1-Dichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
cis-1,2-Dichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chloroform	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,1-Trichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Benzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Carbon Tetrachloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichloropropane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromodichloromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Trichloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
cis-1,3-Dichloropropene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
trans-1,3-Dichloropropene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,1,2-Trichloroethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Toluene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Dibromochloromethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dibromoethane	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Tetrachloroethene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Chlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Ethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
m,p-Xylenes	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Bromoform	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Styrene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
o-Xylene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
2-Chlorotoluene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,3,5-Trimethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2,4-Trimethylbenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Benzyl chloride	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,3-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,4-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2-Dichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
1,2,4-Trichlorobenzene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Hexachlorobutadiene	ND		pptv	10	02/18/26 10:39	02/18/26 10:39
Xylene (total)	ND		pptv	10	02/18/26 10:39	02/18/26 10:39

Batch QC

QC1341410 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	91%		%REC	70-130	02/18/26 10:39	02/18/26 10:39

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260439
REPORT DATE : 02/20/2026


On February 24th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260439-86624
MS-12	260439-86625
MS-08	260439-86626
MS-09	260439-86627
MS-10	260439-86628
MS-06	260439-86629
MS-11	260439-86630


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260439
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 02/23-24/2026
 RECEIVING DATE : 02/24/2026
 ANALYSIS DATE : 02/24/2026
 REPORT DATE : 02/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260439-86624	260439-86625	260439-86626	260439-86627
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260439
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 02/23-24/2026
RECEIVING DATE : 02/24/2026
ANALYSIS DATE : 02/24/2026
REPORT DATE : 02/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260439-86628	260439-86629	260439-86630
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 2/24/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8085	0.513	103.9	0.2
Duplicate	8121	0.516	104.4	0.2
Triplicate	8095	0.514	104.1	0.1

0.508 ppmV MeSH (GC-091924-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	7469	0.512	100.8	0.4
Duplicate	7695	0.527	103.9	2.6
Triplicate	7337	0.503	99.0	2.2

0.481 ppmV DMS (GC-091924-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	8227	0.500	104.1	0.4
Duplicate	8261	0.502	104.6	0.0
Triplicate	8286	0.504	104.9	0.3

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86137

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.247	0.223	0.224	90.3	90.7	0.4
MeSH	<PQL	0.254	0.257	0.263	101.3	103.6	2.3
DMS	<PQL	0.240	0.255	0.262	106.1	109.1	2.7

Closing Calibration Verification Standard


Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.494	0.458	92.7
MeSH	0.508	0.470	92.6
DMS	0.481	0.453	94.3

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260439

Client/Project Name SiCS Engineers/ Chivita Canyon Landfill Air Odor Sampling		Project Location Valencia, CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Jacob Pennington		(Signature) <i>Jacob Pennington</i>		No. Of Containers 7		30791 Seifert	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	2-23/04-26	0730 - 0730	86624	10 Liter Bag	X		
MS-12	2-23/04-26	0740 - 0740	86625	10 Liter Bag	X		
MS-08	2-23/04-26	0757 - 0757	86626	10 Liter Bag	X		
MS-09	2-23/04-26	0815 - 0815	86627	10 Liter Bag	X		
MS-10	2-23/04-26	0825 - 0825	86628	10 Liter Bag	X		
MS-06	2-23/04-26	0839 - 0839	86629	10 Liter Bag	X		
MS-11	2-23/04-26	0851 - 0851	86630	10 Liter Bag	X		
Relinquished by: (Signature) <i>Jacob Pennington</i>		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <i>[Signature]</i>		Date	Time 2/24/06 1012
Sample Disposal Method:		Disposed of by: (Signature)					
Sample Collector		Analytical Laboratory AAC Ventura					



Sample Summary

Raymond Huff	Lab Job #:	554082
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3700 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 100	Date Received:	02/24/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	554082-001	02/24/26 07:30	Air
MS-12	554082-002	02/24/26 07:40	Air
MS-08	554082-003	02/24/26 07:57	Air
MS-09	554082-004	02/24/26 08:15	Air
MS-10	554082-005	02/24/26 08:25	Air
MS-06	554082-006	02/24/26 08:39	Air
MS-11	554082-007	02/24/26 08:51	Air

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 554082
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 02/24/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 02/24/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



LOGIN 554082



ENTHALPY ANALYTICAL

Air Chain of Custody Record

Lab Job No. _____

Page _____ of _____

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SES Engineers	Name:	Chiquita Canyon landfill Kistler Sampling
Report To:	Ray Huff	Number:	
Email:	rhuff@sesengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA 90806	Global ID:	
Phone:	562-355-6334	Sampled By:	Jacob Pennington
	Fax: 562 427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Date	Time	Date	Time				
1 MS-07	A	C70685	6L	2-23-26	0730	2-24-26	0730	-29	X		
2 MS-12	A	C70427	6L	2-23-26	0740	2-24-26	0740	-30	X		
3 MS-08	A	C70359	6L	2-23-26	0757	2-24-26	0757	-30	X		
4 MS-09	A	C70944	6L	2-23-26	0815	2-24-26	0815	-29	X		SR A70440
5 MS-10	A	C70979	6L	2-23-26	0825	2-24-26	0825	-0	X		A70099
6 MS-06	A	C70352	6L	2-23-26	0839	2-24-26	0839	-30	X		JP
7 MS-11	A	C70235	6L	2-23-26	0851	2-24-26	0851	-30	X		
8											
9											
10											

RELINQUISHED BY:		PRINT NAME	Jacob Pennington	COMPANY/TITLE	RES	DATE / TIME	2/24/26 12:22
RECEIVED BY:			Nicole Hernandez		EA		2-24-26 12:22
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 02/24/26 WO# 554082 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 02/24/26 By (initials) NCM Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?		x	
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?			
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4C - NO SAMPLING DATE & TIME ON CANISTER TAGS.

No additional discrepancies

Date Logged 02/24/26 By (print) FPD (sign) [Signature]
 Date Labeled 02/24/26 By (print) FPD (sign) [Signature]

Analysis Results for 554082

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 554082
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 02/24/26

Sample ID: MS-07 Lab ID: 554082-001 Collected: 02/24/26 07:30
Matrix: Air

554082-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 12	0.48		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloromethane	0.54		ppbv	0.10	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 114	0.017		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloroethane	0.026		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Methylene Chloride	0.12		ppbv	0.021	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Freon 113	0.064		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chloroform	0.016		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Benzene	0.13		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Carbon Tetrachloride	0.086		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Toluene	0.13		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Tetrachloroethene	0.014		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Ethylbenzene	0.017		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
m,p-Xylenes	0.052		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Styrene	0.017		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
o-Xylene	0.020		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2,4-Trimethylbenzene	0.025		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD

Analysis Results for 554082

554082-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Xylene (total)	0.072		ppbv	0.010	1	396338	02/25/26 16:54	02/25/26 16:54	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1	396338	02/25/26 16:54	02/25/26 16:54	OHD

Analysis Results for 554082

Sample ID: MS-12	Lab ID: 554082-002	Collected: 02/24/26 07:40
Matrix: Air		

554082-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 12	0.48		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloromethane	0.50		ppbv	0.10	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 114	0.016		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloroethane	0.13		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Methylene Chloride	0.11		ppbv	0.021	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Freon 113	0.063		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chloroform	0.017		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Benzene	0.11		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Carbon Tetrachloride	0.085		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Toluene	0.19		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Tetrachloroethene	0.012		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Ethylbenzene	0.023		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
m,p-Xylenes	0.076		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Styrene	0.016		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
o-Xylene	0.028		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2,4-Trimethylbenzene	0.034		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD

Analysis Results for 554082

554082-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Xylene (total)	0.10		ppbv	0.010	1	396338	02/25/26 17:43	02/25/26 17:43	OHD
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	396338	02/25/26 17:43	02/25/26 17:43	OHD

Analysis Results for 554082

Sample ID: MS-08	Lab ID: 554082-003	Collected: 02/24/26 07:57
Matrix: Air		

554082-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 12	0.48		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloromethane	0.48		ppbv	0.10	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 114	0.016		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Vinyl Chloride	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromomethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Vinyl bromide	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Methylene Chloride	0.10		ppbv	0.021	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Freon 113	0.064		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chloroform	0.016		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Benzene	0.071		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Carbon Tetrachloride	0.087		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromodichloromethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Trichloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Toluene	0.077		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Dibromochloromethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Tetrachloroethene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Chlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Ethylbenzene	0.013		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
m,p-Xylenes	0.042		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Bromoform	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Styrene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
o-Xylene	0.016		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2,4-Trimethylbenzene	0.017		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Benzyl chloride	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD

Analysis Results for 554082

554082-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Xylene (total)	0.058		ppbv	0.010	1	396338	02/25/26 18:31	02/25/26 18:31	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	396338	02/25/26 18:31	02/25/26 18:31	OHD

Analysis Results for 554082

Sample ID: MS-09	Lab ID: 554082-004	Collected: 02/24/26 08:15
Matrix: Air		

554082-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 12	0.47		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloromethane	0.47		ppbv	0.11	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 114	0.016		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloroethane	0.062		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Trichlorofluoromethane	0.20		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Methylene Chloride	0.12		ppbv	0.022	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Freon 113	0.062		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chloroform	0.019		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Benzene	0.11		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Carbon Tetrachloride	0.085		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Toluene	0.24		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Ethylbenzene	0.021		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
m,p-Xylenes	0.069		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Styrene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
o-Xylene	0.025		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2,4-Trimethylbenzene	0.020		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD

Analysis Results for 554082

554082-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Xylene (total)	0.094		ppbv	0.011	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	396338	02/25/26 19:20	02/25/26 19:20	OHD

Analysis Results for 554082

Sample ID: MS-10	Lab ID: 554082-005	Collected: 02/24/26 08:25
Matrix: Air		

554082-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 12	0.51		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloromethane	0.48		ppbv	0.11	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 114	0.016		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Methylene Chloride	0.099		ppbv	0.021	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Freon 113	0.063		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chloroform	0.027		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Benzene	0.11		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Carbon Tetrachloride	0.092		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Toluene	0.17		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Ethylbenzene	0.026		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
m,p-Xylenes	0.089		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Styrene	0.033		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
o-Xylene	0.036		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2,4-Trimethylbenzene	0.039		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD

Analysis Results for 554082

554082-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Xylene (total)	0.13		ppbv	0.011	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	396338	02/25/26 20:09	02/25/26 20:09	OHD

Analysis Results for 554082

Sample ID: MS-06	Lab ID: 554082-006	Collected: 02/24/26 08:39
Matrix: Air		

554082-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 12	0.49		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloromethane	0.44		ppbv	0.12	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 114	0.016		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromomethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloroethane	0.029		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Trichlorofluoromethane	0.21		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Methylene Chloride	0.11		ppbv	0.024	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Freon 113	0.062		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chloroform	0.020		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichloroethane	0.021		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Benzene	0.092		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Carbon Tetrachloride	0.089		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Trichloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Toluene	0.16		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Ethylbenzene	0.020		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
m,p-Xylenes	0.061		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Bromoform	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Styrene	0.074		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
o-Xylene	0.024		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2,4-Trimethylbenzene	0.019		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD

Analysis Results for 554082

554082-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Xylene (total)	0.084		ppbv	0.012	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1.2	396338	02/25/26 20:57	02/25/26 20:57	OHD

Analysis Results for 554082

Sample ID: MS-11
Lab ID: 554082-007
Collected: 02/24/26 08:51
Matrix: Air

554082-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 12	0.53		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloromethane	0.48		ppbv	0.11	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 114	0.016		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromomethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloroethane	0.058		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Methylene Chloride	0.15		ppbv	0.022	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Freon 113	0.064		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chloroform	0.021		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichloroethane	0.021		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Benzene	0.092		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Carbon Tetrachloride	0.091		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Trichloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Toluene	0.18		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Ethylbenzene	0.018		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
m,p-Xylenes	0.055		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Bromoform	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Styrene	0.014		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
o-Xylene	0.021		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2,4-Trimethylbenzene	0.022		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD

Analysis Results for 554082

554082-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Xylene (total)	0.075		ppbv	0.011	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1.1	396338	02/25/26 21:46	02/25/26 21:46	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1344113	Batch: 396338
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1344113 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	198.6	200.0	pptv	99%		70-130
1,1,1,2-Tetrachloroethane	219.7	200.0	pptv	110%		70-130
Freon 12	218.5	200.0	pptv	109%		70-130
Chloromethane	203.8	200.0	pptv	102%		70-130
Freon 114	211.4	200.0	pptv	106%		70-130
Vinyl Chloride	201.3	200.0	pptv	101%		70-130
Bromomethane	199.0	200.0	pptv	100%		70-130
Chloroethane	197.4	200.0	pptv	99%		70-130
Vinyl bromide	208.8	200.0	pptv	104%		70-130
Trichlorofluoromethane	222.5	200.0	pptv	111%		70-130
1,1-Dichloroethene	206.5	200.0	pptv	103%		70-130
Methylene Chloride	192.4	200.0	pptv	96%		70-130
Freon 113	211.3	200.0	pptv	106%		70-130
trans-1,2-Dichloroethene	207.4	200.0	pptv	104%		70-130
1,1-Dichloroethane	209.7	200.0	pptv	105%		70-130
cis-1,2-Dichloroethene	206.0	200.0	pptv	103%		70-130
Chloroform	209.3	200.0	pptv	105%		70-130
1,2-Dichloroethane	215.6	200.0	pptv	108%		70-130
1,1,1-Trichloroethane	225.2	200.0	pptv	113%		70-130
Benzene	190.9	200.0	pptv	95%		70-130
Carbon Tetrachloride	231.0	200.0	pptv	115%		70-130
1,2-Dichloropropane	205.6	200.0	pptv	103%		70-130
Bromodichloromethane	219.8	200.0	pptv	110%		70-130
Trichloroethene	207.7	200.0	pptv	104%		70-130
cis-1,3-Dichloropropene	217.1	200.0	pptv	109%		70-130
trans-1,3-Dichloropropene	221.7	200.0	pptv	111%		70-130
1,1,2-Trichloroethane	206.3	200.0	pptv	103%		70-130
Toluene	199.3	200.0	pptv	100%		70-130
Dibromochloromethane	225.5	200.0	pptv	113%		70-130
1,2-Dibromoethane	211.9	200.0	pptv	106%		70-130
Tetrachloroethene	229.1	200.0	pptv	115%		70-130
Chlorobenzene	199.2	200.0	pptv	100%		70-130
Ethylbenzene	196.1	200.0	pptv	98%		70-130
m,p-Xylenes	402.3	400.0	pptv	101%		70-130
Bromoform	205.3	200.0	pptv	103%		70-130
Styrene	195.3	200.0	pptv	98%		70-130
o-Xylene	203.0	200.0	pptv	102%		70-130
2-Chlorotoluene	197.6	200.0	pptv	99%		70-130
1,3,5-Trimethylbenzene	202.8	200.0	pptv	101%		70-130
1,2,4-Trimethylbenzene	201.4	200.0	pptv	101%		70-130
Benzyl chloride	234.3	200.0	pptv	117%		70-130
1,3-Dichlorobenzene	203.6	200.0	pptv	102%		70-130
1,4-Dichlorobenzene	202.2	200.0	pptv	101%		70-130
1,2-Dichlorobenzene	196.2	200.0	pptv	98%		70-130
1,2,4-Trichlorobenzene	155.4	200.0	pptv	78%		70-130
Hexachlorobutadiene	192.6	200.0	pptv	96%		70-130

Surrogates

Batch QC

QC1344113 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	240.8	250.0	pptv	96%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1344114	Batch: 396338
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1344114 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	197.6	200.0	pptv	99%		70-130	1	25
1,1,1,2-Tetrachloroethane	219.1	200.0	pptv	110%		70-130	0	25
Freon 12	210.6	200.0	pptv	105%		70-130	4	25
Chloromethane	191.2	200.0	pptv	96%		70-130	6	25
Freon 114	202.6	200.0	pptv	101%		70-130	4	25
Vinyl Chloride	190.7	200.0	pptv	95%		70-130	5	25
Bromomethane	191.6	200.0	pptv	96%		70-130	4	25
Chloroethane	191.3	200.0	pptv	96%		70-130	3	25
Vinyl bromide	202.0	200.0	pptv	101%		70-130	3	25
Trichlorofluoromethane	219.1	200.0	pptv	110%		70-130	2	25
1,1-Dichloroethene	200.7	200.0	pptv	100%		70-130	3	25
Methylene Chloride	187.8	200.0	pptv	94%		70-130	2	25
Freon 113	206.3	200.0	pptv	103%		70-130	2	25
trans-1,2-Dichloroethene	205.1	200.0	pptv	103%		70-130	1	25
1,1-Dichloroethane	206.3	200.0	pptv	103%		70-130	2	25
cis-1,2-Dichloroethene	203.9	200.0	pptv	102%		70-130	1	25
Chloroform	208.0	200.0	pptv	104%		70-130	1	25
1,2-Dichloroethane	213.4	200.0	pptv	107%		70-130	1	25
1,1,1-Trichloroethane	225.5	200.0	pptv	113%		70-130	0	25
Benzene	189.3	200.0	pptv	95%		70-130	1	25
Carbon Tetrachloride	232.8	200.0	pptv	116%		70-130	1	25
1,2-Dichloropropane	203.3	200.0	pptv	102%		70-130	1	25
Bromodichloromethane	221.5	200.0	pptv	111%		70-130	1	25
Trichloroethene	206.6	200.0	pptv	103%		70-130	1	25
cis-1,3-Dichloropropene	220.0	200.0	pptv	110%		70-130	1	25
trans-1,3-Dichloropropene	223.1	200.0	pptv	112%		70-130	1	25
1,1,2-Trichloroethane	205.2	200.0	pptv	103%		70-130	1	25
Toluene	198.7	200.0	pptv	99%		70-130	0	25
Dibromochloromethane	228.5	200.0	pptv	114%		70-130	1	25
1,2-Dibromoethane	213.8	200.0	pptv	107%		70-130	1	25
Tetrachloroethene	228.6	200.0	pptv	114%		70-130	0	25
Chlorobenzene	198.7	200.0	pptv	99%		70-130	0	25
Ethylbenzene	195.6	200.0	pptv	98%		70-130	0	25
m,p-Xylenes	400.4	400.0	pptv	100%		70-130	0	25
Bromoform	208.3	200.0	pptv	104%		70-130	1	25
Styrene	195.4	200.0	pptv	98%		70-130	0	25
o-Xylene	202.7	200.0	pptv	101%		70-130	0	25
2-Chlorotoluene	198.5	200.0	pptv	99%		70-130	0	25
1,3,5-Trimethylbenzene	202.6	200.0	pptv	101%		70-130	0	25
1,2,4-Trimethylbenzene	202.6	200.0	pptv	101%		70-130	1	25
Benzyl chloride	239.4	200.0	pptv	120%		70-130	2	25
1,3-Dichlorobenzene	204.4	200.0	pptv	102%		70-130	0	25
1,4-Dichlorobenzene	198.6	200.0	pptv	99%		70-130	2	25
1,2-Dichlorobenzene	197.5	200.0	pptv	99%		70-130	1	25
1,2,4-Trichlorobenzene	188.0	200.0	pptv	94%		70-130	19	25
Hexachlorobutadiene	200.3	200.0	pptv	100%		70-130	4	25

Batch QC

QC1344114 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	240.2	250.0	pptv	96%		70-130		

Batch QC

Type: Blank	Lab ID: QC1344115	Batch: 396338
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1344115 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,1,2-Tetrachloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Freon 12	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloromethane	ND		pptv	100	02/25/26 09:50	02/25/26 09:50
Freon 114	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Vinyl Chloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromomethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Vinyl bromide	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Trichlorofluoromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Methylene Chloride	ND		pptv	20	02/25/26 09:50	02/25/26 09:50
Freon 113	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
trans-1,2-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1-Dichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
cis-1,2-Dichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chloroform	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,1-Trichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Benzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Carbon Tetrachloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichloropropane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromodichloromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Trichloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
cis-1,3-Dichloropropene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
trans-1,3-Dichloropropene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,1,2-Trichloroethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Toluene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Dibromochloromethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dibromoethane	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Tetrachloroethene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Chlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Ethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
m,p-Xylenes	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Bromoform	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Styrene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
o-Xylene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
2-Chlorotoluene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,3,5-Trimethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2,4-Trimethylbenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Benzyl chloride	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,3-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,4-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2-Dichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
1,2,4-Trichlorobenzene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Hexachlorobutadiene	ND		pptv	10	02/25/26 09:50	02/25/26 09:50
Xylene (total)	ND		pptv	10	02/25/26 09:50	02/25/26 09:50

Batch QC

QC1344115 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	94%		%REC	70-130	02/25/26 09:50	02/25/26 09:50

ND Not Detected