

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                            |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------|
| A-01       | 2/6/2026 2:26:27 PM   | 60.1       | 39.1       | 0.0       | 0.8            | 0.0          | 1.5     |                         |                         | 83.7                 | 83.7                | -22.00                       | -22.26                      | 22.151                       | 22.249                      |                        |                       | -21.73                    | -21.83                       | 34.4312015 | -118.6437598 | 1180         | 28.86                  | Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum           |
| A-02       | 2/10/2026 9:22:14 AM  | 58.6       | 41.4       | 0.0       | 0.0            | 0.0          | 1.4     |                         |                         | 88.3                 | 88.4                | -20.80                       | -20.81                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4315550 | -118.6433788 | 1145         | 28.68                  | No Adjustment Made,                                                                 |
| A-03       | 2/10/2026 9:31:06 AM  | 56.1       | 41.6       | 0.2       | 2.1            | 10.5         | 1.3     |                         |                         | 76.6                 | 74.8                | -20.73                       | -20.67                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4319390 | -118.6428933 | 1175         | 28.71                  | No Adjustment Made,                                                                 |
| A-04       | 2/10/2026 9:35:14 AM  | 58.0       | 42.0       | 0.0       | 0.0            | 0.0          | 1.4     |                         |                         | 84.2                 | 86.6                | -12.76                       | -12.78                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4322393 | -118.6422383 | 1148         | 28.71                  | No Adjustment Made,                                                                 |
| B-01       | 2/2/2026 12:19:05 PM  | 10.6       | 23.8       | 0.0       | 65.6           | 0.0          | 0.4     |                         |                         | 91.8                 | 92.3                | -0.19                        | -0.19                       | 0.119                        | 0.123                       | 0.7                    | 0.7                   | -22.05                    | -22.77                       | 34.4338672 | -118.6396313 | 1231         | 28.88                  | Valve Adjustment:Audible Flow                                                       |
| B-02R      | 2/2/2026 12:14:54 PM  | 34.1       | 29.4       | 1.1       | 35.4           | 32.2         | 1.2     |                         |                         | 79.2                 | 79.6                | -0.53                        | -0.33                       | 0.009                        | 0.014                       | 0.3                    | 0.4                   | -21.92                    | -22.04                       | 34.4335748 | -118.6395047 | 1228         | 28.86                  | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum                                 |
| B-03R      | 2/2/2026 12:27:28 PM  | 26.2       | 28.5       | 0.0       | 45.3           | 0.0          | 0.9     |                         |                         | 86.7                 | 87.3                | -0.65                        | -0.65                       | 0.613                        | 0.616                       | 2.5                    | 2.5                   | -20.18                    | -20.25                       | 34.4337882 | -118.6388287 | 1221         | 28.89                  | Valve Adjustment:Audible Flow                                                       |
| B-05       | 2/2/2026 12:46:39 PM  | 23.1       | 29.0       | 0.0       | 47.9           | 0.0          | 0.8     |                         |                         | 87.8                 | 87.8                | -0.27                        | -0.27                       | 0.332                        | 0.318                       | 7.5                    | 7.3                   | -20.76                    | -20.94                       | 34.4336325 | -118.6382467 | 1221         | 28.89                  | Valve Adjustment:Audible Flow                                                       |
| B-06       | 2/2/2026 12:54:09 PM  | 22.5       | 27.3       | 0.0       | 50.2           | 0.0          | 0.8     |                         |                         | 80.2                 | 80.4                | -0.30                        | -0.30                       | 0.473                        | 0.475                       | 4.9                    | 4.9                   | -20.40                    | -20.40                       | 34.4339818 | -118.6377400 | 1206         | 28.89                  | Valve Adjustment:Audible Flow                                                       |
| B-07R      | 2/2/2026 1:39:08 PM   | 47.3       | 36.6       | 0.0       | 16.1           | 0.0          | 1.3     |                         |                         | 83.9                 | 85.5                | 0.09                         | -0.10                       | 0.008                        | 0.286                       | 0.3                    | 1.7                   | -20.19                    | -18.91                       | 34.4342718 | -118.6374482 | 1197         | 28.91                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum           |
| B-07R      | 2/2/2026 1:40:27 PM   | 47.6       | 36.8       | 0.0       | 15.6           | 0.0          | 1.3     |                         |                         | 85.9                 | 86.0                | -0.12                        | -0.12                       | 0.295                        | 0.295                       | 1.7                    | 1.7                   | -19.65                    | -19.67                       | 34.4342730 | -118.6374582 | 1193         | 28.91                  | Valve Adjustment:NSPS/EG CAC                                                        |
| B-08       | 2/2/2026 1:01:05 PM   | 17.9       | 25.9       | 0.3       | 55.9           | 186.3        | 0.7     |                         |                         | 81.5                 | 81.6                | -0.07                        | -0.07                       | 0.082                        | 0.082                       |                        |                       | -20.05                    | -20.05                       | 34.4337722 | -118.6373535 | 1211         | 28.89                  | Valve Adjustment:Barely Open                                                        |
| B-09       | 2/2/2026 1:31:23 PM   | 35.2       | 32.6       | 0.0       | 32.2           | 0.0          | 1.1     |                         |                         | 96.2                 | 97.0                | -0.14                        | -0.14                       | 0.152                        | 0.153                       |                        |                       | -20.49                    | -20.50                       | 34.4342065 | -118.6370632 | 1197         | 28.91                  | Valve Adjustment:Barely Open                                                        |
| B-10       | 2/2/2026 1:21:50 PM   | 27.2       | 29.5       | 0.0       | 43.3           | 0.0          | 0.9     |                         |                         | 86.0                 | 87.6                | 0.00                         | -0.07                       | 0.013                        | 0.084                       |                        |                       | -19.41                    | -20.36                       | 34.4340212 | -118.6365668 | 1210         | 28.89                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum           |
| B-10       | 2/2/2026 1:22:55 PM   | 27.3       | 29.9       | 0.0       | 42.8           | 0.0          | 0.9     |                         |                         | 88.0                 | 88.0                | -0.08                        | -0.07                       | 0.092                        | 0.092                       |                        |                       | -19.27                    | -20.17                       | 34.4340140 | -118.6365548 | 1212         | 28.9                   | Valve Adjustment:NSPS/EG CAC                                                        |
| B-11       | 2/25/2026 1:05:18 PM  | 37.9       | 31.6       | 0.0       | 30.5           | 0.0          | 1.2     |                         |                         | 102.9                | 102.9               | -0.17                        | -0.14                       | 0.590                        | 0.613                       | 5.4                    | 5.5                   | -10.28                    | -10.27                       | 34.4348342 | -118.6369083 | 1151         | 28.82                  |                                                                                     |
| B-12       | 2/2/2026 12:31:17 PM  | 20.6       | 27.6       | 0.0       | 51.8           | 0.0          | 0.7     |                         |                         | 90.1                 | 90.1                | -0.24                        | -0.24                       | 1.972                        | 1.889                       | 4.4                    | 4.3                   | -20.21                    | -19.62                       | 34.4340512 | -118.6385222 | 1209         | 28.89                  | Valve Adjustment:Audible Flow                                                       |
| B-13       | 2/2/2026 1:44:55 PM   | 28.2       | 31.2       | 0.0       | 40.6           | 0.0          | 0.9     |                         |                         | 89.4                 | 89.5                | -0.21                        | -0.21                       | 0.040                        | 0.035                       | 14.1                   | 13.1                  | -20.26                    | -20.98                       | 34.4344307 | -118.6379035 | 1213         | 28.91                  | Valve Adjustment:Surging Liquid in Header                                           |
| B-14       | 2/25/2026 1:09:49 PM  | 28.0       | 27.1       | 0.0       | 44.9           | 0.0          | 1.0     |                         |                         | 94.4                 | 97.6                | -0.06                        | -0.05                       | 0.071                        | 0.137                       | 0.8                    | 1.2                   | -10.44                    | -10.46                       | 34.4349780 | -118.6370735 | 1140         | 28.82                  |                                                                                     |
| C-03       | 2/10/2026 9:09:04 AM  | 56.3       | 40.2       | 0.0       | 3.5            | 0.0          | 1.4     |                         |                         | 58.8                 | 60.3                | -17.24                       | -17.81                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4313975 | -118.6435507 | 1168         | 28.7                   | No Adjustment Made,                                                                 |
| C-08       | 2/25/2026 11:12:35 AM | 55.7       | 43.3       | 0.0       | 1.0            | 0.0          | 1.3     |                         |                         | 92.1                 | 92.5                | -11.15                       | -10.97                      | 11.625                       | 11.536                      |                        |                       | -11.11                    | -11.01                       | 34.4336323 | -118.6408933 | 1206         | 28.79                  |                                                                                     |
| C-10       | 2/25/2026 10:15:18 AM | 56.4       | 39.0       | 0.0       | 4.6            | 0.0          | 1.4     |                         |                         | 90.0                 | 90.7                | -11.50                       | -11.50                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4347147 | -118.6411825 | 1214         | 28.8                   | No Adjustment Made,                                                                 |
| C-11       | 2/10/2026 9:49:37 AM  | 61.2       | 38.8       | 0.0       | 0.0            | 0.0          | 1.6     |                         |                         | 86.9                 | 86.9                | -15.71                       | -15.70                      | 0.026                        | 0.022                       | 0.0                    | 0.0                   |                           |                              | 34.4352665 | -118.6413483 | 1237         | 28.69                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |
| C-12       | 2/10/2026 9:58:43 AM  | 60.0       | 40.0       | 0.0       | 0.0            | 0.0          | 1.5     |                         |                         | 66.2                 | 66.5                | -13.17                       | -13.22                      | -0.013                       | -0.009                      | 0.0                    | 0.0                   |                           |                              | 34.4360243 | -118.6408708 | 1224         | 28.69                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |
| C-15       | 2/10/2026 10:04:37 AM | 53.2       | 39.1       | 1.1       | 6.6            | 6.0          | 1.4     |                         |                         | 64.1                 | 64.1                | -13.42                       | -13.34                      | 0.013                        | 0.006                       | 0.0                    | 0.0                   |                           |                              | 34.4363115 | -118.6410855 | 1240         | 28.68                  | No Adjustment Made,                                                                 |
| C-17B      | 2/10/2026 10:45:25 AM | 58.3       | 41.7       | 0.0       | 0.0            | 0.0          | 1.4     |                         |                         | 108.9                | 108.9               | -10.36                       | -10.42                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4373213 | -118.6419510 | 1227         | 28.69                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |
| C-18       | 2/21/2026 10:06:18 AM | 56.6       | 39.5       | 0.0       | 3.9            | 0.0          | 1.4     |                         |                         | 82.2                 | 82.4                | -11.02                       | -10.81                      | 10.758                       | 10.718                      |                        |                       | 0.02                      | 0.00                         | 34.4379967 | -118.6426250 | 1232         | 28.88                  | Well Comment:Hard pipped                                                            |
| C-19       | 2/21/2026 10:19:34 AM | 54.3       | 41.5       | 0.0       | 4.2            | 0.0          | 1.3     |                         |                         | 82.2                 | 80.7                | -10.47                       | -10.49                      | 10.368                       | 10.435                      |                        |                       | 0.03                      | -0.05                        | 34.4375527 | -118.6421502 | 1242         | 28.9                   |                                                                                     |
| C-20       | 2/21/2026 10:14:14 AM | 52.4       | 39.1       | 0.1       | 8.4            | 84.0         | 1.3     |                         |                         | 76.0                 | 76.2                | -11.11                       | -11.15                      | 10.874                       | 10.885                      |                        |                       | -10.58                    | -10.63                       | 34.4377618 | -118.6423927 | 1235         | 28.9                   |                                                                                     |
| C-23       | 2/21/2026 10:08:58 AM | 52.9       | 39.8       | 0.1       | 7.2            | 72.0         | 1.3     |                         |                         | 80.7                 | 80.9                | -10.84                       | -10.83                      | 10.775                       | 10.736                      |                        |                       | 0.01                      | 0.02                         | 34.4379570 | -118.6426120 | 1228         | 28.9                   | Well Comment:Hard piped                                                             |
| C-24       | 2/25/2026 9:41:15 AM  | 57.2       | 41.4       | 0.0       | 1.4            | 0.0          | 1.4     |                         |                         | 63.7                 | 97.1                | 0.35                         | -0.02                       | -0.280                       | 0.049                       | 0.0                    | 0.0                   |                           |                              | 34.4375322 | -118.6421552 | 1217         | 28.79                  | NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn |
| C-24       | 2/25/2026 9:43:34 AM  | 55.9       | 42.9       | 0.0       | 1.2            | 0.0          | 1.3     |                         |                         | 97.3                 | 97.4                | -0.07                        | -0.10                       | 0.106                        | 0.116                       | 0.0                    | 0.0                   |                           |                              | 34.4375270 | -118.6421608 | 1220         | 28.79                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,NSPS/EG CAC,Audible Flow        |
| C-25       | 2/10/2026 10:25:38 AM | 54.1       | 40.6       | 0.0       | 5.3            | 0.0          | 1.3     |                         |                         | 118.8                | 118.8               | -6.83                        | -6.83                       | 6.838                        | 7.016                       | 0.0                    | 0.0                   |                           |                              | 34.4370892 | -118.6415838 | 1276         | 28.69                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |
| C-26       | 2/10/2026 10:19:03 AM | 65.5       | 30.6       | 0.6       | 3.3            | 5.5          | 2.1     |                         |                         | 63.7                 | 63.9                | -13.31                       | -13.25                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4366427 | -118.6413158 | 1211         | 28.69                  | No Adjustment Made,                                                                 |
| C-27       | 2/10/2026 10:01:41 AM | 59.0       | 40.5       | 0.0       | 0.5            | 0.0          | 1.5     |                         |                         | 92.9                 | 92.9                | -11.75                       | -11.81                      | 0.050                        | 0.144                       | 1.6                    | 2.7                   | -13.37                    |                              | 34.4361035 | -118.6410392 | 1214         | 28.68                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |
| C-28       | 2/10/2026 9:53:41 AM  | 57.1       | 42.9       | 0.0       | 0.0            | 0.0          | 1.3     |                         |                         | 99.6                 | 99.7                | -16.05                       | -16.07                      | 0.007                        | 0.006                       | 0.0                    | 0.0                   |                           |                              | 34.4354768 | -118.6413622 | 1234         | 28.67                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |
| C-29       | 2/25/2026 10:05:25 AM | 45.9       | 44.8       | 0.0       | 9.3            | 0.0          | 1.0     |                         |                         | 101.6                | 101.5               | -10.52                       | -10.50                      |                              |                             | 0.0                    | 0.0                   |                           |                              | 34.4347600 | -118.6411127 | 1230         | 28.81                  |                                                                                     |
| C-30       | 2/25/2026 10:26:47 AM | 52.1       | 44.2       | 0.0       | 3.7            | 0.0          | 1.2     |                         |                         | 122.8                | 123.1               | -2.60                        | -2.58                       | -0.062                       | -0.048                      | 0.0                    | 0.0                   | -11.26                    |                              | 34.4342035 | -118.6412445 | 1270         | 28.77                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |
| CV-02      | 2/5/2026 8:22:37 AM   | 54.3       | 38.8       | 0.0       | 6.9            | 0.0          | 1.4     |                         |                         | 124.3                | 124.8               | -0.89                        | -1.32                       | 0.014                        | 0.081                       | 0.4                    | 0.9                   | -21.79                    | -21.84                       | 34.4335672 | -118.6413720 | 1246         | 28.85                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Well Condition:Fair             |
| CV-03      | 2/5/2026 8:20:25 AM   | 53.8       | 39.7       | 0.0       | 6.5            | 0.0          | 1.4     |                         |                         | 119.0                | 119.0               | -5.78                        | -5.83                       | 1.789                        | 1.756                       | 16.7                   | 16.5                  | -21.81                    | -21.75                       | 34.4333070 | -118.6414547 | 1238         | 28.85                  | Valve Adjustment:Audible Flow,Well Condition:Fair                                   |
| CV-04      | 2/5/2026 8:17:56 AM   | 51.3       | 37.8       | 0.0       | 10.9           | 0.0          | 1.4     |                         |                         | 108.2                | 108.4               | -6.79                        | -6.78                       | 0.070                        | 0.075                       | 18.0                   | 18.7                  | -21.45                    | -21.35                       | 34.4331202 | -118.6416727 | 1236         | 28.85                  | Valve Adjustment:Audible Flow,Well Condition:Good                                   |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                            |                                                                                                           |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| CV-05      | 2/5/2026 8:11:21 AM   | 58.0       | 39.8       | 0.0       | 2.2            | 0.0          | 1.5     |                         |                         | 96.9                 | 97.0                | -21.96                       | -22.50                      | 0.310                        | 0.438                       | 3.8                    | 4.5                   | -23.06                    | -23.34                       | 34.4328130 | -118.6422372 | 1234         | 28.86                  | Valve Comment:RES SEM;Valve<br>Adjustment:Audible Flow,Increased<br>Flow/Vacuum;Well Condition:Fair |                                                                                                           |
| CV-06      | 2/5/2026 2:22:54 PM   | 55.3       | 39.0       | 0.0       | 5.7            | 0.0          | 1.4     |                         |                         | 92.6                 | 92.9                | -6.56                        | -6.68                       | 0.024                        | 0.042                       | 2.0                    | 2.6                   | -7.28                     | -7.39                        | 34.4326803 | -118.6428582 | 1221         | 28.81                  | Valve Comment:RES SEM;Valve<br>Adjustment:Audible Flow,Increased<br>Flow/Vacuum                     |                                                                                                           |
| CV-09      | 2/5/2026 3:15:47 PM   | 54.4       | 43.1       | 0.0       | 2.5            | 0.0          | 1.3     |                         |                         | 82.7                 | 89.5                | 0.53                         | -0.40                       | 0.002                        | 0.013                       | 1.1                    | 2.5                   | -8.61                     | -8.47                        | 34.4318218 | -118.6442718 | 1211         | 28.81                  | Valve Adjustment:NSPS/EG<br>CAI,Positive Static Press.,increased<br>Flow/Vacuum                     |                                                                                                           |
| CV-09      | 2/5/2026 3:22:08 PM   | 47.8       | 39.3       | 1.7       | 11.2           | 6.6          | 1.2     |                         |                         | 88.8                 | 87.4                | -0.44                        | -0.44                       | 0.018                        | 0.009                       | 2.9                    | 2.0                   | -8.63                     | -8.58                        | 34.4318102 | -118.6442598 | 1212         | 28.8                   | Valve Adjustment:NSPS/EG<br>CAC,Audible Flow                                                        |                                                                                                           |
| CV-108-52  | 2/6/2026 9:05:15 AM   | 49.1       | 50.9       | 0.0       | 0.0            | 0.0          | 1.0     |                         |                         | 100.4                | 99.8                | -1.32                        | -1.38                       | 0.003                        | 0.005                       |                        |                       | -5.23                     | -5.51                        | 34.4334392 | -118.6506613 | 1275         | 28.78                  |                                                                                                     |                                                                                                           |
| CV-108-52  | 2/6/2026 9:10:37 AM   | 14.2       | 78.1       | 0.0       | 7.7            | 0.0          | 0.2     |                         |                         | 113.2                | 113.2               | -1.75                        | -1.74                       | 0.845                        | 0.816                       | 2.8                    | 2.8                   | -5.50                     | -5.13                        | 34.4334202 | -118.6507137 | 1286         | 28.8                   |                                                                                                     |                                                                                                           |
| CV-108-52  | 2/13/2026 9:00:00 AM  |            |            |           |                |              |         |                         | 3100                    |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab; [User entered 0.31%]                                                                        |
| CV-108-52  | 2/13/2026 9:00:00 AM  |            |            |           |                |              |         | 40                      |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab                                                                                              |
| CV-108-52  | 2/21/2026 10:16:13 AM | 44.1       | 54.9       | 0.0       | 1.0            | 0.0          | 0.8     |                         |                         | 100.4                | 100.4               | -3.08                        | -2.59                       | 0.001                        | 0.032                       |                        |                       | -9.92                     |                              | 34.4334200 | -118.6506450 | 1266         | 28.74                  |                                                                                                     |                                                                                                           |
| CV-113     | 2/2/2026 8:05:00 AM   |            |            |           |                |              |         |                         |                         | 2200                 |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab; [User entered 0.22%]                                                                        |
| CV-113     | 2/2/2026 8:05:00 AM   |            |            |           |                |              |         | 15                      |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab                                                                                              |
| CV-113     | 2/12/2026 8:26:26 AM  | 23.0       | 42.2       | 7.3       | 27.5           | 3.8          | 0.5     |                         |                         | 59.3                 | 59.4                | -0.70                        | -0.69                       | 0.025                        | 0.021                       | 2.1                    | 1.9                   | -10.81                    | -10.20                       | 34.4369872 | -118.6467415 | 1331         | 28.75                  |                                                                                                     |                                                                                                           |
| CV-113     | 2/15/2026 2:19:51 PM  | 23.6       | 40.2       | 7.5       | 28.8           | 3.8          | 0.6     |                         |                         | 67.3                 | 67.3                | -0.41                        | -0.38                       | 0.040                        | 0.037                       | 2.6                    | 2.5                   | -2.29                     | -2.03                        | 34.4369568 | -118.6467347 | 1323         | 28.57                  | Valve Adjustment:NSPS/EG CAI,High<br>O2,Barely Open                                                 |                                                                                                           |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Valve Adjustment:NSPS/EG CAI,High<br>O2,Increased Flow/Vacuum                                             |
| CV-113     | 2/15/2026 2:25:06 PM  | 7.4        | 15.4       | 16.5      | 60.7           | 3.7          | 0.5     |                         |                         | 66.3                 | 66.2                | -0.39                        | -1.84                       | 0.022                        | 0.002                       | 2.0                    | 0.6                   | -2.76                     | -1.86                        | 34.4369663 | -118.6467337 | 1340         | 28.55                  | Valve Adjustment:High O2,Decreased<br>Flow/Vacuum                                                   |                                                                                                           |
| CV-113     | 2/15/2026 2:28:35 PM  | 0.4        | 3.2        | 20.0      | 76.4           | 3.8          | 0.1     |                         |                         | 66.1                 | 66.1                | -1.99                        | -0.46                       | 0.001                        | 0.018                       | 0.4                    | 1.8                   | -2.17                     | -2.29                        | 34.4369742 | -118.6467320 | 1347         | 28.57                  | Air Tech Lab; [User entered 16%]                                                                    |                                                                                                           |
| CV-114     | 2/2/2026 8:30:00 AM   |            |            |           |                |              |         | 2700                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab                                                                                              |
| CV-114     | 2/2/2026 8:35:00 AM   |            |            |           |                |              |         | 4220                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Valve Adjustment:No Flow<br>Measurement,High Temp,Barely<br>Open                                          |
| CV-114     | 2/2/2026 8:35:08 AM   | 2.3        | 83.1       | 0.6       | 14.0           | 23.3         | 0.0     |                         |                         | 189.7                | 189.8               | -8.87                        | -8.32                       | 8.986                        | 8.416                       |                        |                       | 0.28                      | 0.28                         | 34.4367198 | -118.6476083 | 1341         | 28.68                  |                                                                                                     |                                                                                                           |
| CV-114     | 2/9/2026 9:53:00 AM   | 0.7        | 87.2       | 0.0       | 12.1           | 0.0          | 0.0     |                         |                         | 189.2                | 188.2               | -5.58                        | -6.08                       | 5.957                        | 6.438                       | 47.3                   | 49.2                  | -7.52                     | -7.83                        | 34.4367152 | -118.6476122 | 1337         | 28.67                  | Valve Adjustment:High Temp                                                                          |                                                                                                           |
| CV-114     | 2/9/2026 9:55:00 AM   |            |            |           |                |              |         |                         | 135000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA; [User entered 13.5%]                                                                               |
| CV-114     | 2/9/2026 9:55:00 AM   |            |            |           |                |              |         | 3540                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                                                                                                     |
| CV-114     | 2/17/2026 7:50:00 AM  |            |            |           |                |              |         | 4460                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Valve Comment:Enhanced<br>Monitoring;Valve                                                                |
| CV-114     | 2/17/2026 7:52:38 AM  | 0.6        | 69.0       | 4.8       | 25.6           | 5.3          | 0.0     |                         |                         | 190.5                | 190.5               | -3.49                        | -3.71                       | 3.559                        | 3.546                       |                        |                       | 0.00                      | 0.00                         | 34.4367258 | -118.6476235 | 1342         | 28.59                  | Adjustment:NSPS/EG CAI,High Temp                                                                    |                                                                                                           |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Valve Comment:Enhanced<br>Monitoring;Valve Adjustment:High<br>Temp                                        |
| CV-114     | 2/23/2026 8:44:01 AM  | 1.1        | 76.2       | 2.9       | 19.8           | 6.8          | 0.0     |                         |                         | 190.3                | 190.3               | -2.92                        | -2.94                       | 2.877                        | 2.394                       |                        |                       | 0.00                      | 0.00                         | 34.4367223 | -118.6476122 | 1334         | 28.8                   |                                                                                                     |                                                                                                           |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Valve Adjustment:Audible<br>Flow,Increased Flow/Vacuum;Well<br>Condition:Fair                             |
| CV-1424    | 2/9/2026 1:57:15 PM   | 53.1       | 43.6       | 0.0       | 3.3            | 0.0          | 1.2     |                         |                         | 112.6                | 113.4               | -0.03                        | -0.20                       | 4.285                        | 6.740                       | 26.0                   | 32.5                  | -14.60                    | -14.15                       | 34.4351315 | -118.6450877 | 1405         | 28.55                  |                                                                                                     |                                                                                                           |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Valve Adjustment:No Flow<br>Measurement,High Temp,Surging<br>Liquid in Header                             |
| CV-1532A   | 2/4/2026 8:06:20 AM   | 1.3        | 84.4       | 0.0       | 14.3           | 0.0          | 0.0     |                         |                         | 150.7                | 164.2               | -5.65                        | -4.64                       | 4.252                        | 4.007                       |                        |                       | 0.02                      | 0.00                         | 34.4338647 | -118.6508307 | 1283         | 28.89                  |                                                                                                     |                                                                                                           |
| CV-1532A   | 2/4/2026 8:10:00 AM   |            |            |           |                |              |         |                         | 153200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA; [User entered 15.32%]                                                                              |
| CV-1532A   | 2/4/2026 8:10:00 AM   |            |            |           |                |              |         | 2580                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                                                                                                     |
| CV-1532A   | 2/5/2026 7:30:00 AM   |            |            |           |                |              |         |                         | 180000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab; [User entered 18%]                                                                          |
| CV-1532A   | 2/5/2026 7:30:00 AM   |            |            |           |                |              |         | 1500                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab                                                                                              |
| CV-1532A   | 2/9/2026 7:45:00 AM   |            |            |           |                |              |         |                         | 140900                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA; [User entered 14.09%]                                                                              |
| CV-1532A   | 2/9/2026 7:45:00 AM   |            |            |           |                |              |         | 1420                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                                                                                                     |
| CV-1532A   | 2/9/2026 7:46:11 AM   | 0.8        | 81.5       | 3.2       | 14.5           | 4.5          | 0.0     |                         |                         | 183.3                | 187.4               | -4.94                        | -3.42                       | 4.013                        | 3.550                       |                        |                       | 0.00                      | 0.00                         | 34.4338635 | -118.6508173 | 1290         | 28.74                  |                                                                                                     |                                                                                                           |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Valve Adjustment:NSPS/EG<br>CAI,Audible Flow,No Flow<br>Measurement,High Temp,Surging<br>Liquid in Header |
| CV-1532A   | 2/17/2026 12:24:00 PM | 1.1        | 76.0       | 1.1       | 21.8           | 19.8         | 0.0     |                         |                         | 147.7                | 155.8               | -8.73                        | -3.87                       | 8.704                        | 3.249                       |                        |                       | 0.08                      | 0.11                         | 34.4338645 | -118.6508068 | 1293         | 28.67                  |                                                                                                     |                                                                                                           |
| CV-1532A   | 2/17/2026 12:25:00 PM |            |            |           |                |              |         | 1650                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                                                                                                     |
| CV-1532A   | 2/25/2026 12:57:58 PM | 12.8       | 77.3       | 1.3       | 8.6            | 6.6          | 0.2     |                         |                         | 150.6                | 150.5               | -3.48                        | -3.86                       | 3.488                        | 4.267                       |                        |                       | 0.02                      | 0.04                         | 34.4338777 | -118.6508117 | 1286         | 28.71                  | Valve Adjustment:No Flow<br>Measurement,High Temp                                                   |                                                                                                           |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name   | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                    |
|--------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| CV-1534A-PLR | 2/4/2026 8:14:41 AM   | 1.5        | 78.1       | 2.8       | 17.6           | 6.3          | 0.0     |                         |                         | 184.0                | 182.5               | -2.39                        | -2.62                       | 2.066                        | 2.267                       |                        |                       | 0.04                      | 0.04                         | 34.4336408 | -118.6508080 | 1286         | 28.9                   | Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In) |
| CV-1534A-PLR | 2/4/2026 8:15:00 AM   |            |            |           |                |              |         |                         | 119500                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 11.95%]                                                                                                |
| CV-1534A-PLR | 2/4/2026 8:15:00 AM   |            |            |           |                |              |         | 2320                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                       |
| CV-1534A-PLR | 2/9/2026 7:50:00 AM   |            |            |           |                |              |         |                         | 119500                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 11.95%]                                                                                                |
| CV-1534A-PLR | 2/9/2026 7:50:00 AM   |            |            |           |                |              |         | 2710                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                       |
| CV-1534A-PLR | 2/9/2026 7:54:59 AM   | 1.0        | 73.8       | 3.8       | 21.4           | 5.6          | 0.0     |                         |                         | 186.3                | 185.7               | -7.73                        | -3.75                       | 4.654                        | 3.594                       |                        |                       | 0.00                      | 0.00                         | 34.4336293 | -118.6508000 | 1286         | 28.75                  | Valve Adjustment:High Temp                                                                                                  |
| CV-1534A-PLR | 2/25/2026 10:23:10 AM | 11.3       | 76.2       | 1.4       | 11.1           | 7.9          | 0.1     |                         |                         | 186.2                | 186.6               | -10.16                       | -5.11                       | 10.790                       | 5.719                       |                        |                       | 0.59                      | 0.67                         | 34.4336342 | -118.6507808 | 1291         | 28.78                  | Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)                 |
| CV-1535      | 2/5/2026 7:40:00 AM   |            |            |           |                |              |         |                         | 9100                    |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 0.91%]                                                                                          |
| CV-1535      | 2/5/2026 7:40:00 AM   |            |            |           |                |              |         | 150                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                |
| CV-1535      | 2/13/2026 12:54:31 PM | 42.5       | 57.5       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 120.2                | 120.4               | -1.65                        | -1.68                       | 1.120                        | 1.161                       |                        |                       | -8.15                     | -7.95                        | 34.4333430 | -118.6503328 | 1322         | 28.64                  |                                                                                                                             |
| CV-1535      | 2/21/2026 10:04:49 AM | 45.6       | 54.2       | 0.0       | 0.2            | 0.0          | 0.8     |                         |                         | 120.4                | 120.4               | -2.09                        | -2.08                       | 0.209                        | 0.217                       | 0.0                    | 0.0                   | -10.13                    |                              | 34.4333513 | -118.6503730 | 1325         | 28.71                  |                                                                                                                             |
| CV-1601D     | 2/2/2026 1:42:03 PM   | 47.2       | 47.1       | 0.0       | 5.7            | 0.0          | 1.0     |                         |                         | 110.1                | 110.4               | -0.05                        | -0.04                       | -0.061                       | 0.200                       | 0.0                    | 3.1                   | -9.42                     |                              | 34.4311300 | -118.6487012 | 1309         | 28.69                  |                                                                                                                             |
| CV-1601D     | 2/23/2026 10:28:37 AM | 50.4       | 47.7       | 0.0       | 1.9            | 0.0          | 1.1     |                         |                         | 103.7                | 103.8               | -0.15                        | -0.15                       | 0.359                        | 0.357                       | 4.2                    | 4.2                   | -4.51                     |                              | 34.4310532 | -118.6486627 | 1385         | 28.79                  | Reduced System Vacuum,No Adjustment Made                                                                                    |
| CV-1601S     | 2/2/2026 1:38:11 PM   | 44.0       | 50.4       | 0.1       | 5.5            | 55.0         | 0.9     |                         |                         | 110.5                | 110.5               | -0.04                        | -0.04                       | -0.247                       | -0.246                      | 0.0                    | 0.0                   | -9.95                     |                              | 34.4310743 | -118.6486552 | 1293         | 28.81                  |                                                                                                                             |
| CV-1601S     | 2/23/2026 10:24:46 AM | 47.5       | 49.4       | 0.0       | 3.1            | 0.0          | 1.0     |                         |                         | 98.9                 | 99.0                | -0.13                        | -0.14                       | 0.298                        | 0.299                       | 3.8                    | 3.8                   | -3.49                     |                              | 34.4311297 | -118.6486283 | 1388         | 28.88                  | Reduced System Vacuum,                                                                                                      |
| CV-1604      | 2/2/2026 11:32:40 AM  | 54.5       | 45.5       | 0.0       | 0.0            | 0.0          | 1.2     |                         |                         | 129.4                | 129.4               | -1.98                        | -1.98                       | 0.114                        | 0.114                       | 2.3                    | 2.3                   | -24.02                    |                              | 34.4321968 | -118.6450825 | 1247         | 28.77                  | No Adjustment Made,                                                                                                         |
| CV-1605      | 2/2/2026 10:58:03 AM  | 52.4       | 46.6       | 0.3       | 0.7            | 2.3          | 1.1     |                         |                         | 86.1                 | 86.2                | -4.97                        | -5.00                       | 0.013                        | 0.012                       | 0.2                    | 0.2                   | -10.41                    |                              | 34.4319302 | -118.6460718 | 1247         | 28.79                  | No Adjustment Made,                                                                                                         |
| CV-1701D     | 2/5/2026 9:27:54 AM   | 41.0       | 37.8       | 4.2       | 17.0           | 4.0          | 1.1     |                         |                         | 65.5                 | 65.4                | -1.50                        | -1.44                       | 0.015                        | 0.006                       | 0.3                    | 0.2                   | -1.56                     | -1.54                        | 34.4336017 | -118.6433470 | 1310         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                              |
| CV-1701S     | 2/5/2026 9:14:23 AM   | 24.0       | 56.3       | 2.2       | 17.5           | 8.0          | 0.4     |                         |                         | 142.7                | 122.7               | -5.41                        | -4.52                       | 0.024                        | 0.103                       | 1.9                    | 4.0                   | -10.21                    | -10.30                       | 34.4335902 | -118.6433503 | 1310         | 28.78                  | Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum                                                                |
| CV-1701S     | 2/5/2026 9:21:11 AM   | 22.3       | 57.5       | 1.8       | 18.4           | 10.2         | 0.4     |                         |                         | 123.6                | 126.4               | -3.80                        | -3.73                       | 0.762                        | 0.758                       | 10.9                   | 10.8                  | -10.24                    | -10.47                       | 34.4335885 | -118.6433377 | 1310         | 28.78                  | Valve Adjustment:NSPS/EG CAC,Audible Flow                                                                                   |
| CV-1901      | 2/13/2026 3:22:18 PM  | 13.0       | 74.8       | 0.1       | 12.1           | 121.0        | 0.2     |                         |                         | 103.9                | 104.2               | -6.08                        | -6.08                       | 1.421                        | 1.399                       | 15.0                   | 14.9                  | -5.97                     | -6.03                        | 34.4356955 | -118.6508018 | 1331         | 28.6                   |                                                                                                                             |
| CV-1901      | 2/21/2026 9:40:39 AM  | 12.7       | 75.2       | 1.1       | 11.0           | 10.0         | 0.2     |                         |                         | 86.9                 | 88.0                | -1.86                        | -1.50                       | 0.167                        | 0.279                       | 2.9                    | 3.7                   | -7.06                     | -6.76                        | 34.4357132 | -118.6508037 | 1332         | 28.75                  | Valve Adjustment:Decreased Flow/Vacuum                                                                                      |
| CV-1901      | 2/21/2026 9:43:49 AM  | 11.7       | 72.0       | 0.4       | 15.9           | 39.8         | 0.2     |                         |                         | 86.8                 | 87.2                | -1.59                        | -1.59                       | 0.172                        | 0.176                       | 2.9                    | 3.0                   | -7.12                     | -7.21                        | 34.4356952 | -118.6508320 | 1340         | 28.77                  |                                                                                                                             |
| CV-1902A     | 2/4/2026 9:12:02 AM   | 3.1        | 79.6       | 0.0       | 17.3           | 0.0          | 0.0     |                         |                         | 157.1                | 160.8               | -6.24                        | -6.70                       | 6.688                        | 7.154                       |                        |                       | -6.16                     | -6.72                        | 34.4346012 | -118.6503173 | 1315         | 28.88                  | Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header                                                     |
| CV-1902A     | 2/4/2026 9:15:00 AM   |            |            |           |                |              |         |                         | 163000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 16.3%]                                                                                                 |
| CV-1902A     | 2/4/2026 9:15:00 AM   |            |            |           |                |              |         | 1690                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                       |
| CV-1902A     | 2/5/2026 8:15:00 AM   |            |            |           |                |              |         |                         | 180000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 18%]                                                                                            |
| CV-1902A     | 2/5/2026 8:15:00 AM   |            |            |           |                |              |         | 980                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                |
| CV-1902A     | 2/9/2026 8:45:00 AM   |            |            |           |                |              |         |                         | 163200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 16.32%]                                                                                                |
| CV-1902A     | 2/9/2026 8:45:00 AM   |            |            |           |                |              |         | 1550                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                       |
| CV-1902A     | 2/9/2026 8:45:18 AM   | 1.9        | 84.9       | 0.0       | 13.2           | 0.0          | 0.0     |                         |                         | 163.4                | 163.0               | -5.37                        | -5.22                       | 5.694                        | 5.544                       |                        |                       | -5.34                     | -5.39                        | 34.4346168 | -118.6503213 | 1321         | 28.68                  | Valve Adjustment:High Temp                                                                                                  |
| CV-1902A     | 2/17/2026 9:05:00 AM  |            |            |           |                |              |         | 1830                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                       |
| CV-1902A     | 2/17/2026 9:08:48 AM  | 1.9        | 80.9       | 0.0       | 17.2           | 0.0          | 0.0     |                         |                         | 162.5                | 162.5               | -8.26                        | -7.99                       | 8.147                        | 7.905                       |                        |                       | -7.85                     | -7.42                        | 34.4346060 | -118.6503183 | 1321         | 28.67                  | Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp                                                                         |
| CV-1902A     | 2/17/2026 9:10:10 AM  | 2.1        | 85.2       | 0.0       | 12.7           | 0.0          | 0.0     |                         |                         | 162.5                | 162.5               | -8.27                        | -8.39                       | 8.230                        | 8.347                       |                        |                       | -7.73                     | -7.98                        | 34.4346030 | -118.6503112 | 1319         | 28.67                  | Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp                                                                         |
| CV-1902A     | 2/25/2026 9:24:12 AM  | 7.0        | 82.5       | 0.0       | 10.5           | 0.0          | 0.1     |                         |                         | 176.7                | 175.7               | -3.60                        | -3.60                       | 3.569                        | 3.569                       |                        |                       | -3.15                     | -3.15                        | 34.4346047 | -118.6502807 | 1335         | 28.7                   | Valve Adjustment:No Flow Measurement,High Temp                                                                              |
| CV-1905      | 2/2/2026 12:37:17 PM  | 53.5       | 43.1       | 0.0       | 3.4            | 0.0          | 1.2     |                         |                         | 110.7                | 110.7               | -4.26                        | -4.29                       | 0.829                        | 0.797                       | 11.4                   | 11.2                  | -22.33                    | -23.35                       | 34.4335087 | -118.6459917 | 1388         | 28.64                  |                                                                                                                             |
| CV-1905      | 2/23/2026 12:22:37 PM | 53.6       | 46.0       | 0.0       | 0.4            | 0.0          | 1.2     |                         |                         | 103.6                | 104.0               | -1.64                        | -1.96                       | 0.885                        | 0.935                       | 12.2                   | 12.5                  | -6.24                     |                              | 34.4334832 | -118.6460605 | 1391         | 28.71                  | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                   |
| CV-2001      | 2/4/2026 8:10:00 AM   |            |            |           |                |              |         |                         | 13000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 1.3%]                                                                                           |
| CV-2001      | 2/4/2026 8:10:00 AM   |            |            |           |                |              |         | 140                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                |
| CV-2001      | 2/5/2026 1:50:56 PM   | 4.2        | 25.2       | 14.1      | 56.5           | 4.0          | 0.2     |                         |                         | 90.4                 | 90.7                | -1.22                        | -1.43                       | 0.012                        | 0.022                       | 3.1                    | 4.2                   | -3.98                     | -6.01                        | 34.4322947 | -118.6505540 | 1260         | 28.74                  |                                                                                                                             |
| CV-2001      | 2/24/2026 9:54:00 AM  | 3.4        | 25.2       | 15.3      | 56.1           | 3.7          | 0.1     |                         |                         | 89.0                 | 88.8                | -2.83                        | -2.26                       | 0.004                        | 0.009                       | 1.9                    | 2.7                   | -3.28                     | -2.36                        | 34.4322930 | -118.6505650 | 1267         | 28.75                  | Valve Adjustment:High O2                                                                                                    |
| CV-2001      | 2/24/2026 11:41:41 AM | 10.9       | 62.2       | 4.6       | 22.3           | 4.8          | 0.2     |                         |                         | 92.9                 | 95.4                | -5.32                        | -3.42                       | 0.122                        | -0.053                      | 2.2                    | 0.0                   | -5.15                     |                              | 34.4322302 | -118.6505823 | 1309         | 28.71                  |                                                                                                                             |
| CV-2002      | 2/4/2026 8:30:00 AM   |            |            |           |                |              |         |                         | 72000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 7.2%]                                                                                           |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name  | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                                                   |                                   |
|-------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| CV-2002     | 2/4/2026 8:30:00 AM   |            |            |           |                |              |         | 1500                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | Air Tech Lab                      |
| CV-2002     | 2/5/2026 2:02:01 PM   | 7.2        | 73.8       | 0.7       | 18.3           | 26.1         | 0.1     |                         |                         | 129.3             | 121.6            | -0.23                     | -0.27                    | 0.182                     | 0.225                    | 26.5                | 29.7               | 0.01                   | -0.03                     | 34.4328293 | -118.6511847 | 1257         | 28.71               | Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header; Well Comment: Pump turned off; Well Condition: Pnumatic Pump installed |                                   |
| CV-2002     | 2/15/2026 11:11:39 AM | 11.8       | 66.5       | 0.0       | 21.7           | 0.0          | 0.2     |                         |                         | 139.4             | 139.3            | -5.90                     | -4.97                    | 0.146                     | 0.098                    | 7.2                 | 5.9                | -5.93                  | -5.26                     | 34.4328307 | -118.6511758 | 1277         | 28.68               | Condition: Pnumatic Pump installed                                                                                                         |                                   |
| CV-2002     | 2/15/2026 11:22:56 AM | 9.4        | 67.6       | 0.1       | 22.8           | 190.3        | 0.1     |                         |                         | 137.8             | 137.8            | -4.67                     | -4.94                    | 0.053                     | 0.220                    | 4.4                 | 8.8                | -4.60                  | -5.35                     | 34.4328113 | -118.6511635 | 1274         | 28.68               | Valve Adjustment: High Temp                                                                                                                |                                   |
| CV-2003     | 2/13/2026 12:51:24 PM | 13.4       | 78.1       | 0.0       | 8.5            | 0.0          | 0.2     |                         |                         | 111.1             | 111.2            | -6.24                     | -6.10                    | 0.214                     | 0.028                    | 1.4                 | 0.5                | -8.46                  | -8.65                     | 34.4334213 | -118.6507328 | 1281         | 28.67               |                                                                                                                                            |                                   |
| CV-2003     | 2/21/2026 10:10:41 AM | 17.1       | 78.0       | 0.0       | 4.9            | 0.0          | 0.2     |                         |                         | 99.5              | 99.9             | -8.46                     | -8.08                    | 0.237                     | 0.243                    | 1.3                 | 1.3                | -10.02                 |                           | 34.4334483 | -118.6507200 | 1293         | 28.75               |                                                                                                                                            |                                   |
| CV-2006     | 2/4/2026 8:56:15 AM   | 1.2        | 85.6       | 0.0       | 13.2           | 0.0          | 0.0     |                         |                         | 185.6             | 185.8            | -9.21                     | -9.31                    | 1.102                     | 1.210                    | 27.4                | 28.7               | -9.75                  | -9.41                     | 34.4352275 | -118.6506575 | 1319         | 28.86               | Valve Adjustment: No Flow Measurement, High Temp                                                                                           |                                   |
| CV-2006     | 2/4/2026 9:00:00 AM   |            |            |           |                |              |         |                         | 106100                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | AtmAA; [User entered 10.61%]      |
| CV-2006     | 2/4/2026 9:00:00 AM   |            |            |           |                |              |         | 2900                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | AtmAA                             |
| CV-2006     | 2/9/2026 8:33:47 AM   | 1.0        | 84.1       | 0.0       | 14.9           | 0.0          | 0.0     |                         |                         | 186.2             | 186.2            | -2.42                     | -2.43                    | 6.625                     | 7.043                    | 67.1                | 69.2               | -3.54                  | -3.64                     | 34.4352217 | -118.6506400 | 1327         | 28.67               | Valve Adjustment: High Temp                                                                                                                |                                   |
| CV-2006     | 2/9/2026 8:35:00 AM   |            |            |           |                |              |         |                         | 158600                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | AtmAA; [User entered 15.86%]      |
| CV-2006     | 2/9/2026 8:35:00 AM   |            |            |           |                |              |         | 3640                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | AtmAA                             |
| CV-2006     | 2/17/2026 8:50:00 AM  |            |            |           |                |              |         | 2630                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | AtmAA                             |
| CV-2006     | 2/17/2026 8:51:19 AM  | 1.0        | 86.5       | 0.0       | 12.5           | 0.0          | 0.0     |                         |                         | 185.4             | 185.4            | -8.31                     | -8.22                    | 2.951                     | 2.869                    | 44.6                | 44.0               | -8.21                  | -8.48                     | 34.4352307 | -118.6506428 | 1331         | 28.67               | Valve Adjustment: NSPS/EG CAI, Audible Flow, High Temp                                                                                     |                                   |
| CV-2006     | 2/17/2026 8:52:23 AM  | 1.0        | 85.7       | 0.0       | 13.3           | 0.0          | 0.0     |                         |                         | 185.6             | 185.3            | -9.10                     | -9.10                    | 3.996                     | 3.839                    | 51.8                | 50.8               | -8.27                  | -8.35                     | 34.4352267 | -118.6506392 | 1330         | 28.67               | Valve Adjustment: NSPS/EG CAI, Audible Flow, High Temp                                                                                     |                                   |
| CV-2006     | 2/25/2026 9:32:58 AM  | 8.6        | 81.8       | 0.0       | 9.6            | 0.0          | 0.1     |                         |                         | 183.3             | 185.6            | -4.15                     | -2.41                    | 1.245                     | 0.012                    | 29.3                | 2.8                | -4.16                  | -4.19                     | 34.4352123 | -118.6506067 | 1328         | 28.71               | Valve Adjustment: High Temp, Decreased Flow/Vacuum                                                                                         |                                   |
| CV-2006     | 2/25/2026 9:34:01 AM  | 8.0        | 83.8       | 0.0       | 8.2            | 0.0          | 0.1     |                         |                         | 185.8             | 185.9            | -2.31                     | -2.35                    | 1.310                     | 0.241                    | 30.0                | 12.9               | -3.92                  | -4.56                     | 34.4352192 | -118.6506303 | 1330         | 28.71               | Valve Adjustment: High Temp, Surging Liquid in Header                                                                                      |                                   |
| CV-2007     | 2/5/2026 10:05:37 AM  | 18.4       | 65.2       | 3.8       | 12.6           | 3.3          | 0.3     |                         |                         | 107.2             | 107.2            | -0.19                     | -0.18                    | 0.020                     | 0.000                    | 5.8                 | 0.0                | -16.10                 | -15.34                    | 34.4361562 | -118.6469998 | 1390         | 28.68               |                                                                                                                                            |                                   |
| CV-2007     | 2/12/2026 9:47:00 AM  |            |            |           |                |              |         |                         | 26000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | Air Tech Lab; [User entered 2.6%] |
| CV-2007     | 2/12/2026 9:47:00 AM  |            |            |           |                |              |         | 540                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | Air Tech Lab                      |
| CV-2007     | 2/24/2026 1:27:24 PM  | 13.6       | 74.1       | 0.2       | 12.1           | 60.5         | 0.2     |                         |                         | 155.7             | 151.7            | -6.99                     | -0.95                    | 2.013                     | 0.061                    | 23.2                | 4.1                | -8.78                  |                           | 34.4361772 | -118.6470143 | 1430         | 28.58               | NSPS/EG CAI, High Temp                                                                                                                     |                                   |
| CV-2007     | 2/24/2026 1:31:43 PM  | 13.6       | 74.9       | 0.1       | 11.4           | 114.0        | 0.2     |                         |                         | 151.3             | 151.3            | -0.95                     | -0.95                    | 0.062                     | 0.060                    | 4.1                 | 4.0                | -8.63                  |                           | 34.4362127 | -118.6471077 | 1480         | 28.58               |                                                                                                                                            |                                   |
| CV-2008     | 2/10/2026 12:04:59 PM | 19.3       | 80.7       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 96.9              | 96.8             | -1.19                     | -0.64                    | -0.191                    | -0.182                   | 0.0                 | 0.0                | -2.79                  |                           | 34.4361748 | -118.6461845 | 4596         | 28.45               | Reduced System Vacuum,                                                                                                                     |                                   |
| CV-2009     | 2/10/2026 11:37:29 AM | 41.6       | 57.9       | 0.0       | 0.5            | 0.0          | 0.7     |                         |                         | 121.4             | 133.8            | 2.75                      | -0.04                    | 0.019                     | 0.535                    | 3.8                 | 19.7               | -5.29                  |                           | 34.4361925 | -118.6451730 | 4823         | 28.47               | NSPS/EG CAI, NSPS/EG CAC, Audible Flow, Positive Static Press., Reduced System Vacuum, Increased Flow/Vacuum, Opened Valve 1/2 to 1 Turn,  |                                   |
| CV-2009     | 2/10/2026 11:40:05 AM | 41.4       | 58.6       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 133.8             | 133.9            | -0.05                     | -0.07                    | 0.496                     | 0.497                    | 19.0                | 19.0               | -5.11                  |                           | 34.4362233 | -118.6451883 | 4813         | 28.47               |                                                                                                                                            |                                   |
| CV-2009     | 2/10/2026 11:42:53 AM | 41.3       | 58.7       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 133.9             | 133.9            | -0.10                     | -0.07                    | 0.358                     | 0.360                    | 16.1                | 16.2               | -5.21                  |                           | 34.4362840 | -118.6452030 | 4587         | 28.47               |                                                                                                                                            |                                   |
| CV-2009A    | 2/13/2026 3:35:47 PM  | 38.8       | 61.2       | 0.0       | 0.0            | 0.0          | 0.6     |                         |                         | 127.3             | 127.4            | -1.27                     | -1.30                    | 0.715                     | 1.016                    | 10.5                | 12.5               | -5.95                  | -7.44                     | 34.4359893 | -118.6452490 | 1392         | 28.52               |                                                                                                                                            |                                   |
| CV-2010     | 2/9/2026 9:55:44 AM   | 28.7       | 64.4       | 0.0       | 6.9            | 0.0          | 0.4     |                         |                         | 92.5              | 97.3             | 3.81                      | -0.19                    | 0.053                     | 0.008                    | 6.6                 | 2.6                | -7.07                  | -7.31                     | 34.4356387 | -118.6435772 | 1357         | 28.66               | Valve Adjustment: NSPS/EG CAI, Positive Static Press., Increased Flow/Vacuum; Well Condition: Fair                                         |                                   |
| CV-2010     | 2/9/2026 9:56:07 AM   | 27.4       | 67.8       | 0.0       | 4.8            | 0.0          | 0.4     |                         |                         | 97.3              | 97.2             | -0.17                     | -0.17                    | 0.011                     | 0.014                    | 3.0                 | 3.3                | -6.94                  | -7.23                     | 34.4356437 | -118.6435728 | 1361         | 28.66               | Valve Adjustment: NSPS/EG CAC; Well Condition: Fair                                                                                        |                                   |
| CV-2010A    | 2/9/2026 2:47:50 PM   | 33.5       | 56.1       | 0.0       | 10.4           | 0.0          | 0.6     |                         |                         | 136.1             | 141.6            | 3.63                      | -0.05                    | 0.154                     | 1.368                    | 7.1                 | 21.0               | -6.19                  |                           | 34.4356968 | -118.6436658 | 1411         | 28.54               | NSPS/EG CAI, NSPS/EG CAC, Reduced System Vacuum, Increased Flow/Vacuum, Opened Valve 1/2 to 1 Turn                                         |                                   |
| CV-2010A    | 2/9/2026 2:54:13 PM   | 44.0       | 50.9       | 0.0       | 5.1            | 0.0          | 0.9     |                         |                         | 141.2             | 141.2            | -0.08                     | -0.08                    | 0.862                     | 0.856                    | 17.2                | 17.2               | -6.17                  |                           | 34.4357615 | -118.6436935 | 1335         | 28.54               |                                                                                                                                            |                                   |
| CV-2011     | 2/9/2026 9:03:16 AM   | 49.6       | 49.0       | 0.0       | 1.4            | 0.0          | 1.0     |                         |                         | 106.0             | 106.5            | -0.06                     | -0.06                    | 0.065                     | 0.064                    | 7.2                 | 7.1                | -9.06                  | -9.07                     | 34.4341927 | -118.6434687 | 1353         | 28.67               | Well Condition: Fair                                                                                                                       |                                   |
| CV-2011A    | 2/9/2026 2:25:44 PM   | 21.2       | 60.8       | 0.0       | 18.0           | 0.0          | 0.3     |                         |                         | 145.2             | 145.2            | -0.05                     | -0.08                    | 0.065                     | 0.059                    | 3.1                 | 3.0                | -4.74                  | -4.75                     | 34.4345610 | -118.6431723 | 1335         | 28.59               | Valve Adjustment: NSPS/EG CAI, High Temp, Barely Open                                                                                      |                                   |
| CV-2011A    | 2/9/2026 2:26:14 PM   | 20.9       | 62.2       | 0.0       | 16.9           | 0.0          | 0.3     |                         |                         | 145.2             | 145.3            | -0.08                     | -0.06                    | 0.003                     | 0.064                    | 0.7                 | 3.1                | -4.78                  | -4.85                     | 34.4345610 | -118.6431723 | 1335         | 28.59               | Valve Adjustment: NSPS/EG CAI, High Temp, Barely Open; Well Condition: Lorentz Pump Installed                                              |                                   |
| CV-2011A    | 2/17/2026 10:10:46 AM | 18.4       | 54.7       | 1.8       | 25.1           | 13.9         | 0.3     |                         |                         | 146.0             | 145.9            | -1.73                     | -1.74                    | 0.172                     | 0.137                    | 25.1                | 22.4               | -13.15                 | -13.11                    | 34.4345415 | -118.6431670 | 1341         | 28.63               | Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp                                                               |                                   |
| CV-2011A    | 2/17/2026 10:15:00 AM |            |            |           |                |              |         | 913                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | AtmAA                             |
| CV-2011A    | 2/25/2026 2:01:41 PM  | 38.9       | 56.4       | 0.0       | 4.7            | 0.0          | 0.7     |                         |                         | 146.5             | 146.6            | -5.75                     | -5.76                    | 0.078                     | 0.080                    | 16.8                | 17.1               | -9.04                  | -9.09                     | 34.4345328 | -118.6431897 | 1328         | 28.67               | Valve Adjustment: High Temp                                                                                                                |                                   |
| CV-2012     | 2/6/2026 2:37:13 PM   | 34.1       | 59.4       | 0.0       | 6.5            | 0.0          | 0.6     |                         |                         | 140.4             | 140.3            | -1.87                     | -1.11                    | 0.158                     | 0.167                    | 10.8                | 11.1               | -6.73                  | -7.31                     | 34.4350062 | -118.6433013 | 1337         | 28.67               | Valve Adjustment: High Temp, Decreased Flow/Vacuum                                                                                         |                                   |
| CV-2201-PLR | 2/2/2026 1:25:00 PM   |            |            |           |                |              |         |                         | 66200                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                            | AtmAA; [User entered 6.62%]       |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name  | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                     |                              |
|-------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------|
| CV-2201-PLR | 2/2/2026 1:25:00 PM   |            |            |           |                |              |         | 1420                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                        |
| CV-2201-PLR | 2/2/2026 1:25:38 PM   | 21.4       | 78.6       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 144.9                | 141.1               | -12.22                       | -8.43                       | 12.049                       | 8.179                       |                        |                       | -12.14                    | -12.12                       | 34.4355578 | -118.6488435 | 1334         | 28.7                   | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                         |                              |
| CV-2201-PLR | 2/2/2026 1:26:49 PM   | 21.7       | 78.3       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 140.0                | 140.0               | -9.76                        | -9.78                       | 9.531                        | 9.541                       |                        |                       | -11.81                    | -11.79                       | 34.4355775 | -118.6488397 | 1334         | 28.7                   | Valve Adjustment:No Flow Measurement,High Temp                                                               |                              |
| CV-2201-PLR | 2/12/2026 1:00:59 PM  | 2.2        | 82.0       | 0.1       | 15.7           | 157.0        | 0.0     |                         |                         | 195.5                | 194.9               | -9.12                        | -9.46                       | 9.074                        | 9.391                       |                        |                       | -11.83                    | -8.80                        | 34.4355542 | -118.6488348 | 1359         | 28.65                  | Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)                      |                              |
| CV-2201-PLR | 2/12/2026 2:00:00 PM  |            |            |           |                |              |         | 123800                  |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA; [User entered 12.38%] |
| CV-2201-PLR | 2/12/2026 2:00:00 PM  |            |            |           |                |              |         | 2260                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                        |
| CV-2201-PLR | 2/20/2026 8:27:48 AM  | 2.3        | 81.3       | 0.9       | 15.5           | 17.2         | 0.0     |                         |                         | 191.7                | 191.4               | -9.76                        | -9.76                       | 9.482                        | 9.482                       |                        |                       | -9.81                     | -9.81                        | 34.4355495 | -118.6488717 | 1363         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                 |                              |
| CV-2201-PLR | 2/24/2026 9:32:07 AM  | 38.3       | 60.8       | 0.9       | 0.0            | 0.0          | 0.6     |                         |                         | 116.9                | 115.5               | -4.31                        | -1.76                       | 3.542                        | 0.829                       |                        |                       | -4.85                     | -1.32                        | 34.4355608 | -118.6488500 | 1354         | 28.67                  | Valve Adjustment:Decreased Flow/Vacuum,Barely Open                                                           |                              |
| CV-2201-PLR | 2/24/2026 9:33:29 AM  | 29.5       | 68.7       | 1.8       | 0.0            | 0.0          | 0.4     |                         |                         | 115.2                | 114.3               | -2.31                        | -1.30                       | 1.291                        | 1.715                       |                        |                       | -2.86                     | -0.52                        | 34.4355712 | -118.6488592 | 1359         | 28.67                  | Valve Adjustment:Barely Open,Surging Liquid in Well (Watered In)                                             |                              |
| CV-2204-PLR | 2/2/2026 10:25:00 AM  |            |            |           |                |              |         | 64500                   |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA; [User entered 6.45%]  |
| CV-2204-PLR | 2/2/2026 10:25:00 AM  |            |            |           |                |              |         | 2050                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                        |
| CV-2204-PLR | 2/2/2026 10:25:24 AM  | 12.3       | 83.8       | 0.0       | 3.9            | 0.0          | 0.1     |                         |                         | 189.6                | 189.6               | -8.73                        | -5.62                       | 9.198                        | 4.889                       |                        |                       | 0.91                      | 0.90                         | 34.4357612 | -118.6474412 | 1358         | 28.71                  | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum                                                   |                              |
| CV-2204-PLR | 2/2/2026 10:26:05 AM  | 13.9       | 85.6       | 0.0       | 0.5            | 0.0          | 0.2     |                         |                         | 189.6                | 189.6               | -4.59                        | -4.78                       | 4.195                        | 4.305                       |                        |                       | 0.72                      | 0.71                         | 34.4357653 | -118.6474525 | 1357         | 28.72                  | Valve Adjustment:No Flow Measurement,High Temp                                                               |                              |
| CV-2204-PLR | 2/11/2026 12:50:00 PM |            |            |           |                |              |         | 110800                  |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA; [User entered 11.08%] |
| CV-2204-PLR | 2/11/2026 12:50:00 PM |            |            |           |                |              |         | 3730                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                        |
| CV-2204-PLR | 2/11/2026 12:50:04 PM | 2.3        | 87.6       | 0.0       | 10.1           | 0.0          | 0.0     |                         |                         | 189.2                | 189.7               | -1.81                        | -1.92                       | 1.499                        | 1.668                       |                        |                       | -9.58                     | -9.68                        | 34.4357667 | -118.6474603 | 1361         | 28.67                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp                                                  |                              |
| CV-2204-PLR | 2/19/2026 7:18:55 AM  | 1.5        | 80.3       | 2.5       | 15.7           | 6.3          | 0.0     |                         |                         | 190.0                | 189.3               | -9.35                        | -9.14                       | 9.326                        | 9.104                       |                        |                       | -0.23                     | -0.34                        | 34.4357742 | -118.6474640 | 1357         | 28.48                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Surging Liquid in Header |                              |
| CV-2204-PLR | 2/23/2026 12:52:26 PM | 11.3       | 69.5       | 3.2       | 16.0           | 5.0          | 0.2     |                         |                         | 191.4                | 191.4               | -5.23                        | -5.21                       | 4.827                        | 4.822                       |                        |                       | -0.03                     | -0.03                        | 34.4357688 | -118.6474607 | 1360         | 28.78                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header        |                              |
| CV-2205     | 2/9/2026 9:16:37 AM   | 44.0       | 50.8       | 0.0       | 5.2            | 0.0          | 0.9     |                         |                         | 125.3                | 124.9               | -1.28                        | -1.00                       | 0.052                        | 0.047                       | 14.2                   | 13.4                  | -9.38                     | -8.99                        | 34.4342445 | -118.6441052 | 1384         | 28.63                  | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair, Lorentz Pump Installed              |                              |
| CV-2205     | 2/9/2026 9:17:55 AM   | 42.9       | 52.3       | 0.0       | 4.8            | 0.0          | 0.8     |                         |                         | 124.7                | 125.1               | -0.99                        | -0.99                       | 0.040                        | 0.033                       | 12.4                   | 11.3                  | -9.35                     | -9.47                        | 34.4342475 | -118.6441045 | 1380         | 28.63                  | Well Condition:Fair                                                                                          |                              |
| CV-2206-PLR | 2/12/2026 9:44:40 AM  | 1.0        | 54.2       | 8.9       | 35.9           | 4.0          | 0.0     |                         |                         | 74.0                 | 74.6                | -4.90                        | -4.89                       | 4.813                        | 4.813                       |                        |                       | -10.06                    | -10.01                       | 34.4360453 | -118.6484212 | 1351         | 28.75                  | Valve Adjustment:High O2                                                                                     |                              |
| CV-2206-PLR | 2/24/2026 2:28:47 PM  | 0.3        | 7.8        | 18.8      | 73.1           | 3.9          | 0.0     |                         |                         | 88.1                 | 88.2                | -1.13                        | -1.03                       | 1.089                        | 0.985                       |                        |                       | -8.93                     | -8.84                        | 34.4360750 | -118.6483822 | 1381         | 28.62                  | Valve Adjustment:High O2                                                                                     |                              |
| CV-2207     | 2/4/2026 8:39:28 AM   | 45.4       | 52.7       | 0.0       | 1.9            | 0.0          | 0.9     |                         |                         | 121.6                | 122.8               | -0.42                        | -0.51                       | 0.015                        | 0.062                       | 7.7                    | 15.6                  | -8.91                     | -9.04                        | 34.4359803 | -118.6442335 | 1392         | 28.78                  | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Comment:Well needs lowering   |                              |
| CV-2208A    | 2/13/2026 2:56:11 PM  | 31.0       | 65.1       | 0.1       | 3.8            | 38.0         | 0.5     |                         |                         | 123.2                | 123.3               | 0.63                         | 0.67                        | -0.059                       | -0.059                      | 0.0                    | 0.0                   | -8.03                     |                              | 34.4364258 | -118.6450562 | 1463         | 28.53                  | No Adjustment Made,Positive Static Press.                                                                    |                              |
| CV-2208A    | 2/13/2026 2:57:44 PM  | 30.2       | 65.4       | 0.0       | 4.4            | 0.0          | 0.5     |                         |                         | 123.8                | 123.9               | 0.62                         | 0.63                        | -0.093                       | -0.084                      | 0.0                    | 0.0                   | -8.23                     |                              | 34.4364653 | -118.6450107 | 1427         | 28.53                  | ,                                                                                                            |                              |
| CV-2208A    | 2/20/2026 10:44:45 AM | 34.2       | 61.6       | 0.0       | 4.2            | 0.0          | 0.6     |                         |                         | 119.6                | 107.8               | -2.52                        | -0.93                       | 0.015                        | 0.008                       | 7.6                    | 5.6                   | -9.70                     | -9.70                        | 34.4365353 | -118.6449452 | 1349         | 28.63                  | Valve Adjustment:NSPS/EG CAC,Orifice Plate Changed (See OP Log);Well Condition:Lorentz Pump Installed        |                              |
| CV-2208A    | 2/20/2026 10:48:10 AM | 32.8       | 62.0       | 0.0       | 5.2            | 0.0          | 0.5     |                         |                         | 116.7                | 122.7               | -2.38                        | -4.90                       | 0.009                        | 0.034                       | 1.8                    | 3.5                   | -9.29                     | -9.59                        | 34.4365387 | -118.6449557 | 1351         | 28.62                  | Valve Adjustment:Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed                                 |                              |
| CV-2208A    | 2/20/2026 10:49:42 AM | 33.0       | 62.2       | 0.0       | 4.8            | 0.0          | 0.5     |                         |                         | 123.1                | 122.6               | -4.62                        | -4.62                       | 0.049                        | 0.057                       | 4.2                    | 4.6                   | -9.65                     | -11.24                       | 34.4365490 | -118.6449432 | 1342         | 28.63                  |                                                                                                              |                              |
| CV-2301     | 2/3/2026 10:13:58 AM  | 35.1       | 63.3       | 0.0       | 1.6            | 0.0          | 0.6     |                         |                         | 178.5                | 178.5               | -9.82                        | -5.27                       | 10.261                       | 5.726                       |                        |                       | -10.11                    | -10.45                       | 34.4335030 | -118.6492332 | 1351         | 28.85                  | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                         |                              |
| CV-2301     | 2/3/2026 10:15:00 AM  |            |            |           |                |              |         | 82000                   |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA; [User entered 8.2%]   |
| CV-2301     | 2/3/2026 10:15:00 AM  |            |            |           |                |              |         | 1002                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                        |
| CV-2301     | 2/3/2026 10:16:01 AM  | 32.4       | 66.1       | 0.2       | 1.3            | 6.5          | 0.5     |                         |                         | 175.0                | 175.0               | -4.22                        | -4.24                       | 4.140                        | 4.121                       |                        |                       | -10.07                    | -10.19                       | 34.4335065 | -118.6492220 | 1359         | 28.85                  | Valve Adjustment:No Flow Measurement,High Temp                                                               |                              |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                                      |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| CV-2301    | 2/10/2026 10:09:00 AM |            |            |           |                |              |         |                         | 113600                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 11.36%]                                                                                                                  |
| CV-2301    | 2/10/2026 10:09:00 AM |            |            |           |                |              |         | 2390                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                                         |
| CV-2301    | 2/10/2026 10:11:22 AM | 8.3        | 72.0       | 1.1       | 18.6           | 16.9         | 0.1     |                         |                         | 176.1                | 176.0               | -1.42                        | -1.31                       | 1.380                        | 1.272                       |                        |                       | -6.47                     | -4.94                        | 34.4335048 | -118.6492128 | 1353         | 28.55                  | Valve Adjustment:High Temp                                                                                                                    |
| CV-2301    | 2/13/2026 7:25:00 AM  |            |            |           |                |              |         |                         | 120000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 12%]                                                                                                              |
| CV-2301    | 2/13/2026 7:25:00 AM  |            |            |           |                |              |         | 1500                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                                  |
| CV-2301    | 2/18/2026 10:02:16 AM | 9.4        | 75.0       | 0.4       | 15.2           | 38.0         | 0.1     |                         |                         | 175.5                | 175.8               | -2.38                        | -2.38                       | 2.372                        | 2.372                       |                        |                       | -9.42                     | -9.43                        | 34.4335020 | -118.6492357 | 1345         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                  |
| CV-2301    | 2/25/2026 9:05:32 AM  | 2.0        | 88.8       | 0.0       | 9.2            | 0.0          | 0.0     |                         |                         | 82.9                 | 83.6                | 1.14                         | -1.81                       | 0.000                        | 1.783                       |                        |                       | -2.07                     | -2.10                        | 34.4335068 | -118.6492190 | 1362         | 28.67                  | Valve Adjustment:NSPS/EG CAC,No Flow Measurement,Increased Flow/Vacuum                                                                        |
| CV-2301    | 2/25/2026 9:06:19 AM  | 2.0        | 89.1       | 0.0       | 8.9            | 0.0          | 0.0     |                         |                         | 83.9                 | 84.0                | -3.65                        | -3.53                       | 3.593                        | 3.504                       |                        |                       | -4.43                     | -3.36                        | 34.4335043 | -118.6492328 | 1359         | 28.67                  | Valve Adjustment:NSPS/EG CAC,No Flow Measurement                                                                                              |
| CV-2302    | 2/3/2026 9:04:43 AM   | 46.6       | 47.6       | 0.7       | 5.1            | 7.3          | 1.0     |                         |                         | 114.9                | 114.6               | -4.74                        | -4.58                       | 5.239                        | 4.976                       |                        |                       | -4.96                     | -4.61                        | 34.4340577 | -118.6492123 | 1342         | 28.84                  |                                                                                                                                               |
| CV-2302    | 2/13/2026 7:30:00 AM  |            |            |           |                |              |         |                         | 18000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 1.8%]                                                                                                             |
| CV-2302    | 2/13/2026 7:30:00 AM  |            |            |           |                |              |         | 120                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                                  |
| CV-2302    | 2/21/2026 8:29:42 AM  | 44.5       | 44.5       | 1.7       | 9.3            | 5.5          | 1.0     |                         |                         | 69.4                 | 69.4                | -11.36                       | -11.40                      |                              |                             | 0.0                    | 0.0                   | -11.44                    |                              | 34.4340065 | -118.6491515 | 1371         | 28.63                  |                                                                                                                                               |
| CV-2303    | 2/3/2026 12:50:00 PM  |            |            |           |                |              |         |                         | 106850                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 10.685%]                                                                                                                 |
| CV-2303    | 2/3/2026 12:50:00 PM  |            |            |           |                |              |         | 1896.5                  |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                                         |
| CV-2303    | 2/3/2026 12:54:32 PM  | 11.5       | 70.7       | 1.5       | 16.3           | 10.9         | 0.2     |                         |                         | 179.4                | 178.9               | -8.11                        | -1.46                       | 8.055                        | 1.487                       |                        |                       | 0.05                      | 0.04                         | 34.4353605 | -118.6496628 | 1355         | 28.81                  | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                                                          |
| CV-2303    | 2/3/2026 12:55:38 PM  | 16.0       | 77.1       | 0.2       | 6.7            | 33.5         | 0.2     |                         |                         | 178.5                | 178.5               | -2.40                        | -2.77                       | 1.904                        | 2.564                       |                        |                       | 0.05                      | 0.03                         | 34.4353600 | -118.6496730 | 1366         | 28.82                  | Valve Adjustment:No Flow Measurement,High Temp,Barely Open                                                                                    |
| CV-2303    | 2/9/2026 7:50:00 AM   |            |            |           |                |              |         |                         | 160000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 16%]                                                                                                              |
| CV-2303    | 2/9/2026 7:50:00 AM   |            |            |           |                |              |         | 2000                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                                  |
| CV-2303    | 2/11/2026 8:35:00 AM  |            |            |           |                |              |         | 400                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                                  |
| CV-2303    | 2/11/2026 10:39:43 AM | 1.0        | 83.8       | 0.1       | 15.1           | 151.0        | 0.0     |                         |                         | 189.5                | 190.1               | -7.11                        | -6.45                       | 7.482                        | 6.815                       |                        |                       | 0.32                      | 0.32                         | 34.4353987 | -118.6496952 | 1369         | 28.67                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Decreased Flow/Vacuum                                                             |
| CV-2303    | 2/11/2026 10:40:00 AM |            |            |           |                |              |         |                         | 140200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 14.02%]                                                                                                                  |
| CV-2303    | 2/11/2026 10:40:00 AM |            |            |           |                |              |         | 3710                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                               |
| CV-2303    | 2/20/2026 9:24:13 AM  | 1.2        | 78.4       | 0.0       | 20.4           | 0.0          | 0.0     |                         |                         | 191.4                | 191.1               | 2.96                         | 2.97                        | 0.000                        | 0.000                       |                        |                       | -0.01                     | -0.01                        | 34.4353702 | -118.6496888 | 1373         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Valve 100% Open                                                                  |
| CV-2303    | 2/20/2026 9:25:11 AM  | 1.2        | 88.7       | 0.0       | 10.1           | 0.0          | 0.0     |                         |                         | 191.9                | 192.2               | 2.38                         | 2.24                        | 0.000                        | 0.000                       |                        |                       | -0.02                     | 0.00                         | 34.4353827 | -118.6496930 | 1373         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                           |
| CV-2303    | 2/23/2026 12:42:28 PM | 1.3        | 84.3       | 0.0       | 14.4           | 0.0          | 0.0     |                         |                         | 188.4                | 189.5               | 7.17                         | 4.97                        | -7.730                       | -5.785                      | 0.0                    | 0.0                   | 6.34                      |                              | 34.4353733 | -118.6496932 | 1358         | 28.72                  | NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum                                                                            |
| CV-2303    | 2/23/2026 12:43:25 PM | 1.3        | 88.1       | 0.0       | 10.6           | 0.0          | 0.0     |                         |                         | 189.3                | 190.0               | 5.50                         | 5.34                        | -6.605                       | -6.532                      | 0.0                    | 0.0                   | 6.56                      |                              | 34.4352578 | -118.6496447 | 1424         | 28.72                  | NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum                                                                            |
| CV-2303    | 2/24/2026 8:10:45 AM  | 6.0        | 88.1       | 0.4       | 5.5            | 13.8         | 0.1     |                         |                         | 193.1                | 192.2               | 4.52                         | 1.75                        | 0.000                        | 0.000                       |                        |                       | 0.32                      | 0.32                         | 34.4353733 | -118.6496813 | 1371         | 28.67                  | Valve Adjustment:NSPS/EG CAI,No Flow Measurement,Positive Static Press.,Increased Flow/Vacuum                                                 |
| CV-2303    | 2/24/2026 8:12:25 AM  | 7.1        | 84.5       | 0.0       | 8.4            | 0.0          | 0.1     |                         |                         | 193.1                | 193.5               | 5.74                         | 6.08                        | 0.000                        | 0.000                       |                        |                       | 0.32                      | 0.32                         | 34.4353883 | -118.6496882 | 1375         | 28.67                  | Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.                                                                         |
| CV-2304    | 2/13/2026 2:23:29 PM  | 7.8        | 60.4       | 4.7       | 27.1           | 5.8          | 0.1     |                         |                         | 84.3                 | 84.4                | 15.10                        | 15.84                       | 0.000                        | 0.000                       |                        |                       | 0.31                      | 0.31                         | 34.4345680 | -118.6487590 | 1338         | 28.6                   | Valve Adjustment:Positive Static Press.,Surging Liquid in Header,Surging Liquid in Well (Watered In)                                          |
| CV-2304    | 2/13/2026 2:24:02 PM  | 7.8        | 59.7       | 4.7       | 27.8           | 5.9          | 0.1     |                         |                         | 86.1                 | 86.2                | 14.54                        | 15.88                       | 0.000                        | 0.000                       |                        |                       | 0.31                      | 0.31                         | 34.4345650 | -118.6487690 | 1333         | 28.6                   | Valve Adjustment:Positive Static Press.,Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Comment:hard pipped |
| CV-2304    | 2/20/2026 9:54:10 AM  | 5.6        | 30.3       | 11.5      | 52.6           | 4.6          | 0.2     |                         |                         | 62.3                 | 61.9                | -5.20                        | -5.20                       | 4.760                        | 4.758                       |                        |                       | 0.00                      | 0.00                         | 34.4345660 | -118.6487625 | 1341         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High O2,Valve 100% Closed                                                                  |
| CV-2304    | 2/20/2026 9:54:49 AM  | 6.0        | 26.8       | 11.3      | 55.9           | 4.9          | 0.2     |                         |                         | 60.3                 | 60.1                | -4.81                        | -4.83                       | 4.753                        | 4.779                       |                        |                       | 0.00                      | 0.00                         | 34.4345643 | -118.6487615 | 1341         | 28.6                   | Valve Comment:Enhanced Monitoring;Valve Adjustment:High O2,Valve 100% Closed                                                                  |
| CV-2304    | 2/23/2026 9:57:36 AM  | 5.9        | 29.2       | 10.3      | 54.6           | 5.3          | 0.2     |                         |                         | 79.5                 | 79.6                | -2.51                        | -2.51                       | 0.693                        | 1.626                       | 0.0                    | 0.0                   | -2.14                     |                              | 34.4345657 | -118.6487312 | 1345         | 28.77                  | NSPS/EG CAI,High O2,Reduced System Vacuum                                                                                                     |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name  | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                                                                                                                                                          |                                                                                                             |
|-------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| CV-2304     | 2/23/2026 9:59:50 AM  | 6.1        | 31.8       | 9.9       | 52.2           | 5.3          | 0.2     |                         |                         | 80.0              | 80.0             | -2.86                     | -2.83                    | 0.056                     | 1.546                    | 0.0                 | 0.0                | -2.82                  |                           | 34.4345690 | -118.6487147 | 1342         | 28.77               | NSPS/EG CAI,High O2,Reduced System Vacuum                                                                                                                                                                                                         |                                                                                                             |
|             |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:valve closed upon arrival corrective action completed;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down;Well Comment:installed sample port;Well Repairs:Sample Port |                                                                                                             |
| CV-2304     | 2/25/2026 12:59:41 PM | 1.0        | 77.3       | 0.0       | 21.7           | 0.0          | 0.0     |                         |                         | 109.8             | 139.1            | 81.78                     | -0.54                    | 0.000                     | 0.510                    |                     |                    | -8.39                  | -4.18                     | 34.4345810 | -118.6487372 | 1370         | 28.68               | Valve Adjustment:NSPS/EG CAI,High Temp,Reduce Sys. Vac. - Flare Down                                                                                                                                                                              |                                                                                                             |
| CV-2304     | 2/25/2026 1:01:22 PM  | 2.0        | 73.2       | 0.0       | 24.9           | 0.0          | 0.0     |                         |                         | 147.2             | 149.2            | -1.21                     | -0.98                    | 0.933                     | 0.919                    |                     |                    | -5.90                  | -3.08                     | 34.4345745 | -118.6487187 | 1350         | 28.68               | Valve Adjustment:High Temp,Reduce Sys. Vac. - Flare Down                                                                                                                                                                                          |                                                                                                             |
| CV-2304     | 2/25/2026 1:03:35 PM  | 2.3        | 74.6       | 0.0       | 23.2           | 0.0          | 0.0     |                         |                         | 152.7             | 153.5            | -1.84                     | -1.25                    | 1.859                     | 1.149                    |                     |                    | -3.38                  | -4.01                     | 34.4345777 | -118.6487518 | 1351         | 28.68               | Air Tech Lab; [User entered 8.2%]                                                                                                                                                                                                                 |                                                                                                             |
| CV-2305     | 2/9/2026 9:10:00 AM   |            |            |           |                |              |         |                         | 82000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                                                                                                                                                                                      |                                                                                                             |
| CV-2305     | 2/9/2026 9:10:00 AM   |            |            |           |                |              |         | 1900                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   |                                                                                                             |
| CV-2305     | 2/12/2026 2:44:33 PM  | 19.2       | 74.4       | 0.1       | 6.3            | 63.0         | 0.3     |                         |                         | 159.2             | 158.8            | -7.07                     | -7.07                    | 7.095                     | 7.095                    | 100.8               | 100.8              | -9.12                  | -9.12                     | 34.4352362 | -118.6465237 | 1389         | 28.6                | Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header,Surging Liquid in Well (Watered In)                                                                                                                         |                                                                                                             |
| CV-2305     | 2/12/2026 2:46:45 PM  | 19.4       | 73.1       | 0.2       | 7.3            | 36.5         | 0.3     |                         |                         | 158.7             | 158.5            | -7.08                     | -5.95                    | 7.013                     | 5.927                    | 100.2               | 92.4               | -9.11                  | -9.93                     | 34.4352392 | -118.6465265 | 1392         | 28.59               | AtmAA; [User entered 5.47%]                                                                                                                                                                                                                       |                                                                                                             |
| CV-2305     | 2/12/2026 3:00:00 PM  |            |            |           |                |              |         |                         | 54700                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | AtmAA                                                                                                       |
| CV-2305     | 2/12/2026 3:00:00 PM  |            |            |           |                |              |         | 1920                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Repairs:Sample Port           |
| CV-2305     | 2/18/2026 7:58:07 AM  | 13.0       | 79.3       | 0.3       | 7.4            | 24.7         | 0.2     |                         |                         | 156.8             | 156.9            | -4.16                     | -4.07                    | 4.125                     | 4.121                    | 77.3                | 77.2               | -7.56                  | -7.35                     | 34.4352302 | -118.6465298 | 1398         | 28.44               | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Repairs:Sample Port                                                                                                                                                 |                                                                                                             |
| CV-2305     | 2/24/2026 1:31:29 PM  | 13.1       | 66.6       | 2.5       | 17.8           | 7.1          | 0.2     |                         |                         | 157.6             | 158.2            | -3.14                     | -3.21                    | 3.104                     | 3.111                    | 67.3                | 67.3               | -4.88                  | -4.68                     | 34.4352268 | -118.6465375 | 1390         | 28.59               | AtmAA; [User entered 5.87%]                                                                                                                                                                                                                       |                                                                                                             |
| CV-2306     | 2/2/2026 10:30:00 AM  |            |            |           |                |              |         |                         | 58700                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | AtmAA                                                                                                       |
| CV-2306     | 2/2/2026 10:30:00 AM  |            |            |           |                |              |         | 1030                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum                                                  |
| CV-2306     | 2/2/2026 10:33:44 AM  | 14.2       | 60.4       | 0.0       | 25.4           | 0.0          | 0.2     |                         |                         | 177.2             | 177.2            | -8.71                     | -3.45                    | 4.271                     | 3.039                    |                     |                    | 0.92                   | 0.92                      | 34.4360823 | -118.6478095 | 1357         | 28.72               | Valve Adjustment:No Flow Measurement,High Temp                                                                                                                                                                                                    |                                                                                                             |
| CV-2306     | 2/2/2026 10:36:13 AM  | 16.7       | 82.2       | 0.5       | 0.6            | 1.2          | 0.2     |                         |                         | 177.1             | 91.2             | -3.25                     | -3.61                    | 3.351                     | 3.293                    |                     |                    | 0.74                   | 0.73                      | 34.4360912 | -118.6478237 | 1356         | 28.71               | AtmAA; [User entered 14.63%]                                                                                                                                                                                                                      |                                                                                                             |
| CV-2306     | 2/11/2026 12:45:00 PM |            |            |           |                |              |         |                         | 146300                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | AtmAA                                                                                                       |
| CV-2306     | 2/11/2026 12:45:00 PM |            |            |           |                |              |         | 2190                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Surging Liquid in Header |
| CV-2306     | 2/11/2026 12:45:30 PM | 2.6        | 74.7       | 0.4       | 22.3           | 55.8         | 0.0     |                         |                         | 183.0             | 183.0            | 1.10                      | 1.32                     | 0.000                     | 0.000                    |                     |                    | 0.00                   | 0.00                      | 34.4360927 | -118.6478072 | 1387         | 28.67               | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Surging Liquid in Header                                                                                                                                       |                                                                                                             |
| CV-2306     | 2/11/2026 12:46:33 PM | 1.7        | 80.7       | 0.0       | 17.6           | 0.0          | 0.0     |                         |                         | 183.0             | 183.0            | 0.12                      | 0.63                     | 0.000                     | 0.000                    |                     |                    | 0.00                   | 0.00                      | 34.4360940 | -118.6478272 | 1373         | 28.67               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Surging Liquid in Header                                                                                                                                                             |                                                                                                             |
| CV-2306     | 2/19/2026 7:28:56 AM  | 1.7        | 93.8       | 0.1       | 4.4            | 44.0         | 0.0     |                         |                         | 185.0             | 185.0            | -0.91                     | -0.89                    | 0.694                     | 0.345                    |                     |                    | -0.29                  | -0.26                     | 34.4360930 | -118.6478177 | 1359         | 28.45               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,High O2,Surging Liquid in Header                                                                                                                                                     |                                                                                                             |
| CV-2306     | 2/23/2026 12:45:00 PM | 8.7        | 25.1       | 14.2      | 52.0           | 3.7          | 0.3     |                         |                         | 170.0             | 170.0            | -3.78                     | -3.73                    | 3.327                     | 3.653                    |                     |                    | -0.15                  | -0.09                     | 34.4360968 | -118.6478158 | 1364         | 28.78               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,High O2,Valve 100% Open,Surging Liquid in Header                                                                                                                                     |                                                                                                             |
| CV-2306     | 2/23/2026 12:46:45 PM | 9.5        | 31.2       | 11.3      | 48.0           | 4.2          | 0.3     |                         |                         | 170.0             | 170.0            | -3.72                     | -3.73                    | 3.566                     | 3.760                    |                     |                    | -0.10                  | -0.11                     | 34.4360948 | -118.6478123 | 1380         | 28.78               | Valve Adjustment:High Temp                                                                                                                                                                                                                        |                                                                                                             |
| CV-2308-PLR | 2/12/2026 1:05:19 PM  | 2.0        | 78.7       | 0.3       | 19.0           | 63.3         | 0.0     |                         |                         | 167.1             | 166.1            | -8.79                     | -8.53                    | 8.695                     | 8.438                    |                     |                    | 0.00                   | 0.00                      | 34.4358703 | -118.6488928 | 1368         | 28.64               | AtmAA; [User entered 12.84%]                                                                                                                                                                                                                      |                                                                                                             |
| CV-2308-PLR | 2/12/2026 1:55:00 PM  |            |            |           |                |              |         |                         | 128400                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | AtmAA                                                                                                       |
| CV-2308-PLR | 2/12/2026 1:55:00 PM  |            |            |           |                |              |         | 1300                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                                                   | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                |
| CV-2308-PLR | 2/20/2026 8:21:49 AM  | 1.8        | 84.8       | 0.0       | 13.4           | 0.0          | 0.0     |                         |                         | 148.4             | 151.3            | -0.71                     | -0.44                    | 0.751                     | 0.474                    |                     |                    | -0.32                  | -0.29                     | 34.4358995 | -118.6489087 | 1353         | 28.59               | Valve Adjustment:No Flow Measurement,High Temp,Barely Open                                                                                                                                                                                        |                                                                                                             |
| CV-2308-PLR | 2/24/2026 9:39:50 AM  | 16.4       | 71.7       | 1.6       | 10.3           | 6.4          | 0.2     |                         |                         | 166.1             | 165.9            | 2.41                      | 2.05                     | 0.000                     | 0.000                    |                     |                    | 0.66                   | 0.66                      | 34.4358837 | -118.6489212 | 1359         | 28.67               |                                                                                                                                                                                                                                                   |                                                                                                             |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name  | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                        |                                  |
|-------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------------|
| CV-2310-PLR | 2/3/2026 10:38:54 AM  | 13.8       | 82.4       | 0.0       | 3.8            | 0.0          | 0.2     |                         |                         | 177.7                | 178.0               | -12.88                       | -13.34                      | 13.387                       | 13.855                      |                        |                       | 0.47                      | 0.47                         | 34.4354195 | -118.6490588 | 1352         | 28.86                  | Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open                                                  |                                  |
| CV-2310-PLR | 2/3/2026 10:40:00 AM  |            |            |           |                |              |         |                         | 64600                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | AtmAA; [User entered 6.46%]      |
| CV-2310-PLR | 2/3/2026 10:40:00 AM  |            |            |           |                |              |         | 683                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | AtmAA                            |
| CV-2310-PLR | 2/20/2026 9:07:03 AM  | 0.3        | 16.0       | 19.3      | 64.4           | 3.3          | 0.0     |                         |                         | 190.8                | 191.9               | -1.40                        | -1.48                       | 1.140                        | 1.251                       |                        |                       | -0.10                     | -0.11                        | 34.4354675 | -118.6489863 | 1352         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,High O2,Valve 100% Open,Surging Liquid in Header   |                                  |
| CV-2310-PLR | 2/20/2026 9:09:01 AM  | 0.4        | 23.0       | 19.4      | 57.2           | 2.9          | 0.0     |                         |                         | 191.2                | 191.5               | -1.87                        | -1.98                       | 1.884                        | 2.931                       |                        |                       | -0.25                     | -0.29                        | 34.4354495 | -118.6489937 | 1343         | 28.6                   | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,High O2,Valve 100% Open,Surging Liquid in Header   |                                  |
| CV-2310-PLR | 2/24/2026 9:09:15 AM  | 0.2        | 2.4        | 20.2      | 77.2           | 3.8          | 0.1     |                         |                         | 196.8                | 197.3               | -4.05                        | -1.66                       | 2.859                        | 1.438                       |                        |                       | 0.64                      | 0.66                         | 34.4354790 | -118.6489708 | 1362         | 28.67                  | Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,High O2,Surging Liquid in Header                     |                                  |
| CV-2310-PLR | 2/24/2026 9:12:41 AM  | 0.3        | 7.2        | 19.1      | 73.4           | 3.8          | 0.0     |                         |                         | 196.8                | 68.9                | 0.49                         | 0.81                        | 0.000                        | 0.000                       |                        |                       | 0.65                      | 0.65                         | 34.4354825 | -118.6489718 | 1360         | 28.67                  | Valve Adjustment:No Flow Measurement,High Temp,High O2,Positive Static Press.,Surging Liquid in Header          |                                  |
| CV-2311     | 2/4/2026 12:48:18 PM  | 1.3        | 69.7       | 0.0       | 29.0           | 0.0          | 0.0     |                         |                         | 85.7                 | 85.8                | 11.77                        | 11.78                       | 0.000                        | 0.000                       |                        |                       | 11.72                     | 11.69                        | 34.4363120 | -118.6499073 | 1394         | 28.79                  | Valve Comment:plug suspected;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Plugged/Pinched Suspected      |                                  |
| CV-2311     | 2/4/2026 12:49:18 PM  | 1.3        | 69.7       | 0.0       | 29.0           | 0.0          | 0.0     |                         |                         | 85.7                 | 85.6                | 13.07                        | 13.09                       | 0.000                        | 0.000                       |                        |                       | 12.79                     | 12.84                        | 34.4363120 | -118.6498872 | 1390         | 28.79                  | Valve Adjustment:Positive Static Press.                                                                         |                                  |
| CV-2311     | 2/21/2026 8:27:53 AM  | 1.4        | 63.5       | 0.0       | 35.1           | 0.0          | 0.0     |                         |                         | 62.2                 | 61.8                | 12.60                        | 12.50                       | 0.000                        | 0.000                       |                        |                       | -0.23                     | -0.12                        | 34.4363257 | -118.6498942 | 1376         | 28.72                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open                                             |                                  |
| CV-2311     | 2/21/2026 8:28:22 AM  | 1.3        | 81.7       | 0.0       | 17.0           | 0.0          | 0.0     |                         |                         | 61.4                 | 60.9                | 12.80                        | 12.80                       | 0.000                        | 0.000                       |                        |                       | -0.33                     | -0.33                        | 34.4363203 | -118.6498945 | 1373         | 28.72                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In)         |                                  |
| CV-2311     | 2/26/2026 3:07:04 PM  | 1.1        | 77.9       | 0.0       | 21.0           | 0.0          | 0.0     |                         |                         | 163.6                | 164.1               | 6.52                         | -0.54                       | 0.000                        | 0.536                       |                        |                       | -9.51                     | -9.21                        | 34.4363310 | -118.6498705 | 1410         | 28.64                  | Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.,Well Condition:Lorentz Pump Installed |                                  |
| CV-2311     | 2/26/2026 3:11:39 PM  | 1.1        | 80.3       | 0.0       | 18.6           | 0.0          | 0.0     |                         |                         | 166.8                | 166.0               | -2.48                        | -1.57                       | 2.386                        | 1.567                       |                        |                       | -9.19                     | -9.68                        | 34.4363203 | -118.6498952 | 1388         | 28.63                  | Valve Adjustment:High Temp                                                                                      |                                  |
| CV-2311     | 2/26/2026 3:15:40 PM  | 1.1        | 81.0       | 0.0       | 17.9           | 0.0          | 0.0     |                         |                         | 168.7                | 166.5               | -1.38                        | -1.03                       | 1.372                        | 1.000                       |                        |                       | -9.14                     | -9.67                        | 34.4363085 | -118.6498982 | 1388         | 28.64                  | Valve Adjustment:High Temp,Decreased Flow/Vacuum                                                                |                                  |
| CV-2311     | 2/26/2026 3:21:46 PM  | 1.1        | 80.8       | 0.0       | 18.1           | 0.0          | 0.0     |                         |                         | 167.6                | 164.6               | -1.05                        | -1.17                       | 0.902                        | 1.082                       |                        |                       | -9.60                     | -9.31                        | 34.4363275 | -118.6498827 | 1381         | 28.65                  | Valve Adjustment:High Temp                                                                                      |                                  |
| CV-2312     | 2/10/2026 7:20:00 AM  |            |            |           |                |              |         | 2500                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | Air Tech Lab                     |
| CV-2312     | 2/13/2026 7:40:00 AM  |            |            |           |                |              |         |                         | 160000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | Air Tech Lab; [User entered 16%] |
| CV-2312     | 2/13/2026 7:40:00 AM  |            |            |           |                |              |         | 2700                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | Air Tech Lab                     |
| CV-2312     | 2/18/2026 12:45:31 PM | 1.8        | 86.6       | 0.7       | 10.9           | 15.6         | 0.0     |                         |                         | 163.9                | 163.9               | -3.92                        | -3.92                       | 3.622                        | 3.622                       | 112.6                  | 112.7                 | -9.23                     | -9.23                        | 34.4342202 | -118.6473425 | 1395         | 28.56                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                    |                                  |
| CV-2312     | 2/24/2026 2:42:09 PM  | 2.4        | 78.5       | 0.0       | 19.1           | 0.0          | 0.0     |                         |                         | 164.0                | 163.6               | -2.04                        | -3.43                       | 3.573                        | 2.841                       | 112.2                  | 100.0                 | 0.02                      | 0.02                         | 34.4342312 | -118.6473457 | 1392         | 28.59                  | Valve Adjustment:No Flow Measurement,High Temp                                                                  |                                  |
| CV-2314     | 2/4/2026 12:50:00 PM  |            |            |           |                |              |         |                         | 112600                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | AtmAA; [User entered 11.26%]     |
| CV-2314     | 2/4/2026 12:50:00 PM  |            |            |           |                |              |         | 4120                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | AtmAA                            |
| CV-2314     | 2/4/2026 12:50:07 PM  | 2.5        | 81.1       | 0.0       | 16.4           | 0.0          | 0.0     |                         |                         | 150.3                | 150.5               | -2.59                        | -2.37                       | 2.559                        | 2.346                       | 96.3                   | 92.2                  | -0.22                     | -0.23                        | 34.4346767 | -118.6467028 | 1393         | 28.74                  | Valve Adjustment:High Temp                                                                                      |                                  |
| CV-2314     | 2/9/2026 9:00:00 AM   |            |            |           |                |              |         |                         | 140000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | Air Tech Lab; [User entered 14%] |
| CV-2314     | 2/9/2026 9:00:00 AM   |            |            |           |                |              |         | 3300                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | Air Tech Lab                     |
| CV-2314     | 2/13/2026 1:50:00 PM  |            |            |           |                |              |         | 4209.5                  |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                 | AtmAA                            |
| CV-2314     | 2/13/2026 1:51:54 PM  | 1.5        | 82.7       | 0.0       | 15.8           | 0.0          | 0.0     |                         |                         | 152.3                | 152.6               | 0.79                         | 0.86                        | 0.768                        | 0.703                       | 52.8                   | 50.5                  | 0.31                      | 0.31                         | 34.4346717 | -118.6467043 | 1389         | 28.54                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Header                                    |                                  |
| CV-2314     | 2/13/2026 1:52:21 PM  | 1.0        | 85.5       | 0.0       | 13.5           | 0.0          | 0.0     |                         |                         | 152.2                | 152.3               | 1.07                         | 0.67                        | 0.995                        | 0.650                       | 60.1                   | 48.6                  | 0.31                      | 0.31                         | 34.4346645 | -118.6466997 | 1385         | 28.52                  | Valve Adjustment:Positive Static Press.,Surging Liquid in Header                                                |                                  |
| CV-2314     | 2/20/2026 10:10:25 AM | 0.8        | 87.7       | 0.4       | 11.1           | 27.8         | 0.0     |                         |                         | 153.5                | 153.5               | -0.28                        | -0.27                       | 0.245                        | 0.197                       | 29.8                   | 26.7                  | 0.00                      | 0.00                         | 34.4346773 | -118.6467142 | 1392         | 28.54                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                    |                                  |
| CV-2314     | 2/26/2026 9:09:14 AM  | 2.7        | 88.9       | 0.0       | 8.4            | 0.0          | 0.0     |                         |                         | 155.9                | 156.0               | 0.25                         | 0.11                        | 0.329                        | 0.191                       | 34.5                   | 26.3                  | 0.37                      | 0.22                         | 34.4347030 | -118.6467088 | 1369         | 28.67                  | Valve Adjustment:NSPS/EG CAI,High Temp                                                                          |                                  |
| CV-2315     | 2/6/2026 8:44:05 AM   | 6.7        | 89.8       | 0.0       | 3.5            | 0.0          | 0.1     |                         |                         | 151.7                | 151.6               | -2.10                        | -2.12                       | 2.101                        | 2.109                       |                        |                       | -6.27                     | -13.87                       | 34.4355158 | -118.6472077 | 1382         | 28.67                  | Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High Temp,Barely Open                                        |                                  |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                         |                                                                                                                                                      |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| CV-2315    | 2/6/2026 8:44:41 AM   | 7.1        | 86.4       | 0.0       | 6.5            | 0.0          | 0.1     |                         |                         | 151.7                | 151.6               | -2.05                        | -2.04                       | 2.014                        | 1.993                       |                        |                       | -6.39                     | -8.28                        | 34.4355045 | -118.6472028 | 1384         | 28.67                  | Valve Adjustment: NSPS/EG CAI, Reconnected this Date, High Temp, Barely Open     |                                                                                                                                                      |
| CV-2315    | 2/10/2026 7:25:00 AM  |            |            |           |                |              |         | 2600                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Air Tech Lab                                                                                                                                         |
| CV-2315    | 2/10/2026 7:50:00 AM  |            |            |           |                |              |         | 2400                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Air Tech Lab                                                                                                                                         |
| CV-2315    | 2/13/2026 7:50:00 AM  |            |            |           |                |              |         |                         | 91000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Air Tech Lab, [User entered 9.1%]                                                                                                                    |
| CV-2315    | 2/13/2026 7:50:00 AM  |            |            |           |                |              |         | 2400                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Air Tech Lab                                                                                                                                         |
| CV-2315    | 2/13/2026 2:03:37 PM  | 4.9        | 85.0       | 0.0       | 10.1           | 0.0          | 0.1     |                         |                         | 160.5                | 160.6               | -0.20                        | -0.35                       | 0.179                        | 0.299                       | 25.5                   | 33.0                  | -5.24                     | -7.46                        | 34.4355012 | -118.6471943 | 1387         | 28.54                  | Valve Adjustment: High Temp, Barely Open                                         |                                                                                                                                                      |
| CV-2315    | 2/13/2026 2:05:00 PM  |            |            |           |                |              |         | 3279                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA                                                                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Valve Comment: Enhanced Monitoring; Valve                                                                                                            |
| CV-2315    | 2/17/2026 9:35:44 AM  | 7.5        | 83.8       | 0.3       | 8.4            | 28.0         | 0.1     |                         |                         | 153.7                | 153.9               | -3.43                        | -3.33                       | 3.421                        | 3.277                       | 111.6                  | 109.3                 | 0.06                      | 0.15                         | 34.4355112 | -118.6472000 | 1388         | 28.59                  | Adjustment: NSPS/EG CAI, High Temp                                               |                                                                                                                                                      |
| CV-2315    | 2/17/2026 9:40:00 AM  |            |            |           |                |              |         | 3110                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA                                                                                                                                                |
| CV-2315    | 2/24/2026 1:50:29 PM  | 7.9        | 83.1       | 1.0       | 8.0            | 8.0          | 0.1     |                         |                         | 147.1                | 147.0               | -2.45                        | -2.76                       | 2.417                        | 2.755                       | 94.6                   | 100.9                 | -6.67                     | -7.79                        | 34.4355182 | -118.6472013 | 1389         | 28.6                   | Valve Adjustment: No Flow Measurement, High Temp                                 |                                                                                                                                                      |
| CV-2316    | 2/10/2026 12:17:29 PM | 10.1       | 70.2       | 1.5       | 18.2           | 12.1         | 0.1     |                         |                         | 138.9                | 132.6               | -1.97                        | -0.76                       | 0.000                        | 0.027                       | 0.0                    | 5.8                   | -2.81                     |                              | 34.4359817 | -118.6463403 | 4596         | 28.43                  | NSPS/EG CAI, NSPS/EG CAC, High Temp, Reduced System Vacuum                       |                                                                                                                                                      |
| CV-2316    | 2/10/2026 12:20:20 PM | 6.1        | 71.3       | 1.7       | 20.9           | 12.3         | 0.1     |                         |                         | 132.6                | 132.6               | -0.81                        | -0.80                       | 0.027                        | 0.028                       | 5.8                    | 5.8                   | -2.67                     |                              | 34.4360282 | -118.6463693 | 4649         | 28.43                  |                                                                                  |                                                                                                                                                      |
| CV-2319    | 2/12/2026 2:23:38 PM  | 2.4        | 85.8       | 0.0       | 11.8           | 0.0          | 0.0     |                         |                         | 129.9                | 129.7               | 3.37                         | 3.50                        | 0.000                        | 0.000                       |                        |                       | -10.89                    | -10.82                       | 34.4353250 | -118.6457740 | 1403         | 28.6                   | Valve Comment: valve stuck                                                       |                                                                                                                                                      |
| CV-2319    | 2/12/2026 2:24:11 PM  | 2.4        | 84.4       | 0.0       | 13.2           | 0.0          | 0.0     |                         |                         | 129.9                | 129.7               | 3.48                         | 3.50                        | 0.000                        | 0.000                       |                        |                       | -10.89                    | -10.71                       | 34.4353258 | -118.6457722 | 1400         | 28.6                   |                                                                                  |                                                                                                                                                      |
| CV-2319    | 2/18/2026 1:56:55 PM  | 7.7        | 78.6       | 0.0       | 13.7           | 0.0          | 0.1     |                         |                         | 142.9                | 143.0               | -1.28                        | -1.27                       | 0.000                        | 0.000                       |                        |                       | -12.08                    | -12.21                       | 34.4353097 | -118.6457875 | 1402         | 28.49                  | Valve Adjustment: NSPS/EG CAI, High Temp; Well Condition: Lorentz Pump Installed |                                                                                                                                                      |
| CV-2319    | 2/18/2026 1:58:01 PM  | 7.0        | 83.0       | 0.0       | 10.0           | 0.0          | 0.1     |                         |                         | 143.1                | 143.2               | -1.38                        | -1.34                       | 0.000                        | 0.000                       |                        |                       | -12.27                    | -12.67                       | 34.4353090 | -118.6457940 | 1398         | 28.48                  | Valve Adjustment: High Temp                                                      |                                                                                                                                                      |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Valve Adjustment: NSPS/EG CAI, High Temp, Increased Flow/Vacuum, Barely Open                                                                         |
| CV-2321    | 2/9/2026 2:09:14 PM   | 12.8       | 75.0       | 0.0       | 12.2           | 0.0          | 0.2     |                         |                         | 144.4                | 144.7               | 0.17                         | -0.05                       | 2.537                        | 3.221                       | 29.9                   | 33.6                  | -13.58                    | -14.36                       | 34.4346480 | -118.6453752 | 1396         | 28.52                  | Valve Adjustment: NSPS/EG CAI, High Temp, Barely Open                            |                                                                                                                                                      |
| CV-2321    | 2/9/2026 2:09:54 PM   | 12.1       | 78.2       | 0.0       | 9.7            | 0.0          | 0.2     |                         |                         | 144.7                | 144.7               | -0.15                        | -0.15                       | 2.940                        | 2.991                       | 32.1                   | 32.4                  | -13.45                    | -13.50                       | 34.4346467 | -118.6453700 | 1398         | 28.52                  | Valve Adjustment: NSPS/EG CAI, High Temp, Barely Open                            |                                                                                                                                                      |
| CV-2322    | 2/4/2026 10:15:00 AM  |            |            |           |                |              |         |                         | 101500                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA; [User entered 10.15%]                                                                                                                         |
| CV-2322    | 2/4/2026 10:15:00 AM  |            |            |           |                |              |         | 2560                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA                                                                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Valve Comment: Cant adjust well valve to high to adjust; Valve Adjustment: No Flow Measurement, High Temp, Valve 100% Open, Surging Liquid in Header |
| CV-2322    | 2/4/2026 10:15:02 AM  | 2.0        | 86.2       | 0.0       | 11.8           | 0.0          | 0.0     |                         |                         | 158.0                | 158.6               | -12.85                       | -12.94                      | 13.370                       | 13.484                      |                        |                       | 0.34                      | 0.34                         | 34.4352618 | -118.6475358 | 1369         | 28.82                  |                                                                                  |                                                                                                                                                      |
| CV-2322    | 2/11/2026 9:08:21 AM  | 1.5        | 82.4       | 0.1       | 16.0           | 160.0        | 0.0     |                         |                         | 140.6                | 136.7               | -8.92                        | -8.96                       | 9.226                        | 9.260                       |                        |                       | 0.32                      | 0.32                         | 34.4352785 | -118.6475057 | 1365         | 28.65                  | Valve Comment: Enhance monitoring                                                |                                                                                                                                                      |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: High Temp                                                                                      |
| CV-2322    | 2/18/2026 9:20:51 AM  | 1.1        | 90.9       | 0.0       | 8.0            | 0.0          | 0.0     |                         |                         | 145.8                | 145.6               | -3.32                        | -3.35                       | 3.345                        | 3.361                       |                        |                       | -0.04                     | -0.04                        | 34.4352752 | -118.6475253 | 1376         | 28.53                  |                                                                                  |                                                                                                                                                      |
| CV-2322    | 2/24/2026 2:01:18 PM  | 1.5        | 77.1       | 2.0       | 19.4           | 9.7          | 0.0     |                         |                         | 162.5                | 161.3               | -5.79                        | -5.45                       | 4.722                        | 5.557                       |                        |                       | 0.02                      | 0.02                         | 34.4352780 | -118.6475210 | 1355         | 28.63                  | Valve Adjustment: No Flow Measurement, High Temp                                 |                                                                                                                                                      |
| CV-2322    | 2/24/2026 2:07:49 PM  | 1.7        | 86.8       | 0.0       | 11.5           | 0.0          | 0.0     |                         |                         | 160.4                | 160.5               | -8.53                        | -7.35                       | 8.573                        | 7.421                       |                        |                       | 0.02                      | -0.02                        | 34.4352723 | -118.6475148 | 1365         | 28.63                  | Valve Adjustment: No Flow Measurement, High Temp                                 |                                                                                                                                                      |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Valve Adjustment: Barely Open; Well Comment: Unable to reach system safely; Well Condition: Fair                                                     |
| CV-2324    | 2/9/2026 9:12:45 AM   | 49.3       | 45.7       | 0.0       | 5.0            | 0.0          | 1.1     |                         |                         | 108.3                | 108.8               | -0.08                        | -0.08                       | 0.254                        | 0.257                       | 20.1                   | 20.3                  | 0.48                      | 0.49                         | 34.4344930 | -118.6442360 | 1395         | 28.6                   |                                                                                  |                                                                                                                                                      |
| CV-2326    | 2/12/2026 2:35:05 PM  | 10.8       | 69.8       | 0.8       | 18.7           | 24.2         | 0.2     |                         |                         | 70.0                 | 70.1                | -1.60                        | -1.60                       | 1.608                        | 1.610                       |                        |                       | -9.32                     | -9.29                        | 34.4361722 | -118.6504677 | 1372         | 28.64                  |                                                                                  |                                                                                                                                                      |
| CV-2326    | 2/21/2026 8:52:26 AM  | 8.9        | 61.2       | 4.6       | 25.3           | 5.5          | 0.1     |                         |                         | 104.9                | 104.8               | -10.65                       | -10.61                      | 10.700                       | 10.665                      |                        |                       | 0.00                      | 0.00                         | 34.4361365 | -118.6504802 | 1378         | 28.71                  |                                                                                  |                                                                                                                                                      |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Valve Adjustment: No Flow Measurement, High Temp, Decreased Flow/Vacuum                                                                              |
| CV-2327    | 2/3/2026 8:41:55 AM   | 3.6        | 84.4       | 0.0       | 12.0           | 0.0          | 0.0     |                         |                         | 174.2                | 178.2               | -7.24                        | -5.88                       | 7.438                        | 6.027                       | 161.2                  | 145.1                 | -8.16                     | -9.07                        | 34.4348857 | -118.6479373 | 1360         | 28.81                  |                                                                                  |                                                                                                                                                      |
| CV-2327    | 2/3/2026 8:42:45 AM   | 3.9        | 87.6       | 0.0       | 8.5            | 0.0          | 0.0     |                         |                         | 179.5                | 179.7               | -5.18                        | -5.09                       | 5.401                        | 5.314                       | 137.4                  | 136.3                 | -7.53                     | -7.66                        | 34.4348892 | -118.6479355 | 1366         | 28.82                  | Valve Adjustment: No Flow Measurement, High Temp                                 |                                                                                                                                                      |
| CV-2327    | 2/3/2026 8:45:00 AM   |            |            |           |                |              |         |                         | 121900                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA; [User entered 12.19%]                                                                                                                         |
| CV-2327    | 2/3/2026 8:45:00 AM   |            |            |           |                |              |         | 2582                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA                                                                                                                                                |
| CV-2327    | 2/10/2026 2:18:55 PM  | 0.8        | 83.7       | 0.0       | 15.5           | 0.0          | 0.0     |                         |                         | 176.9                | 176.8               | -4.49                        | -4.30                       | 4.381                        | 4.266                       | 123.5                  | 121.9                 | -8.40                     | -6.95                        | 34.4348893 | -118.6479387 | 1362         | 28.47                  |                                                                                  |                                                                                                                                                      |
| CV-2327    | 2/10/2026 2:20:00 PM  |            |            |           |                |              |         |                         | 110600                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA; [User entered 11.06%]                                                                                                                         |
| CV-2327    | 2/10/2026 2:40:00 PM  |            |            |           |                |              |         | 2940                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | AtmAA                                                                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: High Temp                                                                                      |
| CV-2327    | 2/18/2026 9:33:14 AM  | 1.6        | 91.9       | 0.0       | 6.5            | 0.0          | 0.0     |                         |                         | 177.7                | 178.4               | -4.26                        | -4.26                       | 4.237                        | 4.237                       | 121.6                  | 121.5                 | -9.98                     | -9.98                        | 34.4348873 | -118.6479497 | 1358         | 28.56                  |                                                                                  |                                                                                                                                                      |
| CV-2327    | 2/24/2026 2:16:44 PM  | 1.3        | 87.5       | 0.0       | 11.2           | 0.0          | 0.0     |                         |                         | 147.2                | 143.7               | -0.36                        | -2.30                       | 0.382                        | 2.255                       | 37.8                   | 91.7                  | -5.47                     | -4.38                        | 34.4348937 | -118.6479133 | 1375         | 28.63                  | Valve Adjustment: High Temp, Increased Flow/Vacuum                               |                                                                                                                                                      |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                             |                                    |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------------|
| CV-2327    | 2/24/2026 2:17:46 PM  | 1.3        | 90.4       | 0.0       | 8.3            | 0.0          | 0.0     |                         |                         | 142.4             | 142.3            | -3.63                     | -3.53                    | 3.698                     | 3.546                    | 117.2               | 114.8              | -4.39                  | -5.04                     | 34.4348855 | -118.6479303 | 1366         | 28.63               | Valve Adjustment:No Flow Measurement,High Temp                                                                       |                                    |
| CV-2328    | 2/3/2026 8:54:23 AM   | 21.2       | 78.8       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 165.1             | 165.9            | -4.32                     | -4.62                    | 3.946                     | 3.654                    | 119.1               | 114.5              | -7.28                  | -7.72                     | 34.4343173 | -118.6483500 | 1358         | 28.83               | Valve Adjustment:High Temp                                                                                           |                                    |
| CV-2328    | 2/3/2026 8:55:00 AM   |            |            |           |                |              |         |                         | 88750                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA; [User entered 8.875%]       |
| CV-2328    | 2/3/2026 8:55:00 AM   |            |            |           |                |              |         | 924.5                   |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                              |
| CV-2328    | 2/9/2026 8:35:00 AM   |            |            |           |                |              |         |                         | 90000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab; [User entered 9.0%]  |
| CV-2328    | 2/9/2026 8:35:00 AM   |            |            |           |                |              |         | 890                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab                       |
| CV-2328    | 2/10/2026 8:40:00 AM  |            |            |           |                |              |         |                         | 72000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA; [User entered 7.2%]         |
| CV-2328    | 2/10/2026 8:40:00 AM  |            |            |           |                |              |         | 1140                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                              |
| CV-2328    | 2/10/2026 8:41:42 AM  | 11.7       | 83.0       | 0.0       | 5.3            | 0.0          | 0.1     |                         |                         | 170.3             | 170.5            | -3.35                     | -3.47                    | 3.417                     | 3.406                    | 110.0               | 109.8              | -6.06                  | -6.11                     | 34.4343177 | -118.6483328 | 1360         | 28.52               | Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed                                                     |                                    |
| CV-2328    | 2/18/2026 9:45:33 AM  | 31.0       | 59.0       | 0.1       | 9.9            | 99.0         | 0.5     |                         |                         | 138.6             | 139.8            | -9.09                     | -9.09                    | 0.988                     | 0.988                    | 60.4                | 60.4               | -9.97                  | -9.97                     | 34.4343087 | -118.6483430 | 1358         | 28.56               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                         |                                    |
| CV-2333    | 2/2/2026 8:27:07 AM   | 1.6        | 84.8       | 0.6       | 13.0           | 21.7         | 0.0     |                         |                         | 182.4             | 182.3            | -8.32                     | -3.65                    | 8.342                     | 3.649                    | 51.9                | 34.6               | 0.10                   | 0.09                      | 34.4365325 | -118.6473512 | 1370         | 28.66               | Valve Adjustment:High Temp,Decreased Flow/Vacuum                                                                     |                                    |
| CV-2333    | 2/2/2026 8:28:36 AM   | 1.5        | 82.3       | 0.4       | 15.8           | 39.5         | 0.0     |                         |                         | 182.5             | 182.3            | -3.84                     | -3.87                    | 3.796                     | 3.830                    | 35.3                | 35.5               | 0.27                   | 0.27                      | 34.4365302 | -118.6473657 | 1370         | 28.67               | Valve Adjustment:No Flow Measurement,High Temp                                                                       |                                    |
| CV-2333    | 2/2/2026 8:30:00 AM   |            |            |           |                |              |         | 4070                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                              |
| CV-2333    | 2/2/2026 8:40:00 AM   |            |            |           |                |              |         |                         | 180000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab; [User entered 18%]   |
| CV-2333    | 2/2/2026 8:40:00 AM   |            |            |           |                |              |         | 3800                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab                       |
| CV-2333    | 2/9/2026 9:47:16 AM   | 0.6        | 89.1       | 0.0       | 10.3           | 0.0          | 0.0     |                         |                         | 159.9             | 161.2            | -1.06                     | -1.20                    | 1.136                     | 1.166                    | 40.9                | 41.3               | -6.76                  | -6.65                     | 34.4365222 | -118.6473565 | 1369         | 28.65               | Valve Adjustment:High Temp,Surging Liquid in Header                                                                  |                                    |
| CV-2333    | 2/9/2026 9:50:00 AM   |            |            |           |                |              |         |                         | 149400                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA; [User entered 14.94%]       |
| CV-2333    | 2/9/2026 9:50:00 AM   |            |            |           |                |              |         | 5360                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                              |
| CV-2333    | 2/17/2026 7:40:00 AM  |            |            |           |                |              |         | 3875                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                              |
| CV-2333    | 2/17/2026 7:40:44 AM  | 0.4        | 82.1       | 1.6       | 15.9           | 9.9          | 0.0     |                         |                         | 185.1             | 185.1            | -0.18                     | -0.19                    | 0.234                     | 0.200                    | 18.1                | 16.8               | -6.38                  | -6.55                     | 34.4365295 | -118.6473712 | 1370         | 28.55               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                         |                                    |
| CV-2333    | 2/23/2026 8:39:20 AM  | 0.8        | 84.6       | 1.6       | 13.0           | 8.1          | 0.0     |                         |                         | 185.3             | 184.8            | -3.91                     | -3.94                    | 3.903                     | 3.942                    | 73.7                | 74.1               | -5.79                  | -5.86                     | 34.4365343 | -118.6473608 | 1368         | 28.78               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                         |                                    |
| CV-2334    | 2/2/2026 8:45:00 AM   |            |            |           |                |              |         |                         | 26000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab; [User entered 2.6%]  |
| CV-2334    | 2/2/2026 8:45:00 AM   |            |            |           |                |              |         | 390                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab                       |
| CV-2334    | 2/12/2026 9:32:50 AM  | 30.5       | 69.3       | 0.0       | 0.2            | 0.0          | 0.4     |                         |                         | 127.4             | 127.5            | -2.77                     | -2.70                    | 0.183                     | 0.176                    | 16.9                | 16.5               | -9.43                  | -9.22                     | 34.4366398 | -118.6467712 | 1350         | 28.75               |                                                                                                                      |                                    |
| CV-2335    | 2/12/2026 2:24:13 PM  | 47.5       | 49.7       | 0.1       | 2.7            | 39.1         | 1.0     |                         |                         | 96.1              | 94.4             | -2.81                     | -2.80                    | 2.836                     | 2.830                    |                     |                    | -4.70                  | -4.70                     | 34.4363898 | -118.6509525 | 1326         | 28.68               |                                                                                                                      |                                    |
| CV-2335    | 2/21/2026 9:28:13 AM  | 44.4       | 50.4       | 0.6       | 4.6            | 7.7          | 0.9     |                         |                         | 82.8              | 83.5             | -3.18                     | -2.77                    | 3.044                     | 2.742                    |                     |                    | -4.75                  | -4.96                     | 34.4363878 | -118.6509553 | 1342         | 28.74               | Valve Adjustment:Decreased Flow/Vacuum                                                                               |                                    |
| CV-2335    | 2/21/2026 9:29:13 AM  | 44.3       | 50.2       | 0.7       | 4.8            | 6.9          | 0.9     |                         |                         | 81.6              | 81.6             | -2.72                     | -2.72                    | 2.753                     | 2.746                    |                     |                    | -5.14                  | -5.04                     | 34.4363608 | -118.6509687 | 1350         | 28.74               |                                                                                                                      |                                    |
| CV-2336    | 2/6/2026 3:46:42 PM   | 1.1        | 0.1        | 21.4      | 77.4           | 3.6          | 11.0    |                         |                         | 78.0              | 76.8             | -2.88                     | -2.88                    | 2.858                     | 2.857                    | 33.5                | 33.6               | -6.62                  | -6.65                     | 34.4359872 | -118.6508803 | 1340         | 28.67               | Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Comment:O2 intrusion suspected 4inch cap |                                    |
| CV-2336    | 2/6/2026 3:47:03 PM   | 1.2        | 0.5        | 21.1      | 77.2           | 3.7          | 2.4     |                         |                         | 75.9              | 75.9             | -2.86                     | -2.85                    | 2.835                     | 2.835                    | 33.5                | 33.5               | -6.54                  | -6.59                     | 34.4359785 | -118.6508835 | 1341         | 28.67               | Valve Adjustment:NSPS/EG CAI,High O2,Barely Open                                                                     |                                    |
| CV-2336    | 2/21/2026 9:33:31 AM  | 0.5        | 7.9        | 20.2      | 71.4           | 3.5          | 0.1     |                         |                         | 56.3              | 56.2             | -6.18                     | -5.79                    | 6.332                     | 6.009                    |                     |                    | -6.49                  | -6.26                     | 34.4359540 | -118.6508935 | 1335         | 28.75               | Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum                                                           |                                    |
| CV-2336    | 2/21/2026 9:35:42 AM  | 0.2        | 1.3        | 21.4      | 77.1           | 3.6          | 0.2     |                         |                         | 55.2              | 55.2             | -3.91                     | -3.95                    | 3.865                     | 3.897                    |                     |                    | -6.44                  | -6.38                     | 34.4360045 | -118.6508805 | 1344         | 28.74               | Valve Adjustment:NSPS/EG CAI,High O2,Barely Open                                                                     |                                    |
| CV-2337    | 2/12/2026 8:50:00 AM  |            |            |           |                |              |         |                         | 3900                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab; [User entered 0.39%] |
| CV-2337    | 2/12/2026 8:50:00 AM  |            |            |           |                |              |         | 15                      |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | Air Tech Lab                       |
| CV-2337    | 2/13/2026 3:26:07 PM  | 6.6        | 66.6       | 2.5       | 24.3           | 9.7          | 0.1     |                         |                         | 111.5             | 111.4            | -6.33                     | -6.12                    | 0.000                     | 0.000                    |                     |                    | -6.17                  | -6.09                     | 34.4354758 | -118.6507418 | 1318         | 28.6                |                                                                                                                      |                                    |
| CV-2337    | 2/27/2026 10:22:06 AM | 3.9        | 50.6       | 7.8       | 37.7           | 4.8          | 0.1     |                         |                         | 89.5              | 89.5             | -8.53                     | -7.68                    | 0.018                     | 0.009                    | 2.6                 | 1.9                | 0.77                   | 0.81                      | 34.4354658 | -118.6507980 | 1340         | 28.67               | Valve Adjustment:NSPS/EG CAI,High O2,Barely Open,Surging Liquid in Header                                            |                                    |
| CV-2337    | 2/27/2026 10:23:08 AM | 3.9        | 51.2       | 7.6       | 37.3           | 4.9          | 0.1     |                         |                         | 89.7              | 89.6             | -6.82                     | -7.14                    | 0.070                     | 0.047                    | 5.2                 | 4.3                | 0.67                   | 0.80                      | 34.4354680 | -118.6507717 | 1337         | 28.67               | Valve Adjustment:High O2                                                                                             |                                    |
| CV-2338    | 2/4/2026 9:05:00 AM   |            |            |           |                |              |         |                         | 135200                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA; [User entered 13.52%]       |
| CV-2338    | 2/4/2026 9:05:00 AM   |            |            |           |                |              |         | 1380                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                              |
| CV-2338    | 2/4/2026 9:06:09 AM   | 2.0        | 84.3       | 0.4       | 13.3           | 33.3         | 0.0     |                         |                         | 152.1             | 154.2            | -8.83                     | -6.82                    | 9.282                     | 7.249                    |                     |                    | 0.34                   | 0.34                      | 34.4348527 | -118.6504913 | 1312         | 28.89               | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                                 |                                    |
| CV-2338    | 2/4/2026 9:09:00 AM   | 2.5        | 76.2       | 1.3       | 20.0           | 15.4         | 0.0     |                         |                         | 155.2             | 155.5            | -6.40                     | -6.42                    | 6.807                     | 6.670                    |                     |                    | 0.34                   | 0.34                      | 34.4348533 | -118.6504815 | 1318         | 28.89               | Valve Adjustment:No Flow Measurement,High Temp                                                                       |                                    |
| CV-2338    | 2/9/2026 8:39:02 AM   | 1.4        | 82.0       | 0.4       | 16.2           | 40.5         | 0.0     |                         |                         | 153.6             | 155.2            | -3.83                     | -3.51                    | 3.798                     | 3.478                    |                     |                    | 0.33                   | 0.33                      | 34.4348553 | -118.6504620 | 1312         | 28.68               | Valve Adjustment:High Temp;Well Comment:no system port                                                               |                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name   | Record Date           | CH4  | CO2  | O2   | Bal Gas | BalO2 | CH4:CO2 | CO Reading [ppmv] | H2 Reading [ppmv] | Init Temp [°F] | Adj Temp [°F] | Init Stat Press [”H2O] | Adj Stat Press [”H2O] | Init Diff Press [”H2O] | Adj Diff Press [”H2O] | Init Flow [scfm] | Adj Flow [scfm] | Sys Pressure [”H2O] | Adj Avail Press [”H2O] | Latitude   | Longitude    | Elev [ft] | Baro Press [”Hg] | Comments                                                                                          |
|--------------|-----------------------|------|------|------|---------|-------|---------|-------------------|-------------------|----------------|---------------|------------------------|-----------------------|------------------------|-----------------------|------------------|-----------------|---------------------|------------------------|------------|--------------|-----------|------------------|---------------------------------------------------------------------------------------------------|
| CV-2338      | 2/9/2026 8:40:00 AM   |      |      |      |         |       |         |                   | 156350            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 15.635%]                                                                     |
| CV-2338      | 2/9/2026 8:40:00 AM   |      |      |      |         |       |         | 1505              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2338      | 2/17/2026 8:55:00 AM  |      |      |      |         |       |         | 1530              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2338      | 2/17/2026 8:59:05 AM  | 1.5  | 80.2 | 1.2  | 17.1    | 14.3  | 0.0     |                   |                   | 168.8          | 168.8         | -7.92                  | -7.81                 | 7.781                  | 7.688                 |                  |                 | -7.77               | -7.60                  | 34.4348623 | -118.6504902 | 1314      | 28.67            | Valve Adjustment: NSPS/EG CAI Audible Flow, High Temp                                             |
| CV-2338      | 2/17/2026 9:01:39 AM  | 1.5  | 79.6 | 0.8  | 18.1    | 22.6  | 0.0     |                   |                   | 168.8          | 168.8         | -7.92                  | -7.73                 | 7.762                  | 7.586                 |                  |                 | -7.60               | -7.37                  | 34.4348650 | -118.6504803 | 1319      | 28.67            | Valve Adjustment: NSPS/EG CAI Audible Flow, High Temp                                             |
| CV-2338      | 2/25/2026 9:27:52 AM  | 10.8 | 79.7 | 0.2  | 9.3     | 46.5  | 0.1     |                   |                   | 176.8          | 177.8         | -1.51                  | -1.45                 | 1.401                  | 1.477                 |                  |                 | 0.34                | 0.34                   | 34.4348550 | -118.6504720 | 1329      | 28.71            | Valve Adjustment: No Flow Measurement, High Temp                                                  |
| CV-2339      | 2/6/2026 1:53:56 PM   | 0.5  | 11.8 | 16.7 | 71.0    | 4.3   | 0.0     |                   |                   | 89.7           | 89.7          | -0.04                  | -0.02                 | 0.040                  | 0.016                 |                  |                 | -6.16               | -6.46                  | 34.4341897 | -118.6502787 | 1317      | 28.67            |                                                                                                   |
| CV-2339      | 2/6/2026 1:57:42 PM   | 0.5  | 7.6  | 18.5 | 73.4    | 4.0   | 0.1     |                   |                   | 89.4           | 88.0          | -2.96                  | -0.01                 | 2.894                  | 0.010                 |                  |                 | -6.62               | -5.91                  | 34.4341918 | -118.6502625 | 1322      | 28.71            | Well Comment: Intrusion on flange                                                                 |
| CV-2339      | 2/24/2026 4:01:50 PM  | 5.1  | 6.9  | 19.9 | 68.1    | 3.4   | 0.7     |                   |                   | 83.2           | 83.4          | -1.34                  | -1.02                 | 1.093                  | 0.970                 | 0.0              | 0.0             | -7.65               |                        | 34.4342482 | -118.6502752 | 1335      | 28.61            | NSPS/EG CAI, High O2                                                                              |
| CV-2339      | 2/24/2026 4:04:12 PM  | 4.5  | 6.7  | 19.8 | 69.0    | 3.5   | 0.7     |                   |                   | 83.9           | 84.0          | -0.86                  | -0.84                 | 0.745                  | 0.745                 | 0.0              | 0.0             | -7.33               |                        | 34.4342402 | -118.6502838 | 1296      | 28.61            |                                                                                                   |
| CV-2341      | 2/4/2026 2:28:30 PM   | 22.8 | 60.3 | 0.4  | 16.5    | 41.3  | 0.4     |                   |                   | 102.2          | 100.6         | -1.76                  | -1.87                 | 1.736                  | 1.792                 |                  |                 | -2.72               | -4.96                  | 34.4336340 | -118.6501695 | 1317      | 28.75            | Valve Comment: RES SEM, Valve Adjustment: Audible Flow, Increased Flow/Vacuum                     |
| CV-2341      | 2/6/2026 1:48:54 PM   | 28.8 | 58.5 | 0.4  | 12.3    | 30.8  | 0.5     |                   |                   | 109.3          | 109.3         | -6.12                  | -6.12                 | 6.348                  | 6.447                 |                  |                 | -6.12               | -8.06                  | 34.4336328 | -118.6502000 | 1311      | 28.7             |                                                                                                   |
| CV-2341      | 2/9/2026 8:30:00 AM   |      |      |      |         |       |         |                   | 110000            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 11%]                                                                  |
| CV-2341      | 2/9/2026 8:30:00 AM   |      |      |      |         |       |         | 640               |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                      |
| CV-2341      | 2/24/2026 3:38:10 PM  | 30.6 | 55.4 | 1.4  | 12.6    | 9.0   | 0.6     |                   |                   | 90.6           | 88.5          | -7.31                  | -3.38                 | 6.885                  | 3.096                 | 0.0              | 0.0             | -8.75               |                        | 34.4336853 | -118.6502313 | 1355      | 28.6             |                                                                                                   |
| CV-2342A-PLR | 2/4/2026 7:53:04 AM   | 3.2  | 75.5 | 0.0  | 21.3    | 0.0   | 0.0     |                   |                   | 151.7          | 154.8         | -8.94                  | -8.95                 | 9.113                  | 8.991                 |                  |                 | 0.00                | 0.00                   | 34.4342200 | -118.6508522 | 1289      | 28.91            | Valve Adjustment: No Flow Measurement, High Temp, Valve 100% Open                                 |
| CV-2342A-PLR | 2/4/2026 7:55:00 AM   |      |      |      |         |       |         |                   | 136100            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 13.61%]                                                                      |
| CV-2342A-PLR | 2/4/2026 7:55:00 AM   |      |      |      |         |       |         | 589               |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2342A-PLR | 2/9/2026 7:35:00 AM   |      |      |      |         |       |         |                   | 183700            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 18.37%]                                                                      |
| CV-2342A-PLR | 2/9/2026 7:35:00 AM   |      |      |      |         |       |         | 597               |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2342A-PLR | 2/9/2026 7:38:39 AM   | 2.9  | 78.4 | 0.0  | 18.7    | 0.0   | 0.0     |                   |                   | 169.2          | 170.2         | -7.31                  | -6.50                 | 7.403                  | 6.614                 |                  |                 | -7.41               | -6.59                  | 34.4342273 | -118.6508482 | 1294      | 28.74            | Valve Adjustment: High Temp                                                                       |
| CV-2342A-PLR | 2/17/2026 11:41:38 AM | 2.9  | 76.5 | 0.0  | 20.6    | 0.0   | 0.0     |                   |                   | 184.8          | 184.8         | -8.71                  | -10.91                | 8.654                  | 10.730                |                  |                 | -8.92               | -8.79                  | 34.4342130 | -118.6508420 | 1290      | 28.67            | Valve Adjustment: NSPS/EG CAI Audible Flow, High Temp                                             |
| CV-2342A-PLR | 2/17/2026 12:15:00 PM |      |      |      |         |       |         | 730               |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2342A-PLR | 2/25/2026 1:00:28 PM  | 14.3 | 74.2 | 0.0  | 11.5    | 0.0   | 0.2     |                   |                   | 190.4          | 190.2         | -4.61                  | -4.31                 | 4.551                  | 4.100                 |                  |                 | 0.27                | 0.25                   | 34.4342237 | -118.6508513 | 1281      | 28.71            | Valve Adjustment: No Flow Measurement, High Temp                                                  |
| CV-2343      | 2/4/2026 8:19:36 AM   | 0.7  | 88.3 | 0.0  | 11.0    | 0.0   | 0.0     |                   |                   | 128.8          | 128.6         | -5.56                  | -5.79                 | 5.827                  | 6.090                 |                  |                 | 0.13                | 0.04                   | 34.4332583 | -118.6506982 | 1289      | 28.91            | Valve Adjustment: No Flow Measurement                                                             |
| CV-2343      | 2/9/2026 7:05:00 AM   |      |      |      |         |       |         |                   | 163700            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 16.37%]                                                                      |
| CV-2343      | 2/9/2026 7:05:00 AM   |      |      |      |         |       |         | 4750              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2343      | 2/9/2026 7:57:27 AM   | 0.6  | 84.5 | 0.0  | 14.9    | 0.0   | 0.0     |                   |                   | 157.6          | 158.0         | -4.98                  | -4.84                 | 5.035                  | 4.784                 |                  |                 | -5.36               | -5.05                  | 34.4332563 | -118.6506887 | 1297      | 28.75            | Valve Adjustment: High Temp                                                                       |
| CV-2343      | 2/17/2026 12:30:00 PM |      |      |      |         |       |         | 5590              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2343      | 2/17/2026 12:33:43 PM | 0.5  | 80.9 | 0.0  | 18.6    | 0.0   | 0.0     |                   |                   | 189.9          | 184.6         | -9.10                  | -9.49                 | 9.003                  | 9.428                 |                  |                 | -0.04               | 0.03                   | 34.4332463 | -118.6507028 | 1289      | 28.64            | Valve Adjustment: NSPS/EG CAI Audible Flow, High Temp                                             |
| CV-2343      | 2/25/2026 10:16:50 AM | 6.3  | 80.6 | 0.0  | 13.1    | 0.0   | 0.1     |                   |                   | 181.8          | 180.9         | 2.87                   | 3.07                  | 0.000                  | 0.000                 |                  |                 | 2.77                | 2.12                   | 34.4332393 | -118.6506735 | 1295      | 28.77            | Valve Adjustment: No Flow Measurement, High Temp, Positive Static Press, Valve 100% Open          |
| CV-2343      | 2/25/2026 10:17:50 AM | 7.0  | 56.1 | 0.0  | 36.9    | 0.0   | 0.1     |                   |                   | 176.1          | 177.6         | 3.72                   | 6.12                  | 0.000                  | 0.000                 |                  |                 | 0.67                | 0.67                   | 34.4332420 | -118.6506720 | 1291      | 28.74            | Valve Adjustment: No Flow Measurement, High Temp, Positive Static Press, Surging Liquid in Header |
| CV-2344      | 2/5/2026 7:55:00 AM   |      |      |      |         |       |         |                   | 130000            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 13%]                                                                  |
| CV-2344      | 2/5/2026 7:55:00 AM   |      |      |      |         |       |         | 2400              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                      |
| CV-2344      | 2/6/2026 9:17:17 AM   | 4.0  | 86.6 | 0.0  | 9.4     | 0.0   | 0.0     |                   |                   | 153.9          | 156.1         | -1.33                  | -1.45                 | 1.298                  | 1.419                 |                  |                 | -4.79               | -5.30                  | 34.4329638 | -118.6504155 | 1309      | 28.78            | Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum                                   |
| CV-2344      | 2/6/2026 9:18:30 AM   | 4.4  | 88.0 | 0.0  | 7.6     | 0.0   | 0.1     |                   |                   | 155.9          | 155.7         | -1.44                  | -1.48                 | 1.428                  | 1.447                 |                  |                 | -4.97               | -5.11                  | 34.4329770 | -118.6504288 | 1300      | 28.78            | Valve Adjustment: High Temp                                                                       |
| CV-2344      | 2/9/2026 8:02:34 AM   | 4.4  | 89.8 | 0.0  | 5.8     | 0.0   | 0.0     |                   |                   | 151.8          | 152.4         | -1.23                  | -1.24                 | 1.199                  | 1.220                 |                  |                 | -5.34               | -5.24                  | 34.4329855 | -118.6504397 | 1306      | 28.71            | Valve Adjustment: High Temp                                                                       |
| CV-2344      | 2/9/2026 8:05:00 AM   |      |      |      |         |       |         |                   | 104200            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 10.42%]                                                                      |
| CV-2344      | 2/9/2026 8:05:00 AM   |      |      |      |         |       |         | 3770              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2344      | 2/17/2026 12:39:40 PM | 13.0 | 75.6 | 0.1  | 11.3    | 113.0 | 0.2     |                   |                   | 160.6          | 160.8         | -8.88                  | -8.86                 | 8.831                  | 8.819                 |                  |                 | -9.72               | -9.74                  | 34.4329788 | -118.6504462 | 1299      | 28.64            | Valve Adjustment: NSPS/EG CAI Audible Flow, No Flow Measurement, High Temp                        |
| CV-2344      | 2/17/2026 12:40:00 PM |      |      |      |         |       |         | 3060              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                             |
| CV-2344      | 2/25/2026 10:13:28 AM | 24.7 | 67.4 | 0.0  | 7.9     | 0.0   | 0.4     |                   |                   | 165.1          | 165.7         | -4.74                  | -4.43                 | 4.706                  | 5.014                 |                  |                 | -4.68               | -5.55                  | 34.4329667 | -118.6504172 | 1315      | 28.74            | Valve Adjustment: No Flow Measurement, High Temp                                                  |
| CV-2345      | 2/5/2026 8:00:00 AM   |      |      |      |         |       |         |                   | 28000             |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 2.8%]                                                                 |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name  | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                 |
|-------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|------------------------------------------------------------------------------------------|
| CV-2345     | 2/5/2026 8:00:00 AM   |            |            |           |                |              |         | 510                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2345     | 2/6/2026 9:21:31 AM   | 22.9       | 77.1       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 114.0             | 114.1            | -2.07                     | -2.05                    | 2.014                     | 1.997                    |                     |                    | -4.57                  | -4.59                     | 34.4327273 | -118.6501612 | 1303         | 28.78               |                                                                                          |
| CV-2345     | 2/21/2026 9:48:59 AM  | 18.7       | 68.5       | 0.4       | 12.4           | 31.0         | 0.3     |                         |                         | 107.6             | 108.2            | -5.02                     | -4.99                    | 4.871                     | 4.943                    | 66.6                | 67.0               |                        |                           | 34.4327617 | -118.6502002 | 1299         | 28.71               | No Flow Measurement,                                                                     |
| CV-2346     | 2/5/2026 8:05:00 AM   |            |            |           |                |              |         |                         | 14                      |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2346     | 2/5/2026 8:05:00 AM   |            |            |           |                |              |         | 3300                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2346     | 2/13/2026 12:46:33 PM | 1.5        | 82.2       | 1.1       | 15.2           | 13.8         | 0.0     |                         |                         | 177.2             | 177.1            | -4.92                     | -4.57                    | 4.734                     | 4.538                    |                     |                    | -8.09                  | -7.95                     | 34.4325955 | -118.6500488 | 1321         | 28.63               | Valve Adjustment:High Temp                                                               |
| CV-2346     | 2/17/2026 12:44:12 PM | 1.6        | 87.5       | 0.0       | 10.9           | 0.0          | 0.0     |                         |                         | 177.3             | 177.1            | -6.95                     | -6.76                    | 6.801                     | 6.700                    |                     |                    | -9.98                  | -9.69                     | 34.4325918 | -118.6500678 | 1315         | 28.63               | Valve Adjustment:NSPS/EG CAI,Audible Flow,No Flow Measurement,High Temp                  |
| CV-2346     | 2/17/2026 12:45:00 PM |            |            |           |                |              |         | 5180                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA                                                                                    |
| CV-2346     | 2/25/2026 10:06:08 AM | 10.0       | 84.1       | 0.0       | 5.9            | 0.0          | 0.1     |                         |                         | 177.8             | 178.1            | -0.27                     | -0.30                    | 0.241                     | 0.349                    |                     |                    | -4.45                  | -4.30                     | 34.4325955 | -118.6500500 | 1317         | 28.74               | Valve Adjustment:No Flow Measurement,High Temp                                           |
| CV-2347     | 2/5/2026 8:10:00 AM   |            |            |           |                |              |         |                         | 100000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 10%]                                                         |
| CV-2347     | 2/5/2026 8:10:00 AM   |            |            |           |                |              |         | 2800                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2347     | 2/6/2026 9:35:47 AM   | 7.7        | 86.9       | 0.0       | 5.4            | 0.0          | 0.1     |                         |                         | 116.5             | 115.7            | -0.94                     | -0.94                    | 0.923                     | 0.894                    |                     |                    | 0.39                   | 0.40                      | 34.4323575 | -118.6498157 | 1317         | 28.76               |                                                                                          |
| CV-2347     | 2/21/2026 9:25:20 AM  | 13.0       | 64.9       | 0.0       | 22.1           | 0.0          | 0.2     |                         |                         | 64.6              | 64.8             | -4.61                     | -4.65                    | 4.787                     | 5.094                    | 68.7                | 70.9               |                        |                           | 34.4323530 | -118.6498367 | 1309         | 28.68               | ,                                                                                        |
| CV-2348     | 2/9/2026 8:20:00 AM   |            |            |           |                |              |         |                         | 14000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 1.4%]                                                        |
| CV-2348     | 2/9/2026 8:20:00 AM   |            |            |           |                |              |         | 200                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2348     | 2/13/2026 11:00:52 AM | 32.8       | 56.8       | 0.0       | 10.4           | 0.0          | 0.6     |                         |                         | 124.0             | 123.1            | -3.63                     | -3.62                    | 3.485                     | 3.475                    |                     |                    | -7.44                  | -7.27                     | 34.4321507 | -118.6495743 | 1315         | 28.64               |                                                                                          |
| CV-2348     | 2/24/2026 11:05:23 AM | 31.1       | 43.4       | 0.1       | 25.4           | 254.0        | 0.7     |                         |                         | 123.3             | 124.0            | -4.69                     | -4.67                    | 4.675                     | 4.653                    | 0.0                 | 0.0                | -9.27                  |                           | 34.4321197 | -118.6495653 | 1345         | 28.79               | ,                                                                                        |
| CV-2349     | 2/3/2026 7:25:00 AM   |            |            |           |                |              |         |                         | 120000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 12%]                                                         |
| CV-2349     | 2/3/2026 7:25:00 AM   |            |            |           |                |              |         | 2700                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2349     | 2/6/2026 7:40:27 AM   | 2.8        | 89.0       | 0.1       | 8.1            | 81.0         | 0.0     |                         |                         | 99.0              | 99.1             | -1.80                     | -1.93                    | 1.670                     | 1.949                    |                     |                    | -2.71                  | -2.82                     | 34.4331400 | -118.6512478 | 1269         | 28.8                |                                                                                          |
| CV-2349     | 2/21/2026 10:24:54 AM | 2.6        | 78.8       | 1.5       | 17.1           | 11.4         | 0.0     |                         |                         | 98.1              | 98.0             | -2.57                     | -3.45                    | 3.275                     | 2.740                    | 52.5                | 48.0               |                        |                           | 34.4331768 | -118.6512923 | 1306         | 28.76               | No Flow Measurement,                                                                     |
| CV-2350     | 2/4/2026 8:20:00 AM   |            |            |           |                |              |         |                         | 15                      |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2350     | 2/4/2026 8:20:00 AM   |            |            |           |                |              |         | 4000                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2350     | 2/5/2026 1:55:46 PM   | 3.9        | 65.5       | 2.8       | 27.8           | 9.9          | 0.1     |                         |                         | 117.7             | 117.7            | -5.26                     | -5.19                    | 4.835                     | 5.196                    |                     |                    | -5.43                  | -5.42                     | 34.4327785 | -118.6508970 | 1269         | 28.71               |                                                                                          |
| CV-2350     | 2/21/2026 11:03:11 AM | 6.1        | 73.8       | 1.2       | 18.9           | 15.8         | 0.1     |                         |                         | 96.9              | 97.0             | -5.37                     | -6.24                    | 5.154                     | 5.876                    | 0.0                 | 0.0                | -7.78                  |                           | 34.4327497 | -118.6508652 | 1296         | 28.76               | No Flow Measurement,                                                                     |
| CV-2351     | 2/3/2026 6:50:00 AM   |            |            |           |                |              |         |                         | 3100                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 0.31%]                                                       |
| CV-2351     | 2/3/2026 6:50:00 AM   |            |            |           |                |              |         | 0                       |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2351     | 2/6/2026 8:11:19 AM   | 0.0        | 4.0        | 20.8      | 75.2           | 3.6          | 0.0     |                         |                         | 61.1              | 61.1             | -5.87                     | -6.08                    | 5.826                     | 6.077                    |                     |                    | 0.21                   | 0.21                      | 34.4351518 | -118.6511537 | 1287         | 28.78               | Valve Adjustment:High O2,Surging Liquid in Well (Watered In);Well Comment:no system port |
| CV-2351     | 2/24/2026 10:23:27 AM | 1.7        | 31.5       | 12.2      | 54.6           | 4.5          | 0.1     |                         |                         | 86.5              | 86.5             | -5.92                     | -5.41                    | 6.456                     | 5.959                    |                     |                    | 0.62                   | 0.61                      | 34.4351252 | -118.6511445 | 1297         | 28.71               | Valve Adjustment:Barely Open,Surging Liquid in Well (Watered In)                         |
| CV-2352     | 2/3/2026 7:00:00 AM   |            |            |           |                |              |         |                         | 220000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 22%]                                                         |
| CV-2352     | 2/3/2026 7:00:00 AM   |            |            |           |                |              |         | 1300                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2352     | 2/6/2026 8:15:34 AM   | 1.8        | 69.6       | 3.4       | 25.2           | 7.4          | 0.0     |                         |                         | 84.6              | 84.3             | -6.49                     | -6.94                    | 6.483                     | 6.941                    |                     |                    | -6.24                  | -6.75                     | 34.4348953 | -118.6510267 | 1288         | 28.78               |                                                                                          |
| CV-2352     | 2/23/2026 1:45:34 PM  | 4.0        | 74.0       | 2.2       | 19.8           | 9.0          | 0.1     |                         |                         | 99.7              | 99.7             | -6.91                     | -6.92                    | 5.619                     | 5.520                    | 69.4                | 68.8               |                        |                           | 34.4348322 | -118.6510327 | 1293         | 28.77               |                                                                                          |
| CV-2353-PLR | 2/4/2026 7:47:39 AM   | 3.0        | 72.4       | 1.7       | 22.9           | 13.5         | 0.0     |                         |                         | 110.1             | 109.3            | -9.31                     | -6.42                    | 9.361                     | 6.489                    |                     |                    | -9.28                  | -9.54                     | 34.4345542 | -118.6509230 | 1294         | 28.86               | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum                               |
| CV-2353-PLR | 2/4/2026 7:50:34 AM   | 2.3        | 69.1       | 3.3       | 25.3           | 7.7          | 0.0     |                         |                         | 108.5             | 108.5            | -7.74                     | -7.73                    | 7.823                     | 7.801                    |                     |                    | -9.41                  | -10.42                    | 34.4345420 | -118.6509382 | 1288         | 28.89               | Valve Adjustment:No Flow Measurement                                                     |
| CV-2353-PLR | 2/5/2026 7:50:00 AM   |            |            |           |                |              |         |                         | 200000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 20%]                                                         |
| CV-2353-PLR | 2/5/2026 7:50:00 AM   |            |            |           |                |              |         | 920                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2353-PLR | 2/6/2026 8:22:35 AM   | 2.6        | 68.9       | 2.3       | 26.2           | 11.4         | 0.0     |                         |                         | 96.2              | 96.2             | -5.94                     | -6.21                    | 5.868                     | 6.141                    |                     |                    | -7.41                  | -7.76                     | 34.4345703 | -118.6509080 | 1287         | 28.78               |                                                                                          |
| CV-2353-PLR | 2/24/2026 10:30:11 AM | 2.4        | 75.0       | 1.1       | 21.5           | 19.5         | 0.0     |                         |                         | 154.3             | 155.7            | -6.38                     | -3.86                    | 6.799                     | 3.784                    |                     |                    | -6.15                  | -6.78                     | 34.4345468 | -118.6509093 | 1299         | 28.72               | Temp,Decreased Flow/Vacuum                                                               |
| CV-2353-PLR | 2/24/2026 10:30:47 AM | 2.5        | 75.9       | 0.4       | 21.2           | 53.0         | 0.0     |                         |                         | 159.0             | 158.4            | -3.88                     | -3.82                    | 3.806                     | 3.732                    |                     |                    | -6.96                  | -6.91                     | 34.4345272 | -118.6509012 | 1294         | 28.72               |                                                                                          |
| CV-2354     | 2/3/2026 7:20:00 AM   |            |            |           |                |              |         |                         | 150000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 15%]                                                         |
| CV-2354     | 2/3/2026 7:20:00 AM   |            |            |           |                |              |         | 2500                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab                                                                             |
| CV-2354     | 2/24/2026 9:59:42 AM  | 6.6        | 80.0       | 0.0       | 13.4           | 0.0          | 0.1     |                         |                         | 189.4             | 189.2            | -0.43                     | -1.33                    | 0.460                     | 1.267                    |                     |                    | -2.81                  | -3.60                     | 34.4336912 | -118.6513493 | 1274         | 28.78               | Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header                          |
| CV-2354     | 2/24/2026 10:01:03 AM | 6.1        | 82.0       | 0.0       | 11.9           | 0.0          | 0.1     |                         |                         | 189.1             | 189.4            | -0.91                     | -0.51                    | 0.819                     | 0.514                    |                     |                    | -3.28                  | -2.88                     | 34.4336853 | -118.6513300 | 1276         | 28.76               | Valve Adjustment:High Temp,Surging Liquid in Header                                      |
| CV-24001    | 2/4/2026 8:05:00 AM   |            |            |           |                |              |         |                         | 6500                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Air Tech Lab; [User entered 0.65%]                                                       |
| CV-24001    | 2/12/2026 2:14:22 PM  | 45.8       | 52.3       | 0.0       | 1.9            | 0.0          | 0.9     |                         |                         | 86.5              | 86.6             | -0.53                     | -0.53                    | 0.535                     | 0.520                    |                     |                    | -4.76                  | -4.70                     | 34.4366435 | -118.6509110 | 1346         | 28.68               |                                                                                          |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                                                                                                                             |                                   |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| CV-24001   | 2/21/2026 9:21:28 AM  | 41.3       | 49.6       | 1.3       | 7.8            | 6.0          | 0.8     |                         |                         | 77.2              | 78.1             | -0.62                     | -0.62                    | 0.503                     | 0.515                    |                     |                    | -4.76                  | -4.75                     | 34.4366338 | -118.6509252 | 1349         | 28.74               |                                                                                                                                                                                                                      |                                   |
| CV-24002   | 2/12/2026 2:07:25 PM  | 44.3       | 53.6       | 0.0       | 2.1            | 0.0          | 0.8     |                         |                         | 108.0             | 107.4            | -0.76                     | -0.69                    | 0.781                     | 0.702                    |                     |                    | -6.38                  | -6.21                     | 34.4367437 | -118.6504587 | 1359         | 28.68               | Valve Adjustment:Barely Open                                                                                                                                                                                         |                                   |
| CV-24002   | 2/21/2026 9:16:48 AM  | 39.2       | 50.8       | 1.8       | 8.2            | 4.6          | 0.8     |                         |                         | 99.2              | 99.3             | -0.75                     | -0.75                    | 0.643                     | 0.675                    |                     |                    | -7.28                  | -7.27                     | 34.4367530 | -118.6504740 | 1357         | 28.74               |                                                                                                                                                                                                                      |                                   |
| CV-24003   | 2/12/2026 10:29:22 AM | 44.1       | 54.8       | 0.0       | 1.1            | 0.0          | 0.8     |                         |                         | 111.5             | 111.2            | -1.13                     | -1.13                    | 0.031                     | 0.032                    | 7.1                 | 7.2                | -6.91                  | -7.06                     | 34.4368675 | -118.6501062 | 1358         | 28.76               |                                                                                                                                                                                                                      |                                   |
| CV-24003   | 2/21/2026 9:07:32 AM  | 38.9       | 52.9       | 1.2       | 7.0            | 5.8          | 0.7     |                         |                         | 102.6             | 102.4            | -0.80                     | -0.80                    | 0.035                     | 0.033                    | 7.6                 | 7.4                | -7.38                  | -7.38                     | 34.4368612 | -118.6501000 | 1351         | 28.72               |                                                                                                                                                                                                                      |                                   |
| CV-24004   | 2/12/2026 10:11:14 AM | 45.1       | 53.9       | 0.0       | 0.9            | 0.0          | 0.8     |                         |                         | 109.6             | 109.5            | -1.36                     | -1.39                    | 0.074                     | 0.119                    | 5.3                 | 6.7                | -7.75                  | -7.28                     | 34.4370677 | -118.6497010 | 1360         | 28.72               |                                                                                                                                                                                                                      |                                   |
| CV-24004   | 2/12/2026 10:18:43 AM | 47.2       | 52.2       | 0.0       | 0.7            | 0.0          | 0.9     |                         |                         | 109.5             | 109.6            | -1.18                     | -1.18                    | 0.085                     | 0.085                    | 5.7                 | 5.6                | -9.23                  | -9.23                     | 34.4370595 | -118.6496985 | 1380         | 28.74               | Valve Comment:cleared small amount of liquid from header lateral;Valve Adjustment:NSPS/EG CAC,Surging Liquid in Header                                                                                               |                                   |
| CV-24004   | 2/21/2026 9:12:17 AM  | 41.7       | 48.6       | 1.5       | 8.2            | 5.5          | 0.9     |                         |                         | 104.6             | 104.6            | -0.92                     | -0.93                    | 0.185                     | 0.134                    | 8.4                 | 7.1                | -10.67                 | -10.87                    | 34.4370513 | -118.6497043 | 1354         | 28.71               | Valve Adjustment:Barely Open                                                                                                                                                                                         |                                   |
| CV-24006   | 2/12/2026 1:35:51 PM  | 13.4       | 75.3       | 0.0       | 11.3           | 0.0          | 0.2     |                         |                         | 88.8              | 110.1            | 0.83                      | -0.12                    | 0.032                     | 1.587                    | 3.5                 | 24.4               | -3.70                  | -3.47                     | 34.4363603 | -118.6504392 | 1396         | 28.64               | Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum                                                                                                                                |                                   |
| CV-24006   | 2/12/2026 1:37:10 PM  | 14.7       | 75.0       | 0.0       | 10.3           | 0.0          | 0.2     |                         |                         | 114.9             | 114.6            | -0.29                     | -0.28                    | 1.455                     | 1.456                    | 23.3                | 23.3               | -3.36                  | -3.44                     | 34.4363697 | -118.6504475 | 1389         | 28.66               |                                                                                                                                                                                                                      |                                   |
| CV-24006   | 2/21/2026 8:56:06 AM  | 21.6       | 74.4       | 0.6       | 3.4            | 5.7          | 0.3     |                         |                         | 129.3             | 129.0            | -0.71                     | -0.61                    | 0.798                     | 0.602                    | 17.0                | 14.8               | -2.87                  | -2.83                     | 34.4363457 | -118.6504427 | 1378         | 28.72               | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum                                                                                                                                                                  |                                   |
| CV-24006   | 2/21/2026 8:56:53 AM  | 21.8       | 74.1       | 0.5       | 3.6            | 7.2          | 0.3     |                         |                         | 128.6             | 128.7            | -0.57                     | -0.57                    | 0.649                     | 0.650                    | 15.4                | 15.4               | -3.24                  | -3.24                     | 34.4363537 | -118.6504642 | 1376         | 28.72               |                                                                                                                                                                                                                      |                                   |
| CV-24007   | 2/9/2026 7:40:00 AM   |            |            |           |                |              |         |                         | 36000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | Air Tech Lab; [User entered 3.6%] |
| CV-24007   | 2/9/2026 7:40:00 AM   |            |            |           |                |              |         | 430                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | Air Tech Lab                      |
| CV-24007   | 2/11/2026 8:30:00 AM  |            |            |           |                |              |         | 520                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | Air Tech Lab                      |
| CV-24007   | 2/12/2026 1:52:48 PM  | 17.9       | 66.9       | 0.0       | 15.2           | 0.0          | 0.3     |                         |                         | 112.3             | 112.4            | -1.19                     | -1.17                    | 0.045                     | 0.015                    | 4.1                 | 2.4                | -2.06                  | -2.01                     | 34.4365082 | -118.6500858 | 1390         | 28.64               | Valve Adjustment:Surging Liquid in Header                                                                                                                                                                            |                                   |
| CV-24007   | 2/21/2026 8:31:22 AM  | 19.8       | 63.6       | 0.9       | 15.7           | 17.4         | 0.3     |                         |                         | 110.7             | 110.1            | -1.51                     | -1.38                    | 0.163                     | 0.195                    | 7.8                 | 8.6                | -2.85                  | -3.05                     | 34.4365082 | -118.6501340 | 1376         | 28.71               | Valve Adjustment:Decreased Flow/Vacuum                                                                                                                                                                               |                                   |
| CV-24009   | 2/2/2026 1:10:00 PM   |            |            |           |                |              |         |                         | 92600                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | AtmAA; [User entered 9.26%]       |
| CV-24009   | 2/2/2026 1:10:00 PM   |            |            |           |                |              |         | 1350                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | AtmAA                             |
| CV-24009   | 2/2/2026 1:11:53 PM   | 23.0       | 76.8       | 0.2       | 0.0            | 0.0          | 0.3     |                         |                         | 159.8             | 159.8            | -2.96                     | -2.98                    | 0.008                     | 0.012                    |                     |                    | -0.03                  | 0.00                      | 34.4368750 | -118.6493475 | 1371         | 28.67               | Valve Adjustment:Reconnected this Date,High Temp                                                                                                                                                                     |                                   |
| CV-24009   | 2/10/2026 1:53:00 PM  |            |            |           |                |              |         |                         | 110600                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | AtmAA; [User entered 11.06%]      |
| CV-24009   | 2/10/2026 1:53:00 PM  |            |            |           |                |              |         | 998                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | AtmAA                             |
| CV-24009   | 2/10/2026 1:54:24 PM  | 10.9       | 77.9       | 0.1       | 11.1           | 111.0        | 0.1     |                         |                         | 156.3             | 156.2            | -2.96                     | -2.95                    | 0.362                     | 0.299                    |                     |                    | -8.89                  | -8.63                     | 34.4368580 | -118.6493723 | 1374         | 28.48               | Valve Adjustment:High Temp                                                                                                                                                                                           |                                   |
| CV-24009   | 2/20/2026 7:53:06 AM  | 9.7        | 77.1       | 1.0       | 12.2           | 12.2         | 0.1     |                         |                         | 155.9             | 155.8            | -3.20                     | -3.20                    | 0.000                     | 0.000                    |                     |                    | -11.67                 | -11.68                    | 34.4368702 | -118.6493595 | 1381         | 28.55               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                                                                         |                                   |
| CV-24009   | 2/23/2026 1:26:03 PM  | 19.1       | 69.0       | 2.1       | 9.8            | 4.7          | 0.3     |                         |                         | 158.4             | 158.5            | -1.52                     | -1.53                    | 0.000                     | 0.000                    |                     |                    | -9.08                  | -9.17                     | 34.4368845 | -118.6493548 | 1388         | 28.74               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                                                                         |                                   |
| CV-24010   | 2/12/2026 9:52:10 AM  | 21.3       | 46.3       | 0.0       | 32.5           | 0.0          | 0.5     |                         |                         | 77.0              | 77.0             | -0.94                     | -0.94                    | 0.964                     | 0.955                    |                     |                    | -10.46                 | -10.56                    | 34.4370892 | -118.6489677 | 1378         | 28.73               | Valve Adjustment:Barely Open                                                                                                                                                                                         |                                   |
| CV-24010   | 2/21/2026 8:09:11 AM  | 19.7       | 43.7       | 1.5       | 35.1           | 23.4         | 0.5     |                         |                         | 53.1              | 54.1             | -0.21                     | -0.21                    | 0.195                     | 0.198                    |                     |                    | -8.77                  | -8.80                     | 34.4370908 | -118.6489560 | 1367         | 28.71               |                                                                                                                                                                                                                      |                                   |
| CV-24011   | 2/10/2026 10:23:13 AM | 3.8        | 76.8       | 0.0       | 19.4           | 0.0          | 0.0     |                         |                         | 65.9              | 64.3             | 6.51                      | 6.59                     | 0.019                     | 0.013                    | 2.8                 | 2.3                | 6.73                   | 6.47                      | 34.4362047 | -118.6501790 | 1375         | 28.52               | Valve Adjustment:Positive Static Press.                                                                                                                                                                              |                                   |
| CV-24011   | 2/10/2026 10:23:56 AM | 3.1        | 81.1       | 0.0       | 15.8           | 0.0          | 0.0     |                         |                         | 63.6              | 63.4             | 6.54                      | 6.67                     | 0.077                     | 0.012                    | 5.6                 | 2.2                | 6.42                   | 6.71                      | 34.4362020 | -118.6501762 | 1378         | 28.52               | Valve Adjustment:Positive Static Press.,Valve 100% Open                                                                                                                                                              |                                   |
| CV-24011   | 2/21/2026 8:34:32 AM  | 4.2        | 70.7       | 0.0       | 25.1           | 0.0          | 0.1     |                         |                         | 60.6              | 60.9             | 6.40                      | 6.40                     | 0.286                     | 0.285                    | 11.0                | 10.9               | 6.05                   | 6.14                      | 34.4361942 | -118.6501892 | 1376         | 28.71               | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open                                                                                                                                                  |                                   |
| CV-24011   | 2/21/2026 8:34:55 AM  | 3.3        | 80.0       | 0.0       | 16.7           | 0.0          | 0.0     |                         |                         | 60.6              | 60.3             | 6.42                      | 6.42                     | 0.471                     | 0.485                    | 14.1                | 14.3               | 6.64                   | 6.60                      | 34.4361945 | -118.6501915 | 1375         | 28.71               | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In)                                                                                                              |                                   |
| CV-24011   | 2/26/2026 3:54:25 PM  | 3.5        | 78.7       | 0.0       | 17.8           | 0.0          | 0.0     |                         |                         | 101.8             | 101.2            | 6.83                      | 7.08                     | 0.011                     | 0.018                    | 2.1                 | 2.7                | -8.60                  | -8.57                     | 34.4362050 | -118.6501872 | 1400         | 28.63               | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Well (Watered In);Well Comment:Lorentz pump not operating;Well Condition:Lorentz Pump Installed;Well Repairs:Sample Port |                                   |
| CV-24011   | 2/26/2026 4:06:07 PM  | 3.7        | 77.9       | 0.0       | 18.4           | 0.0          | 0.0     |                         |                         | 99.6              | 99.2             | 6.77                      | 6.77                     | 0.012                     | 0.025                    | 2.2                 | 3.1                | -9.47                  | -9.03                     | 34.4362008 | -118.6501882 | 1378         | 28.63               | Valve Adjustment:Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In)                                                                                                                          |                                   |
| CV-24012   | 2/10/2026 1:30:00 PM  |            |            |           |                |              |         |                         | 155500                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | AtmAA; [User entered 15.55%]      |
| CV-24012   | 2/10/2026 1:30:00 PM  |            |            |           |                |              |         | 1750                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                                                                                                      | AtmAA                             |
| CV-24012   | 2/10/2026 1:30:09 PM  | 1.9        | 85.1       | 0.0       | 13.0           | 0.0          | 0.0     |                         |                         | 180.1             | 182.9            | -7.60                     | -7.36                    | 7.718                     | 7.515                    |                     |                    | -8.27                  | -8.02                     | 34.4361717 | -118.6493518 | 1367         | 28.49               | Valve Adjustment:High Temp                                                                                                                                                                                           |                                   |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date          | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                                                                                   |
|------------|----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CV-24012   | 2/20/2026 8:16:50 AM | 1.4        | 83.6       | 0.2       | 14.8           | 74.0         | 0.0     |                         |                         | 183.0             | 182.6            | -12.19                    | -12.14                   | 11.940                    | 11.893                   |                     |                    | -12.21                 | -12.14                    | 34.4361822 | -118.6493608 | 1360         | 28.56               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                               |
| CV-24012   | 2/23/2026 1:39:49 PM | 10.2       | 62.8       | 4.5       | 22.5           | 5.0          | 0.2     |                         |                         | 183.9             | 182.9            | -8.69                     | -8.70                    | 8.581                     | 8.583                    |                     |                    | -8.89                  | -8.92                     | 34.4361698 | -118.6493567 | 1361         | 28.75               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                               |
| CV-24013   | 2/6/2026 2:51:33 PM  | 0.0        | 12.3       | 17.7      | 70.0           | 4.0          | 0.0     |                         |                         | 108.1             | 106.4            | -10.07                    | -10.15                   | 10.020                    | 10.116                   |                     |                    | -9.99                  | -10.13                    | 34.4366378 | -118.6492122 | 1376         | 28.67               | Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High O2,Barely Open;Well Comment:Suspected O2 intrusion through Lorentz port;Well Condition:Poor,Lorentz Pump Installed |
| CV-24013   | 2/6/2026 2:52:10 PM  | 1.4        | 13.0       | 17.4      | 68.2           | 3.9          | 0.1     |                         |                         | 110.5             | 111.5            | -9.97                     | -9.99                    | 9.968                     | 10.032                   |                     |                    | -10.39                 | -10.39                    | 34.4366020 | -118.6492303 | 1380         | 28.67               | Valve Adjustment:NSPS/EG CAI,High O2                                                                                                                                       |
| CV-24013   | 2/24/2026 2:15:34 PM | 0.3        | 10.4       | 18.1      | 71.2           | 3.9          | 0.0     |                         |                         | 104.6             | 107.3            | -10.05                    | -10.05                   | 10.065                    | 10.065                   |                     |                    | -9.97                  | -9.97                     | 34.4366248 | -118.6492268 | 1372         | 28.6                | Valve Adjustment:High O2,Surging Liquid in Header                                                                                                                          |
| CV-24014   | 2/2/2026 1:05:00 PM  |            |            |           |                |              |         |                         | 149000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA; [User entered 14.9%]                                                                                                                                                |
| CV-24014   | 2/2/2026 1:05:00 PM  |            |            |           |                |              |         | 2190                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA                                                                                                                                                                      |
| CV-24014   | 2/2/2026 1:05:29 PM  | 17.0       | 78.0       | 0.3       | 4.7            | 15.7         | 0.2     |                         |                         | 178.1             | 179.1            | -7.96                     | -4.45                    | 7.722                     | 4.393                    |                     |                    | -7.71                  | -8.01                     | 34.4367952 | -118.6489252 | 1346         | 28.67               | Valve Adjustment:No Flow Measurement,Reconnected this Date,High Temp,Decreased Flow/Vacuum                                                                                 |
| CV-24014   | 2/2/2026 1:06:30 PM  | 16.2       | 77.0       | 0.3       | 6.5            | 21.7         | 0.2     |                         |                         | 179.1             | 178.9            | -3.38                     | -3.95                    | 3.246                     | 3.905                    |                     |                    | -6.09                  | -7.10                     | 34.4367770 | -118.6489452 | 1361         | 28.67               | Valve Adjustment:No Flow Measurement,Reconnected this Date,High Temp,Barely Open                                                                                           |
| CV-24014   | 2/10/2026 1:47:00 PM |            |            |           |                |              |         | 165100                  |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA; [User entered 16.51%]                                                                                                                                               |
| CV-24014   | 2/10/2026 1:47:00 PM |            |            |           |                |              |         | 1540                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA                                                                                                                                                                      |
| CV-24014   | 2/10/2026 1:47:08 PM | 3.5        | 78.0       | 0.0       | 18.5           | 0.0          | 0.0     |                         |                         | 178.3             | 178.1            | -4.09                     | -3.56                    | 4.013                     | 3.528                    |                     |                    | -7.66                  | -5.06                     | 34.4367705 | -118.6489525 | 1381         | 28.48               | Valve Adjustment:High Temp                                                                                                                                                 |
| CV-24014   | 2/20/2026 7:43:02 AM | 4.3        | 78.7       | 0.4       | 16.6           | 41.5         | 0.1     |                         |                         | 177.2             | 177.3            | -4.58                     | -4.65                    | 4.533                     | 4.603                    | 79.8                | 80.4               | -8.82                  | -8.94                     | 34.4367915 | -118.6489525 | 1382         | 28.54               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                               |
| CV-24014   | 2/23/2026 1:07:33 PM | 14.1       | 71.8       | 1.4       | 12.7           | 9.1          | 0.2     |                         |                         | 178.1             | 178.0            | -2.16                     | -2.13                    | 2.142                     | 2.093                    | 55.3                | 54.7               | -4.49                  | -4.65                     | 34.4367727 | -118.6489500 | 1375         | 28.74               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                               |
| CV-24014   | 2/24/2026 2:19:36 PM | 19.4       | 79.3       | 0.0       | 1.3            | 0.0          | 0.2     |                         |                         | 96.7              | 100.3            | -0.04                     | -0.04                    | 1.560                     | 1.474                    | 24.5                | 23.7               | -9.50                  | -8.98                     | 34.4366303 | -118.6492670 | 1378         | 28.6                |                                                                                                                                                                            |
| CV-24015   | 2/2/2026 9:24:54 AM  | 7.6        | 76.3       | 0.0       | 16.1           | 0.0          | 0.1     |                         |                         | 185.4             | 183.1            | -4.23                     | -0.58                    | 4.187                     | 0.580                    |                     |                    | 0.40                   | 0.58                      | 34.4368755 | -118.6486090 | 1370         | 28.7                | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum                                                                                                                 |
| CV-24015   | 2/2/2026 9:25:00 AM  |            |            |           |                |              |         | 199800                  |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA; [User entered 19.98%]                                                                                                                                               |
| CV-24015   | 2/2/2026 9:25:00 AM  |            |            |           |                |              |         | 3510                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA                                                                                                                                                                      |
| CV-24015   | 2/2/2026 9:25:28 AM  | 7.9        | 79.9       | 0.0       | 12.2           | 0.0          | 0.1     |                         |                         | 183.0             | 183.1            | -0.57                     | -0.57                    | 0.592                     | 0.564                    |                     |                    | 0.59                   | 0.57                      | 34.4368793 | -118.6486257 | 1365         | 28.68               | Valve Adjustment:No Flow Measurement,High Temp                                                                                                                             |
| CV-24015   | 2/9/2026 10:15:00 AM |            |            |           |                |              |         | 189200                  |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA; [User entered 18.92%]                                                                                                                                               |
| CV-24015   | 2/9/2026 10:15:00 AM |            |            |           |                |              |         | 2310                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA                                                                                                                                                                      |
| CV-24015   | 2/9/2026 10:15:34 AM | 1.8        | 77.5       | 0.4       | 20.3           | 50.8         | 0.0     |                         |                         | 186.2             | 186.1            | -12.29                    | -10.81                   | 12.746                    | 11.196                   |                     |                    | -12.36                 | -10.48                    | 34.4368932 | -118.6485983 | 1362         | 28.64               |                                                                                                                                                                            |
| CV-24015   | 2/17/2026 8:27:48 AM | 10.5       | 71.3       | 1.9       | 16.3           | 8.6          | 0.1     |                         |                         | 184.7             | 184.7            | -8.07                     | -8.02                    | 8.156                     | 8.136                    |                     |                    | -9.41                  | -9.40                     | 34.4369002 | -118.6486162 | 1368         | 28.59               | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp                                                                                                   |
| CV-24015   | 2/17/2026 8:30:00 AM |            |            |           |                |              |         | 2250                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA                                                                                                                                                                      |
| CV-24015   | 2/23/2026 9:06:41 AM | 3.1        | 75.1       | 1.9       | 19.9           | 10.5         | 0.0     |                         |                         | 184.7             | 184.8            | -7.03                     | -6.98                    | 7.208                     | 7.195                    |                     |                    | -7.58                  | -7.62                     | 34.4368935 | -118.6486023 | 1382         | 28.8                | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                               |
| CV-24016   | 2/3/2026 1:30:00 PM  |            |            |           |                |              |         | 165100                  |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA; [User entered 16.51%]                                                                                                                                               |
| CV-24016   | 2/3/2026 1:30:00 PM  |            |            |           |                |              |         | 2919                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | AtmAA                                                                                                                                                                      |
| CV-24016   | 2/10/2026 1:19:27 PM | 1.7        | 81.3       | 0.0       | 17.0           | 0.0          | 0.0     |                         |                         | 68.8              | 68.3             | 6.08                      | 6.08                     | 0.000                     | 0.000                    |                     |                    | -0.01                  | -0.01                     | 34.4359130 | -118.6502587 | 1364         | 28.49               | Valve Adjustment:High Temp,Positive Static Press.                                                                                                                          |
| CV-24016   | 2/10/2026 1:19:56 PM | 1.3        | 83.0       | 0.0       | 15.7           | 0.0          | 0.0     |                         |                         | 68.1              | 68.0             | 6.08                      | 6.08                     | 0.000                     | 0.000                    |                     |                    | -0.01                  | -0.01                     | 34.4359015 | -118.6502558 | 1361         | 28.49               |                                                                                                                                                                            |
| CV-24016   | 2/21/2026 8:43:05 AM | 1.0        | 80.1       | 0.0       | 18.9           | 0.0          | 0.0     |                         |                         | 84.2              | 83.1             | 5.94                      | 6.04                     | 0.000                     | 0.000                    |                     |                    | -0.18                  | -0.17                     | 34.4359105 | -118.6502638 | 1366         | 28.72               | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In)                                                                    |
| CV-24016   | 2/21/2026 8:43:29 AM | 1.7        | 81.5       | 0.0       | 16.8           | 0.0          | 0.0     |                         |                         | 82.4              | 81.8             | 6.10                      | 6.11                     | 0.000                     | 0.000                    |                     |                    | -0.33                  | -0.33                     | 34.4359168 | -118.6502627 | 1368         | 28.72               | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In)                                                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name   | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                          |                                                                                           |
|--------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|---------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| CV-24017     | 2/4/2026 1:10:39 PM   | 2.2        | 83.2       | 0.0       | 14.6           | 0.0          | 0.0     |                         |                         | 94.6                 | 146.3               | 16.68                        | -0.11                       | 0.000                        | 0.091                       |                        |                       | 0.05                      | -0.09                        | 34.4361127 | -118.6497905 | 1362         | 28.75                  | Valve Adjustment: NSPS/EG CAI, No Flow Measurement, Positive Static Press, Increased Flow/Vacuum  |                                                                                           |
| CV-24017     | 2/4/2026 1:13:19 PM   | 2.3        | 81.3       | 0.0       | 16.4           | 0.0          | 0.0     |                         |                         | 161.1                | 169.0               | -0.49                        | -0.57                       | 0.470                        | 0.454                       |                        |                       | -0.01                     | 0.01                         | 34.4361083 | -118.6498117 | 1378         | 28.75                  | Valve Adjustment: NSPS/EG CAC, No Flow Measurement, Reconnected this Date, High Temp              |                                                                                           |
| CV-24017     | 2/4/2026 1:15:00 PM   |            |            |           |                |              |         |                         | 177300                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA; [User entered 17.73%]                                                              |
| CV-24017     | 2/4/2026 1:15:00 PM   |            |            |           |                |              |         | 3420                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA                                                                                     |
| CV-24017     | 2/9/2026 7:45:00 AM   |            |            |           |                |              |         |                         | 150000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | Air Tech Lab; [User entered 15%]                                                          |
| CV-24017     | 2/9/2026 7:45:00 AM   |            |            |           |                |              |         | 1500                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | Air Tech Lab                                                                              |
| CV-24017     | 2/10/2026 10:29:06 AM | 7.7        | 81.9       | 0.0       | 10.4           | 0.0          | 0.1     |                         |                         | 170.9                | 170.1               | -2.26                        | -2.27                       | 2.152                        | 2.190                       |                        |                       | 0.29                      | 0.28                         | 34.4361078 | -118.6498077 | 1364         | 28.52                  |                                                                                                   |                                                                                           |
| CV-24017     | 2/10/2026 10:30:00 AM |            |            |           |                |              |         |                         | 130400                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA; [User entered 13.04%]                                                              |
| CV-24017     | 2/10/2026 10:30:00 AM |            |            |           |                |              |         | 2020                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA                                                                                     |
| CV-24017     | 2/12/2026 8:00:00 AM  |            |            |           |                |              |         |                         | 140000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | Air Tech Lab; [User entered 14%]                                                          |
| CV-24017     | 2/12/2026 8:00:00 AM  |            |            |           |                |              |         | 1400                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | Air Tech Lab                                                                              |
| CV-24017     | 2/20/2026 8:02:01 AM  | 8.2        | 74.1       | 2.3       | 15.4           | 6.7          | 0.1     |                         |                         | 176.1                | 175.9               | -4.33                        | -4.32                       | 4.385                        | 4.351                       |                        |                       | -0.34                     | -0.34                        | 34.4361107 | -118.6498032 | 1376         | 28.56                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: High Temp, Valve 100% Open                  |                                                                                           |
| CV-24017     | 2/23/2026 1:32:29 PM  | 18.5       | 67.4       | 2.2       | 11.9           | 5.4          | 0.3     |                         |                         | 176.0                | 176.1               | -2.25                        | -2.26                       | 2.220                        | 2.243                       |                        |                       | -0.03                     | -0.03                        | 34.4360967 | -118.6498020 | 1370         | 28.74                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: High Temp                                   |                                                                                           |
| CV-24018     | 2/13/2026 2:34:55 PM  | 6.4        | 80.9       | 0.0       | 12.7           | 0.0          | 0.1     |                         |                         | 124.3                | 124.4               | -0.39                        | -0.40                       | 0.370                        | 0.378                       |                        |                       | -5.67                     | -6.67                        | 34.4356175 | -118.6500650 | 1367         | 28.56                  |                                                                                                   |                                                                                           |
| CV-24018     | 2/25/2026 11:03:55 AM | 5.3        | 79.3       | 0.0       | 15.4           | 0.0          | 0.1     |                         |                         | 118.1                | 108.7               | 0.27                         | -0.03                       | -0.385                       | -0.004                      |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less, NSPS/EG CAI, Positive Static Press. |
| CV-24018     | 2/25/2026 11:05:14 AM | 4.9        | 82.2       | 0.0       | 12.9           | 0.0          | 0.1     |                         |                         | 115.7                | 115.8               | -0.43                        | -0.40                       | 0.384                        | 0.303                       | 17.3                   | 15.3                  |                           |                              |            |              |              |                        |                                                                                                   | NSPS/EG CAC,                                                                              |
| CV-24019     | 2/3/2026 1:20:00 AM   |            |            |           |                |              |         | 1982                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA                                                                                     |
| CV-24019     | 2/3/2026 1:20:00 PM   |            |            |           |                |              |         |                         | 161400                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA; [User entered 16.14%]                                                              |
| CV-24019     | 2/3/2026 1:22:30 PM   | 9.5        | 80.0       | 0.0       | 10.5           | 0.0          | 0.1     |                         |                         | 190.0                | 187.9               | 33.52                        | -0.35                       | 0.000                        | 0.256                       |                        |                       | -12.58                    | -12.29                       | 34.4357463 | -118.6497742 | 1362         | 28.81                  | Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Increased Flow/Vacuum, Barely Open |                                                                                           |
| CV-24019     | 2/3/2026 1:23:25 PM   | 9.6        | 70.5       | 0.0       | 19.9           | 0.0          | 0.1     |                         |                         | 186.1                | 184.7               | -1.73                        | -1.56                       | 1.676                        | 1.590                       |                        |                       | -12.38                    | -12.27                       | 34.4357673 | -118.6497623 | 1361         | 28.81                  | Valve Adjustment: NSPS/EG CAC, No Flow Measurement, High Temp, Surging Liquid in Header           |                                                                                           |
| CV-24019     | 2/10/2026 1:11:24 PM  | 1.0        | 82.0       | 0.0       | 17.0           | 0.0          | 0.0     |                         |                         | 198.1                | 198.9               | -4.32                        | -3.90                       | 4.066                        | 4.014                       |                        |                       | -7.97                     | -7.63                        | 34.4357622 | -118.6497762 | 1359         | 28.49                  | Valve Adjustment: High Temp                                                                       |                                                                                           |
| CV-24019     | 2/10/2026 1:15:00 PM  |            |            |           |                |              |         |                         | 153200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA; [User entered 15.32%]                                                              |
| CV-24019     | 2/10/2026 1:15:00 PM  |            |            |           |                |              |         | 2370                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA                                                                                     |
| CV-24019     | 2/20/2026 9:16:16 AM  | 1.4        | 77.6       | 2.7       | 18.3           | 6.8          | 0.0     |                         |                         | 185.7                | 185.3               | -10.13                       | -10.01                      | 9.939                        | 9.819                       |                        |                       | -0.01                     | -0.04                        | 34.4357830 | -118.6497685 | 1370         | 28.58                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: High Temp                                   |                                                                                           |
| CV-24019     | 2/24/2026 8:04:33 AM  | 3.7        | 65.5       | 6.2       | 24.6           | 4.0          | 0.1     |                         |                         | 185.1                | 185.1               | -9.70                        | -4.00                       | 9.651                        | 3.896                       |                        |                       | -10.61                    | -10.54                       | 34.4357517 | -118.6497663 | 1378         | 28.66                  | Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Decreased Flow/Vacuum              |                                                                                           |
| CV-24019     | 2/24/2026 8:06:29 AM  | 4.4        | 69.3       | 4.6       | 21.7           | 4.7          | 0.1     |                         |                         | 185.3                | 185.1               | -3.21                        | -3.27                       | 3.131                        | 3.067                       |                        |                       | -10.45                    | -10.28                       | 34.4357580 | -118.6497858 | 1373         | 28.67                  | Valve Adjustment: NSPS/EG CAC, No Flow Measurement, High Temp                                     |                                                                                           |
| CV-24020     | 2/12/2026 1:29:24 PM  | 0.2        | 11.6       | 16.1      | 72.1           | 4.5          | 0.0     |                         |                         | 80.1                 | 80.3                | -6.35                        | -6.38                       | 0.016                        | 0.000                       |                        |                       | -6.08                     | -6.17                        | 34.4360057 | -118.6493440 | 1364         | 28.65                  |                                                                                                   |                                                                                           |
| CV-24020     | 2/24/2026 2:03:12 PM  | 0.2        | 52.4       | 7.9       | 39.5           | 5.0          | 0.0     |                         |                         | 89.3                 | 89.2                | -3.52                        | -3.31                       | 0.020                        | 0.019                       | 2.8                    | 2.7                   | -3.43                     | -3.12                        | 34.4360215 | -118.6493632 | 1371         | 28.6                   | Valve Adjustment: High O2                                                                         |                                                                                           |
| CV-24021     | 2/12/2026 1:34:14 PM  | 0.4        | 7.4        | 17.9      | 74.3           | 4.2          | 0.1     |                         |                         | 85.8                 | 85.8                | -10.85                       | -9.60                       | 10.840                       | 9.682                       |                        |                       | -10.65                    | -9.60                        | 34.4361788 | -118.6490345 | 1368         | 28.66                  |                                                                                                   |                                                                                           |
| CV-24021     | 2/24/2026 2:10:58 PM  | 0.1        | 9.6        | 19.0      | 71.3           | 3.8          | 0.0     |                         |                         | 93.7                 | 93.6                | -9.70                        | -9.11                       | 9.701                        | 9.091                       |                        |                       | -9.67                     | -9.10                        | 34.4361668 | -118.6490288 | 1369         | 28.61                  | Valve Adjustment: High O2, Decreased Flow/Vacuum, Surging Liquid in Header                        |                                                                                           |
| CV-24022-PLR | 2/2/2026 12:59:56 PM  | 10.3       | 85.6       | 0.0       | 4.1            | 0.0          | 0.1     |                         |                         | 178.4                | 195.7               | 61.59                        | -1.70                       | 0.000                        | 1.479                       |                        |                       | -6.38                     | -6.35                        | 34.4365138 | -118.6488028 | 1360         | 28.67                  | Valve Adjustment: No Flow Measurement, High Temp, Increased Flow/Vacuum, Barely Open              |                                                                                           |
| CV-24022-PLR | 2/2/2026 1:00:00 PM   |            |            |           |                |              |         |                         | 208900                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA; [User entered 20.89%]                                                              |
| CV-24022-PLR | 2/2/2026 1:00:00 PM   |            |            |           |                |              |         | 2215                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA                                                                                     |
| CV-24022-PLR | 2/2/2026 1:01:17 PM   | 13.4       | 83.4       | 0.5       | 2.7            | 5.4          | 0.2     |                         |                         | 194.5                | 194.1               | -3.89                        | -2.89                       | 3.850                        | 3.440                       |                        |                       | -7.10                     | -5.06                        | 34.4365125 | -118.6488063 | 1361         | 28.67                  | Valve Adjustment: No Flow Measurement, High Temp, Surging Liquid in Header                        |                                                                                           |
| CV-24022-PLR | 2/10/2026 1:36:00 PM  |            |            |           |                |              |         | 2040                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                   | AtmAA                                                                                     |
| CV-24022-PLR | 2/10/2026 1:36:18 PM  | 1.2        | 69.7       | 2.8       | 26.3           | 9.4          | 0.0     |                         |                         | 189.5                | 189.7               | -8.08                        | -9.59                       | 8.258                        | 9.716                       |                        |                       | 0.12                      | -0.01                        | 34.4365155 | -118.6488092 | 1382         | 28.48                  | Valve Adjustment: High Temp; Well Comment: No system port                                         |                                                                                           |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name   | Record Date          | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                        |
|--------------|----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| CV-24022-PLR | 2/19/2026 7:45:59 AM | 1.5        | 70.0       | 3.5       | 25.0           | 7.1          | 0.0     |                         |                         | 191.9                | 192.6               | -7.58                        | -7.32                       | 7.567                        | 7.300                       |                        |                       | -8.36                     | -8.03                        | 34.4365182 | -118.6487958 | 1373         | 28.45                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp;Well Comment:Well head is cracked;Well Repairs:Valve               |
| CV-24022-PLR | 2/23/2026 1:01:31 PM | 9.1        | 62.8       | 4.1       | 24.0           | 5.9          | 0.1     |                         |                         | 193.1                | 192.9               | -5.76                        | -5.86                       | 4.822                        | 5.725                       |                        |                       | -5.36                     | -5.38                        | 34.4365082 | -118.6488042 | 1375         | 28.75                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp;Valve 100% Open;Well Comment:Well head cracked;Well Condition:Poor |
| CV-24023     | 2/2/2026 9:35:00 AM  |            |            |           |                |              |         |                         | 109700                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 10.97%]                                                                                                    |
| CV-24023     | 2/2/2026 9:35:00 AM  |            |            |           |                |              |         | 1780                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                           |
| CV-24023     | 2/2/2026 9:37:03 AM  | 8.6        | 73.3       | 0.8       | 17.3           | 21.6         | 0.1     |                         |                         | 186.9                | 185.6               | -11.48                       | -1.66                       | 11.834                       | 1.595                       |                        |                       | -12.55                    | -12.57                       | 34.4366102 | -118.6484147 | 1369         | 28.7                   | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                                            |
| CV-24023     | 2/2/2026 9:38:20 AM  | 9.2        | 74.4       | 0.0       | 16.4           | 0.0          | 0.1     |                         |                         | 185.8                | 185.6               | -2.48                        | -2.45                       | 2.480                        | 2.352                       |                        |                       | 0.60                      | 0.60                         | 34.4366033 | -118.6484172 | 1368         | 28.67                  | Valve Adjustment:No Flow Measurement,High Temp,Barely Open                                                                      |
| CV-24023     | 2/9/2026 10:24:03 AM | 1.5        | 80.9       | 0.0       | 17.6           | 0.0          | 0.0     |                         |                         | 195.0                | 195.2               | -5.74                        | -5.74                       | 6.158                        | 6.203                       |                        |                       | -6.73                     | -6.82                        | 34.4365840 | -118.6483967 | 1369         | 28.64                  | Valve Adjustment:High Temp,Surging Liquid in Header                                                                             |
| CV-24023     | 2/9/2026 10:25:00 AM |            |            |           |                |              |         |                         | 188200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 18.82%]                                                                                                    |
| CV-24023     | 2/9/2026 10:25:00 AM |            |            |           |                |              |         | 1810                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                           |
| CV-24023     | 2/17/2026 8:42:23 AM | 0.9        | 53.1       | 8.0       | 38.0           | 4.8          | 0.0     |                         |                         | 178.6                | 178.2               | -6.66                        | -6.67                       | 6.863                        | 6.787                       |                        |                       | -9.72                     | -9.50                        | 34.4365992 | -118.6484353 | 1372         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2                                                |
| CV-24023     | 2/17/2026 8:43:31 AM | 0.7        | 43.8       | 10.0      | 45.5           | 4.6          | 0.0     |                         |                         | 180.1                | 178.8               | -5.41                        | -5.41                       | 5.611                        | 5.561                       |                        |                       | -9.87                     | -9.81                        | 34.4365880 | -118.6484263 | 1368         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2                                                |
| CV-24023     | 2/17/2026 8:45:00 AM |            |            |           |                |              |         | 2710                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                           |
| CV-24023     | 2/23/2026 9:26:06 AM | 2.5        | 69.9       | 3.4       | 24.2           | 7.1          | 0.0     |                         |                         | 171.8                | 171.6               | -4.27                        | -4.25                       | 4.237                        | 4.241                       |                        |                       | -4.26                     | -4.37                        | 34.4366167 | -118.6484312 | 1375         | 28.81                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                    |
| CV-24024-PLR | 2/13/2026 3:16:51 PM | 1.4        | 70.4       | 2.1       | 26.1           | 12.4         | 0.0     |                         |                         | 121.1                | 121.2               | -9.51                        | -9.54                       | 9.847                        | 9.941                       |                        |                       | 0.31                      | 0.31                         | 34.4367890 | -118.6481792 | 1352         | 28.6                   | Valve Adjustment:High Temp,Surging Liquid in Header                                                                             |
| CV-24024-PLR | 2/25/2026 2:06:57 PM | 1.6        | 73.2       | 1.4       | 23.8           | 17.0         | 0.0     |                         |                         | 156.3                | 154.9               | -4.13                        | -4.06                       | 4.021                        | 3.973                       |                        |                       | -3.77                     | -3.74                        | 34.4367993 | -118.6481673 | 1346         | 28.6                   | Valve Adjustment:High Temp,Surging Liquid in Header                                                                             |
| CV-24025     | 2/3/2026 1:02:31 PM  | 14.6       | 72.5       | 0.0       | 12.9           | 0.0          | 0.2     |                         |                         | 168.5                | 168.5               | -3.33                        | -2.78                       | 3.214                        | 2.773                       |                        |                       | -0.05                     | 0.02                         | 34.4352762 | -118.6499255 | 1360         | 28.81                  | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                                            |
| CV-24025     | 2/3/2026 1:03:47 PM  | 15.6       | 74.5       | 0.0       | 9.9            | 0.0          | 0.2     |                         |                         | 168.5                | 168.6               | -2.94                        | -2.66                       | 2.865                        | 2.569                       |                        |                       | 0.01                      | -0.06                        | 34.4352790 | -118.6499345 | 1356         | 28.81                  | Valve Adjustment:No Flow Measurement,High Temp                                                                                  |
| CV-24025     | 2/3/2026 1:05:00 PM  |            |            |           |                |              |         |                         | 111000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 11.1%]                                                                                                     |
| CV-24025     | 2/3/2026 1:05:00 PM  |            |            |           |                |              |         | 2059                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                           |
| CV-24025     | 2/24/2026 8:37:39 AM | 7.7        | 69.6       | 3.6       | 19.1           | 5.3          | 0.1     |                         |                         | 171.0                | 170.8               | -2.19                        | -1.97                       | 2.184                        | 1.983                       |                        |                       | -6.96                     | -6.80                        | 34.4353047 | -118.6499170 | 1366         | 28.67                  | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                                            |
| CV-24025     | 2/24/2026 8:38:55 AM | 7.2        | 67.6       | 3.6       | 21.6           | 6.0          | 0.1     |                         |                         | 170.9                | 170.9               | -1.98                        | -1.80                       | 1.856                        | 1.828                       |                        |                       | -7.45                     | -6.80                        | 34.4352987 | -118.6499203 | 1367         | 28.67                  | Valve Adjustment:No Flow Measurement,High Temp                                                                                  |
| CV-24026     | 2/12/2026 1:13:24 PM | 0.3        | 70.8       | 3.2       | 25.7           | 8.0          | 0.0     |                         |                         | 107.9                | 108.6               | -9.05                        | -8.78                       | 8.990                        | 8.673                       |                        |                       | 0.00                      | 0.00                         | 34.4356702 | -118.6492407 | 1373         | 28.64                  |                                                                                                                                 |
| CV-24026     | 2/24/2026 2:07:08 PM | 0.5        | 65.3       | 4.0       | 30.2           | 7.6          | 0.0     |                         |                         | 112.8                | 115.3               | -8.61                        | -8.55                       | 8.550                        | 8.479                       |                        |                       | -8.51                     | -8.44                        | 34.4356867 | -118.6492593 | 1375         | 28.63                  | Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)                                                   |
| CV-24027     | 2/6/2026 3:05:35 PM  | 2.6        | 62.8       | 4.7       | 29.9           | 6.4          | 0.0     |                         |                         | 88.6                 | 89.0                | -7.79                        | -7.79                       | 7.683                        | 7.692                       |                        |                       | -11.08                    | -10.98                       | 34.4361137 | -118.6487302 | 1359         | 28.67                  | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Barely Open                                                                 |
| CV-24027     | 2/23/2026 1:01:19 PM | 1.1        | 78.5       | 0.6       | 19.8           | 33.0         | 0.0     |                         |                         | 95.0                 | 95.3                | -7.32                        | -7.29                       | 6.028                        | 6.023                       | 0.0                    | 0.0                   | -9.36                     |                              | 34.4361240 | -118.6487233 | 1345         | 28.72                  | Reduced System Vacuum,                                                                                                          |
| CV-24028     | 2/4/2026 10:30:00 AM |            |            |           |                |              |         |                         | 182500                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 18.25%]                                                                                                    |
| CV-24028     | 2/4/2026 10:30:00 AM |            |            |           |                |              |         | 1600                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                           |
| CV-24028     | 2/4/2026 10:33:24 AM | 3.0        | 53.9       | 0.0       | 43.1           | 0.0          | 0.1     |                         |                         | 174.7                | 171.6               | -5.75                        | -3.74                       | 6.241                        | 3.725                       |                        |                       | -5.16                     | -5.25                        | 34.4363375 | -118.6484755 | 1368         | 28.82                  | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                                            |
| CV-24028     | 2/4/2026 10:34:31 AM | 2.8        | 83.2       | 0.0       | 14.0           | 0.0          | 0.0     |                         |                         | 171.6                | 169.9               | -3.57                        | -3.51                       | 3.545                        | 3.563                       |                        |                       | -5.03                     | -3.72                        | 34.4363325 | -118.6484782 | 1367         | 28.82                  | Valve Adjustment:No Flow Measurement,High Temp                                                                                  |
| CV-24028     | 2/10/2026 1:41:00 PM |            |            |           |                |              |         |                         | 179350                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 17.935%]                                                                                                   |
| CV-24028     | 2/10/2026 1:41:00 PM |            |            |           |                |              |         | 1160                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                           |
| CV-24028     | 2/10/2026 1:42:12 PM | 2.0        | 80.7       | 0.0       | 17.3           | 0.0          | 0.0     |                         |                         | 190.8                | 192.2               | -8.75                        | -8.34                       | 8.865                        | 8.470                       |                        |                       | 0.02                      | 0.08                         | 34.4363330 | -118.6484700 | 1370         | 28.48                  | Well Comment:no system port                                                                                                     |
| CV-24028     | 2/19/2026 7:41:53 AM | 2.0        | 76.6       | 0.8       | 20.6           | 25.8         | 0.0     |                         |                         | 193.0                | 193.5               | -5.65                        | -5.69                       | 5.470                        | 5.522                       |                        |                       | -0.19                     | -0.18                        | 34.4363400 | -118.6484585 | 1371         | 28.45                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                                      |                              |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| CV-24028   | 2/23/2026 9:33:34 AM  | 10.8       | 77.0       | 1.8       | 10.4           | 5.8          | 0.1     |                         |                         | 194.3             | 194.1            | -1.48                     | -1.46                    | 1.432                     | 1.421                    |                     |                    | 0.34                   | 0.33                      | 34.4363398 | -118.6484603 | 1366         | 28.78               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                  |                              |
| CV-24029   | 2/12/2026 9:33:43 AM  | 1.7        | 68.1       | 2.0       | 28.2           | 14.3         | 0.0     |                         |                         | 76.4              | 77.0             | -11.07                    | -11.08                   | 11.174                    | 11.253                   |                     |                    | -11.21                 | -11.25                    | 34.4364488 | -118.6480792 | 1357         | 28.73               | Valve Adjustment:Surging Liquid in Header                                                                                     |                              |
| CV-24029   | 2/27/2026 10:50:17 AM | 1.3        | 55.0       | 7.7       | 36.0           | 4.7          | 0.0     |                         |                         | 95.9              | 93.8             | -9.46                     | -9.46                    | 9.773                     | 9.806                    |                     |                    | -9.15                  | -9.18                     | 34.4364947 | -118.6480628 | 1347         | 28.64               | Valve Adjustment:High O2,Barely Open                                                                                          |                              |
| CV-24029   | 2/27/2026 10:50:43 AM | 1.3        | 54.5       | 8.1       | 36.1           | 4.5          | 0.0     |                         |                         | 96.1              | 96.0             | -9.80                     | -9.80                    | 10.050                    | 10.050                   |                     |                    | -9.26                  | -9.26                     | 34.4364937 | -118.6480663 | 1346         | 28.64               | Valve Adjustment:High O2                                                                                                      |                              |
| CV-24030   | 2/12/2026 9:41:16 AM  | 1.6        | 72.8       | 0.7       | 24.9           | 34.5         | 0.0     |                         |                         | 192.1             | 192.1            | -1.24                     | -1.23                    | 1.130                     | 1.169                    |                     |                    | -6.85                  | -7.06                     | 34.4366522 | -118.6478977 | 1327         | 28.76               | Valve Adjustment:NSPS/EG CAI,High Temp                                                                                        |                              |
| CV-24030   | 2/12/2026 9:43:08 AM  | 1.7        | 73.7       | 0.4       | 24.2           | 60.5         | 0.0     |                         |                         | 192.1             | 192.3            | -1.49                     | -1.48                    | 1.993                     | 1.694                    |                     |                    | -7.39                  | -6.80                     | 34.4366482 | -118.6478842 | 1340         | 28.76               | Well Condition:Pnumatic Pump Installed                                                                                        |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2;Well Condition:Poor;Well Repairs:Sample Port |                              |
| CV-24030   | 2/17/2026 8:01:41 AM  | 0.5        | 39.1       | 12.3      | 48.1           | 3.9          | 0.0     |                         |                         | 143.5             | 143.1            | -5.41                     | -5.41                    | 5.620                     | 5.511                    |                     |                    | -6.60                  | -6.47                     | 34.4366605 | -118.6478858 | 1349         | 28.59               |                                                                                                                               |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2                                              |                              |
| CV-24030   | 2/17/2026 8:02:29 AM  | 0.4        | 25.6       | 13.8      | 60.2           | 4.4          | 0.0     |                         |                         | 143.1             | 143.5            | -5.79                     | -5.55                    | 5.946                     | 5.683                    |                     |                    | -6.93                  | -6.72                     | 34.4366697 | -118.6479067 | 1344         | 28.59               |                                                                                                                               |                              |
| CV-24031   | 2/12/2026 10:02:21 AM | 20.2       | 76.5       | 0.0       | 3.3            | 0.0          | 0.3     |                         |                         | 127.3             | 125.6            | -1.64                     | -1.64                    | 1.609                     | 1.608                    |                     |                    | 0.78                   | 0.83                      | 34.4348698 | -118.6498575 | 1355         | 28.75               |                                                                                                                               |                              |
| CV-24031   | 2/24/2026 1:51:08 PM  | 24.6       | 70.4       | 0.0       | 5.0            | 0.0          | 0.3     |                         |                         | 141.2             | 140.0            | -2.41                     | -1.79                    | 2.310                     | 1.717                    |                     |                    | -0.09                  | -0.07                     | 34.4349002 | -118.6498510 | 1346         | 28.6                | Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum                                                                  |                              |
| CV-24031   | 2/24/2026 1:52:04 PM  | 24.2       | 70.9       | 0.0       | 4.9            | 0.0          | 0.3     |                         |                         | 139.3             | 139.4            | -1.74                     | -1.60                    | 1.643                     | 1.514                    |                     |                    | -0.09                  | -0.09                     | 34.4348960 | -118.6498415 | 1349         | 28.63               | Valve Adjustment:High Temp;Well Comment:no system port                                                                        |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Adjustment:No Flow Measurement,High Temp,Barely Open                                                                    |                              |
| CV-24032   | 2/3/2026 1:09:56 PM   | 11.2       | 76.0       | 0.0       | 12.8           | 0.0          | 0.1     |                         |                         | 162.6             | 168.5            | -6.33                     | -6.35                    | 6.224                     | 6.339                    |                     |                    | 0.03                   | 0.06                      | 34.4351108 | -118.6496285 | 1353         | 28.82               |                                                                                                                               |                              |
| CV-24032   | 2/3/2026 1:10:00 PM   |            |            |           |                |              |         |                         | 155100                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                               | AtmAA; [User entered 15.51%] |
| CV-24032   | 2/3/2026 1:10:00 PM   |            |            |           |                |              |         | 1899                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                               | AtmAA                        |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open                                                           |                              |
| CV-24032   | 2/12/2026 1:20:05 PM  | 1.4        | 82.9       | 0.0       | 15.7           | 0.0          | 0.0     |                         |                         | 140.8             | 141.6            | 0.69                      | 0.48                     | 0.000                     | 0.000                    |                     |                    | 0.00                   | 0.00                      | 34.4351180 | -118.6495923 | 1363         | 28.66               | Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open                                                 |                              |
| CV-24032   | 2/12/2026 1:21:29 PM  | 1.6        | 83.3       | 0.0       | 15.1           | 0.0          | 0.0     |                         |                         | 152.1             | 150.6            | 2.54                      | 1.78                     | 0.000                     | 0.000                    |                     |                    | 0.00                   | 0.00                      | 34.4351135 | -118.6496098 | 1366         | 28.65               | Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open                                                 |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                                             |                              |
| CV-24032   | 2/12/2026 1:22:45 PM  | 1.8        | 83.5       | 0.0       | 14.7           | 0.0          | 0.0     |                         |                         | 160.5             | 161.6            | 3.04                      | 4.44                     | 0.000                     | 0.000                    |                     |                    | 0.00                   | 0.00                      | 34.4351215 | -118.6496095 | 1364         | 28.64               | Static Press.,Valve 100% Open                                                                                                 |                              |
| CV-24032   | 2/12/2026 1:45:00 PM  |            |            |           |                |              |         |                         | 129000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                               | AtmAA; [User entered 12.9%]  |
| CV-24032   | 2/12/2026 1:45:00 PM  |            |            |           |                |              |         | 1555                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                               | AtmAA                        |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                           |                              |
| CV-24032   | 2/20/2026 9:34:51 AM  | 1.2        | 71.6       | 0.0       | 27.2           | 0.0          | 0.0     |                         |                         | 191.5             | 191.2            | 2.60                      | 2.23                     | 0.000                     | 0.000                    |                     |                    | -0.02                  | -0.02                     | 34.4350988 | -118.6496113 | 1358         | 28.6                |                                                                                                                               |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                           |                              |
| CV-24032   | 2/20/2026 9:35:24 AM  | 1.4        | 88.0       | 0.0       | 10.6           | 0.0          | 0.0     |                         |                         | 191.4             | 191.0            | 3.29                      | 3.36                     | 0.000                     | 0.000                    |                     |                    | 0.00                   | 0.00                      | 34.4350955 | -118.6496180 | 1361         | 28.59               |                                                                                                                               |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Positive Static Press.,Increased Flow/Vacuum                       |                              |
| CV-24032   | 2/24/2026 8:50:07 AM  | 6.5        | 77.6       | 2.4       | 13.5           | 5.6          | 0.1     |                         |                         | 189.1             | 188.4            | 4.25                      | 4.32                     | 0.000                     | 0.000                    |                     |                    | 5.84                   | 5.92                      | 34.4351063 | -118.6495933 | 1368         | 28.67               |                                                                                                                               |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.                                                         |                              |
| CV-24032   | 2/24/2026 8:51:26 AM  | 7.4        | 80.3       | 2.0       | 10.3           | 5.2          | 0.1     |                         |                         | 188.2             | 189.6            | 1.37                      | 1.46                     | 0.000                     | 0.000                    |                     |                    | 2.31                   | 2.43                      | 34.4351235 | -118.6496042 | 1370         | 28.67               |                                                                                                                               |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)                                                 |                              |
| CV-24033   | 2/12/2026 1:18:29 PM  | 0.9        | 81.2       | 0.0       | 17.9           | 0.0          | 0.0     |                         |                         | 125.5             | 122.8            | -0.47                     | -0.04                    | 0.488                     | 0.104                    |                     |                    | 0.00                   | 0.00                      | 34.4353538 | -118.6494425 | 1367         | 28.66               |                                                                                                                               |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                           |                              |
| CV-24033   | 2/20/2026 9:28:31 AM  | 1.5        | 68.4       | 0.0       | 30.1           | 0.0          | 0.0     |                         |                         | 185.3             | 186.0            | 1.71                      | 1.73                     | 0.000                     | 0.000                    |                     |                    | 1.63                   | 1.84                      | 34.4353318 | -118.6494530 | 1353         | 28.59               |                                                                                                                               |                              |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                           |                              |
| CV-24033   | 2/20/2026 9:30:01 AM  | 1.2        | 85.1       | 0.0       | 13.7           | 0.0          | 0.0     |                         |                         | 186.2             | 185.9            | 2.04                      | 2.51                     | 0.000                     | 0.000                    |                     |                    | 2.02                   | 2.39                      | 34.4353395 | -118.6494613 | 1354         | 28.59               |                                                                                                                               |                              |

## Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                         |                              |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------|
| CV-24033   | 2/23/2026 12:36:44 PM | 3.6        | 78.3       | 0.0       | 18.1           | 0.0          | 0.0     |                         |                         | 181.7                | 182.5               | 8.50                         | 8.32                        | -9.214                       | -9.740                      |                        |                       |                           |                              | 34.4353810 | -118.6494585 | 1358         | 28.73                  | NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum                                               |                              |
| CV-24033   | 2/23/2026 12:37:47 PM | 2.3        | 84.2       | 0.0       | 13.5           | 0.0          | 0.0     |                         |                         | 182.8                | 182.8               | 7.51                         | 6.04                        | -9.356                       | -6.334                      |                        |                       |                           |                              | 34.4353305 | -118.6494608 | 1375         | 28.73                  | NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum                                               |                              |
| CV-24033   | 2/24/2026 8:57:33 AM  | 6.9        | 76.6       | 2.9       | 13.6           | 4.7          | 0.1     |                         |                         | 186.6                | 186.7               | 1.97                         | 1.87                        | 0.000                        | 0.000                       |                        |                       | 3.19                      | 2.93                         | 34.4353645 | -118.6494538 | 1367         | 28.67                  | Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Positive Static Press.                                |                              |
| CV-24033   | 2/24/2026 8:58:20 AM  | 6.9        | 78.1       | 2.0       | 13.0           | 6.5          | 0.1     |                         |                         | 186.4                | 186.3               | 3.05                         | 3.38                        | 0.000                        | 0.000                       |                        |                       | 4.62                      | 4.97                         | 34.4353510 | -118.6494635 | 1365         | 28.67                  | Valve Adjustment:No Flow Measurement,Positive Static Press.                                                      |                              |
| CV-24034   | 2/13/2026 2:45:53 PM  | 1.2        | 82.3       | 0.2       | 16.3           | 81.5         | 0.0     |                         |                         | 194.2                | 194.0               | -8.26                        | -7.21                       | 8.556                        | 7.498                       |                        |                       | -8.72                     | -8.23                        | 34.4361035 | -118.6481257 | 1352         | 28.56                  | Valve Adjustment:NSPS/EG CAI,High Temp                                                                           |                              |
| CV-24034   | 2/13/2026 2:48:45 PM  | 1.4        | 80.8       | 0.3       | 17.5           | 58.3         | 0.0     |                         |                         | 194.0                | 194.1               | -7.36                        | -7.43                       | 7.727                        | 7.693                       |                        |                       | -8.79                     | -8.45                        | 34.4361163 | -118.6481157 | 1353         | 28.56                  | Valve Adjustment:High Temp                                                                                       |                              |
| CV-24034   | 2/19/2026 7:34:44 AM  | 1.5        | 78.8       | 2.1       | 17.6           | 8.4          | 0.0     |                         |                         | 188.3                | 188.5               | -10.56                       | -10.56                      | 10.462                       | 10.462                      |                        |                       | -10.71                    | -10.71                       | 34.4361013 | -118.6481233 | 1357         | 28.47                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                     |                              |
| CV-24034   | 2/23/2026 12:38:54 PM | 6.8        | 60.0       | 6.0       | 27.2           | 4.5          | 0.1     |                         |                         | 159.5                | 160.8               | -5.86                        | -5.76                       | 5.848                        | 5.753                       |                        |                       | -6.38                     | -6.29                        | 34.4361183 | -118.6481368 | 1365         | 28.79                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                     |                              |
| CV-24034   | 2/23/2026 12:40:27 PM | 7.4        | 58.5       | 6.0       | 28.1           | 4.7          | 0.1     |                         |                         | 159.3                | 161.1               | -5.47                        | -5.45                       | 5.348                        | 5.363                       |                        |                       | -6.05                     | -5.98                        | 34.4361142 | -118.6481292 | 1365         | 28.79                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,High O2                                             |                              |
| CV-24035   | 2/2/2026 9:50:00 AM   |            |            |           |                |              |         |                         | 81950                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA; [User entered 8.195%] |
| CV-24035   | 2/2/2026 9:50:00 AM   |            |            |           |                |              |         | 1395                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA                        |
| CV-24035   | 2/2/2026 9:51:13 AM   | 9.0        | 81.6       | 0.0       | 9.4            | 0.0          | 0.1     |                         |                         | 190.9                | 191.7               | -10.60                       | -6.10                       | 11.007                       | 6.509                       |                        |                       | -10.84                    | -10.96                       | 34.4363768 | -118.6476987 | 1353         | 28.73                  | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum,Surging Liquid in Header                              |                              |
| CV-24035   | 2/2/2026 9:56:56 AM   | 6.6        | 79.1       | 0.0       | 14.3           | 0.0          | 0.1     |                         |                         | 193.1                | 192.1               | -4.85                        | -5.57                       | 5.173                        | 4.943                       |                        |                       | -10.91                    | -11.36                       | 34.4363727 | -118.6477123 | 1353         | 28.71                  | Valve Adjustment:No Flow Measurement,Barely Open,Surging Liquid in Header                                        |                              |
| CV-24035   | 2/9/2026 10:29:22 AM  | 1.4        | 86.4       | 0.0       | 12.2           | 0.0          | 0.0     |                         |                         | 187.6                | 187.7               | -4.39                        | -4.39                       | 4.930                        | 4.930                       |                        |                       | -5.34                     | -5.34                        | 34.4363652 | -118.6477013 | 1355         | 28.64                  | Valve Adjustment:High Temp                                                                                       |                              |
| CV-24035   | 2/9/2026 10:30:00 AM  |            |            |           |                |              |         |                         | 140100                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA; [User entered 14.01%] |
| CV-24035   | 2/9/2026 10:30:00 AM  |            |            |           |                |              |         | 2540                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA                        |
| CV-24035   | 2/23/2026 8:31:37 AM  | 1.2        | 72.4       | 4.7       | 21.7           | 4.6          | 0.0     |                         |                         | 151.0                | 152.9               | -12.61                       | -12.42                      | 12.601                       | 12.398                      |                        |                       | -13.78                    | -13.44                       | 34.4363902 | -118.6477067 | 1363         | 28.78                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                     |                              |
| CV-24036   | 2/12/2026 10:12:51 AM | 48.6       | 36.6       | 2.9       | 11.9           | 4.1          | 1.3     |                         |                         | 66.3                 | 66.4                | -6.71                        | -6.42                       | 7.327                        | 6.862                       |                        |                       | -6.56                     | -6.20                        | 34.4344293 | -118.6497177 | 1368         | 28.75                  |                                                                                                                  |                              |
| CV-24036   | 2/24/2026 1:44:03 PM  | 52.5       | 38.2       | 1.9       | 7.4            | 3.9          | 1.4     |                         |                         | 91.5                 | 91.6                | -7.13                        | -6.88                       | 7.090                        | 6.823                       |                        |                       | -7.04                     | -6.75                        | 34.4344487 | -118.6497077 | 1345         | 28.63                  |                                                                                                                  |                              |
| CV-24037   | 2/9/2026 1:06:14 PM   | 0.7        | 29.4       | 14.0      | 55.9           | 4.0          | 0.0     |                         |                         | 86.4                 | 86.4                | -5.10                        | -4.61                       | 5.140                        | 4.576                       |                        |                       | -4.76                     | -4.26                        | 34.4347857 | -118.6494397 | 1352         | 28.59                  | Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Comment:Possible O2 Intrusion                    |                              |
| CV-24037   | 2/9/2026 1:08:21 PM   | 0.7        | 27.7       | 13.5      | 58.1           | 4.3          | 0.0     |                         |                         | 86.3                 | 86.3                | -4.24                        | -4.25                       | 4.189                        | 4.246                       |                        |                       | -4.07                     | -3.92                        | 34.4347717 | -118.6494355 | 1359         | 28.59                  | Valve Adjustment:NSPS/EG CAI,High O2                                                                             |                              |
| CV-24037   | 2/24/2026 1:47:09 PM  | 1.1        | 22.7       | 15.8      | 60.4           | 3.8          | 0.0     |                         |                         | 85.7                 | 86.3                | -5.89                        | -6.08                       | 5.851                        | 5.995                       |                        |                       | -5.75                     | -6.00                        | 34.4347740 | -118.6494390 | 1356         | 28.63                  | Valve Adjustment:High O2,Surging Liquid in Header,Surging Liquid in Well (Watered In)                            |                              |
| CV-24038   | 2/3/2026 10:34:00 AM  | 11.0       | 81.9       | 0.0       | 7.1            | 0.0          | 0.1     |                         |                         | 183.4                | 184.8               | 27.71                        | 28.72                       | 0.000                        | 0.000                       |                        |                       | 27.83                     | 28.71                        | 34.4350137 | -118.6488832 | 1340         | 28.86                  | Valve Adjustment:NSPS/EG CAI,No Flow Measurement,Positive Static Press.,Valve 100% Open,Surging Liquid in Header |                              |
| CV-24038   | 2/3/2026 10:34:38 AM  | 12.1       | 82.8       | 0.0       | 5.1            | 0.0          | 0.1     |                         |                         | 184.0                | 181.4               | 36.74                        | 34.78                       | 0.000                        | 0.000                       |                        |                       | 36.72                     | 34.45                        | 34.4350158 | -118.6488693 | 1333         | 28.86                  | Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header   |                              |
| CV-24038   | 2/3/2026 10:35:00 AM  |            |            |           |                |              |         |                         | 181200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA; [User entered 18.12%] |
| CV-24038   | 2/3/2026 10:35:00 AM  |            |            |           |                |              |         | 1365                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA                        |
| CV-24038   | 2/11/2026 9:29:22 AM  | 3.8        | 47.4       | 0.0       | 48.8           | 0.0          | 0.1     |                         |                         | 186.8                | 184.4               | 31.73                        | 31.80                       | 0.000                        | 0.000                       |                        |                       | 31.71                     | 31.77                        | 34.4350205 | -118.6488633 | 1342         | 28.67                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open               |                              |
| CV-24038   | 2/11/2026 9:29:55 AM  | 2.1        | 81.2       | 0.0       | 16.7           | 0.0          | 0.0     |                         |                         | 184.1                | 185.8               | 32.77                        | 32.45                       | 0.000                        | 0.000                       |                        |                       | 32.62                     | 32.47                        | 34.4350198 | -118.6488587 | 1342         | 28.67                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open               |                              |
| CV-24038   | 2/11/2026 9:30:00 AM  |            |            |           |                |              |         |                         | 154800                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA; [User entered 15.48%] |
| CV-24038   | 2/11/2026 9:30:00 AM  |            |            |           |                |              |         | 2100                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                  | AtmAA                        |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                                                                                                                     |                              |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| CV-24038   | 2/20/2026 9:45:12 AM  | 1.8        | 63.2       | 0.0       | 35.0           | 0.0          | 0.0     |                         |                         | 185.5                | 186.7               | 36.53                        | 38.51                       | 0.000                        | 0.000                       |                        |                       | 36.94                     | 38.82                        | 34.4350070 | -118.6488708 | 1343         | 28.62                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                                                                                                          |                              |
| CV-24038   | 2/20/2026 9:45:41 AM  | 2.1        | 85.8       | 0.0       | 12.1           | 0.0          | 0.0     |                         |                         | 187.3                | 187.2               | 41.22                        | 41.24                       | 0.000                        | 0.000                       |                        |                       | 41.51                     | 41.46                        | 34.4350093 | -118.6488748 | 1346         | 28.61                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                                                                                                          |                              |
| CV-24038   | 2/24/2026 10:29:54 AM | 17.1       | 79.3       | 0.0       | 3.6            | 0.0          | 0.2     |                         |                         | 186.2                | 187.4               | 30.12                        | 31.65                       | 0.000                        | 0.000                       |                        |                       | 39.06                     | 41.50                        | 34.4350160 | -118.6488548 | 1339         | 28.7                   | Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open                                                                                                                            |                              |
| CV-24038   | 2/24/2026 10:30:55 AM | 15.6       | 68.2       | 3.6       | 12.6           | 3.5          | 0.2     |                         |                         | 188.9                | 188.3               | 16.24                        | 19.21                       | 0.000                        | 0.000                       |                        |                       | 38.96                     | 41.67                        | 34.4350155 | -118.6488622 | 1350         | 28.67                  | Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Header                                                                                                                                      |                              |
| CV-24038   | 2/25/2026 2:49:56 PM  | 5.9        | 74.0       | 0.0       | 20.1           | 0.0          | 0.1     |                         |                         | 184.1                | 183.8               | 1.19                         | 0.85                        | 0.000                        | 0.000                       |                        |                       | 1.14                      | 0.87                         | 34.4350083 | -118.6488923 | 1352         | 28.64                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down;Well Comment:lorentz pump installed but disconnected.;Well Condition:Lorentz Pump Installed |                              |
| CV-24038   | 2/25/2026 2:51:31 PM  | 4.4        | 75.5       | 0.0       | 20.0           | 0.0          | 0.1     |                         |                         | 183.0                | 182.7               | 0.88                         | 1.26                        | 0.000                        | 0.000                       |                        |                       | 1.00                      | 1.40                         | 34.4350178 | -118.6488643 | 1364         | 28.65                  | Valve Adjustment:High Temp,Positive Static Press.                                                                                                                                                                            |                              |
| CV-24039   | 2/12/2026 9:54:31 AM  | 0.0        | 5.4        | 20.8      | 73.8           | 3.5          | 0.0     |                         |                         | 69.7                 | 69.7                | -0.36                        | -1.30                       | 0.334                        | 1.222                       |                        |                       | 0.31                      | -0.48                        | 34.4352875 | -118.6486920 | 1343         | 28.75                  | Valve Adjustment:High O2,Surging Liquid in Header,Surging Liquid in Well (Watered In)                                                                                                                                        |                              |
| CV-24039   | 2/23/2026 12:50:46 PM | 0.3        | 18.3       | 16.0      | 65.4           | 4.1          | 0.0     |                         |                         | 79.9                 | 79.7                | -1.91                        | -2.20                       | 0.338                        | 0.300                       | 0.0                    | 0.0                   | -1.72                     |                              | 34.4352213 | -118.6486682 | 1322         | 28.73                  | NSPS/EG CAI,High O2,Reduced System Vacuum                                                                                                                                                                                    |                              |
| CV-24039   | 2/23/2026 12:52:31 PM | 0.3        | 18.7       | 15.9      | 65.1           | 4.1          | 0.0     |                         |                         | 79.8                 | 79.8                | -2.04                        | -2.17                       | 0.923                        | -0.116                      | 0.0                    | 0.0                   | -1.77                     |                              | 34.4352298 | -118.6486807 | 1342         | 28.73                  | NSPS/EG CAI,High O2                                                                                                                                                                                                          |                              |
| CV-24040   | 2/27/2026 8:40:30 AM  | 0.3        | 80.0       | 0.0       | 19.7           | 0.0          | 0.0     |                         |                         | 82.0                 | 82.0                | 9.14                         | 8.99                        | 0.000                        | 0.000                       |                        |                       | 9.66                      | 9.36                         | 34.4356770 | -118.6484007 | 1347         | 28.67                  | Valve Adjustment:Positive Static Press.                                                                                                                                                                                      |                              |
| CV-24041   | 2/12/2026 9:01:15 AM  | 6.1        | 55.4       | 8.0       | 30.5           | 3.8          | 0.1     |                         |                         | 61.7                 | 59.9                | -12.44                       | -12.27                      | 12.656                       | 12.447                      |                        |                       | -12.14                    | -12.24                       | 34.4358732 | -118.6480515 | 1361         | 28.75                  | Valve Adjustment:Barely Open                                                                                                                                                                                                 |                              |
| CV-24041   | 2/24/2026 2:34:48 PM  | 9.1        | 54.9       | 7.0       | 29.0           | 4.1          | 0.2     |                         |                         | 91.7                 | 91.7                | -9.79                        | -9.80                       | 9.783                        | 9.896                       |                        |                       | -9.77                     | -10.87                       | 34.4358582 | -118.6480375 | 1378         | 28.6                   | Valve Adjustment:High O2,Barely Open                                                                                                                                                                                         |                              |
| CV-24042   | 2/17/2026 9:04:17 AM  | 1.0        | 78.8       | 2.3       | 17.9           | 7.8          | 0.0     |                         |                         | 185.9                | 182.8               | -6.03                        | -6.07                       | 6.125                        | 6.163                       |                        |                       | -11.78                    | -11.91                       | 34.4362455 | -118.6474865 | 1379         | 28.58                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp                                                                                                                                                     |                              |
| CV-24042   | 2/17/2026 9:05:00 AM  |            |            |           |                |              |         | 3520                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                                                                                                              | AtmAA                        |
| CV-24042   | 2/17/2026 9:06:55 AM  | 1.1        | 72.0       | 2.5       | 24.4           | 9.8          | 0.0     |                         |                         | 189.8                | 189.6               | -4.21                        | -4.20                       | 4.159                        | 4.123                       |                        |                       | -12.07                    | -12.04                       | 34.4362603 | -118.6474710 | 1382         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp                                                                                                                                                     |                              |
| CV-24042   | 2/23/2026 10:36:36 AM | 11.9       | 76.0       | 2.6       | 9.5            | 3.7          | 0.2     |                         |                         | 190.9                | 190.7               | -1.13                        | -1.09                       | 1.069                        | 1.043                       |                        |                       | -6.36                     | -6.31                        | 34.4362598 | -118.6474593 | 1372         | 28.78                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                                                                                                                                 |                              |
| CV-24043   | 2/13/2026 4:33:05 PM  | 44.6       | 52.6       | 0.3       | 2.5            | 8.3          | 0.8     |                         |                         | 101.4                | 101.9               | -5.85                        | -4.94                       | 5.925                        | 4.881                       | 80.1                   | 72.8                  |                           |                              | 34.4341822 | -118.6498122 | 1440         | 28.56                  |                                                                                                                                                                                                                              |                              |
| CV-24043   | 2/24/2026 10:48:25 AM | 44.8       | 55.2       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 106.7                | 105.4               | -3.31                        | -4.26                       | 3.138                        | 4.115                       |                        |                       | 0.65                      | 0.63                         | 34.4340950 | -118.6497173 | 1355         | 28.67                  | Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)                                                                                                                                                |                              |
| CV-24044   | 2/24/2026 1:40:27 PM  | 25.4       | 70.1       | 0.0       | 4.5            | 0.0          | 0.4     |                         |                         | 95.1                 | 94.8                | 11.11                        | 10.14                       | 0.000                        | 0.000                       |                        |                       | -0.09                     | -0.09                        | 34.4344110 | -118.6493970 | 1342         | 28.63                  | Valve Adjustment:Positive Static Press.,Valve 100% Open                                                                                                                                                                      |                              |
| CV-24045   | 2/3/2026 10:28:53 AM  | 7.1        | 76.5       | 0.0       | 16.4           | 0.0          | 0.1     |                         |                         | 161.0                | 156.2               | 20.90                        | 19.89                       | 0.000                        | 0.000                       |                        |                       | 20.26                     | 19.09                        | 34.4347397 | -118.6490668 | 1346         | 28.86                  | Valve Adjustment:No Flow Measurement,Positive Static Press.,Surging Liquid in Header                                                                                                                                         |                              |
| CV-24045   | 2/3/2026 10:29:37 AM  | 8.7        | 82.8       | 0.0       | 8.5            | 0.0          | 0.1     |                         |                         | 158.6                | 160.4               | 20.79                        | 20.61                       | 0.000                        | 0.000                       |                        |                       | 20.53                     | 20.31                        | 34.4347392 | -118.6490773 | 1345         | 28.86                  | Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header                                                                                                               |                              |
| CV-24045   | 2/3/2026 10:30:00 AM  |            |            |           |                |              |         |                         | 161800                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                                                                                                              | AtmAA; [User entered 16.18%] |
| CV-24045   | 2/3/2026 10:30:00 AM  |            |            |           |                |              |         | 1683                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                                                                                                              | AtmAA                        |
| CV-24045   | 2/11/2026 9:32:40 AM  | 2.6        | 85.2       | 0.0       | 12.2           | 0.0          | 0.0     |                         |                         | 160.4                | 162.4               | 21.15                        | 20.27                       | 0.000                        | 0.000                       |                        |                       | 21.07                     | 20.20                        | 34.4347442 | -118.6490688 | 1340         | 28.67                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                                                                                                           |                              |
| CV-24045   | 2/11/2026 9:33:22 AM  | 1.8        | 82.4       | 0.0       | 15.8           | 0.0          | 0.0     |                         |                         | 162.5                | 162.6               | 22.71                        | 22.97                       | 0.000                        | 0.000                       |                        |                       | 22.64                     | 22.89                        | 34.4347578 | -118.6490695 | 1346         | 28.67                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                                                                                                           |                              |
| CV-24045   | 2/11/2026 9:35:00 AM  |            |            |           |                |              |         |                         | 158500                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                                                                                                              | AtmAA; [User entered 15.85%] |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                                                                           |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CV-24045   | 2/11/2026 9:35:00 AM  |            |            |           |                |              |         | 2590                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                                                                              |
| CV-24045   | 2/20/2026 9:48:35 AM  | 1.9        | 62.7       | 0.0       | 35.4           | 0.0          | 0.0     |                         |                         | 167.9                | 172.8               | 23.46                        | 23.14                       | 0.000                        | 0.000                       |                        |                       | 23.70                     | 23.53                        | 34.4347350 | -118.6490688 | 1338         | 28.6                   | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                                                                |
| CV-24045   | 2/20/2026 9:49:03 AM  | 1.9        | 87.5       | 0.0       | 10.6           | 0.0          | 0.0     |                         |                         | 170.4                | 171.7               | 23.47                        | 23.63                       | 0.000                        | 0.000                       |                        |                       | 23.85                     | 24.02                        | 34.4347362 | -118.6490643 | 1346         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open                                                                                |
| CV-24045   | 2/23/2026 10:03:58 AM | 2.1        | 72.6       | 0.0       | 25.3           | 0.0          | 0.0     |                         |                         | 155.1                | 156.1               | 27.80                        | 25.81                       |                              |                             |                        |                       |                           |                              | 34.4347767 | -118.6490888 | 1352         | 28.78                  | NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum                                                                                                                 |
| CV-24045   | 2/23/2026 10:04:55 AM | 1.7        | 80.9       | 0.0       | 17.4           | 0.0          | 0.0     |                         |                         | 157.3                | 157.3               | 28.97                        | 28.94                       |                              |                             |                        |                       |                           |                              | 34.4347112 | -118.6490703 | 1355         | 28.78                  | NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum                                                                                                                 |
| CV-24045   | 2/24/2026 10:37:24 AM | 12.3       | 78.2       | 0.0       | 9.5            | 0.0          | 0.2     |                         |                         | 174.3                | 174.1               | 29.39                        | 27.70                       | 0.000                        | 0.000                       |                        |                       | 29.62                     | 27.89                        | 34.4347472 | -118.6490717 | 1354         | 28.68                  | Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header                                                                     |
| CV-24045   | 2/24/2026 10:38:21 AM | 19.9       | 80.1       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 171.8                | 171.7               | 26.50                        | 26.69                       | 0.000                        | 0.000                       |                        |                       | 28.91                     | 29.90                        | 34.4347420 | -118.6490655 | 1350         | 28.68                  | Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header                                                                     |
| CV-24045   | 2/25/2026 3:13:41 PM  | 5.7        | 69.1       | 0.0       | 25.2           | 0.0          | 0.1     |                         |                         | 174.9                | 174.5               | 0.94                         | 0.93                        | 0.000                        | 0.000                       |                        |                       | 0.79                      | 0.79                         | 34.4347470 | -118.6491035 | 1351         | 28.65                  | Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum,Decreased Flow/Vacuum;Well Comment:Lorentz disconnected.,Well Condition:Lorentz Pump Installed |
| CV-24045   | 2/25/2026 3:17:24 PM  | 6.2        | 73.7       | 0.0       | 20.1           | 0.0          | 0.1     |                         |                         | 176.7                | 177.6               | 0.74                         | 0.74                        | 0.000                        | 0.000                       |                        |                       | 0.69                      | 1.00                         | 34.4347288 | -118.6490782 | 1367         | 28.66                  | Valve Adjustment:High Temp,Positive Static Press.,Surging Liquid in Header                                                                                                         |
| CV-24046   | 2/13/2026 2:12:25 PM  | 0.7        | 78.8       | 0.6       | 19.9           | 33.2         | 0.0     |                         |                         | 163.7                | 163.9               | -6.22                        | -5.91                       | 6.565                        | 6.212                       |                        |                       | -7.57                     | -5.48                        | 34.4350682 | -118.6483742 | 1340         | 28.59                  | Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header                                                                                                        |
| CV-24046   | 2/13/2026 2:13:14 PM  | 0.7        | 79.2       | 0.2       | 19.9           | 99.5         | 0.0     |                         |                         | 164.7                | 164.6               | -6.33                        | -6.76                       | 6.621                        | 6.980                       |                        |                       | -7.42                     | -7.23                        | 34.4350588 | -118.6483608 | 1344         | 28.59                  | Valve Adjustment:High Temp,Surging Liquid in Header                                                                                                                                |
| CV-24046   | 2/20/2026 12:56:53 PM | 2.3        | 78.3       | 0.0       | 19.4           | 0.0          | 0.0     |                         |                         | 77.0                 | 84.2                | -0.03                        | -0.02                       | 0.037                        | 0.022                       |                        |                       | -1.04                     | -1.22                        | 34.4350720 | -118.6483852 | 1347         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:Valve 100% Open                                                                                                                 |
| CV-24046   | 2/27/2026 10:39:50 AM | 0.3        | 78.2       | 0.8       | 20.7           | 25.9         | 0.0     |                         |                         | 101.9                | 101.9               | -4.12                        | -4.60                       | 3.970                        | 4.472                       |                        |                       | -3.07                     | -3.73                        | 34.4350933 | -118.6483797 | 1358         | 28.64                  |                                                                                                                                                                                    |
| CV-24048   | 2/12/2026 8:54:20 AM  | 10.9       | 71.4       | 0.8       | 16.9           | 21.1         | 0.2     |                         |                         | 70.7                 | 70.8                | -11.62                       | -11.49                      | 11.917                       | 11.910                      |                        |                       | -11.74                    | -11.43                       | 34.4355683 | -118.6478080 | 1371         | 28.74                  |                                                                                                                                                                                    |
| CV-24048   | 2/24/2026 2:39:36 PM  | 6.0        | 78.4       | 0.0       | 15.6           | 0.0          | 0.1     |                         |                         | 89.9                 | 94.1                | -6.08                        | -6.08                       | 6.050                        | 6.050                       |                        |                       | -10.87                    | -10.95                       | 34.4355897 | -118.6477755 | 1379         | 28.6                   |                                                                                                                                                                                    |
| CV-24049   | 2/2/2026 10:12:35 AM  | 12.6       | 81.4       | 0.0       | 6.0            | 0.0          | 0.2     |                         |                         | 187.0                | 187.9               | -5.57                        | -5.24                       | 6.103                        | 5.679                       |                        |                       | 0.62                      | 0.62                         | 34.4359575 | -118.6471728 | 1381         | 28.67                  | Valve Adjustment:Audible Flow,No Flow Measurement,High Temp                                                                                                                        |
| CV-24049   | 2/2/2026 10:15:00 AM  |            |            |           |                |              |         |                         | 133200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 13.32%]                                                                                                                                                       |
| CV-24049   | 2/2/2026 10:15:00 AM  |            |            |           |                |              |         | 4870                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                                                                              |
| CV-24049   | 2/9/2026 1:08:02 PM   | 0.1        | 21.0       | 17.2      | 61.7           | 3.6          | 0.0     |                         |                         | 164.9                | 170.3               | -5.11                        | -4.70                       | 4.866                        | 4.556                       |                        |                       | 0.15                      | 0.15                         | 34.4359630 | -118.6471952 | 1382         | 28.55                  | Valve Adjustment:High Temp                                                                                                                                                         |
| CV-24049   | 2/9/2026 1:09:04 PM   | 0.2        | 19.9       | 17.4      | 62.5           | 3.6          | 0.0     |                         |                         | 165.3                | 168.9               | -4.18                        | -4.86                       | 4.650                        | 4.576                       |                        |                       | 0.08                      | 0.04                         | 34.4359678 | -118.6471893 | 1385         | 28.55                  | Valve Adjustment:NSPS/EG CAI,High Temp,High O2                                                                                                                                     |
| CV-24049   | 2/9/2026 1:10:00 PM   |            |            |           |                |              |         |                         | 34200                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 3.42%]                                                                                                                                                        |
| CV-24049   | 2/9/2026 1:10:00 PM   |            |            |           |                |              |         | 1180                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                                                                              |
| CV-24049   | 2/12/2026 8:35:00 AM  |            |            |           |                |              |         |                         | 29000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab; [User entered 2.9%]                                                                                                                                                  |
| CV-24049   | 2/12/2026 8:35:00 AM  |            |            |           |                |              |         | 470                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Air Tech Lab                                                                                                                                                                       |
| CV-24049   | 2/17/2026 9:28:41 AM  | 0.1        | 2.6        | 22.1      | 75.2           | 3.4          | 0.0     |                         |                         | 56.1                 | 56.1                | -12.28                       | -11.87                      | 12.397                       | 12.163                      |                        |                       | 0.08                      | 0.00                         | 34.4359538 | -118.6471878 | 1391         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In)                                                                         |
| CV-24049   | 2/17/2026 9:29:26 AM  | 0.1        | 2.2        | 22.0      | 75.7           | 3.4          | 0.0     |                         |                         | 55.8                 | 55.8                | -11.53                       | -11.53                      | 11.833                       | 11.833                      |                        |                       | 0.00                      | 0.00                         | 34.4359522 | -118.6471940 | 1383         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In)                                                                         |
| CV-24050   | 2/13/2026 4:25:00 PM  | 4.2        | 77.7       | 0.0       | 18.1           | 0.0          | 0.1     |                         |                         | 91.0                 | 105.8               | 2.53                         | -0.01                       | -2.479                       | 0.058                       | 0.0                    | 0.0                   | -9.69                     |                              | 34.4337822 | -118.6499725 | 1385         | 28.53                  | NSPS/EG CAI,NSPS/EG CAC,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,Positive Static Press.                                                                                 |
| CV-24050   | 2/13/2026 4:26:59 PM  | 6.4        | 78.5       | 0.0       | 15.1           | 0.0          | 0.1     |                         |                         | 111.0                | 111.3               | -0.07                        | -0.05                       | 0.099                        | 0.093                       | 0.0                    | 0.0                   | -9.74                     |                              | 34.4337637 | -118.6499972 | 1352         | 28.53                  |                                                                                                                                                                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                      |                                                                                                      |                                   |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------------------------|
| CV-24050   | 2/24/2026 3:46:52 PM  | 23.7       | 67.5       | 0.0       | 8.8            | 0.0          | 0.4     |                         |                         | 143.7             | 143.7            | -0.78                     | -0.76                    | 0.770                     | 0.764                    | 0.0                 | 0.0                | -9.12                  |                           | 34.4337868 | -118.6499828 | 1342         | 28.48               | NSPS/EG CAI,Audible Flow,High Temp                                            |                                                                                                      |                                   |
| CV-24050   | 2/24/2026 3:46:57 PM  | 23.7       | 67.5       | 0.0       | 8.8            | 0.0          | 0.4     |                         |                         | 143.7             | 143.7            | -0.78                     | -0.76                    | 0.770                     | 0.764                    | 0.0                 | 0.0                | -9.12                  |                           | 34.4337562 | -118.6499978 | 1348         | 28.48               |                                                                               |                                                                                                      |                                   |
| CV-24050   | 2/24/2026 3:48:49 PM  | 28.9       | 66.0       | 0.0       | 5.1            | 0.0          | 0.4     |                         |                         | 143.5             | 143.7            | -0.73                     | -0.72                    | 0.756                     | 0.756                    | 0.0                 | 0.0                | -9.87                  |                           | 34.4337683 | -118.6500143 | 1381         | 28.48               |                                                                               |                                                                                                      |                                   |
| CV-24052   | 2/12/2026 8:39:54 AM  | 0.1        | 65.4       | 2.9       | 31.6           | 10.9         | 0.0     |                         |                         | 68.5              | 68.6             | -7.39                     | -7.39                    | 7.683                     | 7.673                    |                     |                    | -7.52                  | -7.54                     | 34.4350925 | -118.6480725 | 1363         | 28.75               | Valve Adjustment:Barely Open                                                  |                                                                                                      |                                   |
| CV-24052   | 2/24/2026 2:48:47 PM  | 15.4       | 61.3       | 3.5       | 19.8           | 5.7          | 0.3     |                         |                         | 87.2              | 83.4             | -8.35                     | -7.55                    | 8.392                     | 7.564                    |                     |                    | -8.37                  | -7.57                     | 34.4350903 | -118.6480640 | 1383         | 28.6                | Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In) |                                                                                                      |                                   |
| CV-24053   | 2/9/2026 9:15:00 AM   |            |            |           |                |              |         |                         | 13000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Air Tech Lab; [User entered 1.3%]                                                                    |                                   |
| CV-24053   | 2/9/2026 9:15:00 AM   |            |            |           |                |              |         | 190                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Air Tech Lab                                                                                         |                                   |
| CV-24053   | 2/12/2026 8:10:00 AM  |            |            |           |                |              |         |                         | 4700                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Air Tech Lab; [User entered 0.47%]                                                                   |                                   |
| CV-24053   | 2/12/2026 8:10:00 AM  |            |            |           |                |              |         | 16                      |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Air Tech Lab                                                                                         |                                   |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Valve Adjustment:NSPS/EG CAI,High                                                                    |                                   |
| CV-24053   | 2/12/2026 8:45:26 AM  | 20.8       | 32.8       | 10.7      | 35.7           | 3.3          | 0.6     |                         |                         | 58.2              | 58.3             | -0.03                     | -0.10                    | 0.043                     | 0.112                    |                     |                    | 0.51                   | 0.53                      | 34.4352590 | -118.6477988 | 1373         | 28.73               | O2,Increased Flow/Vacuum                                                      |                                                                                                      |                                   |
| CV-24053   | 2/12/2026 8:47:03 AM  | 15.7       | 25.3       | 13.7      | 45.3           | 3.3          | 0.6     |                         |                         | 58.5              | 58.5             | -0.11                     | -0.11                    | 0.116                     | 0.119                    |                     |                    | 0.41                   | 0.26                      | 34.4352657 | -118.6477958 | 1381         | 28.74               | Valve Adjustment:High O2                                                      |                                                                                                      |                                   |
| CV-24053   | 2/24/2026 2:43:04 PM  | 14.4       | 41.1       | 9.8       | 34.7           | 3.5          | 0.4     |                         |                         | 85.9              | 86.1             | -0.06                     | -0.06                    | 0.056                     | 0.053                    |                     |                    | -0.09                  | -0.09                     | 34.4352918 | -118.6477923 | 1387         | 28.6                | Valve Adjustment:High O2                                                      |                                                                                                      |                                   |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum                                           |                                   |
| CV-24054   | 2/2/2026 10:19:51 AM  | 16.2       | 81.4       | 0.0       | 2.4            | 0.0          | 0.2     |                         |                         | 171.4             | 172.6            | -7.45                     | -2.18                    | 8.024                     | 2.170                    |                     |                    | 0.70                   | 0.74                      | 34.4356340 | -118.6471677 | 1381         | 28.7                |                                                                               |                                                                                                      |                                   |
| CV-24054   | 2/2/2026 10:20:00 AM  |            |            |           |                |              |         |                         | 100800                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | AtmAA; [User entered 10.08%]      |
| CV-24054   | 2/2/2026 10:20:00 AM  |            |            |           |                |              |         | 3280                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | AtmAA                             |
| CV-24054   | 2/2/2026 10:20:37 AM  | 16.4       | 83.6       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 172.5             | 172.5            | -1.90                     | -1.90                    | 1.876                     | 1.876                    |                     |                    | 0.62                   | 0.62                      | 34.4356408 | -118.6471672 | 1383         | 28.7                | Valve Adjustment:No Flow Measurement,High Temp                                |                                                                                                      |                                   |
| CV-24054   | 2/9/2026 1:13:53 PM   | 2.0        | 95.1       | 0.0       | 2.9            | 0.0          | 0.0     |                         |                         | 172.5             | 172.7            | -0.65                     | -0.67                    | 0.640                     | 0.633                    |                     |                    | 0.05                   | 0.08                      | 34.4356605 | -118.6471878 | 1396         | 28.53               |                                                                               |                                                                                                      |                                   |
| CV-24054   | 2/9/2026 1:15:00 PM   |            |            |           |                |              |         |                         | 120100                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | AtmAA; [User entered 12.01%]      |
| CV-24054   | 2/9/2026 1:15:00 PM   |            |            |           |                |              |         | 2990                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | AtmAA                             |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Valve Comment:Enhanced Monitoring;Valve                                                              |                                   |
| CV-24054   | 2/17/2026 9:32:14 AM  | 4.7        | 88.0       | 0.5       | 6.8            | 13.6         | 0.1     |                         |                         | 173.8             | 173.7            | -2.14                     | -2.19                    | 2.113                     | 2.167                    |                     |                    | -12.42                 | -12.77                    | 34.4356380 | -118.6471743 | 1393         | 28.59               | Adjustment:NSPS/EG CAI,High Temp                                              |                                                                                                      |                                   |
| CV-24054   | 2/17/2026 9:35:00 AM  |            |            |           |                |              |         | 2868                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | AtmAA                             |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                         |                                   |
| CV-24054   | 2/23/2026 10:28:09 AM | 9.3        | 80.3       | 2.8       | 7.6            | 2.7          | 0.1     |                         |                         | 175.2             | 174.4            | -1.90                     | -1.89                    | 1.886                     | 1.877                    |                     |                    | -6.38                  | -6.55                     | 34.4356597 | -118.6471943 | 1384         | 28.78               |                                                                               |                                                                                                      |                                   |
| CV-24055   | 2/5/2026 10:02:26 AM  | 9.6        | 53.8       | 4.7       | 31.9           | 6.8          | 0.2     |                         |                         | 114.4             | 114.6            | -3.71                     | -3.99                    | 3.629                     | 3.897                    |                     |                    | -14.56                 | -16.15                    | 34.4358437 | -118.6469272 | 1401         | 28.67               |                                                                               |                                                                                                      |                                   |
| CV-24055   | 2/12/2026 8:30:00 AM  |            |            |           |                |              |         |                         | 31000                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | Air Tech Lab; [User entered 3.1%] |
| CV-24055   | 2/12/2026 8:30:00 AM  |            |            |           |                |              |         | 470                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Air Tech Lab                                                                                         |                                   |
| CV-24055   | 2/18/2026 2:11:46 PM  | 4.5        | 56.9       | 5.2       | 33.4           | 6.4          | 0.1     |                         |                         | 124.5             | 124.3            | -2.76                     | -2.83                    | 2.653                     | 2.741                    |                     |                    | -11.28                 | -11.64                    | 34.4358750 | -118.6469130 | 1386         | 28.49               |                                                                               |                                                                                                      |                                   |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)  |                                   |
| CV-24056   | 2/6/2026 1:42:00 PM   | 28.1       | 61.8       | 0.1       | 10.0           | 100.0        | 0.5     |                         |                         | 137.0             | 136.1            | -0.04                     | -0.05                    | 0.007                     | 0.052                    |                     |                    | -3.14                  | -2.92                     | 34.4332732 | -118.6501738 | 1322         | 28.67               |                                                                               |                                                                                                      |                                   |
| CV-24056   | 2/6/2026 1:43:11 PM   | 28.6       | 64.2       | 0.0       | 7.2            | 0.0          | 0.4     |                         |                         | 132.4             | 132.8            | -0.04                     | -0.05                    | 0.021                     | 0.025                    |                     |                    | -2.90                  | -2.82                     | 34.4332700 | -118.6501497 | 1323         | 28.68               | Valve Adjustment:High Temp,Surging Liquid in Header                           |                                                                                                      |                                   |
| CV-24056   | 2/21/2026 9:58:53 AM  | 38.5       | 59.0       | 0.0       | 2.5            | 0.0          | 0.7     |                         |                         | 116.4             | 116.6            | -1.69                     | -1.65                    | 1.779                     | 1.774                    | 0.0                 | 0.0                |                        |                           | 34.4333232 | -118.6501685 | 1299         | 28.69               | No Flow Measurement,                                                          |                                                                                                      |                                   |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Valve Adjustment:High Temp,Surging Liquid in Header;Well Condition:Lorentz Pump Installed            |                                   |
| CV-24057   | 2/13/2026 10:23:18 AM | 36.1       | 59.7       | 0.0       | 4.2            | 0.0          | 0.6     |                         |                         | 136.2             | 136.1            | -4.25                     | -4.09                    | 0.000                     | 0.000                    |                     |                    | -9.33                  | -8.94                     | 34.4334568 | -118.6496387 | 1342         | 28.63               |                                                                               |                                                                                                      |                                   |
| CV-24057   | 2/13/2026 10:24:11 AM | 35.6       | 60.1       | 0.0       | 4.3            | 0.0          | 0.6     |                         |                         | 136.2             | 136.1            | -3.98                     | -4.01                    | 0.000                     | 0.000                    |                     |                    | -8.95                  | -8.82                     | 34.4334565 | -118.6496468 | 1352         | 28.63               | Valve Adjustment:High Temp,Surging Liquid in Header                           |                                                                                                      |                                   |
| CV-24057   | 2/24/2026 12:54:47 PM | 46.1       | 45.1       | 0.0       | 8.8            | 0.0          | 1.0     |                         |                         | 125.9             | 126.0            | -5.25                     | -5.29                    | 1.181                     | 1.272                    | 20.6                | 21.4               | -8.41                  | -8.69                     | 34.4335007 | -118.6496690 | 1349         | 28.68               | Well Condition:Lorentz Pump Installed                                         |                                                                                                      |                                   |
| CV-24058   | 2/5/2026 8:30:59 AM   | 45.0       | 38.1       | 3.6       | 13.3           | 3.7          | 1.2     |                         |                         | 63.3              | 63.1             | -0.21                     | -0.25                    | 0.203                     | 0.244                    |                     |                    | 0.00                   | 0.00                      | 34.4338113 | -118.6494327 | 1351         | 28.71               |                                                                               |                                                                                                      |                                   |
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down;Well Condition:Lorentz Pump Installed |                                   |
| CV-24058   | 2/23/2026 12:28:15 PM | 44.4       | 36.4       | 0.6       | 18.6           | 31.0         | 1.2     |                         |                         | 92.9              | 92.9             | -4.23                     | -3.90                    | 4.240                     | 3.929                    |                     |                    | -4.34                  | -4.01                     | 34.4337962 | -118.6494878 | 1361         | 28.83               |                                                                               |                                                                                                      |                                   |
| CV-24059   | 2/3/2026 10:05:00 AM  |            |            |           |                |              |         |                         | 64700                   |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | AtmAA; [User entered 6.47%]       |
| CV-24059   | 2/3/2026 10:05:00 AM  |            |            |           |                |              |         | 400                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                               |                                                                                                      | AtmAA                             |
| CV-24059   | 2/3/2026 10:08:28 AM  | 44.5       | 55.5       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 161.0             | 160.2            | -9.46                     | -5.35                    | 1.270                     | 0.652                    | 20.7                | 15.0               | -10.76                 | -11.05                    | 34.4337743 | -118.6490822 | 1349         | 28.86               | Valve Adjustment:High Temp,Decreased Flow/Vacuum                              |                                                                                                      |                                   |
| CV-24059   | 2/3/2026 10:09:11 AM  | 43.4       | 56.3       | 0.0       | 0.3            | 0.0          | 0.8     |                         |                         | 160.0             | 160.2            | -5.07                     | -5.09                    | 0.629                     | 0.651                    | 14.7                | 14.9               | -10.71                 | -10.85                    | 34.4337588 | -118.6490862 | 1356         | 28.85               | Valve Adjustment:High Temp                                                    |                                                                                                      |                                   |
| CV-24059   | 2/5/2026 8:58:59 AM   | 41.9       | 57.4       | 0.0       | 0.7            | 0.0          | 0.7     |                         |                         | 128.9             | 128.9            | -1.27                     | -1.25                    | 0.893                     | 0.959                    | 18.0                | 18.6               | -6.94                  | -7.08                     | 34.4357303 | -118.6454998 | 1401         | 28.66               |                                                                               |                                                                                                      |                                   |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date          | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                          |                                    |
|---------------|----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------------------------|------------------------------------|
| CV-24059      | 2/18/2026 9:57:11 AM | 29.8       | 59.5       | 0.2       | 10.5           | 52.5         | 0.5     |                         |                         | 158.1                | 157.9               | -6.07                        | -6.08                       | 0.644                        | 0.651                       | 28.6                   | 28.7                  | -11.58                    | -11.55                       | 34.4337725 | -118.6490795 | 1354         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                      |                                    |
| CV-24059      | 2/26/2026 8:47:51 AM | 30.4       | 66.6       | 0.0       | 3.0            | 0.0          | 0.5     |                         |                         | 157.5                | 157.6               | -1.24                        | -1.16                       | 0.435                        | 0.389                       | 23.7                   | 22.4                  | -5.33                     | -5.33                        | 34.4337815 | -118.6490718 | 1350         | 28.7                   | Valve Adjustment:High Temp                                                                                        |                                    |
| CV-24060      | 2/3/2026 9:13:39 AM  | 28.2       | 64.3       | 0.0       | 7.5            | 0.0          | 0.4     |                         |                         | 100.3                | 100.7               | -3.90                        | -3.89                       | 3.824                        | 3.814                       |                        |                       | -8.22                     | -8.11                        | 34.4340373 | -118.6487950 | 1347         | 28.82                  |                                                                                                                   |                                    |
| CV-24060      | 2/25/2026 3:00:34 PM | 32.3       | 65.1       | 0.0       | 2.6            | 0.0          | 0.5     |                         |                         | 105.9                | 105.9               | -0.31                        | -0.32                       | 0.336                        | 0.338                       | 17.7                   | 17.7                  |                           |                              | 34.4339158 | -118.6487660 | 1440         | 28.56                  |                                                                                                                   |                                    |
| CV-24061      | 2/3/2026 10:32:28 AM | 20.9       | 74.0       | 0.0       | 5.1            | 0.0          | 0.3     |                         |                         | 124.8                | 126.0               | -0.08                        | -2.49                       | 0.045                        | 2.474                       |                        |                       | -12.80                    | -12.06                       | 34.4343492 | -118.6486220 | 1359         | 28.82                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |                                    |
| CV-24061      | 2/23/2026 9:50:37 AM | 24.6       | 68.1       | 0.0       | 7.3            | 0.0          | 0.4     |                         |                         | 105.7                | 106.8               | -0.71                        | -0.83                       | -0.282                       | -0.276                      | 0.0                    | 0.0                   | -5.22                     |                              | 34.4343728 | -118.6486845 | 1273         | 28.75                  | Reduced System Vacuum,Increased Flow/Vacuum                                                                       |                                    |
| CV-24062      | 2/3/2026 8:48:20 AM  | 40.1       | 59.9       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 140.9                | 141.6               | -5.30                        | -5.07                       | 5.458                        | 5.314                       |                        |                       | -5.17                     | -4.96                        | 34.4345850 | -118.6480900 | 1357         | 28.82                  | Valve Adjustment:No Flow Measurement                                                                              |                                    |
| CV-24062      | 2/3/2026 10:39:32 AM | 30.9       | 66.6       | 0.0       | 2.5            | 0.0          | 0.5     |                         |                         | 142.0                | 139.8               | -13.84                       | -10.75                      | 13.827                       | 10.743                      |                        |                       | 0.07                      | -12.82                       | 34.4345743 | -118.6480863 | 1368         | 28.82                  | Valve Adjustment:Decreased Flow/Vacuum                                                                            |                                    |
| CV-24062      | 2/11/2026 7:20:00 AM |            |            |           |                |              |         | 600                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | Air Tech Lab                       |
| CV-24062      | 2/18/2026 9:38:22 AM | 18.1       | 76.7       | 0.1       | 5.1            | 51.0         | 0.2     |                         |                         | 147.2                | 146.5               | -9.04                        | -8.93                       | 9.161                        | 9.051                       |                        |                       | -10.19                    | -9.75                        | 34.4345838 | -118.6480790 | 1361         | 28.53                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                      |                                    |
| CV-24062      | 2/24/2026 2:23:24 PM | 33.4       | 64.7       | 0.0       | 1.9            | 0.0          | 0.5     |                         |                         | 126.8                | 129.3               | -4.44                        | -2.22                       | 4.265                        | 2.167                       |                        |                       | -5.09                     | -5.08                        | 34.4345915 | -118.6480873 | 1375         | 28.63                  | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum                                                        |                                    |
| CV-24063      | 2/10/2026 2:26:28 PM | 5.1        | 87.3       | 0.0       | 7.6            | 0.0          | 0.1     |                         |                         | 185.4                | 184.1               | -2.64                        | -2.98                       | 2.827                        | 3.115                       |                        |                       | 0.08                      | 0.03                         | 34.4349463 | -118.6475178 | 1379         | 28.46                  | Valve Adjustment:High Temp,Surging Liquid in Header                                                               |                                    |
| CV-24063      | 2/10/2026 2:27:00 PM |            |            |           |                |              |         |                         | 104900                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | AtmAA; [User entered 10.49%]       |
| CV-24063      | 2/10/2026 2:27:00 PM |            |            |           |                |              |         | 3240                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | AtmAA                              |
| CV-24063      | 2/11/2026 7:25:00 AM |            |            |           |                |              |         | 1600                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | Air Tech Lab                       |
| CV-24063      | 2/18/2026 9:27:43 AM | 3.0        | 88.9       | 0.9       | 7.2            | 8.0          | 0.0     |                         |                         | 183.3                | 182.5               | -11.86                       | -11.06                      | 12.017                       | 11.267                      |                        |                       | -0.03                     | -0.02                        | 34.4349617 | -118.6475137 | 1367         | 28.56                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                      |                                    |
| CV-24063      | 2/24/2026 2:12:26 PM | 3.7        | 76.4       | 2.7       | 17.2           | 6.4          | 0.0     |                         |                         | 169.7                | 175.7               | -9.81                        | -5.30                       | 9.878                        | 5.318                       |                        |                       | -0.01                     | -0.01                        | 34.4349618 | -118.6475067 | 1374         | 28.63                  | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                              |                                    |
| CV-24063      | 2/24/2026 2:13:11 PM | 3.7        | 83.2       | 1.6       | 11.5           | 7.2          | 0.0     |                         |                         | 173.8                | 174.9               | -5.04                        | -5.41                       | 4.939                        | 5.385                       |                        |                       | 0.00                      | 0.02                         | 34.4349608 | -118.6475152 | 1373         | 28.59                  | Valve Adjustment:No Flow Measurement,High Temp                                                                    |                                    |
| CV-24064      | 2/3/2026 8:05:00 AM  |            |            |           |                |              |         |                         | 104000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | AtmAA; [User entered 10.4%]        |
| CV-24064      | 2/3/2026 8:05:00 AM  |            |            |           |                |              |         | 2385                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | AtmAA                              |
| CV-24064      | 2/3/2026 8:09:01 AM  | 8.3        | 85.6       | 0.0       | 6.1            | 0.0          | 0.1     |                         |                         | 193.4                | 193.4               | -1.52                        | -1.51                       | 1.345                        | 1.856                       |                        |                       | 0.14                      | 0.14                         | 34.4352330 | -118.6471615 | 1371         | 28.8                   | Valve Adjustment:No Flow Measurement,High Temp                                                                    |                                    |
| CV-24064      | 2/11/2026 7:35:00 AM |            |            |           |                |              |         | 1200                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | Air Tech Lab                       |
| CV-24064      | 2/11/2026 8:00:00 AM |            |            |           |                |              |         |                         | 71500                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | AtmAA; [User entered 7.15%]        |
| CV-24064      | 2/11/2026 8:00:00 AM |            |            |           |                |              |         | 1770                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | AtmAA                              |
| CV-24064      | 2/11/2026 8:03:41 AM | 1.4        | 81.4       | 0.2       | 17.0           | 85.0         | 0.0     |                         |                         | 193.7                | 193.3               | -1.51                        | -1.60                       | 1.477                        | 1.562                       |                        |                       | -2.03                     | -2.71                        | 34.4352432 | -118.6471623 | 1375         | 28.61                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header              |                                    |
| CV-24064      | 2/18/2026 8:35:10 AM | 1.6        | 81.3       | 2.1       | 15.0           | 7.1          | 0.0     |                         |                         | 192.9                | 192.7               | -0.33                        | -0.68                       | 0.316                        | 0.283                       |                        |                       | -1.47                     | -1.21                        | 34.4352362 | -118.6471647 | 1379         | 28.5                   | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header |                                    |
| CV-24064      | 2/25/2026 8:37:47 AM | 3.6        | 82.2       | 1.0       | 13.2           | 13.2         | 0.0     |                         |                         | 193.9                | 193.9               | 3.71                         | 4.14                        | 0.000                        | 0.000                       |                        |                       | 0.93                      | 2.69                         | 34.4352423 | -118.6471605 | 1385         | 28.6                   | Valve Adjustment:No Flow Measurement,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In)   |                                    |
| CV-24065-TP17 | 2/10/2026 7:35:00 AM |            |            |           |                |              |         | 180                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | Air Tech Lab                       |
| CV-24065-TP17 | 2/13/2026 8:00:00 AM |            |            |           |                |              |         |                         | 7100                    |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | Air Tech Lab; [User entered 0.71%] |
| CV-24065-TP17 | 2/13/2026 8:00:00 AM |            |            |           |                |              |         | 410                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | Air Tech Lab                       |
| CV-24065-TP17 | 2/13/2026 3:57:42 PM | 12.7       | 86.0       | 0.2       | 1.1            | 5.5          | 0.1     |                         |                         | 102.2                | 102.0               | -0.59                        | -0.58                       | 0.538                        | 0.547                       | 20.9                   | 21.1                  |                           |                              | 34.4356623 | -118.6467523 | 1476         | 28.53                  |                                                                                                                   |                                    |
| CV-24065-TP17 | 2/18/2026 2:15:50 PM | 10.7       | 86.3       | 0.3       | 2.7            | 9.0          | 0.1     |                         |                         | 105.9                | 105.8               | -0.53                        | -0.54                       | 0.486                        | 0.519                       |                        |                       | -10.48                    | -10.58                       | 34.4356198 | -118.6468140 | 1394         | 28.49                  |                                                                                                                   |                                    |
| CV-24066      | 2/6/2026 1:29:15 PM  | 33.5       | 63.5       | 0.0       | 3.0            | 0.0          | 0.5     |                         |                         | 109.4                | 109.5               | -0.23                        | -0.23                       | 0.203                        | 0.199                       |                        |                       | -3.35                     | -3.61                        | 34.4330158 | -118.6498447 | 1323         | 28.69                  |                                                                                                                   |                                    |
| CV-24066      | 2/11/2026 7:50:00 AM |            |            |           |                |              |         | 460                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                   | Air Tech Lab                       |
| CV-24066      | 2/24/2026 3:25:13 PM | 21.6       | 56.2       | 0.0       | 22.2           | 0.0          | 0.4     |                         |                         | 114.9                | 114.9               | -1.03                        | -1.03                       | 1.051                        | 1.050                       | 0.0                    | 0.0                   | -8.71                     |                              | 34.4329248 | -118.6497248 | 1398         | 28.56                  |                                                                                                                   |                                    |
| CV-24067      | 2/22/2026 3:16:05 PM | 10.2       | 70.6       | 0.0       | 19.2           | 0.0          | 0.1     |                         |                         | 139.6                | 139.6               | -6.95                        | -6.62                       | 0.013                        | 0.023                       | 2.2                    | 2.9                   | -10.22                    | -10.24                       | 34.4331977 | -118.6497692 | 1348         | 28.83                  | Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Well Condition:Lorentz Pump Installed                |                                    |
| CV-24067      | 2/22/2026 3:18:52 PM | 11.7       | 70.1       | 0.0       | 18.2           | 0.0          | 0.2     |                         |                         | 139.7                | 139.9               | -6.39                        | -6.15                       | 0.004                        | 0.015                       | 1.2                    | 2.3                   | -10.16                    | -10.36                       | 34.4332083 | -118.6497580 | 1355         | 28.83                  | Valve Adjustment:High Temp                                                                                        |                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                     |                               |
|---------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|--------------------------------------------------------------------------------------------------------------|-------------------------------|
| CV-24068      | 2/3/2026 10:18:59 AM  | 12.6       | 79.1       | 0.0       | 8.3            | 0.0          | 0.2     |                         |                         | 160.5                | 161.6               | -0.05                        | -0.03                       | 0.000                        | 0.039                       |                        |                       | 0.47                      | 0.43                         | 34.4332438 | -118.6493492 | 1348         | 28.86                  | Valve Adjustment:No Flow<br>Measurement,High Temp,Valve 100%<br>Open,Surging Liquid in Header                |                               |
| CV-24068      | 2/3/2026 10:20:00 AM  |            |            |           |                |              |         |                         | 133100                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA; [User entered 13.31%]  |
| CV-24068      | 2/3/2026 10:20:00 AM  |            |            |           |                |              |         | 2370                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                         |
| CV-24068      | 2/11/2026 9:16:46 AM  | 6.9        | 84.4       | 0.0       | 8.7            | 0.0          | 0.1     |                         |                         | 114.9                | 116.1               | 2.44                         | 2.46                        | 0.000                        | 0.000                       |                        |                       | 2.79                      | 2.94                         | 34.4332528 | -118.6493410 | 1346         | 28.67                  | Valve Comment:Enhance<br>monitoring;Valve Adjustment:Valve<br>100% Open                                      |                               |
| CV-24068      | 2/11/2026 9:17:12 AM  | 8.5        | 82.4       | 0.0       | 9.1            | 0.0          | 0.1     |                         |                         | 116.5                | 116.2               | 2.44                         | 2.45                        | 0.000                        | 0.000                       |                        |                       | 2.82                      | 2.80                         | 34.4332553 | -118.6493403 | 1349         | 28.67                  | Valve Comment:Enhance<br>monitoring;Valve Adjustment:Valve<br>100% Open                                      |                               |
| CV-24068      | 2/18/2026 10:06:52 AM | 21.5       | 69.1       | 0.1       | 9.3            | 93.0         | 0.3     |                         |                         | 154.1                | 153.6               | -4.57                        | -4.51                       | 4.580                        | 4.512                       |                        |                       | -4.88                     | -4.77                        | 34.4332520 | -118.6493423 | 1348         | 28.59                  | Valve Comment:Enhanced<br>Monitoring;Valve Adjustment:High<br>Temp,Valve 100% Open                           |                               |
| CV-24068      | 2/25/2026 9:11:00 AM  | 8.9        | 82.3       | 0.0       | 8.8            | 0.0          | 0.1     |                         |                         | 138.2                | 138.4               | 0.11                         | 0.11                        | 0.000                        | 0.000                       |                        |                       | 0.34                      | 0.34                         | 34.4332515 | -118.6493493 | 1361         | 28.67                  | Valve Adjustment:NSPS/EG CAI,No<br>Flow Measurement,Positive Static<br>Press.,Valve 100% Open                |                               |
| CV-24068      | 2/25/2026 9:11:25 AM  | 9.3        | 83.0       | 0.0       | 7.7            | 0.0          | 0.1     |                         |                         | 137.6                | 138.3               | 0.09                         | 0.08                        | 0.000                        | 0.000                       |                        |                       | 0.34                      | 0.34                         | 34.4332497 | -118.6493355 | 1365         | 28.67                  | Valve Adjustment:No Flow<br>Measurement,Positive Static Press.                                               |                               |
| CV-24069      | 2/3/2026 8:40:42 AM   | 29.1       | 54.7       | 0.0       | 16.2           | 0.0          | 0.5     |                         |                         | 91.2                 | 90.9                | -1.51                        | -1.57                       | 1.477                        | 1.524                       |                        |                       | -8.09                     | -7.35                        | 34.4334450 | -118.6489398 | 1341         | 28.83                  |                                                                                                              |                               |
| CV-24069      | 2/11/2026 8:00:00 AM  |            |            |           |                |              |         | 550                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | Air Tech Lab                  |
| CV-24069      | 2/22/2026 12:31:50 PM | 39.3       | 46.0       | 0.1       | 14.7           | 245.2        | 0.9     |                         |                         | 92.6                 | 92.5                | -1.69                        | -1.64                       | 1.535                        | 1.465                       |                        |                       | -10.41                    | -10.30                       | 34.4334197 | -118.6489270 | 1339         | 28.83                  | Well Condition:Lorentz Pump<br>Installed                                                                     |                               |
| CV-24070      | 2/3/2026 9:27:45 AM   | 14.4       | 79.7       | 0.0       | 5.9            | 0.0          | 0.2     |                         |                         | 137.8                | 138.1               | -2.29                        | -2.28                       | 9.170                        | 9.038                       | 20.4                   | 20.2                  | -11.32                    | -11.14                       | 34.4337280 | -118.6486815 | 1346         | 28.82                  | Well Condition:Lorentz Pump<br>Installed                                                                     |                               |
| CV-24070      | 2/10/2026 7:50:00 AM  |            |            |           |                |              |         | 670                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | Air Tech Lab                  |
| CV-24070      | 2/23/2026 12:35:19 PM | 41.2       | 51.2       | 0.0       | 7.5            | 0.0          | 0.8     |                         |                         | 127.4                | 127.6               | -4.02                        | -4.08                       | 2.916                        | 2.994                       | 11.6                   | 11.8                  | -6.89                     | -7.05                        | 34.4337102 | -118.6486900 | 1365         | 28.81                  | Valve Adjustment:Reduce Sys. Vac. -<br>Flare Down                                                            |                               |
| CV-24070      | 2/23/2026 12:37:07 PM | 39.9       | 51.7       | 0.0       | 8.4            | 0.0          | 0.8     |                         |                         | 127.9                | 127.7               | -4.15                        | -4.15                       | 3.087                        | 3.100                       | 11.9                   | 12.0                  | -7.18                     | -7.22                        | 34.4337147 | -118.6486935 | 1366         | 28.79                  | Well Condition:Lorentz Pump<br>Installed                                                                     |                               |
| CV-24071      | 2/3/2026 9:19:02 AM   | 46.8       | 53.2       | 0.0       | 0.0            | 0.0          | 0.9     |                         |                         | 119.2                | 118.1               | -4.90                        | -3.95                       | 0.848                        | 0.398                       | 11.5                   | 7.9                   | -11.92                    | -10.36                       | 34.4340137 | -118.6484728 | 1355         | 28.82                  | Valve Adjustment:Decreased<br>Flow/Vacuum                                                                    |                               |
| CV-24071      | 2/10/2026 7:55:00 AM  |            |            |           |                |              |         | 190                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | Air Tech Lab                  |
| CV-24071      | 2/25/2026 2:49:08 PM  | 30.8       | 68.0       | 0.0       | 1.2            | 0.0          | 0.5     |                         |                         | 138.2                | 138.2               | -0.43                        | -0.36                       | 2.156                        | 1.209                       | 9.2                    | 6.9                   | -4.15                     |                              | 34.4337948 | -118.6485940 | 1319         | 28.56                  | NSPS/EG CAI,Audible Flow,High Temp                                                                           |                               |
| CV-24071      | 2/25/2026 2:52:49 PM  | 30.9       | 67.6       | 0.0       | 1.5            | 0.0          | 0.5     |                         |                         | 137.8                | 137.8               | -0.34                        | -1.08                       | 2.324                        | 3.769                       | 9.5                    | 12.1                  | -4.49                     |                              | 34.4340083 | -118.6484830 | 1378         | 28.56                  |                                                                                                              |                               |
| CV-24072      | 2/3/2026 10:22:45 AM  | 39.7       | 60.3       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 115.1                | 115.2               | -6.28                        | -6.69                       | 6.381                        | 6.808                       |                        |                       | -12.16                    | -13.51                       | 34.4341640 | -118.6480548 | 1373         | 28.82                  |                                                                                                              |                               |
| CV-24072      | 2/19/2026 7:55:07 AM  | 39.6       | 51.2       | 0.0       | 9.2            | 0.0          | 0.8     |                         |                         | 53.1                 | 52.8                | -8.85                        | -7.70                       | 8.956                        | 7.948                       | 103.0                  | 96.8                  |                           |                              | 34.4341765 | -118.6480797 | 1375         | 28.5                   | No Adjustment Made,                                                                                          |                               |
| CV-24073-TP13 | 2/3/2026 1:13:56 PM   | 1.9        | 79.5       | 1.5       | 17.1           | 11.4         | 0.0     |                         |                         | 119.1                | 117.9               | -7.85                        | -7.85                       | 7.946                        | 7.946                       |                        |                       | -7.67                     | -7.67                        | 34.4346322 | -118.6477055 | 1378         | 28.78                  | Valve Adjustment:Surging Liquid in<br>Header,Surging Liquid in Well<br>(Watered In)                          |                               |
| CV-24073-TP13 | 2/17/2026 12:13:10 PM | 32.9       | 64.0       | 0.0       | 3.1            | 0.0          | 0.5     |                         |                         | 150.1                | 148.3               | -7.37                        | -1.16                       | 7.272                        | 1.208                       | 0.0                    | 0.0                   | -7.44                     |                              | 34.4346270 | -118.6478385 | 1434         | 28.51                  | NSPS/EG CAI,Audible Flow,High Temp                                                                           |                               |
| CV-24073-TP13 | 2/17/2026 12:15:48 PM | 27.6       | 69.1       | 0.0       | 3.3            | 0.0          | 0.4     |                         |                         | 148.4                | 148.9               | -0.98                        | -1.06                       | 1.078                        | 1.108                       | 0.0                    | 0.0                   | -10.36                    |                              | 34.4346653 | -118.6477307 | 1394         | 28.51                  |                                                                                                              |                               |
| CV-24073-TP13 | 2/23/2026 9:23:30 AM  | 27.1       | 67.2       | 0.0       | 5.7            | 0.0          | 0.4     |                         |                         | 150.2                | 150.7               | -3.79                        | -3.81                       | 2.784                        | 2.890                       | 0.0                    | 0.0                   | -4.92                     |                              | 34.4346338 | -118.6477183 | 1375         | 28.71                  | NSPS/EG CAI,High Temp,Reduced<br>System Vacuum,Increased<br>Flow/Vacuum                                      |                               |
| CV-24073-TP13 | 2/23/2026 9:24:41 AM  | 30.3       | 65.5       | 0.0       | 4.2            | 0.0          | 0.5     |                         |                         | 151.3                | 151.4               | -3.82                        | -3.83                       | 2.988                        | 2.995                       | 0.0                    | 0.0                   | -5.11                     |                              | 34.4346612 | -118.6476898 | 1407         | 28.71                  | NSPS/EG CAI,High Temp                                                                                        |                               |
| CV-24073-TP13 | 2/26/2026 9:26:13 AM  | 36.9       | 63.1       | 0.0       | 0.0            | 0.0          | 0.6     |                         |                         | 146.9                | 149.2               | -4.19                        | -4.79                       | 4.050                        | 4.646                       |                        |                       | -5.18                     | -5.50                        | 34.4346743 | -118.6477008 | 1388         | 28.68                  | Valve Adjustment:No Flow<br>Measurement,High Temp                                                            |                               |
| CV-24074      | 2/3/2026 1:18:53 PM   | 3.3        | 85.6       | 0.0       | 11.1           | 0.0          | 0.0     |                         |                         | 110.3                | 110.1               | -10.26                       | -9.63                       | 10.196                       | 9.571                       |                        |                       | -10.25                    | -9.11                        | 34.4347170 | -118.6473983 | 1380         | 28.78                  | Valve Adjustment:Surging Liquid in<br>Header,Surging Liquid in Well<br>(Watered In)                          |                               |
| CV-24074      | 2/17/2026 11:59:08 AM | 3.7        | 86.8       | 0.0       | 9.5            | 0.0          | 0.0     |                         |                         | 90.9                 | 90.8                | -7.80                        | -4.49                       | 7.783                        | 4.537                       | 0.0                    | 0.0                   | -9.85                     |                              | 34.4346573 | -118.6473278 | 1470         | 28.51                  | Audible Flow,                                                                                                |                               |
| CV-24075-TP15 | 2/3/2026 7:53:51 AM   | 5.1        | 89.4       | 0.0       | 5.5            | 0.0          | 0.1     |                         |                         | 189.4                | 189.1               | -2.19                        | -2.37                       | 2.113                        | 2.298                       |                        |                       | -2.16                     | -2.26                        | 34.4350185 | -118.6471568 | 1375         | 28.78                  | Valve Adjustment:No Flow<br>Measurement,High Temp                                                            |                               |
| CV-24075-TP15 | 2/3/2026 7:55:00 AM   |            |            |           |                |              |         |                         | 116300                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA; [User entered 11.63%]  |
| CV-24075-TP15 | 2/3/2026 7:55:00 AM   |            |            |           |                |              |         | 2684                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                         |
| CV-24075-TP15 | 2/11/2026 8:09:49 AM  | 1.1        | 86.7       | 0.1       | 12.1           | 121.0        | 0.0     |                         |                         | 189.1                | 188.6               | -1.66                        | -1.74                       | 1.590                        | 1.577                       |                        |                       | -1.72                     | -1.75                        | 34.4350378 | -118.6471438 | 1375         | 28.63                  | Valve Comment:Enhance<br>monitoring;Valve Adjustment:High<br>Temp                                            |                               |
| CV-24075-TP15 | 2/11/2026 8:10:00 AM  |            |            |           |                |              |         |                         | 113550                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA; [User entered 11.355%] |
| CV-24075-TP15 | 2/11/2026 8:10:00 AM  |            |            |           |                |              |         | 2285                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                              | AtmAA                         |
| CV-24075-TP15 | 2/18/2026 8:44:06 AM  | 1.8        | 93.0       | 0.0       | 5.2            | 0.0          | 0.0     |                         |                         | 188.9                | 188.6               | 0.65                         | 0.58                        | 0.000                        | 0.000                       |                        |                       | 0.34                      | 0.26                         | 34.4350153 | -118.6471268 | 1383         | 28.52                  | Valve Comment:Enhanced<br>Monitoring;Valve Adjustment:High<br>Temp,Positive Static Press.,Valve<br>100% Open |                               |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                            |                              |
|---------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------|------------------------------|
| CV-24075-TP15 | 2/18/2026 8:44:56 AM  | 1.5        | 66.8       | 0.0       | 31.7           | 0.0          | 0.0     |                         |                         | 189.0                | 189.3               | 0.60                         | 0.73                        | 0.000                        | 0.000                       |                        |                       | 0.44                      | 0.56                         | 34.4350187 | -118.6471358 | 1380         | 28.52                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open |                              |
| CV-24075-TP15 | 2/25/2026 8:47:25 AM  | 2.6        | 78.6       | 2.2       | 16.6           | 7.5          | 0.0     |                         |                         | 189.7                | 190.2               | -0.82                        | -0.63                       | 0.877                        | 0.549                       |                        |                       | -0.84                     | -0.67                        | 34.4350017 | -118.6471452 | 1377         | 28.63                  | Valve Adjustment:No Flow Measurement,Valve 100% Open                                                |                              |
| CV-24076      | 2/3/2026 8:15:00 AM   |            |            |           |                |              |         |                         | 42700                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA; [User entered 4.27%]  |
| CV-24076      | 2/3/2026 8:15:00 AM   |            |            |           |                |              |         | 1159                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                        |
| CV-24076      | 2/3/2026 8:15:33 AM   | 23.3       | 76.6       | 0.1       | 0.0            | 0.0          | 0.3     |                         |                         | 164.8                | 164.7               | -4.22                        | -4.30                       | 4.181                        | 4.269                       |                        |                       | 0.14                      | 0.14                         | 34.4353195 | -118.6468485 | 1396         | 28.78                  | Valve Adjustment:No Flow Measurement,High Temp                                                      |                              |
| CV-24076      | 2/11/2026 7:55:00 AM  |            |            |           |                |              |         |                         | 65400                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA; [User entered 6.54%]  |
| CV-24076      | 2/11/2026 7:55:00 AM  |            |            |           |                |              |         | 2060                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                        |
| CV-24076      | 2/11/2026 7:55:53 AM  | 12.2       | 77.0       | 0.3       | 10.5           | 35.0         | 0.2     |                         |                         | 170.5                | 170.4               | -1.27                        | -1.21                       | 1.244                        | 1.199                       |                        |                       | -10.53                    | -10.24                       | 34.4353195 | -118.6468715 | 1397         | 28.6                   | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp                                         |                              |
| CV-24076      | 2/17/2026 9:39:12 AM  | 9.8        | 76.2       | 0.0       | 14.0           | 0.0          | 0.1     |                         |                         | 175.5                | 175.8               | -0.62                        | -0.65                       | 0.683                        | 0.701                       |                        |                       | -8.89                     | -9.08                        | 34.4353400 | -118.6468763 | 1405         | 28.56                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp                            |                              |
| CV-24076      | 2/17/2026 9:45:00 AM  |            |            |           |                |              |         | 2100                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                        |
| CV-24076      | 2/24/2026 1:45:16 PM  | 7.9        | 80.4       | 1.0       | 10.7           | 10.7         | 0.1     |                         |                         | 177.3                | 179.2               | -2.55                        | -1.48                       | 2.483                        | 1.453                       |                        |                       | 0.01                      | 0.00                         | 34.4353245 | -118.6468517 | 1394         | 28.59                  | Valve Adjustment:High Temp,Decreased Flow/Vacuum                                                    |                              |
| CV-24076      | 2/24/2026 1:46:18 PM  | 12.1       | 72.1       | 1.5       | 14.3           | 9.5          | 0.2     |                         |                         | 178.9                | 179.0               | -1.79                        | -1.77                       | 1.849                        | 1.841                       |                        |                       | 0.01                      | 0.01                         | 34.4353252 | -118.6468648 | 1395         | 28.59                  | Valve Adjustment:High Temp                                                                          |                              |
| CV-24077      | 2/6/2026 1:21:05 PM   | 25.1       | 56.1       | 0.0       | 18.8           | 0.0          | 0.4     |                         |                         | 123.5                | 123.8               | -4.26                        | -4.28                       | 4.120                        | 4.150                       |                        |                       | -4.80                     | -4.81                        | 34.4326883 | -118.6493232 | 1337         | 28.67                  |                                                                                                     |                              |
| CV-24077      | 2/22/2026 2:47:19 PM  | 9.1        | 67.3       | 0.0       | 23.7           | 0.0          | 0.1     |                         |                         | 132.8                | 130.8               | -4.78                        | -3.52                       | 4.680                        | 3.437                       |                        |                       | -9.22                     | -9.56                        | 34.4326988 | -118.6492957 | 1369         | 28.82                  | Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum                            |                              |
| CV-24077      | 2/22/2026 2:49:32 PM  | 11.4       | 56.1       | 0.0       | 32.5           | 0.0          | 0.2     |                         |                         | 128.5                | 127.3               | -5.37                        | -5.37                       | 5.167                        | 5.280                       |                        |                       | -9.40                     | -9.46                        | 34.4326667 | -118.6493175 | 1346         | 28.8                   | Well Comment:pump off;Well Condition:Pnumatic Pump Installed                                        |                              |
| CV-24078      | 2/6/2026 1:24:57 PM   | 25.1       | 69.1       | 0.3       | 5.5            | 18.3         | 0.4     |                         |                         | 121.9                | 123.8               | -0.05                        | -0.10                       | 0.321                        | 0.322                       | 35.4                   | 35.3                  | -0.42                     | -0.22                        | 34.4329055 | -118.6494440 | 1331         | 28.67                  | Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)                       |                              |
| CV-24078      | 2/22/2026 3:00:00 PM  | 31.9       | 45.4       | 0.0       | 22.7           | 0.0          | 0.7     |                         |                         | 130.7                | 129.2               | -5.38                        | -3.09                       | 2.787                        | 0.511                       | 31.6                   | 13.6                  | -10.13                    | -10.26                       | 34.4328948 | -118.6494330 | 1331         | 28.82                  | Valve Adjustment:Decreased Flow/Vacuum;Well Comment:pump off;Well Condition:Pnumatic Pump Installed |                              |
| CV-24078      | 2/22/2026 3:01:28 PM  | 31.1       | 46.5       | 0.0       | 22.4           | 0.0          | 0.7     |                         |                         | 129.0                | 129.5               | -2.99                        | -3.60                       | 0.271                        | 1.039                       | 9.9                    | 19.4                  | -10.58                    | -9.89                        | 34.4329278 | -118.6494327 | 1342         | 28.84                  | Valve Adjustment:Increased Flow/Vacuum                                                              |                              |
| CV-24078      | 2/22/2026 3:02:08 PM  | 31.0       | 47.1       | 0.0       | 21.9           | 0.0          | 0.7     |                         |                         | 129.6                | 129.6               | -3.78                        | -3.78                       | 1.043                        | 0.992                       | 19.4                   | 19.0                  | -10.25                    | -10.28                       | 34.4329303 | -118.6494322 | 1345         | 28.86                  |                                                                                                     |                              |
| CV-24079-TP8  | 2/3/2026 8:13:52 AM   | 16.4       | 74.6       | 0.0       | 9.0            | 0.0          | 0.2     |                         |                         | 136.9                | 137.4               | -2.31                        | -2.33                       | 2.253                        | 2.265                       |                        |                       | -7.60                     | -7.59                        | 34.4329822 | -118.6491155 | 1344         | 28.82                  |                                                                                                     |                              |
| CV-24079-TP8  | 2/22/2026 12:36:23 PM | 42.9       | 45.6       | 0.0       | 11.5           | 0.0          | 0.9     |                         |                         | 126.9                | 127.3               | -4.96                        | -4.94                       | 4.986                        | 4.930                       |                        |                       | -6.85                     | -6.93                        | 34.4329833 | -118.6491227 | 1347         | 28.83                  | Well Condition:Lorentz Pump Installed                                                               |                              |
| CV-24080      | 2/3/2026 8:06:34 AM   | 37.3       | 61.3       | 0.0       | 1.4            | 0.0          | 0.6     |                         |                         | 123.6                | 123.6               | -2.60                        | -2.57                       | 1.005                        | 0.636                       | 19.2                   | 15.3                  | -8.08                     | -5.89                        | 34.4331332 | -118.6488718 | 1353         | 28.82                  |                                                                                                     |                              |
| CV-24080      | 2/22/2026 12:18:51 PM | 40.0       | 52.9       | 0.0       | 7.1            | 0.0          | 0.8     |                         |                         | 121.0                | 121.1               | -1.89                        | -1.90                       | 0.771                        | 0.820                       | 16.9                   | 17.4                  | -6.59                     | -6.67                        | 34.4331330 | -118.6488652 | 1355         | 28.83                  |                                                                                                     |                              |
| CV-24081-TP10 | 2/3/2026 9:36:08 AM   | 47.9       | 52.1       | 0.0       | 0.0            | 0.0          | 0.9     |                         |                         | 112.6                | 112.2               | -2.17                        | -2.15                       | 2.137                        | 2.120                       |                        |                       | -10.96                    | -11.04                       | 34.4334342 | -118.6485993 | 1359         | 28.82                  |                                                                                                     |                              |
| CV-24081-TP10 | 2/19/2026 8:10:19 AM  | 47.1       | 50.3       | 0.0       | 2.6            | 0.0          | 0.9     |                         |                         | 75.8                 | 75.9                | -2.40                        | -2.38                       | 2.340                        | 2.347                       | 0.0                    | 0.0                   | -11.02                    |                              | 34.4335013 | -118.6486550 | 1362         | 28.5                   | No Adjustment Made,                                                                                 |                              |
| CV-24082      | 2/3/2026 9:49:24 AM   | 38.3       | 59.9       | 0.0       | 1.8            | 0.0          | 0.6     |                         |                         | 120.2                | 120.2               | -2.16                        | -2.09                       | 2.151                        | 2.031                       |                        |                       | -11.06                    | -11.28                       | 34.4334377 | -118.6483202 | 1378         | 28.82                  |                                                                                                     |                              |
| CV-24082      | 2/22/2026 11:52:24 AM | 43.3       | 50.7       | 0.0       | 6.0            | 0.0          | 0.9     |                         |                         | 102.7                | 102.8               | -2.45                        | -2.45                       | 2.347                        | 2.347                       |                        |                       | -10.68                    | -10.68                       | 34.4334380 | -118.6483212 | 1369         | 28.83                  |                                                                                                     |                              |
| CV-24083      | 2/3/2026 9:39:32 AM   | 45.1       | 49.4       | 0.5       | 5.0            | 10.0         | 0.9     |                         |                         | 132.5                | 133.3               | -4.31                        | -4.30                       | 4.222                        | 4.199                       |                        |                       | -11.27                    | -11.66                       | 34.4337225 | -118.6483377 | 1357         | 28.82                  |                                                                                                     |                              |
| CV-24083      | 2/19/2026 8:05:30 AM  | 52.0       | 45.9       | 0.0       | 2.1            | 0.0          | 1.1     |                         |                         | 85.6                 | 85.6                | -4.21                        | -4.21                       | 4.223                        | 4.201                       | 0.0                    | 0.0                   | -7.92                     |                              | 34.4336923 | -118.6484095 | 1371         | 28.5                   | No Adjustment Made,                                                                                 |                              |
| CV-24084-TP11 | 2/3/2026 8:59:02 AM   | 19.7       | 80.3       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 175.1                | 175.8               | -4.24                        | -2.78                       | 4.239                        | 2.760                       |                        |                       | 0.46                      | 0.33                         | 34.4338627 | -118.6480363 | 1366         | 28.81                  | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                |                              |
| CV-24084-TP11 | 2/3/2026 9:00:00 AM   |            |            |           |                |              |         |                         | 87000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA; [User entered 8.7%]   |
| CV-24084-TP11 | 2/3/2026 9:00:00 AM   |            |            |           |                |              |         | 1866                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                        |
| CV-24084-TP11 | 2/3/2026 9:00:47 AM   | 20.1       | 79.9       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 176.0                | 176.0               | -1.85                        | -1.86                       | 1.823                        | 1.830                       |                        |                       | 0.44                      | 0.45                         | 34.4338675 | -118.6480222 | 1372         | 28.82                  | Valve Adjustment:No Flow Measurement                                                                |                              |
| CV-24084-TP11 | 2/10/2026 8:10:00 AM  |            |            |           |                |              |         | 1600                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | Air Tech Lab                 |
| CV-24084-TP11 | 2/10/2026 8:30:00 AM  |            |            |           |                |              |         |                         | 78250                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA; [User entered 7.825%] |
| CV-24084-TP11 | 2/10/2026 8:30:00 AM  |            |            |           |                |              |         | 1800                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                     | AtmAA                        |
| CV-24084-TP11 | 2/10/2026 8:31:21 AM  | 8.8        | 87.2       | 0.0       | 4.0            | 0.0          | 0.1     |                         |                         | 175.9                | 175.9               | -3.83                        | -3.93                       | 3.744                        | 3.869                       |                        |                       | 0.00                      | 0.00                         | 34.4338518 | -118.6480173 | 1367         | 28.49                  | Valve Adjustment:High Temp,Surging Liquid in Header;Well Comment:No system port                     |                              |
| CV-24084-TP11 | 2/18/2026 12:53:11 PM | 8.1        | 83.0       | 0.6       | 8.3            | 13.8         | 0.1     |                         |                         | 176.0                | 175.9               | -4.41                        | -4.30                       | 4.429                        | 4.313                       |                        |                       | -0.04                     | -0.05                        | 34.4338705 | -118.6480423 | 1374         | 28.58                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                        |                              |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                                            |                                  |
|---------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| CV-24084-TP11 | 2/24/2026 2:29:32 PM  | 11.7       | 83.2       | 0.0       | 5.1            | 0.0          | 0.1     |                         |                         | 175.4             | 175.7            | -1.60                     | -1.44                    | 1.596                     | 1.450                    |                     |                    | 0.01                   | 0.01                      | 34.4338702 | -118.6480118 | 1374         | 28.61               | Valve Adjustment:No Flow Measurement,High Temp                                                                                      |                                  |
| CV-24085      | 2/2/2026 10:22:55 AM  | 43.7       | 50.8       | 0.2       | 5.3            | 26.5         | 0.9     |                         |                         | 123.6             | 123.6            | -0.33                     | -0.34                    | 0.176                     | 0.175                    | 7.9                 | 7.9                | -9.85                  |                           | 34.4323590 | -118.6489650 | 1365         | 28.67               |                                                                                                                                     |                                  |
| CV-24085      | 2/21/2026 8:46:49 AM  | 37.5       | 49.5       | 0.5       | 12.5           | 25.0         | 0.8     |                         |                         | 106.6             | 106.5            | -0.38                     | -0.38                    | 0.183                     | 0.180                    | 8.1                 | 8.0                | -9.97                  |                           | 34.4324057 | -118.6489928 | 1342         | 28.64               |                                                                                                                                     |                                  |
| CV-24086      | 2/13/2026 9:33:44 AM  | 40.7       | 54.2       | 0.0       | 5.1            | 0.0          | 0.8     |                         |                         | 126.2             | 126.0            | -1.00                     | -1.02                    | 0.993                     | 1.127                    | 39.3                | 41.8               | -7.47                  | -8.63                     | 34.4328743 | -118.6486937 | 1371         | 28.61               |                                                                                                                                     |                                  |
| CV-24086      | 2/18/2026 1:31:47 PM  | 43.8       | 49.1       | 0.0       | 7.1            | 0.0          | 0.9     |                         |                         | 125.3             | 125.2            | -0.60                     | -0.60                    | 0.912                     | 0.874                    | 37.6                | 36.8               | -8.24                  | -7.87                     | 34.4328598 | -118.6487092 | 1361         | 28.52               |                                                                                                                                     |                                  |
| CV-24087      | 2/2/2026 1:35:55 PM   | 41.4       | 47.7       | 0.0       | 10.9           | 0.0          | 0.9     |                         |                         | 116.6             | 116.5            | -0.70                     | -0.70                    | 1.565                     | 1.547                    | 24.1                | 23.9               | -7.57                  | -7.53                     | 34.4329950 | -118.6481318 | 1360         | 28.63               |                                                                                                                                     |                                  |
| CV-24087      | 2/3/2026 1:52:48 PM   | 33.3       | 60.9       | 0.0       | 5.8            | 0.0          | 0.5     |                         |                         | 82.7              | 100.3            | 0.15                      | -0.02                    | 0.159                     | 0.862                    | 7.5                 | 17.1               | -8.89                  |                           | 34.4329870 | -118.6482050 | 1394         | 28.71               | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                     |                                  |
| CV-24087      | 2/3/2026 1:58:46 PM   | 33.6       | 65.0       | 0.0       | 1.4            | 0.0          | 0.5     |                         |                         | 106.3             | 106.4            | -0.11                     | -0.12                    | 0.835                     | 0.836                    | 16.6                | 16.6               | -8.09                  |                           | 34.4329395 | -118.6480703 | 1398         | 28.71               |                                                                                                                                     |                                  |
| CV-24087      | 2/18/2026 10:05:29 AM | 49.0       | 42.1       | 0.1       | 8.8            | 88.0         | 1.2     |                         |                         | 101.5             | 101.7            | -0.51                     | -0.51                    | 0.093                     | 0.088                    | 6.0                 | 5.8                | -5.18                  | -5.35                     | 34.4330055 | -118.6481155 | 1379         | 28.57               |                                                                                                                                     |                                  |
| CV-24088      | 2/3/2026 10:02:42 AM  | 44.7       | 55.3       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 114.9             | 116.4            | -2.15                     | -2.14                    | 2.002                     | 2.021                    |                     |                    | -10.71                 | -11.19                    | 34.4335992 | -118.6476513 | 1388         | 28.81               | Valve Adjustment:Surging Liquid in Header                                                                                           |                                  |
| CV-24088      | 2/21/2026 10:23:49 AM | 49.7       | 49.4       | 0.0       | 0.9            | 0.0          | 1.0     |                         |                         | 98.6              | 99.2             | -2.10                     | -1.94                    | 2.037                     | 1.640                    |                     |                    | -6.72                  | -7.06                     | 34.4335862 | -118.6476572 | 1378         | 28.73               | Valve Adjustment:Decreased Flow/Vacuum                                                                                              |                                  |
| CV-24089      | 2/2/2026 2:27:02 PM   | 0.0        | 0.6        | 20.9      | 78.5           | 3.8          | 0.0     |                         |                         | 93.5              | 93.5             | -9.21                     | -9.20                    | -0.024                    | -0.020                   | 0.0                 | 0.0                | -9.09                  |                           | 34.4323662 | -118.6480632 | 1319         | 28.66               |                                                                                                                                     |                                  |
| CV-24089      | 2/2/2026 2:28:22 PM   | 0.0        | 0.4        | 21.0      | 78.6           | 3.7          | 0.0     |                         |                         | 90.5              | 90.7             | -9.17                     | -9.11                    | -0.015                    | -0.011                   | 0.0                 | 0.0                | -9.12                  |                           | 34.4324075 | -118.6480897 | 1276         | 28.66               |                                                                                                                                     |                                  |
| CV-24089      | 2/19/2026 8:58:52 AM  | 0.8        | 3.5        | 19.8      | 75.9           | 3.8          | 0.2     |                         |                         | 42.7              | 42.7             | -10.38                    | -10.39                   | 0.018                     | 0.021                    | 2.7                 | 3.0                | -10.23                 |                           | 34.4324822 | -118.6480530 | 1355         | 28.5                | NSPS/EG CAI,High O2                                                                                                                 |                                  |
| CV-24089      | 2/19/2026 9:02:18 AM  | 0.9        | 1.4        | 20.3      | 77.4           | 3.8          | 0.6     |                         |                         | 42.5              | 42.5             | -10.29                    | -10.28                   | 0.031                     | 0.028                    | 3.6                 | 3.4                | -10.19                 |                           | 34.4324498 | -118.6480927 | 1342         | 28.5                | NSPS/EG CAI,High O2                                                                                                                 |                                  |
| CV-24090      | 2/2/2026 1:26:46 PM   | 39.2       | 56.5       | 0.0       | 4.3            | 0.0          | 0.7     |                         |                         | 127.0             | 126.9            | -0.60                     | -0.70                    | 0.585                     | 0.679                    |                     |                    | -8.81                  | -8.80                     | 34.4326927 | -118.6475337 | 1368         | 28.67               | Valve Adjustment:Increased Flow/Vacuum                                                                                              |                                  |
| CV-24090      | 2/4/2026 10:27:35 AM  | 37.7       | 60.0       | 0.0       | 2.3            | 0.0          | 0.6     |                         |                         | 143.4             | 143.3            | -0.87                     | -0.39                    | 0.853                     | 0.387                    |                     |                    | -8.85                  | -8.76                     | 34.4326673 | -118.6475457 | 1372         | 28.82               | Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum                                                  |                                  |
| CV-24090      | 2/4/2026 10:29:10 AM  | 37.7       | 59.7       | 0.0       | 2.6            | 0.0          | 0.6     |                         |                         | 143.4             | 143.4            | -0.36                     | -0.36                    | 0.347                     | 0.346                    |                     |                    | -8.87                  | -8.87                     | 34.4326805 | -118.6475373 | 1367         | 28.82               | Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed                                  |                                  |
| CV-24090      | 2/18/2026 9:49:00 AM  | 38.4       | 54.9       | 0.0       | 6.7            | 0.0          | 0.7     |                         |                         | 113.4             | 111.9            | -1.14                     | -1.13                    | 1.107                     | 1.107                    |                     |                    | -10.07                 | -10.08                    | 34.4326808 | -118.6475272 | 1379         | 28.56               |                                                                                                                                     |                                  |
| CV-24091      | 2/2/2026 1:05:53 PM   | 50.9       | 46.4       | 0.0       | 2.7            | 0.0          | 1.1     |                         |                         | 130.9             | 131.1            | -1.21                     | -1.21                    | 2.145                     | 2.230                    | 17.6                | 18.0               | -7.92                  | -8.51                     | 34.4330020 | -118.6469038 | 1383         | 28.63               |                                                                                                                                     |                                  |
| CV-24091      | 2/18/2026 8:57:52 AM  | 52.5       | 43.8       | 0.0       | 3.7            | 0.0          | 1.2     |                         |                         | 125.4             | 126.2            | -2.44                     | -2.43                    | 1.586                     | 1.598                    | 15.2                | 15.2               | -9.02                  | -9.06                     | 34.4329998 | -118.6468900 | 1388         | 28.52               |                                                                                                                                     |                                  |
| CV-24092      | 2/2/2026 12:40:53 PM  | 52.2       | 41.9       | 0.0       | 5.9            | 0.0          | 1.2     |                         |                         | 120.6             | 120.7            | -1.75                     | -1.86                    | 1.710                     | 2.085                    | 25.0                | 27.6               | -8.94                  | -8.63                     | 34.4332997 | -118.6461498 | 1399         | 28.63               | Valve Adjustment:Increased Flow/Vacuum                                                                                              |                                  |
| CV-24092      | 2/23/2026 12:18:02 PM | 54.3       | 42.5       | 0.3       | 2.9            | 9.7          | 1.3     |                         |                         | 112.4             | 112.6            | -1.95                     | -2.06                    | -1.983                    | -2.346                   |                     |                    |                        |                           | 34.4332685 | -118.6461437 | 1365         | 28.71               | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                           |                                  |
| CV-24093      | 2/9/2026 11:18:56 AM  | 42.4       | 57.6       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 120.2             | 122.8            | 0.57                      | -0.04                    | 0.313                     | 1.969                    | 15.3                | 38.3               | -17.19                 |                           | 34.4340287 | -118.6463837 | 1411         | 28.53               | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press., |                                  |
| CV-24093      | 2/9/2026 11:22:06 AM  | 45.2       | 54.8       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 123.3             | 123.3            | -0.10                     | -0.09                    | 1.501                     | 1.192                    | 33.9                | 30.2               | -17.14                 |                           | 34.4340425 | -118.6463747 | 1424         | 28.53               |                                                                                                                                     |                                  |
| CV-24093      | 2/22/2026 9:37:46 AM  | 50.4       | 46.3       | 0.0       | 3.3            | 0.0          | 1.1     |                         |                         | 113.2             | 113.2            | -2.39                     | -2.39                    | 1.232                     | 1.246                    | 23.2                | 23.3               | -16.92                 | -16.73                    | 34.4340712 | -118.6463052 | 1433         | 28.8                | Well Condition:Lorentz Pump Installed                                                                                               |                                  |
| CV-24095      | 2/4/2026 8:25:00 AM   |            |            |           |                |              |         |                         | 121750                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                     | AtmAA; [User entered 12.175%]    |
| CV-24095      | 2/4/2026 8:25:00 AM   |            |            |           |                |              |         | 3225                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                     | AtmAA                            |
| CV-24095      | 2/4/2026 8:26:07 AM   | 4.6        | 91.1       | 0.0       | 4.3            | 0.0          | 0.1     |                         |                         | 167.9             | 168.1            | -2.74                     | -2.57                    | 2.760                     | 2.463                    |                     |                    | 0.29                   | 0.32                      | 34.4334002 | -118.6513170 | 1262         | 28.93               | Valve Adjustment:No Flow Measurement                                                                                                |                                  |
| CV-24095      | 2/9/2026 8:09:52 AM   | 2.3        | 67.9       | 4.0       | 25.8           | 6.5          | 0.0     |                         |                         | 163.5             | 163.6            | -11.82                    | -12.16                   | 12.217                    | 12.433                   |                     |                    | 0.00                   | 0.00                      | 34.4333962 | -118.6512887 | 1270         | 28.76               | Valve Adjustment:High Temp                                                                                                          |                                  |
| CV-24095      | 2/9/2026 8:10:00 AM   |            |            |           |                |              |         |                         | 139300                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                     | AtmAA; [User entered 13.93%]     |
| CV-24095      | 2/9/2026 8:10:00 AM   |            |            |           |                |              |         | 4290                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                     | AtmAA                            |
| CV-24095      | 2/13/2026 9:20:00 AM  |            |            |           |                |              |         |                         | 150000                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                     | Air Tech Lab; [User entered 15%] |
| CV-24095      | 2/13/2026 9:20:00 AM  |            |            |           |                |              |         | 3300                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                                     | Air Tech Lab                     |
| CV-24095      | 2/20/2026 12:24:25 PM | 3.7        | 74.3       | 2.6       | 19.4           | 7.5          | 0.0     |                         |                         | 162.8             | 162.8            | -1.41                     | -1.45                    | 1.317                     | 1.335                    |                     |                    | 0.00                   | 0.17                      | 34.4334157 | -118.6513027 | 1277         | 28.67               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header                               |                                  |
| CV-24095      | 2/25/2026 1:42:25 PM  | 9.6        | 74.3       | 1.7       | 14.4           | 8.5          | 0.1     |                         |                         | 164.0             | 164.0            | 0.34                      | 0.34                     | 0.000                     | 0.000                    |                     |                    | 0.30                   | 0.31                      | 34.4334000 | -118.6512740 | 1266         | 28.73               | Valve Comment:Active PLR;Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In)  |                                  |
| CV-24096      | 2/27/2026 9:43:22 AM  | 38.9       | 59.5       | 0.0       | 1.6            | 0.0          | 0.7     |                         |                         | 105.8             | 105.5            | 0.04                      | 0.00                     | 0.000                     | 0.000                    |                     |                    | 0.99                   | 1.26                      | 34.4332208 | -118.6516022 | 1238         | 28.78               | Valve Adjustment:Positive Static Press.                                                                                             |                                  |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                           |                                    |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|----------------------------------------------------------------------------------------------------|------------------------------------|
| CV-24097   | 2/5/2026 2:04:56 PM   | 39.9       | 59.8       | 0.0       | 0.3            | 0.0          | 0.7     |                         |                         | 122.7             | 121.9            | -4.37                     | -4.09                    | 4.283                     | 4.011                    |                     |                    | -6.48                  | -6.69                     | 34.4328022 | -118.6515880 | 1238         | 28.74               | Valve Adjustment:Surging Liquid in Header;Well Condition:Lorentz Pump Installed                    |                                    |
| CV-24097   | 2/21/2026 10:41:49 AM | 30.2       | 19.2       | 9.9       | 40.7           | 4.1          | 1.6     |                         |                         | 56.4              | 56.4             | -5.22                     | -5.15                    | 5.510                     | 5.363                    | 0.0                 | 0.0                | -5.22                  |                           | 34.4328022 | -118.6515467 | 1280         | 28.78               | NSPS/EG CAI,                                                                                       |                                    |
| CV-24097   | 2/21/2026 10:43:14 AM | 20.5       | 14.0       | 13.6      | 51.9           | 3.8          | 1.5     |                         |                         | 56.4              | 56.4             | -5.22                     | -5.20                    | 5.417                     | 5.335                    | 0.0                 | 0.0                | -5.36                  |                           | 34.4327400 | -118.6515055 | 1237         | 28.78               | No Flow Measurement,                                                                               |                                    |
| CV-24098   | 2/5/2026 2:15:54 PM   | 41.4       | 52.4       | 0.4       | 5.8            | 14.5         | 0.8     |                         |                         | 86.9              | 89.0             | -3.75                     | -3.75                    | 3.614                     | 3.614                    |                     |                    | -4.29                  | -4.29                     | 34.4325047 | -118.6513130 | 1242         | 28.74               |                                                                                                    |                                    |
| CV-24098   | 2/21/2026 10:58:00 AM | 42.4       | 54.4       | 0.1       | 3.1            | 31.0         | 0.8     |                         |                         | 79.4              | 79.3             | -7.64                     | -6.01                    | 7.530                     | 6.569                    | 0.0                 | 0.0                | -4.28                  |                           | 34.4325160 | -118.6513108 | 1257         | 28.79               | No Flow Measurement,                                                                               |                                    |
| CV-24099   | 2/5/2026 2:46:48 PM   | 17.3       | 74.7       | 0.0       | 8.0            | 0.0          | 0.2     |                         |                         | 94.8              | 94.8             | -2.65                     | -2.69                    | 2.618                     | 2.653                    |                     |                    | -3.55                  | -3.62                     | 34.4323387 | -118.6509117 | 1257         | 28.71               |                                                                                                    |                                    |
| CV-24099   | 2/21/2026 11:09:42 AM | 13.5       | 82.5       | 0.4       | 3.6            | 9.0          | 0.2     |                         |                         | 69.8              | 69.9             | -3.88                     | -4.64                    | 5.107                     | 3.323                    | 0.0                 | 0.0                | -5.82                  |                           | 34.4323305 | -118.6509320 | 1293         | 28.79               | No Flow Measurement,                                                                               |                                    |
| CV-24100   | 2/4/2026 8:05:00 AM   |            |            |           |                |              |         | 53                      |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                    | Air Tech Lab                       |
| CV-24100   | 2/5/2026 1:44:15 PM   | 22.7       | 73.8       | 0.0       | 3.5            | 0.0          | 0.3     |                         |                         | 134.5             | 138.2            | -7.53                     | -7.77                    | 7.582                     | 7.801                    |                     |                    | -0.06                  | -0.16                     | 34.4320553 | -118.6504960 | 1261         | 28.73               | Valve Comment:no system port                                                                       |                                    |
| CV-24100   | 2/21/2026 11:29:01 AM | 21.4       | 78.6       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 111.7             | 111.9            | -9.48                     | -9.50                    | 8.803                     | 8.716                    | 0.0                 | 0.0                | -9.64                  |                           | 34.4320722 | -118.6504420 | 1263         | 28.78               | No Flow Measurement,                                                                               |                                    |
| CV-24101   | 2/4/2026 7:50:00 AM   |            |            |           |                |              |         |                         | 1800                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                    | Air Tech Lab; [User entered 0.18%] |
| CV-24101   | 2/4/2026 7:50:00 AM   |            |            |           |                |              |         | 0                       |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                    | Air Tech Lab                       |
| CV-24101   | 2/5/2026 1:38:50 PM   | 39.4       | 54.1       | 0.4       | 6.1            | 15.3         | 0.7     |                         |                         | 110.9             | 110.4            | -1.42                     | -1.28                    | 1.382                     | 1.237                    |                     |                    | -1.51                  | -1.21                     | 34.4318492 | -118.6502850 | 1256         | 28.72               |                                                                                                    |                                    |
| CV-24101   | 2/24/2026 9:50:06 AM  | 37.0       | 59.0       | 0.0       | 4.0            | 0.0          | 0.6     |                         |                         | 110.7             | 110.4            | -1.82                     | -1.82                    | 1.783                     | 1.783                    |                     |                    | 0.29                   | 0.29                      | 34.4318217 | -118.6502738 | 1261         | 28.75               | Valve Adjustment:Surging Liquid in Header                                                          |                                    |
| CV-24101   | 2/24/2026 11:22:40 AM | 36.6       | 60.1       | 0.3       | 3.0            | 10.0         | 0.6     |                         |                         | 110.5             | 110.5            | -0.80                     | -0.90                    | 0.765                     | 0.842                    | 0.0                 | 0.0                | -2.07                  |                           | 34.4317047 | -118.6503162 | 1306         | 28.67               | No Adjustment Made,                                                                                |                                    |
| CV-24102   | 2/4/2026 2:12:01 PM   | 46.1       | 48.5       | 0.0       | 5.4            | 0.0          | 1.0     |                         |                         | 98.4              | 98.9             | -0.30                     | -0.32                    | 0.276                     | 0.268                    |                     |                    | -8.43                  | -8.96                     | 34.4316185 | -118.6497800 | 1279         | 28.78               | Valve Adjustment:Audible Flow;Well Condition:Fair                                                  |                                    |
| CV-24102   | 2/22/2026 1:06:59 PM  | 48.2       | 46.2       | 0.0       | 5.7            | 0.0          | 1.0     |                         |                         | 102.2             | 102.2            | -1.55                     | -1.55                    | 1.569                     | 1.568                    |                     |                    | -9.09                  | -9.11                     | 34.4316235 | -118.6497920 | 1286         | 28.88               |                                                                                                    |                                    |
| CV-24103   | 2/2/2026 9:47:38 AM   | 51.8       | 46.5       | 0.0       | 1.7            | 0.0          | 1.1     |                         |                         | 108.4             | 108.4            | -0.87                     | -0.86                    | 0.496                     | 0.500                    | 9.0                 | 9.1                | -9.77                  |                           | 34.4317707 | -118.6488945 | 1296         | 28.66               |                                                                                                    |                                    |
| CV-24103   | 2/17/2026 9:35:11 AM  | 51.1       | 48.0       | 0.0       | 0.9            | 0.0          | 1.1     |                         |                         | 101.3             | 101.3            | -1.09                     | -1.12                    | 0.594                     | 0.594                    | 9.9                 | 9.9                | -10.48                 |                           | 34.4316755 | -118.6488338 | 1339         | 28.57               |                                                                                                    |                                    |
| CV-24104   | 2/2/2026 9:54:30 AM   | 44.7       | 51.1       | 0.0       | 4.2            | 0.0          | 0.9     |                         |                         | 102.1             | 102.1            | -1.16                     | -0.96                    | 1.187                     | 0.789                    | 13.7                | 11.2               | -10.13                 |                           | 34.4317417 | -118.6480747 | 1375         | 28.65               |                                                                                                    |                                    |
| CV-24104   | 2/17/2026 9:45:03 AM  | 42.2       | 54.5       | 0.0       | 3.3            | 0.0          | 0.8     |                         |                         | 84.4              | 84.4             | -1.38                     | -1.37                    | 1.101                     | 1.273                    | 13.2                | 14.2               | -10.52                 |                           | 34.4316952 | -118.6481175 | 1358         | 28.58               |                                                                                                    |                                    |
| CV-24104   | 2/23/2026 2:08:42 PM  | 41.6       | 58.4       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 101.9             | 102.0            | -0.18                     | -0.28                    | 1.569                     | 2.282                    | 15.4                | 18.6               | -8.58                  |                           | 34.4317173 | -118.6480892 | 1355         | 28.72               | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                |                                    |
| CV-24105   | 2/2/2026 3:42:28 PM   | 51.4       | 46.2       | 0.0       | 2.4            | 0.0          | 1.1     |                         |                         | 101.3             | 101.3            | -0.18                     | -0.18                    | 0.517                     | 0.464                    | 9.3                 | 8.8                | -8.90                  |                           | 34.4319073 | -118.6476493 | 1332         | 28.64               |                                                                                                    |                                    |
| CV-24105   | 2/17/2026 8:53:18 AM  | 49.6       | 47.5       | 0.0       | 2.9            | 0.0          | 1.0     |                         |                         | 90.3              | 90.3             | -0.97                     | -0.99                    | 0.327                     | 0.451                    | 7.4                 | 8.7                | -10.44                 |                           | 34.4318860 | -118.6476443 | 1352         | 28.62               | No Adjustment Made,                                                                                |                                    |
| CV-24106   | 2/3/2026 11:03:01 AM  | 50.3       | 42.9       | 0.1       | 6.7            | 67.0         | 1.2     |                         |                         | 128.5             | 128.5            | -1.56                     | -1.54                    | -0.566                    | -0.573                   | 0.0                 | 0.0                | -10.30                 |                           | 34.4321288 | -118.6467148 | 1263         | 28.91               |                                                                                                    |                                    |
| CV-24106   | 2/4/2026 10:00:20 AM  | 49.9       | 46.3       | 0.0       | 3.8            | 0.0          | 1.1     |                         |                         | 129.9             | 129.9            | -1.53                     | -1.59                    | 0.332                     | 0.280                    |                     |                    | -9.98                  | -9.87                     | 34.4321022 | -118.6467378 | 1333         | 28.85               | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open              |                                    |
| CV-24106   | 2/17/2026 8:21:58 AM  | 50.1       | 44.1       | 0.0       | 5.8            | 0.0          | 1.1     |                         |                         | 127.9             | 127.8            | -2.65                     | -2.63                    | -0.152                    | 0.503                    | 0.0                 | 28.7               | -12.28                 |                           | 34.4321580 | -118.6467478 | 1348         | 28.62               | No Adjustment Made,                                                                                |                                    |
| CV-24107   | 2/4/2026 9:51:42 AM   | 45.5       | 53.6       | 0.0       | 0.9            | 0.0          | 0.8     |                         |                         | 130.9             | 129.6            | -4.83                     | -3.91                    | 4.740                     | 3.832                    |                     |                    | -8.76                  | -9.12                     | 34.4325632 | -118.6461728 | 1326         | 28.86               | Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed |                                    |
| CV-24107   | 2/4/2026 9:52:52 AM   | 45.0       | 54.4       | 0.0       | 0.6            | 0.0          | 0.8     |                         |                         | 129.8             | 129.9            | -3.78                     | -3.78                    | 3.701                     | 3.702                    |                     |                    | -9.13                  | -9.18                     | 34.4325593 | -118.6461792 | 1325         | 28.86               | Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Lorentz Pump Installed                     |                                    |
| CV-24108   | 2/4/2026 9:23:32 AM   | 45.3       | 39.6       | 2.5       | 12.6           | 5.0          | 1.1     |                         |                         | 116.0             | 117.4            | -0.09                     | -0.26                    | 0.018                     | 0.010                    |                     |                    | -24.82                 | -22.79                    | 34.4331472 | -118.6454375 | 1363         | 28.82               | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum                          |                                    |
| CV-24109   | 2/4/2026 9:00:37 AM   | 37.6       | 43.8       | 0.0       | 18.6           | 0.0          | 0.9     |                         |                         | 95.4              | 96.1             | -8.11                     | -8.15                    | 8.595                     | 8.659                    |                     |                    | -9.07                  | -9.09                     | 34.4339997 | -118.6448732 | 1389         | 28.8                | Valve Comment:RES SEM;Valve Adjustment:Audible Flow;Well Condition:Fair                            |                                    |
| CV-24110   | 2/9/2026 2:15:49 PM   | 44.8       | 52.8       | 0.0       | 2.4            | 0.0          | 0.8     |                         |                         | 124.3             | 124.2            | -0.12                     | -0.13                    | 0.000                     | 0.000                    |                     |                    | -14.97                 | -15.26                    | 34.4346328 | -118.6446555 | 1393         | 28.54               | Valve Adjustment:Audible Flow,Vacuum,Opened Valve 1/2 Turn or Less                                 |                                    |
| CV-24110   | 2/23/2026 8:07:38 AM  | 46.1       | 50.3       | 0.0       | 3.6            | 0.0          | 0.9     |                         |                         | 120.1             | 120.5            | -2.85                     | -2.97                    | 2.645                     | 3.349                    | 30.8                | 34.7               | -16.28                 |                           | 34.4345982 | -118.6446917 | 1378         | 28.66               | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum                          |                                    |
| CV-24111   | 2/9/2026 2:05:21 PM   | 32.2       | 63.4       | 0.0       | 4.4            | 0.0          | 0.5     |                         |                         | 87.3              | 103.8            | 2.32                      | -0.28                    | 0.000                     | 0.282                    |                     |                    | -6.18                  | -5.45                     | 34.4353265 | -118.6449733 | 1397         | 28.53               | Valve Adjustment:NSPS/EG CAI                                                                       |                                    |
| CV-24111   | 2/9/2026 2:05:50 PM   | 32.1       | 66.7       | 0.0       | 1.2            | 0.0          | 0.5     |                         |                         | 104.5             | 105.0            | -0.31                     | -0.31                    | 0.300                     | 0.323                    |                     |                    | -5.25                  | -5.35                     | 34.4353163 | -118.6449515 | 1393         | 28.53               | Valve Adjustment:NSPS/EG CAC                                                                       |                                    |
| CV-24112   | 2/20/2026 12:19:48 PM | 50.4       | 39.3       | 0.0       | 10.3           | 0.0          | 1.3     |                         |                         | 127.2             | 127.2            | -1.83                     | -1.84                    | 0.919                     | 0.905                    | 18.2                | 18.1               | -12.98                 | -13.09                    | 34.4352340 | -118.6441973 | 1380         | 28.56               |                                                                                                    |                                    |
| CV-24114   | 2/4/2026 12:17:30 PM  | 55.2       | 43.1       | 0.0       | 1.7            | 0.0          | 1.3     |                         |                         | 121.0             | 120.1            | -8.09                     | -9.15                    | 0.765                     | 1.154                    | 17.1                | 21.0               | -10.33                 |                           | 34.4306895 | -118.6485595 | 1385         | 28.87               | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                                   |                                    |
| CV-24114   | 2/23/2026 2:32:53 PM  | 56.1       | 43.9       | 0.0       | 0.0            | 0.0          | 1.3     |                         |                         | 121.4             | 121.4            | -8.41                     | -8.42                    | -2.144                    | -1.759                   | 0.0                 | 0.0                | -9.67                  |                           | 34.4308308 | -118.6485985 | 1270         | 28.77               | Increased Flow/Vacuum,                                                                             |                                    |
| CV-24116   | 2/4/2026 10:03:57 AM  | 50.6       | 45.3       | 0.0       | 4.1            | 0.0          | 1.1     |                         |                         | 112.4             | 112.5            | -1.17                     | -1.15                    | 1.145                     | 1.140                    | 0.0                 | 0.0                | -11.70                 |                           | 34.4315435 | -118.6457923 | 1204         | 28.9                |                                                                                                    |                                    |
| CV-24117   | 2/2/2026 11:16:22 AM  | 47.2       | 45.4       | 0.0       | 7.4            | 0.0          | 1.0     |                         |                         | 108.7             | 108.7            | -0.29                     | -0.27                    | 0.315                     | 0.315                    | 0.0                 | 0.0                | -23.95                 |                           | 34.4323667 | -118.6449852 | 1280         | 28.76               | No Adjustment Made,                                                                                |                                    |
| CV-24118   | 2/6/2026 2:28:14 PM   | 16.2       | 83.8       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 136.3             | 136.7            | -0.56                     | -0.54                    | 0.523                     | 0.517                    |                     |                    | -9.31                  | -9.07                     | 34.4332820 | -118.6438318 | 1307         | 28.71               | Valve Adjustment:High Temp                                                                         |                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                                     |                                    |
|---------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| CV-24118      | 2/9/2026 8:09:43 AM   | 16.0       | 77.3       | 0.6       | 6.1            | 10.2         | 0.2     |                         |                         | 135.2                | 134.9               | -0.63                        | -0.25                       | 0.623                        | 0.242                       |                        |                       | -8.99                     | -9.21                        | 34.4332955 | -118.6438313 | 1304         | 28.71                  | Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum                                                                              |                                    |
| CV-24118      | 2/9/2026 8:10:22 AM   | 15.9       | 79.6       | 1.0       | 3.5            | 3.5          | 0.2     |                         |                         | 134.5                | 134.7               | -0.24                        | -0.23                       | 0.234                        | 0.218                       |                        |                       | -9.41                     | -9.26                        | 34.4332995 | -118.6438253 | 1308         | 28.71                  | Valve Adjustment: NSPS/EG CAI, High Temp; Well Condition: Fair                                                                               |                                    |
| CV-24118      | 2/24/2026 8:42:49 AM  | 19.1       | 77.8       | 0.0       | 3.1            | 0.0          | 0.2     |                         |                         | 134.3                | 135.1               | -1.29                        | -1.40                       | 0.184                        | 0.488                       | 12.0                   | 19.8                  |                           |                              | 34.4333040 | -118.6438485 | 1306         | 28.64                  | NSPS/EG CAI, High Temp, Increased Flow/Vacuum                                                                                                |                                    |
| CV-24118      | 2/24/2026 8:44:38 AM  | 19.3       | 78.0       | 0.0       | 2.7            | 0.0          | 0.2     |                         |                         | 134.6                | 134.6               | -1.40                        | -1.42                       | 0.440                        | 0.445                       | 18.8                   | 18.9                  |                           |                              | 34.4333125 | -118.6438600 | 1329         | 28.64                  | NSPS/EG CAI, High Temp                                                                                                                       |                                    |
| CV-24119      | 2/6/2026 4:29:46 PM   | 51.5       | 43.8       | 0.0       | 4.7            | 0.0          | 1.2     |                         |                         | 136.3                | 134.6               | -0.95                        | -1.60                       | 0.926                        | 1.566                       |                        |                       | -8.96                     | -8.54                        | 34.4337258 | -118.6423220 | 1254         | 28.75                  | Valve Comment: RES SEM; Valve Adjustment: NSPS/EG CAI, High Temp, Increased Flow/Vacuum, Barely Open; Well Condition: Lorentz Pump Installed |                                    |
| CV-24119      | 2/6/2026 4:32:43 PM   | 51.9       | 44.8       | 0.0       | 3.3            | 0.0          | 1.2     |                         |                         | 134.3                | 134.7               | -0.99                        | -0.98                       | 0.956                        | 0.960                       |                        |                       | -8.84                     | -8.62                        | 34.4337563 | -118.6423012 | 1302         | 28.75                  | Valve Comment: RES SEM; Valve Adjustment: NSPS/EG CAI, High Temp, Barely Open; Well Condition: Lorentz Pump Installed                        |                                    |
| CV-24120      | 2/2/2026 8:25:00 AM   |            |            |           |                |              |         |                         | 15000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab; [User entered 1.5%]  |
| CV-24120      | 2/2/2026 8:25:00 AM   |            |            |           |                |              |         | 220                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab                       |
| CV-24120      | 2/12/2026 8:53:02 AM  | 7.6        | 73.3       | 0.7       | 18.4           | 25.6         | 0.1     |                         |                         | 89.4                 | 89.0                | -10.84                       | -11.13                      | 10.960                       | 11.199                      |                        |                       | -10.78                    | -11.16                       | 34.4368512 | -118.6473070 | 1342         | 28.75                  | Well Condition: Lorentz Pump Installed; Well Repairs: Sample Port                                                                            |                                    |
| CV-24120      | 2/15/2026 2:10:21 PM  | 4.2        | 70.4       | 0.8       | 24.6           | 31.6         | 0.1     |                         |                         | 74.6                 | 74.5                | -8.14                        | -7.72                       | 8.170                        | 7.638                       |                        |                       | -8.05                     | -7.72                        | 34.4368062 | -118.6473145 | 1322         | 28.57                  |                                                                                                                                              |                                    |
| CV-24121      | 2/10/2026 8:30:00 AM  |            |            |           |                |              |         | 200                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab                       |
| CV-24121      | 2/12/2026 8:31:05 AM  | 31.3       | 61.4       | 0.3       | 7.0            | 23.2         | 0.5     |                         |                         | 120.8                | 121.7               | -11.12                       | -10.78                      | 11.205                       | 10.862                      |                        |                       | -11.07                    | -10.92                       | 34.4369293 | -118.6470452 | 1325         | 28.75                  | Valve Adjustment: Valve 100% Open; Well Condition: Pnumatic Pump Installed                                                                   |                                    |
| CV-24121      | 2/15/2026 2:15:50 PM  | 19.7       | 66.6       | 0.7       | 13.0           | 18.5         | 0.3     |                         |                         | 115.0                | 114.1               | -7.64                        | -7.22                       | 7.806                        | 7.335                       |                        |                       | -7.91                     | -7.49                        | 34.4369577 | -118.6470343 | 1338         | 28.57                  |                                                                                                                                              |                                    |
| CV-24122      | 2/2/2026 7:50:00 AM   |            |            |           |                |              |         |                         | 2800                    |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab; [User entered 0.28%] |
| CV-24122      | 2/12/2026 9:03:31 AM  | 47.6       | 42.1       | 1.8       | 8.6            | 4.8          | 1.1     |                         |                         | 67.0                 | 67.0                | -9.95                        | -9.62                       | 0.095                        | 0.205                       | 1.4                    | 2.1                   | -10.29                    | -10.12                       | 34.4371813 | -118.6466177 | 1317         | 28.78                  | Valve Adjustment: Decreased Flow/Vacuum                                                                                                      |                                    |
| CV-24122      | 2/12/2026 9:04:29 AM  | 47.7       | 42.8       | 0.9       | 8.5            | 9.2          | 1.1     |                         |                         | 67.1                 | 67.0                | -9.43                        | -9.40                       | 0.068                        | 0.254                       | 1.2                    | 2.3                   | -9.74                     | -10.20                       | 34.4371522 | -118.6466102 | 1317         | 28.8                   | Valve Adjustment: Surging Liquid in Header                                                                                                   |                                    |
| CV-24122      | 2/15/2026 2:34:49 PM  | 53.8       | 42.4       | 0.0       | 3.8            | 0.0          | 1.3     |                         |                         | 70.3                 | 70.4                | -1.74                        | -2.01                       | 0.046                        | 0.088                       | 1.0                    | 1.4                   | -2.00                     | -2.06                        | 34.4371792 | -118.6466320 | 1290         | 28.57                  | Valve Comment: reduced system vacuum                                                                                                         |                                    |
| CV-24123      | 2/4/2026 7:54:38 AM   | 52.2       | 43.8       | 0.0       | 4.0            | 0.0          | 1.2     |                         |                         | 114.1                | 114.3               | -4.37                        | -4.46                       | 1.357                        | 1.408                       | 22.4                   | 22.9                  | -6.45                     | -6.34                        | 34.4373097 | -118.6462455 | 1312         | 28.9                   | Valve Comment: RES SEM; Valve Adjustment: Audible Flow, Increased Flow/Vacuum                                                                |                                    |
| CV-24124      | 2/12/2026 9:22:01 AM  | 10.9       | 78.1       | 0.0       | 11.0           | 0.0          | 0.1     |                         |                         | 106.2                | 106.7               | -9.68                        | -10.32                      | 9.977                        | 10.609                      |                        |                       | -9.86                     | -10.47                       | 34.4366368 | -118.6470438 | 1366         | 28.75                  |                                                                                                                                              |                                    |
| CV-24125-TP20 | 2/2/2026 8:00:00 AM   |            |            |           |                |              |         |                         | 4800                    |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab; [User entered 0.48%] |
| CV-24125-TP20 | 2/2/2026 8:00:00 AM   |            |            |           |                |              |         | 110                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab                       |
| CV-24125-TP20 | 2/13/2026 3:44:21 PM  | 31.8       | 68.2       | 0.0       | 0.0            | 0.0          | 0.5     |                         |                         | 111.9                | 113.2               | 0.10                         | -0.12                       | 0.020                        | 0.138                       | 0.0                    | 0.0                   | -6.35                     |                              | 34.4369118 | -118.6463707 | 1316         | 28.59                  | NSPS/EG CAI, NSPS/EG CAC, Positive Static Press., Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less                                       |                                    |
| CV-24125-TP20 | 2/13/2026 3:46:54 PM  | 31.2       | 68.8       | 0.0       | 0.0            | 0.0          | 0.5     |                         |                         | 113.1                | 112.9               | -0.11                        | -0.12                       | 0.150                        | 0.154                       | 0.0                    | 0.0                   | -6.13                     |                              | 34.4368480 | -118.6463018 | 1270         | 28.59                  | .                                                                                                                                            |                                    |
| CV-24126      | 2/2/2026 10:00:00 AM  |            |            |           |                |              |         |                         | 84500                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | AtmAA; [User entered 8.45%]        |
| CV-24126      | 2/2/2026 10:00:00 AM  |            |            |           |                |              |         | 2650                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | AtmAA                              |
| CV-24126      | 2/2/2026 10:00:53 AM  | 8.5        | 82.2       | 0.0       | 9.3            | 0.0          | 0.1     |                         |                         | 189.7                | 189.8               | -6.69                        | -7.04                       | 7.107                        | 7.420                       |                        |                       | -7.51                     | -8.03                        | 34.4363827 | -118.6471512 | 1376         | 28.68                  | Valve Adjustment: High Temp                                                                                                                  |                                    |
| CV-24126      | 2/9/2026 12:52:55 PM  | 0.6        | 92.1       | 0.0       | 7.3            | 0.0          | 0.0     |                         |                         | 189.0                | 189.2               | -10.68                       | -10.96                      | 10.677                       | 10.952                      |                        |                       | -14.05                    | -14.63                       | 34.4364010 | -118.6471427 | 1386         | 28.56                  | Valve Adjustment: High Temp                                                                                                                  |                                    |
| CV-24126      | 2/9/2026 12:55:00 PM  |            |            |           |                |              |         |                         | 150500                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | AtmAA; [User entered 15.05%]       |
| CV-24126      | 2/9/2026 12:55:00 PM  |            |            |           |                |              |         | 4440                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | AtmAA                              |
| CV-24126      | 2/10/2026 8:20:00 AM  |            |            |           |                |              |         | 590                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab                       |
| CV-24126      | 2/17/2026 8:58:39 AM  | 0.8        | 79.8       | 1.2       | 18.2           | 15.2         | 0.0     |                         |                         | 187.8                | 188.6               | -1.00                        | -0.99                       | 1.045                        | 1.034                       |                        |                       | -3.68                     | -3.74                        | 34.4363903 | -118.6471348 | 1387         | 28.56                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp                                                                 |                                    |
| CV-24126      | 2/17/2026 9:00:00 AM  |            |            |           |                |              |         | 4120                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | AtmAA                              |
| CV-24126      | 2/23/2026 10:15:17 AM | 3.7        | 86.3       | 0.0       | 10.0           | 0.0          | 0.0     |                         |                         | 174.5                | 174.3               | 7.06                         | 7.09                        | 0.000                        | 0.000                       |                        |                       | 1.07                      | 0.63                         | 34.4363905 | -118.6471330 | 1376         | 28.78                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: High Temp, Positive Static Press., Valve 100% Open                                     |                                    |
| CV-24126      | 2/23/2026 10:15:47 AM | 3.9        | 88.4       | 0.0       | 7.7            | 0.0          | 0.0     |                         |                         | 172.5                | 171.1               | 6.76                         | 6.76                        | 0.000                        | 0.000                       |                        |                       | 1.43                      | 1.43                         | 34.4363845 | -118.6471348 | 1375         | 28.78                  | Valve Comment: Enhanced Monitoring; Valve Adjustment: High Temp, Positive Static Press., Valve 100% Open                                     |                                    |
| CV-24127      | 2/10/2026 3:28:03 PM  | 2.4        | 82.7       | 0.3       | 14.6           | 48.7         | 0.0     |                         |                         | 100.1                | 96.7                | -2.23                        | -2.03                       | 2.300                        | 2.117                       | 0.0                    | 0.0                   | -11.43                    |                              | 34.4365083 | -118.6468908 | 4521         | 28.43                  | .                                                                                                                                            |                                    |
| CV-24127      | 2/12/2026 9:55:00 AM  |            |            |           |                |              |         |                         | 150000                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                              | Air Tech Lab; [User entered 15%]   |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date           | CH4  | CO2  | O2   | Bal Gas | BalO2 | CH4:CO2 | CO Reading [ppmv] | H2 Reading [ppmv] | Init Temp [°F] | Adj Temp [°F] | Init Stat Press [”H2O] | Adj Stat Press [”H2O] | Init Diff Press [”H2O] | Adj Diff Press [”H2O] | Init Flow [scfm] | Adj Flow [scfm] | Sys Pressure [”H2O] | Adj Avail Press [”H2O] | Latitude   | Longitude    | Elev [ft] | Baro Press [”Hg] | Comments                                                                                                      |
|---------------|-----------------------|------|------|------|---------|-------|---------|-------------------|-------------------|----------------|---------------|------------------------|-----------------------|------------------------|-----------------------|------------------|-----------------|---------------------|------------------------|------------|--------------|-----------|------------------|---------------------------------------------------------------------------------------------------------------|
| CV-24127      | 2/12/2026 9:55:00 AM  |      |      |      |         |       |         | 2600              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                  |
| CV-24128      | 2/2/2026 8:55:00 AM   |      |      |      |         |       |         |                   | 35000             |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 3.5%]                                                                             |
| CV-24128      | 2/2/2026 8:55:00 AM   |      |      |      |         |       |         | 640               |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                  |
| CV-24128      | 2/10/2026 3:18:12 PM  | 23.0 | 50.3 | 1.2  | 25.5    | 21.3  | 0.5     |                   |                   | 111.0          | 112.7         | -3.30                  | -1.57                 | 3.231                  | 1.468                 | 0.0              | 0.0             | -12.77              |                        | 34.4367067 | -118.6464157 | 4327      | 28.43            | Audible Flow,                                                                                                 |
| CV-24129      | 2/10/2026 3:04:10 PM  | 38.5 | 58.7 | 0.0  | 2.8     | 0.0   | 0.7     |                   |                   | 122.5          | 119.2         | -4.12                  | -2.76                 | 4.016                  | 2.718                 | 0.0              | 0.0             | -12.36              |                        | 34.4367097 | -118.6462145 | 4380      | 28.46            | ,                                                                                                             |
| CV-24130      | 2/13/2026 3:17:32 PM  | 22.7 | 64.4 | 0.2  | 12.7    | 63.5  | 0.4     |                   |                   | 123.9          | 119.8         | -8.00                  | -3.40                 | 7.874                  | 3.409                 | 0.0              | 0.0             | -11.05              |                        | 34.4367432 | -118.6457162 | 1302      | 28.55            | ,                                                                                                             |
| CV-24131      | 2/10/2026 2:32:27 PM  | 38.1 | 49.0 | 1.9  | 11.0    | 5.8   | 0.8     |                   |                   | 118.2          | 116.8         | -1.14                  | -0.67                 | 0.487                  | 0.167                 | 13.1             | 7.7             | -4.66               |                        | 34.4366740 | -118.6450077 | 4393      | 28.58            | ,                                                                                                             |
| CV-24132      | 2/4/2026 8:04:12 AM   | 52.1 | 43.3 | 0.0  | 4.6     | 0.0   | 1.2     |                   |                   | 127.9          | 128.1         | -5.41                  | -5.41                 | 0.042                  | 0.042                 | 12.6             | 12.7            | -9.83               | -9.81                  | 34.4372535 | -118.6440353 | 1290      | 28.9             | Valve Adjustment:Audible Flow,Barely Open                                                                     |
| CV-24133      | 2/4/2026 8:26:59 AM   | 55.2 | 41.5 | 0.0  | 3.3     | 0.0   | 1.3     |                   |                   | 122.0          | 122.1         | -4.87                  | -5.07                 | 1.000                  | 1.232                 | 19.1             | 21.2            | -14.46              | -14.40                 | 34.4374262 | -118.6427495 | 1286      | 28.9             | Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open                         |
| CV-24134-TP19 | 2/13/2026 3:08:28 PM  | 31.8 | 61.6 | 0.1  | 6.5     | 65.0  | 0.5     |                   |                   | 134.6          | 134.2         | -6.18                  | -1.21                 | 6.158                  | 1.184                 | 76.1             | 33.0            |                     |                        | 34.4364318 | -118.6466435 | 1417      | 28.53            | NSPS/EG CAI,High O2                                                                                           |
| CV-24134-TP19 | 2/13/2026 3:09:48 PM  | 28.0 | 65.6 | 0.0  | 6.4     | 0.0   | 0.4     |                   |                   | 133.6          | 133.7         | -1.27                  | -1.26                 | 1.031                  | 1.124                 | 30.3             | 31.6            |                     |                        | 34.4363785 | -118.6465695 | 1391      | 28.53            | ,                                                                                                             |
| CV-24135      | 2/10/2026 11:50:50 AM | 29.4 | 70.6 | 0.0  | 0.0     | 0.0   | 0.4     |                   |                   | 133.3          | 135.4         | -1.69                  | -0.48                 | 1.843                  | 0.521                 | 0.0              | 0.0             | -0.45               |                        | 34.4364355 | -118.6459532 | 4511      | 28.47            | NSPS/EG CAI,NSPS/EG CAC,High Temp,Reduced System Vacuum                                                       |
| CV-24135      | 2/10/2026 11:55:05 AM | 24.6 | 75.4 | 0.0  | 0.0     | 0.0   | 0.3     |                   |                   | 133.3          | 134.3         | -0.40                  | -0.40                 | 0.262                  | 0.303                 | 0.0              | 0.0             | -2.84               |                        | 34.4363873 | -118.6464400 | 4639      | 28.47            | ,                                                                                                             |
| CV-24136      | 2/10/2026 9:25:28 AM  | 28.7 | 60.5 | 0.0  | 10.8    | 0.0   | 0.5     |                   |                   | 134.3          | 137.6         | 0.48                   | -0.15                 | -0.455                 | 0.231                 | 0.0              | 0.0             | -7.11               |                        | 34.4365727 | -118.6442282 | 4252      | 28.48            | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less            |
| CV-24136      | 2/10/2026 9:27:15 AM  | 29.2 | 62.9 | 0.0  | 7.9     | 0.0   | 0.5     |                   |                   | 138.0          | 138.3         | -0.36                  | -0.37                 | 0.397                  | 0.398                 | 0.0              | 0.0             | -7.16               |                        | 34.4364915 | -118.6443583 | 4242      | 28.48            | ,                                                                                                             |
| CV-24137      | 2/9/2026 10:10:34 AM  | 30.5 | 58.1 | 0.0  | 11.4    | 0.0   | 0.5     |                   |                   | 101.1          | 102.1         | 0.50                   | -0.10                 | 0.000                  | 0.093                 |                  |                 | -7.44               | -7.11                  | 34.4361363 | -118.6434657 | 1363      | 28.67            | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum                                     |
| CV-24137      | 2/9/2026 10:11:54 AM  | 29.8 | 58.3 | 0.0  | 11.9    | 0.0   | 0.5     |                   |                   | 102.7          | 103.1         | -0.11                  | -0.10                 | 0.102                  | 0.098                 |                  |                 | -7.10               | -7.19                  | 34.4361262 | -118.6434687 | 1360      | 28.67            | Valve Adjustment:NSPS/EG CAC,Barely Open                                                                      |
| CV-24138      | 2/3/2026 7:15:00 AM   |      |      |      |         |       |         | 200000            |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 20%]                                                                              |
| CV-24138      | 2/3/2026 7:15:00 AM   |      |      |      |         |       |         | 720               |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                  |
| CV-24138      | 2/13/2026 1:10:03 PM  | 0.3  | 24.2 | 14.7 | 60.8    | 4.1   | 0.0     |                   |                   | 86.8           | 86.9          | 15.34                  | 15.54                 | 0.000                  | 0.000                 |                  |                 | 0.29                | 0.31                   | 34.4342807 | -118.6512387 | 1256      | 28.67            | Valve Adjustment:NSPS/EG CAI,High O2,Positive Static Press.,Valve 100% Open,Surging Liquid in Header          |
| CV-24138      | 2/13/2026 1:10:33 PM  | 0.2  | 18.3 | 15.2 | 66.3    | 4.4   | 0.0     |                   |                   | 86.9           | 86.9          | 15.88                  | 15.63                 | 0.000                  | 0.000                 |                  |                 | 0.28                | 0.31                   | 34.4342803 | -118.6512440 | 1267      | 28.67            | Valve Adjustment:High O2,Positive Static Press.,Valve 100% Open,Surging Liquid in Header                      |
| CV-24138      | 2/24/2026 10:08:13 AM | 1.3  | 43.1 | 9.5  | 46.1    | 4.9   | 0.0     |                   |                   | 162.2          | 160.1         | 1.44                   | 0.72                  | 0.000                  | 0.000                 |                  |                 | 1.89                | 1.15                   | 34.4342798 | -118.6512535 | 1289      | 28.75            | Valve Adjustment:High Temp,Positive Static Press.                                                             |
| CV-24138      | 2/24/2026 10:08:53 AM | 1.3  | 44.5 | 9.9  | 44.3    | 4.5   | 0.0     |                   |                   | 161.2          | 161.8         | 1.46                   | 1.60                  | 0.000                  | 0.000                 |                  |                 | 1.91                | 1.98                   | 34.4342737 | -118.6512390 | 1286      | 28.75            | Valve Adjustment:High Temp,Positive Static Press.                                                             |
| CV-24138      | 2/27/2026 1:39:56 PM  | 2.9  | 74.9 | 0.0  | 22.2    | 0.0   | 0.0     |                   |                   | 108.6          | 113.2         | 0.97                   | 0.70                  | 0.000                  | 0.000                 |                  |                 | 1.18                | 0.93                   | 34.4342667 | -118.6512352 | 1278      | 28.78            | Valve Comment:Lateral watered in;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Header |
| CV-24138      | 2/27/2026 1:46:59 PM  | 2.7  | 72.0 | 1.0  | 24.3    | 24.3  | 0.0     |                   |                   | 113.9          | 112.8         | -1.03                  | -1.03                 | 1.025                  | 1.029                 |                  |                 | -1.06               | -1.01                  | 34.4342580 | -118.6512395 | 1271      | 28.78            | Valve Adjustment:NSPS/EG CAC                                                                                  |
| CV-24139      | 2/3/2026 7:10:00 AM   |      |      |      |         |       |         | 48000             |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 4.8%]                                                                             |
| CV-24139      | 2/3/2026 7:10:00 AM   |      |      |      |         |       |         | 230               |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                  |
| CV-24139      | 2/6/2026 7:53:50 AM   | 0.6  | 15.5 | 16.6 | 67.3    | 4.1   | 0.0     |                   |                   | 69.0           | 69.0          | -1.44                  | -1.44                 | 1.408                  | 1.402                 |                  |                 | -6.80               | -7.86                  | 34.4344742 | -118.6511190 | 1253      | 28.78            | Valve Adjustment:High O2                                                                                      |
| CV-24139      | 2/24/2026 10:11:41 AM | 0.5  | 18.5 | 10.5 | 70.5    | 6.7   | 0.0     |                   |                   | 105.2          | 104.7         | -0.86                  | -0.75                 | 0.842                  | 0.738                 |                  |                 | -6.47               | -6.11                  | 34.4345048 | -118.6511223 | 1290      | 28.75            | Valve Adjustment:High O2                                                                                      |
| CV-24140      | 2/3/2026 7:05:00 AM   |      |      |      |         |       |         | 210000            |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 21%]                                                                              |
| CV-24140      | 2/3/2026 7:05:00 AM   |      |      |      |         |       |         | 1100              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                  |
| CV-24140      | 2/6/2026 7:58:43 AM   | 2.2  | 73.0 | 1.5  | 23.3    | 15.5  | 0.0     |                   |                   | 95.2           | 95.6          | -5.98                  | -6.57                 | 5.976                  | 6.508                 |                  |                 | -6.17               | -6.56                  | 34.4346665 | -118.6511077 | 1279      | 28.78            |                                                                                                               |
| CV-24140      | 2/24/2026 10:14:59 AM | 1.9  | 75.2 | 1.1  | 21.8    | 19.8  | 0.0     |                   |                   | 123.0          | 122.8         | -5.43                  | -6.08                 | 5.912                  | 6.519                 |                  |                 | -5.71               | -6.38                  | 34.4346673 | -118.6511117 | 1292      | 28.74            |                                                                                                               |
| CV-24141      | 2/3/2026 6:45:00 AM   |      |      |      |         |       |         | 2100              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 0.21%]                                                                            |
| CV-24141      | 2/3/2026 6:45:00 AM   |      |      |      |         |       |         | 45                |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                  |
| CV-24141      | 2/6/2026 8:05:13 AM   | 0.1  | 4.7  | 20.7 | 74.5    | 3.6   | 0.0     |                   |                   | 55.4           | 55.4          | -6.44                  | -6.70                 | 6.463                  | 6.740                 |                  |                 | 0.07                | -0.04                  | 34.4354992 | -118.6513003 | 1299      | 28.77            | Valve Adjustment:High O2,Surging Liquid in Well (Watered in);Well Comment:No system port                      |
| CV-24141      | 2/24/2026 10:20:01 AM | 0.1  | 5.5  | 20.0 | 74.4    | 3.7   | 0.0     |                   |                   | 85.1           | 85.3          | -5.21                  | -5.64                 | 5.719                  | 6.193                 |                  |                 | 0.58                | 0.55                   | 34.4354983 | -118.6512882 | 1307      | 28.71            | Valve Adjustment:High O2,Barely Open                                                                          |
| CV-24142      | 2/4/2026 8:35:28 AM   | 3.2  | 83.2 | 0.0  | 13.6    | 0.0   | 0.0     |                   |                   | 116.6          | 117.3         | -7.52                  | -7.43                 | 7.886                  | 7.801                 |                  |                 | -7.70               | -7.65                  | 34.4339992 | -118.6513513 | 1270      | 28.93            | Valve Adjustment:No Flow Measurement                                                                          |
| CV-24142      | 2/5/2026 7:15:00 AM   |      |      |      |         |       |         | 230000            |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 23%]                                                                              |
| CV-24142      | 2/5/2026 7:15:00 AM   |      |      |      |         |       |         | 1800              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                  |
| CV-24142      | 2/9/2026 8:14:30 AM   | 2.8  | 76.8 | 0.0  | 20.4    | 0.0   | 0.0     |                   |                   | 167.0          | 167.4         | -5.41                  | -5.41                 | 5.683                  | 5.716                 |                  |                 | -5.82               | -5.77                  | 34.4339833 | -118.6513215 | 1264      | 28.75            | Valve Adjustment:High Temp                                                                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4  | CO2  | O2  | Bal Gas | BalO2 | CH4:CO2 | CO Reading [ppmv] | H2 Reading [ppmv] | Init Temp [°F] | Adj Temp [°F] | Init Stat Press [”H2O] | Adj Stat Press [”H2O] | Init Diff Press [”H2O] | Adj Diff Press [”H2O] | Init Flow [scfm] | Adj Flow [scfm] | Sys Pressure [”H2O] | Adj Avail Press [”H2O] | Latitude   | Longitude    | Elev [ft] | Baro Press [”Hg] | Comments                                                                                                        |
|------------|-----------------------|------|------|-----|---------|-------|---------|-------------------|-------------------|----------------|---------------|------------------------|-----------------------|------------------------|-----------------------|------------------|-----------------|---------------------|------------------------|------------|--------------|-----------|------------------|-----------------------------------------------------------------------------------------------------------------|
| CV-24142   | 2/9/2026 8:15:00 AM   |      |      |     |         |       |         |                   | 193400            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 19.34%]                                                                                    |
| CV-24142   | 2/9/2026 8:15:00 AM   |      |      |     |         |       |         | 2850              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                                           |
| CV-24142   | 2/20/2026 12:12:27 PM | 3.2  | 77.1 | 0.9 | 18.8    | 20.9  | 0.0     |                   |                   | 166.6          | 167.1         | -2.42                  | -2.44                 | 2.362                  | 2.367                 |                  |                 | -2.69               | -2.66                  | 34.4339748 | -118.6513317 | 1264      | 28.67            | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                    |
| CV-24142   | 2/25/2026 1:16:52 PM  | 11.9 | 73.4 | 0.0 | 14.7    | 0.0   | 0.2     |                   |                   | 145.2          | 150.7         | -1.29                  | -1.24                 | 1.323                  | 1.274                 |                  |                 | -1.38               | -1.36                  | 34.4339892 | -118.6513343 | 1261      | 28.73            | Valve Adjustment:High Temp                                                                                      |
| CV-24143   | 2/3/2026 6:55:00 AM   |      |      |     |         |       |         |                   | 170000            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab; [User entered 17%]                                                                                |
| CV-24143   | 2/3/2026 6:55:00 AM   |      |      |     |         |       |         | 1700              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | Air Tech Lab                                                                                                    |
| CV-24143   | 2/13/2026 1:02:53 PM  | 1.7  | 74.3 | 1.2 | 22.8    | 19.0  | 0.0     |                   |                   | 166.8          | 168.1         | -4.70                  | -4.03                 | 4.481                  | 3.915                 |                  |                 | -4.41               | -4.63                  | 34.4349940 | -118.6511847 | 1323      | 28.66            | Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header                           |
| CV-24143   | 2/13/2026 1:03:32 PM  | 2.5  | 77.0 | 1.2 | 19.3    | 16.1  | 0.0     |                   |                   | 168.4          | 168.6         | -3.99                  | -3.98                 | 3.905                  | 3.902                 |                  |                 | -4.42               | -4.46                  | 34.4349858 | -118.6512025 | 1297      | 28.65            | Valve Adjustment:High Temp,Surging Liquid in Header                                                             |
| CV-24143   | 2/20/2026 12:05:23 PM | 2.0  | 62.0 | 4.5 | 31.5    | 7.0   | 0.0     |                   |                   | 174.1          | 174.3         | -3.67                  | -3.76                 | 3.639                  | 3.744                 |                  |                 | -5.85               | -5.67                  | 34.4349953 | -118.6512082 | 1289      | 28.67            | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                    |
| CV-24143   | 2/26/2026 10:26:52 AM | 10.2 | 80.8 | 0.5 | 8.5     | 17.0  | 0.1     |                   |                   | 153.7          | 154.7         | -2.36                  | -2.33                 | 2.355                  | 2.320                 |                  |                 | -3.09               | -3.18                  | 34.4349968 | -118.6512130 | 1282      | 28.78            | Valve Comment:Pump pumping upon arrival;Valve Adjustmnt:No Flow Measurement,High Temp                           |
| CV-24144   | 2/5/2026 2:08:00 PM   | 55.5 | 41.1 | 0.0 | 3.4     | 0.0   | 1.4     |                   |                   | 97.8           | 97.8          | -6.09                  | -5.81                 | 6.088                  | 5.964                 |                  |                 | -0.09               | -0.20                  | 34.4325685 | -118.6515700 | 1231      | 28.75            | Valve Comment:no system port                                                                                    |
| CV-24144   | 2/21/2026 10:47:17 AM | 59.3 | 40.2 | 0.0 | 0.5     | 0.0   | 1.5     |                   |                   | 66.4           | 66.4          | -3.10                  | -3.10                 | 3.238                  | 3.241                 | 65.3             | 65.4            |                     |                        | 34.4325972 | -118.6515987 | 1280      | 28.79            | No Flow Measurement,                                                                                            |
| CV-24145   | 2/4/2026 1:17:26 PM   | 6.5  | 76.3 | 1.6 | 15.6    | 9.8   | 0.1     |                   |                   | 181.5          | 180.7         | -3.85                  | -0.59                 | 0.427                  | 0.176                 | 7.8              | 5.0             | -12.40              | -12.68                 | 34.4362155 | -118.6496045 | 1380      | 28.77            | Valve Adjustment:High Temp,Decreased Flow/Vacuum                                                                |
| CV-24145   | 2/4/2026 1:20:00 PM   |      |      |     |         |       |         |                   | 162100            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 16.21%]                                                                                    |
| CV-24145   | 2/4/2026 1:20:00 PM   |      |      |     |         |       |         | 1650              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                                           |
| CV-24145   | 2/4/2026 1:20:03 PM   | 6.9  | 77.2 | 0.2 | 15.7    | 78.5  | 0.1     |                   |                   | 180.5          | 181.0         | -0.73                  | -0.71                 | 0.171                  | 0.197                 | 5.0              | 5.3             | -12.35              | -11.42                 | 34.4362257 | -118.6496203 | 1374      | 28.78            | Valve Adjustment:High Temp                                                                                      |
| CV-24145   | 2/10/2026 1:24:51 PM  | 4.2  | 79.4 | 0.0 | 16.4    | 0.0   | 0.1     |                   |                   | 180.0          | 180.3         | -3.06                  | -3.25                 | 0.010                  | 0.019                 | 2.7              | 3.6             | -8.92               | -8.89                  | 34.4362222 | -118.6496287 | 1371      | 28.49            |                                                                                                                 |
| CV-24145   | 2/10/2026 1:26:00 PM  |      |      |     |         |       |         |                   | 149200            |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 14.92%]                                                                                    |
| CV-24145   | 2/10/2026 1:26:00 PM  |      |      |     |         |       |         | 1710              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                                           |
| CV-24145   | 2/20/2026 8:10:24 AM  | 5.3  | 78.0 | 1.4 | 15.3    | 10.9  | 0.1     |                   |                   | 175.9          | 176.3         | -4.68                  | -4.70                 | 0.200                  | 0.210                 | 5.3              | 5.5             | -11.92              | -11.47                 | 34.4362260 | -118.6496265 | 1365      | 28.56            | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                    |
| CV-24145   | 2/23/2026 1:36:29 PM  | 14.9 | 64.6 | 4.0 | 16.5    | 4.1   | 0.2     |                   |                   | 178.7          | 178.7         | -2.45                  | -2.45                 | 0.431                  | 0.430                 | 7.8              | 7.8             | -9.11               | -9.04                  | 34.4362167 | -118.6496085 | 1371      | 28.74            | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                    |
| CV-24146   | 2/4/2026 7:51:53 AM   | 52.6 | 43.8 | 0.0 | 3.6     | 0.0   | 1.2     |                   |                   | 113.0          | 113.0         | -5.04                  | -5.08                 | 0.810                  | 0.827                 | 25.1             | 25.3            | -6.14               | -6.19                  | 34.4374123 | -118.6463863 | 1301      | 28.86            | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Valve 100% Open                                             |
| CV-24146   | 2/15/2026 1:57:06 PM  | 53.3 | 42.5 | 0.0 | 4.2     | 0.0   | 1.3     |                   |                   | 112.4          | 112.4         | -3.26                  | -3.20                 | 0.531                  | 0.554                 | 20.3             | 20.7            | -3.86               | -3.86                  | 34.4374230 | -118.6463553 | 1324      | 28.6             | Valve Adjustment:Valve 100% Open                                                                                |
| CV-24147   | 2/4/2026 7:59:23 AM   | 46.8 | 37.5 | 2.2 | 13.5    | 6.1   | 1.2     |                   |                   | 109.2          | 109.4         | -6.69                  | -6.50                 | 0.008                  | 0.006                 | 1.8              | 1.5             | -6.83               | -6.74                  | 34.4375182 | -118.6459633 | 1300      | 28.9             | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum                                                             |
| CV-24147   | 2/15/2026 3:32:43 PM  | 50.1 | 36.8 | 2.4 | 10.8    | 4.6   | 1.4     |                   |                   | 108.2          | 108.3         | -4.65                  | -4.65                 | 0.010                  | 0.012                 | 6.1              | 6.9             | -4.89               | -4.89                  | 34.4375627 | -118.6459487 | 1291      | 28.6             |                                                                                                                 |
| CV-24148   | 2/3/2026 7:45:00 AM   |      |      |     |         |       |         |                   | 73800             |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 7.38%]                                                                                     |
| CV-24148   | 2/3/2026 7:45:00 AM   |      |      |     |         |       |         | 2094              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                                           |
| CV-24148   | 2/3/2026 7:46:18 AM   | 7.3  | 86.6 | 0.0 | 6.1     | 0.0   | 0.1     |                   |                   | 167.9          | 172.6         | -4.01                  | -3.99                 | 3.918                  | 3.907                 |                  |                 | -3.90               | -4.22                  | 34.4350670 | -118.6466665 | 1376      | 28.77            | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                            |
| CV-24148   | 2/3/2026 7:46:42 AM   | 7.6  | 86.4 | 0.0 | 6.0     | 0.0   | 0.1     |                   |                   | 172.9          | 172.5         | -3.89                  | -3.91                 | 3.813                  | 3.755                 |                  |                 | -4.22               | -4.17                  | 34.4350588 | -118.6466618 | 1385      | 28.78            | Valve Adjustment:No Flow Measurement,High Temp                                                                  |
| CV-24148   | 2/11/2026 8:14:50 AM  | 2.3  | 89.1 | 0.0 | 8.6     | 0.0   | 0.0     |                   |                   | 171.1          | 174.2         | 0.31                   | 0.30                  | 0.000                  | 0.000                 |                  |                 | -0.41               | -0.48                  | 34.4350777 | -118.6466668 | 1381      | 28.6             | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open              |
| CV-24148   | 2/11/2026 8:15:00 AM  |      |      |     |         |       |         |                   | 64800             |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA; [User entered 6.48%]                                                                                     |
| CV-24148   | 2/11/2026 8:15:00 AM  |      |      |     |         |       |         | 2530              |                   |                |               |                        |                       |                        |                       |                  |                 |                     |                        |            |              |           |                  | AtmAA                                                                                                           |
| CV-24148   | 2/11/2026 8:15:29 AM  | 3.9  | 89.4 | 0.0 | 6.7     | 0.0   | 0.0     |                   |                   | 174.4          | 174.6         | 0.64                   | 0.63                  | 0.000                  | 0.000                 |                  |                 | 0.09                | 0.16                   | 34.4350757 | -118.6466640 | 1384      | 28.61            | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open              |
| CV-24148   | 2/18/2026 8:23:40 AM  | 4.3  | 73.1 | 4.4 | 18.2    | 4.1   | 0.1     |                   |                   | 172.9          | 172.8         | 0.32                   | 0.37                  | 0.000                  | 0.000                 |                  |                 | 0.59                | 0.15                   | 34.4350698 | -118.6466658 | 1385      | 28.5             | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                               |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| CV-24148   | 2/18/2026 8:25:11 AM  | 5.0        | 83.6       | 4.1       | 7.3            | 1.8          | 0.1     |                         |                         | 172.7                | 172.4               | 0.16                         | 0.18                        | 0.000                        | 0.000                       |                        |                       | 0.25                      | 0.33                         | 34.4350690 | -118.6466640 | 1387         | 28.48                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open                        |
| CV-24148   | 2/23/2026 8:51:06 AM  | 7.5        | 86.0       | 0.0       | 6.5            | 0.0          | 0.1     |                         |                         | 170.0                | 170.0               | 0.08                         | 0.12                        | -1.080                       | -1.359                      | 0.0                    | 0.0                   | 0.26                      |                              | 34.4350888 | -118.6466635 | 1414         | 28.68                  | NSPS/EG CAI,High Temp,Positive Static Press.                                                                                           |
| CV-24148   | 2/23/2026 8:51:52 AM  | 7.5        | 86.0       | 0.0       | 6.5            | 0.0          | 0.1     |                         |                         | 170.0                | 170.0               | 0.26                         | 0.26                        | -1.394                       | -1.393                      | 0.0                    | 0.0                   | 0.19                      |                              | 34.4350802 | -118.6466888 | 1401         | 28.68                  | NSPS/EG CAI,High Temp,Positive Static Press.                                                                                           |
| CV-24148   | 2/25/2026 8:31:09 AM  | 8.7        | 80.8       | 0.0       | 10.5           | 0.0          | 0.1     |                         |                         | 171.1                | 171.5               | 2.24                         | 2.24                        | 0.000                        | 0.000                       |                        |                       | 1.68                      | 1.68                         | 34.4350738 | -118.6466383 | 1388         | 28.59                  | Valve Adjustment:NSPS/EG CAI,No Flow Measurement,Positive Static Press.                                                                |
| CV-24149   | 2/3/2026 1:42:26 PM   | 17.3       | 76.5       | 0.0       | 6.2            | 0.0          | 0.2     |                         |                         | 129.5                | 129.6               | -0.23                        | -0.24                       | 0.052                        | 0.052                       | 5.5                    | 5.5                   | -12.22                    | -12.25                       | 34.4347565 | -118.6470108 | 1385         | 28.76                  |                                                                                                                                        |
| CV-24149   | 2/17/2026 11:40:05 AM | 28.6       | 69.5       | 0.0       | 1.9            | 0.0          | 0.4     |                         |                         | 121.7                | 121.1               | -0.89                        | -0.69                       | -0.020                       | 0.023                       | 0.0                    | 0.0                   | -11.56                    |                              | 34.4347540 | -118.6469125 | 1453         | 28.52                  | Audible Flow,                                                                                                                          |
| CV-24149   | 2/23/2026 9:15:57 AM  | 20.9       | 74.5       | 0.0       | 4.6            | 0.0          | 0.3     |                         |                         | 123.6                | 123.6               | -0.65                        | -0.75                       | -0.519                       | -0.510                      | 0.0                    | 0.0                   | -9.62                     |                              | 34.4347495 | -118.6469917 | 1375         | 28.7                   | Reduced System Vacuum,Increased Flow/Vacuum                                                                                            |
| CV-24150   | 2/9/2026 1:18:53 PM   | 35.6       | 59.3       | 0.0       | 5.1            | 0.0          | 0.6     |                         |                         | 112.5                | 115.0               | 0.36                         | -0.06                       | 0.000                        | 0.062                       |                        |                       | -15.63                    | -15.08                       | 34.4346132 | -118.6457268 | 1412         | 28.55                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum                                                              |
| CV-24150   | 2/9/2026 1:20:09 PM   | 36.5       | 62.2       | 0.0       | 1.3            | 0.0          | 0.6     |                         |                         | 114.2                | 114.4               | -0.21                        | -0.21                       | 0.216                        | 0.214                       |                        |                       | -14.66                    | -14.85                       | 34.4346128 | -118.6457483 | 1409         | 28.55                  | Valve Adjustment:NSPS/EG CAC,Barely Open;Well Condition:Good                                                                           |
| CV-24150   | 2/20/2026 12:32:57 PM | 45.7       | 52.0       | 0.0       | 2.3            | 0.0          | 0.9     |                         |                         | 100.2                | 101.9               | -3.24                        | -3.27                       | 3.183                        | 3.206                       |                        |                       | -15.27                    | -15.64                       | 34.4345950 | -118.6457285 | 1411         | 28.55                  |                                                                                                                                        |
| CV-24150   | 2/20/2026 12:34:32 PM | 43.9       | 52.7       | 0.0       | 3.4            | 0.0          | 0.8     |                         |                         | 99.7                 | 100.1               | -3.22                        | -3.21                       | 3.179                        | 3.166                       |                        |                       | -15.11                    | -15.28                       | 34.4346148 | -118.6457432 | 1403         | 28.56                  | Well Condition:Lorentz Pump Installed                                                                                                  |
| CV-24151   | 2/3/2026 1:08:44 PM   | 42.1       | 57.9       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 106.3                | 107.8               | -2.81                        | -2.82                       | 2.740                        | 2.749                       |                        |                       | -9.70                     | -10.03                       | 34.4343952 | -118.6476213 | 1388         | 28.78                  |                                                                                                                                        |
| CV-24151   | 2/17/2026 12:21:37 PM | 41.3       | 58.0       | 0.0       | 0.7            | 0.0          | 0.7     |                         |                         | 90.9                 | 89.5                | -3.41                        | -2.56                       | 3.312                        | 2.585                       | 59.3                   | 52.4                  |                           |                              | 34.4343042 | -118.6477427 | 1404         | 28.5                   |                                                                                                                                        |
| CV-24152   | 2/3/2026 1:23:28 PM   | 25.2       | 69.9       | 0.0       | 4.9            | 0.0          | 0.4     |                         |                         | 131.9                | 132.0               | -1.06                        | -0.99                       | 5.135                        | 4.790                       | 15.4                   | 14.9                  | 0.12                      | 0.24                         | 34.4344347 | -118.6471667 | 1368         | 28.75                  | Valve Comment:System too tall                                                                                                          |
| CV-24152   | 2/17/2026 11:51:51 AM | 27.7       | 68.1       | 0.0       | 4.2            | 0.0          | 0.4     |                         |                         | 124.0                | 124.1               | -1.94                        | -1.73                       | 4.060                        | 4.054                       | 23.1                   | 23.1                  |                           |                              | 34.4344527 | -118.6472102 | 1480         | 28.51                  | Audible Flow,                                                                                                                          |
| CV-24152   | 2/23/2026 9:32:35 AM  | 26.4       | 66.9       | 0.0       | 6.7            | 0.0          | 0.4     |                         |                         | 124.7                | 124.9               | -1.30                        | -1.30                       | 2.526                        | 2.632                       | 10.0                   | 10.2                  | -3.57                     |                              | 34.4344740 | -118.6471730 | 1414         | 28.72                  | Reduced System Vacuum,                                                                                                                 |
| CV-24153   | 2/3/2026 1:26:55 PM   | 21.9       | 65.5       | 0.0       | 12.6           | 0.0          | 0.3     |                         |                         | 120.7                | 121.1               | -3.43                        | -3.06                       | 3.299                        | 2.895                       |                        |                       | 0.07                      | 0.07                         | 34.4341100 | -118.6469743 | 1384         | 28.77                  | Valve Comment:No system port                                                                                                           |
| CV-24153   | 2/22/2026 9:57:54 AM  | 3.0        | 77.6       | 0.0       | 19.4           | 0.0          | 0.0     |                         |                         | 80.7                 | 81.0                | -0.29                        | -0.16                       | 0.024                        | 0.000                       |                        |                       | -0.15                     | -0.07                        | 34.4343942 | -118.6464055 | 1388         | 28.82                  | Well Condition:Lorentz Pump Installed                                                                                                  |
| CV-24154   | 2/9/2026 11:31:33 AM  | 50.0       | 48.6       | 0.0       | 1.4            | 0.0          | 1.0     |                         |                         | 103.2                | 103.6               | -0.43                        | -0.41                       | 0.391                        | 0.305                       | 0.0                    | 0.0                   | -1.94                     |                              | 34.4342633 | -118.6461085 | 1424         | 28.54                  | Reduced System Vacuum,No Adjustment Made                                                                                               |
| CV-24154   | 2/24/2026 3:12:19 PM  | 42.4       | 54.4       | 0.7       | 2.5            | 3.6          | 0.8     |                         |                         | 108.9                | 108.1               | -3.13                        | -2.64                       | 2.958                        | 2.722                       | 0.0                    | 0.0                   | -10.26                    |                              | 34.4341485 | -118.6460667 | 1401         | 28.72                  |                                                                                                                                        |
| CV-24155   | 2/3/2026 1:34:59 PM   | 36.2       | 52.3       | 0.0       | 11.5           | 0.0          | 0.7     |                         |                         | 124.2                | 124.5               | -3.54                        | -3.58                       | 3.378                        | 3.426                       |                        |                       | 0.07                      | 0.07                         | 34.4342742 | -118.6467167 | 1395         | 28.77                  | Valve Comment:no system port                                                                                                           |
| CV-24155   | 2/17/2026 11:33:18 AM | 32.1       | 66.7       | 0.0       | 1.2            | 0.0          | 0.5     |                         |                         | 127.9                | 124.4               | -1.89                        | -1.36                       | 1.911                        | 1.406                       | 41.8                   | 35.9                  |                           |                              | 34.4341632 | -118.6466602 | 1522         | 28.57                  |                                                                                                                                        |
| CV-24156   | 2/3/2026 10:19:12 AM  | 31.9       | 66.1       | 0.0       | 2.0            | 0.0          | 0.5     |                         |                         | 129.6                | 129.7               | -4.62                        | -4.58                       | 0.000                        | 0.000                       |                        |                       | -9.02                     | -11.11                       | 34.4340833 | -118.6477042 | 1399         | 28.82                  | Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Lorentz Pump Installed                    |
| CV-24156   | 2/19/2026 7:50:22 AM  | 26.4       | 66.6       | 0.0       | 7.0            | 0.0          | 0.4     |                         |                         | 129.1                | 128.9               | -2.43                        | -2.42                       | 1.746                        | 1.287                       | 76.7                   | 65.8                  | -6.11                     |                              | 34.4341158 | -118.6478065 | 1388         | 28.48                  |                                                                                                                                        |
| CV-24157   | 2/3/2026 10:11:40 AM  | 47.1       | 52.9       | 0.0       | 0.0            | 0.0          | 0.9     |                         |                         | 125.0                | 123.9               | -5.91                        | -5.69                       | 5.957                        | 5.668                       |                        |                       | -9.27                     | -8.75                        | 34.4338265 | -118.6473307 | 1396         | 28.78                  |                                                                                                                                        |
| CV-24157   | 2/21/2026 10:15:35 AM | 43.3       | 50.4       | 0.9       | 5.4            | 6.0          | 0.9     |                         |                         | 114.5                | 114.9               | -4.95                        | -4.72                       | 5.259                        | 5.034                       |                        |                       | -8.13                     | -6.35                        | 34.4338020 | -118.6473082 | 1399         | 28.74                  | Valve Adjustment:Decreased Flow/Vacuum                                                                                                 |
| CV-24158   | 2/9/2026 3:28:05 PM   | 48.2       | 51.8       | 0.0       | 0.0            | 0.0          | 0.9     |                         |                         | 125.3                | 126.0               | 0.04                         | -0.03                       | -0.549                       | -0.368                      |                        |                       |                           |                              | 34.4338048 | -118.6470547 | 1434         | 28.47                  | NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press.,Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less, |
| CV-24158   | 2/9/2026 3:29:41 PM   | 47.7       | 52.3       | 0.0       | 0.0            | 0.0          | 0.9     |                         |                         | 126.8                | 126.9               | -0.12                        | -0.12                       | -0.863                       | -0.735                      |                        |                       |                           |                              | 34.4338065 | -118.6469208 | 1407         | 28.47                  |                                                                                                                                        |
| CV-24158   | 2/17/2026 12:36:20 PM | 45.6       | 54.4       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 122.2                | 121.1               | -1.63                        | -1.42                       | 0.532                        | 0.476                       | 13.7                   | 12.9                  | -8.38                     |                              | 34.4339100 | -118.6470210 | 1430         | 28.47                  |                                                                                                                                        |
| CV-24159   | 2/2/2026 2:12:02 PM   | 52.8       | 43.8       | 0.0       | 3.4            | 0.0          | 1.2     |                         |                         | 113.9                | 113.9               | -2.93                        | -2.96                       | 1.791                        | 1.988                       | 27.8                   | 29.3                  | -20.43                    | -21.87                       | 34.4337793 | -118.6466257 | 1376         | 28.63                  |                                                                                                                                        |
| CV-24159   | 2/18/2026 8:35:04 AM  | 53.5       | 44.6       | 0.0       | 1.9            | 0.0          | 1.2     |                         |                         | 110.4                | 110.6               | -3.04                        | -3.04                       | 1.089                        | 1.079                       | 21.7                   | 21.6                  | -13.08                    | -13.20                       | 34.4337913 | -118.6466292 | 1395         | 28.49                  |                                                                                                                                        |
| CV-24160   | 2/9/2026 11:27:05 AM  | 50.1       | 47.5       | 0.2       | 2.2            | 11.0         | 1.1     |                         |                         | 114.9                | 115.0               | -0.50                        | -0.49                       | 1.198                        | 1.088                       | 13.9                   | 13.2                  | -15.77                    |                              | 34.4338362 | -118.6462155 | 1417         | 28.53                  |                                                                                                                                        |
| CV-24160   | 2/22/2026 9:47:07 AM  | 44.2       | 47.2       | 1.2       | 7.5            | 6.5          | 0.9     |                         |                         | 115.3                | 115.6               | -4.45                        | -4.47                       | 5.119                        | 1.710                       | 28.3                   | 16.4                  | -16.05                    | -16.07                       | 34.4338643 | -118.6462137 | 1423         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum                                                              |
| CV-24160   | 2/22/2026 9:49:28 AM  | 44.0       | 47.3       | 1.1       | 7.7            | 7.3          | 0.9     |                         |                         | 115.6                | 115.1               | -4.44                        | -3.98                       | 1.670                        | 1.128                       | 26.8                   | 22.1                  | -16.13                    | -16.15                       | 34.4338635 | -118.6462220 | 1418         | 28.8                   | Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed                                                           |
| CV-24160   | 2/22/2026 9:50:51 AM  | 43.3       | 47.7       | 1.3       | 7.7            | 6.0          | 0.9     |                         |                         | 114.6                | 114.5               | -3.75                        | -3.76                       | 0.981                        | 0.978                       | 20.6                   | 20.6                  | -16.01                    | -16.40                       | 34.4338383 | -118.6462050 | 1419         | 28.83                  |                                                                                                                                        |
| CV-24160   | 2/23/2026 12:26:26 PM | 45.7       | 52.8       | 0.2       | 1.3            | 6.5          | 0.9     |                         |                         | 106.0                | 106.5               | -1.57                        | -1.56                       | -0.659                       | -0.646                      | 0.0                    | 0.0                   |                           |                              | 34.4338657 | -118.6462720 | 1424         | 28.7                   | Reduced System Vacuum,                                                                                                                 |
| CV-24161   | 2/9/2026 3:06:31 PM   | 35.3       | 38.3       | 4.6       | 21.8           | 4.7          | 0.9     |                         |                         | 109.9                | 108.4               | -1.30                        | -0.77                       | 1.295                        | 0.732                       | 0.0                    | 0.0                   | -16.37                    |                              | 34.4338335 | -118.6455620 | 1434         | 28.48                  |                                                                                                                                        |
| CV-24161   | 2/23/2026 8:37:20 AM  | 27.6       | 34.3       | 7.2       | 30.9           | 4.3          | 0.8     |                         |                         | 98.2                 | 98.3                | -10.98                       | -8.20                       | 9.734                        | 7.016                       | 0.0                    | 0.0                   | -17.13                    |                              | 34.4338687 | -118.6455845 | 1411         | 28.66                  | NSPS/EG CAI,High O2                                                                                                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                    |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| CV-24161   | 2/23/2026 8:39:10 AM  | 23.9       | 32.6       | 7.0       | 36.5           | 5.2          | 0.7     |                         |                         | 99.0                 | 99.3                | -8.22                        | -8.18                       | 6.986                        | 6.988                       | 0.0                    | 0.0                   | -17.50                    |                              | 34.4338562 | -118.6456840 | 1362         | 28.66                  | NSPS/EG CAI, High O2                                                                                                        |
| CV-24162   | 2/4/2026 9:15:39 AM   | 45.2       | 43.9       | 0.0       | 10.9           | 0.0          | 1.0     |                         |                         | 99.7                 | 100.2               | -1.49                        | -1.01                       | 1.439                        | 0.987                       |                        |                       | 0.64                      | 0.63                         | 34.4335492 | -118.6451283 | 1377         | 28.82                  | Valve Comment: RES SEM; Valve Adjustment: Decreased Flow/Vacuum, Barely Open; Well Repairs: Sample Port                     |
| CV-24163   | 2/6/2026 4:05:06 PM   | 43.8       | 56.2       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 106.2                | 109.9               | -1.33                        | -1.54                       | 1.296                        | 1.515                       |                        |                       | -9.64                     | -9.74                        | 34.4334523 | -118.6444882 | 1332         | 28.7                   | Valve Comment: RES SEM; Valve Adjustment: Audible Flow, Increased Flow/Vacuum; Well Condition: Fair, Lorentz Pump Installed |
| CV-24164   | 2/3/2026 9:55:43 AM   | 30.0       | 70.0       | 0.0       | 0.0            | 0.0          | 0.4     |                         |                         | 134.6                | 134.7               | -2.47                        | -2.46                       | 2.440                        | 2.380                       |                        |                       | 0.06                      | 0.07                         | 34.4334952 | -118.6479678 | 1376         | 28.82                  | Valve Comment: No system port; Well Condition: Lorentz Pump Installed                                                       |
| CV-24164   | 2/22/2026 10:35:39 AM | 42.9       | 54.1       | 0.0       | 3.1            | 0.0          | 0.8     |                         |                         | 130.8                | 130.9               | -3.39                        | -3.40                       | 3.382                        | 3.396                       |                        |                       | -10.60                    | -10.85                       | 34.4334953 | -118.6479600 | 1366         | 28.86                  | Well Comment: System port installed; Well Condition: Lorentz Pump Installed; Well Repairs: Sample Port                      |
| CV-24165   | 2/13/2026 8:00:09 AM  | 33.8       | 64.4       | 0.0       | 1.8            | 0.0          | 0.5     |                         |                         | 96.3                 | 96.2                | -4.21                        | -4.21                       | 4.121                        | 4.121                       |                        |                       | -4.57                     | -4.57                        | 34.4335168 | -118.6472672 | 1390         | 28.58                  | Valve Adjustment: Surging Liquid in Header                                                                                  |
| CV-24165   | 2/18/2026 10:16:33 AM | 32.5       | 67.1       | 0.0       | 0.4            | 0.0          | 0.5     |                         |                         | 116.6                | 116.4               | -4.87                        | -4.59                       | 5.026                        | 4.460                       |                        |                       | -5.92                     | -4.97                        | 34.4335563 | -118.6472595 | 1395         | 28.56                  |                                                                                                                             |
| CV-24165   | 2/21/2026 10:31:43 AM | 35.8       | 60.2       | 0.0       | 4.0            | 0.0          | 0.6     |                         |                         | 88.1                 | 91.8                | -7.09                        | -6.80                       | 7.348                        | 7.095                       |                        |                       | -8.40                     | -7.27                        | 34.4335298 | -118.6472363 | 1402         | 28.74                  | Valve Adjustment: Decreased Flow/Vacuum                                                                                     |
| CV-24166   | 2/2/2026 2:08:19 PM   | 53.3       | 42.9       | 0.0       | 3.8            | 0.0          | 1.2     |                         |                         | 111.9                | 108.3               | -3.66                        | -3.70                       | 3.667                        | 3.546                       |                        |                       | -8.12                     | -8.13                        | 34.4336010 | -118.6468790 | 1371         | 28.63                  |                                                                                                                             |
| CV-24166   | 2/18/2026 8:39:31 AM  | 54.3       | 41.8       | 0.1       | 3.8            | 38.0         | 1.3     |                         |                         | 106.4                | 105.7               | -4.62                        | -4.64                       | 4.499                        | 4.512                       |                        |                       | -8.42                     | -8.08                        | 34.4336077 | -118.6468883 | 1383         | 28.51                  |                                                                                                                             |
| CV-24167   | 2/13/2026 8:10:00 AM  | 53.2       | 46.4       | 0.0       | 0.4            | 0.0          | 1.1     |                         |                         | 101.5                | 100.8               | -0.93                        | -0.93                       | 0.900                        | 0.905                       |                        |                       | -9.03                     | -9.45                        | 34.4334748 | -118.6465070 | 1426         | 28.57                  |                                                                                                                             |
| CV-24167   | 2/22/2026 9:25:47 AM  | 54.8       | 40.6       | 0.0       | 4.6            | 0.0          | 1.3     |                         |                         | 105.0                | 104.9               | -1.04                        | -1.18                       | 1.041                        | 1.162                       |                        |                       | -9.33                     | -9.12                        | 34.4334633 | -118.6465033 | 1408         | 28.79                  | Valve Adjustment: Increased Flow/Vacuum; Well Condition: Lorentz Pump Installed                                             |
| CV-24167   | 2/22/2026 9:28:09 AM  | 53.6       | 41.3       | 0.0       | 5.1            | 0.0          | 1.3     |                         |                         | 104.8                | 103.8               | -1.13                        | -1.15                       | 1.084                        | 1.091                       |                        |                       | -9.23                     | -9.65                        | 34.4334752 | -118.6464778 | 1407         | 28.79                  |                                                                                                                             |
| CV-24168   | 2/13/2026 7:52:32 AM  | 32.4       | 67.4       | 0.0       | 0.2            | 0.0          | 0.5     |                         |                         | 55.0                 | 55.1                | 1.84                         | 1.85                        | 0.000                        | 0.000                       |                        |                       | 2.36                      | 2.38                         | 34.4333040 | -118.6473390 | 1391         | 28.56                  | Valve Adjustment: NSPS/EG CAI, Positive Static Press., Surging Liquid in Header, Surging Liquid in Well (Watered In)        |
| CV-24168   | 2/13/2026 7:53:12 AM  | 32.4       | 67.3       | 0.0       | 0.3            | 0.0          | 0.5     |                         |                         | 55.2                 | 55.2                | 1.95                         | 1.96                        | 0.000                        | 0.000                       |                        |                       | 2.46                      | 2.46                         | 34.4333158 | -118.6473442 | 1400         | 28.56                  | Valve Adjustment: Positive Static Press., Valve 100% Open, Surging Liquid in Header                                         |
| CV-24168   | 2/18/2026 10:11:35 AM | 40.0       | 44.2       | 2.3       | 13.5           | 5.9          | 0.9     |                         |                         | 125.1                | 124.5               | -4.37                        | -4.77                       | 4.250                        | 4.423                       |                        |                       | -5.08                     | -4.04                        | 34.4333505 | -118.6473512 | 1387         | 28.56                  |                                                                                                                             |
| CV-24168   | 2/21/2026 10:28:45 AM | 37.5       | 40.6       | 2.4       | 19.5           | 8.1          | 0.9     |                         |                         | 104.4                | 103.5               | -6.09                        | -5.91                       | 6.391                        | 6.110                       |                        |                       | -8.47                     | -7.53                        | 34.4332847 | -118.6473003 | 1394         | 28.71                  | Valve Adjustment: Decreased Flow/Vacuum                                                                                     |
| CV-24169   | 2/2/2026 1:39:42 PM   | 43.3       | 52.7       | 0.0       | 4.0            | 0.0          | 0.8     |                         |                         | 129.1                | 129.4               | -0.54                        | -0.55                       | 0.516                        | 0.524                       |                        |                       | -9.53                     | -9.73                        | 34.4331978 | -118.6477050 | 1366         | 28.64                  |                                                                                                                             |
| CV-24169   | 2/22/2026 10:20:30 AM | 44.5       | 46.6       | 0.0       | 8.9            | 0.0          | 1.0     |                         |                         | 105.5                | 105.2               | -1.04                        | -1.03                       | 1.013                        | 0.995                       |                        |                       | -10.81                    | -10.18                       | 34.4332183 | -118.6477240 | 1392         | 28.83                  |                                                                                                                             |
| CV-24170   | 2/3/2026 7:55:45 AM   | 33.3       | 54.1       | 3.1       | 9.5            | 3.1          | 0.6     |                         |                         | 121.4                | 121.1               | -3.03                        | -3.02                       | 0.655                        | 0.630                       | 32.1                   | 31.5                  | -8.21                     | -7.83                        | 34.4331162 | -118.6485090 | 1359         | 28.78                  |                                                                                                                             |
| CV-24170   | 2/19/2026 8:15:16 AM  | 34.0       | 62.5       | 0.0       | 3.5            | 0.0          | 0.5     |                         |                         | 126.4                | 126.6               | -3.26                        | -3.18                       | 1.300                        | 1.784                       | 42.7                   | 50.0                  | -8.08                     |                              | 34.4331290 | -118.6485455 | 1381         | 28.49                  |                                                                                                                             |
| CV-24171   | 2/2/2026 12:44:28 PM  | 53.9       | 42.5       | 0.0       | 3.6            | 0.0          | 1.3     |                         |                         | 120.6                | 120.6               | -0.59                        | -0.60                       | 0.249                        | 0.299                       | 10.4                   | 11.4                  | 0.02                      | 0.02                         | 34.4332083 | -118.6466472 | 1393         | 28.64                  | Valve Comment: System port too tall ground unstable fir ladder                                                              |
| CV-24171   | 2/18/2026 8:48:22 AM  | 54.4       | 43.8       | 0.0       | 1.8            | 0.0          | 1.2     |                         |                         | 114.0                | 113.9               | -2.08                        | -2.07                       | 0.254                        | 0.278                       | 10.6                   | 11.1                  | 0.09                      | 0.10                         | 34.4332142 | -118.6466212 | 1395         | 28.52                  | Well Comment: System port too tall                                                                                          |
| CV-24172   | 2/2/2026 1:18:26 PM   | 43.1       | 37.6       | 3.0       | 16.3           | 5.4          | 1.1     |                         |                         | 118.5                | 118.5               | -0.51                        | -0.51                       | 1.831                        | 1.843                       | 16.5                   | 16.5                  | -8.76                     | -9.08                        | 34.4329745 | -118.6473283 | 1375         | 28.64                  |                                                                                                                             |
| CV-24172   | 2/18/2026 9:10:27 AM  | 35.5       | 34.4       | 3.1       | 27.0           | 8.7          | 1.0     |                         |                         | 111.7                | 111.6               | -0.95                        | -0.94                       | 0.793                        | 0.793                       | 10.9                   | 10.9                  | -8.77                     | -8.76                        | 34.4329740 | -118.6473060 | 1382         | 28.52                  |                                                                                                                             |
| CV-24173   | 2/2/2026 1:22:16 PM   | 37.5       | 56.7       | 0.4       | 5.4            | 13.5         | 0.7     |                         |                         | 130.7                | 130.7               | -0.98                        | -0.98                       | 1.945                        | 1.979                       | 47.6                   | 48.0                  | -9.14                     | -9.73                        | 34.4328957 | -118.6476400 | 1385         | 28.64                  | Well Condition: Lorentz Pump Installed                                                                                      |
| CV-24173   | 2/18/2026 9:42:07 AM  | 42.0       | 50.3       | 0.8       | 6.9            | 8.6          | 0.8     |                         |                         | 122.4                | 122.4               | -1.87                        | -1.87                       | 2.095                        | 2.212                       | 49.6                   | 51.0                  | -10.96                    | -10.89                       | 34.4328992 | -118.6476625 | 1392         | 28.54                  |                                                                                                                             |
| CV-24174   | 2/3/2026 1:39:36 PM   | 23.7       | 71.1       | 0.0       | 5.2            | 0.0          | 0.3     |                         |                         | 116.9                | 118.0               | 0.02                         | -0.02                       | 0.004                        | 0.094                       | 0.0                    | 0.0                   | -9.15                     |                              | 34.4327148 | -118.6481182 | 1348         | 28.7                   | NSPS/EG CAI, NSPS/EG CAC, Positive Static Press., Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less                      |
| CV-24174   | 2/3/2026 1:41:17 PM   | 25.4       | 70.5       | 0.0       | 4.1            | 0.0          | 0.4     |                         |                         | 118.6                | 118.6               | -0.15                        | -0.14                       | 0.134                        | 0.144                       | 0.0                    | 0.0                   | -9.14                     |                              | 34.4327083 | -118.6481342 | 1355         | 28.7                   |                                                                                                                             |
| CV-24174   | 2/22/2026 2:35:18 PM  | 37.8       | 47.5       | 0.0       | 14.7           | 0.0          | 0.8     |                         |                         | 103.2                | 103.4               | -0.90                        | -0.90                       | 0.794                        | 0.803                       |                        |                       | -9.15                     | -9.14                        | 34.4327317 | -118.6480740 | 1383         | 28.76                  | Well Condition: Lorentz Pump Installed                                                                                      |
| CV-24175   | 2/3/2026 1:35:14 PM   | 41.2       | 48.6       | 0.1       | 10.1           | 101.0        | 0.8     |                         |                         | 115.8                | 115.8               | -0.35                        | -0.35                       | 0.741                        | 0.738                       | 16.3                   | 16.3                  | -9.03                     |                              | 34.4326472 | -118.6484612 | 1352         | 28.71                  |                                                                                                                             |
| CV-24175   | 2/22/2026 2:30:24 PM  | 41.4       | 45.4       | 0.0       | 13.3           | 0.0          | 0.9     |                         |                         | 113.9                | 114.0               | -0.47                        | -0.48                       | 0.571                        | 0.581                       | 14.6                   | 14.8                  | -9.32                     | -9.28                        | 34.4326747 | -118.6484600 | 1378         | 28.79                  |                                                                                                                             |
| CV-24176   | 2/2/2026 10:27:14 AM  | 35.1       | 60.7       | 0.0       | 4.2            | 0.0          | 0.6     |                         |                         | 118.8                | 118.8               | -0.54                        | -0.43                       | 0.174                        | 0.037                       | 7.6                    | 3.5                   | -9.32                     |                              | 34.4326877 | -118.6488663 | 1404         | 28.67                  |                                                                                                                             |
| CV-24176   | 2/21/2026 8:41:34 AM  | 22.2       | 77.8       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 81.9                 | 82.2                | -0.32                        | -0.33                       | 0.007                        | 0.004                       | 1.5                    | 1.2                   | -10.14                    |                              | 34.4326048 | -118.6488883 | 1342         | 28.63                  |                                                                                                                             |
| CV-24177   | 2/13/2026 10:57:16 AM | 31.6       | 43.2       | 2.6       | 22.6           | 8.7          | 0.7     |                         |                         | 102.6                | 102.8               | -0.42                        | -0.43                       | 0.416                        | 0.419                       |                        |                       | -7.91                     | -8.28                        | 34.4322545 | -118.6494295 | 1324         | 28.67                  |                                                                                                                             |
| CV-24177   | 2/21/2026 9:01:10 AM  | 25.5       | 38.7       | 3.7       | 32.1           | 8.7          | 0.7     |                         |                         | 59.6                 | 59.7                | -1.39                        | -1.43                       | 1.576                        | 1.698                       | 0.0                    | 0.0                   | -10.56                    |                              | 34.4322545 | -118.6494227 | 1316         | 28.67                  | No Flow Measurement,                                                                                                        |
| CV-24178   | 2/2/2026 2:36:53 PM   | 39.7       | 58.4       | 0.0       | 1.9            | 0.0          | 0.7     |                         |                         | 125.6                | 125.8               | -0.09                        | -0.10                       | 0.041                        | 0.041                       | 3.7                    | 3.7                   | -9.03                     |                              | 34.4323447 | -118.6485990 | 1306         | 28.65                  |                                                                                                                             |
| CV-24178   | 2/19/2026 9:08:01 AM  | 47.8       | 48.0       | 0.0       | 4.2            | 0.0          | 1.0     |                         |                         | 121.7                | 121.9               | -0.69                        | -0.67                       | 0.637                        | 0.640                       | 15.3                   | 15.3                  | -10.45                    |                              | 34.4323950 | -118.6486073 | 1358         | 28.51                  | No Adjustment Made,                                                                                                         |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                        |                             |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|-------------------------------------------------------------------------------------------------|-----------------------------|
| CV-24179   | 2/2/2026 10:15:34 AM  | 36.6       | 61.0       | 0.0       | 2.4            | 0.0          | 0.6     |                         |                         | 126.1             | 124.8            | -0.68                     | -0.49                    | 0.080                     | -0.020                   | 5.1                 | 0.0                | -10.12                 |                           | 34.4320558 | -118.6491780 | 1325         | 28.67               | ,                                                                                               |                             |
| CV-24179   | 2/17/2026 10:03:25 AM | 15.7       | 83.4       | 0.0       | 0.9            | 0.0          | 0.2     |                         |                         | 77.2              | 77.3             | -0.57                     | -0.56                    | -0.044                    | -0.044                   | 0.0                 | 0.0                | -10.54                 |                           | 34.4320215 | -118.6491880 | 1381         | 28.58               | ,                                                                                               |                             |
| CV-24180   | 2/2/2026 10:30:57 AM  | 42.5       | 52.9       | 0.0       | 4.6            | 0.0          | 0.8     |                         |                         | 120.1             | 120.3            | -0.95                     | -0.73                    | 0.256                     | 0.070                    | 19.8                | 10.4               | -10.35                 |                           | 34.4322103 | -118.6487377 | 1365         | 28.67               | ,                                                                                               |                             |
| CV-24180   | 2/22/2026 12:54:06 PM | 39.2       | 54.9       | 0.0       | 6.0            | 0.0          | 0.7     |                         |                         | 107.8             | 112.3            | -0.14                     | -0.25                    | 0.002                     | 0.080                    | 0.9                 | 5.5                | -9.31                  | -9.27                     | 34.4321688 | -118.6487980 | 1335         | 28.83               | Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Pnumatic Pump Installed       |                             |
| CV-24180   | 2/22/2026 12:54:59 PM | 40.8       | 51.9       | 0.0       | 7.4            | 0.0          | 0.8     |                         |                         | 112.6             | 112.5            | -0.28                     | -0.27                    | 0.099                     | 0.089                    | 6.1                 | 5.8                | -9.24                  | -9.16                     | 34.4321723 | -118.6488067 | 1338         | 28.84               | ,                                                                                               |                             |
| CV-24182   | 2/2/2026 2:15:57 PM   | 44.7       | 51.2       | 0.0       | 4.1            | 0.0          | 0.9     |                         |                         | 105.9             | 105.5            | -0.17                     | -0.16                    | 0.155                     | 0.152                    | 0.0                 | 0.0                | -8.90                  |                           | 34.4321782 | -118.6480082 | 1378         | 28.65               | ,                                                                                               |                             |
| CV-24182   | 2/19/2026 8:55:04 AM  | 48.9       | 48.0       | 0.0       | 3.1            | 0.0          | 1.0     |                         |                         | 54.9              | 54.9             | -0.41                     | -0.40                    | 0.394                     | 0.387                    | 0.0                 | 0.0                | -9.75                  |                           | 34.4324310 | -118.6481107 | 1329         | 28.49               | No Adjustment Made,                                                                             |                             |
| CV-24183   | 2/2/2026 3:35:59 PM   | 49.0       | 47.8       | 0.1       | 3.1            | 31.0         | 1.0     |                         |                         | 99.1              | 96.5             | -1.20                     | -0.39                    | 1.163                     | 0.349                    | 0.0                 | 0.0                | -9.36                  |                           | 34.4323940 | -118.6476260 | 1329         | 28.65               | ,                                                                                               |                             |
| CV-24183   | 2/17/2026 9:18:38 AM  | 47.0       | 45.6       | 0.5       | 6.9            | 13.8         | 1.0     |                         |                         | 57.1              | 48.9             | -1.56                     | -1.25                    | 1.572                     | 1.267                    | 0.0                 | 0.0                | -10.42                 |                           | 34.4323317 | -118.6476688 | 1358         | 28.63               | No Adjustment Made,                                                                             |                             |
| CV-24184   | 2/4/2026 1:11:22 PM   | 48.9       | 44.0       | 0.0       | 7.1            | 0.0          | 1.1     |                         |                         | 113.4             | 140.2            | 0.13                      | -0.03                    | 0.020                     | 1.775                    | 1.0                 | 9.0                | -8.89                  | -9.16                     | 34.4325138 | -118.6472793 | 1364         | 28.79               | Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.,Increased Flow/Vacuum |                             |
| CV-24184   | 2/4/2026 1:14:59 PM   | 42.0       | 42.7       | 0.0       | 15.3           | 0.0          | 1.0     |                         |                         | 143.5             | 144.7            | -0.03                     | -0.03                    | 1.672                     | 1.643                    | 8.7                 | 8.7                | -9.06                  | -9.05                     | 34.4325158 | -118.6472835 | 1350         | 28.79               | Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),High Temp                       |                             |
| CV-24184   | 2/4/2026 1:40:11 PM   | 33.8       | 35.4       | 0.0       | 30.7           | 0.0          | 1.0     |                         |                         | 148.1             | 148.1            | -0.16                     | -0.07                    | 1.569                     | 1.355                    | 8.4                 | 7.8                | -9.10                  | -9.19                     | 34.4325260 | -118.6472562 | 1357         | 28.79               | Valve Adjustment:High Temp,Decreased Flow/Vacuum                                                |                             |
| CV-24184   | 2/4/2026 2:10:00 PM   |            |            |           |                |              |         |                         | 4500                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                 | AtmAA; [User entered 0.45%] |
| CV-24184   | 2/4/2026 2:10:00 PM   |            |            |           |                |              |         | 498                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                 | AtmAA                       |
| CV-24184   | 2/13/2026 1:42:48 PM  | 31.7       | 28.5       | 6.6       | 33.2           | 5.0          | 1.1     |                         |                         | 137.3             | 137.5            | -0.23                     | -0.21                    | 0.000                     | 0.000                    |                     |                    | -8.64                  | -8.61                     | 34.4325317 | -118.6472710 | 1352         | 28.6                | ,                                                                                               |                             |
| CV-24184   | 2/17/2026 9:35:05 AM  | 1.5        | 3.2        | 19.3      | 76.0           | 3.9          | 0.5     |                         |                         | 127.6             | 127.7            | -0.80                     | -0.78                    | 2.741                     | 2.885                    | 11.5                | 11.8               | -10.34                 |                           | 34.4325000 | -118.6472818 | 1375         | 28.63               | NSPS/EG CAI,High O2                                                                             |                             |
| CV-24184   | 2/17/2026 9:38:23 AM  | 1.5        | 2.6        | 19.4      | 76.5           | 3.9          | 0.6     |                         |                         | 127.3             | 121.4            | -0.64                     | -0.40                    | 0.375                     | -0.030                   | 4.2                 | 0.0                | -10.60                 |                           | 34.4324955 | -118.6472207 | 1385         | 28.63               | NSPS/EG CAI,High O2                                                                             |                             |
| CV-24185   | 2/3/2026 11:26:06 AM  | 50.3       | 46.3       | 0.0       | 3.4            | 0.0          | 1.1     |                         |                         | 114.4             | 114.5            | -0.77                     | -0.78                    | 1.220                     | 1.228                    | 21.5                | 21.5               | -9.61                  |                           | 34.4326750 | -118.6469500 | 1355         | 28.77               | ,                                                                                               |                             |
| CV-24185   | 2/4/2026 2:25:07 PM   | 49.8       | 43.7       | 0.0       | 6.6            | 0.0          | 1.1     |                         |                         | 117.6             | 117.5            | -0.39                     | -0.34                    | 1.140                     | 0.947                    | 20.6                | 18.8               | -9.15                  | -9.09                     | 34.4326725 | -118.6469350 | 1351         | 28.75               | Valve Adjustment:Decreased Flow/Vacuum                                                          |                             |
| CV-24185   | 2/4/2026 2:26:01 PM   | 49.9       | 43.9       | 0.0       | 6.2            | 0.0          | 1.1     |                         |                         | 117.3             | 117.4            | -0.33                     | -0.31                    | 0.918                     | 0.892                    | 18.5                | 18.2               | -9.02                  | -8.80                     | 34.4326720 | -118.6469338 | 1354         | 28.75               | ,                                                                                               |                             |
| CV-24185   | 2/17/2026 9:50:59 AM  | 50.6       | 44.1       | 0.0       | 5.3            | 0.0          | 1.1     |                         |                         | 110.0             | 109.9            | -1.62                     | -1.59                    | 0.946                     | 0.941                    | 19.1                | 19.0               | -10.83                 |                           | 34.4326120 | -118.6469487 | 1352         | 28.62               | No Adjustment Made,                                                                             |                             |
| CV-24186   | 2/3/2026 11:31:33 AM  | 46.7       | 42.5       | 0.0       | 10.8           | 0.0          | 1.1     |                         |                         | 126.2             | 125.8            | -1.22                     | -0.99                    | 0.391                     | 0.073                    | 25.3                | 10.9               | -9.26                  |                           | 34.4328747 | -118.6465038 | 1378         | 28.77               | ,                                                                                               |                             |
| CV-24186   | 2/23/2026 11:00:28 AM | 45.7       | 48.1       | 0.0       | 6.2            | 0.0          | 1.0     |                         |                         | 123.9             | 123.9            | -0.18                     | -0.17                    | 0.130                     | 0.128                    | 14.3                | 14.3               | -5.26                  |                           | 34.4328345 | -118.6465612 | 1371         | 28.77               | Reduced System Vacuum,No Adjustment Made                                                        |                             |
| CV-24187   | 2/4/2026 2:06:17 PM   | 44.3       | 53.1       | 0.0       | 2.6            | 0.0          | 0.8     |                         |                         | 125.0             | 125.6            | -0.17                     | -0.15                    | 1.471                     | 1.516                    | 23.2                | 23.6               | -8.54                  | -8.74                     | 34.4318568 | -118.6495770 | 1310         | 28.78               | Valve Adjustment:Audible Flow;Well Condition:Fair                                               |                             |
| CV-24187   | 2/17/2026 10:09:01 AM | 38.2       | 51.3       | 0.0       | 10.5           | 0.0          | 0.7     |                         |                         | 122.1             | 121.9            | -2.01                     | -1.71                    | 1.534                     | 0.893                    | 23.0                | 17.6               | -9.51                  |                           | 34.4319465 | -118.6495518 | 1335         | 28.59               | ,                                                                                               |                             |
| CV-24188   | 2/4/2026 1:43:59 PM   | 50.8       | 42.8       | 0.0       | 6.4            | 0.0          | 1.2     |                         |                         | 116.5             | 116.7            | -1.01                     | -1.01                    | 0.272                     | 0.280                    | 10.1                | 10.2               | -8.91                  | -8.91                     | 34.4315358 | -118.6501215 | 1264         | 28.82               | Valve Adjustment:Audible Flow,Barely Open                                                       |                             |
| CV-24188   | 2/22/2026 1:12:49 PM  | 52.8       | 44.2       | 0.0       | 3.0            | 0.0          | 1.2     |                         |                         | 114.6             | 115.3            | -1.54                     | -1.93                    | 0.324                     | 0.517                    | 11.0                | 13.9               | -9.60                  | -9.61                     | 34.4315342 | -118.6501142 | 1271         | 28.91               | Valve Adjustment:Increased Flow/Vacuum                                                          |                             |
| CV-24188   | 2/22/2026 1:14:20 PM  | 52.4       | 44.3       | 0.0       | 3.3            | 0.0          | 1.2     |                         |                         | 115.6             | 115.7            | -2.17                     | -2.17                    | 0.502                     | 0.508                    | 13.7                | 13.8               | -9.73                  | -9.66                     | 34.4315232 | -118.6501280 | 1270         | 28.91               | ,                                                                                               |                             |
| CV-24189   | 2/4/2026 1:46:19 PM   | 51.1       | 42.1       | 0.0       | 6.8            | 0.0          | 1.2     |                         |                         | 115.1             | 116.5            | -0.01                     | -0.35                    | 0.301                     | 1.073                    | 3.8                 | 7.2                | -8.97                  | -9.07                     | 34.4313173 | -118.6499960 | 1269         | 28.82               | Valve Adjustment:Increased Flow/Vacuum,Barely Open                                              |                             |
| CV-24189   | 2/24/2026 9:40:34 AM  | 51.6       | 40.4       | 0.5       | 7.5            | 15.0         | 1.3     |                         |                         | 115.0             | 115.6            | -1.17                     | -1.16                    | 0.853                     | 0.851                    | 6.4                 | 6.4                | -8.52                  | -8.34                     | 34.4313208 | -118.6500182 | 1254         | 28.75               | ,                                                                                               |                             |
| CV-24189   | 2/24/2026 11:30:14 AM | 49.0       | 42.2       | 0.2       | 8.6            | 43.0         | 1.2     |                         |                         | 115.3             | 114.7            | -1.11                     | -0.89                    | 1.506                     | 0.942                    | 8.6                 | 6.8                | -8.58                  |                           | 34.4312392 | -118.6499312 | 1299         | 28.7                | ,                                                                                               |                             |
| CV-24190   | 2/4/2026 2:02:44 PM   | 53.2       | 44.1       | 0.0       | 2.7            | 0.0          | 1.2     |                         |                         | 123.2             | 123.3            | -0.20                     | -0.21                    | 2.131                     | 2.100                    | 28.0                | 27.8               | -8.76                  | -8.66                     | 34.4315827 | -118.6494728 | 1309         | 28.78               | Valve Adjustment:Audible Flow,Barely Open                                                       |                             |
| CV-24190   | 2/17/2026 10:15:33 AM | 53.5       | 46.4       | 0.0       | 0.1            | 0.0          | 1.2     |                         |                         | 120.1             | 120.4            | -5.08                     | -5.16                    | 1.190                     | 1.434                    | 44.3                | 48.6               | -9.83                  |                           | 34.4315978 | -118.6494635 | 1296         | 28.61               | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                             |                             |
| CV-24192   | 2/4/2026 1:58:34 PM   | 53.6       | 40.8       | 0.0       | 5.6            | 0.0          | 1.3     |                         |                         | 116.5             | 116.7            | -0.52                     | -0.52                    | 0.093                     | 0.121                    | 6.4                 | 7.3                | -8.65                  | -8.72                     | 34.4313233 | -118.6494878 | 1295         | 28.78               | Valve Adjustment:Audible Flow,Barely Open;Well Condition:Fair                                   |                             |
| CV-24192   | 2/17/2026 10:25:11 AM | 56.4       | 43.2       | 0.0       | 0.4            | 0.0          | 1.3     |                         |                         | 105.2             | 108.5            | -3.27                     | -3.97                    | 0.087                     | 0.214                    | 8.7                 | 13.6               | -10.40                 |                           | 34.4313813 | -118.6492685 | 1335         | 28.62               | ,                                                                                               |                             |
| CV-24193   | 2/2/2026 9:42:47 AM   | 52.2       | 42.9       | 0.0       | 4.9            | 0.0          | 1.2     |                         |                         | 112.4             | 112.4            | -8.89                     | -8.89                    | 1.025                     | 1.159                    | 21.7                | 23.1               | -9.93                  |                           | 34.4314935 | -118.6490570 | 1342         | 28.76               | ,                                                                                               |                             |
| CV-24193   | 2/17/2026 9:28:55 AM  | 54.7       | 44.3       | 0.1       | 0.9            | 9.0          | 1.2     |                         |                         | 111.0             | 110.9            | -8.87                     | -9.23                    | 0.948                     | 0.975                    | 20.9                | 21.2               | -10.37                 |                           | 34.4315633 | -118.6490375 | 1345         | 28.69               | ,                                                                                               |                             |
| CV-24194   | 2/2/2026 9:50:30 AM   | 52.2       | 44.6       | 0.0       | 3.2            | 0.0          | 1.2     |                         |                         | 112.8             | 112.8            | -10.06                    | -10.03                   | 0.166                     | 0.161                    | 8.7                 | 8.5                | -10.09                 |                           | 34.4316985 | -118.6484838 | 1348         | 28.65               | ,                                                                                               |                             |
| CV-24194   | 2/17/2026 9:41:03 AM  | 53.2       | 45.5       | 0.0       | 1.3            | 0.0          | 1.2     |                         |                         | 109.1             | 109.1            | -10.25                    | -10.44                   | 0.050                     | 0.337                    | 4.8                 | 12.4               | -10.67                 |                           | 34.4316703 | -118.6485272 | 1339         | 28.58               | ,                                                                                               |                             |
| CV-24195   | 2/2/2026 3:39:42 PM   | 49.5       | 48.6       | 0.0       | 1.9            | 0.0          | 1.0     |                         |                         | 113.7             | 113.8            | -0.31                     | -0.31                    | 1.768                     | 1.764                    | 9.2                 | 9.2                | -8.89                  |                           | 34.4318227 | -118.6478833 | 1329         | 28.64               | ,                                                                                               |                             |
| CV-24195   | 2/17/2026 8:47:48 AM  | 48.5       | 48.1       | 0.0       | 3.4            | 0.0          | 1.0     |                         |                         | 110.1             | 110.1            | -1.31                     | -1.30                    | 1.800                     | 1.798                    | 9.3                 | 9.3                | -10.27                 |                           | 34.4318072 | -118.6478990 | 1371         | 28.63               | No Adjustment Made,                                                                             |                             |
| CV-24195   | 2/23/2026 2:04:54 PM  | 49.9       | 50.1       | 0.0       | 0.0            | 0.0          | 1.0     |                         |                         | 114.5             | 114.8            | -0.28                     | -0.35                    | 2.325                     | 2.916                    | 10.5                | 11.8               | -8.42                  |                           | 34.4317990 | -118.6478430 | 1342         | 28.71               | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                             |                             |
| CV-24196   | 2/2/2026 3:45:20 PM   | 51.3       | 45.4       | 0.0       | 3.3            | 0.0          | 1.1     |                         |                         | 120.7             | 120.7            | -1.41                     | -1.40                    | 0.179                     | 0.181                    | 12.2                | 12.2               | -9.12                  |                           | 34.4321045 | -118.6471385 | 1316         | 28.65               | ,                                                                                               |                             |
| CV-24196   | 2/17/2026 8:58:39 AM  | 49.8       | 46.7       | 0.0       | 3.5            | 0.0          | 1.1     |                         |                         | 116.9             | 116.9            | -2.99                     | -2.97                    | 0.233                     | 0.231                    | 13.8                | 13.7               | -10.21                 |                           | 34.4320468 | -118.6472385 | 1371         | 28.63               | No Adjustment Made,                                                                             |                             |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                        |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| CV-24197   | 2/4/2026 2:40:44 PM   | 52.5       | 41.6       | 0.0       | 5.9            | 0.0          | 1.3     |                         |                         | 116.6                | 116.2               | -0.04                        | -0.03                       | 0.632                        | 0.009                       | 15.4                   | 1.8                   | -8.93                     | -8.83                        | 34.4323848 | -118.6465813 | 1333         | 28.76                  | Valve Adjustment:Orifice Plate Changed (See OP Log);Well Condition:Lorentz Pump Installed                       |
| CV-24197   | 2/4/2026 2:44:27 PM   | 51.8       | 42.4       | 0.0       | 5.9            | 0.0          | 1.2     |                         |                         | 116.2                | 119.3               | -0.18                        | -0.32                       | 0.113                        | 0.149                       | 13.5                   | 15.4                  | -8.88                     | -8.91                        | 34.4323585 | -118.6465872 | 1334         | 28.79                  | Valve Adjustment:Orifice Plate Changed (See OP Log);Increased Flow/Vacuum                                       |
| CV-24197   | 2/4/2026 2:47:24 PM   | 51.4       | 42.4       | 0.0       | 6.3            | 0.0          | 1.2     |                         |                         | 120.0                | 120.2               | -0.36                        | -0.33                       | 0.637                        | 0.652                       | 15.4                   | 15.5                  | -8.82                     | -8.93                        | 34.4323678 | -118.6465752 | 1323         | 28.77                  |                                                                                                                 |
| CV-24197   | 2/23/2026 10:54:34 AM | 52.6       | 44.7       | 0.0       | 2.7            | 0.0          | 1.2     |                         |                         | 113.2                | 113.9               | -0.38                        | -0.38                       | 0.381                        | 0.496                       |                        |                       | -4.73                     |                              | 34.4322910 | -118.6465728 | 1342         | 28.78                  |                                                                                                                 |
| CV-24198   | 2/3/2026 11:11:33 AM  | 47.0       | 44.5       | 0.0       | 8.5            | 0.0          | 1.1     |                         |                         | 120.8                | 120.8               | -1.08                        | -0.91                       | 5.541                        | 3.917                       | 16.5                   | 13.7                  | -10.63                    |                              | 34.4316757 | -118.6474845 | 1434         | 28.79                  |                                                                                                                 |
| CV-24198   | 2/17/2026 8:31:54 AM  | 46.0       | 45.4       | 0.0       | 8.6            | 0.0          | 1.0     |                         |                         | 120.1                | 120.0               | -1.87                        | -1.82                       | 4.209                        | 4.293                       | 14.1                   | 14.3                  | -12.47                    |                              | 34.4316053 | -118.6475780 | 1322         | 28.63                  |                                                                                                                 |
| CV-24199   | 2/3/2026 11:06:56 AM  | 51.1       | 43.6       | 0.0       | 5.3            | 0.0          | 1.2     |                         |                         | 126.1                | 126.2               | -1.68                        | -1.65                       | 2.289                        | 2.294                       | 43.4                   | 43.5                  | -11.12                    |                              | 34.4317680 | -118.6471177 | 1358         | 28.8                   |                                                                                                                 |
| CV-24199   | 2/17/2026 8:36:53 AM  | 49.1       | 45.5       | 0.0       | 5.4            | 0.0          | 1.1     |                         |                         | 126.4                | 126.5               | -2.70                        | -2.70                       | 2.461                        | 2.584                       | 44.5                   | 45.6                  | -13.18                    |                              | 34.4318023 | -118.6473443 | 1358         | 28.63                  | No Adjustment Made,                                                                                             |
| CV-24200   | 2/3/2026 2:50:09 PM   | 51.5       | 44.0       | 0.0       | 4.5            | 0.0          | 1.2     |                         |                         | 116.1                | 116.1               | -0.84                        | -0.85                       | 2.196                        | 2.193                       | 19.0                   | 19.0                  | -9.74                     |                              | 34.4315340 | -118.6472813 | 1257         | 28.81                  |                                                                                                                 |
| CV-24200   | 2/17/2026 7:47:37 AM  | 50.2       | 42.9       | 0.0       | 6.9            | 0.0          | 1.2     |                         |                         | 115.2                | 115.3               | -1.96                        | -1.95                       | 2.391                        | 2.391                       | 19.8                   | 19.8                  | -12.31                    |                              | 34.4314857 | -118.6472588 | 1339         | 28.66                  | No Adjustment Made,                                                                                             |
| CV-24201   | 2/2/2026 10:45:16 AM  | 56.4       | 41.6       | 0.1       | 1.9            | 19.0         | 1.4     |                         |                         | 115.4                | 115.5               | -1.48                        | -1.47                       | 0.439                        | 0.438                       | 13.2                   | 13.2                  | -10.32                    |                              | 34.4319210 | -118.6465703 | 1299         | 28.88                  | No Adjustment Made,                                                                                             |
| CV-24201   | 2/17/2026 7:54:57 AM  | 51.3       | 42.7       | 0.0       | 6.0            | 0.0          | 1.2     |                         |                         | 113.3                | 113.3               | -1.91                        | -1.81                       | 0.416                        | 0.423                       | 12.7                   | 12.8                  | -12.45                    |                              | 34.4317703 | -118.6465643 | 1283         | 28.66                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                             |
| CV-24202   | 2/2/2026 10:52:48 AM  | 47.4       | 46.6       | 0.0       | 6.0            | 0.0          | 1.0     |                         |                         | 118.8                | 119.0               | -3.82                        | -3.75                       | 3.842                        | 3.743                       | 0.0                    | 0.0                   | -10.37                    |                              | 34.4319330 | -118.6462597 | 1273         | 28.78                  | Opened Valve 1/2 Turn or Less,                                                                                  |
| CV-24202   | 2/17/2026 8:06:33 AM  | 40.0       | 41.4       | 0.0       | 18.6           | 0.0          | 1.0     |                         |                         | 102.8                | 102.9               | -5.76                        | -5.73                       | 5.660                        | 5.660                       | 0.0                    | 0.0                   | -12.31                    |                              | 34.4319935 | -118.6462930 | 1266         | 28.67                  |                                                                                                                 |
| CV-24203   | 2/4/2026 9:59:43 AM   | 53.1       | 44.3       | 0.0       | 2.6            | 0.0          | 1.2     |                         |                         | 125.5                | 125.8               | -2.29                        | -2.39                       | 5.751                        | 6.609                       | 30.6                   | 32.7                  | -12.43                    |                              | 34.4315177 | -118.6460868 | 1237         | 28.91                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                             |
| CV-24203   | 2/19/2026 9:48:11 AM  | 57.1       | 42.9       | 0.0       | 0.0            | 0.0          | 1.3     |                         |                         | 121.0                | 121.0               | -3.25                        | -3.21                       | 6.462                        | 7.022                       | 32.9                   | 34.3                  | -12.45                    |                              | 34.4314087 | -118.6462745 | 1220         | 28.58                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                             |
| CV-24204   | 2/4/2026 9:53:49 AM   | 52.9       | 43.9       | 0.0       | 3.2            | 0.0          | 1.2     |                         |                         | 120.1                | 120.6               | -2.46                        | -2.67                       | 0.280                        | 0.407                       | 15.3                   | 18.4                  | -11.74                    |                              | 34.4312973 | -118.6462160 | 1207         | 28.91                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                             |
| CV-24204   | 2/19/2026 9:53:29 AM  | 51.2       | 46.2       | 0.9       | 1.7            | 1.9          | 1.1     |                         |                         | 119.1                | 119.2               | -3.29                        | -3.30                       | 0.382                        | 0.444                       | 17.7                   | 19.1                  | -12.36                    |                              | 34.4314548 | -118.6462503 | 1220         | 28.61                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                             |
| CV-24205   | 2/4/2026 9:50:46 AM   | 51.9       | 44.0       | 0.0       | 4.1            | 0.0          | 1.2     |                         |                         | 121.0                | 120.9               | -1.83                        | -1.92                       | 0.722                        | 0.844                       | 24.5                   | 26.5                  | -12.26                    |                              | 34.4311278 | -118.6464320 | 1247         | 28.91                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                             |
| CV-24205   | 2/19/2026 10:00:31 AM | 59.4       | 40.6       | 0.0       | 0.0            | 0.0          | 1.5     |                         |                         | 117.7                | 118.0               | -2.93                        | -2.94                       | 0.782                        | 1.016                       | 26.2                   | 29.8                  | -12.12                    |                              | 34.4312378 | -118.6464550 | 1250         | 28.62                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                             |
| CV-24206   | 2/3/2026 2:56:54 PM   | 35.6       | 33.8       | 3.5       | 27.1           | 7.7          | 1.1     |                         |                         | 99.5                 | 99.4                | -0.99                        | -0.99                       | 0.948                        | 0.945                       | 0.0                    | 0.0                   | -12.71                    |                              | 34.4315555 | -118.6468020 | 1283         | 28.82                  |                                                                                                                 |
| CV-24206   | 2/17/2026 7:37:53 AM  | 32.6       | 32.0       | 4.8       | 30.6           | 6.4          | 1.0     |                         |                         | 54.4                 | 56.6                | -1.28                        | -1.24                       | 1.317                        | 1.258                       | 0.0                    | 0.0                   | -10.73                    |                              | 34.4315385 | -118.6468040 | 1257         | 28.64                  |                                                                                                                 |
| CV-24207   | 2/9/2026 11:06:51 AM  | 53.2       | 46.0       | 0.0       | 0.8            | 0.0          | 1.2     |                         |                         | 128.6                | 128.6               | -3.80                        | -3.93                       | 0.588                        | 0.644                       | 21.8                   | 22.9                  | -5.60                     |                              | 34.4333040 | -118.6470160 | 1342         | 28.74                  | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                       |
| CV-24207   | 2/22/2026 10:10:56 AM | 53.7       | 43.8       | 0.0       | 2.5            | 0.0          | 1.2     |                         |                         | 129.5                | 129.5               | -7.99                        | -8.03                       | 0.826                        | 0.878                       | 24.8                   | 25.6                  | -9.61                     | -9.35                        | 34.4333237 | -118.6469030 | 1397         | 28.81                  | Valve Adjustment:Increased Flow/Vacuum                                                                          |
| CV-24207   | 2/22/2026 10:13:05 AM | 53.0       | 44.1       | 0.0       | 2.9            | 0.0          | 1.2     |                         |                         | 129.3                | 129.7               | -8.04                        | -8.07                       | 0.717                        | 0.859                       | 23.1                   | 25.3                  | -9.07                     | -9.45                        | 34.4333195 | -118.6468912 | 1391         | 28.82                  |                                                                                                                 |
| CV-24207   | 2/23/2026 12:05:25 PM | 52.4       | 46.3       | 0.3       | 1.0            | 3.3          | 1.1     |                         |                         | 127.7                | 128.0               | -5.36                        | -5.34                       | 1.161                        | 1.007                       | 30.6                   | 28.5                  | -6.33                     |                              | 34.4333210 | -118.6471927 | 1355         | 28.72                  |                                                                                                                 |
| CV-24208   | 2/4/2026 10:11:59 AM  | 45.5       | 52.9       | 0.0       | 1.6            | 0.0          | 0.9     |                         |                         | 125.6                | 125.8               | 0.09                         | -0.02                       | 0.957                        | 1.305                       | 20.1                   | 23.5                  | -9.19                     |                              | 34.4318588 | -118.6451055 | 1227         | 28.89                  | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less              |
| CV-24208   | 2/4/2026 10:14:37 AM  | 45.0       | 54.2       | 0.0       | 0.8            | 0.0          | 0.8     |                         |                         | 126.0                | 126.1               | -0.07                        | -0.06                       | 1.236                        | 1.228                       | 22.8                   | 22.7                  | -9.05                     |                              | 34.4319045 | -118.6450208 | 1224         | 28.89                  |                                                                                                                 |
| CV-24209   | 2/2/2026 11:09:35 AM  | 21.2       | 68.9       | 0.1       | 9.8            | 98.0         | 0.3     |                         |                         | 128.8                | 128.6               | -0.85                        | -0.66                       | 0.866                        | 0.743                       | 0.0                    | 0.0                   | -23.72                    |                              | 34.4321202 | -118.6455378 | 1247         | 28.77                  | Opened Valve 1/2 Turn or Less,                                                                                  |
| CV-24210   | 2/4/2026 9:39:29 AM   | 46.4       | 42.6       | 0.3       | 10.7           | 35.7         | 1.1     |                         |                         | 115.8                | 115.6               | -1.67                        | -1.87                       | 1.608                        | 1.825                       |                        |                       | -9.24                     | -9.28                        | 34.4326248 | -118.6455907 | 1343         | 28.83                  | Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                       |
| CV-24211   | 2/21/2026 10:36:31 AM | 19.3       | 77.8       | 0.1       | 2.8            | 28.0         | 0.2     |                         |                         | 130.7                | 130.4               | -9.80                        | -9.50                       | 9.675                        | 9.711                       |                        |                       | -13.09                    | -13.13                       | 34.4326948 | -118.6438540 | 1266         | 28.86                  |                                                                                                                 |
| CV-24212   | 2/17/2026 10:32:08 AM | 8.6        | 69.1       | 0.5       | 21.8           | 43.6         | 0.1     |                         |                         | 85.0                 | 85.0                | -0.51                        | -0.50                       | 0.512                        | 0.511                       | 0.0                    | 0.0                   | -13.31                    |                              | 34.4331713 | -118.6430403 | 1260         | 28.75                  | No Adjustment Made,                                                                                             |
| CV-24213   | 2/5/2026 8:58:42 AM   | 49.9       | 43.3       | 0.0       | 6.8            | 0.0          | 1.2     |                         |                         | 121.8                | 123.7               | -1.46                        | -2.04                       | 1.435                        | 2.012                       |                        |                       | -7.15                     | -7.74                        | 34.4365935 | -118.6429723 | 1332         | 28.75                  | Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed |
| CV-24214   | 2/10/2026 8:51:31 AM  | 41.1       | 47.5       | 0.1       | 11.3           | 113.0        | 0.9     |                         |                         | 115.4                | 115.5               | -0.41                        | -0.42                       | -0.479                       | -0.478                      | 0.0                    | 0.0                   | -5.46                     |                              | 34.4367765 | -118.6435535 | 4347         | 28.64                  | Reduced System Vacuum,                                                                                          |
| CV-24215   | 2/13/2026 3:34:01 PM  | 46.2       | 46.9       | 0.0       | 6.9            | 0.0          | 1.0     |                         |                         | 90.8                 | 91.0                | 0.04                         | -0.05                       | 0.058                        | 0.065                       | 9.9                    | 10.5                  |                           |                              | 34.4370293 | -118.6446940 | 1306         | 28.6                   | NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less |
| CV-24215   | 2/13/2026 3:35:28 PM  | 46.1       | 47.6       | 0.0       | 6.3            | 0.0          | 1.0     |                         |                         | 91.1                 | 91.1                | -0.17                        | -0.16                       | 0.064                        | 0.064                       | 10.4                   | 10.4                  |                           |                              | 34.4370913 | -118.6447857 | 1355         | 28.6                   |                                                                                                                 |
| CV-24216   | 2/5/2026 8:52:02 AM   | 46.3       | 43.1       | 0.0       | 10.6           | 0.0          | 1.1     |                         |                         | 118.1                | 117.9               | -1.22                        | -1.00                       | 1.201                        | 0.992                       |                        |                       | -14.23                    | -14.11                       | 34.4367922 | -118.6423298 | 1311         | 28.78                  | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good                                         |
| CV-24217   | 2/4/2026 8:44:54 AM   | 32.0       | 66.4       | 0.0       | 1.6            | 0.0          | 0.5     |                         |                         | 95.7                 | 96.2                | -0.32                        | -0.32                       | 0.332                        | 0.334                       |                        |                       | -8.41                     | -8.41                        | 34.4359262 | -118.6444065 | 1388         | 28.78                  | Valve Adjustment:Audible Flow,Barely Open                                                                       |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                       |                                                                                                |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| CV-24218   | 2/12/2026 2:14:53 PM  | 43.8       | 56.2       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 120.8                | 120.0               | 0.65                         | 0.59                        | 0.000                        | 0.000                       |                        |                       | 0.38                      | 0.00                         | 34.4358293 | -118.6457845 | 1379         | 28.6                   |                                                                |                                                                                                |
| CV-24218   | 2/17/2026 2:01:40 PM  | 44.9       | 51.3       | 0.0       | 3.8            | 0.0          | 0.9     |                         |                         | 118.8                | 117.3               | -0.71                        | -0.71                       | 0.673                        | 0.614                       |                        |                       | -2.38                     | -2.59                        | 34.4358312 | -118.6457985 | 1398         | 28.53                  | Valve Adjustment: NSPS/EG CAC                                  |                                                                                                |
| CV-24218   | 2/17/2026 2:02:32 PM  | 44.6       | 51.2       | 0.0       | 4.2            | 0.0          | 0.9     |                         |                         | 116.7                | 117.5               | -0.62                        | -0.62                       | 0.565                        | 0.565                       |                        |                       | -2.35                     | -2.35                        | 34.4358358 | -118.6458020 | 1384         | 28.53                  |                                                                |                                                                                                |
| CV-24219   | 2/3/2026 7:29:14 AM   | 9.1        | 88.2       | 0.0       | 2.7            | 0.0          | 0.1     |                         |                         | 178.2                | 178.2               | -6.15                        | -5.66                       | 6.052                        | 5.548                       |                        |                       | -18.21                    | -12.34                       | 34.4350920 | -118.6462173 | 1386         | 28.74                  | Valve Adjustment: No Flow Measurement, High Temp               |                                                                                                |
| CV-24219   | 2/3/2026 7:30:00 AM   |            |            |           |                |              |         |                         | 90650                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | AtmAA; [User entered 9.065%]                                                                   |
| CV-24219   | 2/3/2026 7:30:00 AM   |            |            |           |                |              |         | 2045.5                  |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | AtmAA                                                                                          |
| CV-24219   | 2/11/2026 8:30:00 AM  |            |            |           |                |              |         |                         | 86100                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | AtmAA; [User entered 8.61%]                                                                    |
| CV-24219   | 2/11/2026 8:30:00 AM  |            |            |           |                |              |         | 3730                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | AtmAA                                                                                          |
| CV-24219   | 2/11/2026 8:37:24 AM  | 6.8        | 84.2       | 0.5       | 8.5            | 17.0         | 0.1     |                         |                         | 174.9                | 174.6               | -6.08                        | -6.08                       | 6.429                        | 6.510                       |                        |                       | -17.53                    | -18.03                       | 34.4350937 | -118.6462172 | 1393         | 28.61                  | Valve Comment: Enhance monitoring; Valve Adjustment: High Temp |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Comment: Enhanced Monitoring; Valve                                                      |
| CV-24219   | 2/18/2026 7:51:25 AM  | 7.9        | 83.3       | 0.9       | 7.9            | 8.8          | 0.1     |                         |                         | 177.5                | 177.6               | -11.73                       | -11.74                      | 11.523                       | 11.525                      | 87.2                   | 87.2                  | -12.62                    | -13.23                       | 34.4350882 | -118.6462238 | 1395         | 28.44                  | Adjustment: NSPS/EG CAI, High Temp                             |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Adjustment: No Flow Measurement, Other - See Daily Log, High Temp, Decreased Flow/Vacuum |
| CV-24219   | 2/24/2026 1:11:35 PM  | 7.8        | 65.2       | 4.0       | 23.0           | 5.8          | 0.1     |                         |                         | 178.4                | 178.8               | -11.98                       | -5.19                       | 12.009                       | 5.108                       | 89.2                   | 59.1                  | -13.08                    | -13.55                       | 34.4351193 | -118.6462348 | 1416         | 28.6                   |                                                                |                                                                                                |
| CV-24219   | 2/24/2026 1:12:37 PM  | 4.9        | 70.6       | 2.7       | 21.8           | 8.1          | 0.1     |                         |                         | 179.1                | 179.1               | -4.58                        | -4.47                       | 4.561                        | 4.432                       | 55.9                   | 55.1                  | -13.35                    | -13.32                       | 34.4351282 | -118.6462250 | 1419         | 28.6                   | Valve Adjustment: No Flow Measurement, High Temp               |                                                                                                |
| CV-24220   | 2/9/2026 8:54:01 AM   | 22.2       | 66.1       | 0.0       | 11.7           | 0.0          | 0.3     |                         |                         | 126.7                | 126.9               | -5.74                        | -5.46                       | 5.846                        | 5.689                       |                        |                       | -8.47                     | -8.45                        | 34.4339588 | -118.6439775 | 1353         | 28.66                  | Valve Adjustment: Audible Flow, Decreased Flow/Vacuum          |                                                                                                |
| CV-24221   | 2/9/2026 12:47:41 PM  | 44.1       | 46.2       | 0.6       | 9.1            | 15.2         | 1.0     |                         |                         | 114.5                | 114.5               | -0.20                        | -0.19                       | -0.019                       | -0.017                      | 0.0                    | 0.0                   | -5.05                     |                              | 34.4341667 | -118.6421897 | 1270         | 28.63                  | Reduced System Vacuum, No Adjustment Made                      |                                                                                                |
| CV-24222   | 2/9/2026 12:54:39 PM  | 55.4       | 43.9       | 0.0       | 0.7            | 0.0          | 1.3     |                         |                         | 121.5                | 122.1               | -2.41                        | -2.79                       | 0.226                        | 0.455                       | 9.3                    | 13.2                  | -5.14                     |                              | 34.4335143 | -118.6419255 | 1250         | 28.64                  | Increased Flow/Vacuum, Opened Valve 1/2 to 1 Turn              |                                                                                                |
| CV-24223   | 2/21/2026 10:29:13 AM | 34.5       | 62.5       | 0.0       | 3.0            | 0.0          | 0.6     |                         |                         | 126.3                | 126.6               | -1.75                        | -1.72                       | 1.728                        | 1.691                       |                        |                       | -13.24                    | -13.18                       | 34.4334202 | -118.6425343 | 1261         | 28.86                  |                                                                |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Adjustment: NSPS/EG CAI, Positive Static Press., Increased Flow/Vacuum, Well             |
| CV-24224   | 2/9/2026 8:34:14 AM   | 48.6       | 44.8       | 0.6       | 6.0            | 10.0         | 1.1     |                         |                         | 109.6                | 113.7               | 0.43                         | -0.14                       | 0.000                        | 0.131                       |                        |                       | -7.32                     | -7.56                        | 34.4331532 | -118.6448277 | 1325         | 28.68                  | Condition: Fair, Lorentz Pump Installed                        |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Adjustment: NSPS/EG                                                                      |
| CV-24224   | 2/9/2026 8:34:58 AM   | 48.8       | 45.3       | 0.6       | 5.3            | 8.8          | 1.1     |                         |                         | 116.2                | 115.7               | -0.18                        | -0.18                       | 0.171                        | 0.174                       |                        |                       | -7.48                     | -7.40                        | 34.4331580 | -118.6448182 | 1325         | 28.68                  | CAC, Barely Open; Well Condition: Fair                         |                                                                                                |
| CV-24224   | 2/17/2026 10:38:56 AM | 33.7       | 63.5       | 0.0       | 2.8            | 0.0          | 0.5     |                         |                         | 88.9                 | 89.4                | -2.10                        | -2.06                       | 1.935                        | 1.930                       | 0.0                    | 0.0                   |                           |                              | 34.4334175 | -118.6425352 | 1263         | 28.74                  | No Adjustment Made,                                            |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Adjustment: Audible Flow, Well                                                           |
| CV-24225   | 2/5/2026 10:15:29 AM  | 53.2       | 41.3       | 0.0       | 5.5            | 0.0          | 1.3     |                         |                         | 98.8                 | 99.5                | -0.18                        | -0.18                       | 0.172                        | 0.181                       |                        |                       | -9.57                     | -9.72                        | 34.4327045 | -118.6444505 | 1299         | 28.82                  | Condition: Fair, Lorentz Pump Installed                        |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Adjustment: Decreased Flow/Vacuum, Surging Liquid in Header                              |
| CV-24226   | 2/21/2026 10:44:58 AM | 42.0       | 43.1       | 3.8       | 11.1           | 2.9          | 1.0     |                         |                         | 69.5                 | 70.8                | -14.53                       | -14.03                      | 0.067                        | 0.013                       | 10.6                   | 4.7                   | -14.19                    | -13.97                       | 34.4324962 | -118.6442915 | 1272         | 28.86                  | Valve Adjustment: Audible                                      |                                                                                                |
| CV-24227   | 2/4/2026 1:55:07 PM   | 53.3       | 40.5       | 0.0       | 6.2            | 0.0          | 1.3     |                         |                         | 118.0                | 118.0               | -2.12                        | -2.12                       | 1.243                        | 1.214                       | 23.2                   | 22.9                  | -8.77                     | -8.70                        | 34.4309565 | -118.6497902 | 1271         | 28.82                  | Flow, Barely Open; Well Condition: Fair                        |                                                                                                |
| CV-24231   | 2/5/2026 11:15:42 AM  | 54.2       | 42.8       | 0.0       | 3.0            | 0.0          | 1.3     |                         |                         | 117.9                | 120.3               | 0.36                         | -0.02                       | 0.097                        | 0.568                       | 12.9                   | 31.1                  | -5.32                     |                              | 34.4302053 | -118.6496280 | 1237         | 28.84                  | Increased Flow/Vacuum, Opened Valve 1/2 to 1 Turn              |                                                                                                |
| CV-24231   | 2/5/2026 11:18:36 AM  | 52.7       | 45.1       | 0.0       | 2.2            | 0.0          | 1.2     |                         |                         | 121.0                | 121.0               | -0.06                        | -0.06                       | 0.934                        | 0.845                       | 39.5                   | 37.6                  | -5.45                     |                              | 34.4302488 | -118.6497933 | 1250         | 28.84                  | ,                                                              |                                                                                                |
| CV-24236   | 2/4/2026 1:33:20 PM   | 54.3       | 41.4       | 0.0       | 4.3            | 0.0          | 1.3     |                         |                         | 103.4                | 103.9               | -1.48                        | -1.60                       | 1.026                        | 1.139                       | 12.9                   | 13.6                  | -9.31                     | -9.11                        | 34.4301067 | -118.6504927 | 1216         | 28.87                  | Valve Adjustment: Audible Flow, Increased Flow/Vacuum          |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Adjustment: Audible Flow, Increased Flow/Vacuum, Barely Open                             |
| CV-24237   | 2/4/2026 1:40:19 PM   | 54.4       | 38.1       | 0.0       | 7.5            | 0.0          | 1.4     |                         |                         | 112.2                | 112.8               | -0.03                        | -0.25                       | 0.386                        | 0.740                       | 13.0                   | 18.0                  | -9.36                     | -9.03                        | 34.4306257 | -118.6502105 | 1239         | 28.86                  |                                                                |                                                                                                |
| CV-24243   | 2/17/2026 11:21:34 AM | 33.5       | 31.1       | 5.2       | 30.2           | 5.8          | 1.1     |                         |                         | 105.0                | 105.0               | -0.40                        | -0.34                       | 0.963                        | 0.651                       | 64.3                   | 52.8                  | -10.69                    |                              | 34.4288042 | -118.6506840 | 1207         | 28.8                   | NSPS/EG CAI, High O2                                           |                                                                                                |
| CV-24243   | 2/17/2026 11:23:33 AM | 33.7       | 31.3       | 5.1       | 29.9           | 5.9          | 1.1     |                         |                         | 104.7                | 104.7               | -0.30                        | -0.26                       | 0.615                        | 0.534                       | 51.4                   | 47.9                  | -10.46                    |                              | 34.4287467 | -118.6507162 | 1220         | 28.8                   | NSPS/EG CAI, High O2                                           |                                                                                                |
| CV-24244   | 2/17/2026 11:05:56 AM | 52.0       | 43.8       | 0.2       | 4.0            | 20.0         | 1.2     |                         |                         | 107.7                | 107.8               | -0.51                        | -0.54                       | -0.010                       | -0.009                      | 0.0                    | 0.0                   | -10.92                    |                              | 34.4290120 | -118.6512683 | 1201         | 28.78                  | Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less           |                                                                                                |
| CV-24244   | 2/24/2026 1:33:58 PM  | 52.9       | 42.0       | 0.3       | 4.8            | 16.0         | 1.3     |                         |                         | 111.1                | 111.3               | -1.34                        | -1.54                       | 0.619                        | 0.647                       | 51.9                   | 53.0                  | -9.79                     |                              | 34.4289863 | -118.6513433 | 1191         | 28.72                  | Increased Flow/Vacuum,                                         |                                                                                                |
| CV-24245   | 2/23/2026 10:09:36 AM | 54.6       | 41.9       | 0.1       | 3.4            | 34.0         | 1.3     |                         |                         | 113.8                | 114.1               | -0.77                        | -1.00                       | 0.638                        | 1.058                       | 17.4                   | 22.4                  | -5.15                     |                              | 34.4284705 | -118.6499942 | 1201         | 28.98                  | Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less           |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Adjustment: Orifice Plate Changed (See OP Log), Increased Flow/Vacuum                    |
| CV-24246   | 2/3/2026 1:09:32 PM   | 54.7       | 41.2       | 0.0       | 4.1            | 0.0          | 1.3     |                         |                         | 115.6                | 116.2               | 0.18                         | -0.16                       | 0.212                        | 0.713                       | 18.5                   | 33.8                  | -10.36                    | -10.17                       | 34.4287022 | -118.6494738 | 1177         | 29.02                  |                                                                |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                | Valve Comment: corrective action completed for positive pressure exceedance; Valve             |
| CV-24246   | 2/3/2026 1:17:27 PM   | 53.7       | 41.7       | 0.0       | 4.6            | 0.0          | 1.3     |                         |                         | 116.3                | 116.3               | -0.24                        | -0.24                       | 0.722                        | 0.705                       | 34.0                   | 33.6                  | -10.24                    | -10.49                       | 34.4287037 | -118.6494473 | 1164         | 29.02                  | Adjustment: NSPS/EG CAC                                        |                                                                                                |

## Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>[\"H2O] | Adj Stat<br>Press<br>[\"H2O] | Init Diff<br>Press<br>[\"H2O] | Adj Diff<br>Press<br>[\"H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys<br>Pressure<br>[\"H2O] | Adj Avail<br>Press<br>[\"H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>[\"Hg] | Comments                                                                                                     |                                                                                                |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|-------------------------------|------------------------------|-------------------------------|------------------------------|---------------------|--------------------|----------------------------|-------------------------------|------------|--------------|--------------|-------------------------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|
| CV-24246   | 2/3/2026 1:19:50 PM   | 53.7       | 41.5       | 0.0       | 4.8            | 0.0          | 1.3     |                         |                         | 116.1                | 116.2               | -0.15                         | -0.15                        | 2.628                         | 2.683                        | 31.4                | 31.7               | -10.20                     | -10.39                        | 34.4286845 | -118.6494513 | 1161         | 29.02                   | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                          |                                                                                                |
| CV-24253   | 2/3/2026 11:45:01 AM  | 51.9       | 42.4       | 0.0       | 5.6            | 0.0          | 1.2     |                         |                         | 111.6                | 111.6               | -2.39                         | -2.60                        | 4.806                         | 2.961                        | 45.9                | 36.1               | -12.11                     | -12.83                        | 34.4282425 | -118.6498832 | 1116         | 29.1                    | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                          |                                                                                                |
| CV-24253   | 2/3/2026 11:47:22 AM  | 51.9       | 42.7       | 0.0       | 5.5            | 0.0          | 1.2     |                         |                         | 112.1                | 112.3               | -2.62                         | -2.45                        | 2.939                         | 2.598                        | 48.0                | 45.1               | -13.04                     | -11.62                        | 34.4282437 | -118.6498933 | 1127         | 29.09                   | Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum                                    |                                                                                                |
| CV-24253   | 2/3/2026 11:48:17 AM  | 51.8       | 42.8       | 0.0       | 5.4            | 0.0          | 1.2     |                         |                         | 112.2                | 112.3               | -2.46                         | -2.40                        | 2.560                         | 2.611                        | 44.8                | 45.3               | -11.55                     | -11.49                        | 34.4282430 | -118.6498835 | 1123         | 29.09                   |                                                                                                              |                                                                                                |
| CV-25      | 2/10/2026 10:31:02 AM | 44.5       | 46.3       | 0.0       | 9.2            | 0.0          | 1.0     |                         |                         | 66.2                 | 68.5                | -12.68                        | -12.62                       |                               |                              |                     |                    | -12.59                     |                               | 34.4371648 | -118.6416610 | 1217         | 28.69                   | No Adjustment Made,                                                                                          |                                                                                                |
| CV-25      | 2/25/2026 9:01:42 AM  | 48.9       | 38.0       | 2.3       | 10.8           | 4.7          | 1.3     |                         |                         | 73.2                 | 72.6                | -8.49                         | -8.39                        | 0.026                         | 0.039                        | 0.0                 | 0.0                | -8.39                      |                               | 34.4370278 | -118.6420555 | 1260         | 28.74                   |                                                                                                              |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         | NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn |                                                                                                |
| CV-2501    | 2/2/2026 1:50:18 PM   | 49.9       | 46.1       | 0.0       | 4.0            | 0.0          | 1.1     |                         |                         | 121.1                | 121.9               | 0.13                          | -0.02                        | 0.017                         | 0.069                        | 8.3                 | 16.9               | -9.09                      |                               | 34.4312478 | -118.6484552 | 1375         | 28.68                   |                                                                                                              |                                                                                                |
| CV-2501    | 2/2/2026 1:52:20 PM   | 49.0       | 47.5       | 0.0       | 3.5            | 0.0          | 1.0     |                         |                         | 121.7                | 121.7               | -0.05                         | -0.04                        | 0.056                         | 0.055                        | 15.1                | 15.0               | -8.71                      |                               | 34.4313170 | -118.6484040 | 1312         | 28.68                   |                                                                                                              |                                                                                                |
| CV-2502    | 2/2/2026 2:01:13 PM   | 49.2       | 45.3       | 0.0       | 5.5            | 0.0          | 1.1     |                         |                         | 118.8                | 118.9               | -0.29                         | -0.19                        | -0.009                        | 0.039                        | 0.0                 | 12.7               | -10.02                     |                               | 34.4308272 | -118.6491547 | 1319         | 28.44                   |                                                                                                              |                                                                                                |
| CV-2503    | 2/3/2026 2:39:54 PM   | 51.7       | 45.5       | 0.1       | 2.7            | 27.0         | 1.1     |                         |                         | 124.7                | 124.8               | -0.46                         | -0.44                        | 0.175                         | 0.174                        | 27.0                | 26.9               | -9.44                      |                               | 34.4312458 | -118.6477548 | 1322         | 28.75                   |                                                                                                              |                                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn              |                                                                                                |
| CV-2504    | 2/4/2026 12:28:11 PM  | 52.6       | 44.8       | 0.0       | 2.6            | 0.0          | 1.2     |                         |                         | 121.9                | 122.3               | 0.15                          | -0.02                        | 3.003                         | 6.278                        | 112.5               | 162.6              | -9.74                      |                               | 34.4304997 | -118.6488738 | 1230         | 28.85                   |                                                                                                              |                                                                                                |
| CV-2504    | 2/4/2026 12:30:19 PM  | 51.2       | 46.5       | 0.0       | 2.3            | 0.0          | 1.1     |                         |                         | 122.7                | 122.7               | -0.18                         | -0.18                        | 5.671                         | 5.586                        | 153.2               | 152.1              | -9.73                      |                               | 34.4303643 | -118.6489172 | 1302         | 28.85                   |                                                                                                              |                                                                                                |
| CV-2505    | 2/4/2026 12:07:15 PM  | 54.8       | 43.1       | 0.0       | 2.1            | 0.0          | 1.3     |                         |                         | 117.6                | 117.7               | -1.43                         | -1.88                        | 0.290                         | 0.461                        | 22.3                | 28.1               | -10.59                     |                               | 34.4308395 | -118.6471512 | 1230         | 28.9                    | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                          |                                                                                                |
| CV-2506    | 2/4/2026 11:59:22 AM  | 54.3       | 43.4       | 0.0       | 2.3            | 0.0          | 1.3     |                         |                         | 121.3                | 121.7               | -0.85                         | -1.05                        | 1.124                         | 1.649                        | 43.6                | 52.8               | -10.26                     |                               | 34.4304510 | -118.6475665 | 1217         | 28.92                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                          |                                                                                                |
| CV-2507    | 2/4/2026 11:54:19 AM  | 54.4       | 42.5       | 0.0       | 3.1            | 0.0          | 1.3     |                         |                         | 119.5                | 119.7               | -2.36                         | -2.56                        | 3.411                         | 3.824                        | 53.8                | 56.9               | -11.12                     |                               | 34.4301143 | -118.6481223 | 1211         | 28.93                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                          |                                                                                                |
| CV-2508    | 2/4/2026 11:48:07 AM  | 54.9       | 40.7       | 0.0       | 4.4            | 0.0          | 1.3     |                         |                         | 117.4                | 117.7               | -4.79                         | -4.99                        | 1.126                         | 1.348                        | 69.9                | 76.4               | -10.99                     |                               | 34.4295360 | -118.6487283 | 1181         | 28.96                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                          |                                                                                                |
| CV-2509    | 2/3/2026 1:52:12 PM   | 54.9       | 41.1       | 0.0       | 4.0            | 0.0          | 1.3     |                         |                         | 113.5                | 113.6               | -4.69                         | -5.00                        | 2.156                         | 2.343                        | 58.5                | 61.0               | -10.65                     | -10.70                        | 34.4292423 | -118.6491823 | 1192         | 28.98                   | Valve Adjustment:Increased Flow/Vacuum                                                                       |                                                                                                |
| CV-2509    | 2/3/2026 1:53:58 PM   | 53.5       | 41.7       | 0.0       | 4.8            | 0.0          | 1.3     |                         |                         | 113.6                | 113.7               | -4.99                         | -4.99                        | 2.359                         | 2.364                        | 61.2                | 61.3               | -10.76                     | -10.70                        | 34.4292422 | -118.6491833 | 1188         | 28.99                   |                                                                                                              |                                                                                                |
| CV-2510    | 2/3/2026 3:05:52 PM   | 54.7       | 41.7       | 0.0       | 3.6            | 0.0          | 1.3     |                         |                         | 111.4                | 111.6               | -1.25                         | -1.43                        | 1.776                         | 2.017                        | 25.9                | 27.6               | -10.56                     | -10.52                        | 34.4290737 | -118.6498360 | 1188         | 29.02                   | Valve Adjustment:Increased Flow/Vacuum                                                                       |                                                                                                |
| CV-2510    | 2/3/2026 3:07:38 PM   | 53.6       | 42.0       | 0.0       | 4.4            | 0.0          | 1.3     |                         |                         | 111.6                | 111.6               | -1.51                         | -1.51                        | 2.035                         | 2.017                        | 27.7                | 27.6               | -10.62                     | -10.59                        | 34.4290727 | -118.6498380 | 1182         | 29.02                   |                                                                                                              |                                                                                                |
| CV-2510    | 2/6/2026 4:41:16 PM   | 56.0       | 38.2       | 0.0       | 5.8            | 0.0          | 1.5     |                         |                         | 111.4                | 111.3               | -1.21                         | -1.41                        | 1.774                         | 2.064                        | 25.8                | 27.8               | -9.63                      | -9.69                         | 34.4290893 | -118.6498298 | 1190         | 28.84                   | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open                        |                                                                                                |
| CV-25100D  | 2/2/2026 10:05:00 AM  |            |            |           |                |              |         |                         | 90800                   |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA; [User entered 9.08%]                                                                    |
| CV-25100D  | 2/2/2026 10:05:00 AM  |            |            |           |                |              |         | 3390                    |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA                                                                                          |
| CV-25100D  | 2/2/2026 10:05:37 AM  | 26.3       | 73.7       | 0.0       | 0.0            | 0.0          | 0.4     |                         |                         | 151.3                | 157.2               | -2.58                         | -1.83                        | 2.567                         | 1.823                        |                     |                    | 0.61                       | 0.61                          | 34.4361507 | -118.6471377 | 1382         | 28.7                    | Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum                                                   |                                                                                                |
| CV-25100D  | 2/2/2026 10:06:20 AM  | 22.7       | 77.3       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 157.4                | 157.1               | -2.94                         | -2.76                        | 2.948                         | 2.683                        |                     |                    | 0.61                       | 0.62                          | 34.4361618 | -118.6471175 | 1387         | 28.7                    | Valve Adjustment:No Flow Measurement,High Temp                                                               |                                                                                                |
| CV-25100D  | 2/2/2026 10:10:00 AM  |            |            |           |                |              |         |                         | 133600                  |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA; [User entered 13.36%]                                                                   |
| CV-25100D  | 2/9/2026 1:00:00 AM   |            |            |           |                |              |         |                         | 79300                   |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA; [User entered 7.93%]                                                                    |
| CV-25100D  | 2/9/2026 12:57:30 PM  | 9.5        | 90.5       | 0.0       | 0.0            | 0.0          | 0.1     |                         |                         | 145.3                | 144.8               | -8.88                         | -8.97                        | 8.864                         | 9.016                        |                     |                    | 0.05                       | 0.06                          | 34.4361740 | -118.6471300 | 1379         | 28.56                   | Valve Adjustment:High Temp                                                                                   |                                                                                                |
| CV-25100D  | 2/9/2026 1:00:00 PM   |            |            |           |                |              |         | 1700                    |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA                                                                                          |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | Valve Comment:Enhanced Monitoring,Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum |
| CV-25100D  | 2/17/2026 9:19:05 AM  | 11.3       | 81.2       | 0.5       | 7.0            | 14.0         | 0.1     |                         |                         | 143.5                | 141.5               | -10.81                        | -8.35                        | 10.997                        | 8.550                        |                     |                    | 0.00                       | 0.00                          | 34.4361658 | -118.6471368 | 1379         | 28.59                   |                                                                                                              |                                                                                                |
| CV-25100S  | 2/2/2026 10:08:01 AM  | 9.8        | 78.6       | 0.0       | 11.6           | 0.0          | 0.1     |                         |                         | 170.6                | 172.3               | -9.88                         | -2.60                        | 10.288                        | 2.843                        |                     |                    | 0.61                       | 0.62                          | 34.4361560 | -118.6471082 | 1382         | 28.71                   | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                         |                                                                                                |
| CV-25100S  | 2/2/2026 10:08:35 AM  | 9.3        | 83.3       | 0.0       | 7.4            | 0.0          | 0.1     |                         |                         | 171.9                | 171.4               | -3.10                         | -3.11                        | 3.127                         | 3.146                        |                     |                    | 0.62                       | 0.62                          | 34.4361593 | -118.6471263 | 1384         | 28.71                   | Valve Adjustment:No Flow Measurement,High Temp,Barely Open                                                   |                                                                                                |
| CV-25100S  | 2/2/2026 10:10:00 AM  |            |            |           |                |              |         |                         | 133600                  |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA; [User entered 13.36%]                                                                   |
| CV-25100S  | 2/2/2026 10:10:00 AM  |            |            |           |                |              |         | 4860                    |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA                                                                                          |
| CV-25100S  | 2/9/2026 1:05:00 AM   |            |            |           |                |              |         |                         | 125800                  |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA; [User entered 12.58%]                                                                   |
| CV-25100S  | 2/9/2026 12:59:03 PM  | 1.8        | 91.1       | 0.0       | 7.1            | 0.0          | 0.0     |                         |                         | 180.1                | 180.7               | -8.91                         | -8.78                        | 8.871                         | 8.740                        |                     |                    | -0.04                      | -0.13                         | 34.4361673 | -118.6471272 | 1387         | 28.56                   | Valve Adjustment:High Temp                                                                                   |                                                                                                |
| CV-25100S  | 2/9/2026 1:05:00 PM   |            |            |           |                |              |         | 3740                    |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA                                                                                          |
| CV-25100S  | 2/17/2026 9:20:00 AM  |            |            |           |                |              |         | 5380                    |                         |                      |                     |                               |                              |                               |                              |                     |                    |                            |                               |            |              |              |                         |                                                                                                              | AtmAA                                                                                          |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                       |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------------------------------------|
| CV-251005  | 2/17/2026 9:21:39 AM  | 2.6        | 84.7       | 0.7       | 12.0           | 17.1         | 0.0     |                         |                         | 175.8                | 175.2               | -11.18                       | -11.15                      | 11.424                       | 11.312                      |                        |                       | 0.00                      | 0.00                         | 34.4361593 | -118.6471290 | 1381         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp                                       |
| CV-251005  | 2/23/2026 10:23:21 AM | 4.6        | 66.2       | 3.7       | 25.5           | 6.9          | 0.1     |                         |                         | 176.6                | 176.0               | -4.85                        | -4.81                       | 5.190                        | 4.871                       |                        |                       | 0.34                      | 0.34                         | 34.4361752 | -118.6471430 | 1374         | 28.78                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                   |
| CV-25101D  | 2/5/2026 9:20:27 AM   | 5.3        | 64.2       | 5.6       | 24.9           | 4.4          | 0.1     |                         |                         | 67.7                 | 65.8                | -15.45                       | -10.07                      | 15.648                       | 10.215                      |                        |                       | -15.36                    | -15.77                       | 34.4359657 | -118.6468077 | 1408         | 28.67                  | Valve Adjustment:Decreased Flow/Vacuum                                                                         |
| CV-25101D  | 2/18/2026 2:08:51 PM  | 5.7        | 61.7       | 4.0       | 28.6           | 7.2          | 0.1     |                         |                         | 64.6                 | 65.0                | -9.80                        | -9.80                       | 9.905                        | 10.041                      |                        |                       | -9.91                     | -10.11                       | 34.4359793 | -118.6467905 | 1394         | 28.45                  | Valve Adjustment:Barely Open                                                                                   |
| CV-25101S  | 2/5/2026 9:14:08 AM   | 32.0       | 62.3       | 0.0       | 5.7            | 0.0          | 0.5     |                         |                         | 107.3                | 107.2               | -0.77                        | -0.77                       | 0.749                        | 0.750                       |                        |                       | -17.20                    | -16.46                       | 34.4359777 | -118.6468230 | 1410         | 28.67                  |                                                                                                                |
| CV-25101S  | 2/18/2026 2:07:05 PM  | 15.0       | 60.2       | 0.6       | 24.2           | 40.3         | 0.2     |                         |                         | 95.9                 | 96.4                | -0.76                        | -0.76                       | 0.723                        | 0.728                       |                        |                       | -9.85                     | -10.15                       | 34.4359790 | -118.6468178 | 1394         | 28.49                  |                                                                                                                |
| CV-25102_  | 2/5/2026 10:11:05 AM  | 6.8        | 49.2       | 9.4       | 34.6           | 3.7          | 0.1     |                         |                         | 82.8                 | 82.9                | -5.70                        | -5.83                       | 6.026                        | 6.074                       |                        |                       | -16.83                    | -17.45                       | 34.4357872 | -118.6471948 | 1380         | 28.71                  |                                                                                                                |
| CV-25102_  | 2/24/2026 12:51:41 PM | 13.4       | 84.3       | 0.3       | 2.0            | 6.7          | 0.2     |                         |                         | 101.2                | 100.1               | -9.79                        | -9.62                       | 10.037                       | 9.654                       | 92.2                   | 90.6                  |                           |                              | 34.4359028 | -118.6472065 | 1309         | 28.7                   |                                                                                                                |
| CV-25103   | 2/5/2026 9:57:53 AM   | 37.8       | 62.0       | 0.0       | 0.2            | 0.0          | 0.6     |                         |                         | 107.2                | 107.3               | -2.89                        | -2.90                       | 2.818                        | 2.839                       |                        |                       | -15.68                    | -15.71                       | 34.4356465 | -118.6466985 | 1417         | 28.68                  |                                                                                                                |
| CV-25103   | 2/18/2026 2:21:12 PM  | 16.2       | 49.7       | 0.9       | 33.2           | 36.9         | 0.3     |                         |                         | 123.8                | 122.4               | -2.68                        | -2.71                       | 2.602                        | 2.635                       |                        |                       | -11.39                    | -11.62                       | 34.4356498 | -118.6466973 | 1405         | 28.5                   |                                                                                                                |
| CV-25104D  | 2/6/2026 8:57:28 AM   | 0.4        | 13.2       | 18.5      | 67.9           | 3.7          | 0.0     |                         |                         | 65.0                 | 63.9                | 9.90                         | 11.30                       | 0.000                        | 0.000                       |                        |                       | -10.04                    | -8.93                        | 34.4353695 | -118.6472393 | 1376         | 28.69                  | Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High O2,Positive Static Press.                              |
| CV-25104D  | 2/6/2026 9:03:55 AM   | 0.5        | 15.0       | 18.0      | 66.5           | 3.7          | 0.0     |                         |                         | 63.2                 | 61.9                | 12.83                        | -1.68                       | 0.000                        | 1.669                       |                        |                       | -10.72                    | -11.28                       | 34.4353735 | -118.6472507 | 1378         | 28.69                  | Valve Adjustment:NSPS/EG CAI,Reconnected this Date,High O2,Positive Static Press.,Increased Flow/Vacuum        |
| CV-25104D  | 2/6/2026 9:09:08 AM   | 3.0        | 76.4       | 3.6       | 17.0           | 4.7          | 0.0     |                         |                         | 62.5                 | 63.0                | -1.17                        | -1.19                       | 1.157                        | 1.178                       |                        |                       | -10.09                    | -9.63                        | 34.4353733 | -118.6472498 | 1380         | 28.68                  | Valve Adjustment:NSPS/EG CAC,Reconnected this Date;Well Comment:Hard to adjust due to valve;Well Repairs:Valve |
| CV-25104D  | 2/24/2026 1:12:47 PM  | 5.0        | 82.0       | 1.0       | 12.0           | 12.0         | 0.1     |                         |                         | 87.3                 | 87.3                | -2.98                        | -3.01                       | 3.059                        | 3.065                       | 51.1                   | 51.2                  |                           |                              | 34.4352870 | -118.6470228 | 1391         | 28.59                  |                                                                                                                |
| CV-25104S  | 2/6/2026 10:06:41 AM  | 4.3        | 91.9       | 0.0       | 3.8            | 0.0          | 0.0     |                         |                         | 86.1                 | 89.9                | 52.47                        | 51.79                       | 0.000                        | 0.000                       |                        |                       | -10.20                    | -8.98                        | 34.4353647 | -118.6472168 | 1363         | 28.71                  | Valve Adjustment:NSPS/EG CAI,Reconnected this Date,Positive Static Press.,Valve 100% Open,Undersized Lateral   |
| CV-25104S  | 2/6/2026 10:07:09 AM  | 4.5        | 92.5       | 0.0       | 3.0            | 0.0          | 0.0     |                         |                         | 89.5                 | 89.5                | 51.69                        | 51.70                       | 0.000                        | 0.000                       |                        |                       | -9.92                     | -10.31                       | 34.4353678 | -118.6472467 | 1371         | 28.71                  | Valve Adjustment:NSPS/EG CAI,Reconnected this Date,Positive Static Press.,Undersized Lateral                   |
| CV-25104S  | 2/6/2026 2:04:30 PM   | 5.3        | 81.1       | 0.0       | 13.6           | 0.0          | 0.1     |                         |                         | 79.1                 | 79.3                | 52.20                        | 52.21                       | 0.000                        | 0.000                       |                        |                       | -6.55                     | -6.50                        | 34.4353588 | -118.6472452 | 1375         | 28.66                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open                                            |
| CV-25104S  | 2/24/2026 1:00:47 PM  | 3.4        | 88.3       | 0.1       | 8.2            | 82.0         | 0.0     |                         |                         | 89.9                 | 91.3                | 3.84                         | -2.79                       | -3.948                       | 2.559                       |                        | 45.9                  |                           |                              | 34.4353812 | -118.6474073 | 1368         | 28.58                  |                                                                                                                |
| CV-25104S  | 2/24/2026 1:03:42 PM  | 3.5        | 86.9       | 0.3       | 9.3            | 31.0         | 0.0     |                         |                         | 90.9                 | 91.0                | -2.62                        | -2.68                       | 2.685                        | 2.895                       | 47.2                   | 49.0                  |                           |                              | 34.4353992 | -118.6474032 | 1385         | 28.58                  |                                                                                                                |
| CV-25105D  | 2/5/2026 10:19:07 AM  | 20.7       | 57.5       | 2.6       | 19.2           | 7.4          | 0.4     |                         |                         | 86.6                 | 86.7                | -10.71                       | -11.06                      | 11.038                       | 11.413                      |                        |                       | -10.65                    | -11.03                       | 34.4353398 | -118.6466832 | 1428         | 28.67                  |                                                                                                                |
| CV-25105D  | 2/18/2026 2:25:00 PM  | 15.6       | 48.7       | 2.7       | 33.0           | 12.2         | 0.3     |                         |                         | 59.1                 | 58.4                | -7.39                        | -6.89                       | 7.485                        | 6.981                       |                        |                       | -7.24                     | -6.79                        | 34.4353743 | -118.6467143 | 1401         | 28.49                  | Well Comment:No room for temp probe                                                                            |
| CV-25105S  | 2/5/2026 10:20:52 AM  | 21.9       | 57.0       | 0.3       | 20.8           | 69.3         | 0.4     |                         |                         | 76.2                 | 76.0                | -0.93                        | -0.92                       | 0.909                        | 0.901                       |                        |                       | -6.80                     | -6.67                        | 34.4353597 | -118.6466878 | 1410         | 28.67                  |                                                                                                                |
| CV-25105S  | 2/18/2026 2:27:06 PM  | 14.0       | 45.3       | 2.0       | 38.7           | 19.4         | 0.3     |                         |                         | 59.9                 | 59.3                | -0.93                        | -0.88                       | 0.865                        | 0.835                       |                        |                       | -7.70                     | -6.74                        | 34.4353703 | -118.6467090 | 1402         | 28.5                   | Well Comment:no room for temp probe                                                                            |
| CV-25107D  | 2/9/2026 1:37:12 PM   | 8.1        | 82.8       | 0.0       | 9.1            | 0.0          | 0.1     |                         |                         | 92.0                 | 89.2                | -9.80                        | -9.27                       | 9.964                        | 9.326                       |                        |                       | -14.53                    | -14.64                       | 34.4350748 | -118.6459665 | 1403         | 28.52                  | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum                                                            |
| CV-25107S  | 2/9/2026 1:28:09 PM   | 47.4       | 50.4       | 0.0       | 2.2            | 0.0          | 0.9     |                         |                         | 90.1                 | 92.4                | 1.98                         | -0.30                       | 0.000                        | 0.301                       |                        |                       | -15.16                    | -14.91                       | 34.4350785 | -118.6459520 | 1404         | 28.52                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum                                      |
| CV-25107S  | 2/9/2026 1:30:47 PM   | 37.5       | 60.5       | 0.0       | 2.0            | 0.0          | 0.6     |                         |                         | 93.9                 | 94.4                | -0.30                        | -0.29                       | 0.288                        | 0.292                       |                        |                       | -15.06                    | -15.18                       | 34.4350665 | -118.6459560 | 1396         | 28.53                  | Valve Adjustment:NSPS/EG CAC,Barely Open                                                                       |
| CV-2511    | 2/5/2026 11:38:11 AM  | 53.8       | 44.5       | 0.0       | 1.7            | 0.0          | 1.2     |                         |                         | 116.5                | 118.8               | 0.44                         | -0.05                       | 0.082                        | 0.250                       | 18.8                   | 32.6                  | -5.20                     |                              | 0.0000000  | 0.0000000    | 0            | 28.76                  | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                         |
| CV-2511    | 2/5/2026 11:40:34 AM  | 53.7       | 44.7       | 0.0       | 1.6            | 0.0          | 1.2     |                         |                         | 119.2                | 119.2               | -0.09                        | -0.08                       | 0.206                        | 0.204                       | 29.6                   | 29.5                  | -5.17                     |                              | 34.4296850 | -118.6501907 | 1270         | 28.76                  |                                                                                                                |
| CV-2512    | 2/5/2026 11:53:40 AM  | 51.6       | 45.3       | 0.0       | 3.1            | 0.0          | 1.1     |                         |                         | 120.4                | 120.4               | -0.06                        | -0.05                       | 0.242                        | 0.176                       | 31.8                   | 27.1                  | -6.80                     |                              | 34.4292050 | -118.6506478 | 1188         | 28.76                  | Reduced System Vacuum,                                                                                         |
| CV-2513    | 2/5/2026 10:10:26 AM  | 55.4       | 42.9       | 0.0       | 1.7            | 0.0          | 1.3     |                         |                         | 116.9                | 117.0               | -0.44                        | -0.71                       | 1.325                        | 1.986                       | 25.0                   | 29.7                  | -11.38                    |                              | 34.4287633 | -118.6488648 | 1109         | 28.87                  | Reduced System Vacuum,                                                                                         |
| CV-2514    | 2/5/2026 9:50:42 AM   | 55.0       | 42.0       | 0.0       | 3.0            | 0.0          | 1.3     |                         |                         | 118.8                | 119.1               | -3.57                        | -3.62                       | 2.629                        | 2.844                       | 47.3                   | 49.2                  | -8.94                     |                              | 34.4296702 | -118.6477538 | 1175         | 28.87                  | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                      |
| CV-2515    | 2/4/2026 8:20:09 AM   | 55.8       | 38.0       | 0.0       | 6.2            | 0.0          | 1.5     |                         |                         | 113.7                | 114.0               | -0.98                        | -1.15                       | 0.247                        | 0.341                       | 13.9                   | 16.4                  | -13.83                    | -14.32                       | 34.4378843 | -118.6432325 | 1265         | 28.9                   | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                            |
| CV-2516    | 2/4/2026 8:08:18 AM   | 52.9       | 43.3       | 0.0       | 3.8            | 0.0          | 1.2     |                         |                         | 125.8                | 125.7               | -1.89                        | -1.89                       | 0.236                        | 0.231                       | 13.5                   | 13.3                  | -14.86                    | -14.88                       | 34.4374072 | -118.6431998 | 1306         | 28.87                  | Valve Adjustment:Audible Flow,Barely Open                                                                      |
| CV-2517    | 2/25/2026 1:13:03 PM  | 56.2       | 40.9       | 0.1       | 2.8            | 28.0         | 1.4     |                         |                         | 112.1                | 113.0               | -1.66                        | -1.69                       | -0.016                       | -0.009                      | 0.0                    | 0.0                   | -7.64                     |                              | 34.4368895 | -118.6420153 | 1283         | 28.7                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                            |
| CV-2517    | 2/25/2026 1:33:09 PM  | 55.2       | 41.8       | 0.0       | 3.0            | 0.0          | 1.3     |                         |                         | 115.3                | 115.5               | -1.92                        | -1.90                       | 0.010                        | 0.009                       |                        |                       | -7.41                     | -7.43                        | 34.4369517 | -118.6420327 | 1266         | 28.7                   |                                                                                                                |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date          | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                             |
|------------|----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| CV-2518    | 2/25/2026 9:20:58 AM | 55.5       | 43.7       | 0.0       | 0.8            | 0.0          | 1.3     |                         |                         | 109.1                | 109.5               | -0.86                        | -0.96                       | -0.042                       | -0.048                      | 0.0                    | 0.0                   | -8.59                     |                              | 34.4363942 | -118.6413988 | 1296         | 28.76                  | Increased Flow/Vacuum,<br>Valve Adjustment:Audible                                                                                   |
| CV-2519    | 2/9/2026 10:29:13 AM | 50.0       | 46.1       | 0.0       | 3.9            | 0.0          | 1.1     |                         |                         | 129.2                | 129.1               | -0.31                        | -0.31                       | 0.836                        | 0.816                       | 18.8                   | 18.6                  | -13.68                    | -13.57                       | 34.4361188 | -118.6420427 | 1310         | 28.71                  | Flow,Barely Open;Well Condition:Fair                                                                                                 |
| CV-2520    | 2/9/2026 2:31:53 PM  | 33.1       | 53.2       | 0.0       | 13.7           | 0.0          | 0.6     |                         |                         | 132.0                | 131.9               | -0.44                        | -0.42                       | 0.426                        | 0.424                       | 20.1                   | 20.0                  |                           |                              | 34.4358558 | -118.6426765 | 1283         | 28.32                  | ,                                                                                                                                    |
| CV-2520    | 2/9/2026 2:34:04 PM  | 33.1       | 53.6       | 0.0       | 13.3           | 0.0          | 0.6     |                         |                         | 132.5                | 132.4               | -0.42                        | -0.42                       | 0.356                        | 0.360                       | 18.3                   | 18.4                  |                           |                              | 34.4359183 | -118.6428445 | 1332         | 28.32                  |                                                                                                                                      |
| CV-2521    | 2/9/2026 12:42:33 PM | 25.1       | 54.5       | 0.0       | 20.4           | 0.0          | 0.5     |                         |                         | 99.0                 | 99.1                | 5.08                         | 5.08                        | 0.000                        | 0.000                       |                        |                       | 5.33                      | 5.34                         | 34.4354943 | -118.6430700 | 1324         | 28.63                  | Valve Adjustment:NSPS/EG<br>CAI,Positive Static Press.,Surging<br>Liquid In Well (Watered In)                                        |
| CV-2521    | 2/9/2026 12:42:51 PM | 25.1       | 54.0       | 0.0       | 20.9           | 0.0          | 0.5     |                         |                         | 99.2                 | 99.2                | 5.07                         | 5.07                        | 0.000                        | 0.000                       |                        |                       | 5.34                      | 5.34                         | 34.4354950 | -118.6430693 | 1328         | 28.63                  | Valve Adjustment:NSPS/EG<br>CAI,Positive Static Press.,Surging<br>Liquid In Well (Watered In)                                        |
| CV-2521    | 2/23/2026 1:19:16 PM | 35.0       | 50.7       | 0.0       | 14.3           | 0.0          | 0.7     |                         |                         | 133.5                | 126.9               | -8.39                        | -3.75                       | 8.363                        | 3.746                       |                        |                       | -10.32                    | -10.55                       | 34.4354742 | -118.6430595 | 1338         | 28.82                  | Valve Adjustment:NSPS/EG<br>CAI,NSPS/EG CAC,Reconnected this<br>Date,High Temp,Decreased<br>Flow/Vacuum                              |
| CV-2521    | 2/23/2026 1:22:26 PM | 35.3       | 50.6       | 0.0       | 14.1           | 0.0          | 0.7     |                         |                         | 124.4                | 123.1               | -3.23                        | -1.15                       | 3.252                        | 1.151                       |                        |                       | -10.51                    | -10.74                       | 34.4354907 | -118.6430612 | 1339         | 28.83                  | Valve Adjustment:Decreased<br>Flow/Vacuum                                                                                            |
| CV-2521    | 2/23/2026 1:24:30 PM | 34.0       | 50.8       | 0.0       | 15.2           | 0.0          | 0.7     |                         |                         | 120.1                | 119.9               | -1.45                        | -1.45                       | 1.443                        | 1.440                       |                        |                       | -10.57                    | -10.64                       | 34.4354608 | -118.6430392 | 1337         | 28.83                  |                                                                                                                                      |
| CV-2522    | 2/9/2026 2:20:58 PM  | 39.7       | 47.5       | 0.1       | 12.7           | 127.0        | 0.8     |                         |                         | 127.0                | 126.8               | -0.67                        | -0.67                       | 0.652                        | 0.651                       | 25.7                   | 25.7                  |                           |                              | 34.4355192 | -118.6424292 | 1289         | 28.69                  |                                                                                                                                      |
| CV-2523    | 2/6/2026 1:22:16 PM  | 60.1       | 39.3       | 0.0       | 0.6            | 0.0          | 1.5     |                         |                         | 94.2                 | 119.7               | 5.57                         | -0.10                       | 0.009                        | 8.750                       | 2.1                    | 61.1                  | -16.40                    | -15.06                       | 34.4356678 | -118.6416578 | 1292         | 28.78                  | Valve Adjustment:NSPS/EG<br>CAI,Reconnected this Date,Positive<br>Static Press.,Increased<br>Flow/Vacuum;Well<br>Condition:Excellent |
| CV-2523    | 2/6/2026 1:23:55 PM  | 60.0       | 39.0       | 0.0       | 1.0            | 0.0          | 1.5     |                         |                         | 120.3                | 120.5               | -0.18                        | -0.19                       | 5.365                        | 5.312                       | 48.0                   | 47.7                  | -17.00                    | -16.60                       | 34.4356635 | -118.6416573 | 1297         | 28.78                  | Valve Adjustment:NSPS/EG<br>CAC,Reconnected this Date,Increased<br>Flow/Vacuum                                                       |
| CV-2524    | 2/9/2026 12:40:47 PM | 35.7       | 46.8       | 0.0       | 17.5           | 0.0          | 0.8     |                         |                         | 131.1                | 131.1               | -0.24                        | -0.25                       | -0.229                       | -0.229                      | 0.0                    | 0.0                   | -5.00                     |                              | 34.4348703 | -118.6425855 | 1266         | 28.6                   | High Temp,Reduced System Vacuum                                                                                                      |
| CV-2524    | 2/9/2026 12:42:36 PM | 34.6       | 49.4       | 0.0       | 16.0           | 0.0          | 0.7     |                         |                         | 130.8                | 130.9               | -0.29                        | -0.29                       | -0.227                       | -0.224                      | 0.0                    | 0.0                   | -4.92                     |                              | 34.4348048 | -118.6425032 | 1296         | 28.6                   |                                                                                                                                      |
| CV-2525    | 2/6/2026 1:33:49 PM  | 59.4       | 39.8       | 0.0       | 0.8            | 0.0          | 1.5     |                         |                         | 89.3                 | 116.4               | 1.45                         | -0.10                       | 0.018                        | 4.351                       | 2.9                    | 43.4                  | -16.62                    | -16.12                       | 34.4349765 | -118.6417325 | 1280         | 28.78                  | Valve Adjustment:NSPS/EG<br>CAI,Reconnected this Date,Positive<br>Static Press.,Increased<br>Flow/Vacuum;Well<br>Condition:Excellent |
| CV-2525    | 2/6/2026 1:34:15 PM  | 59.1       | 40.7       | 0.0       | 0.2            | 0.0          | 1.5     |                         |                         | 117.2                | 117.3               | -0.24                        | -0.24                       | 4.387                        | 4.338                       | 43.5                   | 43.3                  | -16.11                    | -15.97                       | 34.4349800 | -118.6417277 | 1286         | 28.78                  | Valve Adjustment:NSPS/EG<br>CAC,Reconnected this Date,Increased<br>Flow/Vacuum                                                       |
| CV-2526    | 2/6/2026 1:52:29 PM  | 58.4       | 40.5       | 0.0       | 1.1            | 0.0          | 1.4     |                         |                         | 84.4                 | 113.1               | 2.02                         | -0.06                       | 0.018                        | 1.110                       | 2.9                    | 22.0                  | -16.12                    | -15.24                       | 34.4345112 | -118.6415873 | 1264         | 28.78                  | Valve Adjustment:NSPS/EG<br>CAI,Reconnected this Date,Positive<br>Static Press.,Increased<br>Flow/Vacuum;Well Condition:Good         |
| CV-2526    | 2/6/2026 1:53:06 PM  | 58.2       | 41.0       | 0.0       | 0.8            | 0.0          | 1.4     |                         |                         | 114.2                | 114.7               | -0.18                        | -0.19                       | 0.964                        | 0.972                       | 20.5                   | 20.6                  | -15.39                    | -15.68                       | 34.4345025 | -118.6415875 | 1273         | 28.78                  | Valve Adjustment:NSPS/EG<br>CAC,Reconnected this Date,Increased<br>Flow/Vacuum;Well Condition:Good                                   |
| CV-2527    | 2/9/2026 12:34:46 PM | 14.5       | 45.6       | 1.4       | 38.5           | 27.5         | 0.3     |                         |                         | 91.8                 | 95.2                | 2.52                         | -0.11                       | 0.000                        | 0.113                       |                        |                       | -5.05                     | -4.77                        | 34.4340978 | -118.6428748 | 1308         | 28.67                  | Valve Adjustment:NSPS/EG<br>CAI,Reconnected this Date,Positive<br>Static Press.,Increased<br>Flow/Vacuum;Well Condition:Good         |
| CV-2527    | 2/9/2026 12:36:51 PM | 13.8       | 47.9       | 0.0       | 38.3           | 0.0          | 0.3     |                         |                         | 96.4                 | 96.5                | -0.10                        | -0.10                       | 0.095                        | 0.099                       |                        |                       | -4.90                     | -5.06                        | 34.4340980 | -118.6428710 | 1308         | 28.66                  | Valve Adjustment:NSPS/EG<br>CAC,Barely Open                                                                                          |
| CV-2528    | 2/5/2026 8:26:42 AM  | 56.2       | 39.6       | 0.0       | 4.2            | 0.0          | 1.4     |                         |                         | 107.7                | 107.7               | -3.03                        | -3.15                       | 0.196                        | 0.268                       | 28.5                   | 33.3                  | -20.96                    | -21.25                       | 34.4337925 | -118.6412425 | 1253         | 28.84                  | Valve Adjustment:Audible<br>Flow,Increased Flow/Vacuum                                                                               |
| CV-2529    | 2/5/2026 2:16:44 PM  | 18.9       | 14.9       | 13.7      | 52.5           | 3.8          | 1.3     |                         |                         | 89.2                 | 89.1                | -0.05                        | -0.23                       | 3.649                        | 4.488                       | 6.0                    | 6.6                   | -7.05                     | -6.93                        | 34.4331323 | -118.6423498 | 1220         | 28.81                  | Valve Adjustment:NSPS/EG CAI,High<br>O2,Increased Flow/Vacuum,Barely<br>Open                                                         |
| CV-2529    | 2/5/2026 2:17:55 PM  | 17.5       | 13.6       | 14.1      | 54.8           | 3.9          | 1.3     |                         |                         | 89.1                 | 89.2                | -0.23                        | -0.22                       | 3.483                        | 3.459                       | 5.8                    | 5.8                   | -7.03                     | -6.98                        | 34.4331310 | -118.6423318 | 1235         | 28.81                  | Valve Adjustment:NSPS/EG CAI,High<br>O2,Barely Open                                                                                  |
| CV-2530    | 2/5/2026 2:33:43 PM  | 42.6       | 48.7       | 0.0       | 8.7            | 0.0          | 0.9     |                         |                         | 135.8                | 133.7               | -4.01                        | -0.13                       | 3.938                        | 0.108                       |                        |                       | -3.56                     | -4.29                        | 34.4327272 | -118.6429140 | 1225         | 28.81                  | Valve Adjustment:NSPS/EG CAI,High<br>Temp,Decreased Flow/Vacuum                                                                      |
| CV-2530    | 2/5/2026 2:35:14 PM  | 42.0       | 49.9       | 0.0       | 8.1            | 0.0          | 0.8     |                         |                         | 133.8                | 133.8               | -0.32                        | -0.30                       | 0.300                        | 0.279                       |                        |                       | -2.37                     | -2.44                        | 34.4327400 | -118.6429192 | 1224         | 28.81                  | Valve Adjustment:NSPS/EG CAI,High<br>Temp,Barely Open                                                                                |
| CV-2531    | 2/5/2026 2:47:57 PM  | 49.1       | 43.5       | 0.0       | 7.4            | 0.0          | 1.1     |                         |                         | 90.0                 | 90.1                | -0.13                        | -0.11                       | 0.116                        | 0.096                       |                        |                       | -8.31                     | -8.38                        | 34.4325373 | -118.6433393 | 1212         | 28.81                  | Valve Adjustment:Barely Open                                                                                                         |
| CV-2532    | 2/5/2026 2:52:46 PM  | 51.3       | 43.3       | 0.0       | 5.4            | 0.0          | 1.2     |                         |                         | 98.9                 | 99.3                | -8.41                        | -8.54                       | 8.299                        | 8.390                       |                        |                       | -8.69                     | -8.65                        | 34.4322407 | -118.6437098 | 1216         | 28.81                  | Valve Comment:RES SEM,Valve<br>Adjustment:Audible Flow,Increased<br>Flow/Vacuum                                                      |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name  | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                                              |
|-------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| CV-2533     | 2/5/2026 3:06:46 PM   | 51.9       | 41.6       | 0.0       | 6.5            | 0.0          | 1.2     |                         |                         | 129.7                | 130.1               | 0.55                         | -0.05                       | 0.405                        | 0.362                       | 13.1                   | 12.4                  | -8.51                     | -8.50                        | 34.4319158 | -118.6441077 | 1218         | 28.81                  | Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open                                           |
| CV-2533     | 2/5/2026 3:10:56 PM   | 52.4       | 43.0       | 0.0       | 4.6            | 0.0          | 1.2     |                         |                         | 129.9                | 129.9               | -0.07                        | -0.19                       | 0.375                        | 0.374                       | 12.6                   | 12.6                  | -8.71                     | -8.63                        | 34.4319167 | -118.6441052 | 1222         | 28.81                  | Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAC,Barely Open                                                                                        |
| CV-2534     | 2/10/2026 12:56:09 PM | 52.4       | 43.3       | 0.0       | 4.4            | 0.0          | 1.2     |                         |                         | 74.6                 | 75.0                | 6.67                         | 5.32                        | 6.558                        | 1.005                       | 18.4                   | 7.2                   | -20.07                    | -19.94                       | 34.4316983 | -118.6444817 | 1218         | 28.68                  | Valve Adjustment:NSPS/EG CAI,Office Plate Changed (See OP Log),Reconnected this Date,Positive Static Press.,Increased Flow/Vacuum,Well Condition:Fair |
| CV-2534     | 2/10/2026 12:58:51 PM | 52.2       | 43.0       | 0.0       | 4.8            | 0.0          | 1.2     |                         |                         | 75.4                 | 76.2                | 3.55                         | -0.32                       | 1.368                        | 3.314                       | 33.9                   | 52.4                  | -20.98                    | -21.96                       | 34.4316892 | -118.6444867 | 1211         | 28.68                  | Valve Adjustment:Positive Static Press.,Increased Flow/Vacuum                                                                                         |
| CV-2534     | 2/10/2026 1:01:30 PM  | 51.6       | 43.7       | 0.0       | 4.7            | 0.0          | 1.2     |                         |                         | 76.4                 | 76.6                | -0.47                        | -0.19                       | 3.235                        | 3.029                       | 51.8                   | 50.1                  | -21.81                    | -21.57                       | 34.4316927 | -118.6444812 | 1213         | 28.68                  | Valve Adjustment:Decreased Flow/Vacuum                                                                                                                |
| CV-2535     | 2/4/2026 9:16:55 AM   | 52.7       | 40.8       | 0.8       | 5.7            | 7.1          | 1.3     |                         |                         | 104.9                | 105.9               | -0.21                        | -0.26                       | 3.786                        | 6.708                       | 6.1                    | 8.1                   | -13.98                    |                              | 34.4309680 | -118.6468285 | 1309         | 28.96                  | ,                                                                                                                                                     |
| CV-2536     | 2/5/2026 3:29:26 PM   | 50.5       | 48.6       | 0.0       | 0.9            | 0.0          | 1.0     |                         |                         | 87.0                 | 87.0                | -7.94                        | -7.94                       | 0.071                        | 0.172                       | 1.9                    | 2.9                   | -9.34                     |                              | 34.4309995 | -118.6459217 | 1155         | 28.79                  | ,                                                                                                                                                     |
| CV-2537     | 2/4/2026 9:45:41 AM   | 53.6       | 42.2       | 0.1       | 4.1            | 41.0         | 1.3     |                         |                         | 110.3                | 112.1               | -1.34                        | -2.07                       | 1.362                        | 2.078                       | 39.7                   | 49.1                  |                           |                              | 34.4311452 | -118.6466288 | 1260         | 28.92                  | ,                                                                                                                                                     |
| CV-2538     | 2/4/2026 9:34:07 AM   | 54.6       | 42.4       | 0.0       | 3.0            | 0.0          | 1.3     |                         |                         | 104.5                | 106.4               | -0.40                        | -0.69                       | 0.217                        | -0.884                      | 3.3                    | 0.0                   | -13.51                    |                              | 34.4307165 | -118.6466373 | 1234         | 28.91                  | ,                                                                                                                                                     |
| CV-2539     | 2/2/2026 10:03:12 AM  | 45.9       | 50.1       | 0.0       | 4.0            | 0.0          | 0.9     |                         |                         | 117.7                | 113.0               | -1.76                        | -1.09                       | 1.714                        | 1.077                       | 0.0                    | 0.0                   | -10.07                    |                              | 34.4317353 | -118.6492248 | 1352         | 28.66                  | ,                                                                                                                                                     |
| CV-2539     | 2/17/2026 9:56:47 AM  | 43.0       | 52.0       | 0.0       | 5.0            | 0.0          | 0.8     |                         |                         | 94.2                 | 94.6                | -1.12                        | -1.12                       | 1.151                        | 1.147                       | 0.0                    | 0.0                   | -9.94                     |                              | 34.4318003 | -118.6492290 | 1332         | 28.57                  | ,                                                                                                                                                     |
| CV-2540     | 2/13/2026 9:12:16 AM  | 4.0        | 91.8       | 0.0       | 4.2            | 0.0          | 0.0     |                         |                         | 105.8                | 93.6                | -10.03                       | -3.07                       | 10.230                       | 3.024                       |                        |                       | 0.67                      | 0.64                         | 34.4332637 | -118.6481035 | 1390         | 28.6                   | Valve Adjustment:Decreased Flow/Vacuum                                                                                                                |
| CV-2540     | 2/25/2026 11:26:43 AM | 2.7        | 80.3       | 0.0       | 17.0           | 0.0          | 0.0     |                         |                         | 101.7                | 102.5               | -4.26                        | -4.20                       | 4.145                        | 4.156                       | 0.0                    | 0.0                   | -3.45                     |                              | 34.4333102 | -118.6481465 | 1378         | 28.62                  | ,                                                                                                                                                     |
| CV-2541     | 2/10/2026 8:14:43 AM  | 1.9        | 74.6       | 0.0       | 23.5           | 0.0          | 0.0     |                         |                         | 59.3                 | 59.3                | 0.09                         | 0.09                        | 0.000                        | 0.000                       |                        |                       | 0.07                      | 0.36                         | 34.4332675 | -118.6490347 | 1351         | 28.52                  | Valve Comment:Pinch suspected under bench road.,Valve Adjustment:NSPS/EG CAI,Plugged/Pinched Suspected                                                |
| CV-2541     | 2/10/2026 8:22:24 AM  | 2.1        | 75.3       | 0.0       | 22.6           | 0.0          | 0.0     |                         |                         | 59.5                 | 59.6                | 0.12                         | 0.12                        | 0.000                        | 0.000                       |                        |                       | 1.31                      | 1.23                         | 34.4332525 | -118.6490423 | 1348         | 28.53                  | Valve Comment:valve closed upon arrival,Valve Adjustment:Valve 100% Closed,Plugged/Pinched Suspected                                                  |
| CV-2541     | 2/22/2026 12:26:12 PM | 2.2        | 73.2       | 0.0       | 24.5           | 0.0          | 0.0     |                         |                         | 73.6                 | 73.4                | -0.19                        | -0.18                       | 0.218                        | 0.217                       |                        |                       | -0.30                     | -0.28                        | 34.4332882 | -118.6490752 | 1342         | 28.83                  | Valve Adjustment:NSPS/EG CAC,Increased Flow/Vacuum                                                                                                    |
| CV-2542     | 2/3/2026 10:08:19 AM  | 48.4       | 51.6       | 0.0       | 0.0            | 0.0          | 0.9     |                         |                         | 80.0                 | 80.0                | -3.58                        | -3.55                       | 3.441                        | 3.409                       |                        |                       | -11.34                    | -9.73                        | 34.4337297 | -118.6471543 | 1397         | 28.8                   | Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)                                                                         |
| CV-2542     | 2/21/2026 10:12:07 AM | 49.7       | 44.1       | 0.0       | 6.2            | 0.0          | 1.1     |                         |                         | 101.3                | 101.0               | -3.17                        | -3.26                       | 3.143                        | 3.227                       |                        |                       | -4.54                     | -7.81                        | 34.4337198 | -118.6471598 | 1396         | 28.61                  |                                                                                                                                                       |
| CV-2543-PLR | 2/13/2026 9:05:44 AM  | 34.3       | 54.2       | 0.9       | 10.6           | 11.8         | 0.6     |                         |                         | 94.1                 | 94.1                | -9.84                        | -9.21                       | 10.079                       | 9.472                       |                        |                       | 0.78                      | 0.61                         | 34.4338138 | -118.6484738 | 1366         | 28.6                   | Well Comment:no system port                                                                                                                           |
| CV-2543-PLR | 2/23/2026 12:51:09 PM | 32.0       | 57.6       | 0.0       | 10.4           | 0.0          | 0.6     |                         |                         | 101.5                | 101.8               | -4.55                        | -6.38                       | 4.391                        | 6.384                       |                        |                       | -4.76                     | -6.52                        | 34.4338153 | -118.6484690 | 1357         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                                                        |
| CV-2544     | 2/3/2026 9:22:11 AM   | 17.8       | 72.9       | 0.3       | 9.0            | 30.0         | 0.2     |                         |                         | 121.3                | 122.5               | -3.45                        | -3.36                       | 3.384                        | 3.307                       |                        |                       | 0.03                      | 0.03                         | 34.4338355 | -118.6484742 | 1359         | 28.82                  | Valve Comment:No system port                                                                                                                          |
| CV-2544     | 2/3/2026 1:04:15 PM   | 15.5       | 74.5       | 0.1       | 9.9            | 99.0         | 0.2     |                         |                         | 138.1                | 138.1               | -3.39                        | -3.24                       | 3.324                        | 3.173                       |                        |                       | -9.65                     | -7.23                        | 34.4340010 | -118.6472350 | 1389         | 28.75                  | Valve Adjustment:High Temp                                                                                                                            |
| CV-2544     | 2/17/2026 12:30:14 PM | 15.4       | 79.8       | 0.0       | 4.8            | 0.0          | 0.2     |                         |                         | 133.4                | 130.5               | -3.30                        | -2.24                       | 3.225                        | 2.195                       | 0.0                    | 0.0                   | -8.35                     |                              | 34.4339922 | -118.6472762 | 1385         | 28.49                  | NSPS/EG CAI,NSPS/EG CAC,High Temp                                                                                                                     |
| CV-2544     | 2/17/2026 12:31:54 PM | 14.1       | 80.8       | 0.0       | 5.1            | 0.0          | 0.2     |                         |                         | 130.0                | 130.1               | -2.34                        | -2.31                       | 2.191                        | 2.067                       | 0.0                    | 0.0                   | -8.79                     |                              | 34.4339678 | -118.6472477 | 1440         | 28.49                  | ,                                                                                                                                                     |
| CV-2544     | 2/23/2026 9:40:19 AM  | 16.0       | 75.0       | 0.0       | 9.0            | 0.0          | 0.2     |                         |                         | 133.4                | 134.5               | -1.42                        | -1.52                       | 0.297                        | 0.400                       | 0.0                    | 0.0                   | -4.07                     |                              | 34.4340545 | -118.6472212 | 1391         | 28.72                  | NSPS/EG CAI,High Temp,Reduced System Vacuum,Increased Flow/Vacuum                                                                                     |
| CV-2544     | 2/23/2026 9:42:08 AM  | 16.2       | 76.0       | 0.0       | 7.8            | 0.0          | 0.2     |                         |                         | 135.0                | 135.1               | -1.50                        | -1.53                       | 0.429                        | 0.503                       | 0.0                    | 0.0                   | -4.32                     |                              | 34.4340388 | -118.6472203 | 1394         | 28.72                  | NSPS/EG CAI,High Temp,Reduced System Vacuum                                                                                                           |
| CV-2545     | 2/3/2026 1:30:38 PM   | 29.4       | 61.1       | 0.1       | 9.4            | 94.0         | 0.5     |                         |                         | 126.0                | 126.1               | -3.24                        | -3.31                       | 3.186                        | 3.211                       |                        |                       | -3.91                     | -3.98                        | 34.4340225 | -118.6467322 | 1397         | 28.75                  |                                                                                                                                                       |
| CV-2545     | 2/19/2026 8:31:10 AM  | 40.7       | 52.8       | 0.0       | 6.5            | 0.0          | 0.8     |                         |                         | 97.3                 | 97.7                | -3.11                        | -3.08                       | 2.947                        | 2.779                       | 56.2                   | 54.6                  |                           |                              | 34.4339953 | -118.6467122 | 1414         | 28.48                  | No Adjustment Made,                                                                                                                                   |
| CV-2546     | 2/3/2026 8:03:07 AM   | 35.9       | 59.7       | 0.0       | 4.4            | 0.0          | 0.6     |                         |                         | 121.1                | 120.6               | -2.87                        | -2.73                       | 2.796                        | 2.632                       |                        |                       | -6.80                     | -4.84                        | 34.4331222 | -118.6487308 | 1348         | 28.82                  |                                                                                                                                                       |
| CV-2546     | 2/13/2026 9:30:25 AM  | 41.8       | 57.4       | 0.0       | 0.8            | 0.0          | 0.7     |                         |                         | 106.1                | 106.2               | -3.50                        | -3.61                       | 3.427                        | 3.521                       |                        |                       | -6.70                     | -8.36                        | 34.4331177 | -118.6487447 | 1374         | 28.6                   |                                                                                                                                                       |
| CV-2546     | 2/17/2026 12:41:02 PM | 26.6       | 71.3       | 0.0       | 2.1            | 0.0          | 0.4     |                         |                         | 114.8                | 113.5               | -2.81                        | -2.35                       | 2.940                        | 2.265                       | 51.7                   | 45.3                  |                           |                              | 34.4341435 | -118.6469800 | 1404         | 28.47                  |                                                                                                                                                       |
| CV-2547     | 2/12/2026 1:14:27 PM  | 53.6       | 41.8       | 0.0       | 4.5            | 0.0          | 1.3     |                         |                         | 76.5                 | 76.1                | -0.17                        | -0.27                       | 0.166                        | 0.268                       |                        |                       | -13.73                    | -13.69                       | 34.4339178 | -118.6459802 | 1398         | 28.64                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                                                          |
| CV-2547     | 2/12/2026 1:15:12 PM  | 54.6       | 41.4       | 0.0       | 4.0            | 0.0          | 1.3     |                         |                         | 76.1                 | 76.1                | -0.32                        | -0.32                       | 0.322                        | 0.322                       |                        |                       | -13.48                    | -13.47                       | 34.4339128 | -118.6460035 | 1398         | 28.64                  |                                                                                                                                                       |
| CV-2548     | 2/9/2026 9:36:26 AM   | 6.3        | 87.8       | 0.0       | 5.9            | 0.0          | 0.1     |                         |                         | 67.1                 | 67.6                | 0.69                         | 0.70                        | 0.690                        | 0.700                       | 6.0                    | 6.0                   | 0.80                      | 1.47                         | 34.4343303 | -118.6455735 | 1401         | 28.6                   | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Well (Watered In),Plugged/Pinched Suspected                                     |
| CV-2548     | 2/9/2026 9:36:55 AM   | 5.4        | 90.4       | 0.0       | 4.2            | 0.0          | 0.1     |                         |                         | 67.9                 | 68.1                | 0.66                         | 0.65                        | 0.675                        | 0.662                       | 5.9                    | 5.9                   | 0.17                      | 0.30                         | 34.4343312 | -118.6455880 | 1397         | 28.61                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Well (Watered In)                                                               |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                         |                               |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
| CV-2548    | 2/12/2026 2:54:02 PM  | 10.4       | 75.9       | 0.0       | 13.6           | 0.0          | 0.1     |                         |                         | 99.9                 | 100.3               | -1.24                        | -0.58                       | 1.256                        | 0.589                       |                        |                       | -10.38                    | -11.53                       | 34.4343573 | -118.6455597 | 1392         | 28.62                  | Valve Adjustment: NSPS/EG CAC, Decreased Flow/Vacuum                                                                             |                               |
| CV-2548    | 2/12/2026 2:54:50 PM  | 10.4       | 74.0       | 0.0       | 15.6           | 0.0          | 0.1     |                         |                         | 99.9                 | 99.8                | -0.52                        | -0.51                       | 0.525                        | 0.519                       |                        |                       | -11.51                    | -12.00                       | 34.4343490 | -118.6455700 | 1388         | 28.62                  |                                                                                                                                  |                               |
| CV-2548    | 2/23/2026 8:20:51 AM  | 7.6        | 82.7       | 0.0       | 9.7            | 0.0          | 0.1     |                         |                         | 93.4                 | 95.1                | -2.07                        | -2.21                       | 0.973                        | 1.196                       | 28.5                   | 31.6                  |                           |                              | 34.4342778 | -118.6455957 | 1407         | 28.66                  |                                                                                                                                  |                               |
| CV-2549    | 2/9/2026 9:32:36 AM   | 34.6       | 64.3       | 0.0       | 1.1            | 0.0          | 0.5     |                         |                         | 85.8                 | 86.4                | -0.22                        | -0.22                       | 0.216                        | 0.217                       |                        |                       | -7.72                     | -7.94                        | 34.4343495 | -118.6452643 | 1395         | 28.63                  | Valve Adjustment: Barely Open; Well Condition: Good                                                                              |                               |
| CV-2549    | 2/23/2026 8:14:23 AM  | 42.7       | 55.3       | 0.0       | 2.0            | 0.0          | 0.8     |                         |                         | 78.8                 | 80.8                | -2.35                        | -2.48                       | 1.301                        | 1.487                       | 37.7                   | 40.3                  |                           |                              | 34.4345977 | -118.6452105 | 1421         | 28.65                  |                                                                                                                                  |                               |
| CV-2550    | 2/26/2026 10:04:15 AM | 7.7        | 85.4       | 0.0       | 6.9            | 0.0          | 0.1     |                         |                         | 156.3                | 157.6               | 1.57                         | 1.32                        | 0.000                        | 0.000                       |                        |                       | 1.68                      | 1.48                         | 34.4348383 | -118.6461647 | 1405         | 28.67                  | Valve Adjustment: NSPS/EG CAI, No Flow Measurement, Reconnected this Date, High Temp, Positive Static Press.                     |                               |
| CV-2550    | 2/26/2026 10:07:52 AM | 6.5        | 90.8       | 0.0       | 2.7            | 0.0          | 0.1     |                         |                         | 155.8                | 156.0               | 1.38                         | 1.51                        | 0.000                        | 0.000                       |                        |                       | 1.51                      | 1.67                         | 34.4348362 | -118.6461725 | 1400         | 28.71                  | Valve Adjustment: No Flow Measurement, Reconnected this Date, High Temp, Positive Static Press., Valve 100% Open                 |                               |
| CV-2551    | 2/9/2026 1:47:25 PM   | 1.6        | 88.4       | 0.0       | 10.0           | 0.0          | 0.0     |                         |                         | 91.9                 | 94.1                | 0.86                         | -0.45                       | 0.000                        | 0.456                       |                        |                       | -15.03                    | -14.55                       | 34.4349313 | -118.6458097 | 1399         | 28.52                  | Valve Adjustment: NSPS/EG CAI, Reconnected this Date, Positive Static Press., Increased Flow/Vacuum                              |                               |
| CV-2551    | 2/9/2026 1:49:02 PM   | 1.6        | 87.9       | 0.0       | 10.5           | 0.0          | 0.0     |                         |                         | 94.7                 | 97.0                | -0.56                        | -0.96                       | 0.552                        | 0.949                       |                        |                       | -14.26                    | -14.01                       | 34.4349282 | -118.6458030 | 1396         | 28.52                  | Valve Adjustment: NSPS/EG CAC, Increased Flow/Vacuum, Barely Open                                                                |                               |
| CV-2552    | 2/4/2026 1:47:30 PM   | 34.4       | 64.1       | 0.0       | 1.5            | 0.0          | 0.5     |                         |                         | 151.5                | 152.4               | -2.38                        | -2.37                       | 2.403                        | 2.406                       |                        |                       | -2.17                     | -2.18                        | 34.4348900 | -118.6465282 | 1394         | 28.7                   | Valve Adjustment: No Flow Measurement, High Temp                                                                                 |                               |
| CV-2552    | 2/4/2026 1:50:00 PM   |            |            |           |                |              |         |                         | 39000                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                  | AtmAA; [User entered 3.9%]    |
| CV-2552    | 2/4/2026 1:50:00 PM   |            |            |           |                |              |         | 982                     |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                  | AtmAA                         |
| CV-2552    | 2/4/2026 1:50:55 PM   | 36.1       | 63.9       | 0.0       | 0.0            | 0.0          | 0.6     |                         |                         | 151.8                | 152.3               | -2.21                        | -2.43                       | 2.229                        | 2.535                       |                        |                       | -2.13                     | -2.58                        | 34.4348672 | -118.6465200 | 1387         | 28.71                  | Valve Adjustment: No Flow Measurement, High Temp                                                                                 |                               |
| CV-2552    | 2/13/2026 1:56:37 PM  | 20.6       | 70.9       | 0.0       | 8.5            | 0.0          | 0.3     |                         |                         | 89.2                 | 92.3                | 2.96                         | 3.00                        | 0.000                        | 0.000                       |                        |                       | 0.30                      | 0.31                         | 34.4348650 | -118.6465433 | 1387         | 28.55                  | Valve Comment: no system port; Valve Adjustment: NSPS/EG CAI, Positive Static Press., Surging Liquid in Header                   |                               |
| CV-2552    | 2/13/2026 1:57:06 PM  | 20.3       | 71.9       | 0.0       | 7.8            | 0.0          | 0.3     |                         |                         | 94.6                 | 94.7                | 2.95                         | 2.97                        | 0.000                        | 0.000                       |                        |                       | 0.31                      | 0.31                         | 34.4348652 | -118.6465353 | 1391         | 28.55                  | Valve Adjustment: Positive Static Press.                                                                                         |                               |
| CV-2552    | 2/20/2026 1:03:12 PM  | 22.2       | 68.4       | 0.0       | 9.4            | 0.0          | 0.3     |                         |                         | 76.2                 | 76.8                | 3.20                         | 3.19                        | 0.000                        | 0.000                       |                        |                       | 3.21                      | 3.16                         | 34.4348703 | -118.6465165 | 1395         | 28.55                  | Valve Comment: surging liquid in vacuum lateral; Valve Adjustment: NSPS/EG CAI, Positive Static Press., Surging Liquid in Header |                               |
| CV-2552    | 2/20/2026 1:04:42 PM  | 21.4       | 69.9       | 0.0       | 8.7            | 0.0          | 0.3     |                         |                         | 83.3                 | 83.3                | 3.23                         | 3.25                        | 0.000                        | 0.000                       |                        |                       | 3.16                      | 3.18                         | 34.4348740 | -118.6465223 | 1389         | 28.56                  | Valve Adjustment: Positive Static Press.                                                                                         |                               |
| CV-2553    | 2/3/2026 9:07:48 AM   | 46.8       | 51.7       | 0.0       | 1.5            | 0.0          | 0.9     |                         |                         | 104.0                | 104.1               | -2.42                        | -2.41                       | 2.363                        | 2.354                       |                        |                       | 0.44                      | 0.34                         | 34.4341738 | -118.6489150 | 1347         | 28.82                  | Valve Comment: No system port                                                                                                    |                               |
| CV-2553    | 2/25/2026 3:08:34 PM  | 45.8       | 53.9       | 0.1       | 0.2            | 2.0          | 0.8     |                         |                         | 95.5                 | 95.5                | -0.45                        | -0.45                       | 0.421                        | 0.419                       | 0.0                    | 0.0                   | -5.21                     |                              | 34.4340375 | -118.6487930 | 1339         | 28.56                  |                                                                                                                                  |                               |
| CV-2554    | 2/3/2026 8:51:19 AM   | 45.2       | 54.8       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 139.8                | 137.9               | -5.08                        | -2.73                       | 5.388                        | 2.684                       |                        |                       | -5.23                     | -5.25                        | 34.4344725 | -118.6482658 | 1346         | 28.82                  | Valve Adjustment: No Flow Measurement, Other - See Daily Log, Decreased Flow/Vacuum                                              |                               |
| CV-2554    | 2/3/2026 8:51:58 AM   | 45.2       | 54.8       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 137.2                | 138.4               | -2.71                        | -2.71                       | 2.707                        | 2.701                       |                        |                       | -5.24                     | -5.21                        | 34.4344808 | -118.6482718 | 1362         | 28.82                  | Valve Adjustment: No Flow Measurement                                                                                            |                               |
| CV-2554    | 2/25/2026 2:36:30 PM  | 29.8       | 67.4       | 0.0       | 2.8            | 0.0          | 0.4     |                         |                         | 164.1                | 162.3               | -4.69                        | -1.62                       | 4.491                        | 1.676                       | 0.0                    | 0.0                   | -5.01                     |                              | 34.4345210 | -118.6482182 | 1358         | 28.59                  | NSPS/EG CAI, High Temp                                                                                                           |                               |
| CV-2554    | 2/25/2026 2:38:32 PM  | 28.0       | 70.7       | 0.0       | 1.3            | 0.0          | 0.4     |                         |                         | 162.3                | 162.0               | -1.63                        | -1.63                       | 1.838                        | 1.251                       | 0.0                    | 0.0                   | -4.50                     |                              | 34.4345990 | -118.6481253 | 1375         | 28.59                  |                                                                                                                                  |                               |
| CV-2554    | 2/26/2026 9:47:44 AM  | 36.0       | 64.0       | 0.0       | 0.0            | 0.0          | 0.6     |                         |                         | 143.3                | 134.1               | -2.36                        | -2.16                       | 2.215                        | 2.004                       |                        |                       | -1.97                     | -2.64                        | 34.4344785 | -118.6482457 | 1356         | 28.71                  | Valve Adjustment: NSPS/EG CAC, No Flow Measurement                                                                               |                               |
| CV-2555    | 2/6/2026 10:33:42 AM  | 10.6       | 13.7       | 15.6      | 60.1           | 3.9          | 0.8     |                         |                         | 74.2                 | 74.3                | -10.54                       | -10.49                      | 11.096                       | 11.038                      |                        |                       | -9.35                     | -9.53                        | 34.4348192 | -118.6477053 | 1370         | 28.71                  | Valve Adjustment: Audible Flow, Reconnected this Date, Barely Open                                                               |                               |
| CV-2555    | 2/6/2026 10:34:10 AM  | 10.9       | 14.1       | 15.4      | 59.6           | 3.9          | 0.8     |                         |                         | 74.3                 | 74.1                | -11.61                       | -11.61                      | 12.132                       | 12.135                      |                        |                       | -12.32                    | -12.20                       | 34.4348177 | -118.6476893 | 1372         | 28.71                  | Valve Adjustment: NSPS/EG CAI, Reconnected this Date, High O2, Barely Open                                                       |                               |
| CV-2555    | 2/6/2026 10:35:51 AM  | 12.9       | 17.3       | 14.3      | 55.5           | 3.9          | 0.7     |                         |                         | 74.6                 | 74.8                | -9.65                        | -9.65                       | 10.249                       | 10.249                      |                        |                       | -7.74                     | -7.74                        | 34.4348188 | -118.6477053 | 1374         | 28.71                  | Valve Adjustment: NSPS/EG CAI, Reconnected this Date, High O2, Barely Open                                                       |                               |
| CV-2555    | 2/9/2026 12:51:31 PM  | 28.6       | 46.2       | 4.2       | 21.0           | 5.0          | 0.6     |                         |                         | 91.1                 | 91.8                | -8.45                        | -8.42                       | 8.624                        | 8.566                       |                        |                       | -8.57                     | -8.34                        | 34.4348413 | -118.6477213 | 1372         | 28.59                  | Valve Adjustment: NSPS/EG CAC, Barely Open; Well Condition: Good                                                                 |                               |
| CV-2555    | 2/25/2026 3:14:12 PM  | 31.4       | 53.7       | 3.0       | 11.9           | 4.0          | 0.6     |                         |                         | 97.1                 | 97.0                | -5.21                        | -4.66                       | 5.165                        | 4.645                       | 73.1                   | 69.4                  |                           |                              | 34.4347097 | -118.6476430 | 1352         | 28.56                  |                                                                                                                                  |                               |
| CV-2556    | 2/3/2026 7:58:25 AM   | 6.2        | 84.9       | 0.0       | 8.9            | 0.0          | 0.1     |                         |                         | 169.7                | 169.6               | -4.75                        | -4.37                       | 4.563                        | 4.150                       |                        |                       | -4.53                     | -3.98                        | 34.4351498 | -118.6472233 | 1362         | 28.78                  | Valve Adjustment: No Flow Measurement, High Temp                                                                                 |                               |
| CV-2556    | 2/3/2026 8:00:00 AM   |            |            |           |                |              |         |                         | 119800                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                  | AtmAA; [User entered 11.98%]  |
| CV-2556    | 2/3/2026 8:00:00 AM   |            |            |           |                |              |         | 2302                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                  | AtmAA                         |
| CV-2556    | 2/11/2026 8:05:00 AM  |            |            |           |                |              |         |                         | 118650                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                                                  | AtmAA; [User entered 11.865%] |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------------------------------|
| CV-2556    | 2/11/2026 8:05:00 AM  |            |            |           |                |              |         | 3005                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                   |
| CV-2556    | 2/11/2026 8:06:46 AM  | 1.4        | 86.8       | 0.1       | 11.7           | 117.0        | 0.0     |                         |                         | 171.2                | 171.4               | -3.27                        | -3.26                       | 3.109                        | 2.803                       |                        |                       | -0.01                     | -0.01                        | 34.4351685 | -118.6472283 | 1367         | 28.63                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp                                                             |
| CV-2556    | 2/18/2026 8:40:07 AM  | 1.9        | 95.8       | 0.0       | 2.3            | 0.0          | 0.0     |                         |                         | 169.4                | 169.4               | -1.64                        | -1.65                       | 1.635                        | 1.450                       |                        |                       | -1.64                     | -1.46                        | 34.4351582 | -118.6472185 | 1368         | 28.52                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp                                                |
| CV-2556    | 2/25/2026 8:44:22 AM  | 3.3        | 84.1       | 0.0       | 12.6           | 0.0          | 0.0     |                         |                         | 171.0                | 172.4               | -0.41                        | -0.47                       | 0.627                        | 0.131                       |                        |                       | -0.25                     | -0.13                        | 34.4351560 | -118.6472040 | 1377         | 28.63                  | Valve Adjustment:No Flow Measurement,High Temp                                                                          |
| CV-2557    | 2/5/2026 9:50:37 AM   | 1.4        | 88.4       | 0.0       | 10.2           | 0.0          | 0.0     |                         |                         | 119.6                | 122.0               | -0.77                        | -0.75                       | 0.723                        | 0.710                       |                        |                       | -11.89                    | -11.60                       | 34.4354935 | -118.6464808 | 1397         | 28.67                  |                                                                                                                         |
| CV-2557    | 2/18/2026 2:31:16 PM  | 0.4        | 19.6       | 12.7      | 67.3           | 5.3          | 0.0     |                         |                         | 68.9                 | 69.1                | -1.28                        | -1.25                       | 1.247                        | 1.208                       |                        |                       | 0.54                      | 0.55                         | 34.4354997 | -118.6464705 | 1393         | 28.49                  |                                                                                                                         |
| CV-2558    | 2/3/2026 7:35:00 AM   |            |            |           |                |              |         |                         | 100200                  |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 10.02%]                                                                                            |
| CV-2558    | 2/3/2026 7:35:00 AM   |            |            |           |                |              |         | 3125                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                   |
| CV-2558    | 2/3/2026 7:37:52 AM   | 7.7        | 89.7       | 0.0       | 2.6            | 0.0          | 0.1     |                         |                         | 176.3                | 76.4                | 3.21                         | -2.06                       | 0.000                        | 2.298                       |                        |                       | -0.20                     | -0.20                        | 34.4353127 | -118.6463167 | 1395         | 28.75                  | Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Increased Flow/Vacuum                                        |
| CV-2558    | 2/3/2026 7:40:27 AM   | 8.4        | 89.9       | 0.0       | 1.7            | 0.0          | 0.1     |                         |                         | 175.1                | 175.3               | -2.81                        | -2.56                       | 2.448                        | 2.472                       |                        |                       | 0.05                      | -0.20                        | 34.4352938 | -118.6463120 | 1387         | 28.74                  | Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In) |
| CV-2558    | 2/11/2026 8:25:00 AM  |            |            |           |                |              |         |                         | 96300                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA; [User entered 9.63%]                                                                                             |
| CV-2558    | 2/11/2026 8:25:00 AM  |            |            |           |                |              |         | 3000                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                                                                                   |
| CV-2558    | 2/11/2026 8:30:03 AM  | 1.8        | 78.0       | 2.9       | 17.3           | 6.0          | 0.0     |                         |                         | 186.0                | 186.0               | 3.11                         | 4.09                        | 0.000                        | 0.000                       |                        |                       | 0.32                      | 0.32                         | 34.4353183 | -118.6463058 | 1393         | 28.61                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header                    |
| CV-2558    | 2/11/2026 8:31:04 AM  | 2.0        | 81.6       | 1.3       | 15.1           | 11.6         | 0.0     |                         |                         | 186.0                | 186.0               | 3.34                         | 3.14                        | 0.000                        | 0.000                       |                        |                       | 0.29                      | 0.27                         | 34.4353180 | -118.6463120 | 1396         | 28.61                  | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header                    |
| CV-2558    | 2/18/2026 7:46:34 AM  | 2.4        | 85.3       | 1.2       | 11.1           | 9.3          | 0.0     |                         |                         | 186.0                | 186.0               | -1.53                        | -2.51                       | 1.429                        | 2.448                       |                        |                       | -0.37                     | -0.38                        | 34.4353090 | -118.6463200 | 1393         | 28.43                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header                       |
| CV-2558    | 2/24/2026 1:22:09 PM  | 2.2        | 65.6       | 4.7       | 27.5           | 5.9          | 0.0     |                         |                         | 180.1                | 180.0               | -0.78                        | -0.48                       | 0.563                        | 0.000                       |                        |                       | -3.39                     | -3.00                        | 34.4353042 | -118.6463060 | 1403         | 28.59                  | Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)             |
| CV-2560    | 2/5/2026 9:07:57 AM   | 33.8       | 55.5       | 0.1       | 10.6           | 106.0        | 0.6     |                         |                         | 110.9                | 111.1               | -2.41                        | -2.40                       | 2.360                        | 2.355                       |                        |                       | -15.99                    | -15.56                       | 34.4358940 | -118.6466602 | 1407         | 28.67                  |                                                                                                                         |
| CV-2560    | 2/18/2026 2:04:13 PM  | 15.0       | 42.3       | 0.6       | 42.1           | 70.2         | 0.4     |                         |                         | 122.6                | 122.3               | -7.12                        | -7.14                       | 7.254                        | 7.278                       |                        |                       | -9.57                     | -9.77                        | 34.4359073 | -118.6466610 | 1400         | 28.49                  |                                                                                                                         |
| CV-2561    | 2/10/2026 12:28:32 PM | 24.2       | 45.3       | 0.0       | 30.5           | 0.0          | 0.5     |                         |                         | 113.9                | 111.6               | -2.03                        | -1.29                       | 1.896                        | 1.311                       | 0.0                    | 0.0                   | -4.21                     |                              | 34.4363235 | -118.6464133 | 4478         | 28.44                  |                                                                                                                         |
| CV-2563    | 2/4/2026 7:44:50 AM   | 52.2       | 43.9       | 0.0       | 3.9            | 0.0          | 1.2     |                         |                         | 121.4                | 121.4               | -5.41                        | -5.46                       | 1.444                        | 1.810                       | 8.2                    | 9.2                   | -6.84                     | -7.10                        | 34.4373047 | -118.6457852 | 1311         | 28.87                  | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                               |
| CV-2563    | 2/21/2026 9:53:34 AM  | 42.2       | 44.4       | 1.0       | 12.4           | 12.4         | 1.0     |                         |                         | 117.5                | 117.6               | -4.08                        | -4.19                       | 1.413                        | 1.395                       | 8.2                    | 8.1                   | -5.07                     | -5.35                        | 34.4372917 | -118.6457777 | 1300         | 28.82                  | Valve Comment:RES SEM;Valve Adjustment:Valve 100% Open                                                                  |
| CV-2564    | 2/22/2026 12:12:45 PM | 24.4       | 65.0       | 0.0       | 10.6           | 0.0          | 0.4     |                         |                         | 73.8                 | 73.7                | -0.15                        | -0.15                       | 0.026                        | 0.018                       |                        |                       | -6.13                     | -6.00                        | 34.4331300 | -118.6487335 | 1360         | 28.83                  |                                                                                                                         |
| CV-2564    | 2/26/2026 1:34:16 PM  | 23.4       | 74.8       | 0.2       | 1.6            | 8.0          | 0.3     |                         |                         | 88.6                 | 88.6                | -0.18                        | -0.16                       | -1.193                       | -1.184                      | 0.0                    | 0.0                   | -6.30                     |                              | 34.4330968 | -118.6486508 | 1365         | 28.58                  |                                                                                                                         |
| CV-2565    | 2/2/2026 10:08:30 AM  | 46.9       | 48.1       | 0.0       | 5.0            | 0.0          | 1.0     |                         |                         | 111.7                | 111.1               | -1.76                        | -1.39                       | 1.727                        | 1.339                       | 0.0                    | 0.0                   | -9.84                     |                              | 34.4320045 | -118.6490257 | 1332         | 28.66                  |                                                                                                                         |
| CV-2565    | 2/17/2026 9:59:54 AM  | 47.5       | 49.8       | 0.1       | 2.6            | 26.0         | 1.0     |                         |                         | 95.3                 | 95.7                | -1.34                        | -1.34                       | 1.368                        | 1.365                       | 0.0                    | 0.0                   | -10.14                    |                              | 34.4319963 | -118.6490250 | 1355         | 28.58                  |                                                                                                                         |
| CV-2565    | 2/23/2026 2:18:22 PM  | 50.8       | 49.2       | 0.0       | 0.0            | 0.0          | 1.0     |                         |                         | 103.9                | 103.8               | -0.75                        | -0.75                       | -0.502                       | -0.514                      | 0.0                    | 0.0                   | -8.42                     |                              | 34.4319793 | -118.6489653 | 1335         | 28.72                  |                                                                                                                         |
| CV-2566    | 2/2/2026 10:33:28 AM  | 46.6       | 49.2       | 0.0       | 4.2            | 0.0          | 0.9     |                         |                         | 88.8                 | 88.7                | -0.61                        | -0.59                       | 0.495                        | 0.494                       | 0.0                    | 0.0                   | -9.60                     |                              | 34.4319727 | -118.6487040 | 1365         | 28.68                  |                                                                                                                         |
| CV-2566    | 2/19/2026 10:35:56 AM | 49.5       | 50.5       | 0.0       | 0.0            | 0.0          | 1.0     |                         |                         | 49.3                 | 49.3                | 0.16                         | -0.01                       | -0.163                       | 0.134                       | 0.0                    | 0.0                   | -10.39                    |                              | 34.4318268 | -118.6488298 | 1335         | 28.49                  |                                                                                                                         |
| CV-2566    | 2/19/2026 10:37:45 AM | 46.6       | 46.3       | 0.0       | 7.1            | 0.0          | 1.0     |                         |                         | 50.3                 | 50.4                | -0.27                        | -0.27                       | 0.231                        | 0.230                       | 0.0                    | 0.0                   | -10.03                    |                              | 34.4317607 | -118.6488123 | 1365         | 28.49                  |                                                                                                                         |
| CV-2567    | 2/2/2026 2:08:53 PM   | 49.4       | 47.0       | 0.0       | 3.6            | 0.0          | 1.1     |                         |                         | 93.8                 | 93.9                | -0.16                        | -0.14                       | -0.192                       | 0.146                       |                        | 12.6                  |                           |                              | 34.4318973 | -118.6480287 | 1385         | 28.67                  |                                                                                                                         |
| CV-2567    | 2/4/2026 10:11:41 AM  | 50.0       | 48.6       | 0.0       | 1.4            | 0.0          | 1.0     |                         |                         | 94.4                 | 94.8                | -0.14                        | -0.14                       | 0.133                        | 0.129                       |                        |                       | 0.63                      | 0.64                         | 34.4319492 | -118.6480877 | 1350         | 28.82                  | Well Comment:no system pressure;Well Condition:Fair                                                                     |
| CV-2567    | 2/23/2026 10:44:40 AM | 49.9       | 49.6       | 0.0       | 0.5            | 0.0          | 1.0     |                         |                         | 86.1                 | 86.3                | 0.07                         | 0.07                        | -0.097                       | -0.096                      |                        |                       |                           |                              | 34.4319867 | -118.6480975 | 1388         | 28.77                  |                                                                                                                         |
| CV-2567    | 2/23/2026 10:46:38 AM | 49.8       | 49.4       | 0.0       | 0.8            | 0.0          | 1.0     |                         |                         | 86.5                 | 86.5                | 0.07                         | 0.07                        | -0.066                       | -0.066                      |                        |                       |                           |                              | 34.4320162 | -118.6481372 | 1411         | 28.77                  |                                                                                                                         |
| CV-2568    | 2/2/2026 2:41:19 PM   | 47.1       | 49.2       | 0.0       | 3.7            | 0.0          | 1.0     |                         |                         | 102.7                | 102.8               | -0.35                        | -0.35                       | 0.310                        | 0.310                       | 0.0                    | 0.0                   | -8.74                     |                              | 34.4320632 | -118.6476762 | 1319         | 28.64                  |                                                                                                                         |
| CV-2568    | 2/17/2026 9:08:43 AM  | 47.7       | 48.0       | 0.0       | 4.3            | 0.0          | 1.0     |                         |                         | 66.3                 | 67.5                | -1.35                        | -1.34                       | 1.352                        | 1.349                       | 0.0                    | 0.0                   | -10.17                    |                              | 34.4322123 | -118.6477702 | 1342         | 28.63                  |                                                                                                                         |
| CV-2569    | 2/2/2026 3:32:20 PM   | 47.8       | 49.5       | 0.0       | 2.7            | 0.0          | 1.0     |                         |                         | 101.7                | 101.7               | -0.69                        | -0.68                       | 0.586                        | 0.585                       | 0.0                    | 0.0                   | -9.41                     |                              | 34.4322282 | -118.6473997 | 1335         | 28.65                  |                                                                                                                         |
| CV-2569    | 2/17/2026 9:22:50 AM  | 47.9       | 47.3       | 0.0       | 4.8            | 0.0          | 1.0     |                         |                         | 68.0                 | 68.3                | -1.59                        | -1.55                       | 1.527                        | 1.525                       | 0.0                    | 0.0                   | -10.11                    |                              | 34.4322432 | -118.6473767 | 1378         | 28.64                  |                                                                                                                         |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                        |                                    |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|-----------------------------------------------------------------------------------------------------------------|------------------------------------|
| CV-2570    | 2/2/2026 3:29:34 PM   | 51.2       | 46.6       | 0.0       | 2.2            | 0.0          | 1.1     |                         |                         | 105.9             | 106.0            | -0.84                     | -0.83                    | 0.848                     | 0.846                    | 0.0                 | 0.0                | -9.12                  |                           | 34.4324145 | -118.6470030 | 1345         | 28.64               |                                                                                                                 |                                    |
| CV-2570    | 2/17/2026 9:28:38 AM  | 51.2       | 44.7       | 0.0       | 4.1            | 0.0          | 1.1     |                         |                         | 77.0              | 77.2             | -1.81                     | -1.79                    | 1.853                     | 1.850                    | 0.0                 | 0.0                | -10.30                 |                           | 34.4324365 | -118.6469838 | 1358         | 28.63               |                                                                                                                 |                                    |
| CV-2572    | 2/5/2026 9:36:17 AM   | 56.6       | 42.0       | 0.0       | 1.4            | 0.0          | 1.3     |                         |                         | 118.6             | 119.6            | 0.06                      | -0.13                    | 0.571                     | 1.002                    | 15.0                | 19.9               | -9.06                  |                           | 34.4297060 | -118.6470867 | 1125         | 28.85               |                                                                                                                 |                                    |
| CV-2572    | 2/5/2026 9:38:59 AM   | 56.2       | 42.8       | 0.0       | 1.0            | 0.0          | 1.3     |                         |                         | 119.8             | 119.8            | -0.20                     | -0.20                    | 0.931                     | 1.181                    | 19.1                | 21.5               | -11.02                 |                           | 34.4298022 | -118.6470218 | 1142         | 28.85               |                                                                                                                 |                                    |
| CV-48R     | 2/4/2026 7:47:58 AM   | 53.6       | 42.6       | 0.0       | 3.8            | 0.0          | 1.3     |                         |                         | 119.7             | 120.0            | -6.42                     | -6.53                    | 0.479                     | 0.688                    | 8.6                 | 10.4               | -6.74                  | -7.02                     | 34.4373427 | -118.6458707 | 1293         | 28.89               | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                       |                                    |
| CV-48R     | 2/21/2026 9:58:04 AM  | 49.3       | 39.6       | 1.1       | 10.0           | 9.1          | 1.2     |                         |                         | 116.9             | 117.0            | -4.49                     | -4.67                    | 0.544                     | 0.543                    | 9.3                 | 9.2                | -5.06                  | -5.33                     | 34.4373233 | -118.6458233 | 1307         | 28.82               | Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum                                                    |                                    |
| CV-52D     | 2/9/2026 2:25:31 PM   | 37.8       | 50.7       | 0.0       | 11.5           | 0.0          | 0.7     |                         |                         | 89.2              | 91.1             | 2.36                      | -1.93                    | -0.031                    | 2.290                    | 0.0                 | 19.0               | -14.73                 |                           | 34.4359643 | -118.6424668 | 1299         | 28.58               | NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less |                                    |
| CV-52D     | 2/9/2026 2:28:00 PM   | 33.7       | 51.4       | 0.0       | 14.9           | 0.0          | 0.7     |                         |                         | 94.3              | 94.5             | -2.54                     | -2.56                    | 2.075                     | 2.072                    | 17.8                | 17.8               | -14.85                 |                           | 34.4360417 | -118.6423923 | 1299         | 28.58               |                                                                                                                 |                                    |
| CV-55R     | 2/4/2026 10:45:00 AM  |            |            |           |                |              |         |                         | 140850                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                 | AtmAA; [User entered 14.085%]      |
| CV-55R     | 2/4/2026 10:45:00 AM  |            |            |           |                |              |         | 261.5                   |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                 | AtmAA                              |
| CV-55R     | 2/4/2026 10:46:17 AM  | 26.5       | 51.7       | 0.0       | 21.8           | 0.0          | 0.5     |                         |                         | 151.1             | 151.1            | -7.44                     | -5.70                    | 0.055                     | 0.025                    | 2.9                 | 1.9                | -8.60                  | -8.83                     | 34.4343647 | -118.6427767 | 1304         | 28.89               | Valve Adjustment:High Temp,Decreased Flow/Vacuum                                                                |                                    |
| CV-55R     | 2/4/2026 10:48:06 AM  | 35.8       | 50.5       | 0.0       | 13.7           | 0.0          | 0.7     |                         |                         | 151.2             | 151.0            | -5.45                     | -5.41                    | 0.038                     | 0.002                    | 2.4                 | 0.5                | -8.78                  | -8.78                     | 34.4343725 | -118.6427795 | 1320         | 28.89               | Valve Adjustment:High Temp                                                                                      |                                    |
| CV-55R     | 2/11/2026 1:25:00 PM  |            |            |           |                |              |         |                         | 136700                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                 | AtmAA; [User entered 13.67%]       |
| CV-55R     | 2/11/2026 1:25:00 PM  |            |            |           |                |              |         | 710                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                 | AtmAA                              |
| CV-55R     | 2/11/2026 1:26:01 PM  | 26.2       | 58.2       | 0.3       | 15.3           | 51.0         | 0.5     |                         |                         | 152.4             | 150.9            | -7.05                     | -5.41                    | 0.358                     | 0.005                    | 7.2                 | 0.9                | -11.82                 | -11.71                    | 34.4343712 | -118.6427703 | 1322         | 28.71               | Valve Comment:Enhance monitoring;Valve Adjustment:High Temp,Decreased Flow/Vacuum                               |                                    |
| CV-55R     | 2/18/2026 1:07:46 PM  | 30.8       | 50.6       | 0.5       | 18.1           | 36.2         | 0.6     |                         |                         | 145.3             | 145.6            | -5.76                     | -5.79                    | 0.171                     | 0.141                    | 5.0                 | 4.6                | -11.82                 | -11.81                    | 34.4343897 | -118.6427933 | 1308         | 28.64               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                    |                                    |
| CV-55R     | 2/25/2026 2:12:48 PM  | 39.2       | 49.3       | 0.0       | 11.5           | 0.0          | 0.8     |                         |                         | 147.5             | 147.8            | -4.22                     | -4.22                    | 0.043                     | 0.089                    | 2.5                 | 3.6                | -8.78                  | -8.57                     | 34.4343728 | -118.6427982 | 1312         | 28.67               | Valve Adjustment:High Temp                                                                                      |                                    |
| CV-56D     | 2/5/2026 9:38:23 AM   | 49.2       | 45.2       | 0.0       | 5.6            | 0.0          | 1.1     |                         |                         | 116.0             | 116.1            | -0.53                     | -0.56                    | 0.173                     | 0.175                    | 2.9                 | 2.9                | -9.76                  | -9.51                     | 34.4337997 | -118.6431437 | 1315         | 28.78               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                  |                                    |
| CV-56S     | 2/5/2026 9:36:36 AM   | 51.7       | 45.7       | 0.0       | 2.6            | 0.0          | 1.1     |                         |                         | 114.5             | 115.0            | -0.48                     | -0.50                    | 2.090                     | 1.640                    | 2.8                 | 2.5                | -9.40                  | -9.13                     | 34.4338135 | -118.6431435 | 1312         | 28.78               | Valve Adjustment:Audible Flow,Reduce Sys. Vac. - Flare Down                                                     |                                    |
| CV-57R     | 2/9/2026 9:00:00 AM   | 52.4       | 46.5       | 0.0       | 1.1            | 0.0          | 1.1     |                         |                         | 96.3              | 96.3             | -0.13                     | -0.13                    | 0.032                     | 0.033                    | 1.3                 | 1.3                | -8.85                  | -8.87                     | 34.4343342 | -118.6435790 | 1364         | 28.63               | Valve Adjustment:Audible Flow                                                                                   |                                    |
| CV-79R     | 2/9/2026 8:41:30 AM   | 51.9       | 45.2       | 0.0       | 2.9            | 0.0          | 1.1     |                         |                         | 93.3              | 112.2            | 2.08                      | -0.10                    | 0.039                     | 0.012                    | 5.7                 | 3.1                | -7.52                  | -8.09                     | 34.4332323 | -118.6448452 | 1335         | 28.67               | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Fair                   |                                    |
| CV-79R     | 2/9/2026 8:42:49 AM   | 51.4       | 46.8       | 0.0       | 1.8            | 0.0          | 1.1     |                         |                         | 113.6             | 115.7            | -0.10                     | -0.12                    | 0.014                     | 0.016                    | 3.3                 | 3.5                | -8.12                  | -8.16                     | 34.4332310 | -118.6448478 | 1337         | 28.67               | Valve Adjustment:NSPS/EG CAC;Well Condition:Fair                                                                |                                    |
| CV-94      | 2/6/2026 2:42:18 PM   | 53.6       | 44.7       | 0.0       | 1.7            | 0.0          | 1.2     |                         |                         | 102.9             | 104.8            | -2.94                     | -2.97                    | 0.039                     | 0.057                    | 2.5                 | 3.0                | -9.09                  | -9.32                     | 34.4348847 | -118.6436417 | 1352         | 28.66               | Valve Adjustment:Plugged/Pinched Suspected                                                                      |                                    |
| CV-94      | 2/9/2026 10:03:47 AM  | 52.1       | 43.9       | 0.0       | 4.0            | 0.0          | 1.2     |                         |                         | 106.8             | 107.3            | -2.09                     | -2.00                    | 0.003                     | 0.017                    | 0.7                 | 1.6                | -7.79                  | -7.29                     | 34.4348863 | -118.6436468 | 1353         | 28.67               | Well Condition:Fair                                                                                             |                                    |
| CV-95      | 2/9/2026 8:57:22 AM   | 53.8       | 45.0       | 0.0       | 1.2            | 0.0          | 1.2     |                         |                         | 106.5             | 107.4            | -0.05                     | -0.05                    | 0.032                     | 0.045                    | 1.2                 | 1.5                | -5.77                  | -5.38                     | 34.4343012 | -118.6436172 | 1359         | 28.66               |                                                                                                                 |                                    |
| CV-99      | 2/2/2026 7:55:00 AM   |            |            |           |                |              |         |                         | 1900                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                 | Air Tech Lab; [User entered 0.19%] |
| CV-99      | 2/2/2026 7:55:00 AM   |            |            |           |                |              |         | 0                       |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                 | Air Tech Lab                       |
| CV-99      | 2/13/2026 3:24:02 PM  | 25.7       | 71.1       | 0.0       | 3.2            | 0.0          | 0.4     |                         |                         | 80.1              | 79.5             | -6.11                     | -5.84                    | -0.008                    | -0.026                   | 0.0                 | 0.0                | -6.76                  |                           | 34.4369993 | -118.6464413 | 1250         | 28.57               |                                                                                                                 |                                    |
| D-02       | 2/21/2026 11:23:15 AM | 56.3       | 39.9       | 0.0       | 3.8            | 0.0          | 1.4     |                         |                         | 66.6              | 66.9             | -9.99                     | -10.22                   | 1.542                     | 1.788                    | 35.9                | 38.6               | -8.22                  | -8.16                     | 34.4311762 | -118.6442677 | 1181         | 28.96               |                                                                                                                 |                                    |
| D-03       | 2/21/2026 11:27:29 AM | 53.8       | 40.3       | 1.1       | 4.8            | 4.4          | 1.3     |                         |                         | 69.5              | 69.3             | -14.28                    | -14.67                   | 0.046                     | 0.109                    | 7.5                 | 11.6               | -14.15                 | -14.61                    | 34.4311612 | -118.6442835 | 1187         | 28.96               |                                                                                                                 |                                    |
| D-04       | 2/21/2026 11:30:52 AM | 56.4       | 39.9       | 0.0       | 3.7            | 0.0          | 1.4     |                         |                         | 63.6              | 63.5             | -16.02                    | -16.02                   | 0.001                     | 0.005                    | 0.8                 | 2.1                | -14.70                 | -14.76                    | 34.4311727 | -118.6442950 | 1188         | 28.96               |                                                                                                                 |                                    |
| D-09       | 2/5/2026 9:10:07 AM   | 58.6       | 40.3       | 0.0       | 1.1            | 0.0          | 1.5     |                         |                         | 109.8             | 110.1            | -12.45                    | -12.56                   | 1.328                     | 1.459                    | 15.0                | 15.8               | -13.12                 |                           | 34.4301433 | -118.6463118 | 1171         | 28.88               | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                       |                                    |
| D-10       | 2/5/2026 3:18:40 PM   | 58.0       | 41.1       | 0.0       | 0.9            | 0.0          | 1.4     |                         |                         | 98.8              | 101.3            | 0.36                      | -2.26                    | -0.264                    | -0.093                   |                     |                    | -14.90                 |                           | 34.4301875 | -118.6457075 | 1135         | 28.81               | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less              |                                    |
| D-10       | 2/5/2026 3:20:38 PM   | 57.2       | 42.1       | 0.0       | 0.7            | 0.0          | 1.4     |                         |                         | 102.5             | 102.6            | -2.32                     | -2.30                    | -0.069                    | -0.074                   |                     |                    | -14.91                 |                           | 34.4302193 | -118.6458233 | 1142         | 28.81               |                                                                                                                 |                                    |
| FP-001     | 2/10/2026 2:43:19 PM  | 7.1        | 16.0       | 12.0      | 64.9           | 5.4          | 0.4     |                         |                         | 63.8              | 63.6             | -0.50                     | -0.21                    | 0.358                     | 0.075                    | 4.3                 | 2.0                | -6.98                  |                           | 34.4365890 | -118.6458825 | 4649         | 28.45               | NSPS/EG CAI,NSPS/EG CAC,High O2                                                                                 |                                    |
| FP-001     | 2/10/2026 2:47:32 PM  | 4.8        | 13.0       | 8.8       | 73.4           | 8.3          | 0.4     |                         |                         | 63.6              | 63.6             | -0.23                     | -0.23                    | 0.549                     | 0.555                    | 5.4                 | 5.4                | -9.52                  |                           | 34.4365537 | -118.6458433 | 4337         | 28.45               | Orifice Plate Changed (See OP Log),No Adjustment Made                                                           |                                    |
| FP-002     | 2/10/2026 2:53:16 PM  | 14.5       | 20.7       | 9.4       | 55.4           | 5.9          | 0.7     |                         |                         | 69.9              | 69.3             | -0.17                     | -0.14                    | 2.055                     | 0.283                    | 10.3                | 3.8                | -10.39                 |                           | 34.4366825 | -118.6461478 | 4393         | 28.44               | NSPS/EG CAI,NSPS/EG CAC,Orifice Plate Changed (See OP Log),High O2                                              |                                    |
| FP-002     | 2/10/2026 2:56:14 PM  | 14.9       | 21.9       | 7.5       | 55.7           | 7.4          | 0.7     |                         |                         | 68.8              | 68.9             | -0.10                     | -0.11                    | 0.617                     | 0.615                    | 5.7                 | 5.6                | -10.92                 |                           | 34.4366400 | -118.6462400 | 4446         | 28.44               |                                                                                                                 |                                    |
| FP-003     | 2/10/2026 3:11:21 PM  | 28.1       | 42.5       | 4.8       | 24.6           | 5.1          | 0.7     |                         |                         | 70.1              | 70.1             | -0.07                     | -0.08                    | 0.439                     | 0.443                    | 4.6                 | 4.7                | -12.31                 |                           | 34.4365618 | -118.6465820 | 4629         | 28.43               |                                                                                                                 |                                    |
| FP-005     | 2/25/2026 1:48:40 PM  | 20.4       | 59.2       | 0.5       | 19.9           | 39.8         | 0.3     |                         |                         | 88.2              | 87.9             | -0.12                     | -0.07                    | 0.951                     | 1.037                    | 3.0                 | 3.2                | -8.67                  | -8.94                     | 34.4364862 | -118.6472762 | 1375         | 28.59               |                                                                                                                 |                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                        |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------|
| FP-006     | 2/25/2026 1:54:15 PM  | 1.5        | 51.7       | 8.1       | 38.7           | 4.8          | 0.0     |                         |                         | 100.7                | 104.0               | -8.44                        | -2.31                       | 0.007                        | 0.021                       | 0.6                    | 1.0                   | -9.03                     | -8.49                        | 34.4363952 | -118.6476632 | 1368         | 28.6                   | Valve Adjustment:Decreased Flow/Vacuum                                                          |
| FP-008     | 2/12/2026 9:06:40 AM  | 3.3        | 17.1       | 17.3      | 62.3           | 3.6          | 0.2     |                         |                         | 63.3                 | 63.2                | -0.21                        | -0.20                       | 0.011                        | 0.007                       |                        |                       | -6.52                     | -7.26                        | 34.4363353 | -118.6481442 | 1368         | 28.75                  |                                                                                                 |
| FP-009     | 2/24/2026 2:22:34 PM  | 15.3       | 75.6       | 0.0       | 9.1            | 0.0          | 0.2     |                         |                         | 86.7                 | 86.8                | -0.53                        | -0.55                       | 0.542                        | 0.526                       | 5.2                    | 5.1                   | -10.02                    | -10.11                       | 34.4366917 | -118.6489465 | 1390         | 28.6                   |                                                                                                 |
| FP-010     | 2/27/2026 8:34:50 AM  | 18.2       | 79.5       | 0.0       | 2.3            | 0.0          | 0.2     |                         |                         | 102.1                | 102.0               | -0.40                        | -0.35                       | 1.360                        | 1.362                       | 8.1                    | 8.1                   | -9.77                     | -9.85                        | 34.4366768 | -118.6492333 | 1399         | 28.64                  |                                                                                                 |
| FP-012     | 2/21/2026 8:24:03 AM  | 0.5        | 10.2       | 19.3      | 70.0           | 3.6          | 0.0     |                         |                         | 61.1                 | 61.1                | -0.16                        | -0.16                       | 0.038                        | 0.036                       | 1.4                    | 1.4                   | -7.66                     | -7.68                        | 34.4366535 | -118.6499443 | 1383         | 28.71                  |                                                                                                 |
| FP-013     | 2/21/2026 8:58:54 AM  | 2.4        | 21.3       | 16.3      | 60.0           | 3.7          | 0.1     |                         |                         | 55.2                 | 53.5                | -0.22                        | -0.22                       | 1.044                        | 1.053                       | 7.5                    | 7.5                   | -7.12                     | -7.18                        | 34.4365688 | -118.6502723 | 1377         | 28.74                  | Valve Adjustment:Barely Open                                                                    |
| FP-014     | 2/2/2026 1:48:49 PM   | 0.5        | 2.0        | 21.0      | 76.5           | 3.6          | 0.2     |                         |                         | 85.5                 | 87.4                | -0.08                        | -0.11                       | 0.004                        | 0.046                       | 0.9                    | 2.8                   | -10.13                    | -9.91                        | 34.4365023 | -118.6482537 | 1344         | 28.68                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                    |
| FP-014     | 2/2/2026 1:51:53 PM   | 12.6       | 62.5       | 3.1       | 21.8           | 7.1          | 0.2     |                         |                         | 85.8                 | 85.7                | -0.13                        | -0.15                       | 0.127                        | 0.055                       | 4.6                    | 3.0                   | -9.94                     | -10.34                       | 34.4364807 | -118.6482377 | 1335         | 28.68                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum                       |
| FP-014     | 2/2/2026 2:10:45 PM   | 13.6       | 59.6       | 3.6       | 23.2           | 6.5          | 0.2     |                         |                         | 84.2                 | 84.3                | -0.15                        | -0.14                       | 1.161                        | 1.240                       | 3.4                    | 3.5                   | -9.57                     | -10.15                       | 34.4364748 | -118.6482410 | 1334         | 28.68                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                             |
| FP-014     | 2/2/2026 2:12:20 PM   | 12.2       | 60.8       | 3.4       | 23.6           | 7.0          | 0.2     |                         |                         | 82.9                 | 83.0                | -0.13                        | -0.12                       | 1.180                        | 1.174                       | 3.4                    | 3.4                   | -9.72                     | -9.77                        | 34.4364790 | -118.6482533 | 1341         | 28.68                  | Well Repairs:Sample Port                                                                        |
| FP-015     | 2/25/2026 1:57:28 PM  | 3.9        | 36.6       | 10.9      | 48.6           | 4.5          | 0.1     |                         |                         | 95.8                 | 97.0                | -0.02                        | -0.02                       | 0.004                        | 0.008                       | 0.5                    | 0.6                   | -2.71                     | -2.94                        | 34.4364515 | -118.6479495 | 1364         | 28.6                   | Valve Adjustment:Surging Liquid in Header                                                       |
| FP-016     | 2/2/2026 1:56:48 PM   | 0.7        | 10.7       | 19.8      | 68.8           | 3.5          | 0.1     |                         |                         | 86.7                 | 86.9                | -0.16                        | -0.22                       | 0.030                        | 3.961                       | 0.4                    | 4.0                   | -9.96                     | -10.04                       | 34.4364763 | -118.6476985 | 1323         | 28.71                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Reconnected this Date,Increased Flow/Vacuum |
| FP-016     | 2/2/2026 1:58:35 PM   | 21.5       | 41.9       | 6.5       | 30.2           | 4.6          | 0.5     |                         |                         | 82.2                 | 81.9                | -0.23                        | -0.20                       | 3.799                        | 3.953                       | 3.9                    | 4.0                   | -9.73                     | -10.08                       | 34.4364732 | -118.6476953 | 1328         | 28.69                  | Valve Adjustment:Reconnected this Date                                                          |
| FP-016     | 2/12/2026 9:11:36 AM  | 12.9       | 30.6       | 10.9      | 45.6           | 4.2          | 0.4     |                         |                         | 58.5                 | 58.5                | -0.16                        | -0.15                       | 2.801                        | 2.715                       | 12.2                   | 12.0                  | -6.99                     | -6.71                        | 34.4364862 | -118.6477098 | 1359         | 28.75                  |                                                                                                 |
| FP-017     | 2/12/2026 10:21:15 AM | 55.6       | 42.2       | 0.0       | 2.2            | 0.0          | 1.3     |                         |                         | 64.8                 | 65.7                | 0.01                         | 0.01                        | 0.018                        | 0.018                       | 1.0                    | 1.0                   | 0.83                      | 1.21                         | 34.4344293 | -118.6486745 | 1379         | 28.75                  |                                                                                                 |
| FP-018     | 2/27/2026 1:35:49 PM  | 41.8       | 58.2       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 95.8                 | 96.0                | 11.61                        | 11.49                       | 0.064                        | 0.012                       | 1.8                    | 0.8                   | 20.63                     | 20.42                        | 34.4344732 | -118.6490710 | 1346         | 28.6                   |                                                                                                 |
| FP-019     | 2/4/2026 2:40:36 PM   | 2.2        | 81.8       | 0.0       | 16.0           | 0.0          | 0.0     |                         |                         | 97.3                 | 97.1                | 0.80                         | 0.72                        | 0.291                        | 0.701                       | 3.8                    | 5.9                   | 1.12                      | 1.43                         | 34.4346592 | -118.6491337 | 1328         | 28.71                  | Valve Comment:RES SEM;Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered in)      |
| FP-020     | 2/27/2026 7:48:44 AM  | 9.6        | 30.3       | 11.6      | 48.5           | 4.2          | 0.3     |                         |                         | 70.8                 | 70.8                | -9.88                        | -8.80                       | 9.831                        | 8.813                       |                        |                       | 0.34                      | 0.32                         | 34.4349585 | -118.6492672 | 1338         | 28.67                  | Well Comment:Hard pipped                                                                        |
| FP-021     | 2/27/2026 7:56:01 AM  | 0.0        | 1.1        | 21.2      | 77.7           | 3.7          | 0.0     |                         |                         | 75.8                 | 75.8                | -5.02                        | -5.07                       | 5.127                        | 5.129                       |                        |                       | 0.32                      | 0.25                         | 34.4351473 | -118.6496172 | 1350         | 28.67                  | Well Comment:hard pipped                                                                        |
| FP-022     | 2/27/2026 7:51:46 AM  | 3.1        | 13.0       | 16.5      | 67.4           | 4.1          | 0.2     |                         |                         | 75.9                 | 76.0                | -9.62                        | -9.12                       | 9.580                        | 9.102                       |                        |                       | 0.32                      | 0.25                         | 34.4352138 | -118.6492073 | 1348         | 28.67                  | Well Comment:hard pipped                                                                        |
| FP-023     | 2/27/2026 8:10:59 AM  | 12.0       | 37.4       | 9.6       | 41.0           | 4.3          | 0.3     |                         |                         | 71.1                 | 71.1                | -9.77                        | -10.46                      | 9.800                        | 10.465                      | 22.1                   | 22.8                  | 0.34                      | 0.34                         | 34.4355318 | -118.6494088 | 1353         | 28.67                  | Well Comment:hard pipped                                                                        |
| FP-024     | 2/12/2026 8:51:36 AM  | 13.2       | 42.3       | 9.3       | 35.2           | 3.8          | 0.3     |                         |                         | 50.4                 | 50.6                | -2.31                        | -0.96                       | 0.140                        | 0.016                       | 2.7                    | 0.9                   | -7.11                     | -11.82                       | 34.4355087 | -118.6477888 | 1375         | 28.75                  | Valve Adjustment:Decreased Flow/Vacuum                                                          |
| FP-026     | 2/12/2026 10:33:54 AM | 16.3       | 66.2       | 1.6       | 15.9           | 9.9          | 0.2     |                         |                         | 90.1                 | 90.8                | -0.07                        | -0.07                       | 0.023                        | 0.030                       | 1.1                    | 1.2                   | -4.28                     | -4.98                        | 34.4350817 | -118.6480552 | 1370         | 28.72                  |                                                                                                 |
| FP-027     | 2/12/2026 10:27:46 AM | 30.5       | 55.7       | 1.2       | 12.6           | 10.5         | 0.5     |                         |                         | 80.8                 | 80.8                | -0.25                        | -0.23                       | 9.020                        | 8.984                       | 21.3                   | 21.2                  | -10.42                    | -10.16                       | 34.4348120 | -118.6482578 | 1381         | 28.75                  |                                                                                                 |
| FP-028     | 2/12/2026 10:25:16 AM | 21.1       | 35.0       | 5.9       | 34.0           | 5.8          | 0.7     |                         |                         | 73.7                 | 73.7                | -0.16                        | -0.15                       | 6.302                        | 6.018                       | 17.9                   | 17.5                  | -10.43                    | -9.78                        | 34.4347255 | -118.6483860 | 1364         | 28.75                  |                                                                                                 |
| FP-029     | 2/12/2026 10:16:35 AM | 49.2       | 35.0       | 4.2       | 11.6           | 2.8          | 1.4     |                         |                         | 71.4                 | 80.6                | -0.02                        | -0.02                       | 0.129                        | 0.103                       | 2.6                    | 2.3                   | -2.61                     | -1.91                        | 34.4343728 | -118.6489472 | 1356         | 28.75                  |                                                                                                 |
| FP-030     | 2/12/2026 10:06:25 AM | 42.7       | 57.3       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 69.6                 | 69.5                | -0.01                        | -0.02                       | 1.196                        | 1.307                       | 7.9                    | 8.2                   | -6.92                     | -6.46                        | 34.4344760 | -118.6497177 | 1359         | 28.76                  |                                                                                                 |
| FP-031     | 2/26/2026 10:32:14 AM | 38.5       | 39.0       | 3.8       | 18.7           | 4.9          | 1.0     |                         |                         | 85.4                 | 85.4                | -4.73                        | -4.66                       | 4.550                        | 4.544                       |                        |                       | 0.66                      | 0.60                         | 34.4348262 | -118.6498035 | 1352         | 28.71                  | Well Comment:hard pipped                                                                        |
| FP-032     | 2/27/2026 8:01:09 AM  | 9.3        | 28.6       | 12.7      | 49.4           | 3.9          | 0.3     |                         |                         | 70.6                 | 70.5                | -9.49                        | -9.59                       | 9.499                        | 9.556                       | 21.7                   | 21.8                  | 0.34                      | 0.36                         | 34.4350822 | -118.6498102 | 1352         | 28.67                  | Well Comment:hard pipped                                                                        |
| FP-033     | 2/27/2026 8:06:58 AM  | 1.9        | 22.5       | 13.8      | 61.8           | 4.5          | 0.1     |                         |                         | 75.6                 | 75.6                | -8.31                        | -8.01                       | 8.373                        | 8.080                       |                        |                       | 0.34                      | 0.36                         | 34.4353822 | -118.6499588 | 1363         | 28.65                  | Well Comment:hard pipped                                                                        |
| FP-034     | 2/27/2026 8:18:33 AM  | 2.0        | 13.2       | 13.8      | 71.0           | 5.1          | 0.2     |                         |                         | 79.1                 | 79.1                | -8.01                        | -6.76                       | 8.151                        | 7.043                       | 20.0                   | 18.7                  | 0.49                      | 0.34                         | 34.4356408 | -118.6499880 | 1369         | 28.64                  | Well Comment:hard pipped                                                                        |
| FP-035     | 2/21/2026 8:40:48 AM  | 1.5        | 79.3       | 1.5       | 17.7           | 11.8         | 0.0     |                         |                         | 57.5                 | 55.0                | -0.37                        | -0.39                       | 0.892                        | 0.685                       | 6.9                    | 6.0                   | -0.31                     | -0.33                        | 34.4359735 | -118.6501233 | 1368         | 28.71                  |                                                                                                 |
| FP-036     | 2/26/2026 4:17:53 PM  | 19.3       | 39.2       | 2.0       | 39.5           | 19.8         | 0.5     |                         |                         | 73.8                 | 73.8                | -1.02                        | -1.05                       | 0.419                        | 0.418                       | 4.6                    | 4.6                   | -8.53                     | -8.66                        | 34.4361418 | -118.6502172 | 1367         | 28.63                  |                                                                                                 |
| FP-036     | 2/27/2026 8:24:50 AM  | 16.9       | 45.9       | 1.1       | 36.1           | 32.8         | 0.4     |                         |                         | 69.4                 | 69.1                | -1.27                        | -1.23                       | 0.439                        | 0.472                       | 1.3                    | 1.4                   | -9.54                     | -9.31                        | 34.4361568 | -118.6502302 | 1376         | 28.66                  |                                                                                                 |
| FP-037     | 2/27/2026 8:28:03 AM  | 6.9        | 20.1       | 12.6      | 60.4           | 4.8          | 0.3     |                         |                         | 72.9                 | 72.9                | -8.35                        | -8.07                       | 8.605                        | 8.090                       |                        |                       | 0.63                      | 0.63                         | 34.4363172 | -118.6502747 | 1376         | 28.64                  | Well Comment:hard pipped                                                                        |
| FP-038     | 2/3/2026 8:25:42 AM   | 40.1       | 40.9       | 2.2       | 16.8           | 7.6          | 1.0     |                         |                         | 58.9                 | 57.5                | -0.02                        | -0.01                       | 3.901                        | 8.141                       | 57.9                   | 83.5                  | -4.89                     | -7.81                        | 34.4340710 | -118.6498053 | 1325         | 28.84                  |                                                                                                 |
| FP-038     | 2/6/2026 8:19:14 AM   | 13.1       | 75.5       | 0.7       | 10.7           | 15.3         | 0.2     |                         |                         | 63.4                 | 63.4                | -0.06                        | -0.04                       | 0.015                        | 0.027                       | 3.6                    | 4.8                   | -6.86                     | -6.06                        | 34.4348485 | -118.6509238 | 1277         | 28.78                  |                                                                                                 |
| FP-039     | 2/3/2026 8:29:01 AM   | 52.3       | 42.8       | 0.2       | 4.7            | 23.5         | 1.2     |                         |                         | 62.6                 | 61.5                | -0.02                        | -0.05                       | 0.122                        | 0.873                       | 10.3                   | 27.4                  | -6.82                     | -3.00                        | 34.4341753 | -118.6498372 | 1318         | 28.86                  |                                                                                                 |
| FP-040     | 2/6/2026 8:07:53 AM   | 13.9       | 79.1       | 0.0       | 7.0            | 0.0          | 0.2     |                         |                         | 83.2                 | 83.2                | -0.07                        | -0.07                       | 1.509                        | 1.735                       |                        |                       | -6.14                     | -6.97                        | 34.4353168 | -118.6510302 | 1293         | 28.75                  |                                                                                                 |
| FP-041     | 2/6/2026 8:35:54 AM   | 29.1       | 35.8       | 4.7       | 30.4           | 6.5          | 0.8     |                         |                         | 57.8                 | 57.7                | -0.02                        | -0.03                       | 0.708                        | 1.668                       | 6.1                    | 9.4                   | -3.04                     | -7.87                        | 34.4340330 | -118.6506378 | 1292         | 28.78                  |                                                                                                 |
| FP-042     | 2/6/2026 7:43:10 AM   | 4.6        | 21.4       | 16.1      | 57.9           | 3.6          | 0.2     |                         |                         | 53.4                 | 53.4                | -0.08                        | -0.07                       | 0.490                        | 0.484                       | 5.1                    | 5.1                   | -2.36                     | -2.34                        | 34.4332938 | -118.6513003 | 1269         | 28.8                   |                                                                                                 |
| FP-043     | 2/6/2026 8:28:53 AM   | 22.0       | 50.6       | 2.5       | 24.9           | 10.0         | 0.4     |                         |                         | 62.8                 | 62.9                | -0.02                        | -0.01                       | 0.078                        | 0.195                       |                        |                       | -7.56                     | -6.87                        | 34.4342248 | -118.6508020 | 1269         | 28.78                  |                                                                                                 |
| FP-044     | 2/6/2026 8:25:03 AM   | 9.1        | 62.1       | 3.2       | 25.6           | 8.0          | 0.1     |                         |                         | 61.6                 | 61.6                | -0.01                        | -0.01                       | 0.005                        | 0.076                       | 0.5                    | 2.0                   | -7.98                     | -8.01                        | 34.4345258 | -118.6507788 | 1280         | 28.78                  |                                                                                                 |
| FP-046     | 2/12/2026 9:16:11 AM  | 13.2       | 25.0       | 9.8       | 52.0           | 5.3          | 0.5     |                         |                         | 65.0                 | 65.4                | -0.08                        | -0.08                       | 0.249                        | 0.215                       | 3.6                    | 3.4                   | -6.50                     | -6.65                        | 34.4366040 | -118.6473268 | 1368         | 28.75                  |                                                                                                 |
| FP-047     | 2/12/2026 9:27:50 AM  | 6.4        | 13.5       | 17.0      | 63.1           | 3.7          | 0.5     |                         |                         | 59.7                 | 59.9                | -0.01                        | -0.01                       | 0.043                        | 0.007                       | 1.5                    | 0.6                   | -0.65                     | -0.39                        | 34.4367113 | -118.6469292 | 1372         | 28.75                  |                                                                                                 |
| FP-050     | 2/3/2026 1:47:08 PM   | 20.1       | 68.3       | 1.1       | 10.5           | 9.5          | 0.3     |                         |                         | 81.1                 | 81.1                | -0.22                        | -0.24                       | 0.395                        | 0.379                       |                        |                       | -14.68                    | -14.62                       | 34.4348910 | -118.6472607 | 1382         | 28.78                  |                                                                                                 |
| FP-050     | 2/23/2026 9:03:43 AM  | 25.6       | 46.5       | 4.2       | 23.7           | 5.6          | 0.6     |                         |                         | 67.2                 | 66.4                | -0.77                        | -0.82                       | 0.288                        | 0.544                       | 3.7                    | 5.1                   | -12.72                    |                              | 34.4348902 | -118.6472952 | 1401         | 28.67                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                             |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date          | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                                       |
|---------------|----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| FP-051        | 2/3/2026 1:39:44 PM  | 4.4        | 5.7        | 18.6      | 71.3           | 3.8          | 0.8     |                         |                         | 91.3                 | 91.7                | -0.07                        | -0.07                       | 0.040                        | 0.040                       | 5.7                    | 5.7                   | -12.87                    | -11.42                       | 34.4346835 | -118.6469867 | 1389         | 28.76                  |                                                                                                                                                |
| FP-052        | 2/3/2026 10:25:02 AM | 31.9       | 33.6       | 4.2       | 30.3           | 7.2          | 0.9     |                         |                         | 73.5                 | 73.5                | -0.34                        | -0.38                       | 0.300                        | 0.298                       | 3.9                    | 3.9                   | -13.91                    | -13.46                       | 34.4342052 | -118.6481553 | 1367         | 28.82                  |                                                                                                                                                |
| FP-053        | 2/19/2026 7:39:35 AM | 27.6       | 27.6       | 6.7       | 38.1           | 5.7          | 1.0     |                         |                         | 50.1                 | 49.9                | -0.32                        | -0.26                       | -0.707                       | -0.398                      |                        |                       |                           |                              | 34.4340602 | -118.6477530 | 1398         | 28.49                  | NSPS/EG CAI,High O2                                                                                                                            |
| FP-053        | 2/19/2026 7:45:07 AM | 35.3       | 33.6       | 3.5       | 27.6           | 7.9          | 1.1     |                         |                         | 46.6                 | 46.6                | -0.40                        | -0.40                       | -0.363                       | -0.359                      |                        |                       |                           |                              | 34.4340427 | -118.6477615 | 1381         | 28.49                  | NSPS/EG CAC,No Adjustment Made                                                                                                                 |
| FP-054        | 2/9/2026 1:41:15 PM  | 51.3       | 38.1       | 0.0       | 10.6           | 0.0          | 1.3     |                         |                         | 78.7                 | 78.6                | -16.26                       | -16.21                      | 16.325                       | 16.269                      | 27.7                   | 27.7                  | -15.08                    | -15.03                       | 34.4349647 | -118.6458387 | 1402         | 28.52                  | Valve Adjustment:Valve 100% Open;Well Repairs:Sample Port                                                                                      |
| FP-055        | 2/3/2026 9:44:42 AM  | 38.7       | 37.3       | 2.6       | 21.4           | 8.2          | 1.0     |                         |                         | 71.9                 | 72.0                | -0.17                        | -0.18                       | 0.416                        | 0.414                       | 4.6                    | 4.6                   | -10.95                    | -11.08                       | 34.4336122 | -118.6481813 | 1367         | 28.82                  |                                                                                                                                                |
| FP-056        | 2/3/2026 9:32:35 AM  | 30.6       | 35.4       | 4.5       | 29.5           | 6.6          | 0.9     |                         |                         | 64.9                 | 65.7                | -4.82                        | -0.85                       | 0.373                        | 0.003                       |                        |                       | -10.37                    | -11.18                       | 34.4334903 | -118.6486370 | 1359         | 28.82                  | Valve Adjustment:Decreased Flow/Vacuum                                                                                                         |
| FP-057        | 2/4/2026 2:52:02 PM  | 50.7       | 46.3       | 0.0       | 3.0            | 0.0          | 1.1     |                         |                         | 81.4                 | 80.2                | -21.91                       | -22.64                      | 1.134                        | 1.267                       | 7.4                    | 7.8                   | -20.96                    | -21.46                       | 34.4347685 | -118.6455857 | 1388         | 28.67                  | Valve Comment:RES SEM;Valve Adjustment:Valve 100% Open                                                                                         |
| H-01 (EXP-01) | 2/9/2026 2:05:43 PM  | 9.5        | 44.3       | 0.0       | 46.3           | 0.0          | 0.2     |                         |                         | 88.8                 | 93.2                | 0.78                         | -0.14                       | 0.000                        | 0.147                       |                        |                       | -10.02                    | -9.88                        | 34.4377163 | -118.6441673 | 1232         | 28.71                  | Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum                                                          |
| H-01 (EXP-01) | 2/9/2026 2:06:57 PM  | 8.8        | 44.2       | 0.8       | 46.2           | 60.0         | 0.2     |                         |                         | 92.7                 | 92.7                | -0.34                        | -0.32                       | 0.349                        | 0.330                       |                        |                       | -10.22                    | -10.05                       | 34.4376997 | -118.6441533 | 1236         | 28.71                  | Valve Adjustment:Plugged/Pinched Suspected                                                                                                     |
| H-01 (EXP-01) | 2/15/2026 3:01:42 PM | 4.9        | 20.6       | 11.4      | 63.1           | 5.6          | 0.2     |                         |                         | 70.2                 | 71.2                | -0.76                        | -0.97                       | 0.756                        | 0.973                       |                        |                       | -9.25                     | -9.10                        | 34.4376957 | -118.6441768 | 1222         | 28.64                  | Valve Comment:RES Y122;Valve Adjustment:NSPS/EG CAI,High O2,Increased Flow/Vacuum                                                              |
| H-01 (EXP-01) | 2/15/2026 3:04:00 PM | 4.9        | 23.3       | 11.1      | 60.7           | 5.5          | 0.2     |                         |                         | 71.4                 | 71.3                | -1.13                        | -1.13                       | 1.137                        | 1.131                       |                        |                       | -8.95                     | -9.20                        | 34.4376968 | -118.6441743 | 1223         | 28.65                  | Valve Adjustment:High O2,Decreased Flow/Vacuum                                                                                                 |
| H-01 (EXP-01) | 2/15/2026 3:18:30 PM | 10.1       | 42.0       | 2.0       | 45.9           | 22.5         | 0.2     |                         |                         | 71.5                 | 69.9                | -9.06                        | -3.52                       | 8.946                        | 3.548                       |                        |                       | -8.93                     | -9.19                        | 34.4377118 | -118.6441662 | 1249         | 28.64                  | Valve Comment:temporarily fixed broken fuse creating oxygen intrusion;Valve Adjustment:NSPS/EG CAC,Increased Flow/Vacuum,Decreased Flow/Vacuum |
| H-01 (EXP-01) | 2/15/2026 3:21:21 PM | 10.8       | 43.8       | 0.5       | 44.9           | 84.7         | 0.2     |                         |                         | 73.0                 | 72.7                | -8.59                        | -8.72                       | 8.482                        | 8.544                       |                        |                       | -9.16                     | -9.23                        | 34.4377172 | -118.6441685 | 1244         | 28.64                  | Valve Adjustment:Increased Flow/Vacuum                                                                                                         |
| H-01 (EXP-01) | 2/15/2026 3:22:06 PM | 10.8       | 44.8       | 1.0       | 43.4           | 44.3         | 0.2     |                         |                         | 71.6                 | 71.6                | -9.06                        | -9.06                       | 8.891                        | 8.900                       |                        |                       | -9.25                     | -9.25                        | 34.4377262 | -118.6441543 | 1233         | 28.64                  |                                                                                                                                                |
| H-01 (EXP-01) | 2/23/2026 7:49:56 AM | 17.3       | 39.0       | 2.9       | 40.8           | 14.1         | 0.4     |                         |                         | 51.1                 | 50.9                | -10.52                       | -10.50                      | 9.428                        | 9.461                       | 0.0                    | 0.0                   | -10.53                    |                              | 34.4376940 | -118.6442017 | 1260         | 28.83                  | increased Flow/Vacuum,                                                                                                                         |
| H-02 (EXP-02) | 2/9/2026 1:57:17 PM  | 17.3       | 44.4       | 0.0       | 38.3           | 0.0          | 0.4     |                         |                         | 103.5                | 103.6               | -1.11                        | -1.08                       | 1.121                        | 1.105                       |                        |                       | -9.76                     | -9.82                        | 34.4377182 | -118.6446165 | 1245         | 28.68                  |                                                                                                                                                |
| H-02 (EXP-02) | 2/15/2026 3:25:48 PM | 16.6       | 45.4       | 0.0       | 38.0           | 0.0          | 0.4     |                         |                         | 90.1                 | 90.2                | -1.25                        | -1.25                       | 1.264                        | 1.265                       |                        |                       | -8.81                     | -8.81                        | 34.4377148 | -118.6445833 | 1277         | 28.64                  |                                                                                                                                                |
| H-03 (EXP-03) | 2/9/2026 1:53:46 PM  | 49.4       | 45.6       | 0.0       | 5.0            | 0.0          | 1.1     |                         |                         | 118.4                | 118.4               | -8.20                        | -8.27                       | 8.228                        | 8.252                       |                        |                       | -9.72                     | -9.74                        | 34.4377338 | -118.6446433 | 1240         | 28.7                   |                                                                                                                                                |
| H-03 (EXP-03) | 2/15/2026 2:56:20 PM | 52.9       | 42.8       | 0.0       | 4.3            | 0.0          | 1.2     |                         |                         | 116.4                | 116.5               | -7.47                        | -7.51                       | 7.390                        | 7.430                       |                        |                       | -8.62                     | -8.58                        | 34.4377077 | -118.6446688 | 1251         | 28.64                  |                                                                                                                                                |
| H-04 (EXP-04) | 2/9/2026 1:50:49 PM  | 2.2        | 48.2       | 0.0       | 49.6           | 0.0          | 0.0     |                         |                         | 127.1                | 127.1               | -1.31                        | -1.32                       | 1.316                        | 1.326                       |                        |                       | -10.22                    | -10.07                       | 34.4377448 | -118.6447185 | 1253         | 28.69                  |                                                                                                                                                |
| H-04 (EXP-04) | 2/15/2026 2:50:33 PM | 2.2        | 49.5       | 0.0       | 48.3           | 0.0          | 0.0     |                         |                         | 122.6                | 122.7               | -0.27                        | -0.26                       | 0.261                        | 0.254                       |                        |                       | -8.83                     | -8.85                        | 34.4377058 | -118.6447133 | 1246         | 28.64                  |                                                                                                                                                |
| H-08 (EXP-08) | 2/9/2026 1:37:31 PM  | 51.2       | 44.4       | 0.0       | 4.3            | 0.0          | 1.2     |                         |                         | 117.4                | 117.5               | -6.41                        | -6.55                       | 6.555                        | 6.608                       |                        |                       | -8.57                     | -8.38                        | 34.4378605 | -118.6465708 | 1278         | 28.65                  | Valve Adjustment:Increased Flow/Vacuum                                                                                                         |
| H-08 (EXP-08) | 2/9/2026 1:38:39 PM  | 50.5       | 44.3       | 0.0       | 5.2            | 0.0          | 1.1     |                         |                         | 117.5                | 117.5               | -6.67                        | -6.67                       | 6.689                        | 6.655                       |                        |                       | -8.45                     | -8.67                        | 34.4378700 | -118.6465733 | 1274         | 28.66                  |                                                                                                                                                |
| H-08 (EXP-08) | 2/15/2026 2:42:33 PM | 51.6       | 45.0       | 0.0       | 3.5            | 0.0          | 1.1     |                         |                         | 116.2                | 116.2               | -6.04                        | -6.04                       | 5.867                        | 5.879                       |                        |                       | -7.55                     | -7.66                        | 34.4378143 | -118.6465373 | 1289         | 28.61                  |                                                                                                                                                |
| H-10 (EXP-10) | 2/9/2026 1:31:05 PM  | 13.5       | 62.7       | 0.0       | 23.8           | 0.0          | 0.2     |                         |                         | 129.9                | 129.9               | -2.44                        | -2.43                       | 2.461                        | 2.466                       |                        |                       | -8.01                     | -7.84                        | 34.4374585 | -118.6470838 | 1310         | 28.65                  |                                                                                                                                                |
| H-10 (EXP-10) | 2/15/2026 2:03:16 PM | 13.6       | 63.5       | 0.0       | 22.9           | 0.0          | 0.2     |                         |                         | 129.9                | 129.9               | -1.27                        | -1.08                       | 1.236                        | 1.089                       |                        |                       | -7.30                     | -7.06                        | 34.4374440 | -118.6470828 | 1301         | 28.61                  | Valve Adjustment:Decreased Flow/Vacuum                                                                                                         |
| H-10 (EXP-10) | 2/15/2026 2:03:56 PM | 13.2       | 63.9       | 0.0       | 22.9           | 0.0          | 0.2     |                         |                         | 129.8                | 129.8               | -1.06                        | -1.04                       | 1.109                        | 1.059                       |                        |                       | -7.01                     | -7.30                        | 34.4374360 | -118.6470785 | 1296         | 28.62                  |                                                                                                                                                |
| H-101W        | 2/4/2026 12:43:39 PM | 57.1       | 39.5       | 0.0       | 3.4            | 0.0          | 1.4     |                         |                         | 88.8                 | 90.5                | 20.04                        | -2.62                       | 0.044                        | 0.008                       | 6.1                    | 2.6                   | -9.57                     | -9.84                        | 34.4310860 | -118.6505612 | 1201         | 28.93                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Header                                             |
| H-101W        | 2/4/2026 12:54:46 PM | 47.7       | 32.6       | 3.5       | 16.2           | 4.6          | 1.5     |                         |                         | 91.4                 | 90.8                | -2.60                        | -2.54                       | 0.773                        | 0.810                       | 25.1                   | 25.7                  | -9.49                     | -9.52                        | 34.4310990 | -118.6505527 | 1202         | 28.93                  | Valve Adjustment:NSPS/EG CAC,Barely Open,Surging Liquid in Header;Well Condition:Fair;Well Repairs:Valve                                       |
| H-102A        | 2/4/2026 12:59:55 PM | 57.5       | 33.7       | 0.0       | 8.8            | 0.0          | 1.7     |                         |                         | 85.1                 | 85.7                | -1.25                        | -1.53                       | 0.029                        | 0.003                       | 2.2                    | 0.7                   | -9.46                     | -10.09                       | 34.4310887 | -118.6505642 | 1213         | 28.93                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                                                            |
| H-1401W       | 2/4/2026 1:03:07 PM  | 57.3       | 33.1       | 0.0       | 9.6            | 0.0          | 1.7     |                         |                         | 87.1                 | 85.1                | 15.54                        | -0.20                       | 0.073                        | 0.011                       | 3.6                    | 1.4                   | -9.71                     | -9.81                        | 34.4311033 | -118.6505668 | 1217         | 28.93                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Header                                             |
| H-1401W       | 2/4/2026 1:07:33 PM  | 58.3       | 34.3       | 0.0       | 7.4            | 0.0          | 1.7     |                         |                         | 84.3                 | 84.0                | -0.76                        | -0.76                       | 0.756                        | 0.865                       | 11.3                   | 12.1                  | -9.54                     | -9.53                        | 34.4310962 | -118.6505717 | 1209         | 28.93                  | Valve Adjustment:NSPS/EG CAC,Audible Flow,Surging Liquid in Header                                                                             |
| H-1404C       | 2/2/2026 2:32:18 PM  | 48.2       | 45.6       | 0.1       | 6.1            | 61.0         | 1.1     |                         |                         | 110.8                | 110.8               | -0.14                        | -0.13                       | 0.008                        | 0.011                       | 0.6                    | 0.7                   | -8.89                     |                              | 34.4323987 | -118.6483640 | 1342         | 28.65                  | ,                                                                                                                                              |
| H-1404C       | 2/19/2026 9:12:21 AM | 46.2       | 40.3       | 0.0       | 13.5           | 0.0          | 1.1     |                         |                         | 92.4                 | 92.4                | -0.19                        | -0.17                       | 0.104                        | 0.111                       | 2.3                    | 2.4                   | -10.19                    |                              | 34.4324335 | -118.6483363 | 1355         | 28.5                   | No Adjustment Made,                                                                                                                            |
| H-1405C       | 2/6/2026 9:42:19 AM  | 37.4       | 50.1       | 2.3       | 10.2           | 4.4          | 0.7     |                         |                         | 79.4                 | 79.8                | -0.35                        | -0.32                       | 0.317                        | 0.295                       | 7.3                    | 7.1                   | -2.57                     | -3.01                        | 34.4325980 | -118.6497057 | 1324         | 28.78                  |                                                                                                                                                |
| H-1405C       | 2/21/2026 9:10:53 AM | 25.8       | 50.3       | 4.0       | 19.9           | 5.0          | 0.5     |                         |                         | 60.4                 | 60.4                | -0.05                        | -0.09                       | 0.002                        | 0.002                       | 0.5                    | 0.6                   | -7.51                     |                              | 34.4325825 | -118.6497250 | 1286         | 28.68                  | ,                                                                                                                                              |
| H-1406W       | 2/5/2026 1:34:47 PM  | 42.0       | 54.4       | 0.0       | 3.6            | 0.0          | 0.8     |                         |                         | 85.6                 | 87.3                | -8.17                        | -8.14                       | 0.027                        | 0.024                       | 2.1                    | 2.0                   | -8.53                     | -8.59                        | 34.4321800 | -118.6507512 | 1265         | 28.75                  |                                                                                                                                                |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                  |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|---------------------------------------------------------------------------|
| H-1406W    | 2/21/2026 11:15:57 AM | 37.1       | 53.3       | 1.6       | 8.0            | 5.0          | 0.7     |                         |                         | 61.7              | 62.2             | -4.84                     | -3.54                    | 0.026                     | 0.004                    | 2.1                 | 0.8                | -10.17                 |                           | 34.4322168 | -118.6507405 | 1250         | 28.79               |                                                                           |
| H-1408CR   | 2/3/2026 2:46:10 PM   | 32.6       | 42.2       | 0.4       | 24.8           | 62.0         | 0.8     |                         |                         | 112.3             | 112.3            | -0.17                     | -0.17                    | 5.054                     | 5.058                    | 6.7                 | 6.7                | -10.24                 |                           | 34.4314428 | -118.6475037 | 1302         | 28.8                |                                                                           |
| H-1408E    | 2/13/2026 7:57:18 AM  | 48.8       | 43.3       | 0.0       | 7.9            | 0.0          | 1.1     |                         |                         | 83.8              | 83.8             | -0.23                     | -0.22                    | 0.305                     | 0.287                    | 3.9                 | 3.8                | -6.21                  | -5.16                     | 34.4333238 | -118.6471635 | 1402         | 28.57               |                                                                           |
| H-1408E    | 2/18/2026 10:27:51 AM | 28.0       | 32.1       | 2.0       | 37.9           | 19.0         | 0.9     |                         |                         | 78.4              | 78.2             | -0.70                     | -0.73                    | 0.070                     | 0.079                    | 1.9                 | 2.0                | -6.59                  | -8.88                     | 34.4333377 | -118.6471717 | 1400         | 28.56               |                                                                           |
| H-1408E    | 2/23/2026 12:10:36 PM | 35.0       | 35.3       | 0.5       | 29.2           | 58.4         | 1.0     |                         |                         | 85.3              | 85.4             | -1.04                     | -1.12                    | 0.305                     | 0.380                    | 7.2                 | 8.0                | -5.55                  |                           | 34.4331460 | -118.6466430 | 1407         | 28.73               | Reduced System Vacuum,Increased Flow/Vacuum                               |
| H-1408W    | 2/4/2026 1:48:14 PM   | 53.1       | 39.3       | 0.0       | 7.6            | 0.0          | 1.4     |                         |                         | 100.2             | 101.5            | -0.03                     | -0.22                    | 0.020                     | 0.013                    | 4.0                 | 3.2                | -8.91                  | -8.98                     | 34.4311902 | -118.6499925 | 1256         | 28.82               | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                       |
| H-1409N    | 2/2/2026 1:14:48 PM   | 55.0       | 41.5       | 0.0       | 3.5            | 0.0          | 1.3     |                         |                         | 101.0             | 98.1             | -1.59                     | -1.82                    | 3.157                     | 0.846                    | 3.5                 | 1.8                | -8.95                  | -8.68                     | 34.4328773 | -118.6469548 | 1366         | 28.66               | Valve Adjustment:Increased Flow/Vacuum                                    |
| H-1409N    | 2/2/2026 1:58:38 PM   | 50.8       | 46.2       | 0.0       | 3.0            | 0.0          | 1.1     |                         |                         | 97.0              | 94.3             | -0.07                     | -0.14                    | 0.031                     | 0.065                    | 0.4                 | 0.5                | -4.84                  | -5.83                     | 34.4333463 | -118.6471923 | 1377         | 28.63               | Valve Adjustment:Increased Flow/Vacuum                                    |
| H-1409N    | 2/18/2026 9:03:20 AM  | 54.7       | 42.4       | 0.0       | 2.9            | 0.0          | 1.3     |                         |                         | 82.3              | 82.4             | -2.32                     | -2.31                    | 0.963                     | 0.973                    | 2.0                 | 2.0                | -8.76                  | -9.01                     | 34.4328907 | -118.6469370 | 1378         | 28.53               |                                                                           |
| H-1410S    | 2/4/2026 9:27:59 AM   | 53.0       | 43.2       | 0.1       | 3.7            | 37.0         | 1.2     |                         |                         | 80.9              | 80.9             | -6.43                     | -6.48                    | 0.013                     | 0.013                    | 1.5                 | 1.5                | -12.69                 |                           | 34.4309565 | -118.6465987 | 1220         | 28.89               |                                                                           |
| H-1563N    | 2/3/2026 8:21:01 AM   | 51.2       | 48.8       | 0.0       | 0.0            | 0.0          | 1.0     |                         |                         | 113.4             | 113.7            | -1.06                     | -0.88                    | 0.033                     | 0.016                    | 2.3                 | 1.6                | -5.35                  | -4.25                     | 34.4338538 | -118.6498300 | 1318         | 28.85               |                                                                           |
| H-1563N    | 2/21/2026 8:21:39 AM  | 48.4       | 45.1       | 0.0       | 6.5            | 0.0          | 1.1     |                         |                         | 97.5              | 97.9             | -1.73                     | -1.84                    | 0.086                     | 0.091                    | 3.8                 | 3.9                | -8.27                  |                           | 34.4338303 | -118.6498452 | 1352         | 28.64               | Increased Flow/Vacuum,                                                    |
| H-1563S    | 2/6/2026 9:38:29 AM   | 49.8       | 50.2       | 0.0       | 0.0            | 0.0          | 1.0     |                         |                         | 80.1              | 80.2             | -0.46                     | -0.44                    | 0.385                     | 0.367                    | 2.0                 | 1.9                | -4.38                  | -4.80                     | 34.4324137 | -118.6496425 | 1322         | 28.77               | Valve Adjustment:Surging Liquid in Header                                 |
| H-1563S    | 2/21/2026 9:05:29 AM  | 38.6       | 42.5       | 0.0       | 18.9           | 0.0          | 0.9     |                         |                         | 68.0              | 68.1             | -0.53                     | -0.53                    | 0.048                     | 0.055                    | 0.7                 | 0.7                | -10.73                 |                           | 34.4323972 | -118.6496660 | 1322         | 28.67               |                                                                           |
| H-1565E    | 2/2/2026 1:50:35 PM   | 35.0       | 38.8       | 0.0       | 26.2           | 0.0          | 0.9     |                         |                         | 97.7              | 97.8             | -0.19                     | -0.19                    | 0.062                     | 0.057                    | 3.2                 | 3.1                | -4.03                  | -3.89                     | 34.4335368 | -118.6472363 | 1370         | 28.63               |                                                                           |
| H-1565E    | 2/18/2026 10:19:16 AM | 35.1       | 40.5       | 0.0       | 24.4           | 0.0          | 0.9     |                         |                         | 94.8              | 95.1             | -0.67                     | -0.67                    | 0.262                     | 0.262                    | 6.5                 | 6.5                | -7.49                  | -7.49                     | 34.4335512 | -118.6472385 | 1393         | 28.56               |                                                                           |
| H-1568N    | 2/2/2026 1:54:47 PM   | 50.5       | 46.9       | 0.0       | 2.6            | 0.0          | 1.1     |                         |                         | 93.1              | 93.9             | -0.12                     | -0.23                    | 0.043                     | 0.091                    | 1.5                 | 2.1                | -7.90                  | -5.64                     | 34.4333533 | -118.6471815 | 1374         | 28.63               | Valve Adjustment:Increased Flow/Vacuum                                    |
| H-1568N    | 2/18/2026 10:23:53 AM | 50.0       | 43.3       | 0.0       | 6.7            | 0.0          | 1.2     |                         |                         | 81.6              | 81.8             | -1.23                     | -1.23                    | 0.169                     | 0.158                    | 2.9                 | 2.8                | -8.91                  | -8.95                     | 34.4333867 | -118.6471873 | 1395         | 28.56               |                                                                           |
| H-1571S    | 2/2/2026 11:37:37 AM  | 55.2       | 43.9       | 0.0       | 0.9            | 0.0          | 1.3     |                         |                         | 94.8              | 94.9             | -0.02                     | -0.07                    | 0.008                     | 0.010                    | 2.0                 | 2.2                | -23.73                 |                           | 34.4320887 | -118.6451610 | 1224         | 28.77               | Increased Flow/Vacuum,                                                    |
| H-1572N    | 2/9/2026 8:17:43 AM   | 36.0       | 44.2       | 0.3       | 19.5           | 65.0         | 0.8     |                         |                         | 120.1             | 120.5            | -0.27                     | -0.27                    | 0.056                     | 0.050                    | 1.6                 | 1.5                | -8.10                  | -7.69                     | 34.4337090 | -118.6447530 | 1354         | 28.65               | Well Condition:Fair                                                       |
| H-1572S    | 2/2/2026 11:27:52 AM  | 55.9       | 43.6       | 0.0       | 0.5            | 0.0          | 1.3     |                         |                         | 108.3             | 108.5            | -0.73                     | -0.73                    | 0.022                     | 0.022                    | 3.2                 | 3.3                | -23.58                 |                           | 34.4323380 | -118.6447222 | 1260         | 28.79               | No Adjustment Made,                                                       |
| H-1574N    | 2/5/2026 2:10:29 PM   | 42.0       | 53.9       | 0.0       | 4.1            | 0.0          | 0.8     |                         |                         | 96.9              | 97.3             | -0.44                     | -0.22                    | 0.123                     | 0.157                    |                     |                    | -6.84                  | -6.85                     | 34.4324690 | -118.6517523 | 1219         | 28.75               |                                                                           |
| H-1574N    | 2/21/2026 10:52:13 AM | 44.5       | 54.4       | 0.0       | 1.1            | 0.0          | 0.8     |                         |                         | 89.7              | 89.7             | -0.06                     | -0.06                    | 0.047                     | 0.044                    | 6.2                 | 6.0                | -5.34                  |                           | 34.4324817 | -118.6517265 | 1247         | 28.81               |                                                                           |
| H-1753S    | 2/3/2026 8:32:49 AM   | 54.8       | 42.3       | 0.0       | 2.9            | 0.0          | 1.3     |                         |                         | 99.9              | 99.9             | -1.48                     | -1.48                    | 0.104                     | 0.098                    | 2.3                 | 2.2                | -5.09                  | -5.07                     | 34.4339255 | -118.6495715 | 1331         | 28.85               |                                                                           |
| H-1753S    | 2/21/2026 8:16:24 AM  | 51.1       | 41.2       | 0.0       | 7.7            | 0.0          | 1.2     |                         |                         | 101.1             | 101.5            | -6.66                     | -7.03                    | 0.712                     | 0.765                    | 18.4                | 19.0               | -8.52                  |                           | 34.4339370 | -118.6496135 | 1355         | 28.62               | Increased Flow/Vacuum,                                                    |
| H-1756S    | 2/6/2026 10:03:24 AM  | 33.4       | 66.6       | 0.0       | 0.0            | 0.0          | 0.5     |                         |                         | 123.2             | 123.4            | -0.21                     | -0.21                    | 0.188                     | 0.185                    | 12.0                | 11.9               | -4.27                  | -5.11                     | 34.4325940 | -118.6502665 | 1302         | 28.78               |                                                                           |
| H-1756S    | 2/21/2026 9:34:30 AM  | 32.2       | 67.8       | 0.0       | 0.0            | 0.0          | 0.5     |                         |                         | 101.1             | 101.0            | -0.20                     | -0.16                    | 0.003                     | 0.004                    | 1.5                 | 1.7                | -7.04                  |                           | 34.4324942 | -118.6503245 | 1312         | 28.71               |                                                                           |
| H-1757S    | 2/6/2026 9:50:07 AM   | 53.1       | 46.9       | 0.0       | 0.0            | 0.0          | 1.1     |                         |                         | 81.5              | 81.6             | -0.43                     | -0.37                    | 0.283                     | 0.203                    | 11.5                | 9.7                | -2.18                  | -2.53                     | 34.4327330 | -118.6497522 | 1326         | 28.78               |                                                                           |
| H-1757S    | 2/21/2026 9:14:39 AM  | 37.5       | 51.5       | 0.0       | 11.0           | 0.0          | 0.7     |                         |                         | 66.6              | 66.8             | -1.03                     | -1.01                    | 0.005                     | 0.004                    | 1.6                 | 1.4                | -7.01                  |                           | 34.4327168 | -118.6497900 | 1335         | 28.68               |                                                                           |
| H-1760S    | 2/2/2026 1:32:57 PM   | 41.6       | 52.8       | 0.0       | 5.6            | 0.0          | 0.8     |                         |                         | 107.1             | 107.6            | -0.20                     | -0.32                    | 0.006                     | 0.042                    | 1.0                 | 2.6                | -8.68                  | -8.81                     | 34.4327103 | -118.6478607 | 1371         | 28.63               | Valve Adjustment:Increased Flow/Vacuum                                    |
| H-1760S    | 2/18/2026 9:54:09 AM  | 42.3       | 49.7       | 0.0       | 8.0            | 0.0          | 0.9     |                         |                         | 100.2             | 100.3            | -1.29                     | -1.29                    | 0.043                     | 0.046                    | 2.6                 | 2.7                | -9.99                  | -10.19                    | 34.4327277 | -118.6478933 | 1394         | 28.54               |                                                                           |
| H-1760S    | 2/23/2026 1:21:55 PM  | 41.0       | 54.1       | 0.0       | 4.9            | 0.0          | 0.8     |                         |                         | 103.3             | 104.6            | -0.84                     | -0.95                    | 0.636                     | 0.716                    | 9.9                 | 10.5               | -8.53                  |                           | 34.4327348 | -118.6478735 | 1375         | 28.68               | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                       |
| H-1762N    | 2/2/2026 2:02:41 PM   | 52.2       | 44.2       | 0.0       | 3.6            | 0.0          | 1.2     |                         |                         | 100.8             | 100.9            | -0.36                     | -0.52                    | 0.124                     | 0.059                    | 1.1                 | 0.8                | -7.90                  | -8.35                     | 34.4334733 | -118.6468915 | 1375         | 28.64               | Valve Adjustment:Increased Flow/Vacuum                                    |
| H-1762N    | 2/18/2026 8:42:47 AM  | 52.9       | 42.7       | 0.0       | 4.4            | 0.0          | 1.2     |                         |                         | 89.6              | 89.8             | -0.91                     | -0.92                    | 0.345                     | 0.242                    | 1.8                 | 1.5                | -6.99                  | -8.19                     | 34.4334763 | -118.6468713 | 1392         | 28.49               |                                                                           |
| H-1763N    | 2/2/2026 12:33:02 PM  | 54.6       | 38.9       | 0.0       | 6.5            | 0.0          | 1.4     |                         |                         | 98.2              | 101.7            | -0.03                     | -0.29                    | 0.022                     | 1.384                    | 1.9                 | 15.0               | -22.51                 | -22.75                    | 34.4335252 | -118.6461753 | 1394         | 28.64               | Valve Adjustment:Increased Flow/Vacuum                                    |
| H-1763S    | 2/4/2026 9:48:02 AM   | 52.0       | 43.0       | 0.0       | 5.0            | 0.0          | 1.2     |                         |                         | 96.2              | 97.7             | -1.30                     | -1.29                    | 0.017                     | 0.019                    | 3.7                 | 3.9                | -9.09                  | -9.22                     | 34.4324002 | -118.6460288 | 1320         | 28.86               | Valve Adjustment:Audible Flow                                             |
| H-1764N    | 2/4/2026 9:27:13 AM   | 55.3       | 42.5       | 0.0       | 2.2            | 0.0          | 1.3     |                         |                         | 116.5             | 117.3            | -3.10                     | -3.52                    | 0.192                     | 0.670                    | 3.0                 | 5.6                | -21.49                 | -20.77                    | 34.4331493 | -118.6456477 | 1374         | 28.82               | Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum |
| H-1764S    | 2/2/2026 11:42:10 AM  | 52.1       | 45.9       | 0.0       | 2.0            | 0.0          | 1.1     |                         |                         | 83.5              | 83.5             | -0.72                     | -0.67                    | -3.127                    | -0.038                   | 0.0                 | 0.0                | -25.04                 |                           | 34.4320988 | -118.6453403 | 1286         | 28.76               | No Adjustment Made,                                                       |
| H-1767N    | 2/21/2026 10:49:59 AM | 44.6       | 54.0       | 0.0       | 1.4            | 0.0          | 0.8     |                         |                         | 96.0              | 96.0             | -1.94                     | -1.91                    | 1.387                     | 1.169                    | 25.0                | 22.9               | -13.41                 | -13.27                    | 34.4326383 | -118.6435678 | 1260         | 28.88               |                                                                           |
| H-1769N    | 2/12/2026 10:06:08 AM | 10.3       | 40.3       | 1.6       | 47.9           | 30.9         | 0.3     |                         |                         | 87.0              | 87.2             | -0.39                     | -0.40                    | 0.007                     | 0.018                    | 1.6                 | 2.7                | -10.79                 | -11.18                    | 34.4370185 | -118.6495088 | 1382         | 28.72               | Well Comment:Cleared liquid from flex hose;Well Repairs:Flex Hose         |
| H-1769N    | 2/21/2026 8:15:34 AM  | 12.8       | 42.7       | 2.2       | 42.3           | 19.2         | 0.3     |                         |                         | 68.9              | 70.8             | -0.19                     | -0.18                    | 0.056                     | 0.077                    | 4.8                 | 5.6                | -5.67                  | -5.92                     | 34.4370187 | -118.6494918 | 1375         | 28.71               | Valve Adjustment:Barely Open,Surging Liquid in Header                     |
| H-1770A    | 2/15/2026 12:06:59 PM | 1.7        | 73.0       | 0.0       | 25.3           | 0.0          | 0.0     |                         |                         | 64.3              | 64.4             | -0.20                     | -0.19                    | 0.007                     | 0.001                    | 1.1                 | 0.5                | 3.54                   | 3.48                      | 34.4359828 | -118.6500940 | 1391         | 28.57               | Valve Adjustment:NSPS/EG CAI,Surging Liquid in Header                     |
| H-1770A    | 2/15/2026 12:08:56 PM | 1.6        | 73.4       | 0.0       | 25.1           | 0.0          | 0.0     |                         |                         | 64.6              | 64.5             | -0.18                     | -0.18                    | 0.022                     | 0.026                    | 2.0                 | 2.1                | 3                      |                           |            |              |              |                     |                                                                           |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                              |                                                                                                    |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| H-1770N    | 2/21/2026 9:05:30 AM  | 37.2       | 54.7       | 1.5       | 6.6            | 4.4          | 0.7     |                         |                         | 103.0                | 103.2               | -0.81                        | -0.80                       | 1.851                        | 1.834                       | 9.5                    | 9.4                   | -7.37                     | -7.64                        | 34.4368153 | -118.6500347 | 1357         | 28.71                  |                                                                                                       |                                                                                                    |
| H-1770S    | 2/6/2026 1:37:05 PM   | 47.5       | 52.5       | 0.0       | 0.0            | 0.0          | 0.9     |                         |                         | 92.9                 | 93.0                | -0.28                        | -0.28                       | 0.134                        | 0.134                       | 2.6                    | 2.6                   | -3.74                     | -3.86                        | 34.4331075 | -118.6501633 | 1316         | 28.68                  |                                                                                                       |                                                                                                    |
| H-1770S    | 2/21/2026 9:54:44 AM  | 7.3        | 32.6       | 0.8       | 59.3           | 74.1         | 0.2     |                         |                         | 73.6                 | 72.7                | -0.97                        | -0.96                       | 0.176                        | 0.175                       | 1.3                    | 1.3                   | -7.95                     |                              | 34.4331123 | -118.6501480 | 1339         | 28.7                   |                                                                                                       |                                                                                                    |
| H-1771A    | 2/10/2026 11:57:10 AM | 51.4       | 44.0       | 0.0       | 4.6            | 0.0          | 1.2     |                         |                         | 111.7                | 111.8               | -1.15                        | -1.15                       | 0.761                        | 0.680                       | 11.2                   | 11.4                  | -2.84                     |                              | 34.4364415 | -118.6465105 | 4616         | 28.46                  | Reduced System Vacuum,No Adjustment Made                                                              |                                                                                                    |
| H-1771B    | 2/5/2026 9:54:39 AM   | 35.0       | 63.4       | 0.4       | 1.2            | 3.0          | 0.6     |                         |                         | 76.4                 | 76.5                | -0.48                        | -0.48                       | 0.273                        | 0.275                       | 3.7                    | 3.8                   | -12.65                    | -13.12                       | 34.4355090 | -118.6466703 | 1397         | 28.67                  |                                                                                                       |                                                                                                    |
| H-1774N    | 2/12/2026 2:11:15 PM  | 36.4       | 59.4       | 0.0       | 4.2            | 0.0          | 0.6     |                         |                         | 115.3                | 115.1               | -1.05                        | -1.01                       | 3.697                        | 3.759                       | 13.2                   | 13.3                  | -6.51                     | -6.46                        | 34.4367590 | -118.6507820 | 1344         | 28.67                  |                                                                                                       |                                                                                                    |
| H-1774N    | 2/21/2026 9:24:25 AM  | 31.4       | 66.8       | 0.2       | 1.6            | 8.0          | 0.5     |                         |                         | 114.0                | 110.9               | -0.30                        | -0.30                       | 2.258                        | 2.227                       | 10.4                   | 10.3                  | -7.52                     | -7.10                        | 34.4367255 | -118.6507927 | 1349         | 28.74                  |                                                                                                       |                                                                                                    |
| H-1801S    | 2/9/2026 8:46:20 AM   | 50.5       | 44.8       | 0.0       | 4.7            | 0.0          | 1.1     |                         |                         | 66.3                 | 66.4                | -0.10                        | -0.11                       | 0.006                        | 0.003                       | 0.6                    | 0.4                   | -8.78                     | -9.12                        | 34.4337698 | -118.6440918 | 1341         | 28.66                  | Well Condition:Fair                                                                                   |                                                                                                    |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open;Well Condition:Fair                   |                                                                                                    |
| H-1802S    | 2/9/2026 8:26:42 AM   | 52.8       | 43.1       | 0.4       | 3.7            | 9.3          | 1.2     |                         |                         | 76.5                 | 78.3                | -0.02                        | -0.10                       | 0.076                        | 0.020                       | 2.0                    | 1.0                   | -7.03                     | -7.03                        | 34.4335612 | -118.6447482 | 1352         | 28.67                  |                                                                                                       |                                                                                                    |
| H-1803N    | 2/2/2026 9:20:00 AM   |            |            |           |                |              |         | 1410                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                       | AtmAA                                                                                              |
| H-1803N    | 2/2/2026 9:20:42 AM   | 6.9        | 74.9       | 1.5       | 16.7           | 11.1         | 0.1     |                         |                         | 194.9                | 194.9               | -5.52                        | -4.43                       | 5.843                        | 4.880                       | 62.4                   | 57.2                  | 0.39                      | 0.36                         | 34.4370048 | -118.6485998 | 1347         | 28.71                  | Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open                                        |                                                                                                    |
| H-1803N    | 2/9/2026 10:05:00 AM  |            |            |           |                |              |         |                         | 98800                   |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                       | AtmAA; [User entered 9.88%]                                                                        |
| H-1803N    | 2/9/2026 10:05:00 AM  |            |            |           |                |              |         | 1340                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                       | AtmAA                                                                                              |
| H-1803N    | 2/9/2026 10:06:41 AM  | 0.9        | 54.5       | 7.2       | 37.4           | 5.2          | 0.0     |                         |                         | 195.4                | 195.4               | -4.92                        | 0.46                        | 4.509                        | 0.352                       | 54.9                   | 15.5                  | 0.44                      | 0.35                         | 34.4370470 | -118.6485742 | 1346         | 28.66                  | Valve Adjustment:High Temp                                                                            |                                                                                                    |
| H-1803N    | 2/17/2026 8:15:00 AM  |            |            |           |                |              |         | 2060                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                       | AtmAA                                                                                              |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                       | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header  |
| H-1803N    | 2/17/2026 8:17:57 AM  | 1.1        | 63.1       | 4.8       | 31.0           | 6.5          | 0.0     |                         |                         | 195.3                | 195.2               | -3.39                        | -3.41                       | 3.249                        | 3.291                       | 46.7                   | 47.0                  | 0.00                      | 0.00                         | 34.4370225 | -118.6486122 | 1352         | 28.59                  | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header |                                                                                                    |
| H-1803N    | 2/23/2026 9:02:57 AM  | 2.7        | 71.7       | 4.3       | 21.3           | 5.0          | 0.0     |                         |                         | 195.8                | 195.9               | -3.79                        | -3.38                       | 3.753                        | 3.630                       | 50.3                   | 49.5                  | 0.07                      | 0.04                         | 34.4370567 | -118.6485560 | 1375         | 28.8                   | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair                               |                                                                                                    |
| H-1804B    | 2/9/2026 9:44:35 AM   | 44.8       | 55.2       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 103.4                | 103.5               | -6.12                        | -5.44                       | 0.617                        | 0.387                       | 9.9                    | 7.9                   | -6.01                     | -5.35                        | 34.4342520 | -118.6456402 | 1393         | 28.6                   | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Fair                               |                                                                                                    |
| H-1804B    | 2/23/2026 8:28:48 AM  | 53.2       | 44.5       | 0.0       | 2.3            | 0.0          | 1.2     |                         |                         | 101.0                | 101.2               | -12.54                       | -12.68                      | 0.580                        | 0.729                       | 9.8                    | 11.0                  | -13.82                    |                              | 34.4338268 | -118.6456060 | 1401         | 28.67                  | Increased Flow/Vacuum,                                                                                |                                                                                                    |
| H-1804N    | 2/10/2026 11:30:32 AM | 43.8       | 38.2       | 1.0       | 17.0           | 17.0         | 1.1     |                         |                         | 82.4                 | 82.5                | -3.66                        | -2.78                       | 0.265                        | 0.192                       | 3.7                    | 3.2                   | -4.77                     |                              | 34.4363833 | -118.6457082 | 4498         | 28.47                  | Reduced System Vacuum,                                                                                |                                                                                                    |
| H-1804S    | 2/4/2026 9:29:38 AM   | 55.0       | 43.3       | 0.0       | 1.7            | 0.0          | 1.3     |                         |                         | 98.1                 | 98.7                | -3.88                        | -4.17                       | 0.042                        | 0.127                       | 2.6                    | 4.6                   | -20.95                    | -21.62                       | 34.4330847 | -118.6457172 | 1372         | 28.82                  | Valve Adjustment:Increased Flow/Vacuum;Well Condition:Good                                            |                                                                                                    |
| H-1805A    | 2/9/2026 2:00:38 PM   | 43.6       | 52.3       | 0.0       | 4.1            | 0.0          | 0.8     |                         |                         | 120.4                | 121.4               | -0.02                        | -0.10                       | 1.900                        | 2.697                       | 4.2                    | 5.0                   | -14.32                    | -14.20                       | 34.4351395 | -118.6451002 | 1399         | 28.54                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open                                       |                                                                                                    |
| H-1805B    | 2/4/2026 9:11:46 AM   | 42.0       | 37.4       | 3.1       | 17.5           | 5.6          | 1.1     |                         |                         | 78.9                 | 79.1                | -10.47                       | -10.48                      | 0.001                        | 0.000                       | 0.2                    | 0.1                   | -10.01                    | -9.96                        | 34.4337270 | -118.6451790 | 1388         | 28.82                  | Valve Adjustment:Barely Open;Well Repairs:Valve                                                       |                                                                                                    |
| H-1805S    | 2/4/2026 9:33:59 AM   | 54.0       | 44.4       | 0.0       | 1.6            | 0.0          | 1.2     |                         |                         | 127.1                | 127.2               | -3.60                        | -3.68                       | 0.110                        | 0.230                       | 6.8                    | 9.9                   | -23.66                    | -23.74                       | 34.4329167 | -118.6451555 | 1334         | 28.83                  | Valve Adjustment:Increased Flow/Vacuum                                                                |                                                                                                    |
| H-1806A    | 2/20/2026 11:58:54 AM | 53.8       | 42.4       | 0.0       | 3.8            | 0.0          | 1.3     |                         |                         | 114.5                | 113.6               | -1.63                        | -1.92                       | 5.510                        | 1.905                       | 7.1                    | 4.2                   | -12.76                    | -12.84                       | 34.4354502 | -118.6442217 | 1386         | 28.59                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                   |                                                                                                    |
| H-1806A    | 2/20/2026 12:02:15 PM | 52.7       | 42.7       | 0.0       | 4.6            | 0.0          | 1.2     |                         |                         | 115.6                | 116.2               | -1.94                        | -2.14                       | 1.844                        | 2.014                       | 9.3                    | 9.7                   | -12.91                    | -12.87                       | 34.4354337 | -118.6442152 | 1393         | 28.56                  | Valve Adjustment:Increased Flow/Vacuum                                                                |                                                                                                    |
| H-1806A    | 2/20/2026 12:04:29 PM | 52.4       | 43.0       | 0.0       | 4.6            | 0.0          | 1.2     |                         |                         | 116.5                | 116.5               | -2.12                        | -2.14                       | 1.656                        | 1.597                       | 8.8                    | 8.7                   | -12.86                    | -12.56                       | 34.4354477 | -118.6442192 | 1383         | 28.58                  |                                                                                                       |                                                                                                    |
| H-1806B    | 2/9/2026 8:22:57 AM   | 30.7       | 34.0       | 1.1       | 34.2           | 31.1         | 0.9     |                         |                         | 59.7                 | 59.4                | -0.70                        | -0.69                       | 0.008                        | 0.014                       | 0.7                    | 0.9                   | -8.85                     | -8.91                        | 34.4339045 | -118.6444663 | 1359         | 28.66                  | Valve Adjustment:Barely Open;Well Condition:Fair                                                      |                                                                                                    |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                       | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less |
| H-1806N    | 2/10/2026 9:38:27 AM  | 43.1       | 56.9       | 0.0       | 0.0            | 0.0          | 0.8     |                         |                         | 122.8                | 126.4               | 0.59                         | -0.06                       | 0.039                        | 0.179                       | 5.4                    | 11.5                  | -7.09                     |                              | 34.4363982 | -118.6442897 | 4403         | 28.48                  |                                                                                                       |                                                                                                    |
| H-1806N    | 2/10/2026 9:42:02 AM  | 41.7       | 58.3       | 0.0       | 0.0            | 0.0          | 0.7     |                         |                         | 126.5                | 126.4               | -0.15                        | -0.15                       | 0.065                        | 0.064                       | 6.9                    | 6.9                   | -7.37                     |                              | 34.4364593 | -118.6442780 | 4521         | 28.48                  |                                                                                                       |                                                                                                    |
| H-1806S    | 2/5/2026 10:07:48 AM  | 13.3       | 79.4       | 0.0       | 7.3            | 0.0          | 0.2     |                         |                         | 129.3                | 107.9               | -0.23                        | -0.23                       | 0.810                        | 0.815                       | 18.6                   | 19.0                  | -9.61                     | -9.65                        | 34.4328732 | -118.6444710 | 1293         | 28.81                  | Valve Adjustment:Barely Open,Reduce Sys. Vac. - Flare Down                                            |                                                                                                    |
| H-1807A    | 2/6/2026 2:47:14 PM   | 52.0       | 42.4       | 5.6       | 0.0            | 0.0          | 1.2     |                         |                         | 90.1                 | 92.6                | -2.75                        | -2.79                       | 0.313                        | 0.129                       | 15.9                   | 10.2                  | -9.14                     | -9.07                        | 34.4353167 | -118.6436198 | 1373         | 28.66                  |                                                                                                       |                                                                                                    |
| H-1807A    | 2/9/2026 10:01:15 AM  | 54.6       | 44.3       | 0.0       | 1.1            | 0.0          | 1.2     |                         |                         | 90.5                 | 93.1                | -4.15                        | -4.12                       | 0.234                        | 0.253                       | 13.7                   | 14.2                  | -7.73                     | -7.50                        | 34.4353398 | -118.6436173 | 1354         | 28.67                  | Valve Adjustment:Audible Flow;Well Condition:Fair                                                     |                                                                                                    |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        |                                                                                                       | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn    |
| H-1807N    | 2/10/2026 9:01:27 AM  | 56.9       | 42.3       | 0.0       | 0.8            | 0.0          | 1.3     |                         |                         | 63.3                 | 69.0                | 0.06                         | -0.37                       | -0.006                       | 0.004                       | 0.0                    | 0.9                   | -6.31                     |                              | 34.4364990 | -118.6435658 | 4469         | 28.49                  |                                                                                                       |                                                                                                    |
| H-1807N    | 2/10/2026 9:03:02 AM  | 53.6       | 42.8       | 0.0       | 3.6            | 0.0          | 1.3     |                         |                         | 71.5                 | 71.6                | -0.53                        | -0.52                       | 0.009                        | 0.008                       | 1.2                    | 1.2                   | -6.36                     |                              | 34.4365517 | -118.6435860 | 4436         | 28.49                  |                                                                                                       |                                                                                                    |
| H-1807S    | 2/5/2026 9:54:15 AM   | 45.5       | 52.1       | 0.0       | 2.4            | 0.0          | 0.9     |                         |                         | 73.7                 | 73.5                | -0.33                        | -0.32                       | 0.012                        | 0.012                       | 3.2                    | 3.2                   | -9.32                     | -9.32                        | 34.4338172 | -118.6434932 | 1314         | 28.78                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                        |                                                                                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                                                               |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| H-1952S    | 2/3/2026 10:15:07 AM  | 54.7       | 45.3       | 0.0       | 0.0            | 0.0          | 1.2     |                         |                         | 109.7                | 112.3               | -1.04                        | -3.89                       | 0.090                        | 3.868                       | 2.1                    | 13.6                  | -10.84                    | -11.21                       | 34.4338212 | -118.6476200 | 1385         | 28.82                  | Valve Adjustment:Increased Flow/Vacuum                                                                                                                 |
| H-1952S    | 2/21/2026 10:19:59 AM | 56.4       | 43.1       | 0.0       | 0.5            | 0.0          | 1.3     |                         |                         | 111.8                | 111.9               | -2.84                        | -3.12                       | 2.594                        | 3.175                       | 11.1                   | 12.3                  | -7.13                     | -8.49                        | 34.4338048 | -118.6476142 | 1379         | 28.74                  | Valve Adjustment:Increased Flow/Vacuum                                                                                                                 |
| H-1953N    | 2/10/2026 3:38:16 PM  | 0.3        | 4.8        | 15.5      | 79.4           | 5.1          | 0.1     |                         |                         | 111.9                | 106.6               | -0.42                        | -0.14                       | 0.653                        | 0.049                       | 10.3                   | 2.8                   | -0.14                     |                              | 34.4363662 | -118.6468483 | 4747         | 28.42                  | NSPS/EG CAI,Decom Well (Temporary),High O2                                                                                                             |
| H-1953N    | 2/10/2026 3:40:27 PM  | 0.0        | 2.7        | 19.2      | 78.1           | 4.1          | 0.0     |                         |                         | 98.7                 | 98.6                | -0.10                        | -0.10                       | 0.000                        | 0.004                       | 0.0                    | 0.8                   | -11.28                    |                              | 34.4364903 | -118.6469568 | 4469         | 28.42                  | .                                                                                                                                                      |
| H-1955C    | 2/9/2026 1:53:44 PM   | 51.5       | 48.5       | 0.0       | 0.0            | 0.0          | 1.1     |                         |                         | 88.1                 | 97.7                | 2.08                         | -0.16                       | 0.018                        | 0.451                       | 1.7                    | 8.6                   | -14.85                    | -15.14                       | 34.4350330 | -118.6454065 | 1399         | 28.52                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum                                                                              |
| H-1955C    | 2/9/2026 1:54:21 PM   | 52.0       | 45.5       | 0.0       | 2.5            | 0.0          | 1.1     |                         |                         | 98.7                 | 99.7                | -0.76                        | -0.74                       | 0.621                        | 0.594                       | 10.0                   | 9.8                   | -15.32                    | -14.91                       | 34.4350308 | -118.6454140 | 1400         | 28.54                  | Valve Adjustment:NSPS/EG CAC                                                                                                                           |
| H-1955N    | 2/10/2026 11:25:46 AM | 46.7       | 44.3       | 0.2       | 8.8            | 44.0         | 1.1     |                         |                         | 89.8                 | 88.0                | -2.25                        | -1.74                       | 0.147                        | 0.121                       | 5.0                    | 4.5                   | -5.18                     |                              | 34.4365127 | -118.6455420 | 4347         | 28.5                   | Reduced System Vacuum,                                                                                                                                 |
| H-1956B    | 2/4/2026 8:55:24 AM   | 16.4       | 70.1       | 0.0       | 13.5           | 0.0          | 0.2     |                         |                         | 114.6                | 113.3               | -1.04                        | -0.76                       | 0.044                        | 0.012                       | 4.4                    | 2.3                   | -9.29                     | -9.14                        | 34.4342745 | -118.6447587 | 1391         | 28.78                  | Valve Adjustment:Decreased Flow/Vacuum                                                                                                                 |
| H-1956N    | 2/10/2026 10:33:48 AM | 56.1       | 43.3       | 0.0       | 0.6            | 0.0          | 1.3     |                         |                         | 106.6                | 108.7               | -1.71                        | -2.00                       | 0.031                        | 0.106                       | 2.3                    | 4.3                   | -5.15                     |                              | 34.4364288 | -118.6448657 | 4403         | 28.52                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                                                                    |
| H-1956N    | 2/20/2026 10:57:12 AM | 54.5       | 42.8       | 0.0       | 2.7            | 0.0          | 1.3     |                         |                         | 57.3                 | 84.1                | 0.21                         | -0.72                       | 0.065                        | 0.035                       | 3.4                    | 2.4                   | -9.83                     | -9.69                        | 34.4364655 | -118.6448692 | 1346         | 28.63                  | Valve Comment:Increased flow one full turn;Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Reconnected this Date,Positive Static Press.,Increased Flow/Vacuum |
| H-1956N    | 2/20/2026 11:00:49 AM | 53.4       | 42.0       | 0.0       | 4.6            | 0.0          | 1.3     |                         |                         | 87.3                 | 91.2                | -0.78                        | -1.00                       | 0.236                        | 0.520                       | 3.4                    | 5.1                   | -9.71                     | -9.52                        | 34.4364703 | -118.6448783 | 1363         | 28.63                  | Valve Comment:increased valve half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                                      |
| H-1956N    | 2/20/2026 11:02:03 AM | 53.4       | 43.1       | 0.0       | 3.5            | 0.0          | 1.2     |                         |                         | 93.8                 | 93.9                | -1.14                        | -1.12                       | 0.513                        | 0.586                       | 5.0                    | 5.4                   | -9.62                     | -10.31                       | 34.4364520 | -118.6448730 | 1338         | 28.63                  |                                                                                                                                                        |
| H-1956S    | 2/9/2026 8:38:23 AM   | 53.7       | 42.8       | 0.1       | 3.4            | 34.0         | 1.3     |                         |                         | 74.6                 | 74.6                | -6.08                        | -6.08                       | 0.150                        | 0.145                       | 2.8                    | 2.7                   | -6.79                     | -6.74                        | 34.4332133 | -118.6448828 | 1337         | 28.67                  | Valve Adjustment:Audible                                                                                                                               |
| H-1957B    | 2/9/2026 9:10:29 AM   | 49.0       | 45.3       | 0.0       | 5.7            | 0.0          | 1.1     |                         |                         | 109.8                | 109.7               | -0.32                        | -0.31                       | 5.955                        | 5.261                       | 30.7                   | 28.9                  | -17.44                    | -14.44                       | 34.4345390 | -118.6441033 | 1386         | 28.63                  | Flow,Barely Open;Well Condition:Fair                                                                                                                   |
| H-1957N    | 2/10/2026 10:01:28 AM | 53.3       | 46.5       | 0.0       | 0.2            | 0.0          | 1.1     |                         |                         | 98.1                 | 98.4                | -0.54                        | -0.55                       | 0.061                        | 0.063                       | 3.2                    | 3.3                   | -6.96                     |                              | 34.4365015 | -118.6441517 | 4498         | 28.49                  | Valve Adjustment:Audible                                                                                                                               |
| H-1957S    | 2/9/2026 8:48:55 AM   | 44.7       | 45.9       | 1.4       | 8.0            | 5.7          | 1.0     |                         |                         | 65.3                 | 65.2                | -0.13                        | -0.13                       | 0.017                        | 0.015                       | 0.9                    | 0.9                   | -8.51                     | -8.78                        | 34.4337712 | -118.6441230 | 1340         | 28.66                  | Flow,Decreased Flow/Vacuum                                                                                                                             |
| H-1958C    | 2/9/2026 9:58:34 AM   | 53.1       | 43.1       | 0.0       | 3.8            | 0.0          | 1.2     |                         |                         | 123.5                | 123.8               | -1.25                        | -1.24                       | 0.973                        | 0.906                       | 12.3                   | 11.9                  | -7.46                     | -7.43                        | 34.4353700 | -118.6434800 | 1347         | 28.67                  | Other - See Daily Log,                                                                                                                                 |
| H-1958N    | 2/10/2026 9:13:40 AM  | 54.0       | 42.3       | 0.0       | 3.7            | 0.0          | 1.3     |                         |                         | 89.7                 | 99.1                | -1.38                        | -1.59                       | -0.026                       | 0.114                       | 0.0                    | 10.0                  | -6.73                     |                              | 34.4365145 | -118.6435178 | 4446         | 28.48                  | Well Condition:Fair                                                                                                                                    |
| H-1958N    | 2/10/2026 9:17:44 AM  | 54.4       | 42.8       | 0.0       | 2.8            | 0.0          | 1.3     |                         |                         | 109.5                | 97.4                | -1.85                        | -1.42                       | -0.016                       | 0.092                       | 0.0                    | 9.0                   | -7.08                     |                              | 34.4364640 | -118.6436542 | 4295         | 28.48                  | Valve Adjustment:Audible Flow;Well Condition:Fair                                                                                                      |
| H-1958S    | 2/5/2026 9:49:05 AM   | 50.6       | 33.5       | 0.0       | 15.9           | 0.0          | 1.5     |                         |                         | 120.8                | 120.7               | -0.60                        | -0.60                       | 0.023                        | 0.023                       | 1.9                    | 1.9                   | -9.42                     | -9.42                        | 34.4339927 | -118.6433297 | 1322         | 28.78                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                                                                    |
| H-1962N    | 2/12/2026 2:03:30 PM  | 21.0       | 62.7       | 1.0       | 15.3           | 14.7         | 0.3     |                         |                         | 129.5                | 129.1               | -1.73                        | -1.65                       | 0.071                        | 0.009                       |                        |                       | -6.31                     | -6.12                        | 34.4366695 | -118.6501355 | 1352         | 28.64                  | Orifice Plate Changed (See OP Log),Audible Flow,Reduced System Vacuum                                                                                  |
| H-1962N    | 2/21/2026 9:03:15 AM  | 18.5       | 58.0       | 3.2       | 20.3           | 6.3          | 0.3     |                         |                         | 129.3                | 128.9               | -1.98                        | -1.64                       | 0.000                        | 0.000                       |                        |                       | -6.97                     | -7.28                        | 34.4366822 | -118.6501642 | 1389         | 28.71                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                                                         |
| H-1963N    | 2/10/2026 8:44:59 AM  | 32.0       | 57.6       | 0.0       | 10.4           | 0.0          | 0.6     |                         |                         | 130.2                | 130.4               | -1.17                        | -1.27                       | 0.431                        | 0.525                       | 12.5                   | 13.7                  | -7.90                     | -7.53                        | 34.4369198 | -118.6495287 | 1370         | 28.49                  | Valve Adjustment:Decreased Flow/Vacuum                                                                                                                 |
| H-1963N    | 2/10/2026 8:46:51 AM  | 31.9       | 58.1       | 0.0       | 10.0           | 0.0          | 0.5     |                         |                         | 130.6                | 130.5               | -1.35                        | -1.32                       | 0.491                        | 0.531                       | 13.3                   | 13.8                  | -7.56                     | -7.44                        | 34.4369152 | -118.6495275 | 1364         | 28.49                  | Valve Adjustment:NSPS/EG CAC,Increased Flow/Vacuum                                                                                                     |
| H-1963N    | 2/21/2026 8:20:21 AM  | 25.4       | 53.5       | 1.6       | 19.5           | 12.2         | 0.5     |                         |                         | 124.5                | 124.5               | -0.36                        | -0.35                       | 0.038                        | 0.039                       | 3.7                    | 3.8                   | -11.89                    | -11.73                       | 34.4369078 | -118.6495567 | 1392         | 28.71                  |                                                                                                                                                        |
| H-1966N    | 2/12/2026 2:18:10 PM  | 38.6       | 58.4       | 0.0       | 3.1            | 0.0          | 0.7     |                         |                         | 106.5                | 106.4               | -0.42                        | -0.38                       | 3.278                        | 3.396                       | 5.5                    | 5.6                   | -4.63                     | -4.82                        | 34.4365705 | -118.6507772 | 1330         | 28.67                  | Valve Adjustment:Barely Open                                                                                                                           |
| H-1966N    | 2/21/2026 9:18:49 AM  | 33.8       | 58.2       | 0.5       | 7.5            | 15.0         | 0.6     |                         |                         | 101.2                | 102.5               | -0.32                        | -0.32                       | 3.674                        | 3.685                       | 5.9                    | 5.9                   | -4.97                     | -4.98                        | 34.4365480 | -118.6507927 | 1353         | 28.74                  |                                                                                                                                                        |
| H-1967E    | 2/5/2026 3:01:18 PM   | 56.6       | 42.2       | 0.0       | 1.2            | 0.0          | 1.3     |                         |                         | 93.5                 | 96.4                | 0.06                         | -3.50                       | -0.018                       | 0.007                       | 0.0                    | 2.5                   | -14.60                    |                              | 34.4301905 | -118.6458590 | 1161         | 28.75                  | NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                     |
| H-1967E    | 2/5/2026 3:01:24 PM   | 56.6       | 42.2       | 0.0       | 1.2            | 0.0          | 1.3     |                         |                         | 93.5                 | 96.4                | 0.06                         | -3.50                       | -0.018                       | 0.007                       | 0.0                    | 2.5                   | -14.60                    |                              | 34.4301822 | -118.6458452 | 1171         | 28.75                  | ,                                                                                                                                                      |
| H-1967E    | 2/5/2026 3:03:34 PM   | 56.0       | 42.9       | 0.0       | 1.1            | 0.0          | 1.3     |                         |                         | 96.6                 | 96.7                | -6.09                        | -6.24                       | 0.004                        | 0.004                       | 1.9                    | 1.9                   | -14.75                    |                              | 34.4302480 | -118.6458652 | 1099         | 28.75                  | ,                                                                                                                                                      |
| H-1967W    | 2/4/2026 1:22:41 PM   | 55.6       | 39.2       | 0.0       | 5.2            | 0.0          | 1.4     |                         |                         | 96.1                 | 98.0                | -0.10                        | -0.42                       | 1.637                        | 2.007                       | 36.4                   | 40.2                  | -10.16                    | -10.14                       | 34.4299278 | -118.6508150 | 1204         | 28.92                  | Valve Adjustment:Audible                                                                                                                               |
| H-2050E    | 2/23/2026 2:06:17 PM  | 56.4       | 41.4       | 0.1       | 2.1            | 21.0         | 1.4     |                         |                         | 98.0                 | 97.6                | -6.19                        | -6.60                       | -0.110                       | -0.346                      | 0.0                    | 0.0                   |                           |                              | 34.4291558 | -118.6474827 | 1168         | 28.95                  | Flow,Increased Flow/Vacuum                                                                                                                             |
| H-2050W    | 2/3/2026 1:37:27 PM   | 53.6       | 41.7       | 0.0       | 4.7            | 0.0          | 1.3     |                         |                         | 97.5                 | 97.6                | -0.53                        | -0.62                       | 0.220                        | 0.309                       | 6.0                    | 7.2                   | -6.56                     | -7.40                        | 34.4290925 | -118.6491170 | 1187         | 29                     | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                                                                    |
| H-2050W    | 2/3/2026 1:41:25 PM   | 52.1       | 42.7       | 0.0       | 5.1            | 0.0          | 1.2     |                         |                         | 97.4                 | 97.6                | -0.58                        | -0.65                       | 0.987                        | 1.228                       | 7.0                    | 7.8                   | -7.41                     | -7.63                        | 34.4291013 | -118.6491128 | 1186         | 29                     | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                                                                              |
| H-2050W    | 2/3/2026 1:42:23 PM   | 51.8       | 42.7       | 0.0       | 5.4            | 0.0          | 1.2     |                         |                         | 97.8                 | 97.8                | -0.66                        | -0.68                       | 1.212                        | 1.236                       | 7.8                    | 7.8                   | -7.74                     | -7.77                        | 34.4290947 | -118.6491208 | 1187         | 29.01                  |                                                                                                                                                        |
| H-2051W    | 2/4/2026 1:29:35 PM   | 55.7       | 41.1       | 0.0       | 3.2            | 0.0          | 1.4     |                         |                         | 89.0                 | 91.7                | -2.75                        | -3.30                       | 0.007                        | 0.011                       | 2.5                    | 2.9                   | -9.28                     | -9.01                        | 34.4299070 | -118.6508125 | 1203         | 28.9                   | Valve Adjustment:Audible                                                                                                                               |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Flow,Increased Flow/Vacuum                                                                                                                             |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                |                                   |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|---------------------|--------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------|-----------------------------------|
| H-2053E    | 2/5/2026 3:09:03 PM   | 51.8       | 40.8       | 0.0       | 7.4            | 0.0          | 1.3     |                         |                         | 118.0                | 118.0               | -7.63                        | -7.63                       | 4.152                        | 4.202                       | 59.0                | 59.3               | -12.57                    |                              | 34.4301992 | -118.6458278 | 1119         | 28.81                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Surging Liquid in Header            |                                   |
| H-2053W    | 2/4/2026 12:57:33 PM  | 56.4       | 34.9       | 0.0       | 8.7            | 0.0          | 1.6     |                         |                         | 94.8                 | 95.0                | -8.43                        | -8.76                       | 0.040                        | 0.051                       | 5.6                 | 6.4                | -9.60                     | -8.91                        | 34.4310752 | -118.6505670 | 1190         | 28.93                  |                                                                                         |                                   |
| H-2055E    | 2/2/2026 10:49:01 AM  | 34.3       | 37.0       | 0.0       | 28.7           | 0.0          | 0.9     |                         |                         | 107.4                | 107.4               | -0.98                        | -0.91                       | 5.287                        | 4.874                       | 29.3                | 28.1               | -10.80                    |                              | 34.4318283 | -118.6465747 | 1227         | 28.79                  | Opened Valve 1/2 Turn or Less,                                                          |                                   |
| H-2055E    | 2/17/2026 7:58:46 AM  | 21.0       | 31.6       | 0.1       | 47.3           | 473.0        | 0.7     |                         |                         | 100.8                | 100.7               | -1.49                        | -1.44                       | 4.976                        | 4.956                       | 28.2                | 28.1               | -12.52                    |                              | 34.4317983 | -118.6466410 | 1263         | 28.67                  |                                                                                         |                                   |
| H-2056B    | 2/5/2026 9:46:12 AM   | 27.8       | 32.9       | 0.0       | 39.3           | 0.0          | 0.8     |                         |                         | 70.2                 | 70.4                | -2.56                        | -2.49                       | 0.047                        | 0.006                       | 0.7                 | 0.2                | -9.93                     |                              | 34.4296830 | -118.6476152 | 1093         | 28.87                  | Reduced System Vacuum,                                                                  |                                   |
| H-2056W    | 2/4/2026 1:24:35 PM   | 54.0       | 39.1       | 0.0       | 6.9            | 0.0          | 1.4     |                         |                         | 90.1                 | 90.2                | -4.73                        | -4.73                       | 0.726                        | 0.728                       | 24.2                | 24.3               | -9.30                     | -9.27                        | 34.4299233 | -118.6507953 | 1202         | 28.93                  | Valve Adjustment:Audible Flow                                                           |                                   |
| H-2057E    | 2/5/2026 3:06:45 PM   | 57.2       | 41.3       | 0.0       | 1.5            | 0.0          | 1.4     |                         |                         | 126.7                | 126.9               | -5.26                        | -5.49                       | 1.044                        | 1.659                       | 7.2                 | 9.1                | -15.25                    |                              | 34.4301775 | -118.6458185 | 1145         | 28.81                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                     |                                   |
| H-2057W    | 2/4/2026 1:12:57 PM   | 52.9       | 35.4       | 0.8       | 10.9           | 13.6         | 1.5     |                         |                         | 101.0                | 100.9               | -5.41                        | -5.41                       | 5.643                        | 5.517                       | 66.6                | 65.8               | -8.49                     | -8.07                        | 34.4306460 | -118.6506352 | 1207         | 28.93                  | Valve Adjustment:Audible Flow,Surging Liquid in Header                                  |                                   |
| H-2058E    | 2/5/2026 9:31:04 AM   | 56.7       | 41.5       | 0.0       | 1.8            | 0.0          | 1.4     |                         |                         | 110.1                | 110.2               | -6.08                        | -6.82                       | 3.448                        | 3.835                       | 54.7                | 57.6               | -11.29                    |                              | 34.4300758 | -118.6465625 | 1132         | 28.84                  | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less               |                                   |
| H-2058W    | 2/4/2026 1:26:42 PM   | 54.7       | 41.9       | 0.0       | 3.4            | 0.0          | 1.3     |                         |                         | 96.3                 | 96.2                | -1.93                        | -2.14                       | 0.812                        | 1.029                       | 25.6                | 28.8               | -9.36                     | -9.32                        | 34.4299263 | -118.6508012 | 1199         | 28.9                   | Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Well Condition:Good                 |                                   |
| H-2059E    | 2/4/2026 10:29:06 AM  | 54.7       | 42.8       | 0.0       | 2.5            | 0.0          | 1.3     |                         |                         | 112.2                | 113.7               | -6.44                        | -7.36                       | 6.230                        | 7.141                       | 0.0                 | 0.0                | -14.41                    |                              | 34.4307395 | -118.6461952 | 1207         | 28.97                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                     |                                   |
| H-2059W    | 2/4/2026 1:50:20 PM   | 50.1       | 44.0       | 0.0       | 5.9            | 0.0          | 1.1     |                         |                         | 126.6                | 126.7               | -3.26                        | -3.22                       | 4.187                        | 4.586                       | 42.1                | 44.0               | -8.03                     | -8.32                        | 34.4310545 | -118.6502150 | 1224         | 28.86                  | Valve Adjustment:Audible Flow,Well Condition:Fair                                       |                                   |
| H-2059W    | 2/23/2026 2:52:11 PM  | 53.3       | 46.6       | 0.0       | 0.1            | 0.0          | 1.1     |                         |                         | 121.0                | 125.8               | -3.65                        | -3.74                       | 4.834                        | 4.988                       | 63.0                | 63.7               | -7.70                     |                              | 34.4310668 | -118.6502502 | 1247         | 28.83                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                     |                                   |
| H-2161E    | 2/4/2026 10:21:02 AM  | 50.9       | 44.7       | 0.0       | 4.4            | 0.0          | 1.1     |                         |                         | 122.4                | 122.7               | -2.87                        | -2.85                       | 1.960                        | 1.810                       | 40.1                | 38.5               | -14.15                    |                              | 34.4308168 | -118.6464733 | 1230         | 28.94                  |                                                                                         |                                   |
| H-2161W    | 2/4/2026 1:52:21 PM   | 55.0       | 39.2       | 0.0       | 5.8            | 0.0          | 1.4     |                         |                         | 107.6                | 107.6               | -3.78                        | -3.76                       | 1.224                        | 1.246                       | 31.0                | 31.3               | -9.24                     | -9.22                        | 34.4309218 | -118.6502302 | 1227         | 28.86                  | Valve Adjustment:Audible Flow,Well Condition:Fair                                       |                                   |
| H-2163C    | 2/2/2026 1:45:31 PM   | 45.1       | 50.3       | 0.0       | 4.6            | 0.0          | 0.9     |                         |                         | 87.6                 | 87.7                | -0.11                        | -0.10                       | -0.130                       | -0.120                      | 0.0                 | 0.0                | -9.88                     |                              | 34.4310668 | -118.6486568 | 1306         | 28.69                  |                                                                                         |                                   |
| H-2163C    | 2/23/2026 10:31:18 AM | 48.9       | 47.0       | 0.0       | 4.1            | 0.0          | 1.0     |                         |                         | 92.5                 | 92.6                | -0.15                        | -0.15                       | 1.263                        | 0.897                       | 3.5                 | 2.9                | -5.05                     |                              | 34.4311388 | -118.6486853 | 1388         | 28.8                   | Reduced System Vacuum,No Adjustment Made                                                |                                   |
| H-2163W    | 2/4/2026 2:14:58 PM   | 42.7       | 53.3       | 0.0       | 4.0            | 0.0          | 0.8     |                         |                         | 122.0                | 122.6               | -0.03                        | -0.15                       | 3.384                        | 3.604                       | 23.0                | 23.8               | -8.54                     | -8.55                        | 34.4311587 | -118.6498513 | 1257         | 28.82                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                     |                                   |
| H-2164E    | 2/2/2026 11:02:10 AM  | 45.2       | 49.9       | 0.0       | 4.9            | 0.0          | 0.9     |                         |                         | 121.8                | 121.9               | -1.23                        | -1.16                       | 2.517                        | 2.611                       | 19.7                | 20.0               | -10.14                    |                              | 34.4318812 | -118.6461907 | 1250         | 28.79                  | Opened Valve 1/2 Turn or Less,                                                          |                                   |
| H-2164E    | 2/19/2026 10:08:46 AM | 47.6       | 42.3       | 0.0       | 10.1           | 0.0          | 1.1     |                         |                         | 120.1                | 120.1               | -1.40                        | -1.39                       | 2.912                        | 2.918                       | 21.7                | 21.8               | -12.17                    |                              | 34.4319665 | -118.6461083 | 1296         | 28.55                  | No Adjustment Made,                                                                     |                                   |
| H-2165E    | 2/4/2026 10:08:45 AM  | 49.8       | 48.1       | 0.0       | 2.1            | 0.0          | 1.0     |                         |                         | 106.5                | 105.4               | -0.87                        | -0.52                       | 0.125                        | 0.023                       | 4.5                 | 1.9                | -9.47                     |                              | 34.4319692 | -118.6451615 | 1266         | 28.9                   |                                                                                         |                                   |
| H-2165W    | 2/4/2026 8:00:00 AM   |            |            |           |                |              |         |                         | 27000                   |                      |                     |                              |                             |                              |                             |                     |                    |                           |                              |            |              |              |                        |                                                                                         | Air Tech Lab; [User entered 2.7%] |
| H-2165W    | 2/4/2026 8:00:00 AM   |            |            |           |                |              |         | 390                     |                         |                      |                     |                              |                             |                              |                             |                     |                    |                           |                              |            |              |              |                        |                                                                                         | Air Tech Lab                      |
| H-2165W    | 2/5/2026 1:46:05 PM   | 19.0       | 72.7       | 0.0       | 8.3            | 0.0          | 0.3     |                         |                         | 93.1                 | 91.5                | -0.18                        | -0.17                       | 0.178                        | 0.172                       | 0.8                 | 0.8                | -0.16                     | -0.14                        | 34.4321613 | -118.6504208 | 1263         | 28.72                  |                                                                                         |                                   |
| H-2165W    | 2/5/2026 1:48:05 PM   | 17.3       | 76.2       | 0.0       | 6.5            | 0.0          | 0.2     |                         |                         | 121.7                | 121.6               | -0.13                        | -0.12                       | 0.019                        | 0.000                       | 0.3                 | 0.0                | -8.69                     | -8.77                        | 34.4321503 | -118.6504173 | 1264         | 28.74                  |                                                                                         |                                   |
| H-2165W    | 2/21/2026 11:24:42 AM | 18.4       | 79.5       | 0.0       | 2.1            | 0.0          | 0.2     |                         |                         | 107.1                | 108.0               | -1.16                        | -1.14                       | 0.023                        | 0.027                       | 0.4                 | 0.4                | -10.74                    |                              | 34.4321545 | -118.6504523 | 1293         | 28.76                  |                                                                                         |                                   |
| H-2166E    | 2/9/2026 9:49:56 AM   | 44.5       | 54.4       | 0.0       | 1.1            | 0.0          | 0.8     |                         |                         | 77.7                 | 77.5                | 0.64                         | 0.65                        | 0.006                        | 0.003                       | 1.0                 | 0.8                | 1.46                      | 1.46                         | 34.4356270 | -118.6438652 | 1366         | 28.64                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Well (Watered In) |                                   |
| H-2166E    | 2/9/2026 9:50:24 AM   | 44.5       | 54.6       | 0.0       | 0.9            | 0.0          | 0.8     |                         |                         | 77.8                 | 77.8                | 0.64                         | 0.64                        | 0.005                        | 0.005                       | 0.9                 | 0.9                | 1.31                      | 1.26                         | 34.4356105 | -118.6438605 | 1358         | 28.64                  | Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Well (Watered In) |                                   |
| H-2166E    | 2/20/2026 11:31:37 AM | 52.5       | 42.0       | 0.0       | 5.5            | 0.0          | 1.3     |                         |                         | 89.8                 | 90.2                | -10.92                       | -11.27                      | 0.098                        | 0.097                       | 4.0                 | 4.0                | -13.34                    | -13.10                       | 34.4356240 | -118.6438277 | 1368         | 28.6                   | Valve Adjustment:NSPS/EG CAC,Reconnected this Date                                      |                                   |
| H-2166E    | 2/20/2026 11:33:42 AM | 51.8       | 42.5       | 0.0       | 5.7            | 0.0          | 1.2     |                         |                         | 90.5                 | 90.5                | -10.95                       | -11.21                      | 0.070                        | 0.046                       | 3.4                 | 2.7                | -13.09                    | -13.01                       | 34.4356162 | -118.6438378 | 1379         | 28.6                   |                                                                                         |                                   |
| H-2168C    | 2/4/2026 8:53:16 AM   | 47.9       | 39.7       | 2.0       | 10.4           | 5.2          | 1.2     |                         |                         | 77.4                 | 77.4                | -0.83                        | -0.83                       | 0.004                        | 0.002                       | 1.9                 | 1.2                | -9.11                     | -9.25                        | 34.4344282 | -118.6448000 | 1389         | 28.79                  | Valve Adjustment:Barely Open                                                            |                                   |
| H-2168E    | 2/9/2026 9:07:42 AM   | 35.9       | 60.5       | 0.0       | 3.6            | 0.0          | 0.6     |                         |                         | 115.6                | 116.4               | -0.05                        | -0.05                       | 0.005                        | 0.005                       | 0.9                 | 0.8                | -8.91                     | -8.91                        | 34.4345342 | -118.6439062 | 1377         | 28.63                  | Well Condition:Fair                                                                     |                                   |
| H-2168E    | 2/24/2026 8:28:41 AM  | 29.8       | 34.6       | 0.0       | 35.6           | 0.0          | 0.9     |                         |                         | 113.7                | 115.5               | -1.68                        | -1.75                       | 0.642                        | 0.635                       | 10.1                | 10.0               | -13.91                    |                              | 34.4345232 | -118.6439145 | 1398         | 28.57                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                     |                                   |
| H-2169C    | 2/4/2026 8:58:02 AM   | 51.5       | 47.8       | 0.0       | 0.7            | 0.0          | 1.1     |                         |                         | 97.6                 | 99.4                | -0.11                        | -0.11                       | 0.036                        | 0.034                       | 5.4                 | 5.2                | -9.18                     | -8.93                        | 34.4340770 | -118.6450497 | 1398         | 28.78                  |                                                                                         |                                   |
| H-2169E    | 2/9/2026 9:20:05 AM   | 50.4       | 45.1       | 0.0       | 4.5            | 0.0          | 1.1     |                         |                         | 103.6                | 104.9               | -0.05                        | -0.05                       | 0.181                        | 0.183                       | 12.0                | 12.0               | -9.30                     | -9.30                        | 34.4342180 | -118.6442075 | 1381         | 28.63                  | Valve Adjustment:Audible Flow,Well Condition:Fair                                       |                                   |
| H-2170N    | 2/5/2026 8:44:58 AM   | 55.2       | 41.0       | 0.0       | 3.8            | 0.0          | 1.3     |                         |                         | 120.0                | 120.0               | -1.61                        | -1.85                       | 4.740                        | 6.362                       | 27.2                | 31.5               | -17.03                    | -16.99                       | 34.4357725 | -118.6414613 | 1274         | 28.82                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Well Condition:Fair                 |                                   |
| H-2170S    | 2/5/2026 8:28:50 AM   | 52.3       | 37.2       | 0.5       | 10.0           | 20.0         | 1.4     |                         |                         | 99.6                 | 99.7                | -2.86                        | -2.84                       | 0.379                        | 0.378                       | 7.9                 | 7.8                | -21.72                    | -21.68                       | 34.4335928 | -118.6415033 | 1253         | 28.83                  | Valve Adjustment:Audible Flow,Well Condition:Fair                                       |                                   |
| H-2171A    | 2/25/2026 8:36:44 AM  | 59.0       | 40.2       | 0.0       | 0.8            | 0.0          | 1.5     |                         |                         | 76.8                 | 78.1                | -0.30                        | -0.21                       | -0.018                       | 0.087                       | 0.0                 | 4.0                | -0.22                     |                              | 34.4373672 | -118.6425108 | 1283         | 28.79                  | Reduced System Vacuum,Increased Flow/Vacuum                                             |                                   |
| H-2171B    | 2/25/2026 9:15:41 AM  | 56.0       | 42.6       | 0.0       | 1.4            | 0.0          | 1.3     |                         |                         | 94.3                 | 97.4                | -0.79                        | -0.83                       | -0.038                       | 0.006                       | 0.0                 | 1.1                | -3.24                     |                              | 34.4364802 | -118.6416750 | 1266         | 28.74                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                     |                                   |
| H-2171N    | 2/4/2026 8:22:24 AM   | 39.6       | 35.0       | 0.0       | 25.4           | 0.0          | 1.1     |                         |                         | 120.6                | 121.1               | -0.43                        | -0.43                       | 0.034                        | 0.034                       | 2.3                 | 2.3                | -13.84                    | -13.88                       | 34.4379768 | -118.6432623 | 1274         | 28.9                   | Valve Adjustment:Audible Flow                                                           |                                   |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name    | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                            |                                    |
|---------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|-------------------------------------------------------------------------------------|------------------------------------|
| H-2171S       | 2/5/2026 8:42:50 AM   | 55.2       | 42.2       | 0.0       | 2.6            | 0.0          | 1.3     |                         |                         | 121.5             | 121.5            | -1.86                     | -1.95                    | 7.318                     | 8.032                    | 33.7                | 35.3               | -17.71                 | -17.44                    | 34.4357713 | -118.6414695 | 1279         | 28.82               | Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair             |                                    |
| H-2272W       | 2/4/2026 2:09:37 PM   | 45.7       | 47.8       | 0.0       | 6.5            | 0.0          | 1.0     |                         |                         | 118.7             | 123.0            | -0.18                     | -0.18                    | 2.507                     | 2.510                    | 19.9                | 19.8               | -8.42                  | -8.39                     | 34.4317425 | -118.6497647 | 1291         | 28.78               | Valve Adjustment:Audible Flow;Well Condition:Fair                                   |                                    |
| H-2272W       | 2/22/2026 1:03:48 PM  | 44.2       | 44.0       | 0.0       | 11.9           | 0.0          | 1.0     |                         |                         | 117.5             | 117.6            | -0.75                     | -0.74                    | 1.873                     | 1.861                    | 17.2                | 17.2               | -8.84                  | -9.20                     | 34.4317210 | -118.6497715 | 1298         | 28.89               |                                                                                     |                                    |
| H-2273W       | 2/4/2026 7:55:00 AM   |            |            |           |                |              |         |                         | 8900                    |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                     | Air Tech Lab; [User entered 0.89%] |
| H-2273W       | 2/4/2026 7:55:00 AM   |            |            |           |                |              |         | 120                     |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                     | Air Tech Lab                       |
| H-2273W       | 2/6/2026 9:59:01 AM   | 23.6       | 51.8       | 0.0       | 24.6           | 0.0          | 0.5     |                         |                         | 102.4             | 106.1            | -0.95                     | -0.88                    | 0.098                     | 0.056                    | 4.0                 | 3.0                | -9.78                  | -8.39                     | 34.4321478 | -118.6499492 | 1297         | 28.78               |                                                                                     |                                    |
| H-2273W       | 2/21/2026 9:30:02 AM  | 22.9       | 56.5       | 0.0       | 20.6           | 0.0          | 0.4     |                         |                         | 114.4             | 114.6            | -1.02                     | -1.01                    | 0.006                     | 0.004                    | 0.9                 | 0.7                | -10.63                 |                           | 34.4320840 | -118.6499782 | 1299         | 28.7                |                                                                                     |                                    |
| H-2274B       | 2/3/2026 11:18:39 AM  | 50.8       | 45.2       | 0.0       | 4.0            | 0.0          | 1.1     |                         |                         | 77.4              | 77.4             | -3.12                     | -3.13                    | 0.160                     | 0.161                    | 8.1                 | 8.1                | -9.60                  |                           | 34.4326740 | -118.6468973 | 1289         | 28.8                |                                                                                     |                                    |
| H-2274B       | 2/4/2026 2:18:15 PM   | 51.8       | 43.1       | 0.0       | 5.1            | 0.0          | 1.2     |                         |                         | 83.3              | 83.1             | -1.47                     | -1.25                    | 0.086                     | 0.054                    | 5.8                 | 4.6                | -8.94                  | -8.88                     | 34.4326610 | -118.6469380 | 1364         | 28.75               | Valve Adjustment:Decreased Flow/Vacuum                                              |                                    |
| H-2274B       | 2/4/2026 2:20:00 PM   | 51.5       | 43.5       | 0.0       | 5.1            | 0.0          | 1.2     |                         |                         | 82.9              | 83.0             | -1.24                     | -1.26                    | 0.051                     | 0.053                    | 4.5                 | 4.6                | -8.93                  | -8.72                     | 34.4326622 | -118.6469358 | 1360         | 28.75               |                                                                                     |                                    |
| H-2274B       | 2/17/2026 9:55:02 AM  | 51.2       | 45.3       | 0.0       | 3.5            | 0.0          | 1.1     |                         |                         | 53.3              | 53.4             | -2.66                     | -2.67                    | 0.020                     | 0.031                    | 2.9                 | 3.6                | -10.20                 |                           | 34.4326830 | -118.6469260 | 1348         | 28.62               | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                 |                                    |
| H-2274W       | 2/6/2026 10:06:40 AM  | 29.7       | 70.3       | 0.0       | 0.0            | 0.0          | 0.4     |                         |                         | 86.6              | 87.1             | -0.61                     | -0.60                    | 0.068                     | 0.064                    | 3.4                 | 3.3                | -5.95                  | -2.41                     | 34.4327893 | -118.6503275 | 1302         | 28.78               |                                                                                     |                                    |
| H-2274W       | 2/21/2026 9:39:37 AM  | 12.9       | 37.0       | 1.0       | 49.1           | 49.1         | 0.3     |                         |                         | 67.0              | 67.0             | -0.78                     | -0.78                    | 0.004                     | 0.005                    | 0.8                 | 0.9                | -7.42                  |                           | 34.4327922 | -118.6503530 | 1302         | 28.7                |                                                                                     |                                    |
| H-2275E       | 2/4/2026 9:45:37 AM   | 43.4       | 44.0       | 0.0       | 12.6           | 0.0          | 1.0     |                         |                         | 121.3             | 121.0            | -0.92                     | -0.74                    | 0.598                     | 0.616                    | 9.7                 | 9.9                | -9.20                  | -8.57                     | 34.4323973 | -118.6462317 | 1324         | 28.86               | Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Fair                          |                                    |
| H-2275E       | 2/23/2026 1:14:06 PM  | 41.9       | 45.8       | 0.0       | 12.3           | 0.0          | 0.9     |                         |                         | 121.0             | 121.4            | -0.78                     | -0.83                    | 1.089                     | 1.129                    | 13.0                | 13.2               | -9.10                  |                           | 34.4324610 | -118.6462975 | 1309         | 28.73               | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less           |                                    |
| H-2275W       | 2/13/2026 10:54:45 AM | 6.9        | 8.7        | 17.5      | 66.9           | 3.8          | 0.8     |                         |                         | 74.9              | 75.1             | -0.52                     | -0.52                    | 0.001                     | 0.003                    | 0.3                 | 0.7                | -8.13                  | -7.60                     | 34.4322057 | -118.6493797 | 1326         | 28.67               |                                                                                     |                                    |
| H-2275W       | 2/21/2026 8:57:55 AM  | 19.4       | 26.4       | 2.7       | 51.5           | 19.1         | 0.7     |                         |                         | 62.6              | 63.2             | -0.91                     | -0.89                    | 0.232                     | 0.004                    | 6.4                 | 0.8                | -10.49                 |                           | 34.4322117 | -118.6493710 | 1309         | 28.67               |                                                                                     |                                    |
| H-2276A       | 2/3/2026 1:46:03 PM   | 44.2       | 40.4       | 0.0       | 15.4           | 0.0          | 1.1     |                         |                         | 91.8              | 91.9             | -0.31                     | -0.29                    | 0.043                     | -0.089                   | 4.5                 | 0.0                | -2.27                  |                           | 34.4328572 | -118.6482352 | 1358         | 28.7                |                                                                                     |                                    |
| H-2276A       | 2/18/2026 10:02:47 AM | 46.6       | 43.0       | 0.0       | 10.4           | 0.0          | 1.1     |                         |                         | 90.1              | 90.2             | -0.60                     | -0.63                    | 0.013                     | 0.018                    | 2.4                 | 2.8                | -3.54                  | -3.07                     | 34.4328810 | -118.6482708 | 1371         | 28.56               |                                                                                     |                                    |
| H-2276B       | 2/2/2026 1:09:47 PM   | 54.2       | 44.2       | 0.0       | 1.6            | 0.0          | 1.2     |                         |                         | 112.0             | 112.3            | -0.90                     | -0.90                    | 0.139                     | 0.177                    | 7.8                 | 8.8                | -8.99                  | -9.05                     | 34.4328682 | -118.6469093 | 1376         | 28.67               |                                                                                     |                                    |
| H-2276B       | 2/18/2026 8:59:55 AM  | 54.2       | 42.8       | 0.0       | 3.0            | 0.0          | 1.3     |                         |                         | 103.3             | 103.3            | -1.78                     | -1.70                    | 0.601                     | 0.479                    | 16.3                | 14.5               | -9.41                  | -8.63                     | 34.4328867 | -118.6469068 | 1371         | 28.55               |                                                                                     |                                    |
| H-2276E       | 2/4/2026 9:36:32 AM   | 49.8       | 45.5       | 0.0       | 4.7            | 0.0          | 1.1     |                         |                         | 122.2             | 122.4            | -0.90                     | -0.90                    | 0.591                     | 0.596                    | 21.3                | 21.4               | -22.78                 | -22.78                    | 34.4327857 | -118.6453480 | 1351         | 28.85               | Valve Adjustment:Audible Flow;Well Condition:Fair                                   |                                    |
| H-2276W       | 2/6/2026 9:52:27 AM   | 18.2       | 77.6       | 0.0       | 4.2            | 0.0          | 0.2     |                         |                         | 73.6              | 74.3             | -0.25                     | -0.21                    | 0.396                     | 0.356                    | 8.3                 | 7.8                | -4.84                  | -4.94                     | 34.4326745 | -118.6499348 | 1321         | 28.78               | Valve Adjustment:Surging Liquid in Header                                           |                                    |
| H-2276W       | 2/21/2026 9:21:12 AM  | 16.1       | 75.7       | 0.0       | 8.2            | 0.0          | 0.2     |                         |                         | 62.6              | 62.6             | -0.94                     | -0.95                    | 0.001                     | 0.003                    | 0.4                 | 0.6                | -9.23                  |                           | 34.4327372 | -118.6497550 | 1339         | 28.69               |                                                                                     |                                    |
| H-2277A       | 2/3/2026 8:00:17 AM   | 46.3       | 50.6       | 0.1       | 3.0            | 30.0         | 0.9     |                         |                         | 62.3              | 62.4             | -4.50                     | -4.59                    | 0.021                     | 0.015                    | 1.9                 | 1.6                | -7.59                  | -7.49                     | 34.4330403 | -118.6487298 | 1346         | 28.81               |                                                                                     |                                    |
| H-2277A       | 2/22/2026 12:07:21 PM | 51.1       | 45.4       | 0.0       | 3.5            | 0.0          | 1.1     |                         |                         | 72.3              | 72.6             | -3.58                     | -3.55                    | 0.015                     | 0.013                    | 1.6                 | 1.5                | -7.61                  | -6.62                     | 34.4330422 | -118.6487460 | 1362         | 28.83               | Valve Adjustment:Plugged/Pinched Suspected;Well Repairs-Sample Port                 |                                    |
| H-2277B       | 2/2/2026 1:01:55 PM   | 53.8       | 42.4       | 0.0       | 3.8            | 0.0          | 1.3     |                         |                         | 112.8             | 112.9            | -0.76                     | -0.75                    | 7.236                     | 6.898                    | 33.7                | 32.9               | -8.43                  | -8.28                     | 34.4330822 | -118.6469145 | 1372         | 28.64               |                                                                                     |                                    |
| H-2277B       | 2/18/2026 8:52:34 AM  | 52.6       | 43.1       | 0.0       | 4.3            | 0.0          | 1.2     |                         |                         | 102.7             | 103.3            | -1.53                     | -1.54                    | 7.964                     | 7.955                    | 35.6                | 35.5               | -9.09                  | -9.20                     | 34.4330763 | -118.6469058 | 1382         | 28.52               |                                                                                     |                                    |
| H-23 (EXP-23) | 2/25/2026 8:54:28 AM  | 63.1       | 30.4       | 0.5       | 6.0            | 12.0         | 2.1     |                         |                         | 77.0              | 79.3             | -1.01                     | -1.30                    | 0.036                     | 0.033                    | 4.5                 | 4.3                | -8.22                  |                           | 34.4370293 | -118.6420925 | 1293         | 28.75               | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less           |                                    |
| H-2301E       | 2/24/2026 9:58:02 AM  | 53.2       | 43.6       | 0.1       | 3.1            | 31.0         | 1.2     |                         |                         | 102.3             | 102.3            | -1.44                     | -1.44                    | 0.913                     | 0.914                    | 28.1                | 28.1               | -9.08                  |                           | 34.4270982 | -118.6479713 | 1037         | 28.93               |                                                                                     |                                    |
| H-2301W       | 2/24/2026 1:43:47 PM  | 15.4       | 12.6       | 13.7      | 58.3           | 4.3          | 1.2     |                         |                         | 96.0              | 96.0             | -9.92                     | -9.91                    | -0.465                    | -0.466                   | 0.0                 | 0.0                | -9.86                  |                           | 34.4283587 | -118.6508380 | 1198         | 28.79               |                                                                                     |                                    |
| H-2301W       | 2/24/2026 1:45:31 PM  | 13.0       | 12.2       | 14.1      | 60.7           | 4.3          | 1.1     |                         |                         | 96.9              | 96.9             | -9.89                     | -9.90                    | -0.472                    | -0.472                   | 0.0                 | 0.0                | -9.86                  |                           | 34.4283975 | -118.6508007 | 1158         | 28.79               |                                                                                     |                                    |
| H-2302C       | 2/3/2026 10:28:42 AM  | 57.7       | 39.4       | 0.0       | 3.0            | 0.0          | 1.5     |                         |                         | 111.9             | 112.0            | -0.87                     | -1.00                    | 0.855                     | 1.070                    | 11.8                | 13.1               | -11.00                 | -10.96                    | 34.4284065 | -118.6490042 | 1134         | 29.09               | Valve Adjustment:Increased Flow/Vacuum                                              |                                    |
| H-2302C       | 2/3/2026 10:34:29 AM  | 56.9       | 40.1       | 0.0       | 2.9            | 0.0          | 1.4     |                         |                         | 112.0             | 112.1            | -1.09                     | -1.69                    | 0.301                     | 0.550                    | 11.5                | 15.6               | -11.43                 | -11.10                    | 34.4284178 | -118.6490205 | 1137         | 29.09               | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum           |                                    |
| H-2302C       | 2/3/2026 10:38:00 AM  | 54.9       | 41.1       | 0.0       | 4.0            | 0.0          | 1.3     |                         |                         | 112.0             | 112.0            | -1.81                     | -1.74                    | 0.603                     | 0.540                    | 16.3                | 15.4               | -11.44                 | -10.85                    | 34.4284108 | -118.6490157 | 1139         | 29.09               |                                                                                     |                                    |
| H-2302E       | 2/24/2026 10:07:01 AM | 54.0       | 42.8       | 0.0       | 3.2            | 0.0          | 1.3     |                         |                         | 97.6              | 97.6             | -2.54                     | -2.54                    | 1.862                     | 1.732                    | 40.4                | 39.0               | -4.20                  |                           | 34.4279412 | -118.6471765 | 1070         | 28.9                |                                                                                     |                                    |
| H-2303E       | 2/24/2026 10:09:34 AM | 53.1       | 42.6       | 0.0       | 4.3            | 0.0          | 1.2     |                         |                         | 82.2              | 82.2             | -3.78                     | -4.23                    | 0.525                     | 0.527                    | 16.1                | 16.1               | -4.00                  |                           | 34.4278953 | -118.6471535 | 1076         | 28.9                |                                                                                     |                                    |
| H-2303N       | 2/5/2026 10:17:19 AM  | 56.1       | 41.9       | 0.0       | 2.0            | 0.0          | 1.3     |                         |                         | 97.7              | 99.7             | 0.01                      | -0.12                    | 0.250                     | 1.154                    | 3.6                 | 7.8                | -10.91                 |                           | 34.4290720 | -118.6484573 | 1125         | 28.88               | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less           |                                    |
| H-2303N       | 2/5/2026 10:19:56 AM  | 55.2       | 42.9       | 0.0       | 1.9            | 0.0          | 1.3     |                         |                         | 100.3             | 100.3            | -0.19                     | -0.18                    | 0.858                     | 0.849                    | 6.7                 | 6.6                | -6.88                  |                           | 34.4290857 | -118.6484052 | 1181         | 28.88               | Reduced System Vacuum,                                                              |                                    |
| H-2304S       | 2/24/2026 10:25:33 AM | 52.0       | 44.4       | 0.0       | 3.6            | 0.0          | 1.2     |                         |                         | 121.0             | 121.0            | -0.19                     | -0.18                    | 5.259                     | 5.263                    | 29.3                | 29.3               | -9.10                  |                           | 34.4275152 | -118.6490005 | 1115         | 28.87               |                                                                                     |                                    |
| H-2305N       | 2/5/2026 10:05:44 AM  | 45.2       | 40.0       | 0.0       | 14.8           | 0.0          | 1.1     |                         |                         | 88.2              | 85.9             | -7.33                     | -6.77                    | 0.006                     | -0.001                   | 1.7                 | 0.0                | -10.65                 |                           | 34.4289830 | -118.6486295 | 1181         | 28.87               | Reduced System Vacuum,                                                              |                                    |
| H-2305S       | 2/24/2026 10:19:59 AM | 52.5       | 43.9       | 0.0       | 3.6            | 0.0          | 1.2     |                         |                         | 121.0             | 126.5            | 1.01                      | -0.13                    | 0.796                     | 4.048                    | 11.5                | 25.7               |                        |                           | 34.4275113 | -118.6485665 | 1073         | 28.9                | NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn |                                    |
| H-2305S       | 2/24/2026 10:22:09 AM | 52.7       | 43.8       | 0.0       | 3.5            | 0.0          | 1.2     |                         |                         | 126.7             | 126.7            | -0.26                     | -0.26                    | 3.938                     | 3.941                    | 25.3                | 25.3               |                        |                           | 34.4275187 | -118.6489780 | 1096         | 28.9                | NSPS/EG CAC,                                                                        |                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                           |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|---------------------|--------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------------------------|
| H-2306N    | 2/23/2026 2:27:18 PM  | 55.7       | 43.1       | 0.0       | 1.2            | 0.0          | 1.3     |                         |                         | 114.3                | 114.9               | 1.16                         | -0.08                       | 0.613                        | 2.830                       | 17.1                | 36.6               | -9.44                     |                              | 34.4293802 | -118.6475215 | 1083         | 28.93                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,Audible Flow                                      |
| H-2306N    | 2/23/2026 2:29:18 PM  | 53.9       | 45.0       | 0.0       | 1.1            | 0.0          | 1.2     |                         |                         | 115.1                | 115.1               | -0.17                        | -0.15                       | 2.441                        | 2.702                       | 33.7                | 35.5               | -9.34                     |                              | 34.4294478 | -118.6475983 | 1135         | 28.93                  | ,                                                                                                  |
| H-2306S    | 2/23/2026 3:58:56 PM  | 18.1       | 15.9       | 13.5      | 52.5           | 3.9          | 1.1     |                         |                         | 84.1                 | 84.2                | -9.72                        | -9.87                       | 0.040                        | 0.033                       | 4.3                 | 4.0                | -10.23                    |                              | 34.4287465 | -118.6480253 | 1102         | 28.94                  | NSPS/EG CAI,Orifice Plate Changed (See OP Log),Other - See Daily Log,High O2                       |
| H-2306S    | 2/23/2026 4:01:56 PM  | 17.4       | 13.1       | 14.1      | 55.4           | 3.9          | 1.3     |                         |                         | 83.0                 | 83.0                | -8.87                        | -8.89                       | 0.047                        | 0.045                       | 4.8                 | 4.7                | -8.89                     |                              | 34.4287165 | -118.6479365 | 1089         | 28.94                  | ,                                                                                                  |
| H-2307S    | 2/3/2026 11:34:16 AM  | 52.3       | 40.8       | 0.0       | 6.9            | 690.0        | 1.3     |                         |                         | 100.4                | 100.4               | -9.44                        | -9.34                       | 0.645                        | 0.742                       | 15.6                | 16.8               | -10.43                    | -10.42                       | 34.4282533 | -118.6498862 | 1133         | 29.09                  | Valve Comment:Fastened fernco;Valve Adjustment:Surging Liquid in Well (Watered In)                 |
| H-2307S    | 2/3/2026 11:36:31 AM  | 52.3       | 40.9       | 0.0       | 6.9            | 0.0          | 1.3     |                         |                         | 100.7                | 100.7               | -9.69                        | -9.46                       | 0.594                        | 0.577                       | 16.2                | 16.0               | -10.68                    | -10.40                       | 34.4282315 | -118.6498747 | 1120         | 29.09                  | Valve Adjustment:Surging Liquid in Well (Watered In);Well Comment:corrected wellhead size          |
| H-2308S    | 2/3/2026 11:20:54 AM  | 54.9       | 41.1       | 0.0       | 4.0            | 0.0          | 1.3     |                         |                         | 111.8                | 111.1               | -2.81                        | -3.08                       | 5.208                        | 3.221                       | 47.7                | 37.6               | -12.17                    | -12.26                       | 34.4282313 | -118.6498752 | 1123         | 29.09                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                |
| H-2308S    | 2/3/2026 11:23:27 AM  | 53.8       | 41.4       | 0.0       | 4.8            | 0.0          | 1.3     |                         |                         | 111.6                | 111.8               | -3.10                        | -3.43                       | 3.125                        | 3.337                       | 49.5                | 51.1               | -11.77                    | -12.75                       | 34.4282390 | -118.6498632 | 1120         | 29.09                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                          |
| H-2308S    | 2/3/2026 11:25:07 AM  | 53.1       | 41.9       | 0.0       | 5.0            | 0.0          | 1.3     |                         |                         | 112.0                | 112.1               | -3.59                        | -3.57                       | 3.140                        | 3.252                       | 49.5                | 50.4               | -12.38                    | -12.62                       | 34.4282370 | -118.6498747 | 1126         | 29.09                  | ,                                                                                                  |
| H-2309N    | 2/4/2026 12:22:58 PM  | 45.4       | 43.2       | 1.6       | 9.8            | 6.1          | 1.1     |                         |                         | 89.1                 | 89.1                | -9.77                        | -9.78                       | -0.081                       | -0.077                      | 0.0                 | 0.0                | -9.96                     |                              | 34.4309115 | -118.6488787 | 1280         | 28.84                  | ,                                                                                                  |
| H-2309S    | 2/3/2026 10:44:04 AM  | 53.4       | 42.2       | 0.0       | 4.4            | 0.0          | 1.3     |                         |                         | 116.1                | 116.1               | -0.38                        | -0.37                       | 0.181                        | 0.178                       | 11.9                | 11.8               | -11.05                    | -11.24                       | 34.4280765 | -118.6489063 | 1116         | 29.12                  | ,                                                                                                  |
| H-2309S    | 2/3/2026 10:45:55 AM  | 52.9       | 42.3       | 0.0       | 4.8            | 0.0          | 1.2     |                         |                         | 116.0                | 116.2               | -0.36                        | -0.36                       | 0.600                        | 0.640                       | 16.3                | 16.8               | -11.29                    | -11.39                       | 34.4280757 | -118.6489088 | 1109         | 29.13                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                          |
| H-2309S    | 2/3/2026 10:47:43 AM  | 52.3       | 43.2       | 0.0       | 4.6            | 0.0          | 1.2     |                         |                         | 116.1                | 116.1               | -0.36                        | -0.36                       | 0.708                        | 0.708                       | 17.7                | 17.7               | -11.44                    | -11.44                       | 34.4280728 | -118.6489088 | 1113         | 29.13                  | ,                                                                                                  |
| H-2401S    | 2/17/2026 11:12:23 AM | 55.4       | 42.2       | 0.0       | 2.4            | 0.0          | 1.3     |                         |                         | 105.7                | 106.2               | 0.78                         | -0.03                       | 0.299                        | 0.511                       | 3.9                 | 5.1                | -11.40                    |                              | 34.4289018 | -118.6511850 | 1201         | 28.8                   | NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                |
| H-2401S    | 2/17/2026 11:14:39 AM | 55.2       | 42.5       | 0.0       | 2.3            | 0.0          | 1.3     |                         |                         | 106.4                | 106.5               | -0.68                        | -0.72                       | 0.527                        | 0.526                       | 5.2                 | 5.2                | -11.08                    |                              | 34.4288705 | -118.6512223 | 1224         | 28.8                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,NSPS/EG CAC                                    |
| H-2401S    | 2/24/2026 1:29:33 PM  | 58.4       | 40.4       | 0.0       | 1.2            | 0.0          | 1.4     |                         |                         | 108.8                | 108.9               | -0.97                        | -1.53                       | 1.047                        | 1.578                       | 7.4                 | 9.1                | -10.19                    |                              | 34.4288787 | -118.6512065 | 1214         | 28.72                  | Increased Flow/Vacuum,                                                                             |
| H-2402N    | 2/3/2026 2:31:05 PM   | 51.4       | 43.8       | 0.0       | 4.8            | 0.0          | 1.2     |                         |                         | 111.2                | 108.4               | -1.53                        | -2.19                       | 2.780                        | 1.223                       | 5.1                 | 3.4                | -10.22                    | -10.03                       | 34.4291198 | -118.6502675 | 1207         | 28.98                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                |
| H-2402N    | 2/3/2026 2:55:39 PM   | 50.0       | 45.2       | 0.0       | 4.8            | 0.0          | 1.1     |                         |                         | 112.7                | 112.8               | -2.56                        | -2.60                       | 0.619                        | 0.652                       | 5.5                 | 5.6                | -10.23                    | -10.57                       | 34.4291260 | -118.6502807 | 1204         | 28.98                  | ,                                                                                                  |
| H-2402S    | 2/17/2026 11:30:13 AM | 53.6       | 42.2       | 0.0       | 4.2            | 0.0          | 1.3     |                         |                         | 105.0                | 105.7               | -2.07                        | -2.44                       | 0.193                        | 0.337                       | 13.0                | 17.1               | -10.29                    |                              | 34.4288398 | -118.6504927 | 1230         | 28.79                  | Audible Flow,Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less             |
| H-2403N    | 2/3/2026 2:22:28 PM   | 51.6       | 43.9       | 0.0       | 4.6            | 0.0          | 1.2     |                         |                         | 113.1                | 113.3               | -0.12                        | -0.15                       | 0.519                        | 0.688                       | 5.1                 | 5.8                | -10.30                    | -10.07                       | 34.4293138 | -118.6501680 | 1219         | 28.97                  | Valve Comment:adjusted wellhead to straighten out flex hose;Valve Adjustment:Increased Flow/Vacuum |
| H-2403N    | 2/3/2026 2:24:18 PM   | 51.1       | 43.7       | 0.0       | 5.2            | 0.0          | 1.2     |                         |                         | 113.5                | 113.3               | -0.15                        | -0.19                       | 0.626                        | 0.646                       | 5.5                 | 5.6                | -9.44                     | -9.65                        | 34.4292992 | -118.6501827 | 1194         | 28.98                  | ,                                                                                                  |
| H-2403S    | 2/3/2026 3:19:30 PM   | 15.7       | 10.2       | 14.3      | 59.9           | 4.2          | 1.5     |                         |                         | 84.6                 | 86.9                | -1.40                        | -0.13                       | 0.001                        | 0.001                       | 0.2                 | 0.2                | -10.22                    | -10.22                       | 34.4287735 | -118.6498978 | 1187         | 28.99                  | Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Barely Open,Plugged/Pinched Suspected   |
| H-2403S    | 2/3/2026 3:21:05 PM   | 15.7       | 10.1       | 14.4      | 59.8           | 4.1          | 1.5     |                         |                         | 89.0                 | 89.5                | -0.11                        | -0.10                       | 0.002                        | 0.005                       | 0.3                 | 0.5                | -10.39                    | -10.04                       | 34.4287748 | -118.6498902 | 1184         | 29.02                  | Valve Adjustment:High O2,Barely Open,Plugged/Pinched Suspected                                     |
| H-2404N    | 2/3/2026 2:06:12 PM   | 53.2       | 42.1       | 0.0       | 4.8            | 0.0          | 1.3     |                         |                         | 108.9                | 109.1               | -0.67                        | -0.78                       | 0.680                        | 1.017                       | 5.8                 | 7.0                | -10.04                    | -10.21                       | 34.4292990 | -118.6495412 | 1200         | 28.98                  | Valve Adjustment:Increased Flow/Vacuum                                                             |
| H-2404N    | 2/3/2026 2:11:02 PM   | 52.5       | 42.8       | 0.0       | 4.8            | 0.0          | 1.2     |                         |                         | 109.3                | 109.5               | -1.00                        | -1.03                       | 1.239                        | 1.242                       | 7.8                 | 7.8                | -10.18                    | -10.16                       | 34.4292955 | -118.6495525 | 1194         | 28.98                  | ,                                                                                                  |
| H-2404S    | 2/3/2026 1:26:00 PM   | 55.7       | 40.4       | 0.0       | 3.9            | 0.0          | 1.4     |                         |                         | 110.9                | 110.9               | -8.73                        | -8.52                       | 0.954                        | 0.870                       | 27.2                | 26.0               | -9.64                     | -9.63                        | 34.4287677 | -118.6493097 | 1169         | 29.02                  | Valve Adjustment:Valve 100% Open                                                                   |
| H-2405N    | 2/5/2026 11:25:04 AM  | 43.3       | 50.5       | 0.0       | 6.2            | 0.0          | 0.9     |                         |                         | 109.1                | 110.4               | 0.24                         | -0.05                       | 0.164                        | 4.698                       | 2.8                 | 14.8               | -4.92                     |                              | 34.4300290 | -118.6496677 | 1217         | 28.74                  | Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                             |
| H-2405N    | 2/5/2026 11:28:27 AM  | 39.4       | 53.9       | 0.0       | 6.7            | 0.0          | 0.7     |                         |                         | 110.2                | 110.2               | -0.09                        | -0.08                       | 3.726                        | 3.825                       | 13.0                | 13.1               | -4.96                     |                              | 34.4301172 | -118.6496205 | 1145         | 28.74                  | ,                                                                                                  |
| H-29       | 2/5/2026 8:37:56 AM   | 33.2       | 41.5       | 0.3       | 25.0           | 83.3         | 0.8     |                         |                         | 126.8                | 126.2               | -1.46                        | -1.38                       | 0.231                        | 0.095                       | 3.3                 | 2.1                | -18.17                    | -18.00                       | 34.4354093 | -118.6417785 | 1291         | 28.81                  | Valve Adjustment:Audible Flow,Decreased Flow/Vacuum;Well Condition:Good                            |
| H-72       | 2/13/2026 3:30:27 PM  | 31.0       | 67.2       | 0.0       | 1.8            | 0.0          | 0.5     |                         |                         | 76.5                 | 76.6                | -0.21                        | -0.21                       | -0.005                       | -0.006                      | 0.0                 | 0.0                | -9.60                     |                              | 34.4370218 | -118.6447358 | 1329         | 28.58                  | ,                                                                                                  |
| H-74       | 2/4/2026 8:11:30 AM   | 55.0       | 42.7       | 0.0       | 2.3            | 0.0          | 1.3     |                         |                         | 105.9                | 106.3               | -5.26                        | -5.74                       | 0.126                        | 0.178                       | 7.4                 | 8.8                | -8.68                     | -8.53                        | 34.4371880 | -118.6432827 | 1303         | 28.87                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                |
| H-75       | 2/9/2026 10:23:17 AM  | 48.7       | 50.4       | 0.0       | 0.9            | 0.0          | 1.0     |                         |                         | 88.2                 | 88.8                | -0.43                        | -0.19                       | 0.071                        | 0.032                       | 1.9                 | 1.3                | -15.32                    | -15.32                       | 34.4363718 | -118.6420663 | 1303         | 28.71                  | Valve Adjustment:Decreased Flow/Vacuum,Barely Open;Well Condition:Good                             |
| H-79       | 2/5/2026 9:41:55 AM   | 43.7       | 51.8       | 0.0       | 4.5            | 0.0          | 0.8     |                         |                         | 128.4                | 128.6               | -0.02                        | -0.02                       | 0.009                        | 0.004                       | 2.7                 | 1.9                | -8.93                     | -8.75                        | 34.4339180 | -118.6427835 | 1315         | 28.78                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                     |
| P-02R      | 2/9/2026 12:41:09 PM  | 37.5       | 33.3       | 0.2       | 29.0           | 145.0        | 1.1     |                         |                         | 85.9                 | 85.9                | -0.67                        | -0.68                       | -0.729                       | -0.730                      | 0.0                 | 0.0                | -15.38                    |                              | 34.4297162 | -118.6439160 | 1194         | 28.77                  | No Adjustment Made,                                                                                |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                               |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------------|
| P-03R      | 2/21/2026 11:43:47 AM | 46.5       | 37.2       | 0.0       | 16.3           | 0.0          | 1.3     |                         |                         | 71.2                 | 71.9                | -0.93                        | -0.93                       | 0.020                        | 0.021                       | 0.5                    | 0.5                   | -19.00                    | -19.09                       | 34.4298563 | -118.6441765 | 1176         | 28.97                  |                                                                                        |
| P-04       | 2/21/2026 11:41:02 AM | 28.1       | 35.9       | 0.0       | 36.0           | 0.0          | 0.8     |                         |                         | 70.7                 | 72.1                | -0.35                        | -0.37                       | 0.347                        | 0.353                       |                        |                       | -11.42                    | -14.11                       | 34.4294795 | -118.6445283 | 1175         | 28.97                  | Valve Adjustment:Surging Liquid in Header                                              |
| P-05       | 2/9/2026 12:30:19 PM  | 49.4       | 39.4       | 0.0       | 11.2           | 0.0          | 1.3     |                         |                         | 100.7                | 104.2               | 0.12                         | -0.01                       | -0.173                       | 0.038                       | 0.0                    | 0.0                   |                           |                              | 34.4291800 | -118.6447822 | 1148         | 28.79                  | NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less |
| P-05       | 2/9/2026 12:32:16 PM  | 43.8       | 37.4       | 0.0       | 18.8           | 0.0          | 1.2     |                         |                         | 105.4                | 105.4               | -0.08                        | -0.09                       | 0.117                        | 0.117                       | 0.0                    | 0.0                   |                           |                              | 34.4291568 | -118.6447725 | 1129         | 28.79                  | No Adjustment Made,NSPS/EG CAC                                                         |
| P-06R      | 2/9/2026 12:21:26 PM  | 50.8       | 36.9       | 0.1       | 12.2           | 122.0        | 1.4     |                         |                         | 107.1                | 108.5               | -0.06                        | -0.13                       | -0.110                       | 0.206                       | 0.0                    | 1.4                   | -12.24                    |                              | 34.4289030 | -118.6450778 | 1115         | 28.8                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-07R      | 2/21/2026 11:10:55 AM | 32.1       | 25.8       | 0.0       | 42.1           | 0.0          | 1.2     |                         |                         | 78.2                 | 78.2                | -1.38                        | -1.38                       | 0.298                        | 0.284                       | 1.7                    | 1.7                   | -18.77                    | -18.75                       | 34.4298093 | -118.6433163 | 1196         | 28.97                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-08R      | 2/9/2026 12:48:48 PM  | 55.0       | 37.0       | 0.0       | 8.0            | 0.0          | 1.5     |                         |                         | 97.9                 | 97.9                | -13.45                       | -13.54                      | 0.025                        | 0.438                       | 2.1                    | 8.7                   | -13.55                    |                              | 34.4294080 | -118.6437098 | 1148         | 28.77                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-09       | 2/21/2026 11:47:36 AM | 53.8       | 37.5       | 0.0       | 8.7            | 0.0          | 1.4     |                         |                         | 89.9                 | 89.9                | -0.52                        | -0.54                       | 0.535                        | 0.538                       |                        |                       | -8.32                     | -7.98                        | 34.4290208 | -118.6442623 | 1178         | 28.99                  |                                                                                        |
| P-10       | 2/21/2026 11:37:28 AM | 36.2       | 30.0       | 0.0       | 33.8           | 0.0          | 1.2     |                         |                         | 85.6                 | 85.9                | -0.55                        | -0.56                       | 2.299                        | 2.430                       | 4.8                    | 4.9                   | -9.12                     | -8.51                        | 34.4287495 | -118.6446133 | 1157         | 29                     |                                                                                        |
| P-11       | 2/21/2026 11:33:05 AM | 46.5       | 37.1       | 0.0       | 16.4           | 0.0          | 1.3     |                         |                         | 93.2                 | 93.1                | -0.43                        | -0.39                       | 1.273                        | 1.344                       | 3.5                    | 3.6                   | -9.10                     | -9.18                        | 34.4285100 | -118.6449613 | 1151         | 29                     |                                                                                        |
| P-12       | 2/10/2026 7:21:33 AM  | 58.3       | 41.7       | 0.0       | 0.0            | 0.0          | 1.4     |                         |                         | 61.8                 | 62.0                | -0.36                        | -0.44                       | 0.083                        | 0.161                       | 2.2                    | 3.0                   | -11.42                    |                              | 34.4288732 | -118.6456012 | 1145         | 28.76                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-13       | 2/10/2026 7:27:11 AM  | 59.2       | 37.7       | 0.0       | 3.1            | 0.0          | 1.6     |                         |                         | 70.5                 | 71.5                | -0.33                        | -0.35                       | 0.679                        | 0.563                       | 6.2                    | 5.7                   | -11.63                    |                              | 34.4284720 | -118.6458343 | 1106         | 28.77                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-14       | 2/10/2026 7:42:16 AM  | 33.3       | 28.0       | 0.3       | 38.4           | 128.0        | 1.2     |                         |                         | 53.7                 | 55.1                | -0.32                        | -0.32                       | 0.329                        | 0.328                       | 0.0                    | 0.0                   |                           |                              | 34.4280275 | -118.6460655 | 1102         | 28.77                  | No Adjustment Made,                                                                    |
| P-15R      | 2/10/2026 8:55:27 AM  | 52.8       | 35.5       | 0.0       | 11.7           | 0.0          | 1.5     |                         |                         | 63.8                 | 64.3                | -1.05                        | -1.02                       | 0.178                        | 0.131                       | 1.4                    | 1.2                   | -9.98                     |                              | 34.4277225 | -118.6459310 | 1158         | 28.8                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-16       | 2/10/2026 8:36:28 AM  | 53.5       | 36.0       | 0.0       | 10.5           | 0.0          | 1.5     |                         |                         | 85.1                 | 85.6                | -2.37                        | -2.39                       | 2.463                        | 2.852                       | 0.0                    | 0.0                   | -9.22                     |                              | 34.4274977 | -118.6456187 | 1115         | 28.81                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-17       | 2/10/2026 8:46:04 AM  | 50.1       | 36.3       | 0.0       | 13.6           | 0.0          | 1.4     |                         |                         | 100.1                | 101.9               | -0.41                        | -0.42                       | 0.423                        | 0.456                       | 0.0                    | 0.0                   | -8.87                     |                              | 34.4274292 | -118.6453403 | 1096         | 28.8                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-18RD     | 2/10/2026 8:18:45 AM  | 57.3       | 39.0       | 0.0       | 3.7            | 0.0          | 1.5     |                         |                         | 68.5                 | 69.0                | -6.27                        | -6.34                       | 0.016                        | 0.019                       | 0.4                    | 0.4                   | -10.55                    |                              | 34.4271270 | -118.6449558 | 1125         | 28.79                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-18RS     | 2/10/2026 8:02:03 AM  | 50.7       | 35.6       | 0.0       | 13.7           | 0.0          | 1.4     |                         |                         | 73.2                 | 74.1                | -0.99                        | -1.00                       | 2.285                        | 3.563                       | 4.9                    | 6.2                   | -10.98                    |                              | 34.4270960 | -118.6449997 | 1086         | 28.8                   | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-19       | 2/10/2026 8:28:52 AM  | 36.1       | 31.0       | 0.0       | 32.9           | 0.0          | 1.2     |                         |                         | 79.8                 | 80.1                | -0.90                        | -0.89                       | 0.411                        | 0.409                       | 8.5                    | 8.5                   | -10.26                    |                              | 34.4269530 | -118.6451528 | 1060         | 28.82                  | No Adjustment Made,                                                                    |
| P-20R      | 2/10/2026 8:25:01 AM  | 53.8       | 35.7       | 0.0       | 10.5           | 0.0          | 1.5     |                         |                         | 88.6                 | 90.7                | -0.85                        | -0.87                       | 2.705                        | 7.163                       | 5.3                    | 8.7                   | -9.03                     |                              | 34.4268402 | -118.6448795 | 1122         | 28.79                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-21       | 2/10/2026 7:55:23 AM  | 48.2       | 34.1       | 0.0       | 17.7           | 0.0          | 1.4     |                         |                         | 86.1                 | 86.1                | -0.70                        | -0.69                       | 0.685                        | 0.632                       | 0.0                    | 0.0                   |                           |                              | 34.4265017 | -118.6447983 | 1106         | 28.79                  | No Adjustment Made,                                                                    |
| P-21RD     | 2/5/2026 8:51:32 AM   | 45.3       | 36.8       | 0.0       | 17.9           | 0.0          | 1.2     |                         |                         | 94.2                 | 95.2                | -1.99                        | -2.22                       | 0.866                        | 1.719                       | 12.2                   | 17.2                  | -8.48                     |                              | 34.4263860 | -118.6443197 | 1099         | 28.94                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,Audible Flow                          |
| P-21RD     | 2/9/2026 7:58:20 AM   | 45.0       | 36.2       | 0.0       | 18.8           | 0.0          | 1.2     |                         |                         | 95.6                 | 96.1                | -2.49                        | -2.60                       | 1.646                        | 1.920                       | 16.9                   | 18.2                  | -7.59                     |                              | 34.4263938 | -118.6444127 | 1178         | 28.91                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-21RS     | 2/5/2026 8:56:28 AM   | 57.3       | 42.7       | 0.0       | 0.0            | 0.0          | 1.3     |                         |                         | 96.2                 | 98.3                | -0.62                        | -0.93                       | 0.008                        | 0.054                       | 1.2                    | 3.1                   | -8.71                     |                              | 34.4263620 | -118.6443710 | 1119         | 28.94                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,Audible Flow                          |
| P-21RS     | 2/9/2026 7:53:57 AM   | 58.0       | 41.5       | 0.0       | 0.5            | 0.0          | 1.4     |                         |                         | 101.0                | 103.3               | -1.46                        | -2.44                       | 0.107                        | 0.396                       | 4.3                    | 8.3                   | -8.51                     |                              | 34.4263593 | -118.6444095 | 1211         | 28.92                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-22RD     | 2/5/2026 7:31:12 AM   | 53.2       | 41.6       | 0.0       | 5.2            | 0.0          | 1.3     |                         |                         | 112.5                | 112.3               | -3.06                        | -3.06                       | 5.875                        | 5.178                       | 4.8                    | 4.5                   | -8.40                     |                              | 34.4269560 | -118.6437630 | 1198         | 28.86                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,Audible Flow                          |
| P-22RS     | 2/5/2026 7:25:44 AM   | 28.5       | 27.4       | 0.0       | 44.1           | 0.0          | 1.0     |                         |                         | 118.3                | 118.6               | -1.24                        | -1.39                       | 2.026                        | 2.103                       | 41.6                   | 42.3                  | -7.57                     |                              | 34.4269595 | -118.6438027 | 1161         | 28.89                  | Increased Flow/Vacuum,                                                                 |
| P-23       | 2/5/2026 9:01:17 AM   | 19.3       | 27.4       | 0.0       | 53.3           | 0.0          | 0.7     |                         |                         | 62.5                 | 63.0                | -0.12                        | -0.21                       | -0.020                       | -0.032                      | 0.0                    | 0.0                   |                           |                              | 34.4261543 | -118.6448417 | 1119         | 28.96                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-24       | 2/5/2026 8:40:56 AM   | 34.1       | 32.7       | 0.0       | 33.2           | 0.0          | 1.0     |                         |                         | 81.7                 | 82.3                | -1.22                        | -1.41                       | 1.084                        | 2.348                       | 7.5                    | 11.0                  | -8.30                     |                              | 34.4260345 | -118.6442877 | 1135         | 28.95                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,Audible Flow                          |
| P-26       | 2/5/2026 8:28:19 AM   | 47.8       | 37.5       | 0.0       | 14.7           | 0.0          | 1.3     |                         |                         | 74.5                 | 75.9                | -3.04                        | -3.58                       | 3.112                        | 3.846                       | 0.0                    | 0.0                   |                           |                              | 34.4263910 | -118.6432218 | 1099         | 28.91                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-27       | 2/5/2026 9:26:52 AM   | 17.9       | 25.3       | 0.0       | 56.8           | 0.0          | 0.7     |                         |                         | 63.7                 | 63.7                | -0.99                        | -0.94                       | 1.030                        | 0.976                       | 0.0                    | 0.0                   |                           |                              | 34.4269757 | -118.6428347 | 1102         | 28.95                  | Opened Valve 1/2 Turn or Less,No Flow Measurement                                      |
| P-28       | 2/5/2026 9:40:13 AM   | 39.4       | 31.4       | 0.0       | 29.2           | 0.0          | 1.3     |                         |                         | 74.7                 | 92.9                | -3.39                        | -3.44                       | 3.467                        | 3.647                       | 0.0                    | 0.0                   |                           |                              | 34.4270047 | -118.6422778 | 1099         | 28.93                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-29R      | 2/5/2026 9:48:14 AM   | 35.4       | 32.0       | 0.0       | 32.6           | 0.0          | 1.1     |                         |                         | 70.8                 | 71.2                | -0.41                        | -0.43                       | 0.028                        | 0.036                       | 2.3                    | 2.5                   | -6.41                     |                              | 34.4272143 | -118.6419470 | 1050         | 28.92                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-29R      | 2/23/2026 7:28:16 AM  | 35.0       | 30.1       | 0.0       | 34.9           | 0.0          | 1.2     |                         |                         | 61.3                 | 62.0                | -0.72                        | -0.82                       | -0.023                       | -0.004                      | 0.0                    | 0.0                   | -7.02                     |                              | 34.4271618 | -118.6418310 | 1161         | 29.02                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                    |
| P-30R      | 2/5/2026 8:20:49 AM   | 35.3       | 33.1       | 0.0       | 31.6           | 0.0          | 1.1     |                         |                         | 70.9                 | 72.5                | -3.56                        | -3.88                       | 0.894                        | 1.162                       | 6.9                    | 7.8                   | -6.47                     |                              | 34.4273982 | -118.6416443 | 1125         | 28.9                   | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-30R      | 2/23/2026 7:34:05 AM  | 29.6       | 29.9       | 0.0       | 40.5           | 0.0          | 1.0     |                         |                         | 70.9                 | 71.1                | -4.75                        | -4.85                       | 1.350                        | 1.443                       | 8.4                    | 8.7                   | -6.44                     |                              | 34.4273903 | -118.6415932 | 1171         | 29.01                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-32R1     | 2/5/2026 8:14:14 AM   | 41.8       | 33.2       | 0.0       | 25.0           | 0.0          | 1.3     |                         |                         | 79.1                 | 83.7                | -0.17                        | -0.35                       | 1.713                        | 3.562                       | 1.3                    | 1.9                   | -6.25                     |                              | 34.4282795 | -118.6410468 | 1138         | 28.85                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-32R1     | 2/23/2026 7:44:23 AM  | 45.7       | 36.3       | 0.0       | 18.0           | 0.0          | 1.3     |                         |                         | 84.7                 | 85.6                | -0.68                        | -0.71                       | 2.899                        | 1.466                       | 1.7                    | 1.2                   | -5.56                     |                              | 34.4282262 | -118.6409950 | 1175         | 28.99                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |
| P-32R2     | 2/5/2026 9:58:11 AM   | 48.8       | 38.0       | 0.0       | 13.2           | 0.0          | 1.3     |                         |                         | 97.5                 | 99.6                | -0.21                        | -0.30                       | 0.157                        | 1.014                       | 2.9                    | 7.3                   | -5.15                     |                              | 34.4284125 | -118.6409912 | 1171         | 28.91                  | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                       |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                            |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|---------------------------------------------------------------------|
| P-32R2     | 2/23/2026 7:49:04 AM  | 38.1       | 34.5       | 0.3       | 27.1           | 90.3         | 1.1     |                         |                         | 104.8                | 106.4               | -1.27                        | -1.34                       | 0.968                        | 2.002                       | 7.0                    | 10.0                  | -5.96                     |                              | 34.4284178 | -118.6409303 | 1191         | 28.99                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-33       | 2/5/2026 10:05:40 AM  | 43.4       | 37.3       | 0.0       | 19.3           | 0.0          | 1.2     |                         |                         | 81.5                 | 82.6                | -1.89                        | -1.98                       | 1.903                        | 2.385                       | 0.0                    | 0.0                   |                           |                              | 34.4288150 | -118.6407513 | 1201         | 28.88                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 Turn or Less,Audible Flow |
| P-36       | 2/5/2026 10:20:39 AM  | 26.9       | 30.9       | 0.0       | 42.2           | 0.0          | 0.9     |                         |                         | 78.8                 | 79.1                | -0.18                        | -0.17                       | 0.245                        | 0.234                       | 0.0                    | 0.0                   |                           |                              | 34.4302172 | -118.6401363 | 1135         | 28.86                  | Opened Valve 1/2 Turn or Less,                                      |
| P-37       | 2/9/2026 8:07:10 AM   | 16.2       | 25.5       | 0.0       | 58.3           | 0.0          | 0.6     |                         |                         | 70.2                 | 70.3                | -0.27                        | -0.22                       | 0.370                        | 0.289                       | 1.2                    | 1.1                   | -4.63                     |                              | 34.4305217 | -118.6403675 | 1273         | 28.8                   |                                                                     |
| P-38RD     | 2/9/2026 8:13:26 AM   | 45.1       | 36.2       | 0.0       | 18.7           | 0.0          | 1.2     |                         |                         | 105.0                | 105.2               | -2.74                        | -2.86                       | 1.141                        | 1.548                       | 31.4                   | 36.6                  | -4.54                     |                              | 34.4299872 | -118.6406577 | 1240         | 28.8                   | Increased Flow/Vacuum,Opened<br>Valve 1/2 Turn or Less              |
| P-38RS     | 2/9/2026 8:18:01 AM   | 40.3       | 34.8       | 0.0       | 24.9           | 0.0          | 1.2     |                         |                         | 99.6                 | 100.5               | -0.65                        | -0.66                       | 0.613                        | 0.628                       | 10.2                   | 10.3                  | -3.23                     |                              | 34.4299885 | -118.6406622 | 1260         | 28.81                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 Turn or Less              |
| P-39       | 2/9/2026 8:28:49 AM   | 55.7       | 41.4       | 0.0       | 2.9            | 0.0          | 1.3     |                         |                         | 61.7                 | 61.8                | -7.33                        | -7.54                       | 0.094                        | -0.073                      | 2.3                    | 0.0                   | -7.16                     |                              | 34.4294697 | -118.6409635 | 1243         | 28.81                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 Turn or Less              |
| P-41       | 2/9/2026 8:33:07 AM   | 43.7       | 35.9       | 0.6       | 19.8           | 33.0         | 1.2     |                         |                         | 110.4                | 110.3               | -3.62                        | -3.65                       | -0.287                       | -0.358                      | 0.0                    | 0.0                   |                           |                              | 34.4288397 | -118.6413717 | 1220         | 28.81                  | No Adjustment Made,                                                 |
| P-42R      | 2/9/2026 8:40:56 AM   | 53.0       | 41.1       | 0.0       | 5.9            | 0.0          | 1.3     |                         |                         | 103.1                | 102.9               | -5.19                        | -5.17                       | -2.357                       | 1.112                       | 0.0                    | 3.3                   | -5.58                     |                              | 34.4284470 | -118.6417232 | 1194         | 28.81                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-42R      | 2/23/2026 8:02:53 AM  | 56.0       | 42.0       | 0.0       | 2.0            | 0.0          | 1.3     |                         |                         | 95.8                 | 96.1                | -5.75                        | -5.67                       | 0.597                        | 0.568                       | 2.4                    | 3.0                   | -6.19                     |                              | 34.4284313 | -118.6417120 | 1211         | 28.94                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-43       | 2/5/2026 8:01:19 AM   | 25.2       | 28.1       | 0.5       | 46.2           | 92.4         | 0.9     |                         |                         | 114.6                | 114.8               | -3.20                        | -3.27                       | 3.210                        | 3.407                       | 0.0                    | 0.0                   |                           |                              | 34.4282987 | -118.6418025 | 1198         | 28.82                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-43       | 2/23/2026 8:07:48 AM  | 25.2       | 27.3       | 0.5       | 47.0           | 94.0         | 0.9     |                         |                         | 112.1                | 112.1               | -3.71                        | -3.72                       | 3.710                        | 3.801                       | 0.0                    | 0.0                   |                           |                              | 34.4282457 | -118.6418470 | 1211         | 28.94                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-44RD     | 2/5/2026 7:52:05 AM   | 47.1       | 34.9       | 0.0       | 18.0           | 0.0          | 1.3     |                         |                         | 73.4                 | 74.6                | -6.54                        | -6.55                       | 0.181                        | 0.100                       | 1.4                    | 1.0                   | -6.60                     |                              | 34.4281165 | -118.6419077 | 1230         | 28.82                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 Turn or Less              |
| P-44RD     | 2/23/2026 8:13:15 AM  | 51.8       | 35.3       | 0.0       | 12.9           | 0.0          | 1.5     |                         |                         | 65.0                 | 65.0                | -6.26                        | -6.25                       | 0.829                        | 0.981                       | 3.0                    | 3.3                   | -6.89                     |                              | 34.4281362 | -118.6418792 | 1220         | 28.94                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-44RS     | 2/5/2026 7:56:46 AM   | 26.0       | 29.8       | 0.0       | 44.2           | 0.0          | 0.9     |                         |                         | 120.0                | 120.4               | -4.03                        | -4.20                       | 1.268                        | 1.773                       | 14.2                   | 16.7                  | -6.52                     |                              | 34.4282205 | -118.6418807 | 1230         | 28.83                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-44RS     | 2/23/2026 8:16:51 AM  | 25.1       | 28.7       | 0.0       | 46.2           | 0.0          | 0.9     |                         |                         | 118.2                | 118.4               | -4.64                        | -4.67                       | 1.855                        | 1.206                       | 14.5                   | 13.8                  | -6.97                     |                              | 34.4281927 | -118.6419203 | 1217         | 28.94                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-45RD     | 2/5/2026 7:44:07 AM   | 43.9       | 37.6       | 0.0       | 18.5           | 0.0          | 1.2     |                         |                         | 103.1                | 105.4               | -2.13                        | -2.49                       | 0.086                        | 0.101                       | 2.1                    | 2.3                   | -7.59                     |                              | 34.4277460 | -118.6424703 | 1234         | 28.82                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-45RD     | 2/23/2026 8:29:29 AM  | 47.7       | 36.4       | 0.0       | 15.9           | 0.0          | 1.3     |                         |                         | 101.3                | 102.0               | -3.22                        | -3.32                       | 0.010                        | 0.203                       | 0.8                    | 3.2                   | -6.22                     |                              | 34.4277420 | -118.6424832 | 1207         | 28.95                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 to 1 Turn                 |
| P-45RS     | 2/5/2026 7:40:05 AM   | 2.4        | 20.4       | 0.0       | 77.2           | 0.0          | 0.1     |                         |                         | 91.9                 | 92.3                | -0.66                        | -0.67                       | 0.391                        | 0.544                       | 1.9                    | 2.2                   | -7.05                     |                              | 34.4278055 | -118.6425165 | 1194         | 28.85                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 Turn or Less              |
| P-45RS     | 2/23/2026 8:26:35 AM  | 2.8        | 17.9       | 0.0       | 79.3           | 0.0          | 0.2     |                         |                         | 83.3                 | 83.4                | -0.76                        | -0.75                       | 0.210                        | 0.208                       | 1.4                    | 1.4                   | -6.29                     |                              | 34.4277277 | -118.6424798 | 1263         | 28.94                  | No Adjustment Made,                                                 |
| P-46RD     | 2/9/2026 8:50:52 AM   | 48.7       | 36.1       | 0.1       | 15.1           | 151.0        | 1.3     |                         |                         | 94.5                 | 94.6                | -5.42                        | -5.42                       | 0.028                        | 0.026                       | 2.2                    | 2.1                   | -5.50                     |                              | 34.4276402 | -118.6426247 | 1257         | 28.81                  | No Adjustment Made,                                                 |
| P-46RS     | 2/9/2026 8:47:57 AM   | 18.2       | 23.7       | 0.0       | 58.1           | 0.0          | 0.8     |                         |                         | 119.2                | 119.4               | -2.05                        | -1.99                       | 3.226                        | 2.760                       | 22.7                   | 21.0                  | -5.59                     |                              | 34.4277255 | -118.6427492 | 1198         | 28.81                  |                                                                     |
| P-47       | 2/9/2026 9:07:16 AM   | 13.6       | 23.7       | 0.9       | 61.8           | 68.7         | 0.6     |                         |                         | 132.6                | 132.6               | -2.41                        | -2.23                       | 2.425                        | 2.224                       | 0.0                    | 0.0                   |                           |                              | 34.4274207 | -118.6432138 | 1230         | 28.81                  | NSPS/EG CAl,High Temp                                               |
| P-47       | 2/9/2026 9:12:05 AM   | 13.0       | 23.0       | 1.0       | 63.0           | 63.0         | 0.6     |                         |                         | 132.6                | 130.7               | -2.16                        | -0.91                       | 2.074                        | 0.948                       | 0.0                    | 0.0                   |                           |                              | 34.4273838 | -118.6432730 | 1237         | 28.81                  | NSPS/EG CAC,                                                        |
| P-48       | 2/9/2026 8:58:49 AM   | 18.0       | 25.7       | 0.0       | 56.3           | 0.0          | 0.7     |                         |                         | 109.2                | 109.3               | -0.38                        | -0.37                       | -0.012                       | -0.013                      | 0.0                    | 0.0                   |                           |                              | 34.4275313 | -118.6435867 | 1230         | 28.82                  | No Adjustment Made,                                                 |
| P-49RD     | 2/9/2026 9:39:05 AM   | 53.2       | 39.0       | 0.0       | 7.8            | 0.0          | 1.4     |                         |                         | 113.4                | 113.5               | -8.25                        | -8.30                       | 1.558                        | 1.549                       | 16.2                   | 16.1                  | -11.02                    |                              | 34.4279913 | -118.6438855 | 1198         | 28.81                  | Increased Flow/Vacuum,Opened<br>Valve 1/2 Turn or Less              |
| P-49RS     | 2/9/2026 9:36:00 AM   | 29.4       | 28.1       | 0.0       | 42.5           | 0.0          | 1.0     |                         |                         | 113.9                | 114.0               | -1.56                        | -1.54                       | 1.115                        | 1.117                       | 22.7                   | 22.7                  | -11.28                    |                              | 34.4279825 | -118.6438423 | 1217         | 28.81                  | No Adjustment Made,                                                 |
| P-52       | 2/9/2026 10:32:38 AM  | 31.8       | 32.1       | 0.0       | 36.1           | 0.0          | 1.0     |                         |                         | 114.6                | 114.6               | -0.20                        | -0.17                       | -4.425                       | -4.367                      | 0.0                    | 0.0                   |                           |                              | 34.4287623 | -118.6431720 | 1257         | 28.78                  | No Adjustment Made,                                                 |
| P-53       | 2/9/2026 10:12:34 AM  | 25.5       | 27.9       | 0.0       | 46.6           | 0.0          | 0.9     |                         |                         | 114.8                | 114.8               | -1.25                        | -1.21                       | 4.584                        | 4.591                       | 14.9                   | 14.9                  | -14.02                    |                              | 34.4290710 | -118.6430647 | 1224         | 28.78                  | No Adjustment Made,                                                 |
| P-54       | 2/9/2026 10:15:52 AM  | 40.8       | 33.6       | 0.0       | 25.6           | 0.0          | 1.2     |                         |                         | 96.8                 | 96.9                | -0.58                        | -0.55                       | 0.030                        | 0.028                       | 0.0                    | 0.0                   |                           |                              | 34.4293953 | -118.6429222 | 1207         | 28.79                  | No Adjustment Made,                                                 |
| P-55       | 2/9/2026 10:06:54 AM  | 34.3       | 31.5       | 0.0       | 34.2           | 0.0          | 1.1     |                         |                         | 95.5                 | 95.5                | -0.33                        | -0.32                       | 0.300                        | 0.300                       | 0.0                    | 0.0                   |                           |                              | 34.4296673 | -118.6427443 | 1201         | 28.78                  | No Adjustment Made,                                                 |
| P-56       | 2/9/2026 10:03:25 AM  | 21.5       | 23.5       | 0.0       | 55.0           | 0.0          | 0.9     |                         |                         | 103.3                | 103.3               | -0.43                        | -0.40                       | 0.036                        | 0.034                       | 0.0                    | 0.0                   |                           |                              | 34.4301063 | -118.6428290 | 1230         | 28.78                  |                                                                     |
| P-57       | 2/9/2026 10:00:04 AM  | 39.0       | 29.9       | 0.9       | 30.2           | 33.6         | 1.3     |                         |                         | 72.5                 | 72.5                | -0.24                        | -0.20                       | -0.024                       | 0.039                       | 0.0                    | 6.0                   | -19.67                    |                              | 34.4299343 | -118.6424887 | 1243         | 28.79                  | No Adjustment Made,                                                 |
| P-60R      | 2/21/2026 11:23:27 AM | 52.9       | 33.9       | 0.5       | 12.7           | 25.4         | 1.6     |                         |                         | 62.9                 | 63.3                | -3.50                        | -3.50                       | 0.039                        | 0.044                       | 1.4                    | 1.5                   | -4.54                     | -4.57                        | 34.4308123 | -118.6415392 | 1251         | 28.88                  |                                                                     |
| P-61       | 2/21/2026 11:19:35 AM | 46.9       | 34.6       | 0.0       | 18.5           | 0.0          | 1.4     |                         |                         | 79.3                 | 79.3                | -0.87                        | -0.87                       | 3.052                        | 3.261                       | 5.5                    | 5.7                   | -4.18                     | -4.31                        | 34.4311195 | -118.6410987 | 1236         | 28.87                  |                                                                     |
| P-65       | 2/5/2026 10:26:16 AM  | 37.5       | 31.2       | 0.0       | 31.3           | 0.0          | 1.2     |                         |                         | 78.7                 | 78.8                | -0.45                        | -0.45                       | 0.323                        | 0.323                       | 1.2                    | 1.2                   | -0.94                     |                              | 34.4305800 | -118.6408028 | 1276         | 28.85                  | No Adjustment Made,                                                 |
| P-71       | 2/9/2026 9:29:19 AM   | 27.9       | 26.3       | 1.2       | 44.6           | 37.2         | 1.1     |                         |                         | 65.5                 | 65.6                | -0.33                        | -0.29                       | 0.216                        | 0.212                       | 0.0                    | 0.0                   |                           |                              | 34.4279488 | -118.6432673 | 1237         | 28.8                   | No Adjustment Made,                                                 |
| P-75       | 2/21/2026 11:16:24 AM | 53.2       | 35.2       | 0.0       | 11.6           | 0.0          | 1.5     |                         |                         | 90.5                 | 90.5                | -4.43                        | -4.42                       | 1.249                        | 1.231                       | 14.4                   | 14.3                  | -5.59                     | -5.57                        | 34.4303333 | -118.6415197 | 1249         | 28.89                  |                                                                     |
| P-76       | 2/9/2026 8:22:17 AM   | 28.4       | 30.0       | 0.2       | 41.4           | 207.0        | 0.9     |                         |                         | 91.4                 | 91.8                | -1.02                        | -1.02                       | -1.133                       | -0.947                      | 0.0                    | 0.0                   | -2.76                     |                              | 34.4302215 | -118.6404412 | 1237         | 28.81                  | No Adjustment Made,                                                 |
| SC-2000E   | 2/4/2026 9:37:26 AM   | 53.2       | 40.7       | 0.0       | 6.1            | 0.0          | 1.3     |                         |                         | 116.6                | 116.7               | -3.27                        | -3.76                       | 0.620                        | 0.840                       | 5.6                    | 6.5                   | -12.44                    |                              | 34.4305902 | -118.6468133 | 1220         | 28.92                  |                                                                     |
| SC-2501E   | 2/2/2026 9:00:00 AM   |            |            |           |                |              |         | 1120                    |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | AtmAA                                                               |
| SC-2501E   | 2/2/2026 9:08:11 AM   | 13.7       | 51.7       | 7.2       | 27.4           | 3.8          | 0.3     |                         |                         | 174.9                | 170.1               | -0.74                        | -0.43                       | 2.563                        | 0.002                       | 20.8                   | 0.5                   | -14.36                    | -13.71                       | 34.4366773 | -118.6479150 | 1346         | 28.7                   | Valve Adjustment:High<br>Temp,Decreased<br>Flow/Vacuum,Barely Open  |
| SC-2501E   | 2/2/2026 9:11:19 AM   | 14.3       | 50.8       | 7.8       | 27.1           | 3.5          | 0.3     |                         |                         | 167.9                | 164.4               | -0.43                        | -0.43                       | 0.004                        | 0.001                       | 0.8                    | 0.3                   | -14.05                    | -13.08                       | 34.4366912 | -118.6479205 | 1341         | 28.7                   | Valve Adjustment:High Temp,Barely<br>Open                           |
| SC-2501E   | 2/9/2026 9:59:58 AM   | 4.1        | 72.8       | 2.1       | 21.0           | 10.0         | 0.1     |                         |                         | 101.4                | 100.2               | -0.31                        | -0.22                       | 0.127                        | 0.037                       | 4.6                    | 2.5                   | -11.38                    | -11.65                       | 34.4367120 | -118.6478995 | 1358         | 28.67                  |                                                                     |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                 |                                                                          |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|--------------------------------------------------------------------------|--------------------------------------------------------------------------|
|            |                       |            |            |           |                |              |         |                         |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp |                                                                          |
| SC-2501E   | 2/17/2026 8:06:16 AM  | 3.1        | 67.6       | 4.1       | 25.2           | 6.1          | 0.0     |                         |                         | 157.3             | 159.8            | -0.28                     | -0.27                    | 0.091                     | 0.077                    | 20.4                | 18.8               | -10.74                 | -10.40                    | 34.4366982 | -118.6479330 | 1346         | 28.59               | AtmAA                                                                    |                                                                          |
| SC-2501E   | 2/17/2026 8:10:00 AM  |            |            |           |                |              |         | 1180                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                          | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp             |
| SC-2501E   | 2/23/2026 8:52:18 AM  | 3.2        | 76.4       | 1.9       | 18.5           | 9.7          | 0.0     |                         |                         | 182.7             | 182.4            | -0.15                     | -0.13                    | 0.926                     | 0.668                    | 64.0                | 54.4               | -9.27                  | -9.30                     | 34.4367070 | -118.6479067 | 1352         | 28.8                | Valve Adjustment:High Temp,Decreased Flow/Vacuum,Barely Open             |                                                                          |
| SC-2501W   | 2/2/2026 9:29:56 AM   | 12.1       | 67.6       | 2.0       | 18.3           | 9.2          | 0.2     |                         |                         | 177.7             | 176.5            | -0.88                     | -0.33                    | 6.595                     | 0.030                    | 30.6                | 2.1                | -12.50                 | -12.40                    | 34.4367870 | -118.6485240 | 1353         | 28.7                | AtmAA; [User entered 14.97%]                                             |                                                                          |
| SC-2501W   | 2/2/2026 9:30:00 AM   |            |            |           |                |              |         | 149700                  |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                          | AtmAA                                                                    |
| SC-2501W   | 2/2/2026 9:30:00 AM   |            |            |           |                |              |         | 1730                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                          | Valve Adjustment:High Temp,Barely Open                                   |
| SC-2501W   | 2/2/2026 9:30:53 AM   | 12.3       | 69.5       | 1.8       | 16.4           | 9.1          | 0.2     |                         |                         | 175.5             | 175.3            | -0.33                     | -0.32                    | 0.021                     | 0.011                    | 1.7                 | 1.2                | -12.52                 | -12.83                    | 34.4367888 | -118.6485505 | 1354         | 28.68               | Valve Adjustment:High Temp                                               |                                                                          |
| SC-2501W   | 2/9/2026 10:19:51 AM  | 2.5        | 80.3       | 0.0       | 17.2           | 0.0          | 0.0     |                         |                         | 181.8             | 181.6            | -1.11                     | -1.06                    | 1.141                     | 1.094                    |                     |                    | -12.33                 | -12.26                    | 34.4367787 | -118.6485407 | 1370         | 28.64               | AtmAA                                                                    |                                                                          |
| SC-2501W   | 2/9/2026 10:20:00 AM  |            |            |           |                |              |         | 1140                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                          | Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp |
| SC-2501W   | 2/17/2026 8:36:47 AM  | 2.0        | 63.8       | 4.8       | 29.4           | 6.1          | 0.0     |                         |                         | 179.9             | 179.9            | -0.48                     | -0.47                    | 0.480                     | 0.467                    | 8.3                 | 8.1                | -9.61                  | -9.59                     | 34.4367718 | -118.6485455 | 1361         | 28.59               | AtmAA                                                                    |                                                                          |
| SC-2501W   | 2/17/2026 8:40:00 AM  |            |            |           |                |              |         | 1330                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                          | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp             |
| SC-2501W   | 2/23/2026 9:11:35 AM  | 4.1        | 79.4       | 1.1       | 15.4           | 14.0         | 0.1     |                         |                         | 179.3             | 181.1            | -0.08                     | -0.08                    | 0.028                     | 0.029                    | 2.0                 | 2.0                | -7.37                  | -7.35                     | 34.4367800 | -118.6485700 | 1370         | 28.81               |                                                                          |                                                                          |
| SW-10      | 2/23/2026 1:36:27 PM  | 22.3       | 31.1       | 0.9       | 45.7           | 50.8         | 0.7     |                         |                         | 80.4              | 80.3             | -6.66                     | -6.67                    | -0.554                    | -0.553                   | 0.0                 | 0.0                | -6.62                  |                           | 34.4370167 | -118.6503863 | 1329         | 28.72               | ,<br>Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                 |                                                                          |
| SW-115     | 2/25/2026 10:12:04 AM | 49.7       | 38.4       | 0.0       | 11.9           | 0.0          | 1.3     |                         |                         | 82.1              | 82.1             | -4.77                     | -4.77                    | 0.483                     | 0.492                    | 9.3                 | 9.3                | -11.20                 |                           | 34.4348617 | -118.6412000 | 1220         | 28.8                | Valve Adjustment:Reduce Sys. Vac. - Flare Down                           |                                                                          |
| SW-1445    | 2/10/2026 10:02:08 AM | 6.3        | 12.4       | 8.3       | 73.0           | 8.8          | 0.5     |                         |                         | 64.3              | 64.3             | -0.93                     | -0.93                    | 0.008                     | 0.007                    | 2.7                 | 2.4                | -0.45                  | -0.54                     | 34.4325293 | -118.6519860 | 1205         | 28.71               |                                                                          |                                                                          |
| SW-1445    | 2/12/2026 12:00:10 PM | 7.7        | 12.8       | 8.5       | 71.0           | 8.4          | 0.6     |                         |                         | 74.6              | 74.7             | -0.63                     | -0.62                    | 0.035                     | 0.014                    | 5.4                 | 3.4                | -0.46                  | -0.61                     | 34.4324902 | -118.6519633 | 1232         | 28.86               |                                                                          |                                                                          |
| SW-1445    | 2/13/2026 12:50:05 PM | 8.5        | 11.8       | 8.3       | 71.4           | 8.6          | 0.7     |                         |                         | 75.7              | 75.7             | -0.55                     | -0.55                    | 0.025                     | 0.030                    | 4.5                 | 5.0                | -0.44                  | -0.47                     | 34.4325122 | -118.6519863 | 1203         | 28.78               |                                                                          |                                                                          |
| SW-1445    | 2/20/2026 12:31:22 PM | 10.3       | 15.5       | 7.1       | 67.1           | 9.5          | 0.7     |                         |                         | 61.6              | 62.2             | -0.96                     | -0.92                    | 0.003                     | 0.005                    | 1.7                 | 2.1                | -0.68                  | -0.71                     | 34.4325292 | -118.6519742 | 1225         | 28.74               | Valve Adjustment:Decreased Flow/Vacuum                                   |                                                                          |
| SW-1445    | 2/20/2026 12:33:32 PM | 10.1       | 13.9       | 7.2       | 68.8           | 9.6          | 0.7     |                         |                         | 62.6              | 62.7             | -0.95                     | -0.95                    | 0.009                     | 0.012                    | 2.9                 | 3.2                | -0.69                  | -0.69                     | 34.4325160 | -118.6519798 | 1227         | 28.72               |                                                                          |                                                                          |
| SW-1445    | 2/20/2026 12:57:49 PM | 9.9        | 13.6       | 7.2       | 69.3           | 9.6          | 0.7     |                         |                         | 60.4              | 60.8             | -0.90                     | -0.92                    | 0.004                     | 0.001                    | 1.9                 | 1.1                | -0.86                  | -0.83                     | 34.4325240 | -118.6519652 | 1234         | 28.72               | Valve Adjustment:Increased Flow/Vacuum                                   |                                                                          |
| SW-1445    | 2/23/2026 10:03:50 AM | 6.2        | 10.5       | 8.8       | 74.5           | 8.5          | 0.6     |                         |                         | 77.2              | 77.3             | -0.10                     | -0.10                    | 0.006                     | 0.006                    | 2.3                 | 2.3                | 0.02                   | 0.02                      | 34.4325347 | -118.6520243 | 1215         | 28.98               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                           |                                                                          |
| SW-1445    | 2/24/2026 8:32:59 AM  | 10.6       | 12.3       | 7.4       | 69.7           | 9.5          | 0.9     |                         |                         | 68.5              | 68.5             | -1.12                     | -1.11                    | 0.022                     | 0.012                    | 4.3                 | 3.2                | -1.26                  | -1.28                     | 34.4325022 | -118.6520007 | 1207         | 28.83               | Valve Comment:4 inch vacuum lateral watered in                           |                                                                          |
| SW-1445    | 2/25/2026 10:05:51 AM | 10.5       | 14.5       | 5.1       | 70.0           | 13.8         | 0.7     |                         |                         | 85.4              | 86.2             | -0.47                     | -0.45                    | 0.008                     | 0.023                    | 2.6                 | 4.3                | -0.36                  | -0.38                     | 34.4324805 | -118.6519942 | 1215         | 28.83               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                           |                                                                          |
| SW-1445    | 2/26/2026 12:23:24 PM | 12.7       | 15.3       | 5.2       | 66.8           | 12.8         | 0.8     |                         |                         | 81.3              | 81.4             | -3.98                     | -3.84                    | 0.036                     | 0.011                    | 5.4                 | 3.0                | -4.07                  | -3.82                     | 34.4324938 | -118.6520058 | 1220         | 28.85               | Valve Adjustment:Increased Flow/Vacuum,Valve 100% Open                   |                                                                          |
| SW-1445    | 2/26/2026 12:25:02 PM | 12.3       | 15.5       | 5.2       | 67.0           | 12.9         | 0.8     |                         |                         | 81.5              | 81.9             | -4.40                     | -4.12                    | 0.016                     | 0.032                    | 3.6                 | 5.1                | -4.52                  | -4.15                     | 34.4325268 | -118.6520037 | 1205         | 28.86               | Valve Adjustment:Valve 100% Open                                         |                                                                          |
| SW-1445    | 2/27/2026 9:51:02 AM  | 8.9        | 11.8       | 9.6       | 69.7           | 7.3          | 0.8     |                         |                         | 84.2              | 84.1             | -4.60                     | -4.60                    | 0.616                     | 0.616                    | 5.6                 | 5.6                | -4.53                  |                           | 34.4325205 | -118.6520105 | 1224         | 28.79               | ,                                                                        |                                                                          |
| SW-1455    | 2/10/2026 9:56:51 AM  | 21.1       | 20.8       | 5.4       | 52.7           | 9.8          | 1.0     |                         |                         | 66.3              | 66.3             | -0.95                     | -0.95                    | 0.028                     | 0.025                    | 4.9                 | 4.6                | -0.46                  | -0.46                     | 34.4323865 | -118.6518993 | 1217         | 28.71               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                           |                                                                          |
| SW-1455    | 2/12/2026 11:55:45 AM | 20.7       | 20.0       | 5.8       | 53.5           | 9.2          | 1.0     |                         |                         | 76.6              | 77.0             | -0.94                     | -0.94                    | 0.351                     | 0.351                    | 17.2                | 17.1               | -0.60                  | -0.59                     | 34.4323925 | -118.6519113 | 1237         | 28.88               |                                                                          |                                                                          |
| SW-1455    | 2/13/2026 12:44:51 PM | 22.0       | 20.1       | 5.6       | 52.3           | 9.3          | 1.1     |                         |                         | 79.5              | 79.4             | -0.55                     | -0.55                    | 0.007                     | 0.011                    | 2.4                 | 3.0                | -0.44                  | -0.47                     | 34.4323842 | -118.6519220 | 1220         | 28.78               |                                                                          |                                                                          |
| SW-1455    | 2/20/2026 12:23:53 PM | 22.5       | 25.6       | 4.1       | 47.8           | 11.7         | 0.9     |                         |                         | 69.6              | 70.4             | -0.95                     | -0.95                    | 0.005                     | 0.006                    | 2.0                 | 2.3                | -0.70                  | -0.70                     | 34.4323963 | -118.6519207 | 1205         | 28.75               | Valve Adjustment:Valve 100% Closed,Plugged/Pinched Suspected             |                                                                          |
| SW-1455    | 2/20/2026 1:02:43 PM  | 25.2       | 24.4       | 3.8       | 46.6           | 12.3         | 1.0     |                         |                         | 68.3              | 68.6             | -0.86                     | -0.88                    | 0.001                     | 0.004                    | 1.1                 | 1.9                | -0.79                  | -0.78                     | 34.4324207 | -118.6519207 | 1233         | 28.74               | Valve Adjustment:Increased Flow/Vacuum                                   |                                                                          |
| SW-1455    | 2/23/2026 9:57:35 AM  | 17.6       | 17.3       | 5.3       | 59.9           | 11.4         | 1.0     |                         |                         | 77.6              | 78.3             | -0.16                     | -0.16                    | 0.024                     | 0.025                    | 4.5                 | 4.6                | 0.01                   | 0.03                      | 34.4324210 | -118.6519488 | 1219         | 28.98               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                           |                                                                          |
| SW-1455    | 2/24/2026 8:24:15 AM  | 23.9       | 26.6       | 4.2       | 45.3           | 10.7         | 0.9     |                         |                         | 72.0              | 72.0             | -1.15                     | -1.09                    | 0.008                     | 0.002                    | 2.5                 | 1.1                | -1.05                  | -1.05                     | 34.4324127 | -118.6519133 | 1223         | 28.83               | Valve Comment:4 inch vacuum lateral watered in                           |                                                                          |
| SW-1455    | 2/25/2026 10:00:04 AM | 24.8       | 26.2       | 2.9       | 46.1           | 16.1         | 0.9     |                         |                         | 80.8              | 81.3             | -0.48                     | -0.48                    | 0.010                     | 0.012                    | 2.9                 | 3.1                | -0.39                  | -0.38                     | 34.4323910 | -118.6519113 | 1233         | 28.83               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                           |                                                                          |
| SW-1455    | 2/26/2026 12:13:39 PM | 28.1       | 22.8       | 2.6       | 46.5           | 17.9         | 1.2     |                         |                         | 86.2              | 86.3             | -3.26                     | -3.37                    | 0.004                     | 0.018                    | 1.9                 | 3.8                | -3.20                  | -3.28                     | 34.4324197 | -118.6519213 | 1217         | 28.87               | Valve Adjustment:Valve 100% Open                                         |                                                                          |
| SW-1455    | 2/27/2026 9:57:33 AM  | 20.2       | 19.2       | 6.5       | 54.1           | 8.3          | 1.1     |                         |                         | 87.7              | 87.8             | -4.74                     | -4.77                    | 0.608                     | 0.608                    | 5.6                 | 5.6                | -5.09                  |                           | 34.4324098 | -118.6518943 | 1201         | 28.78               | ,                                                                        |                                                                          |
| SW-154     | 2/25/2026 1:25:06 PM  | 0.2        | 1.6        | 21.1      | 77.1           | 3.7          | 0.1     |                         |                         | 92.4              | 92.8             | -5.86                     | -5.81                    | 5.683                     | 5.675                    | 0.0                 | 0.0                |                        |                           | 34.4379523 | -118.6455862 | 1263         | 28.66               | No Adjustment Made,<br>Valve Adjustment:Reduce Sys. Vac. - Flare Down    |                                                                          |
| SW-17-135  | 2/10/2026 9:59:55 AM  | 29.6       | 28.5       | 0.0       | 41.9           | 0.0          | 1.0     |                         |                         | 63.7              | 63.2             | -0.95                     | -0.94                    | 0.005                     | 0.005                    | 2.1                 | 2.0                | -0.50                  | -0.50                     | 34.4324568 | -118.6519990 | 1212         | 28.71               |                                                                          |                                                                          |
| SW-17-135  | 2/12/2026 11:57:49 AM | 34.3       | 30.6       | 0.0       | 35.1           | 0.0          | 1.1     |                         |                         | 78.1              | 78.8             | -0.82                     | -0.82                    | 0.175                     | 0.175                    | 12.1                | 12.1               | -0.58                  | -0.58                     | 34.4324780 | -118.6520308 | 1240         | 28.86               |                                                                          |                                                                          |
| SW-17-135  | 2/13/2026 12:47:59 PM | 31.8       | 27.6       | 0.1       | 40.5           | 405.0        | 1.2     |                         |                         | 79.5              | 80.2             | -0.55                     | -0.55                    | 0.003                     | 0.002                    | 1.7                 | 1.1                | -0.44                  | -0.47                     | 34.4324582 | -118.6519998 | 1213         | 28.78               |                                                                          |                                                                          |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                       |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|----------------------------------------------------------------------------------------------------------------|
| SW-17-135  | 2/20/2026 12:28:10 PM | 35.0       | 30.6       | 0.0       | 34.4           | 0.0          | 1.1     |                         |                         | 68.2                 | 69.5                | -0.98                        | -0.95                       | 0.005                        | 0.001                       | 2.1                    | 0.8                   | -0.63                     | -0.68                        | 34.4324770 | -118.6520087 | 1231         | 28.74                  | Valve Adjustment:Decreased Flow/Vacuum                                                                         |
| SW-17-135  | 2/20/2026 12:28:51 PM | 35.1       | 30.7       | 0.0       | 34.2           | 0.0          | 1.1     |                         |                         | 69.6                 | 69.7                | -0.90                        | -0.91                       | 0.019                        | 0.001                       | 4.0                    | 0.8                   | -0.67                     | -0.65                        | 34.4324638 | -118.6519932 | 1223         | 28.75                  | Valve Adjustment:Surging Liquid in Header                                                                      |
| SW-17-135  | 2/20/2026 1:00:17 PM  | 35.6       | 29.5       | 0.1       | 34.8           | 348.0        | 1.2     |                         |                         | 68.7                 | 69.0                | -0.84                        | -0.84                       | 0.029                        | 0.019                       | 5.0                    | 4.0                   | -0.80                     | -0.79                        | 34.4324872 | -118.6520017 | 1233         | 28.75                  | Valve Adjustment:Increased Flow/Vacuum                                                                         |
| SW-17-135  | 2/23/2026 10:01:17 AM | 20.6       | 18.5       | 5.1       | 55.9           | 11.0         | 1.1     |                         |                         | 72.5                 | 72.5                | -0.14                        | -0.14                       | 0.022                        | 0.021                       | 4.3                    | 4.2                   | -0.03                     | -0.08                        | 34.4325052 | -118.6519938 | 1209         | 28.99                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                 |
| SW-17-135  | 2/24/2026 8:28:28 AM  | 35.8       | 31.5       | 0.0       | 32.7           | 0.0          | 1.1     |                         |                         | 69.7                 | 69.8                | -1.15                        | -1.11                       | 0.059                        | 0.017                       | 7.1                    | 3.8                   | -1.05                     | -1.05                        | 34.4324610 | -118.6520118 | 1213         | 28.83                  | Valve Comment:4 inch vacuum lateral watered in                                                                 |
| SW-17-135  | 2/25/2026 10:02:21 AM | 35.4       | 32.5       | 0.0       | 32.1           | 0.0          | 1.1     |                         |                         | 77.5                 | 77.6                | -0.49                        | -0.49                       | 0.027                        | 0.005                       | 4.8                    | 2.0                   | -0.36                     | -0.36                        | 34.4324745 | -118.6519850 | 1216         | 28.83                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                 |
| SW-17-135  | 2/26/2026 12:18:11 PM | 35.9       | 27.7       | 0.0       | 36.4           | 0.0          | 1.3     |                         |                         | 85.7                 | 85.2                | -3.59                        | -4.21                       | 0.012                        | 0.005                       | 3.2                    | 2.1                   | -4.24                     | -4.25                        | 34.4324793 | -118.6520115 | 1220         | 28.87                  | Valve Adjustment:Increased Flow/Vacuum                                                                         |
| SW-17-135  | 2/26/2026 12:19:24 PM | 35.2       | 28.3       | 0.0       | 36.5           | 0.0          | 1.2     |                         |                         | 85.7                 | 85.7                | -3.52                        | -3.48                       | 0.011                        | 0.027                       | 3.1                    | 4.7                   | -3.47                     | -3.45                        | 34.4324823 | -118.6519847 | 1215         | 28.87                  | Valve Adjustment:Valve 100% Open                                                                               |
| SW-17-135  | 2/27/2026 9:54:07 AM  | 31.8       | 26.7       | 0.6       | 40.9           | 68.2         | 1.2     |                         |                         | 84.3                 | 84.3                | -4.02                        | -4.00                       | 0.558                        | 0.561                       | 9.9                    | 9.9                   | -3.75                     |                              | 34.4325115 | -118.6519830 | 1168         | 28.78                  |                                                                                                                |
| SW-187     | 2/10/2026 2:26:29 PM  | 13.9       | 29.0       | 10.6      | 46.5           | 4.4          | 0.5     |                         |                         | 68.6                 | 67.4                | -3.82                        | -3.83                       | 0.002                        | 0.001                       | 2.6                    | 1.8                   | -3.39                     | -3.39                        | 34.4372518 | -118.6473720 | 1318         | 28.52                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                 |
| SW-1930    | 2/10/2026 2:12:40 PM  | 26.4       | 39.8       | 4.6       | 29.2           | 6.3          | 0.7     |                         |                         | 79.4                 | 81.2                | -6.14                        | -6.12                       | 0.015                        | 0.024                       | 3.6                    | 4.4                   | -5.85                     | -5.84                        | 34.4352998 | -118.6516200 | 1291         | 28.59                  | Valve Adjustment:Valve 100% Open                                                                               |
| SW-20      | 2/21/2026 11:05:59 AM | 0.4        | 6.2        | 14.9      | 78.5           | 5.3          | 0.1     |                         |                         | 77.0                 | 76.5                | -0.21                        | -0.21                       | 0.002                        | 0.002                       | 0.1                    | 0.1                   | -18.27                    | -18.27                       | 34.4302360 | -118.6436462 | 1185         | 28.97                  |                                                                                                                |
| SW-25      | 2/10/2026 9:42:59 AM  | 17.4       | 29.0       | 1.9       | 51.7           | 27.2         | 0.6     |                         |                         | 62.0                 | 61.5                | -6.02                        | -2.87                       | 0.038                        | 0.003                       | 5.7                    | 1.5                   | -5.83                     | -6.00                        | 34.4351848 | -118.6517152 | 1261         | 28.63                  | Valve Adjustment:Decreased Flow/Vacuum,Valve 100% Closed,Reduce Sys. Vac. - Flare Down                         |
| SW-25      | 2/10/2026 9:44:47 AM  | 2.5        | 9.1        | 18.4      | 70.0           | 3.8          | 0.3     |                         |                         | 61.5                 | 61.4                | -2.88                        | -2.88                       | 0.008                        | 0.008                       | 2.6                    | 2.6                   | -5.91                     | -5.91                        | 34.4351892 | -118.6516895 | 1269         | 28.63                  | Valve Adjustment:Valve 100% Closed                                                                             |
| SW-25      | 2/10/2026 2:06:26 PM  | 6.5        | 11.2       | 14.0      | 68.3           | 4.9          | 0.6     |                         |                         | 67.7                 | 66.0                | -2.88                        | -5.13                       | 0.005                        | 0.074                       | 2.0                    | 7.9                   | -5.02                     | -5.04                        | 34.4351912 | -118.6516855 | 1284         | 28.61                  | Valve Adjustment:Increased Flow/Vacuum                                                                         |
| SW-25      | 2/11/2026 9:48:52 AM  | 17.3       | 34.5       | 1.8       | 46.4           | 25.9         | 0.5     |                         |                         | 61.5                 | 61.4                | -6.48                        | -6.50                       | 0.013                        | 0.008                       | 3.4                    | 2.6                   | -6.55                     | -6.61                        | 34.4352000 | -118.6517063 | 1262         | 28.79                  | Valve Comment:decreased valve by half turn;Valve Adjustment:Decreased Flow/Vacuum                              |
| SW-25      | 2/11/2026 9:49:44 AM  | 16.8       | 34.3       | 1.7       | 47.2           | 27.6         | 0.5     |                         |                         | 61.3                 | 61.3                | -6.50                        | -6.50                       | 0.008                        | 0.011                       | 2.6                    | 3.0                   | -6.71                     | -6.55                        | 34.4352113 | -118.6516967 | 1259         | 28.79                  |                                                                                                                |
| SW-25      | 2/12/2026 9:55:39 AM  | 14.8       | 29.3       | 2.4       | 53.5           | 22.3         | 0.5     |                         |                         | 64.1                 | 63.8                | -6.75                        | -6.54                       | 0.382                        | 0.186                       | 17.9                   | 12.6                  | -6.06                     | -6.07                        | 34.4351827 | -118.6517058 | 1263         | 28.83                  | Valve Adjustment:Decreased Flow/Vacuum                                                                         |
| SW-25      | 2/12/2026 9:56:29 AM  | 14.8       | 30.9       | 2.4       | 51.9           | 21.6         | 0.5     |                         |                         | 63.6                 | 63.3                | -6.38                        | -6.38                       | 0.062                        | 0.050                       | 7.2                    | 6.5                   | -6.06                     | -6.06                        | 34.4351977 | -118.6517090 | 1265         | 28.83                  |                                                                                                                |
| SW-25      | 2/13/2026 8:42:00 AM  | 15.5       | 32.5       | 2.3       | 49.7           | 21.6         | 0.5     |                         |                         | 60.1                 | 59.6                | -6.12                        | -6.03                       | 0.042                        | 0.080                       | 6.0                    | 8.3                   | -6.28                     | -6.16                        | 34.4351698 | -118.6517270 | 1284         | 28.71                  | Valve Adjustment:Decreased Flow/Vacuum                                                                         |
| SW-25      | 2/13/2026 8:43:54 AM  | 14.9       | 32.5       | 2.4       | 50.2           | 20.9         | 0.5     |                         |                         | 59.9                 | 60.2                | -6.08                        | -6.08                       | 0.077                        | 0.087                       | 8.1                    | 8.6                   | -6.36                     | -6.36                        | 34.4351543 | -118.6517272 | 1273         | 28.71                  |                                                                                                                |
| SW-25      | 2/17/2026 9:11:35 AM  | 15.9       | 32.3       | 2.3       | 49.5           | 21.2         | 0.5     |                         |                         | 53.3                 | 53.3                | -7.31                        | -6.80                       | 0.043                        | 0.015                       | 6.1                    | 3.6                   | -7.38                     | -6.94                        | 34.4351618 | -118.6517110 | 1252         | 28.72                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum                                      |
| SW-25      | 2/17/2026 9:16:10 AM  | 14.6       | 33.1       | 3.0       | 49.2           | 16.3         | 0.4     |                         |                         | 53.1                 | 53.2                | -6.71                        | -6.71                       | 0.014                        | 0.015                       | 1.6                    | 1.6                   | -6.88                     | -6.84                        | 34.4351618 | -118.6517065 | 1264         | 28.72                  |                                                                                                                |
| SW-25      | 2/18/2026 8:58:28 AM  | 15.0       | 32.5       | 2.2       | 50.3           | 22.6         | 0.5     |                         |                         | 52.6                 | 52.7                | -6.04                        | -6.19                       | 0.042                        | 0.012                       | 2.7                    | 1.5                   | -5.96                     | -6.06                        | 34.4351655 | -118.6517000 | 1247         | 28.68                  | Valve Comment:decreased flow by half turn;Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down |
| SW-25      | 2/18/2026 8:59:31 AM  | 14.7       | 33.4       | 2.1       | 49.9           | 24.1         | 0.4     |                         |                         | 52.9                 | 52.9                | -6.08                        | -6.04                       | 0.014                        | 0.018                       | 1.6                    | 1.8                   | -6.04                     | -6.04                        | 34.4351730 | -118.6517108 | 1252         | 28.68                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                 |
| SW-25      | 2/19/2026 7:49:56 AM  | 15.8       | 32.3       | 2.6       | 49.3           | 19.3         | 0.5     |                         |                         | 44.9                 | 44.7                | -6.38                        | -5.06                       | 0.018                        | 0.012                       | 1.8                    | 1.5                   | -6.38                     | -6.28                        | 34.4351722 | -118.6517065 | 1254         | 28.6                   | Valve Comment:decreased valve two full turns;Valve Adjustment:Decreased Flow/Vacuum                            |
| SW-25      | 2/19/2026 7:50:38 AM  | 15.3       | 31.3       | 2.5       | 50.9           | 20.5         | 0.5     |                         |                         | 44.5                 | 44.4                | -4.44                        | -4.44                       | 0.019                        | 0.019                       | 1.8                    | 1.8                   | -6.39                     | -6.42                        | 34.4351713 | -118.6517117 | 1258         | 28.61                  |                                                                                                                |
| SW-25      | 2/20/2026 9:09:44 AM  | 0.8        | 1.3        | 19.9      | 78.0           | 3.9          | 0.6     |                         |                         | 45.4                 | 45.9                | -1.30                        | -0.72                       | 0.006                        | 0.002                       | 2.3                    | 1.4                   | -6.97                     | -6.71                        | 34.4351682 | -118.6517218 | 1259         | 28.71                  | Valve Adjustment:Valve 100% Closed,Plugged/Pinched Suspected                                                   |
| SW-25      | 2/23/2026 8:18:18 AM  | 0.0        | 0.1        | 21.1      | 78.8           | 3.7          | 0.0     |                         |                         | 59.6                 | 59.7                | -0.94                        | -0.96                       | 0.009                        | 0.005                       | 1.3                    | 0.9                   | -6.56                     | -6.60                        | 34.4352197 | -118.6516678 | 1268         | 28.9                   | Valve Adjustment:Valve 100% Closed                                                                             |
| SW-25      | 2/24/2026 12:25:37 PM | 0.1        | 0.6        | 19.5      | 79.8           | 4.1          | 0.2     |                         |                         | 94.5                 | 94.8                | -0.36                        | -0.33                       | 0.054                        | 0.014                       | 3.0                    | 1.5                   | -5.96                     | -6.21                        | 34.4351892 | -118.6517098 | 1256         | 28.79                  | Valve Adjustment:Valve 100% Closed                                                                             |
| SW-25      | 2/25/2026 9:23:58 AM  | 0.0        | 0.9        | 19.6      | 79.5           | 4.1          | 0.0     |                         |                         | 75.7                 | 75.6                | -0.86                        | -0.86                       | 0.006                        | 0.010                       | 1.0                    | 1.3                   | -4.43                     | -4.36                        | 34.4351808 | -118.6517073 | 1265         | 28.77                  | Valve Adjustment:Valve 100% Closed,Reduce Sys. Vac. - Flare Down                                               |
| SW-25      | 2/26/2026 10:34:40 AM | 0.2        | 0.3        | 19.7      | 79.7           | 4.0          | 0.7     | 0                       | 0.1                     | 84.5                 | 84.7                | -0.37                        | -0.37                       | 0.001                        | 0.002                       | 1.1                    | 1.3                   | -7.62                     | -7.55                        | 34.4351975 | -118.6517060 | 1252         | 28.83                  | Valve Adjustment:Valve 100% Closed,Reduce Sys. Vac. - Flare Down                                               |
| SW-25      | 2/27/2026 8:49:32 AM  | 0.1        | 1.0        | 19.8      | 79.1           | 4.0          | 0.1     |                         |                         | 80.8                 | 80.8                | -1.53                        | -1.53                       | 0.609                        | 0.609                       | 1.6                    | 1.6                   | -8.90                     |                              | 34.4351832 | -118.6516788 | 1302         | 28.67                  |                                                                                                                |
| SW-2501D   | 2/10/2026 1:01:14 PM  | 17.5       | 82.5       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 70.8                 | 73.6                | 3.47                         | -0.97                       | 0.105                        | 0.026                       | 4.3                    | 2.1                   | -6.01                     | -6.13                        | 34.4335108 | -118.6519687 | 1205         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                   |
| SW-2501D   | 2/10/2026 1:02:55 PM  | 17.4       | 82.6       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 73.7                 | 74.0                | -1.00                        | -1.01                       | 0.022                        | 0.021                       | 1.9                    | 1.9                   | -6.07                     | -6.18                        | 34.4335010 | -118.6519560 | 1204         | 28.67                  | Valve Adjustment:Barely Open                                                                                   |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                          |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------------------------|
| SW-2501D   | 2/11/2026 10:56:51 AM | 20.6       | 72.1       | 0.0       | 7.4            | 0.0          | 0.3     |                         |                         | 72.4                 | 73.3                | -4.65                        | -7.98                       | 0.046                        | 0.018                       | 1.5                    | 1.0                   | -8.69                     | -8.56                        | 34.4335182 | -118.6519755 | 1206         | 28.87                  | Valve Comment:opened valve by half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2501D   | 2/11/2026 10:58:09 AM | 20.3       | 72.7       | 0.0       | 7.0            | 0.0          | 0.3     |                         |                         | 73.6                 | 73.5                | -7.88                        | -7.89                       | 0.016                        | 0.026                       | 0.9                    | 1.1                   | -8.33                     | -8.24                        | 34.4335057 | -118.6519620 | 1202         | 28.87                  |                                                                                                                   |
| SW-2501D   | 2/11/2026 10:59:15 AM | 20.1       | 72.4       | 0.0       | 7.5            | 0.0          | 0.3     |                         |                         | 73.7                 |                     | -8.21                        |                             | 0.008                        |                             | 1.1                    |                       | -8.62                     |                              | 34.4335118 | -118.6519623 | 1211         | 28.89                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2501D   | 2/11/2026 10:59:53 AM | 20.3       | 72.4       | 0.0       | 7.3            | 0.0          | 0.3     |                         |                         | 73.8                 | 73.8                | -7.93                        | -7.93                       | 0.006                        | 0.006                       | 1.0                    | 1.0                   | -8.47                     | -8.58                        | 34.4335095 | -118.6519727 | 1217         | 28.88                  |                                                                                                                   |
| SW-2501D   | 2/11/2026 2:56:42 PM  | 20.6       | 70.8       | 0.0       | 8.7            | 0.0          | 0.3     |                         |                         | 72.9                 | 73.0                | -6.73                        | -6.73                       | 0.108                        | 0.108                       | 1.0                    | 1.0                   | -6.94                     | -6.94                        | 34.4334953 | -118.6519887 | 1215         | 28.86                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2501D   | 2/12/2026 12:27:44 PM | 19.4       | 80.6       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 75.9                 | 76.1                | -6.41                        | -6.76                       | 0.049                        | 0.033                       | 0.7                    | 0.6                   | -6.26                     | -6.89                        | 34.4335072 | -118.6519755 | 1220         | 28.86                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501D   | 2/12/2026 12:30:01 PM | 19.2       | 80.8       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 76.2                 | 76.3                | -6.76                        | -6.76                       | 0.026                        | 0.071                       | 0.5                    | 0.8                   | -6.87                     | -6.95                        | 34.4335005 | -118.6519680 | 1211         | 28.85                  |                                                                                                                   |
| SW-2501D   | 2/13/2026 10:10:18 AM | 18.8       | 81.2       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 71.9                 | 72.7                | -6.42                        | -6.76                       | 0.129                        | 0.472                       | 1.1                    | 2.2                   | -6.41                     | -7.04                        | 34.4334985 | -118.6519627 | 1206         | 28.78                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501D   | 2/13/2026 10:11:48 AM | 18.6       | 81.4       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 72.7                 | 72.8                | -6.74                        | -6.76                       | 0.035                        | 0.311                       | 0.6                    | 1.8                   | -6.87                     | -7.04                        | 34.4335060 | -118.6519500 | 1204         | 28.78                  |                                                                                                                   |
| SW-2501D   | 2/17/2026 9:55:47 AM  | 21.3       | 69.9       | 0.0       | 8.8            | 0.0          | 0.3     |                         |                         | 69.6                 | 69.6                | -7.64                        | -7.72                       | 0.063                        | 0.098                       | 0.8                    | 1.0                   | -7.73                     | -7.74                        | 34.4334853 | -118.6519610 | 1202         | 28.79                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501D   | 2/18/2026 9:54:15 AM  | 22.0       | 70.0       | 0.0       | 8.1            | 0.0          | 0.3     |                         |                         | 70.8                 | 70.8                | -8.36                        | -8.18                       | 0.120                        | 0.198                       | 1.1                    | 1.4                   | -8.32                     | -8.16                        | 34.4335140 | -118.6519612 | 1194         | 28.73                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open                                               |
| SW-2501D   | 2/18/2026 9:56:46 AM  | 21.0       | 70.6       | 0.0       | 8.4            | 0.0          | 0.3     |                         |                         | 69.1                 | 69.3                | -8.39                        | -8.39                       | 0.322                        | 0.345                       | 4.1                    | 4.2                   | -8.37                     | -8.29                        | 34.4335280 | -118.6519855 | 1210         | 28.76                  |                                                                                                                   |
| SW-2501D   | 2/19/2026 9:36:51 AM  | 22.1       | 68.6       | 0.0       | 9.3            | 0.0          | 0.3     |                         |                         | 69.1                 | 69.1                | -8.07                        | -8.01                       | 0.124                        | 0.105                       | 2.5                    | 2.3                   | -8.15                     | -8.13                        | 34.4335377 | -118.6519785 | 1210         | 28.64                  |                                                                                                                   |
| SW-2501D   | 2/20/2026 9:48:02 AM  | 21.2       | 78.5       | 0.0       | 0.3            | 0.0          | 0.3     |                         |                         | 69.4                 | 69.4                | -8.38                        | -8.49                       | 0.038                        | 0.012                       | 0.6                    | 0.3                   | -8.02                     | -8.08                        | 34.4335128 | -118.6519653 | 1210         | 28.75                  | Valve Adjustment:Valve 100% Open,Surging Liquid in Header                                                         |
| SW-2501D   | 2/23/2026 8:55:36 AM  | 22.1       | 70.1       | 0.0       | 7.8            | 0.0          | 0.3     |                         |                         | 70.7                 | 70.7                | -7.89                        | -7.72                       | 0.019                        | 0.085                       | 1.0                    | 2.1                   | -7.82                     | -7.69                        | 34.4335140 | -118.6519435 | 1195         | 28.97                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501D   | 2/24/2026 8:54:55 AM  | 21.7       | 70.8       | 0.0       | 7.4            | 0.0          | 0.3     |                         |                         | 71.1                 | 71.2                | -6.85                        | -6.99                       | 0.015                        | 0.083                       | 0.9                    | 2.1                   | -6.87                     | -7.07                        | 34.4335292 | -118.6519242 | 1191         | 28.83                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501D   | 2/25/2026 8:51:42 AM  | 21.6       | 71.4       | 0.0       | 7.0            | 0.0          | 0.3     |                         |                         | 71.3                 | 71.3                | -4.91                        | -5.12                       | 0.029                        | 0.033                       | 1.2                    | 1.3                   | -5.03                     | -5.20                        | 34.4334952 | -118.6519662 | 1221         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                    |
| SW-2501D   | 2/26/2026 1:17:11 PM  | 21.1       | 74.6       | 0.0       | 4.3            | 0.0          | 0.3     |                         |                         | 76.9                 | 76.8                | -7.74                        | -7.74                       | 0.054                        | 0.048                       | 6.7                    | 6.3                   | -7.70                     | -7.70                        | 34.4335062 | -118.6519663 | 1209         | 28.84                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open                                               |
| SW-2501D   | 2/27/2026 9:36:46 AM  | 22.1       | 77.9       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 77.6                 | 77.6                | -8.36                        | -8.37                       | 0.552                        | 0.554                       | 2.0                    | 2.1                   | -8.42                     |                              | 34.4335678 | -118.6519047 | 1211         | 28.76                  |                                                                                                                   |
| SW-2501M   | 2/10/2026 1:17:48 PM  | 32.8       | 67.2       | 0.0       | 0.0            | 0.0          | 0.5     |                         |                         | 68.0                 | 68.5                | -0.06                        | -1.25                       | 0.015                        | 0.012                       | 1.6                    | 1.4                   | -5.82                     | -5.71                        | 34.4335062 | -118.6519587 | 1214         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                      |
| SW-2501M   | 2/10/2026 1:19:25 PM  | 31.8       | 68.2       | 0.0       | 0.0            | 0.0          | 0.5     |                         |                         | 68.1                 | 68.0                | -1.17                        | -1.17                       | 0.012                        | 0.012                       | 1.4                    | 1.4                   | -6.06                     | -6.14                        | 34.4335115 | -118.6519403 | 1213         | 28.67                  | Valve Adjustment:Barely Open                                                                                      |
| SW-2501M   | 2/11/2026 10:43:07 AM | 2.1        | 1.1        | 20.4      | 76.4           | 3.7          | 2.0     |                         |                         | 68.4                 | 68.8                | -8.24                        | -8.41                       | 0.001                        | 0.001                       | 0.4                    | 0.5                   | -8.38                     | -8.68                        | 34.4335255 | -118.6519660 | 1203         | 28.87                  | Valve Comment:opened valve half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum    |
| SW-2501M   | 2/11/2026 10:44:17 AM | 1.3        | 0.7        | 20.7      | 77.3           | 3.7          | 1.9     |                         |                         | 69.1                 | 69.1                | -8.25                        | -8.25                       | 0.003                        | 0.003                       | 0.7                    | 0.7                   | -8.57                     | -8.57                        | 34.4335277 | -118.6519748 | 1199         | 28.87                  |                                                                                                                   |
| SW-2501M   | 2/11/2026 3:02:49 PM  | 0.3        | 0.3        | 21.6      | 77.9           | 3.6          | 0.8     |                         |                         | 67.8                 | 67.9                | -6.71                        | -6.88                       | 0.033                        | 0.031                       | 0.6                    | 0.6                   | -6.84                     | -6.97                        | 34.4335017 | -118.6519608 | 1202         | 28.86                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2501M   | 2/12/2026 12:18:55 PM | 0.2        | 0.7        | 21.0      | 78.1           | 3.7          | 0.3     |                         |                         | 72.6                 | 68.9                | -6.82                        | -7.07                       | 0.020                        | 0.052                       | 0.5                    | 0.7                   | -6.87                     | -6.89                        | 34.4335167 | -118.6519442 | 1210         | 28.85                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501M   | 2/12/2026 12:19:44 PM | 0.2        | 0.8        | 20.9      | 78.1           | 3.7          | 0.3     |                         |                         | 68.4                 | 68.2                | -7.01                        | -7.01                       | 0.034                        | 0.034                       | 0.6                    | 0.6                   | -7.01                     | -7.01                        | 34.4335083 | -118.6519538 | 1204         | 28.86                  |                                                                                                                   |
| SW-2501M   | 2/13/2026 10:01:06 AM | 0.1        | 1.2        | 21.4      | 77.3           | 3.6          | 0.1     |                         |                         | 66.8                 | 65.6                | -6.50                        | -6.69                       | 0.200                        | 0.210                       | 1.4                    | 1.5                   | -6.76                     | -6.96                        | 34.4335073 | -118.6519498 | 1216         | 28.78                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501M   | 2/13/2026 10:02:28 AM | 0.1        | 1.1        | 21.4      | 77.4           | 3.6          | 0.1     |                         |                         | 64.2                 | 63.0                | -6.76                        | -6.74                       | 0.281                        | 0.261                       | 1.7                    | 1.6                   | -6.78                     | -6.95                        | 34.4335030 | -118.6519417 | 1212         | 28.78                  |                                                                                                                   |
| SW-2501M   | 2/17/2026 9:49:21 AM  | 28.3       | 48.3       | 3.9       | 19.5           | 4.9          | 0.6     |                         |                         | 54.7                 | 55.1                | -7.71                        | -7.44                       | 0.062                        | 0.059                       | 0.8                    | 0.8                   | -7.75                     | -7.46                        | 34.4335260 | -118.6519383 | 1209         | 28.77                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501M   | 2/18/2026 9:42:53 AM  | 31.0       | 52.2       | 2.6       | 14.2           | 5.4          | 0.6     |                         |                         | 64.0                 | 63.7                | -8.29                        | -8.35                       | 0.087                        | 0.027                       | 0.9                    | 0.5                   | -8.38                     | -8.52                        | 34.4334972 | -118.6519530 | 1204         | 28.72                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501M   | 2/19/2026 9:31:44 AM  | 29.1       | 57.9       | 1.7       | 11.4           | 6.7          | 0.5     |                         |                         | 53.4                 | 53.4                | -7.97                        | -8.06                       | 0.005                        | 0.012                       | 0.2                    | 0.4                   | -8.01                     | -8.02                        | 34.4335052 | -118.6519598 | 1194         | 28.64                  |                                                                                                                   |
| SW-2501M   | 2/20/2026 9:33:51 AM  | 28.2       | 65.6       | 1.0       | 5.2            | 5.2          | 0.4     |                         |                         | 50.4                 | 50.8                | -8.87                        | -8.78                       | 0.036                        | 0.061                       | 0.6                    | 0.8                   | -8.42                     | -8.42                        | 34.4334985 | -118.6519625 | 1199         | 28.75                  | Valve Adjustment:Valve 100% Open,Surging Liquid in Header                                                         |
| SW-2501M   | 2/23/2026 8:47:56 AM  | 24.6       | 46.1       | 5.9       | 23.5           | 4.0          | 0.5     |                         |                         | 59.3                 | 59.2                | -8.16                        | -8.02                       | 0.074                        | 0.071                       | 0.9                    | 0.9                   | -8.07                     | -8.18                        | 34.4335383 | -118.6519238 | 1191         | 28.97                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501M   | 2/24/2026 8:46:08 AM  | 19.8       | 38.7       | 9.0       | 32.4           | 3.6          | 0.5     |                         |                         | 60.8                 | 60.7                | -7.29                        | -7.05                       | 0.146                        | 0.026                       | 1.2                    | 0.5                   | -7.42                     | -7.11                        | 34.4335222 | -118.6519325 | 1216         | 28.83                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501M   | 2/25/2026 8:43:37 AM  | 11.0       | 23.3       | 14.2      | 51.5           | 3.6          | 0.5     |                         |                         | 62.7                 | 62.6                | -5.37                        | -5.37                       | 0.033                        | 0.027                       | 0.6                    | 0.5                   | -5.37                     | -5.37                        | 34.4335102 | -118.6519382 | 1207         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                    |
| SW-2501M   | 2/26/2026 1:31:29 PM  | 15.3       | 29.9       | 11.4      | 43.4           | 3.8          | 0.5     |                         |                         | 89.7                 | 89.9                | -7.76                        | -7.61                       | 0.028                        | 0.007                       | 4.7                    | 2.3                   | -7.75                     | -7.61                        | 34.4335085 | -118.6519533 | 1208         | 28.84                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open                                               |
| SW-2501M   | 2/27/2026 9:44:55 AM  | 5.2        | 10.1       | 16.2      | 68.5           | 4.2          | 0.5     |                         |                         | 79.1                 | 79.1                | -8.38                        | -8.48                       | 0.601                        | 0.602                       | 2.4                    | 2.4                   | -8.47                     |                              | 34.4334502 | -118.6519752 | 1230         | 28.77                  |                                                                                                                   |
| SW-2501MD  | 2/10/2026 1:11:52 PM  | 22.0       | 77.9       | 0.1       | 0.0            | 0.0          | 0.3     |                         |                         | 71.2                 | 73.2                | 0.56                         | -0.61                       | 0.595                        | 0.611                       | 10.1                   | 10.2                  | -5.80                     | -5.80                        | 34.4335107 | -118.6519508 | 1208         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                      |
| SW-2501MD  | 2/10/2026 1:13:45 PM  | 22.0       | 78.0       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 74.5                 | 74.6                | -0.67                        | -0.67                       | 0.664                        | 0.664                       | 10.6                   | 10.6                  | -5.97                     | -5.95                        | 34.4335118 | -118.6519413 | 1215         | 28.67                  | Valve Adjustment:Barely Open;Well Comment:Missing differential port                                               |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                          |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------------------------|
| SW-2501MD  | 2/11/2026 10:49:50 AM | 23.5       | 59.8       | 2.7       | 14.0           | 5.3          | 0.4     |                         |                         | 73.7                 | 74.7                | -4.72                        | -8.07                       | 4.758                        | 8.136                       |                        |                       | -8.53                     | -8.54                        | 34.4335178 | -118.6519787 | 1209         | 28.87                  | Valve Comment:Opened valve by half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2501MD  | 2/11/2026 10:50:55 AM | 23.4       | 61.6       | 2.1       | 12.9           | 6.1          | 0.4     |                         |                         | 74.9                 | 74.9                | -8.22                        | -8.22                       | 8.359                        | 8.363                       |                        |                       | -8.47                     | -8.56                        | 34.4335135 | -118.6519900 | 1208         | 28.87                  |                                                                                                                   |
| SW-2501MD  | 2/11/2026 2:47:02 PM  | 23.9       | 58.8       | 2.8       | 14.5           | 5.2          | 0.4     |                         |                         | 74.4                 | 74.5                | -6.42                        | -6.43                       | 0.004                        | 0.006                       | 0.8                    | 1.0                   | -6.56                     | -6.57                        | 34.4335220 | -118.6519543 | 1209         | 28.84                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2501MD  | 2/12/2026 12:23:08 PM | 23.3       | 65.0       | 2.9       | 8.8            | 3.0          | 0.4     |                         |                         | 76.1                 | 76.4                | -6.56                        | -6.74                       | 0.167                        | 0.133                       | 5.3                    | 4.7                   | -6.73                     | -6.88                        | 34.4334965 | -118.6519628 | 1221         | 28.85                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501MD  | 2/12/2026 12:24:40 PM | 22.6       | 65.2       | 2.9       | 9.3            | 3.2          | 0.3     |                         |                         | 76.5                 | 76.7                | -6.76                        | -6.76                       | 0.113                        | 0.047                       | 4.4                    | 2.8                   | -6.95                     | -6.82                        | 34.4335130 | -118.6519627 | 1209         | 28.85                  |                                                                                                                   |
| SW-2501MD  | 2/13/2026 10:04:47 AM | 22.2       | 61.8       | 3.5       | 12.5           | 3.6          | 0.4     |                         |                         | 73.8                 | 74.1                | -6.15                        | -6.42                       | 0.157                        | 0.363                       | 5.2                    | 7.8                   | -6.35                     | -6.74                        | 34.4334933 | -118.6519607 | 1221         | 28.78                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501MD  | 2/13/2026 10:05:58 AM | 20.7       | 62.4       | 3.9       | 13.0           | 3.3          | 0.3     |                         |                         | 74.2                 | 74.2                | -6.42                        | -6.42                       | 0.482                        | 0.212                       | 9.0                    | 6.0                   | -6.87                     | -6.66                        | 34.4334922 | -118.6519707 | 1217         | 28.78                  |                                                                                                                   |
| SW-2501MD  | 2/17/2026 9:53:32 AM  | 20.3       | 46.7       | 6.8       | 26.2           | 3.9          | 0.4     |                         |                         | 73.5                 | 73.5                | -7.39                        | -7.39                       | 0.145                        | 0.161                       | 4.9                    | 5.2                   | -7.67                     | -7.72                        | 34.4335063 | -118.6519522 | 1201         | 28.77                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501MD  | 2/18/2026 9:48:00 AM  | 25.2       | 55.5       | 3.0       | 16.3           | 5.4          | 0.5     |                         |                         | 72.6                 | 72.9                | -8.15                        | -8.10                       | 0.301                        | 0.268                       | 1.7                    | 1.6                   | -8.54                     | -8.39                        | 34.4334995 | -118.6519548 | 1206         | 28.74                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2501MD  | 2/18/2026 9:50:32 AM  | 24.5       | 55.5       | 3.9       | 16.1           | 4.1          | 0.4     |                         |                         | 66.8                 | 69.2                | -8.43                        | -8.43                       | 0.042                        | 0.062                       | 1.5                    | 1.8                   | -8.61                     | -8.18                        | 34.4334965 | -118.6519393 | 1210         | 28.76                  |                                                                                                                   |
| SW-2501MD  | 2/19/2026 9:33:43 AM  | 23.1       | 54.3       | 3.8       | 18.9           | 4.9          | 0.4     |                         |                         | 70.9                 | 70.9                | -8.17                        | -8.19                       | 0.057                        | 0.075                       | 1.7                    | 2.0                   | -8.35                     | -8.35                        | 34.4335093 | -118.6519722 | 1194         | 28.64                  |                                                                                                                   |
| SW-2501MD  | 2/20/2026 9:36:50 AM  | 20.0       | 59.6       | 4.9       | 15.5           | 3.2          | 0.3     |                         |                         | 71.3                 | 71.6                | -8.38                        | -8.38                       | 0.082                        | 0.082                       | 3.7                    | 3.7                   | -8.20                     | -8.20                        | 34.4335042 | -118.6519752 | 1213         | 28.75                  | Valve Adjustment:Valve 100% Open,Surging Liquid in Header                                                         |
| SW-2501MD  | 2/23/2026 8:51:51 AM  | 22.8       | 53.1       | 4.3       | 19.8           | 4.6          | 0.4     |                         |                         | 72.5                 | 72.5                | -7.89                        | -7.89                       | 0.023                        | 0.123                       | 1.1                    | 2.5                   | -7.84                     | -7.80                        | 34.4335170 | -118.6519393 | 1208         | 28.95                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501MD  | 2/24/2026 8:49:57 AM  | 24.8       | 55.2       | 3.4       | 16.7           | 4.9          | 0.4     |                         |                         | 72.9                 | 72.9                | -7.25                        | -7.13                       | 0.094                        | 0.203                       | 2.2                    | 3.2                   | -7.16                     | -7.31                        | 34.4335280 | -118.6519307 | 1205         | 28.83                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501MD  | 2/25/2026 8:47:34 AM  | 24.6       | 57.0       | 3.1       | 15.3           | 5.0          | 0.4     |                         |                         | 72.4                 | 72.4                | -5.41                        | -5.41                       | 0.036                        | 0.012                       | 1.4                    | 0.8                   | -5.49                     | -5.41                        | 34.4335130 | -118.6519477 | 1228         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                    |
| SW-2501MD  | 2/26/2026 1:09:39 PM  | 24.6       | 57.7       | 2.9       | 14.8           | 5.1          | 0.4     |                         |                         | 80.2                 | 78.8                | -7.91                        | -7.70                       | 0.019                        | 0.032                       | 3.9                    | 5.1                   | -8.06                     | -7.72                        | 34.4335108 | -118.6519518 | 1210         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Valve 100% Open                         |
| SW-2501MD  | 2/26/2026 1:11:21 PM  | 24.4       | 58.4       | 2.9       | 14.3           | 4.9          | 0.4     |                         |                         | 77.8                 | 77.7                | -7.70                        | -7.87                       | 0.037                        | 0.007                       | 5.5                    | 2.4                   | -7.70                     | -7.77                        | 34.4335035 | -118.6519580 | 1207         | 28.84                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501MD  | 2/27/2026 9:42:13 AM  | 24.5       | 57.4       | 3.4       | 14.7           | 4.3          | 0.4     |                         |                         | 78.7                 | 78.7                | -8.32                        | -8.36                       | 0.579                        | 0.582                       | 2.2                    | 2.2                   | -8.33                     |                              | 34.4335292 | -118.6519660 | 1191         | 28.77                  |                                                                                                                   |
| SW-2501S   | 2/10/2026 1:06:32 PM  | 30.1       | 65.5       | 0.5       | 3.9            | 7.8          | 0.5     |                         |                         | 68.9                 | 68.6                | -0.04                        | -0.36                       | 0.036                        | 0.016                       | 2.5                    | 1.7                   | -6.14                     | -6.02                        | 34.4335248 | -118.6519585 | 1231         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                      |
| SW-2501S   | 2/10/2026 1:08:08 PM  | 4.1        | 16.8       | 18.0      | 61.1           | 3.4          | 0.2     |                         |                         | 68.8                 | 68.9                | -0.34                        | -0.34                       | 0.013                        | 0.013                       | 1.5                    | 1.5                   | -5.92                     | -6.05                        | 34.4335217 | -118.6519667 | 1219         | 28.67                  | Valve Adjustment:Barely Open                                                                                      |
| SW-2501S   | 2/11/2026 11:05:04 AM | 0.0        | 1.4        | 21.1      | 77.5           | 3.7          | 0.0     |                         |                         | 64.4                 | 64.0                | -0.50                        | -3.48                       | 0.012                        | 0.295                       | 1.5                    | 7.2                   | -8.67                     | -8.66                        | 34.4335107 | -118.6519618 | 1202         | 28.87                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                                         |
| SW-2501S   | 2/11/2026 11:06:25 AM | 0.0        | 0.4        | 21.3      | 78.3           | 3.7          | 0.1     |                         |                         | 63.6                 | 63.6                | -3.50                        | -3.43                       | 0.290                        | 0.285                       | 7.1                    | 7.0                   | -8.54                     | -8.46                        | 34.4335113 | -118.6519695 | 1200         | 28.87                  |                                                                                                                   |
| SW-2501S   | 2/11/2026 3:00:35 PM  | 0.0        | 0.7        | 21.4      | 77.9           | 3.6          | 0.0     |                         |                         | 62.3                 | 62.2                | -1.92                        | -1.95                       | 2.218                        | 2.274                       | 4.8                    | 4.8                   | -6.73                     | -6.81                        | 34.4335248 | -118.6519607 | 1203         | 28.87                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2501S   | 2/12/2026 12:33:59 PM | 0.3        | 4.5        | 20.6      | 74.6           | 3.6          | 0.1     |                         |                         | 63.2                 | 63.1                | -1.84                        | -2.22                       | 2.508                        | 3.503                       | 5.1                    | 6.0                   | -6.68                     | -6.66                        | 34.4335065 | -118.6519710 | 1210         | 28.86                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501S   | 2/12/2026 12:35:26 PM | 0.3        | 2.0        | 21.0      | 76.7           | 3.7          | 0.2     |                         |                         | 63.1                 | 63.1                | -2.24                        | -2.24                       | 3.419                        | 3.430                       | 5.9                    | 5.9                   | -6.69                     | -6.71                        | 34.4335238 | -118.6519822 | 1220         | 28.86                  |                                                                                                                   |
| SW-2501S   | 2/13/2026 10:14:27 AM | 0.2        | 2.0        | 21.3      | 76.5           | 3.6          | 0.1     |                         |                         | 59.8                 | 59.7                | -2.18                        | -2.55                       | 3.919                        | 4.851                       | 6.3                    | 7.0                   | -6.84                     | -6.49                        | 34.4335077 | -118.6519548 | 1211         | 28.78                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501S   | 2/13/2026 10:15:03 AM | 0.2        | 1.9        | 21.0      | 76.9           | 3.7          | 0.1     |                         |                         | 59.6                 | 59.5                | -2.59                        | -2.59                       | 4.959                        | 5.064                       | 7.1                    | 7.2                   | -6.67                     | -6.79                        | 34.4335023 | -118.6519588 | 1209         | 28.78                  |                                                                                                                   |
| SW-2501S   | 2/17/2026 10:00:09 AM | 0.1        | 3.2        | 20.9      | 75.9           | 3.6          | 0.0     |                         |                         | 56.3                 | 56.3                | -2.74                        | -2.92                       | 5.187                        | 5.600                       | 7.3                    | 7.6                   | -7.69                     | -7.97                        | 34.4335125 | -118.6519463 | 1206         | 28.79                  | Valve Comment:increased valve half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2501S   | 2/17/2026 10:02:25 AM | 0.1        | 3.0        | 20.9      | 76.0           | 3.6          | 0.0     |                         |                         | 56.3                 | 56.2                | -4.99                        | -4.97                       | 2.889                        | 3.094                       | 12.3                   | 12.7                  | -7.91                     | -7.95                        | 34.4335210 | -118.6519452 | 1210         | 28.79                  |                                                                                                                   |
| SW-2501S   | 2/18/2026 10:02:41 AM | 0.0        | 1.9        | 20.3      | 77.8           | 3.8          | 0.0     |                         |                         | 53.0                 | 53.8                | -5.37                        | -5.42                       | 3.336                        | 3.441                       | 13.3                   | 13.5                  | -8.35                     | -8.34                        | 34.4335252 | -118.6519615 | 1209         | 28.75                  | Valve Comment:increased valve by half turn;Valve Adjustment:Increased Flow/Vacuum                                 |
| SW-2501S   | 2/18/2026 10:03:38 AM | 0.1        | 1.3        | 20.3      | 78.4           | 3.9          | 0.0     |                         |                         | 54.1                 | 54.0                | -5.37                        | -5.37                       | 3.420                        | 3.466                       | 13.4                   | 13.5                  | -8.36                     | -8.68                        | 34.4335127 | -118.6519620 | 1206         | 28.76                  |                                                                                                                   |
| SW-2501S   | 2/19/2026 9:44:57 AM  | 0.1        | 5.0        | 20.9      | 74.0           | 3.5          | 0.0     |                         |                         | 52.9                 | 52.8                | -5.06                        | -5.27                       | 3.449                        | 3.607                       | 13.5                   | 13.8                  | -8.14                     | -8.34                        | 34.4335593 | -118.6519867 | 1225         | 28.62                  | Valve Comment:increased valve half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2501S   | 2/19/2026 9:45:30 AM  | 0.1        | 4.6        | 20.9      | 74.4           | 3.6          | 0.0     |                         |                         | 52.7                 | 52.8                | -5.30                        | -5.31                       | 3.634                        | 3.636                       | 13.8                   | 13.8                  | -8.47                     | -8.44                        | 34.4335367 | -118.6519667 | 1191         | 28.64                  |                                                                                                                   |
| SW-2501S   | 2/20/2026 9:42:30 AM  | 0.1        | 3.7        | 21.0      | 75.2           | 3.6          | 0.0     |                         |                         | 51.2                 | 51.2                | -5.43                        | -5.50                       | 3.520                        | 3.518                       | 6.0                    | 6.0                   | -8.27                     | -8.25                        | 34.4335040 | -118.6519740 | 1214         | 28.75                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2501S   | 2/20/2026 9:44:24 AM  | 0.1        | 2.7        | 21.3      | 75.9           | 3.6          | 0.0     |                         |                         | 51.2                 | 51.2                | -5.62                        | -5.57                       | 3.592                        | 3.474                       | 6.1                    | 6.0                   | -8.30                     | -8.25                        | 34.4335040 | -118.6519562 | 1201         | 28.75                  | Valve Adjustment:Surging Liquid in Header                                                                         |
| SW-2501S   | 2/23/2026 9:01:06 AM  | 0.0        | 0.5        | 20.5      | 79.0           | 3.9          | 0.0     |                         |                         | 55.3                 | 55.4                | -5.30                        | -5.37                       | 3.470                        | 3.666                       | 13.5                   | 13.9                  | -7.70                     | -8.21                        | 34.4335182 | -118.6519648 | 1205         | 28.97                  | Valve Comment:increased valve half turn;Valve Adjustment:Increased Flow/Vacuum                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                          |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------------------------------|
| SW-2501S   | 2/23/2026 9:04:31 AM  | 0.0        | 0.2        | 20.6      | 79.2           | 3.8          | 0.0     |                         |                         | 55.4                 | 55.5                | -5.35                        | -5.39                       | 3.632                        | 3.604                       | 13.9                   | 13.8                  | -8.02                     | -8.02                        | 34.4335162 | -118.6519612 | 1204         | 28.97                  | Valve Comment:valve may need replacement;Valve Adjustment:Valve 100% Open                                         |
| SW-2501S   | 2/23/2026 9:07:34 AM  | 0.0        | 0.3        | 20.5      | 79.1           | 3.9          | 0.1     |                         |                         | 55.2                 | 55.3                | -7.63                        | -7.60                       | 0.532                        | 0.717                       | 16.0                   | 18.6                  | -7.94                     | -7.82                        | 34.4335263 | -118.6519745 | 1206         | 28.98                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2501S   | 2/24/2026 8:59:22 AM  | 0.0        | 1.9        | 20.9      | 77.2           | 3.7          | 0.0     |                         |                         | 56.4                 | 56.4                | -6.41                        | -6.71                       | 0.579                        | 0.322                       | 16.7                   | 12.4                  | -6.82                     | -7.08                        | 34.4335108 | -118.6519310 | 1206         | 28.83                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2501S   | 2/25/2026 8:58:58 AM  | 0.0        | 0.5        | 20.2      | 79.3           | 3.9          | 0.0     |                         |                         | 58.8                 | 58.8                | -5.12                        | -4.82                       | 0.411                        | 0.352                       | 14.0                   | 13.0                  | -5.37                     | -5.03                        | 34.4335235 | -118.6519642 | 1219         | 28.8                   | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                    |
| SW-2501S   | 2/26/2026 1:24:14 PM  | 0.1        | 0.3        | 20.3      | 79.3           | 3.9          | 0.3     |                         |                         | 67.4                 | 67.7                | -7.40                        | -7.51                       | 0.226                        | 0.214                       | 13.8                   | 13.4                  | -7.74                     | -7.77                        | 34.4335242 | -118.6519910 | 1211         | 28.84                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Valve 100% Open                         |
| SW-2501S   | 2/26/2026 1:25:46 PM  | 0.2        | 0.2        | 20.3      | 79.3           | 3.9          | 1.0     |                         |                         | 67.8                 | 67.9                | -7.40                        | -7.40                       | 0.216                        | 0.211                       | 13.4                   | 13.3                  | -7.74                     | -7.70                        | 34.4335200 | -118.6519655 | 1211         | 28.83                  |                                                                                                                   |
| SW-2501S   | 2/27/2026 9:39:54 AM  | 0.2        | 4.0        | 18.4      | 77.4           | 4.2          | 0.1     |                         |                         | 84.3                 | 84.6                | -8.30                        | -8.23                       | 0.847                        | 0.848                       | 2.9                    | 2.9                   | -8.25                     |                              | 34.4334887 | -118.6519273 | 1224         | 28.77                  |                                                                                                                   |
| SW-2502D   | 2/10/2026 1:41:33 PM  | 11.5       | 82.6       | 0.8       | 5.1            | 6.4          | 0.1     |                         |                         | 68.5                 | 71.3                | 2.55                         | -0.69                       | 0.186                        | 0.002                       | 5.7                    | 0.5                   | -5.97                     | -6.03                        | 34.4337423 | -118.6518802 | 1225         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                      |
| SW-2502D   | 2/10/2026 1:43:44 PM  | 12.2       | 87.4       | 0.0       | 0.4            | 0.0          | 0.1     |                         |                         | 72.6                 | 72.8                | -0.58                        | -0.58                       | 0.002                        | 0.002                       | 0.6                    | 0.5                   | -5.88                     | -5.90                        | 34.4337413 | -118.6518748 | 1212         | 28.67                  | Valve Adjustment:Barely Open                                                                                      |
| SW-2502D   | 2/11/2026 3:54:05 PM  | 14.9       | 76.3       | 0.0       | 8.9            | 0.0          | 0.2     |                         |                         | 62.1                 | 63.3                | -1.69                        | -5.68                       | 0.046                        | 0.095                       | 0.7                    | 1.0                   | -5.98                     | -6.04                        | 34.4337262 | -118.6518897 | 1201         | 28.83                  | Valve Comment:opened valve by half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2502D   | 2/11/2026 3:55:54 PM  | 14.8       | 76.2       | 0.0       | 9.0            | 0.0          | 0.2     |                         |                         | 64.9                 | 65.0                | -5.62                        | -5.62                       | 0.038                        | 0.080                       | 0.6                    | 0.9                   | -5.77                     | -6.07                        | 34.4337407 | -118.6518750 | 1222         | 28.84                  |                                                                                                                   |
| SW-2502D   | 2/12/2026 12:59:36 PM | 13.8       | 86.2       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 72.8                 | 73.1                | -6.64                        | -6.78                       | 0.019                        | 0.070                       | 0.4                    | 0.8                   | -6.62                     | -6.64                        | 34.4337387 | -118.6519018 | 1206         | 28.82                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2502D   | 2/12/2026 1:01:37 PM  | 13.2       | 86.8       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 73.0                 | 73.1                | -6.78                        | -6.78                       | 0.394                        | 0.174                       | 2.0                    | 1.3                   | -6.34                     | -7.10                        | 34.4337455 | -118.6519040 | 1217         | 28.82                  |                                                                                                                   |
| SW-2502D   | 2/13/2026 9:44:39 AM  | 13.0       | 87.0       | 0.0       | 0.0            | 0.0          | 0.1     |                         |                         | 71.1                 | 71.5                | -6.80                        | -7.09                       | 0.203                        | 0.044                       | 1.4                    | 0.7                   | -7.16                     | -6.99                        | 34.4337327 | -118.6518812 | 1213         | 28.78                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2502D   | 2/13/2026 9:46:00 AM  | 12.6       | 87.4       | 0.0       | 0.0            | 0.0          | 0.1     |                         |                         | 71.5                 | 71.6                | -7.08                        | -7.09                       | 0.217                        | 0.107                       | 1.5                    | 1.0                   | -6.67                     | -6.87                        | 34.4337282 | -118.6519173 | 1217         | 28.78                  |                                                                                                                   |
| SW-2502D   | 2/17/2026 9:36:13 AM  | 13.8       | 74.7       | 0.0       | 11.5           | 0.0          | 0.2     |                         |                         | 67.5                 | 68.0                | -8.73                        | -8.39                       | 0.034                        | 0.268                       | 0.6                    | 1.6                   | -8.67                     | -8.34                        | 34.4337355 | -118.6518830 | 1212         | 28.76                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2502D   | 2/18/2026 9:29:59 AM  | 13.5       | 76.7       | 0.0       | 9.9            | 0.0          | 0.2     |                         |                         | 63.5                 | 63.5                | -8.22                        | -8.08                       | 0.072                        | 0.053                       | 0.9                    | 0.7                   | -8.25                     | -8.07                        | 34.4337048 | -118.6518873 | 1229         | 28.72                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2502D   | 2/19/2026 9:21:56 AM  | 13.3       | 75.6       | 0.0       | 11.1           | 0.0          | 0.2     |                         |                         | 65.9                 | 65.9                | -8.27                        | -8.21                       | 0.043                        | 0.027                       | 0.7                    | 0.5                   | -8.35                     | -8.24                        | 34.4337520 | -118.6518993 | 1210         | 28.64                  |                                                                                                                   |
| SW-2502D   | 2/20/2026 9:24:21 AM  | 12.0       | 87.7       | 0.0       | 0.3            | 0.0          | 0.1     |                         |                         | 65.1                 | 65.2                | -8.30                        | -8.51                       | 0.001                        | 0.021                       | 0.1                    | 0.5                   | -8.03                     | -8.23                        | 34.4337375 | -118.6518840 | 1204         | 28.75                  | Valve Adjustment:Valve 100% Open,Surging Liquid in Header                                                         |
| SW-2502D   | 2/23/2026 8:35:43 AM  | 13.1       | 76.8       | 0.0       | 10.0           | 501.5        | 0.2     |                         |                         | 67.4                 | 67.4                | -8.06                        | -7.76                       | 0.971                        | 0.325                       | 3.1                    | 1.8                   | -8.26                     | -8.52                        | 34.4337467 | -118.6518563 | 1206         | 28.94                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2502D   | 2/24/2026 9:19:10 AM  | 12.7       | 77.6       | 0.0       | 9.7            | 0.0          | 0.2     |                         |                         | 69.8                 | 69.8                | -6.90                        | -7.01                       | 0.048                        | 0.080                       | 2.9                    | 3.7                   | -6.85                     | -7.06                        | 34.4337112 | -118.6518702 | 1211         | 28.84                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Reduce Sys. Vac. - Flare Down                                 |
| SW-2502D   | 2/25/2026 8:31:46 AM  | 12.7       | 78.8       | 0.0       | 8.5            | 0.0          | 0.2     |                         |                         | 69.2                 | 69.2                | -4.94                        | -4.99                       | 0.042                        | 0.053                       | 2.7                    | 3.0                   | -4.96                     | -5.03                        | 34.4337060 | -118.6518703 | 1219         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                    |
| SW-2502D   | 2/26/2026 1:46:42 PM  | 13.1       | 82.2       | 0.0       | 4.7            | 0.0          | 0.2     |                         |                         | 76.3                 | 76.3                | -7.86                        | -7.74                       | 0.025                        | 0.043                       | 4.6                    | 6.0                   | -7.89                     | -7.70                        | 34.4337297 | -118.6519002 | 1213         | 28.81                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Valve 100% Open                         |
| SW-2502D   | 2/26/2026 1:48:21 PM  | 12.1       | 83.1       | 0.0       | 4.8            | 0.0          | 0.1     |                         |                         | 76.6                 | 76.6                | -7.77                        | -7.45                       | 0.018                        | 0.084                       | 3.9                    | 8.3                   | -7.77                     | -7.45                        | 34.4337235 | -118.6518950 | 1216         | 28.82                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2502D   | 2/26/2026 1:52:01 PM  | 12.8       | 81.0       | 0.1       | 6.1            | 61.0         | 0.2     |                         |                         | 76.7                 | 76.7                | -7.74                        | -7.74                       | 0.012                        | 0.009                       | 3.2                    | 2.7                   | -7.74                     | -7.74                        | 34.4337242 | -118.6518873 | 1220         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                               |
| SW-2502D   | 2/27/2026 9:23:37 AM  | 13.7       | 85.2       | 0.0       | 1.1            | 0.0          | 0.2     |                         |                         | 71.5                 | 71.6                | -8.51                        | -8.50                       | 0.583                        | 0.584                       | 2.1                    | 2.1                   | -8.15                     |                              | 34.4337088 | -118.6519398 | 1230         | 28.63                  |                                                                                                                   |
| SW-2502M   | 2/10/2026 1:35:18 PM  | 11.3       | 69.5       | 4.7       | 14.5           | 3.1          | 0.2     |                         |                         | 70.1                 | 73.4                | 0.28                         | -0.93                       | 0.009                        | 0.000                       | 1.3                    | 0.3                   | -6.01                     | -5.88                        | 34.4337400 | -118.6518793 | 1214         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                      |
| SW-2502M   | 2/10/2026 1:36:29 PM  | 14.6       | 85.0       | 0.0       | 0.4            | 0.0          | 0.2     |                         |                         | 72.5                 | 72.4                | -0.95                        | -0.95                       | 0.033                        | 0.031                       | 2.4                    | 2.3                   | -5.90                     | -5.92                        | 34.4337398 | -118.6518910 | 1201         | 28.67                  | Valve Adjustment:Barely Open                                                                                      |
| SW-2502M   | 2/11/2026 3:49:17 PM  | 0.9        | 4.9        | 20.4      | 73.9           | 3.6          | 0.2     |                         |                         | 63.6                 | 62.0                | -2.44                        | -5.49                       | 0.001                        | 0.002                       | 0.1                    | 0.1                   | -5.95                     | -5.84                        | 34.4337407 | -118.6518675 | 1205         | 28.84                  | Valve Comment:opened valve by half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2502M   | 2/11/2026 4:05:30 PM  | 0.5        | 5.2        | 20.9      | 73.4           | 3.5          | 0.1     |                         |                         | 57.3                 | 57.3                | -6.29                        | -6.63                       | 0.026                        | 0.026                       | 0.5                    | 0.5                   | -6.81                     | -7.03                        | 34.4337350 | -118.6518702 | 1211         | 28.83                  |                                                                                                                   |
| SW-2502M   | 2/12/2026 12:52:50 PM | 1.5        | 6.0        | 19.7      | 72.8           | 3.7          | 0.3     |                         |                         | 61.3                 | 63.2                | -6.35                        | -6.73                       | 0.018                        | 0.018                       | 0.4                    | 0.4                   | -6.86                     | -6.83                        | 34.4337517 | -118.6518853 | 1220         | 28.82                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2502M   | 2/12/2026 12:54:33 PM | 1.6        | 6.8        | 19.7      | 71.9           | 3.6          | 0.2     |                         |                         | 65.4                 | 65.7                | -6.76                        | -6.76                       | 0.132                        | 0.020                       | 1.2                    | 0.4                   | -6.80                     | -6.82                        | 34.4337455 | -118.6518943 | 1219         | 28.82                  |                                                                                                                   |
| SW-2502M   | 2/13/2026 9:39:15 AM  | 4.2        | 18.6       | 16.5      | 60.7           | 3.7          | 0.2     |                         |                         | 57.8                 | 57.8                | -6.73                        | -6.88                       | 0.012                        | 0.028                       | 0.4                    | 0.5                   | -6.97                     | -7.00                        | 34.4337170 | -118.6518958 | 1226         | 28.78                  | Valve Adjustment:Increased Flow/Vacuum                                                                            |
| SW-2502M   | 2/13/2026 9:41:06 AM  | 4.5        | 23.5       | 15.9      | 56.1           | 3.5          | 0.2     |                         |                         | 58.6                 | 59.9                | -6.89                        | -6.84                       | 0.011                        | 0.009                       | 0.3                    | 0.3                   | -6.97                     | -6.80                        | 34.4337213 | -118.6518773 | 1229         | 28.77                  |                                                                                                                   |
| SW-2502M   | 2/17/2026 9:32:43 AM  | 8.1        | 41.5       | 11.6      | 38.8           | 3.3          | 0.2     |                         |                         | 52.9                 | 52.9                | -8.06                        | -8.39                       | 0.209                        | 0.162                       | 1.5                    | 1.3                   | -8.28                     | -8.70                        | 34.4337363 | -118.6518760 | 1224         | 28.77                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2502M   | 2/18/2026 9:24:02 AM  | 7.1        | 36.0       | 11.8      | 45.2           | 3.8          | 0.2     |                         |                         | 51.4                 | 51.4                | -8.26                        | -7.91                       | 0.031                        | 0.153                       | 0.6                    | 1.3                   | -8.38                     | -8.02                        | 34.4337250 | -118.6518683 | 1205         | 28.72                  | Valve Adjustment:Valve 100% Open                                                                                  |
| SW-2502M   | 2/19/2026 9:17:41 AM  | 9.7        | 46.4       | 9.3       | 34.6           | 3.7          | 0.2     |                         |                         | 50.2                 | 50.0                | -7.72                        | -8.10                       | 0.048                        | 0.012                       | 0.7                    | 0.4                   | -7.72                     | -8.05                        | 34.4337633 | -118.6518800 | 1201         | 28.63                  |                                                                                                                   |
| SW-2502M   | 2/20/2026 9:21:24 AM  | 8.2        | 47.6       | 10.0      | 34.2           | 3.4          | 0.2     |                         |                         | 49.2                 | 49.3                | -8.54                        | -8.63                       | 0.026                        | 0.009                       | 0.5                    | 0.3                   | -8.25                     | -8.53                        | 34.4337348 | -118.6518830 | 1221         | 28.75                  | Valve Adjustment:Valve 100% Open,Surging Liquid in Header                                                         |
| SW-2502M   | 2/23/2026 8:32:09 AM  | 11.2       | 49.6       | 7.4       | 31.7           | 4.3          | 0.2     |                         |                         | 51.7                 | 51.8                | -7.95                        | -7.51                       | 0.027                        | 0.249                       | 0.5                    | 1.6                   | -8.01                     | -7.51                        | 34.4337632 | -118.6518708 | 1189         | 28.94                  | Valve Adjustment:Valve 100% Open                                                                                  |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                  |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-------------------------------------------------------------------------------------------|
| SW-2502M   | 2/24/2026 9:12:36 AM  | 12.2       | 55.5       | 6.9       | 25.4           | 3.7          | 0.2     |                         |                         | 58.1                 | 58.2                | -6.97                        | -6.86                       | 0.083                        | 0.102                       | 0.9                    | 1.0                   | -6.93                     | -6.81                        | 34.4337243 | -118.6518738 | 1205         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Reduce Sys. Vac. - Flare Down         |
| SW-2502M   | 2/25/2026 8:27:44 AM  | 9.5        | 47.6       | 9.0       | 33.9           | 3.7          | 0.2     |                         |                         | 61.4                 | 61.4                | -4.77                        | -4.73                       | 0.073                        | 0.100                       | 0.9                    | 1.0                   | -4.73                     | -4.70                        | 34.4337307 | -118.6518795 | 1230         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                            |
| SW-2502M   | 2/26/2026 2:11:50 PM  | 16.5       | 77.2       | 0.0       | 6.3            | 0.0          | 0.2     |                         |                         | 84.6                 | 84.9                | -8.09                        | -8.04                       | 0.012                        | 0.039                       | 3.1                    | 5.6                   | -7.95                     | -7.95                        | 34.4337380 | -118.6518782 | 1216         | 28.82                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Valve 100% Open |
| SW-2502M   | 2/26/2026 2:13:37 PM  | 16.1       | 77.7       | 0.0       | 6.2            | 0.0          | 0.2     |                         |                         | 85.9                 | 86.6                | -7.70                        | -7.74                       | 0.030                        | 0.039                       | 4.9                    | 5.6                   | -7.66                     | -7.66                        | 34.4337408 | -118.6518760 | 1216         | 28.82                  | Valve Adjustment:Valve 100% Open                                                          |
| SW-2502M   | 2/27/2026 9:26:12 AM  | 17.2       | 82.8       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 78.5                 | 78.5                | -8.35                        | -8.33                       | 0.592                        | 0.596                       | 2.1                    | 2.1                   | -8.40                     |                              | 34.4337012 | -118.6518558 | 1227         | 28.74                  |                                                                                           |
| SW-2502MD  | 2/10/2026 1:47:31 PM  | 9.8        | 74.1       | 3.8       | 12.3           | 3.2          | 0.1     |                         |                         | 70.5                 | 69.8                | -0.20                        | -0.57                       | 0.002                        | 0.002                       | 0.6                    | 0.6                   | -5.77                     | -5.95                        | 34.4337385 | -118.6519038 | 1220         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                              |
| SW-2502MD  | 2/10/2026 1:49:28 PM  | 12.0       | 84.9       | 0.0       | 3.1            | 0.0          | 0.1     |                         |                         | 69.4                 | 69.3                | -0.54                        | -0.54                       | 0.011                        | 0.011                       | 1.4                    | 1.4                   | -5.73                     | -5.82                        | 34.4337328 | -118.6518938 | 1215         | 28.67                  | Valve Adjustment:Barely Open                                                              |
| SW-2502MD  | 2/11/2026 4:01:21 PM  | 19.6       | 71.9       | 0.0       | 8.5            | 854.0        | 0.3     |                         |                         | 60.7                 | 60.8                | -4.96                        | -6.68                       | 0.052                        | 0.026                       | 0.7                    | 0.5                   | -6.80                     | -6.73                        | 34.4337213 | -118.6518722 | 1203         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                 |
| SW-2502MD  | 2/11/2026 4:02:25 PM  | 19.6       | 72.9       | 0.0       | 7.5            | 0.0          | 0.3     |                         |                         | 61.4                 | 61.5                | -6.63                        | -6.86                       | 0.031                        | 0.116                       | 0.6                    | 1.1                   | -6.55                     | -6.97                        | 34.4337188 | -118.6518818 | 1200         | 28.83                  |                                                                                           |
| SW-2502MD  | 2/12/2026 1:05:36 PM  | 16.9       | 83.1       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 74.4                 | 74.7                | -6.08                        | -6.46                       | 0.190                        | 0.061                       | 1.4                    | 0.8                   | -6.07                     | -6.41                        | 34.4337272 | -118.6518930 | 1195         | 28.82                  | Valve Adjustment:Increased Flow/Vacuum                                                    |
| SW-2502MD  | 2/12/2026 1:06:53 PM  | 16.8       | 83.2       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 74.8                 | 74.8                | -6.45                        | -6.48                       | 0.049                        | 0.036                       | 0.7                    | 0.6                   | -6.56                     | -6.39                        | 34.4337398 | -118.6518932 | 1213         | 28.82                  |                                                                                           |
| SW-2502MD  | 2/13/2026 9:48:20 AM  | 16.5       | 79.2       | 1.1       | 3.2            | 2.9          | 0.2     |                         |                         | 74.2                 | 74.4                | -6.78                        | -6.91                       | 0.251                        | 0.157                       | 1.6                    | 1.2                   | -7.07                     | -7.12                        | 34.4337158 | -118.6518820 | 1227         | 28.77                  | Valve Adjustment:Increased Flow/Vacuum                                                    |
| SW-2502MD  | 2/13/2026 9:53:05 AM  | 16.2       | 78.5       | 1.1       | 4.2            | 3.8          | 0.2     |                         |                         | 74.4                 | 74.5                | -6.80                        | -6.80                       | 0.213                        | 0.431                       | 1.5                    | 2.1                   | -6.78                     | -7.29                        | 34.4337220 | -118.6518768 | 1220         | 28.78                  |                                                                                           |
| SW-2502MD  | 2/17/2026 9:41:02 AM  | 20.8       | 64.7       | 0.8       | 13.8           | 17.5         | 0.3     |                         |                         | 71.8                 | 71.9                | -7.91                        | -8.05                       | 0.037                        | 0.115                       | 0.6                    | 1.1                   | -8.08                     | -8.05                        | 34.4337307 | -118.6518785 | 1215         | 28.78                  | Valve Adjustment:Valve 100% Open                                                          |
| SW-2502MD  | 2/18/2026 9:33:49 AM  | 20.3       | 70.6       | 0.0       | 9.1            | 0.0          | 0.3     |                         |                         | 67.9                 | 67.5                | -8.04                        | -7.78                       | 0.037                        | 0.137                       | 0.6                    | 1.2                   | -8.35                     | -7.91                        | 34.4337342 | -118.6518943 | 1203         | 28.72                  | Valve Adjustment:Valve 100% Open                                                          |
| SW-2502MD  | 2/19/2026 9:24:25 AM  | 18.2       | 71.4       | 0.0       | 10.5           | 0.0          | 0.3     |                         |                         | 69.5                 | 69.6                | -8.64                        | -8.39                       | 0.018                        | 0.135                       | 0.4                    | 1.2                   | -8.67                     | -8.65                        | 34.4337457 | -118.6518887 | 1214         | 28.62                  |                                                                                           |
| SW-2502MD  | 2/20/2026 9:26:56 AM  | 16.7       | 83.3       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 69.0                 | 69.2                | -8.32                        | -8.45                       | 0.114                        | 0.150                       | 1.1                    | 1.2                   | -8.18                     | -8.27                        | 34.4337458 | -118.6518822 | 1209         | 28.75                  |                                                                                           |
| SW-2502MD  | 2/23/2026 8:39:44 AM  | 19.9       | 68.6       | 0.0       | 11.5           | 0.0          | 0.3     |                         |                         | 72.5                 | 72.4                | -8.06                        | -8.18                       | 0.023                        | 0.100                       | 0.5                    | 1.0                   | -8.14                     | -8.05                        | 34.4337332 | -118.6518805 | 1210         | 28.94                  | Valve Adjustment:Valve 100% Open                                                          |
| SW-2502MD  | 2/24/2026 9:24:07 AM  | 19.0       | 69.3       | 0.0       | 11.7           | 0.0          | 0.3     |                         |                         | 72.1                 | 72.0                | -7.28                        | -7.05                       | 0.074                        | 0.121                       | 3.5                    | 4.5                   | -7.24                     | -6.96                        | 34.4337342 | -118.6518920 | 1200         | 28.83                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                            |
| SW-2502MD  | 2/25/2026 8:36:05 AM  | 18.4       | 70.0       | 0.3       | 11.4           | 42.1         | 0.3     |                         |                         | 69.7                 | 69.8                | -4.97                        | -4.95                       | 0.039                        | 0.005                       | 2.6                    | 0.9                   | -5.04                     | -5.01                        | 34.4337317 | -118.6518660 | 1203         | 28.79                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                            |
| SW-2502MD  | 2/26/2026 1:42:16 PM  | 19.4       | 73.9       | 0.0       | 6.7            | 0.0          | 0.3     |                         |                         | 77.5                 | 77.5                | -7.49                        | -7.49                       | 0.010                        | 0.019                       | 2.9                    | 4.0                   | -7.44                     | -7.41                        | 34.4337273 | -118.6518967 | 1218         | 28.81                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open                       |
| SW-2502MD  | 2/27/2026 9:20:53 AM  | 20.6       | 75.7       | 0.0       | 3.7            | 0.0          | 0.3     |                         |                         | 68.5                 | 68.5                | -8.43                        | -8.39                       | 0.529                        | 0.533                       | 2.0                    | 2.0                   | -8.30                     |                              | 34.4338052 | -118.6518932 | 1204         | 28.74                  |                                                                                           |
| SW-2502S   | 2/10/2026 1:28:48 PM  | 15.4       | 74.0       | 2.4       | 8.2            | 3.4          | 0.2     |                         |                         | 72.5                 |                     | -0.03                        |                             | 0.068                        |                             | 3.4                    |                       | -5.59                     |                              | 34.4337477 | -118.6518805 | 1210         | 28.67                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                              |
| SW-2502S   | 2/10/2026 1:30:20 PM  | 8.8        | 62.5       | 8.4       | 20.3           | 2.4          | 0.1     |                         |                         | 72.7                 | 72.7                | -0.25                        | -0.25                       | 0.006                        | 0.005                       | 1.0                    | 0.9                   | -5.39                     | -5.35                        | 34.4337420 | -118.6518827 | 1193         | 28.67                  | Valve Adjustment:Barely Open                                                              |
| SW-2502S   | 2/11/2026 3:42:05 PM  | 0.2        | 0.6        | 21.3      | 77.9           | 3.7          | 0.4     |                         |                         | 67.0                 | 66.7                | -6.00                        | -6.11                       | 0.013                        | 0.019                       | 0.4                    | 0.4                   | -6.13                     | -6.29                        | 34.4337430 | -118.6518705 | 1214         | 28.86                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                 |
| SW-2502S   | 2/11/2026 3:45:09 PM  | 2.6        | 10.9       | 18.2      | 68.2           | 3.7          | 0.2     |                         |                         | 66.1                 | 66.1                | -6.03                        | -6.08                       | 0.024                        | 0.002                       | 0.5                    | 0.1                   | -6.14                     | -6.30                        | 34.4337472 | -118.6518758 | 1218         | 28.84                  |                                                                                           |
| SW-2502S   | 2/12/2026 12:46:40 PM | 1.0        | 0.5        | 20.7      | 77.8           | 3.8          | 2.0     |                         |                         | 65.8                 | 65.8                | -5.55                        | -5.76                       | 0.596                        | 2.053                       | 2.5                    | 4.5                   | -6.89                     | -7.41                        | 34.4337362 | -118.6518833 | 1218         | 28.85                  | Valve Adjustment:Increased Flow/Vacuum                                                    |
| SW-2502S   | 2/12/2026 12:48:02 PM | 1.6        | 1.3        | 20.4      | 76.7           | 3.8          | 1.2     |                         |                         | 65.9                 | 65.9                | -5.74                        | -5.74                       | 0.671                        | 0.893                       | 2.6                    | 3.0                   | -6.53                     | -6.91                        | 34.4337138 | -118.6518965 | 1206         | 28.85                  |                                                                                           |
| SW-2502S   | 2/13/2026 9:35:05 AM  | 0.3        | 0.8        | 21.0      | 77.9           | 3.7          | 0.4     |                         |                         | 65.6                 | 65.6                | -4.60                        | -4.89                       | 2.049                        | 2.067                       | 4.5                    | 4.6                   | -7.16                     | -7.22                        | 34.4337177 | -118.6518993 | 1229         | 28.78                  | Valve Adjustment:Increased Flow/Vacuum                                                    |
| SW-2502S   | 2/13/2026 9:37:13 AM  | 0.2        | 0.3        | 21.1      | 78.4           | 3.7          | 0.7     |                         |                         | 65.8                 | 65.8                | -4.81                        | -4.82                       | 2.333                        | 2.163                       | 4.8                    | 4.7                   | -6.95                     | -7.02                        | 34.4337185 | -118.6519088 | 1230         | 28.78                  |                                                                                           |
| SW-2502S   | 2/17/2026 9:28:16 AM  | 0.4        | 1.2        | 20.4      | 78.1           | 3.8          | 0.3     |                         |                         | 64.2                 | 60.6                | -6.05                        | -7.10                       | 1.778                        | 1.170                       | 4.2                    | 3.4                   | -8.18                     | -8.52                        | 34.4337382 | -118.6518733 | 1223         | 28.77                  | Valve Comment:increased valve half turn;Valve Adjustment:Increased Flow/Vacuum            |
| SW-2502S   | 2/17/2026 9:29:27 AM  | 0.3        | 0.5        | 20.6      | 78.6           | 3.8          | 0.7     |                         |                         | 63.9                 | 63.9                | -7.05                        | -7.09                       | 1.158                        | 1.021                       | 3.4                    | 3.2                   | -8.28                     | -9.44                        | 34.4337415 | -118.6518727 | 1218         | 28.77                  |                                                                                           |
| SW-2502S   | 2/18/2026 9:19:37 AM  | 0.6        | 0.5        | 20.4      | 78.6           | 3.9          | 1.2     |                         |                         | 61.6                 | 61.7                | -7.65                        | -7.54                       | 0.352                        | 0.358                       | 1.9                    | 1.9                   | -8.14                     | -7.95                        | 34.4337383 | -118.6518797 | 1209         | 28.72                  | Valve Adjustment:Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down                      |
| SW-2502S   | 2/18/2026 9:20:53 AM  | 0.6        | 0.4        | 20.4      | 78.6           | 3.9          | 1.7     |                         |                         | 61.7                 | 61.8                | -7.48                        | -7.58                       | 0.565                        | 0.580                       | 2.4                    | 2.4                   | -7.99                     | -8.05                        | 34.4337470 | -118.6518778 | 1204         | 28.72                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                            |
| SW-2502S   | 2/19/2026 9:14:04 AM  | 0.2        | 0.4        | 20.9      | 78.5           | 3.8          | 0.5     |                         |                         | 60.6                 | 61.2                | -7.74                        | -7.55                       | 0.279                        | 0.277                       | 3.8                    | 3.8                   | -7.69                     | -7.55                        | 34.4337607 | -118.6518768 | 1216         | 28.64                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                       |
| SW-2502S   | 2/19/2026 9:40:46 AM  | 0.1        | 5.8        | 20.6      | 73.5           | 3.6          | 0.0     |                         |                         | 52.6                 | 53.0                | -5.04                        | -5.23                       | 3.523                        | 3.585                       | 13.6                   | 13.7                  | -8.46                     | -8.38                        | 34.4335525 | -118.6519527 | 1218         | 28.64                  | Valve Comment:increased valve half turn;Valve Adjustment:Increased Flow/Vacuum            |
| SW-2502S   | 2/20/2026 9:18:11 AM  | 1.4        | 2.5        | 19.7      | 76.4           | 3.9          | 0.6     |                         |                         | 60.0                 | 60.3                | -8.49                        | -8.53                       | 0.107                        | 0.218                       | 1.0                    | 1.5                   | -8.42                     | -8.42                        | 34.4337445 | -118.6518862 | 1220         | 28.75                  | Valve Adjustment:Valve 100% Open,Surging Liquid in Header                                 |
| SW-2502S   | 2/23/2026 8:28:33 AM  | 0.3        | 0.3        | 20.1      | 79.3           | 3.9          | 1.1     |                         |                         | 62.9                 | 62.9                | -7.07                        | -7.05                       | 0.981                        | 0.936                       | 7.1                    | 7.0                   | -8.11                     | -7.98                        | 34.4337625 | -118.6518702 | 1198         | 28.94                  | Valve Adjustment:Increased Flow/Vacuum,Valve 100% Open                                    |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                  |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------|
| SW-2502S   | 2/24/2026 9:07:11 AM  | 0.5        | 0.9        | 20.8      | 77.8           | 3.7          | 0.6     |                         |                         | 64.9                 | 64.9                | -6.64                        | -6.61                       | 0.762                        | 0.789                       | 6.3                    | 6.4                   | -7.32                     | -7.47                        | 34.4337342 | -118.6518728 | 1209         | 28.83                  | Valve Comment:increased by half turn;Valve Adjustment:Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down |
| SW-2502S   | 2/24/2026 9:09:02 AM  | 0.6        | 0.8        | 20.9      | 77.8           | 3.7          | 0.7     |                         |                         | 64.4                 | 64.6                | -7.09                        | -7.05                       | 0.181                        | 0.203                       | 5.6                    | 5.9                   | -7.03                     | -7.10                        | 34.4337307 | -118.6518777 | 1204         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                       |
| SW-2502S   | 2/25/2026 8:25:11 AM  | 0.6        | 1.7        | 20.4      | 77.3           | 3.8          | 0.3     |                         |                         | 65.9                 | 65.9                | -4.80                        | -4.72                       | 0.073                        | 0.059                       | 3.5                    | 3.2                   | -4.83                     | -4.66                        | 34.4337310 | -118.6518752 | 1226         | 28.82                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                            |
| SW-2502S   | 2/26/2026 2:18:24 PM  | 0.9        | 1.6        | 20.0      | 77.5           | 3.9          | 0.6     |                         |                         | 70.7                 | 70.8                | -8.04                        | -7.70                       | 0.039                        | 0.040                       | 5.7                    | 5.7                   | -7.95                     | -7.72                        | 34.4337420 | -118.6518783 | 1210         | 28.81                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Valve 100% Open                 |
| SW-2502S   | 2/26/2026 2:19:25 PM  | 1.1        | 1.7        | 19.9      | 77.3           | 3.9          | 0.6     |                         |                         | 70.7                 | 70.8                | -7.64                        | -7.74                       | 0.031                        | 0.055                       | 5.1                    | 6.8                   | -7.59                     | -7.74                        | 34.4337392 | -118.6518810 | 1209         | 28.81                  | Valve Adjustment:Valve 100% Open                                                                          |
| SW-2502S   | 2/27/2026 9:29:54 AM  | 0.6        | 3.3        | 18.2      | 77.9           | 4.3          | 0.2     |                         |                         | 85.3                 | 85.1                | -8.22                        | -8.21                       | 0.643                        | 0.642                       | 2.5                    | 2.5                   | -8.20                     |                              | 34.4337140 | -118.6517385 | 1280         | 28.76                  |                                                                                                           |
| SW-2503D   | 2/10/2026 9:05:34 AM  | 3.1        | 1.7        | 20.3      | 74.9           | 3.7          | 1.8     |                         |                         | 68.8                 | 69.2                | -0.22                        | -1.86                       | 0.008                        | 0.007                       | 1.2                    | 1.1                   | -6.30                     | -6.34                        | 34.4351352 | -118.6515868 | 1257         | 28.62                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                              |
| SW-2503D   | 2/10/2026 9:07:15 AM  | 7.4        | 4.4        | 17.9      | 70.3           | 3.9          | 1.7     |                         |                         | 68.8                 | 68.9                | -1.85                        | -1.85                       | 0.008                        | 0.007                       | 1.1                    | 1.1                   | -6.18                     | -6.18                        | 34.4351418 | -118.6515898 | 1259         | 28.62                  | Valve Adjustment:Reconnected this Date                                                                    |
| SW-2503D   | 2/11/2026 9:11:14 AM  | 30.2       | 23.4       | 5.9       | 40.6           | 6.9          | 1.3     |                         |                         | 60.7                 | 61.8                | -4.68                        | -6.52                       | 0.000                        | 0.000                       |                        |                       | -7.26                     | -7.36                        | 34.4351690 | -118.6515618 | 1253         | 28.77                  | Valve Comment:increased valve by one half turn;Valve Adjustment:Increased Flow/Vacuum                     |
| SW-2503D   | 2/11/2026 9:12:37 AM  | 30.3       | 24.3       | 5.8       | 39.7           | 6.8          | 1.2     |                         |                         | 61.2                 | 61.3                | -6.63                        | -6.63                       | 0.008                        | 0.008                       |                        |                       | -7.28                     | -7.28                        | 34.4351498 | -118.6515892 | 1252         | 28.79                  |                                                                                                           |
| SW-2503D   | 2/11/2026 1:34:50 PM  | 0.0        | 0.1        | 20.4      | 79.6           | 3.9          | 0.3     |                         |                         | 73.6                 | 73.7                | -6.82                        | -6.82                       | 0.008                        | 0.008                       | 0.3                    | 0.3                   | -6.95                     | -6.95                        | 34.4351320 | -118.6515933 | 1279         | 28.78                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                       |
| SW-2503D   | 2/12/2026 9:27:38 AM  | 9.7        | 5.0        | 16.1      | 69.2           | 4.3          | 1.9     |                         |                         | 63.8                 | 65.2                | -7.04                        | -7.15                       | 0.168                        | 0.037                       | 1.3                    | 0.6                   | -6.75                     | -7.09                        | 34.4351412 | -118.6515900 | 1253         | 28.85                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                       |
| SW-2503D   | 2/12/2026 9:33:43 AM  | 10.2       | 5.6        | 15.7      | 68.5           | 4.4          | 1.8     |                         |                         | 69.2                 | 71.4                | -7.05                        | -7.05                       | 0.179                        | 0.053                       | 1.3                    | 0.7                   | -7.01                     | -6.95                        | 34.4351608 | -118.6515882 | 1262         | 28.85                  | Valve Adjustment:Audible Flow                                                                             |
| SW-2503D   | 2/13/2026 8:12:15 AM  | 14.0       | 6.5        | 12.3      | 67.2           | 5.5          | 2.2     |                         |                         | 59.9                 | 59.2                | -6.85                        | -6.91                       | 0.133                        | 0.139                       | 1.2                    | 1.2                   | -7.05                     | -7.10                        | 34.4351377 | -118.6516048 | 1259         | 28.68                  | Valve Adjustment:Increased Flow/Vacuum                                                                    |
| SW-2503D   | 2/13/2026 8:13:48 AM  | 13.3       | 6.2        | 12.3      | 68.2           | 5.5          | 2.1     |                         |                         | 59.0                 | 59.1                | -6.89                        | -6.89                       | 0.029                        | 0.041                       | 0.5                    | 0.7                   | -7.07                     | -7.11                        | 34.4351320 | -118.6515805 | 1250         | 28.7                   |                                                                                                           |
| SW-2503D   | 2/17/2026 8:29:50 AM  | 13.1       | 4.5        | 12.5      | 69.9           | 5.6          | 2.9     |                         |                         | 61.6                 | 61.3                | -7.42                        | -7.40                       | 0.043                        | 0.008                       | 0.7                    | 0.3                   | -7.63                     | -7.46                        | 34.4351355 | -118.6515842 | 1261         | 28.7                   | Valve Adjustment:Valve 100% Open                                                                          |
| SW-2503D   | 2/18/2026 8:30:45 AM  | 32.6       | 26.4       | 2.6       | 38.4           | 14.6         | 1.2     |                         |                         | 54.9                 | 54.9                | -6.72                        | -6.71                       | 0.035                        | 0.027                       | 0.6                    | 0.5                   | -6.87                     | -6.89                        | 34.4351387 | -118.6516250 | 1264         | 28.64                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                            |
| SW-2503D   | 2/19/2026 7:24:48 AM  | 28.2       | 17.8       | 4.0       | 50.0           | 12.6         | 1.6     |                         |                         | 54.2                 | 54.1                | -7.08                        | -7.13                       | 0.028                        | 0.027                       | 0.5                    | 0.5                   | -7.21                     | -7.21                        | 34.4351262 | -118.6516198 | 1261         | 28.6                   |                                                                                                           |
| SW-2503D   | 2/20/2026 8:23:39 AM  | 25.9       | 24.4       | 4.4       | 45.3           | 10.3         | 1.1     |                         |                         | 52.0                 | 52.0                | -7.77                        | -7.87                       | 0.005                        | 0.003                       | 0.2                    | 0.2                   | -7.64                     | -7.64                        | 34.4351203 | -118.6516438 | 1271         | 28.71                  | Valve Adjustment:Increased Flow/Vacuum                                                                    |
| SW-2503D   | 2/20/2026 8:25:34 AM  | 27.0       | 24.7       | 4.0       | 44.3           | 11.1         | 1.1     |                         |                         | 52.0                 | 52.0                | -7.77                        | -7.79                       | 0.015                        | 0.026                       | 0.4                    | 0.5                   | -7.45                     | -7.49                        | 34.4351277 | -118.6516290 | 1265         | 28.71                  |                                                                                                           |
| SW-2503D   | 2/23/2026 7:57:02 AM  | 28.7       | 25.0       | 3.9       | 42.5           | 10.9         | 1.1     |                         |                         | 58.4                 | 58.4                | -7.39                        | -7.39                       | 0.031                        | 0.000                       | 0.6                    | 0.0                   | -7.43                     | -7.42                        | 34.4351378 | -118.6515998 | 1249         | 28.9                   | Valve Adjustment:Valve 100% Open                                                                          |
| SW-2503D   | 2/24/2026 10:21:13 AM | 28.6       | 22.6       | 3.7       | 45.1           | 12.2         | 1.3     |                         |                         | 65.9                 | 65.6                | -6.06                        | -6.04                       | 0.016                        | 0.012                       | 0.4                    | 0.4                   | -6.25                     | -5.95                        | 34.4351120 | -118.6515772 | 1260         | 28.79                  | Valve Adjustment:Valve 100% Open                                                                          |
| SW-2503D   | 2/24/2026 12:17:56 PM | 11.7       | 6.0        | 13.5      | 68.9           | 5.1          | 2.0     |                         |                         | 70.5                 | 70.5                | -6.38                        | -6.38                       | 0.046                        | 0.038                       | 1.5                    | 1.4                   | -6.36                     | -6.34                        | 34.4351153 | -118.6516033 | 1233         | 28.79                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                       |
| SW-2503D   | 2/25/2026 8:01:47 AM  | 13.3       | 7.8        | 13.9      | 65.0           | 4.7          | 1.7     |                         |                         | 62.2                 | 61.8                | -4.85                        | -4.89                       | 0.006                        | 0.005                       | 0.6                    | 0.5                   | -4.84                     | -4.84                        | 34.4351252 | -118.6515792 | 1253         | 28.72                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                            |
| SW-2503D   | 2/26/2026 9:50:34 AM  | 25.6       | 22.3       | 5.2       | 46.2           | 8.9          | 1.1     | 0                       | 0.7                     | 71.3                 | 71.4                | -4.69                        | -4.83                       | 0.046                        | 0.008                       | 6.2                    | 2.6                   | -4.76                     | -4.80                        | 34.4351415 | -118.6515957 | 1266         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down   |
| SW-2503D   | 2/26/2026 9:53:34 AM  | 25.5       | 22.6       | 5.1       | 46.0           | 9.0          | 1.1     | 0                       | 0.8                     | 73.5                 | 73.7                | -4.85                        | -4.73                       | 0.013                        | 0.006                       | 3.3                    | 2.2                   | -4.80                     | -4.73                        | 34.4351448 | -118.6515903 | 1260         | 28.83                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                            |
| SW-2503D   | 2/27/2026 8:37:59 AM  | 22.6       | 14.3       | 4.9       | 58.2           | 11.9         | 1.6     |                         |                         | 75.3                 | 74.7                | -8.25                        | -8.22                       | 0.523                        | 0.542                       | 2.3                    | 2.4                   | -8.13                     |                              | 34.4351268 | -118.6515605 | 1257         | 28.66                  |                                                                                                           |
| SW-2503M   | 2/10/2026 9:21:32 AM  | 2.7        | 3.8        | 19.3      | 74.2           | 3.8          | 0.7     |                         |                         | 64.0                 | 63.3                | -0.02                        | -0.33                       | 0.011                        | 0.003                       | 1.4                    | 0.7                   | -6.88                     | -6.67                        | 34.4351325 | -118.6516012 | 1261         | 28.61                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                              |
| SW-2503M   | 2/10/2026 9:23:04 AM  | 2.8        | 3.9        | 19.2      | 74.1           | 3.9          | 0.7     |                         |                         | 62.9                 | 62.8                | -0.30                        | -0.30                       | 0.002                        | 0.002                       | 0.6                    | 0.6                   | -6.93                     | -6.93                        | 34.4351315 | -118.6515978 | 1260         | 28.63                  | Valve Adjustment:Reconnected this Date                                                                    |
| SW-2503M   | 2/11/2026 9:27:31 AM  | 39.9       | 40.5       | 3.0       | 16.7           | 5.7          | 1.0     |                         |                         | 60.5                 | 60.3                | -1.97                        | -7.28                       | 0.011                        | 0.009                       |                        |                       | -7.20                     | -7.30                        | 34.4351305 | -118.6515932 | 1245         | 28.79                  | Valve Comment:increased valve by one half turn;Valve Adjustment:Increased Flow/Vacuum                     |
| SW-2503M   | 2/11/2026 9:29:14 AM  | 1.8        | 2.9        | 20.0      | 75.3           | 3.8          | 0.6     |                         |                         | 60.7                 | 60.7                | -7.18                        | -7.26                       | 0.000                        | 0.000                       |                        |                       | -7.15                     | -7.30                        | 34.4351230 | -118.6515968 | 1244         | 28.79                  | Valve Adjustment:Valve 100% Open                                                                          |
| SW-2503M   | 2/11/2026 1:42:06 PM  | 1.2        | 0.5        | 20.0      | 78.3           | 3.9          | 2.2     |                         |                         | 65.6                 | 65.6                | -7.07                        | -7.06                       | 0.002                        | 0.020                       | 0.2                    | 0.4                   | -7.33                     | -7.35                        | 34.4351382 | -118.6516003 | 1252         | 28.8                   | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                       |
| SW-2503M   | 2/12/2026 9:43:10 AM  | 1.7        | 2.0        | 21.7      | 74.6           | 3.4          | 0.9     |                         |                         | 63.3                 | 61.8                | -6.71                        | -7.05                       | 0.048                        | 0.153                       | 0.7                    | 1.2                   | -6.74                     | -6.82                        | 34.4351350 | -118.6516007 | 1258         | 28.83                  | Valve Adjustment:Increased Flow/Vacuum                                                                    |
| SW-2503M   | 2/12/2026 9:46:47 AM  | 1.8        | 1.8        | 21.4      | 75.0           | 3.5          | 1.0     |                         |                         | 61.0                 | 59.6                | -6.97                        | -7.04                       | 0.158                        | 0.040                       | 1.3                    | 0.6                   | -6.61                     | -6.63                        | 34.4351483 | -118.6515892 | 1263         | 28.83                  |                                                                                                           |
| SW-2503M   | 2/13/2026 8:21:46 AM  | 27.1       | 17.6       | 10.2      | 45.1           | 4.4          | 1.5     |                         |                         | 57.6                 | 57.4                | -6.84                        | -7.09                       | 0.075                        | 0.078                       | 0.9                    | 0.9                   | -7.03                     | -7.25                        | 34.4351382 | -118.6516030 | 1263         | 28.68                  | Valve Adjustment:Increased Flow/Vacuum                                                                    |
| SW-2503M   | 2/13/2026 8:24:39 AM  | 29.6       | 19.4       | 9.1       | 41.9           | 4.6          | 1.5     |                         |                         | 57.1                 | 56.9                | -7.09                        | -7.09                       | 0.017                        | 0.092                       | 0.4                    | 1.0                   | -7.05                     | -7.16                        | 34.4351258 | -118.6516043 | 1268         | 28.7                   |                                                                                                           |
| SW-2503M   | 2/17/2026 8:37:04 AM  | 32.0       | 34.6       | 6.5       | 27.0           | 4.2          | 0.9     |                         |                         | 59.8                 | 59.8                | -7.62                        | -7.65                       | 0.060                        | 0.060                       | 0.8                    | 0.8                   | -7.75                     | -7.67                        | 34.4351235 | -118.6515927 | 1264         | 28.71                  | Valve Adjustment:Valve 100% Open                                                                          |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|---------------------------------------------------------------------------------------------------------|
| SW-2503M   | 2/18/2026 8:40:16 AM  | 4.6        | 3.9        | 19.2      | 72.3           | 3.8          | 1.2     |                         |                         | 51.5                 | 51.5                | -6.38                        | -6.38                       | 0.006                        | 0.011                       | 0.3                    | 0.3                   | -6.38                     | -6.38                        | 34.4351170 | -118.6515930 | 1243         | 28.65                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                          |
| SW-2503M   | 2/19/2026 7:32:08 AM  | 3.3        | 2.6        | 20.9      | 73.2           | 3.5          | 1.3     |                         |                         | 53.5                 | 53.6                | -7.05                        | -6.88                       | 0.027                        | 0.029                       | 0.5                    | 0.5                   | -6.98                     | -6.98                        | 34.4351190 | -118.6515830 | 1246         | 28.59                  |                                                                                                         |
| SW-2503M   | 2/20/2026 8:35:26 AM  | 6.0        | 13.6       | 16.4      | 64.0           | 3.9          | 0.4     |                         |                         | 69.0                 | 69.2                | -7.71                        | -7.76                       | 0.011                        | 0.009                       | 0.3                    | 0.3                   | -7.42                     | -7.47                        | 34.4351062 | -118.6516458 | 1254         | 28.71                  |                                                                                                         |
| SW-2503M   | 2/20/2026 8:54:05 AM  | 8.6        | 1.7        | 16.9      | 72.8           | 4.3          | 5.1     |                         |                         | 50.5                 | 50.5                | -7.64                        | -7.70                       | 0.022                        | 0.024                       | 0.5                    | 0.5                   | -7.40                     | -7.41                        | 34.4353102 | -118.6516642 | 1263         | 28.7                   | Valve Adjustment:Valve 100% Open                                                                        |
| SW-2503M   | 2/23/2026 8:06:39 AM  | 18.7       | 27.2       | 10.4      | 43.7           | 4.2          | 0.7     |                         |                         | 58.3                 | 58.4                | -7.05                        | -7.05                       | 0.035                        | 0.029                       | 0.6                    | 0.5                   | -7.04                     | -7.04                        | 34.4351160 | -118.6515868 | 1259         | 28.91                  | Valve Adjustment:Valve 100% Open                                                                        |
| SW-2503M   | 2/24/2026 10:34:14 AM | 21.2       | 32.9       | 8.2       | 37.7           | 4.6          | 0.6     |                         |                         | 69.1                 | 68.7                | -6.41                        | -6.41                       | 0.012                        | 0.007                       | 0.4                    | 0.3                   | -6.46                     | -6.51                        | 34.4351313 | -118.6515837 | 1272         | 28.79                  |                                                                                                         |
| SW-2503M   | 2/24/2026 12:10:38 PM | 5.2        | 5.4        | 17.2      | 72.2           | 4.2          | 1.0     |                         |                         | 69.4                 | 69.2                | -6.34                        | -6.29                       | 0.029                        | 0.004                       | 1.2                    | 0.5                   | -6.37                     | -6.38                        | 34.4351280 | -118.6516008 | 1256         | 28.76                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                     |
| SW-2503M   | 2/25/2026 8:10:43 AM  | 3.8        | 3.4        | 19.9      | 73.0           | 3.7          | 1.1     |                         |                         | 62.7                 | 62.6                | -4.86                        | -4.65                       | 0.011                        | 0.008                       | 0.7                    | 0.6                   | -4.89                     | -4.55                        | 34.4351113 | -118.6515808 | 1255         | 28.75                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                          |
| SW-2503M   | 2/26/2026 10:20:42 AM | 0.2        | 0.9        | 20.0      | 78.9           | 3.9          | 0.2     | 1                       | 0                       | 75.1                 | 74.9                | -4.70                        | -4.71                       | 0.005                        | 0.001                       | 2.1                    | 1.1                   | -4.84                     | -4.82                        | 34.4351183 | -118.6516030 | 1260         | 28.84                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open,Reduce Sys. Vac. - Flare Down       |
| SW-2503M   | 2/26/2026 10:23:24 AM | 1.7        | 0.8        | 19.1      | 78.4           | 4.1          | 2.1     | 0                       | 0                       | 74.2                 | 74.1                | -4.54                        | -4.62                       | 0.001                        | 0.009                       | 1.1                    | 2.7                   | -4.72                     | -4.80                        | 34.4351195 | -118.6515978 | 1256         | 28.83                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                          |
| SW-2503M   | 2/27/2026 8:45:19 AM  | 4.7        | 6.6        | 17.6      | 71.1           | 4.0          | 0.7     |                         |                         | 73.4                 | 73.4                | -8.36                        | -8.33                       | 0.568                        | 0.572                       | 2.4                    | 2.4                   | -8.31                     |                              | 34.4351340 | -118.6515587 | 1263         | 28.67                  |                                                                                                         |
| SW-2503MD  | 2/10/2026 9:12:42 AM  | 0.0        | 0.2        | 21.8      | 78.0           | 3.6          | 0.0     |                         |                         | 64.2                 | 63.8                | -0.83                        | -1.09                       | 0.005                        | 0.005                       | 0.9                    | 0.9                   | -6.17                     | -6.38                        | 34.4351375 | -118.6515923 | 1262         | 28.6                   | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                            |
| SW-2503MD  | 2/10/2026 9:14:40 AM  | 0.0        | 0.1        | 21.8      | 78.1           | 3.6          | 0.0     |                         |                         | 63.7                 | 63.7                | -1.08                        | -1.08                       | 0.004                        | 0.003                       | 0.8                    | 0.8                   | -6.90                     | -6.88                        | 34.4351343 | -118.6516100 | 1252         | 28.59                  | Valve Adjustment:Reconnected this Date                                                                  |
| SW-2503MD  | 2/11/2026 9:18:45 AM  | 3.4        | 2.8        | 19.8      | 74.1           | 3.7          | 1.2     |                         |                         | 63.1                 | 63.5                | -5.46                        | -7.00                       | 0.010                        | 0.009                       |                        |                       | -7.23                     | -7.20                        | 34.4351525 | -118.6515818 | 1264         | 28.76                  | Valve Comment:increased valve by one half turn;Valve Adjustment:Increased Flow/Vacuum                   |
| SW-2503MD  | 2/11/2026 9:20:16 AM  | 31.1       | 27.9       | 7.4       | 33.6           | 4.5          | 1.1     |                         |                         | 62.3                 | 62.3                | -7.02                        | -7.02                       | 0.025                        | 0.017                       |                        |                       | -7.16                     | -7.16                        | 34.4351397 | -118.6516293 | 1261         | 28.79                  |                                                                                                         |
| SW-2503MD  | 2/11/2026 1:38:41 PM  | 15.4       | 9.4        | 14.2      | 61.0           | 4.3          | 1.6     |                         |                         | 72.1                 | 72.2                | -7.04                        | -7.01                       | 0.011                        | 0.004                       | 0.3                    | 0.2                   | -7.36                     | -7.36                        | 34.4351393 | -118.6516113 | 1258         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                     |
| SW-2503MD  | 2/12/2026 9:37:04 AM  | 6.8        | 6.0        | 19.2      | 68.0           | 3.5          | 1.1     |                         |                         | 75.5                 | 75.7                | -6.38                        | -6.73                       | 0.074                        | 0.037                       | 0.9                    | 0.6                   | -6.95                     | -6.84                        | 34.4351468 | -118.6515972 | 1255         | 28.85                  | Valve Adjustment:Increased Flow/Vacuum                                                                  |
| SW-2503MD  | 2/12/2026 9:38:57 AM  | 6.8        | 6.0        | 19.1      | 68.1           | 3.6          | 1.1     |                         |                         | 75.8                 | 75.8                | -6.73                        | -6.73                       | 0.052                        | 0.043                       | 0.7                    | 0.7                   | -6.77                     | -6.86                        | 34.4351410 | -118.6515963 | 1258         | 28.85                  |                                                                                                         |
| SW-2503MD  | 2/13/2026 8:16:05 AM  | 7.8        | 6.4        | 18.4      | 67.4           | 3.7          | 1.2     |                         |                         | 73.2                 | 74.1                | -6.76                        | -6.84                       | 0.128                        | 0.143                       | 1.1                    | 1.2                   | -6.93                     | -7.08                        | 34.4351375 | -118.6515838 | 1258         | 28.7                   | Valve Adjustment:Increased Flow/Vacuum                                                                  |
| SW-2503MD  | 2/13/2026 8:17:14 AM  | 7.9        | 6.5        | 18.4      | 67.2           | 3.7          | 1.2     |                         |                         | 74.3                 | 74.3                | -6.80                        | -6.80                       | 0.260                        | 0.101                       | 1.6                    | 1.0                   | -7.08                     | -7.02                        | 34.4351422 | -118.6516002 | 1253         | 28.67                  |                                                                                                         |
| SW-2503MD  | 2/17/2026 8:32:55 AM  | 4.3        | 2.5        | 19.6      | 73.7           | 3.8          | 1.8     |                         |                         | 72.2                 | 72.9                | -7.58                        | -7.37                       | 0.155                        | 0.093                       | 1.2                    | 1.0                   | -7.81                     | -7.47                        | 34.4351308 | -118.6515832 | 1256         | 28.68                  | Valve Adjustment:Valve 100% Open                                                                        |
| SW-2503MD  | 2/18/2026 8:35:32 AM  | 34.3       | 36.9       | 4.9       | 23.9           | 4.9          | 0.9     |                         |                         | 57.6                 | 57.7                | -6.74                        | -6.42                       | 0.054                        | 0.053                       | 0.7                    | 0.7                   | -6.69                     | -6.38                        | 34.4351368 | -118.6516008 | 1258         | 28.65                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                          |
| SW-2503MD  | 2/19/2026 7:27:14 AM  | 32.4       | 33.0       | 6.9       | 27.7           | 4.0          | 1.0     |                         |                         | 64.9                 | 65.1                | -7.05                        | -6.80                       | 0.030                        | 0.042                       | 0.6                    | 0.7                   | -6.88                     | -6.88                        | 34.4351265 | -118.6516000 | 1258         | 28.6                   |                                                                                                         |
| SW-2503MD  | 2/20/2026 8:28:30 AM  | 28.7       | 33.4       | 6.5       | 31.4           | 4.8          | 0.9     |                         |                         | 60.0                 | 61.2                | -7.67                        | -7.83                       | 0.009                        | 0.002                       | 0.3                    | 0.2                   | -7.52                     | -7.72                        | 34.4351323 | -118.6516212 | 1268         | 28.71                  | Valve Adjustment:Increased Flow/Vacuum                                                                  |
| SW-2503MD  | 2/20/2026 8:29:56 AM  | 28.2       | 35.1       | 6.5       | 30.2           | 4.6          | 0.8     |                         |                         | 61.6                 | 61.7                | -7.77                        | -7.77                       | 0.002                        | 0.007                       | 0.2                    | 0.3                   | -7.41                     | -7.41                        | 34.4351335 | -118.6516153 | 1275         | 28.71                  |                                                                                                         |
| SW-2503MD  | 2/20/2026 8:49:42 AM  | 2.8        | 12.6       | 13.1      | 71.5           | 5.5          | 0.2     |                         |                         | 55.6                 | 55.6                | -7.76                        | -7.85                       | 0.011                        | 0.012                       | 0.3                    | 0.4                   | -7.53                     | -7.67                        | 34.4353340 | -118.6516560 | 1264         | 28.7                   |                                                                                                         |
| SW-2503MD  | 2/23/2026 8:01:09 AM  | 29.1       | 33.2       | 7.1       | 30.6           | 4.3          | 0.9     |                         |                         | 68.0                 | 68.0                | -7.38                        | -7.39                       | 0.033                        | 0.006                       | 0.6                    | 0.3                   | -7.38                     | -7.37                        | 34.4351363 | -118.6516078 | 1256         | 28.9                   | Valve Adjustment:Valve 100% Open                                                                        |
| SW-2503MD  | 2/24/2026 10:28:27 AM | 31.4       | 33.5       | 6.2       | 28.9           | 4.7          | 0.9     |                         |                         | 77.0                 | 77.2                | -6.23                        | -6.12                       | 0.055                        | 0.013                       | 0.7                    | 0.4                   | -6.40                     | -6.31                        | 34.4351183 | -118.6515767 | 1263         | 28.79                  |                                                                                                         |
| SW-2503MD  | 2/24/2026 12:14:34 PM | 28.1       | 32.7       | 6.7       | 32.6           | 4.9          | 0.9     |                         |                         | 73.9                 | 73.9                | -6.38                        | -6.67                       | 0.059                        | 0.014                       | 1.7                    | 0.8                   | -6.48                     | -6.71                        | 34.4351133 | -118.6516000 | 1251         | 28.79                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                     |
| SW-2503MD  | 2/25/2026 8:06:15 AM  | 18.0       | 27.2       | 10.4      | 44.4           | 4.3          | 0.7     |                         |                         | 64.0                 | 64.0                | -4.85                        | -4.92                       | 0.006                        | 0.024                       | 0.6                    | 1.1                   | -4.89                     | -4.89                        | 34.4351462 | -118.6515853 | 1265         | 28.72                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                          |
| SW-2503MD  | 2/26/2026 10:00:12 AM | 21.7       | 27.7       | 8.5       | 41.5           | 4.9          | 0.8     | 0                       | 0.6                     | 75.6                 | 75.7                | -6.31                        | -6.39                       | 0.027                        | 0.011                       | 4.7                    | 3.0                   | -6.38                     | -6.47                        | 34.4351298 | -118.6515803 | 1256         | 28.83                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down |
| SW-2503MD  | 2/26/2026 10:02:39 AM | 22.1       | 27.2       | 8.4       | 41.6           | 5.0          | 0.8     | 0                       | 0.7                     | 76.4                 | 76.3                | -6.28                        | -6.15                       | 0.005                        | 0.006                       | 2.1                    | 2.2                   | -6.22                     | -6.19                        | 34.4351402 | -118.6515913 | 1272         | 28.84                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                          |
| SW-2503MD  | 2/27/2026 8:40:39 AM  | 19.5       | 21.9       | 10.5      | 48.1           | 4.6          | 0.9     |                         |                         | 76.4                 | 76.4                | -8.18                        | -8.20                       | 0.544                        | 0.545                       | 2.3                    | 2.3                   | -8.20                     |                              | 34.4350850 | -118.6516467 | 1247         | 28.66                  |                                                                                                         |
| SW-2503S   | 2/10/2026 9:29:19 AM  | 11.0       | 20.4       | 12.8      | 55.8           | 4.4          | 0.5     |                         |                         | 63.2                 | 65.2                | -0.04                        | -0.28                       | 0.003                        | 0.002                       | 0.8                    | 0.5                   | -7.00                     | -6.95                        | 34.4351373 | -118.6515973 | 1259         | 28.63                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                            |
| SW-2503S   | 2/10/2026 9:31:11 AM  | 1.5        | 8.7        | 19.2      | 70.6           | 3.7          | 0.2     |                         |                         | 69.5                 | 69.7                | -0.25                        | -0.25                       | 0.007                        | 0.009                       | 1.1                    | 1.3                   | -6.97                     | -6.84                        | 34.4351382 | -118.6516085 | 1260         | 28.63                  | Valve Adjustment:Reconnected this Date                                                                  |
| SW-2503S   | 2/11/2026 9:33:30 AM  | 0.7        | 0.4        | 19.4      | 79.5           | 4.1          | 2.0     |                         |                         | 61.7                 | 63.4                | -2.79                        | -6.66                       | 0.008                        | 0.007                       |                        |                       | -7.08                     | -7.11                        | 34.4351230 | -118.6515882 | 1238         | 28.79                  | Valve Comment:Opened valve by one half turn;Valve Adjustment:Increased Flow/Vacuum                      |
| SW-2503S   | 2/11/2026 9:34:40 AM  | 0.7        | 0.2        | 19.6      | 79.6           | 4.1          | 4.6     |                         |                         | 65.5                 | 65.7                | -6.61                        | -6.69                       | 0.031                        | 0.017                       |                        |                       | -7.09                     | -7.18                        | 34.4351307 | -118.6515813 | 1246         | 28.79                  |                                                                                                         |
| SW-2503S   | 2/11/2026 1:46:13 PM  | 0.8        | 0.2        | 20.0      | 79.0           | 4.0          | 4.1     |                         |                         | 75.1                 | 75.1                | -6.37                        | -6.38                       | 0.185                        | 0.150                       | 1.4                    | 1.2                   | -7.32                     | -7.21                        | 34.4351340 | -118.6516015 | 1262         | 28.79                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                     |
| SW-2503S   | 2/12/2026 9:49:21 AM  | 1.4        | 1.4        | 21.4      | 75.8           | 3.5          | 1.0     |                         |                         | 79.3                 | 80.7                | -3.75                        | -4.08                       | 1.795                        | 1.968                       | 4.2                    | 4.4                   | -6.65                     | -6.74                        | 34.4351455 | -118.6515930 | 1253         | 28.82                  | Valve Adjustment:Increased Flow/Vacuum                                                                  |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                              |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------------|
| SW-2503S   | 2/12/2026 9:50:34 AM  | 1.5        | 1.5        | 21.2      | 75.8           | 3.6          | 1.0     |                         |                         | 81.1                 | 81.2                | -4.04                        | -4.05                       | 1.774                        | 1.634                       | 4.2                    | 4.0                   | -6.67                     | -6.55                        | 34.4351488 | -118.6516015 | 1261         | 28.85                  |                                                                                                                       |
| SW-2503S   | 2/13/2026 8:27:37 AM  | 2.1        | 3.8        | 20.4      | 73.7           | 3.6          | 0.6     |                         |                         | 81.2                 | 82.0                | -4.07                        | -4.22                       | 2.300                        | 2.212                       | 4.7                    | 4.6                   | -6.76                     | -6.75                        | 34.4351153 | -118.6516152 | 1284         | 28.71                  | Valve Adjustment:Increased Flow/Vacuum                                                                                |
| SW-2503S   | 2/13/2026 8:29:18 AM  | 2.1        | 3.2        | 20.5      | 74.2           | 3.6          | 0.7     |                         |                         | 82.3                 | 82.4                | -4.21                        | -4.22                       | 2.270                        | 2.645                       | 4.7                    | 5.1                   | -7.25                     | -6.67                        | 34.4351345 | -118.6516193 | 1274         | 28.71                  |                                                                                                                       |
| SW-2503S   | 2/17/2026 8:43:23 AM  | 2.2        | 3.0        | 19.9      | 74.9           | 3.8          | 0.7     |                         |                         | 80.6                 | 81.1                | -5.87                        | -6.05                       | 1.474                        | 1.481                       | 3.8                    | 3.8                   | -7.30                     | -7.38                        | 34.4351143 | -118.6516018 | 1257         | 28.72                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                                             |
| SW-2503S   | 2/17/2026 8:47:03 AM  | 2.3        | 3.2        | 19.8      | 74.8           | 3.8          | 0.7     |                         |                         | 80.1                 | 80.5                | -7.04                        | -7.05                       | 0.232                        | 0.216                       | 3.4                    | 3.3                   | -7.32                     | -7.34                        | 34.4351215 | -118.6516068 | 1253         | 28.72                  |                                                                                                                       |
| SW-2503S   | 2/18/2026 8:44:08 AM  | 6.7        | 9.9        | 16.4      | 67.1           | 4.1          | 0.7     |                         |                         | 57.1                 | 57.2                | -6.68                        | -6.63                       | 0.017                        | 0.014                       | 0.9                    | 0.9                   | -6.73                     | -6.59                        | 34.4351152 | -118.6515860 | 1248         | 28.65                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                        |
| SW-2503S   | 2/19/2026 7:36:08 AM  | 5.7        | 7.9        | 18.0      | 68.5           | 3.8          | 0.7     |                         |                         | 62.8                 | 62.9                | -6.90                        | -6.76                       | 0.017                        | 0.032                       | 0.9                    | 1.3                   | -6.86                     | -6.71                        | 34.4351115 | -118.6515875 | 1261         | 28.61                  |                                                                                                                       |
| SW-2503S   | 2/20/2026 8:38:16 AM  | 6.8        | 12.7       | 16.2      | 64.3           | 4.0          | 0.5     |                         |                         | 55.9                 | 55.7                | -7.87                        | -7.81                       | 0.000                        | 0.006                       | 0.1                    | 0.3                   | -7.71                     | -7.71                        | 34.4351050 | -118.6516327 | 1264         | 28.71                  |                                                                                                                       |
| SW-2503S   | 2/20/2026 8:56:26 AM  | 2.8        | 1.0        | 19.6      | 76.6           | 3.9          | 2.8     |                         |                         | 67.2                 | 67.7                | -7.61                        | -7.76                       | 0.035                        | 0.022                       | 0.6                    | 0.5                   | -7.37                     | -7.42                        | 34.4353148 | -118.6516647 | 1264         | 28.71                  | Valve Adjustment:Valve 100% Open                                                                                      |
| SW-2503S   | 2/23/2026 8:10:10 AM  | 5.0        | 11.3       | 17.7      | 66.0           | 3.7          | 0.4     |                         |                         | 77.2                 | 77.2                | -7.05                        | -7.03                       | 0.006                        | 0.011                       | 0.5                    | 0.7                   | -7.25                     | -7.08                        | 34.4351130 | -118.6515832 | 1259         | 28.9                   | Valve Adjustment:Valve 100% Open                                                                                      |
| SW-2503S   | 2/24/2026 12:08:04 PM | 5.8        | 11.0       | 15.8      | 67.4           | 4.3          | 0.5     |                         |                         | 79.8                 | 79.8                | -6.29                        | -6.29                       | 0.013                        | 0.023                       | 0.8                    | 1.1                   | -6.39                     | -6.26                        | 34.4351225 | -118.6516113 | 1259         | 28.79                  | Valve Adjustment:Valve 100% Open                                                                                      |
| SW-2503S   | 2/25/2026 8:15:00 AM  | 4.7        | 7.9        | 17.8      | 69.6           | 3.9          | 0.6     |                         |                         | 77.6                 | 77.6                | -4.74                        | -4.77                       | 0.015                        | 0.011                       | 0.9                    | 0.8                   | -4.85                     | -4.84                        | 34.4351185 | -118.6515868 | 1248         | 28.75                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                        |
| SW-2503S   | 2/26/2026 10:10:28 AM | 5.3        | 9.8        | 16.5      | 68.3           | 4.1          | 0.5     | 0                       | 0.1                     | 81.7                 | 81.9                | -7.19                        | -7.37                       | 0.011                        | 0.005                       | 3.0                    | 2.0                   | -7.26                     | -7.35                        | 34.4351143 | -118.6516062 | 1255         | 28.84                  | Valve Adjustment:Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down                                                  |
| SW-2503S   | 2/26/2026 10:12:35 AM | 5.3        | 10.0       | 16.5      | 68.2           | 4.1          | 0.5     | 0                       | 0                       | 81.8                 | 81.8                | -7.32                        | -7.11                       | 0.054                        | 0.051                       | 6.6                    | 6.5                   | -7.28                     | -7.07                        | 34.4351262 | -118.6515980 | 1259         | 28.83                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                        |
| SW-2503S   | 2/27/2026 8:42:55 AM  | 3.8        | 9.3        | 16.8      | 70.1           | 4.2          | 0.4     |                         |                         | 74.3                 | 74.2                | -8.05                        | -8.07                       | 0.584                        | 0.587                       | 2.4                    | 2.4                   | -8.11                     |                              | 34.4351545 | -118.6515607 | 1263         | 28.67                  |                                                                                                                       |
| SW-2504D   | 2/10/2026 8:24:30 AM  | 0.0        | 0.0        | 22.1      | 77.9           | 3.5          |         |                         |                         | 66.5                 | 68.1                | -0.12                        | -0.26                       | 0.007                        | 0.002                       | 1.1                    | 0.6                   | -6.83                     | -7.01                        | 34.4353347 | -118.6516547 | 1265         | 28.59                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                          |
| SW-2504D   | 2/10/2026 8:26:21 AM  | 0.0        | 0.0        | 22.0      | 78.0           | 3.5          |         |                         |                         | 71.0                 | 70.7                | -0.25                        | -0.25                       | 0.002                        | 0.002                       | 0.6                    | 0.6                   | -6.91                     | -6.95                        | 34.4353277 | -118.6516523 | 1269         | 28.59                  | Valve Adjustment:Reconnected this Date                                                                                |
| SW-2504D   | 2/11/2026 8:31:40 AM  | 0.0        | 0.1        | 21.8      | 78.2           | 3.6          | 0.0     |                         |                         | 67.5                 | 75.7                | -0.87                        | -4.71                       | 0.002                        | 0.103                       | 0.4                    | 2.3                   | -7.41                     | -7.35                        | 34.4353240 | -118.6516527 | 1259         | 28.75                  | Valve Comment:increased valve one half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2504D   | 2/11/2026 8:33:09 AM  | 0.1        | 0.1        | 21.1      | 78.7           | 3.7          | 0.8     |                         |                         | 77.2                 | 77.3                | -4.70                        | -4.71                       | 0.096                        | 0.097                       | 2.2                    | 2.2                   | -7.34                     | -7.49                        | 34.4353303 | -118.6516498 | 1255         | 28.76                  |                                                                                                                       |
| SW-2504D   | 2/12/2026 8:59:01 AM  | 0.1        | 3.2        | 20.4      | 76.3           | 3.7          | 0.0     |                         |                         | 78.5                 | 78.6                | -3.70                        | -4.20                       | 0.212                        | 0.254                       | 3.3                    | 3.6                   | -7.08                     | -7.11                        | 34.4353215 | -118.6516615 | 1277         | 28.82                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                                   |
| SW-2504D   | 2/12/2026 9:00:48 AM  | 0.1        | 3.1        | 20.1      | 76.7           | 3.8          | 0.0     |                         |                         | 78.8                 | 78.8                | -4.20                        | -4.20                       | 0.233                        | 0.233                       | 3.4                    | 3.4                   | -7.08                     | -7.08                        | 34.4353302 | -118.6516572 | 1269         | 28.82                  | Valve Adjustment:Audible Flow                                                                                         |
| SW-2504D   | 2/13/2026 7:39:28 AM  | 0.0        | 1.2        | 21.3      | 77.5           | 3.6          | 0.0     |                         |                         | 78.0                 | 78.1                | -3.41                        | -4.30                       | 0.293                        | 0.880                       | 3.9                    | 6.7                   | -7.27                     | -7.22                        | 34.4353182 | -118.6516615 | 1269         | 28.67                  | Valve Adjustment:Increased Flow/Vacuum                                                                                |
| SW-2504D   | 2/13/2026 7:40:46 AM  | 0.0        | 1.2        | 20.8      | 78.0           | 3.8          | 0.0     |                         |                         | 78.3                 | 78.1                | -4.31                        | -4.32                       | 0.528                        | 0.631                       | 5.2                    | 5.6                   | -7.02                     | -7.20                        | 34.4353125 | -118.6516707 | 1270         | 28.65                  |                                                                                                                       |
| SW-2504D   | 2/17/2026 8:05:34 AM  | 0.1        | 2.2        | 19.8      | 78.0           | 3.9          | 0.0     |                         |                         | 76.0                 | 76.1                | -6.69                        | -7.19                       | 0.104                        | 0.159                       | 2.3                    | 2.8                   | -7.55                     | -7.52                        | 34.4353338 | -118.6516505 | 1256         | 28.68                  | Valve Comment:increased half turn;Valve Adjustment:increased Flow/Vacuum                                              |
| SW-2504D   | 2/17/2026 8:06:51 AM  | 0.2        | 1.5        | 19.8      | 78.5           | 4.0          | 0.1     |                         |                         | 76.3                 | 76.3                | -7.16                        | -7.14                       | 0.142                        | 0.174                       | 2.7                    | 3.0                   | -7.45                     | -7.50                        | 34.4353285 | -118.6516617 | 1268         | 28.68                  |                                                                                                                       |
| SW-2504D   | 2/18/2026 7:43:14 AM  | 1.5        | 6.5        | 15.3      | 76.7           | 5.0          | 0.2     |                         |                         |                      |                     | -6.57                        | -6.71                       | 0.002                        | 0.002                       | 0.3                    | 0.3                   | -6.53                     | -6.66                        | 34.4353275 | -118.6516618 | 1263         | 28.6                   | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                        |
| SW-2504D   | 2/18/2026 8:15:28 AM  | 1.2        | 4.7        | 16.3      | 77.9           | 4.8          | 0.2     |                         |                         | 62.2                 | 62.3                | -6.71                        | -6.71                       | 0.045                        | 0.005                       | 1.5                    | 0.5                   | -6.69                     | -6.78                        | 34.4353345 | -118.6516373 | 1251         | 28.64                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                        |
| SW-2504D   | 2/19/2026 7:04:06 AM  | 0.4        | 0.6        | 19.9      | 79.1           | 4.0          | 0.7     |                         |                         | 74.2                 | 74.2                | -7.05                        | -7.05                       | 0.106                        | 0.065                       | 2.3                    | 1.8                   | -6.98                     | -6.98                        | 34.4353282 | -118.6516507 | 1255         | 28.6                   |                                                                                                                       |
| SW-2504D   | 2/20/2026 8:46:30 AM  | 0.9        | 6.1        | 17.1      | 75.9           | 4.4          | 0.1     |                         |                         | 71.3                 | 71.6                | -7.29                        | -7.19                       | 0.022                        | 0.027                       | 1.1                    | 1.2                   | -7.18                     | -7.09                        | 34.4353280 | -118.6516662 | 1267         | 28.71                  |                                                                                                                       |
| SW-2504D   | 2/23/2026 7:24:32 AM  | 0.1        | 0.8        | 21.3      | 77.8           | 3.7          | 0.1     |                         |                         | 75.4                 | 75.4                | -6.41                        | -6.87                       | 0.354                        | 0.443                       | 4.2                    | 4.7                   | -7.29                     | -7.34                        | 34.4353217 | -118.6516445 | 1262         | 28.87                  | Valve Adjustment:Increased Flow/Vacuum                                                                                |
| SW-2504D   | 2/23/2026 7:26:42 AM  | 0.1        | 0.8        | 21.4      | 77.7           | 3.6          | 0.1     |                         |                         | 74.2                 | 74.5                | -7.05                        | -7.05                       | 0.328                        | 0.335                       | 4.1                    | 4.1                   | -7.39                     | -7.49                        | 34.4353215 | -118.6516462 | 1267         | 28.88                  |                                                                                                                       |
| SW-2504D   | 2/24/2026 10:00:03 AM | 0.2        | 1.3        | 19.4      | 79.1           | 4.1          | 0.1     |                         |                         | 75.4                 | 75.4                | -5.68                        | -5.70                       | 0.392                        | 0.480                       | 4.5                    | 4.9                   | -6.28                     | -6.27                        | 34.4353258 | -118.6516497 | 1269         | 28.79                  |                                                                                                                       |
| SW-2504D   | 2/25/2026 7:42:07 AM  | 0.1        | 0.6        | 20.9      | 78.4           | 3.8          | 0.2     |                         |                         | 75.0                 | 75.0                | -4.48                        | -4.48                       | 0.294                        | 0.269                       | 3.9                    | 3.7                   | -4.66                     | -4.67                        | 34.4353383 | -118.6516517 | 1260         | 28.72                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                        |
| SW-2504D   | 2/26/2026 8:58:41 AM  | 0.3        | 0.8        | 19.4      | 79.5           | 4.1          | 0.4     | 4                       | 0                       | 76.9                 | 76.9                | -4.57                        | -4.57                       | 0.303                        | 0.304                       | 15.8                   | 15.9                  | -4.84                     | -4.80                        | 34.4353252 | -118.6516540 | 1258         | 28.82                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Reduce Sys. Vac. - Flare Down                                     |
| SW-2504D   | 2/26/2026 9:03:25 AM  | 0.3        | 0.9        | 19.2      | 79.6           | 4.1          | 0.3     | 0                       | 0                       | 77.1                 | 77.1                | -4.79                        | -4.93                       | 0.037                        | 0.019                       | 5.5                    | 3.9                   | -4.77                     | -4.88                        | 34.4353277 | -118.6516607 | 1262         | 28.82                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                        |
| SW-2504D   | 2/27/2026 8:23:24 AM  | 0.3        | 2.6        | 19.6      | 77.5           | 4.0          | 0.1     |                         |                         | 74.2                 | 74.3                | -8.31                        | -8.32                       | 0.541                        | 0.541                       | 5.3                    | 5.3                   | -8.39                     |                              | 34.4353082 | -118.6516158 | 1217         | 28.63                  |                                                                                                                       |
| SW-2504M   | 2/10/2026 8:40:05 AM  | 39.1       | 4.7        | 3.9       | 52.3           | 13.4         | 8.3     |                         |                         | 63.4                 | 63.6                | 0.01                         | -0.78                       | 0.002                        | 0.006                       | 0.5                    | 1.0                   | -5.92                     | -5.87                        | 34.4353112 | -118.6516612 | 1265         | 28.59                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                          |
| SW-2504M   | 2/10/2026 8:42:13 AM  | 37.4       | 4.8        | 4.4       | 53.4           | 12.1         | 7.8     |                         |                         | 62.9                 | 62.8                | -0.70                        | -0.70                       | 0.005                        | 0.005                       | 1.0                    | 0.9                   | -5.90                     | -5.90                        | 34.4353068 | -118.6516527 | 1267         | 28.62                  | Valve Adjustment:Reconnected this Date                                                                                |
| SW-2504M   | 2/11/2026 8:46:22 AM  | 40.2       | 3.7        | 5.1       | 51.1           | 10.1         | 10.9    |                         |                         | 61.3                 | 63.3                | -1.10                        | -7.46                       | 0.013                        | 0.006                       |                        |                       | -7.32                     | -7.39                        | 34.4353330 | -118.6516472 | 1249         | 28.76                  | Valve Adjustment:Increased Flow/Vacuum,Valve 100% Open                                                                |
| SW-2504M   | 2/11/2026 8:47:59 AM  | 45.2       | 4.5        | 2.9       | 47.3           | 16.1         | 10.1    |                         |                         | 62.7                 | 62.7                | -7.34                        | -7.34                       | 0.014                        | 0.012                       |                        |                       | -7.36                     | -7.36                        | 34.4353323 | -118.6516530 | 1258         | 28.75                  |                                                                                                                       |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                        |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| SW-2504M   | 2/12/2026 9:06:10 AM  | 42.4       | 5.8        | 2.5       | 49.3           | 19.7         | 7.3     |                         |                         | 62.1                 | 60.5                | -7.05                        | -7.38                       | 0.074                        | 0.000                       |                        |                       | -6.76                     | -7.09                        | 34.4353150 | -118.6516313 | 1274         | 28.82                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                             |
| SW-2504M   | 2/12/2026 9:07:46 AM  | 42.6       | 6.0        | 2.3       | 49.1           | 21.3         | 7.1     |                         |                         | 60.0                 | 59.8                | -7.25                        | -7.25                       | 0.010                        | 0.004                       |                        |                       | -6.93                     | -6.93                        | 34.4353147 | -118.6516418 | 1273         | 28.83                  | Valve Adjustment:Audible Flow                                                                                   |
| SW-2504M   | 2/13/2026 7:45:15 AM  | 40.3       | 5.1        | 3.3       | 51.3           | 15.5         | 7.9     |                         |                         | 62.3                 | 61.4                | -6.75                        | -7.00                       | 0.000                        | 0.000                       |                        |                       | -7.01                     | -7.26                        | 34.4353025 | -118.6516893 | 1281         | 28.67                  | Valve Adjustment:Increased Flow/Vacuum                                                                          |
| SW-2504M   | 2/13/2026 7:47:29 AM  | 39.8       | 5.4        | 3.1       | 51.7           | 16.7         | 7.4     |                         |                         | 61.2                 | 60.7                | -7.01                        | -7.01                       | 0.000                        | 0.000                       |                        |                       | -7.18                     | -7.18                        | 34.4353090 | -118.6516652 | 1270         | 28.67                  |                                                                                                                 |
| SW-2504M   | 2/17/2026 8:15:53 AM  | 44.2       | 4.8        | 2.1       | 48.8           | 22.8         | 9.2     |                         |                         | 58.9                 | 58.9                | -7.37                        | -7.56                       | 0.036                        | 0.016                       |                        |                       | -7.57                     | -7.63                        | 34.4352983 | -118.6516677 | 1264         | 28.68                  | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504M   | 2/18/2026 8:08:42 AM  | 10.5       | 0.8        | 17.2      | 71.4           | 4.1          | 13.2    |                         |                         | 47.8                 | 47.8                | -6.71                        | -6.76                       | 0.070                        | 0.026                       | 1.9                    | 1.2                   | -6.67                     | -6.69                        | 34.4353145 | -118.6516492 | 1253         | 28.62                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open,Reduce Sys. Vac. - Flare Down               |
| SW-2504M   | 2/19/2026 7:11:37 AM  | 10.8       | 1.2        | 17.5      | 70.5           | 4.0          | 9.0     |                         |                         | 49.9                 | 50.1                | -7.05                        | -7.05                       | 0.032                        | 0.008                       | 1.3                    | 0.6                   | -7.05                     | -7.05                        | 34.4353077 | -118.6516685 | 1252         | 28.59                  |                                                                                                                 |
| SW-2504M   | 2/23/2026 7:36:04 AM  | 9.2        | 0.6        | 18.8      | 71.4           | 3.8          | 15.1    |                         |                         | 58.0                 | 57.9                | -7.05                        | -7.05                       | 0.009                        | 0.025                       | 0.7                    | 1.1                   | -6.96                     | -7.05                        | 34.4353127 | -118.6516497 | 1255         | 28.9                   | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504M   | 2/24/2026 10:08:30 AM | 9.4        | 0.7        | 17.0      | 72.9           | 4.3          | 13.7    |                         |                         | 64.8                 | 64.8                | -6.11                        | -6.15                       | 0.010                        | 0.010                       | 0.7                    | 0.7                   | -6.30                     | -6.25                        | 34.4353200 | -118.6516433 | 1265         | 28.79                  | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504M   | 2/25/2026 7:50:15 AM  | 9.3        | 0.9        | 18.2      | 71.7           | 3.9          | 9.8     |                         |                         | 60.6                 | 60.5                | -4.67                        | -4.64                       | 0.001                        | 0.011                       | 0.2                    | 0.7                   | -4.82                     | -4.66                        | 34.4353130 | -118.6516490 | 1253         | 28.72                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                  |
| SW-2504M   | 2/26/2026 9:16:34 AM  | 8.7        | 0.7        | 17.0      | 73.6           | 4.3          | 12.4    | 1                       | 0                       | 75.1                 | 74.8                | -4.44                        | -4.61                       | 0.060                        | 0.064                       | 7.1                    | 7.3                   | -4.40                     | -4.71                        | 34.4353047 | -118.6516462 | 1251         | 28.82                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open,Reduce Sys. Vac. - Flare Down               |
| SW-2504M   | 2/26/2026 9:19:30 AM  | 9.1        | 0.7        | 16.9      | 73.3           | 4.3          | 13.0    | 0                       | 0                       | 74.2                 | 74.2                | -4.71                        | -4.73                       | 0.042                        | 0.004                       | 5.9                    | 1.9                   | -4.74                     | -4.66                        | 34.4353165 | -118.6516537 | 1258         | 28.82                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                  |
| SW-2504M   | 2/27/2026 8:29:16 AM  | 11.0       | 2.4        | 15.8      | 70.8           | 4.5          | 4.6     |                         |                         | 71.5                 | 71.5                | -8.40                        | -8.40                       | 0.542                        | 0.543                       | 5.4                    | 5.4                   | -8.40                     |                              | 34.4353252 | -118.6517275 | 1299         | 28.64                  |                                                                                                                 |
| SW-2504MD  | 2/10/2026 8:15:47 AM  | 0.0        | 0.1        | 22.4      | 77.5           | 3.5          | 0.0     |                         |                         | 65.3                 | 66.9                | -0.56                        | -0.62                       | 0.001                        | 0.007                       | 0.4                    | 1.1                   | -7.05                     | -7.04                        | 34.4353165 | -118.6516717 | 1272         | 28.59                  | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                    |
| SW-2504MD  | 2/10/2026 8:17:19 AM  | 0.0        | 0.0        | 22.2      | 77.8           | 3.5          |         |                         |                         | 65.1                 | 65.0                | -0.63                        | -0.60                       | 0.007                        | 0.001                       | 1.1                    | 0.5                   | -6.91                     | -7.09                        | 34.4353178 | -118.6516538 | 1256         | 28.59                  | Valve Adjustment:Reconnected this Date                                                                          |
| SW-2504MD  | 2/11/2026 8:39:07 AM  | 0.0        | 0.0        | 21.6      | 78.4           | 3.6          | 0.0     |                         |                         | 62.8                 | 62.9                | -4.02                        | -4.00                       | 0.002                        | 0.003                       | 0.3                    | 0.4                   | -7.23                     | -7.15                        | 34.4353432 | -118.6516520 | 1248         | 28.75                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum                                       |
| SW-2504MD  | 2/11/2026 8:40:44 AM  | 0.0        | 0.0        | 21.6      | 78.4           | 3.6          | 0.0     |                         |                         | 63.0                 | 63.0                | -4.06                        | -4.05                       | 0.002                        | 0.000                       | 0.3                    | 0.0                   | -7.24                     | -7.02                        | 34.4353257 | -118.6516408 | 1265         | 28.76                  |                                                                                                                 |
| SW-2504MD  | 2/12/2026 9:16:25 AM  | 0.2        | 0.2        | 22.6      | 77.0           | 3.4          | 1.0     |                         |                         | 57.4                 | 56.0                | -3.72                        | -6.19                       | 0.170                        | 0.003                       | 3.0                    | 0.4                   | -7.02                     | -6.85                        | 34.4353077 | -118.6516518 | 1273         | 28.83                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                             |
| SW-2504MD  | 2/12/2026 9:17:45 AM  | 0.2        | 0.2        | 22.4      | 77.2           | 3.4          | 1.0     |                         |                         | 55.3                 | 54.9                | -6.38                        | -6.37                       | 0.025                        | 0.030                       | 1.1                    | 1.3                   | -6.88                     | -6.84                        | 34.4353122 | -118.6516488 | 1271         | 28.82                  | Valve Adjustment:Audible Flow                                                                                   |
| SW-2504MD  | 2/13/2026 7:59:28 AM  | 0.1        | 0.3        | 21.9      | 77.7           | 3.5          | 0.3     |                         |                         | 57.4                 | 55.1                | -6.44                        | -6.68                       | 0.410                        | 0.409                       | 4.6                    | 4.6                   | -7.06                     | -7.10                        | 34.4353188 | -118.6516558 | 1260         | 28.68                  | Valve Adjustment:Increased Flow/Vacuum                                                                          |
| SW-2504MD  | 2/13/2026 8:01:10 AM  | 0.1        | 0.2        | 21.5      | 78.2           | 3.6          | 0.5     |                         |                         | 54.4                 | 54.3                | -6.36                        | -6.50                       | 0.469                        | 0.485                       | 5.0                    | 5.1                   | -6.91                     | -7.11                        | 34.4353075 | -118.6516638 | 1266         | 28.68                  | Valve Adjustment:Increased Flow/Vacuum                                                                          |
| SW-2504MD  | 2/13/2026 8:02:42 AM  | 0.1        | 0.3        | 21.6      | 78.0           | 3.6          | 0.3     |                         |                         | 54.3                 | 54.3                | -6.44                        | -6.42                       | 0.507                        | 0.505                       | 5.2                    | 5.2                   | -7.10                     | -7.04                        | 34.4353102 | -118.6516813 | 1271         | 28.67                  |                                                                                                                 |
| SW-2504MD  | 2/17/2026 8:10:26 AM  | 2.9        | 9.4        | 14.2      | 73.5           | 5.2          | 0.3     |                         |                         | 61.8                 | 61.9                | -7.68                        | -7.76                       | 0.012                        | 0.036                       | 0.8                    | 1.4                   | -7.59                     | -7.73                        | 34.4353295 | -118.6516680 | 1264         | 28.68                  | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504MD  | 2/18/2026 7:48:20 AM  | 4.4        | 14.6       | 11.9      | 69.2           | 5.8          | 0.3     |                         |                         |                      |                     | -6.71                        | -6.71                       | 0.024                        | 0.023                       | 1.1                    | 1.1                   | -6.84                     | -6.84                        | 34.4353168 | -118.6516677 | 1266         | 28.6                   | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                  |
| SW-2504MD  | 2/18/2026 8:12:51 AM  | 4.5        | 14.4       | 11.5      | 69.7           | 6.1          | 0.3     |                         |                         | 49.9                 | 50.0                | -6.66                        | -6.42                       | 0.019                        | 0.026                       | 1.0                    | 1.2                   | -6.70                     | -6.61                        | 34.4353122 | -118.6516502 | 1257         | 28.64                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                  |
| SW-2504MD  | 2/19/2026 7:07:38 AM  | 3.2        | 10.9       | 14.0      | 71.9           | 5.1          | 0.3     |                         |                         | 58.4                 | 58.3                | -7.05                        | -7.05                       | 0.019                        | 0.023                       | 1.0                    | 1.1                   | -7.09                     | -6.96                        | 34.4353290 | -118.6516642 | 1253         | 28.58                  |                                                                                                                 |
| SW-2504MD  | 2/23/2026 7:31:11 AM  | 2.2        | 9.0        | 15.3      | 73.4           | 4.8          | 0.2     |                         |                         | 59.8                 | 59.9                | -7.05                        | -7.05                       | 0.014                        | 0.014                       | 0.9                    | 0.8                   | -7.05                     | -6.96                        | 34.4353270 | -118.6516500 | 1272         | 28.9                   | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504MD  | 2/24/2026 10:04:36 AM | 2.5        | 10.5       | 13.8      | 73.2           | 5.3          | 0.2     |                         |                         | 66.0                 | 65.9                | -6.12                        | -6.05                       | 0.016                        | 0.019                       | 0.9                    | 1.0                   | -6.25                     | -6.07                        | 34.4353197 | -118.6516417 | 1276         | 28.79                  | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504MD  | 2/25/2026 7:46:12 AM  | 2.7        | 11.0       | 14.8      | 71.5           | 4.8          | 0.2     |                         |                         | 63.9                 | 63.9                | -4.59                        | -4.54                       | 0.008                        | 0.005                       | 0.7                    | 0.5                   | -4.49                     | -4.49                        | 34.4353300 | -118.6516505 | 1268         | 28.72                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                  |
| SW-2504MD  | 2/26/2026 9:08:45 AM  | 3.0        | 12.0       | 13.7      | 71.3           | 5.2          | 0.3     | 0                       | 0                       | 70.5                 | 70.5                | -4.71                        | -4.63                       | 0.037                        | 0.011                       | 5.6                    | 3.1                   | -4.73                     | -4.64                        | 34.4353353 | -118.6516598 | 1266         | 28.82                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open,Reduce Sys. Vac. - Flare Down               |
| SW-2504MD  | 2/26/2026 9:11:13 AM  | 3.1        | 12.8       | 13.4      | 70.6           | 5.3          | 0.2     | 0                       | 0.1                     | 71.1                 | 71.1                | -4.46                        | -4.48                       | 0.049                        | 0.007                       | 6.4                    | 2.5                   | -4.48                     | -4.42                        | 34.4353283 | -118.6516530 | 1252         | 28.82                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                  |
| SW-2504MD  | 2/27/2026 8:26:16 AM  | 2.7        | 12.9       | 14.0      | 70.4           | 5.0          | 0.2     |                         |                         | 71.5                 | 71.4                | -8.36                        | -8.36                       | 0.501                        | 0.502                       | 5.0                    | 5.0                   | -8.35                     |                              | 34.4353403 | -118.6516877 | 1293         | 28.63                  |                                                                                                                 |
| SW-2504S   | 2/10/2026 8:32:20 AM  | 0.0        | 0.0        | 21.8      | 78.2           | 3.6          |         |                         |                         | 65.1                 | 64.9                | -0.39                        | -0.85                       | 0.000                        | 0.003                       | 0.2                    | 0.7                   | -6.53                     | -6.17                        | 34.4353120 | -118.6516460 | 1270         | 28.6                   | Valve Adjustment:Reconnected this Date,Increased Flow/Vacuum                                                    |
| SW-2504S   | 2/10/2026 8:33:47 AM  | 0.0        | 0.0        | 21.7      | 78.3           | 3.6          |         |                         |                         | 64.7                 | 64.6                | -0.73                        | -0.72                       | 0.006                        | 0.002                       | 1.0                    | 0.5                   | -6.00                     | -5.96                        | 34.4353085 | -118.6516545 | 1267         | 28.59                  | Valve Adjustment:Reconnected this Date                                                                          |
| SW-2504S   | 2/11/2026 8:53:14 AM  | 0.7        | 0.4        | 20.8      | 78.1           | 3.8          | 1.6     |                         |                         | 60.4                 | 69.7                | -1.66                        | -6.47                       | 0.005                        | 0.038                       | 0.5                    | 1.4                   | -7.36                     | -7.37                        | 34.4353392 | -118.6516520 | 1241         | 28.75                  | Valve Comment:increased one half turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum |
| SW-2504S   | 2/11/2026 8:54:35 AM  | 1.2        | 0.5        | 20.5      | 77.9           | 3.8          | 2.6     |                         |                         | 70.9                 | 71.1                | -6.73                        | -6.74                       | 0.036                        | 0.036                       | 1.4                    | 1.4                   | -7.33                     | -7.33                        | 34.4353272 | -118.6516367 | 1253         | 28.76                  |                                                                                                                 |
| SW-2504S   | 2/12/2026 9:11:36 AM  | 2.0        | 1.0        | 21.3      | 75.7           | 3.6          | 2.0     |                         |                         | 72.3                 | 72.4                | -6.71                        | -7.02                       | 0.100                        | 0.040                       | 2.3                    | 1.4                   | -6.98                     | -7.06                        | 34.4352998 | -118.6516512 | 1281         | 28.82                  | Valve Adjustment:Audible Flow,Increased Flow/Vacuum                                                             |
| SW-2504S   | 2/12/2026 9:13:17 AM  | 1.9        | 0.8        | 21.2      | 76.1           | 3.6          | 2.4     |                         |                         | 72.5                 | 72.6                | -7.05                        | -7.05                       | 0.093                        | 0.054                       | 2.2                    | 1.7                   | -7.07                     | -7.11                        | 34.4352980 | -118.6516532 | 1284         | 28.83                  | Valve Adjustment:Audible Flow                                                                                   |
| SW-2504S   | 2/13/2026 7:52:32 AM  | 2.8        | 0.8        | 19.9      | 76.5           | 3.8          | 3.5     |                         |                         | 73.7                 | 74.2                | -6.63                        | -6.76                       | 0.290                        | 0.352                       | 3.8                    | 4.2                   | -6.91                     | -7.16                        | 34.4353153 | -118.6516445 | 1267         | 28.68                  | Valve Adjustment:Increased Flow/Vacuum                                                                          |
| SW-2504S   | 2/13/2026 7:53:40 AM  | 3.3        | 0.8        | 20.1      | 75.8           | 3.8          | 4.1     |                         |                         | 74.5                 | 74.7                | -6.76                        | -6.76                       | 0.328                        | 0.289                       | 4.1                    | 3.8                   | -7.04                     | -7.08                        | 34.4353042 | -118.6516542 | 1268         | 28.67                  |                                                                                                                 |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                        |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------------------------------------|
| SW-2504S   | 2/17/2026 8:19:49 AM  | 2.4        | 0.5        | 20.3      | 76.9           | 3.8          | 5.1     |                         |                         | 71.2                 | 71.3                | -7.39                        | -7.39                       | 0.034                        | 0.020                       | 1.3                    | 1.0                   | -7.38                     | -7.43                        | 34.4353040 | -118.6516585 | 1259         | 28.68                  | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504S   | 2/18/2026 8:04:20 AM  | 4.5        | 1.2        | 19.5      | 74.8           | 3.8          | 3.8     |                         |                         | 63.4                 | 63.5                | -6.71                        | -6.71                       | 0.048                        | 0.035                       | 1.6                    | 1.3                   | -6.75                     | -6.75                        | 34.4353118 | -118.6516557 | 1255         | 28.62                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open,Reduce Sys. Vac. - Flare Down               |
| SW-2504S   | 2/19/2026 7:15:35 AM  | 3.6        | 0.5        | 20.6      | 75.3           | 3.7          | 7.5     |                         |                         | 69.9                 | 69.9                | -7.14                        | -7.05                       | 0.038                        | 0.023                       | 1.4                    | 1.1                   | -7.11                     | -7.05                        | 34.4353053 | -118.6516712 | 1256         | 28.6                   |                                                                                                                 |
| SW-2504S   | 2/23/2026 7:42:03 AM  | 2.6        | 0.4        | 21.0      | 76.0           | 3.6          | 6.4     |                         |                         | 71.2                 | 71.2                | -7.13                        | -7.23                       | 0.057                        | 0.057                       | 1.7                    | 1.7                   | -7.08                     | -7.24                        | 34.4353153 | -118.6516445 | 1257         | 28.9                   | Valve Adjustment:Valve 100% Open                                                                                |
| SW-2504S   | 2/24/2026 10:12:38 AM | 3.3        | 0.4        | 18.8      | 77.6           | 4.1          | 9.0     |                         |                         | 73.8                 | 74.1                | -6.23                        | -6.06                       | 0.007                        | 0.025                       | 0.6                    | 1.1                   | -6.39                     | -6.25                        | 34.4352937 | -118.6516445 | 1258         | 28.79                  |                                                                                                                 |
| SW-2504S   | 2/25/2026 7:52:45 AM  | 1.4        | 0.4        | 20.6      | 77.6           | 3.8          | 3.8     |                         |                         | 70.5                 | 70.7                | -4.65                        | -4.58                       | 0.003                        | 0.007                       | 0.4                    | 0.6                   | -4.61                     | -4.50                        | 34.4353162 | -118.6516503 | 1255         | 28.72                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                  |
| SW-2504S   | 2/26/2026 9:25:43 AM  | 1.0        | 0.2        | 19.7      | 79.1           | 4.0          | 5.0     | 0                       | 0                       | 76.2                 | 76.4                | -4.47                        | -4.60                       | 0.017                        | 0.007                       | 3.8                    | 2.4                   | -4.42                     | -4.57                        | 34.4353038 | -118.6516595 | 1261         | 28.82                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Open,Reduce Sys. Vac. - Flare Down               |
| SW-2504S   | 2/26/2026 9:36:14 AM  | 0.5        | 0.2        | 19.7      | 79.6           | 4.0          | 2.5     | 0                       | 0                       | 75.9                 | 76.0                | -4.19                        | -4.17                       | 0.029                        | 0.028                       | 5.0                    | 4.8                   | -4.05                     | -4.07                        | 34.4353002 | -118.6516512 | 1266         | 28.82                  | Valve Adjustment:Valve 100% Open,Reduce Sys. Vac. - Flare Down                                                  |
| SW-2504S   | 2/27/2026 8:33:36 AM  | 3.2        | 1.4        | 18.7      | 76.7           | 4.1          | 2.3     |                         |                         | 76.5                 | 76.6                | -8.34                        | -8.34                       | 0.520                        | 0.528                       | 5.2                    | 5.3                   | -8.35                     |                              | 34.4353263 | -118.6516558 | 1316         | 28.64                  |                                                                                                                 |
| SW-30      | 2/10/2026 12:44:38 PM | 17.5       | 73.1       | 0.0       | 9.4            | 0.0          | 0.2     |                         |                         | 69.4                 | 69.6                | -5.73                        | -5.28                       | 0.041                        | 0.032                       | 7.2                    | 6.3                   | -5.55                     | -5.13                        | 34.4336908 | -118.6519595 | 1213         | 28.68                  | Valve Adjustment:Decreased Flow/Vacuum                                                                          |
| SW-30      | 2/11/2026 4:17:04 PM  | 19.5       | 63.0       | 0.0       | 17.5           | 0.0          | 0.3     |                         |                         | 68.4                 | 69.0                | -5.08                        | -3.01                       | 0.097                        | 0.010                       | 9.0                    | 2.9                   | -5.73                     | -5.62                        | 34.4336780 | -118.6519850 | 1222         | 28.83                  | Valve Comment:closed valve by half turn;Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down    |
| SW-30      | 2/11/2026 4:17:58 PM  | 19.2       | 63.7       | 0.0       | 17.1           | 0.0          | 0.3     |                         |                         | 69.4                 | 69.5                | -2.55                        | -2.53                       | 0.019                        | 0.017                       | 4.0                    | 3.8                   | -5.65                     | -5.77                        | 34.4337390 | -118.6519737 | 1215         | 28.83                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                  |
| SW-30      | 2/12/2026 1:15:13 PM  | 18.3       | 70.1       | 0.0       | 11.6           | 0.0          | 0.3     |                         |                         | 83.9                 | 84.7                | -0.56                        | -0.09                       | 0.058                        | 0.005                       | 6.9                    | 1.9                   | -5.52                     | -5.48                        | 34.4336890 | -118.6519672 | 1217         | 28.82                  | Valve Adjustment:Decreased Flow/Vacuum                                                                          |
| SW-30      | 2/12/2026 1:16:48 PM  | 18.2       | 70.4       | 0.0       | 11.4           | 0.0          | 0.3     |                         |                         | 84.9                 | 85.0                | -0.10                        | -0.09                       | 0.040                        | 0.042                       | 5.8                    | 5.9                   | -5.45                     | -5.65                        | 34.4336875 | -118.6519450 | 1241         | 28.82                  |                                                                                                                 |
| SW-30      | 2/13/2026 1:14:51 PM  | 17.1       | 69.1       | 0.5       | 13.3           | 26.6         | 0.2     |                         |                         | 83.8                 | 84.1                | -0.60                        | -0.44                       | 0.033                        | 0.030                       | 5.2                    | 5.0                   | -5.72                     | -5.54                        | 34.4336863 | -118.6519598 | 1236         | 28.74                  | Valve Adjustment:Decreased Flow/Vacuum                                                                          |
| SW-30      | 2/13/2026 1:15:46 PM  | 17.2       | 67.4       | 1.3       | 14.1           | 10.8         | 0.3     |                         |                         | 85.0                 | 85.4                | -0.30                        | -0.30                       | 0.023                        | 0.023                       | 4.4                    | 4.4                   | -5.47                     | -5.47                        | 34.4336828 | -118.6519578 | 1238         | 28.74                  |                                                                                                                 |
| SW-30      | 2/17/2026 1:11:08 PM  | 22.3       | 62.0       | 0.0       | 15.7           | 0.0          | 0.4     |                         |                         | 58.5                 | 58.5                | -0.67                        | -0.50                       | 0.085                        | 0.062                       | 8.6                    | 7.3                   | -6.65                     | -6.76                        | 34.4336852 | -118.6519675 | 1204         | 28.72                  | Valve Adjustment:Decreased Flow/Vacuum                                                                          |
| SW-30      | 2/17/2026 1:14:20 PM  | 2.9        | 12.2       | 18.3      | 66.7           | 3.7          | 0.2     |                         |                         | 58.4                 | 58.4                | -0.41                        | -0.41                       | 0.007                        | 0.006                       | 0.6                    | 0.6                   | -6.80                     | -6.92                        | 34.4336872 | -118.6519673 | 1207         | 28.72                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                             |
| SW-30      | 2/17/2026 1:14:44 PM  | 3.1        | 12.0       | 18.1      | 66.8           | 3.7          | 0.3     |                         |                         | 58.4                 | 58.4                | -0.41                        | -0.40                       | 0.012                        | 0.008                       | 0.8                    | 0.6                   | -6.71                     | -6.71                        | 34.4336852 | -118.6519665 | 1214         | 28.76                  |                                                                                                                 |
| SW-30      | 2/18/2026 11:53:14 AM | 5.9        | 20.0       | 15.5      | 58.6           | 3.8          | 0.3     |                         |                         | 67.3                 | 67.8                | -0.53                        | -0.52                       | 0.005                        | 0.005                       | 0.5                    | 0.5                   | -6.42                     | -6.16                        | 34.4336850 | -118.6519618 | 1188         | 28.75                  | Valve Adjustment:Valve 100% Closed                                                                              |
| SW-30      | 2/19/2026 9:55:14 AM  | 16.3       | 49.8       | 4.9       | 29.0           | 5.9          | 0.3     |                         |                         | 44.8                 | 44.8                | 0.09                         | 0.19                        | 0.076                        | 0.017                       | 2.0                    | 1.0                   | -7.01                     | -7.01                        | 34.4336900 | -118.6519887 | 1221         | 28.62                  | Valve Adjustment:Valve 100% Closed                                                                              |
| SW-30      | 2/20/2026 12:48:39 PM | 3.8        | 14.6       | 16.3      | 65.3           | 4.0          | 0.3     |                         |                         | 68.9                 | 70.1                | -0.26                        | -0.24                       | 0.008                        | 0.009                       | 2.7                    | 2.8                   | -6.10                     | -6.07                        | 34.4336828 | -118.6519637 | 1227         | 28.71                  | Valve Adjustment:Valve 100% Closed                                                                              |
| SW-30      | 2/23/2026 9:23:49 AM  | 1.1        | 1.5        | 19.4      | 78.1           | 4.0          | 0.8     |                         |                         | 75.6                 | 76.2                | -0.64                        | -0.64                       | 0.023                        | 0.021                       | 0.5                    | 0.5                   | -3.62                     | -3.33                        | 34.4337073 | -118.6519712 | 1225         | 28.98                  | Valve Adjustment:Orifice Plate Changed (See OP Log),Valve 100% Closed                                           |
| SW-30      | 2/24/2026 9:35:41 AM  | 6.0        | 13.7       | 15.9      | 64.4           | 4.0          | 0.4     |                         |                         | 80.2                 | 80.4                | -0.18                        | -0.18                       | 0.046                        | 0.044                       | 0.7                    | 0.7                   | -5.82                     | -5.81                        | 34.4336912 | -118.6519720 | 1214         | 28.84                  | Valve Adjustment:Valve 100% Closed,Reduce Sys. Vac. - Flare Down                                                |
| SW-30      | 2/25/2026 9:11:58 AM  | 5.9        | 18.9       | 14.3      | 60.9           | 4.2          | 0.3     |                         |                         | 84.1                 | 84.3                | -0.11                        | -0.10                       | 0.001                        | 0.002                       | 0.1                    | 0.1                   | -4.03                     | -4.03                        | 34.4336793 | -118.6519623 | 1213         | 28.82                  | Valve Adjustment:Valve 100% Closed,Reduce Sys. Vac. - Flare Down                                                |
| SW-30      | 2/26/2026 12:55:12 PM | 8.0        | 17.8       | 13.9      | 60.3           | 4.3          | 0.4     |                         |                         | 90.9                 | 91.0                | 0.22                         | 0.22                        | 0.023                        | 0.019                       | 0.5                    | 0.4                   | -8.07                     | -8.33                        | 34.4336690 | -118.6519997 | 1243         | 28.83                  | Valve Adjustment:Valve 100% Closed                                                                              |
| SW-30      | 2/27/2026 9:14:29 AM  | 1.7        | 8.2        | 17.5      | 72.6           | 4.1          | 0.2     |                         |                         | 88.5                 | 88.7                | -1.06                        | -1.06                       | -0.621                       | -0.626                      | 0.0                    | 0.0                   |                           |                              | 34.4336827 | -118.6519570 | 1204         | 28.73                  |                                                                                                                 |
| SW-32      | 2/10/2026 12:37:13 PM | 33.7       | 57.9       | 0.6       | 7.8            | 13.0         | 0.6     |                         |                         | 68.3                 | 62.9                | -5.79                        | -5.28                       | 5.776                        | 5.330                       |                        |                       | -5.62                     | -5.04                        | 34.4335167 | -118.6520440 | 1221         | 28.67                  | Valve Adjustment:Decreased Flow/Vacuum                                                                          |
| SW-32      | 2/11/2026 4:29:41 PM  | 38.0       | 56.5       | 0.2       | 5.3            | 26.3         | 0.7     |                         |                         | 63.5                 | 63.5                | -6.32                        | -6.34                       | 6.199                        | 6.330                       |                        |                       | -6.24                     | -6.31                        | 34.4335440 | -118.6520253 | 1214         | 28.83                  | Valve Comment:decreased valve by half turn;Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down |
| SW-32      | 2/11/2026 4:31:12 PM  | 36.9       | 57.3       | 0.0       | 5.7            | 0.0          | 0.6     |                         |                         | 63.5                 | 63.5                | -6.53                        | -6.44                       | 6.474                        | 6.449                       |                        |                       | -6.57                     | -6.58                        | 34.4335465 | -118.6520287 | 1225         | 28.84                  |                                                                                                                 |
| SW-32      | 2/12/2026 1:21:32 PM  | 35.8       | 63.4       | 0.0       | 0.8            | 0.0          | 0.6     |                         |                         | 82.6                 | 82.6                | -6.13                        | -5.77                       | 6.404                        | 6.034                       |                        |                       | -5.63                     | -5.58                        | 34.4335385 | -118.6520383 | 1222         | 28.82                  | Valve Adjustment:Decreased Flow/Vacuum                                                                          |
| SW-32      | 2/12/2026 1:22:29 PM  | 34.8       | 65.2       | 0.0       | 0.0            | 0.0          | 0.5     |                         |                         | 82.5                 | 82.6                | -5.74                        | -5.76                       | 5.985                        | 6.005                       |                        |                       | -5.55                     | -5.65                        | 34.4335392 | -118.6520502 | 1213         | 28.82                  |                                                                                                                 |
| SW-32      | 2/13/2026 1:08:00 PM  | 31.2       | 59.5       | 1.1       | 8.2            | 7.5          | 0.5     |                         |                         | 81.5                 | 79.9                | -5.71                        | -5.59                       | 5.598                        | 5.624                       |                        |                       | -5.59                     | -5.57                        | 34.4335643 | -118.6520460 | 1234         | 28.76                  | Valve Adjustment:Decreased Flow/Vacuum                                                                          |
| SW-32      | 2/13/2026 1:10:01 PM  | 31.7       | 56.8       | 0.8       | 10.7           | 13.4         | 0.6     |                         |                         | 79.7                 | 77.3                | -5.66                        | -5.66                       | 5.529                        | 5.557                       |                        |                       | -5.47                     | -5.47                        | 34.4335608 | -118.6520517 | 1229         | 28.78                  |                                                                                                                 |
| SW-32      | 2/17/2026 12:53:44 PM | 37.7       | 55.1       | 0.5       | 6.8            | 14.7         | 0.7     |                         |                         | 59.9                 | 59.9                | -7.09                        | -6.99                       | 7.042                        | 6.919                       |                        |                       | -7.10                     | -6.89                        | 34.4335468 | -118.6520523 | 1212         | 28.76                  | Valve Comment:decreased valve half turn;Valve Adjustment:Decreased Flow/Vacuum                                  |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                          |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|-----------------------------------------------------------------------------------|
| SW-32      | 2/17/2026 12:55:29 PM | 36.8       | 55.9       | 0.3       | 6.9            | 22.4         | 0.7     |                         |                         | 59.9                 | 59.9                | -7.01                        | -7.07                       | 6.961                        | 6.977                       |                        |                       | -7.05                     | -6.95                        | 34.4335397 | -118.6520407 | 1218         | 28.76                  |                                                                                   |
| SW-32      | 2/18/2026 12:00:36 PM | 37.1       | 56.4       | 0.0       | 6.5            | 0.0          | 0.7     |                         |                         | 71.0                 | 56.4                | -6.58                        | -6.17                       | 6.667                        | 6.242                       |                        |                       | -6.51                     | -6.53                        | 34.4335192 | -118.6520610 | 1222         | 28.74                  | Valve Comment:decreased valve half turn;Valve Adjustment:Decreased Flow/Vacuum    |
| SW-32      | 2/18/2026 12:01:35 PM | 36.4       | 57.3       | 0.0       | 6.3            | 0.0          | 0.6     |                         |                         | 71.0                 | 71.0                | -5.97                        | -5.87                       | 6.066                        | 6.011                       |                        |                       | -6.39                     | -6.41                        | 34.4335435 | -118.6520463 | 1213         | 28.76                  |                                                                                   |
| SW-32      | 2/19/2026 10:01:54 AM | 35.4       | 53.9       | 0.8       | 9.9            | 12.3         | 0.7     |                         |                         | 46.0                 | 46.0                | -6.38                        | -4.85                       | 6.411                        | 4.895                       |                        |                       | -6.78                     | -6.67                        | 34.4335800 | -118.6520785 | 1224         | 28.62                  | Valve Comment:decreased valve half turn;Valve Adjustment:Decreased Flow/Vacuum    |
| SW-32      | 2/19/2026 10:02:40 AM | 34.6       | 54.2       | 1.3       | 9.9            | 7.4          | 0.6     |                         |                         | 46.0                 | 45.9                | -2.85                        | -2.84                       | 2.890                        | 2.882                       |                        |                       | -6.72                     | -6.70                        | 34.4335790 | -118.6520798 | 1221         | 28.62                  |                                                                                   |
| SW-32      | 2/20/2026 12:42:32 PM | 0.0        | 0.2        | 20.4      | 79.4           | 3.9          | 0.0     |                         |                         | 79.0                 | 58.2                | 0.00                         | 0.00                        | 0.083                        | 0.077                       |                        |                       | -6.21                     | -6.08                        | 34.4335558 | -118.6520503 | 1233         | 28.75                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-32      | 2/23/2026 9:19:42 AM  | 24.1       | 41.4       | 6.7       | 27.8           | 4.1          | 0.6     |                         |                         | 82.0                 | 82.8                | -0.38                        | -0.36                       | 0.381                        | 0.366                       |                        |                       | -5.01                     | -5.39                        | 34.4335573 | -118.6520618 | 1230         | 28.98                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-32      | 2/24/2026 9:39:42 AM  | 32.4       | 52.8       | 2.9       | 12.0           | 4.2          | 0.6     |                         |                         | 75.8                 | 75.8                | 0.04                         | 0.06                        | 0.000                        | 0.000                       |                        |                       | -5.81                     | -5.87                        | 34.4335597 | -118.6520143 | 1219         | 28.85                  | Valve Adjustment:Valve 100% Closed,Reduce Sys. Vac. - Flare Down                  |
| SW-32      | 2/25/2026 9:06:41 AM  | 34.3       | 54.2       | 1.6       | 9.9            | 6.0          | 0.6     |                         |                         | 75.3                 | 75.3                | 0.02                         | 0.04                        | 0.000                        | 0.000                       |                        |                       | -4.33                     | -4.26                        | 34.4335497 | -118.6520228 | 1229         | 28.82                  | Valve Adjustment:Valve 100% Closed,Reduce Sys. Vac. - Flare Down                  |
| SW-32      | 2/26/2026 1:02:43 PM  | 37.5       | 56.3       | 0.3       | 5.9            | 19.7         | 0.7     |                         |                         | 89.3                 | 89.3                | 0.31                         | 0.33                        | 0.000                        | 0.000                       |                        |                       | -0.03                     | 0.00                         | 34.4335537 | -118.6520508 | 1233         | 28.84                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-32      | 2/27/2026 9:09:05 AM  | 38.9       | 58.0       | 0.3       | 2.8            | 9.3          | 0.7     |                         |                         | 84.9                 | 84.5                | -0.71                        | -0.69                       | -0.480                       | -0.560                      | 0.0                    | 0.0                   |                           |                              | 34.4335413 | -118.6520885 | 1214         | 28.73                  |                                                                                   |
| SW-64      | 2/10/2026 12:42:08 PM | 5.9        | 40.6       | 11.5      | 42.0           | 3.7          | 0.1     |                         |                         | 68.8                 | 68.1                | -5.62                        | -5.38                       | 0.004                        | 0.001                       | 1.9                    | 0.9                   | -5.38                     | -5.46                        | 34.4336785 | -118.6519573 | 1221         | 28.67                  | Valve Adjustment:Decreased Flow/Vacuum                                            |
| SW-64      | 2/11/2026 4:12:03 PM  | 8.8        | 53.4       | 8.4       | 29.4           | 3.5          | 0.2     |                         |                         | 64.2                 | 63.4                | -5.59                        | -4.37                       | 0.017                        | 0.006                       | 3.7                    | 2.2                   | -5.74                     | -5.61                        | 34.4336922 | -118.6519653 | 1203         | 28.83                  | Valve Comment:closed valve by half a turn;Valve Adjustment:Decreased Flow/Vacuum  |
| SW-64      | 2/11/2026 4:13:20 PM  | 2.4        | 13.9       | 17.6      | 66.1           | 3.8          | 0.2     |                         |                         | 63.7                 | 63.7                | -4.03                        | -4.02                       | 0.005                        | 0.006                       | 2.0                    | 2.3                   | -5.59                     | -5.44                        | 34.4336885 | -118.6519388 | 1196         | 28.84                  |                                                                                   |
| SW-64      | 2/12/2026 1:11:02 PM  | 8.8        | 60.4       | 6.2       | 24.6           | 4.0          | 0.1     |                         |                         | 82.2                 | 83.4                | -2.16                        | -1.95                       | 0.217                        | 0.080                       | 13.4                   | 8.1                   | -5.56                     | -5.77                        | 34.4336965 | -118.6519810 | 1206         | 28.82                  | Valve Adjustment:Decreased Flow/Vacuum                                            |
| SW-64      | 2/12/2026 1:11:37 PM  | 9.2        | 65.6       | 6.1       | 19.1           | 3.1          | 0.1     |                         |                         | 83.5                 | 83.8                | -1.53                        | -1.53                       | 0.049                        | 0.047                       | 6.3                    | 6.2                   | -5.44                     | -5.65                        | 34.4336955 | -118.6519620 | 1209         | 28.82                  |                                                                                   |
| SW-64      | 2/13/2026 1:12:25 PM  | 12.8       | 85.2       | 0.3       | 1.7            | 5.7          | 0.2     |                         |                         | 84.8                 | 85.3                | -0.05                        | -0.05                       | 0.005                        | 0.009                       | 1.9                    | 2.7                   | -5.47                     | -5.47                        | 34.4337127 | -118.6519498 | 1227         | 28.75                  |                                                                                   |
| SW-64      | 2/17/2026 1:02:02 PM  | 9.2        | 56.0       | 7.3       | 27.5           | 3.8          | 0.2     |                         |                         | 58.4                 | 58.3                | -0.37                        | -0.26                       | 0.047                        | 0.026                       | 6.4                    | 4.7                   | -6.84                     | -6.78                        | 34.4336938 | -118.6519833 | 1212         | 28.74                  | Valve Comment:decreased valve by half turn;Valve Adjustment:Decreased Flow/Vacuum |
| SW-64      | 2/17/2026 1:05:40 PM  | 6.8        | 47.1       | 10.1      | 36.0           | 3.6          | 0.1     |                         |                         | 58.3                 | 58.3                | -0.05                        | -0.04                       | 0.037                        | 0.035                       | 5.6                    | 5.5                   | -6.87                     | -6.71                        | 34.4337053 | -118.6519752 | 1224         | 28.74                  |                                                                                   |
| SW-64      | 2/18/2026 11:49:44 AM | 13.1       | 68.9       | 2.1       | 15.9           | 7.6          | 0.2     |                         |                         | 68.8                 | 69.6                | -0.11                        | -0.11                       | 0.030                        | 0.027                       | 1.3                    | 1.2                   | -6.24                     | -6.44                        | 34.4336822 | -118.6519563 | 1206         | 28.75                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-64      | 2/19/2026 9:52:59 AM  | 14.4       | 76.5       | 0.0       | 9.1            | 0.0          | 0.2     |                         |                         | 44.8                 | 44.8                | 0.11                         | 0.12                        | 0.135                        | 0.129                       | 2.7                    | 2.7                   | -7.00                     | -6.97                        | 34.4337135 | -118.6519723 | 1214         | 28.62                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-64      | 2/20/2026 12:45:51 PM | 12.1       | 82.6       | 1.1       | 4.2            | 3.8          | 0.1     |                         |                         | 74.0                 | 74.2                | 0.07                         | 0.08                        | 0.039                        | 0.032                       | 5.7                    | 5.2                   | -6.11                     | -6.08                        | 34.4337087 | -118.6519483 | 1206         | 28.71                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-64      | 2/23/2026 9:25:50 AM  | 14.2       | 77.5       | 0.0       | 8.3            | 0.0          | 0.2     |                         |                         | 80.4                 | 81.0                | 0.01                         | 0.02                        | 0.048                        | 0.047                       | 1.6                    | 1.6                   | -3.16                     | -3.20                        | 34.4337005 | -118.6519745 | 1220         | 28.98                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-64      | 2/24/2026 9:32:57 AM  | 14.2       | 77.2       | 0.5       | 8.1            | 16.8         | 0.2     |                         |                         | 85.4                 | 85.3                | 0.18                         | 0.19                        | 0.078                        | 0.062                       | 2.0                    | 1.8                   | -5.70                     | -5.62                        | 34.4336955 | -118.6519673 | 1209         | 28.83                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-64      | 2/25/2026 9:09:29 AM  | 13.6       | 78.7       | 0.0       | 7.7            | 0.0          | 0.2     |                         |                         | 86.8                 | 86.9                | 0.15                         | 0.17                        | 0.022                        | 0.008                       | 1.1                    | 0.7                   | -4.36                     | -4.36                        | 34.4336700 | -118.6519653 | 1233         | 28.8                   | Valve Adjustment:Valve 100% Closed,Reduce Sys. Vac. - Flare Down                  |
| SW-64      | 2/26/2026 12:51:21 PM | 13.9       | 84.6       | 0.0       | 1.5            | 0.0          | 0.2     |                         |                         | 91.7                 | 91.9                | 0.67                         | 0.67                        | 0.058                        | 0.049                       | 6.9                    | 6.3                   | -8.14                     | -7.77                        | 34.4336762 | -118.6520097 | 1234         | 28.83                  | Valve Adjustment:Valve 100% Closed                                                |
| SW-64      | 2/27/2026 9:12:04 AM  | 15.3       | 84.7       | 0.0       | 0.0            | 0.0          | 0.2     |                         |                         | 85.8                 | 86.0                | -0.45                        | -0.44                       | -0.557                       | -0.564                      | 0.0                    | 0.0                   |                           |                              | 34.4337178 | -118.6519483 | 1227         | 28.73                  |                                                                                   |
| SW-65      | 2/25/2026 10:08:50 AM | 51.4       | 38.0       | 0.0       | 10.6           | 0.0          | 1.4     |                         |                         | 84.9                 | 85.2                | -10.83                       | -10.91                      | -0.045                       | -0.046                      | 0.0                    | 0.0                   | -11.34                    |                              | 34.4348270 | -118.6412233 | 1201         | 28.81                  | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                               |
| SW-66      | 2/25/2026 1:28:15 PM  | 11.5       | 12.7       | 10.2      | 65.6           | 6.4          | 0.9     |                         |                         | 86.1                 | 86.1                | -5.81                        | -5.77                       | 5.695                        | 5.706                       | 0.0                    | 0.0                   |                           |                              | 34.4380290 | -118.6457290 | 1178         | 28.66                  | No Adjustment Made,                                                               |
| SW-68      | 2/10/2026 12:34:23 PM | 20.1       | 79.9       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 69.8                 | 68.3                | -5.81                        | -5.59                       | 0.047                        | 0.013                       | 6.3                    | 3.3                   | -5.61                     | -5.35                        | 34.4335257 | -118.6520223 | 1212         | 28.67                  | Valve Adjustment:Decreased Flow/Vacuum                                            |
| SW-68      | 2/11/2026 4:22:53 PM  | 22.7       | 70.2       | 0.1       | 7.0            | 63.9         | 0.3     |                         |                         | 64.3                 | 64.1                | -5.71                        | -5.56                       | 0.039                        | 0.034                       | 5.8                    | 5.4                   | -5.74                     | -5.85                        | 34.4335223 | -118.6520392 | 1203         | 28.83                  | Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down              |
| SW-68      | 2/11/2026 4:24:45 PM  | 22.4       | 70.2       | 0.0       | 7.4            | 184.3        | 0.3     |                         |                         | 64.2                 | 64.2                | -5.71                        | -5.71                       | 0.039                        | 0.031                       | 5.7                    | 5.1                   | -6.26                     | -6.24                        | 34.4335238 | -118.6520322 | 1202         | 28.83                  | Valve Comment:decreased by half turn previous read                                |
| SW-68      | 2/12/2026 1:18:39 PM  | 21.4       | 77.8       | 0.0       | 0.8            | 0.0          | 0.3     |                         |                         | 77.7                 | 77.7                | -5.36                        | -5.14                       | 0.407                        | 0.258                       | 18.3                   | 14.6                  | -5.55                     | -5.49                        | 34.4335360 | -118.6520500 | 1216         | 28.82                  | Valve Adjustment:Decreased Flow/Vacuum                                            |
| SW-68      | 2/12/2026 1:19:21 PM  | 21.3       | 78.7       | 0.0       | 0.0            | 0.0          | 0.3     |                         |                         | 77.8                 | 77.9                | -5.14                        | -5.12                       | 0.219                        | 0.204                       | 13.4                   | 13.0                  | -5.60                     | -5.61                        | 34.4335377 | -118.6520570 | 1243         | 28.82                  |                                                                                   |
| SW-68      | 2/13/2026 1:03:32 PM  | 19.4       | 69.2       | 3.0       | 8.4            | 2.8          | 0.3     |                         |                         | 80.4                 | 81.5                | -4.92                        | -4.73                       | 0.373                        | 0.181                       | 17.5                   | 12.2                  | -5.80                     | -5.63                        | 34.4335590 | -118.6520462 | 1225         | 28.76                  | Valve Adjustment:Decreased Flow/Vacuum                                            |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init<br>Temp<br>[°F] | Adj<br>Temp<br>[°F] | Init Stat<br>Press<br>["H2O] | Adj Stat<br>Press<br>["H2O] | Init Diff<br>Press<br>["H2O] | Adj Diff<br>Press<br>["H2O] | Init<br>Flow<br>[scfm] | Adj<br>Flow<br>[scfm] | Sys<br>Pressure<br>["H2O] | Adj Avail<br>Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro<br>Press<br>["Hg] | Comments                                                                                                            |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|----------------------|---------------------|------------------------------|-----------------------------|------------------------------|-----------------------------|------------------------|-----------------------|---------------------------|------------------------------|------------|--------------|--------------|------------------------|---------------------------------------------------------------------------------------------------------------------|
| SW-68      | 2/13/2026 1:04:10 PM  | 18.4       | 68.5       | 1.1       | 12.0           | 10.9         | 0.3     |                         |                         | 82.3                 | 82.5                | -4.60                        | -4.60                       | 0.158                        | 0.158                       | 11.4                   | 11.4                  | -5.68                     | -5.68                        | 34.4335518 | -118.6520203 | 1231         | 28.74                  |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Comment:Decreased flow by half turn;Valve                                                                     |
| SW-68      | 2/17/2026 12:47:50 PM | 24.6       | 66.1       | 0.3       | 9.0            | 32.2         | 0.4     |                         |                         | 60.0                 | 59.0                | -5.04                        | -4.34                       | 0.095                        | 0.056                       | 9.0                    | 6.9                   | -6.42                     | -6.49                        | 34.4335542 | -118.6520508 | 1229         | 28.75                  | Adjustment:Decreased Flow/Vacuum                                                                                    |
| SW-68      | 2/17/2026 12:49:00 PM | 22.5       | 65.8       | 1.5       | 10.2           | 6.9          | 0.3     |                         |                         | 57.9                 | 57.9                | -3.91                        | -3.90                       | 0.028                        | 0.024                       | 4.9                    | 4.6                   | -6.51                     | -6.74                        | 34.4335477 | -118.6520378 | 1229         | 28.76                  |                                                                                                                     |
| SW-68      | 2/18/2026 11:57:16 AM | 0.5        | 1.5        | 20.7      | 77.4           | 3.7          | 0.3     |                         |                         | 72.7                 | 72.8                | -0.96                        | -0.97                       | 0.003                        | 0.002                       | 0.4                    | 0.3                   | -6.54                     | -6.50                        | 34.4335185 | -118.6520535 | 1221         | 28.76                  | Valve Adjustment:Valve 100% Closed                                                                                  |
| SW-68      | 2/19/2026 9:57:46 AM  | 0.3        | 5.6        | 20.4      | 73.8           | 3.6          | 0.0     |                         |                         | 44.9                 | 44.9                | 0.11                         | 0.11                        | 0.008                        | 0.009                       | 0.6                    | 0.7                   | -6.39                     | -6.39                        | 34.4335683 | -118.6520660 | 1203         | 28.61                  | Valve Adjustment:Valve 100% Closed                                                                                  |
| SW-68      | 2/20/2026 12:39:16 PM | 0.2        | 1.3        | 20.1      | 78.4           | 3.9          | 0.2     |                         |                         | 68.8                 | 69.3                | -0.46                        | -0.43                       | 0.003                        | 0.008                       | 1.7                    | 2.6                   | -6.14                     | -6.08                        | 34.4335515 | -118.6520602 | 1231         | 28.73                  | Valve Adjustment:Valve 100% Closed                                                                                  |
| SW-68      | 2/23/2026 9:15:10 AM  | 0.0        | 0.2        | 20.6      | 79.2           | 3.8          | 0.0     |                         |                         | 77.7                 | 78.2                | -0.52                        | -0.53                       | 0.020                        | 0.019                       | 1.0                    | 1.0                   | -5.39                     | -5.34                        | 34.4335665 | -118.6520642 | 1219         | 28.98                  | Valve Adjustment:Valve 100% Closed                                                                                  |
| SW-68      | 2/23/2026 9:16:47 AM  | 0.0        | 0.0        | 20.2      | 79.8           | 3.9          |         |                         |                         | 81.5                 | 81.6                | -0.34                        | -0.35                       | 0.018                        | 0.017                       | 0.4                    | 0.4                   | -5.34                     | -5.34                        | 34.4335735 | -118.6520393 | 1223         | 28.98                  | Valve Adjustment:Orifice Plate Changed (See OP Log)                                                                 |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Valve 100%                                                                                         |
| SW-68      | 2/24/2026 9:37:22 AM  | 0.0        | 1.5        | 20.9      | 77.5           | 3.7          | 0.0     |                         |                         | 81.3                 | 81.8                | 0.03                         | 0.03                        | 0.020                        | 0.014                       | 0.4                    | 0.4                   | -5.73                     | -5.96                        | 34.4335487 | -118.6520270 | 1224         | 28.84                  | Closed,Reduce Sys. Vac. - Flare Down                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Valve 100%                                                                                         |
| SW-68      | 2/25/2026 9:04:09 AM  | 0.6        | 1.2        | 19.4      | 78.8           | 4.1          | 0.5     |                         |                         | 80.1                 | 80.5                | 0.13                         | 0.13                        | 0.013                        | 0.012                       | 0.4                    | 0.4                   | -4.22                     | -4.26                        | 34.4335390 | -118.6520392 | 1222         | 28.83                  | Closed,Reduce Sys. Vac. - Flare Down                                                                                |
| SW-68      | 2/26/2026 12:59:30 PM | 25.8       | 67.8       | 0.0       | 6.4            | 0.0          | 0.4     |                         |                         | 94.5                 | 94.5                | 0.19                         | 0.19                        | 0.022                        | 0.016                       | 0.5                    | 0.4                   | -8.40                     | -8.42                        | 34.4335325 | -118.6521042 | 1239         | 28.84                  | Valve Adjustment:Valve 100% Closed                                                                                  |
| SW-68      | 2/27/2026 9:07:34 AM  | 0.0        | 0.4        | 22.8      | 76.8           | 3.4          | 0.0     |                         |                         | 90.5                 | 90.5                | -0.92                        | -0.88                       | 0.616                        | 0.617                       | 23.2                   | 23.2                  |                           |                              | 34.4335885 | -118.6520438 | 1243         | 28.73                  |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Decreased Flow/Vacuum,Valve 100%                                                                   |
| SW-7       | 2/10/2026 9:38:26 AM  | 0.0        | 4.4        | 15.7      | 79.9           | 5.1          | 0.0     |                         |                         | 64.4                 | 62.7                | -6.17                        | -0.59                       | 0.064                        | 0.005                       | 7.3                    | 2.0                   | -5.96                     | -5.50                        | 34.4351888 | -118.6517033 | 1266         | 28.63                  | Closed,Reduce Sys. Vac. - Flare Down                                                                                |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Valve 100%                                                                                         |
| SW-7       | 2/10/2026 9:39:20 AM  | 0.0        | 5.3        | 15.5      | 79.2           | 5.1          | 0.0     |                         |                         | 62.4                 | 62.2                | -0.52                        | -0.52                       | 0.004                        | 0.004                       | 1.8                    | 1.7                   | -5.50                     | -5.51                        | 34.4351675 | -118.6517243 | 1261         | 28.63                  | Closed,Reduce Sys. Vac. - Flare Down                                                                                |
| SW-7       | 2/10/2026 2:09:07 PM  | 0.0        | 2.6        | 21.3      | 76.1           | 3.6          | 0.0     |                         |                         | 65.7                 | 66.3                | -0.50                        | -5.19                       | 0.006                        | 0.016                       | 2.2                    | 3.7                   | -5.06                     | -5.04                        | 34.4351952 | -118.6517095 | 1284         | 28.61                  | Valve Adjustment:Increased Flow/Vacuum                                                                              |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Comment:Decreased valve by half turn;Valve                                                                    |
| SW-7       | 2/11/2026 9:42:15 AM  | 0.1        | 4.1        | 14.9      | 80.9           | 5.4          | 0.0     |                         |                         | 64.2                 | 64.4                | -6.48                        | -6.48                       | 0.016                        | 0.010                       | 3.7                    | 2.9                   | -6.41                     | -6.39                        | 34.4352110 | -118.6517215 | 1243         | 28.78                  | Adjustment:Decreased Flow/Vacuum                                                                                    |
| SW-7       | 2/11/2026 9:43:39 AM  | 0.0        | 5.4        | 14.8      | 79.8           | 5.4          | 0.0     |                         |                         | 64.5                 | 64.5                | -6.50                        | -6.50                       | 0.017                        | 0.015                       | 3.8                    | 3.6                   | -6.38                     | -6.38                        | 34.4351870 | -118.6517312 | 1244         | 28.79                  |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Decreased Flow/Vacuum                                                                              |
| SW-7       | 2/12/2026 9:59:12 AM  | 0.2        | 8.3        | 15.7      | 75.8           | 4.8          | 0.0     |                         |                         | 65.4                 | 65.8                | -6.36                        | -6.25                       | 0.011                        | 0.005                       | 3.1                    | 2.0                   | -6.05                     | -5.93                        | 34.4351803 | -118.6517147 | 1269         | 28.82                  |                                                                                                                     |
| SW-7       | 2/12/2026 10:01:09 AM | 0.1        | 7.6        | 15.5      | 76.8           | 5.0          | 0.0     |                         |                         | 65.6                 | 65.4                | -6.29                        | -6.27                       | 0.032                        | 0.016                       | 5.2                    | 3.7                   | -6.06                     | -6.05                        | 34.4351982 | -118.6517138 | 1276         | 28.82                  |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Decreased Flow/Vacuum                                                                              |
| SW-7       | 2/13/2026 8:37:48 AM  | 0.1        | 5.9        | 16.1      | 77.9           | 4.8          | 0.0     |                         |                         | 66.0                 | 65.4                | -6.19                        | -6.08                       | 0.082                        | 0.078                       | 8.3                    | 8.1                   | -6.38                     | -6.32                        | 34.4351612 | -118.6517047 | 1282         | 28.71                  |                                                                                                                     |
| SW-7       | 2/13/2026 8:38:31 AM  | 0.1        | 6.0        | 16.0      | 77.9           | 4.9          | 0.0     |                         |                         | 65.1                 | 65.1                | -6.08                        | -6.08                       | 0.088                        | 0.090                       | 8.6                    | 8.7                   | -6.32                     | -6.36                        | 34.4351580 | -118.6517302 | 1276         | 28.71                  |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Comment:decreased valve half a turn;Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum |
| SW-7       | 2/17/2026 9:05:45 AM  | 0.0        | 4.4        | 15.7      | 79.9           | 5.1          | 0.0     |                         |                         | 57.5                 | 54.3                | -6.93                        | -7.05                       | 0.419                        | 0.006                       | 18.9                   | 2.2                   | -6.98                     | -7.01                        | 34.4351768 | -118.6517010 | 1267         | 28.72                  |                                                                                                                     |
| SW-7       | 2/17/2026 9:07:14 AM  | 0.0        | 4.3        | 15.7      | 80.0           | 5.1          | 0.0     |                         |                         | 54.5                 | 54.5                | -7.01                        | -7.05                       | 0.002                        | 0.002                       | 0.5                    | 0.5                   | -7.02                     | -7.01                        | 34.4351710 | -118.6517020 | 1258         | 28.72                  |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Comment:Decreased valve by half turn;Valve Adjustment:Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down     |
| SW-7       | 2/18/2026 8:52:40 AM  | 0.0        | 4.0        | 15.9      | 80.1           | 5.0          | 0.0     |                         |                         | 58.8                 | 59.0                | -6.10                        | -6.25                       | 0.050                        | 0.002                       | 2.9                    | 0.5                   | -6.26                     | -6.26                        | 34.4351645 | -118.6516967 | 1252         | 28.68                  |                                                                                                                     |
| SW-7       | 2/18/2026 8:54:10 AM  | 0.0        | 4.4        | 15.8      | 79.9           | 5.1          | 0.0     |                         |                         | 59.1                 | 59.2                | -6.06                        | -6.14                       | 0.113                        | 0.181                       | 4.4                    | 5.6                   | -6.18                     | -6.26                        | 34.4351678 | -118.6517140 | 1249         | 28.68                  | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                      |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Comment:Decreased flow one full turn;Valve Adjustment:Decreased Flow/Vacuum                                   |
| SW-7       | 2/19/2026 7:45:24 AM  | 0.0        | 2.8        | 17.1      | 80.0           | 4.7          | 0.0     |                         |                         | 49.8                 | 50.0                | -6.71                        | -5.37                       | 0.059                        | 0.160                       | 3.2                    | 5.3                   | -6.71                     | -6.45                        | 34.4351712 | -118.6517167 | 1254         | 28.6                   |                                                                                                                     |
| SW-7       | 2/19/2026 7:46:01 AM  | 0.0        | 3.0        | 17.7      | 79.2           | 4.5          | 0.0     |                         |                         | 49.8                 | 49.8                | -5.37                        | -5.37                       | 0.005                        | 0.005                       | 0.9                    | 0.9                   | -6.38                     | -6.33                        | 34.4351637 | -118.6516907 | 1256         | 28.6                   |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Valve 100% Closed                                                                                  |
| SW-7       | 2/20/2026 9:04:09 AM  | 0.0        | 4.2        | 15.9      | 79.9           | 5.0          | 0.0     |                         |                         | 50.8                 | 48.8                | -0.73                        | -0.74                       | 0.005                        | 0.001                       | 2.1                    | 1.1                   | -6.78                     | -6.80                        | 34.4351705 | -118.6517145 | 1264         | 28.71                  |                                                                                                                     |
|            |                       |            |            |           |                |              |         |                         |                         |                      |                     |                              |                             |                              |                             |                        |                       |                           |                              |            |              |              |                        | Valve Adjustment:Valve 100% Closed,Plugged/Pinched Suspected                                                        |
| SW-7       | 2/20/2026 9:06:04 AM  | 0.0        | 0.8        | 20.6      | 78.6           | 3.8          | 0.0     |                         |                         | 48.6                 | 48.5                | -0.66                        | -0.64                       | 0.002                        | 0.001                       | 1.4                    | 0.9                   | -6.76                     | -6.74                        | 34.4351837 | -118.6517150 | 1256         | 28.72                  |                                                                                                                     |
| SW-7       | 2/23/2026 8:20:35 AM  | 0.0        | 0.1        | 19.0      | 80.9           | 4.3          | 0.0     |                         |                         | 62.7                 | 62.8                | -0.36                        | -0.35                       | 0.013                        | 0.009                       | 1.5                    | 1.3                   | -6.48                     | -6.26                        | 34.4352332 | -118.6516775 | 1249         | 28.91                  | Valve Adjustment:Valve 100% Closed                                                                                  |
| SW-7       | 2/24/2026 12:23:35 PM | 0.1        | 1.0        | 17.2      | 81.8           | 4.8          | 0.1     |                         |                         | 89.7                 | 89.7                | -0.22                        | -0.17                       | 0.054                        | 0.012                       | 3.0                    | 1.4                   | -5.93                     | -6.00                        | 34.4351745 | -118.6517293 | 1249         | 28.76                  | Valve Adjustment:Valve 100% Closed                                                                                  |

All LFG Extraction Well Data - February 2026  
Chiquita Canyon Landfill

| Point Name | Record Date           | CH4<br>[%] | CO2<br>[%] | O2<br>[%] | Bal Gas<br>[%] | BalO2<br>[%] | CH4:CO2 | CO<br>Reading<br>[ppmv] | H2<br>Reading<br>[ppmv] | Init Temp<br>[°F] | Adj Temp<br>[°F] | Init Stat Press<br>["H2O] | Adj Stat Press<br>["H2O] | Init Diff Press<br>["H2O] | Adj Diff Press<br>["H2O] | Init Flow<br>[scfm] | Adj Flow<br>[scfm] | Sys Pressure<br>["H2O] | Adj Avail Press<br>["H2O] | Latitude   | Longitude    | Elev<br>[ft] | Baro Press<br>["Hg] | Comments                                                                                                             |                              |
|------------|-----------------------|------------|------------|-----------|----------------|--------------|---------|-------------------------|-------------------------|-------------------|------------------|---------------------------|--------------------------|---------------------------|--------------------------|---------------------|--------------------|------------------------|---------------------------|------------|--------------|--------------|---------------------|----------------------------------------------------------------------------------------------------------------------|------------------------------|
| SW-7       | 2/25/2026 9:26:02 AM  | 0.0        | 0.8        | 16.9      | 82.4           | 4.9          | 0.0     |                         |                         | 78.7              | 79.0             | -0.23                     | -0.22                    | 0.013                     | 0.011                    | 1.5                 | 1.4                | -4.05                  | -4.03                     | 34.4351822 | -118.6517073 | 1257         | 28.78               | Valve Adjustment:Valve 100%<br>Closed,Reduce Sys. Vac. - Flare Down                                                  |                              |
| SW-7       | 2/26/2026 10:31:30 AM | 0.1        | 1.0        | 16.6      | 82.2           | 5.0          | 0.1     | 0                       | 0.1                     | 86.2              | 86.5             | -0.14                     | -0.15                    | 0.004                     | 0.003                    | 0.8                 | 0.7                | -5.13                  | -5.39                     | 34.4352040 | -118.6517277 | 1254         | 28.84               | Valve Adjustment:Valve 100%<br>Closed,Reduce Sys. Vac. - Flare Down                                                  |                              |
| SW-7       | 2/27/2026 9:04:53 AM  | 0.0        | 1.8        | 16.8      | 81.4           | 4.8          | 0.0     |                         |                         | 82.1              | 82.1             | -0.85                     | -0.85                    | 0.609                     | 0.611                    | 23.3                | 23.3               | -8.51                  |                           | 34.4335197 | -118.6520300 | 1217         | 28.67               | ,<br>Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                  |                              |
| SW-70      | 2/10/2026 2:28:09 PM  | 16.6       | 66.7       | 0.0       | 16.7           | 0.0          | 0.2     |                         |                         | 80.4              | 80.3             | -4.23                     | -4.24                    | 0.076                     | 0.072                    | 18.1                | 17.5               | -3.85                  | -3.87                     | 34.4372373 | -118.6473540 | 1318         | 28.54               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                       |                              |
| SW-71      | 2/5/2026 8:34:55 AM   | 15.8       | 22.5       | 2.7       | 59.0           | 21.9         | 0.7     |                         |                         | 56.4              | 56.3             | -1.47                     | -1.64                    | 0.027                     | 0.067                    | 0.5                 | 0.8                | -7.39                  |                           | 34.4260008 | -118.6438410 | 1135         | 28.94               | Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn                                                                     |                              |
| SW-71      | 2/9/2026 7:41:56 AM   | 15.6       | 19.9       | 3.8       | 60.7           | 16.0         | 0.8     |                         |                         | 56.5              | 56.4             | -3.42                     | -3.46                    | 0.265                     | 0.265                    | 1.7                 | 1.7                | -7.03                  |                           | 34.4259542 | -118.6438718 | 1155         | 28.93               | Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less                                                                  |                              |
| SW-72      | 2/5/2026 10:14:28 AM  | 16.2       | 24.4       | 3.2       | 56.2           | 17.6         | 0.7     |                         |                         | 71.1              | 71.5             | -2.58                     | -2.53                    | -0.049                    | -0.048                   | 0.0                 | 0.0                | -5.28                  |                           | 34.4295958 | -118.6401580 | 1194         | 28.86               | Opened Valve 1/2 Turn or Less,                                                                                       |                              |
| SW-80      | 2/21/2026 9:57:52 AM  | 25.8       | 23.7       | 0.7       | 49.8           | 71.1         | 1.1     |                         |                         | 66.1              | 66.2             | -7.43                     | -7.43                    | 0.038                     | 0.038                    | 2.5                 | 2.6                | -10.11                 | -10.11                    | 34.4382878 | -118.6433445 | 1234         | 28.9                |                                                                                                                      |                              |
| SW-9       | 2/10/2026 2:31:12 PM  | 1.5        | 32.3       | 6.9       | 59.3           | 8.6          | 0.0     |                         |                         | 68.6              | 68.8             | -3.93                     | -3.97                    | 0.004                     | 0.005                    | 4.1                 | 4.5                | -3.70                  | -3.70                     | 34.4372420 | -118.6473690 | 1316         | 28.53               | Valve Adjustment:Reduce Sys. Vac. - Flare Down                                                                       |                              |
| TC-1961C   | 2/2/2026 11:48:41 AM  | 47.1       | 43.8       | 0.0       | 9.1            | 0.0          | 1.1     |                         |                         | 107.8             | 107.8            | -0.55                     | -0.52                    | -0.037                    | -0.024                   | 0.0                 | 0.0                | -23.68                 |                           | 34.4318953 | -118.6453162 | 1280         | 28.75               | No Adjustment Made,<br>Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Well Condition:Fair |                              |
| TC-1961E   | 2/5/2026 10:11:15 AM  | 51.2       | 46.4       | 0.0       | 2.4            | 0.0          | 1.1     |                         |                         | 109.4             | 109.7            | -0.95                     | -1.06                    | 0.124                     | 0.203                    | 7.4                 | 9.4                | -10.11                 | -10.17                    | 34.4328517 | -118.6444945 | 1296         | 28.81               |                                                                                                                      |                              |
| TC-2174    | 2/2/2026 8:45:00 AM   |            |            |           |                |              |         | 2030                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                        |
| TC-2174    | 2/2/2026 8:48:32 AM   | 10.8       | 71.9       | 2.1       | 15.2           | 7.2          | 0.2     |                         |                         | 174.4             | 174.6            | -6.35                     | -3.91                    | 6.469                     | 3.886                    |                     |                    | 0.28                   | 0.28                      | 34.4367460 | -118.6476195 | 1347         | 28.7                | Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum                                                 |                              |
| TC-2174    | 2/2/2026 8:49:32 AM   | 10.3       | 68.8       | 1.9       | 19.0           | 10.0         | 0.1     |                         |                         | 174.6             | 174.6            | -3.80                     | -3.77                    | 3.782                     | 3.834                    |                     |                    | 0.28                   | 0.28                      | 34.4367557 | -118.6476407 | 1346         | 28.68               | Valve Adjustment:No Flow Measurement,High Temp                                                                       |                              |
| TC-2174    | 2/9/2026 9:53:53 AM   | 2.2        | 86.9       | 0.0       | 10.9           | 0.0          | 0.0     |                         |                         | 181.2             | 181.3            | -2.31                     | -2.06                    | 5.959                     | 5.740                    |                     |                    | -7.13                  | -8.11                     | 34.4367267 | -118.6476177 | 1343         | 28.67               | Valve Adjustment:High Temp,Surging Liquid in Header                                                                  |                              |
| TC-2174    | 2/9/2026 10:00:00 AM  |            |            |           |                |              |         |                         | 141900                  |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA; [User entered 14.19%] |
| TC-2174    | 2/9/2026 10:00:00 AM  |            |            |           |                |              |         | 2430                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                        |
| TC-2174    | 2/17/2026 7:54:48 AM  | 2.2        | 78.8       | 1.7       | 17.3           | 10.2         | 0.0     |                         |                         | 181.6             | 181.6            | -1.31                     | -1.30                    | 1.295                     | 1.290                    | 29.9                | 29.9               | -6.25                  | -6.19                     | 34.4367360 | -118.6476398 | 1347         | 28.59               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                         |                              |
| TC-2174    | 2/17/2026 7:55:00 AM  |            |            |           |                |              |         | 3020                    |                         |                   |                  |                           |                          |                           |                          |                     |                    |                        |                           |            |              |              |                     |                                                                                                                      | AtmAA                        |
| TC-2174    | 2/23/2026 8:46:26 AM  | 2.9        | 81.4       | 1.8       | 13.9           | 7.7          | 0.0     |                         |                         | 182.0             | 181.9            | -1.16                     | -1.17                    | 1.173                     | 1.180                    | 28.6                | 28.7               | -5.90                  | -5.96                     | 34.4367528 | -118.6476185 | 1342         | 28.81               | Valve Comment:Enhanced Monitoring;Valve Adjustment:High Temp                                                         |                              |
| WTD-01     | 2/27/2026 12:28:00 PM | 22.4       | 66.6       | 0.6       | 10.4           | 17.3         | 0.3     |                         |                         | 158.7             | 158.0            | -0.35                     | -0.34                    | 0.332                     | 0.328                    |                     |                    | -6.66                  | -6.65                     | 34.4350212 | -118.6514402 | 1262         | 28.71               |                                                                                                                      |                              |
| WTD-02     | 2/27/2026 12:43:03 PM | 6.2        | 39.5       | 9.6       | 44.7           | 4.7          | 0.2     |                         |                         | 161.0             | 161.0            | -0.39                     | -0.33                    | 0.370                     | 0.314                    |                     |                    | 0.26                   | 0.19                      | 34.4346897 | -118.6513330 | 1277         | 28.68               |                                                                                                                      |                              |
| WTD-03     | 2/27/2026 3:10:20 PM  | 0.0        | 1.7        | 20.5      | 77.8           | 3.8          | 0.0     |                         |                         | 0.0               | 0.0              | -0.14                     | -0.11                    | 0.318                     | 0.288                    | 0.0                 | 0.0                | -0.10                  |                           | 34.4343900 | -118.6514363 | 1266         | 28.69               |                                                                                                                      |                              |
| WTD-04     | 2/27/2026 3:01:42 PM  | 1.7        | 11.6       | 16.8      | 69.9           | 4.2          | 0.1     |                         |                         | 0.0               | 0.0              | -0.35                     | -0.31                    | 0.437                     | 0.439                    | 0.0                 | 0.0                | -0.27                  |                           | 34.4341405 | -118.6518612 | 1234         | 28.69               |                                                                                                                      |                              |
| WTD-05     | 2/27/2026 12:50:39 PM | 3.7        | 10.7       | 17.6      | 68.0           | 3.9          | 0.3     |                         |                         | 102.8             | 102.0            | -0.51                     | -0.48                    | 0.489                     | 0.462                    |                     |                    | 0.32                   | 0.33                      | 34.4339187 | -118.6516852 | 1243         | 28.71               |                                                                                                                      |                              |
| WTD-06     | 2/27/2026 2:42:19 PM  | 3.2        | 12.7       | 14.9      | 69.2           | 4.6          | 0.3     |                         |                         | 0.0               | 0.0              | -0.04                     | -0.04                    | 0.286                     | 0.288                    | 371.5               | 372.6              | -0.05                  |                           | 34.4338707 | -118.6515922 | 1138         | 28.7                | ,                                                                                                                    |                              |
| WTD-07     | 2/27/2026 2:48:55 PM  | 4.1        | 15.9       | 14.4      | 65.6           | 4.6          | 0.3     |                         |                         | 0.0               | 0.0              | -0.23                     | -0.18                    | 0.423                     | 0.390                    | 0.0                 | 0.0                | -0.15                  |                           | 34.4334700 | -118.6520338 | 1129         | 28.7                |                                                                                                                      |                              |
| WTD-10     | 2/27/2026 2:53:05 PM  | 12.0       | 23.7       | 10.5      | 53.8           | 5.1          | 0.5     |                         |                         | 0.0               | 0.0              | -0.65                     | -0.62                    | 0.812                     | 0.811                    | 0.0                 | 0.0                | -0.57                  |                           | 34.4323703 | -118.6518702 | 1142         | 28.7                |                                                                                                                      |                              |