

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-108-52	3/3/2026 9:10:36 AM	48.7	49.4	0.0	1.9	1.0			86.3	89.7	1.14	-0.16	-3.05	Comments:NSPS/EG CAI,Positive Static Press,,,,,
CV-108-52	3/3/2026 9:12:21 AM	49.4	49.9	0.0	0.7	1.0			90.3	90.1	-0.35	-0.39	-4.29	Comments:NSPS/EG CAC,,,,,
CV-108-52	3/5/2026 8:10:00 AM							1100						AirTech Lab; [User entered 0.11%]
CV-108-52	3/5/2026 8:10:00 AM						0							AirTech Lab
CV-108-52	3/16/2026 9:19:35 AM	40.3	50.8	1.5	7.4	0.8			110.3	109.1	-6.00	-5.00	-11.35	Comments:,,,,,
CV-113	3/9/2026 8:10:00 AM							2200						AirTech Lab; [User entered 0.22%]
CV-113	3/9/2026 8:10:00 AM						130							AirTech Lab
CV-113	3/9/2026 8:28:49 AM	56.6	43.4	0.0	0.0	1.3			121.8	121.8	-4.79	-4.80	-11.21	Comments:Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,,,,,
CV-113	3/10/2026 2:12:11 PM	0.0	22.9	16.8	60.3	0.0			74.7	75.0	-0.41	-0.39	-10.76	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-113	3/10/2026 2:15:01 PM	2.0	21.9	16.9	59.2	0.1			75.3	75.6	-0.28	-5.80	-9.76	Valve Adjustment:NSPS/EG CAI,High O2,Increased Flow/Vacuum
CV-113	3/10/2026 2:20:54 PM	0.3	5.9	20.2	73.6	0.1			75.2	74.7	-5.80	-1.34	-9.37	Valve Comment:Gasket needs to be replaced;Valve Adjustment:High O2,Decreased Flow/Vacuum
CV-113	3/10/2026 2:22:38 PM	0.3	4.4	20.3	75.0	0.1			74.7	74.8	-1.06	-1.09	-9.30	Valve Adjustment:High O2
CV-113	3/17/2026 2:02:18 PM	1.5	11.0	17.7	69.9	0.1			100.4	101.0	-0.79	-0.70	-9.32	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-113	3/17/2026 2:02:57 PM	1.4	10.9	17.7	70.0	0.1			101.7	102.2	-0.71	-0.71	-9.84	Valve Adjustment:High O2,Barely Open
CV-114	3/2/2026 9:10:00 AM							147900						AtmAA; [User entered 14.79%]
CV-114	3/2/2026 9:10:00 AM						3930							AtmAA
CV-114	3/2/2026 9:10:06 AM	0.5	90.0	0.0	9.5	0.0			188.3	188.8	-2.60	-2.61	-5.82	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-114	3/9/2026 8:25:00 AM							160000						AirTech Lab; [User entered 16%]
CV-114	3/9/2026 8:25:00 AM						2800							AirTech Lab
CV-114	3/9/2026 10:08:02 AM	0.0	10.2	19.4	70.4	0.0			191.3	191.3	-0.72	-0.84	1.68	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2
CV-114	3/9/2026 10:08:47 AM	0.0	5.8	20.0	74.2	0.0			191.4	191.3	-1.16	-1.12	1.78	Valve Adjustment:High Temp,High O2
CV-114	3/9/2026 10:10:00 AM						2505							AtmAA
CV-114	3/19/2026 8:29:38 AM	0.8	65.9	4.1	29.2	0.0			183.0	183.0	2.93	2.36	3.08	Comments:NSPS/EG CAI,High Temp,Positive Static Press,,,,,
CV-114	3/19/2026 8:35:51 AM	0.9	80.7	0.8	17.6	0.0			183.0	183.0	4.18	3.51	2.50	Comments:Positive Static Press,,,,,
CV-114	3/23/2026 8:53:15 AM	5.4	82.7	0.0	11.9	0.1			166.1	166.3	-1.34	-1.25	-4.36	Valve Adjustment:High Temp,Surging Liquid in Well (Watered In)
CV-114	3/24/2026 9:24:53 AM	1.1	80.8	0.0	18.1	0.0			187.4	187.4	-4.28	-4.31	-7.18	Comments:NSPS/EG CAI,High Temp,,,,,
CV-114	3/30/2026 8:40:26 AM	0.5	68.5	3.3	27.7	0.0			190.0	190.0	-3.29	-3.34	0.00	Valve Adjustment:High Temp
CV-1532A	3/4/2026 8:50:00 AM							114700						AtmAA; [User entered 11.47%]
CV-1532A	3/4/2026 8:50:00 AM						2460							AtmAA
CV-1532A	3/4/2026 8:50:09 AM	2.6	76.8	0.7	20.0	0.0			179.3	174.3	-7.87	-7.39	0.28	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Comment:No system port
CV-1532A	3/5/2026 8:25:00 AM							150000						AirTech Lab; [User entered 15%]

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-1532A	3/5/2026 8:25:00 AM						1800							AirTech Lab
CV-1532A	3/11/2026 1:04:48 PM	3.1	52.5	2.1	42.3	0.1			174.6	183.0	-5.98	-5.89	0.00	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Comment:No system port
CV-1532A	3/18/2026 9:56:42 AM	2.0	83.9	0.1	14.0	0.0			177.5	179.2	-6.54	-7.00	0.00	Comments:NSPS/EG CAI,High Temp,,,,,
CV-1532A	3/25/2026 9:39:50 AM	9.7	48.0	3.4	38.9	0.2			176.4	166.6	-8.80	-8.04	0.26	Valve Adjustment:High Temp
CV-1532A	3/31/2026 8:56:20 AM	2.5	71.2	3.3	23.0	0.0			168.8	182.2	-1.79	-2.27	0.11	Valve Adjustment:High Temp,Surging Liquid in Header;Well Comment:hard pipped
CV-1535	3/3/2026 9:04:44 AM	41.5	56.3	0.0	2.2	0.7			90.5	90.0	-0.87	-0.83	-1.97	Comments:,,,,,
CV-1535	3/3/2026 9:06:12 AM	41.3	57.0	0.0	1.7	0.7			82.7	82.5	-0.57	-0.57	-4.83	Comments:,,,,,
CV-1535	3/5/2026 8:20:00 AM							12000						AirTech Lab; [User entered 1.2%]
CV-1535	3/5/2026 8:20:00 AM						170							AirTech Lab
CV-1535	3/16/2026 9:11:51 AM	43.4	53.4	0.1	3.1	0.8			122.8	122.1	-2.11	-1.99	-10.68	Comments:,,,,,
CV-1535	3/30/2026 11:08:45 AM	44.3	50.4	0.0	5.3	0.9			121.4	121.1	-0.81	-0.50	-3.68	Comments:,,,,,
CV-1902A	3/4/2026 7:20:00 AM							170000						AirTech Lab; [User entered 17%]
CV-1902A	3/4/2026 7:20:00 AM						880							AirTech Lab
CV-1902A	3/4/2026 8:00:00 AM							162300						AtmAA; [User entered 16.23%]
CV-1902A	3/4/2026 8:00:00 AM						1250							AtmAA
CV-1902A	3/4/2026 8:03:38 AM	2.4	72.6	0.5	24.6	0.0			169.9	169.0	-6.17	-5.62	-6.00	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-1902A	3/11/2026 10:25:15 AM	2.5	72.6	0.7	24.3	0.0			174.6	174.0	-5.57	-5.75	-5.39	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-1902A	3/18/2026 8:33:18 AM	0.0	0.1	20.6	79.3	0.0			150.1	150.1	8.54	3.24	-5.48	Comments:NSPS/EG CAI,High Temp,High O2,Positive Static Press.,,,,,
CV-1902A	3/18/2026 8:36:06 AM	0.0	0.1	20.6	79.3	0.0			149.7	149.8	-4.77	-5.32	0.01	Comments:High Temp,High O2,,,,,
CV-1902A	3/25/2026 8:36:18 AM	6.1	79.5	0.5	13.9	0.1			173.1	175.4	-6.90	-5.91	-7.42	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-1902A	3/26/2026 1:51:44 PM	2.6	82.3	0.0	15.1	0.0			161.4	161.9	-2.88	-3.03	-7.32	Comments:NSPS/EG CAI,High Temp,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,,,,,
CV-1902A	3/31/2026 8:22:47 AM	1.8	82.3	0.0	15.9	0.0			167.3	168.2	-3.44	-3.90	-3.42	Valve Adjustment:High Temp,Surging Liquid in Header
CV-2001	3/9/2026 12:09:50 PM	13.8	75.2	1.7	9.3	0.2			89.5	89.4	-5.06	-7.05	-6.42	Comments:,,,,,
CV-2001	3/11/2026 9:00:00 AM							68000						AirTech Lab; [User entered 6.8%]
CV-2001	3/11/2026 9:00:00 AM						780							AirTech Lab
CV-2001	3/16/2026 10:28:53 AM	15.0	66.7	2.4	15.9	0.2			100.0	100.0	-7.01	-5.60	-7.79	Comments:,,,,,
CV-2002	3/4/2026 8:00:00 AM							93000						AirTech Lab; [User entered 9.3%]
CV-2002	3/4/2026 8:00:00 AM						1900							AirTech Lab
CV-2002	3/9/2026 12:41:48 PM	20.1	61.4	1.7	16.8	0.3			138.0	138.0	-5.38	-4.86	-5.77	Comments:NSPS/EG CAI,,,,,
CV-2002	3/9/2026 12:42:48 PM	20.9	62.2	1.5	15.4	0.3			138.0	138.0	-4.85	-4.85	-7.19	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2002	3/16/2026 9:37:35 AM	23.1	58.9	1.8	16.2	0.4			145.9	146.2	-8.23	-6.33	-5.86	Comments:,,,,,
CV-2002	3/17/2026 7:50:03 AM	24.4	58.1	1.4	16.1	0.4			142.8	142.0	-6.41	-3.85	-8.59	Comments:NSPS/EG CAI,High Temp,,,,,

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-2002	3/17/2026 7:55:10 AM	20.6	64.1	1.0	14.3	0.3			136.2	137.2	-3.68	-3.64	-8.43	Comments:NSPS/EG CAI,High Temp,,,,
CV-2007	3/2/2026 1:28:04 PM	34.5	64.4	0.0	1.1	0.5			153.5	153.6	-2.94	-2.97	-11.94	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-2007	3/2/2026 1:30:00 PM							56600						AtmAA; [User entered 5.66%]
CV-2007	3/2/2026 1:30:00 PM						1030							AtmAA
CV-2007	3/8/2026 11:18:59 AM	12.7	67.3	0.3	19.7	0.2			157.2	155.0	-2.72	-1.25	-12.13	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2007	3/9/2026 8:35:20 AM	14.1	78.4	0.0	7.5	0.2			151.5	151.7	-1.29	-1.28	-12.36	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-2007	3/9/2026 8:40:00 AM						928							AtmAA
CV-2007	3/18/2026 1:56:30 PM	24.0	75.8	0.1	0.1	0.3			153.3	154.5	6.19	6.40	6.41	Comments:NSPS/EG CAI,High Temp,Positive Static Press,,,,
CV-2007	3/18/2026 1:56:35 PM	24.0	75.8	0.1	0.1	0.3			153.3	154.5	6.19	6.40	6.41	Comments:,,,,,
CV-2007	3/18/2026 1:57:16 PM	25.5	74.4	0.1	0.0	0.3			153.4	153.4	7.13	7.13	7.14	Comments:Positive Static Press,,,,,
CV-2007	3/19/2026 9:14:26 AM	15.9	67.5	0.6	16.0	0.2			153.2	151.3	-2.28	-1.25	-12.74	Comments:NSPS/EG CAI,Audible Flow,High Temp,,,,
CV-2007	3/26/2026 8:44:32 AM	22.5	72.1	0.0	5.4	0.3			149.6	149.7	-0.84	-0.85	-10.39	Valve Adjustment:High Temp
CV-2007	3/31/2026 1:06:19 PM	4.8	12.4	16.8	66.0	0.4			149.8	149.6	-0.94	-0.95	-11.22	Valve Adjustment:High Temp
CV-2301	3/3/2026 8:10:00 AM							89000						AirTech Lab; [User entered 8.9%]
CV-2301	3/3/2026 8:10:00 AM						950							AirTech Lab
CV-2301	3/10/2026 8:36:53 AM	25.5	58.4	1.4	14.7	0.4			163.4	163.5	-11.88	-11.88		Comments:NSPS/EG CAI,High Temp,,,,
CV-2301	3/10/2026 8:37:43 AM	25.7	57.7	1.3	15.3	0.4			164.4	164.4	-11.90	-11.89		Comments:NSPS/EG CAI,High Temp,,,,
CV-2301	3/12/2026 8:34:36 AM	24.9	48.7	2.9	23.5	0.5			169.9	170.1	-11.91	-11.89	-12.50	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2301	3/17/2026 8:12:40 AM	26.8	59.8	0.7	12.7	0.4			180.6	181.0	-10.69	-11.62	-11.18	Valve Adjustment:High Temp
CV-2301	3/24/2026 1:56:26 PM	23.6	52.8	2.2	21.4	0.4			181.6	181.6	-9.32	-8.95	-9.90	Valve Adjustment:High Temp
CV-2302	3/3/2026 8:00:00 AM							18000						AirTech Lab; [User entered 1.8%]
CV-2302	3/3/2026 8:00:00 AM						170							AirTech Lab
CV-2302	3/3/2026 9:31:34 AM	48.1	43.1	0.8	8.0	1.1			119.0	119.3	-11.15	-11.19	-11.11	
CV-2302	3/20/2026 12:07:31 PM	46.7	42.4	1.3	9.6	1.1			112.8	113.2	-8.44	-8.77	-8.88	Comments:,,,,,
CV-2302	3/20/2026 1:17:01 PM	55.9	43.6	0.5	0.0	1.3			123.9	123.7	-8.52	-8.14	-8.60	
CV-2303	3/2/2026 3:14:28 PM	1.8	85.4	0.0	12.8	0.0			193.2	192.8	-2.50	-5.38	-5.58	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum;Well Comment:Lorentz not active;Well Condition:Lorentz Pump Installed
CV-2303	3/2/2026 3:17:30 PM	1.9	84.1	0.0	14.0	0.0			193.8	191.5	-5.46	-5.43	-5.79	Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed
CV-2303	3/3/2026 8:15:00 AM							160000						AirTech Lab; [User entered 16%]
CV-2303	3/3/2026 8:15:00 AM						1900							AirTech Lab
CV-2303	3/3/2026 1:00:00 PM							128900						AtmAA; [User entered 12.89%]

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-2303	3/3/2026 1:08:18 PM	12.8	85.0	0.0	2.2	0.2			192.6	191.9	-5.64	-5.41	-4.87	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2303	3/3/2026 1:10:00 PM						2760							AtmAA
CV-2303	3/10/2026 9:21:46 AM	1.2	82.9	0.0	15.9	0.0			196.7	196.7	-0.37	-0.36	-0.36	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2303	3/10/2026 9:25:00 AM						2690							AtmAA
CV-2303	3/17/2026 10:13:10 AM	4.0	84.3	0.0	11.7	0.0			193.9	193.7	-5.74	-5.79	-5.27	Valve Adjustment:High Temp,Surging Liquid in Header
CV-2303	3/25/2026 1:31:17 PM	10.3	80.2	0.0	9.5	0.1			191.8	192.4	4.88	4.63	4.92	Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open
CV-2303	3/25/2026 1:34:06 PM	11.8	79.7	0.0	8.5	0.1			192.8	191.5	5.17	5.22	5.22	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open
CV-2305	3/3/2026 8:27:20 AM	12.7	77.3	0.3	9.7	0.2			159.2	159.2	-4.46	-4.44	-7.19	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2305	3/3/2026 8:35:00 AM							70800						AtmAA; [User entered 7.08%]
CV-2305	3/3/2026 8:35:00 AM						2280							AtmAA
CV-2305	3/11/2026 3:05:34 PM	30.1	65.1	0.6	4.2	0.5			157.5	156.5	-2.29	-1.86	-4.35	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2305	3/16/2026 9:48:37 AM	6.6	79.6	1.1	12.7	0.1			157.7	157.4	-1.50	-1.69	-3.28	
CV-2305	3/24/2026 9:08:26 AM	19.8	73.1	1.1	6.0	0.3			159.4	159.1	-5.55	-3.82	-8.92	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2305	3/24/2026 9:11:59 AM	18.6	73.3	0.0	8.1	0.3			161.0	159.5	-3.71	-3.48	-7.62	Valve Adjustment:High Temp
CV-2305	3/24/2026 10:46:16 AM	10.3	74.3	0.0	15.5	0.1			159.6	105.1	-3.95	-3.70	-10.07	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),High Temp,Decreased Flow/Vacuum
CV-2305	3/25/2026 10:11:47 AM	10.5	73.0	0.0	16.5	0.1			160.8	160.8	-4.72	-4.55	-9.82	Valve Adjustment:High Temp;Well Comment:Pump not active;Well Condition:Lorentz Pump Installed
CV-2305	3/31/2026 10:12:51 AM	11.0	82.7	0.0	6.3	0.1			159.9	159.9	-2.99	-3.23	-8.63	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2312	3/3/2026 7:40:00 AM							150000						AirTech Lab; [User entered 15%]
CV-2312	3/3/2026 7:40:00 AM						2500							AirTech Lab
CV-2312	3/3/2026 9:58:55 AM	2.2	86.2	0.0	11.6	0.0			164.0	164.0	-2.41	-2.36	-4.11	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2312	3/3/2026 10:00:00 AM							125800						AtmAA; [User entered 12.58%]
CV-2312	3/3/2026 10:00:00 AM						4300							AtmAA
CV-2312	3/12/2026 7:57:36 AM	1.4	75.8	0.0	22.8	0.0			163.9	164.1	-3.62	-3.59	-6.89	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2312	3/16/2026 1:29:36 PM	1.2	82.4	0.0	16.4	0.0			164.9	164.9	-0.20	-0.20	-4.37	Valve Adjustment:High Temp
CV-2312	3/16/2026 1:31:34 PM	1.0	82.7	0.0	16.3	0.0			164.9	164.9	-0.33	-0.35	-3.79	Valve Adjustment:High Temp
CV-2312	3/24/2026 1:29:35 PM	1.7	79.9	0.0	18.4	0.0			164.9	165.0	-1.86	-2.03	-6.87	Valve Adjustment:High Temp,Surging Liquid in Header
CV-2314	3/3/2026 8:58:00 AM	0.8	89.3	0.0	9.9	0.0			157.8	158.3	-1.54	-1.53	-0.86	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2314	3/3/2026 9:00:00 AM							119800						AtmAA; [User entered 11.98%]

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-2314	3/3/2026 9:00:00 AM						4750							AtmAA
CV-2314	3/12/2026 8:07:14 AM	0.3	78.9	0.0	20.8	0.0			158.7	158.5	-2.89	-2.80	-2.99	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2314	3/16/2026 10:10:40 AM	0.3	88.8	0.0	10.9	0.0			160.9	161.1	-14.34	-14.38	0.41	Valve Adjustment:High Temp
CV-2314	3/17/2026 1:33:30 PM	6.3	86.1	0.3	7.3	0.1			160.2	160.4	-14.25	-14.26	-14.11	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2314	3/17/2026 1:34:58 PM	6.2	86.7	0.3	6.8	0.1			160.5	160.5	-14.13	-14.11	-14.98	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2314	3/24/2026 10:19:53 AM	11.0	72.1	0.0	16.9	0.2			162.1	162.4	-15.28	-6.07	0.33	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2314	3/24/2026 10:21:40 AM	3.2	80.4	0.0	16.4	0.0			162.2	162.5	-6.77	-6.88	0.32	Valve Adjustment:High Temp
CV-2314	3/31/2026 1:33:26 PM	2.0	81.9	0.0	16.1	0.0			164.3	164.4	-7.14	-7.07	-16.16	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2315	3/2/2026 11:53:35 AM	7.8	79.8	0.0	12.4	0.1			156.5	156.5	-3.84	-3.78	-6.49	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-2315	3/2/2026 11:56:32 AM	7.3	79.5	0.0	13.2	0.1			156.6	156.5	-2.76	-3.69	-5.77	Valve Adjustment:High Temp,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-2315	3/2/2026 11:57:15 AM	7.0	77.8	0.0	15.2	0.1			156.6	156.5	-3.82	-3.95	-5.47	Valve Adjustment:High Temp
CV-2315	3/3/2026 7:50:00 AM							94000						AirTech Lab; [User entered 9.4%]
CV-2315	3/3/2026 7:50:00 AM						2200							AirTech Lab
CV-2315	3/3/2026 9:39:59 AM	8.9	80.6	0.0	10.5	0.1			150.5	150.2	-4.79	-4.83	-6.62	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2315	3/3/2026 9:40:00 AM							37600						AtmAA; [User entered 3.76%]
CV-2315	3/3/2026 9:40:00 AM						1290							AtmAA
CV-2315	3/10/2026 1:01:43 PM	8.9	80.1	0.0	11.0	0.1								Comments:,,,,,,
CV-2315	3/18/2026 1:45:10 PM	14.8	85.2	0.0	0.0	0.2			140.3	140.6	-0.07	2.21		Comments:NSPS/EG CAI,High Temp,Positive Static Press.,,,,,,
CV-2315	3/18/2026 1:46:12 PM	15.9	84.1	0.0	0.0	0.2			140.6	140.9	2.03	0.09		Comments:Positive Static Press.,,,,,,
CV-2315	3/19/2026 10:07:18 AM	9.4	81.4	0.0	9.2	0.1			161.8	161.8	-4.85	-4.72	-7.98	Valve Adjustment:High Temp
CV-2315	3/19/2026 12:56:18 PM	13.4	72.9	0.0	13.8	0.2			161.7	161.8	-3.96	-4.01	-6.37	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum
CV-2315	3/19/2026 12:57:41 PM	12.4	72.3	0.0	15.3	0.2			161.7	161.7	-3.67	-4.08	-6.15	Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed
CV-2315	3/24/2026 10:49:20 AM	12.8	84.0	0.0	3.2	0.2			162.2	162.3	-6.16	-6.15	-8.73	Valve Adjustment:High Temp
CV-2315	3/31/2026 12:48:54 PM	9.5	81.5	0.0	9.0	0.1			165.1	165.2	-3.40	-3.18	-6.71	Valve Adjustment:High Temp
CV-2328	3/5/2026 1:06:23 PM	37.1	59.6	0.0	3.3	0.6			140.2	138.6	-4.47	-2.80	-5.97	Comments:NSPS/EG CAI,Audible Flow,High Temp,,,,,
CV-2328	3/5/2026 1:08:57 PM	32.1	64.9	0.0	3.0	0.5			138.5	138.4	-2.76	-2.76	-5.73	Comments:,,,,,,
CV-2328	3/16/2026 1:45:21 PM	30.2	65.6	0.0	4.2	0.5			146.5	147.3	0.72	-0.38	-4.60	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-2328	3/16/2026 1:47:40 PM	32.5	62.7	0.0	4.8	0.5			147.3	147.3	-0.60	-0.53	-5.27	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2328	3/17/2026 8:38:01 AM	27.1	70.8	0.0	2.1	0.4			147.1	147.6	-3.43	-3.38	-5.39	Valve Adjustment:High Temp
CV-2328	3/24/2026 1:21:45 PM	27.5	68.0	0.0	4.5	0.4			152.1	151.8	-3.68	-3.50	-6.62	

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-2333	3/2/2026 9:04:30 AM	0.5	97.5	0.0	2.0	0.0			183.4	184.2	-4.59	-4.59	-5.58	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2333	3/2/2026 9:05:00 AM							162100						AtmAA; [User entered 16.21%]
CV-2333	3/2/2026 9:05:00 AM						4760							AtmAA
CV-2333	3/9/2026 8:35:00 AM							170000						AirTech Lab; [User entered 17%]
CV-2333	3/9/2026 8:35:00 AM						3800							AirTech Lab
CV-2333	3/9/2026 8:54:04 AM	0.5	89.1	0.1	10.3	0.0			185.9	185.9	-5.68	-5.23	-6.32	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2333	3/9/2026 9:00:00 AM						5280							AtmAA
CV-2333	3/19/2026 8:12:58 AM	0.4	83.9	0.0	15.7	0.0			187.4	187.3	-5.42	-5.74	-7.00	
CV-2333	3/23/2026 8:47:43 AM	4.2	82.4	0.0	13.4	0.1			187.5	187.6	-2.61	-2.21	-4.19	Valve Adjustment:No Flow Measurement,High Temp
CV-2333	3/30/2026 8:19:08 AM	0.3	85.6	0.0	14.1	0.0			188.6	188.8	-4.82	-4.89	-6.47	Valve Adjustment:High Temp,Surging Liquid in Header
CV-2334	3/11/2026 9:45:00 AM							11000						AirTech Lab; [User entered 1.1%]
CV-2334	3/11/2026 9:45:00 AM						210							AirTech Lab
CV-2334	3/11/2026 2:16:29 PM	23.9	74.7	0.0	1.4	0.3			129.9	128.9	-2.42	-2.55	-10.23	
CV-2337	3/4/2026 7:10:00 AM							5100						AirTech Lab; [User entered 0.51%]
CV-2337	3/4/2026 7:10:00 AM						59							AirTech Lab
CV-2337	3/11/2026 10:06:00 AM	3.2	38.4	9.3	49.1	0.1			62.8	63.8	-9.63	-9.66		Comments:NSPS/EG CAI,High O2,,,,,
CV-2337	3/11/2026 10:07:37 AM	3.3	38.5	9.2	49.0	0.1			64.6	64.7	-9.71	-9.61		Comments:NSPS/EG CAI,High O2,,,,,
CV-2337	3/19/2026 1:53:22 PM	5.6	45.9	7.1	41.4	0.1			111.4	110.5	-9.07	-7.34		Comments:NSPS/EG CAI,High O2,,,,,
CV-2337	3/19/2026 1:57:47 PM	8.7	60.0	3.7	27.6	0.1			111.7	111.6	-7.00	-7.05		Comments:NSPS/EG CAC,,,,,
CV-2337	3/27/2026 1:15:57 PM	13.8	50.6	5.9	29.7	0.3			97.6	97.6	-6.77	-5.59		Comments:NSPS/EG CAI,High O2,,,,,
CV-2337	3/27/2026 1:22:02 PM	14.2	64.4	2.8	18.6	0.2			97.2	97.2	-4.06	-4.07		Comments:NSPS/EG CAC,,,,,
CV-2341	3/4/2026 7:15:00 AM							160000						AirTech Lab; [User entered 16%]
CV-2341	3/4/2026 7:15:00 AM						920							AirTech Lab
CV-2341	3/10/2026 8:54:00 AM	16.4	68.0	0.2	15.4	0.2			80.7	80.9	-7.13	-6.37	-11.03	Comments:,,,,,
CV-2341	3/18/2026 8:09:09 AM	3.5	77.6	0.0	18.9	0.0			71.2	72.5	-3.19	-3.13	-3.54	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2344	3/3/2026 7:10:00 AM							84000						AirTech Lab; [User entered 8.4%]
CV-2344	3/3/2026 7:10:00 AM						1600							AirTech Lab
CV-2344	3/4/2026 8:18:28 AM	15.9	64.7	0.2	19.2	0.2			162.5	162.7	-11.05	-10.97	-10.89	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2344	3/4/2026 8:20:00 AM							77400						AtmAA; [User entered 7.74%]
CV-2344	3/4/2026 8:20:00 AM						2680							AtmAA
CV-2344	3/11/2026 10:47:06 AM	4.0	75.7	0.4	19.8	0.1			170.3	170.3	-10.58	-10.21	-10.66	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2344	3/18/2026 9:30:47 AM	0.4	82.1	0.7	16.8	0.0			139.2	139.4	-0.13	-0.07	0.00	Comments:High Temp,NSPS/EG CAI,,,,,
CV-2345	3/3/2026 7:15:00 AM							31000						AirTech Lab; [User entered 3.1%]
CV-2345	3/3/2026 7:15:00 AM						510							AirTech Lab
CV-2345	3/3/2026 9:35:08 AM	21.3	68.7	0.5	9.5	0.3			123.1	124.4	-5.51	-5.09		Comments:,,,,,
CV-2345	3/16/2026 10:59:38 AM	23.2	65.3	1.2	10.3	0.4			121.4	121.4	-4.33	-4.38		Comments:,,,,,

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2352	3/10/2026 1:46:06 PM	5.5	54.1	6.8	33.6	0.1			108.8	109.1	-7.12	-7.56	-7.29	Well Comment:valve stuck
CV-2352	3/17/2026 8:34:06 AM	2.6	57.0	6.5	33.9	0.0			112.5	108.9	-8.45	-6.61		Comments:NSPS/EG CAI,High O2,,,,,
CV-2352	3/17/2026 8:42:03 AM	10.3	54.9	6.7	28.1	0.2			116.6	117.4	-6.54	-7.93		Comments:NSPS/EG CAI,High O2,,,,,
CV-2352	3/26/2026 2:10:33 PM	4.0	57.6	4.5	33.9	0.1			158.5	158.3	-6.34	-6.57		Comments:NSPS/EG CAI,High Temp,,,,,
CV-2352	3/26/2026 2:11:39 PM	4.0	59.2	4.5	32.3	0.1			158.0	157.8	-6.49	-6.54		Comments:NSPS/EG CAI,High Temp,,,,,
CV-2352	3/30/2026 1:09:56 PM	3.0	67.8	1.2	28.0	0.0			191.1	192.6	-6.52	-6.41	-6.82	Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Pnumatic Pump Installed
CV-2353-PLR	3/4/2026 9:13:35 AM	4.2	72.8	0.1	22.9	0.1			149.9	152.6	-7.89	-7.72	-7.58	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2353-PLR	3/4/2026 9:15:00 AM							191500						AtmAA; [User entered 19.15%]
CV-2353-PLR	3/4/2026 9:15:00 AM						985							AtmAA
CV-2353-PLR	3/11/2026 1:15:02 PM	7.4	65.5	0.2	26.9	0.1			149.1	148.0	-7.87	-7.28	-7.88	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2353-PLR	3/18/2026 10:07:54 AM	2.5	77.1	0.0	20.4	0.0			154.3	153.7	-0.36	-0.32	0.00	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2353-PLR	3/25/2026 10:01:04 AM	42.7	56.9	0.4	0.0	0.8			174.0	174.1	-7.09	-6.03	-7.52	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2353-PLR	3/25/2026 10:02:29 AM	36.5	60.8	1.2	1.5	0.6			172.9	175.1	-6.12	-6.04	-7.58	Valve Adjustment:High Temp
CV-2353-PLR	3/31/2026 9:04:53 AM	2.5	73.7	1.3	22.5	0.0			148.1	148.6	-7.09	-7.09	-7.66	Valve Adjustment:High Temp,Surging Liquid in Header
CV-2354	3/2/2026 9:25:00 AM							160000						AirTech Lab; [User entered 16%]
CV-2354	3/2/2026 9:25:00 AM						2600							AirTech Lab
CV-2354	3/4/2026 9:33:01 AM	10.9	75.2	0.0	14.0	0.1			188.6	188.5	-3.04	-3.07	-3.83	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2354	3/4/2026 9:35:00 AM							126600						AtmAA; [User entered 12.66%]
CV-2354	3/4/2026 9:35:00 AM						3880							AtmAA
CV-2354	3/11/2026 1:25:14 PM	16.7	68.2	0.0	15.1	0.2			185.4	185.4	-2.18	-2.19	-4.81	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2354	3/17/2026 8:02:01 AM	7.6	77.6	0.0	14.8	0.1			175.7	176.5	-4.18	-4.00	-6.46	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2354	3/17/2026 8:02:40 AM	6.9	82.4	0.0	10.7	0.1			177.1	177.1	-4.00	-3.97	-6.99	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2354	3/18/2026 10:25:01 AM	6.1	80.0	0.0	13.9	0.1			185.2	185.2	2.28	2.71	2.66	Comments:NSPS/EG CAI,High Temp,Positive Static Press,,,,,
CV-2354	3/18/2026 10:26:00 AM	6.0	79.8	0.0	14.2	0.1			185.2	185.2	2.93	2.91	0.01	Comments:High Temp,Positive Static Press,,,,,
CV-2354	3/19/2026 10:06:54 AM	7.5	73.3	0.0	19.3	0.1			183.8	183.7	-3.38	-2.82	-6.24	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Comment:Active;Well Condition:Lorentz Pump Installed
CV-2354	3/19/2026 10:08:42 AM	7.1	73.6	0.0	19.2	0.1			183.4	183.6	-2.83	-3.03	-5.69	Valve Adjustment:High Temp;Well Comment:Active;Well Condition:Lorentz Pump Installed
CV-2354	3/25/2026 10:11:38 AM	22.4	68.1	0.0	9.5	0.3			189.1	189.5	-3.41	-3.01	-5.32	Valve Adjustment:High Temp

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-2354	3/31/2026 9:14:45 AM	6.2	82.5	0.0	11.3	0.1			188.3	188.8	-2.26	-2.27	-4.65	Valve Adjustment:High Temp,Surging Liquid in Header
CV-24002	3/9/2026 9:21:37 AM	40.5	59.5	0.0	0.0	0.7			106.4	106.4	-1.34	-1.29	-8.75	
CV-24002	3/17/2026 9:43:46 AM	37.6	58.8	0.0	3.6	0.6			110.3	111.3	-1.92	-1.45	-9.33	Comments:,,,,,,
CV-24003	3/9/2026 9:13:11 AM	43.2	56.7	0.0	0.1	0.8			110.0	110.4	-1.19	-1.19	-8.93	
CV-24003	3/17/2026 9:32:18 AM	41.2	55.9	0.0	2.9	0.7			106.9	110.5	-1.84	-1.61	-8.97	Comments:,,,,,,
CV-24003	3/30/2026 2:47:38 PM	43.4	54.6	0.1	1.9	0.8			112.3	109.7	-0.71	-0.62	-8.57	Comments:,,,,,,
CV-24007	3/5/2026 8:35:00 AM							50000						AirTech Lab; [User entered 5.0%]
CV-24007	3/5/2026 8:35:00 AM						540							AirTech Lab
CV-24007	3/6/2026 1:36:57 PM	26.9	54.8	0.0	18.3	0.5			125.4	124.7	-2.08	-1.98	-4.65	Valve Adjustment:Decreased Flow/Vacuum
CV-24007	3/19/2026 10:36:50 AM	10.6	79.5	0.0	9.9	0.1			141.5	141.4	-0.08	-0.04	-5.09	
CV-24017	3/2/2026 12:43:55 PM	14.8	79.2	0.0	6.0	0.2			179.1	179.4	-5.54	-5.57	0.26	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp;Well Comment:No system port;Well Repairs:Sample Port
CV-24017	3/2/2026 12:45:00 PM							130100						AtmAA; [User entered 13.01%]
CV-24017	3/2/2026 12:45:00 PM						2350							AtmAA
CV-24017	3/10/2026 8:25:00 AM						2120							AtmAA
CV-24017	3/10/2026 8:25:16 AM	7.3	70.8	1.7	20.2	0.1			181.5	181.7	-38.33	-38.30	-38.75	Comments:NSPS/EG CAI,High Temp,,,,,
CV-24017	3/17/2026 9:47:22 AM	9.1	76.4	1.1	13.4	0.1			185.9	185.7	-6.19	-6.13	0.66	
CV-24017	3/23/2026 1:48:09 PM	30.2	68.7	1.1	0.0	0.4			178.7	179.1	-7.67	-5.72	0.02	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24017	3/23/2026 1:49:20 PM	28.5	70.9	0.6	0.0	0.4			179.2	178.9	-3.83	-3.34	0.01	Valve Adjustment:High Temp
CV-24049	3/5/2026 7:35:00 AM							6300						AirTech Lab; [User entered 0.63%]
CV-24049	3/5/2026 7:35:00 AM						94							AirTech Lab
CV-24049	3/10/2026 12:42:06 PM	4.9	86.0	0.0	9.1	0.1			172.4	173.1	-12.50	-12.99		Comments:NSPS/EG CAI,High Temp,,,,,
CV-24049	3/10/2026 12:42:44 PM	4.8	86.8	0.0	8.4	0.1			179.0	179.2	-12.57	-12.56		Comments:NSPS/EG CAI,High Temp,,,,,
CV-24049	3/10/2026 1:25:00 PM						4510							AtmAA
CV-24049	3/18/2026 1:51:47 PM	6.7	86.9	0.0	6.4	0.1			188.1	188.1	-10.85	-11.09		Comments:NSPS/EG CAI,High Temp,,,,,
CV-24049	3/26/2026 9:21:34 AM	6.4	71.8	0.0	21.8	0.1			189.2	190.3	-0.37	-3.72	0.00	Valve Adjustment:High Temp,Increased Flow/Vacuum
CV-24049	3/26/2026 9:23:12 AM	7.5	0.0	0.0	92.5				190.5	190.5	-3.65	-3.00	0.05	Valve Adjustment:High Temp
CV-24049	3/31/2026 12:57:45 PM	2.3	83.3	0.0	14.4	0.0			190.5	190.7	-4.97	-5.55	0.04	
CV-24053	3/9/2026 1:41:14 PM	18.2	55.0	4.8	22.0	0.3			84.6	84.5	-0.12	-0.06	-8.30	
CV-24053	3/20/2026 11:41:34 AM	28.3	61.4	0.6	9.7	0.5			106.6	105.5	0.04	-0.32	-7.81	Comments:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,,,
CV-24053	3/20/2026 11:44:56 AM	17.8	33.7	8.3	40.2	0.5			104.7	104.7	-0.38	-0.37	-8.02	Comments:High O2,,,,,,
CV-24053	3/20/2026 11:47:23 AM	22.5	31.1	8.3	38.1	0.7			105.3	105.2	-0.44	-0.42	-7.52	Comments:,,,,,,
CV-24055	3/2/2026 12:08:15 PM	5.6	54.1	3.4	36.9	0.1			129.9	127.7	-1.19	-0.97	-12.02	Valve Adjustment:Decreased Flow/Vacuum
CV-24055	3/2/2026 12:13:16 PM	5.0	56.3	3.0	35.7	0.1			127.3	127.0	-1.53	-1.75	-12.14	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-24055	3/2/2026 12:14:34 PM	5.5	53.0	3.2	38.3	0.1			126.1	126.1	-0.85	-0.85	-12.14	Well Condition:Lorentz Pump Installed
CV-24055	3/5/2026 7:30:00 AM							54000						AirTech Lab; [User entered 5.4%]
CV-24055	3/5/2026 7:30:00 AM						950							AirTech Lab
CV-24055	3/18/2026 2:02:41 PM	7.1	55.1	2.9	34.9	0.1			139.8	139.8	-0.61	-0.54	0.37	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open,Surging Liquid in Header
CV-24055	3/18/2026 2:04:14 PM	6.7	56.5	2.7	34.1	0.1			140.3	140.8	-0.64	-0.62	0.36	Valve Adjustment:High Temp,Barely Open,Surging Liquid in Header
CV-24062	3/5/2026 7:25:00 AM							67000						AirTech Lab; [User entered 6.7%]
CV-24062	3/5/2026 7:25:00 AM						790							AirTech Lab
CV-24062	3/10/2026 10:14:11 AM	32.4	63.9	0.0	3.7	0.5			123.6	126.1	-5.21	-4.54		Comments:,,,,,
CV-24062	3/23/2026 8:33:53 AM	27.9	64.4	0.0	7.7	0.4			151.7	149.0	-4.38	-4.39	-6.12	Valve Adjustment:High Temp
CV-24062	3/23/2026 2:26:48 PM	48.8	51.2	0.0	0.0	1.0			131.8	133.2	-4.73	-2.76	-6.55	Valve Adjustment:No Flow Measurement
CV-24062	3/23/2026 2:27:09 PM	49.0	51.0	0.0	0.0	1.0			133.4	133.1	-0.85	-0.84	-6.47	Valve Adjustment:No Flow Measurement
CV-24063	3/5/2026 7:15:00 AM							110000						AirTech Lab; [User entered 11%]
CV-24063	3/5/2026 7:15:00 AM						2100							AirTech Lab
CV-24063	3/5/2026 10:10:00 AM							97000						AtmAA; [User entered 9.70%]
CV-24063	3/5/2026 10:10:00 AM						1950							AtmAA
CV-24063	3/5/2026 10:10:41 AM	2.7	65.8	2.7	28.9	0.0			175.4	175.7	-13.26	-13.35	-13.41	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24063	3/12/2026 10:03:53 AM	5.2	79.9	0.0	14.9	0.1			182.9	184.1	7.82	7.41	7.38	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.
CV-24063	3/12/2026 10:04:57 AM	5.4	78.0	0.0	16.7	0.1			185.3	184.1	7.77	7.57	7.45	Valve Adjustment:Positive Static Press.
CV-24063	3/16/2026 10:36:08 AM	3.2	83.6	2.1	11.1	0.0			179.4	179.5	-11.61	-11.49	-11.52	
CV-24063	3/24/2026 1:09:32 PM	2.4	81.4	2.3	13.9	0.0			182.2	181.4	-11.19	-0.93	-11.33	Valve Adjustment:High Temp,Decreased Flow/Vacuum,Surging Liquid in Header
CV-24063	3/31/2026 1:44:33 PM	7.8	82.4	0.2	9.6	0.1			182.3	181.8	-0.78	-1.16	-12.26	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24064	3/3/2026 9:30:00 AM							105000						AtmAA; [User entered 10.5%]
CV-24064	3/3/2026 9:30:00 AM						3310							AtmAA
CV-24064	3/3/2026 9:30:29 AM	2.0	72.2	3.2	22.6	0.0			193.3	193.2	-0.61	-0.40	-0.80	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24064	3/10/2026 1:31:07 PM	2.3	68.1	2.7	26.9	0.0			189.8	189.8	3.05	1.52		Comments:NSPS/EG CAI,High Temp,Positive Static Press.
CV-24064	3/10/2026 1:32:02 PM	2.3	71.7	2.3	23.7	0.0			189.8	190.0	0.57	0.62		Comments:Positive Static Press.
CV-24064	3/10/2026 1:35:00 PM						1615							AtmAA
CV-24064	3/11/2026 9:52:36 AM	1.9	88.9	0.0	9.2	0.0			193.3	193.5	-1.38	-1.32		Comments:NSPS/EG CAI,High Temp,
CV-24064	3/17/2026 1:00:48 PM	8.1	78.2	0.8	12.9	0.1			194.6	195.0	10.13	12.30	0.00	Valve Comment:PLR
CV-24064	3/17/2026 1:26:47 PM	12.1	84.6	0.5	2.8	0.1			196.7	196.7	16.07	8.13		Comments:NSPS/EG CAI,High Temp,Positive Static Press.

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-24064	3/17/2026 1:28:22 PM	10.8	85.3	0.4	3.5	0.1			197.8	197.8	8.96	7.76		Comments:NSPS/EG CAI,High Temp,Positive Static Press.,,,,,
CV-24064	3/18/2026 8:58:11 AM	5.5	80.8	0.0	13.7	0.1			192.5	192.8	-11.17	-11.41		Comments:NSPS/EG CAI,High Temp.,,,,,
CV-24064	3/24/2026 9:35:15 AM	10.1	79.2	0.0	10.7	0.1			191.7	191.7	-12.34	-13.11	-11.07	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24064	3/31/2026 1:20:54 PM	4.0	72.2	2.8	21.0	0.1			192.3	191.9	-12.31	-11.26	0.08	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24065-TP17	3/4/2026 1:44:31 PM	10.2	88.5	0.1	1.2	0.1			112.6	112.3	-0.60	-0.63	-10.82	
CV-24065-TP17	3/18/2026 1:56:18 PM	9.5	74.5	1.7	14.3	0.1			112.1	112.3	-0.37	-0.35	-8.37	
CV-24066	3/3/2026 8:56:29 AM	21.5	55.2	0.0	23.3	0.4			109.9	111.3	-1.94	-1.91	-11.54	Comments:,,,,,,
CV-24066	3/4/2026 7:30:00 AM							36000						AirTech Lab; [User entered 3.6%]
CV-24066	3/4/2026 7:30:00 AM						330							AirTech Lab
CV-24066	3/16/2026 8:54:36 AM	23.0	55.0	0.2	21.8	0.4			111.8	112.0	-1.75	-1.75	-10.98	Comments:,,,,,,
CV-24069	3/3/2026 9:35:43 AM	32.6	35.0	1.4	31.0	0.9			81.8	82.0	-0.56	-0.55	-10.90	
CV-24069	3/18/2026 8:55:27 AM	40.1	49.3	0.0	10.6	0.8			113.5	111.2	-3.81	-2.88	0.56	
CV-24070	3/2/2026 1:14:02 PM	21.4	70.3	0.0	8.3	0.3			141.3	141.2	-1.48	-0.66	-10.19	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),High Temp,Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24070	3/2/2026 1:18:14 PM	17.3	72.8	0.0	9.9	0.2			142.3	141.9	-1.66	-0.44	-9.83	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),High Temp,Decreased Flow/Vacuum;Well Condition:Fair,Lorentz Pump Installed
CV-24070	3/2/2026 1:20:17 PM	17.6	72.7	0.0	9.7	0.2			141.9	142.1	-0.42	-0.58	-10.49	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24070	3/2/2026 1:21:24 PM	16.9	73.6	0.0	9.5	0.2			141.9	142.3	-0.68	-0.68	-11.38	Valve Adjustment:High Temp
CV-24070	3/18/2026 8:30:14 AM	23.9	75.0	0.0	1.1	0.3			142.6	142.4	-1.80	-1.82	-12.69	Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed
CV-24071	3/5/2026 12:37:59 PM	36.1	60.4	0.0	3.5	0.6			132.3	132.4	-3.18	-2.98	-5.16	Comments:,,,,,,
CV-24071	3/5/2026 12:41:59 PM	35.0	62.1	0.0	2.9	0.6			132.8	132.7	-2.94	-2.86	-4.96	Comments:NSPS/EG CAI,High Temp.,,,,,
CV-24071	3/18/2026 10:21:07 AM	35.3	58.5	0.0	6.2	0.6			134.5	134.7	-3.14	-3.07	-4.34	Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed
CV-24071	3/18/2026 10:22:44 AM	33.5	61.5	0.0	5.0	0.5			134.6	134.6	-2.96	-2.66	-4.40	Valve Adjustment:High Temp,Surging Liquid in Header;Well Condition:Lorentz Pump Installed
CV-24075-TP15	3/3/2026 9:05:00 AM							107500						AtmAA; [User entered 10.75%]
CV-24075-TP15	3/3/2026 9:05:00 AM						3410							AtmAA
CV-24075-TP15	3/3/2026 9:07:20 AM	1.3	93.7	1.8	3.2	0.0			185.6	185.5	-2.53	-2.57	-1.71	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24075-TP15	3/10/2026 1:17:33 PM	1.5	76.8	1.6	20.1	0.0			175.5	175.3	-0.04	0.03	0.01	Comments:NSPS/EG CAI,High Temp.,,,,,
CV-24075-TP15	3/10/2026 1:20:00 PM						2530							AtmAA
CV-24075-TP15	3/11/2026 9:36:27 AM	1.3	75.8	2.3	20.6	0.0			174.2	174.0	-3.14	-3.10	-3.29	Comments:NSPS/EG CAI,High Temp.,,,,,
CV-24075-TP15	3/16/2026 10:25:01 AM	1.1	90.0	0.0	8.9	0.0			189.4	184.6	-3.34	-3.27	-12.29	Valve Adjustment:High Temp
CV-24075-TP15	3/17/2026 1:13:29 PM	3.0	75.5	2.0	19.5	0.0			181.9	183.4	-3.19	-3.10	-12.91	Comments:NSPS/EG CAI,High Temp.,,,,,

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-24075-TP15	3/17/2026 1:15:34 PM	3.3	79.6	1.9	15.2	0.0			183.4	183.6	-3.13	-3.26	-14.26	Comments:NSPS/EG CAI,High Temp,,,, Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-24075-TP15	3/24/2026 9:58:07 AM	6.7	78.4	1.1	13.8	0.1			188.1	189.5	-2.52	-1.61	-11.08	
CV-24075-TP15	3/24/2026 9:59:57 AM	6.9	76.5	0.4	16.2	0.1			191.3	186.4	-4.11	-3.26	-14.36	Valve Adjustment:High Temp Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24075-TP15	3/31/2026 1:29:27 PM	3.0	83.2	1.9	11.9	0.0			189.6	187.5	-1.68	-1.71	-7.40	
CV-24077	3/3/2026 10:17:21 AM	4.2	87.3	0.0	8.5	0.0			129.4	129.6	-0.84	-0.82	-10.34	Comments:,,,,,,
CV-24077	3/16/2026 8:46:43 AM	17.3	44.0	3.6	35.1	0.4			127.7	127.8	-4.89	-4.21	-10.34	Comments:,,,,,, Valve Adjustment:Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24079-TP8	3/8/2026 1:06:12 PM	35.5	48.8	0.0	15.7	0.7			129.1	129.3	-5.05	-3.52	-8.54	
CV-24079-TP8	3/8/2026 1:07:11 PM	35.2	48.5	0.0	16.3	0.7			128.8	128.8	-3.66	-3.60	-8.94	Well Condition:Lorentz Pump Installed
CV-24079-TP8	3/18/2026 8:44:28 AM	39.4	54.1	0.2	6.3	0.7			127.3	129.9	-4.75	-4.15	0.37	
CV-24082	3/8/2026 10:15:49 AM	32.3	58.0	0.0	9.7	0.6			99.1	99.4	-0.79	-0.80	-11.25	Well Comment:relocated system sample port;Well Repairs:Sample Port
CV-24082	3/16/2026 1:49:55 PM	31.6	65.1	0.7	2.6	0.5			109.4	109.4	-0.85	-0.84		Comments:,,,,,,
CV-24083	3/5/2026 12:24:33 PM	48.7	47.5	0.2	3.6	1.0			104.9	104.9	-1.49	-1.39	-5.32	Comments:,,,,,,
CV-24083	3/16/2026 1:43:42 PM	47.9	51.9	0.2	0.0	0.9			114.6	114.3	-1.37	-1.37	-5.31	Comments:,,,,,,
CV-24083	3/18/2026 10:26:59 AM	44.1	54.4	0.0	1.5	0.8			125.7	125.1	-1.75	-1.77	-4.37	
CV-24084-TP11	3/3/2026 10:11:44 AM	8.6	84.9	0.0	6.5	0.1			176.3	176.3	-1.88	-1.88	-3.56	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24084-TP11	3/3/2026 10:15:00 AM							81300						AtmAA; [User entered 8.13%]
CV-24084-TP11	3/3/2026 10:15:00 AM						2520							AtmAA
CV-24084-TP11	3/12/2026 10:15:23 AM	5.4	76.0	0.0	18.6	0.1			177.2	177.3	-4.19	-4.19	-5.62	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24084-TP11	3/17/2026 8:28:34 AM	2.9	89.3	0.0	7.8	0.0			178.2	178.3	-1.85	-2.04	-3.04	
CV-24084-TP11	3/24/2026 1:40:12 PM	3.2	86.1	0.0	10.7	0.0			178.3	178.3	-4.07	-4.11	-5.55	Valve Adjustment:High Temp Comments:Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,,,,,,
CV-24088	3/3/2026 1:52:42 PM	45.1	54.9	0.0	0.0	0.8			106.4	108.4	-0.11	-0.35	-4.61	Comments:,,,,,,
CV-24088	3/3/2026 1:54:16 PM	46.6	53.4	0.0	0.0	0.9			108.9	108.9	-0.47	-0.45	-4.46	
CV-24088	3/19/2026 1:57:09 PM	52.8	47.2	0.0	0.0	1.1			111.9	111.9	-0.13	-0.13	-3.76	
CV-24095	3/2/2026 2:20:17 PM	4.7	81.9	0.0	13.4	0.1			168.7	168.9	0.98	0.88	-0.57	Valve Comment:valve completely open upon arrival;Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Lorentz Pump Installed
CV-24095	3/2/2026 2:22:39 PM	4.4	83.1	0.0	12.5	0.1			168.8	168.9	0.85	0.61	-0.58	Valve Adjustment:High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header;Well Condition:Lorentz Pump Installed
CV-24095	3/4/2026 8:10:00 AM							150000						AirTech Lab; [User entered 15%]
CV-24095	3/4/2026 8:10:00 AM						3300							AirTech Lab
CV-24095	3/4/2026 9:38:58 AM	9.6	77.1	0.0	13.4	0.1			169.1	169.0	-2.04	-2.02	-1.62	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24095	3/4/2026 9:40:00 AM							125600						AtmAA; [User entered 12.56%]

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-24095	3/4/2026 9:40:00 AM						4660							AtmAA
CV-24095	3/11/2026 1:32:55 PM	18.1	69.4	0.0	12.5	0.3			169.2	169.4	-0.02	-0.15	-1.89	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24095	3/18/2026 10:30:02 AM	4.4	79.1	0.0	16.5	0.1			169.3	169.3	-1.20	-1.48	0.00	Comments:NSPS/EG CAI,High Temp,,,,,
CV-24095	3/25/2026 10:16:24 AM	16.4	70.7	0.0	12.9	0.2			170.0	170.8	-1.08	-0.16	-0.11	Valve Adjustment:High Temp
CV-24095	3/31/2026 9:19:55 AM	4.3	80.9	0.0	14.8	0.1			171.6	171.7	1.39	1.25	-0.23	Valve Adjustment:High Temp,Positive Static Press.,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24095	3/31/2026 9:20:51 AM	5.0	77.5	0.1	17.4	0.1			171.7	171.8	1.23	0.77	-0.34	Valve Adjustment:High Temp,Positive Static Press.,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24096	3/9/2026 12:53:59 PM	7.1	10.3	18.6	64.0	0.7			85.0	84.9	-5.04	-4.56	-5.22	Comments:NSPS/EG CAI,High O2,,,,,
CV-24096	3/9/2026 12:56:47 PM	18.2	24.4	12.8	44.6	0.7			84.5	84.5	-4.53	-4.50	-5.35	Comments:NSPS/EG CAI,High O2,,,,,
CV-24096	3/16/2026 9:52:07 AM	27.5	35.6	7.1	29.8	0.8			82.7	82.6	-5.51	-5.08	-5.31	Comments:NSPS/EG CAI,High O2,,,,,
CV-24096	3/16/2026 9:53:09 AM	28.2	37.4	6.8	27.6	0.8			83.0	83.0	-4.85	-4.87	-5.47	Comments:NSPS/EG CAI,High O2,,,,,
CV-24097	3/9/2026 1:08:23 PM	34.8	24.5	8.5	32.2	1.4			75.5	75.6	-7.97	-7.39	-7.46	Comments:NSPS/EG CAI,High O2,,,,,
CV-24097	3/9/2026 1:10:38 PM	34.3	24.9	8.4	32.4	1.4			75.8	75.8	-7.29	-7.33	-7.51	Comments:NSPS/EG CAI,High O2,,,,,
CV-24097	3/16/2026 9:58:48 AM	31.2	20.9	9.3	38.6	1.5			76.6	76.6	-2.54	-2.50	-7.85	Comments:NSPS/EG CAI,High O2,,,,,
CV-24097	3/16/2026 10:00:01 AM	31.6	21.8	9.0	37.6	1.4			76.7	76.8	-2.45	-2.48	-7.97	Comments:NSPS/EG CAI,High O2,,,,,
CV-24098	3/9/2026 12:34:29 PM	40.8	51.3	1.2	6.7	0.8			93.5	93.9	-6.75	-7.42	-7.33	Comments:,,,,,
CV-24098	3/16/2026 10:09:27 AM	40.3	48.7	1.6	9.4	0.8			97.1	97.5	-5.74	-5.77	-5.27	Comments:,,,,,
CV-24099	3/9/2026 12:15:03 PM	13.4	86.6	0.0	0.0	0.2			97.5	97.5	-4.44	-3.70	-5.97	Comments:Reduced System Vacuum,,,,,
CV-24099	3/16/2026 10:13:57 AM	16.8	82.7	0.5	0.0	0.2			107.7	107.8	-6.62	-5.30	-6.82	Comments:,,,,,
CV-24100	3/4/2026 7:45:00 AM							6200						AirTech Lab; [User entered 0.62%]
CV-24100	3/4/2026 7:45:00 AM						37							AirTech Lab
CV-24100	3/9/2026 12:02:54 PM	19.3	79.6	0.5	0.6	0.2			128.7	126.1	-7.77	-7.02	-6.13	Comments:,,,,,
CV-24100	3/12/2026 1:26:23 PM	19.1	79.1	0.4	1.4	0.2			131.5	130.4	-7.65	-6.42	-11.14	Comments:NSPS/EG CAI,High Temp,,,,,
CV-24100	3/12/2026 1:27:49 PM	18.5	81.1	0.4	0.0	0.2			129.9	129.8	-5.99	-5.99	-11.33	Comments:NSPS/EG CAC,,,,,
CV-24100	3/16/2026 10:40:10 AM	21.7	77.8	0.0	0.5	0.3			129.8	129.3	-1.52	-1.01	-10.20	Comments:,,,,,
CV-24101	3/4/2026 7:35:00 AM							2300						AirTech Lab; [User entered 0.23%]
CV-24101	3/4/2026 7:35:00 AM						15							AirTech Lab
CV-24101	3/9/2026 11:57:18 AM	38.0	60.9	0.3	0.8	0.6			116.2	116.4	-1.12	-0.91	-1.08	Comments:Reduced System Vacuum,,,,,
CV-24101	3/16/2026 10:43:35 AM	37.8	57.7	0.8	3.7	0.7			115.3	115.6	-2.47	-2.13	-1.96	Comments:,,,,,
CV-24102	3/3/2026 10:34:05 AM	46.0	49.3	0.0	4.7	0.9			101.3	104.4	-2.98	-2.60	-10.57	Comments:,,,,,
CV-24102	3/20/2026 2:58:39 PM	43.6	55.0	0.0	1.4	0.8			118.9	119.1	-0.31	-0.32	-7.95	Comments:,,,,,
CV-24120	3/9/2026 8:20:00 AM							130000						AirTech Lab; [User entered 13%]
CV-24120	3/9/2026 8:20:00 AM						2000							AirTech Lab
CV-24120	3/11/2026 1:39:51 PM	1.4	28.0	13.7	56.9	0.1			88.9	88.9	-9.96	-10.85	-9.80	
CV-24120	3/11/2026 1:44:29 PM	3.7	70.5	2.7	23.1	0.1			89.0	89.1	-10.34	-10.25	-10.17	
CV-24120	3/17/2026 1:47:50 PM	4.1	68.9	1.5	25.5	0.1			102.4	102.5	-9.40	-9.47	-9.51	Well Comment:lorenz pump off;Well Condition:Lorenz Pump Installed
CV-24121	3/9/2026 8:15:00 AM							1700						AirTech Lab; [User entered 0.17%]

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Sys Pressure [\"H2O]	Comments
CV-24121	3/9/2026 8:15:00 AM						36							AirTech Lab
CV-24121	3/11/2026 1:54:11 PM	8.7	73.4	2.9	15.0	0.1			91.4	89.5	-10.02	-9.01	-9.92	Valve Adjustment:Surging Liquid in Header
CV-24121	3/17/2026 1:56:22 PM	1.9	15.9	17.5	64.8	0.1			99.3	99.3	-8.66	-8.74	-9.14	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Plugged/Pinched Suspected;Well Comment:pump removed
CV-24121	3/17/2026 1:57:41 PM	0.5	4.3	19.8	75.5	0.1			98.8	98.8	-8.78	-8.60	-8.92	Valve Adjustment:High O2,Barely Open,Plugged/Pinched Suspected;Well Comment:pump removed
CV-24122	3/9/2026 7:55:00 AM							2200						AirTech Lab; [User entered 0.22%]
CV-24122	3/9/2026 7:55:00 AM						0							AirTech Lab
CV-24122	3/10/2026 2:00:05 PM	41.3	37.3	4.4	17.0	1.1			76.4	76.8	-9.74	-9.74	-10.07	Valve Comment:air intrusion;Well Comment:temporary patch on valve;Well Condition:Fair;Well Repairs:Valve
CV-24122	3/11/2026 9:12:07 AM	40.9	39.4	4.0	15.7	1.0			57.6	58.4	-2.54	-1.99	-12.29	Comments:,,,,,,
CV-24122	3/17/2026 1:03:32 PM	49.6	46.3	0.0	4.1	1.1			97.9	96.5	1.59	-0.61	-7.67	Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum
CV-24122	3/17/2026 1:20:23 PM	48.6	44.8	0.6	6.1	1.1			97.2	97.2	-4.28	-2.33	-8.05	Valve Adjustment:Decreased Flow/Vacuum
CV-24122	3/17/2026 1:29:47 PM	48.8	44.9	0.5	5.8	1.1			96.0	96.4	-1.49	-1.50	-8.37	Valve Adjustment:Orifice Plate Changed (See OP Log)
CV-24123	3/11/2026 9:49:58 AM	37.8	60.4	0.0	1.8	0.6			114.2	114.3	-3.20	-3.14	-5.36	Comments:No Adjustment Made,,,,,,
CV-24123	3/18/2026 12:54:17 PM	28.1	69.5	0.0	2.4	0.4			100.8	112.0	2.46	-0.10	-3.01	Comments:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,,,,
CV-24123	3/18/2026 12:58:15 PM	25.6	74.4	0.0	0.0	0.3			114.3	114.3	-0.23	-0.23	-3.97	Comments:NSPS/EG CAC,,,,,,
CV-24125-TP20	3/9/2026 8:05:00 AM							2000						AirTech Lab; [User entered 0.20%]
CV-24125-TP20	3/9/2026 8:05:00 AM						41							AirTech Lab
CV-24125-TP20	3/12/2026 1:20:35 PM	29.9	69.8	0.0	0.3	0.4			127.4	122.1	-4.92	-4.69	-11.00	
CV-24126	3/3/2026 1:40:00 PM							162500						AtmAA; [User entered 16.25%]
CV-24126	3/3/2026 1:40:00 PM						5820							AtmAA
CV-24126	3/3/2026 1:40:05 PM	18.9	75.8	0.0	5.3	0.2			187.7	188.0	-5.82	-5.11	-8.66	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24126	3/9/2026 1:30:00 PM						5200							AtmAA
CV-24126	3/9/2026 1:30:49 PM	1.8	79.2	0.0	19.0	0.0			188.6	188.3	-4.91	-4.92	-7.33	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24126	3/18/2026 2:05:50 PM	8.6	87.0	0.0	4.4	0.1			188.4	187.9	2.60	1.77	-0.01	Comments:NSPS/EG CAI,High Temp,Positive Static Press.,,,,,
CV-24126	3/18/2026 2:05:55 PM	8.6	87.0	0.0	4.4	0.1			188.4	187.9	2.60	1.77	-0.01	Comments:,,,,,,
CV-24126	3/18/2026 2:07:15 PM	8.3	87.0	0.0	4.7	0.1			187.9	188.4	0.26	-0.13	-0.03	Comments:,,,,,,
CV-24126	3/23/2026 8:34:35 AM	3.6	79.8	0.0	16.6	0.0			189.4	189.6	-3.50	-2.93	-6.20	Valve Adjustment:High Temp
CV-24126	3/31/2026 1:10:18 PM	2.8	80.2	0.0	17.0	0.0			190.1	190.0	-1.31	-1.21	-5.81	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24127	3/11/2026 10:00:00 AM							140000						AirTech Lab; [User entered 14%]

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-24127	3/11/2026 10:00:00 AM						2700							AirTech Lab
CV-24127	3/11/2026 2:45:01 PM	1.3	71.0	3.7	24.0	0.0			101.9	101.3	-9.60	-9.26	-9.46	Comments:,,,,,,
CV-24128	3/9/2026 8:30:00 AM							16000						AirTech Lab; [User entered 1.6%]
CV-24128	3/9/2026 8:30:00 AM						240							AirTech Lab
CV-24128	3/11/2026 2:02:01 PM	32.8	45.5	0.7	21.0	0.7			116.7	117.2	-1.66	-1.66	-9.80	
CV-24134-TP19	3/11/2026 2:39:39 PM	18.9	73.8	0.0	7.3	0.3			129.1	128.9	-0.99	-0.99		Comments:,,,,,,
CV-24138	3/2/2026 9:10:00 AM							200000						AirTech Lab; [User entered 20%]
CV-24138	3/2/2026 9:10:00 AM						710							AirTech Lab
CV-24138	3/12/2026 1:48:37 PM	0.1	1.9	20.4	77.6	0.1			96.8	96.8	-0.48	-0.36	-0.39	Valve Adjustment:High O2
CV-24138	3/17/2026 8:08:50 AM	0.0	6.3	20.3	73.4	0.0			84.5	84.5	-0.52	-0.54	-0.55	Comments:NSPS/EG CAI,High O2,,,,,
CV-24138	3/17/2026 8:09:48 AM	0.2	6.6	20.1	73.1	0.0			84.1	84.0	-0.48	-0.49	-0.50	Comments:NSPS/EG CAI,High O2,,,,,
CV-24139	3/2/2026 7:55:00 AM						660							AirTech Lab
CV-24139	3/12/2026 1:51:43 PM	0.5	12.2	11.4	75.9	0.0			106.5	106.7	-1.05	-1.09	-7.57	
CV-24139	3/17/2026 8:18:00 AM	0.2	8.7	13.8	77.3	0.0			80.2	80.5	-9.01	-4.26	-8.84	Comments:NSPS/EG CAI,High O2,,,,,
CV-24139	3/17/2026 8:20:21 AM	0.2	8.9	13.8	77.1	0.0			81.9	81.7	-2.99	-2.93	-10.10	Comments:NSPS/EG CAI,High O2,,,,,
CV-24140	3/2/2026 7:50:00 AM							210000						AirTech Lab; [User entered 21%]
CV-24140	3/2/2026 7:50:00 AM						1100							AirTech Lab
CV-24140	3/12/2026 1:54:31 PM	2.0	66.9	2.0	29.1	0.0			126.0	127.1	-7.14	-7.69	-7.36	Well Comment:Valve stuck open
CV-24140	3/17/2026 8:26:24 AM	2.1	70.6	2.1	25.2	0.0			115.9	116.9	-9.20	-7.49	-9.67	Comments:,,,,,,
CV-24141	3/4/2026 8:20:00 AM							12000						AirTech Lab; [User entered 1.2%]
CV-24141	3/4/2026 8:20:00 AM						230							AirTech Lab
CV-24141	3/10/2026 1:14:07 PM	10.3	34.0	9.6	46.1	0.3			79.5	77.9	-6.72	-6.98	-6.84	Valve Adjustment:High O2
CV-24141	3/12/2026 1:33:02 PM	3.8	15.9	16.2	64.1	0.2			93.8	92.7	-7.70	-4.85	-7.60	Valve Adjustment:High O2,Decreased Flow/Vacuum
CV-24141	3/16/2026 7:54:19 AM	0.0	0.3	21.0	78.7	0.0			56.8	56.9	-1.18	-1.15		Comments:,,,,,,
CV-24141	3/16/2026 7:56:58 AM	0.0	0.2	21.0	78.8	0.0			56.9	57.0	-1.15	-1.17		Comments:,,,,,,
CV-24141	3/16/2026 11:18:00 AM	0.3	3.5	18.4	77.8	0.1			93.1	93.0	-4.60	-4.66		Comments:,,,,,,
CV-24141	3/16/2026 11:19:00 AM	0.2	1.5	18.8	79.5	0.1			92.4	92.4	-5.35	-5.31		Comments:,,,,,,
CV-24141	3/20/2026 1:15:51 PM	1.1	3.8	18.8	76.3	0.3			112.8	112.6	-4.40	-1.76		Comments:NSPS/EG CAI,High O2,,,,,
CV-24141	3/20/2026 1:19:11 PM	0.9	3.4	19.0	76.7	0.3			112.4	112.3	-1.67	-1.73		Comments:NSPS/EG CAI,High O2,,,,,
CV-24141	3/26/2026 2:16:46 PM	2.9	8.6	17.2	71.3	0.3			100.7	100.5	-1.31	-1.51		Comments:NSPS/EG CAI,High O2,,,,,
CV-24141	3/26/2026 2:19:04 PM	2.5	7.0	17.8	72.7	0.4			100.4	100.4	-1.81	-1.81		Comments:NSPS/EG CAI,High O2,,,,,
CV-24142	3/2/2026 9:15:00 AM							240000						AirTech Lab; [User entered 24%]
CV-24142	3/2/2026 9:15:00 AM						1800							AirTech Lab
CV-24142	3/4/2026 9:28:33 AM	6.9	71.1	0.0	22.0	0.1			185.0	185.1	-7.34	-7.31	-6.23	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24142	3/4/2026 9:30:00 AM							21.15						AtmAA
CV-24142	3/4/2026 9:30:00 AM						2360							AtmAA
CV-24142	3/11/2026 1:21:03 PM	6.9	65.2	0.0	27.9	0.1			169.1	169.2	-6.12	-6.06	-6.49	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-24142	3/18/2026 10:19:05 AM	3.3	74.7	0.0	22.0	0.0			169.3	171.0	0.64	0.29		Comments:NSPS/EG CAI,High Temp,Positive Static Press,,,,,
CV-24142	3/18/2026 10:19:56 AM	3.2	75.1	0.0	21.7	0.0			171.2	171.4	0.21	0.29		Comments:Positive Static Press,,,,,,

Table 2. Monthly LEA Selected Wells - March 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24142	3/19/2026 10:00:17 AM	3.7	69.3	0.0	27.1	0.1			171.9	172.3	-6.31	-6.18	-6.65	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum
CV-24142	3/19/2026 10:01:16 AM	3.4	69.0	0.0	27.7	0.0			172.8	172.9	-6.40	-6.42	-6.81	Well Comment: Active; Well Condition: Lorentz Pump Installed
CV-24142	3/25/2026 10:08:39 AM	22.9	61.9	0.0	15.2	0.4			185.0	184.8	-5.27	-5.05	-5.66	Valve Adjustment: High Temp
CV-24142	3/31/2026 9:11:48 AM	2.9	74.9	0.0	22.2	0.0			182.8	184.3	-4.49	-4.46	-4.63	Valve Adjustment: High Temp
CV-24143	3/2/2026 7:40:00 AM							7900						AirTech Lab; [User entered 0.79%]
CV-24143	3/2/2026 7:40:00 AM						75							AirTech Lab
CV-24143	3/4/2026 9:20:38 AM	0.2	2.4	20.8	76.6	0.1			83.5	83.3	-4.99	-4.70	-4.86	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High O2
CV-24143	3/4/2026 9:22:19 AM	0.3	1.5	20.8	77.3	0.2			82.8	83.3	-5.19	-5.04	-5.10	Valve Adjustment: High O2
CV-24143	3/17/2026 8:46:40 AM	22.2	50.1	7.7	20.0	0.4			172.6	172.4	-3.84	-2.35	-4.64	Comments: NSPS/EG CAI, High O2, , , , ,
CV-24143	3/17/2026 8:47:56 AM	22.2	50.1	7.7	20.0	0.4			172.6	172.4	-1.97	-1.98	-4.48	Comments: NSPS/EG CAI, High Temp, High O2, , , , ,
CV-24143	3/26/2026 10:29:58 AM	2.0	4.7	18.6	74.7	0.4			103.2	106.0	-3.44	-1.13	-3.22	Valve Adjustment: High O2, Decreased Flow/Vacuum, Barely Open
CV-24143	3/26/2026 10:31:27 AM	1.9	5.8	18.4	73.9	0.3			105.4	105.7	-1.70	-1.44	-3.28	Valve Adjustment: High O2, Barely Open
CV-24144	3/2/2026 9:30:00 AM							11000						AirTech Lab; [User entered 1.1%]
CV-24144	3/2/2026 9:30:00 AM						170							AirTech Lab
CV-24144	3/9/2026 1:13:44 PM	50.7	37.3	1.8	10.2	1.4			86.2	86.2	-6.58	-6.58		Comments: , , , , , , , , , ,
CV-24144	3/16/2026 10:03:27 AM	56.5	36.4	1.1	6.0	1.6			103.8	104.0	-2.55	-2.63		Comments: , , , , , , , , , ,
CV-99	3/9/2026 8:00:00 AM							2500						AirTech Lab; [User entered 0.25%]
CV-99	3/9/2026 8:00:00 AM						15							AirTech Lab
CV-99	3/12/2026 1:17:08 PM	10.3	83.0	0.3	6.4	0.1			90.3	90.4	-8.67	-8.45	-11.38	
H-1770N	3/4/2026 7:00:00 AM							16000						AirTech Lab; [User entered 1.6%]
H-1770N	3/4/2026 7:00:00 AM						170							AirTech Lab
H-1770N	3/9/2026 9:17:08 AM	32.1	57.7	0.0	10.2	0.6			104.8	105.0	-1.19	-1.19	-8.93	
H-1770N	3/17/2026 9:34:42 AM	33.8	57.4	0.0	8.8	0.6			106.4	105.4	-1.95	-1.70	-9.39	Comments: , , , , , , , , , ,
H-2165W	3/9/2026 12:06:49 PM	15.6	82.3	0.0	2.1	0.2			124.1	124.0	-0.68	-0.58	-10.48	Comments: , , , , , , , , , ,
H-2165W	3/11/2026 9:05:00 AM							37000						AirTech Lab; [User entered 3.7%]
H-2165W	3/11/2026 9:05:00 AM						540							AirTech Lab
H-2165W	3/16/2026 10:34:04 AM	17.4	78.4	0.5	3.7	0.2			120.6	120.7	-1.27	-0.71	-10.38	Comments: , , , , , , , , , ,
H-2273W	3/3/2026 10:00:33 AM	24.1	59.1	0.0	16.8	0.4			128.2	128.0	-1.56	-1.32	-11.43	Comments: , , , , , , , , , ,
H-2273W	3/11/2026 9:10:00 AM							16000						AirTech Lab; [User entered 1.6%]
H-2273W	3/11/2026 9:10:00 AM						260							AirTech Lab
H-2273W	3/16/2026 10:49:07 AM	31.4	66.2	0.0	2.4	0.5			127.6	127.5	-1.03	-1.04	-10.00	Comments: , , , , , , , , , ,