

21 de abril de 2026
Archivo No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Funcionario de Salud
Departamento de Salud Pública
Salud Ambiental
5050 Commerce Drive
Baldwin Park, California 91706

**Asunto: Datos del Programa Mensual Mejorado de Monitoreo del Aire, marzo de 2026,
Vertedero de Chiquita Canyon**

Estimado Dr. Davis:

Esta presentación fue elaborada por el Departamento de Salud Pública (DPH) del Condado de Los Ángeles por **SCS Engineers** (SCS) en nombre de Chiquita Canyon, LLC (Chiquita) como parte de la recomendación de elaborar informes mensuales detallada en la carta del 15 de agosto de 2023 que le entregó Chiquita al DPH (Plan de Trabajo).

Según el Plan de Trabajo, SCS preparó esta presentación que contiene datos analíticos de ambas muestras semanales y datos del monitoreo continuo de las estaciones de monitoreo mejoradas (10 unidades micro-GC). A continuación se proporciona una descripción de los datos incluidos en la presentación.

Datos de las Tomas de Muestras Semanales

Se toman muestras semanales de 24 horas de los compuestos en cada uno de los siete lugares donde se encuentran las estaciones de monitoreo fuera del sitio (MS-06 a MS-12). Se analizaron las muestras con una lista ampliada de compuestos orgánicos volátiles (VOCs) utilizando el Método 15 (TO-15) de la Agencia de Protección Ambiental (EPA) de EE.UU. y de compuestos de azufre utilizando el Método 307.91 del Distrito de Gestión de la Calidad del Aire de la Costa Sur (SCAQMD). Los resultados de las muestras tomadas cada 24 horas de marzo de 2026 se encuentran en el **Adjunto A**.

Datos del Monitoreo Continuo Mejorado

En agosto de 2023, SCS instaló módulos de monitoreo de aire continuo en las estaciones existentes MS-04 y MS-12. Los monitores analizan benceno, tolueno, etilbenceno y xilenos totales (BTEX), como también el azufre total reducido (TRS). La intención de la instalación del nuevo módulo de monitores fue evaluar los datos para determinar si estos módulos deberían ser incorporados en las estaciones de monitoreo de aire existentes de forma permanente, comparando los datos con los datos de laboratorio y cargando los datos para ver cómo los datos en tiempo real se correlacionan con los datos de laboratorio de las muestras tomadas en el mismo momento.

Las unidades BTEX y TRS desde ese entonces fueron retiradas de todas las estaciones, consistentes con el Plan de Trabajo para la Modificación del Programa Mejorado de Monitoreo del Aire con fecha 29 de enero de 2024 presentado al DPH y al SCAQMD.

En respuesta a la Orden de Depuración Estipulada (SOFA) emitida por el SCAQMD el 17 de enero de 2024, se instalaron dos unidades micro-GC en MS-10 y MS-12 para la fecha límite del 1 de mayo de 2024. Los resultados del monitoreo continuo del aire se encuentran online en el sitio web de Chiquita. Para




septiembre de 2024 se pusieron en línea ocho micro-GC más como parte de una expansión del Programa de Monitoreo del Aire Mejorado, dando un total de 10 unidades micro-GC. A continuación se encuentra un enlace a los datos continuos en tiempo real:

<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

Si tiene alguna pregunta con respecto a esta presentación, por favor, comuníquese con uno de los firmantes llamando al (562) 426-9544.

Atentamente,



Stipe Markotic
Personal Científico
SCS Engineers



Raymond H. Huff, REPA
Director del Proyecto
SCS Engineers

adjuntos


cc (con adjuntos):

Victor Yip (SCAQMD)
Pablo Sánchez-Soria (CTEH)
Edgar De La Torre (Departamento de Planificación Regional del Condado de LA)
David Nguyen (PW)
Douglas Cross (Junta para el Control de Recursos de Agua)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (Asesor del Condado),
Kevin Green (CCL)

FIGURE 1
MAP OF AIR MONITORING LOCATIONS

Legend

- Micro-GC
- Off-Site Station
- On-Site Station



Google Earth

Image © 2025 Airbus

Community Air Monitoring Program
 Continuous Air Monitoring Stations

MS-11

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

Sample Summary

| | | |
|----------------------------|----------------|--|
| Raymond Huff | Lab Job #: | 554705 |
| SCS Engineers - Long Beach | Project No: | CHIQUITA WEEKLY AIR |
| 3700 Kilroy Airport Way | Location: | Chiquita Canyon Landfill Air/Odor Sampling |
| Suite 100 | Date Received: | 03/03/26 |
| Long Beach, CA 90806 | | |

| Sample ID | Lab ID | Collected | Matrix |
|------------------|---------------|------------------|---------------|
| MS-07 | 554705-001 | 03/03/26 07:49 | Air |
| MS-12 | 554705-002 | 03/03/26 08:03 | Air |
| MS-08 | 554705-003 | 03/03/26 08:17 | Air |
| MS-09 | 554705-004 | 03/03/26 08:36 | Air |
| MS-10 | 554705-005 | 03/03/26 08:55 | Air |
| MS-06 | 554705-006 | 03/03/26 09:25 | Air |
| MS-11 | 554705-007 | 03/03/26 08:57 | Air |

Case Narrative

SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 554705
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/03/26

This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/03/26. The samples were received in good condition.

Volatile Organics in Air by MS (EPA TO-15 SIM):

- High response was observed for benzyl chloride in the CCV analyzed 03/04/26 21:05; affected data was qualified with "b".
- High recoveries were observed for benzyl chloride in the BS/BSD for batch 397120; the associated RPD was within limits, and this analyte was not detected at or above the RL in the associated samples.
- No other analytical problems were encountered.



Login 554705

Page 1 of 1



ENTHALPY ANALYTICAL

931 W. Barkley Ave., Orange, CA 92668
Phone: (714) 771-8900 Fax: (714) 538-1208

| CUSTOMER INFORMATION | | | | PROJECT INFORMATION | | | |
|-----------------------|---|------|--------------|---------------------|-----------------------------------|--|--|
| Company: | SCS Engineers | | | Name: | Chiquito Canyon Landfill Air/soil | | |
| Report To: | ROY HUFF | | | Number: | | | |
| Email: | rhuff@sensengineers.com | | | Address: | Venticio, CA | | |
| Address: | 3900 Kilgus Airport way suite 300 Long Beach, CA | | | Global ID: | | | |
| Phone: | 562-355 | Fax: | 562-427-0905 | Sampled By: | Aiden Sanchez-Orue | | |
| Special Instructions: | | | | | | | |

| Sample ID | Air Type (I) Indoor (A) Ambient (SV) Soil Vapor | Equipment Information | | Start Sampling Information | | | Stop Sampling Information | | | Canister Pressure (in. Hg) | Analysis Request | Required Turnaround Time | Comments |
|-----------|--|-----------------------|--------------------------|----------------------------|--------|------|----------------------------|--------|------|----------------------------|------------------|--------------------------|----------|
| | | Canister ID | Canister Size (6L or 1L) | Flow Controller ID | Date | Time | Canister Pressure (in. Hg) | Date | Time | | | | |
| 1 MS-07 | A | C70949 | 6L | A7024 | 3-2-26 | 0746 | -29 | 3-3-26 | 0749 | -7 | X | | |
| 2 MS-12 | A | C70315 | 6L | A70115 | 3-2-26 | 0906 | -30 | 3-3-26 | 0803 | -6 | X | | |
| 3 MS-08 | A | C70860 | 6L | A70639 | 3-2-26 | 0814 | -28 | 3-3-26 | 0817 | -7 | X | | |
| 4 MS-09 | A | C70273 | 6L | A70249 | 3-2-26 | 0836 | -28 | 3-3-26 | 0836 | -6 | X | | |
| 5 MS-10 | A | C70699 | 6L | A70659 | 3-2-26 | 0855 | -29 | 3-3-26 | 0855 | -5 | X | | |
| 6 MS-06 | A | C70826 | 6L | A70095 | 3-2-26 | 0925 | -29 | 3-3-26 | 0925 | -4 | X | | |
| 7 MS-11 | A | C70980 | 6L | A70405 | 3-2-26 | 0957 | -29 | 3-3-26 | 0957 | -3 | X | | |
| 8 | | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | |

| RELINQUISHED BY: | SIGNATURE | PRINT NAME | COMPANY/TITLE | DATE / TIME |
|------------------|-----------|--------------------|---------------|-------------|
| | | Aiden Sanchez-Orue | RES | 3/3/26 1400 |
| | | Garry Kin | EA | 3/3/26 1400 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 03-MAR-2026 WO# 559705 Client: SCS Eng

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples
 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 03-MAR-2026 By (initials) GCh Type of ice used: Wet Blue/Gel None
 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)
 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)
 If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____
 Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.
 Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

| | YES | NO | N/A |
|---|-------|----|-----|
| 1) Were custody papers present, filled properly, and legible? | / | | |
| 2) Is the sampler's name present on the CoC? | / | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | / | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | (1) / | | / |
| 5) Were all of, and only, the correct samples received? | / | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | / | | |
| 7) Does the container count match the CoC? | / | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | / | | |
| 9) Were samples received in proper containers for the analyses requested? | / | | |
| 10) Were samples received with > 1/2 holding time remaining? | / | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | / | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | / |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | | / |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 03-MAR-2026 By (print) GCh 3/3/26 (sign) [Signature]
 Date Labeled 03-MAR-2026 By (print) Orange (sign) [Signature]

Analysis Results for 554705

Raymond Huff
SCS Engineers - Long Beach
3700 Kilroy Airport Way
Suite 100
Long Beach, CA 90806

Lab Job #: 554705
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/03/26

Sample ID: MS-07 Lab ID: 554705-001 Collected: 03/03/26 07:49
Matrix: Air

| 554705-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Freon 12 | 0.48 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Chloromethane | 0.47 | | ppbv | 0.10 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Chloroethane | 0.012 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Methylene Chloride | 0.095 | | ppbv | 0.020 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Freon 113 | 0.065 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Chloroform | 0.019 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,2-Dichloroethane | 0.017 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Benzene | 0.097 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Carbon Tetrachloride | 0.092 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Toluene | 0.13 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Ethylbenzene | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| m,p-Xylenes | 0.043 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Styrene | 0.024 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| o-Xylene | 0.017 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,2,4-Trimethylbenzene | 0.015 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |

Analysis Results for 554705

| 554705-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Xylene (total) | 0.060 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 99% | | %REC | 60-140 | 1 | 397120 | 03/05/26 00:55 | 03/05/26 00:55 | OHD |

Analysis Results for 554705

Sample ID: MS-12
Lab ID: 554705-002
Collected: 03/03/26 08:03
Matrix: Air

| 554705-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Freon 12 | 0.48 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Chloromethane | 0.46 | | ppbv | 0.10 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Chloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Methylene Chloride | 0.096 | | ppbv | 0.020 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Freon 113 | 0.065 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Chloroform | 0.020 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,2-Dichloroethane | 0.017 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Benzene | 0.11 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Carbon Tetrachloride | 0.093 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Toluene | 0.16 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Ethylbenzene | 0.025 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| m,p-Xylenes | 0.076 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Styrene | 0.027 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| o-Xylene | 0.030 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,2,4-Trimethylbenzene | 0.026 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |

Analysis Results for 554705

| 554705-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Xylene (total) | 0.11 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 99% | | %REC | 60-140 | 1 | 397120 | 03/05/26 01:43 | 03/05/26 01:43 | OHD |

Analysis Results for 554705

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-08 | Lab ID: 554705-003 | Collected: 03/03/26 08:17 |
| Matrix: Air | | |

| 554705-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Freon 12 | 0.49 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Chloromethane | 0.46 | | ppbv | 0.11 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Bromomethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Chloroethane | 0.014 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Methylene Chloride | 0.098 | | ppbv | 0.022 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Freon 113 | 0.066 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Chloroform | 0.018 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,2-Dichloroethane | 0.017 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Benzene | 0.087 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Carbon Tetrachloride | 0.093 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Toluene | 0.13 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Tetrachloroethene | 0.013 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Ethylbenzene | 0.017 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| m,p-Xylenes | 0.046 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Styrene | 0.018 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| o-Xylene | 0.018 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,2,4-Trimethylbenzene | 0.019 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |

Analysis Results for 554705

| 554705-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Xylene (total) | 0.064 | | ppbv | 0.011 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 97% | | %REC | 60-140 | 1.1 | 397120 | 03/05/26 02:32 | 03/05/26 02:32 | OHD |

Analysis Results for 554705

Sample ID: MS-09
Lab ID: 554705-004
Collected: 03/03/26 08:36
Matrix: Air

| 554705-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Freon 12 | 0.48 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Chloromethane | 0.47 | | ppbv | 0.10 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Chloroethane | 0.013 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.021 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Freon 113 | 0.065 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Chloroform | 0.026 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,2-Dichloroethane | 0.018 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Benzene | 0.090 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Carbon Tetrachloride | 0.093 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Toluene | 0.22 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Ethylbenzene | 0.022 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| m,p-Xylenes | 0.068 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Styrene | 0.17 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| o-Xylene | 0.026 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,2,4-Trimethylbenzene | 0.019 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |

Analysis Results for 554705

| 554705-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Xylene (total) | 0.094 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 97% | | %REC | 60-140 | 1 | 397120 | 03/05/26 03:21 | 03/05/26 03:21 | OHD |

Analysis Results for 554705

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-10 | Lab ID: 554705-005 | Collected: 03/03/26 08:55 |
| Matrix: Air | | |

| 554705-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Chloromethane | 0.48 | | ppbv | 0.10 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Chloroethane | 0.066 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.020 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Freon 113 | 0.065 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Chloroform | 0.029 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,2-Dichloroethane | 0.018 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Benzene | 0.093 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Carbon Tetrachloride | 0.093 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Toluene | 0.20 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Tetrachloroethene | 0.012 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Ethylbenzene | 0.022 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| m,p-Xylenes | 0.069 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Styrene | 0.050 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| o-Xylene | 0.026 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,2,4-Trimethylbenzene | 0.021 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |

Analysis Results for 554705

| 554705-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Xylene (total) | 0.094 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 97% | | %REC | 60-140 | 1 | 397120 | 03/05/26 04:09 | 03/05/26 04:09 | OHD |

Analysis Results for 554705

Sample ID: MS-06
Lab ID: 554705-006
Collected: 03/03/26 09:25
Matrix: Air

| 554705-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Chloromethane | 0.47 | | ppbv | 0.10 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Chloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Methylene Chloride | 0.12 | | ppbv | 0.020 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Freon 113 | 0.065 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Chloroform | 0.023 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,2-Dichloroethane | 0.018 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Benzene | 0.15 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Carbon Tetrachloride | 0.094 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Toluene | 0.19 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Ethylbenzene | 0.023 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| m,p-Xylenes | 0.057 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Styrene | 0.047 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| o-Xylene | 0.023 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,2,4-Trimethylbenzene | 0.018 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |

Analysis Results for 554705

| 554705-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Xylene (total) | 0.080 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 99% | | %REC | 60-140 | 1 | 397120 | 03/05/26 04:58 | 03/05/26 04:58 | OHD |

Analysis Results for 554705

Sample ID: MS-11
Lab ID: 554705-007
Collected: 03/03/26 08:57
Matrix: Air

| 554705-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Chloromethane | 0.54 | | ppbv | 0.10 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Chloroethane | 0.022 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Methylene Chloride | 0.099 | | ppbv | 0.020 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Freon 113 | 0.065 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Chloroform | 0.021 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,2-Dichloroethane | 0.017 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Benzene | 0.19 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Carbon Tetrachloride | 0.093 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Toluene | 0.18 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Tetrachloroethene | 0.019 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Ethylbenzene | 0.014 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| m,p-Xylenes | 0.041 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Styrene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| o-Xylene | 0.016 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,2,4-Trimethylbenzene | 0.015 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |

Analysis Results for 554705

| 554705-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Xylene (total) | 0.057 | | ppbv | 0.010 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 97% | | %REC | 60-140 | 1 | 397120 | 03/05/26 05:46 | 03/05/26 05:46 | OHD |

ND Not Detected

Batch QC

| | | |
|---------------------------------|------------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1346686 | Batch: 397120 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1346686 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|---------------------------|--------|--------|-------|----------|------|--------|
| 1,1,2,2-Tetrachloroethane | 197.8 | 200.0 | pptv | 99% | | 70-130 |
| 1,1,1,2-Tetrachloroethane | 222.0 | 200.0 | pptv | 111% | | 70-130 |
| Freon 12 | 209.5 | 200.0 | pptv | 105% | | 70-130 |
| Chloromethane | 178.2 | 200.0 | pptv | 89% | | 70-130 |
| Freon 114 | 200.5 | 200.0 | pptv | 100% | | 70-130 |
| Vinyl Chloride | 185.8 | 200.0 | pptv | 93% | | 70-130 |
| Bromomethane | 190.4 | 200.0 | pptv | 95% | | 70-130 |
| Chloroethane | 186.4 | 200.0 | pptv | 93% | | 70-130 |
| Vinyl bromide | 203.0 | 200.0 | pptv | 101% | | 70-130 |
| Trichlorofluoromethane | 226.8 | 200.0 | pptv | 113% | | 70-130 |
| 1,1-Dichloroethene | 206.0 | 200.0 | pptv | 103% | | 70-130 |
| Methylene Chloride | 191.6 | 200.0 | pptv | 96% | | 70-130 |
| Freon 113 | 207.9 | 200.0 | pptv | 104% | | 70-130 |
| trans-1,2-Dichloroethene | 207.8 | 200.0 | pptv | 104% | | 70-130 |
| 1,1-Dichloroethane | 212.1 | 200.0 | pptv | 106% | | 70-130 |
| cis-1,2-Dichloroethene | 208.0 | 200.0 | pptv | 104% | | 70-130 |
| Chloroform | 217.3 | 200.0 | pptv | 109% | | 70-130 |
| 1,2-Dichloroethane | 220.5 | 200.0 | pptv | 110% | | 70-130 |
| 1,1,1-Trichloroethane | 241.7 | 200.0 | pptv | 121% | | 70-130 |
| Benzene | 201.4 | 200.0 | pptv | 101% | | 70-130 |
| Carbon Tetrachloride | 244.0 | 200.0 | pptv | 122% | | 70-130 |
| 1,2-Dichloropropane | 200.8 | 200.0 | pptv | 100% | | 70-130 |
| Bromodichloromethane | 223.9 | 200.0 | pptv | 112% | | 70-130 |
| Trichloroethene | 198.7 | 200.0 | pptv | 99% | | 70-130 |
| cis-1,3-Dichloropropene | 221.1 | 200.0 | pptv | 111% | | 70-130 |
| trans-1,3-Dichloropropene | 230.3 | 200.0 | pptv | 115% | | 70-130 |
| 1,1,2-Trichloroethane | 201.4 | 200.0 | pptv | 101% | | 70-130 |
| Toluene | 202.7 | 200.0 | pptv | 101% | | 70-130 |
| Dibromochloromethane | 223.5 | 200.0 | pptv | 112% | | 70-130 |
| 1,2-Dibromoethane | 213.6 | 200.0 | pptv | 107% | | 70-130 |
| Tetrachloroethene | 232.4 | 200.0 | pptv | 116% | | 70-130 |
| Chlorobenzene | 200.6 | 200.0 | pptv | 100% | | 70-130 |
| Ethylbenzene | 204.9 | 200.0 | pptv | 102% | | 70-130 |
| m,p-Xylenes | 415.7 | 400.0 | pptv | 104% | | 70-130 |
| Bromoform | 215.2 | 200.0 | pptv | 108% | | 70-130 |
| Styrene | 200.6 | 200.0 | pptv | 100% | | 70-130 |
| o-Xylene | 210.8 | 200.0 | pptv | 105% | | 70-130 |
| 2-Chlorotoluene | 199.2 | 200.0 | pptv | 100% | | 70-130 |
| 1,3,5-Trimethylbenzene | 208.3 | 200.0 | pptv | 104% | | 70-130 |
| 1,2,4-Trimethylbenzene | 206.1 | 200.0 | pptv | 103% | | 70-130 |
| Benzyl chloride | 275.5 | 200.0 | pptv | 138% | b,* | 70-130 |
| 1,3-Dichlorobenzene | 205.2 | 200.0 | pptv | 103% | | 70-130 |
| 1,4-Dichlorobenzene | 200.7 | 200.0 | pptv | 100% | | 70-130 |
| 1,2-Dichlorobenzene | 198.2 | 200.0 | pptv | 99% | | 70-130 |
| 1,2,4-Trichlorobenzene | 166.3 | 200.0 | pptv | 83% | | 70-130 |
| Hexachlorobutadiene | 198.9 | 200.0 | pptv | 99% | | 70-130 |

Surrogates

Batch QC

| QC1346686 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------------|---------------|---------------|--------------|-----------------|-------------|---------------|
| Bromofluorobenzene | 251.4 | 250.0 | pptv | 101% | | 70-130 |

Batch QC

| | | |
|---|------------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1346687 | Batch: 397120 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1346687 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|---------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1,2,2-Tetrachloroethane | 199.2 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| 1,1,1,2-Tetrachloroethane | 223.4 | 200.0 | pptv | 112% | | 70-130 | 1 | 25 |
| Freon 12 | 211.4 | 200.0 | pptv | 106% | | 70-130 | 1 | 25 |
| Chloromethane | 177.9 | 200.0 | pptv | 89% | | 70-130 | 0 | 25 |
| Freon 114 | 199.0 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| Vinyl Chloride | 185.4 | 200.0 | pptv | 93% | | 70-130 | 0 | 25 |
| Bromomethane | 189.8 | 200.0 | pptv | 95% | | 70-130 | 0 | 25 |
| Chloroethane | 184.8 | 200.0 | pptv | 92% | | 70-130 | 1 | 25 |
| Vinyl bromide | 204.3 | 200.0 | pptv | 102% | | 70-130 | 1 | 25 |
| Trichlorofluoromethane | 227.9 | 200.0 | pptv | 114% | | 70-130 | 0 | 25 |
| 1,1-Dichloroethene | 206.1 | 200.0 | pptv | 103% | | 70-130 | 0 | 25 |
| Methylene Chloride | 192.6 | 200.0 | pptv | 96% | | 70-130 | 0 | 25 |
| Freon 113 | 208.7 | 200.0 | pptv | 104% | | 70-130 | 0 | 25 |
| trans-1,2-Dichloroethene | 206.8 | 200.0 | pptv | 103% | | 70-130 | 0 | 25 |
| 1,1-Dichloroethane | 212.6 | 200.0 | pptv | 106% | | 70-130 | 0 | 25 |
| cis-1,2-Dichloroethene | 207.3 | 200.0 | pptv | 104% | | 70-130 | 0 | 25 |
| Chloroform | 217.9 | 200.0 | pptv | 109% | | 70-130 | 0 | 25 |
| 1,2-Dichloroethane | 221.2 | 200.0 | pptv | 111% | | 70-130 | 0 | 25 |
| 1,1,1-Trichloroethane | 242.9 | 200.0 | pptv | 121% | | 70-130 | 0 | 25 |
| Benzene | 201.1 | 200.0 | pptv | 101% | | 70-130 | 0 | 25 |
| Carbon Tetrachloride | 246.2 | 200.0 | pptv | 123% | | 70-130 | 1 | 25 |
| 1,2-Dichloropropane | 201.4 | 200.0 | pptv | 101% | | 70-130 | 0 | 25 |
| Bromodichloromethane | 227.3 | 200.0 | pptv | 114% | | 70-130 | 2 | 25 |
| Trichloroethene | 200.5 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| cis-1,3-Dichloropropene | 224.1 | 200.0 | pptv | 112% | | 70-130 | 1 | 25 |
| trans-1,3-Dichloropropene | 234.5 | 200.0 | pptv | 117% | | 70-130 | 2 | 25 |
| 1,1,2-Trichloroethane | 203.2 | 200.0 | pptv | 102% | | 70-130 | 1 | 25 |
| Toluene | 204.6 | 200.0 | pptv | 102% | | 70-130 | 1 | 25 |
| Dibromochloromethane | 227.3 | 200.0 | pptv | 114% | | 70-130 | 2 | 25 |
| 1,2-Dibromoethane | 215.6 | 200.0 | pptv | 108% | | 70-130 | 1 | 25 |
| Tetrachloroethene | 234.3 | 200.0 | pptv | 117% | | 70-130 | 1 | 25 |
| Chlorobenzene | 201.8 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| Ethylbenzene | 205.9 | 200.0 | pptv | 103% | | 70-130 | 1 | 25 |
| m,p-Xylenes | 419.6 | 400.0 | pptv | 105% | | 70-130 | 1 | 25 |
| Bromoform | 218.0 | 200.0 | pptv | 109% | | 70-130 | 1 | 25 |
| Styrene | 201.2 | 200.0 | pptv | 101% | | 70-130 | 0 | 25 |
| o-Xylene | 211.0 | 200.0 | pptv | 106% | | 70-130 | 0 | 25 |
| 2-Chlorotoluene | 200.4 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| 1,3,5-Trimethylbenzene | 209.2 | 200.0 | pptv | 105% | | 70-130 | 0 | 25 |
| 1,2,4-Trimethylbenzene | 209.3 | 200.0 | pptv | 105% | | 70-130 | 2 | 25 |
| Benzyl chloride | 284.8 | 200.0 | pptv | 142% | b,* | 70-130 | 3 | 25 |
| 1,3-Dichlorobenzene | 206.4 | 200.0 | pptv | 103% | | 70-130 | 1 | 25 |
| 1,4-Dichlorobenzene | 202.7 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| 1,2-Dichlorobenzene | 199.9 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| 1,2,4-Trichlorobenzene | 195.0 | 200.0 | pptv | 98% | | 70-130 | 16 | 25 |
| Hexachlorobutadiene | 208.9 | 200.0 | pptv | 104% | | 70-130 | 5 | 25 |

Batch QC

| QC1346687 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------|--------|--------|-------|----------|------|--------|-----|------------|
| Surrogates | | | | | | | | |
| Bromofluorobenzene | 247.6 | 250.0 | pptv | 99% | | 70-130 | | |

Batch QC

| | | |
|--------------------|------------------------------|----------------------------|
| Type: Blank | Lab ID: QC1346688 | Batch: 397120 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1346688 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|----------------|----------------|
| 1,1,2,2-Tetrachloroethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,1,1,2-Tetrachloroethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Freon 12 | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Chloromethane | ND | | pptv | 100 | 03/05/26 00:06 | 03/05/26 00:06 |
| Freon 114 | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Vinyl Chloride | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Bromomethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Chloroethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Vinyl bromide | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Trichlorofluoromethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,1-Dichloroethene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Methylene Chloride | ND | | pptv | 20 | 03/05/26 00:06 | 03/05/26 00:06 |
| Freon 113 | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| trans-1,2-Dichloroethene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,1-Dichloroethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| cis-1,2-Dichloroethene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Chloroform | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,2-Dichloroethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,1,1-Trichloroethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Benzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Carbon Tetrachloride | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,2-Dichloropropane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Bromodichloromethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Trichloroethene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| cis-1,3-Dichloropropene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| trans-1,3-Dichloropropene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,1,2-Trichloroethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Toluene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Dibromochloromethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,2-Dibromoethane | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Tetrachloroethene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Chlorobenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Ethylbenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| m,p-Xylenes | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Bromoform | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Styrene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| o-Xylene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 2-Chlorotoluene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,3,5-Trimethylbenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,2,4-Trimethylbenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Benzyl chloride | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,3-Dichlorobenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,4-Dichlorobenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,2-Dichlorobenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| 1,2,4-Trichlorobenzene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Hexachlorobutadiene | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |
| Xylene (total) | ND | | pptv | 10 | 03/05/26 00:06 | 03/05/26 00:06 |


Batch QC

| QC1346688 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|--------------------|--------|------|-------|---------------|----------------|----------------|
| Surrogates | | | | Limits | | |
| Bromofluorobenzene | 99% | | %REC | 70-130 | 03/05/26 00:06 | 03/05/26 00:06 |

* Value is outside QC limits

ND Not Detected

b See narrative



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Air/Odor Sampling
AAC PROJECT NO. : 260495
REPORT DATE : 03/09/2026


On March 3rd, 2025, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

| Client ID | Lab No. |
|-----------|--------------|
| MS-07 | 260495-86876 |
| MS-12 | 260495-86877 |
| MS-08 | 260495-86878 |
| MS-09 | 260495-86879 |
| MS-10 | 260495-86880 |
| MS-06 | 260495-86881 |
| MS-11 | 260495-86882 |


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260495
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 03/02-03/2026
 RECEIVING DATE : 03/03/2026
 ANALYSIS DATE : 03/03/2026
 REPORT DATE : 03/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-07 | MS-12 | MS-08 | MS-09 |
|---------------------------------|--------------|--------------|--------------|--------------|
| AAC ID | 260495-86876 | 260495-86877 | 260495-86878 | 260495-86879 |
| Analyte | Result | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260495
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/02-03/2026
 RECEIVING DATE : 03/03/2026
 ANALYSIS DATE : 03/03/2026
 REPORT DATE : 03/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-10 | MS-06 | MS-11 |
|---------------------------------|--------------|--------------|--------------|
| AAC ID | 260495-86880 | 260495-86881 | 260495-86882 |
| Analyte | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/3/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

| H ₂ S | Resp. (area) | Result | % Rec * | % RPD **** |
|------------------|--------------|--------|---------|------------|
| Initial | 7658 | 0.486 | 98.4 | 0.7 |
| Duplicate | 7773 | 0.494 | 99.9 | 0.8 |
| Triplicate | 7706 | 0.489 | 99.1 | 0.1 |

0.508 ppmV MeSH (GC-091924-01)

| MeSH | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 7057 | 0.483 | 95.2 | 3.4 |
| Duplicate | 7410 | 0.508 | 100.0 | 1.5 |
| Triplicate | 7444 | 0.510 | 100.5 | 1.9 |

0.481 ppmV DMS (GC-091924-01)

| DMS | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 7964 | 0.484 | 100.8 | 1.5 |
| Duplicate | 8088 | 0.492 | 102.4 | 0.1 |
| Triplicate | 8199 | 0.499 | 103.8 | 1.4 |

Method Blank

| Analyte | Result |
|------------------|--------|
| H ₂ S | <PQL |
| MeSH | <PQL |
| DMS | <PQL |

Duplicate Analysis

Sample ID 260329-86137

| Analyte | Sample Result | Duplicate Result | Mean | % RPD *** |
|------------------|---------------|------------------|-------|-----------|
| H ₂ S | <PQL | <PQL | 0.000 | 0.0 |
| MeSH | <PQL | <PQL | 0.000 | 0.0 |
| DMS | <PQL | <PQL | 0.000 | 0.0 |

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

| Analyte | Sample Conc. | Spike Added | MS Result | MSD Result | MS % Rec ** | MSD % Rec ** | % RPD *** |
|------------------|--------------|-------------|-----------|------------|-------------|--------------|-----------|
| H ₂ S | <PQL | 0.247 | 0.238 | 0.241 | 96.4 | 97.6 | 1.3 |
| MeSH | <PQL | 0.254 | 0.250 | 0.263 | 98.5 | 103.6 | 5.1 |
| DMS | <PQL | 0.240 | 0.262 | 0.262 | 109.1 | 109.1 | 0.0 |




Closing Calibration Verification Standard

| Analyte | Std. Conc. | Result | % Rec ** |
|------------------|------------|--------|----------|
| H ₂ S | 0.494 | 0.462 | 93.5 |
| MeSH | 0.508 | 0.499 | 98.3 |
| DMS | 0.481 | 0.488 | 101.6 |

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260495

| | | | | | | | |
|---|----------|--|-------------------|---|---------|------------|------|
| Client/Project Name SCS engineers/ Chiquita Landfill Air/soil sampling | | Project Location Volencio, CA | | ANALYSES | | | |
| Project No. | | Field Logbook No. | | | | | |
| Sampler: (Print) AIDEN SANCHEZ-ONE | | (Signature)  | | No. Of Containers 7 | | 30791 SWIR | |
| Sample No./ Identification | Date | Time | Lab Sample Number | Type of Sample | Remarks | | |
| MS-07 | 3-2/3-26 | 0746-0749 | 86876 | 10 Liter Bag | X | | |
| MS-12 | 3-2/3-26 | 0800-0803 | 86877 | 10 Liter Bag | X | | |
| MS-08 | 3-2/3-26 | 0814-0817 | 86878 | 10 Liter Bag | X | | |
| MS-09 | 3-2/3-26 | 0836-0836 | 86879 | 10 Liter Bag | X | | |
| MS-10 | 3-2/3-26 | 0855-0855 | 86880 | 10 Liter Bag | X | | |
| MS-06 | 3-2/3-26 | 0925-0925 | 86881 | 10 Liter Bag | X | | |
| MS-11 | 3-2/3-26 | 0957-0957 | 86882 | 10 Liter Bag | X | | |
| Relinquished by: (Signature)  | | Date | Time | Received by: (Signature) | | Date | Time |
| Relinquished by: (Signature) | | Date | Time | Received by: (Signature) | | Date | Time |
| Relinquished by: (Signature) | | Date | Time | Received for Laboratory: (Signature)  | | Date | Time |
| Sample Disposal Method: | | Disposed of by: (Signature) | | Date | | Date | Time |
| Sample Collector | | Analytical Laboratory | | AAC Ventura | | | |



RIS
Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

Sample Summary

| | | |
|----------------------------|----------------|--|
| Raymond Huff | Lab Job #: | 555167 |
| SCS Engineers - Long Beach | Project No: | CHIQUITA WEEKLY AIR |
| 3900 Kilroy Airport Way | Location: | Chiquita Canyon Landfill Air/Odor Sampling |
| Suite 300 | Date Received: | 03/10/26 |
| Long Beach, CA 90806 | | |

| Sample ID | Lab ID | Collected | Matrix |
|-----------|------------|----------------|--------|
| MS-07 | 555167-001 | 03/10/26 07:45 | Air |
| MS-12 | 555167-002 | 03/10/26 08:03 | Air |
| MS-08 | 555167-003 | 03/10/26 08:21 | Air |
| MS-09 | 555167-004 | 03/10/26 08:40 | Air |
| MS-10 | 555167-005 | 03/10/26 08:57 | Air |
| MS-06 | 555167-006 | 03/10/26 09:25 | Air |
| MS-11 | 555167-007 | 03/10/26 09:58 | Air |

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 555167
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/10/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/10/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209



Air Chain of Custody Record
 Lab Job No. 555/C7

Page 1 of 1

| CUSTOMER INFORMATION | | PROJECT INFORMATION | |
|----------------------|--|---------------------|--|
| Company: | SCS ENGINEERS | Name: | Chiquita Canyon Landfill Air/O2O3 Sampling |
| Report To: | Ray Huff | Number: | |
| Email: | rhuff@scsengineers.com | Address: | Valencia, CA |
| Address: | 3900 Kijoy Airport Way Suite 300 Long Beach, CA | Global ID: | |
| Phone: | 562-355-6334 | Sampled By: | Aiden Sanchez-Onc |
| Fax: | 562-427-0805 | | |

| Sample ID | Air Type (I) Indoor (A) Ambient (SV) Soil Vapor | Equipment Information | | Start Sampling Information | | | Stop Sampling Information | | | Canister Pressure (in. Hg) | Analysis Request | Required Turnaround Time | Comments |
|-----------|--|-----------------------|--------------------------|----------------------------|------|----------------------------|---------------------------|------|-----|----------------------------|------------------|--------------------------|----------|
| | | Canister ID | Canister Size (6L or 1L) | Date | Time | Canister Pressure (in. Hg) | Date | Time | | | | | |
| 1 MS-07 | A | C70773 | 6L | 3-9-26 | 0745 | 3-10-26 | 0745 | -28 | -10 | X | | | |
| 2 MS-12 | A | C70261 | 6L | 3-9-26 | 0803 | 3-10-26 | 0803 | -29 | -9 | X | | | |
| 3 MS-08 | A | C70325 | 6L | 3-9-26 | 0820 | 3-10-26 | 0821 | -29 | -6 | X | | | |
| 4 MS-09 | A | C70422 | 6L | 3-9-26 | 0839 | 3-10-26 | 0840 | -28 | -5 | X | | | |
| 5 MS-10 | A | C70813 | 6L | 3-9-26 | 0857 | 3-10-26 | 0857 | -28 | -4 | X | | | |
| 6 MS-06 | A | C70906 | 6L | 3-9-26 | 0925 | 3-10-26 | 0925 | -29 | -5 | X | | | |
| 7 MS-11 | A | C70262 | 6L | 3-9-26 | 0958 | 3-10-26 | 0958 | -29 | -6 | X | | | |
| 8 | | | | CR | | | | | | | | | |
| 9 | | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | | |

LogIn 555167



| | | | | | | | |
|------------------|--------------------|------------|-------------------|---------------|-----|-------------|--------------|
| RELINQUISHED BY: | <i>[Signature]</i> | PRINT NAME | Aiden Sanchez-Onc | COMPANY/TITLE | RES | DATE / TIME | 3/10/26 1357 |
| RECEIVED BY: | <i>[Signature]</i> | PRINT NAME | Michael Kynnes | COMPANY/TITLE | EA | DATE / TIME | 3/10/26 1357 |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |

SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 03/10/26 WO# 555167 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 03/10/26 By (initials) MSK Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

| | | | |
|---|---|---|---|
| 1) Were custody papers present, filled properly, and legible? | x | | |
| 2) Is the sampler's name present on the CoC? | x | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | x | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | | | x |
| 5) Were all of, and only, the correct samples received? | x | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | | x | |
| 7) Does the container count match the CoC? | x | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | x | | |
| 9) Were samples received in proper containers for the analyses requested? | x | | |
| 10) Were samples received with > 1/2 holding time remaining? | x | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | x | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | x |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | | x |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.C. NO SAMPLING DATE & TIME ON CANISTER TAGS.

No additional discrepancies

Date Logged 03/10/26 By (print) FPD (sign) [Signature]

Date Labeled 03/10/26 By (print) JXR (sign) [Signature]

Analysis Results for 555167

 Raymond Huff
 SCS Engineers - Long Beach
 3900 Kilroy Airport Way
 Suite 300
 Long Beach, CA 90806

 Lab Job #: 555167
 Project No: CHIQUITA WEEKLY AIR
 Location: Chiquita Canyon Landfill Air/Odor Sampling
 Date Received: 03/10/26

Sample ID: MS-07
Lab ID: 555167-001
Collected: 03/10/26 07:45
Matrix: Air

| 555167-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Freon 12 | 0.44 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.12 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Freon 114 | 0.015 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Bromomethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Chloroethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Vinyl bromide | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Trichlorofluoromethane | 0.19 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.024 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Freon 113 | 0.061 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Chloroform | 0.016 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,2-Dichloroethane | 0.015 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Benzene | 0.10 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Carbon Tetrachloride | 0.071 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Trichloroethene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Toluene | 0.11 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Chlorobenzene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Ethylbenzene | 0.019 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| m,p-Xylenes | 0.052 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Bromoform | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Styrene | 0.031 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| o-Xylene | 0.021 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,2,4-Trimethylbenzene | 0.015 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |

Analysis Results for 555167

| 555167-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Benzyl chloride | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Hexachlorobutadiene | ND | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Xylene (total) | 0.073 | | ppbv | 0.012 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 101% | | %REC | 60-140 | 1.2 | 397676 | 03/11/26 17:21 | 03/11/26 17:21 | OHD |

Analysis Results for 555167

Sample ID: MS-12
Lab ID: 555167-002
Collected: 03/10/26 08:03
Matrix: Air

| 555167-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Freon 12 | 0.45 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Chloromethane | 0.50 | | ppbv | 0.11 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Bromomethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Chloroethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Trichlorofluoromethane | 0.19 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Methylene Chloride | 0.097 | | ppbv | 0.022 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Freon 113 | 0.063 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Chloroform | 0.016 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Benzene | 0.11 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Carbon Tetrachloride | 0.073 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Toluene | 0.16 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Ethylbenzene | 0.026 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| m,p-Xylenes | 0.076 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Styrene | 0.021 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| o-Xylene | 0.032 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,2,4-Trimethylbenzene | 0.025 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |

Analysis Results for 555167

| 555167-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Xylene (total) | 0.11 | | ppbv | 0.011 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 102% | | %REC | 60-140 | 1.1 | 397676 | 03/11/26 18:09 | 03/11/26 18:09 | OHD |

Analysis Results for 555167

Sample ID: MS-08
Lab ID: 555167-003
Collected: 03/10/26 08:21
Matrix: Air

| 555167-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Freon 12 | 0.44 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Chloromethane | 0.48 | | ppbv | 0.10 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Freon 114 | 0.015 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Chloroethane | 0.018 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Trichlorofluoromethane | 0.19 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Methylene Chloride | 0.096 | | ppbv | 0.020 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Freon 113 | 0.061 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Chloroform | 0.016 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,2-Dichloroethane | 0.015 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Benzene | 0.098 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Carbon Tetrachloride | 0.071 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Toluene | 0.15 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Ethylbenzene | 0.022 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| m,p-Xylenes | 0.065 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Styrene | 0.020 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| o-Xylene | 0.026 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,2,4-Trimethylbenzene | 0.024 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |

Analysis Results for 555167

| 555167-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Xylene (total) | 0.091 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 100% | | %REC | 60-140 | 1 | 397676 | 03/11/26 18:58 | 03/11/26 18:58 | OHD |

Analysis Results for 555167

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-09 | Lab ID: 555167-004 | Collected: 03/10/26 08:40 |
| Matrix: Air | | |

| 555167-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Freon 12 | 0.44 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Chloromethane | 0.48 | | ppbv | 0.10 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Freon 114 | 0.015 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Chloroethane | 0.042 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Trichlorofluoromethane | 0.19 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Methylene Chloride | 0.11 | | ppbv | 0.020 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Freon 113 | 0.061 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Chloroform | 0.021 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Benzene | 0.098 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Carbon Tetrachloride | 0.070 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Toluene | 0.22 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Tetrachloroethene | 0.018 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Ethylbenzene | 0.023 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| m,p-Xylenes | 0.065 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Styrene | 0.015 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| o-Xylene | 0.025 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,2,4-Trimethylbenzene | 0.021 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |

Analysis Results for 555167

| 555167-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Xylene (total) | 0.090 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 98% | | %REC | 60-140 | 1 | 397676 | 03/11/26 19:46 | 03/11/26 19:46 | OHD |

Analysis Results for 555167

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-10 | Lab ID: 555167-005 | Collected: 03/10/26 08:57 |
| Matrix: Air | | |

| 555167-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Freon 12 | 0.44 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Chloromethane | 0.48 | | ppbv | 0.10 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Freon 114 | 0.015 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Chloroethane | 0.024 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Trichlorofluoromethane | 0.19 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Methylene Chloride | 0.12 | | ppbv | 0.020 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Freon 113 | 0.060 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Chloroform | 0.020 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,2-Dichloroethane | 0.015 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Benzene | 0.10 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Carbon Tetrachloride | 0.071 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Toluene | 0.20 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Tetrachloroethene | 0.015 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Ethylbenzene | 0.022 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| m,p-Xylenes | 0.064 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Styrene | 0.026 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| o-Xylene | 0.025 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,2,4-Trimethylbenzene | 0.023 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |

Analysis Results for 555167

| 555167-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Xylene (total) | 0.088 | | ppbv | 0.010 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 98% | | %REC | 60-140 | 1 | 397676 | 03/11/26 20:35 | 03/11/26 20:35 | OHD |

Analysis Results for 555167

Sample ID: MS-06
Lab ID: 555167-006
Collected: 03/10/26 09:25
Matrix: Air

| 555167-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Freon 12 | 0.46 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Chloromethane | 0.57 | | ppbv | 0.10 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Chloroethane | 0.019 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Trichlorofluoromethane | 0.19 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Methylene Chloride | 0.097 | | ppbv | 0.020 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Freon 113 | 0.063 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Chloroform | 0.018 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Benzene | 0.20 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Carbon Tetrachloride | 0.073 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Toluene | 0.23 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Ethylbenzene | 0.024 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| m,p-Xylenes | 0.059 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Styrene | 0.083 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| o-Xylene | 0.023 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,2,4-Trimethylbenzene | 0.016 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |

Analysis Results for 555167

| 555167-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Xylene (total) | 0.081 | | ppbv | 0.010 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 98% | | %REC | 60-140 | 1 | 397926 | 03/13/26 14:26 | 03/13/26 14:26 | OHD |

Analysis Results for 555167

Sample ID: MS-11
Lab ID: 555167-007
Collected: 03/10/26 09:58
Matrix: Air

| 555167-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Freon 12 | 0.45 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Chloromethane | 0.52 | | ppbv | 0.11 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Bromomethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Chloroethane | 0.033 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Trichlorofluoromethane | 0.19 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Methylene Chloride | 0.11 | | ppbv | 0.022 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Freon 113 | 0.062 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Chloroform | 0.021 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Benzene | 0.091 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Carbon Tetrachloride | 0.072 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Toluene | 0.20 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Tetrachloroethene | 0.022 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Ethylbenzene | 0.024 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| m,p-Xylenes | 0.067 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Styrene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| o-Xylene | 0.027 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,2,4-Trimethylbenzene | 0.026 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |

Analysis Results for 555167

| 555167-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Xylene (total) | 0.095 | | ppbv | 0.011 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 97% | | %REC | 60-140 | 1.1 | 397926 | 03/13/26 15:15 | 03/13/26 15:15 | OHD |

ND Not Detected

Batch QC

| | | |
|---------------------------------|------------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1348750 | Batch: 397676 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1348750 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|---------------------------|--------|--------|-------|----------|------|--------|
| 1,1,2,2-Tetrachloroethane | 198.2 | 200.0 | pptv | 99% | | 70-130 |
| 1,1,1,2-Tetrachloroethane | 194.7 | 200.0 | pptv | 97% | | 70-130 |
| Freon 12 | 193.0 | 200.0 | pptv | 96% | | 70-130 |
| Chloromethane | 181.2 | 200.0 | pptv | 91% | | 70-130 |
| Freon 114 | 195.5 | 200.0 | pptv | 98% | | 70-130 |
| Vinyl Chloride | 191.7 | 200.0 | pptv | 96% | | 70-130 |
| Bromomethane | 188.5 | 200.0 | pptv | 94% | | 70-130 |
| Chloroethane | 191.1 | 200.0 | pptv | 96% | | 70-130 |
| Vinyl bromide | 198.4 | 200.0 | pptv | 99% | | 70-130 |
| Trichlorofluoromethane | 196.6 | 200.0 | pptv | 98% | | 70-130 |
| 1,1-Dichloroethene | 200.8 | 200.0 | pptv | 100% | | 70-130 |
| Methylene Chloride | 174.9 | 200.0 | pptv | 87% | | 70-130 |
| Freon 113 | 199.3 | 200.0 | pptv | 100% | | 70-130 |
| trans-1,2-Dichloroethene | 196.3 | 200.0 | pptv | 98% | | 70-130 |
| 1,1-Dichloroethane | 200.4 | 200.0 | pptv | 100% | | 70-130 |
| cis-1,2-Dichloroethene | 196.8 | 200.0 | pptv | 98% | | 70-130 |
| Chloroform | 197.0 | 200.0 | pptv | 98% | | 70-130 |
| 1,2-Dichloroethane | 188.6 | 200.0 | pptv | 94% | | 70-130 |
| 1,1,1-Trichloroethane | 198.1 | 200.0 | pptv | 99% | | 70-130 |
| Benzene | 192.5 | 200.0 | pptv | 96% | | 70-130 |
| Carbon Tetrachloride | 194.9 | 200.0 | pptv | 97% | | 70-130 |
| 1,2-Dichloropropane | 196.3 | 200.0 | pptv | 98% | | 70-130 |
| Bromodichloromethane | 195.6 | 200.0 | pptv | 98% | | 70-130 |
| Trichloroethene | 190.2 | 200.0 | pptv | 95% | | 70-130 |
| cis-1,3-Dichloropropene | 191.2 | 200.0 | pptv | 96% | | 70-130 |
| trans-1,3-Dichloropropene | 176.8 | 200.0 | pptv | 88% | | 70-130 |
| 1,1,2-Trichloroethane | 195.4 | 200.0 | pptv | 98% | | 70-130 |
| Toluene | 193.1 | 200.0 | pptv | 97% | | 70-130 |
| Dibromochloromethane | 199.4 | 200.0 | pptv | 100% | | 70-130 |
| 1,2-Dibromoethane | 178.6 | 200.0 | pptv | 89% | | 70-130 |
| Tetrachloroethene | 193.9 | 200.0 | pptv | 97% | | 70-130 |
| Chlorobenzene | 183.1 | 200.0 | pptv | 92% | | 70-130 |
| Ethylbenzene | 198.5 | 200.0 | pptv | 99% | | 70-130 |
| m,p-Xylenes | 400.3 | 400.0 | pptv | 100% | | 70-130 |
| Bromoform | 204.2 | 200.0 | pptv | 102% | | 70-130 |
| Styrene | 183.9 | 200.0 | pptv | 92% | | 70-130 |
| o-Xylene | 202.7 | 200.0 | pptv | 101% | | 70-130 |
| 2-Chlorotoluene | 198.5 | 200.0 | pptv | 99% | | 70-130 |
| 1,3,5-Trimethylbenzene | 203.6 | 200.0 | pptv | 102% | | 70-130 |
| 1,2,4-Trimethylbenzene | 202.9 | 200.0 | pptv | 101% | | 70-130 |
| Benzyl chloride | 163.9 | 200.0 | pptv | 82% | | 70-130 |
| 1,3-Dichlorobenzene | 168.9 | 200.0 | pptv | 84% | | 70-130 |
| 1,4-Dichlorobenzene | 157.6 | 200.0 | pptv | 79% | | 70-130 |
| 1,2-Dichlorobenzene | 177.8 | 200.0 | pptv | 89% | | 70-130 |
| 1,2,4-Trichlorobenzene | 167.9 | 200.0 | pptv | 84% | | 70-130 |
| Hexachlorobutadiene | 190.2 | 200.0 | pptv | 95% | | 70-130 |

Surrogates

Batch QC

| QC1348750 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------------|---------------|---------------|--------------|-----------------|-------------|---------------|
| Bromofluorobenzene | 255.5 | 250.0 | pptv | 102% | | 70-130 |

Batch QC

| | | |
|---|------------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1348751 | Batch: 397676 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1348751 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|---------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1,2,2-Tetrachloroethane | 201.5 | 200.0 | pptv | 101% | | 70-130 | 2 | 25 |
| 1,1,1,2-Tetrachloroethane | 198.5 | 200.0 | pptv | 99% | | 70-130 | 2 | 25 |
| Freon 12 | 196.4 | 200.0 | pptv | 98% | | 70-130 | 2 | 25 |
| Chloromethane | 183.2 | 200.0 | pptv | 92% | | 70-130 | 1 | 25 |
| Freon 114 | 197.1 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| Vinyl Chloride | 193.1 | 200.0 | pptv | 97% | | 70-130 | 1 | 25 |
| Bromomethane | 190.1 | 200.0 | pptv | 95% | | 70-130 | 1 | 25 |
| Chloroethane | 194.0 | 200.0 | pptv | 97% | | 70-130 | 2 | 25 |
| Vinyl bromide | 200.4 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| Trichlorofluoromethane | 198.8 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| 1,1-Dichloroethene | 203.2 | 200.0 | pptv | 102% | | 70-130 | 1 | 25 |
| Methylene Chloride | 176.4 | 200.0 | pptv | 88% | | 70-130 | 1 | 25 |
| Freon 113 | 200.8 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| trans-1,2-Dichloroethene | 198.4 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| 1,1-Dichloroethane | 202.8 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| cis-1,2-Dichloroethene | 199.5 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| Chloroform | 199.5 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| 1,2-Dichloroethane | 191.8 | 200.0 | pptv | 96% | | 70-130 | 2 | 25 |
| 1,1,1-Trichloroethane | 201.4 | 200.0 | pptv | 101% | | 70-130 | 2 | 25 |
| Benzene | 194.2 | 200.0 | pptv | 97% | | 70-130 | 1 | 25 |
| Carbon Tetrachloride | 197.8 | 200.0 | pptv | 99% | | 70-130 | 2 | 25 |
| 1,2-Dichloropropane | 197.0 | 200.0 | pptv | 98% | | 70-130 | 0 | 25 |
| Bromodichloromethane | 197.8 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| Trichloroethene | 192.6 | 200.0 | pptv | 96% | | 70-130 | 1 | 25 |
| cis-1,3-Dichloropropene | 193.0 | 200.0 | pptv | 96% | | 70-130 | 1 | 25 |
| trans-1,3-Dichloropropene | 179.0 | 200.0 | pptv | 89% | | 70-130 | 1 | 25 |
| 1,1,2-Trichloroethane | 197.7 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| Toluene | 195.2 | 200.0 | pptv | 98% | | 70-130 | 1 | 25 |
| Dibromochloromethane | 202.2 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| 1,2-Dibromoethane | 180.7 | 200.0 | pptv | 90% | | 70-130 | 1 | 25 |
| Tetrachloroethene | 196.2 | 200.0 | pptv | 98% | | 70-130 | 1 | 25 |
| Chlorobenzene | 186.6 | 200.0 | pptv | 93% | | 70-130 | 2 | 25 |
| Ethylbenzene | 202.1 | 200.0 | pptv | 101% | | 70-130 | 2 | 25 |
| m,p-Xylenes | 407.9 | 400.0 | pptv | 102% | | 70-130 | 2 | 25 |
| Bromoform | 210.2 | 200.0 | pptv | 105% | | 70-130 | 3 | 25 |
| Styrene | 186.9 | 200.0 | pptv | 93% | | 70-130 | 2 | 25 |
| o-Xylene | 206.1 | 200.0 | pptv | 103% | | 70-130 | 2 | 25 |
| 2-Chlorotoluene | 202.4 | 200.0 | pptv | 101% | | 70-130 | 2 | 25 |
| 1,3,5-Trimethylbenzene | 205.9 | 200.0 | pptv | 103% | | 70-130 | 1 | 25 |
| 1,2,4-Trimethylbenzene | 204.3 | 200.0 | pptv | 102% | | 70-130 | 1 | 25 |
| Benzyl chloride | 165.8 | 200.0 | pptv | 83% | | 70-130 | 1 | 25 |
| 1,3-Dichlorobenzene | 171.7 | 200.0 | pptv | 86% | | 70-130 | 2 | 25 |
| 1,4-Dichlorobenzene | 159.4 | 200.0 | pptv | 80% | | 70-130 | 1 | 25 |
| 1,2-Dichlorobenzene | 180.9 | 200.0 | pptv | 90% | | 70-130 | 2 | 25 |
| 1,2,4-Trichlorobenzene | 166.5 | 200.0 | pptv | 83% | | 70-130 | 1 | 25 |
| Hexachlorobutadiene | 193.2 | 200.0 | pptv | 97% | | 70-130 | 2 | 25 |

Batch QC

| QC1348751 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------|--------|--------|-------|----------|------|--------|-----|------------|
| Surrogates | | | | | | | | |
| Bromofluorobenzene | 252.2 | 250.0 | pptv | 101% | | 70-130 | | |

Batch QC

| | | |
|--------------------|------------------------------|----------------------------|
| Type: Blank | Lab ID: QC1348752 | Batch: 397676 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1348752 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|----------------|----------------|
| 1,1,2,2-Tetrachloroethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,1,1,2-Tetrachloroethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Freon 12 | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Chloromethane | ND | | pptv | 100 | 03/11/26 10:16 | 03/11/26 10:16 |
| Freon 114 | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Vinyl Chloride | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Bromomethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Chloroethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Vinyl bromide | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Trichlorofluoromethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,1-Dichloroethene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Methylene Chloride | ND | | pptv | 20 | 03/11/26 10:16 | 03/11/26 10:16 |
| Freon 113 | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| trans-1,2-Dichloroethene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,1-Dichloroethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| cis-1,2-Dichloroethene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Chloroform | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,2-Dichloroethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,1,1-Trichloroethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Benzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Carbon Tetrachloride | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,2-Dichloropropane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Bromodichloromethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Trichloroethene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| cis-1,3-Dichloropropene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| trans-1,3-Dichloropropene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,1,2-Trichloroethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Toluene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Dibromochloromethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,2-Dibromoethane | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Tetrachloroethene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Chlorobenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Ethylbenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| m,p-Xylenes | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Bromoform | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Styrene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| o-Xylene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 2-Chlorotoluene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,3,5-Trimethylbenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,2,4-Trimethylbenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Benzyl chloride | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,3-Dichlorobenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,4-Dichlorobenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,2-Dichlorobenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| 1,2,4-Trichlorobenzene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Hexachlorobutadiene | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |
| Xylene (total) | ND | | pptv | 10 | 03/11/26 10:16 | 03/11/26 10:16 |

Batch QC

| QC1348752 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|--------------------------|---------------|-------------|--------------|---------------|-----------------|-----------------|
| Surrogates | | | | Limits | | |
| Bromofluorobenzene | 102% | | %REC | 70-130 | 03/11/26 10:16 | 03/11/26 10:16 |

Batch QC

| | | |
|---------------------------------|------------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1349578 | Batch: 397926 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1349578 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|---------------------------|--------|--------|-------|----------|------|--------|
| 1,1,2,2-Tetrachloroethane | 209.7 | 200.0 | pptv | 105% | | 70-130 |
| 1,1,1,2-Tetrachloroethane | 205.7 | 200.0 | pptv | 103% | | 70-130 |
| Freon 12 | 204.9 | 200.0 | pptv | 102% | | 70-130 |
| Chloromethane | 192.5 | 200.0 | pptv | 96% | | 70-130 |
| Freon 114 | 204.1 | 200.0 | pptv | 102% | | 70-130 |
| Vinyl Chloride | 200.7 | 200.0 | pptv | 100% | | 70-130 |
| Bromomethane | 196.5 | 200.0 | pptv | 98% | | 70-130 |
| Chloroethane | 197.3 | 200.0 | pptv | 99% | | 70-130 |
| Vinyl bromide | 205.1 | 200.0 | pptv | 103% | | 70-130 |
| Trichlorofluoromethane | 204.1 | 200.0 | pptv | 102% | | 70-130 |
| 1,1-Dichloroethene | 208.1 | 200.0 | pptv | 104% | | 70-130 |
| Methylene Chloride | 181.6 | 200.0 | pptv | 91% | | 70-130 |
| Freon 113 | 207.2 | 200.0 | pptv | 104% | | 70-130 |
| trans-1,2-Dichloroethene | 203.9 | 200.0 | pptv | 102% | | 70-130 |
| 1,1-Dichloroethane | 208.0 | 200.0 | pptv | 104% | | 70-130 |
| cis-1,2-Dichloroethene | 204.7 | 200.0 | pptv | 102% | | 70-130 |
| Chloroform | 204.5 | 200.0 | pptv | 102% | | 70-130 |
| 1,2-Dichloroethane | 197.1 | 200.0 | pptv | 99% | | 70-130 |
| 1,1,1-Trichloroethane | 206.9 | 200.0 | pptv | 103% | | 70-130 |
| Benzene | 200.1 | 200.0 | pptv | 100% | | 70-130 |
| Carbon Tetrachloride | 205.1 | 200.0 | pptv | 103% | | 70-130 |
| 1,2-Dichloropropane | 202.0 | 200.0 | pptv | 101% | | 70-130 |
| Bromodichloromethane | 202.8 | 200.0 | pptv | 101% | | 70-130 |
| Trichloroethene | 196.3 | 200.0 | pptv | 98% | | 70-130 |
| cis-1,3-Dichloropropene | 197.4 | 200.0 | pptv | 99% | | 70-130 |
| trans-1,3-Dichloropropene | 184.2 | 200.0 | pptv | 92% | | 70-130 |
| 1,1,2-Trichloroethane | 202.6 | 200.0 | pptv | 101% | | 70-130 |
| Toluene | 199.3 | 200.0 | pptv | 100% | | 70-130 |
| Dibromochloromethane | 206.8 | 200.0 | pptv | 103% | | 70-130 |
| 1,2-Dibromoethane | 184.9 | 200.0 | pptv | 92% | | 70-130 |
| Tetrachloroethene | 199.3 | 200.0 | pptv | 100% | | 70-130 |
| Chlorobenzene | 192.6 | 200.0 | pptv | 96% | | 70-130 |
| Ethylbenzene | 207.4 | 200.0 | pptv | 104% | | 70-130 |
| m,p-Xylenes | 419.3 | 400.0 | pptv | 105% | | 70-130 |
| Bromoform | 217.6 | 200.0 | pptv | 109% | | 70-130 |
| Styrene | 190.9 | 200.0 | pptv | 95% | | 70-130 |
| o-Xylene | 211.7 | 200.0 | pptv | 106% | | 70-130 |
| 2-Chlorotoluene | 207.4 | 200.0 | pptv | 104% | | 70-130 |
| 1,3,5-Trimethylbenzene | 212.6 | 200.0 | pptv | 106% | | 70-130 |
| 1,2,4-Trimethylbenzene | 209.3 | 200.0 | pptv | 105% | | 70-130 |
| Benzyl chloride | 173.6 | 200.0 | pptv | 87% | | 70-130 |
| 1,3-Dichlorobenzene | 179.1 | 200.0 | pptv | 90% | | 70-130 |
| 1,4-Dichlorobenzene | 161.7 | 200.0 | pptv | 81% | | 70-130 |
| 1,2-Dichlorobenzene | 185.5 | 200.0 | pptv | 93% | | 70-130 |
| 1,2,4-Trichlorobenzene | 167.3 | 200.0 | pptv | 84% | | 70-130 |
| Hexachlorobutadiene | 197.8 | 200.0 | pptv | 99% | | 70-130 |

Surrogates

Batch QC

| QC1349578 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------------|---------------|---------------|--------------|-----------------|-------------|---------------|
| Bromofluorobenzene | 248.3 | 250.0 | pptv | 99% | | 70-130 |

Batch QC

| | | |
|---|------------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1349579 | Batch: 397926 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1349579 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|---------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1,2,2-Tetrachloroethane | 205.4 | 200.0 | pptv | 103% | | 70-130 | 2 | 25 |
| 1,1,1,2-Tetrachloroethane | 202.4 | 200.0 | pptv | 101% | | 70-130 | 2 | 25 |
| Freon 12 | 202.1 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| Chloromethane | 190.1 | 200.0 | pptv | 95% | | 70-130 | 1 | 25 |
| Freon 114 | 201.9 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| Vinyl Chloride | 198.9 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| Bromomethane | 194.0 | 200.0 | pptv | 97% | | 70-130 | 1 | 25 |
| Chloroethane | 195.8 | 200.0 | pptv | 98% | | 70-130 | 1 | 25 |
| Vinyl bromide | 204.5 | 200.0 | pptv | 102% | | 70-130 | 0 | 25 |
| Trichlorofluoromethane | 201.6 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| 1,1-Dichloroethene | 205.7 | 200.0 | pptv | 103% | | 70-130 | 1 | 25 |
| Methylene Chloride | 179.5 | 200.0 | pptv | 90% | | 70-130 | 1 | 25 |
| Freon 113 | 205.1 | 200.0 | pptv | 103% | | 70-130 | 1 | 25 |
| trans-1,2-Dichloroethene | 201.1 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| 1,1-Dichloroethane | 205.5 | 200.0 | pptv | 103% | | 70-130 | 1 | 25 |
| cis-1,2-Dichloroethene | 202.4 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| Chloroform | 202.3 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| 1,2-Dichloroethane | 193.6 | 200.0 | pptv | 97% | | 70-130 | 2 | 25 |
| 1,1,1-Trichloroethane | 204.1 | 200.0 | pptv | 102% | | 70-130 | 1 | 25 |
| Benzene | 196.8 | 200.0 | pptv | 98% | | 70-130 | 2 | 25 |
| Carbon Tetrachloride | 203.0 | 200.0 | pptv | 101% | | 70-130 | 1 | 25 |
| 1,2-Dichloropropane | 200.1 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| Bromodichloromethane | 200.2 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| Trichloroethene | 193.6 | 200.0 | pptv | 97% | | 70-130 | 1 | 25 |
| cis-1,3-Dichloropropene | 195.0 | 200.0 | pptv | 97% | | 70-130 | 1 | 25 |
| trans-1,3-Dichloropropene | 180.9 | 200.0 | pptv | 90% | | 70-130 | 2 | 25 |
| 1,1,2-Trichloroethane | 200.1 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| Toluene | 195.6 | 200.0 | pptv | 98% | | 70-130 | 2 | 25 |
| Dibromochloromethane | 205.6 | 200.0 | pptv | 103% | | 70-130 | 1 | 25 |
| 1,2-Dibromoethane | 181.8 | 200.0 | pptv | 91% | | 70-130 | 2 | 25 |
| Tetrachloroethene | 197.3 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| Chlorobenzene | 189.3 | 200.0 | pptv | 95% | | 70-130 | 2 | 25 |
| Ethylbenzene | 203.2 | 200.0 | pptv | 102% | | 70-130 | 2 | 25 |
| m,p-Xylenes | 410.6 | 400.0 | pptv | 103% | | 70-130 | 2 | 25 |
| Bromoform | 215.7 | 200.0 | pptv | 108% | | 70-130 | 1 | 25 |
| Styrene | 188.5 | 200.0 | pptv | 94% | | 70-130 | 1 | 25 |
| o-Xylene | 207.3 | 200.0 | pptv | 104% | | 70-130 | 2 | 25 |
| 2-Chlorotoluene | 203.9 | 200.0 | pptv | 102% | | 70-130 | 2 | 25 |
| 1,3,5-Trimethylbenzene | 208.4 | 200.0 | pptv | 104% | | 70-130 | 2 | 25 |
| 1,2,4-Trimethylbenzene | 205.9 | 200.0 | pptv | 103% | | 70-130 | 2 | 25 |
| Benzyl chloride | 170.1 | 200.0 | pptv | 85% | | 70-130 | 2 | 25 |
| 1,3-Dichlorobenzene | 176.4 | 200.0 | pptv | 88% | | 70-130 | 1 | 25 |
| 1,4-Dichlorobenzene | 159.5 | 200.0 | pptv | 80% | | 70-130 | 1 | 25 |
| 1,2-Dichlorobenzene | 182.6 | 200.0 | pptv | 91% | | 70-130 | 2 | 25 |
| 1,2,4-Trichlorobenzene | 165.0 | 200.0 | pptv | 83% | | 70-130 | 1 | 25 |
| Hexachlorobutadiene | 195.7 | 200.0 | pptv | 98% | | 70-130 | 1 | 25 |

Batch QC

| QC1349579 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------|--------|--------|-------|----------|------|--------|-----|------------|
| Surrogates | | | | | | | | |
| Bromofluorobenzene | 247.9 | 250.0 | pptv | 99% | | 70-130 | | |

Batch QC


| | | |
|--------------------|------------------------------|----------------------------|
| Type: Blank | Lab ID: QC1349580 | Batch: 397926 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1349580 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|----------------|----------------|
| 1,1,2,2-Tetrachloroethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,1,1,2-Tetrachloroethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Freon 12 | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Chloromethane | ND | | pptv | 100 | 03/13/26 10:37 | 03/13/26 10:37 |
| Freon 114 | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Vinyl Chloride | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Bromomethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Chloroethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Vinyl bromide | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Trichlorofluoromethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,1-Dichloroethene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Methylene Chloride | ND | | pptv | 20 | 03/13/26 10:37 | 03/13/26 10:37 |
| Freon 113 | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| trans-1,2-Dichloroethene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,1-Dichloroethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| cis-1,2-Dichloroethene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Chloroform | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,2-Dichloroethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,1,1-Trichloroethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Benzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Carbon Tetrachloride | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,2-Dichloropropane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Bromodichloromethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Trichloroethene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| cis-1,3-Dichloropropene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| trans-1,3-Dichloropropene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,1,2-Trichloroethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Toluene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Dibromochloromethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,2-Dibromoethane | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Tetrachloroethene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Chlorobenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Ethylbenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| m,p-Xylenes | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Bromoform | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Styrene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| o-Xylene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 2-Chlorotoluene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,3,5-Trimethylbenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,2,4-Trimethylbenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Benzyl chloride | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,3-Dichlorobenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,4-Dichlorobenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,2-Dichlorobenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| 1,2,4-Trichlorobenzene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Hexachlorobutadiene | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |
| Xylene (total) | ND | | pptv | 10 | 03/13/26 10:37 | 03/13/26 10:37 |

Batch QC

| QC1349580 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|--------------------------|---------------|-------------|--------------|---------------|-----------------|-----------------|
| Surrogates | | | | Limits | | |
| Bromofluorobenzene | 96% | | %REC | 70-130 | 03/13/26 10:37 | 03/13/26 10:37 |

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260558
REPORT DATE : 03/17/2026


On March 10th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

| Client ID | Lab No. |
|-----------|--------------|
| MS-07 | 260558-87213 |
| MS-12 | 260558-87214 |
| MS-08 | 260558-87215 |
| MS-09 | 260558-87216 |
| MS-10 | 260558-87217 |
| MS-06 | 260558-87218 |
| MS-11 | 260558-87219 |


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parma, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260558
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 03/09-10/2026
 RECEIVING DATE : 03/10/2026
 ANALYSIS DATE : 03/10/2026
 REPORT DATE : 03/17/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-07 | MS-12 | MS-08 | MS-09 |
|---------------------------------|--------------|--------------|--------------|--------------|
| AAC ID | 260558-87213 | 260558-87214 | 260558-87215 | 260558-87216 |
| Analyte | Result | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260558
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/09-10/2026
RECEIVING DATE : 03/10/2026
ANALYSIS DATE : 03/10/2026
REPORT DATE : 03/17/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-10 | MS-06 | MS-11 |
|---------------------------------|--------------|--------------|--------------|
| AAC ID | 260558-87217 | 260558-87218 | 260558-87219 |
| Analyte | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/10/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.494 ppmV H₂S (GC-091924-01)

| H ₂ S | Resp. (area) | Result | % Rec * | % RPD **** |
|------------------|--------------|--------|---------|------------|
| Initial | 7665 | 0.487 | 98.5 | 0.7 |
| Duplicate | 7426 | 0.472 | 95.5 | 3.8 |
| Triplicate | 8070 | 0.512 | 103.7 | 4.5 |

0.508 ppmV MeSH (GC-091924-01)

| MeSH | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 7128 | 0.488 | 96.2 | 1.1 |
| Duplicate | 7169 | 0.491 | 96.7 | 0.5 |
| Triplicate | 7322 | 0.501 | 98.8 | 1.6 |

0.481 ppmV DMS (GC-091924-01)

| DMS | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 8121 | 0.494 | 102.8 | 2.0 |
| Duplicate | 7589 | 0.462 | 96.1 | 4.7 |
| Triplicate | 8181 | 0.498 | 103.6 | 2.7 |

Method Blank

| Analyte | Result |
|------------------|--------|
| H ₂ S | <PQL |
| MeSH | <PQL |
| DMS | <PQL |

Duplicate Analysis

Sample ID 260329-86137

| Analyte | Sample Result | Duplicate Result | Mean | % RPD *** |
|------------------|---------------|------------------|-------|-----------|
| H ₂ S | <PQL | <PQL | 0.000 | 0.0 |
| MeSH | <PQL | <PQL | 0.000 | 0.0 |
| DMS | <PQL | <PQL | 0.000 | 0.0 |

Matrix Spike & Duplicate

Sample ID 260329-86137 x2

| Analyte | Sample Conc. | Spike Added | MS Result | MSD Result | MS % Rec ** | MSD % Rec ** | % RPD *** |
|------------------|--------------|-------------|-----------|------------|-------------|--------------|-----------|
| H ₂ S | <PQL | 0.247 | 0.224 | 0.236 | 90.7 | 95.5 | 5.2 |
| MeSH | <PQL | 0.254 | 0.243 | 0.261 | 95.8 | 102.9 | 7.1 |
| DMS | <PQL | 0.240 | 0.239 | 0.256 | 99.5 | 106.6 | 6.9 |


Closing Calibration Verification Standard

| Analyte | Std. Conc. | Result | % Rec ** |
|------------------|------------|--------|----------|
| H ₂ S | 0.494 | 0.466 | 94.3 |
| MeSH | 0.508 | 0.474 | 93.4 |
| DMS | 0.481 | 0.467 | 97.2 |

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

| Client/Project Name <i>SCS engineers/</i> | | Project Location <i>VENTENIA, CA</i> | | ANALYSES | | | |
|--|------------------|---|-------------------|--------------------------------------|----------------|---------------------|----------|
| <i>Chiquita Landfill Air/Odor Sampling</i> | | Field Logbook No. | | | | | |
| Project No. | | No. Of Containers <i>7</i> | | <i>307.91 SW/14</i> | | | |
| Sampler: (Print) <i>Aiden Sanchez-Orr</i> | | (Signature) <i>[Signature]</i> | | | | | |
| Sample No./ Identification | Date | Time | Lab Sample Number | | | Type of Sample | Remarks |
| <i>MS-07</i> | <i>3-9/10-26</i> | <i>0745-0745</i> | <i>87213</i> | | | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-12</i> | <i>3-9/10-26</i> | <i>0803-0803</i> | <i>87214</i> | | | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-08</i> | <i>3-9/10-26</i> | <i>0820-0821</i> | <i>87215</i> | | | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-09</i> | <i>3-9/10-26</i> | <i>0839-0840</i> | <i>87216</i> | | | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-10</i> | <i>3-9/10-26</i> | <i>0857-0857</i> | <i>87217</i> | | | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-06</i> | <i>3-9/10-26</i> | <i>0925-0925</i> | <i>87218</i> | | | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-11</i> | <i>3-9/10-26</i> | <i>0958-0958</i> | <i>87219</i> | | | <i>10 Liter Bag</i> | <i>X</i> |
| Relinquished by: (Signature) <i>[Signature]</i> | | Date | Time | Received by: (Signature) | Date | Time | |
| Relinquished by: (Signature) | | | | | | | |
| Relinquished by: (Signature) | | Date | Time | Received for Laboratory: (Signature) | Date | Time | |
| | | | | <i>[Signature]</i> | <i>3/10/26</i> | <i>1137</i> | |
| Sample Disposal Method: | | Disposed of by: (Signature) | | | | | |
| Sample Collector | | Analytical Laboratory | | <i>AAC VENTURA</i> | | | |



Sample Summary

| | | |
|----------------------------|----------------|--|
| Raymond Huff | Lab Job #: | 555622 |
| SCS Engineers - Long Beach | Project No: | CHIQUITA WEEKLY AIR |
| 3900 Kilroy Airport Way | Location: | Chiquita Canyon Landfill Air/Odor Sampling |
| Suite 300 | Date Received: | 03/17/26 |
| Long Beach, CA 90806 | | |

| Sample ID | Lab ID | Collected | Matrix |
|-----------|------------|----------------|--------|
| MS-07 | 555622-001 | 03/17/26 07:27 | Air |
| MS-12 | 555622-002 | 03/17/26 07:42 | Air |
| MS-08 | 555622-003 | 03/17/26 07:58 | Air |
| MS-09 | 555622-004 | 03/17/26 08:16 | Air |
| MS-10 | 555622-005 | 03/17/26 08:33 | Air |
| MS-06 | 555622-006 | 03/17/26 08:59 | Air |
| MS-11 | 555622-007 | 03/17/26 09:26 | Air |

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 555622
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/17/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/17/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



Login 555622



Air Chain of Custody Record

Lab Job No. 555622

Page 1 of 1

| CUSTOMER INFORMATION | | PROJECT INFORMATION | |
|----------------------|--|---------------------|---|
| Company: | <u>SUS Engineers</u> | Name: | <u>Chiquito Canyon Landfill Air/soil Sampling</u> |
| Report To: | <u>Roy Huff</u> | Number: | |
| Email: | <u>rhuff@scsengineers.com</u> | Address: | <u>Wenlock, CA</u> |
| Address: | <u>3900 Kijroy Airport Way Suite 300</u> | Global ID: | |
| | <u>Lomb Beach, CA</u> | Sampled By: | <u>Aiden Sanchez-Ome</u> |
| Phone: | <u>562-355-6334</u> | Fax: | <u>427-0805</u> |

Special Instructions:

| Sample ID | Air Type (I) Indoor (A) Ambient (SV) Soil Vapor | Equipment Information | | Start Sampling Information | | | Stop Sampling Information | | | Canister Pressure (in. Hg) | Analysis Request | Required Turnaround Time |
|-----------|--|-----------------------|-------------------------|----------------------------|---------|------|----------------------------|------|------|----------------------------|------------------|--------------------------|
| | | Canister ID | Canister Size (L or TL) | Flow Controller ID | Date | Time | Canister Pressure (in. Hg) | Date | Time | | | |
| 1 MS-07 | A | 271064 | 6L | A70037 | 3-16-26 | 0717 | 3-17-26 | 0727 | -7 | X | | |
| 2 MS-12 | A | 271068 | 6L | A70440 | 3-16-26 | 0742 | 3-17-26 | 0742 | -8 | X | | |
| 3 MS-08 | A | 271076 | 6L | A70662 | 3-16-26 | 0758 | 3-17-26 | 0758 | -0 | X | | |
| 4 MS-09 | A | 270649 | 6L | A70248 | 3-16-26 | 0816 | 3-17-26 | 0816 | -10 | X | | |
| 5 MS-10 | A | 271066 | 6L | A70403 | 3-16-26 | 0833 | 3-17-26 | 0833 | -4 | X | | |
| 6 MS-06 | A | 270930 | 6L | A70558 | 3-16-26 | 0859 | 3-17-26 | 0859 | -5 | X | | |
| 7 MS-11 | A | 271075 | 6L | A70648 | 3-16-26 | 0926 | 3-17-26 | 0926 | -8 | X | | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |

| | | | | | | | | | |
|------------------|--|-----------|--|------------|--------------------------|---------------|------------|---------------------|---------------------|
| RELINQUISHED BY: | | SIGNATURE | | PRINT NAME | <u>Aiden Sanchez-Ome</u> | COMPANY/TITLE | <u>RES</u> | DATE / TIME | <u>3/17/26 1256</u> |
| RECEIVED BY: | | | | | | | <u>ES</u> | <u>3/17/26 1256</u> | |
| RELINQUISHED BY: | | | | | | | | | |
| RECEIVED BY: | | | | | | | | | |
| RELINQUISHED BY: | | | | | | | | | |
| RECEIVED BY: | | | | | | | | | |

SAMPLE RECEIPT CHECKLIST


Section 1: General Info

 Date Received: 03/17/26 WO# 555622 Client: SCS Engineers
Section 2: Shipping / Custody

 Are custody seals present? Yes No

 Custody seals intact on arrival? N/A Yes No On cooler / box On samples

 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging
 Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

 Date Opened 03/17/26 By (initials) JXR Type of ice used: Wet Blue/Gel None

 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

 If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: IR15 CF: +0.4

 Cooler Temp (°C) #1: 2.3 / 2.7 #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples
 No microbiology samples submitted (skip 3b)

 Within temp range 0.0 - 10.0°C or received on ice directly from field.

 Adequate headspace for microbiology analysis.

Section 3c: Air Samples
 No air samples submitted (skip 3c)

 1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

| | YES | NO | N/A |
|---|-----|----|-----|
| 1) Were custody papers present, filled properly, and legible? | X | | |
| 2) Is the sampler's name present on the CoC? | X | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | X | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | | | X |
| 5) Were all of, and only, the correct samples received? | X | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | | X | |
| 7) Does the container count match the CoC? | X | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | X | | |
| 9) Were samples received in proper containers for the analyses requested? | X | | |
| 10) Were samples received with > 1/2 holding time remaining? | X | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | | | |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | X |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | | X |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.6 - NO SAMPLING DATE & TIME ON CANISTER TAGS

 No additional discrepancies

 Date Logged 03/17/26 By (print) FPD (sign)

 Date Labeled 03/17/26 By (print) FPD (sign)

[External] - COC Correction 3-16_17-26

From croberts@resenvironmental.com <croberts@resenvironmental.com>

Date Wed 3/18/2026 4:46 AM

To David Tripp <david.tripp@enthalpy.com>

 1 attachment (121 KB)

20260318050755.pdf;

EXTERNAL EMAIL - This email was sent by a person from outside your organization. Exercise caution when clicking links, opening attachments or taking further action, before validating its authenticity.

Good morning Dave, I was going over the Chiquita Canyon work that was completed yesterday when I realized that my tech either wrote backward C's or 7's for the canister ID's. I have sent an updated version to you so you can at least have a copy of the corrections. Sorry for the inconvenience.

Thank you,



Charles Roberts

Air Quality Specialist III

RES Environmental Inc.

865 Via Lata, Colton, CA 92324

Mobile: 626.622.2268

croberts@resenvironmental.com

CONFIDENTIALITY NOTICE: The contents of this email message and any attachments are intended solely for the addressee(s) and may contain confidential, proprietary and/or privileged information and may be legally protected from disclosure. If you are not the intended recipient of this message or their agent, or if this message has been addressed to you in error, please immediately alert the sender by reply email and then delete this message and any attachments and the reply from your system. If you are not the intended recipient, you are hereby notified that any disclosure, use, dissemination, copying, or storage of this message or its attachments is strictly prohibited.



| CUSTOMER INFORMATION | | PROJECT INFORMATION | |
|----------------------|--|---------------------|--|
| Company: | SUS Engineers | Name: | Chubito Canyon Washfill Airflow Sampling |
| Report To: | Roy Huff | Number: | |
| Email: | rhuff@susengineers.com | Address: | Wentzville, CA |
| Address: | 3900 Kijroy Airport Way Suite 300 Lombard, CA | Global ID: | |
| Phone: | 562-355-6334 | Sampled By: | Aiden Sanchez-Olive |
| Fax: 562-427-0905 | | | |

Special Instructions:

| Sample ID | Air Type (I) Indoor (A) Ambient (SV) Soil Vapor | Equipment Information | | Start Sampling Information | | | Stop Sampling Information | | | Canister Pressure (in. Hg) | Analysis Request | Required Turnaround Time |
|-----------|--|-----------------------|-------------------------|----------------------------|---------|------|----------------------------|---------|------|----------------------------|------------------|---|
| | | Canister ID | Canister Size (L or TL) | Flow Controller ID | Date | Time | Canister Pressure (in. Hg) | Date | Time | | | |
| 1 MS-07 | A C | 771064 | 6L | A70037 | 3-16-26 | 0717 | -29 | 3-17-26 | 0727 | -7 | X | Standard <input checked="" type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Custom TAT: _____ |
| 2 MS-12 | A C | 771068 | 6L | A70440 | 3-16-26 | 0742 | -28 | 3-17-26 | 0742 | -8 | X | |
| 3 MS-08 | A C | 771076 | 6L | A70662 | 3-16-26 | 0758 | -25 | 3-17-26 | 0758 | -0 | X | |
| 4 MS-09 | A C | 770649 | 6L | A70248 | 3-16-26 | 0816 | -28 | 3-17-26 | 0816 | -10 | X | |
| 5 MS-10 | A C | 771066 | 6L | A70403 | 3-16-26 | 0833 | -28 | 3-17-26 | 0833 | -4 | X | |
| 6 MS-06 | A C | 770930 | 6L | A70558 | 3-16-26 | 0859 | -29 | 3-17-26 | 0859 | -5 | X | |
| 7 MS-11 | A C | 771075 | 6L | A70648 | 3-16-26 | 0926 | -28 | 3-17-26 | 0926 | -8 | X | |
| 8 | | | | | | | | | | | | |
| 9 | | | | | | | | | | | | |
| 10 | | | | | | | | | | | | |

| | | | | | | | |
|------------------|--|------------|---------------------|---------------|-----|-------------|---------------|
| RELINQUISHED BY: | | PRINT NAME | Aiden Sanchez-Olive | COMPANY/TITLE | RES | DATE / TIME | 3/17/26 12:56 |
| RECEIVED BY: | | | | | ES | | 3/17/26 12:56 |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |

Analysis Results for 555622

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 555622
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/17/26

Sample ID: MS-07 Lab ID: 555622-001 Collected: 03/17/26 07:27
Matrix: Air

| 555622-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Chloromethane | 0.51 | | ppbv | 0.10 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Freon 114 | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Chloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Methylene Chloride | 0.10 | | ppbv | 0.020 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Freon 113 | 0.063 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Chloroform | 0.016 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,2-Dichloroethane | 0.014 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Benzene | 0.12 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Carbon Tetrachloride | 0.081 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Toluene | 0.11 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Ethylbenzene | 0.019 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| m,p-Xylenes | 0.048 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Bromoform | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Styrene | 0.013 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| o-Xylene | 0.019 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,2,4-Trimethylbenzene | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |

Analysis Results for 555622

| 555622-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Xylene (total) | 0.066 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 96% | | %REC | 60-140 | 1 | 398530 | 03/20/26 17:10 | 03/20/26 17:10 | ZNZ |

Analysis Results for 555622

Sample ID: MS-12
Lab ID: 555622-002
Collected: 03/17/26 07:42
Matrix: Air

| 555622-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Chloromethane | 0.52 | | ppbv | 0.10 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Freon 114 | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Chloroethane | 0.040 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Methylene Chloride | 0.11 | | ppbv | 0.021 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Freon 113 | 0.064 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Chloroform | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,2-Dichloroethane | 0.015 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Benzene | 0.099 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Carbon Tetrachloride | 0.081 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Toluene | 0.20 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Ethylbenzene | 0.031 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| m,p-Xylenes | 0.095 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Bromoform | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Styrene | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| o-Xylene | 0.037 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,2,4-Trimethylbenzene | 0.037 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |

Analysis Results for 555622

| 555622-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Xylene (total) | 0.13 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 96% | | %REC | 60-140 | 1 | 398530 | 03/20/26 17:59 | 03/20/26 17:59 | ZNZ |

Analysis Results for 555622

Sample ID: MS-08
Lab ID: 555622-003
Collected: 03/17/26 07:58
Matrix: Air

| 555622-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Chloromethane | 0.65 | | ppbv | 0.10 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Freon 114 | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Chloroethane | 0.10 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Methylene Chloride | 0.12 | | ppbv | 0.020 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Freon 113 | 0.064 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Chloroform | 0.016 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,2-Dichloroethane | 0.014 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Benzene | 0.12 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Carbon Tetrachloride | 0.082 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Toluene | 0.15 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Tetrachloroethene | 0.011 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Ethylbenzene | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| m,p-Xylenes | 0.051 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Bromoform | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Styrene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| o-Xylene | 0.020 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,2,4-Trimethylbenzene | 0.028 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |

Analysis Results for 555622

| 555622-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Xylene (total) | 0.072 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 93% | | %REC | 60-140 | 1 | 398530 | 03/20/26 18:47 | 03/20/26 18:47 | ZNZ |

Analysis Results for 555622

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-09 | Lab ID: 555622-004 | Collected: 03/17/26 08:16 |
| Matrix: Air | | |

| 555622-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Freon 12 | 0.49 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Chloromethane | 0.53 | | ppbv | 0.12 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Freon 114 | 0.017 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Vinyl Chloride | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Bromomethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Chloroethane | 0.023 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Vinyl bromide | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,1-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Methylene Chloride | 0.11 | | ppbv | 0.023 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Freon 113 | 0.063 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,1-Dichloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Chloroform | 0.027 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Benzene | 0.12 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Carbon Tetrachloride | 0.081 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,2-Dichloropropane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Bromodichloromethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Trichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Toluene | 0.30 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Dibromochloromethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,2-Dibromoethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Tetrachloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Chlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Ethylbenzene | 0.035 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| m,p-Xylenes | 0.11 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Bromoform | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Styrene | 0.26 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| o-Xylene | 0.045 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 2-Chlorotoluene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,2,4-Trimethylbenzene | 0.041 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Benzyl chloride | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |

Analysis Results for 555622

| 555622-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Xylene (total) | 0.16 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 94% | | %REC | 60-140 | 1.2 | 398530 | 03/20/26 19:36 | 03/20/26 19:36 | ZNZ |

Analysis Results for 555622

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-10 | Lab ID: 555622-005 | Collected: 03/17/26 08:33 |
| Matrix: Air | | |

| 555622-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Chloromethane | 0.52 | | ppbv | 0.10 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Freon 114 | 0.017 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Chloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Methylene Chloride | 0.10 | | ppbv | 0.020 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Freon 113 | 0.063 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Chloroform | 0.034 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Benzene | 0.11 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Carbon Tetrachloride | 0.082 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Toluene | 0.30 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Ethylbenzene | 0.036 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| m,p-Xylenes | 0.12 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Bromoform | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Styrene | 0.36 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| o-Xylene | 0.044 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,2,4-Trimethylbenzene | 0.041 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |

Analysis Results for 555622

| 555622-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Xylene (total) | 0.16 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 94% | | %REC | 60-140 | 1 | 398530 | 03/20/26 20:24 | 03/20/26 20:24 | ZNZ |

Analysis Results for 555622

Sample ID: MS-06
Lab ID: 555622-006
Collected: 03/17/26 08:59
Matrix: Air

| 555622-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Chloromethane | 0.51 | | ppbv | 0.10 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Bromomethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Chloroethane | 0.030 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Methylene Chloride | 0.11 | | ppbv | 0.020 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Freon 113 | 0.063 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Chloroform | 0.028 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,2-Dichloroethane | 0.014 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Benzene | 0.095 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Carbon Tetrachloride | 0.081 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Toluene | 0.25 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Tetrachloroethene | 0.016 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Ethylbenzene | 0.028 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| m,p-Xylenes | 0.090 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Bromoform | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Styrene | 0.15 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| o-Xylene | 0.035 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,2,4-Trimethylbenzene | 0.033 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |

Analysis Results for 555622

| 555622-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Xylene (total) | 0.12 | | ppbv | 0.010 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 94% | | %REC | 60-140 | 1 | 398530 | 03/20/26 21:13 | 03/20/26 21:13 | ZNZ |

Analysis Results for 555622

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-11 | Lab ID: 555622-007 | Collected: 03/17/26 09:26 |
| Matrix: Air | | |

| 555622-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Freon 12 | 0.49 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Chloromethane | 0.53 | | ppbv | 0.12 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Freon 114 | 0.017 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Vinyl Chloride | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Bromomethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Chloroethane | 0.10 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Vinyl bromide | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,1-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Methylene Chloride | 0.14 | | ppbv | 0.024 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Freon 113 | 0.063 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,1-Dichloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Chloroform | 0.018 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,2-Dichloroethane | 0.014 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Benzene | 0.051 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Carbon Tetrachloride | 0.079 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,2-Dichloropropane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Bromodichloromethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Trichloroethene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Toluene | 0.16 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Dibromochloromethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,2-Dibromoethane | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Tetrachloroethene | 0.014 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Chlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Ethylbenzene | 0.013 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| m,p-Xylenes | 0.043 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Bromoform | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Styrene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| o-Xylene | 0.017 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 2-Chlorotoluene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,2,4-Trimethylbenzene | 0.018 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Benzyl chloride | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |

Analysis Results for 555622

| 555622-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Xylene (total) | 0.060 | | ppbv | 0.012 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 93% | | %REC | 60-140 | 1.2 | 398530 | 03/20/26 22:02 | 03/20/26 22:02 | ZNZ |

ND Not Detected

Batch QC

| | | |
|---------------------------------|------------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1351662 | Batch: 398530 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1351662 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|---------------------------|--------|--------|-------|----------|------|--------|
| 1,1,2,2-Tetrachloroethane | 188.7 | 200.0 | pptv | 94% | | 70-130 |
| 1,1,1,2-Tetrachloroethane | 206.3 | 200.0 | pptv | 103% | | 70-130 |
| Freon 12 | 203.3 | 200.0 | pptv | 102% | | 70-130 |
| Chloromethane | 173.2 | 200.0 | pptv | 87% | | 70-130 |
| Freon 114 | 202.5 | 200.0 | pptv | 101% | | 70-130 |
| Vinyl Chloride | 181.7 | 200.0 | pptv | 91% | | 70-130 |
| Bromomethane | 185.9 | 200.0 | pptv | 93% | | 70-130 |
| Chloroethane | 179.6 | 200.0 | pptv | 90% | | 70-130 |
| Vinyl bromide | 190.2 | 200.0 | pptv | 95% | | 70-130 |
| Trichlorofluoromethane | 211.1 | 200.0 | pptv | 106% | | 70-130 |
| 1,1-Dichloroethene | 189.9 | 200.0 | pptv | 95% | | 70-130 |
| Methylene Chloride | 166.1 | 200.0 | pptv | 83% | | 70-130 |
| Freon 113 | 197.4 | 200.0 | pptv | 99% | | 70-130 |
| trans-1,2-Dichloroethene | 187.5 | 200.0 | pptv | 94% | | 70-130 |
| 1,1-Dichloroethane | 191.7 | 200.0 | pptv | 96% | | 70-130 |
| cis-1,2-Dichloroethene | 188.2 | 200.0 | pptv | 94% | | 70-130 |
| Chloroform | 199.3 | 200.0 | pptv | 100% | | 70-130 |
| 1,2-Dichloroethane | 199.0 | 200.0 | pptv | 100% | | 70-130 |
| 1,1,1-Trichloroethane | 210.5 | 200.0 | pptv | 105% | | 70-130 |
| Benzene | 178.3 | 200.0 | pptv | 89% | | 70-130 |
| Carbon Tetrachloride | 215.2 | 200.0 | pptv | 108% | | 70-130 |
| 1,2-Dichloropropane | 183.8 | 200.0 | pptv | 92% | | 70-130 |
| Bromodichloromethane | 206.2 | 200.0 | pptv | 103% | | 70-130 |
| Trichloroethene | 192.8 | 200.0 | pptv | 96% | | 70-130 |
| cis-1,3-Dichloropropene | 187.9 | 200.0 | pptv | 94% | | 70-130 |
| trans-1,3-Dichloropropene | 177.5 | 200.0 | pptv | 89% | | 70-130 |
| 1,1,2-Trichloroethane | 192.4 | 200.0 | pptv | 96% | | 70-130 |
| Toluene | 183.7 | 200.0 | pptv | 92% | | 70-130 |
| Dibromochloromethane | 210.9 | 200.0 | pptv | 105% | | 70-130 |
| 1,2-Dibromoethane | 176.9 | 200.0 | pptv | 88% | | 70-130 |
| Tetrachloroethene | 204.4 | 200.0 | pptv | 102% | | 70-130 |
| Chlorobenzene | 179.1 | 200.0 | pptv | 90% | | 70-130 |
| Ethylbenzene | 187.0 | 200.0 | pptv | 94% | | 70-130 |
| m,p-Xylenes | 385.7 | 400.0 | pptv | 96% | | 70-130 |
| Bromoform | 211.9 | 200.0 | pptv | 106% | | 70-130 |
| Styrene | 174.1 | 200.0 | pptv | 87% | | 70-130 |
| o-Xylene | 196.5 | 200.0 | pptv | 98% | | 70-130 |
| 2-Chlorotoluene | 193.2 | 200.0 | pptv | 97% | | 70-130 |
| 1,3,5-Trimethylbenzene | 200.0 | 200.0 | pptv | 100% | | 70-130 |
| 1,2,4-Trimethylbenzene | 196.9 | 200.0 | pptv | 98% | | 70-130 |
| Benzyl chloride | 178.3 | 200.0 | pptv | 89% | | 70-130 |
| 1,3-Dichlorobenzene | 170.3 | 200.0 | pptv | 85% | | 70-130 |
| 1,4-Dichlorobenzene | 155.2 | 200.0 | pptv | 78% | | 70-130 |
| 1,2-Dichlorobenzene | 179.3 | 200.0 | pptv | 90% | | 70-130 |
| 1,2,4-Trichlorobenzene | 170.8 | 200.0 | pptv | 85% | | 70-130 |
| Hexachlorobutadiene | 211.9 | 200.0 | pptv | 106% | | 70-130 |

Surrogates

Batch QC

| QC1351662 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------------|---------------|---------------|--------------|-----------------|-------------|---------------|
| Bromofluorobenzene | 243.0 | 250.0 | pptv | 97% | | 70-130 |

Batch QC

| | | |
|---|------------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1351663 | Batch: 398530 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1351663 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|---------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1,2,2-Tetrachloroethane | 196.7 | 200.0 | pptv | 98% | | 70-130 | 4 | 25 |
| 1,1,1,2-Tetrachloroethane | 212.5 | 200.0 | pptv | 106% | | 70-130 | 3 | 25 |
| Freon 12 | 213.7 | 200.0 | pptv | 107% | | 70-130 | 5 | 25 |
| Chloromethane | 180.2 | 200.0 | pptv | 90% | | 70-130 | 4 | 25 |
| Freon 114 | 208.7 | 200.0 | pptv | 104% | | 70-130 | 3 | 25 |
| Vinyl Chloride | 187.3 | 200.0 | pptv | 94% | | 70-130 | 3 | 25 |
| Bromomethane | 192.3 | 200.0 | pptv | 96% | | 70-130 | 3 | 25 |
| Chloroethane | 186.2 | 200.0 | pptv | 93% | | 70-130 | 4 | 25 |
| Vinyl bromide | 196.4 | 200.0 | pptv | 98% | | 70-130 | 3 | 25 |
| Trichlorofluoromethane | 218.3 | 200.0 | pptv | 109% | | 70-130 | 3 | 25 |
| 1,1-Dichloroethene | 196.3 | 200.0 | pptv | 98% | | 70-130 | 3 | 25 |
| Methylene Chloride | 170.9 | 200.0 | pptv | 85% | | 70-130 | 3 | 25 |
| Freon 113 | 204.2 | 200.0 | pptv | 102% | | 70-130 | 3 | 25 |
| trans-1,2-Dichloroethene | 194.3 | 200.0 | pptv | 97% | | 70-130 | 4 | 25 |
| 1,1-Dichloroethane | 198.4 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| cis-1,2-Dichloroethene | 194.4 | 200.0 | pptv | 97% | | 70-130 | 3 | 25 |
| Chloroform | 206.8 | 200.0 | pptv | 103% | | 70-130 | 4 | 25 |
| 1,2-Dichloroethane | 205.7 | 200.0 | pptv | 103% | | 70-130 | 3 | 25 |
| 1,1,1-Trichloroethane | 217.5 | 200.0 | pptv | 109% | | 70-130 | 3 | 25 |
| Benzene | 184.2 | 200.0 | pptv | 92% | | 70-130 | 3 | 25 |
| Carbon Tetrachloride | 222.9 | 200.0 | pptv | 111% | | 70-130 | 4 | 25 |
| 1,2-Dichloropropane | 188.6 | 200.0 | pptv | 94% | | 70-130 | 3 | 25 |
| Bromodichloromethane | 212.8 | 200.0 | pptv | 106% | | 70-130 | 3 | 25 |
| Trichloroethene | 196.8 | 200.0 | pptv | 98% | | 70-130 | 2 | 25 |
| cis-1,3-Dichloropropene | 193.5 | 200.0 | pptv | 97% | | 70-130 | 3 | 25 |
| trans-1,3-Dichloropropene | 182.9 | 200.0 | pptv | 91% | | 70-130 | 3 | 25 |
| 1,1,2-Trichloroethane | 197.7 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| Toluene | 190.3 | 200.0 | pptv | 95% | | 70-130 | 4 | 25 |
| Dibromochloromethane | 217.5 | 200.0 | pptv | 109% | | 70-130 | 3 | 25 |
| 1,2-Dibromoethane | 182.6 | 200.0 | pptv | 91% | | 70-130 | 3 | 25 |
| Tetrachloroethene | 210.6 | 200.0 | pptv | 105% | | 70-130 | 3 | 25 |
| Chlorobenzene | 186.2 | 200.0 | pptv | 93% | | 70-130 | 4 | 25 |
| Ethylbenzene | 195.4 | 200.0 | pptv | 98% | | 70-130 | 4 | 25 |
| m,p-Xylenes | 401.9 | 400.0 | pptv | 100% | | 70-130 | 4 | 25 |
| Bromoform | 221.1 | 200.0 | pptv | 111% | | 70-130 | 4 | 25 |
| Styrene | 182.3 | 200.0 | pptv | 91% | | 70-130 | 5 | 25 |
| o-Xylene | 204.7 | 200.0 | pptv | 102% | | 70-130 | 4 | 25 |
| 2-Chlorotoluene | 201.3 | 200.0 | pptv | 101% | | 70-130 | 4 | 25 |
| 1,3,5-Trimethylbenzene | 208.6 | 200.0 | pptv | 104% | | 70-130 | 4 | 25 |
| 1,2,4-Trimethylbenzene | 204.8 | 200.0 | pptv | 102% | | 70-130 | 4 | 25 |
| Benzyl chloride | 187.1 | 200.0 | pptv | 94% | | 70-130 | 5 | 25 |
| 1,3-Dichlorobenzene | 178.2 | 200.0 | pptv | 89% | | 70-130 | 5 | 25 |
| 1,4-Dichlorobenzene | 161.5 | 200.0 | pptv | 81% | | 70-130 | 4 | 25 |
| 1,2-Dichlorobenzene | 186.4 | 200.0 | pptv | 93% | | 70-130 | 4 | 25 |
| 1,2,4-Trichlorobenzene | 177.9 | 200.0 | pptv | 89% | | 70-130 | 4 | 25 |
| Hexachlorobutadiene | 220.6 | 200.0 | pptv | 110% | | 70-130 | 4 | 25 |

Batch QC

| QC1351663 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------|--------|--------|-------|----------|------|--------|-----|------------|
| Surrogates | | | | | | | | |
| Bromofluorobenzene | 241.6 | 250.0 | pptv | 97% | | 70-130 | | |

Batch QC


| | | |
|--------------------|------------------------------|----------------------------|
| Type: Blank | Lab ID: QC1351664 | Batch: 398530 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1351664 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|----------------|----------------|
| 1,1,2,2-Tetrachloroethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,1,1,2-Tetrachloroethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Freon 12 | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Chloromethane | ND | | pptv | 100 | 03/20/26 09:04 | 03/20/26 09:04 |
| Freon 114 | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Vinyl Chloride | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Bromomethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Chloroethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Vinyl bromide | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Trichlorofluoromethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,1-Dichloroethene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Methylene Chloride | ND | | pptv | 20 | 03/20/26 09:04 | 03/20/26 09:04 |
| Freon 113 | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| trans-1,2-Dichloroethene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,1-Dichloroethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| cis-1,2-Dichloroethene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Chloroform | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,2-Dichloroethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,1,1-Trichloroethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Benzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Carbon Tetrachloride | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,2-Dichloropropane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Bromodichloromethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Trichloroethene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| cis-1,3-Dichloropropene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| trans-1,3-Dichloropropene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,1,2-Trichloroethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Toluene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Dibromochloromethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,2-Dibromoethane | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Tetrachloroethene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Chlorobenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Ethylbenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| m,p-Xylenes | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Bromoform | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Styrene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| o-Xylene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 2-Chlorotoluene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,3,5-Trimethylbenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,2,4-Trimethylbenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Benzyl chloride | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,3-Dichlorobenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,4-Dichlorobenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,2-Dichlorobenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| 1,2,4-Trichlorobenzene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Hexachlorobutadiene | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |
| Xylene (total) | ND | | pptv | 10 | 03/20/26 09:04 | 03/20/26 09:04 |

Batch QC

| QC1351664 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|--------------------------|---------------|-------------|--------------|---------------|-----------------|-----------------|
| Surrogates | | | | Limits | | |
| Bromofluorobenzene | 90% | | %REC | 70-130 | 03/20/26 09:04 | 03/20/26 09:04 |

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260628
REPORT DATE : 03/24/2026


On March 17th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

| Client ID | Lab No. |
|-----------|--------------|
| MS-07 | 260628-87581 |
| MS-12 | 260628-87582 |
| MS-08 | 260628-87583 |
| MS-09 | 260628-87584 |
| MS-10 | 260628-87585 |
| MS-06 | 260628-87586 |
| MS-11 | 260628-87587 |


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 6 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260628
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 03/16-17/2026
 RECEIVING DATE : 03/17/2026
 ANALYSIS DATE : 03/17-18/2026
 REPORT DATE : 03/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-07 | MS-12 | MS-08 | MS-09 |
|---------------------------------|--------------|--------------|--------------|--------------|
| AAC ID | 260628-87581 | 260628-87582 | 260628-87583 | 260628-87584 |
| Analyte | Result | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260628
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 03/16-17/2026
RECEIVING DATE : 03/17/2026
ANALYSIS DATE : 03/18/2026
REPORT DATE : 03/24/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-10 | MS-06 | MS-11 |
|---------------------------------|--------------|--------------|--------------|
| AAC ID | 260628-87585 | 260628-87586 | 260628-87587 |
| Analyte | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/17/2026
 Analyst: NR/RSF
 Units: ppbV

Instrument ID : SCD#10
 Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard
 501.3 ppbV H₂S (GC-0301226-01)

| H ₂ S | Resp. (area) | Result | % Rec * | % RPD **** |
|------------------|--------------|--------|---------|------------|
| Initial | 22502 | 506 | 100.9 | 3.0 |
| Duplicate | 21231 | 477 | 95.2 | 2.8 |
| Triplicate | 21811 | 490 | 97.8 | 0.2 |

513.3 ppbV MeSH (GC-0301226-01)

| MeSH | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 20687 | 538 | 104.9 | 1.2 |
| Duplicate | 19971 | 520 | 101.3 | 2.3 |
| Triplicate | 20660 | 538 | 104.8 | 1.1 |

522.3 ppbV DMS (GC-0301226-01)

| DMS | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 24362 | 540 | 103.3 | 2.5 |
| Duplicate | 22926 | 508 | 97.2 | 3.5 |
| Triplicate | 24015 | 532 | 101.9 | 1.0 |

Method Blank

| Analyte | Result |
|------------------|--------|
| H ₂ S | <PQL |
| MeSH | <PQL |
| DMS | <PQL |

Duplicate Analysis

Sample ID 260620-87542

| Analyte | Sample Result | Duplicate Result | Mean | % RPD *** |
|------------------|---------------|------------------|------|-----------|
| H ₂ S | <PQL | <PQL | 0.0 | 0.0 |
| MeSH | <PQL | <PQL | 0.0 | 0.0 |
| DMS | <PQL | <PQL | 0.0 | 0.0 |

Matrix Spike & Duplicate


Sample ID 260620-87542 x2

| Analyte | Sample Conc. | Spike Added | MS Result | MSD Result | MS % Rec ** | MSD % Rec ** | % RPD *** |
|------------------|--------------|-------------|-----------|------------|-------------|--------------|-----------|
| H ₂ S | <PQL | 250.6 | 263.0 | 248.5 | 104.9 | 99.2 | 5.7 |
| MeSH | <PQL | 256.6 | 282.2 | 281.4 | 110.0 | 109.7 | 0.3 |
| DMS | <PQL | 261.1 | 274.3 | 283.1 | 105.1 | 108.4 | 3.1 |

Closing Calibration Verification Standard

| Analyte | Std. Conc. | Result | % Rec ** |
|------------------|------------|--------|----------|
| H ₂ S | 501.3 | 485.9 | 96.9 |
| MeSH | 513.3 | 536.9 | 104.6 |
| DMS | 522.3 | 494.9 | 94.8 |

* Must be 95-105%, ** Must be 90-110%, *** Must be <10%, **** Must be <5% RPD from Mean result.
 PQL = 50.0 ppbV



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/18/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 02/01/2025

Opening Calibration Verification Standard

0.501 ppmV H₂S (GC-031226-01)

| H ₂ S | Resp. (area) | Result | % Rec * | % RPD **** |
|------------------|--------------|--------|---------|------------|
| Initial | 7904 | 0.502 | 100.1 | 3.0 |
| Duplicate | 7518 | 0.477 | 95.2 | 2.1 |
| Triplicate | 7605 | 0.483 | 96.3 | 0.9 |

0.513 ppmV MeSH (GC-031226-01)

| MeSH | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 7851 | 0.538 | 104.8 | 0.4 |
| Duplicate | 7776 | 0.533 | 103.8 | 0.6 |
| Triplicate | 7838 | 0.537 | 104.6 | 0.2 |

0.522 ppmV DMS (GC-031226-01)

| DMS | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 8867 | 0.539 | 103.3 | 0.4 |
| Duplicate | 8821 | 0.537 | 102.7 | 0.1 |
| Triplicate | 8797 | 0.535 | 102.5 | 0.4 |

Method Blank

| Analyte | Result |
|------------------|--------|
| H ₂ S | <PQL |
| MeSH | <PQL |
| DMS | <PQL |

Duplicate Analysis

Sample ID 260628-87584

| Analyte | Sample Result | Duplicate Result | Mean | % RPD *** |
|------------------|---------------|------------------|-------|-----------|
| H ₂ S | <PQL | <PQL | 0.000 | 0.0 |
| MeSH | <PQL | <PQL | 0.000 | 0.0 |
| DMS | <PQL | <PQL | 0.000 | 0.0 |

Matrix Spike & Duplicate

Sample ID 260628-87584 x2

| Analyte | Sample Conc. | Spike Added | MS Result | MSD Result | MS % Rec ** | MSD % Rec ** | % RPD *** |
|------------------|--------------|-------------|-----------|------------|-------------|--------------|-----------|
| H ₂ S | <PQL | 0.251 | 0.229 | 0.227 | 91.4 | 90.6 | 0.9 |
| MeSH | <PQL | 0.257 | 0.257 | 0.249 | 100.1 | 97.0 | 3.2 |
| DMS | <PQL | 0.261 | 0.277 | 0.269 | 106.1 | 103.0 | 2.9 |

Closing Calibration Verification Standard

| Analyte | Std. Conc. | Result | % Rec ** |
|------------------|------------|--------|----------|
| H ₂ S | 0.501 | 0.470 | 93.8 |
| MeSH | 0.513 | 0.514 | 100.1 |
| DMS | 0.522 | 0.515 | 98.6 |

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 260628

Client/Project Name *3CS ENGINEERS/
CHICUITO LANDFILL AIRBORNE SAMPLING*

Project Location

Venencia, CA

Project No.

Field Logbook No.

Sampler: (Print)

Aiden Sanchez-Ome

(Signature)

[Signature]

No. Of Containers

7

30791 SMV

ANALYSES

| Sample No./ Identification | Date | Time | Lab Sample Number | Type of Sample | Remarks |
|----------------------------|-------------------|------------------|-------------------|---------------------|----------|
| <i>MS-07</i> | <i>3-16/17-26</i> | <i>0717-0727</i> | <i>87581</i> | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-12</i> | <i>3-16/17-26</i> | <i>0742-0742</i> | <i>87582</i> | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-08</i> | <i>3-16/17-26</i> | <i>0758-0758</i> | <i>87583</i> | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-09</i> | <i>3-16/17-26</i> | <i>0816-0816</i> | <i>87584</i> | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-10</i> | <i>3-16/17-26</i> | <i>0833-0833</i> | <i>87585</i> | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-06</i> | <i>3-16/17-26</i> | <i>0859-0859</i> | <i>87586</i> | <i>10 Liter Bag</i> | <i>X</i> |
| <i>MS-11</i> | <i>3-16/17-26</i> | <i>0926-0926</i> | <i>87587</i> | <i>10 Liter Bag</i> | <i>X</i> |

Relinquished by: (Signature)

[Signature]

Date

3/17/26

Time

1057

Received by: (Signature)

Relinquished by: (Signature)

Date

Date

Time

Received by: (Signature)

Relinquished by: (Signature)

Date

Time

Received for Laboratory: (Signature)

[Signature]

Date

3/17/26

Time

1057

Sample Disposal Method:


Disposed of by: (Signature)

Date

Time

Sample Collector

Analytical Laboratory

RTS 
Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

AAC Ventura

Sample Summary

| | | |
|----------------------------|----------------|--|
| Raymond Huff | Lab Job #: | 556036 |
| SCS Engineers - Long Beach | Project No: | CHIQUITA WEEKLY AIR |
| 3900 Kilroy Airport Way | Location: | Chiquita Canyon Landfill Air/Odor Sampling |
| Suite 300 | Date Received: | 03/24/26 |
| Long Beach, CA 90806 | | |

| Sample ID | Lab ID | Collected | Matrix |
|-----------|------------|----------------|--------|
| MS-07 | 556036-001 | 03/24/26 07:14 | Air |
| MS-12 | 556036-002 | 03/24/26 07:32 | Air |
| MS-08 | 556036-003 | 03/24/26 07:42 | Air |
| MS-09 | 556036-004 | 03/24/26 07:55 | Air |
| MS-10 | 556036-005 | 03/24/26 08:08 | Air |
| MS-06 | 556036-006 | 03/24/26 08:31 | Air |
| MS-11 | 556036-007 | 03/24/26 08:55 | Air |

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 556036
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/24/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/24/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

931 W. Barkley Ave., Orange, CA 92668
 Phone: (714) 771-6900 Fax: (714) 538-1209



ENTHALPY ANALYTICAL

Air Chain of Custody Record
 Lab Job No. 556036

Page 1 of 1

| CUSTOMER INFORMATION | | PROJECT INFORMATION | |
|-----------------------|---|---------------------|---|
| Company: | SCS Engineers | Name: | Chiquita Canyon Cond-fill Air/soil Sampling |
| Report To: | Roy Huff | Number: | |
| Email: | rhuff@scsengineers.com | Address: | Valencia, CA |
| Address: | 3900 Kilroy Airport Way Suite 300 Lony Beach, CA | Global ID: | |
| Phone: | 562-355-6334 | Sampled By: | Aiden Sanchez-Orme |
| Fax: 562 427-0805 | | | |
| Special Instructions: | | | |

| Sample ID | Air Type (I) Indoor (A) Ambient (SV) Soil Vapor | Equipment Information | | Start Sampling Information | | Stop Sampling Information | | Canister Pressure (in. Hg) | Analysis Request | Required Turnaround Time |
|-----------|--|-----------------------|--------------------------|----------------------------|---------|---------------------------|---------|----------------------------|------------------|--------------------------|
| | | Canister ID | Canister Size (6L or 1L) | Flow Controller ID | Date | Time | Date | | | |
| 1 MS-07 | A | C70890 | 6L | A70650 | 3/23/26 | 0714 | 3/24/26 | 0714 | -28 | X |
| 2 MS-12 | A | C70894 | 6L | A70187 | 3/23/26 | 0732 | 3/24/26 | 0732 | -28 | X |
| 3 MS-08 | A | C70658 | 6L | A70657 | 3/23/26 | 0742 | 3/24/26 | 0742 | -28 | X |
| 4 MS-09 | A | C70958 | 6L | A70459 | 3/23/26 | 0755 | 3/24/26 | 0755 | -29 | X |
| 5 MS-10 | A | C70846 | 6L | A70041 | 3/23/26 | 0807 | 3/24/26 | 0808 | -29 | X |
| 6 MS-06 | A | C70941 | 6L | A70596 | 3/23/26 | 0831 | 3/24/26 | 0831 | -30 | X |
| 7 MS-11 | A | C70920 | 6L | A70163 | 3/23/26 | 0855 | 3/24/26 | 0855 | -29 | X |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |



| | | | | | | | |
|------------------|--------------------|------------|--------------------|---------------|-----|-------------|---------------|
| RELINQUISHED BY: | <i>[Signature]</i> | PRINT NAME | Aiden Sanchez-Orme | COMPANY/TITLE | RES | DATE / TIME | 3/24/26 12:26 |
| RECEIVED BY: | | | | | EA | | 3/24/26 12:26 |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |

LogIn 556036



Analysis Results for 556036

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 556036
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/24/26

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-07 | Lab ID: 556036-001 | Collected: 03/24/26 07:14 |
| Matrix: Air | | |

| 556036-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Freon 12 | 0.48 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.11 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Freon 114 | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Bromomethane | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Chloroethane | 0.050 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Methylene Chloride | 0.087 | | ppbv | 0.021 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Freon 113 | 0.063 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Chloroform | 0.022 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,2-Dichloroethane | 0.011 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Benzene | 0.13 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Carbon Tetrachloride | 0.081 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Toluene | 0.40 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Ethylbenzene | 0.025 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| m,p-Xylenes | 0.064 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Styrene | 0.022 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| o-Xylene | 0.025 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,2,4-Trimethylbenzene | 0.025 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |

Analysis Results for 556036

| 556036-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Xylene (total) | 0.089 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 94% | | %REC | 60-140 | 1.1 | 398828 | 03/25/26 01:30 | 03/25/26 01:30 | OHD |

Analysis Results for 556036

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-12 | Lab ID: 556036-002 | Collected: 03/24/26 07:32 |
| Matrix: Air | | |

| 556036-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Freon 12 | 0.49 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Chloromethane | 0.50 | | ppbv | 0.11 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Freon 114 | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Bromomethane | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Chloroethane | 0.013 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Methylene Chloride | 0.085 | | ppbv | 0.021 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Freon 113 | 0.064 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Chloroform | 0.022 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,2-Dichloroethane | 0.012 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Benzene | 0.12 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Carbon Tetrachloride | 0.082 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Toluene | 0.22 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Ethylbenzene | 0.031 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| m,p-Xylenes | 0.084 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Styrene | 0.023 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| o-Xylene | 0.034 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,2,4-Trimethylbenzene | 0.030 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |

Analysis Results for 556036

| 556036-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Xylene (total) | 0.12 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 95% | | %REC | 60-140 | 1.1 | 398828 | 03/25/26 02:18 | 03/25/26 02:18 | OHD |

Analysis Results for 556036

Sample ID: MS-08
Lab ID: 556036-003
Collected: 03/24/26 07:42
Matrix: Air

| 556036-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Freon 12 | 0.49 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Chloromethane | 0.84 | | ppbv | 0.11 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Freon 114 | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Bromomethane | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Chloroethane | 0.092 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Methylene Chloride | 0.099 | | ppbv | 0.022 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Freon 113 | 0.063 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Chloroform | 0.021 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,2-Dichloroethane | 0.011 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Benzene | 0.23 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Carbon Tetrachloride | 0.082 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Toluene | 0.26 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Ethylbenzene | 0.027 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| m,p-Xylenes | 0.074 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Styrene | 0.025 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| o-Xylene | 0.030 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,2,4-Trimethylbenzene | 0.029 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |

Analysis Results for 556036

| 556036-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Xylene (total) | 0.10 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 95% | | %REC | 60-140 | 1.1 | 398828 | 03/25/26 03:07 | 03/25/26 03:07 | OHD |

Analysis Results for 556036

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-09 | Lab ID: 556036-004 | Collected: 03/24/26 07:55 |
| Matrix: Air | | |

| 556036-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Freon 12 | 0.48 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.10 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Bromomethane | 0.016 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Chloroethane | 0.013 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Methylene Chloride | 0.082 | | ppbv | 0.020 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Freon 113 | 0.063 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Chloroform | 0.031 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,2-Dichloroethane | 0.012 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Benzene | 0.11 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Carbon Tetrachloride | 0.081 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Toluene | 0.27 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Ethylbenzene | 0.029 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| m,p-Xylenes | 0.078 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Styrene | 0.021 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| o-Xylene | 0.032 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,2,4-Trimethylbenzene | 0.026 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |

Analysis Results for 556036

| 556036-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Xylene (total) | 0.11 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 96% | | %REC | 60-140 | 1 | 398828 | 03/25/26 03:55 | 03/25/26 03:55 | OHD |

Analysis Results for 556036

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-10 | Lab ID: 556036-005 | Collected: 03/24/26 08:08 |
| Matrix: Air | | |

| 556036-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Freon 12 | 0.48 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.11 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Freon 114 | 0.016 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Bromomethane | 0.015 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Chloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Methylene Chloride | 0.084 | | ppbv | 0.021 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Freon 113 | 0.062 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Chloroform | 0.025 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,2-Dichloroethane | 0.012 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Benzene | 0.13 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Carbon Tetrachloride | 0.081 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Toluene | 0.25 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Ethylbenzene | 0.031 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| m,p-Xylenes | 0.091 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Styrene | 0.020 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| o-Xylene | 0.036 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,3,5-Trimethylbenzene | 0.019 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,2,4-Trimethylbenzene | 0.075 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |

Analysis Results for 556036

| 556036-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Xylene (total) | 0.13 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 97% | | %REC | 60-140 | 1.1 | 398828 | 03/25/26 04:44 | 03/25/26 04:44 | OHD |

Analysis Results for 556036

Sample ID: MS-06
Lab ID: 556036-006
Collected: 03/24/26 08:31
Matrix: Air

| 556036-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Freon 12 | 0.49 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.10 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Freon 114 | 0.017 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Bromomethane | 0.016 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Chloroethane | 0.024 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Trichlorofluoromethane | 0.21 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.020 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Freon 113 | 0.063 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Chloroform | 0.025 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,2-Dichloroethane | 0.012 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Benzene | 0.12 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Carbon Tetrachloride | 0.082 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Toluene | 0.26 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Ethylbenzene | 0.032 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| m,p-Xylenes | 0.085 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Styrene | 0.11 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| o-Xylene | 0.034 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,2,4-Trimethylbenzene | 0.028 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |

Analysis Results for 556036

| 556036-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Xylene (total) | 0.12 | | ppbv | 0.010 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 94% | | %REC | 60-140 | 1 | 398828 | 03/25/26 05:33 | 03/25/26 05:33 | OHD |

Analysis Results for 556036

Sample ID: MS-11
Lab ID: 556036-007
Collected: 03/24/26 08:55
Matrix: Air

| 556036-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Freon 12 | 0.50 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Chloromethane | 0.50 | | ppbv | 0.11 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Freon 114 | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Bromomethane | 0.017 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Chloroethane | 0.014 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Trichlorofluoromethane | 0.22 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Methylene Chloride | 0.092 | | ppbv | 0.022 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Freon 113 | 0.064 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Chloroform | 0.035 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,2-Dichloroethane | 0.012 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Benzene | 0.093 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Carbon Tetrachloride | 0.082 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Toluene | 0.16 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Ethylbenzene | 0.024 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| m,p-Xylenes | 0.061 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Styrene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| o-Xylene | 0.026 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,2,4-Trimethylbenzene | 0.022 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |

Analysis Results for 556036

| 556036-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Xylene (total) | 0.087 | | ppbv | 0.011 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 96% | | %REC | 60-140 | 1.1 | 398828 | 03/25/26 06:21 | 03/25/26 06:21 | OHD |

ND Not Detected

Batch QC

| | | |
|---------------------------------|------------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1352759 | Batch: 398828 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1352759 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|---------------------------|--------|--------|-------|----------|------|--------|
| 1,1,2,2-Tetrachloroethane | 184.2 | 200.0 | pptv | 92% | | 70-130 |
| 1,1,1,2-Tetrachloroethane | 206.6 | 200.0 | pptv | 103% | | 70-130 |
| Freon 12 | 199.3 | 200.0 | pptv | 100% | | 70-130 |
| Chloromethane | 164.3 | 200.0 | pptv | 82% | | 70-130 |
| Freon 114 | 198.3 | 200.0 | pptv | 99% | | 70-130 |
| Vinyl Chloride | 173.6 | 200.0 | pptv | 87% | | 70-130 |
| Bromomethane | 181.6 | 200.0 | pptv | 91% | | 70-130 |
| Chloroethane | 172.2 | 200.0 | pptv | 86% | | 70-130 |
| Vinyl bromide | 185.3 | 200.0 | pptv | 93% | | 70-130 |
| Trichlorofluoromethane | 209.0 | 200.0 | pptv | 104% | | 70-130 |
| 1,1-Dichloroethene | 185.9 | 200.0 | pptv | 93% | | 70-130 |
| Methylene Chloride | 160.1 | 200.0 | pptv | 80% | | 70-130 |
| Freon 113 | 193.0 | 200.0 | pptv | 97% | | 70-130 |
| trans-1,2-Dichloroethene | 181.6 | 200.0 | pptv | 91% | | 70-130 |
| 1,1-Dichloroethane | 184.8 | 200.0 | pptv | 92% | | 70-130 |
| cis-1,2-Dichloroethene | 182.1 | 200.0 | pptv | 91% | | 70-130 |
| Chloroform | 195.0 | 200.0 | pptv | 97% | | 70-130 |
| 1,2-Dichloroethane | 195.8 | 200.0 | pptv | 98% | | 70-130 |
| 1,1,1-Trichloroethane | 209.5 | 200.0 | pptv | 105% | | 70-130 |
| Benzene | 173.3 | 200.0 | pptv | 87% | | 70-130 |
| Carbon Tetrachloride | 213.6 | 200.0 | pptv | 107% | | 70-130 |
| 1,2-Dichloropropane | 173.5 | 200.0 | pptv | 87% | | 70-130 |
| Bromodichloromethane | 198.8 | 200.0 | pptv | 99% | | 70-130 |
| Trichloroethene | 186.3 | 200.0 | pptv | 93% | | 70-130 |
| cis-1,3-Dichloropropene | 186.1 | 200.0 | pptv | 93% | | 70-130 |
| trans-1,3-Dichloropropene | 173.0 | 200.0 | pptv | 86% | | 70-130 |
| 1,1,2-Trichloroethane | 184.4 | 200.0 | pptv | 92% | | 70-130 |
| Toluene | 179.0 | 200.0 | pptv | 89% | | 70-130 |
| Dibromochloromethane | 201.5 | 200.0 | pptv | 101% | | 70-130 |
| 1,2-Dibromoethane | 172.4 | 200.0 | pptv | 86% | | 70-130 |
| Tetrachloroethene | 202.2 | 200.0 | pptv | 101% | | 70-130 |
| Chlorobenzene | 177.2 | 200.0 | pptv | 89% | | 70-130 |
| Ethylbenzene | 186.8 | 200.0 | pptv | 93% | | 70-130 |
| m,p-Xylenes | 383.1 | 400.0 | pptv | 96% | | 70-130 |
| Bromoform | 196.5 | 200.0 | pptv | 98% | | 70-130 |
| Styrene | 172.3 | 200.0 | pptv | 86% | | 70-130 |
| o-Xylene | 194.8 | 200.0 | pptv | 97% | | 70-130 |
| 2-Chlorotoluene | 194.8 | 200.0 | pptv | 97% | | 70-130 |
| 1,3,5-Trimethylbenzene | 200.7 | 200.0 | pptv | 100% | | 70-130 |
| 1,2,4-Trimethylbenzene | 197.5 | 200.0 | pptv | 99% | | 70-130 |
| Benzyl chloride | 177.9 | 200.0 | pptv | 89% | | 70-130 |
| 1,3-Dichlorobenzene | 170.2 | 200.0 | pptv | 85% | | 70-130 |
| 1,4-Dichlorobenzene | 154.5 | 200.0 | pptv | 77% | | 70-130 |
| 1,2-Dichlorobenzene | 178.3 | 200.0 | pptv | 89% | | 70-130 |
| 1,2,4-Trichlorobenzene | 170.0 | 200.0 | pptv | 85% | | 70-130 |
| Hexachlorobutadiene | 213.9 | 200.0 | pptv | 107% | | 70-130 |

Surrogates

Batch QC

| QC1352759 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------------|---------------|---------------|--------------|-----------------|-------------|---------------|
| Bromofluorobenzene | 248.4 | 250.0 | pptv | 99% | | 70-130 |

Batch QC

| | | |
|---|------------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1352760 | Batch: 398828 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1352760 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|---------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1,2,2-Tetrachloroethane | 183.2 | 200.0 | pptv | 92% | | 70-130 | 1 | 25 |
| 1,1,1,2-Tetrachloroethane | 204.8 | 200.0 | pptv | 102% | | 70-130 | 1 | 25 |
| Freon 12 | 204.0 | 200.0 | pptv | 102% | | 70-130 | 2 | 25 |
| Chloromethane | 164.3 | 200.0 | pptv | 82% | | 70-130 | 0 | 25 |
| Freon 114 | 199.1 | 200.0 | pptv | 100% | | 70-130 | 0 | 25 |
| Vinyl Chloride | 173.6 | 200.0 | pptv | 87% | | 70-130 | 0 | 25 |
| Bromomethane | 180.9 | 200.0 | pptv | 90% | | 70-130 | 0 | 25 |
| Chloroethane | 171.1 | 200.0 | pptv | 86% | | 70-130 | 1 | 25 |
| Vinyl bromide | 185.8 | 200.0 | pptv | 93% | | 70-130 | 0 | 25 |
| Trichlorofluoromethane | 208.1 | 200.0 | pptv | 104% | | 70-130 | 0 | 25 |
| 1,1-Dichloroethene | 185.2 | 200.0 | pptv | 93% | | 70-130 | 0 | 25 |
| Methylene Chloride | 160.5 | 200.0 | pptv | 80% | | 70-130 | 0 | 25 |
| Freon 113 | 191.9 | 200.0 | pptv | 96% | | 70-130 | 1 | 25 |
| trans-1,2-Dichloroethene | 182.0 | 200.0 | pptv | 91% | | 70-130 | 0 | 25 |
| 1,1-Dichloroethane | 185.6 | 200.0 | pptv | 93% | | 70-130 | 0 | 25 |
| cis-1,2-Dichloroethene | 182.4 | 200.0 | pptv | 91% | | 70-130 | 0 | 25 |
| Chloroform | 195.2 | 200.0 | pptv | 98% | | 70-130 | 0 | 25 |
| 1,2-Dichloroethane | 195.7 | 200.0 | pptv | 98% | | 70-130 | 0 | 25 |
| 1,1,1-Trichloroethane | 209.7 | 200.0 | pptv | 105% | | 70-130 | 0 | 25 |
| Benzene | 173.7 | 200.0 | pptv | 87% | | 70-130 | 0 | 25 |
| Carbon Tetrachloride | 213.0 | 200.0 | pptv | 106% | | 70-130 | 0 | 25 |
| 1,2-Dichloropropane | 174.3 | 200.0 | pptv | 87% | | 70-130 | 0 | 25 |
| Bromodichloromethane | 200.3 | 200.0 | pptv | 100% | | 70-130 | 1 | 25 |
| Trichloroethene | 187.0 | 200.0 | pptv | 93% | | 70-130 | 0 | 25 |
| cis-1,3-Dichloropropene | 185.3 | 200.0 | pptv | 93% | | 70-130 | 0 | 25 |
| trans-1,3-Dichloropropene | 175.1 | 200.0 | pptv | 88% | | 70-130 | 1 | 25 |
| 1,1,2-Trichloroethane | 184.4 | 200.0 | pptv | 92% | | 70-130 | 0 | 25 |
| Toluene | 180.1 | 200.0 | pptv | 90% | | 70-130 | 1 | 25 |
| Dibromochloromethane | 202.3 | 200.0 | pptv | 101% | | 70-130 | 0 | 25 |
| 1,2-Dibromoethane | 175.0 | 200.0 | pptv | 88% | | 70-130 | 1 | 25 |
| Tetrachloroethene | 203.0 | 200.0 | pptv | 101% | | 70-130 | 0 | 25 |
| Chlorobenzene | 177.9 | 200.0 | pptv | 89% | | 70-130 | 0 | 25 |
| Ethylbenzene | 187.2 | 200.0 | pptv | 94% | | 70-130 | 0 | 25 |
| m,p-Xylenes | 383.5 | 400.0 | pptv | 96% | | 70-130 | 0 | 25 |
| Bromoform | 197.6 | 200.0 | pptv | 99% | | 70-130 | 1 | 25 |
| Styrene | 173.4 | 200.0 | pptv | 87% | | 70-130 | 1 | 25 |
| o-Xylene | 196.2 | 200.0 | pptv | 98% | | 70-130 | 1 | 25 |
| 2-Chlorotoluene | 193.8 | 200.0 | pptv | 97% | | 70-130 | 0 | 25 |
| 1,3,5-Trimethylbenzene | 201.5 | 200.0 | pptv | 101% | | 70-130 | 0 | 25 |
| 1,2,4-Trimethylbenzene | 196.5 | 200.0 | pptv | 98% | | 70-130 | 1 | 25 |
| Benzyl chloride | 180.2 | 200.0 | pptv | 90% | | 70-130 | 1 | 25 |
| 1,3-Dichlorobenzene | 172.9 | 200.0 | pptv | 86% | | 70-130 | 2 | 25 |
| 1,4-Dichlorobenzene | 156.3 | 200.0 | pptv | 78% | | 70-130 | 1 | 25 |
| 1,2-Dichlorobenzene | 178.5 | 200.0 | pptv | 89% | | 70-130 | 0 | 25 |
| 1,2,4-Trichlorobenzene | 171.2 | 200.0 | pptv | 86% | | 70-130 | 1 | 25 |
| Hexachlorobutadiene | 214.0 | 200.0 | pptv | 107% | | 70-130 | 0 | 25 |

Batch QC

| QC1352760 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------|--------|--------|-------|----------|------|--------|-----|------------|
| Surrogates | | | | | | | | |
| Bromofluorobenzene | 245.9 | 250.0 | pptv | 98% | | 70-130 | | |

Batch QC


| | | |
|--------------------|------------------------------|----------------------------|
| Type: Blank | Lab ID: QC1352761 | Batch: 398828 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1352761 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|----------------|----------------|
| 1,1,2,2-Tetrachloroethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,1,1,2-Tetrachloroethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Freon 12 | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Chloromethane | ND | | pptv | 100 | 03/24/26 14:32 | 03/24/26 14:32 |
| Freon 114 | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Vinyl Chloride | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Bromomethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Chloroethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Vinyl bromide | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Trichlorofluoromethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,1-Dichloroethene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Methylene Chloride | ND | | pptv | 20 | 03/24/26 14:32 | 03/24/26 14:32 |
| Freon 113 | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| trans-1,2-Dichloroethene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,1-Dichloroethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| cis-1,2-Dichloroethene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Chloroform | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,2-Dichloroethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,1,1-Trichloroethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Benzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Carbon Tetrachloride | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,2-Dichloropropane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Bromodichloromethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Trichloroethene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| cis-1,3-Dichloropropene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| trans-1,3-Dichloropropene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,1,2-Trichloroethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Toluene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Dibromochloromethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,2-Dibromoethane | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Tetrachloroethene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Chlorobenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Ethylbenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| m,p-Xylenes | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Bromoform | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Styrene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| o-Xylene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 2-Chlorotoluene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,3,5-Trimethylbenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,2,4-Trimethylbenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Benzyl chloride | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,3-Dichlorobenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,4-Dichlorobenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,2-Dichlorobenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| 1,2,4-Trichlorobenzene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Hexachlorobutadiene | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |
| Xylene (total) | ND | | pptv | 10 | 03/24/26 14:32 | 03/24/26 14:32 |

Batch QC

| QC1352761 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|--------------------------|---------------|-------------|--------------|---------------|-----------------|-----------------|
| Surrogates | | | | Limits | | |
| Bromofluorobenzene | 91% | | %REC | 70-130 | 03/24/26 14:32 | 03/24/26 14:32 |

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260690
REPORT DATE : 03/26/2026


On March 24th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

| Client ID | Lab No. |
|-----------|--------------|
| MS-07 | 260690-87887 |
| MS-12 | 260690-87888 |
| MS-08 | 260690-87889 |
| MS-09 | 260690-87890 |
| MS-10 | 260690-87891 |
| MS-06 | 260690-87892 |
| MS-11 | 260690-87893 |

This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.


I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of **4** pages.

Page 1



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260690
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/23-24/2026
 RECEIVING DATE : 03/24/2026
 ANALYSIS DATE : 03/24/2026
 REPORT DATE : 03/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-10 | MS-06 | MS-11 |
|---------------------------------|--------------|--------------|--------------|
| AAC ID | 260690-87891 | 260690-87892 | 260690-87893 |
| Analyte | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260690
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/23-24/2026
 RECEIVING DATE : 03/24/2026
 ANALYSIS DATE : 03/24/2026
 REPORT DATE : 03/26/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-07 | MS-12 | MS-08 | MS-09 |
|---------------------------------|--------------|--------------|--------------|--------------|
| AAC ID | 260690-87887 | 260690-87888 | 260690-87889 | 260690-87890 |
| Analyte | Result | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report ASTM D-5504

Cal Verification Date: 3/24/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-0301226-01)

| H ₂ S | Resp. (area) | Result | % Rec * | % RPD **** |
|------------------|--------------|--------|---------|------------|
| Initial | 21926 | 493 | 98.3 | 0.7 |
| Duplicate | 21792 | 490 | 97.7 | 0.1 |
| Triplicate | 21602 | 485 | 96.8 | 0.8 |

513.3 ppbV MeSH (GC-0301226-01)

| MeSH | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 20646 | 537 | 104.7 | 0.6 |
| Duplicate | 20705 | 539 | 105.0 | 0.9 |
| Triplicate | 20216 | 526 | 102.5 | 1.5 |

522.3 ppbV DMS (GC-0301226-01)

| DMS | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 23652 | 524 | 100.3 | 1.3 |
| Duplicate | 23593 | 523 | 100.1 | 1.0 |
| Triplicate | 22810 | 505 | 96.7 | 2.3 |

Method Blank

| Analyte | Result |
|------------------|--------|
| H ₂ S | <PQL |
| MeSH | <PQL |
| DMS | <PQL |

Duplicate Analysis

Sample ID 260329-86137

| Analyte | Sample Result | Duplicate Result | Mean | % RPD *** |
|------------------|---------------|------------------|------|-----------|
| H ₂ S | <PQL | <PQL | 0.0 | 0.0 |
| MeSH | <PQL | <PQL | 0.0 | 0.0 |
| DMS | <PQL | <PQL | 0.0 | 0.0 |

Matrix Spike & Duplicate

Sample ID 260329-86137 x2




| Analyte | Sample Conc. | Spike Added | MS Result | MSD Result | MS % Rec ** | MSD % Rec ** | % RPD *** |
|------------------|--------------|-------------|-----------|------------|-------------|--------------|-----------|
| H ₂ S | <PQL | 250.6 | 249.1 | 252.7 | 99.4 | 100.8 | 1.4 |
| MeSH | <PQL | 256.6 | 279.1 | 278.9 | 108.7 | 108.7 | 0.0 |
| DMS | <PQL | 261.1 | 272.5 | 272.8 | 104.4 | 104.5 | 0.1 |


Closing Calibration Verification Standard

| Analyte | Std. Conc. | Result | % Rec ** |
|------------------|------------|--------|----------|
| H ₂ S | 501.3 | 458.0 | 91.4 |
| MeSH | 513.3 | 497.5 | 96.9 |
| DMS | 522.3 | 470.9 | 90.2 |

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 50.0 ppbV

260690
CHAIN OF CUSTODY RECORD

| Client/Project Name SCS ENGINEERS/ Chiquita Combell Airport Sampling | | Project Location UNION CITY, CA | | ANALYSES | |
|--|------------|---|-------------------|--|--------------|
| Project No. | | Field Logbook No. | | 307.91 SHFIR | |
| Sampler: (Print) Aiden Sanchez-Osme | | (Signature)  | | No. Of Containers 7 | |
| Sample No./ Identification | Date | Time | Lab Sample Number | Type of Sample | Remarks |
| MS-07 | 3-23/24-26 | 0714-0714 | 87887 | 10 Liter Bag | X |
| MS-12 | 3-23/24-26 | 0732-0732 | 87888 | 10 Liter Bag | X |
| MS-08 | 3-23/24-26 | 0742-0742 | 87889 | 10 Liter Bag | X |
| MS-09 | 3-23/24-26 | 0755-0755 | 87890 | 10 Liter Bag | X |
| MS-10 | 3-23/24-26 | 0807-0808 | 87891 | 10 Liter Bag | X |
| MS-06 | 3-23/24-26 | 0831-0831 | 87892 | 10 Liter Bag | X |
| MS-11 | 3-23/24-26 | 0855-0855 | 87893 | 10 Liter Bag | X |
| Relinquished by: (Signature)  | | Date | Time | Received by: (Signature) | Date |
| Relinquished by: (Signature) | | 3/24/26 | 1027 | Received by: (Signature) | |
| Relinquished by: (Signature) | | | | Received for Laboratory: (Signature)  | 3/24/26 1027 |
| Sample Disposal Method: | | Disposed of by: (Signature) | | Date | Time |
| | | | | | |
| Sample Collector | | Analytical Laboratory | | AAC Ventura | |



Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Sample Summary

| | | |
|----------------------------|----------------|--|
| Raymond Huff | Lab Job #: | 556542 |
| SCS Engineers - Long Beach | Project No: | CHIQUITA WEEKLY AIR |
| 3900 Kilroy Airport Way | Location: | Chiquita Canyon Landfill Air/Odor Sampling |
| Suite 300 | Date Received: | 03/31/26 |
| Long Beach, CA 90806 | | |

| Sample ID | Lab ID | Collected | Matrix |
|------------------|---------------|------------------|---------------|
| MS-07 | 556542-001 | 03/31/26 07:08 | Air |
| MS-12 | 556542-002 | 03/31/26 07:21 | Air |
| MS-08 | 556542-003 | 03/31/26 07:34 | Air |
| MS-09 | 556542-004 | 03/31/26 07:48 | Air |
| MS-10 | 556542-005 | 03/31/26 08:00 | Air |
| MS-06 | 556542-006 | 03/31/26 08:26 | Air |
| MS-11 | 556542-007 | 03/31/26 08:54 | Air |

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 556542
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 03/31/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 03/31/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



| | | | |
|-----------------------------|---|----------------------------|--|
| CUSTOMER INFORMATION | | PROJECT INFORMATION | |
| Company: | SCS Engineers | Name: | Cajalita Canyon Landfill Air/soil Sampling |
| Report To: | Roy Huff | Number: | |
| Email: | rhuff@scsengineers.com | Address: | Valencia, CA |
| Address: | 3900 Kilroy Airport Way Suite 300 Long Beach, CA | Global ID: | |
| Phone: | 562-355-6334 | Sampled By: | Aigen Sanchez-Orue |
| Special Instructions: | | Fax: 562 427-0805 | |

| Sample ID | Air Type (I) Indoor (A) Ambient (SV) Soil Vapor | Equipment Information | | Start Sampling Information | | Stop Sampling Information | | Canister Pressure (in. Hg) | Analysis Request | Required Turnaround Time | Comments |
|-----------|--|-----------------------|--------------------------|----------------------------|------|---------------------------|------|----------------------------|------------------|--|----------|
| | | Canister ID | Canister Size (6L or 1L) | Date | Time | Date | Time | | | | |
| 1 MS-07 | A | C70985 | 6L | 3/30/26 | 0708 | 3/31/26 | 0708 | -9 | | Standard <input checked="" type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Custom TAT: _____ | |
| 2 MS-12 | A | C70345 | 6L | 3/30/26 | 0721 | 3/31/26 | 0721 | -9 | | | |
| 3 MS-08 | A | C70369 | 6L | 3/30/26 | 0734 | 3/31/26 | 0734 | -6 | | | |
| 4 MS-09 | A | C70618 | 6L | 3/30/26 | 0748 | 3/31/26 | 0748 | -7 | | | |
| 5 MS-10 | A | C70940 | 6L | 3/30/26 | 0800 | 3/31/26 | 0800 | -4 | | | |
| 6 MS-06 | A | C70407 | 6L | 3/30/26 | 0826 | 3/31/26 | 0826 | -6 | | | |
| 7 MS-11 | A | C70615 | 6L | 3/30/26 | 0854 | 3/31/26 | 0854 | -6 | | | |
| 8 | | | | | | | | | | | |
| 9 | | | | | | | | | | | |
| 10 | | | | | | | | | | | |

| | | | | | | | |
|------------------|--|------------|--------------------|---------------|-----|-------------|---------------|
| RELINQUISHED BY: | | PRINT NAME | Aigen Sanchez-Orue | COMPANY/TITLE | RES | DATE / TIME | 3/31/26 12:10 |
| RECEIVED BY: | | | | | EA | | 3/31/26 12:10 |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |
| RELINQUISHED BY: | | | | | | | |
| RECEIVED BY: | | | | | | | |



LogIn 556542



SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 03/31/26 WO# 556542 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 03/31/26 By (initials) JXR Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

YES NO N/A

| | YES | NO | N/A |
|---|-----|----|-----|
| 1) Were custody papers present, filled properly, and legible? | X | | |
| 2) Is the sampler's name present on the CoC? | X | | |
| 3) Were containers received in good condition (unbroken / unopened / uncompromised)? | X | | |
| 4) Were the samples bagged? (required for microbiology samples; recommended for soil samples) | | | X |
| 5) Were all of, and only, the correct samples received? | X | | |
| 6) Are sample labels present, legible, and in agreement with the CoC? | | X | |
| 7) Does the container count match the CoC? | X | | |
| 8) Was sufficient sample volume / mass received for the analyses requested? | X | | |
| 9) Were samples received in proper containers for the analyses requested? | X | | |
| 10) Were samples received with > 1/2 holding time remaining? | X | | |
| 11) Are samples properly preserved as indicated by CoC / labels? | | | X |
| 12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS? | | | X |
| 13) Are VOA vials free from headspace/bubbles > 6mm? | | | X |

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

4.C - NO SAMPLING DATE & TIME ON CANISTER TAGS.

No additional discrepancies

Date Logged 03/31/26 By (print) FPD (sign) 
 Date Labeled 03/31/26 By (print) FPD (sign) _____

Analysis Results for 556542

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 556542
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 03/31/26

Sample ID: MS-07 Lab ID: 556542-001 Collected: 03/31/26 07:08
Matrix: Air

| 556542-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Freon 12 | 0.39 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Chloromethane | 0.46 | | ppbv | 0.12 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Freon 114 | 0.014 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Bromomethane | 0.015 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Chloroethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Vinyl bromide | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Trichlorofluoromethane | 0.17 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.023 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Freon 113 | 0.055 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Chloroform | 0.022 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Benzene | 0.14 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Carbon Tetrachloride | 0.067 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Trichloroethene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Toluene | 0.17 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Chlorobenzene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Ethylbenzene | 0.023 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| m,p-Xylenes | 0.052 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Bromoform | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Styrene | 0.031 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| o-Xylene | 0.021 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,2,4-Trimethylbenzene | 0.017 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |

Analysis Results for 556542

| 556542-001 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|------------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Benzyl chloride | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Hexachlorobutadiene | ND | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Xylene (total) | 0.073 | | ppbv | 0.012 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 91% | | %REC | 60-140 | 1.2 | 399734 | 04/03/26 14:20 | 04/03/26 14:20 | OHD |

Analysis Results for 556542

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-12 | Lab ID: 556542-002 | Collected: 03/31/26 07:21 |
| Matrix: Air | | |

| 556542-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Freon 12 | 0.39 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.11 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Freon 114 | 0.014 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Bromomethane | 0.014 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Chloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Trichlorofluoromethane | 0.17 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.021 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Freon 113 | 0.055 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Chloroform | 0.023 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,2-Dichloroethane | 0.017 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Benzene | 0.14 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Carbon Tetrachloride | 0.067 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Toluene | 0.21 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Ethylbenzene | 0.030 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| m,p-Xylenes | 0.078 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Styrene | 0.030 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| o-Xylene | 0.033 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,2,4-Trimethylbenzene | 0.028 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |

Analysis Results for 556542

| 556542-002 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Xylene (total) | 0.11 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 94% | | %REC | 60-140 | 1.1 | 399734 | 04/03/26 15:13 | 04/03/26 15:13 | OHD |

Analysis Results for 556542

Sample ID: MS-08
Lab ID: 556542-003
Collected: 03/31/26 07:34
Matrix: Air

| 556542-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Freon 12 | 0.40 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.10 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Freon 114 | 0.014 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Bromomethane | 0.014 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Chloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Trichlorofluoromethane | 0.17 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.021 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Freon 113 | 0.055 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Chloroform | 0.023 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Benzene | 0.12 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Carbon Tetrachloride | 0.068 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Toluene | 0.16 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Ethylbenzene | 0.022 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| m,p-Xylenes | 0.051 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Styrene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| o-Xylene | 0.022 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,2,4-Trimethylbenzene | 0.016 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |

Analysis Results for 556542

| 556542-003 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Xylene (total) | 0.072 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 92% | | %REC | 60-140 | 1 | 399734 | 04/03/26 16:06 | 04/03/26 16:06 | OHD |

Analysis Results for 556542

Sample ID: MS-09
Lab ID: 556542-004
Collected: 03/31/26 07:48
Matrix: Air

| 556542-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Freon 12 | 0.40 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Chloromethane | 0.50 | | ppbv | 0.11 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Freon 114 | 0.014 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Bromomethane | 0.014 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Chloroethane | 0.13 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Trichlorofluoromethane | 0.17 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Methylene Chloride | 0.11 | | ppbv | 0.022 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Freon 113 | 0.055 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Chloroform | 0.030 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,2-Dichloroethane | 0.017 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Benzene | 0.15 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Carbon Tetrachloride | 0.067 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Toluene | 0.29 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Ethylbenzene | 0.029 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| m,p-Xylenes | 0.072 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Styrene | 0.089 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| o-Xylene | 0.030 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,2,4-Trimethylbenzene | 0.027 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |

Analysis Results for 556542

| 556542-004 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Xylene (total) | 0.10 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 91% | | %REC | 60-140 | 1.1 | 399734 | 04/03/26 16:59 | 04/03/26 16:59 | OHD |

Analysis Results for 556542

Sample ID: MS-10
Lab ID: 556542-005
Collected: 03/31/26 08:00
Matrix: Air

| 556542-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Freon 12 | 0.40 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Chloromethane | 0.53 | | ppbv | 0.10 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Freon 114 | 0.014 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Bromomethane | 0.014 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Chloroethane | 0.10 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Trichlorofluoromethane | 0.17 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.020 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Freon 113 | 0.055 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Chloroform | 0.026 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,2-Dichloroethane | 0.017 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Benzene | 0.23 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Carbon Tetrachloride | 0.068 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Toluene | 0.33 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Ethylbenzene | 0.029 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| m,p-Xylenes | 0.075 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Styrene | 0.049 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| o-Xylene | 0.031 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,2,4-Trimethylbenzene | 0.034 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |

Analysis Results for 556542

| 556542-005 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|-------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Xylene (total) | 0.11 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 92% | | %REC | 60-140 | 1 | 399734 | 04/03/26 17:51 | 04/03/26 17:51 | OHD |

Analysis Results for 556542

Sample ID: MS-06
Lab ID: 556542-006
Collected: 03/31/26 08:26
Matrix: Air

| 556542-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Freon 12 | 0.40 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Chloromethane | 0.49 | | ppbv | 0.10 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Freon 114 | 0.014 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Bromomethane | 0.014 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Chloroethane | 0.013 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Vinyl bromide | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Trichlorofluoromethane | 0.17 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Methylene Chloride | 0.10 | | ppbv | 0.020 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Freon 113 | 0.056 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Chloroform | 0.025 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Benzene | 0.19 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Carbon Tetrachloride | 0.068 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Trichloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Toluene | 0.24 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Chlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Ethylbenzene | 0.029 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| m,p-Xylenes | 0.065 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Bromoform | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Styrene | 0.079 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| o-Xylene | 0.029 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,2,4-Trimethylbenzene | 0.024 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Benzyl chloride | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |

Analysis Results for 556542

| 556542-006 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Xylene (total) | 0.094 | | ppbv | 0.010 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 93% | | %REC | 60-140 | 1 | 399734 | 04/03/26 18:44 | 04/03/26 18:44 | OHD |

Analysis Results for 556542

| | | |
|-------------------------|---------------------------|----------------------------------|
| Sample ID: MS-11 | Lab ID: 556542-007 | Collected: 03/31/26 08:54 |
| Matrix: Air | | |

| 556542-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------------|--------------|------|-------|-------|-----|--------|----------------|----------------|---------|
| Method: EPA TO-15 SIM | | | | | | | | | |
| Prep Method: METHOD | | | | | | | | | |
| 1,1,2,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,1,1,2-Tetrachloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Freon 12 | 0.40 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Chloromethane | 0.52 | | ppbv | 0.11 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Freon 114 | 0.014 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Vinyl Chloride | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Bromomethane | 0.012 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Chloroethane | 0.020 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Vinyl bromide | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Trichlorofluoromethane | 0.17 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,1-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Methylene Chloride | 0.11 | | ppbv | 0.022 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Freon 113 | 0.055 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| trans-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,1-Dichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| cis-1,2-Dichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Chloroform | 0.026 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,2-Dichloroethane | 0.016 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,1,1-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Benzene | 0.19 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Carbon Tetrachloride | 0.068 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,2-Dichloropropane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Bromodichloromethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Trichloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| cis-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| trans-1,3-Dichloropropene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,1,2-Trichloroethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Toluene | 0.29 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Dibromochloromethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,2-Dibromoethane | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Tetrachloroethene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Chlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Ethylbenzene | 0.027 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| m,p-Xylenes | 0.069 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Bromoform | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Styrene | 0.017 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| o-Xylene | 0.030 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 2-Chlorotoluene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,3,5-Trimethylbenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,2,4-Trimethylbenzene | 0.029 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Benzyl chloride | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,3-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,4-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,2-Dichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| 1,2,4-Trichlorobenzene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |

Analysis Results for 556542

| 556542-007 Analyte | Result | Qual | Units | RL | DF | Batch | Prepared | Analyzed | Chemist |
|---------------------|--------------|------|-------|---------------|-----|--------|----------------|----------------|---------|
| Hexachlorobutadiene | ND | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Xylene (total) | 0.098 | | ppbv | 0.011 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |
| Surrogates | | | | Limits | | | | | |
| Bromofluorobenzene | 92% | | %REC | 60-140 | 1.1 | 399734 | 04/03/26 19:37 | 04/03/26 19:37 | OHD |

ND Not Detected

Batch QC

| | | |
|---------------------------------|------------------------------|----------------------------|
| Type: Lab Control Sample | Lab ID: QC1356067 | Batch: 399734 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1356067 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|---------------------------|--------|--------|-------|----------|------|--------|
| 1,1,2,2-Tetrachloroethane | 182.2 | 200.0 | pptv | 91% | | 70-130 |
| 1,1,1,2-Tetrachloroethane | 180.1 | 200.0 | pptv | 90% | | 70-130 |
| Freon 12 | 192.4 | 200.0 | pptv | 96% | | 70-130 |
| Chloromethane | 187.5 | 200.0 | pptv | 94% | | 70-130 |
| Freon 114 | 191.5 | 200.0 | pptv | 96% | | 70-130 |
| Vinyl Chloride | 191.2 | 200.0 | pptv | 96% | | 70-130 |
| Bromomethane | 187.3 | 200.0 | pptv | 94% | | 70-130 |
| Chloroethane | 190.3 | 200.0 | pptv | 95% | | 70-130 |
| Vinyl bromide | 197.4 | 200.0 | pptv | 99% | | 70-130 |
| Trichlorofluoromethane | 192.9 | 200.0 | pptv | 96% | | 70-130 |
| 1,1-Dichloroethene | 196.3 | 200.0 | pptv | 98% | | 70-130 |
| Methylene Chloride | 184.6 | 200.0 | pptv | 92% | | 70-130 |
| Freon 113 | 193.0 | 200.0 | pptv | 96% | | 70-130 |
| trans-1,2-Dichloroethene | 196.0 | 200.0 | pptv | 98% | | 70-130 |
| 1,1-Dichloroethane | 196.4 | 200.0 | pptv | 98% | | 70-130 |
| cis-1,2-Dichloroethene | 197.4 | 200.0 | pptv | 99% | | 70-130 |
| Chloroform | 193.5 | 200.0 | pptv | 97% | | 70-130 |
| 1,2-Dichloroethane | 193.4 | 200.0 | pptv | 97% | | 70-130 |
| 1,1,1-Trichloroethane | 195.7 | 200.0 | pptv | 98% | | 70-130 |
| Benzene | 190.0 | 200.0 | pptv | 95% | | 70-130 |
| Carbon Tetrachloride | 194.2 | 200.0 | pptv | 97% | | 70-130 |
| 1,2-Dichloropropane | 185.8 | 200.0 | pptv | 93% | | 70-130 |
| Bromodichloromethane | 182.0 | 200.0 | pptv | 91% | | 70-130 |
| Trichloroethene | 185.0 | 200.0 | pptv | 92% | | 70-130 |
| cis-1,3-Dichloropropene | 181.9 | 200.0 | pptv | 91% | | 70-130 |
| trans-1,3-Dichloropropene | 180.7 | 200.0 | pptv | 90% | | 70-130 |
| 1,1,2-Trichloroethane | 180.0 | 200.0 | pptv | 90% | | 70-130 |
| Toluene | 186.3 | 200.0 | pptv | 93% | | 70-130 |
| Dibromochloromethane | 177.4 | 200.0 | pptv | 89% | | 70-130 |
| 1,2-Dibromoethane | 179.2 | 200.0 | pptv | 90% | | 70-130 |
| Tetrachloroethene | 203.8 | 200.0 | pptv | 102% | | 70-130 |
| Chlorobenzene | 184.5 | 200.0 | pptv | 92% | | 70-130 |
| Ethylbenzene | 187.6 | 200.0 | pptv | 94% | | 70-130 |
| m,p-Xylenes | 396.9 | 400.0 | pptv | 99% | | 70-130 |
| Bromoform | 174.3 | 200.0 | pptv | 87% | | 70-130 |
| Styrene | 193.9 | 200.0 | pptv | 97% | | 70-130 |
| o-Xylene | 201.7 | 200.0 | pptv | 101% | | 70-130 |
| 2-Chlorotoluene | 192.9 | 200.0 | pptv | 96% | | 70-130 |
| 1,3,5-Trimethylbenzene | 204.9 | 200.0 | pptv | 102% | | 70-130 |
| 1,2,4-Trimethylbenzene | 201.4 | 200.0 | pptv | 101% | | 70-130 |
| Benzyl chloride | 177.2 | 200.0 | pptv | 89% | | 70-130 |
| 1,3-Dichlorobenzene | 191.7 | 200.0 | pptv | 96% | | 70-130 |
| 1,4-Dichlorobenzene | 190.0 | 200.0 | pptv | 95% | | 70-130 |
| 1,2-Dichlorobenzene | 185.3 | 200.0 | pptv | 93% | | 70-130 |
| 1,2,4-Trichlorobenzene | 153.8 | 200.0 | pptv | 77% | | 70-130 |
| Hexachlorobutadiene | 157.7 | 200.0 | pptv | 79% | | 70-130 |

Surrogates

Batch QC

| QC1356067 Analyte | Result | Spiked | Units | Recovery | Qual | Limits |
|--------------------------|---------------|---------------|--------------|-----------------|-------------|---------------|
| Bromofluorobenzene | 266.7 | 250.0 | pptv | 107% | | 70-130 |

Batch QC

| | | |
|---|------------------------------|----------------------------|
| Type: Lab Control Sample Duplicate | Lab ID: QC1356068 | Batch: 399734 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1356068 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|---------------------------|--------|--------|-------|----------|------|--------|-----|---------|
| 1,1,2,2-Tetrachloroethane | 188.2 | 200.0 | pptv | 94% | | 70-130 | 3 | 25 |
| 1,1,1,2-Tetrachloroethane | 185.2 | 200.0 | pptv | 93% | | 70-130 | 3 | 25 |
| Freon 12 | 198.2 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| Chloromethane | 192.4 | 200.0 | pptv | 96% | | 70-130 | 3 | 25 |
| Freon 114 | 197.2 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| Vinyl Chloride | 196.7 | 200.0 | pptv | 98% | | 70-130 | 3 | 25 |
| Bromomethane | 190.9 | 200.0 | pptv | 95% | | 70-130 | 2 | 25 |
| Chloroethane | 195.5 | 200.0 | pptv | 98% | | 70-130 | 3 | 25 |
| Vinyl bromide | 202.4 | 200.0 | pptv | 101% | | 70-130 | 3 | 25 |
| Trichlorofluoromethane | 198.0 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| 1,1-Dichloroethene | 201.5 | 200.0 | pptv | 101% | | 70-130 | 3 | 25 |
| Methylene Chloride | 189.4 | 200.0 | pptv | 95% | | 70-130 | 3 | 25 |
| Freon 113 | 197.7 | 200.0 | pptv | 99% | | 70-130 | 2 | 25 |
| trans-1,2-Dichloroethene | 201.4 | 200.0 | pptv | 101% | | 70-130 | 3 | 25 |
| 1,1-Dichloroethane | 201.2 | 200.0 | pptv | 101% | | 70-130 | 2 | 25 |
| cis-1,2-Dichloroethene | 203.6 | 200.0 | pptv | 102% | | 70-130 | 3 | 25 |
| Chloroform | 198.5 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| 1,2-Dichloroethane | 198.3 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| 1,1,1-Trichloroethane | 200.5 | 200.0 | pptv | 100% | | 70-130 | 2 | 25 |
| Benzene | 195.8 | 200.0 | pptv | 98% | | 70-130 | 3 | 25 |
| Carbon Tetrachloride | 198.9 | 200.0 | pptv | 99% | | 70-130 | 2 | 25 |
| 1,2-Dichloropropane | 191.5 | 200.0 | pptv | 96% | | 70-130 | 3 | 25 |
| Bromodichloromethane | 186.3 | 200.0 | pptv | 93% | | 70-130 | 2 | 25 |
| Trichloroethene | 190.9 | 200.0 | pptv | 95% | | 70-130 | 3 | 25 |
| cis-1,3-Dichloropropene | 190.5 | 200.0 | pptv | 95% | | 70-130 | 5 | 25 |
| trans-1,3-Dichloropropene | 186.3 | 200.0 | pptv | 93% | | 70-130 | 3 | 25 |
| 1,1,2-Trichloroethane | 185.5 | 200.0 | pptv | 93% | | 70-130 | 3 | 25 |
| Toluene | 191.2 | 200.0 | pptv | 96% | | 70-130 | 3 | 25 |
| Dibromochloromethane | 182.6 | 200.0 | pptv | 91% | | 70-130 | 3 | 25 |
| 1,2-Dibromoethane | 184.3 | 200.0 | pptv | 92% | | 70-130 | 3 | 25 |
| Tetrachloroethene | 209.8 | 200.0 | pptv | 105% | | 70-130 | 3 | 25 |
| Chlorobenzene | 189.2 | 200.0 | pptv | 95% | | 70-130 | 2 | 25 |
| Ethylbenzene | 194.2 | 200.0 | pptv | 97% | | 70-130 | 3 | 25 |
| m,p-Xylenes | 401.2 | 400.0 | pptv | 100% | | 70-130 | 1 | 25 |
| Bromoform | 178.0 | 200.0 | pptv | 89% | | 70-130 | 2 | 25 |
| Styrene | 200.1 | 200.0 | pptv | 100% | | 70-130 | 3 | 25 |
| o-Xylene | 211.7 | 200.0 | pptv | 106% | | 70-130 | 5 | 25 |
| 2-Chlorotoluene | 198.9 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| 1,3,5-Trimethylbenzene | 214.4 | 200.0 | pptv | 107% | | 70-130 | 5 | 25 |
| 1,2,4-Trimethylbenzene | 211.0 | 200.0 | pptv | 106% | | 70-130 | 5 | 25 |
| Benzyl chloride | 182.5 | 200.0 | pptv | 91% | | 70-130 | 3 | 25 |
| 1,3-Dichlorobenzene | 198.4 | 200.0 | pptv | 99% | | 70-130 | 3 | 25 |
| 1,4-Dichlorobenzene | 196.6 | 200.0 | pptv | 98% | | 70-130 | 3 | 25 |
| 1,2-Dichlorobenzene | 191.3 | 200.0 | pptv | 96% | | 70-130 | 3 | 25 |
| 1,2,4-Trichlorobenzene | 159.0 | 200.0 | pptv | 79% | | 70-130 | 3 | 25 |
| Hexachlorobutadiene | 162.9 | 200.0 | pptv | 81% | | 70-130 | 3 | 25 |

Batch QC

| QC1356068 Analyte | Result | Spiked | Units | Recovery | Qual | Limits | RPD | RPD Lim |
|--------------------|--------|--------|-------|----------|------|--------|-----|------------|
| Surrogates | | | | | | | | |
| Bromofluorobenzene | 263.9 | 250.0 | pptv | 106% | | 70-130 | | |

Batch QC


| | | |
|--------------------|------------------------------|----------------------------|
| Type: Blank | Lab ID: QC1356069 | Batch: 399734 |
| Matrix: Air | Method: EPA TO-15 SIM | Prep Method: METHOD |

| QC1356069 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|---------------------------|--------|------|-------|-----|----------------|----------------|
| 1,1,2,2-Tetrachloroethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,1,1,2-Tetrachloroethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Freon 12 | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Chloromethane | ND | | pptv | 100 | 04/03/26 11:11 | 04/03/26 11:11 |
| Freon 114 | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Vinyl Chloride | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Bromomethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Chloroethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Vinyl bromide | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Trichlorofluoromethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,1-Dichloroethene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Methylene Chloride | ND | | pptv | 20 | 04/03/26 11:11 | 04/03/26 11:11 |
| Freon 113 | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| trans-1,2-Dichloroethene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,1-Dichloroethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| cis-1,2-Dichloroethene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Chloroform | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,2-Dichloroethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,1,1-Trichloroethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Benzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Carbon Tetrachloride | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,2-Dichloropropane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Bromodichloromethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Trichloroethene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| cis-1,3-Dichloropropene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| trans-1,3-Dichloropropene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,1,2-Trichloroethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Toluene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Dibromochloromethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,2-Dibromoethane | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Tetrachloroethene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Chlorobenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Ethylbenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| m,p-Xylenes | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Bromoform | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Styrene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| o-Xylene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 2-Chlorotoluene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,3,5-Trimethylbenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,2,4-Trimethylbenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Benzyl chloride | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,3-Dichlorobenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,4-Dichlorobenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,2-Dichlorobenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| 1,2,4-Trichlorobenzene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Hexachlorobutadiene | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |
| Xylene (total) | ND | | pptv | 10 | 04/03/26 11:11 | 04/03/26 11:11 |

Batch QC

| QC1356069 Analyte | Result | Qual | Units | RL | Prepared | Analyzed |
|--------------------------|---------------|-------------|--------------|---------------|-----------------|-----------------|
| Surrogates | | | | Limits | | |
| Bromofluorobenzene | 84% | | %REC | 70-130 | 04/03/26 11:11 | 04/03/26 11:11 |

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260765
REPORT DATE : 04/08/2026


On March 31, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

| Client ID | Lab No. |
|-----------|--------------|
| MS-07 | 260765-88260 |
| MS-12 | 260765-88261 |
| MS-08 | 260765-88262 |
| MS-09 | 260765-88263 |
| MS-10 | 260765-88264 |
| MS-06 | 260765-88265 |
| MS-11 | 260765-88266 |


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260765
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/30-31/2026
 RECEIVING DATE : 03/31/2026
 ANALYSIS DATE : 03/31/2026
 REPORT DATE : 04/08/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-07 | MS-12 | MS-08 | MS-09 |
|---------------------------------|--------------|--------------|--------------|--------------|
| AAC ID | 260765-88260 | 260765-88261 | 260765-88262 | 260765-88263 |
| Analyte | Result | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260765
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 03/30-31/2026
 RECEIVING DATE : 03/31/2026
 ANALYSIS DATE : 03/31/2026
 REPORT DATE : 04/08/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

| Client ID | MS-10 | MS-06 | MS-11 |
|---------------------------------|--------------|--------------|--------------|
| AAC ID | 260765-88264 | 260765-88265 | 260765-88266 |
| Analyte | Result | Result | Result |
| Hydrogen Sulfide | < 0.005 | < 0.005 | < 0.005 |
| COS / SO2 | < 0.005 | < 0.005 | < 0.005 |
| Methyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Ethyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| Carbon Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Isopropyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| tert-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| n-Propyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Methylethylsulfide | < 0.005 | < 0.005 | < 0.005 |
| sec-Butyl Mercaptan / Thiophene | < 0.005 | < 0.005 | < 0.005 |
| iso-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Sulfide | < 0.005 | < 0.005 | < 0.005 |
| n-Butyl Mercaptan | < 0.005 | < 0.005 | < 0.005 |
| Dimethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| 2-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| 3-Methylthiophene | < 0.005 | < 0.005 | < 0.005 |
| Tetrahydrothiophene | < 0.005 | < 0.005 | < 0.005 |
| Bromothiophene | < 0.005 | < 0.005 | < 0.005 |
| Thiophenol | < 0.005 | < 0.005 | < 0.005 |
| Diethyl Disulfide | < 0.005 | < 0.005 | < 0.005 |
| Total Unidentified Sulfur | < 0.005 | < 0.005 | < 0.005 |
| Total Reduced Sulfurs | < 0.005 | < 0.005 | < 0.005 |

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 3/31/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-031226-01)

| H ₂ S | Resp. (area) | Result | % Rec * | % RPD **** |
|------------------|--------------|--------|---------|------------|
| Initial | 21861 | 491 | 98.0 | 1.8 |
| Duplicate | 21216 | 477 | 95.1 | 1.2 |
| Triplicate | 21326 | 479 | 95.6 | 0.7 |

513.3 ppbV MeSH (GC-031226-01)

| MeSH | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 20626 | 537 | 104.6 | 0.1 |
| Duplicate | 20665 | 538 | 104.8 | 0.1 |
| Triplicate | 20625 | 537 | 104.6 | 0.1 |

522.3 ppbV DMS (GC-031226-01)

| DMS | Resp. (area) | Result | % Rec * | % RPD **** |
|------------|--------------|--------|---------|------------|
| Initial | 24005 | 532 | 101.8 | 2.7 |
| Duplicate | 23051 | 511 | 97.8 | 1.4 |
| Triplicate | 23096 | 512 | 98.0 | 1.2 |

Method Blank

| Analyte | Result |
|------------------|--------|
| H ₂ S | <PQL |
| MeSH | <PQL |
| DMS | <PQL |

Duplicate Analysis

Sample ID 260329-86138

| Analyte | Sample Result | Duplicate Result | Mean | % RPD *** |
|------------------|---------------|------------------|------|-----------|
| H ₂ S | <PQL | <PQL | 0.0 | 0.0 |
| MeSH | <PQL | <PQL | 0.0 | 0.0 |
| DMS | <PQL | <PQL | 0.0 | 0.0 |

Matrix Spike & Duplicate

Sample ID 260329-86138 x2




| Analyte | Sample Conc. | Spike Added | MS Result | MSD Result | MS % Rec ** | MSD % Rec ** | % RPD *** |
|------------------|--------------|-------------|-----------|------------|-------------|--------------|-----------|
| H ₂ S | <PQL | 250.6 | 243.0 | 231.3 | 97.0 | 92.3 | 4.9 |
| MeSH | <PQL | 256.6 | 269.3 | 274.9 | 104.9 | 107.1 | 2.1 |
| DMS | <PQL | 261.1 | 256.7 | 264.4 | 98.3 | 101.3 | 2.9 |


Closing Calibration Verification Standard

| Analyte | Std. Conc. | Result | % Rec ** |
|------------------|------------|--------|----------|
| H ₂ S | 501.3 | 468.8 | 93.5 |
| MeSH | 513.3 | 542.7 | 105.7 |
| DMS | 522.3 | 513.6 | 98.3 |

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 50.0 ppbV

2-60765
CHAIN OF CUSTODY RECORD

| | | | | | | | |
|---|------------|--|-------------------|---|------|----------------|---------|
| Client/Project Name <u>CCS @ My Needs / Chukita Landfill Air Toxics Sampling</u> | | Project Location <u>Venocio, CA</u> | | ANALYSES | | | |
| Project No. | | Field Logbook No. | | | | | |
| Sampler: (Print) <u>Aiden Sanchez-Ome</u> | | (Signature)  | | 307.91 SWIM | | | |
| No. Of Containers <u>7</u> | | Type of Sample | | | | | |
| Sample No./ Identification | Date | Time | Lab Sample Number | | | Type of Sample | Remarks |
| MS-07 | 3-30/31-26 | 0708-0708 | 88260 | | | 10 Liter Bag | X |
| MS-12 | 3-30/31-26 | 0721-0721 | 88261 | | | 10 Liter Bag | X |
| MS-08 | 3-30/31-26 | 0734-0734 | 88262 | | | 10 Liter Bag | X |
| MS-09 | 3-30/31-26 | 0748-0748 | 88263 | | | 10 Liter Bag | X |
| MS-10 | 3-30/31-26 | 0800-0800 | 88264 | | | 10 Liter Bag | X |
| MS-06 | 3-30/31-26 | 0826-0826 | 88265 | | | 10 Liter Bag | X |
| MS-11 | 3-30/31-26 | 0854-0854 | 88266 | | | 10 Liter Bag | X |
| Relinquished by: (Signature)  | | Date | Time | Received by: (Signature) | Date | Time | |
| Relinquished by: (Signature) | | Date | Time | Received by: (Signature) | Date | Time | |
| Relinquished by: (Signature) | | Date | Time | Received for Laboratory: (Signature)  | Date | Time | |
| Sample Disposal Method: | | Disposed of by: (Signature) | | Date | Time | Time | |
| Sample Collector | | Analytical Laboratory | | AAC VENTURA | | | |

RTS 
Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707