

May 21, 2026
File No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Health Officer
Department of Public Health
Environmental Health
5050 Commerce Drive
Baldwin Park, California 91706

Subject: Monthly Enhanced Air Monitoring Program Data, April 2026, Chiquita Canyon Landfill

Dear Dr. Davis:

This submittal has been prepared for the Los Angeles County Department of Public Health (DPH), by **SCS Engineers** (SCS) on behalf of Chiquita Canyon, LLC (Chiquita) as part of the monthly reporting recommendation outlined in the August 15, 2023 letter from Chiquita to DPH (Workplan).

In accordance with the Workplan, SCS has prepared this submittal which contains analytical data from both weekly sampling as well as continuous monitoring data from the enhanced monitoring stations (10 micro-GC units). A description of the data contained in the submittal is provided below.

Weekly Sampling Data

Weekly 24-hour time composite samples occur at each of the seven off-site monitoring station locations (MS-06 through MS-12). Samples are analyzed for an expanded list of volatile organic compounds (VOCs) using U.S. Environmental Protection Agency (EPA) Method 15 (TO-15) and sulfur compounds via South Coast Air Quality Management District (SCAQMD) Method 307.91. Results for the April 2026 24-hr samples are found in **Attachment A**.

Enhanced Continuous Monitoring Data

In August 2023, SCS installed continuous air monitoring modules at existing stations MS-04 and MS-12. The monitors analyze benzene, toluene, ethylbenzene, and total xylenes (BTEX) as well as total reduced sulfur (TRS). The intent of the new monitor module installation was to evaluate the data to determine whether these modules should be incorporated into the existing air monitoring stations on a permanent basis by comparing the data to laboratory data and trending the data to see how the real-time data correlates with the laboratory data from samples collected at the same time.

The BTEX and TRS units have since been removed from all stations, consistent with the Enhanced Air Monitoring Program Modification Workplan dated January 29, 2024 and submitted to DPH and SCAQMD.

In response to the modified Stipulated Order for Abatement (SOFA) issued by SCAQMD on January 17, 2024, two micro-GC units were installed at MS-10 and MS-12 by the May 1, 2024 deadline. The continuous air monitoring results are hosted online through the Chiquita Canyon website. As of September 2024, eight more micro-GC were brought online as part of an expansion of the Enhanced



May 21, 2026
Page 2 of 2

Air Monitoring Program, for a total of 10 micro-GC units. A link to the real time, continuous data is found below:

<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

If you have any questions in regard to this submittal, please contact either of the undersigned at (562) 426-9544.

Sincerely,



Stipe Markotic
Staff Scientist
SCS Engineers



Raymond H. Huff, REPA
Project Director
SCS Engineers

attachments


cc (w/attachments):

Victor Yip (SCAQMD)
Pablo Sanchez-Soria (Onterris)
Edgar De La Torre (LA County Department of Regional Planning)
David Nguyen (PW)
Douglas Cross (Water Resources Control Board)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (County Counsel),
Kevin Green (CCL)

FIGURE 1
MAP OF AIR MONITORING LOCATIONS

Legend

- Micro-GC
- Off-Site Station
- On-Site Station



Google Earth

Image © 2025 Airbus

Community Air Monitoring Program
 Continuous Air Monitoring Stations

MS-11

1 mi

N

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

Sample Summary

Raymond Huff	Lab Job #:	557009
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	04/07/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	557009-001	04/07/26 07:13	Air
MS-12	557009-002	04/07/26 07:25	Air
MS-08	557009-003	04/07/26 07:37	Air
MS-09	557009-004	04/07/26 07:50	Air
MS-10	557009-005	04/07/26 08:03	Air
MS-06	557009-006	04/07/26 08:26	Air
MS-11	557009-007	04/07/26 08:55	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 557009
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 04/07/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 04/07/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



Login 55706S



931 W. Barkley Ave., Orange, CA 92868
Phone: (714) 771-4900 Fax: (714) 538-1209

Air Chain of Custody Record

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS ENGINEERS	Name:	Chiquito Canyon Landfill Air (for Sampling)
Report To:	ROY HUFF	Number:	
Email:	rhuff@scsengineers.com	Address:	Valencia, CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA	Global ID:	Aiden Sanchez-Orme
Phone:	562-355-6334	Sampled By:	Aiden Sanchez-Orme
Special Instructions:		Lab Quote Number:	

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information			Stop Sampling Information			Analysis Request	Required Turnaround Time	
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time			Canister Pressure (in. Hg)
1 MS-07	A	C708506L	6L	A70576	4/6/26	0713	-29	4/17/26	0713	-8	X	
2 MS-12	A	C710896L	6L	A70548	4/6/26	0725	-26	4/17/26	0725	-3	X	
3 MS-08	A	C704126L	6L	A70513	4/6/26	0737	-29	4/17/26	0737	-7	X	
4 MS-09	A	C703246L	6L	A70612	4/6/26	0750	-29	4/17/26	0750	-7	X	
5 MS-10	A	C702706L	6L	A70273	4/6/26	0803	-27	4/17/26	0803	-6	X	
6 MS-06	A	C706656L	6L	A70193	4/6/26	0826	-29	4/17/26	0826	-8	X	
7 MS-11	A	C709766L	6L	A70526	4/6/26	0855	-28	4/17/26	0855	-7	X	
8												
9												
10												

RELINQUISHED BY:		PRINT NAME	Aiden Sanchez-Orme	COMPANY/TITLE	RES	DATE / TIME	4/17/26 12:20
RECEIVED BY:			Querry Kim		EA		4/17/26 12:20
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST

① Gck 4/7/2026



Section 1: General Info

Date Received: 04/07/2026 WO# 556923-557009 Client: EA Denver SCS Long Beach

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 04/07/2026 By (initials) GCK Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?	x		
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?	x		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 04/07/2026 By (print) G. Kim (sign)
 Date Labeled 04/07/2026 By (print) N. Guadardo (sign) Dr. Nick C.

Analysis Results for 557009

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 557009
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 04/07/26

Sample ID: MS-07 Lab ID: 557009-001 Collected: 04/07/26 07:13
Matrix: Air

557009-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Freon 12	0.50		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Chloromethane	0.47		ppbv	0.12	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Freon 114	0.018		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Bromomethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Chloroethane	0.038		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Trichlorofluoromethane	0.21		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Methylene Chloride	0.11		ppbv	0.024	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Freon 113	0.063		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Chloroform	0.019		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,2-Dichloroethane	0.018		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Benzene	0.098		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Carbon Tetrachloride	0.082		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Trichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Toluene	0.12		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Tetrachloroethene	0.013		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Ethylbenzene	0.017		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
m,p-Xylenes	0.045		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Bromoform	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Styrene	0.022		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
o-Xylene	0.019		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,2,4-Trimethylbenzene	0.020		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD

Analysis Results for 557009

557009-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Hexachlorobutadiene	ND		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Xylene (total)	0.064		ppbv	0.012	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1.2	400159	04/08/26 19:11	04/08/26 19:11	OHD

Analysis Results for 557009

Sample ID: MS-12
Lab ID: 557009-002
Collected: 04/07/26 07:25
Matrix: Air

557009-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Freon 12	0.50		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Chloromethane	0.76		ppbv	0.10	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Freon 114	0.018		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Bromomethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Chloroethane	0.025		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Vinyl bromide	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Methylene Chloride	0.10		ppbv	0.020	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Freon 113	0.063		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Chloroform	0.019		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Benzene	0.28		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Carbon Tetrachloride	0.083		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Trichloroethene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Toluene	0.20		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Tetrachloroethene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Chlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Ethylbenzene	0.021		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
m,p-Xylenes	0.060		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Bromoform	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Styrene	0.021		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
o-Xylene	0.024		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,2,4-Trimethylbenzene	0.021		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Benzyl chloride	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD

Analysis Results for 557009

557009-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Xylene (total)	0.084		ppbv	0.010	1	400159	04/08/26 19:59	04/08/26 19:59	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1	400159	04/08/26 19:59	04/08/26 19:59	OHD

Analysis Results for 557009

Sample ID: MS-08
Lab ID: 557009-003
Collected: 04/07/26 07:37
Matrix: Air

557009-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Freon 12	0.50		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Chloromethane	0.46		ppbv	0.10	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Freon 114	0.018		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Bromomethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Chloroethane	0.012		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Vinyl bromide	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Trichlorofluoromethane	0.21		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Methylene Chloride	0.11		ppbv	0.020	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Freon 113	0.064		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Chloroform	0.019		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Benzene	0.095		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Carbon Tetrachloride	0.083		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Trichloroethene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Toluene	0.13		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Tetrachloroethene	0.013		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Chlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Ethylbenzene	0.017		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
m,p-Xylenes	0.047		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Bromoform	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Styrene	0.022		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
o-Xylene	0.019		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,2,4-Trimethylbenzene	0.017		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Benzyl chloride	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD

Analysis Results for 557009

557009-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Xylene (total)	0.066		ppbv	0.010	1	400159	04/08/26 20:48	04/08/26 20:48	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	400159	04/08/26 20:48	04/08/26 20:48	OHD

Analysis Results for 557009

Sample ID: MS-09
Lab ID: 557009-004
Collected: 04/07/26 07:50
Matrix: Air

557009-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Freon 12	0.50		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Chloromethane	0.47		ppbv	0.11	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Freon 114	0.018		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Bromomethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Chloroethane	0.076		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Freon 113	0.063		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Chloroform	0.026		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,2-Dichloroethane	0.019		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Benzene	0.086		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Carbon Tetrachloride	0.081		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Trichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Toluene	0.18		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Ethylbenzene	0.021		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
m,p-Xylenes	0.060		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Bromoform	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Styrene	0.014		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
o-Xylene	0.023		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,2,4-Trimethylbenzene	0.020		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD

Analysis Results for 557009

557009-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Xylene (total)	0.084		ppbv	0.011	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.1	400159	04/08/26 21:36	04/08/26 21:36	OHD

Analysis Results for 557009

Sample ID: MS-10
Lab ID: 557009-005
Collected: 04/07/26 08:03
Matrix: Air

557009-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Freon 12	0.50		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Chloromethane	0.46		ppbv	0.11	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Freon 114	0.018		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Bromomethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Chloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Methylene Chloride	0.10		ppbv	0.022	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Freon 113	0.064		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Chloroform	0.024		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,2-Dichloroethane	0.019		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Benzene	0.12		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Carbon Tetrachloride	0.084		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Trichloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Toluene	0.17		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Ethylbenzene	0.026		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
m,p-Xylenes	0.079		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Bromoform	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Styrene	0.023		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
o-Xylene	0.031		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,2,4-Trimethylbenzene	0.045		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD

Analysis Results for 557009

557009-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Xylene (total)	0.11		ppbv	0.011	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1.1	400159	04/08/26 22:25	04/08/26 22:25	OHD

Analysis Results for 557009

Sample ID: MS-06	Lab ID: 557009-006	Collected: 04/07/26 08:26
Matrix: Air		

557009-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Freon 12	0.50		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Chloromethane	0.47		ppbv	0.12	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Freon 114	0.018		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Bromomethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Chloroethane	0.020		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Trichlorofluoromethane	0.21		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Methylene Chloride	0.10		ppbv	0.024	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Freon 113	0.063		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Chloroform	0.022		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,2-Dichloroethane	0.018		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Benzene	0.12		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Carbon Tetrachloride	0.083		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Trichloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Toluene	0.15		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Ethylbenzene	0.021		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
m,p-Xylenes	0.055		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Bromoform	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Styrene	0.085		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
o-Xylene	0.022		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,2,4-Trimethylbenzene	0.018		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD

Analysis Results for 557009

557009-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Xylene (total)	0.077		ppbv	0.012	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1.2	400159	04/08/26 23:13	04/08/26 23:13	OHD

Analysis Results for 557009

Sample ID: MS-11	Lab ID: 557009-007	Collected: 04/07/26 08:55
Matrix: Air		

557009-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Freon 12	0.50		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Chloromethane	0.46		ppbv	0.11	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Freon 114	0.018		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Bromomethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Chloroethane	0.036		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Methylene Chloride	0.10		ppbv	0.022	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Freon 113	0.063		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Chloroform	0.028		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,2-Dichloroethane	0.018		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Benzene	0.070		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Carbon Tetrachloride	0.082		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Trichloroethene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Toluene	0.10		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Ethylbenzene	0.017		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
m,p-Xylenes	0.048		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Bromoform	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Styrene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
o-Xylene	0.019		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,2,4-Trimethylbenzene	0.018		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD

Analysis Results for 557009

557009-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Xylene (total)	0.067		ppbv	0.011	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1.1	400159	04/09/26 00:02	04/09/26 00:02	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1357709	Batch: 400159
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1357709 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	211.7	200.0	pptv	106%		70-130
1,1,1,2-Tetrachloroethane	236.5	200.0	pptv	118%		70-130
Freon 12	199.4	200.0	pptv	100%		70-130
Chloromethane	157.8	200.0	pptv	79%		70-130
Freon 114	211.3	200.0	pptv	106%		70-130
Vinyl Chloride	180.5	200.0	pptv	90%		70-130
Bromomethane	201.1	200.0	pptv	101%		70-130
Chloroethane	181.5	200.0	pptv	91%		70-130
Vinyl bromide	194.2	200.0	pptv	97%		70-130
Trichlorofluoromethane	200.4	200.0	pptv	100%		70-130
1,1-Dichloroethene	192.7	200.0	pptv	96%		70-130
Methylene Chloride	166.2	200.0	pptv	83%		70-130
Freon 113	194.3	200.0	pptv	97%		70-130
trans-1,2-Dichloroethene	175.7	200.0	pptv	88%		70-130
1,1-Dichloroethane	181.4	200.0	pptv	91%		70-130
cis-1,2-Dichloroethene	177.4	200.0	pptv	89%		70-130
Chloroform	193.2	200.0	pptv	97%		70-130
1,2-Dichloroethane	183.5	200.0	pptv	92%		70-130
1,1,1-Trichloroethane	206.7	200.0	pptv	103%		70-130
Benzene	180.4	200.0	pptv	90%		70-130
Carbon Tetrachloride	208.1	200.0	pptv	104%		70-130
1,2-Dichloropropane	168.0	200.0	pptv	84%		70-130
Bromodichloromethane	188.8	200.0	pptv	94%		70-130
Trichloroethene	186.2	200.0	pptv	93%		70-130
cis-1,3-Dichloropropene	191.9	200.0	pptv	96%		70-130
trans-1,3-Dichloropropene	178.5	200.0	pptv	89%		70-130
1,1,2-Trichloroethane	185.6	200.0	pptv	93%		70-130
Toluene	184.6	200.0	pptv	92%		70-130
Dibromochloromethane	189.9	200.0	pptv	95%		70-130
1,2-Dibromoethane	174.8	200.0	pptv	87%		70-130
Tetrachloroethene	204.5	200.0	pptv	102%		70-130
Chlorobenzene	209.7	200.0	pptv	105%		70-130
Ethylbenzene	221.1	200.0	pptv	111%		70-130
m,p-Xylenes	446.6	400.0	pptv	112%		70-130
Bromoform	186.6	200.0	pptv	93%		70-130
Styrene	204.6	200.0	pptv	102%		70-130
o-Xylene	227.7	200.0	pptv	114%		70-130
2-Chlorotoluene	230.3	200.0	pptv	115%		70-130
1,3,5-Trimethylbenzene	234.8	200.0	pptv	117%		70-130
1,2,4-Trimethylbenzene	231.3	200.0	pptv	116%		70-130
Benzyl chloride	218.5	200.0	pptv	109%		70-130
1,3-Dichlorobenzene	196.2	200.0	pptv	98%		70-130
1,4-Dichlorobenzene	180.4	200.0	pptv	90%		70-130
1,2-Dichlorobenzene	206.7	200.0	pptv	103%		70-130
1,2,4-Trichlorobenzene	201.2	200.0	pptv	101%		70-130
Hexachlorobutadiene	242.7	200.0	pptv	121%		70-130

Surrogates

Batch QC

QC1357709 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	263.2	250.0	pptv	105%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1357710	Batch: 400159
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1357710 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	206.7	200.0	pptv	103%		70-130	2	25
1,1,1,2-Tetrachloroethane	230.4	200.0	pptv	115%		70-130	3	25
Freon 12	201.8	200.0	pptv	101%		70-130	1	25
Chloromethane	155.6	200.0	pptv	78%		70-130	1	25
Freon 114	209.2	200.0	pptv	105%		70-130	1	25
Vinyl Chloride	178.9	200.0	pptv	89%		70-130	1	25
Bromomethane	198.1	200.0	pptv	99%		70-130	2	25
Chloroethane	177.7	200.0	pptv	89%		70-130	2	25
Vinyl bromide	191.6	200.0	pptv	96%		70-130	1	25
Trichlorofluoromethane	198.8	200.0	pptv	99%		70-130	1	25
1,1-Dichloroethene	189.7	200.0	pptv	95%		70-130	2	25
Methylene Chloride	165.0	200.0	pptv	83%		70-130	1	25
Freon 113	192.4	200.0	pptv	96%		70-130	1	25
trans-1,2-Dichloroethene	174.7	200.0	pptv	87%		70-130	1	25
1,1-Dichloroethane	179.6	200.0	pptv	90%		70-130	1	25
cis-1,2-Dichloroethene	174.9	200.0	pptv	87%		70-130	1	25
Chloroform	190.6	200.0	pptv	95%		70-130	1	25
1,2-Dichloroethane	180.5	200.0	pptv	90%		70-130	2	25
1,1,1-Trichloroethane	204.9	200.0	pptv	102%		70-130	1	25
Benzene	177.8	200.0	pptv	89%		70-130	1	25
Carbon Tetrachloride	206.5	200.0	pptv	103%		70-130	1	25
1,2-Dichloropropane	165.7	200.0	pptv	83%		70-130	1	25
Bromodichloromethane	187.0	200.0	pptv	93%		70-130	1	25
Trichloroethene	183.8	200.0	pptv	92%		70-130	1	25
cis-1,3-Dichloropropene	185.7	200.0	pptv	93%		70-130	3	25
trans-1,3-Dichloropropene	175.6	200.0	pptv	88%		70-130	2	25
1,1,2-Trichloroethane	181.3	200.0	pptv	91%		70-130	2	25
Toluene	181.6	200.0	pptv	91%		70-130	2	25
Dibromochloromethane	187.2	200.0	pptv	94%		70-130	1	25
1,2-Dibromoethane	173.5	200.0	pptv	87%		70-130	1	25
Tetrachloroethene	201.7	200.0	pptv	101%		70-130	1	25
Chlorobenzene	206.3	200.0	pptv	103%		70-130	2	25
Ethylbenzene	217.4	200.0	pptv	109%		70-130	2	25
m,p-Xylenes	439.4	400.0	pptv	110%		70-130	2	25
Bromoform	184.6	200.0	pptv	92%		70-130	1	25
Styrene	201.0	200.0	pptv	100%		70-130	2	25
o-Xylene	224.8	200.0	pptv	112%		70-130	1	25
2-Chlorotoluene	225.9	200.0	pptv	113%		70-130	2	25
1,3,5-Trimethylbenzene	231.5	200.0	pptv	116%		70-130	1	25
1,2,4-Trimethylbenzene	227.1	200.0	pptv	114%		70-130	2	25
Benzyl chloride	212.9	200.0	pptv	106%		70-130	3	25
1,3-Dichlorobenzene	194.1	200.0	pptv	97%		70-130	1	25
1,4-Dichlorobenzene	177.2	200.0	pptv	89%		70-130	2	25
1,2-Dichlorobenzene	203.1	200.0	pptv	102%		70-130	2	25
1,2,4-Trichlorobenzene	198.7	200.0	pptv	99%		70-130	1	25
Hexachlorobutadiene	242.3	200.0	pptv	121%		70-130	0	25

Batch QC

QC1357710 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	260.5	250.0	pptv	104%		70-130		

Batch QC


Type: Blank	Lab ID: QC1357711	Batch: 400159
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1357711 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,1,1,2-Tetrachloroethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Freon 12	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Chloromethane	ND		pptv	100	04/08/26 09:30	04/08/26 09:30
Freon 114	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Vinyl Chloride	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Bromomethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Chloroethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Vinyl bromide	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Trichlorofluoromethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,1-Dichloroethene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Methylene Chloride	ND		pptv	20	04/08/26 09:30	04/08/26 09:30
Freon 113	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
trans-1,2-Dichloroethene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,1-Dichloroethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
cis-1,2-Dichloroethene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Chloroform	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,2-Dichloroethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,1,1-Trichloroethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Benzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Carbon Tetrachloride	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,2-Dichloropropane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Bromodichloromethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Trichloroethene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
cis-1,3-Dichloropropene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
trans-1,3-Dichloropropene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,1,2-Trichloroethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Toluene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Dibromochloromethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,2-Dibromoethane	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Tetrachloroethene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Chlorobenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Ethylbenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
m,p-Xylenes	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Bromoform	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Styrene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
o-Xylene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
2-Chlorotoluene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,3,5-Trimethylbenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,2,4-Trimethylbenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Benzyl chloride	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,3-Dichlorobenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,4-Dichlorobenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,2-Dichlorobenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
1,2,4-Trichlorobenzene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Hexachlorobutadiene	ND		pptv	10	04/08/26 09:30	04/08/26 09:30
Xylene (total)	ND		pptv	10	04/08/26 09:30	04/08/26 09:30

Batch QC

QC1357711 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	97%		%REC	70-130	04/08/26 09:30	04/08/26 09:30

ND Not Detected



Atmospheric Analysis & Consulting, Inc

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260828
REPORT DATE : 04/15/2026


On April 7th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260828-88571
MS-12	260828-88572
MS-08	260828-88573
MS-09	260828-88574
MS-10	260828-88575
MS-06	260828-88576
MS-11	260828-88577


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260828
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 04/06-07/2026
RECEIVING DATE : 04/07/2026
ANALYSIS DATE : 04/07/2026
REPORT DATE : 04/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260828-88571	260828-88572	260828-88573	260828-88574
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260828
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 04/06-07/2026
RECEIVING DATE : 04/07/2026
ANALYSIS DATE : 04/07/2026
REPORT DATE : 04/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260828-88575	260828-88576	260828-88577
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 4/7/2026
 Analyst: NR/RSF
 Units: ppbV

Instrument ID : SCD#10
 Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard
 501.3 ppbV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21880	492	98.1	1.9
Duplicate	21269	478	95.3	1.0
Triplicate	21292	478	95.5	0.9

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20616	537	104.5	0.1
Duplicate	20581	536	104.4	0.0
Triplicate	20575	536	104.3	0.1

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	23927	530	101.5	2.9
Duplicate	22817	505	96.8	1.9
Triplicate	23035	510	97.7	1.0

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86138

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260329-86138 x2


Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	255.6	246.4	102.0	98.3	3.7
MeSH	<PQL	256.6	280.7	278.5	109.4	108.5	0.8
DMS	<PQL	261.1	265.3	266.5	101.6	102.1	0.5

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	456.0	91.0
MeSH	513.3	506.5	98.7
DMS	522.3	474.6	90.9

* Must be 95-105%, ** Must be 90-110%, *** Must be <10%, **** Must be <5% RPD from Mean result.
 PQL = 50.0 ppbV

CHAIN OF CUSTODY RECORD 260828

Client/Project Name <i>SCS engineers / Chiquita Landfill Air/Jodol Sampling</i>		Project Location <i>Valencioy CA</i>		ANALYSES	
Project No.		Field Logbook No.			
Sampler: (Print) <i>Aiden Sanchez-Ome</i>		(Signature) <i>[Signature]</i>		No. Of Containers <i>7</i>	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks
MS-07	4-6/7-26	0713-0713	88571	10 Liter Bag	X
MS-12	4-6/7-26	0725-0725	88572	10 Liter Bag	X
MS-08	4-6/7-26	0737-0737	88573	10 Liter Bag	X
MS-09	4-6/7-26	0750-0750	88574	10 Liter Bag	X
MS-10	4-6/7-26	0803-0803	88575	10 Liter Bag	X
MS-06	4-6/7-26	0826-0826	88576	10 Liter Bag	X
MS-11	4-6/7-26	0855-0855	88577	10 Liter Bag	X
Relinquished by: (Signature) <i>[Signature]</i>		Date	Time	Received by: (Signature)	
Relinquished by: (Signature)		Date	Time	Received by: (Signature)	
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <i>[Signature]</i>	
Sample Disposal Method:		Disposed of by: (Signature)		Date	Time
Sample Collector		Analytical Laboratory		Date	Time
 RIS Environmental Inc. 865 Via Lata • Colton, California 92324 (909) 422-1001 Fax (909) 422-0707		AAC Ventura		Date	Time
				Date	Time

307 ml sulfur

Date 4/7/26
Time 1017

Disposed of by: (Signature)

Sample Collector

Analytical Laboratory

AAC Ventura

RIS
Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Sample Summary

Raymond Huff	Lab Job #:	557531
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	04/14/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	557531-001	04/14/26 07:09	Air
MS-12	557531-002	04/14/26 07:29	Air
MS-08	557531-003	04/14/26 07:41	Air
MS-09	557531-004	04/14/26 07:55	Air
MS-10	557531-005	04/14/26 08:08	Air
MS-06	557531-006	04/14/26 08:29	Air
MS-11	557531-007	04/14/26 08:53	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 557531
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 04/14/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 04/14/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

ENTHALPY

ANALYTICAL

Air Chain of Custody Record
 Lab Job No. 557531

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	<u>SCS Engineers</u>	Name:	<u>CHRISTOPHER LONGFILL AIRPORT SAMPLING</u>
Report To:	<u>ROY HUFF</u>	Number:	
Email:	<u>rhuff@scsengineers.com</u>	Address:	<u>VALENCIA, CA</u>
Address:	<u>3900 KIROY AIRPORT WAY SUITE 300</u>	Global ID:	
	<u>LONG BEACH, CA</u>	Sampled By:	<u>AIDEN SANCHEZ-OLIVE</u>
Phone:	<u>562-355-6334</u>	Fax:	<u>562-427-0805</u>

Special Instructions:

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time
		Canister ID	Canister Size (GL or TL)	Date	Time	Date	Time				
1	A	C71087	6L	4/13/26	0709	4/14/26	0709	-25	-1	X	Standard <input checked="" type="checkbox"/> 5 Day <input type="checkbox"/> 3 Day <input type="checkbox"/> 2 Day <input type="checkbox"/> 1 Day <input type="checkbox"/> Custom TAT:
2	A	C70938	6L	4/13/26	0729	4/14/26	0729	-29	-7	X	
3	A	C70391	6L	4/13/26	0741	4/14/26	0741	-29	-5	X	
4	A	C70864	6L	4/13/26	0755	4/14/26	0755	-29	-8	X	
5	A	C71088	6L	4/13/26	0808	4/14/26	0808	-30	-8	X	
6	A	C70268	6L	4/13/26	0829	4/14/26	0829	-27	-4	X	
7	A	C70266	6L	4/13/26	0853	4/14/26	0853	-28	-4	X	
8											
9											
10											

SIGNATURE		PRINT NAME	COMPANY/TITLE	DATE / TIME
	AIDEN SANCHEZ-OLIVE	RES		4/14/26 12:21
	ROY HUFF	EP		4-14-26 12:21



Login 557531



SAMPLE RECEIPT CHECKLIST


Section 1: General Info

 Date Received: 04/14/26 WO# 557531 Client: SCS ENGINEERS
Section 2: Shipping / Custody

 Are custody seals present? Yes No

 Custody seals intact on arrival? N/A Yes No On cooler / box On samples

 Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging
 Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

 Date Opened 04/14/26 By (initials) JXR Type of ice used: Wet Blue/Gel None

 Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

 Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples
 No microbiology samples submitted (skip 3b)

 Within temp range 0.0 - 10.0°C or received on ice directly from field.

 Adequate headspace for microbiology analysis.

Section 3c: Air Samples
 No air samples submitted (skip 3c)

 1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	x		
2) Is the sampler's name present on the CoC?	x		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	x		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			x
5) Were all of, and only, the correct samples received?	x		
6) Are sample labels present, legible, and in agreement with the CoC?	x		
7) Does the container count match the CoC?	x		
8) Was sufficient sample volume / mass received for the analyses requested?	x		
9) Were samples received in proper containers for the analyses requested?	x		
10) Were samples received with > 1/2 holding time remaining?	x		
11) Are samples properly preserved as indicated by CoC / labels?	x		x
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			x
13) Are VOA vials free from headspace/bubbles > 6mm?			x

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

 No additional discrepancies

Date Logged	<u>04/14/26</u>	By (print)	<u>FPD</u>	(sign)	
Date Labeled	<u>04/14/26</u>	By (print)	<u>MSK</u>	(sign)	

Analysis Results for 557531

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 557531
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 04/14/26

Sample ID: MS-07 Lab ID: 557531-001 Collected: 04/14/26 07:09
Matrix: Air

557531-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Freon 12	0.39		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Chloromethane	0.59		ppbv	0.10	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Freon 114	0.014		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Bromomethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Chloroethane	0.094		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Vinyl bromide	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Methylene Chloride	0.14		ppbv	0.020	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Freon 113	0.054		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Chloroform	0.015		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,2-Dichloroethane	0.019		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Benzene	0.11		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Carbon Tetrachloride	0.066		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Trichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Toluene	0.074		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Tetrachloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Chlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Ethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
m,p-Xylenes	0.017		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Bromoform	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Styrene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
o-Xylene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,2,4-Trimethylbenzene	0.010		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD

Analysis Results for 557531

557531-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Xylene (total)	0.017		ppbv	0.010	1	400930	04/16/26 19:06	04/16/26 19:06	OHD
Surrogates				Limits					
Bromofluorobenzene	80%		%REC	60-140	1	400930	04/16/26 19:06	04/16/26 19:06	OHD

Analysis Results for 557531

Sample ID: MS-12
Lab ID: 557531-002
Collected: 04/14/26 07:29
Matrix: Air

557531-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Freon 12	0.39		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Chloromethane	0.48		ppbv	0.10	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Freon 114	0.014		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Bromomethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Chloroethane	0.016		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Vinyl bromide	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Methylene Chloride	0.15		ppbv	0.020	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Freon 113	0.054		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Chloroform	0.015		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,2-Dichloroethane	0.019		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Benzene	0.064		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Carbon Tetrachloride	0.066		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Trichloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Toluene	0.074		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Tetrachloroethene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Chlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Ethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
m,p-Xylenes	0.026		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Bromoform	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Styrene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
o-Xylene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,2,4-Trimethylbenzene	0.012		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Benzyl chloride	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD

Analysis Results for 557531

557531-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Xylene (total)	0.026		ppbv	0.010	1	400930	04/16/26 19:58	04/16/26 19:58	OHD
Surrogates				Limits					
Bromofluorobenzene	80%		%REC	60-140	1	400930	04/16/26 19:58	04/16/26 19:58	OHD

Analysis Results for 557531

Sample ID: MS-08
Lab ID: 557531-003
Collected: 04/14/26 07:41
Matrix: Air

557531-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Freon 12	0.40		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Chloromethane	0.48		ppbv	0.10	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Freon 114	0.014		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Bromomethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Chloroethane	0.043		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Vinyl bromide	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Methylene Chloride	0.13		ppbv	0.020	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Freon 113	0.055		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Chloroform	0.014		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,2-Dichloroethane	0.019		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Benzene	0.047		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Carbon Tetrachloride	0.068		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Trichloroethene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Toluene	0.047		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Tetrachloroethene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Chlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Ethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
m,p-Xylenes	0.018		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Bromoform	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Styrene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
o-Xylene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Benzyl chloride	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD

Analysis Results for 557531

557531-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Xylene (total)	0.018		ppbv	0.010	1	400930	04/16/26 20:51	04/16/26 20:51	OHD
Surrogates				Limits					
Bromofluorobenzene	84%		%REC	60-140	1	400930	04/16/26 20:51	04/16/26 20:51	OHD

Analysis Results for 557531

Sample ID: MS-09
Lab ID: 557531-004
Collected: 04/14/26 07:55
Matrix: Air

557531-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Freon 12	0.40		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Chloromethane	0.49		ppbv	0.10	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Freon 114	0.014		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Bromomethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Chloroethane	0.033		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Vinyl bromide	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Methylene Chloride	0.16		ppbv	0.020	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Freon 113	0.055		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Chloroform	0.024		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,2-Dichloroethane	0.020		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Benzene	0.084		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Carbon Tetrachloride	0.068		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Trichloroethene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Toluene	0.12		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Tetrachloroethene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Chlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Ethylbenzene	0.012		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
m,p-Xylenes	0.036		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Bromoform	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Styrene	0.021		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
o-Xylene	0.013		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,2,4-Trimethylbenzene	0.013		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Benzyl chloride	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD

Analysis Results for 557531

557531-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Xylene (total)	0.050		ppbv	0.010	1	400930	04/16/26 21:44	04/16/26 21:44	OHD
Surrogates				Limits					
Bromofluorobenzene	83%		%REC	60-140	1	400930	04/16/26 21:44	04/16/26 21:44	OHD

Analysis Results for 557531

Sample ID: MS-10	Lab ID: 557531-005	Collected: 04/14/26 08:08
Matrix: Air		

557531-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Freon 12	0.40		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Chloromethane	0.49		ppbv	0.11	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Freon 114	0.014		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Bromomethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Chloroethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Methylene Chloride	0.13		ppbv	0.022	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Freon 113	0.055		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Chloroform	0.021		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,2-Dichloroethane	0.020		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Benzene	0.10		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Carbon Tetrachloride	0.067		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Trichloroethene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Toluene	0.14		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Ethylbenzene	0.014		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
m,p-Xylenes	0.044		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Bromoform	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Styrene	0.027		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
o-Xylene	0.017		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,2,4-Trimethylbenzene	0.013		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD

Analysis Results for 557531

557531-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Xylene (total)	0.061		ppbv	0.011	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD
Surrogates				Limits					
Bromofluorobenzene	83%		%REC	60-140	1.1	400930	04/16/26 22:37	04/16/26 22:37	OHD

Analysis Results for 557531

Sample ID: MS-06
Lab ID: 557531-006
Collected: 04/14/26 08:29
Matrix: Air

557531-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Freon 12	0.40		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Chloromethane	0.49		ppbv	0.10	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Freon 114	0.014		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Bromomethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Chloroethane	0.020		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Vinyl bromide	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Methylene Chloride	0.16		ppbv	0.020	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Freon 113	0.055		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Chloroform	0.022		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,2-Dichloroethane	0.019		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Benzene	0.085		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Carbon Tetrachloride	0.067		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Trichloroethene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Toluene	0.11		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Tetrachloroethene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Chlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Ethylbenzene	0.012		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
m,p-Xylenes	0.034		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Bromoform	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Styrene	0.020		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
o-Xylene	0.012		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Benzyl chloride	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD

Analysis Results for 557531

557531-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Xylene (total)	0.047		ppbv	0.010	1	400930	04/16/26 23:30	04/16/26 23:30	OHD
Surrogates				Limits					
Bromofluorobenzene	80%		%REC	60-140	1	400930	04/16/26 23:30	04/16/26 23:30	OHD

Analysis Results for 557531

Sample ID: MS-11
Lab ID: 557531-007
Collected: 04/14/26 08:53
Matrix: Air

557531-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Freon 12	0.39		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Chloromethane	0.65		ppbv	0.10	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Freon 114	0.014		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Vinyl Chloride	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Bromomethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Chloroethane	0.071		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Vinyl bromide	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Methylene Chloride	0.13		ppbv	0.020	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Freon 113	0.054		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Chloroform	0.020		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,2-Dichloroethane	0.019		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Benzene	0.13		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Carbon Tetrachloride	0.067		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Bromodichloromethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Trichloroethene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Toluene	0.10		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Dibromochloromethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Tetrachloroethene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Chlorobenzene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Ethylbenzene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
m,p-Xylenes	0.022		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Bromoform	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Styrene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
o-Xylene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,2,4-Trimethylbenzene	0.011		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Benzyl chloride	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD

Analysis Results for 557531

557531-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Xylene (total)	0.022		ppbv	0.010	1	400930	04/17/26 00:23	04/17/26 00:23	OHD
Surrogates				Limits					
Bromofluorobenzene	80%		%REC	60-140	1	400930	04/17/26 00:23	04/17/26 00:23	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1360513	Batch: 400930
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1360513 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	205.4	200.0	pptv	103%		70-130
1,1,1,2-Tetrachloroethane	201.8	200.0	pptv	101%		70-130
Freon 12	200.3	200.0	pptv	100%		70-130
Chloromethane	193.1	200.0	pptv	97%		70-130
Freon 114	199.0	200.0	pptv	99%		70-130
Vinyl Chloride	197.3	200.0	pptv	99%		70-130
Bromomethane	194.5	200.0	pptv	97%		70-130
Chloroethane	194.8	200.0	pptv	97%		70-130
Vinyl bromide	197.8	200.0	pptv	99%		70-130
Trichlorofluoromethane	201.8	200.0	pptv	101%		70-130
1,1-Dichloroethene	197.7	200.0	pptv	99%		70-130
Methylene Chloride	195.3	200.0	pptv	98%		70-130
Freon 113	199.6	200.0	pptv	100%		70-130
trans-1,2-Dichloroethene	196.8	200.0	pptv	98%		70-130
1,1-Dichloroethane	201.3	200.0	pptv	101%		70-130
cis-1,2-Dichloroethene	196.2	200.0	pptv	98%		70-130
Chloroform	201.2	200.0	pptv	101%		70-130
1,2-Dichloroethane	201.1	200.0	pptv	101%		70-130
1,1,1-Trichloroethane	206.1	200.0	pptv	103%		70-130
Benzene	189.9	200.0	pptv	95%		70-130
Carbon Tetrachloride	205.2	200.0	pptv	103%		70-130
1,2-Dichloropropane	195.4	200.0	pptv	98%		70-130
Bromodichloromethane	195.4	200.0	pptv	98%		70-130
Trichloroethene	192.7	200.0	pptv	96%		70-130
cis-1,3-Dichloropropene	191.9	200.0	pptv	96%		70-130
trans-1,3-Dichloropropene	192.0	200.0	pptv	96%		70-130
1,1,2-Trichloroethane	192.1	200.0	pptv	96%		70-130
Toluene	188.6	200.0	pptv	94%		70-130
Dibromochloromethane	188.7	200.0	pptv	94%		70-130
1,2-Dibromoethane	191.6	200.0	pptv	96%		70-130
Tetrachloroethene	188.9	200.0	pptv	94%		70-130
Chlorobenzene	195.8	200.0	pptv	98%		70-130
Ethylbenzene	188.0	200.0	pptv	94%		70-130
m,p-Xylenes	392.3	400.0	pptv	98%		70-130
Bromoform	188.4	200.0	pptv	94%		70-130
Styrene	194.2	200.0	pptv	97%		70-130
o-Xylene	206.0	200.0	pptv	103%		70-130
2-Chlorotoluene	197.9	200.0	pptv	99%		70-130
1,3,5-Trimethylbenzene	208.3	200.0	pptv	104%		70-130
1,2,4-Trimethylbenzene	203.1	200.0	pptv	102%		70-130
Benzyl chloride	202.0	200.0	pptv	101%		70-130
1,3-Dichlorobenzene	213.9	200.0	pptv	107%		70-130
1,4-Dichlorobenzene	207.4	200.0	pptv	104%		70-130
1,2-Dichlorobenzene	202.1	200.0	pptv	101%		70-130
1,2,4-Trichlorobenzene	171.5	200.0	pptv	86%		70-130
Hexachlorobutadiene	181.2	200.0	pptv	91%		70-130

Surrogates

Batch QC

QC1360513 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	245.9	250.0	pptv	98%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1360514	Batch: 400930
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1360514 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	205.4	200.0	pptv	103%		70-130	0	25
1,1,1,2-Tetrachloroethane	201.5	200.0	pptv	101%		70-130	0	25
Freon 12	199.1	200.0	pptv	100%		70-130	1	25
Chloromethane	189.9	200.0	pptv	95%		70-130	2	25
Freon 114	198.1	200.0	pptv	99%		70-130	0	25
Vinyl Chloride	195.1	200.0	pptv	98%		70-130	1	25
Bromomethane	194.0	200.0	pptv	97%		70-130	0	25
Chloroethane	193.3	200.0	pptv	97%		70-130	1	25
Vinyl bromide	197.6	200.0	pptv	99%		70-130	0	25
Trichlorofluoromethane	200.6	200.0	pptv	100%		70-130	1	25
1,1-Dichloroethene	197.5	200.0	pptv	99%		70-130	0	25
Methylene Chloride	194.1	200.0	pptv	97%		70-130	1	25
Freon 113	198.2	200.0	pptv	99%		70-130	1	25
trans-1,2-Dichloroethene	196.4	200.0	pptv	98%		70-130	0	25
1,1-Dichloroethane	200.8	200.0	pptv	100%		70-130	0	25
cis-1,2-Dichloroethene	196.8	200.0	pptv	98%		70-130	0	25
Chloroform	199.7	200.0	pptv	100%		70-130	1	25
1,2-Dichloroethane	200.6	200.0	pptv	100%		70-130	0	25
1,1,1-Trichloroethane	205.4	200.0	pptv	103%		70-130	0	25
Benzene	189.8	200.0	pptv	95%		70-130	0	25
Carbon Tetrachloride	204.7	200.0	pptv	102%		70-130	0	25
1,2-Dichloropropane	192.8	200.0	pptv	96%		70-130	1	25
Bromodichloromethane	193.0	200.0	pptv	96%		70-130	1	25
Trichloroethene	191.1	200.0	pptv	96%		70-130	1	25
cis-1,3-Dichloropropene	189.0	200.0	pptv	95%		70-130	1	25
trans-1,3-Dichloropropene	188.9	200.0	pptv	94%		70-130	2	25
1,1,2-Trichloroethane	190.7	200.0	pptv	95%		70-130	1	25
Toluene	184.4	200.0	pptv	92%		70-130	2	25
Dibromochloromethane	186.5	200.0	pptv	93%		70-130	1	25
1,2-Dibromoethane	189.2	200.0	pptv	95%		70-130	1	25
Tetrachloroethene	187.3	200.0	pptv	94%		70-130	1	25
Chlorobenzene	196.9	200.0	pptv	98%		70-130	1	25
Ethylbenzene	188.9	200.0	pptv	94%		70-130	0	25
m,p-Xylenes	393.5	400.0	pptv	98%		70-130	0	25
Bromoform	187.4	200.0	pptv	94%		70-130	1	25
Styrene	195.9	200.0	pptv	98%		70-130	1	25
o-Xylene	207.3	200.0	pptv	104%		70-130	1	25
2-Chlorotoluene	199.8	200.0	pptv	100%		70-130	1	25
1,3,5-Trimethylbenzene	209.5	200.0	pptv	105%		70-130	1	25
1,2,4-Trimethylbenzene	206.8	200.0	pptv	103%		70-130	2	25
Benzyl chloride	203.8	200.0	pptv	102%		70-130	1	25
1,3-Dichlorobenzene	215.0	200.0	pptv	107%		70-130	0	25
1,4-Dichlorobenzene	209.1	200.0	pptv	105%		70-130	1	25
1,2-Dichlorobenzene	202.9	200.0	pptv	101%		70-130	0	25
1,2,4-Trichlorobenzene	174.2	200.0	pptv	87%		70-130	2	25
Hexachlorobutadiene	182.2	200.0	pptv	91%		70-130	1	25

Batch QC

QC1360514 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	243.8	250.0	pptv	98%		70-130		

Batch QC


Type: Blank	Lab ID: QC1360515	Batch: 400930
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1360515 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,1,1,2-Tetrachloroethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Freon 12	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Chloromethane	ND		pptv	100	04/16/26 10:29	04/16/26 10:29
Freon 114	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Vinyl Chloride	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Bromomethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Chloroethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Vinyl bromide	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Trichlorofluoromethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,1-Dichloroethene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Methylene Chloride	ND		pptv	20	04/16/26 10:29	04/16/26 10:29
Freon 113	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
trans-1,2-Dichloroethene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,1-Dichloroethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
cis-1,2-Dichloroethene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Chloroform	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,2-Dichloroethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,1,1-Trichloroethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Benzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Carbon Tetrachloride	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,2-Dichloropropane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Bromodichloromethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Trichloroethene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
cis-1,3-Dichloropropene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
trans-1,3-Dichloropropene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,1,2-Trichloroethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Toluene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Dibromochloromethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,2-Dibromoethane	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Tetrachloroethene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Chlorobenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Ethylbenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
m,p-Xylenes	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Bromoform	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Styrene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
o-Xylene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
2-Chlorotoluene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,3,5-Trimethylbenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,2,4-Trimethylbenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Benzyl chloride	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,3-Dichlorobenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,4-Dichlorobenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,2-Dichlorobenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
1,2,4-Trichlorobenzene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Hexachlorobutadiene	ND		pptv	10	04/16/26 10:29	04/16/26 10:29
Xylene (total)	ND		pptv	10	04/16/26 10:29	04/16/26 10:29

Batch QC

QC1360515 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	75%		%REC	70-130	04/16/26 10:29	04/16/26 10:29

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260895
REPORT DATE : 04/21/2026


On April 14th 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260895-88781
MS-12	260895-88782
MS-08	260895-88783
MS-09	260895-88784
MS-10	260895-88785
MS-06	260895-88786
MS-11	260895-88787


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 260895
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 04/13-14/2026
RECEIVING DATE : 04/14/2026
ANALYSIS DATE : 04/14/2026
REPORT DATE : 04/21/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260895-88781	260895-88782	260895-88783	260895-88784
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 260895
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 04/13-14/2026
RECEIVING DATE : 04/14/2026
ANALYSIS DATE : 04/14/2026
REPORT DATE : 04/21/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260895-88785	260895-88786	260895-88787
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 4/14/2026
 Analyst: NR
 Units: ppbV

Instrument ID : SCD#10
 Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21944	493	98.4	0.5
Duplicate	21987	494	98.6	0.3
Triplicate	22249	500	99.7	0.9

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20701	539	105.0	0.0
Duplicate	20696	539	105.0	0.0
Triplicate	20683	538	104.9	0.0

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	24293	538	103.0	0.2
Duplicate	24154	535	102.4	0.4
Triplicate	24280	538	103.0	0.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260329-86138

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260329-86138 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	251.3	256.6	100.3	102.4	2.1
MeSH	<PQL	256.6	278.5	281.8	108.5	109.8	1.2
DMS	<PQL	261.1	271.2	280.4	103.8	107.4	3.3

Closing Calibration Verification Standard


Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	452.8	90.3
MeSH	513.3	501.1	97.6
DMS	522.3	470.1	90.0

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
 PQL = 50.0 ppbV

260895

CHAIN OF CUSTODY RECORD

Client/Project Name SUS engineers/ Chubuita Landfill Air/Odor Sampling		Project Location Valencia, CA		ANALYSES		
Project No.		Field Logbook No.				
Sampler: (Print) Aiden Sanchez-Ome		(Signature) <i>[Signature]</i>		No. Of Containers 7		
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks	
MS-07	4-13/14-26	0709-0709	88781	10 Liter Bag	X	
MS-12	4-13/14-26	0729-0729	88782	10 Liter Bag	X	
MS-08	4-13/14-26	0741-0741	88783	10 Liter Bag	X	
MS-09	4-13/14-26	0755-0755	88784	10 Liter Bag	X	
MS-10	4-13/14-26	0808-0808	88785	10 Liter Bag	X	
MS-06	4-13/14-26	0829-0829	88786	10 Liter Bag	X	
MS-11	4-13/14-26	0853-0853	88787	10 Liter Bag	X	
Relinquished by: (Signature) <i>[Signature]</i>		Date	Time	Received by: (Signature) <i>[Signature]</i>	Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)	Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature)	Date	Time
Sample Disposal Method:		Disposed of by: (Signature)				
Sample Collector		Analytical Laboratory				

RIS 

Environmental Inc.
865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707

AAC VENTURA

307.915UKR

Sample Summary

Raymond Huff	Lab Job #:	557986
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	04/21/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	557986-001	04/21/26 07:16	Air
MS-12	557986-002	04/21/26 07:34	Air
MS-08	557986-003	04/21/26 07:45	Air
MS-09	557986-004	04/21/26 07:59	Air
MS-10	557986-005	04/21/26 08:11	Air
MS-06	557986-006	04/21/26 08:31	Air
MS-11	557986-007	04/21/26 08:58	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 557986
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 04/21/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 04/21/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



931 W. Barkley Ave., Orange, CA 92668
Phone: (714) 771-6900 Fax: (714) 538-1209

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS Engineers	Name:	Chiquito Canyon Landfill Air/soil sampling
Report To:	Roy Huff	Number:	
Email:	rhuff@scsengineers.com	Address:	Valencio, CA
Address:	3900 Kilroy Airport Way suite 300 Long Beach, CA	Global ID:	
Phone:	562-355-6332	Sampled By:	Aiden Sanchez-Orme
Fax:	562 427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date			
1 MS-07	A	C70922	6L	A70611	4-20-26	0716	4-21-26	0716	-8	X
2 MS-12	A	C70041	6L	A70652	4-20-26	0734	4-21-26	0734	-8	X
3 MS-08	A	C70645	6L	A70413	4-20-26	0745	4-21-26	0745	-5	X
4 MS-09	A	C70688	6L	A70489	4-20-26	0759	4-21-26	0759	-6	X
5 MS-10	A	C70883	6L	A70041	4-20-26	0811	4-21-26	0811	-8	X
6 MS-06	A	C70880	6L	A70596	4-20-26	0831	4-21-26	0831	-8	X
7 MS-11	A	C70347	6L	A70256	4-20-26	0858	4-21-26	0858	-7	X
8										
9										
10										

RELINQUISHED BY:	<i>[Signature]</i>	PRINT NAME	Aiden Sanchez-Orme	COMPANY/TITLE	RES	DATE / TIME	4/21/26 12:32
RECEIVED BY:	<i>[Signature]</i>		Querry kin		EA		4/21/26 12:32
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							



Login 557986



SAMPLE RECEIPT CHECKLIST



Section 1: General Info

Date Received: 4/21/26 WO# 557986 Client: SCS Engineers

Section 2: Shipping / Custody

Are custody seals present? Yes No

Custody seals intact on arrival? N/A Yes No On cooler / box On samples

Courier Walk-In Field Sampling Shipping Info: _____

Section 3a: Condition / Packaging

Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)

Date Opened 4/21/26 By (initials) GCK Type of ice used: Wet Blue/Gel None

Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)

Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)

If no cooler: Observed/Adjusted Temp (°C): _____ / _____ Thermometer/IR Gun: _____ CF: _____

Cooler Temp (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____

Section 3b: Microbiology Samples

No microbiology samples submitted (skip 3b)

Within temp range 0.0 - 10.0°C or received on ice directly from field.

Adequate headspace for microbiology analysis.

Section 3c: Air Samples

No air samples submitted (skip 3c)

1.4L Canisters 6L Canisters Tedlar Bags MCE Cassettes Sorbent Tubes Other _____

Section 4: Containers / Labels / Samples

	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X

Section 5: Explanations / Comments

(If no comments are made, then no discrepancies noted.)

No additional discrepancies

Date Logged 4/21/26 By (print) ABD (sign) ABD

Date Labeled 4/21/26 By (print) NIG (sign) ABD for NIG

Analysis Results for 557986

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 557986
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 04/21/26

Sample ID: MS-07	Lab ID: 557986-001	Collected: 04/21/26 07:16
Matrix: Air		

557986-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Freon 12	0.39		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Chloromethane	0.48		ppbv	0.10	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Freon 114	0.014		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Vinyl Chloride	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Bromomethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Chloroethane	0.077		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Vinyl bromide	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Methylene Chloride	0.12		ppbv	0.020	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Freon 113	0.054		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Chloroform	0.015		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Benzene	0.11		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Carbon Tetrachloride	0.066		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Bromodichloromethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Trichloroethene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Toluene	0.12		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Dibromochloromethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Tetrachloroethene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Chlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Ethylbenzene	0.013		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
m,p-Xylenes	0.031		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Bromoform	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Styrene	0.025		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
o-Xylene	0.012		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,2,4-Trimethylbenzene	0.018		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD

Analysis Results for 557986

557986-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Xylene (total)	0.043		ppbv	0.010	1	401457	04/22/26 13:01	04/22/26 13:01	OHD
Surrogates				Limits					
Bromofluorobenzene	79%		%REC	60-140	1	401457	04/22/26 13:01	04/22/26 13:01	OHD

Analysis Results for 557986

Sample ID: MS-12	Lab ID: 557986-002	Collected: 04/21/26 07:34
Matrix: Air		

557986-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Freon 12	0.38		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Chloromethane	0.47		ppbv	0.11	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Freon 114	0.013		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Bromomethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Chloroethane	0.10		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Freon 113	0.054		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Chloroform	0.016		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Benzene	0.068		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Carbon Tetrachloride	0.066		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Trichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Toluene	0.12		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Ethylbenzene	0.013		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
m,p-Xylenes	0.040		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Bromoform	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Styrene	0.045		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
o-Xylene	0.016		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,2,4-Trimethylbenzene	0.020		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD

Analysis Results for 557986

557986-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Xylene (total)	0.056		ppbv	0.011	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD
Surrogates				Limits					
Bromofluorobenzene	81%		%REC	60-140	1.1	401457	04/22/26 13:53	04/22/26 13:53	OHD

Analysis Results for 557986

Sample ID: MS-08	Lab ID: 557986-003	Collected: 04/21/26 07:45
Matrix: Air		

557986-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Freon 12	0.40		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Chloromethane	0.48		ppbv	0.10	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Freon 114	0.014		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Vinyl Chloride	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Bromomethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Chloroethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Vinyl bromide	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Methylene Chloride	0.11		ppbv	0.020	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Freon 113	0.055		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Chloroform	0.015		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,2-Dichloroethane	0.015		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Benzene	0.060		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Carbon Tetrachloride	0.068		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Bromodichloromethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Trichloroethene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Toluene	0.067		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Dibromochloromethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Tetrachloroethene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Chlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Ethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
m,p-Xylenes	0.022		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Bromoform	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Styrene	0.064		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
o-Xylene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Benzyl chloride	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD

Analysis Results for 557986

557986-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Xylene (total)	0.022		ppbv	0.010	1	401457	04/22/26 14:46	04/22/26 14:46	OHD
Surrogates				Limits					
Bromofluorobenzene	82%		%REC	60-140	1	401457	04/22/26 14:46	04/22/26 14:46	OHD

Analysis Results for 557986

Sample ID: MS-09	Lab ID: 557986-004	Collected: 04/21/26 07:59
Matrix: Air		

557986-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Freon 12	0.38		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Chloromethane	0.48		ppbv	0.11	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Freon 114	0.013		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Bromomethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Chloroethane	0.023		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Methylene Chloride	0.14		ppbv	0.022	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Freon 113	0.054		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Chloroform	0.020		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Benzene	0.096		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Carbon Tetrachloride	0.066		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Trichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Toluene	0.15		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Ethylbenzene	0.014		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
m,p-Xylenes	0.039		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Bromoform	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Styrene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
o-Xylene	0.016		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,2,4-Trimethylbenzene	0.019		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD

Analysis Results for 557986

557986-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Xylene (total)	0.054		ppbv	0.011	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD
Surrogates				Limits					
Bromofluorobenzene	81%		%REC	60-140	1.1	401457	04/22/26 15:39	04/22/26 15:39	OHD

Analysis Results for 557986

Sample ID: MS-10	Lab ID: 557986-005	Collected: 04/21/26 08:11
Matrix: Air		

557986-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Freon 12	0.39		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Chloromethane	0.47		ppbv	0.11	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Freon 114	0.014		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Bromomethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Chloroethane	0.011		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Methylene Chloride	0.11		ppbv	0.022	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Freon 113	0.054		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Chloroform	0.020		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Benzene	0.080		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Carbon Tetrachloride	0.067		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Trichloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Toluene	0.15		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Ethylbenzene	0.014		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
m,p-Xylenes	0.042		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Bromoform	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Styrene	0.086		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
o-Xylene	0.017		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,2,4-Trimethylbenzene	0.013		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD

Analysis Results for 557986

557986-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Xylene (total)	0.059		ppbv	0.011	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD
Surrogates				Limits					
Bromofluorobenzene	84%		%REC	60-140	1.1	401457	04/22/26 16:31	04/22/26 16:31	OHD

Analysis Results for 557986

Sample ID: MS-06	Lab ID: 557986-006	Collected: 04/21/26 08:31
Matrix: Air		

557986-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Freon 12	0.39		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Chloromethane	0.47		ppbv	0.10	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Freon 114	0.013		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Vinyl Chloride	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Bromomethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Chloroethane	0.085		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Vinyl bromide	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Methylene Chloride	0.15		ppbv	0.020	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Freon 113	0.054		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Chloroform	0.018		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,2-Dichloroethane	0.016		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Benzene	0.096		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Carbon Tetrachloride	0.067		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Bromodichloromethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Trichloroethene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Toluene	0.12		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Dibromochloromethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Tetrachloroethene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Chlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Ethylbenzene	0.013		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
m,p-Xylenes	0.033		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Bromoform	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Styrene	0.034		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
o-Xylene	0.013		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Benzyl chloride	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD

Analysis Results for 557986

557986-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Xylene (total)	0.046		ppbv	0.010	1	401457	04/22/26 17:24	04/22/26 17:24	OHD
Surrogates				Limits					
Bromofluorobenzene	80%		%REC	60-140	1	401457	04/22/26 17:24	04/22/26 17:24	OHD

Analysis Results for 557986

Sample ID: MS-11	Lab ID: 557986-007	Collected: 04/21/26 08:58
Matrix: Air		

557986-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Freon 12	0.39		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Chloromethane	0.48		ppbv	0.10	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Freon 114	0.014		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Vinyl Chloride	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Bromomethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Chloroethane	0.021		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Vinyl bromide	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Trichlorofluoromethane	0.17		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Methylene Chloride	0.10		ppbv	0.021	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Freon 113	0.055		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Chloroform	0.018		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,2-Dichloroethane	0.015		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Benzene	0.050		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Carbon Tetrachloride	0.067		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Bromodichloromethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Trichloroethene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Toluene	0.16		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Dibromochloromethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Tetrachloroethene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Chlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Ethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
m,p-Xylenes	0.023		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Bromoform	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Styrene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
o-Xylene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Benzyl chloride	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD

Analysis Results for 557986

557986-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Xylene (total)	0.023		ppbv	0.010	1	401457	04/22/26 18:17	04/22/26 18:17	OHD
Surrogates				Limits					
Bromofluorobenzene	81%		%REC	60-140	1	401457	04/22/26 18:17	04/22/26 18:17	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1362427	Batch: 401457
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1362427 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	216.3	200.0	pptv	108%		70-130
1,1,1,2-Tetrachloroethane	210.9	200.0	pptv	105%		70-130
Freon 12	198.2	200.0	pptv	99%		70-130
Chloromethane	194.2	200.0	pptv	97%		70-130
Freon 114	198.5	200.0	pptv	99%		70-130
Vinyl Chloride	196.5	200.0	pptv	98%		70-130
Bromomethane	192.9	200.0	pptv	96%		70-130
Chloroethane	196.5	200.0	pptv	98%		70-130
Vinyl bromide	193.9	200.0	pptv	97%		70-130
Trichlorofluoromethane	197.8	200.0	pptv	99%		70-130
1,1-Dichloroethene	193.0	200.0	pptv	97%		70-130
Methylene Chloride	195.6	200.0	pptv	98%		70-130
Freon 113	198.4	200.0	pptv	99%		70-130
trans-1,2-Dichloroethene	190.7	200.0	pptv	95%		70-130
1,1-Dichloroethane	197.0	200.0	pptv	98%		70-130
cis-1,2-Dichloroethene	189.2	200.0	pptv	95%		70-130
Chloroform	198.4	200.0	pptv	99%		70-130
1,2-Dichloroethane	196.5	200.0	pptv	98%		70-130
1,1,1-Trichloroethane	198.6	200.0	pptv	99%		70-130
Benzene	183.6	200.0	pptv	92%		70-130
Carbon Tetrachloride	198.7	200.0	pptv	99%		70-130
1,2-Dichloropropane	199.0	200.0	pptv	100%		70-130
Bromodichloromethane	198.6	200.0	pptv	99%		70-130
Trichloroethene	194.8	200.0	pptv	97%		70-130
cis-1,3-Dichloropropene	192.8	200.0	pptv	96%		70-130
trans-1,3-Dichloropropene	188.1	200.0	pptv	94%		70-130
1,1,2-Trichloroethane	197.3	200.0	pptv	99%		70-130
Toluene	182.8	200.0	pptv	91%		70-130
Dibromochloromethane	191.4	200.0	pptv	96%		70-130
1,2-Dibromoethane	192.0	200.0	pptv	96%		70-130
Tetrachloroethene	192.7	200.0	pptv	96%		70-130
Chlorobenzene	200.3	200.0	pptv	100%		70-130
Ethylbenzene	186.2	200.0	pptv	93%		70-130
m,p-Xylenes	390.0	400.0	pptv	97%		70-130
Bromoform	194.7	200.0	pptv	97%		70-130
Styrene	195.6	200.0	pptv	98%		70-130
o-Xylene	208.8	200.0	pptv	104%		70-130
2-Chlorotoluene	201.8	200.0	pptv	101%		70-130
1,3,5-Trimethylbenzene	213.5	200.0	pptv	107%		70-130
1,2,4-Trimethylbenzene	206.7	200.0	pptv	103%		70-130
Benzyl chloride	212.2	200.0	pptv	106%		70-130
1,3-Dichlorobenzene	224.5	200.0	pptv	112%		70-130
1,4-Dichlorobenzene	218.3	200.0	pptv	109%		70-130
1,2-Dichlorobenzene	212.5	200.0	pptv	106%		70-130
1,2,4-Trichlorobenzene	172.5	200.0	pptv	86%		70-130
Hexachlorobutadiene	188.7	200.0	pptv	94%		70-130

Surrogates

Batch QC

QC1362427 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	254.0	250.0	pptv	102%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1362428	Batch: 401457
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1362428 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	218.1	200.0	pptv	109%		70-130	1	25
1,1,1,2-Tetrachloroethane	210.9	200.0	pptv	105%		70-130	0	25
Freon 12	201.5	200.0	pptv	101%		70-130	2	25
Chloromethane	196.1	200.0	pptv	98%		70-130	1	25
Freon 114	201.0	200.0	pptv	100%		70-130	1	25
Vinyl Chloride	198.6	200.0	pptv	99%		70-130	1	25
Bromomethane	196.1	200.0	pptv	98%		70-130	2	25
Chloroethane	198.7	200.0	pptv	99%		70-130	1	25
Vinyl bromide	198.7	200.0	pptv	99%		70-130	2	25
Trichlorofluoromethane	201.9	200.0	pptv	101%		70-130	2	25
1,1-Dichloroethene	198.9	200.0	pptv	99%		70-130	3	25
Methylene Chloride	197.3	200.0	pptv	99%		70-130	1	25
Freon 113	201.5	200.0	pptv	101%		70-130	2	25
trans-1,2-Dichloroethene	196.1	200.0	pptv	98%		70-130	3	25
1,1-Dichloroethane	202.3	200.0	pptv	101%		70-130	3	25
cis-1,2-Dichloroethene	196.2	200.0	pptv	98%		70-130	4	25
Chloroform	201.7	200.0	pptv	101%		70-130	2	25
1,2-Dichloroethane	201.0	200.0	pptv	101%		70-130	2	25
1,1,1-Trichloroethane	203.4	200.0	pptv	102%		70-130	2	25
Benzene	190.3	200.0	pptv	95%		70-130	4	25
Carbon Tetrachloride	203.0	200.0	pptv	102%		70-130	2	25
1,2-Dichloropropane	200.7	200.0	pptv	100%		70-130	1	25
Bromodichloromethane	199.8	200.0	pptv	100%		70-130	1	25
Trichloroethene	197.6	200.0	pptv	99%		70-130	1	25
cis-1,3-Dichloropropene	194.9	200.0	pptv	97%		70-130	1	25
trans-1,3-Dichloropropene	193.5	200.0	pptv	97%		70-130	3	25
1,1,2-Trichloroethane	199.4	200.0	pptv	100%		70-130	1	25
Toluene	187.7	200.0	pptv	94%		70-130	3	25
Dibromochloromethane	193.5	200.0	pptv	97%		70-130	1	25
1,2-Dibromoethane	195.4	200.0	pptv	98%		70-130	2	25
Tetrachloroethene	195.1	200.0	pptv	98%		70-130	1	25
Chlorobenzene	202.9	200.0	pptv	101%		70-130	1	25
Ethylbenzene	191.0	200.0	pptv	95%		70-130	3	25
m,p-Xylenes	401.4	400.0	pptv	100%		70-130	3	25
Bromoform	195.6	200.0	pptv	98%		70-130	0	25
Styrene	200.1	200.0	pptv	100%		70-130	2	25
o-Xylene	213.5	200.0	pptv	107%		70-130	2	25
2-Chlorotoluene	206.7	200.0	pptv	103%		70-130	2	25
1,3,5-Trimethylbenzene	219.7	200.0	pptv	110%		70-130	3	25
1,2,4-Trimethylbenzene	214.2	200.0	pptv	107%		70-130	4	25
Benzyl chloride	217.2	200.0	pptv	109%		70-130	2	25
1,3-Dichlorobenzene	224.7	200.0	pptv	112%		70-130	0	25
1,4-Dichlorobenzene	222.6	200.0	pptv	111%		70-130	2	25
1,2-Dichlorobenzene	214.7	200.0	pptv	107%		70-130	1	25
1,2,4-Trichlorobenzene	177.4	200.0	pptv	89%		70-130	3	25
Hexachlorobutadiene	191.2	200.0	pptv	96%		70-130	1	25

Batch QC

QC1362428 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	248.5	250.0	pptv	99%		70-130		

Batch QC


Type: Blank	Lab ID: QC1362429	Batch: 401457
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1362429 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,1,1,2-Tetrachloroethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Freon 12	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Chloromethane	ND		pptv	100	04/22/26 10:04	04/22/26 10:04
Freon 114	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Vinyl Chloride	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Bromomethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Chloroethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Vinyl bromide	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Trichlorofluoromethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,1-Dichloroethene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Methylene Chloride	ND		pptv	20	04/22/26 10:04	04/22/26 10:04
Freon 113	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
trans-1,2-Dichloroethene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,1-Dichloroethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
cis-1,2-Dichloroethene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Chloroform	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,2-Dichloroethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,1,1-Trichloroethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Benzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Carbon Tetrachloride	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,2-Dichloropropane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Bromodichloromethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Trichloroethene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
cis-1,3-Dichloropropene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
trans-1,3-Dichloropropene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,1,2-Trichloroethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Toluene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Dibromochloromethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,2-Dibromoethane	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Tetrachloroethene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Chlorobenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Ethylbenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
m,p-Xylenes	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Bromoform	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Styrene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
o-Xylene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
2-Chlorotoluene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,3,5-Trimethylbenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,2,4-Trimethylbenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Benzyl chloride	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,3-Dichlorobenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,4-Dichlorobenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,2-Dichlorobenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
1,2,4-Trichlorobenzene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Hexachlorobutadiene	ND		pptv	10	04/22/26 10:04	04/22/26 10:04
Xylene (total)	ND		pptv	10	04/22/26 10:04	04/22/26 10:04

Batch QC

QC1362429 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	75%		%REC	70-130	04/22/26 10:04	04/22/26 10:04

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 260949
REPORT DATE : 05/01/2026


On April 21st 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	260949-89130
MS-12	260949-89131
MS-08	260949-89132
MS-09	260949-89133
MS-10	260949-89134
MS-06	260949-89135
MS-11	260949-89136


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
 PROJECT NO. : 260949
 MATRIX : AIR
 UNITS : ppmv


SAMPLING DATE : 04/20-21/2026
 RECEIVING DATE : 04/21/2026
 ANALYSIS DATE : 04/21/2026
 REPORT DATE : 05/01/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	260949-89130	260949-89131	260949-89132	260949-89133
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
 PROJECT NO. : 260949
 MATRIX : AIR
 UNITS : ppmv

SAMPLING DATE : 04/20-21/2026
 RECEIVING DATE : 04/21/2026
 ANALYSIS DATE : 04/21/2026
 REPORT DATE : 05/01/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	260949-89134	260949-89135	260949-89136
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
 Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 4/21/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21341	480	95.7	0.3
Duplicate	21226	477	95.2	0.3
Triplicate	21292	478	95.5	0.0

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20650	537	104.7	0.7
Duplicate	20193	526	102.4	1.5
Triplicate	20646	537	104.7	0.7

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	23034	510	97.7	1.5
Duplicate	22518	499	95.5	0.8
Triplicate	22515	499	95.5	0.8

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260895-88782

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate




Sample ID 260895-88782 x2


Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	252.4	241.3	100.7	96.3	4.5
MeSH	<PQL	256.6	282.2	275.9	110.0	107.5	2.2
DMS	<PQL	261.1	269.0	257.0	103.0	98.4	4.6

Closing Calibration Verification Standard


Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	505.9	100.9
MeSH	513.3	549.3	107.0
DMS	522.3	529.6	101.4

* Must be 95-105%, ** Must be 90-110%, *** Must be <10%, **** Must be <5% RPD from Mean result.
PQL = 50.0 ppbV

Client/Project Name: SCS ENGINEERS / Chelita Landfill Air/soil sampling		Project Location: Valencia, CA		ANALYSES			
Project No.:		Field Logbook No.:					
Sampler: (Print) Aiden Sanchez-Orue		(Signature) 		No. of Containers: 7		30791 SWIFUR	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	4-20/21-26	0716-0716	89130		X		
MS-12	4-20/21-26	0734-0734	89131		X		
MS-08	4-20/21-26	0745-0745	89132		X		
MS-09	4-20/21-26	0759-0759	89132		X		
MS-10	4-20/21-26	0811-0811	89134		X		
MS-06	4-20/21-26	0831-0831	89135		X		
MS-11	4-20/21-26	0858-0858	89136		X		
Relinquished by: (Signature) 		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)				Received by: (Signature)			
Relinquished by: (Signature)				Received for Laboratory: (Signature) 		Date	Time
Sample Disposal Method:		Disposed of by: (Signature)		Date	Time	Date	Time
Sample Collector		Analytical Laboratory		AAC Ventura			

RIS 

Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 261020
REPORT DATE : 05/01/2026


On April 28th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	261020-89431
MS-12	261020-89432
MS-08	261020-89433
MS-09	261020-89434
MS-10	261020-89435
MS-06	261020-89436
MS-11	261020-89437


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aaclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261020
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 04/27-28/2026
RECEIVING DATE : 04/28/2026
ANALYSIS DATE : 04/28/2026
REPORT DATE : 05/01/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	261020-89431	261020-89432	261020-89433	261020-89434
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261020
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 04/27-28/2026
RECEIVING DATE : 04/28/2026
ANALYSIS DATE : 04/28/2026
REPORT DATE : 05/01/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	261020-89435	261020-89436	261020-89437
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO2	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 4/28/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 02/10/2025

Opening Calibration Verification Standard
501.3 ppbV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	21237	477	95.2	0.1
Duplicate	21226	477	95.2	0.2
Triplicate	21323	479	95.6	0.3

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	20671	538	104.8	0.3
Duplicate	20486	533	103.9	0.6
Triplicate	20690	539	104.9	0.4

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	22575	500	95.8	0.6
Duplicate	22561	500	95.7	0.6
Triplicate	22972	509	97.4	1.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260895-88782

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260895-88782 x2




Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	240.3	239.7	95.9	95.6	0.3
MeSH	<PQL	256.6	275.3	280.6	107.3	109.3	1.9
DMS	<PQL	261.1	258.4	263.3	99.0	100.8	1.9


Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	470.6	93.9
MeSH	513.3	520.0	101.3
DMS	522.3	476.5	91.2

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.
PQL = 50.0 ppbV

CHAIN OF CUSTODY RECORD 261020

Client/Project Name Chiquita Landfill Air/soil sampling		Project Location Venturoy CA		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) Aiden Sanchez-Ome		(Signature) 		No. Of Containers 7		307.91 sulfur	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks	Date	Time
MS-07	4-27/28-26	0710-0710	89431	10 Liter Bag	X		
MS-12	4-27/28-26	0727-0727	89432	10 Liter Bag	X		
MS-08	4-27/28-26	0738-0738	89433	10 Liter Bag	X		
MS-09	4-27/28-26	0752-0752	89434	10 Liter Bag	X		
MS-10	4-27/28-26	0804-0804	89435	10 Liter Bag	X		
MS-06	4-27/28-26	0828-0828	89436	10 Liter Bag	X		
MS-11	4-27/28-26	0854-0854	89437	10 Liter Bag	X		
Relinquished by: (Signature) 		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)			4/28/26 1020				
Relinquished by: (Signature)				Received for Laboratory: (Signature) 		4/28/26	1020
Sample Disposal Method:		Disposed of by: (Signature)					
Sample Collector		Analytical Laboratory AAC VENTURO					



Sample Summary

Raymond Huff	Lab Job #:	558437
SCS Engineers - Long Beach	Project No:	CHIQUITA WEEKLY AIR
3900 Kilroy Airport Way	Location:	Chiquita Canyon Landfill Air/Odor Sampling
Suite 300	Date Received:	04/28/26
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	558437-001	04/28/26 07:10	Air
MS-12	558437-002	04/28/26 07:27	Air
MS-08	558437-003	04/28/26 07:38	Air
MS-09	558437-004	04/28/26 07:52	Air
MS-10	558437-005	04/28/26 08:04	Air
MS-06	558437-006	04/28/26 08:28	Air
MS-11	558437-007	04/28/26 08:54	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 558437
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 04/28/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 04/28/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS Engineers	Name:	Clayton Canyon Landfill Air/Odor Sampling
Report To:	Roy Huff	Number:	
Email:	rhuff@scsengineers.com	Address:	VO-101010-CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA	Global ID:	
Phone:	562-355-6334	Sampled By:	Aiden Sanchez-Orme
Fax:	562-427-0805		

Special Instructions:

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Analysis Request	Required Turnaround Time										
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)			Date	Time	Canister Pressure (in. Hg)							
1 MS-07	A	C70995	6L	A70034	4/28/26	0710	-30	4/28/26	0710	-8	X								
2 MS-12	A	C70400	6L	A70233	4/27/26	0722	-30	4/28/26	0727	-7	X								
3 MS-08	A	C71115	6L	A70448	4/27/26	0738	-30	4/28/26	0738	-7	X								
4 MS-09	A	C70792	6L	A70618	4/27/26	0752	-28	4/28/26	0752	-9	X								
5 MS-10	A	C70304	6L	A70610	4/27/26	0804	-28	4/28/26	0804	-4	X								
6 MS-06	A	C70990	6L	A70637	4/27/26	0828	-28	4/28/26	0828	-4	X								
7 MS-11	A	C70323	6L	A70106	4/27/26	0854	-29	4/28/26	0854	-7	X								
8																			
9																			
10																			



Login 558437



RELINQUISHED BY:	<i>[Signature]</i>	PRINT NAME	Aiden Sanchez-Orme	COMPANY/TITLE	RES	DATE / TIME	4/28/26 12:35
RECEIVED BY:	<i>[Signature]</i>		Anna Roberts		OR		4-28-26 12:35
RELINQUISHED BY:							
RECEIVED BY:							
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST

Section 1: General Info			
Date Received: <u>4/28/26</u> Job#: <u>558437</u> Client: <u>SCS Engineers</u>			
Section 2: Shipping / Custody			Are custody seals present? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Custody seals intact on arrival? <input checked="" type="checkbox"/> N/A <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> On cooler / box <input type="checkbox"/> On samples			
<input type="checkbox"/> Courier <input checked="" type="checkbox"/> Walk-In <input type="checkbox"/> Field Sampling <input type="checkbox"/> Shipping Info: _____			
Section 3a: Condition / Packaging			<input type="checkbox"/> Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)
Date Opened <u>04/28/26</u> By (initials) <u>AGR</u> Type of ice used: <input type="checkbox"/> Wet <input type="checkbox"/> Blue/Gel <input checked="" type="checkbox"/> None			
<input type="checkbox"/> Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)			
<input checked="" type="checkbox"/> Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)			
If no cooler: Observed/Corrected Temp (°C): _____ / _____ Thermometer/IR Gun ID: _____ CF: _____			
Cooler Temp (obs/corr) (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____			
Section 3b: Microbiology Samples			<input checked="" type="checkbox"/> No microbiology samples submitted (skip 3b)
<input type="checkbox"/> Within temp range 0.0 - 10.0°C or received on ice directly from field.			
<input type="checkbox"/> Adequate headspace for microbiology analysis.			
Section 3c: Air Samples			<input type="checkbox"/> No air samples submitted (skip 3c)
<input type="checkbox"/> 1.4L Canisters <input checked="" type="checkbox"/> 6L Canisters <input type="checkbox"/> Tedlar Bags <input type="checkbox"/> MCE Cassettes <input type="checkbox"/> Sorbent Tubes <input type="checkbox"/> Other _____			
Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?		X	
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X
Section 5: Explanations / Comments (If no comments are made, then no discrepancies noted.)			
4.6 - No sampling date and time on canister tags.			
<input type="checkbox"/> No additional discrepancies			
Form Completed By (print): _____ FPD		(sign): _____	
Date Labeled: <u>04/28/26</u> By (print): _____ FPD		(sign): _____	

Analysis Results for 558437

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 558437
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 04/28/26

Sample ID: MS-07	Lab ID: 558437-001	Collected: 04/28/26 07:10
Matrix: Air		

558437-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Freon 12	0.45		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Chloromethane	0.54		ppbv	0.10	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Freon 114	0.016		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Vinyl Chloride	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Bromomethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Chloroethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Vinyl bromide	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Methylene Chloride	0.11		ppbv	0.020	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Freon 113	0.061		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Chloroform	0.015		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Benzene	0.052		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Bromodichloromethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Trichloroethene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Toluene	0.049		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Dibromochloromethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Tetrachloroethene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Chlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Ethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
m,p-Xylenes	0.018		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Bromoform	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Styrene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
o-Xylene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD

Analysis Results for 558437

558437-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Hexachlorobutadiene	ND		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Xylene (total)	0.018		ppbv	0.010	1	402187	04/29/26 19:41	04/29/26 19:41	OHD
Surrogates				Limits					
Bromofluorobenzene	100%		%REC	60-140	1	402187	04/29/26 19:41	04/29/26 19:41	OHD

Analysis Results for 558437

Sample ID: MS-12	Lab ID: 558437-002	Collected: 04/28/26 07:27
Matrix: Air		

558437-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Freon 12	0.44		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Chloromethane	0.52		ppbv	0.10	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Freon 114	0.016		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Vinyl Chloride	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Bromomethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Chloroethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Vinyl bromide	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Methylene Chloride	0.11		ppbv	0.020	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Freon 113	0.060		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Chloroform	0.015		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Benzene	0.053		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Carbon Tetrachloride	0.073		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Bromodichloromethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Trichloroethene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Toluene	0.064		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Dibromochloromethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Tetrachloroethene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Chlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Ethylbenzene	0.010		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
m,p-Xylenes	0.031		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Bromoform	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Styrene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
o-Xylene	0.012		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,2,4-Trimethylbenzene	0.012		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Benzyl chloride	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD

Analysis Results for 558437

558437-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Xylene (total)	0.043		ppbv	0.010	1	402187	04/29/26 20:29	04/29/26 20:29	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1	402187	04/29/26 20:29	04/29/26 20:29	OHD

Analysis Results for 558437

Sample ID: MS-08	Lab ID: 558437-003	Collected: 04/28/26 07:38
Matrix: Air		

558437-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Freon 12	0.45		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Chloromethane	0.52		ppbv	0.10	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Freon 114	0.016		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Vinyl Chloride	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Bromomethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Chloroethane	0.013		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Vinyl bromide	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Methylene Chloride	0.12		ppbv	0.020	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Freon 113	0.061		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Chloroform	0.015		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Benzene	0.048		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Bromodichloromethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Trichloroethene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Toluene	0.051		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Dibromochloromethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Tetrachloroethene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Chlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Ethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
m,p-Xylenes	0.020		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Bromoform	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Styrene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
o-Xylene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Benzyl chloride	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD

Analysis Results for 558437

558437-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Xylene (total)	0.020		ppbv	0.010	1	402187	04/29/26 21:18	04/29/26 21:18	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1	402187	04/29/26 21:18	04/29/26 21:18	OHD

Analysis Results for 558437

Sample ID: MS-09	Lab ID: 558437-004	Collected: 04/28/26 07:52
Matrix: Air		

558437-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Freon 12	0.43		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Chloromethane	0.53		ppbv	0.12	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Freon 114	0.016		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Bromomethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Chloroethane	0.12		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Trichlorofluoromethane	0.18		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Methylene Chloride	0.11		ppbv	0.024	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Freon 113	0.058		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Chloroform	0.019		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,2-Dichloroethane	0.019		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Benzene	0.099		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Carbon Tetrachloride	0.071		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Trichloroethene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Toluene	0.17		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Ethylbenzene	0.013		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
m,p-Xylenes	0.036		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Bromoform	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Styrene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
o-Xylene	0.014		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD

Analysis Results for 558437

558437-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Xylene (total)	0.049		ppbv	0.012	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD
Surrogates				Limits					
Bromofluorobenzene	96%		%REC	60-140	1.2	402187	04/29/26 22:07	04/29/26 22:07	OHD

Analysis Results for 558437

Sample ID: MS-10	Lab ID: 558437-005	Collected: 04/28/26 08:04
Matrix: Air		

558437-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Freon 12	0.44		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Chloromethane	0.52		ppbv	0.10	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Freon 114	0.016		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Vinyl Chloride	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Bromomethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Chloroethane	0.093		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Vinyl bromide	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Methylene Chloride	0.11		ppbv	0.020	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Freon 113	0.059		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Chloroform	0.020		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Benzene	0.095		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Carbon Tetrachloride	0.072		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Bromodichloromethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Trichloroethene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Toluene	0.14		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Dibromochloromethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Tetrachloroethene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Chlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Ethylbenzene	0.013		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
m,p-Xylenes	0.036		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Bromoform	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Styrene	0.016		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
o-Xylene	0.014		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Benzyl chloride	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD

Analysis Results for 558437

558437-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Xylene (total)	0.050		ppbv	0.010	1	402187	04/29/26 22:55	04/29/26 22:55	OHD
Surrogates				Limits					
Bromofluorobenzene	95%		%REC	60-140	1	402187	04/29/26 22:55	04/29/26 22:55	OHD

Analysis Results for 558437

Sample ID: MS-06	Lab ID: 558437-006	Collected: 04/28/26 08:28
Matrix: Air		

558437-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Freon 12	0.45		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Chloromethane	0.94		ppbv	0.10	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Freon 114	0.016		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Vinyl Chloride	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Bromomethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Chloroethane	0.067		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Vinyl bromide	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Methylene Chloride	0.12		ppbv	0.020	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Freon 113	0.060		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Chloroform	0.017		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,2-Dichloroethane	0.018		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Benzene	0.31		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Carbon Tetrachloride	0.074		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Bromodichloromethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Trichloroethene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Toluene	0.17		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Dibromochloromethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Tetrachloroethene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Chlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Ethylbenzene	0.012		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
m,p-Xylenes	0.035		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Bromoform	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Styrene	0.13		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
o-Xylene	0.013		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,2,4-Trimethylbenzene	0.012		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Benzyl chloride	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD

Analysis Results for 558437

558437-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Xylene (total)	0.049		ppbv	0.010	1	402187	04/29/26 23:43	04/29/26 23:43	OHD
Surrogates				Limits					
Bromofluorobenzene	97%		%REC	60-140	1	402187	04/29/26 23:43	04/29/26 23:43	OHD

Analysis Results for 558437

Sample ID: MS-11	Lab ID: 558437-007	Collected: 04/28/26 08:54
Matrix: Air		

558437-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Freon 12	0.44		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Chloromethane	0.52		ppbv	0.10	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Freon 114	0.016		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Vinyl Chloride	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Bromomethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Chloroethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Vinyl bromide	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Trichlorofluoromethane	0.19		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Methylene Chloride	0.11		ppbv	0.020	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Freon 113	0.060		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Chloroform	0.020		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,2-Dichloroethane	0.017		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Benzene	0.047		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Carbon Tetrachloride	0.073		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Bromodichloromethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Trichloroethene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Toluene	0.054		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Dibromochloromethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Tetrachloroethene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Chlorobenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Ethylbenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
m,p-Xylenes	0.027		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Bromoform	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Styrene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
o-Xylene	0.011		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Benzyl chloride	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD

Analysis Results for 558437

558437-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Xylene (total)	0.038		ppbv	0.010	1	402187	04/30/26 00:32	04/30/26 00:32	OHD
Surrogates				Limits					
Bromofluorobenzene	99%		%REC	60-140	1	402187	04/30/26 00:32	04/30/26 00:32	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1365072	Batch: 402187
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1365072 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	211.6	200.0	pptv	106%		70-130
1,1,1,2-Tetrachloroethane	207.1	200.0	pptv	104%		70-130
Freon 12	195.9	200.0	pptv	98%		70-130
Chloromethane	183.9	200.0	pptv	92%		70-130
Freon 114	202.5	200.0	pptv	101%		70-130
Vinyl Chloride	191.3	200.0	pptv	96%		70-130
Bromomethane	200.8	200.0	pptv	100%		70-130
Chloroethane	184.4	200.0	pptv	92%		70-130
Vinyl bromide	197.0	200.0	pptv	98%		70-130
Trichlorofluoromethane	196.7	200.0	pptv	98%		70-130
1,1-Dichloroethene	197.6	200.0	pptv	99%		70-130
Methylene Chloride	193.4	200.0	pptv	97%		70-130
Freon 113	195.7	200.0	pptv	98%		70-130
trans-1,2-Dichloroethene	191.2	200.0	pptv	96%		70-130
1,1-Dichloroethane	195.5	200.0	pptv	98%		70-130
cis-1,2-Dichloroethene	193.5	200.0	pptv	97%		70-130
Chloroform	194.1	200.0	pptv	97%		70-130
1,2-Dichloroethane	190.9	200.0	pptv	95%		70-130
1,1,1-Trichloroethane	203.3	200.0	pptv	102%		70-130
Benzene	189.8	200.0	pptv	95%		70-130
Carbon Tetrachloride	200.9	200.0	pptv	100%		70-130
1,2-Dichloropropane	193.6	200.0	pptv	97%		70-130
Bromodichloromethane	194.9	200.0	pptv	97%		70-130
Trichloroethene	197.9	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	205.3	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	209.3	200.0	pptv	105%		70-130
1,1,2-Trichloroethane	196.4	200.0	pptv	98%		70-130
Toluene	197.5	200.0	pptv	99%		70-130
Dibromochloromethane	203.5	200.0	pptv	102%		70-130
1,2-Dibromoethane	191.8	200.0	pptv	96%		70-130
Tetrachloroethene	208.5	200.0	pptv	104%		70-130
Chlorobenzene	201.8	200.0	pptv	101%		70-130
Ethylbenzene	211.3	200.0	pptv	106%		70-130
m,p-Xylenes	436.9	400.0	pptv	109%		70-130
Bromoform	210.5	200.0	pptv	105%		70-130
Styrene	210.6	200.0	pptv	105%		70-130
o-Xylene	224.6	200.0	pptv	112%		70-130
2-Chlorotoluene	220.4	200.0	pptv	110%		70-130
1,3,5-Trimethylbenzene	231.7	200.0	pptv	116%		70-130
1,2,4-Trimethylbenzene	231.7	200.0	pptv	116%		70-130
Benzyl chloride	252.4	200.0	pptv	126%		70-130
1,3-Dichlorobenzene	208.8	200.0	pptv	104%		70-130
1,4-Dichlorobenzene	195.4	200.0	pptv	98%		70-130
1,2-Dichlorobenzene	215.3	200.0	pptv	108%		70-130
1,2,4-Trichlorobenzene	212.1	200.0	pptv	106%		70-130
Hexachlorobutadiene	216.7	200.0	pptv	108%		70-130

Surrogates

Batch QC

QC1365072 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	264.6	250.0	pptv	106%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1365073	Batch: 402187
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1365073 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	206.7	200.0	pptv	103%		70-130	2	25
1,1,1,2-Tetrachloroethane	202.6	200.0	pptv	101%		70-130	2	25
Freon 12	191.1	200.0	pptv	96%		70-130	2	25
Chloromethane	180.6	200.0	pptv	90%		70-130	2	25
Freon 114	197.2	200.0	pptv	99%		70-130	3	25
Vinyl Chloride	186.8	200.0	pptv	93%		70-130	2	25
Bromomethane	195.4	200.0	pptv	98%		70-130	3	25
Chloroethane	180.5	200.0	pptv	90%		70-130	2	25
Vinyl bromide	191.9	200.0	pptv	96%		70-130	3	25
Trichlorofluoromethane	191.1	200.0	pptv	96%		70-130	3	25
1,1-Dichloroethene	192.3	200.0	pptv	96%		70-130	3	25
Methylene Chloride	188.1	200.0	pptv	94%		70-130	3	25
Freon 113	190.6	200.0	pptv	95%		70-130	3	25
trans-1,2-Dichloroethene	186.8	200.0	pptv	93%		70-130	2	25
1,1-Dichloroethane	190.6	200.0	pptv	95%		70-130	3	25
cis-1,2-Dichloroethene	189.0	200.0	pptv	94%		70-130	2	25
Chloroform	189.7	200.0	pptv	95%		70-130	2	25
1,2-Dichloroethane	187.2	200.0	pptv	94%		70-130	2	25
1,1,1-Trichloroethane	197.7	200.0	pptv	99%		70-130	3	25
Benzene	185.8	200.0	pptv	93%		70-130	2	25
Carbon Tetrachloride	196.0	200.0	pptv	98%		70-130	2	25
1,2-Dichloropropane	189.0	200.0	pptv	94%		70-130	2	25
Bromodichloromethane	189.3	200.0	pptv	95%		70-130	3	25
Trichloroethene	192.3	200.0	pptv	96%		70-130	3	25
cis-1,3-Dichloropropene	199.7	200.0	pptv	100%		70-130	3	25
trans-1,3-Dichloropropene	204.0	200.0	pptv	102%		70-130	3	25
1,1,2-Trichloroethane	192.0	200.0	pptv	96%		70-130	2	25
Toluene	193.0	200.0	pptv	97%		70-130	2	25
Dibromochloromethane	198.4	200.0	pptv	99%		70-130	3	25
1,2-Dibromoethane	186.4	200.0	pptv	93%		70-130	3	25
Tetrachloroethene	201.6	200.0	pptv	101%		70-130	3	25
Chlorobenzene	197.3	200.0	pptv	99%		70-130	2	25
Ethylbenzene	206.6	200.0	pptv	103%		70-130	2	25
m,p-Xylenes	428.0	400.0	pptv	107%		70-130	2	25
Bromoform	205.6	200.0	pptv	103%		70-130	2	25
Styrene	206.6	200.0	pptv	103%		70-130	2	25
o-Xylene	221.8	200.0	pptv	111%		70-130	1	25
2-Chlorotoluene	215.2	200.0	pptv	108%		70-130	2	25
1,3,5-Trimethylbenzene	227.1	200.0	pptv	114%		70-130	2	25
1,2,4-Trimethylbenzene	226.4	200.0	pptv	113%		70-130	2	25
Benzyl chloride	248.1	200.0	pptv	124%		70-130	2	25
1,3-Dichlorobenzene	200.4	200.0	pptv	100%		70-130	4	25
1,4-Dichlorobenzene	193.1	200.0	pptv	97%		70-130	1	25
1,2-Dichlorobenzene	210.7	200.0	pptv	105%		70-130	2	25
1,2,4-Trichlorobenzene	201.9	200.0	pptv	101%		70-130	5	25
Hexachlorobutadiene	211.4	200.0	pptv	106%		70-130	2	25

Batch QC

QC1365073 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	265.2	250.0	pptv	106%		70-130		

Batch QC

Type: Blank	Lab ID: QC1365074	Batch: 402187
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1365074 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,1,1,2-Tetrachloroethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Freon 12	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Chloromethane	ND		pptv	100	04/29/26 12:26	04/29/26 12:26
Freon 114	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Vinyl Chloride	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Bromomethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Chloroethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Vinyl bromide	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Trichlorofluoromethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,1-Dichloroethene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Methylene Chloride	ND		pptv	20	04/29/26 12:26	04/29/26 12:26
Freon 113	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
trans-1,2-Dichloroethene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,1-Dichloroethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
cis-1,2-Dichloroethene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Chloroform	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,2-Dichloroethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,1,1-Trichloroethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Benzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Carbon Tetrachloride	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,2-Dichloropropane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Bromodichloromethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Trichloroethene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
cis-1,3-Dichloropropene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
trans-1,3-Dichloropropene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,1,2-Trichloroethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Toluene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Dibromochloromethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,2-Dibromoethane	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Tetrachloroethene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Chlorobenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Ethylbenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
m,p-Xylenes	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Bromoform	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Styrene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
o-Xylene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
2-Chlorotoluene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,3,5-Trimethylbenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,2,4-Trimethylbenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Benzyl chloride	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,3-Dichlorobenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,4-Dichlorobenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,2-Dichlorobenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
1,2,4-Trichlorobenzene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Hexachlorobutadiene	ND		pptv	10	04/29/26 12:26	04/29/26 12:26
Xylene (total)	ND		pptv	10	04/29/26 12:26	04/29/26 12:26

Batch QC

QC1365074 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	94%		%REC	70-130	04/29/26 12:26	04/29/26 12:26

ND Not Detected