

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-108-52	4/1/2026 8:15:00 AM							4700						AirTech Lab; [User entered 0.47%]
CV-108-52	4/1/2026 8:15:00 AM						66							AirTech Lab
CV-108-52	4/1/2026 10:21:30 AM	45.6	53.9	0.0	0.5	0.8			108.9	107.4	-6.25	-5.04	-9.78	Comments:,,,,,,
CV-108-52	4/20/2026 2:17:43 PM	56.7	42.9	0.0	0.4	1.3			102.7	104.3	-7.45	-7.69	-9.10	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Fair
CV-113	4/7/2026 8:50:00 AM							6100						Air Tech Lab; [User entered 0.61%]
CV-113	4/7/2026 8:50:00 AM						810							Air Tech Lab
CV-113	4/8/2026 12:27:31 PM	11.3	84.8	0.6	3.3	0.1			86.1	86.4	-0.11	-0.06	-2.83	Valve Adjustment:Barely Open
CV-113	4/16/2026 2:00:04 PM	14.0	74.4	0.1	11.6	0.2			86.6	86.5	-0.29	-0.28	-5.90	Valve Adjustment:NSPS/EG CAC,Barely Open
CV-114	4/6/2026 8:55:39 AM	1.8	83.7	0.0	14.5	0.0			164.4	168.0	-2.31	-3.13	-6.24	Valve Adjustment:High Temp
CV-114	4/6/2026 9:00:00 AM							151300						AtmAA; [User entered 15.13%]
CV-114	4/6/2026 9:00:00 AM						4140							AtmAA
CV-114	4/13/2026 9:04:00 AM						3810							AtmAA
CV-114	4/13/2026 9:05:00 AM	0.5	60.3	4.7	34.5	0.0			176.6	176.4	-2.20	-1.97	-6.00	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-114	4/13/2026 9:07:47 AM	0.6	69.7	1.8	27.9	0.0			176.3	176.6	-1.74	-1.88	-5.88	Valve Adjustment:NSPS/EG CAI,High Temp
CV-114	4/14/2026 8:20:00 AM							110000						AirTech Lab; [User entered 11%]
CV-114	4/14/2026 8:20:00 AM						1700							AirTech Lab
CV-114	4/20/2026 9:10:00 AM						3350							AtmAA
CV-114	4/20/2026 9:27:23 AM	0.7	86.9	0.0	12.4	0.0			170.4	170.6	-2.77	-2.76	0.04	Valve Adjustment:NSPS/EG CAI,High Temp
CV-114	4/28/2026 10:25:04 AM	0.9	85.1	0.0	14.0	0.0			173.4	175.4	-0.80	-0.80	-3.04	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp, Reduced system vacuum
CV-1532A	4/1/2026 8:20:00 AM							37000						AirTech Lab; [User entered 3.7%]
CV-1532A	4/1/2026 8:20:00 AM						410							AirTech Lab
CV-1532A	4/8/2026 9:15:00 AM							105000						AtmAA; [User entered 10.5%]
CV-1532A	4/8/2026 9:15:00 AM						1930							AtmAA
CV-1532A	4/8/2026 9:17:00 AM	1.8	65.8	3.6	28.8	0.0			165.1	172.6	-0.45	-0.43	-6.68	Valve Comment:enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2
CV-1532A	4/10/2026 10:48:01 AM	1.8	1.5	20.1	76.6	1.2			92.9	88.4	-7.38	-1.43	-7.03	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High O2,Decreased Flow/Vacuum,Barely Open

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-1532A	4/10/2026 10:51:30 AM	1.9	1.8	20.0	76.3	1.1			88.1	88.2	-1.94	-1.93	-4.98	Valve Comment:Cast iron wellhead swapped out due to old wellhead not having sample ports;Valve Adjustment:No Flow Measurement,High O2,Barely Open;Well Comment:Well head swapped out due to old wellhead not having sample ports
CV-1532A	4/10/2026 1:50:24 PM	6.6	36.7	10.7	46.0	0.2			78.4	78.4	-1.05	-1.05	-8.52	Valve Adjustment:No Flow Measurement,High O2,Barely Open
CV-1532A	4/20/2026 3:58:40 PM	4.2	54.6	4.5	36.7	0.1			85.9	85.4	-4.17	-2.39	-6.30	Comments:,,,,,,
CV-1535	4/1/2026 10:16:11 AM	35.6	45.1	3.6	15.7	0.8			66.6	66.4	-1.40	-1.10	-10.22	Comments:Audible Flow,,,,,,
CV-1535	4/13/2026 8:15:00 AM							6600						AirTech Lab; [User entered 0.66%]
CV-1535	4/13/2026 8:15:00 AM						74							AirTech Lab
CV-1535	4/20/2026 10:51:13 AM	48.1	51.8	0.0	0.1	0.9			122.4	122.6	-0.85	-0.85	-10.18	Comments:,,,,,,
CV-1902A	4/6/2026 10:00:00 AM							190000						AirTech Lab; [User entered 19%]
CV-1902A	4/6/2026 10:00:00 AM						910							AirTech Lab
CV-1902A	4/8/2026 10:50:00 AM							159300						AtmAA; [User entered 15.93%]
CV-1902A	4/8/2026 10:50:00 AM						1520							AtmAA
CV-1902A	4/8/2026 10:51:42 AM	4.3	82.1	0.1	13.6	0.1			173.4	172.9	1.69	1.88	2.07	Valve Comment:enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.
CV-1902A	4/14/2026 10:59:28 AM	4.0	72.2	0.0	23.8	0.1			174.4	174.9	-7.85	-7.77	-7.91	Valve Adjustment:NSPS/EG CAI,High Temp
CV-1902A	4/14/2026 11:00:00 AM						1190							AtmAA
CV-1902A	4/22/2026 9:51:53 AM	2.3	72.8	0.0	24.9	0.0			176.1	178.7	-6.80	-6.85	-6.91	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp
CV-1902A	4/22/2026 9:55:00 AM						1240							AtmAA
CV-1902A	4/28/2026 1:34:36 PM	3.7	76.3	0.0	20.0	0.0			172.3	173.9	-4.95	-4.89	-4.74	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp, Reduced system vacuum
CV-2001	4/1/2026 10:52:37 AM	11.5	56.6	6.6	25.3	0.2			77.3	76.7	-6.85	-4.92	-7.62	Comments:NSPS/EG CAI,High O2,,,,,
CV-2001	4/1/2026 10:55:30 AM	12.3	59.9	5.9	21.9	0.2			77.0	75.9	-4.91	-4.65	-5.89	Comments:NSPS/EG CAI,High O2,,,,,
CV-2001	4/1/2026 10:58:41 AM	10.9	57.8	4.8	26.5	0.2			75.8	76.0	-4.21	-4.25	-5.69	Comments:NSPS/EG CAC,,,,,
CV-2001	4/6/2026 9:00:00 AM							67000						AirTech Lab; [User entered 6.7%]
CV-2001	4/6/2026 9:00:00 AM						650							AirTech Lab
CV-2001	4/24/2026 9:53:54 AM	12.0	79.0	0.7	8.3	0.2			87.5	88.6	-6.79	-8.13	-4.62	Comments:,,,,,,
CV-2001	4/27/2026 8:56:39 AM	12.3	72.3	0.1	15.3	0.2			76.0	75.7	-5.48	-5.98	-5.91	Valve Adjustment:Barely Open;Well Comment:Pump is active;Well Condition:Pumatic Pump Installed
CV-2002	4/1/2026 10:39:24 AM	14.1	76.6	0.0	9.3	0.2			142.2	134.0	-0.51	-0.41	-0.83	Comments:NSPS/EG CAI,High Temp,,,,,
CV-2002	4/1/2026 10:41:53 AM	13.7	76.4	0.0	9.9	0.2			128.6	128.6	-0.89	-0.88	-1.25	Comments:NSPS/EG CAC,,,,,



Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2302	4/22/2026 8:19:32 AM	43.6	47.6	0.6	8.2	0.9			126.5	127.0	-11.63	-11.61	-11.63	Well Comment:Pump is active;Well Condition:Pnumatic Pump Installed
CV-2302	4/22/2026 1:48:27 PM	44.6	52.6	0.2	2.6	0.8			124.7	124.8	-9.01	-9.10	-9.20	Valve Adjustment:Valve 100% Open
CV-2303	4/7/2026 9:33:57 AM	6.2	73.8	0.0	20.0	0.1			193.4	193.6	-9.15	-8.61	-9.23	Valve Adjustment:High Temp
CV-2303	4/7/2026 9:35:00 AM							150500						AtmAA; [User entered 15.05%]
CV-2303	4/7/2026 9:35:00 AM						2060							AtmAA
CV-2303	4/8/2026 8:20:00 AM							170000						AirTech Lab; [User entered 17%]
CV-2303	4/9/2026 8:20:00 AM						2000							AirTech Lab
CV-2303	4/15/2026 10:12:52 AM	18.9	74.7	0.0	6.4	0.3			193.4	194.1	-6.80	-7.77	-6.98	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2303	4/15/2026 10:25:00 AM						2520							AtmAA
CV-2303	4/23/2026 10:41:00 AM	1.1	76.3	0.0	22.6	0.0			193.1	192.9	-2.90	-2.97	-2.39	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2303	4/23/2026 10:50:00 AM						4000							AtmAA
CV-2303	4/27/2026 1:52:15 PM	8.2	75.8	0.0	16.0	0.1			189.1	188.7	-2.02	-2.00	-1.96	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open
CV-2305	4/6/2026 10:12:15 AM	33.7	52.6	0.0	13.7	0.6			116.7	117.4	-0.79	-0.79	-15.64	Comments:,,,,,,
CV-2305	4/6/2026 1:55:00 PM							78200						AtmAA; [User entered 7.82%]
CV-2305	4/7/2026 1:52:36 PM	26.5	73.4	0.0	0.1	0.4			161.7	161.6	-4.94	-4.81	-8.95	Valve Adjustment:High Temp
CV-2305	4/7/2026 1:55:00 PM						2780							AtmAA
CV-2305	4/8/2026 8:30:00 AM							130000						AirTech Lab; [User entered 13%]
CV-2305	4/9/2026 8:30:00 AM						3000							AirTech Lab
CV-2305	4/14/2026 1:13:30 PM	14.7	77.7	0.0	7.6	0.2			161.5	161.7	-5.40	-5.41	-10.01	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2305	4/14/2026 1:15:00 PM						2180							AtmAA
CV-2305	4/22/2026 1:35:00 PM						2580							AtmAA
CV-2305	4/22/2026 1:38:36 PM	25.2	74.8	0.0	0.0	0.3			152.3	152.3	1.54	0.73	-0.29	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum,Valve 100% Open
CV-2305	4/22/2026 1:39:29 PM	23.2	76.8	0.0	0.0	0.3			152.3	152.3	0.20	0.18	-1.46	
CV-2305	4/22/2026 2:14:43 PM	15.8	70.6	0.0	13.7	0.2			152.2	152.2	-0.51	-0.40	-1.10	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-2305	4/22/2026 2:17:33 PM	16.8	68.3	0.0	15.0	0.2			152.6	152.6	-0.27	-0.12	-0.87	Valve Adjustment:High Temp
CV-2305	4/27/2026 8:44:41 AM	11.8	67.5	2.6	18.1	0.2			151.7	151.3	0.90	0.85	0.96	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header
CV-2305	4/27/2026 8:45:07 AM	12.2	70.7	2.5	14.6	0.2			151.6	151.7	0.98	1.00	1.16	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header
CV-2312	4/8/2026 8:50:00 AM							140000						AirTech Lab; [User entered 14%]

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2312	4/8/2026 8:50:00 AM						2700							AirTech Lab
CV-2312	4/8/2026 2:25:00 PM							122400						AtmAA; [User entered 12.24%]
CV-2312	4/8/2026 2:25:00 PM						1860							AtmAA
CV-2312	4/8/2026 2:27:05 PM	11.1	76.7	0.0	12.2	0.1			166.1	166.1	-1.44	-1.48	-0.15	Valve Adjustment: NSPS/EG CAI, High Temp
CV-2312	4/16/2026 10:22:55 AM	2.9	77.2	0.0	19.9	0.0			166.8	166.8	-3.33	-3.67	-8.73	Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header
CV-2312	4/16/2026 10:28:00 AM						3040							AtmAA
CV-2312	4/23/2026 9:00:00 AM						3760							AtmAA
CV-2312	4/23/2026 9:03:09 AM	1.7	80.9	0.0	17.4	0.0			166.7		3.36		-8.77	Valve Adjustment: NSPS/EG CAI, High Temp, Positive Static Press., Surging Liquid in Header, Plugged/Pinched Suspected
CV-2312	4/28/2026 9:15:31 AM	1.5	73.6	2.5	22.4	0.0			167.9	168.1	-0.07	-0.09	-8.16	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header, Reduced system vacuum
CV-2314	4/2/2026 10:00:54 AM	1.0	86.7	0.1	12.2	0.0			164.4	164.4	-7.96	-7.35	-17.30	Comments:,,,,,,
CV-2314	4/2/2026 10:03:07 AM	0.6	87.5	0.0	11.9	0.0			164.4	164.4	-7.97	-7.98	-17.45	Comments:,,,,,,
CV-2314	4/8/2026 8:40:00 AM							140000						AirTech Lab; [User entered 14%]
CV-2314	4/8/2026 8:40:00 AM						3800							AirTech Lab
CV-2314	4/8/2026 1:20:00 PM							108900						AtmAA; [User entered 10.89%]
CV-2314	4/8/2026 1:20:00 PM						4940							AtmAA
CV-2314	4/8/2026 1:20:26 PM	4.0	80.5	0.0	15.6	0.0			172.6	172.6	-0.69	-0.52	-17.35	Valve Adjustment: NSPS/EG CAI, High Temp
CV-2314	4/10/2026 10:34:35 AM	0.9	84.7	0.0	14.4	0.0			173.2	173.6	-8.52	-1.03	-14.11	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum, Surging Liquid in Header
CV-2314	4/10/2026 10:36:54 AM	0.7	85.9	0.0	13.4	0.0			173.5	173.5	-1.60	-1.61	-14.06	
CV-2314	4/14/2026 1:48:24 PM	3.6	83.1	0.0	13.3	0.0			175.9	175.9	-3.22	-3.24	-15.76	Valve Adjustment: NSPS/EG CAI, High Temp, Increased Flow/Vacuum
CV-2314	4/14/2026 1:49:39 PM	3.1	86.1	0.0	10.8	0.0			176.1	175.9	-2.15	-2.17	-15.83	Valve Adjustment: NSPS/EG CAI, High Temp
CV-2314	4/14/2026 1:50:00 PM						4830							AtmAA
CV-2314	4/22/2026 2:15:00 PM						3250							AtmAA
CV-2314	4/22/2026 2:17:11 PM	9.5	76.8	0.0	13.7	0.1			177.6	177.9	4.08	-4.29	-15.79	Valve Adjustment: NSPS/EG CAI, High Temp, Increased Flow/Vacuum
CV-2314	4/22/2026 2:18:07 PM	8.6	86.4	0.0	5.0	0.1			177.7	177.8	-3.39	-3.37	-15.45	Valve Adjustment: NSPS/EG CAC, High Temp
CV-2314	4/27/2026 1:25:50 PM	6.2	80.6	0.0	13.2	0.1			178.7	178.8	3.55	-0.51	-9.88	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp, Positive Static Press., Increased Flow/Vacuum







Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2347	4/1/2026 12:01:17 PM	18.6	63.3	0.3	17.8	0.3			103.9	105.2	-4.62	-4.20		Comments:,,,,,,
CV-2347	4/10/2026 10:09:50 AM	23.1	60.6	0.5	15.8	0.4			127.8	129.7	-4.50	-3.84	-9.16	Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum
CV-2347	4/10/2026 10:11:29 AM	22.9	65.0	0.2	11.9	0.4			130.2	130.3	-3.39	-3.38	-9.71	Valve Adjustment:No Flow Measurement
CV-2347	4/10/2026 10:15:07 AM	23.1	65.3	0.2	11.4	0.4			130.8	130.9	-3.21	-3.18	-9.45	Valve Comment:Lorentz pump installed in well;Valve Adjustment:No Flow Measurement;Well Comment:Lorentz pump installed in well
CV-2347	4/23/2026 9:52:00 AM	12.4	62.4	0.1	25.1	0.2			112.1	113.1	-2.78	-2.80	-9.48	Well Condition:Lorentz Pump Installed
CV-2348	4/1/2026 7:45:00 AM							7400						AirTech Lab; [User entered 0.74%]
CV-2348	4/1/2026 7:45:00 AM						95							AirTech Lab
CV-2348	4/1/2026 12:11:19 PM	33.3	48.3	0.0	18.4	0.7			73.3	72.8	-9.59	-7.00	-10.07	Comments:,,,,,,
CV-2348	4/23/2026 9:36:40 AM	24.3	48.1	0.0	27.6	0.5			128.0	128.5	-5.67	-5.63	-9.24	Well Comment:pump active;Well Condition:Lorentz Pump Installed
CV-2349	4/2/2026 8:10:00 AM							140000						Air Tech Lab; [User entered 14%]
CV-2349	4/2/2026 8:10:00 AM						2700							Air Tech Lab
CV-2349	4/7/2026 10:36:31 AM	2.6	86.9	0.0	10.5	0.0			150.4	147.0	-0.77	-1.99	-1.45	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header
CV-2349	4/7/2026 10:37:22 AM	2.7	89.5	0.1	7.7	0.0			146.8	148.8	-0.51	-0.30	-0.78	Valve Adjustment:High Temp,Surging Liquid in Header
CV-2349	4/16/2026 1:52:39 PM	5.0	76.8	0.0	18.2	0.1			153.9	153.6	0.18	-1.05	-1.10	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-2349	4/16/2026 1:53:56 PM	4.9	82.1	0.1	12.9	0.1			153.6	154.0	-1.16	-1.37	-2.64	Valve Adjustment:NSPS/EG CAC,High Temp
CV-2349	4/16/2026 2:00:00 PM						2500							AtmAA
CV-2349	4/23/2026 9:50:00 AM						1890							AtmAA
CV-2349	4/23/2026 9:51:13 AM	2.5	74.9	0.7	21.9	0.0			157.0	156.2	-3.51	-3.98	-3.81	Valve Adjustment:NSPS/EG CAI,High O2
CV-2349	4/29/2026 8:24:06 AM	4.0	82.4	0.0	13.6	0.0			149.2	149.5	-1.89	-1.84	-2.70	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header
CV-2350	4/1/2026 10:29:25 AM	6.3	78.5	0.0	15.2	0.1			103.3	104.4	-5.92	-4.85	-6.41	Comments:,,,,,,
CV-2350	4/9/2026 9:30:00 AM							160000						AirTech Lab; [User entered 16%]
CV-2350	4/9/2026 9:30:00 AM						3800							AirTech Lab
CV-2350	4/24/2026 9:39:34 AM	4.4	79.3	0.1	16.2	0.1			121.7	109.3	-5.48	-5.97	-8.50	Measurement,,,,,,
CV-2351	4/1/2026 8:30:00 AM							12000						AirTech Lab; [User entered 1.2%]
CV-2351	4/1/2026 8:30:00 AM						180							AirTech Lab
CV-2351	4/7/2026 11:12:38 AM	2.8	26.1	13.8	57.3	0.1			93.2	93.1	-7.00	-6.42	-6.64	Valve Adjustment:High O2,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2351	4/20/2026 1:37:06 PM	7.5	33.0	11.1	48.4	0.2			89.3	89.9	-7.18	-6.78	-6.86	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2351	4/20/2026 1:38:55 PM	7.8	34.3	10.7	47.2	0.2			90.0	90.0	-6.55	-6.50	-6.35	Valve Adjustment: NSPS/EG CAI, High O2
CV-2352	4/7/2026 11:16:03 AM	1.2	52.2	8.6	38.0	0.0			115.8	116.2	-7.91	-7.43	-7.45	Valve Adjustment: High O2, Surging Liquid in Header, Surging Liquid in Well (Watered In)
CV-2352	4/8/2026 8:57:29 AM	1.0	44.8	9.4	44.8	0.0			100.8	101.2	-5.48	-5.46	-6.08	Valve Comment: enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High O2
CV-2352	4/13/2026 8:05:00 AM							16000						AirTech Lab; [User entered 1.6%]
CV-2352	4/13/2026 8:05:00 AM						65							AirTech Lab
CV-2352	4/14/2026 1:30:34 PM	0.8	19.8	15.1	64.3	0.0			86.5	86.4	-8.79	-8.44		Comments: NSPS/EG CAI, High O2, , , , ,
CV-2352	4/14/2026 1:31:30 PM	0.8	19.9	14.9	64.4	0.0			86.4	86.8	-7.89	-7.92		Comments: NSPS/EG CAI, High O2, , , , ,
CV-2352	4/20/2026 1:24:38 PM	1.8	49.7	8.5	40.0	0.0			107.0	107.3	-6.78	-6.46	-6.56	Valve Adjustment: NSPS/EG CAI, High O2, Decreased Flow/Vacuum
CV-2352	4/20/2026 1:25:32 PM	1.8	48.8	8.3	41.1	0.0			113.7	110.7	-6.38	-6.33	-6.07	Valve Adjustment: NSPS/EG CAI, High O2
CV-2353-PLR	4/8/2026 9:00:00 AM							175600						AtmAA; [User entered 17.56%]
CV-2353-PLR	4/8/2026 9:00:00 AM						970							AtmAA
CV-2353-PLR	4/8/2026 9:01:36 AM	2.4	74.7	0.6	22.4	0.0			152.1	151.3	-6.53	-6.56	-7.92	Valve Adjustment: NSPS/EG CAI, High Temp
CV-2353-PLR	4/13/2026 8:00:00 AM							190000						AirTech Lab; [User entered 19%]
CV-2353-PLR	4/13/2026 8:00:00 AM						680							AirTech Lab
CV-2353-PLR	4/14/2026 9:57:38 AM	2.8	68.9	0.0	28.3	0.0			124.5	130.6	-9.25	-4.98	-9.83	Valve Adjustment: NSPS/EG CAI, Decreased Flow/Vacuum
CV-2353-PLR	4/20/2026 2:04:03 PM	4.4	67.1	1.1	27.4	0.1			139.5	138.9	-2.35	-1.03	-8.14	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum
CV-2353-PLR	4/20/2026 2:08:09 PM	8.7	65.2	1.8	24.3	0.1			136.0	136.1	-1.06	-1.07	-7.09	Valve Adjustment: NSPS/EG CAI, High Temp, Barely Open
CV-2354	4/2/2026 8:00:00 AM							160000						Air Tech Lab; [User entered 16%]
CV-2354	4/2/2026 8:00:00 AM						2400							Air Tech Lab
CV-2354	4/8/2026 8:40:00 AM							141000						AtmAA; [User entered 14.1%]
CV-2354	4/8/2026 8:40:00 AM						3220							AtmAA
CV-2354	4/8/2026 8:43:09 AM	5.0	80.0	0.1	14.9	0.1			189.2	189.3	0.31	0.15	-2.22	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp, Positive Static Press., Valve 100% Open
CV-2354	4/8/2026 8:45:24 AM	5.2	78.6	0.1	16.1	0.1			189.1	189.1	0.44	0.40	-2.10	
CV-2354	4/14/2026 10:17:35 AM	5.6	69.4	0.0	25.0	0.1			186.7	187.1	-3.56	-3.70	-5.63	Valve Adjustment: NSPS/EG CAI, High Temp
CV-2354	4/14/2026 10:20:00 AM						3045							AtmAA
CV-2354	4/22/2026 10:39:31 AM	11.4	71.4	0.0	17.2	0.2			188.5	188.9	-1.24	-1.26	-3.35	Valve Adjustment: NSPS/EG CAI, High Temp
CV-2354	4/22/2026 10:45:00 AM						3230							AtmAA
CV-2354	4/29/2026 8:13:48 AM	7.7	75.9	0.0	16.4	0.1			182.2	183.0	-3.03	-2.73	-5.47	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp





Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24063	4/16/2026 9:33:16 AM	3.7	84.9	0.0	11.4	0.0			189.3	189.5	-4.74	-4.73	-11.20	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24063	4/16/2026 9:35:00 AM						2030							AtmAA
CV-24063	4/20/2026 1:41:37 PM	10.6	81.8	0.0	7.6	0.1			186.3	185.1	-7.40	-4.09	-8.32	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum
CV-24063	4/20/2026 1:42:33 PM	10.5	82.0	0.0	7.5	0.1			185.2	186.2	-4.32	-4.27	-8.31	Valve Adjustment: NSPS/EG CAC, High Temp
CV-24063	4/20/2026 1:45:00 PM						3330							AtmAA
CV-24063	4/27/2026 11:32:48 AM	6.8	85.0	0.0	8.2	0.1			186.0	186.2	-5.11	-5.11	-8.78	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header
CV-24064	4/8/2026 1:41:11 PM	10.2	73.7	1.2	14.9	0.1			192.1	191.7	-13.28	-13.21	0.11	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24064	4/8/2026 1:45:00 PM							105100						AtmAA; [User entered 10.51%]
CV-24064	4/8/2026 1:45:00 PM						2730							AtmAA
CV-24064	4/9/2026 8:36:00 AM							130000						AirTech Lab; [User entered 13%]
CV-24064	4/9/2026 8:36:00 AM						2000							AirTech Lab
CV-24064	4/14/2026 1:25:00 PM						2180							AtmAA
CV-24064	4/14/2026 1:29:20 PM	7.0	69.6	3.0	20.4	0.1			191.9	191.9	-12.84	-12.81	0.00	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24064	4/22/2026 1:57:28 PM	13.9	78.4	0.3	7.4	0.2			191.6	191.8	-11.53	-11.61	0.08	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24064	4/22/2026 2:00:00 PM						2435							AtmAA
CV-24064	4/27/2026 8:21:43 AM	1.5	84.2	0.0	14.3	0.0			191.2	191.5	-8.49	-8.49	-10.51	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header
CV-24065-TP17	4/2/2026 8:40:48 AM	13.6	83.5	0.2	2.7	0.2			76.3	76.3	-0.35	-0.34		Comments:,,,,,,
CV-24065-TP17	4/9/2026 8:24:00 AM							6700						AirTech Lab; [User entered 0.67%]
CV-24065-TP17	4/9/2026 8:24:00 AM						460							AirTech Lab
CV-24065-TP17	4/17/2026 1:49:26 PM	11.7	75.7	1.6	11.0	0.2			80.4	80.5	-0.63	-0.62	-11.80	Valve Adjustment: Barely Open
CV-24066	4/1/2026 10:06:04 AM	26.0	50.6	0.0	23.4	0.5			97.4	98.0	-2.10	-2.08	-10.38	Comments:,,,,,,
CV-24066	4/6/2026 9:40:00 AM							13000						AirTech Lab; [User entered 1.3%]
CV-24066	4/6/2026 9:40:00 AM						130							AirTech Lab
CV-24066	4/20/2026 10:05:16 AM	28.2	49.2	0.0	22.6	0.6			118.9	118.9	-1.51	-1.50	-10.01	Comments:,,,,,,
CV-24069	4/6/2026 11:30:09 AM	37.4	46.4	0.1	16.1	0.8			111.9	112.0	-1.59	-1.58	-10.01	Comments:,,,,,,
CV-24069	4/9/2026 8:55:00 AM							58000						AirTech Lab; [User entered 5.8%]
CV-24069	4/9/2026 8:55:00 AM						610							AirTech Lab
CV-24069	4/17/2026 10:46:10 AM	38.8	47.7	0.0	13.5	0.8			106.4	106.7	-1.88	-1.85	-11.18	Comments:,,,,,,
CV-24070	4/6/2026 11:48:43 AM	42.2	54.0	0.0	3.8	0.8			129.4	129.1	-5.69	-3.68	-10.00	Comments:,,,,,,
CV-24070	4/8/2026 9:30:00 AM							73000						AirTech Lab; [User entered 7.3%]
CV-24070	4/8/2026 9:30:00 AM						780							AirTech Lab
CV-24070	4/17/2026 10:04:33 AM	29.7	57.9	0.0	12.4	0.5			128.2	127.6	-4.13	-3.33	-11.44	Comments:,,,,,,

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24071	4/1/2026 11:18:42 AM	44.0	55.3	0.0	0.7	0.8			120.6	119.6	-9.36	-8.55	-11.49	Comments:,,,,,,
CV-24071	4/9/2026 9:00:00 AM							32000						AirTech Lab; [User entered 3.2%]
CV-24071	4/9/2026 9:00:00 AM						250							AirTech Lab
CV-24071	4/17/2026 9:52:33 AM	41.4	53.7	0.1	4.8	0.8			119.8	119.1	-10.92	-9.91	-13.91	Comments:,,,,,,
CV-24075-TP15	4/7/2026 2:00:00 AM						2390							AtmAA
CV-24075-TP15	4/7/2026 2:00:00 PM							84000						AtmAA; [User entered 8.4%]
CV-24075-TP15	4/8/2026 1:28:24 PM	4.0	70.6	2.4	23.1	0.1			91.6	87.4	-15.83	-15.81	-0.01	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24075-TP15	4/8/2026 1:30:00 PM							102600						AtmAA; [User entered 10.26%]
CV-24075-TP15	4/8/2026 1:30:00 PM						1015							AtmAA
CV-24075-TP15	4/14/2026 1:38:21 PM	6.4	80.0	0.4	13.2	0.1			182.0	182.0	-15.74	-15.34	0.00	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24075-TP15	4/14/2026 1:40:00 PM						2250							AtmAA
CV-24075-TP15	4/22/2026 2:07:32 PM	11.8	77.0	0.8	10.4	0.2			180.0	180.0	-15.51	-15.63	0.11	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp; Well Comment: No system port
CV-24075-TP15	4/22/2026 2:10:00 PM						2510							AtmAA
CV-24075-TP15	4/27/2026 8:12:10 AM	1.1	82.7	0.7	15.5	0.0			187.0	187.0	-10.82	-10.91	0.11	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24077	4/1/2026 12:32:14 PM	25.5	52.0	0.0	22.5	0.5			127.3	128.3	-8.27	-6.85	-10.51	Comments:,,,,,,
CV-24077	4/20/2026 9:52:26 AM	15.5	66.3	0.1	18.1	0.2			139.1	143.0	-3.74	-1.68	-9.58	Comments: NSPS/EG CAI, Audible Flow, High Temp, ,,,,
CV-24077	4/20/2026 9:59:34 AM	13.3	73.1	0.0	13.6	0.2			135.0	135.0	-1.74	-1.72	-9.69	Comments:,,,,,,
CV-24079-TP8	4/6/2026 11:11:04 AM	35.8	54.8	0.1	9.3	0.7			140.8	140.1	-3.65	-2.51		Comments: NSPS/EG CAI, High Temp, ,,,,
CV-24079-TP8	4/6/2026 11:12:57 AM	34.6	57.5	0.1	7.8	0.6			139.2	139.2	-2.48	-2.48		Comments:,,,,,,
CV-24079-TP8	4/17/2026 10:37:24 AM	33.4	56.5	0.0	10.1	0.6			142.2	140.2	-2.52	-1.85		Comments: NSPS/EG CAI, Audible Flow, High Temp, ,,,,
CV-24079-TP8	4/17/2026 10:38:59 AM	26.4	59.3	0.0	14.3	0.4			139.5	139.1	-1.83	-1.82		Comments:,,,,,,
CV-24082	4/1/2026 10:57:00 AM	24.7	70.8	0.0	4.5	0.3			112.6	112.6	-0.50	-0.50		Comments:,,,,,,
CV-24082	4/22/2026 8:58:21 AM	31.3	59.8	0.0	8.8	0.5			123.4	124.0	-0.81	-0.81	-10.91	Valve Adjustment: Barely Open; Well Comment: no pump installed
CV-24083	4/1/2026 11:02:03 AM	45.5	50.7	0.5	3.3	0.9			115.6	115.6	-2.17	-1.36	-10.51	Comments:,,,,,,
CV-24083	4/17/2026 9:45:27 AM	48.9	47.4	0.0	3.7	1.0			112.3	107.6	-1.60	-0.92	-14.38	Comments:,,,,,,
CV-24084-TP11	4/1/2026 9:13:03 AM	7.5	88.2	0.0	4.3	0.1			178.4	178.4	-4.79	-4.90	-6.08	Valve Adjustment: High Temp, Surging Liquid in Header, Surging Liquid in Well (Watered In)
CV-24084-TP11	4/3/2026 2:20:39 PM	5.6	83.6	0.0	10.8	0.1			191.4	191.4	-3.65	-3.71	0.26	Valve Adjustment: High Temp, Valve 100% Open
CV-24084-TP11	4/8/2026 2:22:03 PM	18.9	76.4	0.0	4.8	0.2			178.9	179.0	-6.25	-6.17	-0.10	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24084-TP11	4/8/2026 2:25:00 PM							93700						AtmAA; [User entered 9.37%]
CV-24084-TP11	4/8/2026 2:25:00 PM						3130							AtmAA
CV-24084-TP11	4/16/2026 9:54:28 AM	3.0	78.3	0.0	18.7	0.0			178.9	179.0	-10.05	-9.74	-10.79	Valve Adjustment: NSPS/EG CAI, High Temp

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24084-TP11	4/16/2026 10:15:00 AM						2480							AtmAA
CV-24084-TP11	4/23/2026 8:50:00 AM						1945							AtmAA
CV-24084-TP11	4/23/2026 8:53:19 AM	2.6	85.8	0.0	11.6	0.0			179.5	179.9	-9.51	-4.43	-10.36	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum
CV-24084-TP11	4/23/2026 8:54:22 AM	2.7	95.2	0.0	2.1	0.0			179.9	180.0	-4.03	-4.07	-10.59	Valve Adjustment: NSPS/EG CAC, High Temp
CV-24084-TP11	4/27/2026 11:04:13 AM	3.9	86.1	0.0	10.0	0.0			180.4	180.5	-0.68	-0.72	-6.94	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header
CV-24088	4/2/2026 1:58:12 PM	35.5	64.5	0.0	0.0	0.6			120.0	119.1	2.07	-0.71	-8.41	Comments: NSPS/EG CAI, NSPS/EG CAC, Positive Static Press., Increased Flow/Vacuum, Opened Valve 1/2 to 1 Turn,,,
CV-24088	4/2/2026 1:59:58 PM	36.7	63.3	0.0	0.0	0.6			118.3	118.2	-0.79	-0.73	-8.27	Comments:,,,,,,
CV-24088	4/16/2026 2:02:07 PM	37.1	62.4	0.0	0.5	0.6			121.8	122.0	-1.98	-1.98	-7.98	Valve Adjustment: Barely Open
CV-24095	4/2/2026 8:05:00 AM							160000						Air Tech Lab; [User entered 16%]
CV-24095	4/2/2026 8:05:00 AM						3100							Air Tech Lab
CV-24095	4/8/2026 8:35:00 AM							111900						AtmAA; [User entered 11.19%]
CV-24095	4/8/2026 8:35:00 AM						3330							AtmAA
CV-24095	4/8/2026 8:38:22 AM	3.7	82.2	0.1	14.0	0.0			172.8	172.8	1.02	1.04	-0.18	Valve Adjustment: NSPS/EG CAI, High Temp, Positive Static Press., Valve 100% Open
CV-24095	4/14/2026 10:22:00 AM	4.1	74.3	0.0	21.6	0.1			172.8	172.7	-2.50	-2.85	-3.18	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24095	4/14/2026 10:25:00 AM						1860							AtmAA
CV-24095	4/15/2026 1:11:27 PM	5.2	77.0	0.0	17.8	0.1			173.5	173.7	-2.46	-2.51	-5.05	Valve Adjustment: NSPS/EG CAC, High Temp, Surging Liquid in Header, Surging Liquid in Well (Watered In)
CV-24095	4/22/2026 10:43:06 AM	9.0	73.6	0.0	17.4	0.1			174.8	174.6	-2.16	-2.16	-2.38	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24095	4/22/2026 10:50:00 AM						3365							AtmAA
CV-24095	4/29/2026 8:19:28 AM	5.0	81.4	0.0	13.6	0.1			175.1	176.0	-0.87	-0.79	-3.33	Valve Comment: Enhanced Monitoring; Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header
CV-24096	4/7/2026 10:28:30 AM	26.4	39.1	7.0	27.5	0.7			96.0	96.5	-4.57	-4.48	-4.39	
CV-24096	4/24/2026 8:43:54 AM	23.1	32.8	9.4	34.7	0.7			81.3	82.9	-5.18	-4.90	-5.29	Comments: NSPS/EG CAI, High O2,,,,,,
CV-24096	4/24/2026 8:46:02 AM	23.0	33.0	9.1	34.9	0.7			82.3	82.6	-5.19	-5.07	-5.30	Comments: NSPS/EG CAI, High O2,,,,,,
CV-24097	4/7/2026 10:19:35 AM	33.0	26.9	8.0	32.1	1.2			84.7	85.2	-5.41	-5.43	-6.47	
CV-24097	4/24/2026 8:50:30 AM	35.3	33.9	6.2	24.6	1.0			64.8	64.7	-3.20	-3.11	-7.41	Comments: NSPS/EG CAI, High O2,,,,,,
CV-24097	4/24/2026 8:56:16 AM	36.3	34.2	5.8	23.7	1.1			62.5	62.5	-2.58	-2.67	-7.39	Comments: NSPS/EG CAI, High O2,,,,,,
CV-24098	4/15/2026 10:15:54 AM	42.2	43.1	1.1	13.6	1.0			84.8	86.0	-7.86	-7.45	-8.14	Valve Adjustment: Decreased Flow/Vacuum, Reduce Sys. Vac. - Flare Down
CV-24098	4/24/2026 9:20:36 AM	44.0	45.9	1.9	8.2	1.0			97.3	96.5	-8.42	-8.34	-5.91	Comments: No Adjustment Made,,,,,,

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24099	4/1/2026 10:43:53 AM	17.1	82.9	0.0	0.0	0.2			80.7	80.9	-2.10	-1.32	-8.05	Comments:,,,,,,
CV-24099	4/22/2026 1:30:43 PM	30.0	70.0	0.0	0.0	0.4			110.9	109.9	5.37	-0.60	-6.44	Valve Adjustment: NSPS/EG CAI, Positive Static Press., Increased Flow/Vacuum, Barely Open
CV-24099	4/22/2026 1:32:15 PM	26.7	73.3	0.0	0.0	0.4			110.5	110.6	-0.56	-0.45	-5.15	Valve Adjustment: NSPS/EG CAC
CV-24100	4/1/2026 11:05:37 AM	22.1	74.4	0.0	3.5	0.3			117.3	117.7	-6.24	-5.78	-10.42	Comments:,,,,,,
CV-24100	4/6/2026 8:40:00 AM							5500						AirTech Lab; [User entered 0.55%]
CV-24100	4/6/2026 8:40:00 AM						34							AirTech Lab
CV-24100	4/22/2026 10:34:50 AM	21.8	75.5	0.1	2.6	0.3			141.0	141.2	-5.23	-0.22	0.44	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum
CV-24100	4/22/2026 10:36:03 AM	21.5	78.2	0.0	0.3	0.3			140.9	141.1	-0.14	-0.12	-8.59	Valve Adjustment: High O2, Surging Liquid in Header
CV-24101	4/1/2026 11:11:23 AM	41.4	58.1	0.5	0.0	0.7			85.9	86.2	-11.46	-7.65	-10.39	Comments:,,,,,,
CV-24101	4/6/2026 8:35:00 AM							0						AirTech Lab; [User entered 0%]
CV-24101	4/6/2026 8:35:00 AM						0							AirTech Lab
CV-24101	4/22/2026 10:30:43 AM	41.4	51.9	1.3	5.4	0.8			107.6	107.8	-8.74	-8.35	0.68	Valve Adjustment: Valve 100% Open
CV-24102	4/2/2026 9:32:27 AM	42.9	55.2	0.0	1.9	0.8			96.0	96.7	-1.32	-1.00	-10.46	Comments:,,,,,,
CV-24102	4/20/2026 9:00:24 AM	46.9	48.4	0.0	4.8	1.0			98.3	98.5	-0.94	-0.94	-11.11	
CV-24120	4/7/2026 2:29:30 PM	2.7	30.2	11.9	55.2	0.1			89.5	89.8	-8.67	-9.23	0.14	Valve Adjustment: High O2, Barely Open
CV-24120	4/14/2026 8:45:00 AM							71000						AirTech Lab; [User entered 7.1%]
CV-24120	4/14/2026 8:45:00 AM						950							AirTech Lab
CV-24120	4/20/2026 2:21:46 PM	6.8	72.0	2.1	19.1	0.1			91.0	91.3	-6.31	-6.08	0.24	Valve Adjustment: Barely Open; Well Comment: no system port
CV-24121	4/7/2026 2:34:30 PM	0.6	2.2	20.6	76.6	0.3			89.5	89.7	-8.47	-8.78	-8.75	Valve Adjustment: High O2, Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)
CV-24121	4/14/2026 8:15:00 AM							13000						AirTech Lab; [User entered 1.3%]
CV-24121	4/14/2026 8:15:00 AM						150							AirTech Lab
CV-24121	4/20/2026 2:19:00 PM	0.4	4.8	21.2	73.6	0.1			86.7	82.7	-5.99	-6.08	-6.13	Open, Surging Liquid in Well (Watered In); Well Comment: possible damaged valve
CV-24122	4/7/2026 8:40:00 AM							1000						Air Tech Lab; [User entered 0.10%]
CV-24122	4/7/2026 8:40:00 AM						0							Air Tech Lab
CV-24122	4/8/2026 12:44:43 PM	44.0	45.9	2.0	8.1	1.0			89.8	89.8	-1.89	-1.95	-1.69	Valve Adjustment: Barely Open
CV-24122	4/16/2026 1:50:28 PM	39.2	36.9	4.9	19.0	1.1			84.2	84.6	-5.37	-5.68	-6.14	Valve Adjustment: Increased Flow/Vacuum; Well Comment: Increased due to odor
CV-24122	4/16/2026 1:53:29 PM	38.5	37.2	4.9	19.4	1.0			84.8	84.8	-5.72	-5.71	-6.01	
CV-24123	4/8/2026 3:00:36 PM	33.6	64.2	0.0	2.2	0.5			117.1	117.5	0.24	-0.03	-1.61	Valve Adjustment: NSPS/EG CAI, High O2, Surging Liquid in Header
CV-24123	4/8/2026 3:04:10 PM	33.0	64.5	0.0	2.5	0.5			117.6	117.6	-0.06	-0.06	-1.93	Valve Adjustment: NSPS/EG CAC, Barely Open





Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24140	4/29/2026 8:47:47 AM	3.9	76.6	0.0	19.5	0.1			177.4	177.8	-5.85	-5.11	-7.05	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Surging Liquid in Header
CV-24141	4/2/2026 8:30:00 AM							0						Air Tech Lab; [User entered 0%]
CV-24141	4/2/2026 8:30:00 AM						0							Air Tech Lab
CV-24141	4/7/2026 11:04:58 AM	3.3	9.0	17.5	70.2	0.4			91.9	91.8	-6.94	-6.97	-6.76	Valve Adjustment:High O2,Surging Liquid in Well (Watered In)
CV-24141	4/20/2026 1:45:44 PM	0.6	0.9	20.3	78.2	0.7			89.4	89.5	-3.27	-3.22	-6.34	Valve Adjustment:NSPS/EG CAI,High O2,Valve 100% Closed,Surging Liquid in Well (Watered In)
CV-24141	4/20/2026 1:47:42 PM	0.6	1.1	20.3	78.0	0.5			89.6	89.7	-3.07	-3.06	-6.29	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Well (Watered In);Well Condition:Fair
CV-24142	4/2/2026 7:55:00 AM							200000						Air Tech Lab; [User entered 20%]
CV-24142	4/2/2026 7:55:00 AM						1600							Air Tech Lab
CV-24142	4/8/2026 8:48:16 AM	2.6	71.1	0.3	26.1	0.0			180.1	181.6	-3.71	-3.75	-3.98	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24142	4/8/2026 8:50:00 AM							208500						AtmAA; [User entered 20.85%]
CV-24142	4/8/2026 8:50:00 AM						2500							AtmAA
CV-24142	4/14/2026 10:15:00 AM	3.2	76.6	0.0	20.2	0.0			180.8	180.8	-6.92	-6.92	-7.32	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24142	4/20/2026 1:05:00 PM						2430							AtmAA
CV-24142	4/22/2026 10:36:42 AM	7.1	38.4	8.8	45.7	0.2			84.6	84.8	-5.74	-5.74	-5.76	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2
CV-24142	4/22/2026 10:37:16 AM	7.0	38.3	8.8	45.9	0.2			85.8		-5.74	-5.74	-5.74	Valve Adjustment:NSPS/EG CAI
CV-24142	4/22/2026 10:40:00 AM						859							AtmAA
CV-24143	4/1/2026 8:25:00 AM							37000						AirTech Lab; [User entered 3.7%]
CV-24143	4/1/2026 8:25:00 AM						310							AirTech Lab
CV-24143	4/7/2026 10:56:05 AM	0.1	8.3	18.7	72.9	0.0			97.5	96.5	-2.33	-2.68	-3.35	Valve Adjustment:High O2,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24143	4/7/2026 10:57:16 AM	0.1	8.4	18.6	72.9	0.0			96.6	95.3	-2.14	-0.50	-3.43	Valve Adjustment:High O2,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Header
CV-24143	4/20/2026 1:17:45 PM	0.0	6.9	19.1	74.0	0.0			92.7	93.2	-4.33	-3.09	-4.27	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)
CV-24143	4/20/2026 1:18:30 PM	0.1	7.1	18.7	74.1	0.0			92.8	93.1	-3.07	-3.07	-4.39	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open,Surging Liquid in Well (Watered In)
CV-24144	4/7/2026 10:05:55 AM	52.2	39.7	1.2	6.9	1.3			97.1	97.7	-6.12	-6.08	-5.73	
CV-24144	4/24/2026 9:04:31 AM	57.0	39.0	0.3	3.7	1.5			82.6	78.9	-6.63	-6.42	-6.43	Comments:Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,,,,,

Table 2. Monthly LEA Selected Wells - April 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CH4:CO2	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-99	4/8/2026 12:39:11 PM	17.0	81.6	0.0	1.4	0.2			88.7	89.1	3.32	-0.71	-2.80	Valve Adjustment: NSPS/EG CAI, Positive Static Press., Increased Flow/Vacuum
CV-99	4/8/2026 12:40:08 PM	16.5	83.4	0.0	0.1	0.2			89.3	89.2	-1.08	-1.08	-3.12	Valve Adjustment: NSPS/EG CAC, Surging Liquid in Header
CV-99	4/13/2026 8:40:00 AM							2200						AirTech Lab; [User entered 0.22%]
CV-99	4/13/2026 8:40:00 AM						43							AirTech Lab
H-1770N	4/2/2026 10:18:44 AM	36.1	63.9	0.0	0.0	0.6			62.6	63.5	-1.08	-1.05	-9.60	
H-1770N	4/13/2026 8:30:00 AM							16000						AirTech Lab; [User entered 1.6%]
H-1770N	4/13/2026 8:30:00 AM						220							AirTech Lab
H-1770N	4/17/2026 11:03:48 AM	37.4	62.2	0.0	0.4	0.6			97.4	97.5	-1.15	-1.10	-9.01	Valve Adjustment: Surging Liquid in Header
H-2165W	4/1/2026 11:02:45 AM	17.7	82.3	0.0	0.0	0.2			112.1	112.5	-0.63	-0.37	-9.92	Comments:,,,,,,
H-2165W	4/6/2026 8:50:00 AM							45000						AirTech Lab; [User entered 4.5%]
H-2165W	4/6/2026 8:50:00 AM						660							AirTech Lab
H-2165W	4/22/2026 10:39:20 AM	13.3	83.5	0.0	3.2	0.2			116.1	116.2	-0.34	-0.33	-8.79	Valve Adjustment: Barely Open
H-2273W	4/1/2026 11:16:14 AM	28.3	70.0	0.0	1.7	0.4			127.5	127.7	-0.66	-0.32	-10.33	Comments:,,,,,,
H-2273W	4/6/2026 9:05:00 AM							20000						AirTech Lab; [User entered 2.0%]
H-2273W	4/6/2026 9:05:00 AM						230							AirTech Lab
H-2273W	4/23/2026 10:03:42 AM	14.8	58.4	0.0	26.8	0.3			125.9	126.0	-0.51	-0.51	-9.76	Valve Adjustment: Barely Open