

---

**From:** Johnson, Cage <CageJohnson@scsengineers.com>  
**Sent:** Tuesday, June 16, 2026 8:32 AM  
**To:** bchen@aqmd.gov; Christina Ojeda; Larry Israel; ndickel@aqmd.gov  
**Cc:** Nancy Bahena-Hernandez; Dylan Smith; Sarah Phillips; christopher.fear@wasteconnections.com; Kevin Green; matthew.breuer@wasteconnections.com; Stephens, Gabrielle; Rainey, Chuck; Kim, James; Simmons, Mollie; Kim, Jenny; Ambriz, Antonio; Chavez, Fabian; Estrada, Erick; Jones, Art; Bill Haley; Dave Jappert; Fong, Cornelius; Huber, Rachelle  
**Subject:** Chiquita Canyon Landfill (Facility ID 119219) - Planned Shutdown Notification  
**Attachments:** CCL Condition 82(b) Shutdown Log.xlsx

**Follow Up Flag:** Flag for follow up  
**Flag Status:** Flagged

[EXTERNAL SENDER: Use caution with links/attachments]

---

To whom it may concern:

In accordance with the August 27, 2024 Modified SOFA requirements as outlined in the new Condition 82, Chiquita is required to notify the District, in relevant part, of any scheduled downtime of any landfill gas collection or control equipment at the Chiquita Canyon Landfill (Facility ID 119219) prior to commencement of the work if any individual control device has downtime which is anticipated to last 30 minutes or more or if the downtime of any combination of landfill gas collection equipment is planned to result in a reduction of gas flow to control devices by 10% or more and the downtime is anticipated to last 30 minutes or more.

This notification is provided to the District to inform you of the possible downtime of the **Flare 1 and 2** to clean the second knockout pot at the flare station.

It is anticipated that this work will occur **Thursday, 6/18/2026**, from approximately **7:00am – 1:00pm**, for a total duration of up to **6 hours**. **To clarify, the plan would be to run the Zeeco TOx that has been onsite the longest to help with keeping up with extraction.**

A follow up report of the start and end dates and times of the downtime event and total downtime, meteorological data/weather conditions, facility landfill gas flow data and description of activities performed will be provided within 48 hours of the completion of the work and startup and operation of the equipment.

Thank you,

Cage Johnson  
OM&M Project Foreman  
C: (562) 533 - 5132  
**SCS ENGINEERS**  
3900 Kilroy Airport Way, Suite 300  
Long Beach, CA 90806  
[cagejohnson@scsengineers.com](mailto:cagejohnson@scsengineers.com)



Driven by Client Success

Instructions - Check Flare that is impacted. Note Shutdown Start and End Date/Time. Check whether Planned or Unplanned. Finally note cause or reason for shutdown.

Flare 1 - 1995	Flare 2 - 2009	Flare 3 - 2023	Zeeco #1 TOx	Zeeco #6 TOx	Zeeco #7 TOx	Parnet TOx	Hero TOx	Planned	Unplanned	Anticipated Shutdown Start Date/Time	Anticipated Shutdown End Date/Time	Anticipated Estimated Downtime Duration (mins)	Actual Shutdown Start Date/Time	Actual Shutdown End Date/Time	Actual Shutdown Duration (mins)	Reason
x								x					8/31/2024 10:10	8/31/2024 15:09	299.00	FL-1995 manual shutdown to perform generator service
x									x				9/2/2024 9:14	9/2/2024 11:56	162.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/3/2024 10:05	9/3/2024 10:17	12.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/3/2024 16:41	9/3/2024 17:41	60.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/4/2024 12:07	9/4/2024 12:14	7.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/5/2024 2:49	9/5/2024 4:29	100.00	FL-1995 shutdown due to high flow
x									x				9/8/2024 12:38	9/8/2024 13:05	27.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/9/2024 12:00	9/9/2024 12:26	26.00	FL-1995 shutdown due to high flow
x									x				9/9/2024 12:40	9/9/2024 12:58	18.00	FL-1995 shutdown due to high flow
x									x				9/11/2024 13:49	9/11/2024 13:57	8.00	FL-1995 shutdown due to high flow
x									x				9/13/2024 13:51	9/13/2024 13:59	8.00	FL-1995 shutdown due to high flow
x									x				9/14/2024 8:15	9/14/2024 10:14	119.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 10:31	9/14/2024 10:56	25.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 11:29	9/14/2024 11:34	5.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 11:54	9/14/2024 11:59	5.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 12:09	9/14/2024 14:15	126.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 19:26	9/14/2024 22:31	185.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 22:38	9/14/2024 22:50	12.00	FL-1995 shutdown due to low temperature
x									x				9/15/2024 0:42	9/15/2024 1:04	22.00	FL-1995 shutdown due to high flow
x									x				9/15/2024 1:36	9/15/2024 1:44	8.00	FL-1995 shutdown due to high flow
x									x				9/16/2024 16:09	9/16/2024 16:24	15.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/17/2024 20:54	9/17/2024 21:53	59.00	FL-1995 shutdown due to high flow
x									x				9/23/2024 21:27	9/23/2024 23:21	114.00	FL-1995 shutdown due to high flow
x									x				9/24/2024 1:07	9/24/2024 1:32	25.00	FL-1995 shutdown due to high flow
x									x				9/24/2024 15:59	9/24/2024 16:35	36.00	FL-1995 shutdown due to high flow
x									x				9/25/2024 15:42	9/25/2024 16:12	30.00	FL-1995 shutdown due to low temperature
x									x				9/26/2024 10:14	9/26/2024 10:25	11.00	FL-1995 shutdown due to low temperature
x									x				9/28/2024 8:41	9/28/2024 8:58	17.00	FL-1995 shutdown due to low temperature
x									x				9/28/2024 12:48	9/28/2024 13:08	20.00	FL-1995 shutdown due to low temperature
x								x					10/12/2024 8:07	10/12/2024 8:23	16.00	FL-1995 manual shutdown for generator repair
x									x				10/14/2024 4:58	10/14/2024 5:15	17.00	FL-1995 shutdown due to low temperature
x									x				10/20/2024 2:05	10/20/2024 8:30	385.00	FL-1995 shutdown due to main flame failure
x									x				10/20/2024 12:31	10/20/2024 13:04	33.00	FL-1995 shutdown due to main flame failure
x									x				10/23/2024 14:33	10/23/2024 14:54	21.00	FL-1995 shutdown due to site generator failure
x									x				10/24/2024 6:22	10/24/2024 6:31	9.00	FL-1995 shutdown due to low temperature
x									x				10/24/2024 11:16	10/24/2024 11:22	6.00	FL-1995 shutdown due to low temperature
x									x				10/25/2024 13:33	10/25/2024 13:45	12.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x									x				10/25/2024 13:53	10/25/2024 13:58	5.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x									x				10/27/2024 18:57	10/28/2024 4:40	583.00	FL-1995 shutdown due to generator failure
x									x				10/28/2024 10:08	10/28/2024 10:30	22.00	FL-1995 shutdown due to high flow
x									x				11/1/2024 4:21	11/1/2024 4:52	31.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x									x				11/1/2024 9:48	11/1/2024 10:30	42.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x									x				11/1/2024 10:42	11/1/2024 14:08	206.00	FL-1995 shutdown due to BL-107 Gas Blower Failure & replacement
x								x					11/2/2024 4:55	11/2/2024 6:20	85.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/2/2024 7:35	11/2/2024 7:52	17.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/2/2024 7:57	11/2/2024 8:11	14.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/2/2024 8:27	11/2/2024 8:37	10.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/4/2024 15:41	11/4/2024 15:48	7.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 1:27	11/8/2024 4:30	183.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 8:13	11/8/2024 8:36	23.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 16:40	11/8/2024 16:46	6.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 16:57	11/8/2024 17:04	7.00	FL-1995 shutdown due to low temperature
x									x				11/9/2024 10:54	11/9/2024 11:12	18.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/9/2024 16:11	11/9/2024 16:27	16.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/12/2024 14:18	11/12/2024 14:29	11.00	FL-1995 shutdown due to high flow
x									x				11/14/2024 0:27	11/14/2024 6:57	390.00	FL-1995 shutdown due to generator failure
	x								x				8/31/2024 10:10	8/31/2024 11:47	97.00	FL-2009 manual shutdown to perform generator service
	x								x				8/31/2024 13:08	8/31/2024 15:00	112.00	FL-2009 manual shutdown to perform generator service
	x								x				9/2/2024 9:13	9/2/2024 10:27	74.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/3/2024 10:05	9/3/2024 10:37	32.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/3/2024 16:47	9/3/2024 17:22	35.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/4/2024 11:55	9/4/2024 12:25	30.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/9/2024 11:59	9/9/2024 17:19	320.00	FL-2009 shutdown due to pilot failure
	x								x				9/14/2024 8:15	9/16/2024 8:53	2918.00	FL-2009 shutdown due to pilot failure
	x								x				9/16/2024 16:09	9/16/2024 16:55	46.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/21/2024 8:24	9/21/2024 19:26	662.00	FL-2009 manual shutdown to perform generator service







		x						x						4/25/2025 8:00	4/25/2025 11:00	180.00		4/25/2025 8:30	4/25/2025 11:08	158.00		Planned shutdown to clean flame arrester	
								x						4/25/2025 13:00	4/25/2025 15:00	120.00		4/25/2025 13:36	4/25/2025 15:42	126.00		Planned shutdown to clean detonation arrester and swap flow meters	
x	x	x						x															See below for individual flare downtime
																			4/26/2025 11:32	4/26/2025 12:47	75.00		Shutdown due SCE power outage/glitch
																			4/26/2025 11:32	4/26/2025 12:56	84.00		Shutdown due SCE power outage/glitch
																			4/26/2025 11:32	4/26/2025 11:39	7.00		Shutdown due SCE power outage/glitch
																			4/26/2025 11:32	4/26/2025 16:48	316.00		Shutdown due SCE power outage/glitch. Electrical issue on control panel. Switch went bad. Confirmed by
																			4/29/2025 4:49	4/29/2025 6:07	78.00		Flare shutdown due to main flame failure
																			4/29/2025 11:54	4/29/2025 13:00	66.00		Flare shutdown due to Burner D high temperature. Need to replace thermocouple.
x																			4/30/2025 8:42	4/30/2025 10:50	128.00		Planned shutdown to perform monthly alarm tests
																			5/4/2025 11:01	5/4/2025 12:34	93.00		Flare shutdown due to main flame failure
																			5/4/2025 14:21	5/4/2025 15:05	44.00		Flare shutdown due to low temp
																			5/4/2025 15:58	5/5/2025 12:00	1202.00		Flare shutdown due to flame failure. Flame arrester clogged due to carbon media break through
x	x	x																	5/5/2025 7:00	5/5/2025 13:00	360.00		Planned shutdown to perform emergency cleaning of flare station main header due to carbon break through
x																			5/5/2025 7:00	5/5/2025 13:00	360.00		Planned shutdown to perform emergency cleaning of flare station main header due to carbon break through
																			5/5/2025 7:00	5/5/2025 13:00	360.00		Planned shutdown to perform emergency cleaning of flare station main header due to carbon break through
																			5/8/2025 18:22	5/8/2025 18:45	23.00		Flare shutdown due to high flow
																			5/13/2025 20:42	5/13/2025 22:12	90.00		Flare shutdown due to low temp
																			5/14/2025 13:00	5/14/2025 14:30	90.00		Planned shutdown to swap flame arrester
																			5/15/2025 13:00	5/15/2025 14:30	90.00		Planned shutdown to swap flow meter and flame arrester. Postponed flame arrester swap.
																			5/15/2025 13:57	5/15/2025 14:18	21.00		Flare shutdown due to electrical issue
																			5/19/2025 5:30	5/19/2025 13:00	450.00		Planned shutdown to perform flare burner cleaning
																			5/19/2025 13:00	5/19/2025 14:30	90.00		Planned shutdown to swap flame arrester
																			6/2/2025 5:00	6/2/2025 18:00	780.00		Planned shutdown to perform a flare cleaning
																			6/9/2025 11:38	6/9/2025 13:30	112.00		Shutdown due to flame main flame failure
x																			6/9/2025 11:49	6/9/2025 12:10	21.00		Shutdown due to low temperature
																			6/9/2025 19:29	6/9/2025 20:59	90.00		Shutdown due to low temperature
																			6/10/2025 13:30	6/10/2025 15:00	90.00		Planned shutdown to swap flame arrester
																			6/10/2025 19:30	6/10/2025 21:30	120.00		Shutdown due to high flow and low temp
																			6/10/2025 19:30	6/10/2025 21:30	120.00		Shutdown due to high flow
																			6/10/2025 19:30	6/10/2025 21:30	120.00		Shutdown due to low temperature
																			6/11/2025 20:40	6/11/2025 22:00	80.00		Shutdown due to low temperature
																			6/15/2025 18:26	6/15/2025 21:26	180.00		Shutdown due to high flow
																			6/17/2025 21:02	6/17/2025 22:32	90.00		Shutdown due to high flow
																			6/18/2025 17:27	6/18/2025 18:57	90.00		Shutdowns due to loss of compressed air pressure
																			6/18/2025 17:27	6/18/2025 18:57	90.00		Shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
																			6/18/2025 17:35	6/18/2025 18:57	82.00		Shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
																			6/18/2025 17:38	6/18/2025 18:57	79.00		Shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
																			6/19/2025 13:00	6/19/2025 14:00	60.00		Planned shutdown to swap flow meter
																			6/19/2025 20:09	6/19/2025 21:39	90.00		Shutdown due to high flow
																			6/21/2025 19:48	6/21/2025 21:18	90.00		Shutdown due to high flow
																			6/26/2025 14:10	6/26/2025 15:45	95.00		Power shutdown due to active fire
																			6/27/2025 12:30	6/27/2025 15:00	150.00		Planned shutdown to perform monthly alarm test
x	x	x																	6/28/2025 14:00				**EVENT DID NOT TAKE PLACE**
																			6/27/2025 1:18	6/27/2025 6:30	312.00		Shutdown due to high flow
																			6/27/2025 20:10	6/27/2025 21:30	80.00		Shutdown due to high flow
																			6/29/2025 3:36	6/29/2025 4:12	36.00		Shutdown due to high flow
																			6/29/2025 20:21	6/29/2025 21:36	75.00		Shutdown due to high flow
																			7/1/2025 22:14	7/2/2025 0:14	120.00		Shutdown due to high flow
																			7/7/2025 4:11	7/7/2025 4:54	43.00		Shutdown due to flame failure
																			7/7/2025 4:05	7/7/2025 5:35	90.00		Full site shutdown due to SCE PSPS as wildfire appeared near the site. Running on generator power.
																			7/9/2025 5:30	7/9/2025 7:30	120.00		Planned temporary shutdown to switch from generator power back to utility.
																			7/9/2025 18:39	7/9/2025 20:09	90.00		Shutdown due to high flow
																			7/24/2025 5:00	7/24/2025 15:00	600.00		Planned shutdown to perform burner cleaning
																			7/24/2025 10:00	7/24/2025 14:00	240.00		Planned potential full flare station shutdown due to work being performed on the main header
																			7/24/2025 10:00	7/24/2025 14:00	240.00		Planned shutdown to perform work on the main header
																			7/24/2025 10:00	7/24/2025 14:00	240.00		Planned shutdown to perform work on the main header
																			7/24/2025 11:15	7/24/2025 14:18	183.00		Planned shutdown to perform work on the main header
																			7/24/2025 11:15	7/24/2025 13:35	140.00		Planned shutdown to perform work on the main header
																			7/23/2025 11:04	7/23/2025 11:44	40.00		Unplanned shutdown due to loss of grid power
																			7/23/2025 11:04	7/23/2025 11:34	30.00		Unplanned shutdown due to loss of grid power
																			7/23/2025 11:00	7/23/2025 11:53	53.00		Unplanned shutdown due to loss of grid power
																			7/23/2025 11:00	7/23/2025 11:33	33.00		Unplanned shutdown due to loss of grid power
																			7/23/2025 13:53	7/23/2025 14:20	27.00		Unplanned shutdown due to loss of grid power
																			7/23/2025 13:55	7/23/2025 14:05	10.00		Unplanned shutdown due to loss of grid power
																			7/23/2025 13:50	7/23/2025 14:06	16.00		Unplanned shutdown due to loss of grid power
																			7/23/2025 13:45	7/23/2025 13:58	13.00		Unplanned shutdown due to loss of grid power
																			7/27/2025 8:18	7/27/2025 9:30	72.00		Unplanned shutdown due to pilot failure
																			7/27/2025 8:18	7/27/2025 10:26	128.00		Unplanned shutdown due to pilot failure
																			7/27/2025 12:29	7/27/2025 13:04	35.00		Unplanned shutdown due to pilot failure
																			7/30/2025 8:33	7/30/2025 10:30	117.00		Planned shutdown to remove and clean the detonation arrester
																			7/30/2025 9:00	7/30/2025 13:00	240.00		Planned shutdown to perform monthly alarm test
																			7/31/2025 10:00	7/31/2025 14:00	240.00		Planned shutdown to perform monthly alarm test
																			8/5/2025 16:53	8/6/2025 10:00	1027.00		Unplanned shutdown due to clogged flame arrester resulting in declining gas flow
																			8/6/2025 10:41	8/6/2025 12:00	79.00		Unplanned shutdown due to clogged flame arrester resulting in declining gas flow
x	x	x																	8/7/2025 9:00	8/7/2025 14:00	300.00		Planned full flare station shutdown to perform a main header flushing due to media breakthrough
																							See below for individual flare downtimes







	x								x	6/11/2026 5:29	6/11/2026 5:39	10.00	6/11/2026 5:29	6/11/2026 5:39	10.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 5:47	6/11/2026 5:57	10.00	6/11/2026 5:47	6/11/2026 5:57	10.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:05	6/11/2026 6:14	9.00	6/11/2026 6:05	6/11/2026 6:14	9.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:18	6/11/2026 6:22	4.00	6/11/2026 6:18	6/11/2026 6:22	4.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:28	6/11/2026 12:00	332.00	6/11/2026 6:28	6/11/2026 12:29	361.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 21:30	6/11/2026 23:15	105.00	6/11/2026 21:29	6/11/2026 23:15	106.00	Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station
	x								x	6/12/2026 21:53	6/14/2026 12:00	2287.00				Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station and in field; unable to restart due to high liquid level alarm in Knockout Pot V-101
x									x	6/13/2026 8:19	6/14/2026 12:00	1661.00				High liquid level alarm in V-101
	x								x	6/13/2026 21:54	6/14/2026 8:00	606.00				Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station and in field (failed attempts to restart around 12:00 AM - 12:20 AM)
	x								x	6/14/2026 22:31	6/15/2026 6:40	489.00	6/14/2026 22:31	6/15/2026 6:40	489.00	Unplanned shutdown due to flame failure - Swapped out combustion filter element
					x				x	6/17/2026 7:30	6/17/2026 11:30	240.00				Planned manual shutdown to swap from grid power to generator power for modifications to main power lines
						x			x	6/17/2026 7:30	6/17/2026 11:30	240.00				Planned manual shutdown to swap from grid power to generator power for modifications to main power lines
x									x	6/18/2026 7:00	6/18/2026 13:00	360.00				Planned manual shutdown to access and clean second knock out pot at the flare station
	x								x	6/18/2026 7:00	6/18/2026 13:00	360.00				Planned manual shutdown to access and clean second knock out pot at the flare station