

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-108-52	5/1/2026 10:29:07 AM	47.7	51.3	0.0	1.0			98.6	99.7	-6.51	-6.42	-7.71	Valve Adjustment:Barely Open
CV-108-52	5/6/2026 8:30:00 AM					100	6600						Air Tech Lab
CV-108-52	5/19/2026 1:02:47 PM	50.4	48.9	0.0	0.7			101.2	101.6	-2.70	-2.78	-2.90	Valve Adjustment:Barely Open,Surging Liquid in Header
CV-113	5/4/2026 7:50:00 AM						24000						Air Tech Lab; [User entered 2.4%]
CV-113	5/15/2026 9:28:02 AM	9.6	85.1	0.0	5.3			65.9	66.6	-0.24	-0.23	-3.12	
CV-113	5/26/2026 2:01:29 PM	9.9	88.1	0.0	2.0			72.8	72.9	-0.39	-0.35	-3.32	Valve Adjustment:Barely Open
CV-114	5/4/2026 8:05:00 AM						2800						Air Tech Lab; [User entered 0.28%]
CV-114	5/5/2026 8:32:18 AM	2.2	80.1	0.0	17.7			174.3	173.1	-2.04	-2.13	-5.67	Valve Adjustment:No Flow Measurement,High Temp
CV-114	5/5/2026 8:35:00 AM						161800						AtmAA; [User entered 16.18%]
CV-114	5/5/2026 8:35:00 AM					3350							AtmAA
CV-114	5/12/2026 9:22:16 AM	18.6	81.4	0.0	0.0			173.1	174.3	-1.52	-1.56	-5.10	Valve Adjustment:High Temp
CV-114	5/12/2026 9:25:00 AM					1750							AtmAA
CV-114	5/18/2026 9:17:57 AM	14.0	75.7	0.0	10.3			160.9	163.8	1.57	1.59	-1.83	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum,Valve 100% Open,Reduce Sys. Vac. - Flare Down
CV-114	5/18/2026 9:20:00 AM					4380							AtmAA
CV-114	5/18/2026 9:20:17 AM	14.4	78.4	0.0	7.2			164.5	164.4	1.25	1.34	-1.86	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down
CV-114	5/26/2026 8:58:28 AM	1.0	78.6	0.0	20.4			170.5	170.7	-0.17	-0.65	0.23	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-1532A	5/11/2026 8:15:00 AM						61000						Air Tech Lab; [User entered 6.1%]
CV-1532A	5/11/2026 8:15:00 AM					580							Air Tech Lab
CV-1532A	5/13/2026 1:07:32 PM	11.9	58.0	6.5	23.6			81.9	81.9	-3.42	-3.87	-5.11	Comments:,,,,,,,,
CV-1532A	5/13/2026 1:09:52 PM	8.2	38.6	11.4	41.8			81.8	81.7	-4.01	-5.13	-5.14	Comments:,,,,,,,,
CV-1532A	5/28/2026 8:54:46 AM	6.7	68.0	4.2	21.1			66.9	66.6	-6.50	-6.24	-5.83	Valve Adjustment:Barely Open;Well Comment:System surging
CV-1535	5/1/2026 10:31:55 AM	45.2	51.2	0.0	3.6			120.4	120.4	-0.90	-0.82	-8.20	Valve Adjustment:Audible Flow;Well Condition:Good
CV-1535	5/11/2026 8:25:00 AM						9800						Air Tech Lab; [User entered 0.98%]
CV-1535	5/11/2026 8:25:00 AM					100							Air Tech Lab
CV-1535	5/19/2026 12:55:31 PM	44.5	49.2	0.0	6.3			119.7	119.5	-0.23	-0.22	-3.25	Valve Adjustment:Barely Open
CV-1902A	5/6/2026 9:05:00 AM						161050						AtmAA; [User entered 16.105%]
CV-1902A	5/6/2026 9:05:00 AM					1130							AtmAA
CV-1902A	5/6/2026 9:06:28 AM	10.5	78.0	0.0	11.5			160.9	159.6	-6.78	-6.73	-6.80	Valve Adjustment:No Flow Measurement,High Temp
CV-1902A	5/11/2026 7:55:00 AM						190000						Air Tech Lab; [User entered 19%]
CV-1902A	5/11/2026 7:55:00 AM					930							Air Tech Lab
CV-1902A	5/11/2026 1:48:31 PM	9.5	80.8	0.0	9.7			149.5	152.7	-3.48	-3.32	9.42	Valve Adjustment:No Flow Measurement,High Temp
CV-1902A	5/14/2026 1:48:17 PM	2.1	79.7	0.0	18.2			167.2	168.6	-5.46	-5.64	-5.50	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-1902A	5/20/2026 8:10:11 AM	8.0	77.7	0.0	14.3			156.7	157.4	-5.28	-5.26	-5.00	Valve Adjustment:No Flow Measurement,High Temp
CV-1902A	5/28/2026 8:49:43 AM	1.8	79.3	0.0	18.9			174.2	172.3	-7.63	-7.66	-7.45	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2001	5/1/2026 10:12:38 AM	10.4	78.3	2.1	9.2			85.8	86.2	-6.24	-5.48	-6.26	Valve Adjustment:Decreased Flow/Vacuum,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2001	5/6/2026 7:50:00 AM						82000						Air Tech Lab; [User entered 8.2%]
CV-2001	5/6/2026 7:50:00 AM					780							Air Tech Lab
CV-2001	5/12/2026 8:45:06 AM	12.0	76.2	1.0	10.8			76.1	76.2	-2.86	-3.81	-4.37	Comments:No Adjustment Made,,,,,,,,

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2001	5/20/2026 9:55:23 AM	11.8	79.2	0.0	9.0			103.2	103.3	-4.03	-4.05	-4.19	Valve Adjustment:Barely Open
CV-2002	5/6/2026 1:02:03 PM	35.3	64.7	0.0	0.0			181.7	181.8	-1.14	-1.31	-4.81	Valve Adjustment:High Temp,Surging Liquid in Well (Watered In)
CV-2002	5/6/2026 1:05:00 PM						137200						AtmAA; [User entered 13.72%]
CV-2002	5/6/2026 1:05:00 PM					3900							AtmAA
CV-2002	5/11/2026 8:10:00 AM						83000						Air Tech Lab; [User entered 8.3%]
CV-2002	5/11/2026 8:10:00 AM					860							Air Tech Lab
CV-2002	5/13/2026 10:09:19 AM	9.0	64.5	2.4	24.1			181.6	181.8	-0.82	-1.05	0.23	Valve Adjustment:No Flow Measurement,High Temp
CV-2002	5/20/2026 9:41:05 AM	42.1	55.6	2.3	0.0			177.9	178.0	-3.15	-2.83	-4.07	Valve Adjustment:High Temp,Decreased Flow/Vacuum
CV-2002	5/20/2026 9:42:31 AM	43.3	54.7	2.0	0.0			178.6	178.6	-2.21	-2.02	-3.82	Valve Adjustment:High Temp
CV-2002	5/28/2026 10:12:21 AM	9.3	74.6	0.0	16.1			183.5	183.6	0.35	-0.67	-2.10	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum,Plugged/Pinched Suspected;Well Comment:Pinched in the vacuum line
CV-2002	5/28/2026 10:15:53 AM	9.6	74.7	0.0	15.7			183.5	182.2	-0.75	-0.81	-0.97	Valve Adjustment:NSPS/EG CAC,High Temp
CV-2007	5/4/2026 8:10:00 AM						59000						Air Tech Lab; [User entered 5.9%]
CV-2007	5/8/2026 9:48:29 AM	20.5	75.0	0.0	4.5			93.2	93.8	-0.01	-0.03	-3.18	Comments:Reduced System Vacuum,,,,,,,,
CV-2007	5/20/2026 2:00:34 PM	19.9	75.6	0.0	4.5			111.1	112.8	-0.10	-0.11	-7.42	Valve Adjustment:Barely Open
CV-2301	5/7/2026 7:55:00 AM						150000						Air Tech Lab; [User entered 15%]
CV-2301	5/7/2026 7:55:00 AM					2200							Air Tech Lab
CV-2301	5/14/2026 10:52:08 AM	30.7	61.8	0.0	7.5			182.0	182.0	-7.30	-7.24	-7.47	Valve Comment:Valve too high to adjust;Valve Adjustment:NSPS/EG CAI,High Temp;Well Comment:No Pump
CV-2301	5/14/2026 10:53:50 AM	31.1	62.4	0.0	6.5			182.0	182.0	-7.32	-7.34	-7.59	
CV-2301	5/14/2026 11:20:00 AM					1170							AtmAA
CV-2301	5/19/2026 10:15:00 AM					990							AtmAA
CV-2301	5/19/2026 10:15:36 AM	48.3	51.4	0.3	0.0			165.0	165.0	-7.06	-5.74	-6.74	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-2301	5/19/2026 10:16:23 AM	47.8	52.2	0.0	0.0			164.0		-5.72		-6.88	Valve Adjustment:No Flow Measurement,High Temp
CV-2301	5/27/2026 10:36:57 AM	21.7	65.2	0.1	13.0			160.0	158.0	-4.82	-1.81	-6.24	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-2301	5/27/2026 10:38:04 AM	13.5	69.3	0.0	17.2			158.0	158.0	-2.47	-2.44	-6.22	Valve Adjustment:No Flow Measurement,High Temp
CV-2302	5/4/2026 9:06:38 AM	42.4	51.8	0.1	5.7			121.6	121.6	-9.44	-9.45	-9.66	Valve Adjustment:Valve 100% Open;Well Comment:valve stuck open
CV-2302	5/7/2026 8:05:00 AM						53000						Air Tech Lab; [User entered 5.3%]
CV-2302	5/7/2026 8:05:00 AM					320							Air Tech Lab
CV-2302	5/22/2026 3:57:06 PM	42.2	50.6	0.7	6.5			120.2	121.0	-5.04	-5.07	-5.32	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-2303	5/5/2026 2:21:44 PM	14.0	80.9	0.0	5.1			189.5	187.7	-3.85	-3.77	0.27	Valve Adjustment:No Flow Measurement,High Temp
CV-2303	5/5/2026 2:25:00 PM						165800						AtmAA; [User entered 16.58%]
CV-2303	5/5/2026 2:25:00 PM					2170							AtmAA
CV-2303	5/12/2026 8:30:00 AM						190000						Air Tech Lab; [User entered 19%]
CV-2303	5/12/2026 8:30:00 AM					2000							Air Tech Lab
CV-2303	5/13/2026 2:13:55 PM	2.0	75.5	0.0	22.5			188.9	190.0	-4.70	-4.13	-4.68	Valve Adjustment:No Flow Measurement,High Temp
CV-2303	5/19/2026 8:36:23 AM	14.0	79.4	0.0	6.6			187.2	187.5	-4.52	-4.52	-4.26	Valve Adjustment:No Flow Measurement,High Temp
CV-2303	5/19/2026 8:40:00 AM					2480							AtmAA
CV-2303	5/27/2026 9:02:45 AM	1.3	77.6	0.0	21.1			181.2	179.8	-2.09	-2.13	0.01	Valve Adjustment:No Flow Measurement,High Temp
CV-2305	5/4/2026 8:50:00 AM	16.1	73.3	0.0	10.6			149.9	149.9	-1.66	-1.01	-1.61	Valve Adjustment:High Temp

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2315	5/7/2026 8:30:00 AM						140000						Air Tech Lab; [User entered 14%]
CV-2315	5/7/2026 8:30:00 AM					3900							Air Tech Lab
CV-2315	5/11/2026 8:41:37 AM	2.8	85.7	0.0	11.5			158.8	156.4	0.34	0.79	1.38	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open
CV-2315	5/13/2026 1:42:47 PM	5.1	79.0	0.1	15.8			177.4	177.7	-2.57	-3.27	-3.13	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header
CV-2315	5/13/2026 1:43:34 PM	5.2	78.4	0.0	16.4			177.6	178.3	-2.68	-2.67	-3.16	
CV-2315	5/19/2026 1:31:37 PM	22.0	75.5	0.0	2.5			184.8	184.8	-1.16	-1.16	0.00	Valve Comment:Lorentz pump disconnected;Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open;Well Condition:Lorentz Pump Installed
CV-2315	5/19/2026 1:35:00 PM					4320							AtmAA
CV-2315	5/26/2026 10:35:23 AM	10.0	79.9	0.1	10.0			182.5	182.5	-5.71	-5.70	0.34	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open
CV-2328	5/4/2026 1:05:00 PM						53600						AtmAA; [User entered 5.36%]
CV-2328	5/4/2026 1:05:00 PM					661							AtmAA
CV-2328	5/4/2026 1:06:42 PM	5.8	82.6	0.0	11.6			171.5	172.4	8.45	-2.28	-11.61	Valve Adjustment:NSPS/EG CAI,Audible Flow,Increased Flow/Vacuum
CV-2328	5/4/2026 1:07:16 PM	5.4	87.3	0.0	7.3			172.5	172.4	-2.16	-2.13	-10.37	Valve Adjustment:NSPS/EG CAC,Audible Flow,High Temp
CV-2328	5/7/2026 8:15:00 AM						110000						Air Tech Lab; [User entered 11%]
CV-2328	5/7/2026 8:15:00 AM					980							Air Tech Lab
CV-2328	5/11/2026 1:26:04 PM	34.7	65.3	0.0	0.0			144.6	146.7	-0.54	-0.53	-1.24	Valve Adjustment:High Temp,Reduce Sys. Vac. - Flare Down
CV-2328	5/20/2026 2:05:13 PM	13.2	74.3	0.0	12.5			167.2	167.4	-0.64	-1.43	-7.41	Valve Adjustment:High Temp,Increased Flow/Vacuum
CV-2328	5/20/2026 2:06:30 PM	13.2	72.4	0.0	14.4			167.3	167.3	-1.36	-1.29	-6.96	Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed
CV-2328	5/28/2026 1:37:05 PM	13.1	76.8	0.0	10.1			164.9	164.9	-3.56	-3.67	-8.49	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header
CV-2333	5/5/2026 8:26:49 AM	1.3	85.7	0.0	13.0			165.9	165.9	-6.44	-6.41	-5.79	Valve Adjustment:Audible Flow,High Temp
CV-2333	5/5/2026 8:30:00 AM						160100						AtmAA; [User entered 16.01%]
CV-2333	5/5/2026 8:30:00 AM					4590							AtmAA
CV-2333	5/6/2026 9:44:40 AM	0.6	82.8	0.0	16.6			191.2	191.2	-3.78	-3.83	-2.94	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp
CV-2333	5/6/2026 9:45:24 AM	0.6	82.4	0.0	17.0			191.3	191.3	-3.95	-3.93	-3.32	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2333	5/12/2026 9:28:21 AM	13.6	81.1	0.0	5.3			177.0	178.1	-5.29	-4.99	-4.80	Valve Adjustment:No Flow Measurement,High Temp
CV-2333	5/12/2026 9:35:00 AM					2400							AtmAA
CV-2333	5/13/2026 7:40:00 AM						160000						Air Tech Lab; [User entered 16%]
CV-2333	5/13/2026 7:40:00 AM					3600							Air Tech Lab
CV-2333	5/18/2026 9:12:06 AM	8.1	75.1	0.0	16.8			157.9	158.1	-1.10	-0.47	-1.03	Valve Adjustment:No Flow Measurement,High Temp
CV-2333	5/18/2026 9:15:00 AM					4360							AtmAA
CV-2333	5/26/2026 8:54:11 AM	0.7	76.3	0.0	23.0			163.1	170.3	-2.38	-2.72	-2.18	Valve Adjustment:No Flow Measurement,High Temp
CV-2333	5/29/2026 9:43:07 AM	0.9	77.1	0.0	22.0			188.6	188.5	-3.29	-3.45	-3.28	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2334	5/13/2026 7:45:00 AM						11000						Air Tech Lab; [User entered 1.1%]
CV-2334	5/13/2026 7:45:00 AM					660							Air Tech Lab
CV-2334	5/26/2026 2:23:32 PM	7.2	92.8	0.0	0.0			127.6	127.2	-1.36	-1.68	-1.14	Valve Adjustment:Barely Open
CV-2337	5/6/2026 9:25:00 AM						122300						AtmAA; [User entered 12.23%]
CV-2337	5/6/2026 9:25:00 AM					5500							AtmAA
CV-2337	5/6/2026 9:26:13 AM	18.7	81.3	0.0	0.0			149.3	149.9	-2.47	-2.48	-3.11	Valve Adjustment:High Temp,Valve 100% Open
CV-2337	5/11/2026 8:05:00 AM						130000						Air Tech Lab; [User entered 13%]

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-2337	5/11/2026 8:05:00 AM					3500							Air Tech Lab
CV-2337	5/11/2026 2:00:37 PM	33.1	66.9	0.0	0.0			149.0	149.4	-0.74	-0.82	6.97	Valve Adjustment:No Flow Measurement,High Temp,Reduce Sys. Vac. - Flare Down
CV-2337	5/20/2026 8:23:36 AM	18.5	80.9	0.0	0.6			150.2	150.2	-3.45	-3.45	0.25	Valve Adjustment:High Temp
CV-2341	5/11/2026 7:50:00 AM						94000						Air Tech Lab; [User entered 9.4%]
CV-2341	5/11/2026 7:50:00 AM					850							Air Tech Lab
CV-2341	5/14/2026 1:47:09 PM	8.8	69.3	1.1	20.8			92.2	92.1	-0.94	-0.93	-5.13	Valve Adjustment:Audible Flow
CV-2341	5/29/2026 10:30:39 AM	9.1	67.8	1.3	21.8			86.6	86.4	-1.16	-1.13	-6.04	Comments:,,,,,,
CV-2344	5/6/2026 9:50:00 AM						139400						AtmAA; [User entered 13.94%]
CV-2344	5/6/2026 9:50:00 AM					4020							AtmAA
CV-2344	5/6/2026 9:52:20 AM	10.9	84.8	0.5	3.8			157.7	157.4	-8.39	-8.35	0.30	Valve Adjustment:No Flow Measurement,High Temp
CV-2344	5/11/2026 7:35:00 AM						160000						Air Tech Lab; [User entered 16%]
CV-2344	5/11/2026 7:35:00 AM					2900							Air Tech Lab
CV-2344	5/13/2026 9:30:38 AM	6.7	80.2	0.6	12.5			147.1	147.2	-8.12	-5.43	-7.90	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-2344	5/13/2026 9:31:33 AM	7.3	81.0	0.5	11.2			146.2	146.1	-5.39	-5.33	-7.71	Valve Adjustment:No Flow Measurement,High Temp
CV-2344	5/20/2026 8:51:25 AM	12.2	77.4	0.6	9.8			141.7	141.9	-6.82	-6.73	-7.55	Valve Adjustment:NSPS/EG CAC,No Flow Measurement
CV-2345	5/1/2026 10:19:42 AM	14.6	78.8	0.1	6.5			137.8	138.2	-0.71	-0.68	0.50	Valve Adjustment:NSPS/EG CAI,High Temp;Well Repairs:Sample Port
CV-2345	5/1/2026 10:20:11 AM	14.2	79.3	0.1	6.4			138.1	138.4	-0.71	-0.71	0.36	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2345	5/11/2026 7:30:00 AM						28000						Air Tech Lab; [User entered 2.8%]
CV-2345	5/11/2026 7:30:00 AM					580							Air Tech Lab
CV-2345	5/19/2026 2:15:18 PM	12.4	83.4	0.0	4.2			143.3	143.5	0.40	-0.05	-4.66	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-2345	5/19/2026 2:17:28 PM	14.6	77.6	0.0	7.8			142.7	142.7	-0.14	-0.12	-4.50	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2346	5/4/2026 1:27:19 PM	3.8	76.4	0.0	19.9			179.5	179.2	-2.10	-2.04	-5.67	Valve Adjustment:NSPS/EG CAC,High Temp;Well Condition:Lorentz Pump Installed
CV-2346	5/4/2026 1:29:13 PM	3.5	77.6	0.0	19.0			178.9	178.7	-2.59	-2.58	-5.77	Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed
CV-2346	5/6/2026 8:25:00 AM						130000						Air Tech Lab; [User entered 13%]
CV-2346	5/6/2026 8:25:00 AM					2200							Air Tech Lab
CV-2346	5/6/2026 9:45:00 AM						118500						AtmAA; [User entered 11.85%]
CV-2346	5/6/2026 9:45:00 AM					3400							AtmAA
CV-2346	5/6/2026 9:47:10 AM	17.2	82.8	0.0	0.0			182.1	182.2	-3.78	-3.77	-6.82	Valve Adjustment:No Flow Measurement,High Temp
CV-2346	5/13/2026 9:20:50 AM	10.9	84.3	0.0	4.8			182.1	182.1	-1.84	-1.95	-7.41	Valve Adjustment:No Flow Measurement,High Temp
CV-2346	5/20/2026 8:47:59 AM	17.4	80.5	0.0	2.1			183.1	184.4	-5.63	-5.72	-7.17	Valve Adjustment:No Flow Measurement,High Temp
CV-2346	5/28/2026 9:28:07 AM	1.3	78.6	0.9	19.2			187.1	186.9	-8.63	-8.69	-9.37	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2347	5/1/2026 10:09:08 AM	10.7	68.3	0.1	20.9			116.7	116.7	-2.15	-2.07	-6.86	Valve Adjustment:Decreased Flow/Vacuum
CV-2347	5/6/2026 8:20:00 AM						56000						Air Tech Lab; [User entered 5.6%]
CV-2347	5/6/2026 8:20:00 AM					1100							Air Tech Lab
CV-2347	5/20/2026 8:26:42 AM	15.0	64.8	0.0	20.2			121.6	124.3	-2.67	-2.69	-7.58	Valve Comment:well needs lowering;Valve Adjustment:Audible Flow
CV-2348	5/6/2026 8:15:00 AM						27000						Air Tech Lab; [User entered 2.7%]
CV-2348	5/6/2026 8:15:00 AM					460							Air Tech Lab
CV-2348	5/13/2026 12:35:31 PM	19.8	56.6	0.3	23.3			128.7	128.8	-3.81	-3.82	-5.97	Comments:,,,,,,
CV-2348	5/20/2026 8:15:56 AM	20.4	54.1	0.0	25.5			107.8	108.3	-7.53	-7.47	0.03	Valve Comment:Well needs lowering;Valve Adjustment:Audible Flow,Surging Liquid in Header

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-2349	5/5/2026 8:25:00 AM						150000						Air Tech Lab; [User entered 15%]
CV-2349	5/5/2026 8:25:00 AM					2600							Air Tech Lab
CV-2349	5/7/2026 11:15:00 AM						117000						AtmAA; [User entered 11.7%]
CV-2349	5/7/2026 11:15:00 AM					3350							AtmAA
CV-2349	5/7/2026 11:15:19 AM	5.4	87.4	0.0	7.2			148.3	147.8	0.27	0.59	0.33	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Increased Flow/Vacuum
CV-2349	5/7/2026 11:16:23 AM	5.3	87.9	0.0	6.8			147.6	147.7	0.29	0.40	0.33	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down
CV-2349	5/13/2026 10:48:12 AM	4.1	77.3	0.0	18.6			152.3	150.2	-0.05	-0.13	0.13	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header;Well Condition:Lorentz Pump Installed
CV-2349	5/20/2026 10:27:38 AM	14.1	75.3	0.0	10.6			162.7	163.1	-2.00	-2.00	-0.29	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp
CV-2349	5/28/2026 10:20:04 AM	2.3	79.8	0.0	17.9			172.2	172.5	-1.12	-0.52	-1.79	Valve Adjustment:NSPS/EG CAI,High Temp
CV-2350	5/11/2026 7:40:00 AM						170000						Air Tech Lab; [User entered 17%]
CV-2350	5/11/2026 7:40:00 AM					3700							Air Tech Lab
CV-2350	5/13/2026 12:56:01 PM	4.7	77.8	0.0	17.5			121.4	116.6	8.91	-3.00	-3.98	Comments:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,,,
CV-2350	5/13/2026 12:57:10 PM	4.5	85.3	0.0	10.2			116.3	116.4	-0.49	-1.29	-3.38	Comments:,,,,,,,,
CV-2350	5/20/2026 10:03:44 AM	4.0	79.6	0.0	16.4			110.9	112.1	-4.09	-4.05	-4.09	Valve Adjustment:Decreased Flow/Vacuum
CV-2351	5/1/2026 9:05:14 AM	0.0	1.8	21.2	77.0			83.8	77.5	-6.60	-6.39	-6.56	Valve Adjustment:Valve 100% Closed,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Comment:Valve stuck open
CV-2351	5/5/2026 7:50:00 AM						1600						Air Tech Lab; [User entered 0.16%]
CV-2351	5/5/2026 7:50:00 AM					0							Air Tech Lab
CV-2351	5/28/2026 9:24:00 AM	2.8	0.1	21.2	75.9			62.3	65.4	-6.82	-6.66	-6.76	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-2351	5/28/2026 9:25:03 AM	2.8	0.1	21.1	76.0			68.1	77.5	-6.12	-6.08	-5.97	Valve Adjustment:NSPS/EG CAI,High O2
CV-2352	5/1/2026 9:13:24 AM	0.0	0.5	21.4	78.1			115.6	116.7	-0.02	-5.72	-6.40	Valve Adjustment:increased Flow/Vacuum,Barely Open;Well Comment:Possible damaged valve
CV-2352	5/5/2026 8:00:00 AM						190000						Air Tech Lab; [User entered 19%]
CV-2352	5/5/2026 8:00:00 AM					1100							Air Tech Lab
CV-2352	5/28/2026 9:12:47 AM	2.6	25.4	15.5	56.5			99.0	97.8	-5.81	-2.75	-6.36	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-2352	5/28/2026 9:16:38 AM	5.7	29.9	13.0	51.4			108.7	108.9	-0.77	-0.76	-6.25	Valve Adjustment:NSPS/EG CAI,High O2
CV-2353-PLR	5/12/2026 7:35:00 AM						210000						Air Tech Lab; [User entered 21%]
CV-2353-PLR	5/12/2026 7:35:00 AM					760							Air Tech Lab
CV-2353-PLR	5/14/2026 8:40:00 AM					924							AtmAA
CV-2353-PLR	5/15/2026 8:27:25 AM	2.6	77.8	0.0	19.6			147.9	149.2	-7.01	-6.99	-6.87	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-2353-PLR	5/15/2026 8:29:12 AM	2.7	78.1	0.0	19.2			147.6	147.9	-6.86	-6.79	-7.01	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-2353-PLR	5/20/2026 9:13:10 AM	25.8	66.6	1.1	6.5			129.5	131.4	-5.82	-5.04	-5.65	Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum
CV-2353-PLR	5/20/2026 9:13:57 AM	26.1	68.8	0.5	4.6			131.8	131.5	-5.36	-5.36	-5.45	Valve Adjustment:NSPS/EG CAC,No Flow Measurement
CV-2354	5/5/2026 8:20:00 AM						170000						Air Tech Lab; [User entered 17%]
CV-2354	5/5/2026 8:20:00 AM					2500							Air Tech Lab
CV-2354	5/6/2026 10:50:00 AM						148000						AtmAA; [User entered 14.8%]
CV-2354	5/6/2026 10:50:00 AM					3190							AtmAA
CV-2354	5/6/2026 10:50:20 AM	24.8	75.2	0.0	0.0			174.0	175.3	-3.33	-3.39	0.34	Valve Adjustment:No Flow Measurement,High Temp

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-2354	5/13/2026 11:01:08 AM	4.5	77.9	1.4	16.2			166.8	166.8	-0.98	-0.98	-2.75	Valve Adjustment:No Flow Measurement,High Temp,Barely Open
CV-2354	5/13/2026 11:03:49 AM	4.8	81.5	0.4	13.3			166.6	167.4	-1.06	-1.11	-2.62	Valve Comment:LORENTZ pump started after last read so cleared some O2;Valve Adjustment:No Flow Measurement,High Temp
CV-2354	5/20/2026 10:40:36 AM	35.6	64.4	0.0	0.0			179.4	178.6	1.82	1.87	0.29	Valve Comment:Header watered in;Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Lorentz Pump Installed;Well Repairs:Surging
CV-2354	5/20/2026 10:42:07 AM	35.4	64.6	0.0	0.0			179.6	180.2	1.88	1.91	-0.10	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header;Well Condition:Lorentz Pump Installed;Well Repairs:Surging
CV-2354	5/28/2026 10:36:46 AM	4.2	78.4	0.0	17.4			183.8	183.9	-0.52	-0.52	-2.81	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24002	5/1/2026 2:39:31 PM	44.4	53.9	0.0	1.7			92.4	93.2	-0.06	-0.01	0.28	Well Comment:no system port
CV-24002	5/19/2026 9:51:18 AM	47.3	51.9	0.0	0.8			87.8	88.6	0.11	-0.04	-5.90	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open
CV-24002	5/19/2026 9:53:36 AM	45.8	53.6	0.0	0.6			89.2	89.1	-0.13	-0.15	-5.87	Valve Adjustment:NSPS/EG CAC,Barely Open;Well Comment:Sample port installed
CV-24003	5/1/2026 2:37:02 PM	39.9	57.4	0.0	2.7			101.6	101.6	-0.76	-0.63	-6.86	
CV-24003	5/19/2026 9:12:06 AM	45.8	52.7	0.0	1.5			107.1	101.3	-0.41	-0.43	-5.97	Valve Adjustment:Barely Open;Well Repairs:Valve
CV-24007	5/12/2026 8:40:00 AM						170000						Air Tech Lab; [User entered 17%]
CV-24007	5/12/2026 8:40:00 AM					1800							Air Tech Lab
CV-24007	5/15/2026 9:09:54 AM	5.6	77.6	0.0	16.8			132.2	132.4	0.04	-0.02	-0.36	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Header
CV-24007	5/15/2026 9:10:41 AM	4.8	66.5	0.0	28.7			138.6	138.7	-0.12	-0.14	-0.21	Valve Adjustment:NSPS/EG CAI,High Temp,Surging Liquid in Header
CV-24007	5/19/2026 10:45:21 AM	19.9	70.8	0.0	9.3			150.9	150.7	-0.31	-0.18	-3.87	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Increased Flow/Vacuum
CV-24007	5/19/2026 10:46:37 AM	18.2	71.0	0.0	10.8			150.9	150.7	-0.16	-0.16	-3.26	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,Barely Open
CV-24007	5/26/2026 1:55:46 PM	28.1	71.9	0.0	0.0			150.2	150.9	-0.79	-1.05	1.01	Valve Adjustment:High Temp,Increased Flow/Vacuum
CV-24007	5/26/2026 1:56:22 PM	33.7	66.3	0.0	0.0			150.7	150.8	-1.44	-1.44	0.88	Valve Adjustment:High Temp
CV-24007	5/29/2026 9:33:56 AM	27.8	66.3	0.0	5.9			148.0	148.2	-1.32	-1.34	-6.72	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24017	5/5/2026 1:19:34 PM	10.8	78.7	0.6	9.9			159.0	159.6	-3.14	-3.12	0.00	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open
CV-24017	5/5/2026 1:20:00 PM						155500						AtmAA; [User entered 15.55%]
CV-24017	5/5/2026 1:20:00 PM					2760							AtmAA
CV-24017	5/12/2026 8:35:00 AM						190000						Air Tech Lab; [User entered 19%]
CV-24017	5/12/2026 8:35:00 AM					2100							Air Tech Lab
CV-24017	5/12/2026 2:10:00 PM					1230							AtmAA
CV-24017	5/12/2026 2:25:14 PM	18.0	72.7	0.6	8.7			181.0	180.5	-4.81	-1.21	-0.05	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-24017	5/12/2026 2:47:32 PM	25.5	74.5	0.0	0.0			172.2	174.6	-2.11	-2.05	0.00	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header
CV-24017	5/18/2026 2:35:18 PM	25.5	74.5	0.0	0.0			171.6	170.6	-2.24	-2.10	0.34	Valve Adjustment:No Flow Measurement,High Temp;Well Repairs:Surging
CV-24017	5/18/2026 2:40:00 PM					2520							AtmAA
CV-24017	5/26/2026 2:07:20 PM	17.6	76.3	0.8	5.3			172.4	172.6	-7.16	-5.22	0.21	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-24017	5/26/2026 2:08:15 PM	19.6	76.0	0.6	3.8			170.4	171.5	-3.75	-3.69	0.21	Valve Adjustment:No Flow Measurement,High Temp
CV-24049	5/4/2026 2:36:19 PM	2.0	88.0	0.0	10.0			188.6	189.2	-4.01	-3.94	-10.48	Valve Adjustment:No Flow Measurement,High Temp

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [“H2O]	Adj Stat Press [“H2O]	Sys Pressure [“H2O]	Comments
CV-24049	5/4/2026 2:40:00 PM						25900						AtmAA; [User entered 2.59%]
CV-24049	5/4/2026 2:40:00 PM					705							AtmAA
CV-24049	5/11/2026 8:47:07 AM	2.8	83.6	0.0	13.6			186.2	186.6	3.00	-0.64	-0.87	Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Increased Flow/Vacuum, Valve 100% Open
CV-24049	5/11/2026 8:49:25 AM	2.9	84.8	0.0	12.3			186.0	185.0	-1.84	-1.69	-0.36	Valve Adjustment: NSPS/EG CAC, No Flow Measurement, High Temp, Valve 100% Open
CV-24049	5/13/2026 8:10:00 AM						160000						Air Tech Lab; [User entered 16%]
CV-24049	5/13/2026 8:10:00 AM					2800							Air Tech Lab
CV-24049	5/18/2026 10:30:56 AM	18.5	77.4	0.0	4.1			179.6	180.2	-4.87	-4.90	-4.97	Valve Adjustment: No Flow Measurement, High Temp
CV-24049	5/18/2026 10:35:00 AM					3260							AtmAA
CV-24049	5/26/2026 10:43:34 AM	4.4	78.6	0.0	17.0			179.9	179.2	-11.36	-5.97	-11.24	Valve Adjustment: No Flow Measurement, High Temp, Decreased Flow/Vacuum
CV-24049	5/26/2026 10:45:00 AM	3.5	81.4	0.0	15.1			179.0	179.6	-5.95	-5.74	-11.49	Valve Adjustment: No Flow Measurement, High Temp
CV-24053	5/7/2026 8:40:00 AM						5300						Air Tech Lab; [User entered 0.53%]
CV-24053	5/7/2026 8:40:00 AM					88							Air Tech Lab
CV-24053	5/8/2026 8:18:44 AM	39.3	43.1	2.5	15.1			75.4	75.5	-3.03	-3.04	-3.36	Comments: No Flow Measurement,,,,,,
CV-24053	5/20/2026 2:23:25 PM	50.4	48.4	0.0	1.2			100.2	100.5	-4.32	-4.99	-4.39	Valve Adjustment: Valve 100% Open
CV-24055	5/12/2026 1:47:04 PM	9.0	65.6	2.2	23.2			136.9	137.9	-0.52	-0.62	-11.04	Valve Adjustment: NSPS/EG CAI, High Temp, Increased Flow/Vacuum; Well Condition: Lorentz Pump Installed
CV-24055	5/12/2026 1:49:20 PM	9.1	62.3	1.6	27.0			137.8	137.3	-0.58	-0.57	-9.05	Valve Adjustment: Surging Liquid in Header
CV-24055	5/13/2026 8:15:00 AM						51000						Air Tech Lab; [User entered 5.1%]
CV-24055	5/13/2026 8:15:00 AM					930							Air Tech Lab
CV-24055	5/26/2026 9:27:16 AM	14.3	66.2	1.1	18.4			137.4	137.2	-0.44	-0.34	-8.47	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum, Surging Liquid in Header, Reduce Sys. Vac. - Flare Down
CV-24055	5/26/2026 9:28:17 AM	14.4	66.0	1.1	18.5			137.4	136.8	-0.35	-0.35	-7.59	Valve Adjustment: NSPS/EG CAI, High Temp, Reduce Sys. Vac. - Flare Down
CV-24062	5/4/2026 1:15:00 PM						56100						AtmAA; [User entered 5.61%]
CV-24062	5/4/2026 1:15:00 PM					1080							AtmAA
CV-24062	5/4/2026 1:16:07 PM	28.3	66.3	0.0	5.4			145.5	148.7	-6.22	-6.38	-10.23	Valve Adjustment: High Temp
CV-24062	5/7/2026 8:17:00 AM						80000						Air Tech Lab; [User entered 8.0%]
CV-24062	5/7/2026 8:17:00 AM					890							Air Tech Lab
CV-24062	5/8/2026 1:05:26 PM	28.8	63.9	0.0	7.3			133.9	134.2	-2.10	-2.02	-6.46	Valve Adjustment: High Temp, Surging Liquid in Header, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down
CV-24062	5/22/2026 11:08:48 AM	28.1	59.3	1.3	11.3			140.5	140.3	-3.49	-3.46	-8.26	Comments: NSPS/EG CAI, High Temp,,,,,,
CV-24062	5/22/2026 11:10:33 AM	29.1	63.7	0.4	6.8			144.9	143.7	-1.88	-1.78	-8.22	Comments: High Temp, NSPS/EG CAI,,,,,,
CV-24063	5/4/2026 1:33:24 PM	3.7	84.4	0.6	11.3			182.4	181.7	-7.10	-3.43	-11.01	Valve Adjustment: High Temp, Decreased Flow/Vacuum
CV-24063	5/4/2026 1:34:44 PM	3.7	86.5	0.0	9.8			183.9	182.5	-3.44	-3.34	-11.05	Valve Adjustment: No Flow Measurement, High Temp
CV-24063	5/4/2026 1:35:00 PM						71600						AtmAA; [User entered 7.16%]
CV-24063	5/4/2026 1:35:00 PM					2470							AtmAA
CV-24063	5/12/2026 8:20:00 AM						120000						Air Tech Lab; [User entered 12%]
CV-24063	5/12/2026 8:20:00 AM					2400							Air Tech Lab
CV-24063	5/14/2026 11:00:00 AM					3230							AtmAA
CV-24063	5/14/2026 11:01:37 AM	10.7	83.6	0.0	5.7			174.9	173.4	0.65	-3.17	0.34	Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Increased Flow/Vacuum
CV-24063	5/14/2026 11:02:15 AM	11.4	83.8	0.0	4.8			172.8	171.9	-3.36	-3.31	-8.44	Valve Adjustment: No Flow Measurement, High Temp

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-24071	5/20/2026 1:35:21 PM	42.5	52.0	0.0	5.5			123.3	123.2	-3.74	-3.33	-6.65	Valve Adjustment:Decreased Flow/Vacuum
CV-24075-TP15	5/4/2026 9:20:00 AM						114700						AtmAA; [User entered 11.47%]
CV-24075-TP15	5/4/2026 9:20:00 AM					2260							AtmAA
CV-24075-TP15	5/4/2026 9:20:10 AM	1.0	81.8	0.8	16.4			61.7	60.6	-13.32	-13.51	0.07	Valve Comment:Updated photo on etools;Valve Adjustment:Audible Flow,High Temp
CV-24075-TP15	5/4/2026 9:21:41 AM	1.0	82.0	0.8	16.2			187.2	187.2	-13.08	-13.16	0.04	Valve Adjustment:No Flow Measurement,High Temp
CV-24075-TP15	5/11/2026 10:25:13 AM	10.2	84.1	0.8	4.9			109.5	99.5	-11.66	-11.98	0.04	Valve Adjustment:No Flow Measurement,High Temp
CV-24075-TP15	5/29/2026 4:02:17 PM	0.9	72.9	2.6	23.6			186.7	186.7	-14.48	-14.48	-15.16	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24075-TP15	5/29/2026 4:03:35 PM	1.0	76.4	2.8	19.8			186.8	187.0	-13.96	-14.01	-14.15	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24077	5/1/2026 10:01:59 AM	5.0	82.0	0.0	13.0			150.8	151.0	-1.95	-1.20	-5.89	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24077	5/1/2026 10:03:08 AM	4.6	87.3	0.0	8.1			151.0	151.0	-1.23	-1.24	-6.62	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24077	5/7/2026 10:50:00 AM						72200						AtmAA; [User entered 7.22%]
CV-24077	5/7/2026 10:50:00 AM					2820							AtmAA
CV-24077	5/7/2026 10:50:33 AM	7.9	86.4	0.1	5.6			149.0	148.8	-0.95	-0.98	-2.92	Valve Adjustment:No Flow Measurement,High Temp
CV-24077	5/11/2026 1:38:12 PM	18.6	77.2	0.0	4.2			146.5	146.1	-2.00	-2.00	5.79	Valve Adjustment:No Flow Measurement,High Temp
CV-24077	5/20/2026 8:03:01 AM	19.8	53.5	0.0	26.7			142.7	142.4	-4.52	-4.48	-6.99	Valve Adjustment:No Flow Measurement,High Temp
CV-24077	5/28/2026 9:16:41 AM	12.2	59.5	0.0	28.3			143.6	144.5	-4.76	-4.77	-9.14	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24077	5/28/2026 9:18:10 AM	10.1	65.9	0.0	24.0			146.7	147.0	-2.62	-2.61	-9.05	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24079-TP8	5/1/2026 11:22:12 AM	18.3	65.8	0.0	15.9			156.5	154.7	-0.62	-0.25	0.66	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum
CV-24079-TP8	5/1/2026 11:22:57 AM	18.3	70.1	0.0	11.6			152.4	152.4	-0.16	-0.16	0.68	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open;Well Comment:no system port;Well Repairs:Sample Port
CV-24079-TP8	5/7/2026 10:38:33 AM	2.0	89.4	0.0	8.6			153.6	168.1	0.98	-1.80	0.33	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Increased Flow/Vacuum
CV-24079-TP8	5/7/2026 10:40:00 AM						111700						AtmAA; [User entered 11.17%]
CV-24079-TP8	5/7/2026 10:40:00 AM					2450							AtmAA
CV-24079-TP8	5/7/2026 10:41:06 AM	2.3	87.0	0.0	10.7			170.5	172.6	-1.59	-1.63	0.33	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp
CV-24079-TP8	5/11/2026 1:15:47 PM	52.0	48.0	0.0	0.0			140.1	141.7	-5.34	-5.34	0.02	Valve Adjustment:No Flow Measurement,High Temp
CV-24079-TP8	5/26/2026 12:12:54 PM	37.0	50.4	0.1	12.5			137.8	137.0	-7.80	-5.70	-0.06	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down;Well Comment:no system port
CV-24079-TP8	5/26/2026 12:13:32 PM	37.3	49.5	0.0	13.2			137.7	135.9	-5.41	-5.41	-0.27	Valve Adjustment:NSPS/EG CAI,High Temp,Reduce Sys. Vac. - Flare Down
CV-24082	5/4/2026 10:11:50 AM	28.2	68.8	0.0	3.0			110.9	111.4	-0.42	-0.44	-8.93	Valve Adjustment:Barely Open
CV-24082	5/20/2026 11:24:26 AM	30.9	69.1	0.0	0.0			124.3	124.4	-0.20	-0.13	-6.11	Valve Adjustment:Barely Open
CV-24083	5/4/2026 9:56:08 AM	40.4	57.1	0.0	2.5			104.4	105.9	0.60	-0.69	-10.39	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24083	5/4/2026 9:58:27 AM	41.5	56.2	0.0	2.3			108.0	108.4	-0.80	-0.81	-10.17	Valve Adjustment:NSPS/EG CAC,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Lorentz Pump Installed
CV-24083	5/20/2026 1:53:17 PM	42.6	55.2	0.0	2.2			126.8	125.0	-0.17	-0.17	-6.95	Valve Adjustment:Barely Open
CV-24084-TP1	5/4/2026 2:05:00 PM						77400						[User entered 7.74%]
CV-24084-TP1	5/4/2026 2:05:00 PM					2420							AtmAA
CV-24084-TP1	5/4/2026 2:08:40 PM	3.7	91.0	0.0	5.3			180.6	180.8	-1.49	-1.39	-8.12	Valve Adjustment:Audible Flow,High Temp
CV-24084-TP1	5/11/2026 1:05:39 PM	11.7	61.3	0.0	27.0			179.6	181.3	-1.83	-1.69	-4.96	Valve Adjustment:No Flow Measurement,High Temp

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-24084-TP1	5/19/2026 10:24:00 AM	18.9	81.1	0.0	0.0			180.6	180.9	-3.47	-3.40	-6.08	Valve Adjustment:No Flow Measurement,High Temp;Well Condition:Lorentz Pump Installed
CV-24084-TP1	5/27/2026 10:49:57 AM	2.9	76.5	0.0	20.6			180.2	180.7	-2.12	-2.36	-5.06	Valve Adjustment:No Flow Measurement,High Temp;Well Condition:Lorentz Pump Installed
CV-24088	5/4/2026 1:51:55 PM	38.8	59.1	0.0	2.1			100.0	100.1	-2.03	-1.98	-7.61	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24088	5/28/2026 9:04:04 AM	41.7	53.9	0.0	4.4			99.1	99.2	-1.94	-1.94	-8.79	
CV-24095	5/6/2026 8:05:00 AM						160000						Air Tech Lab; [User entered 16%]
CV-24095	5/6/2026 8:05:00 AM					2800							Air Tech Lab
CV-24095	5/6/2026 10:45:00 AM						108400						AtmAA; [User entered 10.84%]
CV-24095	5/6/2026 10:45:00 AM					2700							AtmAA
CV-24095	5/6/2026 10:46:15 AM	19.2	80.8	0.0	0.0			176.2	176.2	-1.28	-1.30	0.34	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header
CV-24095	5/13/2026 10:53:04 AM	3.2	82.3	0.0	14.5			177.8	177.9	0.91	1.66	0.65	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Header
CV-24095	5/13/2026 10:56:02 AM	2.2	71.8	2.8	23.2			178.3	178.3	0.59	0.95	0.62	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header;Well Condition:Lorentz Pump Installed
CV-24095	5/14/2026 1:28:11 PM	3.5	81.5	0.0	15.0			178.8	178.7	1.35	0.75	0.24	Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header
CV-24095	5/20/2026 10:30:33 AM	27.6	72.4	0.0	0.0			178.6	178.7	-2.17	-2.41	-4.22	Valve Adjustment:No Flow Measurement,High Temp
CV-24095	5/28/2026 10:30:18 AM	2.3	83.9	0.3	13.5			179.6	179.3	0.50	0.47	-0.54	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.
CV-24095	5/28/2026 10:32:51 AM	2.9	83.5	0.0	13.6			179.1	179.1	0.32	0.14	0.16	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header
CV-24096	5/12/2026 9:22:51 AM	23.5	34.9	8.4	33.2			74.1	81.8	-2.99	-1.86	-3.62	Comments:NSPS/EG CAI,High O2,,,,,
CV-24096	5/12/2026 9:25:00 AM	25.3	37.4	7.2	30.1			82.9	81.9	-2.06	-2.02	-3.71	Comments:NSPS/EG CAI,High O2,,,,,
CV-24096	5/20/2026 10:19:24 AM	37.6	55.4	0.3	6.7			95.9	98.5	-2.34	-1.97	-3.33	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum
CV-24097	5/12/2026 9:13:02 AM	48.0	51.4	0.0	0.6			78.9	87.4	0.02	-0.04	-5.38	Comments:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn,,,,
CV-24097	5/12/2026 9:16:39 AM	44.2	50.8	0.4	4.6			81.1	81.2	-0.10	-0.10	-5.64	Comments:NSPS/EG CAC,No Adjustment Made,,,,,
CV-24097	5/20/2026 10:28:10 AM	42.7	45.7	2.3	9.3			88.4	91.2	-3.87	-1.12	-4.95	Valve Adjustment:Decreased Flow/Vacuum
CV-24097	5/20/2026 10:29:27 AM	46.8	46.8	1.3	5.1			86.7	86.8	-1.19	-1.19	-4.94	Valve Adjustment:Barely Open
CV-24098	5/1/2026 10:01:03 AM	42.9	39.3	3.2	14.6			92.6	93.8	-4.22	-4.01	-4.30	Valve Adjustment:Valve 100% Open,Surging Liquid in Header;Well Comment:valve stuck open
CV-24098	5/3/2026 11:00:24 AM	48.8	41.9	0.8	8.5			69.0	69.7	-7.60	-7.39	-7.81	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header;Well Comment:pump fitting needs silicone to cover hole;Well Condition:Pnumatic Pump Installed
CV-24098	5/3/2026 11:01:16 AM	48.9	43.0	0.4	7.8			70.4	70.5	-6.65	-6.20	-6.53	Valve Adjustment:Surging Liquid in Header;Well Condition:Pnumatic Pump Installed
CV-24098	5/20/2026 10:43:25 AM	42.4	38.2	4.4	15.0			95.4	95.9	-4.18	-4.01	-3.80	Valve Adjustment:Decreased Flow/Vacuum
CV-24099	5/1/2026 10:08:04 AM	9.4	35.2	8.1	47.3			83.2	83.2	-4.81	-4.58	-4.91	Valve Adjustment:High O2,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Comment:valve stuck open
CV-24099	5/3/2026 10:27:26 AM	11.8	76.1	0.0	12.1			61.8	61.4	-0.01	-1.06	-7.32	Valve Adjustment:NSPS/EG CAC,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24099	5/3/2026 10:28:19 AM	11.4	75.4	0.0	13.2			61.2	61.4	-0.90	-1.00	-7.63	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24099	5/3/2026 10:28:51 AM	12.3	75.2	0.0	12.5			61.5	61.5	-1.09	-1.03	-6.43	Well Condition:Lorentz Pump Installed
CV-24099	5/20/2026 10:48:09 AM	24.4	66.0	0.0	9.6			97.5	97.6	-0.54	-0.48	-3.60	
CV-24100	5/1/2026 10:25:18 AM	19.0	80.8	0.1	0.1			143.7	147.6	-0.61	-0.60	-8.60	Valve Adjustment:High Temp,Barely Open

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24100	5/7/2026 11:04:29 AM	25.0	75.0	0.0	0.0			144.3	146.0	2.22	-2.88	-3.06	Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Increased Flow/Vacuum
CV-24100	5/7/2026 11:05:00 AM						8500						AtmAA; [User entered 0.85%]
CV-24100	5/7/2026 11:05:00 AM					228							AtmAA
CV-24100	5/7/2026 11:06:06 AM	25.4	74.4	0.2	0.0			146.0	146.9	-3.18	-3.18	-3.06	Valve Adjustment: NSPS/EG CAC, No Flow Measurement, High Temp
CV-24100	5/13/2026 8:25:00 AM						8800						Air Tech Lab; [User entered 0.88%]
CV-24100	5/13/2026 8:25:00 AM					83							Air Tech Lab
CV-24100	5/13/2026 10:41:16 AM	21.9	77.3	0.2	0.6			143.4	141.9	-7.76	-2.95	-7.76	Valve Adjustment: No Flow Measurement, High Temp, Decreased Flow/Vacuum
CV-24100	5/13/2026 10:42:49 AM	21.8	78.0	0.1	0.1			143.5	143.8	-2.64	-2.64	-7.80	Valve Adjustment: No Flow Measurement; Well Condition: Lorentz Pump Installed
CV-24100	5/20/2026 9:36:36 AM	21.3	73.8	0.0	4.9			150.8	150.9	-1.42	-0.31	-7.43	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum, Surging Liquid in Header
CV-24100	5/20/2026 9:37:52 AM	21.4	75.4	0.0	3.2			151.2	151.5	-0.21	-0.23	-7.51	Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header
CV-24100	5/20/2026 10:00:42 AM	46.9	53.1	0.0	0.0			149.8	150.4	0.10	-2.39	-6.84	Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Increased Flow/Vacuum
CV-24100	5/20/2026 10:01:19 AM	46.0	54.0	0.0	0.0			150.0	149.5	-2.99	-2.99	-6.69	Valve Adjustment: NSPS/EG CAC, No Flow Measurement, High Temp
CV-24100	5/28/2026 10:02:06 AM	21.1	74.5	0.0	4.4			147.5	148.5	-0.47	-0.51	-4.78	Valve Adjustment: NSPS/EG CAI, High Temp
CV-24101	5/1/2026 10:20:22 AM	42.6	57.1	0.3	0.0			106.9			-7.56	-7.94	Valve Adjustment: Valve 100% Open
CV-24101	5/6/2026 7:40:00 AM						940						Air Tech Lab; [User entered 0.094%]
CV-24101	5/6/2026 7:40:00 AM					0							Air Tech Lab
CV-24101	5/12/2026 8:51:03 AM	38.8	53.6	1.3	6.3			112.6	112.4	-7.47	-7.36	-7.01	Comments: No Flow Measurement, ,,,,,,
CV-24101	5/20/2026 9:41:50 AM	41.4	54.8	0.0	3.8			112.0	115.3	-7.37	-7.22	-7.34	Valve Adjustment: Decreased Flow/Vacuum
CV-24102	5/4/2026 9:42:22 AM	46.9	48.6	0.0	4.5			89.0	89.0	-0.59	-0.59	-8.51	Valve Adjustment: Barely Open
CV-24102	5/19/2026 10:30:38 AM	47.8	50.6	0.0	1.6			103.0	103.0	-0.48	-0.48	-6.89	
CV-24120	5/4/2026 8:00:00 AM						110000						Air Tech Lab; [User entered 11%]
CV-24120	5/11/2026 10:28:50 AM	4.7	71.6	0.4	23.4			98.1	98.1	-1.16	-1.18	-1.37	Valve Adjustment: Reduce Sys. Vac. - Flare Down; Well Comment: Pump is off; Well Condition: Lorentz Pump Installed
CV-24120	5/26/2026 2:15:09 PM	4.8	80.5	0.6	14.1			88.0	89.0	-8.11	-7.69	-7.45	Valve Adjustment: Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)
CV-24121	5/4/2026 7:55:00 AM						2700						Air Tech Lab; [User entered 0.27%]
CV-24121	5/11/2026 10:33:18 AM	2.7	15.3	16.4	65.6			101.3	101.3	-0.80	-0.82	-0.89	Valve Adjustment: NSPS/EG CAI, High O2, Barely Open, Reduce Sys. Vac. - Flare Down
CV-24121	5/11/2026 10:33:56 AM	2.8	15.0	16.1	66.2			101.4	101.4	-1.05	-0.86	-1.27	Valve Adjustment: High O2, Barely Open
CV-24121	5/26/2026 2:08:29 PM	0.6	5.5	20.0	73.9			75.9	78.2	-8.13	-0.55	-8.06	Valve Adjustment: Decreased Flow/Vacuum, Barely Open
CV-24122	5/4/2026 8:20:00 AM						9100						Air Tech Lab; [User entered 0.91%]
CV-24122	5/6/2026 10:31:06 AM	42.7	42.2	3.2	11.9			84.9	85.9	-2.43	-2.92	-0.81	Valve Comment: RES SEM; Valve Adjustment: Audible Flow, Increased Flow/Vacuum, Surging Liquid in Header
CV-24122	5/29/2026 9:33:20 AM	27.0	31.6	7.9	33.5			76.1	76.9	-4.68	-2.41	-5.20	Comments: NSPS/EG CAI, High O2, ,,,,,
CV-24122	5/29/2026 9:40:41 AM	35.0	40.3	4.3	20.4			81.1	81.5	-2.22	-2.27	-4.97	Comments: NSPS/EG CAC, Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less, ,,,,,
CV-24123	5/14/2026 10:53:53 AM	30.9	69.1	0.0	0.0			116.7	117.1	0.40	0.33	0.34	Valve Comment: RES SEM; Valve Adjustment: NSPS/EG CAI, Positive Static Press., Increased Flow/Vacuum, Valve 100% Open, Reduce Sys. Vac. - Flare Down
CV-24123	5/14/2026 10:54:34 AM	32.0	67.3	0.0	0.7			117.2	117.3	0.18	0.18	0.29	Valve Comment: RES SEM; Valve Adjustment: NSPS/EG CAI, Positive Static Press., Valve 100% Open

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Sys Pressure [”H2O]	Comments
CV-24134-TP1	5/26/2026 10:55:47 AM	23.2	68.7	0.0	8.1			151.0	151.4	-3.84	-3.90	-5.03	Valve Adjustment:No Flow Measurement,High Temp
CV-24138	5/5/2026 8:15:00 AM						210000						Air Tech Lab; [User entered 21%]
CV-24138	5/5/2026 8:15:00 AM					820							Air Tech Lab
CV-24138	5/6/2026 10:58:19 AM	17.2	74.8	0.0	8.0			158.7	160.2	-3.80	-3.60	0.32	Valve Adjustment:No Flow Measurement,High Temp
CV-24138	5/6/2026 11:00:00 AM						171800						AtmAA; [User entered 17.18%]
CV-24138	5/6/2026 11:00:00 AM					1010							AtmAA
CV-24138	5/13/2026 1:14:42 PM	2.4	68.4	0.0	29.2			131.5	131.6	-0.58	-0.38	-0.52	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header;Well Condition:Pnumatic Pump Installed
CV-24138	5/28/2026 9:02:31 AM	0.3	0.2	21.6	77.9			96.3	95.5	-2.69	-2.09	-2.20	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-24138	5/28/2026 9:03:38 AM	0.3	0.2	21.5	78.0			95.8	96.9	-2.02	-1.80	-1.85	Valve Adjustment:NSPS/EG CAI,High O2,Surging Liquid in Header
CV-24139	5/5/2026 8:10:00 AM						180000						Air Tech Lab; [User entered 18%]
CV-24139	5/5/2026 8:10:00 AM					630							Air Tech Lab
CV-24139	5/15/2026 8:12:50 AM	0.1	3.3	20.8	75.8			111.7	136.1	25.00	-0.23	-6.42	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Positive Static Press.,Increased Flow/Vacuum
CV-24139	5/15/2026 8:22:50 AM	0.7	30.7	13.2	55.4			144.2	139.8	-0.21	-0.20	-6.72	Valve Adjustment:NSPS/EG CAI,High Temp,High O2;Well Comment:sensitive valve;Well Repairs:Valve
CV-24139	5/28/2026 9:08:34 AM	4.1	58.6	4.7	32.6			127.4	125.5	-6.44	-6.10	-6.76	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum
CV-24140	5/5/2026 8:05:00 AM						210000						Air Tech Lab; [User entered 21%]
CV-24140	5/5/2026 8:05:00 AM					1000							Air Tech Lab
CV-24140	5/6/2026 11:04:58 AM	14.4	78.6	0.0	7.0			163.7	164.9	-5.03	-5.03	-5.22	Valve Adjustment:No Flow Measurement,High Temp
CV-24140	5/6/2026 11:05:00 AM						203000						AtmAA; [User entered 20.3%]
CV-24140	5/6/2026 11:05:00 AM					1350							AtmAA
CV-24140	5/13/2026 1:18:30 PM	2.2	69.8	0.0	28.0			156.3	157.7	-2.58	-2.53	-4.54	Valve Adjustment:No Flow Measurement,High Temp
CV-24140	5/20/2026 1:26:41 PM	3.6	73.1	0.3	23.0			146.3	148.5	-3.62	-2.56	-3.60	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-24140	5/20/2026 1:28:20 PM	5.1	71.3	0.2	23.4			148.6	148.4	-2.42	-2.47	-3.40	Valve Adjustment:No Flow Measurement,High Temp
CV-24140	5/28/2026 10:50:34 AM	1.9	75.0	0.0	23.1			168.4	170.8	5.74	-1.38	-4.68	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-24140	5/28/2026 10:52:29 AM	1.9	72.1	0.4	25.6			171.1	170.8	-1.75	-1.97	-5.22	Valve Adjustment:High Temp
CV-24141	5/1/2026 8:57:18 AM	20.8	33.2	5.1	40.9			79.1	76.3	-0.08	-0.95	-6.86	Valve Adjustment:Increased Flow/Vacuum,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
CV-24141	5/5/2026 7:45:00 AM						1200						Air Tech Lab; [User entered 0.12%]
CV-24141	5/5/2026 7:45:00 AM					94							Air Tech Lab
CV-24141	5/28/2026 9:30:26 AM	10.7	6.5	18.4	64.4			65.6	65.7	-6.76	-5.94	-7.11	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Comment:no pump installed
CV-24141	5/28/2026 9:31:07 AM	10.8	6.8	18.3	64.1			66.1	65.9	-5.95	-5.76	-5.94	Valve Adjustment:NSPS/EG CAI,High O2
CV-24142	5/6/2026 8:10:00 AM						120000						Air Tech Lab; [User entered 12%]
CV-24142	5/6/2026 8:10:00 AM					1500							Air Tech Lab
CV-24142	5/14/2026 8:35:00 AM					2300							AtmAA
CV-24142	5/15/2026 7:59:13 AM	0.0	1.3	21.7	77.0			174.3	174.0	-4.10	-4.10	-4.96	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header
CV-24142	5/15/2026 8:03:40 AM	0.0	0.2	21.9	77.9			174.7	174.7	-3.95	-3.94	-4.77	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header
CV-24142	5/20/2026 1:02:37 PM	3.8	58.4	2.6	35.2			153.3	151.5	-3.36	-2.50	-3.07	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In);Well Condition:Pnumatic Pump Installed

Table 2. Monthly LEA Selected Wells - May 2026
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Sys Pressure ["H2O]	Comments
CV-24142	5/20/2026 1:14:55 PM	2.6	59.0	3.6	34.8			152.3	151.1	-2.68	-2.87	0.00	Valve Comment:Pneumatic pump not working;Valve Adjustment:No Flow Measurement,High Temp
CV-24142	5/28/2026 10:40:43 AM	2.3	72.4	0.6	24.7			100.2	100.7	-1.92	-1.91	-1.66	Valve Adjustment:NSPS/EG CAI
CV-24142	5/28/2026 10:41:54 AM	2.3	72.2	0.6	24.9			100.6	100.8	-1.89	-1.89	-1.58	
CV-24143	5/1/2026 2:15:01 PM	0.7	23.9	14.4	61.0			95.5	97.6	-4.24	-2.26	-4.36	Comments:NSPS/EG CAI,High O2,,,,,
CV-24143	5/1/2026 2:16:44 PM	0.7	23.5	14.9	60.9			96.9	96.8	-2.80	-2.85	-4.29	Comments:,,,,,,
CV-24143	5/5/2026 7:55:00 AM						61000						Air Tech Lab; [User entered 6.1%]
CV-24143	5/5/2026 7:55:00 AM					460							Air Tech Lab
CV-24143	5/28/2026 9:19:15 AM	4.2	23.6	15.2	57.0			73.4	72.9	-7.01	-6.42	-6.80	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum
CV-24143	5/28/2026 9:20:03 AM	4.3	24.2	15.2	56.3			72.5	72.4	-6.42	-6.44	-6.31	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open
CV-24144	5/12/2026 9:03:44 AM	58.5	40.0	0.0	1.5			79.1	88.3	-4.85	-4.84	-4.77	Comments:Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,No Flow Measurement,,,,,
CV-24144	5/20/2026 10:35:16 AM	56.8	40.5	0.0	2.7			103.0	100.3	-4.49	-4.52	-4.27	Valve Adjustment:Valve 100% Open
CV-99	5/4/2026 7:45:00 AM						2600						Air Tech Lab; [User entered 0.26%]
CV-99	5/26/2026 1:51:48 PM	26.1	73.9	0.0	0.0			77.4	77.4	-3.43	-2.93	-3.44	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
H-1770N	5/1/2026 2:42:44 PM	35.3	62.8	0.0	1.9			100.2	100.2	-0.68	-0.60	-6.48	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
H-1770N	5/4/2026 8:50:00 AM						12000						Air Tech Lab; [User entered 1.2%]
H-1770N	5/19/2026 9:18:49 AM	36.3	61.0	0.0	2.7			99.2	98.4	-0.44	-0.37	-6.73	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
H-2165W	5/1/2026 10:16:24 AM	10.9	86.4	0.0	2.7			118.0	117.5	-0.09	-0.05	-8.60	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
H-2165W	5/12/2026 7:45:00 AM						48000						Air Tech Lab; [User entered 4.8%]
H-2165W	5/12/2026 7:45:00 AM					720							Air Tech Lab
H-2165W	5/20/2026 9:46:57 AM	12.9	79.8	0.0	7.3			119.8	120.0	-0.68	-0.55	-7.28	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header
H-2273W	5/12/2026 7:50:00 AM						5900						Air Tech Lab; [User entered 0.59%]
H-2273W	5/12/2026 7:50:00 AM					76							Air Tech Lab
H-2273W	5/13/2026 12:42:00 PM	17.2	42.0	0.1	40.7			125.4	127.0	-0.53	-0.64	-7.48	Comments:Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,,,,,
H-2273W	5/20/2026 8:21:56 AM	25.2	50.1	0.0	24.7			129.9	129.3	-0.77	-0.67	-8.30	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum