

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
A-01	5/15/2026 8:51:04 AM	56.1	40.2	0.1	3.6			1.4	36.0	79.4	79.4	-16.59	-16.50	0.0	0.0						28.78	1198	34.4312780	-118.6438358	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
A-02	5/11/2026 7:44:04 AM	58.8	38.3	0.2	2.7			1.5	13.5	92.7	92.7	-12.16	-12.14	0.0	0.0						28.75	1184	34.4315883	-118.6433073	No Flow Measurement,No Adjustment Made	
A-03	5/11/2026 7:56:41 AM	55.0	41.7	0.0	3.3			1.3	0.0	75.5	75.5	-12.00	-12.18	0.0	0.0						28.74	1171	34.4318593	-118.6428253	No Flow Measurement	
A-04	5/11/2026 8:06:12 AM	57.4	40.9	0.0	1.7			1.4	0.0	94.4	94.6	-8.29	-8.28	0.0	0.0	8.488	7.453				28.74	1184	34.4321948	-118.6422235	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,Audible Flow,No Flow Measurement	
A-05	5/11/2026 8:01:26 AM	57.3	40.1	0.2	2.4			1.4	12.0	76.1	76.3	-11.36	-11.37	0.0	0.0						28.74	1165	34.4324613	-118.6416893	No Flow Measurement	
B-01	5/11/2026 10:37:28 AM	18.0	20.1	0.0	61.9			0.9	0.0	89.4	89.7	-0.19	-0.17	0.0	0.0	-0.042	-0.034	-12.42			28.73					No Flow Measurement
B-02R	5/11/2026 10:34:40 AM	34.5	27.0	0.3	38.2			1.3	127.3	100.2	100.0	-0.26	-0.19	0.0	0.0	-0.126	-0.101	-12.25			28.72	1191	34.4333675	-118.6396157	No Flow Measurement	
B-03R	5/11/2026 10:04:48 AM	31.2	28.8	0.0	40.0			1.1	0.0	83.7	83.7	-0.78	-0.73	1.9	1.9	0.372	0.374	-11.95			28.73	1211	34.4338248	-118.6388093	No Flow Measurement	
B-05	5/11/2026 10:25:34 AM	27.2	27.6	0.0	45.2			1.0	0.0	88.7	89.0	-0.34	-0.28	3.5	3.5	0.072	0.072	-11.63			28.73	1253	34.4336600	-118.6383268	No Flow Measurement	
B-06	5/11/2026 10:19:19 AM	24.1	23.7	0.0	52.2			1.0	0.0	80.0	80.0	-0.39	-0.36	5.9	5.8	0.197	0.190	-11.66			28.73	1217	34.4340717	-118.6378192	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
B-07R	5/11/2026 9:31:57 AM	50.1	35.0	0.0	14.9			1.4	0.0	91.1	91.1	-0.36	-0.36	2.6	3.6	1.624	3.016	-10.29			28.73	1188	34.4342770	-118.6374250	No Flow Measurement	
B-08	5/11/2026 10:15:29 AM	22.4	22.5	0.0	55.1			1.0	0.0	88.5	88.6	-0.37	-0.32	0.0	0.0	0.226	0.219	-11.76			28.73	1181	34.4338193	-118.6373255	No Flow Measurement	
B-09	5/11/2026 9:37:05 AM	44.3	32.4	0.0	23.3			1.4	0.0	92.5	92.6	-0.21	-0.20	0.0	0.0	0.212	0.210	-12.04			28.74	1191	34.4342012	-118.6370725	No Flow Measurement	
B-10	5/11/2026 9:24:54 AM	33.5	30.1	0.0	36.4			1.1	0.0	88.4	88.5	-0.13	-0.11	0.0	0.0	0.177	0.167	-11.69			28.73	1224	34.4339978	-118.6365650	No Flow Measurement	
B-11	5/29/2026 3:03:30 PM	42.2	34.4	0.0	23.4			1.2	0.0	96.7	96.7	-0.24	-0.24			0.000	0.000	-16.52	-16.24		28.81	1150	34.4348343	-118.6369015	No Flow Measurement	
B-12	5/11/2026 10:00:30 AM	25.7	27.8	0.1	46.4			0.9	464.0	92.9	92.9	-0.16	-0.16	2.8	2.4	2.009	1.505	-11.34			28.73	1211	34.4340375	-118.6385235	No Flow Measurement	
B-13	5/11/2026 9:49:42 AM	39.4	30.5	0.0	30.1			1.3	0.0	87.5	87.5	-0.21	-0.17	16.3	15.4	0.078	0.070	-12.09			28.73	1211	34.4344310	-118.6379303	No Flow Measurement	
B-14	5/29/2026 3:07:12 PM	35.6	31.9	0.0	32.5			1.1	0.0	92.0	92.1	-0.98	-0.92	2.5	2.3	0.622	0.562	-15.07	-15.17		28.82	1133	34.4349390	-118.6370690	No Flow Measurement,No Adjustment Made	
C-03	5/11/2026 7:49:46 AM	56.3	41.8	0.0	1.9			1.3	0.0	66.8	69.1	-11.67	-12.12	0.0	0.0						28.77	1198	34.4313543	-118.6435513	Valve Adjustment:Reconnected this Date,Valve 100% Open	
C-07	5/1/2026 3:11:09 PM	49.6	36.4	1.6	12.4			1.4	7.8	88.7	88.3	-13.31	-13.32			13.300	13.300	-13.09	-13.08		28.64	1190	34.4326408	-118.6414288	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
C-08	5/8/2026 1:03:42 PM	57.6	38.1	0.0	4.3			1.5	0.0	98.5	100.4	-7.77	-7.78			7.816	7.877	-7.79	-7.81		28.74	1198	34.4336587	-118.6408628	No Flow Measurement,No Adjustment Made	
C-10	5/11/2026 9:07:51 AM	55.2	38.8	0.2	5.8			1.4	29.0	89.1	89.3	-12.95	-12.90	0.0	0.0						28.73	1145	34.4347607	-118.6411188	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
C-11	5/11/2026 8:38:28 AM	53.8	37.5	0.0	8.7			1.4	0.0	82.6	83.7	-11.49	-11.48	0.0	0.0	0.069	0.049				28.72	1198	34.4352575	-118.6413622	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
C-12	5/29/2026 12:20:26 PM	57.3	38.7	0.0	4.0			1.5	0.0	83.5	84.3	-7.18	-7.52	12.3	12.4	0.909	0.935	-9.22	-9.16		28.74	1225	34.4359885	-118.6408897	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
C-12	5/11/2026 1:57:43 PM	55.4	41.7	0.0	2.9			1.3	0.0	99.4	99.7	-7.09	-7.09	3.3	3.2	0.067	0.064	-7.73	-7.41		28.67	1235	34.4359890	-118.6408977	Valve Adjustment:Valve 100% Open	
C-15	5/11/2026 2:07:31 PM	38.0	27.8	5.9	28.3			1.4	4.8	95.0	95.3	-7.52	-7.53	0.5	0.9	0.000	0.002	-7.42	-7.42		28.67	1223	34.4362840	-118.6410517	Valve Adjustment:Valve 100% Open	
C-17B	5/12/2026 10:45:10 AM	55.4	41.5	0.0	3.1			1.3	0.0	109.9	109.9	-7.60	-7.72			7.507	7.592	-8.43	-8.40		28.7	1226	34.4373525	-118.6419448	No Flow Measurement	
C-18	5/12/2026 1:08:06 PM	55.5	40.4	0.0	4.1			1.4	0.0	103.3	103.5	-8.73	-8.73			8.844	8.821	-9.06	-9.06		28.72	1230	34.4379865	-118.6426292	No Flow Measurement	
C-19	5/12/2026 12:49:10 PM	55.4	40.4	0.0	4.2			1.4	0.0	99.0	99.2	-8.39	-8.39			8.465	8.440	-9.06	-9.06		28.72	1226	34.4375570	-118.6421588	No Flow Measurement	
C-20	5/12/2026 12:57:51 PM	55.4	40.6	0.0	4.0			1.4	0.0	98.9	99.0	-8.75	-8.73			8.909	8.882	-8.72	-8.72		28.72	1234	34.4377843	-118.6424115	No Flow Measurement	
C-23	5/12/2026 11:00:46 AM	48.4	44.0	0.0	7.6			1.1	0.0	128.5	128.4	-4.39	-4.39			4.422	4.420	-9.49	-9.56		28.71	1213	34.4370875	-118.6416698	Well Repairs:Sample Port	
C-24	5/15/2026 9:17:41 AM	42.5	34.3	3.1	20.1			1.2	6.5	103.1	103.1	-1.52	-1.50	0.0	0.0	1.557	1.547				28.74	1201	34.4375270	-118.6421700	No Flow Measurement	
C-25	5/11/2026 2:14:04 PM	50.4	42.5	0.0	7.1			1.2	0.0	127.0	97.9	-7.17	-7.09			7.754	7.720	0.67	0.67		28.67	1235	34.4371358	-118.6416700	Valve Adjustment:Valve 100% Open	
C-26	5/29/2026 12:46:54 PM	52.9	34.7	1.7	10.7			1.5	6.3	103.0	103.6	-7.09	-7.14			7.011	7.119	0.00	0.00		28.74	1227	34.4366562	-118.6412765	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
C-26	5/15/2026 9:07:37 AM	47.6	42.6	0.5	9.3			1.1	18.6	78.2	78.1	-10.30	-10.20	0.0	0.0						28.75	1230	34.4366148	-118.6412708	No Flow Measurement	
C-27	5/11/2026 2:04:38 PM	56.3	40.5	0.0	3.2			1.4	0.0	96.3	97.2	-2.03	-2.47	0.9	1.6	0.002	0.006	-7.44	-7.43		28.67	1238	34.4362008	-118.6409862	Valve Adjustment:Increased Flow/Vacuum,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
C-28	5/29/2026 12:16:57 PM	56.0	40.6	0.0	3.4			1.4	0.0	98.9	98.9	-10.85	-10.98	28.1	28.3	1.013	1.028	-10.84	-11.09		28.72	1239	34.4354523	-118.6413823	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
C-28	5/11/2026 8:35:54 AM	56.4	40.7	0.0	2.9			1.4	0.0	100.1	100.1	-11.30	-11.28	0.0	0.0	-0.049	-0.041				28.71	1247	34.4354155	-118.6413187	No Adjustment Made	
C-29	5/11/2026 8:54:46 AM	42.8	44.4	0.0	12.8			1.0	0.0	107.3	107.7	-7.99	-7.98	0.0	0.0	8.136	8.112				28.73	1270	34.4347552	-118.6411677	Audible Flow,No Flow Measurement	
C-30	5/11/2026 8:49:08 AM	52.2	43.0	0.0	4.8			1.2	0.0	126.5	126.7	-3.58	-3.56	0.0	0.0	-0.030	-0.015	-9.14			28.7	1224	34.4342760	-118.6413048	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-02	5/11/2026 8:21:58 AM	49.6	41.5	0.0	8.9			1.2	0.0	120.2	120.1	-0.36	-0.36	0.0	0.0	-0.038	-0.024	-13.25			28.64	1240	34.4335742	-118.6413765	No Adjustment Made	
CV-03	5/11/2026 8:18:37 AM	53.2	40.4	0.0	6.4			1.3	0.0	118.9	118.9	-5.68	-5.73	15.3	16.6	1.412	1.657	-13.44			28.7	1234	34.4333008	-118.6414685	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-04	5/11/2026 8:14:52 AM	52.3	41.0	0.6	6.1			1.3	10.2	108.8	109.1	-1.69	-1.78	14.1	11.8	0.055	0.039				28.7	1207	34.4331483	-118.6416422	Increased Flow/Vacuum	
CV-05	5/8/2026 12:41:33 PM	57.0	39.9	0.0	3.1			1.4	0.0	98.8	100.0	-8.11	-8.13	7.5	7.5	1.154	1.171	-8.09	-8.16							

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments			
CV-108-52	5/19/2026 1:02:47 PM	50.4	48.9	0.0	0.7				1.0	0.0	101.2	101.6	-2.70	-2.78							28.67	1280	34.4334190	-118.6506818	Valve Adjustment:Barely Open,Surging Liquid in Header		
CV-108-52	5/18/2026 11:07:16 AM						6600																				Air Tech Lab
CV-108-52	5/6/2026 8:30:00 AM					100																					
CV-108-52	5/1/2026 10:29:07 AM	47.7	51.3	0.0	1.0				0.9	0.0	98.6	99.7	-6.51	-6.42			1.173	1.296	-7.71	-7.62	28.65	1285	34.4334083	-118.6506870	Valve Adjustment:Barely Open		
CV-113	5/26/2026 2:01:29 PM	9.9	88.1	0.0	2.0				0.1	0.0	72.8	72.9	-0.39	-0.35	2.2	1.8	0.030	0.019	-3.32	-2.61	28.39	1330	34.4369985	-118.6467360	Valve Adjustment:Barely Open		
CV-113	5/15/2026 9:28:02 AM	9.6	85.1	0.0	5.3				0.1	0.0	65.9	66.6	-0.24	-0.23	3.0	2.9	0.052	0.050	-3.12	-3.43	28.59	1344	34.4369835	-118.6467223			
CV-113	5/4/2026 7:50:00 AM						24000																				Air Tech Lab; [User entered 2.4%]
CV-114	5/26/2026 8:58:28 AM	1.0	78.6	0.0	20.4				0.0	0.0	170.5	170.7	-0.17	-0.65			0.154	0.821	0.23	0.24	28.47	1362	34.4367389	-118.6476076	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In)		
CV-114	5/18/2026 9:20:17 AM	14.4	78.4	0.0	7.2				0.2	0.0	164.5	164.4	1.25	1.34			0.000	0.000	-1.86	-1.82	28.52	1365	34.4367361	-118.6476114	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down		
CV-114	5/18/2026 9:20:00 AM					4380																					AtmAA
CV-114	5/18/2026 9:17:57 AM	14.0	75.7	0.0	10.3				0.2	0.0	160.9	163.8	1.57	1.59			0.000	0.000	-1.83	-1.83	28.51	1365	34.4367354	-118.6476131	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum,Valve 100% Open,Reduce Sys. Vac. - Flare Down		
CV-114	5/12/2026 9:25:00 AM					1750																					AtmAA
CV-114	5/12/2026 9:22:16 AM	18.6	81.4	0.0	0.0				0.2	0.0	173.1	174.3	-1.52	-1.56			1.658	1.701	-5.10	-5.10	28.55	1386	34.4367167	-118.6476261	Valve Adjustment:High Temp		
CV-114	5/5/2026 8:35:00 AM					3350																					AtmAA
CV-114	5/5/2026 8:35:00 AM					161800																					AtmAA; [User entered 16.18%]
CV-114	5/5/2026 8:32:18 AM	2.2	80.1	0.0	17.7				0.0	0.0	174.3	173.1	-2.04	-2.13			1.906	2.157	-5.67	-5.62	28.53	1336	34.4367155	-118.6476129	Valve Adjustment:No Flow Measurement,High Temp		
CV-114	5/4/2026 8:05:00 AM					2800																					Air Tech Lab; [User entered 0.28%]
CV-1424	5/1/2026 11:22:59 AM	50.7	40.1	0.0	9.2				1.3	0.0	105.2	105.2	-2.80	-2.79	19.7	19.7	2.280	2.280	-12.70		28.45	1358	34.4350948	-118.6450823			
CV-1532A	5/28/2026 8:54:46 AM	6.7	68.0	4.2	21.1				0.1	5.0	66.9	66.6	-6.50	-6.24			6.772	6.518	-5.83	-5.42	28.6	1277	34.4338675	-118.6508340	Valve Adjustment:Barely Open;Well Comment:System surging		
CV-1532A	5/13/2026 1:09:52 PM	8.2	38.6	11.4	41.8				0.2	3.7	81.8	81.7	-4.01	-5.13	0.0	0.0	3.625	5.054	-5.14		28.61	1257	34.4339078	-118.6507662			
CV-1532A	5/13/2026 1:07:32 PM	11.9	58.0	6.5	23.6				0.2	3.6	81.9	81.9	-3.42	-3.87	0.0	0.0	4.299	3.752	-5.11		28.68	1289	34.4339437	-118.6508210			
CV-1532A	5/11/2026 8:15:00 AM					580																					Air Tech Lab
CV-1532A	5/11/2026 8:15:00 AM						61000																				Air Tech Lab; [User entered 6.1%]
CV-1534A-PLR	5/28/2026 1:23:27 PM	1.9	62.9	4.8	30.4				0.0	6.3	183.9	185.1	4.04	3.77			0.000	0.000	0.00	0.00	28.62	1290	34.4336179	-118.6508080	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Header		
CV-1534A-PLR	5/28/2026 1:20:34 PM	1.7	34.7	10.2	53.4				0.0	5.2	188.7	185.9	4.04	4.19			0.000	0.000	0.00	0.00	28.62	1283	34.4336241	-118.6507961	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Header		
CV-1534A-PLR	5/20/2026 9:03:59 AM	19.4	77.3	0.0	3.3				0.3	0.0	186.4	185.1	3.27	4.63			0.000	0.000	0.21	0.21	28.63	1283	34.4336324	-118.6508042	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Well (Watered In)		
CV-1534A-PLR	5/13/2026 9:42:40 AM	12.4	79.0	1.3	7.3				0.2	5.6	180.9	184.4	1.96	1.90			0.000	0.000	0.28	0.28	28.77	1291	34.4336253	-118.6507774	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)		
CV-1534A-PLR	5/6/2026 10:03:56 AM	14.6	74.8	1.7	8.9				0.2	5.2	181.2	179.3	-0.84	-0.51			0.893	0.473	0.27	0.30	28.73	1286	34.4336278	-118.6507907	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Well (Watered In)		
CV-1534A-PLR	5/6/2026 9:55:00 AM					2250																					AtmAA
CV-1534A-PLR	5/6/2026 9:55:00 AM					123400																					AtmAA; [User entered 12.34%]
CV-1535	5/19/2026 12:55:31 PM	44.5	49.2	0.0	6.3				0.9	0.0	119.7	119.5	-0.23	-0.22			0.058	0.050	-3.25	-3.43	28.63	1298	34.4333412	-118.6503412	Valve Adjustment:Barely Open		
CV-1535	5/11/2026 8:25:00 AM					100																					Air Tech Lab
CV-1535	5/11/2026 8:25:00 AM						9800																				Air Tech Lab; [User entered 0.98%]
CV-1535	5/1/2026 10:31:55 AM	45.2	51.2	0.0	3.6				0.9	0.0	120.4	120.4	-0.90	-0.82			0.638	0.551	-8.20	-8.13	28.59	1318	34.4333060	-118.6503550	Valve Adjustment:Audible Flow;Well Condition:Good		
CV-1601D	5/22/2026 10:03:49 AM	53.3	44.6	0.0	2.1				1.2	0.0	109.2	111.4	-0.35	-0.40	2.5	9.9	0.120	1.968	-8.77		28.43	1322	34.4311242	-118.6486432	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
CV-1601D	5/4/2026 10:02:19 AM	52.5	45.1	0.0	2.4				1.2	0.0	108.7	110.2	-0.38	-0.41	6.0	9.0	0.721	1.636	-10.41		28.54	1296	34.4311578	-118.6487380	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
CV-1601S	5/2/2026 10:00:47 AM	53.0	43.8	0.2	3.0				1.2	15.0	103.0	104.5	-0.10	-0.17	2.1	4.0	0.085	0.320	-8.46		28.58	1316	34.4311025	-118.6486852	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
CV-1601S	5/4/2026 9:59:23 AM	49.8	45.9	0.0	4.3				1.1	0.0	101.2	101.4	-0.26	-0.27	3.7	3.7	0.281	0.268	-10.85		28.53	1329	34.4311523	-118.6486630			
CV-1604	5/4/2026 11:02:38 AM	51.7	44.6	0.0	3.7				1.2	0.0	125.5	125.5	-1.55	-1.37	3.3	2.2	0.240	0.099	-14.41	-14.37	28.63	1279	34.4321760	-118.6450297	Valve Adjustment:Decreased Flow/Vacuum		
CV-1701D	5/8/2026 1:23:50 PM	9.9	60.8	0.0	29.3				0.2	0.0	105.3	100.5	-0.25	-0.26	0.5	0.8	0.062	0.177	-14.14	-14.23	28.63	1283	34.4335962	-118.6433443	Valve Comment:RES SEM;Valve Adjustment:No Flow		
CV-1701D	5/8/2026 1:22:18 PM	9.0	63.1	0.0	27.9				0.1	0.0	101.2	99.0	0.71	-0.25	0.7	0.5	0.118	0.059	-13.11	-13.13	28.63	1280	34.4335972	-118.6433448	Valve Comment:RES SEM;Valve Adjustment:No Flow		
CV-1701D	5/7/2026 11:12:23 AM	7.5	50.4	0.0	42.1				0.1	0.0	90.9	91.6	-1.01	-0.98	0.2	0.2	0.008	0.010	-4.74		28.69	1276	34.4335535	-118.6433258	Condition:Fair;Well Repairs:Flex Hose		
CV-1701S	5/7/2026 11:16:55 AM	24.4	67.2	0.0	8.4				0.4	0.0	137.2	137.1	-0.83	-0.82	0.0	0.0	-0.029	-0.023	-4.86		28.68	1214	34.4335183	-118.6433695	Reduced System Vacuum,High Temp,NSPS/EG CAI		

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments			
CV-1701S	5/7/2026 11:25:22 AM	25.0	65.9	0.0	9.1			0.4	0.0	138.9	138.6	-1.21	-1.11	0.0	0.0	0.0	-0.051	-0.010	-4.95		28.68	1260	34.4335477	-118.6433292	NSPS/EG CAI,High Temp,Reduced System Vacuum		
CV-1901	5/19/2026 10:20:41 AM	13.9	74.3	0.0	11.8			0.2	0.0	107.3	107.6	-0.19	-0.18	1.1	1.1	0.027	0.026	-5.38	-5.32	28.63	1338	34.4357227	-118.6508190	Valve Adjustment:NSPS/EG CAC			
CV-1901	5/19/2026 10:18:56 AM	15.8	72.2	0.0	12.0			0.2	0.0	107.3	106.7	0.39	-0.11	1.4	0.9	0.041	0.018	-5.24	-5.29	28.63	1336	34.4357087	-118.6508223	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum			
CV-1901	5/12/2026 10:20:03 AM	13.4	78.1	0.0	8.5			0.2	0.0	106.6	106.6	-0.11	-0.12	0.0	0.0	-0.029	-0.027	-6.42		28.61	1325	34.4357342	-118.6508607	NSPS/EG CAC,No Adjustment Made			
CV-1901	5/12/2026 10:17:30 AM	13.8	77.8	0.0	8.4			0.2	0.0	105.7	106.4	0.54	-0.02	0.0	0.0	-0.178	-0.049	-5.88		28.61	1335	34.4357073	-118.6506798	NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less			
CV-1902A	5/28/2026 8:49:43 AM	1.8	79.3	0.0	18.9			0.0	0.0	174.2	172.3	-7.63	-7.66			7.675	7.692	-7.45	-7.48	28.58	1315	34.4346018	-118.6502966	Valve Adjustment:NSPS/EG CAI,High Temp			
CV-1902A	5/20/2026 8:10:11 AM	8.0	77.7	0.0	14.3			0.1	0.0	156.7	157.4	-5.28	-5.26			5.281	5.258	-5.00	-4.98	28.59	1329	34.4346010	-118.6503184	Valve Adjustment:No Flow Measurement,High Temp			
CV-1902A	5/14/2026 1:48:17 PM	2.1	79.7	0.0	18.2			0.0	0.0	167.2	168.6	-5.46	-5.64			5.491	5.604	-5.50	-5.69	28.63	1311	34.4346105	-118.6503170	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum			
CV-1902A	5/11/2026 1:48:31 PM	9.5	80.8	0.0	9.7			0.1	0.0	149.5	152.7	-3.48	-3.32			3.400	3.318	9.42	9.42	28.59	1312	34.4346165	-118.6503003	Valve Adjustment:No Flow Measurement,High Temp			
CV-1902A	5/11/2026 7:55:00 AM					930																				Air Tech Lab	
CV-1902A	5/11/2026 7:55:00 AM						190000																				Air Tech Lab; [User entered 19%]
CV-1902A	5/6/2026 9:06:28 AM	10.5	78.0	0.0	11.5			0.1	0.0	160.9	159.6	-6.78	-6.73			6.742	6.696	-6.80	-6.80	28.67	1330	34.4345924	-118.6503030	Valve Adjustment:No Flow Measurement,High Temp			
CV-1902A	5/6/2026 9:05:00 AM					1130																					AtmAA
CV-1902A	5/6/2026 9:05:00 AM						161050																				AtmAA; [User entered 16.105%]
CV-1905	5/6/2026 12:45:38 PM	56.2	42.9	0.0	0.9			1.3	0.0	109.2	109.4	-1.57	-1.83	3.4	7.0	0.072	0.309	-8.17	-8.09	28.63	1393	34.4334975	-118.6460023	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum			
CV-1905	5/6/2026 10:44:14 AM	52.8	45.1	0.0	2.1			1.2	0.0	103.4	104.5	-1.10	-2.17	5.3	8.4	0.169	0.420	-13.38		28.56	1348	34.4334800	-118.6459913	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less			
CV-2001	5/20/2026 9:55:23 AM	11.8	79.2	0.0	9.0			0.1	0.0	103.2	103.3	-4.03	-4.05	21.5	20.7	0.590	0.548	-4.19	-4.10	28.63	1259	34.4322752	-118.6505602	Valve Adjustment:Barely Open			
CV-2001	5/12/2026 8:45:06 AM	12.0	76.2	1.0	10.8			0.2	10.8	76.1	76.2	-2.86	-3.81	0.0	0.0	-0.083	-0.092	-4.37		28.62	1289	34.4323085	-118.6505052	No Adjustment Made			
CV-2001	5/6/2026 7:50:00 AM					780																					Air Tech Lab
CV-2001	5/6/2026 7:50:00 AM						82000																				Air Tech Lab; [User entered 8.2%]
CV-2001	5/1/2026 10:12:38 AM	10.4	78.3	2.1	9.2			0.1	4.4	85.8	86.2	-6.24	-5.48	5.0	6.4	0.031	0.051	-6.26	-6.58	28.64	1273	34.4322787	-118.6505635	Valve Adjustment:Decreased Flow/Vacuum,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)			
CV-2002	5/28/2026 10:15:53 AM	9.6	74.7	0.0	15.7			0.1	0.0	183.5	182.2	-0.75	-0.81	15.8	16.5	0.749	0.818	-0.97	-1.05	28.64	1276	34.4327983	-118.6511690	Valve Adjustment:NSPS/EG CAC,High Temp			
CV-2002	5/28/2026 10:12:21 AM	9.3	74.6	0.0	16.1			0.1	0.0	183.5	183.6	0.35	-0.67	3.9	13.4	0.045	0.541	-2.10	-1.90	28.64	1273	34.4328116	-118.6511672	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum,Plugged/Pinched Suspected;Well Comment:Pinched in the vacuum line			
CV-2002	5/20/2026 9:42:31 AM	43.3	54.7	2.0	0.0			0.8	0.0	178.6	178.6	-2.21	-2.02	23.7	21.5	1.886	1.389	-3.82	-3.64	28.67	1275	34.4328174	-118.6511816	Valve Adjustment:High Temp			
CV-2002	5/20/2026 9:41:05 AM	42.1	55.6	2.3	0.0			0.8	0.0	177.9	178.0	-3.15	-2.83	32.8	31.2	3.238	2.938	-4.07	-4.27	28.66	1274	34.4328116	-118.6511773	Valve Adjustment:High Temp,Decreased Flow/Vacuum			
CV-2002	5/13/2026 10:09:19 AM	9.0	64.5	2.4	24.1			0.1	10.0	181.6	181.8	-0.82	-1.05	23.7	23.4	1.684	1.645	0.23	0.22	28.8	1271	34.4328016	-118.6511663	Valve Adjustment:No Flow Measurement,High Temp			
CV-2002	5/11/2026 8:10:00 AM					860																					Air Tech Lab
CV-2002	5/11/2026 8:10:00 AM						83000																				Air Tech Lab; [User entered 8.3%]
CV-2002	5/6/2026 1:05:00 PM					3900																					AtmAA
CV-2002	5/6/2026 1:05:00 PM						137200																				AtmAA; [User entered 13.72%]
CV-2002	5/6/2026 1:02:03 PM	35.3	64.7	0.0	0.0			0.5	0.0	181.7	181.8	-1.14	-1.31	22.9	21.2	1.571	1.350	-4.81	-4.69	28.7	1266	34.4327936	-118.6511792	Valve Adjustment:High Temp,Surging Liquid in Well (Watered In)			
CV-2003	5/19/2026 1:11:41 PM	17.2	69.4	0.8	12.6			0.2	15.8	110.7	119.2	-0.07	-0.06	0.4	0.8	0.020	0.064	-4.50	-4.50	28.67	1280	34.4334358	-118.6507350	Valve Adjustment:NSPS/EG CAC,Barely Open			
CV-2003	5/19/2026 1:06:11 PM	21.8	68.9	0.0	9.3			0.3	0.0	120.8	121.5	0.11	-0.10	1.8	1.6	0.341	0.287	-3.61	-3.65	28.67	1278	34.4334113	-118.6507280	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum			
CV-2003	5/1/2026 10:27:07 AM	16.7	73.2	0.2	9.9			0.2	49.5	118.6	118.7	-0.21	-0.20	1.7	1.7	0.305	0.298	-7.82	-7.83	28.63	1285	34.4334052	-118.6507277	Valve Adjustment:Barely Open			
CV-2006	5/28/2026 8:42:46 AM	0.9	80.6	0.2	18.3			0.0	91.5	187.3	187.4	-5.22	-5.43	15.8	10.9	0.367	0.174	-8.22	-8.48	28.58	1327	34.4352391	-118.6506276	Valve Adjustment:NSPS/EG CAI,High Temp			
CV-2006	5/20/2026 8:18:51 AM	8.2	77.1	0.0	14.7			0.1	0.0	187.6	187.5	-3.64	-3.64	17.2	17.2	0.435	0.435	-6.85	-6.85	28.58	1318	34.4352464	-118.6506517	Valve Adjustment:No Flow Measurement,High Temp			
CV-2006	5/14/2026 2:04:55 PM	1.8	84.4	0.0	13.8			0.0	0.0	184.9	184.9	-2.55	-2.56	1.9	8.7	0.007	0.146	-6.01		28.53	1293	34.4352200	-118.6507065	High Temp			
CV-2006	5/14/2026 2:03:40 PM	1.3	83.8	0.0	14.9			0.0	0.0	185.2	185.4	-4.31	-2.22	7.7	7.7	0.114	0.113	-6.52		28.53	1227	34.4351588	-118.6506133	Valve Adjustment:No Flow Measurement,High Temp,Reduce Sys. Vac. - Flare Down			
CV-2006	5/11/2026 1:55:37 PM	20.8	75.0	0.0	4.2			0.3	0.0	188.0	188.2	2.57	2.99	11.7	10.1	0.198	0.147	4.05	4.05	28.59	1326	34.4352436	-118.6506369	AtmAA			
CV-2006	5/6/2026 9:20:00 AM					3010																					AtmAA; [User entered 17.34%]
CV-2006	5/6/2026 9:20:00 AM						173400																				AtmAA; [User entered 17.34%]
CV-2006	5/6/2026 9:17:48 AM	11.6	81.7	0.0	6.7			0.1	0.0	187.7	187.5	-2.10	-2.23	5.6	6.1	0.046	0.054	-6.57	-7.38	28.66	1323	34.4352251	-118.6506474	Valve Adjustment:Orifice Plate Changed (See OP Log),High Temp			
CV-2007	5/20/2026 2:00:34 PM	19.9	75.6	0.0	4.5			0.3	0.0	111.1	112.8	-0.10	-0.11	0.7	3.5	0.001	0.033	-7.42	-9.01	28.41	1371	34.4361610	-118.6469898	Valve Adjustment:Barely Open			
CV-2007	5/8/2026 9:48:29 AM	20.5	75.0	0.0	4.5			0.3	0.0	93.2	93.8	-0.01	-0.03	0.0	0.0	-0.055	-0.054	-3.18		28.59	1398	34.4360997	-118.6469230	Reduced System Vacuum			

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-2007	5/4/2026 8:10:00 AM						59000																		Air Tech Lab; [User entered 5.9%]
CV-2008	5/11/2026 2:03:03 PM	26.3	71.4	0.0	2.3			0.4	0.0	110.1	111.4	-0.88	-0.44	2.1	0.4	0.106	0.005	-4.49			28.48	1411	34.4362800	-118.6463063	NSPS/EG CAI,High Temp,Reduced System Vacuum
CV-2009	5/8/2026 9:02:48 AM	41.0	59.0	0.0	0.0			0.7	0.0	136.0	136.0	-0.11	-0.07	16.0	15.6	0.355	0.336	-1.36			28.6	1365	34.4362193	-118.6452257	NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum
CV-2009	5/8/2026 9:00:33 AM	41.0	58.4	0.0	0.6			0.7	0.0	135.5	136.1	0.54	-0.02	14.4	16.6	0.285	0.380	-1.11			28.6	1371	34.4363270	-118.6453092	NSPS/EG CAI,High Temp,Positive Static Press.,Reduced System Vacuum
CV-2009A	5/11/2026 1:51:42 PM	38.9	58.1	0.0	3.0			0.7	0.0	129.8	129.8	-0.16	-0.16	6.2	6.2	0.905	0.909	-6.01			28.47	1404	34.4359782	-118.6452695	Valve Adjustment,Decreased Flow/Vacuum
CV-2010	5/4/2026 1:15:27 PM	37.3	48.6	0.0	14.1			0.8	0.0	116.0	117.5	-1.88	-1.68	14.1	12.3	0.257	0.196	-12.95	-12.97		28.58	1352	34.4356558	-118.6435827	Valve Adjustment,Audible Flow
CV-2010A	5/21/2026 10:29:08 AM	42.7	46.3	0.0	11.0			0.9	0.0	141.6	142.2	-8.80	-8.78	27.0	25.1	2.110	1.833	-9.92	-9.96		28.51	1360	34.4357273	-118.6436773	Valve Adjustment,Audible Flow
CV-2010A	5/14/2026 9:40:00 AM					235.5																			AtmAA
CV-2010A	5/14/2026 9:38:44 AM	31.3	54.8	0.0	13.9			0.6	0.0	74.7	153.5	11.78	-2.01	2.3	55.1	0.012	8.896	-11.74	-11.83		28.58	1361	34.4357452	-118.6436314	Valve Adjustment,NSPS/EG CAI,High Temp,Increased Flow/Vacuum
CV-2010A	5/5/2026 1:03:57 PM	33.6	49.8	0.0	16.6			0.7	0.0	146.4	146.5	-1.94	-1.94	11.0	9.8	0.348	0.275	-10.88	-11.65		28.52	1362	34.4357605	-118.6436593	Valve Adjustment,NSPS/EG CAI,Audible Flow,High Temp
CV-2010A	5/5/2026 1:03:17 PM	34.4	49.2	0.0	16.4			0.7	0.0	146.2	146.3	-1.85	-1.89	8.7	13.1	0.215	0.493	-11.24	-11.37		28.52	1356	34.4357552	-118.6436610	Valve Adjustment,NSPS/EG CAI,Audible Flow,High Temp,Increased Flow/Vacuum
CV-2010A	5/4/2026 1:29:04 PM	30.9	52.7	0.0	16.4			0.6	0.0	148.1	148.2	-0.10	-0.10	16.9	17.7	0.816	0.894	-12.87	-13.21		28.54	1369	34.4357562	-118.6436638	Valve Adjustment,NSPS/EG CAI,High Temp,Barely Open
CV-2010A	5/4/2026 1:27:58 PM	30.1	53.0	0.0	16.9			0.6	0.0	148.7	148.1	-0.20	-0.21	14.5	14.6	0.600	0.605	-13.13	-13.24		28.54	1366	34.4357503	-118.6436622	Valve Adjustment,NSPS/EG CAI,High Temp,Barely Open
CV-2010A	5/4/2026 1:26:56 PM	28.3	51.1	0.0	20.6			0.6	0.0	146.0	148.6	1.36	-0.10	13.4	19.6	0.510	1.095	-13.13	-13.20		28.54	1363	34.4357462	-118.6436527	Valve Adjustment,NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-2011	5/11/2026 3:39:24 PM	47.9	51.3	0.0	0.8			0.9	0.0	108.0	108.1	-0.31	-0.30	0.0	0.0	-0.014	-0.012	-12.72			28.53	1381	34.4341870	-118.6435198	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-2011	5/11/2026 3:38:18 PM	49.0	51.0	0.0	0.0			1.0	0.0	99.3	105.7	0.48	-0.18	0.0	1.7	-0.020	0.004	-12.31			28.53	1345	34.4342182	-118.6434168	Valve Adjustment,NSPS/EG CAI,High Temp
CV-2011A	5/28/2026 8:38:45 AM	4.6	80.9	0.3	14.2			0.1	47.3	150.3	150.4	-4.82	-4.96	130.9	132.4	4.809	4.927	0.27	0.29		28.55	1334	34.4354559	-118.6507572	Valve Adjustment,NSPS/EG CAI,High Temp
CV-2011A	5/27/2026 3:15:12 PM	14.4	55.2	0.0	30.4			0.3	0.0	148.1	148.0	-1.15	-1.14	47.9	47.5	0.634	0.623	-3.04	-3.15		28.43	1333	34.4345451	-118.6431606	Valve Adjustment,High Temp
CV-2011A	5/27/2026 3:14:19 PM	15.2	60.5	0.0	24.3			0.3	0.0	147.5	147.7	-0.62	-1.13	49.1	47.7	0.664	0.628	-3.51	-3.05		28.45	1332	34.4345381	-118.6431537	Valve Adjustment,High Temp,Increased Flow/Vacuum
CV-2011A	5/21/2026 9:16:00 AM	20.0	54.6	0.0	25.4			0.4	0.0	151.5	151.7	-4.56	-4.52	24.0	22.5	0.160	0.141	-6.65	-6.38		28.54	1340	34.4345424	-118.6431436	Valve Adjustment,High Temp
CV-2011A	5/20/2026 8:33:37 AM	19.9	56.1	0.0	24.0			0.4	0.0	151.7	151.6	-7.72	-7.72	20.3	18.9	0.283	0.247	-12.73	-11.91		28.57	1318	34.4345460	-118.6431632	Valve Adjustment,High Temp,Barely Open;Well Comment:pump turned off;Well Condition:Lorentz Pump Installed
CV-2011A	5/20/2026 8:30:13 AM	20.0	55.8	0.0	24.2			0.4	0.0	152.0	151.7	-7.72	-7.73	19.5	20.1	0.263	0.279	-11.84	-12.06		28.57	1345	34.4345285	-118.6431620	Valve Adjustment,NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Comment:Lorentz pump activated;Well Condition:Lorentz Pump Installed;Well Repairs:Sample Port
CV-2011A	5/14/2026 9:40:27 AM	41.6	58.4	0.0	0.0			0.7	0.0	153.6	153.6	-2.67	-2.53	175.1	169.1	8.637	8.049	-12.33	-11.47		28.62	1362	34.4357199	-118.6436604	Valve Adjustment,High Temp,Barely Open;Well Comment:Lorentz pump offline due to limber expansion;Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp;Well Condition:Lorentz Pump Installed
CV-2011A	5/11/2026 10:58:37 AM	43.5	56.5	0.0	0.0			0.8	0.0	153.7	153.9	-1.57	-1.56	41.3	41.0	0.472	0.466	-11.42	-11.44		28.59	1328	34.4345080	-118.6431584	Valve Adjustment,High Temp
CV-2011A	5/4/2026 8:20:00 AM					1040																			AtmAA
CV-2011A	5/4/2026 8:20:00 AM						199300																		AtmAA; [User entered 19.93%]
CV-2011A	5/4/2026 8:19:12 AM	22.3	58.4	0.0	19.3			0.4	0.0	151.1	151.7	-2.86	-2.86	32.7	31.0	0.295	0.266	-13.16	-13.19		28.59	1322	34.4345241	-118.6431850	Valve Adjustment,High Temp
CV-2012	5/11/2026 3:24:22 PM	40.0	54.3	0.0	5.7			0.7	0.0	136.9	136.9	-3.75	-3.75	7.6	7.7	0.080	0.082	-10.91			28.51	1345	34.4351362	-118.6432447	Valve Adjustment,High Temp
CV-2012	5/11/2026 3:23:03 PM	38.9	54.8	0.0	6.3			0.7	0.0	137.6	137.3	-5.88	-4.36	13.0	6.2	0.235	0.053	-10.83			28.51	1332	34.4351127	-118.6433065	NSPS/EG CAI,High Temp
CV-2201-PLR	5/19/2026 11:02:27 AM	3.0	80.1	0.0	16.9			0.0	0.0	130.6	130.4	-0.73	-0.71			0.503	0.507	-2.13	-2.18		28.71	1348	34.4355533	-118.6488568	Valve Adjustment,Barely Open,Surging Liquid in Header
CV-2201-PLR	5/19/2026 10:46:55 AM	28.2	71.8	0.0	0.0			0.4	0.0	130.8	130.5	-0.77	-0.47			0.684	0.419	-1.67	-1.74		28.71	1344	34.4355575	-118.6488530	Valve Adjustment,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Header
CV-2201-PLR	5/13/2026 1:54:50 PM	2.6	77.8	0.0	19.6			0.0	0.0	132.9	133.1	-0.96	-0.97			0.940	0.949	-2.53	-1.90		28.75	1354	34.4355558	-118.6488543	Valve Adjustment,NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header
CV-2201-PLR	5/13/2026 1:53:35 PM	2.5	78.6	0.1	18.8			0.0	188.0	133.0	133.2	-1.08	-0.80			1.008	0.772	-2.56	-2.66		28.74	1352	34.4355668	-118.6488530	Valve Adjustment,NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header
CV-2204-PLR	5/26/2026 1:23:17 PM	11.0	82.7	0.0	6.3			0.1	0.0	148.6	155.6	-7.79	-7.07			7.904	7.098	0.71	0.67		28.43	1365	34.4357832	-118.6474838	Valve Adjustment,No Flow Measurement,High Temp
CV-2204-PLR	5/18/2026 11:00:00 AM					2500																			AtmAA
CV-2204-PLR	5/18/2026 10:51:06 AM	17.6	76.0	0.0	6.4			0.2	0.0	188.4	189.1	-2.25	-2.22			2.310	2.305	0.35	0.35		28.51	1373	34.4357649	-118.6474788	Valve Adjustment,No Flow Measurement,High Temp
CV-2204-PLR	5/12/2026 10:45:00 AM					728																			AtmAA
CV-2204-PLR	5/12/2026 10:44:05 AM	23.4	76.6	0.0	0.0			0.3	0.0	190.1	190.0	-7.01	-7.28			7.123	7.387	0.34	0.34		28.55	1348	34.4357681	-118.6474664	Valve Adjustment,No Flow Measurement,High Temp
CV-2204-PLR	5/5/2026 9:48:20 AM	12.3	85.4	0.0	2.3			0.1	0.0	189.9	190.1	-7.29	-8.83			7.395	8.865	0.01	0.00		28.51	1362	34.4357712	-118.6474761	Valve Adjustment,No Flow Measurement,High Temp

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2204-PLR	5/5/2026 9:45:00 AM					2700																			AtmAA	
CV-2204-PLR	5/5/2026 9:45:00 AM						137900																			AtmAA; [User entered 13.79%] Valve Adjustment:Audible Flow, Barely Open; Well Condition: Fair
CV-2205	5/1/2026 2:09:09 PM	34.2	48.9	0.0	16.9			0.7	0.0	120.4		-0.36	-0.36	15.9	15.9	0.065	0.065	-12.64	-12.64	28.48	1374	34.4342773	-118.6441135			
CV-2207	5/11/2026 1:42:35 PM	44.7	51.2	0.1	4.0			0.9	40.0	125.8	125.0	-0.94	-0.56	18.1	16.1	0.083	0.066	-8.87		28.65	1424	34.4360663	-118.6441428			
CV-2207	5/11/2026 1:19:38 PM	43.2	54.8	0.0	2.0			0.8	0.0	127.3	127.2	-1.08	-1.02	8.3	11.2	0.018	0.033	0.64	0.61	28.52	1384	34.4359988	-118.6442250		Valve Comment:well too tall for system	
CV-2208A	5/11/2026 11:49:32 AM	31.7	66.0	0.0	2.3			0.5	0.0	134.0	134.0	-1.31	-1.32	12.2	12.3	0.043	0.044	-6.59		28.53	1312	34.4365748	-118.6449385			
CV-2208A	5/11/2026 11:47:10 AM	29.9	59.5	0.0	10.6			0.5	0.0	134.8	134.7	-1.27	-1.27	13.3	13.5	0.050	0.052	-6.64		28.53	1309	34.4364772	-118.6449732		High Temp	
CV-2301	5/27/2026 10:38:04 AM	13.5	69.3	0.0	17.2			0.2	0.0	158.0	158.0	-2.47	-2.44			2.434	2.430	-6.22	-6.32	28.43	1342	34.4334932	-118.6492167		Valve Adjustment:No Flow Measurement, High Temp	
CV-2301	5/27/2026 10:36:57 AM	21.7	65.2	0.1	13.0			0.3	130.0	160.0	158.0	-4.82	-1.81			4.791	1.802	-6.24	-6.22	28.43	1341	34.4334943	-118.6492188		Valve Adjustment:No Flow Measurement, High Temp, Decreased Flow/Vacuum	
CV-2301	5/19/2026 10:16:23 AM	47.8	52.2	0.0	0.0			0.9	0.0	164.0						5.799		-6.88		28.65	1343	34.4334867	-118.6492477		Valve Adjustment:No Flow Measurement, High Temp	
CV-2301	5/19/2026 10:15:36 AM	48.3	51.4	0.3	0.0			0.9	0.0	165.0	165.0	-7.06	-5.74			7.053	5.875	-6.74	-6.82	28.63	1343	34.4334866	-118.6492474		Valve Adjustment:No Flow Measurement, High Temp, Decreased Flow/Vacuum	
CV-2301	5/19/2026 10:15:00 AM					990																				AtmAA
CV-2301	5/14/2026 11:20:00 AM					1170																				AtmAA
CV-2301	5/14/2026 10:53:50 AM	31.1	62.4	0.0	6.5			0.5	0.0	182.0	182.0	-7.32	-7.34			7.376	7.366	-7.59	-7.56	28.71	1355	34.4335122	-118.6492387		Valve Comment:Valve too high to adjust; Valve Adjustment: NSPS/EG CAI, High Temp; Well Comment: No Pump	
CV-2301	5/14/2026 10:52:08 AM	30.7	61.8	0.0	7.5			0.5	0.0	182.0	182.0	-7.30	-7.24			7.276	7.189	-7.47	-7.33	28.71	1357	34.4335168	-118.6492318		CAI, High Temp; Well Comment: No Pump	
CV-2301	5/7/2026 7:55:00 AM					2200																				Air Tech Lab
CV-2301	5/7/2026 7:55:00 AM																									Air Tech Lab; [User entered 15%] Valve Adjustment:Surging Liquid in Header, Surging Liquid in Well (Watered In)
CV-2302	5/22/2026 3:57:06 PM	42.2	50.6	0.7	6.5			0.8	9.3	120.2	121.0	-5.04	-5.07			5.135	5.088	-5.32	-5.35	30	1348	34.4340720	-118.6492185			
CV-2302	5/7/2026 8:05:00 AM					320																				Air Tech Lab
CV-2302	5/7/2026 8:05:00 AM					53000																				Air Tech Lab; [User entered 5.3%] Valve Adjustment:Valve 100% Open; Well Comment:valve stuck open
CV-2302	5/4/2026 9:06:38 AM	42.4	51.8	0.1	5.7			0.8	57.0	121.6	121.6	-9.44	-9.45			9.620	9.648	-9.66	-9.82	28.56	1342	34.4340388	-118.6492105			
CV-2303	5/27/2026 9:02:45 AM	1.3	77.6	0.0	21.1			0.0	0.0	181.2	179.8	-2.09	-2.13			2.014	2.067	0.01	0.01	28.4	1356	34.4353757	-118.6496996		Valve Adjustment:No Flow Measurement, High Temp	
CV-2303	5/19/2026 8:40:00 AM					2480																				AtmAA
CV-2303	5/19/2026 8:36:23 AM	14.0	79.4	0.0	6.6			0.2	0.0	187.2	187.5	-4.52	-4.52			4.498	4.501	-4.26	-4.28	28.59	1354	34.4353850	-118.6496840		Valve Adjustment:No Flow Measurement, High Temp	
CV-2303	5/13/2026 2:13:55 PM	2.0	75.5	0.0	22.5			0.0	0.0	188.9	190.0	-4.70	-4.13			4.721	4.208	-4.68	-4.07	28.66	1372	34.4353776	-118.6497053		Valve Adjustment:No Flow Measurement, High Temp	
CV-2303	5/12/2026 8:30:00 AM					2000																				Air Tech Lab
CV-2303	5/12/2026 8:30:00 AM																									Air Tech Lab; [User entered 19%]
CV-2303	5/5/2026 2:25:00 PM					2170																				AtmAA
CV-2303	5/5/2026 2:25:00 PM					165800																				AtmAA; [User entered 16.58%] Valve Adjustment:No Flow Measurement, High Temp
CV-2303	5/5/2026 2:21:44 PM	14.0	80.9	0.0	5.1			0.2	0.0	189.5	187.7	-3.85	-3.77			3.847	3.710	0.27	0.30	28.51	1356	34.4353789	-118.6497006		Valve Adjustment:No Flow Measurement, High Temp	
CV-2304	5/19/2026 9:15:00 AM					1650																				AtmAA
CV-2304	5/19/2026 9:14:49 AM	20.7	74.7	0.0	4.6			0.3	0.0	167.0	168.5	-2.38	-2.51			2.314	2.356	0.34	0.34	28.64	1339	34.4345563	-118.6487464		Valve Adjustment:No Flow Measurement, High Temp	
CV-2304	5/13/2026 3:03:41 PM	7.1	76.4	0.0	16.5			0.1	0.0	163.5	163.9	-5.65	-5.66			5.854	5.852	0.00	0.00	28.67	1341	34.4345633	-118.6487399		Valve Adjustment:No Flow Measurement, High Temp	
CV-2304	5/13/2026 3:02:59 PM	9.0	74.3	0.0	16.7			0.1	0.0	162.5	161.2	-7.61	-5.44			7.765	5.595	0.00	0.00	28.67	1341	34.4345654	-118.6487425		Valve Adjustment:No Flow Measurement, High Temp, Decreased Flow/Vacuum	
CV-2304	5/8/2026 12:51:34 PM	1.1	79.4	0.0	19.5			0.0	0.0	168.1	169.9	-5.70	-5.54			5.691	5.519	0.00	0.00	28.56	1309	34.4345933	-118.6487710		Valve Adjustment:High Temp, Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
CV-2304	5/8/2026 12:50:06 PM	1.5	79.5	0.0	19.0			0.0	0.0	165.9	167.5	-5.71	-5.43			5.760	5.433	-5.64	0.00	28.56	1323	34.4345802	-118.6487640		Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
CV-2304	5/6/2026 3:00:04 PM	1.7	79.1	0.0	19.2			0.0	0.0	162.7	163.7	11.07	11.19			0.000	0.000	11.51	11.50	28.59	1344	34.4345532	-118.6487415		Valve Adjustment:No Flow Measurement, High Temp, Positive Static Press., Surging Liquid in Header	
CV-2304	5/6/2026 3:00:00 PM					1605																				AtmAA
CV-2304	5/6/2026 3:00:00 PM																									AtmAA; [User entered 18.06%] Valve Adjustment:No Flow Measurement, High Temp, Positive Static Press., Surging Liquid in Header
CV-2304	5/6/2026 2:59:41 PM	1.9	69.7	0.0	28.4			0.0	0.0	162.3	163.1	11.46	11.51			0.000	0.000	11.63	11.66	28.59	1344	34.4345533	-118.6487415		Valve Adjustment:High Temp, Positive Static Press., Surging Liquid in Header	
CV-2305	5/27/2026 2:24:19 PM	17.7	79.8	0.0	2.5			0.2	0.0	149.7	149.4	2.23	2.20			0.000	0.000	2.14	2.09	28.39	1389	34.4352222	-118.6465334		Valve Adjustment:High Temp, Positive Static Press., Surging Liquid in Header	
CV-2305	5/27/2026 2:23:44 PM	16.2	77.8	0.0	6.0			0.2	0.0	149.1	149.3	2.27	1.95			0.000	0.000	2.18	2.16	28.39	1389	34.4352225	-118.6465340		Valve Adjustment:High Temp, Positive Static Press., Valve 100% Open, Surging Liquid in Header	

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-2305	5/19/2026 1:20:00 PM					2420																			AtmAA
CV-2305	5/19/2026 1:19:18 PM	38.8	61.2	0.0	0.0			0.6	0.0	148.9	149.2	-0.17	-0.60			0.119	0.826	-0.74	-1.01	28.58	1393	34.4352347	-118.6465351	Valve Adjustment:High Temp,Valve 100% Open,Surging Liquid in Header	
CV-2305	5/14/2026 10:11:00 AM					2380																			AtmAA
CV-2305	5/14/2026 10:09:35 AM	31.0	69.0	0.0	0.0			0.4	0.0	150.0	150.3	-1.47	-1.47			1.475	1.475	-1.89	-1.89	28.58	1397	34.4352173	-118.6465290	Valve Adjustment:High Temp,Well Condition:Lorentz Pump Installed	
CV-2305	5/12/2026 8:10:00 AM					1700																			Air Tech Lab
CV-2305	5/12/2026 8:10:00 AM					82000																			Air Tech Lab; [User entered 8.2%]
CV-2305	5/4/2026 8:50:00 AM	16.1	73.3	0.0	10.6			0.2	0.0	149.9	149.9	-1.66	-1.01			1.681	1.122	-1.61	-1.69	28.53	1383	34.4352262	-118.6465321	Valve Adjustment:High Temp	
CV-2306	5/26/2026 1:28:47 PM	10.3	77.4	0.1	12.2			0.1	122.0	150.4	149.1	-8.35	-8.35			8.434	8.434	0.99	0.99	28.42	1364	34.4360980	-118.6478160	Valve Adjustment:No Flow Measurement,High Temp	
CV-2306	5/18/2026 11:00:16 AM	24.1	66.6	0.0	9.3			0.4	0.0	133.7	133.9	-4.06	-4.67			4.078	4.575	0.34	0.35	28.51	1375	34.4360822	-118.6478078	Valve Adjustment:No Flow Measurement,Surging Liquid in Well (Watered In)	
CV-2306	5/18/2026 10:56:22 AM	18.9	69.8	0.0	11.3			0.3	0.0	101.4	102.9	-3.87	-4.19			4.155	4.690	0.42	0.34	28.52	1369	34.4360784	-118.6478269	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)	
CV-2306	5/12/2026 10:50:18 AM	25.0	75.0	0.0	0.0			0.3	0.0	178.8	178.3	-9.29	-9.23			9.437	9.385	0.33	0.33	28.55	1360	34.4360887	-118.6478090	Valve Adjustment:No Flow Measurement,High Temp	
CV-2306	5/12/2026 10:50:00 AM					381																			AtmAA
CV-2306	5/5/2026 9:52:13 AM	15.8	81.6	0.0	2.6			0.2	0.0	173.6	173.6	-9.33	-9.36			9.490	9.527	0.00	0.00	28.51	1360	34.4360792	-118.6478149	Valve Adjustment:No Flow Measurement,High Temp	
CV-2306	5/5/2026 9:50:00 AM					1800																			AtmAA
CV-2306	5/5/2026 9:50:00 AM					161900																			AtmAA; [User entered 16.19%]
CV-2308-PLR	5/19/2026 10:58:26 AM	3.2	81.1	0.0	15.7			0.0	0.0	134.2	136.5	-1.76	-1.81			1.750	1.724	-4.15	-4.72	28.71	1348	34.4358842	-118.6488933	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Well (Watered In)	
CV-2308-PLR	5/19/2026 10:56:56 AM	3.7	77.8	0.0	18.5			0.0	0.0	133.5	133.9	-2.27	-1.43			2.121	1.440	-4.38	-4.16	28.7	1338	34.4358738	-118.6489067	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header	
CV-2308-PLR	5/13/2026 2:03:12 PM	4.0	78.4	0.0	17.6			0.1	0.0	144.6	143.9	-1.71	-1.66			1.608	1.593	-3.86	-3.96	28.74	1344	34.4358813	-118.6489105	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum,Surging Liquid in Header	
CV-2308-PLR	5/13/2026 2:01:38 PM	3.6	77.9	0.1	18.4			0.0	184.0	146.7	146.4	-3.18	-1.58			3.087	1.533	-3.98	-4.25	28.74	1351	34.4358865	-118.6489180	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header	
CV-2310-PLR	5/27/2026 9:22:17 AM	1.5	77.1	0.0	21.4			0.0	0.0	196.0	196.1	-1.24	-1.24			1.216	1.216	0.19	0.19	28.43	1356	34.4353188	-118.6491328	Valve Comment:Surging in Well;Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In);Well Repairs:Surging	
CV-2310-PLR	5/19/2026 8:56:41 AM	14.0	74.0	0.0	12.0			0.2	0.0	196.7	197.9	-0.21	-2.46			0.099	2.350	0.34	0.34	28.62	1353	34.4353190	-118.6491396	AtmAA	
CV-2310-PLR	5/19/2026 8:55:00 AM					1920																			AtmAA
CV-2310-PLR	5/13/2026 2:22:47 PM	3.1	75.3	0.0	21.6			0.0	0.0	197.6	197.5	-1.78	-2.08			1.813	2.337	-0.04	0.00	28.66	1365	34.4353284	-118.6491404	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)	
CV-2310-PLR	5/6/2026 2:40:00 PM					100700																			AtmAA; [User entered 10.07%]
CV-2310-PLR	5/6/2026 2:30:00 PM					1270																			AtmAA
CV-2310-PLR	5/6/2026 2:26:12 PM	1.9	79.7	0.8	17.6			0.0	22.0	197.3	197.3	-1.08	-2.54			1.010	2.676	0.08	0.00	28.59	1350	34.4353306	-118.6491158	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)	
CV-2310-PLR	5/1/2026 11:45:33 AM	1.7	74.3	0.0	24.0			0.0	0.0	197.2	197.2	-4.35	-4.06			4.114	3.201	0.67	0.65	28.52	1368	34.4353170	-118.6491418	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Header	
CV-2310-PLR	5/1/2026 11:44:42 AM	2.0	80.9	0.0	17.1			0.0	0.0	197.1	197.3	-4.23	-4.10			4.033	4.799	0.65	0.69	28.52	1368	34.4353170	-118.6491418	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-2311	5/26/2026 2:01:48 PM	22.4	71.6	0.0	6.0			0.3	0.0	163.6	162.4	-3.39	-3.36			3.396	3.358	0.86	0.83	28.41	1376	34.4363199	-118.6498953	Valve Adjustment:No Flow Measurement,High Temp	
CV-2311	5/18/2026 2:25:36 PM	15.6	71.5	0.0	12.9			0.2	0.0	169.1	183.3	-3.81	-3.81			3.993	3.993	0.33	0.33	28.47	1370	34.4363289	-118.6498830	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-2311	5/18/2026 2:25:00 PM					2730																			AtmAA
CV-2311	5/18/2026 2:24:18 PM	25.3	70.4	0.0	4.3			0.4	0.0	167.0	163.7	4.39	4.34			0.000	0.000	2.33	2.31	28.51	1369	34.4363298	-118.6498817	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open	
CV-2311	5/12/2026 2:05:46 PM	32.0	66.0	2.0	0.0			0.5	0.0	167.1	165.1	-1.78	-1.81			1.722	1.717	-7.19	-6.93	28.55	1362	34.4363119	-118.6498960	Valve Adjustment:No Flow Measurement,High Temp	
CV-2311	5/12/2026 2:03:19 PM	29.0	70.7	0.3	0.0			0.4	0.0	166.1	163.6	-2.48	-2.01			2.409	1.934	-7.09	-7.20	28.55	1360	34.4363189	-118.6498914	Valve Adjustment:High Temp,Decreased Flow/Vacuum	
CV-2311	5/12/2026 2:00:00 PM					915																			AtmAA
CV-2311	5/5/2026 10:25:04 AM	23.3	73.8	0.0	2.9			0.3	0.0	168.2	166.9	-2.53	-2.52			2.525	2.518	-8.39	-8.32	28.51	1371	34.4363116	-118.6498841	Valve Adjustment:No Flow Measurement,High Temp	
CV-2311	5/5/2026 10:25:00 AM					1620																			AtmAA
CV-2311	5/5/2026 10:25:00 AM					139700																			AtmAA; [User entered 13.97%]
CV-2312	5/27/2026 11:01:39 AM	3.5	80.0	0.1	16.4			0.0	164.0	167.9	167.7	-3.07	-5.30	31.2	41.4	2.922	5.179	-3.98	-4.28	28.41	1373	34.4342058	-118.6473544	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Well (Watered In)	

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2312	5/19/2026 10:35:25 AM	16.8	78.0	0.0	5.2				0.2	0.0	168.5	168.5	-2.64	-1.13	34.1	14.8	3.468	0.647	-5.08	-3.40	28.62	1378	34.4342068	-118.6473721	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)	
CV-2312	5/19/2026 10:35:00 AM					3070																				AtmAA
CV-2312	5/13/2026 11:08:10 AM	2.5	78.9	0.4	18.2				0.0	45.5	169.2	169.3	-16.73	-16.28	73.7	72.9	17.149	16.742	-7.70	-6.29	28.67	1377	34.4342078	-118.6473685	Valve Adjustment:No Flow Measurement,High Temp Flow,No Flow Measurement,High Temp Valve Comment:ACTIVE PLR;Valve Adjustment:No Flow Measurement,High Temp;Well Comment:installed sample ports on now hard pipe well	
CV-2312	5/13/2026 9:06:06 AM	7.7	81.8	0.2	10.3				0.1	51.5	168.2	168.2	-6.54	-4.12	46.2	35.3	6.431	3.725	-8.03	-8.48	28.62	1392	34.4342185	-118.6473540	Air Tech Lab	
CV-2312	5/13/2026 8:30:00 AM					1800																				Air Tech Lab; [User entered 9.0%]
CV-2312	5/13/2026 8:30:00 AM						90000																			Valve Comment:Active PLR;Valve Adjustment:No Flow Measurement,High Temp
CV-2312	5/4/2026 10:29:04 AM	1.8	78.3	0.0	19.9				0.0	0.0	167.9	168.0	27.20	23.82	97.2	90.7	27.050	23.636	-8.85	-9.06	28.53	1387	34.4342201	-118.6473614	Valve Comment:Active plr;Valve Adjustment:No Flow Measurement	
CV-2312	5/4/2026 10:27:12 AM	1.5	62.9	3.1	32.5				0.0	10.5	168.1	168.1	23.02	25.84	89.1	94.9	22.809	25.782	-9.17	-9.23	28.56	1387	34.4342224	-118.6473626	AtmAA	
CV-2312	5/4/2026 10:15:00 AM					3840																				AtmAA; [User entered 12.03%]
CV-2312	5/4/2026 10:15:00 AM						120300																			Valve Adjustment:High Temp
CV-2314	5/27/2026 1:46:16 PM	1.4	85.2	0.0	13.4				0.0	0.0	179.7	179.8	-3.66	-3.61			3.627	3.552	-7.85	-7.78	28.38	1386	34.4347126	-118.6466876	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum	
CV-2314	5/27/2026 1:45:46 PM	1.3	84.1	0.0	14.6				0.0	0.0	179.8	179.5	-0.26	-3.78			0.286	3.790	-7.67	-7.11	28.38	1384	34.4347176	-118.6466899	AtmAA	
CV-2314	5/19/2026 2:00:00 PM					3840																				Valve Adjustment:No Flow Measurement,High Temp
CV-2314	5/19/2026 1:53:23 PM	23.9	76.1	0.0	0.0				0.3	0.0	179.3	180.1	-3.30	-3.03			3.257	3.147	0.00	0.00	28.58	1392	34.4346978	-118.6467182	Valve Adjustment:High Temp	
CV-2314	5/14/2026 1:50:56 PM	0.7	90.4	0.0	8.9				0.0	0.0	178.0	178.0	-2.53	-2.89	0.0	0.0	2.499	2.861	-11.70		28.67	1371	34.4347190	-118.6467362	Valve Adjustment:High Temp	
CV-2314	5/14/2026 1:49:32 PM	0.9	90.5	0.1	8.5				0.0	85.0	177.6	178.0	-8.65	-2.73	0.0	0.0	8.764	2.495	-11.53		28.67	1398	34.4345485	-118.6465587	NSPS/EG CAI;High Temp	
CV-2314	5/12/2026 8:05:00 AM					3400																				Air Tech Lab
CV-2314	5/12/2026 8:05:00 AM						140000																			Air Tech Lab; [User entered 14%]
CV-2314	5/11/2026 10:32:15 AM	8.2	88.6	0.0	3.2				0.1	0.0	180.2	180.2	-2.16	-1.11			2.126	1.008	-13.13	-14.46	28.53	1385	34.4346920	-118.6467260	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header	
CV-2314	5/4/2026 9:40:25 AM	7.3	77.6	0.0	15.1				0.1	0.0	177.9	178.1	-2.93	-2.18			2.960	2.480	-13.31	-13.49	28.56	1384	34.4346873	-118.6467112	Valve Adjustment:High Temp	
CV-2314	5/4/2026 9:40:00 AM					4010																				AtmAA
CV-2314	5/4/2026 9:40:00 AM						110000																			AtmAA; [User entered 11%]
CV-2315	5/26/2026 10:35:23 AM	10.0	79.9	0.1	10.0				0.1	100.0	182.5	182.5	-5.71	-5.70			5.715	5.794	0.34	0.36	28.43	1397	34.4354928	-118.6472032	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-2315	5/19/2026 1:35:00 PM					4320																				AtmAA
CV-2315	5/19/2026 1:31:37 PM	22.0	75.5	0.0	2.5				0.3	0.0	184.8	184.8	-1.16	-1.16			1.126	1.126	0.00	0.00	28.58	1382	34.4355198	-118.6472000	Valve Comment:Lorentz pump disconnected;Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open;Well Condition:Lorentz Pump Installed	
CV-2315	5/13/2026 1:43:34 PM	5.2	78.4	0.0	16.4				0.1	0.0	177.6	178.3	-2.68	-2.67			2.600	2.574	-3.16	-3.11	28.74	1386	34.4355063	-118.6472078	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.;Valve 100% Open	
CV-2315	5/13/2026 1:42:47 PM	5.1	79.0	0.1	15.8				0.1	158.0	177.4	177.7	-2.57	-3.27			2.444	3.279	-3.13	-3.76	28.71	1380	34.4355038	-118.6471995	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header	
CV-2315	5/11/2026 8:41:37 AM	2.8	85.7	0.0	11.5				0.0	0.0	158.8	156.4	0.34	0.79			0.000	0.000	1.38	1.90	28.51	1388	34.4355101	-118.6471938	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-2315	5/7/2026 8:30:00 AM					3900																				Air Tech Lab
CV-2315	5/7/2026 8:30:00 AM						140000																			Air Tech Lab; [User entered 14%]
CV-2315	5/6/2026 3:30:00 PM					2530																				AtmAA
CV-2315	5/6/2026 3:30:00 PM						83300																			AtmAA; [User entered 8.33%]
CV-2315	5/6/2026 3:27:40 PM	4.6	80.6	0.6	14.2				0.1	23.7	183.9	183.9	-2.69	-2.61			2.781	2.680	-4.69	-4.54	28.55	1379	34.4355252	-118.6472020	Valve Comment:LORENTZ PUMP DISCONNECTED;Valve Adjustment:No Flow Measurement,High Temp	
CV-2315	5/6/2026 3:25:58 PM	3.1	92.1	0.0	4.8				0.0	0.0	183.6	183.9	-0.26	-1.85			0.284	1.822	-5.72	-4.32	28.55	1379	34.4355265	-118.6471998	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum	
CV-2316	5/11/2026 1:59:13 PM	22.5	66.1	0.0	11.4				0.3	0.0	142.0	142.0	-0.67	-0.67	11.4	11.4	0.100	0.100	-4.74		28.47	1467	34.4361423	-118.6464818	Valve Adjustment:High Temp	
CV-2316	5/11/2026 1:57:51 PM	24.2	65.7	0.0	10.1				0.4	0.0	141.7	141.7	-0.66	-0.66	11.5	11.5	0.100	0.100	-5.16		28.47	1463	34.4361048	-118.6464438	High Temp	
CV-2319	5/12/2026 8:28:11 AM	11.2	78.5	0.0	10.3				0.1	0.0	142.0	142.0	-0.48	-0.47	0.0	0.0			-11.34		28.5	1417	34.4353043	-118.6458277	NSPS/EG CAI;High Temp	
CV-2319	5/12/2026 8:26:00 AM	12.1	78.5	0.0	9.4				0.2	0.0	142.0	142.0	-0.51	-0.45	0.0	0.0			-11.08		28.5	1427	34.4352733	-118.6458283	Valve Adjustment:High Temp,Decreased Flow/Vacuum	
CV-2321	5/27/2026 2:51:44 PM	25.2	74.6	0.2	0.0				0.3	0.0	145.7	145.7	-3.34	-3.32			0.374	0.314	-9.07	-9.07	28.36	1397	34.4346293	-118.6453636	Valve Comment:Lorentz pump on upon arrival;Valve Adjustment:High Temp;Well Condition:Lorentz Pump Installed	
CV-2321	5/27/2026 2:50:12 PM	25.6	73.7	0.3	0.4				0.3	1.3	145.8	145.8	-4.11	-2.31			1.105	0.702	-9.07	-9.07	28.36	1396	34.4346303	-118.6453635	Valve Adjustment:High Temp,Decreased Flow/Vacuum	
CV-2321	5/19/2026 1:00:00 PM					3560																				AtmAA
CV-2321	5/19/2026 12:59:11 PM	26.1	73.9	0.0	0.0				0.4	0.0	149.0	149.0	-1.10	-1.07			0.071	0.084	-6.36	-6.22	28.58	1395	34.4346305	-118.6453974	Valve Adjustment:NSPS/EG CAC, No Flow Measurement,High Temp	

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2321	5/19/2026 12:56:22 PM	21.2	78.8	0.0	0.0			0.3	0.0	147.4	148.9	2.31	-2.14	53.5	5.1	8.196	0.074	-6.06	-5.52	28.58	1393	34.4346333	-118.6454210	Valve Adjustment.No Flow Measurement,High Temp,Increased Flow/Vacuum		
CV-2321	5/11/2026 9:19:14 AM	13.5	81.6	0.0	4.9			0.2	0.0	146.6	146.6	-2.88	-2.79	65.7	66.0	12.614	12.724	-15.85	-15.37	28.53	1389	34.4346294	-118.6453868	Valve Adjustment:High Temp		
CV-2321	5/11/2026 9:16:26 AM	35.5	64.2	0.3	0.0			0.6	0.0	144.3	146.2	-13.09	-1.90			2.309	13.293	-15.13	-15.92	28.52	1388	34.4346288	-118.6453930	Valve Adjustment:High Temp,Decreased Flow/Vacuum		
CV-2321	5/7/2026 9:50:36 AM	12.2	82.2	0.0	5.6			0.1	0.0	149.3	149.3	-2.94	-2.94			0.337	0.342	-7.77	-7.77	28.53	1380	34.4346396	-118.6453619	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp		
CV-2321	5/7/2026 9:50:00 AM					2785																			AtmAA	
CV-2321	5/7/2026 9:50:00 AM						76800																			AtmAA; [User entered 7.68%]
CV-2321	5/7/2026 9:49:06 AM	6.3	84.1	0.0	9.6			0.1	0.0	148.0	149.3	2.87	-2.50	57.0	5.5	9.304	0.088	-5.20	-7.39	28.54	1371	34.4346431	-118.6453347	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),No Flow Measurement,High Temp,Increased Flow/Vacuum		
CV-2321	5/1/2026 10:23:30 AM	4.9	87.2	0.0	7.9			0.1	0.0	147.8	147.7	-0.16	-0.15					-13.29		28.44	1434	34.4345733	-118.6453842			
CV-2321	5/1/2026 10:20:34 AM	5.2	84.1	0.0	10.7			0.1	0.0	147.7	147.8	0.14	-0.14							28.44	1417	34.4346207	-118.6453583	increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,NSPS/EG CAI,NSPS/EG CAC,Audible Flow,High Temp,Positive Static Press.,		
CV-2322	5/26/2026 9:22:23 AM	2.2	69.4	3.6	24.8			0.0	6.9	60.6	60.6	-5.96	-5.96			6.023	6.017	0.09	0.08	28.41	1376	34.4352687	-118.6475092	Valve Adjustment:Surging Liquid in Header,Reduce Sys. Vac. - Flare Down		
CV-2322	5/4/2026 1:40:46 PM	2.4	77.2	0.0	20.4			0.0	0.0	137.1	138.7	-8.58	-8.35			8.534	8.316	-0.30	-0.34	28.51	1362	34.4352915	-118.6475316	Valve Adjustment:NSPS/EG CAC,No Flow Measurement		
CV-2324	5/6/2026 2:05:45 PM	50.1	46.6	0.0	3.3			1.1	0.0	117.4	118.4	-0.10	-0.10	12.0	12.2	0.092	0.094	-9.25	-9.27	28.61	1389	34.4345107	-118.6442275	Valve Adjustment:Barely Open		
CV-2324	5/1/2026 11:00:44 AM	43.1	41.8	0.0	15.1			1.0	0.0	123.0	120.9	-2.28	-1.17	16.3	0.0	0.165	-0.040	-13.37		28.46	1385	34.4345068	-118.6442455			
CV-2326	5/19/2026 10:26:12 AM	1.5	83.6	0.0	14.9			0.0	0.0	134.2	134.2	-5.62	-5.41			6.172	5.928	0.63	0.63	28.59	1377	34.4361458	-118.6504698	Valve Adjustment:NSPS/EG CAI,High Temp		
CV-2326	5/19/2026 10:25:24 AM	1.6	81.3	0.0	17.1			0.0	0.0	134.0	134.2	-5.65	-5.25			6.202	5.855	0.63	0.62	28.59	1375	34.4361437	-118.6504750	Valve Adjustment:NSPS/EG CAI,High Temp		
CV-2326	5/1/2026 11:33:29 AM	7.1	75.9	1.0	16.0			0.1	16.0	124.2	124.2	-7.58	-7.21			7.765	7.443	0.07	0.04	28.52	1377	34.4361170	-118.6504862	Valve Comment:no system port;Valve Adjustment:Valve 100% Open		
CV-2327	5/28/2026 1:44:39 PM	1.9	83.4	0.0	14.7			0.0	0.0	185.5	185.6	-3.56	-3.52			3.576	3.537	-6.47	-6.48	28.55	1368	34.4349085	-118.6479494	Valve Adjustment:NSPS/EG CAI,High Temp		
CV-2327	5/20/2026 2:15:58 PM	2.1	81.9	0.0	16.0			0.0	0.0	172.7	182.8	-2.57	-2.53			2.461	2.370	-6.03	-6.05	28.52	1367	34.4348793	-118.6479346	Valve Adjustment.No Flow Measurement,High Temp		
CV-2327	5/14/2026 10:00:04 AM	6.5	81.0	0.5	12.0			0.1	24.0	181.4	181.6	-2.34	-2.47			2.550	2.582	-6.47	-6.51	28.62	1368	34.4349305	-118.6479449	Valve Comment:installed sample port on system side;Valve Adjustment.No Flow Measurement,High Temp		
CV-2327	5/14/2026 9:57:08 AM	5.6	78.4	1.4	14.6			0.1	10.4	179.5	181.6	-6.87	-4.24			6.955	4.245	0.34	0.34	28.61	1365	34.4349206	-118.6479368	Valve Comment:Going to drill port on system side;Valve Adjustment.No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-2327	5/14/2026 9:50:00 AM					3630																			AtmAA	
CV-2327	5/4/2026 1:23:07 PM	2.8	86.5	0.0	10.7			0.0	0.0	185.1	185.7	-7.67	-7.76			7.701	7.744	-0.13	-0.25	28.52	1364	34.4348905	-118.6479357	Valve Adjustment:High Temp		
CV-2327	5/4/2026 1:20:00 PM					1500																			AtmAA	
CV-2327	5/4/2026 1:20:00 PM						48100																		AtmAA; [User entered 4.81%]	
CV-2328	5/28/2026 1:37:05 PM	13.1	76.8	0.0	10.1			0.2	0.0	164.9	164.9	-3.56	-3.67	41.3	41.8	4.346	4.447	-8.49	-8.86	28.53	1369	34.4343299	-118.6483422	Valve Adjustment:NSPS/EG CAI,High Temp, Surging Liquid in Header		
CV-2328	5/20/2026 2:06:30 PM	13.2	72.4	0.0	14.4			0.2	0.0	167.3	167.3	-1.36	-1.29	44.5	42.0	5.048	4.500	-6.96	-7.10	28.53	1355	34.4343211	-118.6483402	Valve Adjustment:High Temp,Well Condition:Lorentz Pump Installed		
CV-2328	5/20/2026 2:05:13 PM	13.2	74.3	0.0	12.5			0.2	0.0	167.2	167.4	-0.64	-1.43	42.2	45.5	4.527	5.277	-7.41	-7.41	28.53	1354	34.4343222	-118.6483424	Valve Adjustment:High Temp,Increased Flow/Vacuum		
CV-2328	5/11/2026 1:26:04 PM	34.7	65.3	0.0	0.0			0.5	0.0	144.6	146.7	-0.54	-0.53	12.0	11.7	0.351	0.333	-1.24	-1.21	28.55	1357	34.4343503	-118.6483110	Valve Adjustment:High Temp,Reduce Sys. Vac. - Flare Down		
CV-2328	5/7/2026 8:15:00 AM					980																			Air Tech Lab	
CV-2328	5/7/2026 8:15:00 AM						110000																			Air Tech Lab; [User entered 11%]
CV-2328	5/4/2026 1:07:16 PM	5.4	87.3	0.0	7.3			0.1	0.0	172.5	172.4	-2.16	-2.13	42.0	43.2	4.543	4.815	-10.37	-11.40	28.51	1358	34.4343214	-118.6483639	Valve Adjustment:NSPS/EG CAC,Audible Flow,High Temp		
CV-2328	5/4/2026 1:06:42 PM	5.8	82.6	0.0	11.6			0.1	0.0	171.5	172.4	8.45	-2.28	24.9	38.5	1.538	3.814	-11.61	-10.53	28.52	1358	34.4343212	-118.6483640	Valve Adjustment:NSPS/EG CAI,Audible Flow,Increased Flow/Vacuum		
CV-2328	5/4/2026 1:05:00 PM					661																			AtmAA	
CV-2328	5/4/2026 1:05:00 PM						53600																			AtmAA; [User entered 5.36%]
CV-2333	5/29/2026 9:43:07 AM	0.9	77.1	0.0	22.0			0.0	0.0	188.6	188.5	-3.29	-3.45	67.4	68.9	3.259	3.408	-3.28	-3.68	28.66	1362	34.4365133	-118.6473637	Valve Adjustment:NSPS/EG CAI,High Temp		
CV-2333	5/26/2026 8:54:11 AM	0.7	76.3	0.0	23.0			0.0	0.0	163.1	170.3	-2.38	-2.72			2.363	2.781	-2.18	-2.52	28.44	1377	34.4365219	-118.6473562	Valve Adjustment.No Flow Measurement,High Temp		
CV-2333	5/18/2026 9:15:00 AM					4360																			AtmAA	
CV-2333	5/18/2026 9:12:06 AM	8.1	75.1	0.0	16.8			0.1	0.0	157.9	158.1	-1.10	-0.47			0.918	0.296	-1.03	-0.63	28.47	1377	34.4365329	-118.6473685	Valve Adjustment.No Flow Measurement,High Temp		
CV-2333	5/13/2026 7:40:00 AM					3600																				Air Tech Lab
CV-2333	5/13/2026 7:40:00 AM						160000																			Air Tech Lab; [User entered 16%]
CV-2333	5/12/2026 9:35:00 AM					2400																			AtmAA	
CV-2333	5/12/2026 9:28:21 AM	13.6	81.1	0.0	5.3			0.2	0.0	177.0	178.1	-5.29	-4.99			5.253	4.892	-4.80	-4.50	28.52	1381	34.4365299	-118.6473812	Valve Adjustment.No Flow Measurement,High Temp		
CV-2333	5/6/2026 9:45:24 AM	0.6	82.4	0.0	17.0			0.0	0.0	191.3	191.3	-3.95	-3.93			3.700	4.121	-3.32	-3.65	28.64	1370	34.4365270	-118.6473628	Valve Adjustment:NSPS/EG CAI,High Temp		

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["Hg]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments					
CV-2333	5/6/2026 9:44:40 AM	0.6	82.8	0.0	16.6			0.0	0.0	191.2	191.2	-3.78	-3.83												Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAI,High Temp				
CV-2333	5/5/2026 8:30:00 AM					4590																				AtmAA			
CV-2333	5/5/2026 8:30:00 AM						160100																			AtmAA; [User entered 16.01%]			
CV-2333	5/5/2026 8:26:49 AM	1.3	85.7	0.0	13.0			0.0	0.0	165.9	165.9	-6.44	-6.41													Valve Adjustment:Audible Flow,High Temp			
CV-2334	5/26/2026 2:23:32 PM	7.2	92.8	0.0	0.0			0.1	0.0	127.6	127.2	-1.36	-1.68	2.3	7.0	0.015	0.138	-1.14	-1.28		28.37	1357	34.4366867	-118.6466828	Valve Adjustment:Barely Open				
CV-2334	5/13/2026 7:45:00 AM					660																				Air Tech Lab			
CV-2334	5/13/2026 7:45:00 AM						11000																			Air Tech Lab; [User entered 1.1%]			
CV-2335	5/19/2026 10:11:09 AM	47.4	48.7	0.0	3.9			1.0	0.0	91.5	92.6	-1.21	-1.19													Valve Adjustment:No Flow Measurement,High Temp,Reduce Sys. Vac. - Flare Down			
CV-2335	5/12/2026 10:45:40 AM	46.3	48.7	0.7	4.3			1.0	6.1	89.1	88.9	-1.53	-1.51	0.0	0.0	1.577	1.564	-4.57			28.6	1329	34.4363798	-118.6509515	No Flow Measurement				
CV-2336	5/19/2026 10:14:30 AM	45.3	50.4	0.0	4.3			0.9	0.0	79.6	79.7	-0.11	-0.12													No Flow Measurement			
CV-2336	5/12/2026 10:27:38 AM	43.5	49.4	0.0	7.1			0.9	0.0	73.9	73.8	-0.43	-0.18	0.0	0.0	0.275	0.163	-5.93			28.61	1362	34.4359502	-118.6509048	No Flow Measurement				
CV-2337	5/20/2026 8:23:36 AM	18.5	80.9	0.0	0.6			0.2	0.0	150.2	150.2	-3.45	-3.45	29.1	29.6	2.441	2.539	0.25	0.21		28.58	1328	34.4354665	-118.6507628	Valve Adjustment:High Temp				
CV-2337	5/11/2026 2:00:37 PM	33.1	66.9	0.0	0.0			0.5	0.0	149.0	149.4	-0.74	-0.82	15.6	16.7	0.699	0.796	6.97	6.97		28.59	1327	34.4354710	-118.6507658	Valve Adjustment:No Flow Measurement,High Temp,Reduce Sys. Vac. - Flare Down				
CV-2337	5/11/2026 8:05:00 AM					3500																				Air Tech Lab			
CV-2337	5/11/2026 8:05:00 AM						130000																			Air Tech Lab; [User entered 13%]			
CV-2337	5/6/2026 9:26:13 AM	18.7	81.3	0.0	0.0			0.2	0.0	149.3	149.9	-2.47	-2.48	18.7	19.1	1.006	1.040	-3.11	-3.14		28.66	1331	34.4354664	-118.6507838	Valve Adjustment:High Temp,Valve 100% Open				
CV-2337	5/6/2026 9:25:00 AM					5500																				AtmAA			
CV-2337	5/6/2026 9:25:00 AM						122300																			AtmAA; [User entered 12.23%]			
CV-2338	5/28/2026 8:46:22 AM	1.3	78.1	0.0	20.6			0.0	0.0	189.7	190.5	-3.58	-3.60													Valve Adjustment:NSPS/EG CAI,High Temp			
CV-2338	5/20/2026 8:15:49 AM	9.6	79.0	0.0	11.4			0.1	0.0	169.1	169.5	-2.73	-2.00													Valve Adjustment:No Flow Measurement,High Temp			
CV-2338	5/12/2026 10:09:33 AM	1.8	82.4	0.0	15.8			0.0	0.0	168.3	168.6	-1.98	-1.94	0.0	0.0	2.117	1.971	-2.57			28.63	1293	34.4349470	-118.6503273	NSPS/EG CAI,High Temp				
CV-2338	5/12/2026 10:05:03 AM	1.7	77.8	0.0	20.5			0.0	0.0	187.0	188.6	-1.72	-1.15	0.0	0.0	1.855	1.481	-2.14			28.63	1309	34.4348593	-118.6504292	NSPS/EG CAI,High Temp				
CV-2338	5/11/2026 1:52:50 PM	22.3	77.7	0.0	0.0			0.3	0.0	172.3	172.5	0.09	0.03								0.000	0.000	9.80	9.80	28.6	1315	34.4348633	-118.6504710	Valve Adjustment:High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down
CV-2338	5/11/2026 1:52:06 PM	17.9	80.9	0.0	1.2			0.2	0.0	174.6	172.5	0.72	0.72								0.000	0.000	9.64	9.64	28.59	1315	34.4348630	-118.6504678	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Reduce Sys. Vac. - Flare Down
CV-2338	5/6/2026 9:15:00 AM					1330																				AtmAA			
CV-2338	5/6/2026 9:15:00 AM						174100																			AtmAA; [User entered 17.41%]			
CV-2338	5/6/2026 9:13:21 AM	14.4	85.6	0.0	0.0			0.2	0.0	155.1	155.1	-2.02	-2.00													Valve Adjustment:No Flow Measurement,High Temp			
CV-2338	5/6/2026 9:12:07 AM	17.6	78.1	0.4	3.9			0.2	9.8	155.1	155.3	-4.99	-1.81													Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum			
CV-2339	5/29/2026 10:41:08 AM	0.4	8.0	18.5	73.1			0.1	4.0	82.2	82.3	-1.15	-1.03	0.0	0.0	0.866	0.770	-5.79			28.65	1309	34.4341757	-118.6502638	NSPS/EG CAI,High O2				
CV-2339	5/29/2026 10:39:26 AM	0.6	12.6	17.3	69.5			0.0	4.0	79.3	80.2	-4.95	-1.00	0.0	0.0	4.634	1.081	-6.02			28.65	1309	34.4341957	-118.6502310	NSPS/EG CAI,High O2				
CV-2339	5/14/2026 2:06:48 PM	11.7	72.7	0.0	15.6			0.2	0.0	88.2	88.1	-4.84	-4.97								4.999	4.873	-5.64	-6.42	28.71	1302	34.4342078	-118.6502873	Valve Adjustment:NSPS/EG CAC
CV-2339	5/14/2026 2:04:49 PM	16.0	72.5	0.0	11.5			0.2	0.0	88.3	88.6	118.78	-4.78								0.000	4.716	-5.80	-5.95	28.72	1305	34.4342002	-118.6502865	Valve Comment:pump off;Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open,Surging Liquid in Well (Watered In);Well Condition:Pumatic Pump Installed
CV-2341	5/29/2026 10:30:39 AM	9.1	67.8	1.3	21.8			0.1	16.8	86.6	86.4	-1.16	-1.13	0.0	0.0	1.062	1.064	-6.04			28.65	1319	34.4336450	-118.6501882	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open				
CV-2341	5/14/2026 1:47:09 PM	8.8	69.3	1.1	20.8			0.1	18.9	92.2	92.1	-0.94	-0.93								0.921	0.917	-5.13	-5.32	28.71	1312	34.4336342	-118.6501662	Valve Adjustment:Audible Flow
CV-2341	5/11/2026 7:50:00 AM					850																				Air Tech Lab			
CV-2341	5/11/2026 7:50:00 AM						94000																			Air Tech Lab; [User entered 9.4%]			
CV-2342A-PLR	5/28/2026 1:15:25 PM	4.2	71.5	0.0	24.3			0.1	0.0	187.6	187.8	-6.59	-6.65													Valve Adjustment:NSPS/EG CAI,High Temp			
CV-2342A-PLR	5/20/2026 9:08:28 AM	24.7	67.8	0.0	7.5			0.4	0.0	167.4	168.1	-6.26	-6.11													Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open			
CV-2342A-PLR	5/13/2026 9:52:01 AM	18.4	72.7	0.0	8.9			0.3	0.0	168.7	168.6	-6.73	-6.73													Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open			
CV-2342A-PLR	5/6/2026 10:10:00 AM	19.8	72.5	0.0	7.7			0.3	0.0	170.6	170.2	-11.74	-11.62													Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open			
CV-2343	5/26/2026 2:33:45 PM	9.9	78.6	0.0	11.5			0.1	0.0	134.6	132.2	-7.97	-7.99													Valve Adjustment:NSPS/EG CAC,No Flow Measurement			
CV-2343	5/19/2026 2:04:37 PM	1.1	78.4	0.0	20.5			0.0	0.0	175.7	175.4	-4.36	-4.32													Valve Adjustment:NSPS/EG CAI,High Temp			
CV-2343	5/19/2026 2:03:22 PM	1.2	79.2	0.0	19.6			0.0	0.0	174.9	177.0	-4.24	-4.15													Valve Adjustment:NSPS/EG CAI,High Temp			

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2343	5/6/2026 9:56:02 AM	8.9	76.9	0.0	14.2			0.1	0.0	139.8	143.0	-7.81	-7.84			4.753	4.753	0.31	0.32	28.7	1296	34.4323204	-118.6506766	Valve Adjustment:No Flow Measurement,High Temp		
CV-2344	5/20/2026 8:51:25 AM	12.2	77.4	0.6	9.8			0.2	16.3	141.7	141.9	-6.82	-6.73			6.842	6.799	-7.55	-7.52	28.62	1301	34.4329875	-118.6504420	Valve Adjustment:No Flow Measurement		
CV-2344	5/13/2026 9:31:33 AM	7.3	81.0	0.5	11.2			0.1	22.4	146.2	146.1	-5.39	-5.33			5.158	5.112	-7.71	-7.64	28.73	1306	34.4329877	-118.6504541	Valve Adjustment:No Flow Measurement,High Temp		
CV-2344	5/13/2026 9:30:38 AM	6.7	80.2	0.6	12.5			0.1	20.8	147.1	147.2	-8.12	-5.43			8.076	5.329	-7.90	-7.79	28.73	1306	34.4329844	-118.6504537	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-2344	5/11/2026 7:35:00 AM					2900																			Air Tech Lab	
CV-2344	5/11/2026 7:35:00 AM						160000																			Air Tech Lab; [User entered 16%]
CV-2344	5/6/2026 9:52:20 AM	10.9	84.8	0.5	3.8			0.1	7.6	157.7	157.4	-8.39	-8.35			4.753	4.753	0.30	0.34	28.7	1303	34.4329593	-118.6504426	Valve Adjustment:No Flow Measurement,High Temp		
CV-2344	5/6/2026 9:50:00 AM					4020																				AtmAA
CV-2344	5/6/2026 9:50:00 AM						139400																			AtmAA; [User entered 13.94%]
CV-2345	5/19/2026 2:17:28 PM	14.6	77.6	0.0	7.8			0.2	0.0	142.7	142.7	-0.14	-0.12			0.159	0.150	-4.50	-4.34	28.63	1302	34.4327340	-118.6501765	Valve Adjustment:No Flow Measurement,High Temp		
CV-2345	5/19/2026 2:15:18 PM	12.4	83.4	0.0	4.2			0.1	0.0	143.3	143.5	0.40	-0.05			0.000	0.058	-4.66	-4.46	28.63	1297	34.4327320	-118.6501865	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Increased Flow/Vacuum		
CV-2345	5/11/2026 7:30:00 AM					580																				Air Tech Lab
CV-2345	5/11/2026 7:30:00 AM						28000																			Air Tech Lab; [User entered 2.8%]
CV-2345	5/1/2026 10:20:11 AM	14.2	79.3	0.1	6.4			0.2	64.0	138.1	138.4	-0.71	-0.71			0.707	0.706	0.36	0.36	28.62	1302	34.4327270	-118.6501633	Valve Adjustment:No Flow Measurement,High Temp		
CV-2345	5/1/2026 10:19:42 AM	14.6	78.8	0.1	6.5			0.2	65.0	137.8	138.2	-0.71	-0.68			0.708	0.674	0.50	0.39	28.62	1297	34.4327213	-118.6501513	Valve Adjustment:No Flow Measurement,Well Repairs:Sample Port		
CV-2346	5/28/2026 9:28:07 AM	1.3	78.6	0.9	19.2			0.0	21.3	187.1	186.9	-8.63	-8.69			8.630	8.688	-9.37	-9.36	28.58	1313	34.4326182	-118.6500469	Valve Adjustment:No Flow Measurement,High Temp		
CV-2346	5/20/2026 8:47:59 AM	17.4	80.5	0.0	2.1			0.2	0.0	183.1	184.4	-5.63	-5.72			5.602	5.722	-7.17	-7.48	28.61	1312	34.4326111	-118.6500938	Valve Adjustment:No Flow Measurement,High Temp		
CV-2346	5/13/2026 9:20:50 AM	10.9	84.3	0.0	4.8			0.1	0.0	182.1	182.1	-1.84	-1.95			1.850	1.966	-7.41	-7.20	28.73	1315	34.4325988	-118.6500877	Valve Adjustment:No Flow Measurement,High Temp		
CV-2346	5/6/2026 9:47:10 AM	17.2	82.8	0.0	0.0			0.2	0.0	182.1	182.2	-3.78	-3.77			3.748	3.734	-6.82	-6.71	28.7	1322	34.4325727	-118.6500511	Valve Adjustment:No Flow Measurement,High Temp		
CV-2346	5/6/2026 9:45:00 AM					3400																				AtmAA
CV-2346	5/6/2026 9:45:00 AM						118500																			AtmAA; [User entered 11.85%]
CV-2346	5/6/2026 8:25:00 AM					2200																				Air Tech Lab
CV-2346	5/6/2026 8:25:00 AM						130000																			Air Tech Lab; [User entered 13%]
CV-2346	5/4/2026 1:29:13 PM	3.5	77.6	0.0	19.0			0.0	0.0	178.9	178.7	-2.59	-2.58			2.537	2.469	-5.77	-5.75	28.61	1303	34.4326202	-118.6500715	Valve Adjustment:High Temp,Well Condition:Lorentz Pump Installed		
CV-2346	5/4/2026 1:27:19 PM	3.8	76.4	0.0	19.9			0.0	0.0	179.5	179.2	-2.10	-2.04			2.077	2.033	-5.67	-5.79	28.6	1304	34.4326235	-118.6500738	Valve Adjustment:High Temp,Well Condition:Lorentz Pump Installed		
CV-2347	5/20/2026 8:26:42 AM	15.0	64.8	0.0	20.2			0.2	0.0	121.6	124.3	-2.67	-2.69			2.647	2.657	-7.58	-7.46	28.59	1314	34.4323538	-118.6498270	Valve Comment:well needs lowering;Valve Adjustment:Audible Flow		
CV-2347	5/6/2026 8:20:00 AM					1100																				Air Tech Lab
CV-2347	5/6/2026 8:20:00 AM						56000																			Air Tech Lab; [User entered 5.6%]
CV-2347	5/1/2026 10:09:08 AM	10.7	68.3	0.1	20.9			0.2	209.0	116.7	116.7	-2.15	-2.07			2.127	2.047	-6.86	-6.71	28.6	1314	34.4323262	-118.6498575	Valve Adjustment:Decreased Flow/Vacuum		
CV-2348	5/20/2026 8:15:56 AM	20.4	54.1	0.0	25.5			0.4	0.0	107.8	108.3	-7.53	-7.47			7.779	7.724	0.03	0.03	28.58	1322	34.4321423	-118.6496170	Valve Comment:Well needs lowering;Valve Adjustment:Audible Flow,Surgling Liquid in Header		
CV-2348	5/13/2026 12:35:31 PM	19.8	56.6	0.3	23.3			0.3	77.7	128.7	128.8	-3.81	-3.82	0.0	0.0	3.808	3.809	-5.97		28.86						
CV-2348	5/6/2026 8:15:00 AM					460																				Air Tech Lab
CV-2348	5/6/2026 8:15:00 AM						27000																			Air Tech Lab; [User entered 2.7%]
CV-2349	5/28/2026 10:20:04 AM	2.3	79.8	0.0	17.9			0.0	0.0	172.2	172.5	-1.12	-0.52			1.107	0.372	-1.79	-1.26	28.62	1284	34.4331432	-118.6512616	Valve Adjustment:No Flow Measurement,High Temp		
CV-2349	5/20/2026 10:27:38 AM	14.1	75.3	0.0	10.6			0.2	0.0	162.7	163.1	-2.00	-2.00			2.287	2.251	-0.29	-0.29	28.66	1261	34.4331426	-118.6512625	Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Header;Well Condition:Lorentz Pump Installed		
CV-2349	5/13/2026 10:48:12 AM	4.1	77.3	0.0	18.6			0.1	0.0	152.3	150.2	-0.05	-0.13			0.000	0.205	0.13	-0.34	28.79	1261	34.4331521	-118.6512689	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down		
CV-2349	5/7/2026 11:16:23 AM	5.3	87.9	0.0	6.8			0.1	0.0	147.6	147.7	0.29	0.40			0.000	0.000	0.33	0.34	28.66	1260	34.4331361	-118.6512844	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Increased Flow/Vacuum		
CV-2349	5/7/2026 11:15:19 AM	5.4	87.4	0.0	7.2			0.1	0.0	148.3	147.8	0.27	0.59			0.000	0.000	0.33	0.34	28.66	1260	34.4331350	-118.6512776	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Increased Flow/Vacuum		
CV-2349	5/7/2026 11:15:00 AM					3350																				AtmAA
CV-2349	5/7/2026 11:15:00 AM						117000																			AtmAA; [User entered 11.7%]
CV-2349	5/5/2026 8:25:00 AM					2600																				Air Tech Lab
CV-2349	5/5/2026 8:25:00 AM						150000																			Air Tech Lab; [User entered 15%]
CV-2350	5/20/2026 10:03:44 AM	4.0	79.6	0.0	16.4			0.1	0.0	110.9	112.1	-4.09	-4.05			4.103	3.992	-4.09	-4.08	28.63	1270	34.4327675	-118.6508973	Valve Adjustment:Decreased Flow/Vacuum		

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2350	5/13/2026 12:57:10 PM	4.5	85.3	0.0	10.2			0.1	0.0	116.3	116.4	-0.49	-1.29	0.0	0.0	0.524	1.059	-3.38		28.68	1319	34.4327625	-118.6509237			
CV-2350	5/13/2026 12:56:01 PM	4.7	77.8	0.0	17.5			0.1	0.0	121.4	116.6	8.91	-3.00	0.0	0.0	-8.618	2.220	-3.98		28.68	1296	34.4327222	-118.6508528	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
CV-2350	5/11/2026 7:40:00 AM					3700																			Air Tech Lab	
CV-2350	5/11/2026 7:40:00 AM						170000																			Air Tech Lab; [User entered 17%]
CV-2351	5/28/2026 9:25:03 AM	2.8	0.1	21.1	76.0			28.0	3.6	68.1	77.5	-6.12	-6.08			6.525	6.308	-5.97	-5.30	28.62	1284	34.4351297	-118.6511445	Valve Adjustment:NSPS/EG CAI,High O2		
CV-2351	5/28/2026 9:24:00 AM	2.8	0.1	21.2	75.9			28.0	3.6	62.3	65.4	-6.82	-6.66			7.176	6.961	-6.76	-6.67	28.62	1287	34.4351405	-118.6511518	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum		
CV-2351	5/5/2026 7:50:00 AM					0																				Air Tech Lab
CV-2351	5/5/2026 7:50:00 AM						1600																			Air Tech Lab; [User entered 0.16%]
CV-2351	5/1/2026 9:05:14 AM	0.0	1.8	21.2	77.0			0.0	3.6	83.8	77.5	-6.60	-6.39			6.687	6.457	-6.56	-6.21	28.61	1281	34.4350955	-118.6511857	Valve Adjustment:Valve 100% Closed,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Comment:Valve stuck open		
CV-2352	5/28/2026 9:16:38 AM	5.7	29.9	13.0	51.4			0.2	4.0	108.7	108.9	-0.77	-0.76			0.752	0.747	-6.25	-6.44	28.6	1286	34.4348563	-118.6510468	Valve Adjustment:NSPS/EG CAI,High O2		
CV-2352	5/28/2026 9:12:47 AM	2.6	25.4	15.5	56.5			0.1	3.6	99.0	97.8	-5.81	-2.75			6.088	2.734	-6.36	-6.28	28.6	1284	34.4348652	-118.6510425	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum		
CV-2352	5/5/2026 8:00:00 AM					1100																				Air Tech Lab
CV-2352	5/5/2026 8:00:00 AM						190000																			Air Tech Lab; [User entered 19%]
CV-2352	5/1/2026 9:13:24 AM	0.0	0.5	21.4	78.1			0.0	3.6	115.6	116.7	-0.02	-5.72			0.000	5.794	-6.40	-6.63	28.61	1284	34.4348275	-118.6510687	Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Comment:Possible damaged valve		
CV-2353-PLR	5/20/2026 9:13:57 AM	26.1	68.8	0.5	4.6			0.4	9.2	131.8	131.5	-5.36	-5.36			5.452	5.458	-5.45	-5.40	28.65	1296	34.4345360	-118.6509304	Valve Adjustment:NSPS/EG CAC,NG Flow Measurement		
CV-2353-PLR	5/20/2026 9:13:10 AM	25.8	66.6	1.1	6.5			0.4	5.9	129.5	131.4	-5.82	-5.04			5.928	5.201	-5.65	-5.64	28.63	1296	34.4345359	-118.6509308	Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum		
CV-2353-PLR	5/15/2026 8:29:12 AM	2.7	78.1	0.0	19.2			0.0	0.0	147.6	147.9	-6.86	-6.79			7.058	7.011	-7.01	-6.98	28.63	1290	34.4345350	-118.6509228	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open		
CV-2353-PLR	5/15/2026 8:27:25 AM	2.6	77.8	0.0	19.6			0.0	0.0	147.9	149.2	-7.01	-6.99			7.162	7.127	-6.87	-6.76	28.62	1285	34.4345260	-118.6509185	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open		
CV-2353-PLR	5/14/2026 8:40:00 AM					924																				AtmAA
CV-2353-PLR	5/12/2026 7:35:00 AM					760																				Air Tech Lab
CV-2353-PLR	5/12/2026 7:35:00 AM						210000																			Air Tech Lab; [User entered 21%]
CV-2354	5/28/2026 10:36:46 AM	4.2	78.4	0.0	17.4			0.1	0.0	183.8	183.9	-0.52	-0.52			0.502	0.502	-2.81	-2.81	28.66	1270	34.4336740	-118.6513429	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header;Well Condition:Lorentz Pump Installed;Well Repairs:Surging		
CV-2354	5/20/2026 10:42:07 AM	35.4	64.6	0.0	0.0			0.5	0.0	179.6	180.2	1.88	1.91			0.000	0.000	-0.10	-0.46	28.66	1278	34.4336917	-118.6513670	Valve Comment:Header watered in;Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Lorentz Pump Installed;Well Repairs:Surging		
CV-2354	5/20/2026 10:40:36 AM	35.6	64.4	0.0	0.0			0.6	0.0	179.4	178.6	1.82	1.87			0.000	0.000	0.29	-0.11	28.66	1277	34.4336809	-118.6513640	Valve Comment:LORENTZ pump started after last read so cleared some O2;Valve Adjustment:No Flow Measurement,High Temp		
CV-2354	5/13/2026 11:03:49 AM	4.8	81.5	0.4	13.3			0.1	33.3	166.6	167.4	-1.06	-1.11			1.021	1.091	-2.62	-2.74	28.81	1253	34.4336904	-118.6513663	Valve Adjustment:No Flow Measurement,High Temp,Barely Open		
CV-2354	5/13/2026 11:01:08 AM	4.5	77.9	1.4	16.2			0.1	11.6	166.8	166.8	-0.98	-0.98			0.980	0.901	-2.75	-2.98	28.8	1254	34.4336905	-118.6513642	Valve Adjustment:No Flow Measurement,High Temp		
CV-2354	5/6/2026 10:50:20 AM	24.8	75.2	0.0	0.0			0.3	0.0	174.0	175.3	-3.33	-3.39			3.289	3.344	0.34	0.32	28.74	1259	34.4336848	-118.6513483	Valve Adjustment:No Flow Measurement,High Temp		
CV-2354	5/6/2026 10:50:00 AM					3190																				AtmAA
CV-2354	5/6/2026 10:50:00 AM						148000																			AtmAA; [User entered 14.8%]
CV-2354	5/5/2026 8:20:00 AM					2500																				Air Tech Lab
CV-2354	5/5/2026 8:20:00 AM						170000																			Air Tech Lab; [User entered 17%]
CV-24001	5/19/2026 10:02:44 AM	42.5	57.5	0.0	0.0			0.7	0.0	91.2	90.8	-1.05	-1.10			1.083	1.105	-3.92	-4.14	28.62	1351	34.4366327	-118.6509302			
CV-24001	5/12/2026 10:38:27 AM	43.6	56.3	0.0	0.1			0.8	0.0	102.5	102.6	-1.40	-1.41	0.0	0.0	1.501	1.497			28.59	1385	34.4366077	-118.6510030	Valve Adjustment:NSPS/EG CAC,Barely Open;Well Comment:Sample port installed		
CV-24002	5/19/2026 9:53:36 AM	45.8	53.6	0.0	0.6			0.9	0.0	89.2	89.1	-0.13	-0.15			0.094	0.064	-5.87	-5.88	28.63	1353	34.4367335	-118.6504768	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Barely Open		
CV-24002	5/19/2026 9:51:18 AM	47.3	51.9	0.0	0.8			0.9	0.0	87.8	88.6	0.11	-0.04			0.000	0.023	-5.90	-5.88	28.63	1344	34.4367297	-118.6504578	Valve Adjustment:No Flow Measurement,High Temp		
CV-24002	5/1/2026 2:39:31 PM	44.4	53.9	0.0	1.7			0.8	0.0	92.4	93.2	-0.06	-0.01			0.029	0.000	0.28	0.29	28.47	1341	34.4367492	-118.6504717	Well Comment:no system port		
CV-24003	5/19/2026 9:12:06 AM	45.8	52.7	0.0	1.5			0.9	0.0	107.1	101.3	-0.41	-0.43	7.2	6.8	0.031	0.028	-5.97	-5.97	28.59	1373	34.4368667	-118.6500807	Valve Adjustment:Barely Open;Well Repairs:Valve		
CV-24003	5/1/2026 2:37:02 PM	39.9	57.4	0.0	2.7			0.7	0.0	101.6	101.6	-0.76	-0.63	12.6	8.4	0.098	0.043	-6.86	-6.54	28.45	1347	34.4368643	-118.6500682	Valve Adjustment:Decreased Flow/Vacuum,Barely Open		
CV-24004	5/19/2026 9:02:30 AM	42.7	56.4	0.0	0.9			0.8	0.0	115.2	113.1	-0.70	-0.49	5.9	8.0	0.093	0.171	-6.47	-6.58	28.59	1368	34.4370670	-118.6496833	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Header;Well Condition:Lorentz Pump Installed;Well Repairs:Surging		
CV-24004	5/1/2026 2:33:11 PM	40.4	58.6	0.0	1.0			0.7	0.0	115.2	115.3	-1.05	-1.05	4.7	4.8	0.059	0.063	-7.35	-7.39	28.45	1361	34.4370727	-118.6496892	Valve Adjustment:Barely Open		
CV-24006	5/19/2026 10:36:49 AM	38.4	56.6	0.0	5.0			0.7	0.0	127.2	127.3	-0.58	-0.58	11.3	11.3	0.348	0.348	-2.65	-2.65	28.59	1365	34.4363533	-118.6504565	Valve Adjustment:Barely Open		
CV-24006	5/1/2026 11:40:45 AM	37.2	59.6	0.0	3.2			0.6	0.0	127.7	127.9	-0.65	-0.68	15.2	14.9	0.634	0.610	-3.87	-3.94	28.5	1391	34.4363850	-118.6504893			

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments			
CV-24007	5/29/2026 9:33:56 AM	27.8	66.3	0.0	5.9				0.4	0.0	148.0	148.2	-1.32	-1.34	29.9	30.7	2.551	2.693	-6.72	-6.61	28.63	1381	34.4365195	-118.6501157	Valve Adjustment: NSPS/EG CAI, High Temp, Increased Flow/Vacuum		
CV-24007	5/26/2026 1:56:22 PM	33.7	66.3	0.0	0.0				0.5	0.0	150.7	150.8	-1.44	-1.44	25.2	25.2	1.836	1.836	0.88	0.88	28.4	1377	34.4365219	-118.6501221	Valve Adjustment: High Temp		
CV-24007	5/26/2026 1:55:46 PM	28.1	71.9	0.0	0.0				0.4	0.0	150.2	150.9	-0.79	-1.05	13.8	28.1	0.548	2.288	1.01	0.87	28.4	1377	34.4365234	-118.6501195	Valve Adjustment: High Temp, Increased Flow/Vacuum		
CV-24007	5/19/2026 10:46:37 AM	18.2	71.0	0.0	10.8				0.3	0.0	150.9	150.7	-0.16	-0.16	12.4	14.7	0.436	0.618	-3.26	-4.40	28.59	1355	34.4365007	-118.6500992	Valve Adjustment: NSPS/EG CAI, Audible Flow, High Temp, Barely Open		
CV-24007	5/19/2026 10:45:21 AM	19.9	70.8	0.0	9.3				0.3	0.0	150.9	150.7	-0.31	-0.38	16.3	13.6	0.764	0.530	-3.87	-3.95	28.59	1366	34.4365215	-118.6501223	Valve Adjustment: NSPS/EG CAI, Audible Flow, High Temp, Increased Flow/Vacuum		
CV-24007	5/15/2026 9:10:41 AM	4.8	66.5	0.0	28.7				0.1	0.0	138.6	138.7	-0.12	-0.14	5.0	6.7	0.071	0.125	-0.21	-0.49	28.53	1376	34.4365388	-118.6500990	Valve Adjustment: NSPS/EG CAI, High Temp, Surging Liquid in Header		
CV-24007	5/15/2026 9:09:54 AM	5.6	77.6	0.0	16.8				0.1	0.0	132.2	132.4	0.04	-0.02	3.5	4.7	0.035	0.062	-0.36	0.04	28.53	1373	34.4365295	-118.6501087	Valve Adjustment: NSPS/EG CAI, High Temp, Positive Static Press., Increased Flow/Vacuum, Surging Liquid in Header		
CV-24007	5/12/2026 8:40:00 AM					1800																				Air Tech Lab	
CV-24007	5/12/2026 8:40:00 AM						170000																				Air Tech Lab: [User entered 17%]
CV-24008	5/26/2026 1:50:27 PM	7.3	76.2	0.3	16.2				0.1	54.0	168.9	170.0	-9.70	-9.59	11.5	13.1	0.093	0.123	-8.95	-9.16	28.4	1379	34.4366982	-118.6496973	Valve Adjustment: No Flow Measurement, High Temp		
CV-24008	5/18/2026 2:25:00 PM					2220																					AtmAA
CV-24008	5/18/2026 2:17:05 PM	19.6	72.9	0.0	7.5				0.3	0.0	170.5	170.7	-4.49	-3.38	81.0	71.5	4.637	3.595	-4.10	-3.36	28.51	1370	34.4366822	-118.6496978	Valve Adjustment: High Temp		
CV-24008	5/12/2026 1:41:31 PM	22.1	76.7	0.4	0.8				0.3	2.0	171.4	171.5	-7.21	-6.93	10.0	4.5	0.070	0.014	-7.41	-7.08	28.55	1381	34.4366814	-118.6497041	Valve Adjustment: High Temp, Decreased Flow/Vacuum; Well Comment: Valve on well head does not adjust input a maintenance form		
CV-24008	5/12/2026 1:40:00 PM					1380																					AtmAA
CV-24008	5/5/2026 10:20:00 AM					831.5																					AtmAA
CV-24008	5/5/2026 10:20:00 AM						86600																				AtmAA: [User entered 8.66%]
CV-24008	5/5/2026 10:14:56 AM	11.9	78.3	0.0	9.8				0.2	0.0	172.4	172.4	-8.88	-8.90	17.4	15.6	0.214	0.172	-9.66	-9.68	28.51	1374	34.4366809	-118.6496833	Valve Adjustment: High Temp		
CV-24009	5/26/2026 1:46:14 PM	16.4	77.9	0.0	5.7				0.2	0.0	155.5	155.7	-6.44	-6.40			0.179	0.171	-9.20	-9.08	28.4	1374	34.4368956	-118.6493814	Valve Adjustment: High Temp		
CV-24009	5/18/2026 2:20:00 PM					1480																					AtmAA
CV-24009	5/18/2026 2:13:29 PM	34.9	65.1	0.0	0.0				0.5	0.0	155.7	155.9	-1.22	-1.13			1.376	1.346	-0.92	-1.01	28.51	1373	34.4368830	-118.6493610	Valve Adjustment: No Flow Measurement, High Temp		
CV-24009	5/12/2026 1:35:00 PM					384																					AtmAA
CV-24009	5/12/2026 1:31:36 PM	27.2	72.5	0.3	0.0				0.4	0.0	156.7	156.8	-3.74	-3.79			0.185	0.146	-7.09	-7.09	28.54	1373	34.4368941	-118.6493668	Valve Adjustment: No Flow Measurement, High Temp		
CV-24009	5/5/2026 10:15:00 AM					1300																					AtmAA
CV-24009	5/5/2026 10:15:00 AM						135300																				AtmAA: [User entered 13.53%]
CV-24009	5/5/2026 10:10:10 AM	24.6	75.4	0.0	0.0				0.3	0.0	156.0	156.7	-4.14	-4.16			0.221	0.207	-8.98	-8.80	28.51	1369	34.4368615	-118.6493551	Valve Adjustment: High Temp		
CV-24010	5/26/2026 9:45:36 AM	7.3	58.5	7.3	26.9				0.1	3.7	61.0	61.0	-4.66	-4.84			4.590	4.734	-4.43	-4.58	28.43	1373	34.4370698	-118.6489448	Valve Adjustment: High O2, Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-24010	5/13/2026 1:57:52 PM	5.4	49.1	8.0	37.5				0.1	4.7	89.1	89.2	-6.88	-7.43			6.921	7.524	-6.64	-7.30	28.63	1349	34.4370955	-118.6489555			
CV-24011	5/27/2026 8:51:05 AM	6.7	74.3	0.1	18.9				0.1	189.0	188.3	188.2	-1.27	-1.22	30.5	32.5	2.865	3.242	-4.35	-4.66	28.4	1377	34.4362140	-118.6501631	Valve Adjustment: High Temp		
CV-24011	5/27/2026 8:49:35 AM	4.2	76.0	0.1	19.7				0.1	197.0	188.5	188.3	-0.73	-0.88	26.2	32.8	2.112	3.312	-4.49	-4.37	28.39	1378	34.4362009	-118.6501779	Valve Adjustment: High Temp, Increased Flow/Vacuum		
CV-24011	5/19/2026 10:30:22 AM	6.9	78.8	0.0	14.3				0.1	0.0	186.9	186.7	-0.69	-0.78	27.1	28.2	2.235	2.422	-5.10	-5.66	28.59	1364	34.4361915	-118.6501875	Valve Adjustment: NSPS/EG CAI, High Temp		
CV-24011	5/18/2026 2:55:00 PM					3180																					AtmAA
CV-24011	5/18/2026 2:48:57 PM	25.9	67.2	0.0	6.9				0.4	0.0	187.6	187.7	-3.47	-3.70	25.6	25.9	2.010	2.065	0.46	0.34	28.51	1373	34.4362109	-118.6501841	Valve Adjustment: No Flow Measurement, High Temp		
CV-24011	5/12/2026 2:43:10 PM	33.6	66.4	0.0	0.0				0.5	0.0	184.2	185.6	-1.13	-1.13	30.9	31.1	2.906	2.933	0.10	0.09	28.57	1368	34.4362031	-118.6502022	Valve Adjustment: No Flow Measurement, High Temp		
CV-24011	5/12/2026 2:25:00 PM					1890																					AtmAA
CV-24011	5/5/2026 1:10:54 PM	26.3	73.6	0.0	0.1				0.4	0.0	185.2	185.1	-2.55	-2.53	25.1	25.1	1.925	1.923	-7.21	-7.17	28.51	1378	34.4361917	-118.6502091	Valve Adjustment: High Temp		
CV-24011	5/5/2026 1:10:00 PM					2020																					AtmAA
CV-24011	5/5/2026 1:10:00 PM						107700																				AtmAA: [User entered 10.77%]
CV-24012	5/26/2026 2:14:33 PM	12.8	77.0	0.0	10.2				0.2	0.0	151.8	154.3	-7.03	-7.03			7.171	7.071	-0.13	-0.13	28.42	1360	34.4361780	-118.6493885	Valve Adjustment: High Temp		
CV-24012	5/18/2026 2:56:25 PM	24.9	71.8	0.0	3.3				0.3	0.0	161.9	162.0	-0.20	-0.24			0.177	0.207	0.24	0.25	28.51	1358	34.4361784	-118.6493749	Valve Adjustment: High Temp		
CV-24012	5/18/2026 2:50:00 PM					1555																					AtmAA
CV-24012	5/18/2026 2:41:34 PM	24.6	73.4	0.0	2.0				0.3	0.0	156.5	157.1	-1.83	-1.72			1.810	1.802	0.28	0.34	28.52	1348	34.4361953	-118.6493735	Valve Adjustment: No Flow Measurement, High Temp		
CV-24012	5/12/2026 2:38:30 PM	25.0	74.9	0.0	0.1				0.3	0.0	174.4	173.9	-4.67	-4.65			4.498	4.499	0.00	0.00	28.58	1375	34.4361821	-118.6493490	Valve Adjustment: No Flow Measurement, High Temp		
CV-24012	5/12/2026 2:20:00 PM					1230																					AtmAA
CV-24012	5/5/2026 1:30:00 PM					2270																					AtmAA
CV-24012	5/5/2026 1:30:00 PM						164700																				AtmAA: [User entered 16.47%]
CV-24012	5/5/2026 1:26:23 PM	9.7	81.5	0.0	8.8				0.1	0.0	156.8	157.4	-7.01	-7.01			6.757	6.745	0.00	0.00	28.51	1358	34.4361692	-118.6493705	Valve Adjustment: High O2, Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-24013	5/26/2026 9:51:46 AM	1.2	42.2	11.4	45.2				0.0	4.0	93.4	92.1	-0.21	-0.12			0.212	0.121	-5.91	-6.41	28.43	1382	34.4366035	-118.6492483			

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-24013	5/13/2026 10:06:33 AM	1.5	42.5	10.7	45.3			0.0	4.2	99.4	99.1	-0.34	-0.31			0.323	0.307	-7.83	-8.05	28.67	1364	34.4366058	-118.6492207	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
CV-24014	5/26/2026 1:42:04 PM	8.6	75.3	0.0	16.1			0.1	0.0	177.2	176.9	-8.52	-8.71	52.5	53.0	8.560	8.719	-8.19	-8.48	28.4	1383	34.4367773	-118.6489526	Valve Adjustment:No Flow Measurement,High Temp	
CV-24014	5/18/2026 2:15:00 PM					2220																			AtmAA
CV-24014	5/18/2026 2:07:26 PM	25.0	72.5	0.0	2.5			0.3	0.0	175.7	176.9	-0.58	-0.53	18.6	28.3	1.031	2.402	0.97	2.03	28.52	1375	34.4367798	-118.6489571	Valve Adjustment:No Flow Measurement,High Temp,Reduce Sys. Vac. - Flare Down	
CV-24014	5/12/2026 1:30:00 PM					1800																			AtmAA
CV-24014	5/12/2026 1:26:38 PM	18.5	75.5	0.5	5.5			0.2	11.0	176.3	176.2	-2.90	-2.01	30.3	25.4	2.757	1.930	-5.00	-6.80	28.55	1362	34.4367858	-118.6489631	Valve Adjustment:No Flow Measurement,High Temp	
CV-24014	5/12/2026 1:25:28 PM	20.9	72.3	0.8	6.0			0.3	7.5	176.2	176.4	-3.55	-1.48	33.8	21.3	3.448	1.364	-5.95	-5.51	28.55	1363	34.4367876	-118.6489603	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum	
CV-24014	5/5/2026 10:10:00 AM					2130																			AtmAA
CV-24014	5/5/2026 10:10:00 AM						190100																		AtmAA; [User entered 19.01%]
CV-24014	5/5/2026 10:06:41 AM	18.2	78.3	0.0	3.5			0.2	0.0	176.1	176.1	-3.60	-3.60	34.4	34.4	3.580	3.580	-6.08	-6.08	28.51	1367	34.4367698	-118.6489586	Valve Adjustment:No Flow Measurement,High Temp	
CV-24015	5/26/2026 9:48:59 AM	4.0	74.0	0.0	22.0			0.1	0.0	186.4	186.5	-1.07	-1.07			1.074	1.071	-3.23	-3.32	28.44	1373	34.4368709	-118.6486048	Valve Adjustment:No Flow Measurement,High Temp,Well Condition:Lorentz Pump Installed	
CV-24015	5/18/2026 10:08:30 AM	17.5	72.6	0.0	9.9			0.2	0.0	183.6	183.6	-0.79	-0.74			0.649	0.664	-3.75	-3.57	28.51	1358	34.4368805	-118.6486172	Valve Adjustment:No Flow Measurement,High Temp	
CV-24015	5/18/2026 10:06:48 AM	17.8	72.8	0.0	9.4			0.2	0.0	183.6	184.2	0.47	-0.96			0.000	0.935	-4.09	-4.07	28.51	1358	34.4368807	-118.6486171	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum	
CV-24015	5/18/2026 10:05:03 AM	19.0	71.5	0.0	9.5			0.3	0.0	183.9	183.6	0.66	0.63			0.000	0.000	0.29	0.33	28.51	1357	34.4368852	-118.6486148	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down	
CV-24015	5/18/2026 10:05:00 AM					1850																			AtmAA
CV-24015	5/12/2026 9:01:20 AM	13.7	74.4	0.5	11.4			0.2	22.8	184.0	183.7	-3.88	-3.88			3.844	3.843	-7.97	-8.00	28.51	1364	34.4368432	-118.6486216	Valve Adjustment:No Flow Measurement,High Temp	
CV-24015	5/12/2026 9:00:00 AM					396																			AtmAA
CV-24015	5/12/2026 8:59:57 AM	12.6	71.7	1.5	14.2			0.2	9.5	183.9	183.8	-8.33	-5.00			8.403	5.082	-8.44	-8.31	28.51	1364	34.4368432	-118.6486216	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum	
CV-24015	5/5/2026 9:14:20 AM	6.8	77.9	0.0	15.3			0.1	0.0	169.8	170.0	-8.67	-8.47			8.672	8.636	-8.72	-8.83	28.5	1358	34.4368716	-118.6486138	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-24015	5/5/2026 9:05:00 AM					2140																			AtmAA
CV-24015	5/5/2026 9:05:00 AM						203600																		AtmAA; [User entered 20.36%]
CV-24016	5/29/2026 9:27:07 AM	14.3	66.1	0.0	19.6			0.2	0.0	178.3	178.1	-3.74	-3.67			3.685	3.614	-5.13	-5.11	28.64	1370	34.4359133	-118.6502473	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-24016	5/27/2026 8:54:06 AM	9.5	72.3	0.0	18.2			0.1	0.0	170.6	171.8	-2.49	-2.24			2.477	2.212	-2.81	-2.98	28.4	1366	34.4359104	-118.6502344	Valve Adjustment:No Flow Measurement,High Temp	
CV-24016	5/19/2026 10:04:01 AM	13.6	67.4	0.0	19.0			0.2	0.0	182.9	182.8	-2.48	-2.49			2.449	2.395	-3.65	-3.81	28.61	1345	34.4359238	-118.6502128	Valve Adjustment:High Temp,Well Condition:Lorentz Pump Installed	
CV-24016	5/19/2026 10:02:01 AM	14.0	67.1	0.0	19.0			0.2	0.0	182.0	182.2	-2.51	-2.41			2.486	2.343	-4.04	-3.80	28.6	1348	34.4359177	-118.6502413	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-24016	5/18/2026 3:00:00 PM					2200																			AtmAA
CV-24016	5/18/2026 2:51:00 PM	48.1	51.9	0.0	0.0			0.9	0.0	168.0	169.0	-2.29	-2.36			2.255	2.308	-2.42	-2.65	28.51	1367	34.4359217	-118.6502495	Valve Adjustment:No Flow Measurement,High Temp	
CV-24016	5/12/2026 2:44:41 PM	38.6	61.4	0.0	0.0			0.6	0.0	160.6	161.1	-2.53	-2.50			2.540	2.510	-6.21	-6.63	28.56	1368	34.4359272	-118.6502615	Valve Adjustment:No Flow Measurement,High Temp	
CV-24016	5/12/2026 2:30:00 PM					1330																			AtmAA
CV-24016	5/6/2026 1:26:28 PM	8.3	74.9	0.0	16.8			0.1	0.0	170.2	170.1	-0.10	-0.10			0.103	0.101	-2.08	-2.04	28.63	1368	34.4359207	-118.6502510	Valve Comment:RES SEM,Valve Adjustment:No Flow Measurement,High Temp	
CV-24016	5/6/2026 1:25:16 PM	9.2	73.8	0.0	17.0			0.1	0.0	169.5	170.1	-0.06	-0.21			0.074	0.215	-2.08	-2.16	28.63	1371	34.4359275	-118.6502513	Valve Comment:RES SEM,Valve Adjustment:No Flow Measurement,High Temp	
CV-24016	5/5/2026 1:15:29 PM	30.4	69.6	0.0	0.0			0.4	0.0	161.7	163.4	-2.76	-2.74			2.760	2.744	-6.84	-6.84	28.51	1368	34.4359142	-118.6502632	Valve Adjustment:Audible Flow, No Flow Measurement,High Temp	
CV-24016	5/5/2026 1:15:00 PM					1980																			AtmAA
CV-24016	5/5/2026 1:15:00 PM						96600																		AtmAA; [User entered 9.66%]
CV-24017	5/26/2026 2:08:15 PM	19.6	76.0	0.6	3.8			0.3	6.3	170.4	171.5	-3.75	-3.69			4.049	3.793	0.21	0.21	28.4	1368	34.4361184	-118.6498213	Valve Adjustment:No Flow Measurement,High Temp	
CV-24017	5/26/2026 2:07:20 PM	17.6	76.3	0.8	5.3			0.2	6.6	172.4	172.6	-7.16	-5.22			7.241	5.251	0.21	0.21	28.4	1368	34.4361151	-118.6498173	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum	
CV-24017	5/18/2026 2:40:00 PM					2520																			AtmAA
CV-24017	5/18/2026 2:35:18 PM	25.5	74.5	0.0	0.0			0.3	0.0	171.6	170.6	-2.24	-2.10			2.273	2.078	0.34	0.34	28.51	1364	34.4361053	-118.6498081	Valve Adjustment:No Flow Measurement,High Temp,Well Repairs:Surging	
CV-24017	5/12/2026 2:47:32 PM	25.5	74.5	0.0	0.0			0.3	0.0	172.2	174.6	-2.11	-2.05			2.017	1.912	0.00	0.00	28.56	1368	34.4361035	-118.6498030	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header	

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments				
CV-24017	5/12/2026 2:25:14 PM	18.0	72.7	0.6	8.7				0.2	14.5	181.0	180.5	-4.81	-1.21												Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-24017	5/12/2026 2:10:00 PM					1230																					AtmAA	
CV-24017	5/12/2026 8:35:00 AM					2100																					Air Tech Lab	
CV-24017	5/12/2026 8:35:00 AM						190000																				Air Tech Lab; [User entered 19%]	
CV-24017	5/5/2026 1:20:00 PM					2760																					AtmAA	
CV-24017	5/5/2026 1:20:00 PM						155500																				AtmAA; [User entered 15.55%]	
CV-24017	5/5/2026 1:19:34 PM	10.8	78.7	0.6	9.9				0.1	16.5	159.0	159.6	-3.14	-3.12													Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
CV-24018	5/29/2026 11:06:53 AM	9.3	73.2	1.8	15.7				0.1	8.7	113.7	114.0	-0.87	-0.87	0.0	0.0	0.874	0.876	-6.41									No Flow Measurement
CV-24018	5/13/2026 3:41:42 PM	22.3	71.1	0.9	5.7				0.3	6.3	109.4	109.4	-0.69	-0.67			0.703	0.665	-7.07	-6.05								Valve Adjustment:No Flow Measurement,High Temp,Barely Open
CV-24019	5/27/2026 8:57:49 AM	1.6	81.3	0.0	17.1				0.0	0.0	169.8	171.6	-2.95	-2.96			2.916	3.043	-2.50	-2.60								Valve Adjustment:No Flow Measurement,High Temp,Well Condition:Lorentz Pump Installed
CV-24019	5/19/2026 8:35:00 AM					1570																					AtmAA	
CV-24019	5/19/2026 8:31:39 AM	13.8	81.4	0.0	4.8				0.2	0.0	168.0	168.5	-4.35	-4.33			4.361	4.368	-4.60	-4.58								Valve Adjustment:No Flow Measurement,High Temp
CV-24019	5/13/2026 2:09:27 PM	1.8	75.9	0.0	22.3				0.0	0.0	178.7	179.5	-2.41	-2.95			2.997	3.048	-3.07	-3.25								Valve Adjustment:No Flow Measurement,High Temp
CV-24019	5/5/2026 2:30:00 PM					2030																					AtmAA	
CV-24019	5/5/2026 2:30:00 PM						141800																				AtmAA; [User entered 14.18%]	
CV-24019	5/5/2026 2:26:07 PM	16.0	80.8	0.0	3.2				0.2	0.0	182.8	182.5	-3.66	-3.76			3.567	3.674	-3.67	-3.69								Valve Adjustment:No Flow Measurement,High Temp
CV-24020	5/26/2026 10:31:13 AM	0.2	62.7	7.2	29.9				0.0	4.2	60.3	59.9	-3.65	-3.98	1.9	1.8	0.009	0.008	-3.57	-3.96								Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24020	5/13/2026 1:39:38 PM	0.7	67.6	4.2	27.5				0.0	6.5	84.0	83.0	-0.64	-0.74	0.5	1.2	0.001	0.004	-1.33	-1.03								Valve Adjustment:Barely Open
CV-24021	5/26/2026 10:19:45 AM	0.8	57.4	0.0	41.8				0.0	0.0	63.1	62.3	-2.20	-2.25			2.065	2.162	-2.77	-2.63								Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24021	5/13/2026 10:19:21 AM	1.5	58.5	1.5	38.5				0.0	25.7	74.5	75.7	-4.87	-4.74			5.121	5.071	-4.90	-5.06								Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Comment:valve possibly damaged
CV-24022-PLR	5/26/2026 1:34:59 PM	7.4	76.1	0.3	16.2				0.1	54.0	194.3	194.1	-8.42	-8.21			8.257	8.035	1.01	0.90								Valve Adjustment:No Flow Measurement,High Temp
CV-24022-PLR	5/18/2026 2:10:00 PM					2100																					AtmAA	
CV-24022-PLR	5/18/2026 2:04:39 PM	26.0	72.9	0.0	1.1				0.4	0.0	194.7	194.9	-2.81	-1.08			2.700	1.305	0.34	0.34								Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header
CV-24022-PLR	5/12/2026 1:25:00 PM					762																					AtmAA	
CV-24022-PLR	5/12/2026 1:18:18 PM	20.0	76.4	0.2	3.4				0.3	17.0	191.4	191.3	-6.27	-6.67			6.041	6.412	-0.18	-0.34								Valve Adjustment:No Flow Measurement,High Temp
CV-24022-PLR	5/5/2026 10:05:00 AM					2550																					AtmAA	
CV-24022-PLR	5/5/2026 10:05:00 AM						199200																				AtmAA; [User entered 19.92%]	
CV-24022-PLR	5/5/2026 10:03:55 AM	14.6	78.4	0.0	7.0				0.2	0.0	192.4	192.3	-6.02	-6.12			6.095	6.197	0.23	0.23								Valve Adjustment:No Flow Measurement,High Temp
CV-24023	5/26/2026 10:02:11 AM	5.0	68.9	2.2	23.9				0.1	10.9	174.0	175.5	-2.17	-2.29			2.157	2.273	0.67	0.67								Valve Adjustment:No Flow Measurement,High Temp
CV-24023	5/26/2026 9:58:22 AM	2.8	51.1	7.4	38.7				0.1	5.2	166.4	167.2	-5.34	-3.29			5.399	3.268	0.34	0.36								Valve Comment:LORENTZ PUMP ON UPON ARRIVAL;Valve Adjustment:No Flow Measurement,High Temp,High O2,Decreased Flow/Vacuum
CV-24023	5/18/2026 10:19:04 AM	15.9	70.8	0.4	12.9				0.2	32.3	157.4	159.0	-2.05	-2.52			2.024	2.485	0.34	0.34								Valve Adjustment:No Flow Measurement,High Temp
CV-24023	5/18/2026 10:15:00 AM	14.9	70.7	0.2	14.2				0.2	71.0	159.8	157.6	-2.04	-1.46			1.990	1.458	0.34	0.36								Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-24023	5/12/2026 8:52:20 AM	9.9	78.0	0.0	12.1				0.1	0.0	179.7	181.3	-7.39	-7.38			7.445	7.366	0.74	0.55								Valve Adjustment:No Flow Measurement,High Temp
CV-24023	5/12/2026 8:51:10 AM	7.0	75.0	0.2	17.8				0.1	89.0	179.2	179.8	-9.09	-7.68			9.203	7.582	0.78	0.84								Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum
CV-24023	5/12/2026 8:50:00 AM					220.5																					AtmAA	
CV-24023	5/6/2026 9:28:29 AM	1.5	77.6	0.0	20.9				0.0	0.0	168.4	168.5	-3.01	-3.00			2.979	2.940	-2.31	-2.26								Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAL;High Temp,Valve 100% Open
CV-24023	5/6/2026 9:27:29 AM	1.6	76.5	0.0	21.9				0.0	0.0	168.4	168.6	-2.70	-2.68			2.672	2.642	-1.97	-1.93								Valve Comment:RES SEM;Valve Adjustment:NSPS/EG CAL;High Temp,Valve 100% Open

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24023	5/5/2026 9:36:54 AM	6.7	77.2	0.0	16.1				0.1	180.0	181.2	-9.52	-9.49			9.638	9.611	-9.12	-9.12	28.51	1361	34.4365952	-118.6484455	Valve Comment:Valve open 100 percent due to gas order around well head;Valve Adjustment:No Flow Measurement,Valve 100% Open		
CV-24023	5/5/2026 9:35:20 AM	6.9	75.4	0.0	17.7				0.1	178.4	177.0	0.71	-8.56			0.000	8.648	-9.01	-9.03	28.51	1363	34.4365944	-118.6484474	Valve Comment:Valve open due to string gas order around well;Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum		
CV-24023	5/5/2026 9:27:58 AM	6.0	76.8	0.0	17.2				0.1	157.5	157.0	-9.45	-9.40			9.590	9.536	-8.93	-9.12	28.51	1362	34.4366107	-118.6484539	Valve Adjustment:No Flow Measurement,High Temp		
CV-24023	5/5/2026 9:25:00 AM					1925																			AtmAA	
CV-24023	5/5/2026 9:25:00 AM						215750																			AtmAA; [User entered 21.575%]
CV-24024-PLR	5/18/2026 9:51:23 AM	15.4	72.4	0.1	12.1				0.2	121.0	131.2	-4.84	-4.17			4.856	4.210	-4.45	-4.03	28.54	1362	34.4367984	-118.6481306	Valve Adjustment:NSPS/EG CAI, No Flow Measurement		
CV-24024-PLR	5/15/2026 9:22:07 AM	1.2	77.5	0.3	21.0				0.0	70.0	157.4	157.6	-8.10	-8.11		8.419	8.389	-8.02	-8.06	28.58	1346	34.4368165	-118.6481413	Valve Adjustment:NSPS/EG CAI, High Temp, Barely Open, Surging Liquid in Header		
CV-24024-PLR	5/15/2026 9:20:22 AM	1.3	75.2	0.2	23.3				0.0	116.5	155.8	157.0	-7.92	-7.85		8.243	8.172	-7.86	-7.98	28.58	1343	34.4368210	-118.6481447	Valve Adjustment:NSPS/EG CAI, High Temp, Barely Open, Surging Liquid in Header		
CV-24025	5/28/2026 2:28:43 PM	2.3	82.3	0.0	15.4				0.0	188.2	187.2	-4.29	-4.29			4.298	4.294	0.00	0.00	28.51	1380	34.4352795	-118.6499510	Valve Adjustment:NSPS/EG CAI, High Temp		
CV-24025	5/19/2026 9:27:53 AM	16.7	80.0	0.0	3.3				0.2	186.5	186.5	-1.60	-1.64			1.570	1.662	-4.93	-5.19	28.62	1358	34.4352678	-118.6500158	Valve Adjustment:NSPS/EG CAI, No Flow Measurement, High Temp		
CV-24025	5/19/2026 9:26:52 AM	19.7	78.0	0.0	2.3				0.3	184.2	186.3	2.20	-1.58			0.000	1.577	-5.14	-4.88	28.62	1357	34.4352661	-118.6500248	Valve Adjustment:No Flow Measurement, High Temp		
CV-24025	5/19/2026 9:25:00 AM					2300																			AtmAA	
CV-24025	5/13/2026 2:30:31 PM	1.8	77.5	0.0	20.7				0.0	187.2	187.3	-1.45	-1.45			1.359	1.356	-5.49	-5.50	28.66	1356	34.4352715	-118.6499506	Valve Adjustment:No Flow Measurement, High Temp		
CV-24025	5/6/2026 8:57:31 AM	1.6	79.7	0.0	18.7				0.0	186.2	186.2	-1.81	-1.77			1.738	1.728	-7.66	-6.75	28.63	1359	34.4352857	-118.6499268	Valve Adjustment:NSPS/EG CAI, High Temp, Surging Liquid in Header		
CV-24025	5/6/2026 8:56:37 AM	1.8	77.5	0.0	20.7				0.0	186.3	186.3	-1.61	-1.77			1.557	1.768	-6.82	-7.10	28.63	1353	34.4352748	-118.6499408	Valve Comment:RES SERV;Valve Adjustment:NSPS/EG CAI, High Temp, Increased Flow/Vacuum, Surging Liquid in Header		
CV-24025	5/5/2026 2:13:13 PM	13.0	84.0	0.0	3.0				0.2	185.0	185.0	-2.61	-2.26			2.644	2.308	-6.26	-5.24	28.51	1364	34.4352774	-118.6499214	Valve Adjustment:Audible Flow, No Flow Measurement, High Temp		
CV-24025	5/5/2026 2:10:00 PM					3280																			AtmAA	
CV-24025	5/5/2026 2:10:00 PM						110700																			AtmAA; [User entered 11.07%]
CV-24026	5/22/2026 12:25:54 PM	2.7	74.6	2.1	20.6				0.0	9.8	92.5	92.2	-3.02	-0.38		2.942	0.329	-7.33	-8.07	28.54	1346	34.4356472	-118.6492438	Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Well (Watered In)		
CV-24026	5/13/2026 1:43:47 PM	0.5	76.1	0.9	22.5				0.0	25.0	88.7	88.8	-1.30	-1.24		1.195	1.153	-6.78	-5.98	28.64	1355	34.4356627	-118.6492732	Valve Adjustment:Barely Open		
CV-24027	5/26/2026 10:11:09 AM	2.4	71.7	2.2	23.7				0.0	10.8	63.6	63.5	-6.23	-6.11		6.243	6.223	-6.22	-5.93	28.45	1355	34.4361000	-118.6487237	Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-24027	5/13/2026 10:15:50 AM	2.6	52.6	7.9	36.9				0.0	4.7	74.6	74.6	-8.36	-8.45		8.607	8.662	-8.49	-8.41	28.68	1354	34.4361152	-118.6487245	Valve Adjustment:Barely Open; Well Comment:Possible damaged valve		
CV-24027	5/6/2026 9:11:56 AM	2.9	65.8	3.6	27.7				0.0	7.7	81.7	81.7	-8.74	-8.95		8.972	9.158	-8.46	-8.66	28.63	1355	34.4361057	-118.6487228	Valve Comment:RES SERV;Valve Adjustment:Audible Flow, Increased Flow/Vacuum		
CV-24028	5/26/2026 1:15:48 PM	2.7	73.7	0.0	23.6				0.0	187.3	189.1	-9.51	-9.07			9.601	9.178	-9.85	-9.16	28.39	1366	34.4363415	-118.6484647	Valve Adjustment:High Temp		
CV-24028	5/26/2026 1:13:13 PM	2.6	72.6	0.0	24.8				0.0	188.1	185.8	-8.17	-8.19			8.311	8.341	-8.54	-8.60	28.4	1363	34.4363513	-118.6484733	Valve Adjustment:NSPS/EG CAI, NSPS/EG CAC, High Temp		
CV-24028	5/18/2026 2:05:00 PM					1015																			AtmAA	
CV-24028	5/18/2026 2:01:26 PM	33.7	66.3	0.0	0.0				0.5	189.1	188.8	2.34	1.97			0.000	0.000	0.91	0.64	28.52	1380	34.4363509	-118.6484771	Valve Adjustment:No Flow Measurement, High Temp, Positive Static Press. Reduce Sys. Vac. - Flare Down		
CV-24028	5/12/2026 1:20:00 PM					440																			AtmAA	
CV-24028	5/12/2026 1:14:56 PM	21.1	75.5	0.4	3.0				0.3	7.5	187.8	188.0	-5.15	-4.97		4.939	4.808	-6.23	-5.74	28.55	1355	34.4363597	-118.6484690	Valve Adjustment:No Flow Measurement, High Temp		
CV-24028	5/5/2026 10:00:52 AM	16.0	75.4	0.0	8.6				0.2	193.4	193.0	-6.04	-6.04			6.141	6.141	-8.78	-8.78	28.51	1365	34.4363421	-118.6484743	Valve Adjustment:No Flow Measurement, High Temp		
CV-24028	5/5/2026 10:00:00 AM					1320																			AtmAA	
CV-24028	5/5/2026 10:00:00 AM						186700																			AtmAA; [User entered 18.67%]
CV-24029	5/29/2026 11:19:30 AM	0.3	10.8	17.9	71.0				0.0	4.0	87.9	87.8	-4.30	-3.01	0.0	0.0	4.479	2.855	-6.48		28.6	1348	34.4364658	-118.6480740	NSPS/EG CAI, No Flow Measurement, High O2	
CV-24029	5/29/2026 11:15:41 AM	0.4	11.1	17.7	70.8				0.0	4.0	86.3	87.1	-6.28	-5.73	0.0	0.0	6.916	5.774	-6.88		28.6	1322	34.4364502	-118.6480705	NSPS/EG CAI, High O2	
CV-24029	5/13/2026 2:06:48 PM	0.5	8.7	18.0	72.8				0.1	4.0	85.2	85.9	-7.47	-7.31			7.585	7.394	-7.45	-7.24	28.63	1358	34.4364448	-118.6480895	Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
CV-24030	5/26/2026 9:14:08 AM	1.8	73.9	0.0	24.3				0.0	192.1	192.7	-1.22	-1.23			1.208	1.220	-3.42	-3.41	28.47	1371	34.4366543	-118.6478634	Valve Adjustment:No Flow Measurement, High Temp		

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-24030	5/26/2026 9:07:52 AM	2.1	74.3	1.1	22.5			0.0	20.5	192.2	193.0	-3.16	-1.62			3.139	1.658	-3.06	-3.31	28.47	1368	34.4366572	-118.6478750	Valve Comment:Lorentz pump running upon arrival,Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed	
CV-24030	5/18/2026 9:35:03 AM	11.3	74.3	0.3	14.1			0.2	47.0	190.7	190.8	-1.75	-1.75			1.794	1.802	-1.85	-1.87	28.52	1356	34.4366520	-118.6478828	Valve Adjustment:NSPS/EG CAI, No Flow Measurement,High Temp	
CV-24030	5/18/2026 9:35:00 AM					1760																			AtmAA
CV-24030	5/12/2026 9:18:44 AM	19.0	78.0	0.2	2.8			0.2	14.0	193.0	193.2	-0.90	-0.93			0.000	0.000	0.14	0.13	28.55	1350	34.4366654	-118.6479217	Valve Adjustment:No Flow Measurement,High Temp	
CV-24030	5/12/2026 9:15:00 AM					93.6																			AtmAA
CV-24030	5/5/2026 8:46:48 AM	3.0	78.0	1.3	17.7			0.0	13.6	191.0	190.7	-2.22	-2.04			2.164	2.073	-5.87	-5.87	28.51	1340	34.4366447	-118.6478811	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header	
CV-24030	5/5/2026 8:45:00 AM					2080																			AtmAA
CV-24030	5/5/2026 8:45:00 AM						172600																		AtmAA; [User entered 17.26%]
CV-24030	5/5/2026 8:44:58 AM	2.8	75.0	2.1	20.1			0.0	9.6	191.2	190.9	-6.38	-4.42			6.141	4.485	-6.08	-6.01	28.51	1337	34.4366473	-118.6478843	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum	
CV-24031	5/29/2026 1:15:41 PM	39.9	60.1	0.0	0.0			0.7	0.0	116.9	116.1	-6.98	-7.00			7.051	7.058	-6.68	-6.72	28.58	1347	34.4349001	-118.6498244	Valve Comment:LORENTZ pump installed 052726,Valve Adjustment:No Flow Measurement,Valve 100% Open	
CV-24031	5/22/2026 12:15:48 PM	25.8	71.0	0.0	3.2			0.4	0.0	131.7	131.4	-0.35	-0.34			0.216	0.243	-7.99	-8.00	28.55	1352	34.4349038	-118.6498248	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum	
CV-24031	5/22/2026 12:14:13 PM	25.2	71.1	0.0	3.7			0.4	0.0	133.3	132.8	-0.55	-0.34			0.350	0.230	-7.90	-8.18	28.55	1355	34.4349185	-118.6498527	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum	
CV-24031	5/12/2026 1:32:07 PM	20.7	70.8	0.0	8.5			0.3	0.0	121.3	121.9	-0.26	-0.19			0.190	0.135	-5.85	-6.42	28.58	1336	34.4349093	-118.6498243	Valve Adjustment:Barely Open	
CV-24032	5/27/2026 9:19:07 AM	1.2	79.2	0.0	19.6			0.0	0.0	191.6	192.1	2.10	2.67			0.000	0.000	1.93	2.23	28.43	1339	34.4351168	-118.6496457	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header	
CV-24032	5/27/2026 9:17:20 AM	1.3	81.9	0.0	16.8			0.0	0.0	191.9	192.0	0.54	0.29			0.000	0.000	2.23	1.91	28.43	1340	34.4351132	-118.6496448	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Header	
CV-24032	5/27/2026 9:09:02 AM	1.3	85.0	0.1	13.6			0.0	136.0	193.5	193.3	-0.94	-1.08			0.930	1.104	0.99	1.54	28.43	1340	34.4351199	-118.6496367	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum,Valve 100% Open,Surging Liquid in Header	
CV-24032	5/24/2026 12:06:03 PM	0.6	38.1	12.6	48.7			0.0	3.9	147.4	147.9	-3.53	-3.43			3.562	3.484	-3.52	-3.38	28.61	1358	34.4351178	-118.6496545	Valve Adjustment:High Temp,High O2;Well Condition:Lorentz Pump Installed	
CV-24032	5/24/2026 12:02:54 PM	0.6	36.7	12.7	50.0			0.0	3.9	140.3	140.3	-3.68	-3.36			3.719	3.410	-3.74	-3.36	28.61	1346	34.4351428	-118.6496432	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed	
CV-24032	5/19/2026 8:41:47 AM	15.2	80.5	0.0	4.3			0.2	0.0	137.9	137.2	-3.91	-3.77			3.769	3.670	-3.68	-3.40	28.62	1339	34.4351149	-118.6496034	Valve Adjustment:No Flow Measurement,High Temp,Well Condition:Lorentz Pump Installed	
CV-24032	5/14/2026 10:31:39 AM	1.1	86.8	0.0	12.1			0.0	0.0	180.5	178.8	-4.64	-4.80			4.539	4.696	-3.86	-4.03	28.6	1352	34.4351008	-118.6496090	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum	
CV-24032	5/13/2026 2:37:29 PM	3.5	81.6	0.0	14.9			0.0	0.0	151.2	150.7	-2.50	-2.63			2.433	2.583	-2.52	-2.69	28.66	1352	34.4351149	-118.6496664	Valve Adjustment:No Flow Measurement,High Temp	
CV-24032	5/5/2026 2:20:00 PM					1855																			AtmAA
CV-24032	5/5/2026 2:20:00 PM						129050																		AtmAA; [User entered 12.905%]
CV-24032	5/5/2026 2:17:41 PM	16.4	83.6	0.0	0.0			0.2	0.0	150.1	169.6	-0.43	-0.63			0.482	0.685	0.39	0.68	28.51	1357	34.4351042	-118.6496337	Valve Adjustment:No Flow Measurement,High Temp	
CV-24033	5/28/2026 2:24:12 PM	1.7	77.5	0.0	20.8			0.0	0.0	190.8	191.1	-1.54	-1.54			1.451	1.513	-1.75	-1.81	28.55	1367	34.4353491	-118.6494775	Valve Adjustment:NSPS/EG CAI,High Temp	
CV-24033	5/19/2026 8:45:00 AM					2240																			AtmAA
CV-24033	5/19/2026 8:39:24 AM	13.9	73.3	0.0	12.8			0.2	0.0	183.8	184.7	-3.21	-3.22			3.198	3.205	-3.70	-3.73	28.62	1341	34.4353456	-118.6494733	Valve Adjustment:No Flow Measurement,High Temp;Well Condition:Lorentz Pump Installed;Well Repairs:None	
CV-24033	5/13/2026 2:17:00 PM	2.3	75.5	0.0	22.2			0.0	0.0	185.4	185.3	-3.26	-3.28			3.265	3.281	-4.01	-4.05	28.69	1364	34.4353370	-118.6494871	Valve Adjustment:No Flow Measurement,High Temp	
CV-24033	5/7/2026 1:00:00 PM						171000																		AtmAA; [User entered 17.1%]
CV-24033	5/7/2026 12:59:49 PM	5.6	79.7	0.4	14.3			0.1	35.8	188.1	188.3	-0.99	-0.91			0.913	0.852	-0.31	-0.30	28.55	1350	34.4353420	-118.6494736	Valve Adjustment:No Flow Measurement,High Temp	
CV-24033	5/7/2026 1:00:00 AM					2300																			AtmAA
CV-24034	5/18/2026 11:08:37 AM	25.1	66.8	3.2	4.9			0.4	1.5	108.1	105.9	-1.53	-1.57			1.490	1.498	-2.02	-2.02	28.54	1364	34.4361225	-118.6481087	Valve Adjustment:No Flow Measurement	
CV-24034	5/18/2026 11:06:51 AM	25.2	66.9	3.0	4.9			0.4	1.6	109.5	108.0	-3.76	-1.48			3.784	1.470	-3.19	-3.48	28.54	1365	34.4361207	-118.6481114	Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum	
CV-24034	5/12/2026 10:57:45 AM	24.2	75.5	0.3	0.0			0.3	0.0	165.5	166.6	-2.34	-2.32			2.322	2.304	-9.40	-9.41	28.55	1359	34.4361182	-118.6481212	Valve Adjustment:No Flow Measurement,High Temp;Well Condition:Lorentz Pump Installed	
CV-24034	5/12/2026 10:55:50 AM	26.3	72.9	0.8	0.0			0.4	0.0	170.4	168.0	-9.52	-7.24			9.563	7.234	-9.16	-9.29	28.55	1358	34.4361142	-118.6481226	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum	

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24034	5/12/2026 10:55:00 AM					247.5																			AtmAA	
CV-24034	5/5/2026 9:57:30 AM	13.6	83.8	0.0	2.6			0.2	0.0	185.0	185.4	-8.10	-8.10			8.251	8.251	-10.00	-10.00	28.51	1358	34.4360973	-118.6481208	Valve Adjustment:No Flow Measurement,High Temp		
CV-24034	5/5/2026 9:56:30 AM	14.3	81.5	0.0	4.2			0.2	0.0	185.4	185.4	-8.02	-6.96			8.186	7.056	-9.25	-9.28	28.51	1358	34.4360973	-118.6481207	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-24034	5/5/2026 9:55:00 AM					1730																			AtmAA	
CV-24034	5/5/2026 9:55:00 AM						166300																			AtmAA; [User entered 16.63%] Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Header
CV-24035	5/26/2026 8:50:47 AM	1.8	80.2	0.0	18.0			0.0	0.0	181.1	180.7	-3.40	-3.28			3.494	3.095	-0.01	0.00	28.46	1378	34.4363895	-118.6477156	Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Header		
CV-24035	5/18/2026 9:10:00 AM					1735																				AtmAA
CV-24035	5/18/2026 9:05:47 AM	10.9	76.7	0.4	12.0			0.1	30.0	193.5	193.0	-0.63	-2.91			0.000	0.757	0.00	0.00	28.49	1379	34.4364010	-118.6477240	Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Well (Watered In)		
CV-24035	5/18/2026 9:03:47 AM	8.3	81.8	0.0	9.9			0.1	0.0	189.5	198.1	30.95	0.76			0.000	0.000	-0.31	-0.01	28.47	1379	34.4363958	-118.6477166	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum,Surgling Liquid in Well (Watered In)		
CV-24035	5/12/2026 9:40:00 AM					2255																				AtmAA
CV-24035	5/12/2026 9:31:35 AM	14.8	83.4	0.0	1.8			0.2	0.0	177.3	177.3	-5.39	-5.33			5.402	5.403	-4.84	-5.28	28.51	1375	34.4363782	-118.6477294	Valve Adjustment:No Flow Measurement,High Temp		
CV-24035	5/5/2026 8:25:00 AM					2305																				AtmAA
CV-24035	5/5/2026 8:25:00 AM						142450																			AtmAA; [User entered 14.245%] Valve Adjustment:No Flow Measurement,High Temp
CV-24035	5/5/2026 8:24:01 AM	2.2	82.1	0.0	15.7			0.0	0.0	178.7	179.2	-6.09	-5.70			5.877	5.502	-5.68	-6.00	28.51	1366	34.4363744	-118.6477236	Valve Adjustment:No Flow Measurement,High Temp		
CV-24036	5/29/2026 2:20:04 PM	62.3	37.0	0.7	0.0			1.7	0.0	82.5	83.1	-4.43	-4.39			4.301	4.190	-8.25	-8.74	28.62	1345	34.4345244	-118.6496871	Valve Adjustment:No Flow Measurement,Valve Comment:Pump active;Valve Adjustment:Valve 100% Open;Well Comment:loose lorentz fittings;Well Condition:Lorentz Pump Installed		
CV-24036	5/24/2026 11:45:25 AM	53.2	40.4	0.6	5.9			1.3	10.3	73.3	73.3	-8.22	-7.95			8.039	7.899	-8.17	-7.85	28.64	1343	34.4344598	-118.6497053	Valve Adjustment:Valve 100% Open		
CV-24036	5/13/2026 10:53:14 AM	55.5	42.1	0.1	2.3			1.3	23.0	77.2	77.0	-7.49	-7.44			7.925	7.887	-7.44	-7.46	28.7	1340	34.4344478	-118.6497045	Valve Adjustment:Valve 100% Open		
CV-24036	5/6/2026 8:46:55 AM	46.2	36.5	3.1	14.2			1.3	4.6	68.0	68.6	-7.62	-7.69			7.706	7.837	-7.23	-6.64	28.65	1347	34.4344562	-118.6497137	Valve Adjustment:Audible Flow,Valve 100% Open		
CV-24036	5/6/2026 8:46:55 AM																									Valve Adjustment:High O2,Barely Open,Surgling Liquid in Header,Surgling Liquid in Well (Watered In);Well Condition:Lorentz Pump Installed
CV-24037	5/26/2026 9:09:53 AM	0.5	25.3	15.3	58.9			0.0	3.8	59.2	59.2	-3.83	-3.74			3.758	3.664	-6.15	-5.73	28.45	1357	34.4347505	-118.6494295	Valve Adjustment:No Flow Measurement,High O2,Decreased Flow/Vacuum,Barely Open,Surgling Liquid in Well (Watered In)		
CV-24037	5/26/2026 9:08:28 AM	0.5	23.4	15.7	60.4			0.0	3.8	58.7	58.8	-6.41	-3.51			6.474	3.423	-6.41	-6.23	28.45	1352	34.4347423	-118.6494345	Valve Adjustment:Decreased Flow/Vacuum		
CV-24037	5/12/2026 1:53:15 PM	1.9	61.5	4.8	31.8			0.0	6.6	80.2	80.6	-4.98	-4.77			5.298	4.976	-4.79	-4.67	28.57	1331	34.4347705	-118.6494507	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-24038	5/27/2026 9:29:33 AM	1.9	77.0	0.6	20.5			0.0	34.2	178.6	177.8	-0.91	-0.99			1.162	1.178	-4.07	-4.20	28.44	1341	34.4350164	-118.6488705	Valve Adjustment:No Flow Measurement,High Temp		
CV-24038	5/27/2026 9:27:49 AM	1.6	72.4	2.0	24.0			0.0	12.0	176.7	178.8	-2.38	-1.72			2.425	1.800	-5.78	-5.77	28.43	1340	34.4350122	-118.6488679	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-24038	5/19/2026 9:05:00 AM					1240																				AtmAA
CV-24038	5/19/2026 9:04:35 AM	18.1	76.9	0.0	5.0			0.2	0.0	170.8	170.6	-1.93	-2.00			1.858	1.991	-5.24	-5.54	28.63	1337	34.4350133	-118.6488771	Valve Adjustment:No Flow Measurement,High Temp		
CV-24038	5/19/2026 9:04:12 AM	16.8	71.9	0.0	11.3			0.2	0.0	171.1	171.4	-0.08	-2.09			0.234	2.042	-5.87	-5.44	28.63	1337	34.4350135	-118.6488774	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed		
CV-24038	5/13/2026 2:51:36 PM	8.5	72.6	1.0	17.9			0.1	17.9	172.0	171.0	-3.36	-3.17			3.294	2.997	-8.13	-7.39	28.69	1340	34.4350189	-118.6488679	Valve Comment:Lorentz pump disconnected;Valve Adjustment:No Flow Measurement,High Temp,Barely Open		
CV-24038	5/13/2026 2:48:58 PM	7.6	72.8	1.2	18.4			0.1	15.3	175.2	172.7	-7.66	-3.26			7.860	3.364	-7.52	-8.16	28.68	1342	34.4350140	-118.6488769	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-24038	5/6/2026 3:05:00 PM					1840																				AtmAA
CV-24038	5/6/2026 3:05:00 PM						170600																			AtmAA; [User entered 17.06%] Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Header
CV-24038	5/6/2026 3:04:57 PM	2.9	80.4	0.0	16.7			0.0	0.0	182.3	182.8	-4.92	-4.46			4.757	3.554	0.00	0.00	28.59	1345	34.4350175	-118.6488795	Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Header		
CV-24038	5/6/2026 3:04:21 PM	3.1	80.3	0.0	16.6			0.0	0.0	181.8	183.2	0.83	-0.06			0.000	0.000	0.00	0.00	28.59	1346	34.4350157	-118.6488745	Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Header		
CV-24039	5/22/2026 12:04:33 PM	1.3	69.8	0.0	28.9			0.0	0.0	144.7	143.8	-7.62	-7.77			7.664	7.868	-8.33	-8.72	28.55	1352	34.4352908	-118.6486837	Valve Comment:Noticed temp going down when pump stopped pumping;Valve Adjustment:No Flow Measurement,High Temp,Barely Open		
CV-24039	5/22/2026 12:01:47 PM	0.9	69.8	0.0	29.3			0.0	0.0	149.7	149.1	-6.16	-6.16			6.220	6.226	-8.77	-8.76	28.54	1348	34.4352890	-118.6486822	Valve Adjustment:No Flow Measurement,High Temp,Surgling Liquid in Header		





All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24054	5/18/2026 10:27:38 AM	23.7	76.3	0.0	0.0				0.3	0.0	145.7	145.6	-4.41	-4.48			4.080	4.118	-4.89	-4.92	28.51	1385	34.4356310	-118.6471775	Valve Adjustment:No Flow Measurement,High Temp	
CV-24054	5/18/2026 10:26:19 AM	23.7	76.3	0.0	0.0				0.3	0.0	146.7	146.6	-5.95	-4.75			5.826	4.606	-5.85	-5.54	28.51	1384	34.4356370	-118.6471819	Valve Adjustment:No Flow Measurement,Decreased Flow/Vacuum	
CV-24054	5/11/2026 8:39:09 AM	3.6	88.3	0.0	8.1				0.0	0.0	163.9	160.1	-2.69	-2.67			2.666	2.649	-2.19	-2.32	28.52	1382	34.4356357	-118.6471822	Valve Adjustment:High Temp	
CV-24054	5/11/2026 8:36:54 AM	3.4	86.9	0.0	9.7				0.0	0.0	163.3	164.1	1.50	-2.55			0.000	2.520	-2.36	-2.21	28.53	1382	34.4356346	-118.6471817	Valve Adjustment:High Temp,Increased Flow/Vacuum	
CV-24054	5/4/2026 2:35:00 PM					2310																				AtmAA
CV-24054	5/4/2026 2:35:00 PM						105800																			AtmAA; [User entered 10.58%]
CV-24054	5/4/2026 2:34:03 PM	3.0	90.5	0.0	6.5				0.0	0.0	174.6	173.8	-1.43	-1.39			1.333	1.385	-11.00	-11.11	28.51	1391	34.4356452	-118.6471699	Valve Adjustment:High Temp	
CV-24054	5/4/2026 1:54:35 PM	2.2	77.0	0.0	20.8				0.0	0.0	147.2	147.1	-2.12	-2.13			2.120	2.128	-11.31	-11.31	28.53	1378	34.4356480	-118.6471992	Valve Adjustment:High Temp	
CV-24054	5/4/2026 1:51:53 PM	2.5	76.4	0.0	21.1				0.0	0.0	150.7	148.2	-4.62	-3.41			4.646	3.449	-11.47	-11.45	28.53	1362	34.4356435	-118.6471943	Valve Adjustment:High Temp,Decreased Flow/Vacuum;Well Comment:secured flange	
CV-24055	5/26/2026 9:28:17 AM	14.4	66.0	1.1	18.5				0.2	16.8	137.4	136.8	-0.35	-0.35			0.350	0.356	-7.59	-7.86	28.41	1405	34.4358782	-118.6469018	Valve Adjustment:High Temp,Reduce Sys. Vac. - Flare Down	
CV-24055	5/26/2026 9:27:16 AM	14.3	66.2	1.1	18.4				0.2	16.7	137.4	137.2	-0.44	-0.34			0.431	0.340	-8.47	-8.01	28.41	1410	34.4358615	-118.6469028	Valve Adjustment:High Temp,Decreased Flow/Vacuum,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down	
CV-24055	5/13/2026 8:15:00 AM					930																				Air Tech Lab
CV-24055	5/13/2026 8:15:00 AM						51000																			Air Tech Lab; [User entered 5.1%]
CV-24055	5/12/2026 1:49:20 PM	9.1	62.3	1.6	27.0				0.1	16.9	137.8	137.3	-0.58	-0.57			0.534	0.504	-9.05	-8.62	28.63	1392	34.4358725	-118.6469142	Valve Adjustment:Surging Liquid in Header	
CV-24055	5/12/2026 1:47:04 PM	9.0	65.6	2.2	23.2				0.1	10.5	136.9	137.9	-0.52	-0.62			0.514	0.629	-11.04	-10.68	28.63	1385	34.4358793	-118.6469185	Valve Adjustment:High Temp,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed	
CV-24056	5/19/2026 12:46:55 PM	38.9	56.8	0.0	4.3				0.7	0.0	126.5	122.8	-0.58	-0.38			0.573	0.379	-4.46	-4.66	28.63	1319	34.4332672	-118.6501688	Valve Adjustment:Decreased Flow/Vacuum	
CV-24056	5/1/2026 10:37:33 AM	37.8	57.6	0.0	4.6				0.7	0.0	125.0	124.8	-0.96	-0.96			0.942	0.936	-6.07	-6.08	28.59	1321	34.4332728	-118.6501477	Valve Adjustment:Decreased Flow/Vacuum	
CV-24057	5/22/2026 2:21:55 PM	21.0	70.8	0.0	8.2				0.3	0.0	144.2	144.2	-0.27	-0.25	17.2	17.5	0.838	0.873	-7.07	-7.35	28.41	1331	34.4334750	-118.6496503	Valve Adjustment:High Temp	
CV-24057	5/11/2026 1:01:48 PM	29.8	57.3	0.0	12.9				0.5	0.0	139.5	139.5	-0.82	-0.84	15.0	15.0	0.635	0.629	-5.37	-5.49	28.64	1312	34.4334530	-118.6496648	Valve Adjustment:High Temp,Well Condition:Lorentz Pump Installed	
CV-24057	5/11/2026 1:00:44 PM	29.8	57.3	0.0	13.0				0.5	0.0	139.4	139.4	-0.84	-0.83	15.1	15.0	0.642	0.631	-5.60	-5.72	28.63	1312	34.4334618	-118.6496575	Valve Adjustment:High Temp,Decreased Flow/Vacuum;Well Comment:pump is off;Well Condition:Lorentz Pump Installed	
CV-24058	5/22/2026 1:59:19 PM	39.5	44.4	0.0	16.1				0.9	0.0	105.7	105.3	-2.87	-3.28			2.819	3.187	-4.29	-5.12	28.41	1349	34.4338122	-118.6494655	Valve Adjustment:Barely Open	
CV-24058	5/11/2026 12:33:09 PM	40.2	44.8	0.0	14.9				0.9	0.0	109.8	110.0	-0.33	-1.50			0.316	1.508	-1.15	-2.80	28.61	1318	34.4338030	-118.6494458	Valve Adjustment:Reduce Sys. Vac. - Flare Down;Well Comment:pump is on;Well Condition:Lorentz Pump Installed	
CV-24059	5/22/2026 2:29:34 PM	34.5	55.8	0.0	9.7				0.6	0.0	114.1	114.1	-1.32	-1.32	0.4	0.7	0.000	0.001	-8.29	-8.40	28.41	1339	34.4338205	-118.6490560	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)	
CV-24059	5/4/2026 9:02:50 AM	44.9	48.0	0.0	7.1				0.9	0.0	124.0	123.9	-2.37	-2.31	3.7	1.4	0.037	0.006	-10.18	-9.78	28.55	1341	34.4337565	-118.6490662	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Lorentz Pump Installed	
CV-24059	5/4/2026 9:01:40 AM	44.7	48.6	0.0	6.7				0.9	0.0	132.9	121.0	-5.28	-2.38	3.0	1.3	0.025	0.005	-9.80	-9.95	28.54	1341	34.4337645	-118.6490708	Valve Adjustment:High Temp,Decreased Flow/Vacuum,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Condition:Lorentz Pump Installed	
CV-24060	5/20/2026 1:29:27 PM	34.9	55.3	0.5	9.3				0.6	18.6	112.7	113.6	-5.44	-4.61			5.359	4.575	-6.69	-6.80	28.5	1357	34.4340282	-118.6488037	Valve Adjustment:Decreased Flow/Vacuum,Barely Open	
CV-24060	5/4/2026 9:39:35 AM	36.7	55.7	0.2	7.4				0.7	37.0	110.4	109.2	-9.42	-7.94			9.679	8.217	-9.50	-9.28	28.56	1339	34.4340373	-118.6487870	Valve Adjustment:Decreased Flow/Vacuum	
CV-24061	5/26/2026 11:38:49 AM	55.3	44.7	0.0	0.0				1.2	0.0	99.6	100.6	-5.98	-6.96			6.087	7.055	-11.07	-11.15	28.52	1354	34.4343495	-118.6486107	Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-24061	5/8/2026 12:59:31 PM	50.6	47.5	0.0	1.9				1.1	0.0	97.7	97.8	-2.99	-2.95			2.900	2.886	-6.74	-6.06	28.56	1340	34.4343577	-118.6486282	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down	
CV-24062	5/22/2026 11:10:33 AM	29.1	63.7	0.4	6.8				0.5	17.0	144.9	143.7	-1.88	-1.78	0.0	0.0	1.829	1.760	-8.22		28.47	1378	34.4345898	-118.6480770	High Temp,NSPS/EG CAI	
CV-24062	5/22/2026 11:08:48 AM	28.1	59.3	1.3	11.3				0.5	8.7	140.5	140.3	-3.49	-3.46	0.0	0.0	3.461	3.337	-8.26		28.47	1319	34.4346125	-118.6479535	NSPS/EG CAI,High Temp	
CV-24062	5/8/2026 1:05:26 PM	28.8	63.9	0.0	7.3				0.5	0.0	133.9	134.2	-2.10	-2.02			2.018	1.948	-6.46	-5.92	28.53	1364	34.4345762	-118.6481078	Valve Adjustment:High Temp,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down	
CV-24062	5/7/2026 8:17:00 AM					890																				Air Tech Lab
CV-24062	5/7/2026 8:17:00 AM						80000																			Air Tech Lab; [User entered 8.0%]
CV-24062	5/4/2026 1:16:07 PM	28.3	66.3	0.0	5.4				0.4	0.0	145.5	148.7	-6.22	-6.38			6.249	6.276	-10.23	-10.14	28.51	1358	34.4345824	-118.6480800	Valve Adjustment:High Temp	
CV-24062	5/4/2026 1:15:00 PM					1080																				AtmAA
CV-24062	5/4/2026 1:15:00 PM						56100																			AtmAA; [User entered 5.61%]

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24063	5/28/2026 1:49:33 PM	6.8	84.2	0.0	9.0			0.1	0.0	184.1	183.7	-2.47	-2.43			2.461	2.410	-7.15	-7.17	28.53	1380	34.4349771	-118.6475687	Valve Adjustment: NSPS/EG CAI, High Temp		
CV-24063	5/20/2026 2:20:53 PM	5.1	80.1	0.0	14.8			0.1	0.0	171.8	173.7	-2.92	-2.92			3.045	3.045	0.00	0.00	28.51	1378	34.4349368	-118.6475152	Valve Adjustment: No Flow Measurement, High Temp		
CV-24063	5/14/2026 11:02:15 AM	11.4	83.8	0.0	4.8			0.1	0.0	172.8	171.9	-3.36	-3.31			3.386	3.216	-8.44	-8.43	28.63	1385	34.4349507	-118.6474972	Valve Adjustment: No Flow Measurement, High Temp		
CV-24063	5/14/2026 11:01:37 AM	10.7	83.6	0.0	5.7			0.1	0.0	174.9	173.4	0.65	-3.17			0.000	3.171	0.34	-8.71	28.62	1385	34.4349488	-118.6474944	Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Increased Flow/Vacuum		
CV-24063	5/14/2026 11:00:00 AM					3230																			AtmAA	
CV-24063	5/12/2026 8:20:00 AM					2400																				Air Tech Lab
CV-24063	5/12/2026 8:20:00 AM						120000																			Air Tech Lab; [User entered 12%]
CV-24063	5/4/2026 1:35:00 PM					2470																				AtmAA
CV-24063	5/4/2026 1:35:00 PM						71600																			AtmAA; [User entered 7.16%]
CV-24063	5/4/2026 1:34:44 PM	3.7	86.5	0.0	9.8			0.0	0.0	183.9	182.5	-3.44	-3.34			3.362	3.318	-11.05	-10.94	28.51	1366	34.4349530	-118.6475245	Valve Adjustment: No Flow Measurement, High Temp		
CV-24063	5/4/2026 1:33:24 PM	3.7	84.4	0.6	11.3			0.0	18.8	182.4	181.7	-7.10	-3.43			7.018	3.326	-11.01	-10.81	28.51	1367	34.4349536	-118.6475298	Valve Adjustment: High Temp, Decreased Flow/Vacuum		
CV-24064	5/28/2026 2:15:41 PM	1.9	79.7	0.0	18.4			0.0	0.0	165.5	165.7	-7.85	-7.85			7.902	7.905	-8.16	-8.16	28.55						Valve Adjustment: NSPS/EG CAI, High Temp
CV-24064	5/27/2026 1:55:09 PM	3.2	80.3	0.0	16.5			0.0	0.0	191.7	192.0	-6.74	-6.78			6.851	6.944	-6.68	-7.14	28.4	1370	34.4352364	-118.6471357	Valve Adjustment: No Flow Measurement, High Temp, Valve 100% Open, Surging Liquid in Well (Watered In)		
CV-24064	5/19/2026 1:40:00 PM					2470																				AtmAA
CV-24064	5/19/2026 1:36:22 PM	14.8	76.2	0.0	9.0			0.2	0.0	192.0	192.5	-5.48	-4.27			4.594	4.805	-9.16	-9.07	28.6	1383	34.4352506	-118.6471800	Valve Comment: Active PLR observed; Valve Adjustment: No Flow Measurement, High Temp, Surging Liquid in Well (Watered In)		
CV-24064	5/12/2026 8:15:00 AM						130000																			Air Tech Lab; [User entered 13%]
CV-24064	5/11/2026 10:07:41 AM	9.0	87.1	0.6	3.3			0.1	5.5	192.5	192.5	-10.46	-10.56			10.565	10.676	-13.49	-13.40	28.55	1377	34.4352204	-118.6471643	Valve Adjustment: No Flow Measurement, High Temp		
CV-24064	5/4/2026 9:10:00 AM					2680																				AtmAA
CV-24064	5/4/2026 9:10:00 AM						111000																			AtmAA; [User entered 11.1%]
CV-24064	5/4/2026 9:09:33 AM	2.9	78.6	0.0	18.5			0.0	0.0	191.9	191.8	-11.35	-10.47			11.611	10.682	-12.85	-13.23	28.55	1376	34.4352502	-118.6471611	Valve Adjustment: High Temp, Valve 100% Open		
CV-24065-TP1	5/22/2026 10:27:26 AM	15.0	83.3	0.4	1.3			0.2	3.3	82.9	83.8	-0.33	-0.32			0.319	0.319	-10.19	-10.50	28.37	1384	34.4356133	-118.6467967	Valve Adjustment: Barely Open		
CV-24065-TP1	5/12/2026 8:15:00 AM					2000																				Air Tech Lab
CV-24065-TP1	5/11/2026 1:07:25 PM	21.6	73.3	0.0	5.1			0.3	0.0	100.0	100.2	-0.10	-0.03			0.054	0.001	0.48	0.67	28.52	1384	34.4356297	-118.6468193	Valve Adjustment: Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down		
CV-24065-TP1	5/7/2026 8:35:00 AM					530																				Air Tech Lab
CV-24065-TP1	5/7/2026 8:35:00 AM						9800																			Air Tech Lab; [User entered 0.98%]
CV-24066	5/19/2026 12:41:10 PM	25.0	45.2	0.0	29.8			0.6	0.0	109.2	110.5	-0.94	-0.93			0.940	0.926	-6.12	-5.98	28.6	1317	34.4330187	-118.6498118	Valve Adjustment: Decreased Flow/Vacuum		
CV-24066	5/11/2026 7:45:00 AM					390																				Air Tech Lab
CV-24066	5/11/2026 7:45:00 AM						32000																			Air Tech Lab; [User entered 3.2%]
CV-24066	5/1/2026 10:40:05 AM	23.9	49.4	0.0	26.7			0.5	0.0	116.8	117.5	-1.19	-1.18			1.198	1.180	-8.39	-7.76	28.59	1331	34.4330032	-118.6498153	Valve Adjustment: Audible Flow; Well Condition: Good		
CV-24067	5/26/2026 2:27:02 PM	46.1	53.9	0.0	0.0			0.9	0.0	152.5	152.4	-6.42	-6.45			0.056	0.048	-7.79	-7.77	28.43	1343	34.4332042	-118.6497463	Valve Adjustment: High Temp		
CV-24067	5/26/2026 2:26:30 PM	46.5	53.5	0.0	0.0			0.9	0.0	151.9	152.4	-7.13	-6.63			0.000	0.000	-7.71	-7.51	28.43	1342	34.4332086	-118.6497617	Valve Adjustment: High Temp, Decreased Flow/Vacuum		
CV-24067	5/19/2026 8:57:43 AM	22.4	63.3	0.0	14.3			0.4	0.0	160.7	160.7	-6.62	-6.65	5.8	5.6	0.099	0.093	-7.16	-7.16	28.64	1327	34.4331898	-118.6497188	Valve Adjustment: High Temp; Well Condition: Lorentz Pump Installed		
CV-24067	5/19/2026 8:55:05 AM	22.9	62.9	0.0	14.2			0.4	0.0	161.3	160.8	-6.96	-6.65	5.2	6.1	0.079	0.110	-7.16	-7.27	28.63	1332	34.4331923	-118.6497198	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum; Well Comment: Lorentz deactivated; Well Condition: Pneumatic Pump Installed		
CV-24067	5/14/2026 11:37:11 AM	1.5	89.6	0.0	8.9			0.0	0.0	134.5	134.5	0.40	0.37	0.0	0.0	0.0	-0.043	-0.038	0.35	28.54	1257	34.4332052	-118.6499145	Valve Adjustment: High Temp		
CV-24067	5/14/2026 11:35:44 AM	1.4	88.2	0.0	10.4			0.0	0.0	134.4	134.5	0.29	0.30	0.0	0.0	0.0	-0.018	-0.021	0.31	28.54	1296	34.4331593	-118.6496722	High Temp, Positive Static Press.		
CV-24068	5/26/2026 12:08:57 PM	32.9	44.5	0.0	22.6			0.7	0.0	129.6	129.1	-2.40	-2.40			2.342	2.342	-9.23	-8.68	28.44	1369	34.4332578	-118.6493013	Valve Adjustment: NSPS/EG CAC, Reduce Sys. Vac. - Flare Down		
CV-24068	5/26/2026 12:06:40 PM	35.2	40.4	0.0	24.4			0.9	0.0	133.8	129.7	-5.07	-3.21			4.947	3.150	-8.52	-8.94	28.44	1368	34.4332655	-118.6493125	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum, Reduce Sys. Vac. - Flare Down		
CV-24068	5/1/2026 11:18:00 AM	29.8	49.8	0.0	20.4			0.6	0.0	115.0	116.0	-5.07	-4.88			5.611	5.406	-7.76	-7.74	28.57	1334	34.4332443	-118.6493508	Valve Adjustment: Audible Flow, Decreased Flow/Vacuum		
CV-24069	5/28/2026 9:36:45 AM	31.0	44.0	0.3	24.7			0.7	82.4	93.4	93.4	-1.66	-1.65			1.681	1.663	-9.09	-8.46	28.53	1354	34.4334167	-118.6489192	Valve Adjustment: High Temp		
CV-24069	5/28/2026 9:35:46 AM	31.9	43.5	0.4	24.2			0.7	69.2	94.5	93.7	-1.98	-1.68			2.008	1.703	-8.97	-8.90	28.53	1352	34.4334167	-118.6489207	Valve Adjustment: Decreased Flow/Vacuum		
CV-24069	5/28/2026 9:30:09 AM	35.8	42.0	0.3	21.9			0.9	70.5	96.1	96.2	-2.80	-2.08			2.836	2.106	-9.63	-10.08	28.53	1347	34.4334175	-118.6489218	Valve Adjustment: NSPS/EG CAC, Decreased Flow/Vacuum; Well Comment: Needs silicone for Lorentz fittings; Well Condition: Lorentz Pump Installed; Well Repairs: Sample Port		

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24069	5/13/2026 8:20:00 AM					470																			Air Tech Lab	
CV-24069	5/13/2026 8:20:00 AM						4000																			Air Tech Lab; [User entered 4.0%]
CV-24069	5/4/2026 8:56:06 AM	40.8	48.8	0.0	10.4			0.8	0.0	93.2	93.4	-1.42	-1.43			1.390	1.399	0.01	0.00	28.56	1355	34.434273	-118.6489272		Valve Comment:No system port;Valve Adjustment:Barely Open	
CV-24070	5/20/2026 2:35:15 PM	11.4	77.9	0.0	10.7			0.1	0.0	136.2	136.2	-0.15	-0.10	3.3	3.2	0.230	0.220	-3.35	-3.53	28.48	1350	34.4337308	-118.6486893		Valve Adjustment:NSPS/EG CAI,High Temp	
CV-24070	5/20/2026 2:34:29 PM	10.7	77.6	0.0	11.7			0.1	0.0	136.2	136.1	-0.13	-0.15	4.8	5.8	0.493	0.736	-3.49	-3.63	28.48	1350	34.4337250	-118.6486983		Valve Adjustment:NSPS/EG CAI,High Temp	
CV-24070	5/20/2026 2:33:43 PM	10.2	74.7	0.0	15.1			0.1	0.0	133.9	135.6	0.95	-0.10	5.3	4.9	0.601	0.513	-3.46	-3.51	28.49	1349	34.4337250	-118.6486995		Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum,Decreased Flow/Vacuum	
CV-24070	5/7/2026 8:20:00 AM					1300																			Air Tech Lab	
CV-24070	5/7/2026 8:20:00 AM						110000																			Air Tech Lab; [User entered 11%]
CV-24070	5/4/2026 9:12:35 AM	22.4	63.4	0.0	14.2			0.4	0.0	130.4	130.3	-1.21	-1.13	6.5	6.6	0.903	0.932	-10.00	-9.79	28.53	1349	34.4337133	-118.6487107		Valve Adjustment:Surging Liquid in Header, Surging Liquid in Well (Watered In); Well Condition:Lorentz Pump Installed	
CV-24070	5/4/2026 9:11:52 AM	23.2	65.8	1.9	9.1			0.4	4.8	131.6	130.3	-1.65	-1.07	6.8	6.5	1.010	0.923	-10.01	-9.90	28.55	1339	34.4337148	-118.6486890		Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum	
CV-24071	5/20/2026 1:35:21 PM	42.5	52.0	0.0	5.5			0.8	0.0	123.3	123.2	-3.74	-3.33	8.7	8.5	0.491	0.462	-6.65	-6.63	28.5	1355	34.4340125	-118.6484803		Valve Adjustment:Decreased Flow/Vacuum	
CV-24071	5/7/2026 8:10:00 AM					190																				Air Tech Lab
CV-24071	5/7/2026 8:10:00 AM						24000																			Air Tech Lab; [User entered 2.4%]
CV-24071	5/4/2026 9:43:04 AM	43.3	55.1	0.0	1.6			0.8	0.0	121.6	121.4	-5.57	-5.24	14.9	15.1	1.428	1.465	-9.94	-10.58	28.55	1335	34.4340043	-118.6484677		Valve Adjustment:Decreased Flow/Vacuum	
CV-24072	5/22/2026 2:05:23 PM	44.2	49.9	0.0	5.9			0.9	0.0	110.0	108.9	-2.50	-1.94	0.0	0.0	2.372	1.785	-8.01		28.37	1358	34.4341827	-118.6480535		Valve Adjustment:NSPS/EG CAC, Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In); Well Condition:Lorentz Pump Installed	
CV-24072	5/4/2026 2:18:34 PM	46.1	52.5	0.0	1.4			0.9	0.0	88.1	87.9	-0.66	-0.66			0.732	0.642	-10.14	-11.51	28.51	1365	34.4342068	-118.6480500		Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In); Well Condition:Lorentz Pump Installed	
CV-24072	5/4/2026 2:17:08 PM	45.4	52.9	0.0	1.7			0.9	0.0	87.1	87.8	1.80	-0.35			0.000	0.319	-10.27	-10.18	28.51	1372	34.4342030	-118.6480527		Valve Adjustment:NSPS/EG CAI,High Temp, Surging Liquid in Header, Reduce Sys. Vac. - Flare Down	
CV-24073-TP1	5/26/2026 8:45:28 AM	3.8	86.1	0.0	10.1			0.0	0.0	132.2	132.6	-0.34	-0.30			0.327	0.283	-4.46	-4.51	28.41	1368	34.4346367	-118.6477108		Valve Adjustment:NSPS/EG CAI,High Temp, Surging Liquid in Header, Reduce Sys. Vac. - Flare Down	
CV-24073-TP1	5/26/2026 8:40:41 AM	3.6	85.9	0.0	10.5			0.0	0.0	133.1	133.5	-0.39	-0.34			0.388	0.334	-4.05	-4.01	28.41	1377	34.4346343	-118.6476967		Valve Adjustment:Surging Liquid in Header, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down	
CV-24073-TP1	5/8/2026 1:15:17 PM	2.2	84.6	0.0	13.2			0.0	0.0	128.3	128.9	-1.69	-1.61			1.673	1.558	-5.57	-4.83	28.52	1365	34.4346693	-118.6477383		Valve Adjustment:Surging Liquid in Header, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down	
CV-24073-TP1	5/6/2026 2:09:30 PM	2.1	82.8	0.0	15.1			0.0	0.0	126.2	125.8	-0.53	-0.56			0.526	0.516	-4.50	-4.20	28.57	1381	34.4346688	-118.6476972		Valve Adjustment:Barely Open, Surging Liquid in Header	
CV-24074	5/22/2026 11:17:05 AM	2.4	88.1	0.0	9.5			0.0	0.0	110.1	111.0	-6.04	-3.69			6.001	3.582	-7.29	-7.39	28.41	1377	34.4347428	-118.6473987		Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
CV-24074	5/6/2026 2:14:23 PM	1.7	86.3	0.0	12.0			0.0	0.0	108.1	107.0	-5.18	-4.71			5.207	4.588	-5.82	-5.79	28.59	1395	34.4347680	-118.6474127		Valve Adjustment:Decreased Flow/Vacuum	
CV-24075-TP1	5/29/2026 4:03:35 PM	1.0	76.4	2.8	19.8			0.0	7.1	186.8	187.0	-13.96	-14.01			14.314	14.356	-14.15	-14.30	28.6	1366	34.4350455	-118.6471355		Valve Adjustment:NSPS/EG CAI,High Temp	
CV-24075-TP1	5/29/2026 4:02:17 PM	0.9	72.9	2.6	23.6			0.0	9.1	186.7	186.7	-14.48	-14.48			14.792	14.792	-15.16	-15.16	28.59	1377	34.4350263	-118.6471377		Valve Adjustment:NSPS/EG CAI,High Temp	
CV-24075-TP1	5/11/2026 10:25:13 AM	10.2	84.1	0.8	4.9			0.1	6.1	109.5	99.5	-11.66	-11.98			11.789	12.211	0.04	0.04	28.55	1381	34.4350370	-118.6471396		Valve Adjustment:No Flow Measurement, High Temp	
CV-24075-TP1	5/4/2026 9:21:41 AM	1.0	82.0	0.8	16.2			0.0	20.3	187.2	187.2	-13.08	-13.16			13.372	13.398	0.04	0.04	28.53	1378	34.4350223	-118.6471194		Valve Adjustment:No Flow Measurement, High Temp	
CV-24075-TP1	5/4/2026 9:20:10 AM	1.0	81.8	0.8	16.4			0.0	20.5	61.7	60.6	-13.32	-13.51			13.587	13.736	0.07	0.04	28.54	1377	34.4350236	-118.6471164		Valve Comment:Updated photo on etools; Valve Adjustment: Audible Flow, High Temp	
CV-24075-TP1	5/4/2026 9:20:00 AM					2260																				AtmAA
CV-24075-TP1	5/4/2026 9:20:00 AM						114700																			AtmAA; [User entered 11.47%]
CV-24076	5/27/2026 2:11:24 PM	18.4	77.4	0.0	4.2			0.2	0.0	171.8	172.3	-2.33	-2.17			2.219	2.125	-4.45	-4.54	28.39	1380	34.4353005	-118.6468888		Valve Adjustment:No Flow Measurement, High Temp	
CV-24076	5/19/2026 1:30:00 PM					1590																				AtmAA
CV-24076	5/19/2026 1:22:53 PM	33.9	66.0	0.0	0.1			0.5	0.0	167.7	169.0	-3.53	-3.49			3.539	3.433	-6.72	-6.55	28.58	1390	34.4353297	-118.6468739		Valve Adjustment:High Temp	
CV-24076	5/14/2026 10:30:00 AM					1750																				AtmAA
CV-24076	5/14/2026 10:29:35 AM	33.9	66.1	0.0	0.0			0.5	0.0	174.4	174.6	-4.43	-4.29			4.392	4.275	-7.93	-7.35	28.61	1388	34.4353232	-118.6468753		Valve Adjustment:High Temp	
CV-24076	5/4/2026 9:06:09 AM	10.7	68.0	0.2	21.1			0.2	105.5	176.8	176.9	-6.12	-5.74			6.253	5.927	0.00	0.00	28.5	1388	34.4353236	-118.6468707		Valve Adjustment:High Temp	
CV-24076	5/4/2026 9:05:00 AM					1650																				AtmAA
CV-24076	5/4/2026 9:05:00 AM						62700																			AtmAA; [User entered 6.27%]
CV-24077	5/28/2026 9:18:10 AM	10.1	65.9	0.0	24.0			0.2	0.0	146.7	147.0	-2.62	-2.61			2.611	2.602	-9.05	-9.02	28.55	1332	34.4326474	-118.6493044		Valve Adjustment:NSPS/EG CAI,High Temp	

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24077	5/28/2026 9:16:41 AM	12.2	59.5	0.0	28.3			0.2	0.0	143.6	144.5	-4.76	-4.77			4.761	4.767	-9.14	-9.16	28.55	1328	34.4326327	-118.6493094	Valve Adjustment: NSPS/EG CAJ, High Temp		
CV-24077	5/20/2026 8:03:01 AM	19.8	53.5	0.0	26.7			0.4	0.0	142.7	142.4	-4.52	-4.48			4.525	4.494	-6.99	-7.10	28.55	1334	34.4326904	-118.6493079	Valve Adjustment: No Flow Measurement, High Temp		
CV-24077	5/11/2026 1:38:12 PM	18.6	77.2	0.0	4.2			0.2	0.0	146.5	146.1	-2.00	-2.00			1.956	1.960	5.79	6.10	28.56	1342	34.4327189	-118.6493015	Valve Adjustment: No Flow Measurement, High Temp		
CV-24077	5/7/2026 10:50:33 AM	7.9	86.4	0.1	5.6			0.1	56.0	149.0	148.8	-0.95	-0.98			0.957	0.990	-2.92	-3.04	28.6	1335	34.4327056	-118.6493251	Valve Adjustment: No Flow Measurement, High Temp		
CV-24077	5/7/2026 10:50:00 AM					2820																			AtmAA	
CV-24077	5/7/2026 10:50:00 AM						72200																			AtmAA; [User entered 7.22%]
CV-24077	5/1/2026 10:03:08 AM	4.6	87.3	0.0	8.1			0.1	0.0	151.0	151.0	-1.23	-1.24			1.237	1.244	-6.62	-6.63	28.59	1345	34.4326660	-118.6493097	Valve Adjustment: NSPS/EG CAJ, High Temp		
CV-24077	5/1/2026 10:01:59 AM	5.0	82.0	0.0	13.0			0.1	0.0	150.8	151.0	-1.95	-1.20			1.941	1.188	-5.89	-6.33	28.59	1339	34.4326713	-118.6492955	Valve Adjustment: NSPS/EG CAJ, High Temp, Decreased Flow/Vacuum		
CV-24078	5/19/2026 8:40:05 AM	30.6	56.6	0.0	12.9			0.5	0.0	130.6	130.7	-2.01	-2.00	8.6	9.4	0.207	0.243	-6.99	-7.34	28.62	1328	34.4328908	-118.6494320	Well Condition: Pneumatic Pump Installed		
CV-24078	5/19/2026 8:35:10 AM	31.3	56.0	0.0	12.7			0.6	0.0	130.8	130.8	-2.24	-2.23	8.1	8.3	0.182	0.191	-7.00	-6.90	28.64	1330	34.4329108	-118.6494308	Valve Adjustment: Increased Flow/Vacuum		
CV-24078	5/19/2026 8:34:05 AM	31.8	55.9	0.0	12.3			0.6	0.0	130.6	130.8	-2.13	-2.21	7.9	8.2	0.173	0.189	-7.05	-7.02	28.61	1331	34.4329042	-118.6494297	Valve Adjustment: NSPS/EG CAJ, NSPS/EG CAC, High Temp, Decreased Flow/Vacuum		
CV-24078	5/19/2026 8:31:45 AM	31.4	56.2	0.0	12.5			0.6	0.0	132.3	130.9	-2.77	-2.21	12.1	8.8	0.407	0.217	-6.95	-7.18	28.62	1340	34.4328927	-118.6494255	Valve Adjustment: Decreased Flow/Vacuum		
CV-24078	5/1/2026 10:43:48 AM	29.1	62.6	0.0	8.3			0.5	0.0	126.2	126.2	-0.94	-0.83	8.1	6.9	0.178	0.131	-5.99	-5.70	28.59	1324	34.4328913	-118.6494548	Valve Adjustment: NSPS/EG CAJ, High Temp, Reduce Sys. Vac. - Flare Down		
CV-24079-TP8	5/26/2026 12:13:32 PM	37.3	49.5	0.0	13.2			0.8	0.0	137.7	135.9	-5.41	-5.41			5.321	5.294	-0.27	-0.14	28.42	1355	34.4329835	-118.6491168	Valve Adjustment: NSPS/EG CAJ, High Temp, Decreased Flow/Vacuum, Reduce Sys. Vac. - Flare Down; Well Comment: no system port		
CV-24079-TP8	5/26/2026 12:12:54 PM	37.0	50.4	0.1	12.5			0.7	125.0	137.8	137.0	-7.80	-5.70			7.727	5.474	-0.06	-0.04	28.43	1359	34.4329778	-118.6491177	Valve Adjustment: No Flow Measurement, High Temp		
CV-24079-TP8	5/11/2026 1:15:47 PM	52.0	48.0	0.0	0.0			1.1	0.0	140.1	141.7	-5.34	-5.34			5.190	5.193	0.02	0.02	28.55	1356	34.4329902	-118.6491389	Valve Adjustment: NSPS/EG CAC, No Flow Measurement, High Temp		
CV-24079-TP8	5/7/2026 10:41:06 AM	2.3	87.0	0.0	10.7			0.0	0.0	170.5	172.6	-1.59	-1.63			1.581	1.594	0.33	0.32	28.59	1358	34.4329826	-118.6491345	Valve Adjustment: NSPS/EG CAC, No Flow Measurement, High Temp		
CV-24079-TP8	5/7/2026 10:40:00 AM					2450																			AtmAA	
CV-24079-TP8	5/7/2026 10:40:00 AM						111700																			AtmAA; [User entered 11.17%]
CV-24079-TP8	5/7/2026 10:38:33 AM	2.0	89.4	0.0	8.6			0.0	0.0	153.6	168.1	0.98	-1.80			0.000	1.777	0.33	0.33	28.59	1355	34.4329762	-118.6491333	Valve Adjustment: NSPS/EG CAJ, High Temp, Barely Open; Well Comment: no system port; Well Repairs: Sample Port		
CV-24079-TP8	5/1/2026 11:22:57 AM	18.3	70.1	0.0	11.6			0.3	0.0	152.4	152.4	-0.16	-0.16			0.148	0.150	0.68	0.65	28.58	1344	34.4329862	-118.6491275	Valve Adjustment: NSPS/EG CAJ, High Temp, Decreased Flow/Vacuum		
CV-24079-TP8	5/1/2026 11:22:12 AM	18.3	65.8	0.0	15.9			0.3	0.0	156.5	154.7	-0.62	-0.25			0.618	0.246	0.66	0.67	28.59	1347	34.4329890	-118.6491312	Valve Adjustment: Reduce Sys. Vac. - Flare Down		
CV-24080	5/21/2026 9:36:06 AM	9.3	81.5	0.0	9.2			0.1	0.0	117.1	117.0	-0.38	-0.36	2.8	3.2	0.021	0.028	-1.24	-0.96	28.5	1362	34.4331173	-118.6488748	Down		
CV-24080	5/1/2026 11:09:29 AM	30.9	64.8	0.0	4.3			0.5	0.0	122.9	123.0	-0.56	-0.58	2.5	5.1	0.017	0.071	-5.24	-8.14	28.56	1348	34.4331390	-118.6488647	Valve Adjustment: Barely Open		
CV-24081-TP1	5/20/2026 2:26:51 PM	45.3	53.1	0.0	1.6			0.9	0.0	118.2	117.4	-0.23	-0.22			0.220	0.206	-3.04	-2.89	28.48	1356	34.4334105	-118.6485840	Valve Adjustment: NSPS/EG CAC, Barely Open		
CV-24081-TP1	5/20/2026 2:25:55 PM	46.0	52.8	0.0	1.2			0.9	0.0	117.7	118.7	0.33	-0.12			0.000	0.126	-3.10	-3.13	28.48	1363	34.4334093	-118.6485960	Valve Adjustment: NSPS/EG CAJ, Positive Static Press., Increased Flow/Vacuum		
CV-24081-TP1	5/14/2026 10:40:33 AM	48.3	51.7	0.0	0.0			0.9	0.0	119.9	120.2	-0.76	-0.75			0.745	0.743	-7.68	-7.55	28.71	1371	34.4334155	-118.6485893	Valve Adjustment: Audible Flow		
CV-24082	5/20/2026 11:24:26 AM	30.9	69.1	0.0	0.0			0.4	0.0	124.3	124.4	-0.20	-0.13			0.167	0.107	-6.11	-6.36	28.49	1368	34.4334317	-118.6483515	Valve Adjustment: Barely Open		
CV-24082	5/4/2026 10:11:50 AM	28.2	68.8	0.0	3.0			0.4	0.0	110.9	111.4	-0.42	-0.44			0.390	0.411	-8.93	-9.09	28.52	1365	34.4334228	-118.6483313	Valve Adjustment: Barely Open		
CV-24083	5/20/2026 1:53:17 PM	42.6	55.2	0.0	2.2			0.8	0.0	126.8	125.0	-0.17	-0.17			0.171	0.181	-6.95	-7.14	28.48	1353	34.4337110	-118.6483582	Valve Adjustment: Barely Open		
CV-24083	5/4/2026 9:58:27 AM	41.5	56.2	0.0	2.3			0.7	0.0	108.0	108.4	-0.80	-0.81			0.780	0.787	-10.17	-10.44	28.54	1346	34.4337138	-118.6483420	Valve Adjustment: NSPS/EG CAC, Surging Liquid in Header, Surging Liquid in Well (Watered In); Well Condition: Lorentz Pump Installed		
CV-24083	5/4/2026 9:56:08 AM	40.4	57.1	0.0	2.5			0.7	0.0	104.4	105.9	0.60	-0.69			0.000	0.674	-10.39	-10.34	28.52	1345	34.4337090	-118.6483427	Valve Adjustment: NSPS/EG CAJ, Positive Static Press., Increased Flow/Vacuum; Well Condition: Lorentz Pump Installed		
CV-24084-TP1	5/27/2026 10:49:57 AM	2.9	76.5	0.0	20.6			0.0	0.0	180.2	180.7	-2.12	-2.36			1.995	2.378	-5.06	-5.12	28.41	1368	34.4338457	-118.6480631	Valve Adjustment: No Flow Measurement, High Temp; Well Condition: Lorentz Pump Installed		
CV-24084-TP1	5/19/2026 10:24:00 AM	18.9	81.1	0.0	0.0			0.2	0.0	180.6	180.9	-3.47	-3.40			3.626	3.026	-6.08	-5.94	28.62	1364	34.4338432	-118.6480344	Valve Adjustment: No Flow Measurement, High Temp; Well Condition: Lorentz Pump Installed		
CV-24084-TP1	5/11/2026 1:05:39 PM	11.7	61.3	0.0	27.0			0.2	0.0	179.6	181.3	-1.83	-1.69			1.848	1.723	-4.96	-4.94	28.55	1373	34.4338529	-118.6480455	Valve Adjustment: No Flow Measurement, High Temp		
CV-24084-TP1	5/4/2026 2:08:40 PM	3.7	91.0	0.0	5.3			0.0	0.0	180.6	180.8	-1.49	-1.39			1.341	1.272	-8.12	-8.12	28.52	1368	34.4338595	-118.6480247	Valve Adjustment: Audible Flow, High Temp		
CV-24084-TP1	5/4/2026 2:05:00 PM					2420																			AtmAA	
CV-24084-TP1	5/4/2026 2:05:00 PM						77400																			[User entered 7.74%]
CV-24085	5/20/2026 10:07:30 AM	30.3	38.8	0.2	30.7			0.8	153.5	127.9	128.5	-0.76	-0.86	12.3	17.0	0.429	0.818	-7.52		28.5	1355	34.4323445	-118.6490410	Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less		
CV-24085	5/1/2026 10:47:32 AM	37.5	41.5	0.0	21.0			0.9	0.0	126.5	126.8	-0.59	-0.58	10.0	10.2	0.277	0.284	-7.83	-7.72	28.58	1342	34.4323853	-118.6490165	Valve Adjustment: Audible Flow, Barely Open		

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments			
CV-24086	5/21/2026 9:49:26 AM	50.8	47.9	0.0	1.3			1.1	0.0	114.8	114.5	-0.24	-0.23	9.4	9.5	0.239	0.242	-4.68	-4.61	28.48	1364	34.4328970	-118.6486888	Valve Adjustment:Barely Open,Reduce Sys. Vac. - Flare Down			
CV-24086	5/1/2026 11:00:38 AM	46.9	48.2	0.0	4.9			1.0	0.0	115.7	116.2	-0.61	-0.40	13.2	11.5	0.468	0.355	-7.80	-7.55	28.52	1368	34.4328965	-118.6486832	Valve Adjustment:Decreased Flow/Vacuum			
CV-24087	5/20/2026 1:36:05 PM	44.6	46.5	0.0	9.0			1.0	0.0	119.0	119.0	-1.12	-1.13	38.9	39.1	4.144	4.189	-5.49	-5.55	28.49	1376	34.4329980	-118.6481118	Valve Adjustment:Reduce Sys. Vac. - Flare Down;Well Repairs:Sample Port			
CV-24087	5/5/2026 10:43:05 AM	44.2	46.2	0.0	9.7			1.0	0.0	115.8	115.8	-0.76	-0.78	22.3	21.8	1.345	1.284	-9.08	-9.18	28.53	1382	34.4329827	-118.6481162	Valve Adjustment:Increased Flow/Vacuum;Well Comment:Pump powered off;Well Condition:Lorentz Pump Installed			
CV-24088	5/28/2026 9:04:04 AM	41.7	53.9	0.0	4.4			0.8	0.0	99.1	99.2	-1.94	-1.94			1.943	1.949	-8.79	-8.56	28.49	1375	34.4335852	-118.6476383	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered in)			
CV-24088	5/4/2026 1:51:55 PM	38.8	59.1	0.0	2.1			0.7	0.0	100.0	100.1	-2.03	-1.98			1.968	1.927	-7.61	-7.59	28.49	1378	34.4335923	-118.6476597				
CV-24089	5/20/2026 11:52:44 AM	4.1	7.2	17.8	70.9			0.6	4.0	99.0	99.0	-7.28	-7.29	0.0	0.0	-0.012	-0.010	-7.30		28.47	1352	34.4324820	-118.6480715				
CV-24089	5/20/2026 11:51:37 AM	2.5	7.4	18.4	71.7			0.3	3.9	99.1	99.1	-7.33	-7.34	0.0	0.5	-0.001	0.001	-7.33		28.47	1362	34.4323997	-118.6480543				
CV-24089	5/4/2026 11:15:57 AM	1.8	5.2	19.0	74.0			0.3	3.9	71.8	71.8	-8.91	-8.88	0.0	0.0	-0.019	-0.017	-8.82		28.5	1302	34.4323563	-118.6481493				
CV-24089	5/4/2026 11:14:40 AM	6.5	13.0	15.6	64.9			0.5	4.2	73.5	73.5	-8.85	-8.81	0.0	0.0	-0.008	-0.008	-8.89		28.5	1332	34.4323818	-118.6481067				
CV-24090	5/20/2026 11:45:41 AM	38.1	60.9	0.0	1.0			0.6	0.0	120.1	120.2	-0.70	-0.70	0.0	0.0	0.698	0.698	-7.71		28.47	1322	34.4326190	-118.6475223				
CV-24090	5/11/2026 1:42:21 PM	40.4	50.2	0.0	9.4			0.8	0.0	113.1	113.1	-0.71	-0.68			0.781	0.765	-6.31	-6.38	28.6	1374	34.4327105	-118.6475508	Valve Adjustment:Reduce Sys. Vac. - Flare Down;Well Comment:Pump is off;Well Condition:Lorentz Pump Installed			
CV-24090	5/6/2026 1:52:09 PM	28.5	69.1	0.0	2.4			0.4	0.0	115.8	116.9	-0.03	-0.11			0.032	0.116	-4.41	-4.40	28.63	1370	34.4326720	-118.6475278	Valve Adjustment:Increased Flow/Vacuum,Barely Open			
CV-24091	5/21/2026 9:33:38 AM	55.6	44.4	0.0	0.0			1.3	0.0	99.3	99.6	-0.60	-0.59	5.4	5.3	0.076	0.073	-6.07	-6.78	28.43	1382	34.4329842	-118.6469030	Valve Adjustment:Barely Open,Surging Liquid in Header			
CV-24091	5/4/2026 2:15:54 PM	52.7	44.3	0.2	2.8			1.2	14.0	77.1	79.3	-0.57	-0.69	10.5	9.5	0.024	0.020	-7.57		28.47	1371	34.4330193	-118.6468302	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less			
CV-24092	5/6/2026 10:10:24 AM	51.5	43.3	0.0	5.2			1.2	0.0	120.5	120.7	-2.34	-2.42	0.0	0.0	-2.306	-3.024	-9.10		28.55	1424	34.4332727	-118.6460750	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less			
CV-24093	5/22/2026 12:11:17 PM	45.0	55.0	0.0	0.0			0.8	0.0	119.2	118.3	-0.90	-0.66	16.0	10.2	1.694	0.684	-13.31		28.37	1417	34.4340752	-118.6463935				
CV-24093	5/1/2026 3:13:57 PM	42.6	57.4	0.0	0.0			0.7	0.0	118.5	118.5	-0.06	-0.07	14.2	14.2	1.362	1.363	-12.91		28.4	1388	34.4340903	-118.6463495				
CV-24094	5/22/2026 11:49:38 AM	10.9	80.1	2.0	7.0			0.1	3.5	88.9	88.3	-1.91	-1.97	1.0	1.0	0.149	0.150	-11.94		28.38	1421	34.4346182	-118.6461232				
CV-24094	5/22/2026 11:48:00 AM	7.9	59.7	6.8	25.6			0.1	3.8	88.3	87.0	-4.45	-2.49	1.4	1.0	0.255	0.120	-11.15		28.38	1470	34.4345230	-118.6460360	NSPS/EG CAI,High O2			
CV-24094	5/1/2026 2:32:48 PM	15.0	77.5	2.1	5.4			0.2	2.6	88.4	88.6	-1.42	-1.45	1.0	1.0	0.137	0.137	-12.58		28.48	1391	34.4346042	-118.6461873				
CV-24095	5/28/2026 10:32:51 AM	2.9	83.5	0.0	13.6			0.0	0.0	179.1	179.1	0.32	0.14			0.000	0.000	0.16	-0.59	28.66	1272	34.4334012	-118.6513128	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header			
CV-24095	5/28/2026 10:30:18 AM	2.3	83.9	0.3	13.5			0.0	45.0	179.6	179.3	0.50	0.47			0.000	0.000	-0.54	-0.22	28.66	1269	34.4334028	-118.6513053	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.			
CV-24095	5/20/2026 10:30:33 AM	27.6	72.4	0.0	0.0			0.4	0.0	178.6	178.7	-2.17	-2.41			2.175	2.373	-4.22	-4.45	28.66	1266	34.4333957	-118.6513129	Valve Adjustment:EG CAI,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Header			
CV-24095	5/14/2026 1:28:11 PM	3.5	81.5	0.0	15.0			0.0	0.0	178.8	178.7	1.35	0.75			0.000	0.000	0.24	0.81	28.67	1252	34.4334130	-118.6512927	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header;Well Condition:Lorentz Pump Installed			
CV-24095	5/13/2026 10:56:02 AM	2.2	71.8	2.8	23.2			0.0	8.3	178.3	178.3	0.59	0.95			0.000	0.000	0.62	1.83	28.8	1255	34.4334041	-118.6512937	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Header			
CV-24095	5/13/2026 10:53:04 AM	3.2	82.3	0.0	14.5			0.0	0.0	177.8	177.9	0.91	1.66			0.000	0.000	0.65	1.13	28.8	1255	34.4334028	-118.6512965	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header			
CV-24095	5/6/2026 10:46:15 AM	19.2	80.8	0.0	0.0			0.2	0.0	176.2	176.2	-1.28	-1.30			1.269	1.290	0.34	0.34	28.74	1258	34.4334102	-118.6512981	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header			
CV-24095	5/6/2026 10:45:00 AM					2700																				AtmAA	
CV-24095	5/6/2026 10:45:00 AM						108400																				AtmAA; [User entered 10.84%]
CV-24095	5/6/2026 8:05:00 AM						2800																				Air Tech Lab
CV-24095	5/6/2026 8:05:00 AM																										Air Tech Lab; [User entered 16%]
CV-24096	5/20/2026 10:19:24 AM	37.6	55.4	0.3	6.7			0.7	22.3	95.9	98.5	-2.34	-1.97			2.330	1.963	-3.33	-3.16	28.67	1246	34.4332235	-118.6515798	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum			
CV-24096	5/12/2026 9:25:00 AM	25.3	37.4	7.2	30.1			0.7	4.2	82.9	81.9	-2.06	-2.02	0.0	0.0	2.089	2.087	-3.71		28.66	1253	34.4332257	-118.6515815	NSPS/EG CAI,High O2			
CV-24096	5/12/2026 9:22:51 AM	23.5	34.9	8.4	33.2			0.7	4.0	74.1	81.8	-2.99	-1.86	0.0	0.0	3.021	1.991	-3.62		28.66	1253	34.4331845	-118.6515720	NSPS/EG CAI,High O2			
CV-24097	5/20/2026 10:29:27 AM	46.8	46.8	1.3	5.1			1.0	3.9	86.7	86.8	-1.19	-1.19			1.181	1.189	-4.94	-4.90	28.66	1248	34.4327990	-118.6515542	Valve Adjustment:Barely Open			
CV-24097	5/20/2026 10:28:10 AM	42.7	45.7	2.3	9.3			0.9	4.0	88.4	91.2	-3.87	-1.12			3.844	1.117	-4.95	-4.95	28.64	1250	34.4327950	-118.6515487	Valve Adjustment:Decreased Flow/Vacuum			
CV-24097	5/12/2026 9:16:39 AM	44.2	50.8	0.4	4.6			0.9	11.5	81.1	81.2	-0.10	-0.10	0.0	0.0	0.206	0.119	-5.64		28.65	1257	34.4327837	-118.6516297	NSPS/EG CAC,No Adjustment Made			
CV-24097	5/12/2026 9:13:02 AM	48.0	51.4	0.0	0.6			0.9	0.0	78.9	87.4	0.02	-0.04	0.0	0.0	-0.237	-0.349	-5.38		28.65	1253	34.4327735	-118.6515830	NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn			
CV-24098	5/20/2026 10:43:25 AM	42.4	38.2	4.4	15.0			1.1	3.4	95.4	95.9	-4.18	-4.01			4.188	3.970	-3.80	-3.67	28.66	1253	34.4325087	-118.6513128	Valve Adjustment:Decreased Flow/Vacuum			

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments			
CV-24098	5/3/2026 11:01:16 AM	48.9	43.0	0.4	7.8			1.1	20.9	70.4	70.5	-6.65	-6.20			4.952	4.889	-6.53	-6.36	28.67	1254	34.4325280	-118.6512995	Valve Adjustment:Surging Liquid in Header;Well Condition:Pumatic Pump Installed			
CV-24098	5/3/2026 11:00:24 AM	48.8	41.9	0.8	8.5			1.2	10.8	69.0	69.7	-7.60	-7.39			7.739	7.492	-7.81	-7.58	28.65	1266	34.4324950	-118.6513277	Valve Adjustment:Decreased Flow/Vacuum;Surging Liquid in Header;Well Comments:pump fitting needs silicone to cover hole;Well Condition:Pumatic Pump Installed Valve Adjustment:Valve 100% Open, Surging Liquid in Header;Well Comment:valve stuck open			
CV-24098	5/1/2026 10:01:03 AM	42.9	39.3	3.2	14.6			1.1	4.6	92.6	93.8	-4.22	-4.01			3.841	3.605	-4.30	-4.12	28.67	1248	34.4325082	-118.6513058				
CV-24099	5/20/2026 10:48:09 AM	24.4	66.0	0.0	9.6			0.4	0.0	97.5	97.6	-0.54	-0.48			0.549	0.494	-3.60	-3.52	28.65	1256	34.4323452	-118.6509390				
CV-24099	5/3/2026 10:28:51 AM	12.3	75.2	0.0	12.5			0.2	0.0	61.5	61.5	-1.09	-1.03			1.101	1.051	-6.43	-3.83	28.67	1255	34.4323340	-118.6509515	Well Condition:Lorentz Pump Installed			
CV-24099	5/3/2026 10:28:19 AM	11.4	75.4	0.0	13.2			0.2	0.0	61.2	61.4	-0.90	-1.00			0.905	1.013	-7.63	-7.22	28.68	1249	34.4323572	-118.6509205	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed			
CV-24099	5/3/2026 10:27:26 AM	11.8	76.1	0.0	12.1			0.2	0.0	61.8	61.4	-0.01	-1.06			0.000	1.044	-7.32	-6.38	28.65	1250	34.4323625	-118.6509200	Valve Adjustment:NSPS/EG CAC,Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed			
CV-24099	5/1/2026 10:08:04 AM	9.4	35.2	8.1	47.3			0.3	5.8	83.2	83.2	-4.81	-4.58			4.424	4.479	-4.91	-5.27	28.64	1263	34.4323107	-118.6509303	Valve Adjustment:High O2,Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In);Well Comment:valve stuck open			
CV-24100	5/28/2026 10:02:06 AM	21.1	74.5	0.0	4.4			0.3	0.0	147.5	148.5	-0.47	-0.51			0.459	0.512	-4.78	-4.75	28.66	1264	34.4320513	-118.6504732	Valve Adjustment:NSPS/EG CAI,High Temp			
CV-24100	5/20/2026 10:01:19 AM	46.0	54.0	0.0	0.0			0.9	0.0	150.0	149.5	-2.99	-2.99			3.025	3.008	-6.69	-6.55	28.66	1264	34.4320458	-118.6504860	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp			
CV-24100	5/20/2026 10:00:42 AM	46.9	53.1	0.0	0.0			0.9	0.0	149.8	150.4	0.10	-2.39			0.000	2.400	-6.84	-6.73	28.67	1264	34.4320402	-118.6504845	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Increased Flow/Vacuum			
CV-24100	5/20/2026 9:37:52 AM	21.4	75.4	0.0	3.2			0.3	0.0	151.2	151.5	-0.21	-0.23			0.219	0.240	-7.51	-7.54	28.64	1268	34.4320515	-118.6504765	Valve Adjustment:NSPS/EG CAI,High Temp, Surging Liquid in Header			
CV-24100	5/20/2026 9:36:36 AM	21.3	73.8	0.0	4.9			0.3	0.0	150.8	150.9	-1.42	-0.31			1.419	0.310	-7.43	-7.41	28.63	1265	34.4320508	-118.6504777	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum, Surging Liquid in Header			
CV-24100	5/13/2026 10:42:49 AM	21.8	78.0	0.1	0.1			0.3	1.0	143.5	143.8	-2.64	-2.64			2.642	2.642	-7.80	-7.80	28.8	1266	34.4320420	-118.6504906	Valve Adjustment:No Flow Measurement;Well Condition:Lorentz Pump Installed			
CV-24100	5/13/2026 10:41:16 AM	21.9	77.3	0.2	0.6			0.3	3.0	143.4	141.9	-7.76	-2.95			7.702	2.953	-7.76	-7.70	28.8	1264	34.4320422	-118.6505012	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum			
CV-24100	5/13/2026 8:25:00 AM							83																		Air Tech Lab	
CV-24100	5/13/2026 8:25:00 AM							8800																			Air Tech Lab; [User entered 0.88%]
CV-24100	5/7/2026 11:06:06 AM	25.4	74.4	0.2	0.0			0.3	0.0	146.0	146.9	-3.18	-3.18			3.160	3.159	-3.06	-3.06	28.66	1272	34.4320301	-118.6504915	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp			
CV-24100	5/7/2026 11:05:00 AM							228																			AtmAA
CV-24100	5/7/2026 11:05:00 AM							8500																			AtmAA; [User entered 0.85%]
CV-24100	5/7/2026 11:04:29 AM	25.0	75.0	0.0	0.0			0.3	0.0	144.3	146.0	2.22	-2.88			0.000	2.849	-3.06	-3.22	28.66	1273	34.4320234	-118.6504902	Valve Adjustment:NSPS/EG CAI,No Flow Measurement,High Temp,Increased Flow/Vacuum			
CV-24100	5/1/2026 10:25:18 AM	19.0	80.8	0.1	0.1			0.2	1.0	143.7	147.6	-0.61	-0.60			0.582	0.572	-8.60	-8.69	28.64	1261	34.4320483	-118.6504928	Valve Adjustment:High Temp,Barely Open			
CV-24101	5/20/2026 9:41:50 AM	41.4	54.8	0.0	3.8			0.8	0.0	112.0	115.3	-7.37	-7.22			7.534	7.438	-7.34	-7.38	28.64	1261	34.4318263	-118.6502997	Valve Adjustment:Decreased Flow/Vacuum			
CV-24101	5/12/2026 8:51:03 AM	38.8	53.6	1.3	6.3			0.7	4.8	112.6	112.4	-7.47	-7.36	0.0	0.0	7.674	7.698	-7.01		28.65	1270	34.4318035	-118.6502830	No Flow Measurement			
CV-24101	5/6/2026 7:40:00 AM							0																			Air Tech Lab
CV-24101	5/6/2026 7:40:00 AM							940																			Air Tech Lab; [User entered 0.094%]
CV-24101	5/1/2026 10:20:22 AM	42.6	57.1	0.3	0.0			0.7	0.0	106.9		-7.56				7.603		-7.94		28.64	1261	34.4318222	-118.6502932	Valve Adjustment:Valve 100% Open			
CV-24102	5/19/2026 10:30:38 AM	47.8	50.6	0.0	1.6			0.9	0.0	103.0	103.0	-0.48	-0.48			0.478	0.482	-6.89	-6.89	28.69	1269	34.4316293	-118.6497903				
CV-24102	5/4/2026 9:42:22 AM	46.8	48.6	0.0	4.5			1.0	0.0	89.0	89.0	-0.59	-0.59			0.596	0.590	-8.51	-8.62	28.64	1267	34.4316275	-118.6497782	Valve Adjustment:Barely Open			
CV-24103	5/20/2026 9:42:52 AM	51.2	46.6	0.3	1.9			1.1	6.3	95.8	95.8	-0.95	-0.95	5.0	4.6	0.488	0.412	-8.39		28.6	1234	34.4316590	-118.6488628				
CV-24103	5/4/2026 9:28:18 AM	45.1	47.3	0.0	7.6			1.0	0.0	95.3	95.4	-1.15	-1.13	5.6	5.1	0.631	0.529	-9.08		28.53	1322	34.4316217	-118.6488557				
CV-24104	5/20/2026 12:16:58 PM	38.2	61.8	0.0	0.0			0.6	0.0	96.4	96.5	-1.12	-0.95	2.8	2.2	0.931	0.571	-6.94		28.47	1325	34.4318087	-118.6479883				
CV-24104	5/4/2026 9:39:11 AM	47.2	49.7	0.0	3.1			0.9	0.0	93.5	93.1	-3.25	-2.75	3.5	1.2	0.247	0.032	-8.54		28.5	1283	34.4318737	-118.6481208				
CV-24105	5/20/2026 11:35:42 AM	49.1	47.9	0.0	3.0			1.0	0.0	109.2	109.2	-0.32	-0.30	8.9	8.9	0.488	0.489	-7.40		28.48	1368	34.4318890	-118.6476013				
CV-24105	5/4/2026 9:49:47 AM	48.8	44.1	0.0	7.1			1.1	0.0	102.2	102.3	-0.52	-0.52	10.3	12.2	0.631	0.893	-8.73		28.51	1319	34.4318910	-118.6475968				
CV-24106	5/28/2026 12:51:23 PM	41.2	35.5	0.0	23.3			1.2	0.0	127.7	127.9	-1.50	-1.50	10.7	10.8	0.316	0.320	-13.59	-13.68	28.56	1335	34.4321138	-118.6467300	Valve Comment:RES SEM;Well Comment:Cover compaction			
CV-24106	5/20/2026 2:33:03 PM	42.1	41.2	0.0	16.7			1.0	0.0	129.0	128.8	-0.83	-0.70	0.0	0.0	0.963	-1.111	-8.97		28.42	1352	34.4320953	-118.6465760				
CV-24106	5/8/2026 11:07:42 AM	45.0	41.9	0.0	13.1			1.1	0.0	126.9	127.2	-0.57	-0.54	8.0	5.2	0.171	0.072	-6.25		28.64	1388	34.4322112	-118.6467370	Reduced System Vacuum			
CV-24107	5/4/2026 11:30:05 AM	49.4	44.0	0.0	6.6			1.1	0.0	121.4	122.5	-4.33	-4.05			4.316	4.037	-8.71	-8.89	28.59	1322	34.4325508	-118.6461547	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum			
CV-24108	5/28/2026 12:33:54 PM	52.8	41.3	0.0	5.9			1.3	0.0	128.9	128.9	-13.62	-13.83	49.4	47.9	1.641	1.544	-14.69	-15.53	28.52	1359	34.4331548	-118.6454345	Valve Comment:RES SEM;Valve Adjustment:Audible Flow,Increased Flow/Vacuum			

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24108	5/4/2026 1:40:16 PM	51.4	42.1	0.0	6.5			1.2	0.0	128.7	128.1	-12.38	-12.37	55.1	54.9	0.820	0.813	-13.71	-13.71	28.56	1363	34.4331720	-118.6454428	Valve Adjustment:Orifice Plate Changed (See OP Log),Audible Flow,Barely Open		
CV-24109	5/4/2026 11:58:26 AM	31.3	38.9	1.2	28.6			0.8	23.8	104.9	106.0	-8.47	-7.77			9.014	8.273	-12.23	-12.53	28.52	1380	34.4340122	-118.6448770	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum		
CV-24110	5/1/2026 10:54:33 AM	41.0	52.3	0.0	6.7			0.8	0.0	128.1	127.3	-1.44	-1.13	29.6	16.0	2.547	0.737	-13.24		28.46	1378	34.4345913	-118.6446387			
CV-24111	5/1/2026 11:14:00 AM	46.5	44.4	0.0	9.1			1.0	0.0	111.1	111.5	-7.44	-6.42	0.0	0.0	7.382	6.288	-11.95		28.45	1391	34.4352950	-118.6450367			
CV-24112	5/1/2026 11:04:34 AM	45.6	39.1	0.1	15.2			1.2	152.0	128.0	127.7	-1.05	-0.90	14.3	10.8	0.542	0.310	-12.39		28.46	1362	34.4351683	-118.6441708			
CV-24114	5/5/2026 2:47:36 PM	54.3	44.2	0.0	1.5			1.2	0.0	119.9	119.9	-9.32	-9.32	4.6	4.6	0.057	0.057	-9.46		28.55	1234	34.4308157	-118.6485657			
CV-24116	5/11/2026 9:58:53 AM	46.5	45.0	0.2	8.3			1.0	41.5	125.3	126.6	-7.93	-5.48	0.0	0.0	7.987	5.245	-10.77		28.62	1266	34.4317012	-118.6458438			
CV-24117	5/28/2026 12:44:53 PM	45.1	40.4	0.0	14.5			1.1	0.0	100.9	101.7	-1.33	-1.33			1.317	1.317	-15.47	-15.56	28.59	1298	34.4323422	-118.6449403	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Well Comment:Cover compaction		
CV-24117	5/4/2026 10:48:48 AM	44.0	42.9	0.0	13.1			1.0	0.0	90.5	90.0	-1.32	-1.32			1.305	1.306	-14.35	-14.47	28.64	1294	34.4323543	-118.6449448	Valve Adjustment:Audible Flow,Barely Open,Well Condition:Good		
CV-24118	5/11/2026 1:37:44 PM	24.3	68.8	0.0	6.9			0.4	0.0	129.0	128.9	-1.81	-1.84			1.750	1.762	-12.57	-12.23	28.6	1309	34.4333127	-118.6438447	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)		
CV-24119	5/8/2026 2:33:20 PM	47.0	46.0	0.0	7.0			1.0	0.0	144.0	144.1	-4.47	-4.45			4.365	4.288	-12.29	-12.35	28.64	1253	34.4337265	-118.6423345	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open		
CV-24119	5/8/2026 2:32:34 PM	47.6	45.4	0.0	7.0			1.0	0.0	144.4	143.9	-5.72	-5.09			5.665	5.068	-11.98	-12.29	28.64	1253	34.4337367	-118.6423297	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum		
CV-24119	5/7/2026 10:38:27 AM	42.1	47.6	0.0	10.3			0.9	0.0	135.9	137.4	-0.12	-0.14	0.0	0.0	0.105	0.223	-3.72		28.73	1253	34.4337712	-118.6422773	NSPS/EG CAI,High Temp		
CV-24119	5/7/2026 10:35:25 AM	42.2	45.0	0.0	12.8			0.9	0.0	137.1	137.3	-0.27	-0.29	0.0	0.0	0.247	0.320	-4.00		28.73	1266	34.4337382	-118.6423242	High Temp,NSPS/EG CAI		
CV-24120	5/26/2026 2:15:09 PM	4.8	80.5	0.6	14.1			0.1	23.5	88.0	89.0	-8.11	-7.69			8.054	7.880	-7.45	-7.59	28.41	1343	34.4369008	-118.6472950	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)		
CV-24120	5/11/2026 10:28:50 AM	4.7	71.6	0.4	23.4			0.1	58.4	98.1	98.1	-1.16	-1.18			1.186	1.219	-1.37	-1.37	28.6	1325	34.4368377	-118.6472678	Valve Adjustment:Reduce Sys. Vac. - Flare Down,Well Comment:Pump is off,Well Condition:Lorentz Pump Installed		
CV-24120	5/4/2026 8:00:00 AM																								Air Tech Lab; [User entered 11%]	
CV-24121	5/26/2026 2:08:29 PM	0.6	5.5	20.0	73.9			0.1	3.7	75.9	78.2	-8.13	-0.55			8.299	0.533	-8.06	-8.01	28.4	1321	34.4369917	-118.6470098	Valve Adjustment:Decreased Flow/Vacuum,Barely Open		
CV-24121	5/11/2026 10:33:56 AM	2.8	15.0	16.1	66.2			0.2	4.1	101.4	101.4	-1.05	-0.86			1.054	0.869	-1.27	-0.87	28.61	1326	34.4369493	-118.6470013	Valve Adjustment:High O2,Barely Open		
CV-24121	5/11/2026 10:33:18 AM	2.7	15.3	16.4	65.6			0.2	4.0	101.3	101.3	-0.80	-0.82			0.812	0.830	-0.89	-0.97	28.61	1334	34.4369455	-118.6470150	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open,Reduce Sys. Vac. - Flare Down		
CV-24121	5/4/2026 7:55:00 AM																								Air Tech Lab; [User entered 0.27%]	
CV-24122	5/29/2026 9:40:41 AM	35.0	40.3	4.3	20.4			0.9	4.7	81.1	81.5	-2.22	-2.27	0.7	0.0	0.028	-0.023	-4.97		28.67	1348	34.4371873	-118.6466763	NSPS/EG CAI,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
CV-24122	5/29/2026 9:33:20 AM	27.0	31.6	7.9	33.5			0.9	4.2	76.1	76.9	-4.68	-2.41	0.5	0.0	0.015	-0.017	-5.20		28.7	1280	34.4372067	-118.6465517	NSPS/EG CAI,High O2		
CV-24122	5/6/2026 10:31:06 AM	42.7	42.2	3.2	11.9			1.0	3.7	84.9	85.9	-2.43	-2.92	1.8	2.8	0.156	0.396	-0.81	-1.19	28.68	1317	34.4371738	-118.6465920	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Surging Liquid in Header		
CV-24122	5/4/2026 8:20:00 AM																								Air Tech Lab; [User entered 0.91%]	
CV-24123	5/28/2026 11:46:50 AM	37.2	57.7	0.0	5.1			0.6	0.0	116.6	116.7	0.63	0.60	6.3	5.6	0.107	0.084	0.47	0.33	28.59	1307	34.4373075	-118.6462547	Valve Adjustment:NSPS/EG CAI,Positive Static Press. ,Surging Liquid in Well (Watered In)		
CV-24123	5/28/2026 11:46:25 AM	38.4	57.2	0.0	4.4			0.7	0.0	116.1	116.6	0.65	0.67	8.9	5.9	0.215	0.094	0.42	0.29	28.59	1309	34.4373132	-118.6462478	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,Positive Static Press. ,Surging Liquid in Well (Watered In)		
CV-24123	5/15/2026 11:28:22 AM	31.9	66.2	0.0	1.9			0.5	0.0	113.9	113.9	-0.16	-0.16	3.7	3.7	0.042	0.043	-0.44		28.69	1296	34.4373435	-118.6463497			
CV-24123	5/15/2026 11:24:46 AM	26.4	69.8	0.0	3.8			0.4	0.0	84.7	112.5	3.24	-0.20	3.5	2.0	0.038	0.013	-2.56		28.69	1289	34.4372963	-118.6462287	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn		
CV-24123	5/14/2026 10:54:34 AM	32.0	67.3	0.0	0.7			0.5	0.0	117.2	117.3	0.18	0.18	19.2	20.5	0.994	1.128	0.29	0.00	28.67	1296	34.4373023	-118.6462322	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open		
CV-24123	5/14/2026 10:53:53 AM	30.9	69.1	0.0	0.0			0.4	0.0	116.7	117.1	0.40	0.33	18.5	21.3	0.925	1.222	0.34	0.04	28.66	1313	34.4373012	-118.6462247	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Valve 100% Open,Reduce Sys. Vac. - Flare Down		
CV-24124	5/29/2026 11:28:31 AM	5.9	81.4	0.2	12.5			0.1	62.5	127.0	127.0	-1.49	-1.46	0.0	0.0	1.486	1.529	-5.53		28.61	1325	34.4366833	-118.6470370	No Flow Measurement		
CV-24125-TP2	5/26/2026 1:56:27 PM	28.5	67.0	1.1	3.4			0.4	3.1	99.9	99.8	-1.35	-1.41			1.297	1.385	-3.85	-3.22	28.41	1297	34.4369842	-118.6463480	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)		
CV-24125-TP2	5/13/2026 7:55:00 AM																								Air Tech Lab	
CV-24125-TP2	5/13/2026 7:55:00 AM																									Air Tech Lab; [User entered 0.13%]
CV-24126	5/26/2026 10:58:38 AM	4.1	73.0	0.0	22.9			0.1	0.0	186.7	187.1	-2.02	-1.91			2.452	1.770	-2.13	-1.68	28.44	1378	34.4363846	-118.6471352	Valve Adjustment:High Temp		
CV-24126	5/22/2026 12:29:20 PM	1.6	76.9	0.0	21.5			0.0	0.0	188.7	188.6	-0.30	-0.38			0.276	0.835	-1.18	-1.26	28.43	1378	34.4363843	-118.6471382	Valve Adjustment:NSPS/EG CAI,High Temp		
CV-24126	5/22/2026 12:28:40 PM	1.3	75.6	0.0	23.1			0.0	0.0	188.3	188.5	-0.20	-0.22			0.265	0.416	-1.11	-1.07	28.41	1369	34.4363798	-118.6471328	Valve Adjustment:NSPS/EG CAI,High Temp		

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-24126	5/18/2026 10:50:00 AM					4310																			AtmAA
CV-24126	5/18/2026 10:44:28 AM	14.0	77.0	0.0	9.0			0.2	0.0	186.7	186.3	1.42	1.36			0.000	0.000	1.78	1.71	28.5	1382	34.4363798	-118.6471235	Valve Adjustment:High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down	
CV-24126	5/18/2026 10:43:37 AM	21.8	71.7	0.0	6.5			0.3	0.0	186.3	187.2	1.28	1.80			0.000	0.000	1.52	1.93	28.51	1382	34.4363799	-118.6471235	Valve Adjustment:High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down	
CV-24126	5/12/2026 10:30:00 AM					2330																			AtmAA
CV-24126	5/12/2026 10:28:41 AM	20.1	79.9	0.0	0.0			0.3	0.0	188.0	188.4	-2.83	-2.62			2.743	2.583	-2.72	-2.45	28.51	1372	34.4363758	-118.6471297	Valve Adjustment:High Temp	
CV-24126	5/4/2026 2:50:00 PM					3200																			AtmAA
CV-24126	5/4/2026 2:50:00 PM						135800																		AtmAA; [User entered 13.58%]
CV-24126	5/4/2026 2:40:40 PM	1.9	85.1	0.0	13.0			0.0	0.0	186.0	187.1	-2.12	-2.63			1.963	2.083	-2.27	-2.45	28.48	1380	34.4363804	-118.6471332	Valve Adjustment:High Temp	
CV-24127	5/7/2026 10:22:55 AM	2.9	83.5	0.0	13.6			0.0	0.0	141.8	141.2	2.20	2.31			0.000	0.000	0.32	0.34	28.56	1376	34.4364671	-118.6468331	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open	
CV-24127	5/7/2026 10:21:43 AM	2.7	82.2	0.0	15.1			0.0	0.0	141.6	141.1	5.40	2.26			0.000	0.000	0.32	0.33	28.57	1376	34.4364622	-118.6468224	Valve Adjustment:No Flow Measurement,High Temp,Increased Flow/Vacuum,Valve 100% Open	
CV-24127	5/7/2026 10:20:00 AM					5180																			AtmAA
CV-24127	5/7/2026 10:20:00 AM						152600																		AtmAA; [User entered 15.26%]
CV-24127	5/4/2026 8:15:00 AM						160000																		Air Tech Lab; [User entered 16%]
CV-24128	5/26/2026 2:25:15 PM	33.4	51.7	1.2	13.7			0.6	11.4	91.8	91.7	-1.98	-1.98			1.926	1.931	-10.24	-10.61	28.37	1342	34.4367235	-118.6464333	Valve Adjustment:Barely Open	
CV-24128	5/13/2026 7:50:00 AM					210																			Air Tech Lab
CV-24128	5/13/2026 7:50:00 AM						11000																		Air Tech Lab; [User entered 1.1%]
CV-24128	5/8/2026 9:33:23 AM	34.4	43.9	1.2	20.5			0.8	17.1	99.5	99.5	-0.86	-0.77	0.0	0.0	0.748	0.739	-3.16		28.61	1342	34.4367072	-118.6465008	Reduced System Vacuum	
CV-24129	5/26/2026 1:33:50 PM	41.4	57.8	0.3	0.5			0.7	1.7	119.2	121.1	-5.09	-5.15			5.194	5.324	-12.17	-12.90	28.37	1361	34.4367435	-118.6461525	Valve Adjustment:Barely Open	
CV-24129	5/8/2026 9:24:27 AM	45.2	52.9	0.0	1.9			0.9	0.0	121.8	122.5	-1.60	-1.58	0.0	0.0	1.696	1.645	-3.75		28.62	1355	34.4368125	-118.6461097	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24130	5/26/2026 1:42:41 PM	20.1	69.3	0.0	10.6			0.3	0.0	108.8	109.0	-9.86	-7.80			10.033	7.913	-11.29	-11.40	28.41	1321	34.4368173	-118.6457212	Valve Adjustment:Decreased Flow/Vacuum	
CV-24131	5/29/2026 1:47:07 PM	45.4	49.7	0.2	4.7			0.9	23.5	120.4	120.1	-1.78	-1.09	16.4	11.1	0.744	0.340	-8.14		28.69	1417	34.4368227	-118.6450578	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open	
CV-24132	5/6/2026 10:15:34 AM	52.7	44.1	0.0	3.2			1.2	0.0	129.2	129.4	-4.57	-4.74	42.2	43.0	0.469	0.486	-7.48	-7.96	28.71	1282	34.4372393	-118.6440080	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24133	5/7/2026 9:28:04 AM	51.8	40.2	0.0	8.0			1.3	0.0	121.5	121.5	-2.04	-2.05	12.5	12.7	0.402	0.418	-3.18		28.7	1266	34.4374198	-118.6427065	Valve Adjustment:No Flow Measurement,High Temp	
CV-24134-TP1	5/26/2026 10:55:47 AM	23.2	68.7	0.0	8.1			0.3	0.0	151.0	151.4	-3.84	-3.90			3.849	3.874	-5.03	-5.38	28.47	1369	34.4363655	-118.6465137	Valve Adjustment:No Flow Measurement,High Temp	
CV-24134-TP1	5/18/2026 10:45:00 AM					3300																			AtmAA
CV-24134-TP1	5/18/2026 10:39:38 AM	33.1	64.1	0.0	2.8			0.5	0.0	151.5	151.6	-0.11	-0.08			0.000	0.000	-1.01	-1.22	28.51	1389	34.4363597	-118.6465047	Valve Adjustment:No Flow Measurement,High Temp,Reduce Sys. Vac. - Flare Down	
CV-24134-TP1	5/12/2026 10:35:00 AM					2470																			AtmAA
CV-24134-TP1	5/12/2026 10:33:32 AM	38.2	61.8	0.0	0.0			0.6	0.0	150.6	150.9	-2.75	-2.74			2.745	2.735	-4.05	-4.05	28.52	1364	34.4363682	-118.6465123	Valve Adjustment:No Flow Measurement,High Temp	
CV-24134-TP1	5/12/2026 10:32:12 AM	36.7	63.3	0.0	0.0			0.6	0.0	150.1	150.8	0.95	-2.25			0.000	2.255	-4.10	-3.95	28.51	1363	34.4363686	-118.6465143	Valve Adjustment:No Flow Measurement,High O2,Increased Flow/Vacuum	
CV-24134-TP1	5/11/2026 2:33:48 PM	16.6	73.9	0.0	9.5			0.2	0.0	146.9	146.9	-1.74	-1.76	0.0	0.0	1.833	1.831	-5.30		28.5	1463	34.4358975	-118.6469445	NSPS/EG CAI,High Temp	
CV-24134-TP1	5/11/2026 2:29:03 PM	18.3	65.8	0.0	15.9			0.3	0.0	146.2	146.4	-4.14	-1.81	0.0	0.0	4.209	1.833	-5.22		28.5	1306	34.4364227	-118.6465933	NSPS/EG CAI,High Temp	
CV-24134-TP1	5/7/2026 1:15:00 PM					1220																			AtmAA
CV-24134-TP1	5/7/2026 1:14:04 PM	22.6	74.7	0.0	2.7			0.3	0.0	150.0	149.5	-0.65	-0.62			0.632	0.602	-0.30	-0.30	28.52	1365	34.4363836	-118.6465279	Valve Adjustment:No Flow Measurement,High Temp	
CV-24135	5/11/2026 2:17:55 PM	24.6	71.2	0.0	4.2			0.3	0.0	140.6	140.7	-0.51	-0.52	0.0	0.0	0.565	0.568	-5.20		28.5	1437	34.4365893	-118.6460023	NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24135	5/11/2026 2:15:34 PM	20.1	74.1	0.0	5.8			0.3	0.0	139.7	140.7	2.11	-0.33	0.0	0.0	-2.031	0.558	-5.32		28.5	1476	34.4366117	-118.6459615	NSPS/EG CAI,NSPS/EG CAC,High Temp,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24136	5/11/2026 11:29:51 AM	30.1	46.4	0.0	23.5			0.6	0.0	125.7	125.6	-4.72	-4.08	0.0	0.0	4.598	3.945	-6.96		28.56	1312	34.4366663	-118.6426222	Valve Adjustment:No Flow Measurement,High Temp	
CV-24137	5/4/2026 1:08:31 PM	25.3	54.6	0.0	20.1			0.5	0.0	75.0	75.6	-0.10	-0.12			0.147	0.134	0.17	0.29	28.53	1364	34.4361537	-118.6434742	Valve Adjustment:No Flow Measurement,High Temp	
CV-24137	5/4/2026 1:07:02 PM	26.1	54.1	0.0	19.8			0.5	0.0	73.4	74.0	3.07	-0.10			0.000	0.179	0.19	0.22	28.52	1366	34.4361527	-118.6434890	Valve Adjustment:No Flow Measurement,High Temp	
CV-24138	5/28/2026 9:03:38 AM	0.3	0.2	21.5	78.0			1.5	3.6	95.8	96.9	-2.02	-1.80			2.744	1.725	-1.85	-1.33	28.63	1259	34.4342632	-118.6512275	O2,Surging Liquid in Header	
CV-24138	5/28/2026 9:02:31 AM	0.3	0.2	21.6	77.9			1.5	3.6	96.3	95.5	-2.69	-2.09			2.751	2.112	-2.20	-1.67	28.63	1259	34.4342632	-118.6512275	O2,Decreased Flow/Vacuum	
CV-24138	5/13/2026 1:14:42 PM	2.4	68.4	0.0	29.2			0.0	0.0	131.5	131.6	-0.58	-0.38			0.568	0.314	-0.52	-0.30	28.77	1269	34.4342657	-118.6512554	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header;Well Condition:Pnumatic Pump Installed	
CV-24138	5/6/2026 11:00:00 AM					1010																			AtmAA
CV-24138	5/6/2026 11:00:00 AM						171800																		AtmAA; [User entered 17.18%]

**All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments			
CV-24138	5/6/2026 10:58:19 AM	17.2	74.8	0.0	8.0			0.2	0.0	158.7	160.2	-3.80	-3.60			3.840	3.429	0.32	0.34	28.71	1267	34.4342542	-118.6512505	Valve Adjustment:No Flow Measurement,High Temp			
CV-24138	5/5/2026 8:15:00 AM					820																				Air Tech Lab	
CV-24138	5/5/2026 8:15:00 AM																										Air Tech Lab; [User entered 21%]
CV-24139	5/28/2026 9:08:34 AM	4.1	58.6	4.7	32.6			0.1	6.9	127.4	125.5	-6.44	-6.10			6.765	6.401	-6.76	-6.69	28.62	1271	34.4344895	-118.6511280	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum			
CV-24139	5/15/2026 8:22:50 AM	0.7	30.7	13.2	55.4			0.0	4.2	144.2	139.8	-0.21	-0.20			0.213	0.202	-6.72	-6.33	28.63	1277	34.4344970	-118.6511408	Valve Adjustment:NSPS/EG CAI,High Temp,High O2;Well Comment:sensitive valve;Well Repairs:Valve			
CV-24139	5/15/2026 8:12:50 AM	0.1	3.3	20.8	75.8			0.0	3.6	111.7	136.1	25.00	-0.23			0.000	0.227	-6.42	-6.14	28.63	1269	34.4344985	-118.6511383	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Positive Static Press.,Increased Flow/Vacuum			
CV-24139	5/5/2026 8:10:00 AM					630																				Air Tech Lab	
CV-24139	5/5/2026 8:10:00 AM																										Air Tech Lab; [User entered 18%]
CV-24140	5/28/2026 10:52:29 AM	1.9	72.1	0.4	25.6			0.0	64.0	171.1	170.8	-1.75	-1.97			1.726	1.959	-5.22	-4.88	28.63	1290	34.4346606	-118.6511161	Valve Adjustment:High Temp			
CV-24140	5/28/2026 10:50:34 AM	1.9	75.0	0.0	23.1			0.0	0.0	168.4	170.8	5.74	-1.38			0.000	1.356	-4.68	-4.83	28.62	1289	34.4346622	-118.6511122	Valve Adjustment:NSPS/EG CAI,High Temp,Increased Flow/Vacuum			
CV-24140	5/20/2026 1:28:20 PM	5.1	71.3	0.2	23.4			0.1	117.0	148.6	148.4	-2.42	-2.47			2.416	2.451	-3.40	-3.74	28.61	1281	34.4346751	-118.6511126	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum			
CV-24140	5/20/2026 1:26:41 PM	3.6	73.1	0.3	23.0			0.0	76.7	146.3	148.5	-3.62	-2.56			3.630	2.558	-3.60	-3.62	28.62	1283	34.4346784	-118.6511216	Valve Adjustment:No Flow Measurement,High Temp			
CV-24140	5/13/2026 1:18:30 PM	2.2	69.8	0.0	28.0			0.0	0.0	156.3	157.7	-2.58	-2.53			2.565	2.555	-4.54	-4.03	28.76	1277	34.4346840	-118.6511326	Valve Adjustment:No Flow Measurement,High Temp			
CV-24140	5/6/2026 11:05:00 AM					1350																					AtmAA
CV-24140	5/6/2026 11:05:00 AM																										AtmAA; [User entered 20.3%]
CV-24140	5/6/2026 11:04:58 AM	14.4	78.6	0.0	7.0			0.2	0.0	163.7	164.9	-5.03	-5.03			4.753	4.753	-5.22	-5.24	28.71	1273	34.4346804	-118.6511081	Valve Adjustment:No Flow Measurement,High Temp			
CV-24140	5/5/2026 8:05:00 AM					1000																					Air Tech Lab
CV-24140	5/5/2026 8:05:00 AM																										Air Tech Lab; [User entered 21%]
CV-24141	5/28/2026 9:31:07 AM	10.8	6.8	18.3	64.1			1.6	3.5	66.1	65.9	-5.95	-5.76			6.238	6.176	-5.94	-5.76	28.59	1299	34.4354908	-118.6513087	Valve Adjustment:NSPS/EG CAI,High O2			
CV-24141	5/28/2026 9:30:26 AM	10.7	6.5	18.4	64.4			1.6	3.5	65.6	65.7	-6.76	-5.94			7.127	6.330	-7.11	-5.99	28.59	1296	34.4354957	-118.6513018	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum;Well Comment:no pump installed			
CV-24141	5/5/2026 7:45:00 AM					94																					Air Tech Lab
CV-24141	5/5/2026 7:45:00 AM																										Air Tech Lab; [User entered 0.12%]
CV-24141	5/1/2026 8:57:18 AM	20.8	33.2	5.1	40.9			0.6	8.0	79.1	76.3	-0.08	-0.95			0.073	0.928	-6.86	-6.53	28.6	1281	34.4354885	-118.6512937	Valve Adjustment:Increased Flow/Vacuum,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down			
CV-24142	5/28/2026 10:41:54 AM	2.3	72.2	0.6	24.9			0.0	41.5	100.6	100.8	-1.89	-1.89			1.876	1.890	-1.58	-1.60	28.65	1270	34.4339722	-118.6513273				
CV-24142	5/28/2026 10:40:43 AM	2.3	72.4	0.6	24.7			0.0	41.2	100.2	100.7	-1.92	-1.91			1.912	1.936	-1.66	-1.68	28.66	1270	34.4339743	-118.6513278	Valve Adjustment:NSPS/EG CAI			
CV-24142	5/20/2026 1:14:55 PM	2.6	59.0	3.6	34.8			0.0	9.7	152.3	151.1	-2.68	-2.87			2.629	2.780	0.00	-0.04	28.62	1271	34.4339962	-118.6513468	Valve Comment:Pneumatic pump not working;Valve Adjustment:No Flow Measurement,High Temp			
CV-24142	5/20/2026 1:02:37 PM	3.8	58.4	2.6	35.2			0.1	13.5	153.3	151.5	-3.36	-2.50			3.313	2.494	-3.07	-2.49	28.64	1270	34.4339787	-118.6513463	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In);Well Condition:Pneumatic Pump Installed			
CV-24142	5/15/2026 8:03:40 AM	0.0	0.2	21.9	77.9			0.0	3.6	174.7	174.7	-3.95	-3.94			3.946	3.985	-4.77	-4.78	28.63	1259	34.4339805	-118.6513398	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header			
CV-24142	5/15/2026 7:59:13 AM	0.0	1.3	21.7	77.0			0.0	3.5	174.3	174.0	-4.10	-4.10			4.115	4.115	-4.96	-4.96	28.63	1255	34.4339758	-118.6513298	Valve Adjustment:NSPS/EG CAI,High Temp,Valve 100% Open,Surging Liquid in Header			
CV-24142	5/14/2026 8:35:00 AM					2300																					AtmAA
CV-24142	5/6/2026 8:10:00 AM					1500																					Air Tech Lab
CV-24142	5/6/2026 8:10:00 AM																										Air Tech Lab; [User entered 12%]
CV-24143	5/28/2026 9:20:03 AM	4.3	24.2	15.2	56.3			0.2	3.7	72.5	72.4	-6.42	-6.44			6.724	6.767	-6.31	-6.38	28.6	1286	34.4349775	-118.6512110	Valve Adjustment:NSPS/EG CAI,High O2,Barely Open			
CV-24143	5/28/2026 9:19:15 AM	4.2	23.6	15.2	57.0			0.2	3.8	73.4	72.9	-7.01	-6.42			7.249	6.661	-6.80	-6.27	28.6	1285	34.4349643	-118.6511857	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum			
CV-24143	5/5/2026 7:55:00 AM					460																					Air Tech Lab
CV-24143	5/5/2026 7:55:00 AM																										Air Tech Lab; [User entered 6.1%]
CV-24143	5/1/2026 2:16:44 PM	0.7	23.5	14.9	60.9			0.0	4.1	96.9	96.8	-2.80	-2.85	0.0	0.0	2.808	2.964	-4.29		28.52	1296	34.4350570	-118.6513283				
CV-24143	5/1/2026 2:15:01 PM	0.7	23.9	14.4	61.0			0.0	4.2	95.5	97.6	-4.24	-2.26	0.0	0.0	4.120	2.401	-4.36		28.52	1289	34.4349098	-118.6512402	NSPS/EG CAI,High O2			
CV-24144	5/20/2026 10:35:16 AM	56.8	40.5	0.0	2.7			1.4	0.0	103.0	100.3	-4.49	-4.52			4.462	4.516	-4.27	-4.34	28.66	1250	34.4325475	-118.6515890	Valve Adjustment:Valve 100% Open Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,No Flow Measurement			
CV-24144	5/12/2026 9:03:44 AM	58.5	40.0	0.0	1.5			1.5	0.0	79.1	88.3	-4.85	-4.84	0.0	0.0	4.953	4.881	-4.77		28.67	1257	34.4324108	-118.6519563	Valve Adjustment:NSPS/EG CAC,No Flow Measurement			
CV-24145	5/26/2026 2:12:30 PM	11.7	62.3	4.4	21.6			0.2	4.9	99.2	105.8	-8.40	-8.38			0.000	0.000	-9.24	-8.44	28.4	1362	34.4362272	-118.6496286				

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2 [%]	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24145	5/18/2026 2:54:25 PM	21.9	73.1	0.0	5.0			0.3	0.0	145.7	145.7	-2.63	-2.56			0.000	0.141	-3.22	-3.74	28.51	1365	34.4362193	-118.6496297	Valve Adjustment:No Flow Measurement,High Temp		
CV-24145	5/18/2026 2:45:00 PM					2450																				AtmAA
CV-24145	5/18/2026 2:38:58 PM	20.7	71.9	0.0	7.4			0.3	0.0	146.3	146.8	-0.66	-0.63			2.650	2.653	-0.40	-0.38	28.53	1356	34.4362236	-118.6496363	Valve Adjustment:No Flow Measurement,High Temp		
CV-24145	5/12/2026 2:40:29 PM	20.6	70.7	0.0	8.7			0.3	0.0	162.9	163.8	-4.56	-4.58			0.000	0.000	-7.74	-7.43	28.58	1374	34.4362303	-118.6496176	Valve Adjustment:No Flow Measurement,High Temp		
CV-24145	5/12/2026 2:34:47 PM	17.1	74.6	0.5	7.8			0.2	15.6	162.6	161.5	-4.85	-4.85			0.851	0.822	-7.28	-7.14	28.58	1373	34.4362229	-118.6496211	Valve Adjustment:No Flow Measurement,High Temp		
CV-24145	5/12/2026 2:32:19 PM	17.0	66.9	1.2	14.9			0.3	12.4	160.8	162.7	-6.13	-5.73			2.042	1.210	-6.49	-6.94	28.58	1371	34.4362174	-118.6496221	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-24145	5/12/2026 2:15:00 PM					915																				AtmAA
CV-24145	5/5/2026 1:25:00 PM					2480																				AtmAA
CV-24145	5/5/2026 1:25:00 PM						165900																			AtmAA; [User entered 16.59%]
CV-24145	5/5/2026 1:22:41 PM	8.2	81.3	0.0	10.5			0.1	0.0	170.8	171.5	-7.02	-7.01			0.876	0.868	-8.22	-9.16	28.51	1363	34.4362207	-118.6496456	Valve Adjustment:High Temp		
CV-24146	5/28/2026 10:15:05 AM	49.7	47.0	0.0	3.3			1.1	0.0	106.1	106.4	1.38	1.31	4.3	7.4	0.024	0.070	1.49	1.48	28.59	1314	34.4374078	-118.6463857	Valve Adjustment:Positive Static Press.,Undersized Lateral		
CV-24146	5/28/2026 10:14:14 AM	50.3	46.6	0.0	3.1			1.1	0.0	108.1	107.5	1.16	1.34	6.3	2.1	0.051	0.006	1.35	1.59	28.59	1305	34.4374012	-118.6463870	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Valve 100% Open		
CV-24146	5/11/2026 9:52:43 AM	49.8	45.5	0.0	4.6			1.1	0.0	115.1	115.2	-0.09	-0.10	13.8	13.8	0.246	0.246	-0.46	-0.38	28.64	1284	34.4374268	-118.6463657	Valve Adjustment:Valve 100% Open		
CV-24147	5/28/2026 11:28:34 AM	55.9	37.9	0.6	5.6			1.5	9.3	102.7	102.6	-0.31	-0.37	22.3	23.8	0.124	0.141	-0.23	-0.38	28.63	1280	34.4375317	-118.6459378	Valve Comment:RES SEM,Well Comment:No system pressure		
CV-24147	5/26/2026 9:21:12 AM	55.0	41.9	0.9	2.2			1.3	2.4	100.4	100.4	-1.00	-0.99	1.7	0.6	0.001	0.000	-1.02	-1.02	28.58	1287	34.4375215	-118.6459190	Valve Adjustment:Reduce Sys. Vac. - Flare Down		
CV-24147	5/14/2026 2:08:02 PM	51.2	42.5	1.5	4.8			1.2	3.2	108.2	108.2	-1.51	-1.53	13.4	5.4	0.045	0.007	-1.59	-1.71	28.64	1266	34.4375410	-118.6459490	Valve Comment:RES SEM,Valve Adjustment:Valve 100% Open		
CV-24147	5/11/2026 10:06:39 AM	52.6	41.4	0.2	5.8			1.3	29.0	110.9		-0.66	-0.73	6.9	11.5	0.012	0.034	-0.81	-0.96	28.64	1265	34.4375288	-118.6459283	Valve Adjustment:Increased Flow/Vacuum,Valve 100% Open		
CV-24147	5/11/2026 10:05:05 AM	55.0	41.0	0.0	4.0			1.3	0.0	110.0	110.6	-0.58	-0.71	6.9	8.0	0.012	0.016	-0.78	-0.96	28.65	1287	34.4375157	-118.6459288	Valve Adjustment:Increased Flow/Vacuum,Valve 100% Open		
CV-24147	5/11/2026 10:02:23 AM	54.5	41.3	0.0	4.2			1.3	0.0	108.8	109.5	0.56	-0.07	6.0	5.2	0.009	0.007	-0.93	-0.77	28.64	1289	34.4375118	-118.6459487	Valve Comment:Valve closed upon arrival:Valve Adjustment:NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Plugged/Pinched Suspected		
CV-24148	5/27/2026 1:49:59 PM	2.4	83.0	0.0	14.6			0.0	0.0	169.1	168.8	-3.52	-3.48			3.481	3.361	-7.43	-7.35	28.4	1377	34.4350742	-118.6466626	Valve Adjustment:No Flow Measurement,High Temp		
CV-24148	5/19/2026 1:50:00 PM					2320																				AtmAA
CV-24148	5/19/2026 1:44:57 PM	22.2	77.8	0.0	0.0			0.3	0.0	171.5	171.8	-3.45	-3.56			3.468	3.577	-9.45	-9.38	28.58	1382	34.4350894	-118.6466738	Valve Adjustment:No Flow Measurement,High Temp		
CV-24148	5/19/2026 1:43:50 PM	17.6	77.8	0.2	4.4			0.2	22.0	173.0	172.7	-7.79	-4.26			7.808	4.299	-9.07	-9.22	28.58	1381	34.4350896	-118.6466740	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum		
CV-24148	5/11/2026 10:02:23 AM	5.4	88.3	0.1	6.2			0.1	62.0	178.1	178.6	-4.29	-3.94			4.261	3.909	-13.74	-13.72	28.52	1394	34.4350592	-118.6466624	Valve Adjustment:No Flow Measurement,High Temp		
CV-24148	5/4/2026 9:31:25 AM	0.8	80.7	0.0	18.5			0.0	0.0	180.4	177.6	-6.99	-6.93			7.121	6.900	-13.43	-13.36	28.56	1381	34.4350509	-118.6466784	Valve Adjustment:High Temp		
CV-24148	5/4/2026 9:30:00 AM					3480																				AtmAA
CV-24148	5/4/2026 9:30:00 AM						106200																			AtmAA; [User entered 10.62%]
CV-24149	5/28/2026 12:48:18 PM	3.7	81.4	2.4	12.5			0.0	5.2	82.2	85.3	-8.23	-7.68	8.8	9.2	0.025	0.027			28.47	1434	34.4347898	-118.6469502	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header		
CV-24149	5/6/2026 2:58:21 PM	3.5	86.0	0.5	10.0			0.0	20.0	96.0	96.1	-8.33	-8.37	14.3	5.5	0.051	0.008	-10.23	-10.08	28.56	1376	34.4347945	-118.6469973	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header		
CV-24150	5/22/2026 11:53:52 AM	41.7	58.3	0.0	0.0			0.7	0.0	111.7	108.5	-1.38	-1.05	0.0	0.0	1.294	0.967	-11.23		28.37	1375	34.4346357	-118.6456373	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered in)		
CV-24150	5/1/2026 10:15:37 AM	45.9	52.7	0.3	1.1			0.9	3.7	111.1	110.5	-1.00	-0.82	0.0	0.0	1.058	0.892	-13.50		28.61	1414	34.4346062	-118.6455488	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered in)		
CV-24151	5/21/2026 1:59:13 PM	50.6	49.4	0.0	0.0			1.0	0.0	103.2	102.8	-2.29	-2.19			2.205	2.163	-4.47	-4.44	28.41	1367	34.4344122	-118.6476300	Valve Adjustment:Surging Liquid in Header		
CV-24151	5/6/2026 2:05:59 PM	48.0	48.0	0.1	3.9			1.0	39.0	87.9	88.0	-4.39	-4.28			4.287	4.203	-6.52	-5.75	28.6	1386	34.4344128	-118.6476310	Valve Adjustment:Surging Liquid in Header		
CV-24152	5/26/2026 8:32:21 AM	25.4	70.6	0.0	4.0			0.4	0.0	129.7	129.7	-0.10	-0.11	17.9	17.1	0.765	0.696	-3.96	-4.00	28.41	1387	34.4344520	-118.6471523	Valve Adjustment:NSPS/EG CAC,Reduce Sys. Vac. - Flare Down		
CV-24152	5/26/2026 8:31:06 AM	25.4	68.9	0.0	5.7			0.4	0.0	130.3	129.8	-0.43	-0.12	19.9	17.2	0.941	0.707	-3.78	-3.81	28.41	1387	34.4344575	-118.6471328	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Reduce Sys. Vac. - Flare Down		
CV-24152	5/6/2026 2:21:42 PM	20.4	72.7	0.0	6.9			0.3	0.0	131.4	131.4	-0.22	-0.13	29.0	29.6	1.996	2.088	-3.33	-3.30	28.56	1411	34.4344763	-118.6471860	Valve Adjustment:NSPS/EG CAC,High Temp,Barely Open,Surging Liquid in Header		
CV-24152	5/6/2026 2:21:09 PM	20.2	74.2	0.0	5.6			0.3	0.0	130.7	131.3	0.31	-0.07	23.7	28.6	1.327	1.939	-3.29	-3.40	28.56	1391	34.4344915	-118.6471960	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum,Surging Liquid in Header		
CV-24153	5/22/2026 11:40:23 AM	41.3	54.6	0.0	4.1			0.8	0.0	114.9	111.9	-1.17	-0.94	0.0	0.0	1.108	0.879	-11.73		28.41	1407	34.4344045	-118.6463667	Valve Adjustment:Surging Liquid in Header		
CV-24153	5/1/2026 3:03:06 PM	49.9	50.1	0.0	0.0			1.0	0.0	104.2	104.1	-0.20	-0.20	0.0	0.0	0.183	0.172	-12.52		28.41	1365	34.4344288	-118.6465135	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
CV-24153	5/1/2026 3:02:03 PM	51.9	48.1	0.1				1.1		98.8	103.9	0.45	-0.05	0.0	0.0	-0.485	0.024	-12.49		28.41	1398	34.4344655	-118.6464518	Valve 1/2 Turn or Less		
CV-24154	5/22/2026 11:58:09 AM	44.0	53.0	0.3	2.7			0.8	9.0	112.9	111.5	-2.26	-1.99	0.0	0.0	2.165	1.946	-7.87		28.37	1440	34.4343248	-118.6460817	Valve Adjustment:Surging Liquid in Header		

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading (ppmv)	H2 Reading (ppmv)	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-24154	5/1/2026 3:20:22 PM	47.7	52.0	0.3	0.0				0.9	0.0	104.1	103.0	-1.41	-0.76	0.0	0.0	1.453	0.854	-7.55		28.4	1339	34.4343657	-118.6468068	Valve Adjustment:Audible Flow,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
CV-24155	5/26/2026 8:18:02 AM	34.1	65.9	0.0	0.0				0.5	0.0	119.1	119.3	-0.44	-0.44			0.428	0.427	-7.66	-7.66	28.41	1389	34.4342782	-118.6467312	
CV-24155	5/1/2026 3:09:53 PM	32.8	67.2	0.0	0.0				0.5	0.0	118.8	119.0	-0.07	-0.07	0.0	0.0	0.058	0.052	-9.99		28.41	1424	34.4343630	-118.6468045	NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24155	5/1/2026 3:08:32 PM	32.0	68.0	0.0	0.0				0.5	0.0	98.2	115.8	0.33	-0.02	0.0	0.0	-0.386	-0.020	-10.00		28.41	1388	34.4343065	-118.6467873	
CV-24156	5/22/2026 2:00:28 PM	43.2	52.5	0.2	4.1				0.8	20.5	124.0	123.0	-0.79	-0.56	20.3	20.4	0.106	0.107	-0.55		28.38	1427	34.4341015	-118.6477328	
CV-24156	5/4/2026 2:11:53 PM	42.8	54.5	0.0	2.7				0.8	0.0	122.5	122.4	-0.29	-0.24	13.7	19.0	0.049	0.094	-8.06	-8.06	28.51	1364	34.4340843	-118.6476997	Valve Adjustment:Barely Open
CV-24157	5/21/2026 2:09:04 PM	48.6	51.4	0.0	0.0				0.9	0.0	105.5	105.6	-0.20	-0.19			0.084	0.095	-2.79	-3.13	28.41	1393	34.4338020	-118.6473238	Valve Adjustment:NSPS/EG CAC,Barely Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
CV-24157	5/21/2026 2:08:15 PM	48.7	51.3	0.0	0.0				0.9	0.0	104.5	105.2	0.28	-0.14			0.000	0.000	-2.80	-2.85	28.41	1389	34.4338040	-118.6473370	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Barely Open,Surging Liquid in Header
CV-24157	5/4/2026 2:00:15 PM	47.2	50.8	0.0	2.0				0.9	0.0	94.3	93.6	-0.76	-0.76			0.819	0.700	-8.45	-8.27	28.45	1387	34.4338397	-118.6473362	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24158	5/21/2026 10:58:26 AM	43.6	56.3	0.1	0.0				0.8	0.0	128.3	128.4	-0.38	-0.38	32.7	32.8	2.978	2.989	-2.56	-2.62	28.41	1393	34.4339078	-118.6470818	Valve Adjustment:NSPS/EG CAI,Barely Open
CV-24158	5/6/2026 10:59:56 AM	38.9	61.1	0.0	0.0				0.6	0.0	125.4	125.3	-0.15	-0.14	14.8	14.9	0.602	0.608	-8.17	-8.04	28.6	1396	34.4338992	-118.6470452	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24159	5/21/2026 9:02:31 AM	41.8	58.2	0.0	0.0				0.7	0.0	131.8	131.6	-0.29	-0.29	23.9	23.8	1.361	1.350	-12.32	-12.71	28.41	1401	34.4337822	-118.6466368	Valve Adjustment:High Temp,Surging Liquid in Header
CV-24159	5/21/2026 9:01:50 AM	42.0	58.0	0.0	0.0				0.7	0.0	131.7	131.7	-0.38	-0.30	26.4	24.2	1.669	1.401	-12.90	-13.30	28.41	1403	34.4337750	-118.6466390	Valve Adjustment:NSPS/EG CAI,Decreased Flow/Vacuum,Barely Open,Surging Liquid in Header
CV-24159	5/6/2026 10:49:41 AM	42.9	54.6	0.0	2.5				0.8	0.0	126.4	125.5	-0.80	-0.39	23.3	16.0	1.309	0.618	-13.79		28.38	1371	34.4337905	-118.6465662	
CV-24160	5/22/2026 12:06:28 PM	46.7	53.1	0.1	0.1				0.9	1.0	127.4	127.0	-3.82	-3.36	31.7	27.8	2.393	1.835	-12.52		28.37	1460	34.4337483	-118.6462070	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum
CV-24160	5/6/2026 12:39:52 PM	46.7	52.2	0.0	1.1				0.9	0.0	125.0	124.8	-2.59	-2.80	19.2	21.6	0.874	1.100	-11.29	-11.10	28.63	1399	34.4338072	-118.6462550	
CV-24160	5/6/2026 10:29:54 AM	43.4	54.3	0.0	2.3				0.8	0.0	122.4	122.5	-4.90	-3.86	40.1	29.9	3.869	2.157	-14.16		28.56	1388	34.4338240	-118.6461872	
CV-24161	5/6/2026 10:20:39 AM	20.3	76.5	0.0	3.2				0.3	0.0	111.1	111.3	-0.26	-0.26	0.0	0.0	0.254	0.252	-14.46		28.56	1381	34.4338940	-118.6454970	
CV-24161	5/6/2026 10:19:18 AM	18.6	76.5	0.0	4.9				0.2	0.0	104.4	108.8	0.05	-0.14	0.0	0.0	-0.094	0.190	-14.32		28.56	1362	34.4338600	-118.6455383	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24162	5/4/2026 12:02:44 PM	37.0	52.0	0.5	10.5				0.7	21.0	86.4	86.5	-0.45	-0.34			0.416	0.317	-13.70	-13.52	28.52	1365	34.4335793	-118.6451230	Valve Adjustment:Decreased Flow/Vacuum
CV-24163	5/1/2026 2:33:25 PM	33.2	57.8	0.0	9.0				0.6	0.0	129.6	129.3	-0.37	-0.37			0.411	0.374	-12.81	-12.47	28.52	1338	34.4334712	-118.6444877	Valve Adjustment:NSPS/EG CAC,Barely Open,Well Condition:Lorentz Pump Installed
CV-24163	5/1/2026 2:32:24 PM	32.1	57.6	0.0	10.3				0.6	0.0	132.2	131.4	-2.55	-1.37			2.539	1.302	-12.74	-12.76	28.53	1336	34.4334823	-118.6444873	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24164	5/20/2026 2:08:15 PM	33.5	65.0	0.0	1.5				0.5	0.0	131.9	132.0	-0.14	-0.13			0.092	0.078	-6.78	-6.96	28.48	1374	34.4334770	-118.6479875	Valve Adjustment:NSPS/EG CAI,High Temp
CV-24164	5/20/2026 2:06:56 PM	35.4	64.6	0.0	0.0				0.5	0.0	132.3	132.1	-0.65	-0.12			0.705	0.124	-6.75	-6.87	28.48	1379	34.4334703	-118.6479778	Valve Adjustment:Barely Open
CV-24164	5/20/2026 11:14:31 AM	40.0	60.0	0.0	0.0				0.7	0.0	100.1	100.1	-0.99	-0.92			0.955	0.903	-6.39	-6.61	28.49	1369	34.4334945	-118.6479757	Valve Adjustment:Increased Flow/Vacuum;Well Condition:Lorentz Pump Installed
CV-24164	5/4/2026 10:23:58 AM	27.2	72.4	0.0	0.4				0.4	0.0	126.8	130.5	-0.38	-1.29			0.374	1.251	-9.01	-8.95	28.52	1361	34.4334943	-118.6479645	Valve Adjustment:Decreased Flow/Vacuum
CV-24165	5/20/2026 11:18:42 AM	42.5	57.5	0.0	0.0				0.7	0.0	121.3	122.0	-1.44	-0.89			1.378	0.850	-5.52	-5.75	28.49	1374	34.4335912	-118.6476822	
CV-24165	5/14/2026 11:24:07 AM	21.4	78.6	0.0	0.0				0.3	0.0	132.5	132.6	-0.35	-0.37	0.0	0.0	0.426	0.586	-2.22		28.67	1371	34.4334927	-118.6473035	NSPS/EG CAI,NSPS/EG CAC,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,High Temp,Positive Static Press.
CV-24165	5/14/2026 11:22:03 AM	20.9	78.1	0.0	1.0				0.3	0.0	134.4	133.2	11.87	-0.25	0.0	0.0	-10.037	0.779	-2.07		28.67	1440	34.4335542	-118.6473277	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)
CV-24166	5/21/2026 9:08:04 AM	52.8	47.2	0.0	0.0				1.1	0.0	123.3	123.2	-4.53	-4.54			4.427	4.420	-5.21	-4.93	28.42	1405	34.4335958	-118.6468947	
CV-24166	5/20/2026 11:21:55 AM	45.9	54.1	0.0	0.0				0.8	0.0	128.8	128.2	-0.25	-0.25			0.224	0.224	-6.06	-6.06	28.51	1355	34.4337010	-118.6483662	Valve Adjustment:Barely Open
CV-24166	5/6/2026 10:54:07 AM	49.3	46.5	0.0	4.2				1.1	0.0	106.6	106.9	-5.34	-5.32	0.0	0.0	5.252	5.163	-6.56		28.55	1289	34.4337443	-118.6468000	
CV-24167	5/28/2026 8:45:13 AM	47.8	39.6	0.0	12.6				1.2	0.0	110.2	110.3	-3.01	-3.02			3.032	3.038	-7.54	-7.60	28.47	1386	34.4334667	-118.6464515	Well Condition:Lorentz Pump Installed
CV-24167	5/6/2026 9:59:13 AM	50.1	40.3	0.2	9.4				1.2	47.0	112.3	112.4	-1.44	-1.43	0.0	0.0	1.485	1.476	-7.35		28.76	1453	34.4334527	-118.6464858	
CV-24168	5/28/2026 8:59:25 AM	26.5	49.6	2.3	21.6				0.5	9.2	104.7	104.4	-1.66	-1.66			1.665	1.677	-7.37	-7.38	28.49	1389	34.4332990	-118.6472985	Well Condition:Lorentz Pump Installed
CV-24168	5/6/2026 10:55:15 AM	28.6	55.8	2.7	12.9				0.5	4.8	111.0		-0.71				0.693		-3.97		28.61	1406	34.4333458	-118.6473238	Valve Adjustment:Barely Open,Surging Liquid in Header
CV-24169	5/20/2026 11:11:16 AM	41.2	58.8	0.0	0.0				0.7	0.0	100.1	100.1	-0.20	-0.18			0.173	0.156	-6.69	-6.69	28.49	1383	34.4332078	-118.6477205	Valve Adjustment:Barely Open
CV-24169	5/4/2026 10:19:18 AM	32.8	64.3	0.0	2.9				0.5	0.0	115.5	115.0	-0.26	-0.26			0.270	0.270	-8.88	-8.59	28.52	1375	34.4331917	-118.6477157	Valve Adjustment:Barely Open
CV-24170	5/21/2026 9:20:08 AM	9.5	82.3	0.0	8.2				0.1	0.0	126.9	127.0	-0.14	-0.14	24.1	24.1	0.145	0.145	-4.05	-4.21	28.48	1368	34.4331183	-118.6485037	Valve Adjustment:Barely Open

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-24170	5/6/2026 8:37:17 AM	14.6	81.3	0.0	4.1				0.2	0.0	125.8	125.6	-0.53	-0.54	12.2	13.7	0.037	0.046	-8.49	-8.45	28.63	1372	34.4331162	-118.6485155	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum;Barely Open
CV-24170	5/1/2026 10:56:54 AM	15.1	76.1	0.0	8.8				0.2	0.0	126.7	126.9	-0.04	-0.04	11.9	12.5	0.035	0.039	-8.20	-8.14	28.56	1363	34.4331005	-118.6484957	Valve Adjustment:Barely Open
CV-24171	5/21/2026 9:23:58 AM	53.8	46.2	0.0	0.0				1.2	0.0	127.3	127.2	-0.96	-0.94	16.0	14.5	0.339	0.279	0.46	0.36	28.45	1406	34.4331897	-118.6466525	Valve Comment:well too tall Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24171	5/6/2026 10:03:52 AM	52.3	45.2	0.0	2.5				1.2	0.0	123.2	123.6	-0.59	-0.69	15.5	17.4	0.290	0.369	-8.38		28.55	1411	34.4332255	-118.6466338	Valve Adjustment:Barely Open
CV-24172	5/21/2026 10:00:21 AM	42.7	41.8	2.5	13.0				1.0	5.2	121.6	121.6	-0.26	-0.27	9.7	9.7	0.257	0.259	-5.50	-5.92	28.41	1377	34.4329367	-118.6473203	Valve Adjustment:Barely Open
CV-24172	5/4/2026 2:28:48 PM	35.4	35.6	3.6	25.4				1.0	7.1	116.2	116.3	-0.47	-0.45	0.0	0.0	-0.468	-0.465	-8.13		28.46	1404	34.4330085	-118.6473612	Valve Comment:well too tall for system read
CV-24173	5/21/2026 10:06:44 AM	49.1	41.3	0.9	8.7				1.2	9.7	115.4	115.4	-1.20	-1.19	21.8	21.4	1.110	1.066	0.67	0.67	28.45	1383	34.4328933	-118.6476563	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum
CV-24173	5/6/2026 1:00:35 PM	46.2	40.1	0.9	12.8				1.2	14.2	113.5	113.8	-0.74	-0.83	14.9	16.4	0.513	0.620	-4.90	-5.46	28.63	1387	34.4328932	-118.6476568	Valve Adjustment:Increased Flow/Vacuum
CV-24174	5/21/2026 10:15:48 AM	26.6	50.1	0.0	23.3				0.5	0.0	111.2	111.1	-1.79	-1.79			1.741	1.753	-5.11	-5.08	28.44	1379	34.4327447	-118.6480342	Valve Adjustment:Barely Open
CV-24174	5/11/2026 1:20:08 PM	30.3	40.0	0.0	29.7				0.8	0.0	111.2	111.9	-2.10	-2.10			2.103	2.090	-6.22	-6.17	28.63	1375	34.4327227	-118.6480538	Valve Adjustment:Reduce Sys. Vac. - Flare Down;Well Comment:pump is off;Well Condition:Lorentz Pump Installed
CV-24175	5/21/2026 10:19:57 AM	25.7	63.6	0.0	10.7				0.4	0.0	121.2	121.4	-0.72	-0.70	13.0	13.3	0.459	0.482	-5.09	-4.91	28.45	1362	34.4326887	-118.6484998	Valve Adjustment:Barely Open
CV-24175	5/5/2026 1:28:08 PM	26.9	54.6	0.0	18.5				0.5	0.0	120.8	120.6	-1.01	-1.00	30.7	31.3	0.607	0.628	-8.48	-8.48	28.53	1382	34.4326552	-118.6484768	Well Comment:pump is active;Well Condition:Lorentz Pump Installed
CV-24175	5/5/2026 1:26:42 PM	25.7	55.1	0.0	19.3				0.5	0.0	121.6	121.3	-0.89	-0.89	32.8	32.6	0.694	0.683	-8.54	-7.89	28.52	1382	34.4326533	-118.6484855	Valve Comment:secured lorentz fitting;Valve Adjustment:Increased Flow/Vacuum;Well Comment:pump is active;Well Condition:Lorentz Pump Installed
CV-24175	5/5/2026 1:21:04 PM	23.8	56.4	0.4	19.5				0.4	57.6	121.9	121.8	-0.66	-0.75	28.4	30.5	0.519	0.599	-8.23	-8.22	28.53	1382	34.4326548	-118.6484853	Valve Adjustment:Orifice Plate Changed (See OP Log);Increased Flow/Vacuum;Well Comment:pump is active;Well Condition:Lorentz Pump Installed
CV-24175	5/5/2026 1:13:21 PM	24.1	57.2	0.3	18.4				0.4	57.6	122.2	122.7	-0.49	-0.55	25.2	28.1	1.739	2.167	-8.39	-8.38	28.53	1362	34.4326723	-118.6484765	Valve Adjustment:Increased Flow/Vacuum;Well Comment:Pump is active;Well Condition:Lorentz Pump Installed
CV-24176	5/20/2026 10:16:41 AM	23.0	72.2	0.5	4.3				0.3	8.6	130.6	130.7	-0.71	-0.71	8.2	8.2	0.230	0.228	-7.23		28.5	1391	34.4326228	-118.6489318	Valve Adjustment:Increased Flow/Vacuum;Well Comment:Pump is active;Well Condition:Lorentz Pump Installed
CV-24176	5/20/2026 10:14:10 AM	29.7	60.2	0.0	10.1				0.5	0.0	132.4	130.8	-1.92	-0.82	15.8	8.5	0.796	0.230	-7.29		28.5	1404	34.4326493	-118.6489970	NSPS/EG CAI,NSPS/EG CAC,High Temp
CV-24176	5/8/2026 11:05:11 AM	17.9	80.5	0.0	1.6				0.2	0.0	137.8	137.8	-0.23	-0.22	16.4	16.4	0.979	0.978	-3.35		28.54	1322	34.4326280	-118.6489067	NSPS/EG CAI,NSPS/EG CAC,Audible Flow,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn
CV-24176	5/8/2026 11:03:01 AM	15.5	81.6	0.0	2.9				0.2	0.0	130.2	136.7	0.92	-0.10	10.6	17.8	0.403	1.164	-3.26		28.54	1352	34.4325257	-118.6489255	Valve Adjustment:NSPS/EG CAI,High Temp,Barely Open
CV-24177	5/20/2026 8:06:52 AM	13.9	42.9	4.7	38.5				0.3	8.2	131.7	131.5	-0.57	-0.55			0.563	0.547	-8.42	-8.49	28.56	1306	34.4322462	-118.6494580	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Decreased Flow/Vacuum
CV-24177	5/20/2026 7:56:33 AM	11.9	24.8	8.5	54.8				0.5	6.4	135.2	134.2	-2.20	-1.01			2.175	0.996	-9.06	-9.12	28.57	1320	34.4322548	-118.6494448	Reduced System Vacuum,NSPS/EG CAI,NSPS/EG CAC,High O2
CV-24177	5/8/2026 11:20:50 AM	16.9	28.3	5.5	49.3				0.6	9.0	126.2	126.2	-1.17	-1.16	0.0	0.0	1.178	1.178	-4.57		28.57	1332	34.4322813	-118.6494228	Reduced System Vacuum,NSPS/EG CAI,NSPS/EG CAC,High O2
CV-24177	5/8/2026 11:19:26 AM	17.2	27.3	5.5	50.0				0.6	9.1	126.8	126.5	-2.80	-1.42	0.0	0.0	2.765	1.314	-4.47		28.57	1355	34.4322503	-118.6493363	Valve Adjustment:Increased Flow/Vacuum
CV-24178	5/20/2026 12:02:57 PM	28.7	53.7	0.0	17.6				0.5	0.0	130.5	130.6	-0.63	-0.60	8.1	8.1	0.199	0.201	-6.74		28.48	1385	34.4323280	-118.6486115	Valve Adjustment:Barely Open
CV-24178	5/20/2026 12:01:45 PM	29.7	54.5	0.0	15.8				0.5	0.0	131.6	130.9	-1.01	-0.56	15.7	9.3	0.760	0.263	-6.71		28.48	1417	34.4323233	-118.6486002	NSPS/EG CAI,NSPS/EG CAC,High Temp
CV-24178	5/8/2026 10:58:25 AM	31.5	56.1	0.0	12.4				0.6	0.0	129.3	129.4	-0.11	-0.10	13.0	12.4	0.518	0.473	-3.42		28.55	1430	34.4324165	-118.6486865	Reduced System Vacuum
CV-24179	5/20/2026 9:55:47 AM	27.8	51.1	0.0	21.1				0.5	0.0	130.2	130.2	-1.03	-1.01	6.9	7.0	0.143	0.148	-7.95		28.51	1286	34.4320667	-118.6492728	Valve Adjustment:Increased Flow/Vacuum
CV-24179	5/4/2026 1:09:48 PM	17.5	69.0	0.0	13.4				0.3	0.0	123.9	123.9	-1.03	-1.01	9.4	9.2	0.240	0.230	-8.67	-8.26	28.57	1340	34.4321117	-118.6492078	Valve Adjustment:Increased Flow/Vacuum
CV-24179	5/4/2026 1:08:00 PM	14.4	72.0	0.0	13.6				0.2	0.0	113.0	119.4	-1.00	-1.02	9.2	9.2	0.225	0.228	-8.59	-8.43	28.6	1330	34.4321170	-118.6492072	Valve Adjustment:Barely Open
CV-24179	5/4/2026 1:03:56 PM	13.3	67.7	2.4	16.5				0.2	6.8	77.6	78.1	-0.61	-0.57	3.0	2.9	0.023	0.021	-8.43	-8.51	28.58	1341	34.4321288	-118.6492127	Valve Adjustment:Barely Open
CV-24180	5/20/2026 10:03:08 AM	26.5	38.5	0.2	34.8				0.7	174.0	126.6	126.6	-3.18	-3.18	56.7	57.5	2.098	2.162	-8.02		28.53	1348	34.4321713	-118.6488025	Reduced System Vacuum
CV-24180	5/8/2026 10:53:15 AM	24.8	40.0	0.0	35.2				0.6	0.0	124.7	124.9	-1.60	-1.60	37.4	37.5	0.918	0.926	-3.70		28.65	1335	34.4321552	-118.6487778	Reduced System Vacuum
CV-24181	5/20/2026 12:05:54 PM	37.8	62.1	0.0	0.1				0.6	0.0	111.7	111.7	-0.49	-0.48	2.6	3.3	0.829	1.314	-7.28		28.48	1421	34.4321825	-118.6483900	Valve Adjustment:Increased Flow/Vacuum
CV-24181	5/4/2026 11:08:54 AM	35.3	53.6	0.0	11.1				0.7	0.0	107.1	107.4	-1.03	-0.93	4.4	3.7	2.280	1.554	-8.81		28.53	1276	34.4321710	-118.6484342	Valve Adjustment:Increased Flow/Vacuum
CV-24182	5/22/2026 10:34:25 AM	38.9	55.3	0.5	5.3				0.7	10.6	112.1	112.1	-0.57	-0.52	0.0	0.0	0.499	0.494	-8.06		28.4	1358	34.4323000	-118.6481662	Valve Adjustment:Increased Flow/Vacuum
CV-24182	5/4/2026 11:12:00 AM	37.1	54.9	0.0	8.0				0.7	0.0	99.1	99.0	-0.62	-0.62	0.0	0.0	0.568	0.570	-9.05		28.5	1299	34.4322548	-118.6480292	Valve Adjustment:Increased Flow/Vacuum
CV-24183	5/20/2026 11:42:38 AM	48.3	51.6	0.1	0.0				0.9	0.0	107.0	106.9	-0.53	-0.53	0.0	0.0	0.513	0.512	-8.29		28.48	1375	34.4323228	-118.6476718	Valve Adjustment:Increased Flow/Vacuum
CV-24183	5/4/2026 11:26:46 AM	48.9	47.5	0.0	3.6				1.0	0.0	84.8	84.8	-0.90	-0.90	0.0	0.0	0.856	0.861	-7.77		28.51	1362	34.4324333	-118.6476603	Valve Adjustment:Increased Flow/Vacuum
CV-24184	5/28/2026 1:18:12 PM	22.4	29.5	5.7	42.4				0.8	7.4	135.6	135.1	-0.16	-0.11	2.5	3.1	0.133	0.203	-10.10	-10.11	28.52	1378	34.4325162	-118.6472783	Valve Adjustment:Increased Flow/Vacuum
CV-24184	5/28/2026 1:16:04 PM	23.0	31.0	5.7	40.3				0.7	7.1	139.9	139.3	-0.41	-0.17	10.0	4.5	2.217	0.438	-9.81	-10.06	28.52	1373	34.4325148	-118.6472750	Valve Comment:RES SEM;Valve Adjustment:Increased Flow/Vacuum,High O2,Decreased Flow/Vacuum
CV-24184	5/20/2026 11:25:50 AM	38.1	61.9	0.0	0.0				0.6	0.0	133.7	133.8	-0.09	-0.08	4.1	4.1	0.403	0.400	-7.95		28.48	1362	34.4325758	-118.6472723	Valve Adjustment:Increased Flow/Vacuum
CV-24184	5/20/2026 11:24:32 AM	37.1	62.9	0.0	0.0																				

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments
CV-24184	5/20/2026 11:22:55 AM	39.0	61.0	0.0	0.0			0.6	0.0	118.5	125.5	0.07	-0.02	0.0	4.5	-0.017	0.474	-7.75		28.48	1250	34.4325003	-118.6471720	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.
CV-24184	5/4/2026 1:19:41 PM	33.3	32.5	4.6	29.6			1.0	6.4	133.2	133.2	-0.23	-0.23	6.6	6.6	0.928	0.924	-8.60		28.65	1309	34.4325610	-118.6473778	
CV-24184	5/4/2026 1:18:22 PM	34.6	33.2	4.3	27.9			1.0	6.5	135.0	133.9	-0.40	-0.21	11.5	6.3	2.789	0.843	-8.56		28.65	1322	34.4325152	-118.6473015	NSPS/EG CAI,High Temp
CV-24185	5/20/2026 2:14:16 PM	38.2	59.9	0.0	1.9			0.6	0.0	128.3	128.3	-0.21	-0.20	19.3	19.3	1.133	1.133	-7.67		28.43	1385	34.4327108	-118.6468708	
CV-24185	5/20/2026 2:12:58 PM	36.2	63.8	0.0	0.0			0.6	0.0	127.0	128.0	0.05	-0.05	12.4	19.2	0.477	1.150	-7.55		28.43	1368	34.4323010	-118.6466718	NSPS/EG CAI,NSPS/EG CAC,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,Positive Static Press.
CV-24185	5/4/2026 1:26:49 PM	39.0	59.6	0.0	1.4			0.7	0.0	123.2	123.2	-0.21	-0.21	14.0	14.0	0.585	0.588	-8.57		28.49	1371	34.4326090	-118.6469768	
CV-24186	5/20/2026 2:18:02 PM	44.2	48.6	0.1	7.1			0.9	71.0	128.5	128.5	-0.29	-0.29	16.7	16.8	0.788	0.789	-7.36		28.42	1398	34.4327695	-118.6464922	
CV-24186	5/4/2026 2:56:41 PM	43.6	44.7	0.4	11.3			1.0	28.3	125.3	124.0	-0.87	-0.52	23.1	13.9	1.461	0.531	-8.51		28.47	1385	34.4328797	-118.6466523	
CV-24187	5/19/2026 10:36:55 AM	48.1	47.8	0.0	4.0			1.0	0.0	125.1	124.9	-0.39	-0.36	4.3	5.4	0.050	0.079	-6.56	-6.63	28.65	1311	34.4318815	-118.6495770	
CV-24187	5/4/2026 10:28:37 AM	48.5	47.7	0.0	3.8			1.0	0.0	124.2	124.3	-0.20	-0.16	9.9	10.5	0.266	0.300	-7.99	-8.10	28.63	1302	34.4318867	-118.6495672	Valve Adjustment:Increased Flow/Vacuum
CV-24187	5/4/2026 10:27:50 AM	48.9	47.9	0.0	3.2			1.0	0.0	123.4	124.0	-0.10	-0.21	7.9	9.7	0.169	0.259	-8.17	-8.06	28.62	1302	34.4318867	-118.6495672	Valve Adjustment:Barely Open
CV-24187	5/4/2026 10:19:29 AM	49.4	47.4	0.0	3.2			1.0	0.0	67.2	67.9	-0.32	-0.33	7.0	7.8	0.121	0.150	-7.99	-7.99	28.61	1297	34.4318708	-118.6495668	Well Repairs:Sample Port
CV-24188	5/20/2026 12:45:56 PM	50.8	43.7	0.0	5.5			1.2	0.0	118.9	117.0	-2.84	-2.83	32.2	32.2	2.842	2.835	-7.57	-7.50	28.61	1242	34.4315378	-118.6501282	Valve Adjustment:Increased Flow/Vacuum
CV-24188	5/20/2026 8:59:37 AM	51.4	43.2	0.0	5.4			1.2	0.0	118.0	118.4	-3.18	-3.38	12.9	13.9	0.451	0.526	-8.73	-8.70	28.64	1239	34.4315653	-118.6500917	Valve Adjustment:Increased Flow/Vacuum
CV-24188	5/4/2026 9:36:30 AM	50.4	43.9	0.0	5.7			1.1	0.0	117.7	117.6	-3.10	-3.10	14.0	14.0	0.534	0.532	-9.27	-9.06	28.66	1241	34.4315288	-118.6501175	Valve Adjustment:Increased Flow/Vacuum
CV-24188	5/4/2026 9:34:45 AM	50.7	43.6	0.0	5.7			1.2	0.0	117.1	117.5	-2.61	-2.98	11.8	14.0	0.375	0.534	-8.82	-9.10	28.64	1241	34.4315468	-118.6501070	Valve Adjustment:Increased Flow/Vacuum
CV-24189	5/20/2026 8:49:58 AM	47.3	39.8	0.0	12.9			1.2	0.0	118.0	118.0	-1.88	-1.87	9.0	9.0	1.702	1.710	-8.75	-8.73	28.64	1252	34.4313387	-118.6499855	Valve Adjustment:Increased Flow/Vacuum
CV-24189	5/4/2026 9:28:20 AM	49.2	40.2	0.0	10.6			1.2	0.0	117.5	117.6	-1.79	-1.79	9.1	9.1	1.761	1.746	-9.10	-8.93	28.64	1253	34.4312907	-118.6500002	Valve Adjustment:Increased Flow/Vacuum
CV-24190	5/19/2026 10:21:44 AM	51.1	47.0	0.0	1.9			1.1	0.0	123.1	123.2	-3.56	-3.56	17.1	17.1	0.804	0.802	-6.76	-6.64	28.68	1294	34.4316022	-118.6494635	Valve Adjustment:Increased Flow/Vacuum
CV-24190	5/4/2026 10:10:47 AM	51.3	44.4	0.0	4.3			1.2	0.0	122.5	122.5	-4.08	-4.09	20.2	20.2	1.127	1.126	-8.32	-8.27	28.61	1295	34.4316097	-118.6494683	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24192	5/22/2026 10:15:13 AM	55.3	44.2	0.0	0.5			1.3	0.0	115.2	116.1	-6.39	-7.26	14.5	18.1	0.454	0.712	-7.81		28.29	1388	34.4312343	-118.6494792	Valve Comment:Reduced system vacuum,Valve Adjustment:Orifice Plate Changed (See OP Log),Increased Flow/Vacuum
CV-24192	5/4/2026 10:02:40 AM	52.3	43.0	0.0	4.7			1.2	0.0	117.5	117.4	-6.38	-6.48	14.5	14.5	0.497	0.497	-8.93	-8.92	28.62	1280	34.4313497	-118.6494815	Valve Adjustment:Increased Flow/Vacuum
CV-24192	5/4/2026 10:01:48 AM	52.5	43.0	0.0	4.6			1.2	0.0	116.9	117.3	-6.12	-6.38	13.5	14.7	0.427	0.509	-8.63	-8.77	28.62	1291	34.4313327	-118.6494998	Valve Adjustment:Increased Flow/Vacuum
CV-24192	5/4/2026 9:58:01 AM	53.4	42.3	0.0	4.3			1.3	0.0	116.3	116.8	-5.60	-5.92	11.2	13.3	0.165	0.232	-8.95	-8.74	28.62	1288	34.4313643	-118.6494618	Valve Adjustment:Increased Flow/Vacuum
CV-24193	5/19/2026 2:15:47 PM	51.4	42.5	0.0	6.2			1.2	0.0	116.3	116.4	-5.05	-5.04	10.9	11.2	0.156	0.164	-5.48	-5.45	28.63	1301	34.4315485	-118.6490550	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24193	5/4/2026 9:13:38 AM	51.8	43.2	0.0	5.0			1.2	0.0	112.5	113.0	-7.77	-7.88	17.8	18.0	0.380	0.389	-8.74		28.63				Orifice Plate Changed (See OP Log)
CV-24194	5/20/2026 12:10:04 PM	39.7	37.1	4.6	18.6			1.1	4.0	103.7	102.8	-4.95	-3.58	4.6	1.7	0.439	0.062	-7.11		28.47	1358	34.4317543	-118.6484903	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum
CV-24194	5/5/2026 1:47:55 PM	53.0	43.0	0.0	4.0			1.2	0.0	92.6	92.6	-3.78	-3.85	13.1	13.5	0.385	0.409	-5.71	-5.67	28.55	1349	34.4318795	-118.6485242	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24194	5/4/2026 9:33:10 AM	52.2	43.8	0.0	4.0			1.2	0.0	89.4	91.8	-4.34	-5.02	4.0	5.7	0.095	0.191	-8.88		28.51	1348	34.4318285	-118.6484785	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum
CV-24195	5/28/2026 1:01:56 PM	50.2	44.6	0.0	5.2			1.1	0.0	118.2	118.3	-0.91	-0.94	12.5	13.6	3.336	3.917	-9.42	-9.74	28.54	1335	34.4318083	-118.6478583	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum
CV-24195	5/20/2026 12:23:03 PM	50.0	49.9	0.0	0.1			1.0	0.0	118.2	118.2	-0.55	-0.55	12.5	12.5	3.299	3.303	-7.13		28.47	1427	34.4318705	-118.6479115	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum
CV-24195	5/4/2026 9:46:22 AM	50.0	46.1	0.0	3.9			1.1	0.0	114.9	115.0	-0.97	-0.97	13.7	13.1	3.853	3.542	-8.73		28.5	1339	34.4318115	-118.6479018	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum
CV-24196	5/28/2026 12:55:54 PM	49.2	44.1	0.0	6.7			1.1	0.0	123.3	123.1	-1.57	-1.85			1.357	1.676	-9.64	-9.64	28.55	1341	34.4320625	-118.6471805	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24196	5/20/2026 11:31:51 AM	50.0	50.0	0.0	0.0			1.0	0.0	125.3	125.4	-1.36	-1.34	15.6	14.5	0.306	0.267	-7.75		28.49	1325	34.4320827	-118.6471262	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24196	5/4/2026 11:32:25 AM	48.7	47.4	0.0	3.9			1.0	0.0	122.2	122.7	-1.96	-1.86	15.8	12.1	0.310	0.183	-8.52		28.52	1348	34.4320408	-118.6471408	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24197	5/22/2026 10:52:22 AM	51.6	44.6	0.0	3.8			1.2	0.0	124.0	123.9	-1.11	-1.11	22.3	22.4	1.317	1.333	-5.23		28.49	1345	34.4323348	-118.6465855	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24197	5/8/2026 11:18:02 AM	52.5	45.3	0.0	2.2			1.2	0.0	125.3	125.3	-0.62	-0.62	22.1	22.1	1.298	1.294	-4.95		28.64	1362	34.4325160	-118.6463473	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24198	5/22/2026 10:50:58 AM	45.6	43.1	0.0	11.3			1.1	0.0	118.4	118.4	-0.22	-0.21	7.1	7.1	1.051	1.054	-5.47		28.43	1362	34.4318115	-118.6472943	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24198	5/8/2026 10:50:53 AM	53.3	42.9	0.0	3.8			1.2	0.0	117.4	119.2	-0.14	-0.07	5.7	10.2	0.651	2.074	-5.14		28.66	1332	34.4315565	-118.6457595	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24199	5/22/2026 10:41:08 AM	48.4	46.0	0.0	5.6			1.1	0.0	128.3	128.1	-0.78	-0.44	28.3	23.4	0.998	0.683	-5.36		28.41	1355	34.4317905	-118.6472448	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24199	5/8/2026 10:55:45 AM	52.5	44.5	0.0	3.0			1.2	0.0	127.3	127.3	-0.43	-0.45	27.8	27.7	0.940	0.933	-5.81		28.65	1296	34.4317453	-118.6473035	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,Audible Flow
CV-24200	5/22/2026 9:57:47 AM	51.8	42.6	0.0	5.6			1.2	0.0	118.3	118.3	-0.74	-0.64	13.2	13.4	1.057	1.079	-6.06		28.55	1283	34.4314867	-118.6471573	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
CV-24200	5/6/2026 2:43:38 PM	52.4	41.9	0.1	5.6																			

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-24202	5/22/2026 10:29:59 AM	43.3	48.4	0.0	8.3				0.9	0.0	114.6	113.7	-3.37	-3.38	0.0	0.0	3.478	3.453	-11.87		28.55	1247	34.4319450	-118.6462482	No Flow Measurement	
CV-24202	5/6/2026 3:17:39 PM	38.0	49.4	0.0	12.6				0.8	0.0	117.1	118.7	-4.97	-3.53	0.0	0.0	4.924	3.585	-11.80		28.62	1309	34.4319817	-118.6462840	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24203	5/22/2026 9:36:46 AM	52.8	45.4	0.2	1.6				1.2	8.0	126.7	126.6	-1.38	-1.33	21.6	22.3	2.886	3.085			28.63	1250	34.4315252	-118.6460367	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24203	5/11/2026 10:07:30 AM	50.4	45.5	0.0	4.1				1.1	0.0	125.9	125.9	-1.32	-1.31	20.2	20.2	2.548	2.551	-10.37		28.62	1217	34.4314643	-118.6462402	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24204	5/22/2026 9:39:46 AM	50.0	48.6	0.1	1.3				1.0	13.0	126.4	126.5	-1.10	-1.09	13.1	12.7	0.391	0.366	-11.61		28.61	1227	34.4314417	-118.6462805	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24204	5/11/2026 10:10:41 AM	47.5	48.6	0.0	3.9				1.0	0.0	125.8	125.9	-1.37	-0.91	14.0	11.9	0.447	0.325	-10.51		28.63	1270	34.4314382	-118.6462517	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24205	5/22/2026 9:45:39 AM	55.7	43.4	0.0	0.9				1.3	0.0	122.6	122.6	-2.73	-2.71	27.2	28.6	0.880	0.970	-11.33		28.61	1237	34.4312217	-118.6464452	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-24205	5/6/2026 12:13:07 PM	49.5	42.8	0.0	7.7				1.2	0.0	121.1	121.1	-2.21	-2.20	22.4	22.5	0.605	0.611	-8.56		28.63	1198	34.4313107	-118.6465557	No Flow Measurement,No Adjustment Made	
CV-24206	5/22/2026 10:00:36 AM	46.8	40.8	0.0	12.4				1.1	0.0	92.1	92.2	-0.86	-0.87	0.0	0.0	0.904	0.914	-7.02		28.55	1302	34.4314912	-118.6467710	No Flow Measurement,No Adjustment Made	
CV-24206	5/6/2026 3:04:18 PM	42.5	40.7	0.0	16.8				1.0	0.0	86.6	86.5	-0.79	-0.79	0.0	0.0	0.564	0.564	-0.02		28.6	1299	34.4315113	-118.6467672	Valve Adjustment:NSPS/EG CAC,Surgin Liquid in Header	
CV-24207	5/21/2026 9:17:20 AM	52.4	43.6	1.3	2.7				1.2	2.1	130.6	130.6	-2.38	-2.39	10.1	9.9	0.135	0.132	-5.52	-5.76	28.45	1412	34.4332568	-118.6469433	Valve Adjustment:NSPS/EG CAC,High Temp,Decreased Flow/Vacuum,Surgin Liquid in Header,Surgin Liquid in Well (Watered In)	
CV-24207	5/21/2026 9:15:43 AM	49.8	42.7	2.4	5.1				1.2	2.1	131.6	130.7	-4.87	-2.81	16.3	8.9	0.358	0.106	-5.26	-5.08	28.44	1392	34.4332723	-118.6469215	Valve Adjustment:NSPS/EG CAC,High Temp,Decreased Flow/Vacuum,Surgin Liquid in Header,Surgin Liquid in Well (Watered In)	
CV-24207	5/4/2026 2:35:22 PM	51.4	48.2	0.0	0.4				1.1	0.0	126.2	126.3	-5.80	-5.79	21.6	20.5	0.589	0.526	-6.38		28.45	1421	34.4333115	-118.6469225	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum	
CV-24208	5/4/2026 10:58:55 AM	43.9	49.9	0.0	6.2				0.9	0.0	125.5	125.4	-1.90	-1.49	27.2	22.7	1.745	1.209	-9.20	-9.17	28.67	1246	34.4319048	-118.6451103	Valve Adjustment:Audible Flow,Barely Open	
CV-24209	5/4/2026 11:15:06 AM	13.7	72.3	0.0	14.0				0.2	0.0	125.0	124.7	-0.29	-0.31			0.302	0.310	-14.09	-14.30	28.63	1300	34.4321958	-118.6456132	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-24210	5/5/2026 1:26:15 PM	44.4	51.1	0.0	4.5				0.9	0.0	101.3	101.2	-0.16	-0.35			0.146	0.350	-9.13	-9.17	28.56	1334	34.4326427	-118.6455938	Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-24210	5/4/2026 11:34:40 AM	46.5	47.4	0.0	6.1				1.0	0.0	121.4	119.8	-0.51	-0.48			0.553	0.484	-8.86	-8.83	28.59	1334	34.4326327	-118.6455760	Valve Adjustment:Barely Open	
CV-24211	5/7/2026 10:23:15 AM	18.7	79.7	0.0	1.6				0.2	0.0	117.6	118.1	-2.98	-2.91	0.0	0.0	3.039	2.730	-4.55		28.73	1260	34.4327410	-118.6437678	Valve Adjustment:Audible Flow,High Temp	
CV-24212	5/11/2026 9:45:09 AM	7.4	67.7	0.4	24.5				0.1	61.3	136.6	136.8	-0.86	-0.87	0.0	0.0	0.896	0.897	-12.79		28.6	1273	34.4331760	-118.6431025	High Temp	
CV-24212	5/11/2026 9:43:52 AM	7.4	68.1	0.6	23.9				0.1	39.8	135.2	135.1	-0.88	-0.88	0.0	0.0	0.893	0.893	-12.71		28.6	1224	34.4331448	-118.6431658	High Temp	
CV-24213	5/1/2026 1:55:50 PM	43.1	46.8	0.0	10.1				0.9	0.0	117.9	111.8	-0.71	-0.92			0.711	0.945	-1.45	-1.47	28.56	1319	34.4366047	-118.6429695	Valve Comment:belly was cleared,Valve Adjustment:NSPS/EG CAC	
CV-24213	5/1/2026 1:54:28 PM	43.6	46.0	0.0	10.4				0.9	0.0	122.1	121.8	-0.94	-1.01			0.910	0.988	-1.10	-1.16	28.56	1322	34.4366003	-118.6429628	Valve Adjustment:NSPS/EG CAC	
CV-24213	5/1/2026 1:34:20 PM	38.4	50.0	0.0	11.6				0.8	0.0	108.6	109.6	1.46	1.48			0.000	0.000	0.06	1.14	28.67	1321	34.4365922	-118.6429718	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Surgin Liquid in Header,Well Comment:Lateral is bellied and watered in. Created a maintenance form for well.	
CV-24213	5/1/2026 1:32:27 PM	38.4	50.7	0.0	10.9				0.8	0.0	108.7	109.4	1.44	1.45			0.000	0.000	-0.01	0.12	28.65	1321	34.4366045	-118.6429675	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Surgin Liquid in Header,Well Comment:Lateral is bellied and watered in. Created a maintenance form for well.	
CV-24214	5/26/2026 12:44:02 PM	40.3	41.4	0.0	18.3				1.0	0.0	108.4	108.7	-3.43	-3.42			3.477	3.459	-4.39	-4.31	28.45	1305	34.4367725	-118.6434542	Valve Adjustment:Decreased Flow/Vacuum	
CV-24214	5/26/2026 12:41:30 PM	40.8	41.4	0.0	17.9				1.0	0.0	110.1	109.1	-3.61	-3.47			3.654	3.505	-4.08	-4.33	28.45	1322	34.4367697	-118.6434888	Valve Adjustment:Decreased Flow/Vacuum	
CV-24215	5/29/2026 9:58:57 AM	31.5	49.7	0.0	18.8				0.6	0.0	96.2	96.2	-0.25	-0.25	13.7	13.7	0.120	0.120	-7.83		28.67	1302	34.4368545	-118.6448328	No Adjustment Made	
CV-24216	5/1/2026 1:59:49 PM	48.0	41.3	1.2	9.5				1.2	7.9	105.0	104.2	-3.65	-3.64			3.587	3.559	-8.90	-8.98	28.66	1303	34.4368142	-118.6423178	Valve Adjustment:Audible Flow,No Flow Measurement	
CV-24217	5/11/2026 1:45:32 PM	38.4	55.9	0.0	5.7				0.7	0.0	115.7	115.7	-0.16	-0.16	0.0	0.0	0.145	0.150			28.48	1381	34.4359698	-118.6446735	Valve Adjustment:Audible Flow,High Temp	
CV-24217	5/11/2026 1:25:59 PM	39.3	56.1	0.0	4.6				0.7	0.0	110.4	110.5	-0.22	-0.21			0.205	0.192	-8.73	-8.68	28.52	1388	34.4359297	-118.6444033	Valve Adjustment:Barely Open	
CV-24217	5/11/2026 10:19:12 AM	43.1	50.5	0.0	6.4				0.9	0.0	121.6	121.5	-0.44	-0.32			0.431	0.316	-10.32	-10.42	28.63	1387	34.4359400	-118.6443795	Valve Adjustment:Decreased Flow/Vacuum	
CV-24218	5/8/2026 8:42:59 AM	43.0	56.1	0.0	0.9				0.8	0.0	123.6	124.1	-0.48	-0.52	0.0	0.0	0.555	0.571			28.6	1385	34.4358460	-118.6457933	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,No Flow Measurement	
CV-24219	5/27/2026 2:44:32 PM	15.5	82.2	0.3	2.0				0.2	6.7	180.1	179.3	-4.70	-4.39			4.685	4.386	-5.96	-5.96	28.39	1386	34.4350911	-118.6462439	Valve Comment:Lorentz pump on upon arrival:Valve Adjustment:No Flow Measurement,High Temp,Barely Open,Well Condition:Lorentz Pump Installed	
CV-24219	5/19/2026 1:10:00 PM					2820																				AtmAA
CV-24219	5/19/2026 1:07:47 PM	24.4	75.6	0.0	0.0				0.3	0.0	182.4	182.4	-2.55	-2.46			2.583	2.396	-4.09	-4.07	28.58	1398	34.4350971	-118.6462268	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp,Valve 100% Open	
CV-24219	5/19/2026 1:07:21 PM	22.1	77.9	0.0	0.0				0.3	0.0	181.5	182.1	6.06	-2.11			0.000	2.130	-4.70	-3.83	28.59	1397	34.4350970	-118.6462269	Valve Adjustment:NSPS/EG CAC,High Temp,Increased Flow/Vacuum,Valve 100% Open	
CV-24219	5/11/2026 9:27:37 AM	5.4	83.9	0.0	10.7				0.1	0.0	188.3	188.3	-6.96	-6.50			6.916	6.475	-13.85	-13.07	28.53	1397	34.4351058	-118.6462183	Valve Adjustment:No Flow Measurement,High Temp	
CV-24219	5/11/2026 9:26:02 AM	5.5	88.0	0.0	6.5				0.1	0.0	188.6	188.2	1.54	-5.97			0.000	5.945	-13.82	-13.34	28.52	1396	34.4351090	-118.6462179	Valve Adjustment:NSPS/EG CAC,No Flow Measurement,High Temp,Increased Flow/Vacuum	
CV-24219	5/4/2026 8:40:00 AM					3760																				AtmAA
CV-24219	5/4/2026 8:40:00 AM						105700																			AtmAA; [User entered 10.57%]
CV-24219	5/4/2026 8:37:52 AM	2.4	92.8	0.0	4.8				0.0	0.0	187.1	187.1	-1.73	-1.64			1.908	1.772	-11.22	-11.52	28.5	1386	34.4351322	-118.6462394	Valve Adjustment:Audible Flow,High Temp	



All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2 [%]	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-25100S	5/8/2026 10:01:43 AM	1.2	83.1	0.0	15.7			0.0	0.0	182.3	181.9	-0.43	-0.28	0.0	0.0	0.677	1.154	-3.20		28.6	1362	34.4362412	-118.6471998			
CV-25100S	5/8/2026 10:00:14 AM	1.2	76.1	0.0	22.7			0.0	0.0	182.8	182.3	-1.16	-0.95	0.0	0.0	1.307	1.194	-3.29		28.6	1371	34.4361457	-118.6471048			
CV-25100S	5/4/2026 2:45:00 PM					3650																			AtmAA	
CV-25100S	5/4/2026 2:45:00 PM						138200																			AtmAA; [User entered 13.82%] Valve Adjustment:No Flow
CV-25100S	5/4/2026 2:38:27 PM	1.8	86.7	0.0	11.5			0.0	0.0	181.2	182.8	-6.31	-6.71			6.165	6.596	-10.21	-10.05	28.51	1384	34.4361628	-118.6471271	Measurement:High Temp Valve Adjustment:Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-25101D	5/22/2026 10:43:56 AM	5.2	68.1	4.0	22.7			0.1	5.7	80.3	80.5	-8.07	-7.89			7.928	7.721	-8.05	-7.92	28.37	1394	34.4359927	-118.6467905	Valve Comment:Well is suspected to be watered in;Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25101D	5/12/2026 1:33:31 PM	5.4	76.9	1.0	16.7			0.1	16.7	82.6	83.3	-10.20	-9.13			10.328	9.173	-10.30	-9.38	28.63	1392	34.4359830	-118.6467840	Valve Comment:Well is suspected to be watered in;Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25101S	5/22/2026 10:46:24 AM	24.4	64.4	0.0	11.2			0.4	0.0	112.3	112.0	-1.50	-1.48			1.458	1.442	-7.23	-7.13	28.37	1398	34.4359848	-118.6467945	Valve Adjustment:Barely Open		
CV-25101S	5/12/2026 1:23:51 PM	18.7	59.6	0.2	21.5			0.3	107.5	122.9		-3.23				3.181		-10.20		28.63	1391	34.4359960	-118.6467880	Valve Adjustment:Decreased Flow/Vacuum		
CV-25102	5/20/2026 2:05:47 PM	12.0	55.1	6.5	26.4			0.2	4.1	100.1	100.0	-9.04	-9.04			8.735	8.876	-9.42	-9.42	28.44	1375	34.4357913	-118.6471962	Valve Adjustment:Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-25102	5/8/2026 10:11:54 AM	4.5	28.4	13.0	54.1			0.2	4.2	83.2	83.1	-4.06	-3.97	0.0	0.0	3.871	3.864	-3.84		28.6	1375	34.4357355	-118.6472145			
CV-25102	5/8/2026 10:09:29 AM	6.9	44.3	8.7	40.1			0.2	4.6	83.6	83.5	-4.02	-3.93	0.0	0.0	3.957	3.944	-3.62		28.6	1394	34.4357597	-118.6471285	Valve Adjustment:Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-25103	5/22/2026 11:13:05 AM	2.7	87.1	0.0	10.2			0.0	0.0	127.7	127.2	-2.07	-2.02			2.013	1.938	-5.83	-8.08	28.41	1367	34.4346380	-118.6477068	Valve Adjustment:Increased Flow/Vacuum, Barely Open		
CV-25103	5/20/2026 1:53:20 PM	51.3	48.7	0.0	0.0			1.1	0.0	106.0	106.5	-0.01	-0.12			0.000	0.083	-8.79	-8.66	28.41	1396	34.4356702	-118.6466980	Valve Adjustment:Increased Flow/Vacuum, Barely Open		
CV-25103	5/12/2026 10:47:21 AM	21.7	41.1	0.0	37.2			0.5	0.0	125.2	124.9	-0.62	-0.61			0.598	0.597	-11.88	-11.73	28.61	1385	34.4356583	-118.6467003	Valve Adjustment:NSPS/EG CAC		
CV-25103	5/12/2026 10:45:57 AM	22.3	42.5	0.0	35.2			0.5	0.0	141.3	127.6	-3.74	-0.66			3.671	0.657	-12.20	-11.84	28.59	1382	34.4356737	-118.6466958	Valve Adjustment:NSPS/EG CAI, High Temp, Decreased Flow/Vacuum		
CV-25104D	5/20/2026 2:32:23 PM	9.2	72.7	1.8	16.3			0.1	9.1	94.7	94.7	-5.28	-5.66	7.0	7.2	5.255	5.589	-5.52	-5.68	28.44	1380	34.4353553	-118.6472522	Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25104D	5/13/2026 9:49:44 AM	4.6	75.6	1.7	18.1			0.1	10.6	94.5	94.6	-9.27	-8.86			9.549	9.102	-9.40	-8.91	28.71	1379	34.4353555	-118.6472503	Valve Adjustment:Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-25104S	5/20/2026 2:35:06 PM	8.7	78.5	0.0	12.8			0.1	0.0	104.5	104.6	-5.20	-4.98			5.120	4.965	-5.44	-5.60	28.44	1380	34.4353553	-118.6472522	Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25104S	5/13/2026 9:54:31 AM	3.8	82.8	0.0	13.4			0.0	0.0	120.8	121.4	-9.95	-9.37			10.253	9.646	-10.34	-9.89	28.71	1372	34.4353733	-118.6472362	Valve Adjustment:Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25105D	5/22/2026 10:19:59 AM	15.8	35.6	2.7	45.9			0.4	17.0	93.0		-4.93				4.642		-5.29		28.37	1404	34.4353722	-118.6466995	Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-25105D	5/8/2026 8:27:56 AM	22.6	50.6	0.9	25.9			0.4	28.8	74.3	74.1	-0.64	-0.69	0.0	0.0	0.838	0.728	-1.19		28.58	1371	34.4352940	-118.6467577	Valve Adjustment:Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)		
CV-25105S	5/20/2026 1:43:43 PM	22.9	38.0	0.7	38.4			0.6	54.9	128.3	128.5	-1.63	-1.66			1.529	1.515	-3.43	-3.67	28.41	1392	34.4353708	-118.6467107	Valve Adjustment:Decreased Flow/Vacuum, Surging Liquid in Well (Watered In)		
CV-25105S	5/8/2026 8:30:20 AM	17.5	41.5	1.3	39.7			0.4	30.5	128.5	129.3	-0.39	-0.36	0.0	0.0	0.676	0.393	-0.82		28.5	1378	34.4353882	-118.6467118	Valve Adjustment:NSPS/EG CAI, High O2, Reduce Sys. Vac. - Flare Down		
CV-25106D	5/26/2026 9:05:29 AM	0.7	3.8	20.6	74.9			0.2	3.6	60.0	60.2	-1.16	-1.15			1.153	1.134	-7.55	-7.57	28.43	1379	34.4350615	-118.6473708	Valve Adjustment:NSPS/EG CAI, High O2, Decreased Flow/Vacuum, Reduce Sys. Vac. - Flare Down		
CV-25106D	5/26/2026 9:03:18 AM	0.6	3.3	20.9	75.2			0.2	3.6	59.9	60.0	-4.03	-1.06			4.001	1.043	-8.42	-8.14	28.43	1384	34.4350633	-118.6473718	Valve Adjustment:NSPS/EG CAI, High O2, Decreased Flow/Vacuum, Barely Open, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25106D	5/12/2026 2:19:11 PM	1.8	9.1	17.8	71.3			0.2	4.0	87.1	87.0	-3.62	-3.65			3.500	3.498	-8.82	-8.79	28.67	1359	34.4350400	-118.6473762	Valve Adjustment:NSPS/EG CAI, High O2, Decreased Flow/Vacuum, Barely Open, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25106D	5/12/2026 2:18:07 PM	1.7	9.9	17.7	70.7			0.2	4.0	87.2	87.3	-4.23	-4.27			4.097	4.151	-10.44	-10.29	28.67	1357	34.4350470	-118.6473775	Valve Adjustment:NSPS/EG CAI, High O2, Barely Open, Reduce Sys. Vac. - Flare Down		
CV-25106S	5/26/2026 9:12:30 AM	7.5	10.5	18.1	63.9			0.7	3.5	66.6	66.4	-4.62	-4.62			4.580	4.577	-7.75	-7.51	28.42	1375	34.4350495	-118.6473688	Valve Adjustment:NSPS/EG CAI, High O2, Decreased Flow/Vacuum, Reduce Sys. Vac. - Flare Down		
CV-25106S	5/26/2026 9:11:40 AM	7.5	10.4	18.1	64.0			0.7	3.5	66.0	66.7	-7.39	-4.62			7.439	4.585	-7.90	-7.38	28.42	1379	34.4350568	-118.6473650	Valve Adjustment:NSPS/EG CAI, High O2, Decreased Flow/Vacuum, Reduce Sys. Vac. - Flare Down		
CV-25106S	5/12/2026 2:25:06 PM	5.3	7.4	18.0	69.3			0.7	3.9	87.8	87.8	-7.99	-8.06			8.093	8.159	-8.66	-8.92	28.67	1366	34.4350378	-118.6473582	Valve Adjustment:NSPS/EG CAI, High O2, Decreased Flow/Vacuum, Barely Open, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25106S	5/12/2026 2:23:49 PM	5.6	8.9	17.7	67.8			0.6	3.8	87.4	84.6	-7.93	-8.03			8.084	8.186	-8.79	-8.74	28.67	1367	34.4350492	-118.6473735	Valve Adjustment:NSPS/EG CAI, High O2, Decreased Flow/Vacuum, Barely Open, Surging Liquid in Well (Watered In);Well Comment:No pump installed		
CV-25107D	5/1/2026 2:47:38 PM	2.6	70.5	4.5	22.4			0.0	5.0	89.4	89.4	-11.51	-11.52	0.0	0.0			-11.43		28.4	1375	34.4351265	-118.6459852			
CV-25107S	5/1/2026 2:50:28 PM	47.4	52.6	0.0	0.0			0.9	0.0	100.3	100.3	-0.49	-0.49	0.0	0.0	0.518	0.520	-11.48		28.4	1358	34.4350663	-118.6458963			
CV-2511	5/5/2026 2:33:06 PM	48.1	42.6	0.0	9.3			1.1	0.0	124.0	124.5	-0.72	-0.61	23.5	23.3	0.133	0.131	-7.27		28.59	1230	34.4296735	-118.6501605			
CV-2512	5/5/2026 2:28:36 PM	46.3	42.2	0.0	11.5			1.1	0.0	122.8	122.8	-0.63	-0.62	28.3	28.1	0.192	0.189	-7.67		28.59	1250	34.4292710	-118.6506313			

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2513	5/7/2026 3:05:57 PM	53.0	43.7	0.0	3.3				1.2	0.0	119.1	119.1	-0.65	-0.74	32.6	35.8	2.292	2.761	-8.74		28.69	1125	34.4288815	-118.6487923	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2514	5/8/2026 2:58:55 PM	53.9	42.0	0.0	4.1				1.3	0.0	122.4	122.2	-1.51	-1.61	38.0	40.2	1.707	1.910	-4.15		28.71	1129	34.4296507	-118.6479342	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2515	5/7/2026 9:16:53 AM	54.2	38.5	0.0	7.3				1.4	0.0	114.6	115.0	-0.30	-0.33	9.0	14.3	0.092	0.232	-3.72		28.7	1266	34.4379218	-118.6432498	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2516	5/11/2026 11:15:10 AM	51.3	43.9	0.0	4.8				1.2	0.0	125.7	126.3	-1.75	-1.97	11.4	14.9	0.808	1.385	-7.13		28.63	1306	34.4374927	-118.6432372	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2517	5/7/2026 9:40:45 AM	45.9	39.4	0.0	14.7				1.2	0.0	111.5	111.7	-0.63	-0.63	0.0	0.0	-0.038	-0.037	-3.95		28.72	1273	34.4369217	-118.6420542	No Adjustment Made	
CV-2518	5/7/2026 10:00:08 AM	53.0	42.8	0.0	4.2				1.2	0.0	104.6	104.9	-0.01	-0.08	0.0	0.0	-0.044	-0.042	-3.78		28.75	1234	34.4363728	-118.6414252	NSPS/EG CAC,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2518	5/7/2026 9:57:35 AM	53.3	42.7	0.0	4.0				1.2	0.0	92.3	102.0	1.64	-0.03	0.0	0.0	-0.059	-0.035	-3.50		28.75	1243	34.4363833	-118.6414300	NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn	
CV-2519	5/1/2026 1:11:22 PM	48.9	42.1	0.0	9.0				1.2	0.0	125.2	125.2	-0.68	-0.86	20.4	25.1	1.136	1.730	-11.17	-10.96	28.67	1299	34.4361448	-118.6420415	Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2520	5/1/2026 1:26:15 PM	26.2	53.4	0.0	20.4				0.5	0.0	140.9	141.0	-0.13	-0.13	5.3	5.3	0.078	0.079	-10.84	-10.84	28.67	1309	34.4358838	-118.6428112	Valve Adjustment:NSPS/EG CAC,High Temp	
CV-2520	5/1/2026 1:25:06 PM	25.9	53.8	0.0	20.3				0.5	0.0	139.7	141.0	0.42	-0.09	4.1	5.5	0.046	0.086	-10.84	-10.84	28.65	1318	34.4358822	-118.6427960	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum	
CV-2521	5/26/2026 12:24:46 PM	35.8	48.5	0.0	15.8				0.7	0.0	109.3	109.8	-1.07	-1.06			1.075	1.061	-12.77	-12.92	28.45	1320	34.4354940	-118.6430322	Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2522	5/5/2026 12:53:32 PM	38.3	44.4	0.0	17.3				0.9	0.0	129.7	129.6	-0.05	-0.13	4.8	2.5	0.054	0.014	-11.53	-11.44	28.63	1293	34.4355363	-118.6424013	Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2522	5/1/2026 10:59:06 AM	38.9	46.1	0.0	15.0				0.8	0.0	135.3	134.7	-0.15	-0.12	5.0	5.5	0.069	0.084	-11.46	-11.51	28.71	1293	34.4355315	-118.6423892	Valve Adjustment:NSPS/EG CAC,High Temp	
CV-2522	5/1/2026 10:57:27 AM	35.4	45.7	0.0	18.9				0.8	0.0	128.6	134.8	0.59	-0.16	4.7	6.8	0.061	0.130	-11.50	-11.41	28.71	1283	34.4355267	-118.6423915	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum	
CV-2523	5/4/2026 2:07:42 PM	54.4	40.3	0.0	5.3				1.3	0.0	124.5	124.6	-2.25	-2.37	22.3	22.9	3.217	3.413	-12.09	-11.42	28.63	1278	34.4357013	-118.6416728	Valve Adjustment:Audible Flow,Increased Flow/Vacuum;Well Condition:Good	
CV-2524	5/1/2026 10:45:46 AM	32.2	47.2	0.0	20.6				0.7	0.0	141.2	140.6	-0.19	-0.18	8.6	8.3	0.210	0.193	-11.58	-11.57	28.71	1282	34.4348065	-118.6425145	Valve Adjustment:NSPS/EG CAC,High Temp	
CV-2524	5/1/2026 10:44:23 AM	33.2	46.7	0.0	20.1				0.7	0.0	139.4	141.0	0.22	-0.14	8.5	7.0	0.203	0.139	-11.67	-11.61	28.71	1277	34.4348058	-118.6425205	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Increased Flow/Vacuum	
CV-2525	5/4/2026 2:13:54 PM	55.7	42.1	0.0	2.2				1.3	0.0	120.2	120.2	-0.23	-0.23	23.3	23.4	1.268	1.269	-11.18	-11.17	28.64	1276	34.4350133	-118.6417385	Valve Adjustment:NSPS/EG CAC,Barely Open	
CV-2525	5/4/2026 2:13:24 PM	55.5	39.6	0.0	4.9				1.4	0.0	116.1	120.0	0.25	-0.11	8.9	22.9	0.182	1.214	-11.44	-10.62	28.64	1272	34.4350155	-118.6417368	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum	
CV-2526	5/4/2026 2:18:08 PM	54.0	42.3	0.0	3.7				1.3	0.0	119.7	120.0	-0.03	-0.15	19.5	21.0	0.094	0.108	-11.59	-11.46	28.65	1269	34.4345572	-118.6415907	Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Barely Open	
CV-2527	5/15/2026 11:27:42 AM	42.4	45.8	0.2	11.6				0.9	58.0	126.2	126.6	-3.71	-3.66	0.0	0.0	-3.662	-3.649	-13.67		28.64	1325	34.4341018	-118.6428870		
CV-2528	5/11/2026 8:25:29 AM	52.7	39.3	0.0	8.0				1.3	0.0	109.3	108.8	-2.81	-2.82	12.1	14.6	0.085	0.122	-13.34		28.69	1243	34.4338085	-118.6412588	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2529	5/8/2026 12:47:59 PM	56.6	41.3	0.2	1.9				1.4	9.5	87.9	88.1	-6.53	-6.78	2.7	3.0	0.781	0.924	-6.87	-6.71	28.71	1222	34.4331330	-118.6423445	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2530	5/12/2026 7:58:10 AM	42.2	49.9	0.0	7.9				0.8	0.0	122.8	124.1	-1.38	-1.36	0.0	0.0	1.373	1.371	-12.17		28.68	1260	34.4327550	-118.6429390	No Flow Measurement	
CV-2531	5/8/2026 12:35:03 PM	31.5	54.9	0.0	13.6				0.6	0.0	118.0	118.6	-0.14	-0.13			0.107	0.093	-8.56	-8.42	28.71	1207	34.4325265	-118.6433380	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAC,Audible Flow,Barely Open,Surging Liquid in Header	
CV-2531	5/8/2026 12:34:13 PM	31.1	54.6	0.0	14.3				0.6	0.0	98.2	117.4	45.23	-0.13			0.000	0.074	-8.24	-8.35	28.71	1219	34.4325375	-118.6433560	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum	
CV-2532	5/12/2026 7:54:00 AM	50.4	42.4	1.1	6.1				1.2	5.5	73.4	73.6	-13.68	-13.64	0.0	0.0			-13.52		28.68	1247	34.4322183	-118.6437638	No Flow Measurement	
CV-2533	5/12/2026 7:48:32 AM	52.7	44.9	0.2	2.2				1.2	11.0	128.4	128.4	-11.82	-11.81	20.5	20.7	1.147	1.173	-13.28		28.69	1230	34.4319207	-118.6441120	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2534	5/11/2026 2:17:18 PM	53.0	43.3	0.0	3.7				1.2	0.0	123.0	123.0	-3.20	-3.97	40.7	44.5	2.169	2.604	-16.17	-16.36	28.84	1221	34.4317063	-118.6444812	Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2535	5/5/2026 2:52:23 PM	37.7	35.2	0.0	27.1				1.1	0.0	107.4	107.5	-0.37	-0.37	7.2	7.2	1.053	1.053	-8.37		28.56	1201	34.4310167	-118.6469827		
CV-2536	5/14/2026 10:27:30 AM	40.5	36.0	4.1	19.4				1.1	4.7	89.0	89.2	-9.77	-9.58	3.0	2.7	0.906	0.760	-10.58		28.81	1125	34.4309465	-118.6458117		
CV-2537	5/6/2026 12:17:48 PM	45.7	39.3	0.1	14.9				1.2	149.0	113.7	109.4	-1.71	-0.64	0.0	0.0	1.663	0.561	-6.21		28.71	1270	34.4310645	-118.6466235		
CV-2538	5/6/2026 12:25:17 PM	50.4	40.8	0.0	8.8				1.2	0.0	118.6	118.6	-0.55	-0.54	11.2	10.9	2.500	2.366	-7.02		28.71	1184	34.4308127	-118.6467563		
CV-2539	5/20/2026 9:49:24 AM	42.4	43.7	0.0	13.9				1.0	0.0	122.2	122.3	-3.41	-3.15	0.0	0.0	3.410	3.065	-7.24		28.51	1339	34.4317478	-118.6491623		
CV-2539	5/4/2026 9:17:28 AM	38.2	42.2	0.0	19.6				0.9	0.0	116.6	116.5	-1.88	-1.88	0.0	0.0	1.896	1.894	-8.37		28.53					
CV-2540	5/20/2026 2:18:42 PM	2.6	84.3	0.0	13.1				0.0	0.0	128.9	129.7	-1.92	-2.09			1.659	2.068	-6.97	-6.42	28.46	1370	34.4332802	-118.6480973	Valve Adjustment:NSPS/EG CAI,Barely Open	
CV-2540	5/20/2026 2:15:08 PM	1.5	76.2	0.0	22.3				0.0	0.0	131.1	128.9	-1.83	-1.93			1.813	1.913	-6.87	-7.00	28.48	1373	34.4332657	-118.6480898	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Barely Open	
CV-2540	5/14/2026 1:17:10 PM	4.3	80.5	0.4	14.8				0.1	37.0	129.8	129.2	-0.97	-1.09			0.952	1.029	-6.70	-6.67	28.67	1370	34.4332643	-118.6481005	Valve Adjustment:NSPS/EG CAC Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum,Surging Liquid in Well (Watered In)	
CV-2540	5/14/2026 1:13:24 PM	5.1	79.6	0.6	14.7				0.1	24.5	134.7	129.8	-6.29	-0.92			6.286	0.904	-6.35	-6.58	28.67	1373	34.4332743	-118.6481005		

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2541	5/19/2026 9:38:49 AM	28.5	56.4	0.0	15.1				0.5	0.0	130.9	130.6	-2.43	-2.43							28.63	1346	34.4332705	-118.6490112	Well Repairs:Sample Port	
CV-2541	5/19/2026 9:36:57 AM	29.6	55.8	0.0	14.6				0.5	0.0	133.3	130.8	-3.08	-2.47							28.62	1350	34.4332710	-118.6490418	Valve Adjustment:NSPS/EG CAC,NSPS/EG CAC,High Temp,Decreased Flow/Vacuum	
CV-2541	5/1/2026 11:15:47 AM	4.6	84.3	0.0	11.1				0.1	0.0	84.8	85.1	0.06	0.06							28.58	1333	34.4332740	-118.6490530	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Surging Liquid in Well (Watered In)	
CV-2541	5/1/2026 11:15:26 AM	4.8	76.3	0.0	18.9				0.1	0.0	84.9	82.5	0.06	0.06							28.59	1335	34.4332715	-118.6490500	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Surging Liquid in Well (Watered In)	
CV-2542	5/21/2026 2:04:28 PM	49.7	50.3	0.0	0.0				1.0	0.0	92.0	92.0	-0.23	-0.25							28.4	1393	34.4337050	-118.6471915	Valve Adjustment:Barely Open,Surging Liquid in Header	
CV-2542	5/4/2026 1:56:22 PM	44.6	53.2	0.0	2.2				0.8	0.0	70.6	72.7	-3.26	-2.51							28.48	1381	34.4337153	-118.6471642	Valve Adjustment:Decreased Flow/Vacuum	
CV-2543-PLR	5/20/2026 1:43:43 PM	20.5	66.9	0.5	12.1				0.3	24.2	104.5	101.3	-5.07	-3.98							28.5	1351	34.4338193	-118.6484695	Valve Comment:sensitive valve;Valve Adjustment:Decreased Flow/Vacuum	
CV-2543-PLR	5/4/2026 9:50:49 AM	26.7	60.3	1.2	11.8				0.4	9.8	83.0	82.0	-9.93	-8.29							28.56	1337	34.4338390	-118.6484637	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In);Well Comment:Possible damaged valve	
CV-2544	5/21/2026 1:52:17 PM	13.5	77.0	0.0	9.5				0.2	0.0	94.3	94.3	-0.22	-0.23							28.41	1387	34.4340332	-118.6472325	Valve Adjustment:NSPS/EG CAC,Surging Liquid in Header	
CV-2544	5/21/2026 1:51:00 PM	13.1	78.8	0.0	8.1				0.2	0.0	95.5	94.3	0.39	-0.12							28.41	1378	34.4340130	-118.6472433	Valve Adjustment:NSPS/EG CAC,Positive Static Press.,Surging Liquid in Header	
CV-2544	5/6/2026 11:06:39 AM	12.3	81.6	0.0	6.1				0.2	0.0	83.4	77.1	-0.37	-0.45							28.6	1406	34.4340442	-118.6472338	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
CV-2545	5/22/2026 12:19:27 PM	31.1	68.9	0.0	0.0				0.5	0.0	127.4	127.4	-0.39	-0.40	0.0	0.0	0.399	0.394	-3.83		28.36	1404	34.4339908	-118.6466957	NSPS/EG CAC,NSPS/EG CAC,High Temp	
CV-2545	5/22/2026 12:15:46 PM	32.5	65.2	0.0	2.3				0.5	0.0	131.2	127.5	-0.96	-0.53	0.0	0.0	0.854	0.488	-3.39		28.36	1407	34.4340295	-118.6467170	Valve Adjustment:NSPS/EG CAC,Barely Open,Surging Liquid in Header	
CV-2545	5/6/2026 2:44:01 PM	31.1	64.9	0.0	4.0				0.5	0.0	115.4	115.2	-0.07	-0.07							28.54	1393	34.4340488	-118.6467080	Valve Adjustment:Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down	
CV-2545	5/6/2026 2:43:10 PM	31.2	66.0	0.0	2.8				0.5	0.0	116.2	115.3	0.17	-0.01							28.54	1404	34.4340650	-118.6467367	Valve Adjustment:Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down	
CV-2546	5/22/2026 12:25:12 PM	18.1	80.2	0.0	1.7				0.2	0.0	129.8	129.8	-0.52	-0.50	0.0	0.0	0.483	0.477	-3.71		28.37	1358	34.4341263	-118.6470320	NSPS/EG CAC,NSPS/EG CAC,High Temp	
CV-2546	5/22/2026 12:24:00 PM	18.1	81.7	0.1	0.1				0.2	1.0	132.1	130.1	-0.87	-0.59	0.0	0.0	0.879	0.511	-3.57		28.37	1391	34.4341160	-118.6470045	Valve Adjustment:Increased Flow/Vacuum,Reduce Sys. Vac. - Flare Down	
CV-2546	5/6/2026 2:35:53 PM	13.3	79.5	0.0	7.2				0.2	0.0	120.1	121.1	-0.36	-0.36							28.56	1388	34.4341570	-118.6469667	Valve Adjustment:Barely Open	
CV-2547	5/28/2026 12:23:14 PM	51.5	43.9	0.1	4.5				1.2	45.0	94.3	95.7	-1.39	-1.53							28.48	1390	34.4339535	-118.6459753	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2547	5/22/2026 12:03:11 PM	52.1	46.2	0.0	1.7				1.1	0.0	95.7	97.0	-1.05	-1.13	0.0	0.0	0.932	1.091	-11.83		28.37	1385	34.4338917	-118.6459037	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2547	5/6/2026 10:25:52 AM	48.8	47.4	0.0	3.8				1.0	0.0	102.4	102.5	-1.12	-0.92	0.0	0.0	1.074	0.777	-12.92		28.56	1381	34.4338955	-118.6459930	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum,Barely Open	
CV-2548	5/13/2026 9:58:56 AM	12.6	76.5	0.0	10.9				0.2	0.0	127.3	127.8	-0.79	-0.84	9.9	11.2	2.108	2.699	-9.91	-9.81	28.65	1397	34.4343410	-118.6455860	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2548	5/1/2026 10:34:59 AM	12.0	81.1	0.0	6.9				0.1	0.0	128.0	127.9	-0.88	-0.78	0.0	0.0	-2.413	-2.210			28.46	1404	34.4344290	-118.6456162	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum	
CV-2549	5/28/2026 12:13:13 PM	49.3	41.5	0.0	9.2				1.2	0.0	110.0	110.2	-1.60	-1.62	34.8	37.4	3.268	3.782	-15.17	-12.91	28.48	1396	34.4343867	-118.6452610	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Good	
CV-2549	5/13/2026 9:51:28 AM	49.4	46.4	0.0	4.2				1.1	0.0	110.8	111.4	-0.89	-0.93	25.9	32.0	1.790	2.748	-11.33	-12.41	28.63	1395	34.4343673	-118.6452592	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Good	
CV-2549	5/6/2026 12:31:15 PM	48.7	48.6	0.0	2.7				1.0	0.0	109.5	111.3	-0.25	-0.32	26.2	28.9	1.832	2.237	-12.30	-11.48	28.62	1395	34.4343742	-118.6452492	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum,Barely Open;Well Condition:Good	
CV-2549	5/1/2026 10:30:41 AM	44.2	50.4	0.3	5.1				0.9	17.0	111.6	110.7	-1.04	-0.92	0.0	0.0	-2.740	-1.298			28.45	1424	34.4344408	-118.6452425	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Header	
CV-2550	5/27/2026 1:19:05 PM	3.1	80.0	0.0	16.9				0.0	0.0	168.2	168.9	-6.90	-6.70							28.36	1388	34.4348365	-118.6462116	Valve Adjustment:NSPS/EG CAC,High Temp Measurement,High Temp,Surging Liquid in Well (Watered In)	
CV-2550	5/21/2026 10:06:57 AM	5.1	78.6	0.0	16.3				0.1	0.0	183.4	183.7	-1.39	-2.69							28.5	1388	34.4348114	-118.6461624	Valve Adjustment:NSPS/EG CAC,High Temp Measurement,High Temp,Increased Flow/Vacuum	
CV-2550	5/21/2026 10:04:40 AM	5.0	75.9	0.0	19.1				0.1	0.0	182.1	182.9	1.27	-2.02							28.5	1389	34.4348143	-118.6461615	Valve Adjustment:No Flow Measurement,High Temp	
CV-2550	5/11/2026 9:52:55 AM	9.6	84.0	0.9	5.5				0.1	6.1	179.9	180.6	-2.36	-2.41							28.53	1390	34.4347874	-118.6461669	Valve Adjustment:No Flow Measurement,High Temp	
CV-2550	5/4/2026 9:00:00 AM					2670																				AtmAA
CV-2550	5/4/2026 8:59:59 AM	3.4	77.8	0.0	18.8				0.0	0.0	183.8	185.0	-5.13	-5.53							28.52	1386	34.4348107	-118.6461652	Valve Adjustment:Audible Flow,High Temp Measurement,High Temp	
CV-2551	5/1/2026 2:40:59 PM	13.9	84.0	0.0	2.1				0.2	0.0	134.9	135.0	-0.78	-0.77	0.0	0.0	0.742	0.747	-11.81		28.29	1411	34.4349613	-118.6458458	High Temp, Audible Flow	
CV-2551	5/1/2026 2:39:32 PM	14.2	79.8	0.1	5.9				0.2	59.0	135.5	135.5	-0.90	-0.91	0.0	0.0	0.963	0.856	-11.84		28.29	1417	34.4349245	-118.6458108	Valve Adjustment:NSPS/EG CAC,High Temp Measurement	
CV-2552	5/19/2026 1:50:38 PM	53.6	46.4	0.0	0.0				1.2	0.0	115.0	114.0	-5.61	-5.73							28.58	1391	34.4348880	-118.6465470	Valve Adjustment:NSPS/EG CAC,High Temp Measurement	
CV-2552	5/19/2026 1:49:24 PM	50.9	49.1	0.0	0.0				1.0	0.0	112.0	112.0	0.99	-2.00							28.58	1387	34.4348881	-118.6465428	Valve Adjustment:NSPS/EG CAC,High Temp Measurement,Increased Flow/Vacuum	

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2552	5/11/2026 9:58:44 AM	34.9	64.8	0.3	0.0				0.5	0.0	176.5	176.5	-0.28	-0.27			0.296	0.262	-13.69	-12.71	28.52	1402	34.4348833	-118.6465278	Valve Adjustment:No Flow Measurement,High Temp	
CV-2552	5/4/2026 9:36:17 AM	23.7	63.1	0.0	13.2				0.4	0.0	173.8	173.8	-0.72	-0.71			0.744	0.751	0.11	0.08	28.55	1388	34.4348703	-118.6465369	Valve Adjustment:High Temp	
CV-2552	5/4/2026 9:35:00 AM					2130																				AtmAA
CV-2552	5/4/2026 9:35:00 AM						67100																			AtmAA; [User entered 6.71%]
CV-2553	5/20/2026 1:24:17 PM	43.3	51.7	0.2	4.8				0.8	24.0	112.9	114.2	-0.28	-0.28			0.276	0.277	-6.84	-6.69	28.52	1343	34.4341850	-118.6489165	Valve Adjustment:Decreased Flow/Vacuum	
CV-2553	5/4/2026 9:36:18 AM	47.2	51.3	0.0	1.5				0.9	0.0	87.3	88.1	-3.77	-2.95			3.689	2.876	0.30	0.33	28.56	1340	34.4341713	-118.6489133	Valve Adjustment:No Flow Measurement,High Temp	
CV-2554	5/28/2026 1:40:06 PM	25.3	70.7	0.0	4.0				0.4	0.0	148.6	149.2	-4.27	-4.20			4.267	4.190	0.00	0.00	28.54	1370	34.4344472	-118.6482645	Valve Adjustment:No Flow Measurement,High Temp	
CV-2554	5/20/2026 2:11:24 PM	24.3	69.4	0.1	6.2				0.4	62.0	148.5	148.6	-3.24	-3.25			3.202	3.211	-3.80	-3.79	28.53	1372	34.4344643	-118.6482583	Valve Adjustment:No Flow Measurement,High Temp	
CV-2554	5/14/2026 11:13:27 AM	33.9	66.0	0.1	0.0				0.5	0.0	158.2	158.7	-4.55	-4.67			4.543	4.646	0.00	0.00	28.62	1362	34.4344647	-118.6482595	Valve Adjustment:No Flow Measurement,High Temp	
CV-2554	5/14/2026 11:12:34 AM	31.9	68.0	0.1	0.0				0.5	0.0	159.4	157.5	-10.10	-4.42			10.104	4.388	-0.34	-0.01	28.65	1362	34.4344691	-118.6482616	Valve Adjustment:No Flow Measurement,High Temp,Decreased Flow/Vacuum	
CV-2554	5/14/2026 11:10:00 AM					1040																				AtmAA
CV-2554	5/4/2026 1:13:35 PM	4.7	95.0	0.3	0.0				0.0	0.0	168.5	167.6	-7.05	-7.01			7.105	7.105	10.47	10.56	28.54	1358	34.4344623	-118.6482596	Valve Adjustment:High Temp	
CV-2554	5/4/2026 1:12:59 PM	4.5	82.2	0.0	13.3				0.1	0.0	169.3	168.5	-9.63	-6.34			9.822	6.489	-8.61	4.94	28.53	1358	34.4344687	-118.6482578	Valve Adjustment:High Temp,Decreased Flow/Vacuum	
CV-2554	5/4/2026 1:10:00 PM					928																				AtmAA
CV-2554	5/4/2026 1:10:00 PM						70800																			AtmAA; [User entered 7.08%]
CV-2555	5/22/2026 11:41:33 AM	4.2	8.8	20.1	66.9				0.5	3.3	92.3	93.6	-6.23	-6.04	0.0	0.0	6.285	6.130	-6.83		28.47	1352	34.4348518	-118.6476733	NSPS/EG CAI,High O2	
CV-2555	5/22/2026 11:39:04 AM	6.9	10.2	18.6	64.3				0.7	3.5	83.4	86.7	-5.88	-5.62	0.0	0.0	6.006	5.623	-6.48		28.47	1388	34.4348375	-118.6476383	NSPS/EG CAI,High O2	
CV-2555	5/8/2026 1:12:17 PM	12.8	26.0	12.4	48.8				0.5	3.9	83.2	83.2	-1.66	-1.01			1.607	0.987	-4.74	-4.48	28.52	1351	34.4348410	-118.6477207	Valve Adjustment:High O2,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down	
CV-2556	5/27/2026 2:02:24 PM	3.3	82.4	0.0	14.3				0.0	0.0	177.0	176.8	-7.61	-7.45			7.627	7.488	0.25	0.25	28.41	1368	34.4351675	-118.6472263	Valve Adjustment:No Flow Measurement,High Temp	
CV-2556	5/19/2026 1:45:00 PM					2070																				AtmAA
CV-2556	5/19/2026 1:38:41 PM	16.0	79.2	0.0	4.8				0.2	0.0	179.4	179.5	-10.11	-9.43			10.267	9.552	0.00	0.00	28.6	1386	34.4351709	-118.6472403	Valve Adjustment:No Flow Measurement,High Temp	
CV-2556	5/11/2026 10:20:58 AM	7.9	86.8	0.0	5.3				0.1	0.0	179.2	179.2	-12.62	-13.42			12.753	13.579	0.04	0.02	28.55	1383	34.4351541	-118.6472084	Valve Adjustment:No Flow Measurement,High Temp	
CV-2556	5/4/2026 9:15:00 AM					2935																				AtmAA
CV-2556	5/4/2026 9:15:00 AM						110800																			AtmAA; [User entered 11.08%]
CV-2556	5/4/2026 9:13:52 AM	1.5	82.5	0.0	16.0				0.0	0.0	175.8	175.8	-14.12	-14.12			14.419	14.430	0.01	0.01	28.54	1375	34.4351796	-118.6472120	Valve Adjustment:High Temp	
CV-2557	5/20/2026 1:47:47 PM	30.2	61.2	0.0	8.6				0.5	0.0	125.9	126.4	-1.45	-1.54			1.436	1.436	-3.75	-4.32	28.41	1380	34.4354737	-118.6464625	Valve Adjustment:Surging Liquid in Header	
CV-2557	5/8/2026 8:36:19 AM	23.3	66.3	0.0	10.4				0.4	0.0	121.2	121.7	-0.36	-0.35	0.0	0.0	0.471	0.431	-1.39		28.57	1319	34.4354630	-118.6466022	No Flow Measurement,Reduced System Vacuum	
CV-2558	5/27/2026 2:34:42 PM	8.3	76.3	1.2	14.2				0.1	11.8	179.6	179.5	7.37	7.37			0.000	0.000	0.25	0.25	28.37	1390	34.4353057	-118.6463321	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
CV-2558	5/27/2026 2:33:21 PM	8.5	75.8	1.6	14.1				0.1	8.8	179.7	179.4	1.98	2.48			0.000	0.000	0.25	0.25	28.38	1390	34.4353058	-118.6463320	Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Valve 100% Open,Surging Liquid in Well (Watered In)	
CV-2558	5/19/2026 1:15:50 PM	21.0	76.1	0.2	2.7				0.3	13.5	179.4	179.5	7.93	9.09			0.000	0.000	0.00	0.00	28.58	1393	34.4353069	-118.6463261	Valve Comment:ACTIVE PLR;Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open,Surging Liquid in Well (Watered In)	
CV-2558	5/19/2026 1:15:00 PM					2790																				AtmAA
CV-2558	5/14/2026 10:19:35 AM	16.1	79.8	0.0	4.1				0.2	0.0	183.9	184.0	1.32	1.81			0.000	0.000	0.34	0.34	28.58	1396	34.4353019	-118.6463204	Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)	
CV-2558	5/14/2026 10:18:44 AM	17.2	80.2	0.2	2.4				0.2	12.0	181.4	183.6	-1.14	3.49			0.769	0.000	0.34	0.34	28.58	1395	34.4352979	-118.6463215	Valve Comment:Active plr;Valve Adjustment:No Flow Measurement,High Temp,Surging Liquid in Well (Watered In)	
CV-2558	5/14/2026 10:15:00 AM					3750																				AtmAA
CV-2558	5/4/2026 8:47:30 AM	3.8	74.2	0.9	21.1				0.1	23.4	186.9	187.0	3.58	3.70			0.000	0.000	1.06	0.00	28.49	1388	34.4353080	-118.6463220	Valve Comment:Active plr;Valve Adjustment:Audible Flow,High Temp,Positive Static Press.	
CV-2558	5/4/2026 8:45:31 AM	3.6	71.4	2.4	22.6				0.1	9.4	186.2	187.6	3.99	12.53			0.000	0.000	0.70	11.42	28.49	1388	34.4353098	-118.6463183	Valve Comment:Active plr;Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.	
CV-2558	5/4/2026 8:45:00 AM					4000																				AtmAA
CV-2559	5/8/2026 8:53:26 AM	17.8	81.1	0.0	1.1				0.2	0.0	124.9	125.6	-0.04	-0.02	0.0	0.0	-0.038	0.184	-1.14		28.57	1391	34.4357650	-118.6454850	NSPS/EG CAC,No Flow Measurement,Reduced System Vacuum	
CV-2559	5/8/2026 8:49:36 AM	19.7	79.2	0.0	1.1				0.2	0.0	123.6	123.8	0.04	-0.02	0.0	0.0	0.063	0.218	-1.29		28.57	1388	34.4357823	-118.6454995	Positive Static Press.,Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less,NSPS/EG CAI	

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
CV-2560	5/22/2026 10:39:45 AM	23.0	44.9	0.5	31.6				0.5	63.2	111.4	111.8	-2.41	-1.38			2.357	1.353	-8.96	-9.13	28.37	1405	34.4359152	-118.6466632	Valve Adjustment:Decreased Flow/Vacuum	
CV-2560	5/12/2026 1:09:28 PM	19.0	36.8	0.5	43.7				0.5	87.4	125.4	124.4	-6.11	-3.21			6.179	3.074	-8.83	-10.13	28.63	1390	34.4359102	-118.6466652	Valve Adjustment:Decreased Flow/Vacuum	
CV-2561	5/11/2026 2:38:47 PM	13.6	35.2	0.0	51.2				0.4	0.0	128.6	128.9	-0.74	-0.85	0.0	0.0	0.720	0.901	-4.85		28.47	1381	34.4360695	-118.6467007	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
CV-2562	5/11/2026 2:10:20 PM	39.3	53.9	0.0	6.8				0.7	0.0	125.0	121.0	-3.33	-0.80	0.0	0.0	-3.199	-1.003	-5.04		28.49	1414	34.4360810	-118.6459618		
CV-2563	5/28/2026 11:37:21 AM	37.3	53.7	0.0	9.0				0.7	0.0	113.1	113.5	-0.15	-0.11	2.3	0.7	0.111	0.011	-0.17	-0.26	28.59	1299	34.4372952	-118.6457702	Valve Adjustment: NSPS/EG CAC Valve Comment:RES SEM,Valve Adjustment: NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum	
CV-2563	5/28/2026 11:36:57 AM	37.6	49.1	0.0	13.3				0.8	0.0	109.5	112.4	0.34	-0.08	1.4	1.7	0.043	0.057	-0.31	-0.38	28.59	1292	34.4373098	-118.6457650		
CV-2563	5/15/2026 11:37:25 AM	33.5	60.6	0.1	5.8				0.6	58.0	111.3	111.3	-0.13	-0.12	0.0	0.0	-0.002	-0.006	-1.14		28.58	1224	34.4373225	-118.6458008		
CV-2563	5/15/2026 11:35:25 AM	33.8	60.6	0.0	5.6				0.6	0.0	107.1	110.7	0.18	-0.07	2.7	0.0	0.895	-0.209	-0.08		28.58	1280	34.4373478	-118.6457748	Reduced System Vacuum,Opened Valve 1/2 to 1 Turn,Positive Static Press.,NSPS/EG CAC,NSPS/EG CAC Valve Adjustment: NSPS/EG CAC, Barely Open	
CV-2564	5/21/2026 9:30:21 AM	20.3	75.1	0.0	4.6				0.3	0.0	129.1	129.3	-0.06	-0.05			0.070	0.054	-1.31	-1.48	28.48	1361	34.4331228	-118.6487310	Valve Adjustment: NSPS/EG CAC, Barely Open	
CV-2564	5/21/2026 9:29:15 AM	19.7	77.3	0.0	3.0				0.3	0.0	128.4	129.4	0.14	-0.03			0.000	0.028	-1.60	-1.19	28.48	1365	34.4331245	-118.6487238	Valve Adjustment: NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum	
CV-2564	5/1/2026 11:06:39 AM	23.6	70.1	0.0	6.3				0.3	0.0	128.0	128.1	-0.14	-0.15			0.141	0.154	-6.15	-6.04	28.55	1356	34.4331307	-118.6487373	Valve Adjustment: Audible Flow, Barely Open	
CV-2565	5/20/2026 9:51:50 AM	33.5	37.6	0.0	28.9				0.9	0.0	113.5	113.6	-3.93	-3.92	0.0	0.0	3.926	3.924	-6.86		28.52	1339	34.4319638	-118.6490653		
CV-2565	5/4/2026 9:20:17 AM	31.0	38.6	0.0	30.4				0.8	0.0	111.0	111.1	-4.23	-4.21	0.0	0.0	4.199	4.197	-7.69		28.52					
CV-2566	5/20/2026 9:46:01 AM	51.5	48.5	0.1					1.1		108.2	108.3	-1.67	-1.67	0.0	0.0	1.740	1.736	-8.44		28.51	1358	34.4317583	-118.6487145		
CV-2566	5/4/2026 9:24:42 AM	48.7	46.3	0.0	5.0				1.1	0.0	100.7	100.3	-2.33	-2.07	0.0	0.0	2.368	2.075	-8.80		28.52	1371	34.4317735	-118.6487802		
CV-2567	5/20/2026 12:20:18 PM	48.6	48.7	0.1	2.6				1.0	26.0	109.2	108.4	-1.65	-1.32	0.0	0.0	1.613	1.198	-7.36		28.47	1306	34.4318887	-118.6480480		
CV-2567	5/4/2026 9:43:22 AM	49.6	46.8	0.0	3.6				1.1	0.0	99.5	99.5	-2.39	-2.38	0.0	0.0	2.354	2.350	-8.74		28.51	1339	34.4319670	-118.6480845		
CV-2568	5/20/2026 11:39:12 AM	44.0	50.3	0.0	5.7				0.9	0.0	109.3	109.2	-0.42	-0.41	0.0	0.0	0.367	0.365	-7.78		28.48	1339	34.4322255	-118.6478610		
CV-2568	5/4/2026 11:23:44 AM	42.5	45.6	0.0	11.9				0.9	0.0	91.4	91.4	-0.66	-0.65	0.0	0.0	0.546	0.546	-8.69		28.51	1325	34.4321435	-118.6477993		
CV-2569	5/20/2026 11:29:23 AM	45.4	54.6	0.0	0.0				0.8	0.0	110.3	110.3	-0.30	-0.30	0.0	0.0	0.335	0.333	-7.93		28.48	1398	34.4322323	-118.6472882		
CV-2569	5/4/2026 11:29:19 AM	45.4	47.9	0.0	6.7				0.9	0.0	92.7	92.7	-0.50	-0.50	0.0	0.0	0.496	0.496	-8.77		28.51	1365	34.4322860	-118.6473918		
CV-2570	5/20/2026 11:15:26 AM	50.8	49.2	0.0	0.0				1.0	0.0	112.6	112.6	-0.76	-0.73	0.0	0.0	0.636	0.636	-7.88		28.5	1440	34.4325052	-118.6471118		
CV-2570	5/4/2026 11:34:49 AM	49.8	45.3	0.0	4.9				1.1	0.0	98.5	98.5	-0.96	-0.95	0.0	0.0	0.875	0.874	-9.10		28.51	1329	34.4324603	-118.6470415		
CV-2571	5/7/2026 1:00:36 PM	51.2	41.2	0.0	7.6				1.2	0.0	96.5	96.5	-1.42	-1.46	32.4	32.1	0.599	0.587	-4.59		28.75	1125	34.4299732	-118.6457783		
CV-2572	5/7/2026 1:32:16 PM	52.6	42.0	0.0	5.4				1.3	0.0	121.9	121.9	-0.07	-0.06	0.0	0.0	-0.006	-0.006	-0.87		28.73	1211	34.4298968	-118.6470793		
CV-48R	5/28/2026 11:41:20 AM	51.7	43.5	0.0	4.8				1.2	0.0	116.4	115.8	0.41	0.47	4.8	1.3	0.147	0.011	0.39	0.67	28.59	1304	34.4373368	-118.6458555	Valve Adjustment: NSPS/EG CAC,Positive Static Press.,Surging Liquid in Well (Watered In)	
CV-48R	5/28/2026 11:40:34 AM	50.6	41.0	0.0	8.4				1.2	0.0	116.0	115.9	0.29	0.26	4.6	3.1	0.135	0.060	0.33	0.29	28.59	1287	34.4373452	-118.6458597	Valve Comment: RES SEM, Valve Adjustment: NSPS/EG CAC, Positive Static Press., Surging Liquid in Well (Watered In)	
CV-48R	5/15/2026 11:44:42 AM	49.0	50.2	0.0	0.8				1.0	0.0	116.1	116.1	-0.15	-0.14	0.0	0.0	-0.130	-0.131	-0.10		28.58	1312	34.4373598	-118.6459028		
CV-48R	5/6/2026 10:23:03 AM	53.1	46.8	0.0	0.1				1.1	0.0	119.9	120.0	-0.82	-0.92	3.4	2.8	0.073	0.051	-0.96	-0.64	28.7	1310	34.4373213	-118.6458787	Valve Comment: RES SEM, Valve Adjustment: Increased Flow/Vacuum	
CV-52D	5/1/2026 1:17:29 PM	30.1	50.2	1.3	18.4				0.6	14.2	94.8	94.5	-3.26	-2.86	0.6	2.9	0.002	0.050	-10.84	-10.84	28.66	1318	34.4359397	-118.6424802	Valve Adjustment: Decreased Flow/Vacuum, Barely Open, Surging Liquid in Well (Watered In)	
CV-55R	5/27/2026 3:07:28 PM	33.0	48.7	0.4	17.9				0.7	44.8	142.0	142.1	-2.73	-2.73	12.0	12.2	0.964	0.994	-6.68	-7.31	28.47	1316	34.4343666	-118.6427811	Valve Comment: Loranitz disconnected due to liner expansion, Valve Adjustment: High Temp	
CV-55R	5/21/2026 9:11:16 AM	20.8	54.1	0.0	25.1				0.4	0.0	133.4	134.1	-3.92	-3.90	7.3	7.0	0.352	0.327	-10.65	-10.36	28.58	1324	34.4343888	-118.6427691	Valve Adjustment: NSPS/EG CAC	
CV-55R	5/21/2026 9:10:09 AM	14.0	46.3	0.0	39.7				0.3	0.0	90.1	118.0	3.03	-3.56	1.1	8.9	0.008	0.503	-11.24	-10.14	28.55	1306	34.4343699	-118.6427853	Valve Adjustment: NSPS/EG CAC, Increased Flow/Vacuum	
CV-55R	5/11/2026 11:02:29 AM	49.6	50.4	0.0	0.0				1.0	0.0	153.3	153.5	-3.01	-3.01	6.3	6.4	0.268	0.281	-11.12	-11.17	28.61	1314	34.4343506	-118.6427855	Valve Adjustment: High Temp	
CV-55R	5/4/2026 8:05:00 AM					181.5																				AtmA
CV-55R	5/4/2026 8:05:00 AM						140550																			AtmA: [User entered 14.055%]
CV-55R	5/4/2026 8:04:21 AM	37.3	44.5	0.0	18.2				0.8	0.0	149.7	149.2	-7.05	-7.05	4.8	4.4	0.157	0.129	-13.02	-13.32	28.61	1319	34.4343259	-118.6428242	Valve Adjustment: High Temp	
CV-56D	5/7/2026 11:25:28 AM	4.1	4.7	18.5	72.7				0.9	3.9	92.3	92.3	-2.18	-2.17	0.0	0.0	-0.055	-0.052	-4.76		28.67	1286	34.4337902	-118.6431927	Reduced System Vacuum, NSPS/EG CAI, High O2	
CV-56D	5/7/2026 11:22:51 AM	18.5	20.7	11.8	49.0				0.9	4.2	92.4	92.4	-4.91	-4.82	0.0	0.0	-0.053	-0.047	-4.76		28.67	1270	34.4338063	-118.6432998	NSPS/EG CAI, High O2, Reduced System Vacuum	
CV-56S	5/7/2026 11:32:33 AM	2.6	32.0	7.5	57.9				0.1	7.7	89.2	89.0	-0.59	-0.51	0.0	0.0	-0.065	-0.058	-4.78		28.67	1299	34.4337373	-118.6431910	Reduced System Vacuum, NSPS/EG CAI, High O2	
CV-56S	5/7/2026 11:29:21 AM	2.9	33.4	6.9	56.8				0.1	8.2	90.9	90.4	-0.92	-0.82	0.0	0.0	-0.076	-0.063	-4.51		28.67	1329	34.4339453	-118.6432662	Reduced System Vacuum, NSPS/EG CAI, High O2	
CV-57R	5/1/2026 2:21:40 PM	52.1	41.9	0.0	6.0				1.2	0.0	87.9	93.4	-0.05	-0.10	1.2	1.1	0.030	0.027	-12.51	-12.49	28.52	1350	34.4343442	-118.6435822	Valve Adjustment: Increased Flow/Vacuum; Well Condition: Fair	
CV-79R	5/1/2026 2:41:23 PM	52.3	43.5	0.0	4.2				1.2	0.0	125.4	125.3	-0.83	-0.83	6.9	6.8	0.111	0.109	-13.27	-12.96	28.54	1329	34.4332500	-118.6448550	Valve Adjustment: Audible Flow; Well Condition: Fair	
CV-94	5/11/2026 3:29:38 PM	51.7	42.4	0.0	5.9</																					

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [”H2O]	Adj Diff Press [”H2O]	Sys Pressure [”H2O]	Adj Avail Press [”H2O]	Baro Press [”Hg]	Elev [ft]	Latitude	Longitude	Comments	
CV-95	5/1/2026 2:19:24 PM	52.4	39.5	0.0	8.1			1.3	0.0	104.3	105.0	-0.10	-0.11	2.6	2.3	0.143	0.109	-12.64	-12.54	28.52	1358	34.4343250	-118.6436185	Valve Adjustment: NSPS/EG CAC, Barely Open	
CV-95	5/1/2026 2:18:38 PM	51.3	38.6	0.0	10.1			1.3	0.0	93.6	99.1	0.05	-0.07	1.1	1.8	0.024	0.064	-7.32	-7.34	28.52	1353	34.4343223	-118.6436080	Valve Adjustment: NSPS/EG CAC, Positive Static Press., Increased Flow/Vacuum, Barely Open; Well Condition: Fair	
CV-99	5/26/2026 1:51:48 PM	26.1	73.9	0.0	0.0			0.4	0.0	77.4	77.4	-3.43	-2.93	0.7	1.3	0.009	0.035	-3.44	-2.72	28.43	1318	34.4370692	-118.6463438	Valve Adjustment: Surging Liquid in Header, Surging Liquid in Well (Watered In)	
CV-99	5/4/2026 7:45:00 AM							2600																	Air Tech Lab; [User entered 0.26%]
D-02	5/28/2026 3:29:22 PM	57.8	42.2	0.0	0.0			1.4	0.0	84.9	85.0	-10.41	-10.47	4.9	7.9	0.030	0.078	-10.09	-10.34	28.68	1190	34.4311713	-118.6443112	Valve Adjustment: Valve 100% Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
D-03	5/28/2026 3:32:52 PM	53.1	41.6	1.6	3.7			1.3	2.3	86.8	87.1	-3.36	-4.87	8.6	6.5	0.061	0.035	-3.10	-4.83	28.67	1189	34.4311658	-118.6443082	Valve Adjustment: Surging Liquid in Header, Surging Liquid in Well (Watered In)	
D-04	5/28/2026 3:41:09 PM	58.5	41.5	0.0	0.0			1.4	0.0	76.9	77.8	-14.97	-14.91	4.5	6.3	0.025	0.049	-14.64	-14.53	28.68	1180	34.4311697	-118.6443112	Valve Adjustment: Valve 100% Open, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down	
D-09	5/7/2026 1:18:48 PM	52.1	40.6	0.0	7.3			1.3	0.0	111.4	111.7	-3.08	-3.31	9.8	11.5	0.569	0.785	-3.67		28.73	1168	34.4301310	-118.6463358	Reduced System Vacuum, Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less	
D-10	5/7/2026 1:08:35 PM	45.6	35.0	2.7	16.7			1.3	6.2	107.3	107.5	-4.73	-4.64	0.0	0.0	-0.024	-0.012	-4.49		28.72	1109	34.4303733	-118.6456953		
FP-001	5/8/2026 9:19:36 AM	9.3	21.4	4.7	64.6			0.4	13.7	81.0	81.1	-0.01	-0.02	1.3	1.3	0.165	0.179	-4.83		28.62	1345	34.4366018	-118.6458813	Reduced System Vacuum, Audible Flow	
FP-002	5/8/2026 9:28:39 AM	16.5	25.5	4.0	54.0			0.6	13.5	78.6	78.7	-0.03	-0.02	1.6	0.9	0.272	0.089	-3.77		28.61	1385	34.4366048	-118.6462237	Reduced System Vacuum	
FP-003	5/8/2026 9:39:47 AM	8.7	16.6	8.1	66.6			0.5	8.2	79.4	79.4	-0.01	-0.01	6.6	6.6	0.865	0.865	-4.48		28.61	1381	34.4366380	-118.6466182	NSPS/EG CAC, High O2, Reduced System Vacuum	
FP-003	5/8/2026 9:36:36 AM	8.4	16.6	8.3	66.7			0.5	8.0	79.6	79.6	-0.03	-0.03	1.7	1.8	0.059	0.062	-3.15		28.61	1355	34.4366733	-118.6464832	NSPS/EG CAC, High O2, Reduced System Vacuum	
FP-005	5/15/2026 2:55:43 PM	6.0	23.1	12.4	58.5			0.3	4.7	82.4	82.4	-0.08	-0.08	13.5	14.5	3.780	4.343	-0.08		28.49	1385	34.4365253	-118.6472332		
FP-006	5/15/2026 2:51:55 PM	20.7	78.2	0.0	1.1			0.3	0.0	82.4	81.5	-1.37	-1.02	1.7	1.0	0.072	0.027	-4.06		28.5	1365	34.4364152	-118.6476607		
FP-008	5/15/2026 3:10:45 PM	14.7	70.2	1.4	13.7			0.2	9.8	88.4	87.8	-0.76	-0.19	4.1	2.7	0.414	0.182	-3.06		28.48	1391	34.4362947	-118.6481520		
FP-008	5/6/2026 9:22:39 AM	18.8	76.7	0.0	4.5			0.2	0.0	80.2	79.7	0.20	-0.02	0.3	0.2	0.020	0.007	0.77	0.62	28.63	1366	34.4363213	-118.6481603	Valve Comment: RES SEM, Valve Adjustment: Increased Flow/Vacuum; Well Comment: Possibly watered in no system pressure	
FP-009	5/13/2026 10:12:04 AM	11.7	79.4	0.0	8.9			0.1	0.0	94.3	94.3	-0.15	-0.11	4.0	3.4	0.324	0.233	-6.98	-5.41	28.67	1370	34.4366912	-118.6489365	Valve Adjustment: Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
FP-010	5/13/2026 10:03:04 AM	17.6	79.9	0.0	2.5			0.2	0.0	105.2	105.2	-0.08	-0.06	8.6	8.3	1.537	1.406	-8.89	-7.82	28.66	1359	34.4365998	-118.6492362	Valve Adjustment: Decreased Flow/Vacuum	
FP-011	5/13/2026 10:00:11 AM	30.2	62.9	1.4	5.5			0.5	3.9	73.6	74.5	-1.72	-1.12	5.8	4.4	0.646	0.381	-8.15	-8.36	28.67	1354	34.4365362	-118.6495148		
FP-012	5/19/2026 8:39:03 AM	13.1	18.8	14.6	53.5			0.7	3.7	82.2	82.4	-0.10	-0.11	0.9	0.8	0.015	0.013	-6.15	-6.30	28.58	1394	34.4366645	-118.6499508		
FP-012	5/1/2026 11:49:02 AM	9.4	10.5	17.4	62.7			0.9	3.6	83.3	83.8	-0.10	-0.12	1.0	0.7	0.020	0.009	-7.02	-7.22	28.49	1420	34.4369662	-118.6499643		
FP-013	5/19/2026 9:34:22 AM	25.1	35.6	6.1	33.2			0.7	5.4	77.7	76.5	-0.13	-0.18	6.1	9.8	0.722	1.876	-5.96	-5.82	28.59	1375	34.4365733	-118.6502487	Valve Adjustment: Increased Flow/Vacuum	
FP-013	5/13/2026 9:55:27 AM	19.9	25.3	9.2	45.6			0.8	5.0	75.1	75.1	-0.17	-0.14	6.6	6.8	0.836	0.897	-7.27	-7.29	28.67	1370	34.4365755	-118.6502437	Valve Adjustment: Barely Open	
FP-014	5/13/2026 2:03:06 PM	19.4	72.7	0.0	7.9			0.3	0.0	85.0	91.0	-0.08	-0.07	2.0	2.3	0.420	0.530	-2.40	-3.03	28.63	1359	34.4364897	-118.6482270	Valve Adjustment: Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
FP-015	5/15/2026 2:35:16 PM	1.7	49.5	8.1	40.7			0.0	5.0	79.6	79.7	-0.25	-0.29	1.1	1.1	0.027	0.027	-3.55		28.53	1368	34.4364350	-118.6487848		
FP-015	5/14/2026 2:08:49 PM	2.5	70.5	0.7	26.3			0.0	38.1	171.9	127.4	-2.20	-2.07	2.2	0.2	0.556	0.004	-2.58	-2.69	28.61	1345	34.4364805	-118.6479392	Valve Adjustment: Decreased Flow/Vacuum, Valve 100% Closed	
FP-015	5/13/2026 2:12:26 PM	4.7	75.2	0.8	19.3			0.1	24.1	175.6	176.4	-2.19	-2.20	2.4	2.2	0.135	0.108	-2.28	-2.33	28.63	1349	34.4364387	-118.6479168	Valve Adjustment: High Temp	
FP-016	5/15/2026 2:43:10 PM	11.5	54.8	6.2	27.5			0.2	4.4	88.6	84.3	-1.81	-1.27	11.0	2.0	2.904	0.093	-3.97		28.5	1335	34.4365703	-118.6476573		
FP-016	5/13/2026 2:15:57 PM	13.7	55.9	6.6	23.8			0.2	3.6	88.7	89.7	-1.28	-1.25	2.1	2.0	1.129	1.002	-2.17	-2.02	28.64	1360	34.4364905	-118.6477060	Valve Adjustment: Barely Open	
FP-017	5/8/2026 12:57:34 PM	45.4	33.2	3.2	18.2			1.4	5.7	88.5	88.7	-0.09	-0.11	2.6	2.3	0.138	0.107	0.02	0.29	28.57	1336	34.4344060	-118.6486553	Valve Adjustment: Surging Liquid in Header, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down	
FP-018	5/8/2026 12:40:54 PM	22.4	17.2	11.4	49.0			1.3	4.3	87.3	87.6	-0.25	-0.26	0.3	0.5	0.002	0.004	-5.90	-5.73	28.57	1355	34.4344607	-118.6490808		
FP-019	5/12/2026 1:48:27 PM	53.7	42.4	0.0	3.9			1.3	0.0	79.3	79.4	-0.12	-0.13	1.4	1.2	0.041	0.026	-3.05	-4.57	28.58	1324	34.4346590	-118.6491418	Valve Adjustment: Surging Liquid in Header, Surging Liquid in Well (Watered In)	
FP-020	5/12/2026 1:57:00 PM	14.5	71.5	0.0	14.0			0.2	0.0	83.0	83.2	-1.09	-1.05			0.054	0.000	-4.30	-4.23	28.6	1328	34.4349558	-118.6492892	Valve Adjustment: Barely Open	
FP-021	5/13/2026 10:41:14 AM	29.1	63.4	0.0	7.5			0.5	0.0	90.8	90.9	-6.85	-6.93	7.5	7.7	1.138	1.213	-7.46	-7.61	28.7	1341	34.4352002	-118.6491838		
FP-021	5/12/2026 1:59:43 PM	21.8	70.3	0.0	7.9			0.3	0.0	95.6	95.7	-4.27	-3.67			0.000	0.000	-5.51	-5.40	28.57	1331	34.4351600	-118.6495498	Valve Adjustment: Decreased Flow/Vacuum	
FP-022	5/13/2026 10:32:37 AM	18.1	66.0	0.7	15.2			0.3	21.7	90.2	90.5	-3.57	-4.07	2.5	3.6	0.130	0.258	-7.96	-8.10	28.7	1358	34.4352390	-118.6491458	Valve Comment: RES SEM, Valve Adjustment: Increased Flow/Vacuum	
FP-023	5/13/2026 1:46:18 PM	22.6	58.6	3.6	15.2			0.4	4.2	84.5	84.7	-1.24	-1.17	1.7	1.9	0.059	0.069	-3.99	-4.40	28.64	1345	34.4355123	-118.6494168	Valve Adjustment: Surging Liquid in Header, Surging Liquid in Well (Watered In)	
FP-024	5/20/2026 2:16:33 PM	33.1	65.0	0.6	1.3			0.5	2.2	96.6	96.9	-0.22	-0.19	2.4	1.7	0.113	0.056	-7.09	-7.20	28.45	1362	34.4354970	-118.6477955	Valve Adjustment: Barely Open	
FP-025	5/20/2026 2:19:20 PM	27.3	51.6	2.0	19.1			0.5	9.6	84.1	84.5	-2.99	-2.62	1.6	0.6	0.051	0.008	-7.58	-7.49	28.45	1361	34.4353510	-118.6477598	Valve Adjustment: Decreased Flow/Vacuum	

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
FP-026	5/29/2026 4:20:14 PM	12.5	39.6	8.4	39.5				0.3	4.7	78.0	77.8	-7.05	-7.05	19.2	19.2	7.419	7.464	0.20	0.11	28.63	1352	34.4350803	-118.6481360	
FP-027	5/29/2026 4:24:24 PM	12.6	29.6	10.1	47.7				0.4	4.7	88.0	88.1	-8.01	-8.01	20.1	20.1	8.355	8.366	0.03	0.02	28.63	1359	34.4348312	-118.6482373	
FP-028	5/28/2026 11:39:27 AM	0.3	0.4	20.7	78.6				0.8	3.8	81.3	80.7	-0.78	-0.59	14.5	2.7	3.991	0.140	-8.46		28.5	1371	34.4346913	-118.6483355	
FP-029	5/28/2026 11:31:57 AM	0.0	0.3	20.9	78.8				0.0	3.8	74.2	74.2	-0.07	-0.08	0.0	0.0	-0.348	-0.338	-0.11		28.51	1296	34.4343368	-118.6488995	
FP-030	5/12/2026 1:41:15 PM	52.2	47.8	0.0	0.0				1.1	0.0	76.4	76.4	-0.31	-0.36	13.8	14.5	3.736	4.133	-6.65	-7.41	28.59	1307	34.4345017	-118.6496773	Valve Adjustment:Barely Open
FP-031	5/29/2026 9:22:16 AM	33.3	55.8	1.3	9.6				0.6	7.4	76.3	76.4	-1.86	-1.81	9.1	9.5	1.629	1.770	-7.91	-8.09	28.66	1347	34.4348340	-118.6497520	Valve Adjustment:Decreased Flow/Vacuum
FP-031	5/12/2026 1:37:06 PM	31.5	53.2	1.3	14.0				0.6	10.8	77.9	77.7	-1.63	-1.49	2.6	2.6	1.628	1.641	-5.82	-6.08	28.59	1320	34.4348330	-118.6497772	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum
FP-032	5/12/2026 1:28:30 PM	23.9	53.3	4.5	18.3				0.4	4.1	80.6	77.8	-4.17	-3.93	2.7	3.4	0.746	1.211	-6.50	-6.71	28.58	1334	34.4351075	-118.6498378	Valve Adjustment:Decreased Flow/Vacuum
FP-033	5/12/2026 1:23:05 PM	6.3	35.3	10.9	47.5				0.2	4.4	86.3	86.9	-2.64	-1.10	5.0	1.8	0.493	0.061	-6.37	-6.46	28.58	1346	34.4353872	-118.6499523	Valve Adjustment:Decreased Flow/Vacuum
FP-034	5/12/2026 1:19:44 PM	19.7	37.5	5.9	36.9				0.5	6.3	84.6	84.6	-0.14	-0.13	6.1	5.8	0.729	0.673	-7.56	-6.34	28.55	1357	34.4356307	-118.6500237	Valve Adjustment:Barely Open
FP-035	5/12/2026 1:16:01 PM	34.1	48.9	2.3	14.7				0.7	6.4	76.8	76.7	-3.36	-2.54	6.0	4.9	0.713	0.478	-6.74	-6.54	28.56	1362	34.4358548	-118.6501185	Valve Adjustment:Decreased Flow/Vacuum
FP-036	5/1/2026 11:36:11 AM	31.3	49.3	2.7	16.7				0.6	6.2	77.8	77.8	-1.03	-1.00	3.1	3.2	2.468	2.506	-6.86	-6.82	28.52	1401	34.4361558	-118.6502323	Valve Adjustment:Barely Open
FP-037	5/19/2026 10:33:25 AM	6.2	18.7	16.7	58.4				0.3	3.5	84.7	84.8	-0.15	-0.14	0.2	0.2	0.005	0.004	-5.65	-5.62	28.61	1366	34.4362913	-118.6502602	
FP-037	5/1/2026 11:38:38 AM	2.9	7.0	19.5	70.6				0.4	3.6	83.2	83.4	-0.12	-0.11			0.022	0.023	-7.74	-7.73	28.49	1388	34.4362773	-118.6503153	Valve Adjustment:Barely Open
FP-038	5/14/2026 2:24:47 PM	44.8	37.9	3.0	14.3				1.2	4.8	86.9	86.7	-0.73	-0.21	25.8	22.7	0.753	0.745	-4.85		28.55	1348	34.4342242	-118.6499053	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
FP-039	5/14/2026 2:15:09 PM	52.9	44.8	0.1	2.2				1.2	22.0	89.9	90.1	-0.10	-0.14	16.8	15.9	5.474	4.864	-4.74		28.57	1306	34.4341813	-118.6498180	
FP-040	5/29/2026 2:30:36 PM	16.6	68.3	1.6	13.5				0.2	8.4	104.5	104.5	-0.29	-0.30	23.1	26.6	4.048	5.386	-4.67		28.58	1325	34.4353275	-118.6510755	
FP-041	5/13/2026 1:16:55 PM	20.7	33.1	4.0	42.2				0.6	10.6	88.1	88.3	-0.02	-0.11	9.7	9.7	1.949	1.935	-6.01		28.66	1237	34.4339895	-118.6506525	
FP-042	5/20/2026 10:11:54 AM	19.2	61.9	3.6	15.3				0.3	4.3	97.0	88.7	-0.02	-0.03	9.7	11.2	1.903	2.497	-2.81	-2.52	28.63	1251	34.4332757	-118.6512885	
FP-043	5/13/2026 1:22:06 PM	14.0	33.0	6.4	46.6				0.4	7.3	89.9	90.0	-0.20	-0.21	8.6	8.6	1.591	1.579	-6.21		28.66	1211	34.4342865	-118.6506492	
FP-044	5/13/2026 1:25:38 PM	4.0	21.3	14.0	60.7				0.2	4.3	91.6	91.7	-0.32	-0.17	18.2	8.4	2.089	0.442	-5.69		28.66	1224	34.4346217	-118.6507967	
FP-045	5/11/2026 1:04:40 PM	29.5	38.9	2.8	28.8				0.8	10.2	121.6	122.1	-0.20	-0.22	10.9	10.8	2.516	2.490	-5.55	-5.58	28.63	1322	34.4334380	-118.6496432	
FP-046	5/15/2026 3:02:41 PM	22.0	73.7	1.2	3.1				0.3	2.6	81.9	81.9	-0.25	-0.25	7.1	7.1	1.253	1.250	-4.12		28.49	1329	34.4365908	-118.6471652	
FP-047	5/29/2026 11:36:35 AM	19.3	51.2	2.5	27.0				0.4	10.8	86.1	86.1	-0.11	-0.04	0.0	0.0	-0.029	-0.017	-0.06		28.62	1312	34.4366965	-118.6469575	Valve Adjustment:Decreased Flow/Vacuum
FP-050	5/6/2026 2:53:31 PM	16.4	41.9	4.9	36.8				0.4	7.5	87.3	88.3	-1.86	-1.49	15.3	13.7	1.426	1.137	-11.04	-10.41	28.57	1364	34.4348978	-118.6472845	Valve Adjustment:Decreased Flow/Vacuum
FP-051	5/6/2026 2:48:25 PM	36.4	48.1	1.0	14.5				0.8	14.5	92.2	92.3	-4.47	-3.58	6.5	7.7	0.052	0.074	-10.60	-11.17	28.56	1380	34.4347007	-118.6470228	Valve Adjustment:Decreased Flow/Vacuum
FP-052	5/22/2026 2:09:54 PM	11.2	15.2	11.6	62.0				0.7	5.3	89.0	89.0	-0.37	-0.25	8.9	4.1	8.135	1.706	-8.36		28.37	1335	34.4343828	-118.6481260	
FP-052	5/4/2026 2:20:50 PM	16.2	21.0	9.8	53.0				0.8	5.4	80.4	80.4	-0.24	-0.30	41.0	41.8	10.194	10.597	-4.06	-4.16	28.52	1366	34.4342270	-118.6481385	Valve Adjustment:Increased Flow/Vacuum,Valve 100% Open
FP-053	5/21/2026 2:19:03 PM	45.7	54.3	0.0	0.0				0.8	0.0	100.2	106.2	-0.11	-0.54	6.0	1.0	0.740	0.019	-2.34	-1.81	28.41	1382	34.4340420	-118.6477340	Valve Adjustment:Barely Open
FP-053	5/4/2026 2:08:41 PM	37.2	36.6	3.4	22.8				1.0	6.7	85.2	85.3	-0.40	-0.38	10.3	10.6	2.118	2.241	-7.93	-8.06	28.5	1380	34.4340587	-118.6477530	Valve Adjustment:Barely Open
FP-054	5/1/2026 11:30:37 AM	36.6	34.7	0.9	27.8				1.1	30.9	86.0	86.1	-0.74	-0.74	29.1	29.2	1.763	1.766	-12.41		28.45	1394	34.4349998	-118.6457865	Valve Adjustment:Increased Flow/Vacuum
FP-055	5/20/2026 2:00:54 PM	52.4	41.8	0.0	5.8				1.3	0.0	103.6	105.9	-0.02	-0.11	11.0	17.1	2.495	6.107	-6.89	-6.90	28.48	1364	34.4336087	-118.6481788	Valve Adjustment:Increased Flow/Vacuum
FP-055	5/4/2026 10:03:30 AM	48.5	39.7	1.2	10.6				1.2	8.8	78.7	79.3	-0.12	-0.12	2.9	2.9	0.167	0.167	-9.14	-9.03	28.53	1350	34.4336195	-118.6481682	
FP-056	5/4/2026 9:15:22 AM	47.3	40.3	0.4	12.0				1.2	30.0	74.3	74.3	-0.28	-0.27	4.0	4.0	3.898	3.925	-9.54	-9.46	28.52	1356	34.4334657	-118.6486362	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Well Comment:no system port
FP-057	5/4/2026 9:17:47 AM	39.7	45.5	0.0	14.8				0.9	0.0	104.8	105.9	-0.98	-0.94	6.8	6.7	0.967	0.922	0.25	0.29	28.52	1353	34.4333977	-118.6485917	
FP-057	5/1/2026 11:34:44 AM	40.1	33.2	2.5	24.2				1.2	9.7	79.6	79.6	-0.58	-0.58	23.7	23.7	3.162	3.157	-12.43		28.45	1358	34.4347868	-118.6454630	
FP-058	5/29/2026 3:51:49 PM	41.8	38.7	1.3	18.2				1.1	14.0	85.7	85.7	-0.68	-0.67	31.2	31.8	2.021	2.104	-13.04		28.51	1427	34.4350023	-118.6458712	
FP-059	5/1/2026 2:35:49 PM	50.1	40.3	1.5	8.1				1.2	5.4	92.7	92.8	-0.36	-0.36	12.9	12.9	0.953	0.954	-12.83		28.41	1322	34.4345693	-118.6459352	
FP-060	5/1/2026 2:53:38 PM	43.2	35.8	3.1	17.9				1.2	5.8	91.0	91.0	-0.46	-0.46	16.1	16.1	1.491	1.488	-12.50		28.4	1371	34.4349418	-118.6461343	
FP-061	5/15/2026 2:38:19 PM	5.3	76.0	0.8	17.9				0.1	22.4	148.5	148.5	-0.66	-0.67	0.0	0.0	-0.310	-0.490	-4.59		28.5	1375	34.4364535	-118.6480250	Valve Adjustment:Orifice Plate Changed (See OP Log)
FP-061	5/14/2026 2:22:44 PM	4.0	76.6	0.5	24.9				0.1	47.9	158.1	158.2	-0.51	-0.48	3.9	4.1	0.335	0.379	-3.89	-3.32	28.61	1347	34.4364610	-118.6479475	Valve Adjustment:Decreased Flow/Vacuum
FP-061	5/14/2026 2:19:38 PM	4.4	64.7	2.3	28.6				0.1	12.4	161.6	158.9	-2.22	-0.41	3.5	1.5	1.476	0.273	-3.41	-3.52	28.61	1343	34.4364735	-118.6479645	Valve Adjustment:Audible Flow,Barely Open
H-01 (EXP-01)	5/26/2026 8:45:19 AM	17.8	46.9	0.0	35.3				0.4	0.0	61.8	61.8	-4.15	-4.15			4.087	4.087	-7.84	-7.79	28.63	1238	34.4376920	-118.6441722	Valve Adjustment:Audible Flow
H-01 (EXP-01)	5/12/2026 1:49:58 PM	15.8	46.3	0.0	38.0				0.3	0.0	96.9	97.1	-3.72	-3.71			3.728	3.724	-7.74	-7.65	28.72	1218	34.4376842	-118.6441523	Valve Adjustment:Barely Open,Surging Liquid in Well (Watered In)
H-02 (EXP-02)	5/26/2026 8:27:48 AM	16.7	48.1	0.0	34.6				0.3	0.0	84.1	83.7	-1.22	-1.23			1.197	1.212	-7.60	-7.63	28.62	1250	34.4377123	-118.6445873	Valve Adjustment:Barely Open,Surging Liquid in Well (Watered In)
H-02 (EXP-02)	5/12/2026 1:55:38 PM	12.8	48.7	0.0	39.2				0.3	0.0	110.4	110.3	-0.42	-0.42			0.362	0.343	-7.26	-7.42	28.72	1226	34.4376910	-118.6445842	
H-03 (EXP-03)	5/26/2026 8:31:53 AM	56.5	43.5	0.0	0.0				1.3	0.0	112.6	112.6	-6.85	-6.88			6.954	6.971	-7.50	-7.55	28.59	1250	34.4377153	-118.6446182	Valve Adjustment:Audible Flow
H-03 (EXP-03)	5/12/2026 2:02:02 PM	50.8	45.2	0.0	4.1				1.1	0.0	118.9	119.0	-7.34	-7.33			7.332	7.340	-8.0						

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments
H-04 (EXP-04)	5/14/2026 10:13:50 AM	3.4	55.1	0.0	41.5			0.1	0.0	130.7	131.5	1.83	-0.15			0.000	0.157	-7.87	-7.86	28.82	1242	34.4377102	-118.6447060	Valve Adjustment: NSPS/EG CAI, High Temp, Positive Static Press., Increased Flow/Vacuum
H-08 (EXP-08)	5/26/2026 8:55:13 AM	52.1	47.9	0.0	0.0			1.1	0.0	119.2	119.3	-4.97	-5.00			4.978	4.958	-6.70	-6.75	28.59	1294	34.4378447	-118.6465338	Valve Adjustment: Audible Flow
H-08 (EXP-08)	5/11/2026 9:46:50 AM	48.8	46.1	0.0	5.1			1.1	0.0	88.4	88.4	-4.09	-4.08			4.120	4.107	-5.61	-5.49	28.64	1271	34.4378388	-118.6465160	
H-10 (EXP-10)	5/26/2026 9:06:45 AM	12.5	72.3	0.0	15.2			0.2	0.0	130.8	130.8	-1.09	-0.67			1.071	0.655	-6.60	-6.61	28.56	1307	34.4374403	-118.6470750	Valve Adjustment: Audible Flow, Decreased Flow/Vacuum
H-10 (EXP-10)	5/11/2026 9:40:46 AM	10.6	66.8	0.0	22.6			0.2	0.0	130.8	130.8	-0.17	-0.17			0.166	0.165	-5.41	-5.41	28.64	1297	34.4374428	-118.6470835	Valve Adjustment: Barely Open Flow/Vacuum
H-10 (EXP-10)	5/11/2026 9:40:06 AM	10.8	66.1	0.0	23.0			0.2	0.0	130.8	130.9	1.20	-0.01			0.000	0.013	-5.25	-5.32	28.64	1291	34.4374607	-118.6470725	Valve Adjustment: NSPS/EG CAI, NSPS/EG CAC, Positive Static Press., Increased Flow/Vacuum
H-101W	5/13/2026 8:32:50 AM	22.3	15.9	13.6	48.2			1.4	3.5	65.5	65.3	-4.22	-4.18	16.8	16.8	0.333	0.333	-8.30	-8.32	28.82	1199	34.4310828	-118.6505710	Valve Adjustment: NSPS/EG CAI, High O2, Barely Open, Surging Liquid in Well (Watered In); Well Repairs: Valve
H-101W	5/13/2026 8:24:13 AM	24.1	18.7	12.8	44.4			1.3	3.5	64.3	64.3	-8.12	-7.62	22.5	22.0	0.603	0.574	-8.32	-8.31	28.82	1204	34.4310752	-118.6505745	Valve Adjustment: NSPS/EG CAI, High O2, Decreased Flow/Vacuum
H-102A	5/13/2026 8:17:41 AM	56.3	35.3	1.4	7.0			1.6	5.0	66.5	66.5	-8.25	-8.37	10.3	10.3	0.622	0.628	-8.33	-8.38	28.81	1210	34.4310967	-118.6505652	Valve Adjustment: Increased Flow/Vacuum; Well Repairs: Sample Port
H-1401W	5/13/2026 8:48:53 AM	54.9	33.8	2.2	9.1			1.6	4.1	70.1	70.2	-8.15	-8.21	11.0	11.3	0.715	0.748	-8.41	-8.20	28.82	1200	34.4310877	-118.6505600	Valve Adjustment: Increased Flow/Vacuum, Surging Liquid in Header
H-1404C	5/20/2026 11:55:54 AM	27.5	36.8	0.1	35.6			0.7	356.0	129.2	129.1	-0.66	-0.66	9.2	8.8	1.852	1.695	-7.16		28.48	1394	34.4323593	-118.6482932	
H-1404C	5/4/2026 11:20:18 AM	25.8	32.1	0.0	42.1			0.8	0.0	124.8	124.8	-0.87	-0.86	9.8	9.8	2.047	2.050	-8.56		28.51	1407	34.4324288	-118.6483063	
H-1405C	5/20/2026 8:39:42 AM	26.3	38.0	0.0	35.7			0.7	0.0	94.7	94.2	-0.68	-0.65	2.9	2.4	0.050	0.035	-0.99	-1.17	28.58	1312	34.4325898	-118.6497317	Valve Adjustment: Decreased Flow/Vacuum, Surging Liquid in Header
H-1405C	5/1/2026 10:13:01 AM	42.8	46.0	0.0	11.2			0.9	0.0	87.5	90.1	-2.46	-1.56	7.6	6.6	0.351	0.266	-2.28	-3.10	28.6	1301	34.4325790	-118.6497293	Valve Adjustment: Audible Flow, Decreased Flow/Vacuum, Surging Liquid in Header
H-1406W	5/20/2026 9:30:46 AM	40.6	41.7	3.6	14.1			1.0	3.9	88.8	94.2	-7.35	-0.96	13.8	5.5	1.170	0.184	-7.47	-7.47	28.63	1256	34.4321807	-118.6507710	Valve Adjustment: Decreased Flow/Vacuum
H-1406W	5/1/2026 10:30:28 AM	35.6	50.7	3.1	10.6			0.7	3.4	80.7	80.8	-8.43	-8.32	2.6	2.8	0.041	0.049	-8.65	-8.74	28.65	1255	34.4321702	-118.6507820	Valve Adjustment: Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In); Well Comment: Valve damaged
H-1408CR	5/6/2026 2:48:15 PM	28.1	37.4	0.0	34.5			0.8	0.0	125.8	125.8	-0.11	-0.11	1.7	3.5	0.331	1.387	-11.69		28.62	1260	34.4314735	-118.6473962	
H-1408CR	5/6/2026 2:46:51 PM	37.4	42.1	0.0	20.5			0.9	0.0	118.0	122.4	0.14	-0.04	0.0	6.0	-0.095	4.011	-11.69		28.62	1263	34.4314803	-118.6473372	NSPS/EG CAI, NSPS/EG CAC, Positive Static Press., Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less
H-1408E	5/20/2026 2:13:20 PM	49.3	42.6	0.0	8.1			1.2	0.0	111.7	111.8	-0.01	-0.03	1.7	1.5	0.062	0.046	-2.73	-3.06	28.49	1396	34.4333553	-118.6471580	Valve Adjustment: Surging Liquid in Header
H-1408E	5/4/2026 2:44:00 PM	36.9	37.6	0.1	25.4			1.0	254.0	107.3	107.3	-0.10	-0.09	4.1	3.6	0.352	0.272	-5.56		28.45	1417	34.4334305	-118.6473195	
H-1408E	5/4/2026 2:42:19 PM	39.8	38.2	0.1	21.9			1.0	219.0	103.3	105.4	0.02	-0.10	2.5	3.3	0.122	0.222	-6.11		28.45	1407	34.4334643	-118.6471968	Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less, NSPS/EG CAI, NSPS/EG CAC, Positive Static Press.
H-1408W	5/7/2026 10:26:18 AM	52.7	42.9	0.0	4.4			1.2	0.0	102.9	103.9	-0.02	-0.11	0.0	0.0	-0.269	-0.010	-3.06		28.64	1257	34.4311628	-118.6500330	Reduced System Vacuum, Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less
H-1409N	5/20/2026 2:26:47 PM	37.7	36.9	0.0	25.4			1.0	0.0	116.1	116.4	-0.95	-1.06	2.4	2.7	0.124	0.150	-6.38		28.41	1434	34.4327785	-118.6468967	Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less
H-1409N	5/4/2026 2:02:48 PM	36.0	34.1	0.0	29.9			1.1	0.0	111.5	112.0	-1.74	-2.90	2.0	3.8	0.084	0.294	-8.06		28.48	1434	34.4328577	-118.6469445	Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less
H-1410S	5/6/2026 12:22:14 PM	41.2	35.3	2.3	21.2			1.2	9.2	87.5	87.5	-7.42	-7.39	1.2	1.4	0.008	0.011	-8.07		28.71	1158	34.4310043	-118.6467432	
H-1563N	5/22/2026 2:12:17 PM	49.7	44.6	0.0	5.7			1.1	0.0	115.7	115.9	-2.58	-2.76	5.6	6.7	0.202	0.289	-3.88	-4.39	28.44	1318	34.4338717	-118.6498188	Valve Adjustment: Surging Liquid in Header, Surging Liquid in Well (Watered In)
H-1563N	5/11/2026 12:47:48 PM	47.3	45.1	0.0	7.6			1.0	0.0	114.9	114.1	-0.59	-1.23	13.1	13.8	0.222	0.245	-1.72	-2.53	28.63	1320	34.4338583	-118.6498358	Valve Adjustment: Reduce Sys. Vac. - Flare Down
H-1563S	5/20/2026 8:43:45 AM	10.4	25.8	0.0	63.8			0.4	0.0	89.3	89.4	-0.32	-0.32	0.5	0.5	0.024	0.029	-8.23	-8.15	28.58	1309	34.4323993	-118.6496597	
H-1563S	5/1/2026 10:06:27 AM	18.4	38.6	0.0	43.0			0.5	0.0	93.5	93.9	-0.30	-0.29	0.3	0.3	0.008	0.010	-7.20	-6.82	28.59	1317	34.4323920	-118.6496645	Valve Adjustment: Barely Open
H-1565E	5/21/2026 10:26:51 AM	54.0	40.3	0.0	5.7			1.3	0.0	116.3	116.5	-0.42	-0.33	3.1	1.0	0.060	0.007	-2.39	-1.92	28.41	1403	34.4335533	-118.6472303	Valve Adjustment: Barely Open, Surging Liquid in Header
H-1565E	5/6/2026 10:50:58 AM	49.1	48.8	0.0	2.1			1.0	0.0	114.8	114.9	-0.85	-0.92	2.5	4.8	0.040	0.145	-4.46	-6.57	28.6	1387	34.4335490	-118.6471893	Valve Adjustment: Barely Open, Surging Liquid in Header
H-1568N	5/21/2026 10:57:34 AM	44.2	55.8	0.0	0.0			0.8	0.0	124.8	128.0	0.88	-0.28	4.2	11.9	0.372	3.078	-2.69	-2.51	28.44	1387	34.4339032	-118.6470792	Valve Adjustment: Barely Open
H-1568N	5/20/2026 2:05:18 PM	46.5	41.0	0.0	12.5			1.1	0.0	113.8	113.9	-1.13	-1.15	5.2	5.4	0.567	0.625	-3.67	-3.60	28.49	1388	34.433292	-118.6471738	
H-1568N	5/4/2026 2:46:50 PM	33.8	34.3	0.0	31.9			1.0	0.0	107.3	108.0	-1.25	-1.35	5.7	5.9	0.654	0.701	-4.35		28.42	1381	34.4333778	-118.6471675	Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less
H-1571S	5/4/2026 11:05:46 AM	47.5	43.5	0.0	9.0			1.1	0.0	81.3	82.8	-0.68	-0.57	6.1	5.2	0.081	0.059	-14.29	-14.18	28.63	1273	34.4321600	-118.6452273	Valve Adjustment: Increased Flow/Vacuum
H-1572N	5/1/2026 2:47:42 PM	42.4	36.3	0.4	20.9			1.2	52.3	101.0	109.8	-0.02	-0.08	0.6	2.0	0.008	0.086	-9.57	-9.23	28.48	1358	34.4336958	-118.6447368	Valve Adjustment: Increased Flow/Vacuum
H-1572S	5/4/2026 10:51:40 AM	40.0	38.4	0.0	21.6			1.0	0.0	96.0	96.5	-3.07	-2.07	15.4	13.2	0.532	0.390	-13.67	-14.28	28.67	1263	34.4321853	-118.6447270	Valve Adjustment: Decreased Flow/Vacuum
H-1574N	5/20/2026 10:38:18 AM	47.2	43.4	0.0	9.4			1.1	0.0	103.6	104.7	-0.06	-0.06	9.6	10.0	0.115	0.125	-4.92	-4.96	28.67	1224	34.4325223	-118.6517647	Valve Adjustment: Barely Open
H-1574N	5/13/2026 9:52:29 AM	8.7	79.6	0.0	11.7			0.1	0.0	140.4	140.3	-0.15	-0.04	6.4	4.9	0.056	0.033	-1.24	-1.32	28.65	1369	34.4365228	-118.651082	Valve Adjustment: Valve 100% Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)
H-1574N	5/12/2026 8:59:40 AM	43.3	43.8	1.1	11.8			1.0	10.7	98.5	98.6	-0.11	-0.11	7.1	9.9	0.059	0.117	-5.56		28.68	1270	34.4324318	-118.6518578	

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [”H2O]	Adj Stat Press [”H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [”H2O]	Adj Diff Press [”H2O]	Sys Pressure [”H2O]	Adj Avail Press [”H2O]	Baro Press [”Hg]	Elev [ft]	Latitude	Longitude	Comments		
H-1753N	5/26/2026 9:00:32 AM	47.7	47.2	0.8	4.3				1.0	5.4	66.7	66.7	-0.10	-0.08	1.5	1.2	0.004	0.003	-6.49	-6.41	28.45	1347	34.4347247	-118.6493153	Valve Adjustment:Barely Open	
H-1753N	5/12/2026 1:45:21 PM	40.8	32.4	4.7	22.1				1.3	4.7	84.5	84.5	-0.58	-0.59	5.0	4.1	0.054	0.037	-7.12	-8.21	28.58	1327	34.4347443	-118.6493200	Valve Adjustment:Barely Open	
H-1753S	5/22/2026 2:02:07 PM	53.8	39.6	0.0	6.6				1.4	0.0	111.9	112.2	-3.95	-3.80	3.4	3.4	0.252	0.246	-4.34	-4.17	28.41	1343	34.4339337	-118.6495725	Valve Adjustment:Surging Liquid in Header, Surging Liquid in Well (Watered In)	
H-1753S	5/11/2026 12:40:59 PM	52.9	41.3	0.0	5.8				1.3	0.0	107.2	107.0	-2.14	-1.05	4.3	6.6	0.389	0.910	-2.46	-1.93	28.61	1325	34.4339465	-118.6495767	Valve Adjustment:Reduce Sys. Vac. - Flare Down	
H-1756S	5/19/2026 1:28:24 PM	36.4	61.1	0.0	2.5				0.6	0.0	129.8	128.7	-0.05	-0.04	4.8	4.2	0.031	0.024	-2.74	-2.73	28.65	1289	34.4325650	-118.6502857	Valve Adjustment: NSPS/EG CAI, Barely Open	
H-1756S	5/19/2026 1:25:39 PM	36.1	62.4	0.0	1.5				0.6	0.0	131.0	130.5	-0.19	-0.01	9.0	19.6	0.108	0.506	-2.56	-2.36	28.66	1295	34.4325747	-118.6502920	Valve Adjustment: NSPS/EG CAI, High Temp, Positive Static Press, Increased Flow/Vacuum	
H-1756S	5/13/2026 12:47:50 PM	32.3	58.2	0.1	9.4				0.6	94.0	127.6	127.8	-0.49	-0.50	8.1	8.2	0.168	0.174	-5.44		28.67	1247	34.4325943	-118.6502308		
H-1757S	5/20/2026 8:35:55 AM	45.9	45.3	0.0	8.8				1.0	0.0	80.8	81.0	-0.54	-0.53	5.6	5.1	0.068	0.057	-7.64	-7.77	28.59	1313	34.4327182	-118.6497730		
H-1757S	5/1/2026 10:14:46 AM	46.1	44.3	0.0	9.6				1.0	0.0	81.3	83.0	-0.14	-0.15	1.4	2.2	0.005	0.011	-7.51	-6.79	28.61	1308	34.4327065	-118.6497760	Valve Adjustment: Audible Flow, Well Condition-Fair	
H-1760S	5/21/2026 10:10:39 AM	38.7	48.8	0.0	12.5				0.8	0.0	115.9	115.9	-1.37	-1.36	3.3	3.8	0.070	0.090	-5.03	-5.25	28.44	1388	34.4327248	-118.6479115	Valve Adjustment: Barely Open	
H-1760S	5/11/2026 1:37:59 PM	38.2	45.2	0.0	16.6				0.8	0.0	119.0	119.1	-1.27	-1.31	3.3	3.7	0.069	0.089	-6.02	-6.17	28.57	1387	34.4327687	-118.6479202	Valve Adjustment: Reduce Sys. Vac. - Flare Down	
H-1762N	5/20/2026 1:57:03 PM	51.7	42.3	0.0	6.0				1.2	0.0	108.7	108.6	-0.08	-0.06	4.6	4.5	2.260	2.147	-5.63	-5.41	28.49	1387	34.4334418	-118.6468622	Valve Adjustment: NSPS/EG CAI, NSPS/EG CAC, Increased Flow/Vacuum	
H-1762N	5/20/2026 1:55:17 PM	51.5	42.7	0.0	5.8				1.2	0.0	108.6	108.6	0.01	-0.09	4.6	4.6	2.230	2.303	-5.47	-5.57	28.47	1390	34.4334503	-118.6468817		
H-1762N	5/4/2026 2:38:51 PM	51.2	40.6	0.0	8.2				1.3	0.0	100.5	100.5	-0.07	-0.07	5.0	5.1	2.507	2.668	-6.15		28.45	1421	34.4335587	-118.6469227		
H-1763N	5/6/2026 10:36:14 AM	26.5	66.5	0.0	7.0				0.4	0.0	104.7	104.8	-0.12	-0.12	6.6	6.6	0.316	0.317	-13.92		28.56	1375	34.4335967	-118.6461747		
H-1763N	5/6/2026 10:34:51 AM	23.5	67.8	0.0	8.7				0.3	0.0	95.6	100.8	0.01	-0.09	1.5	5.8	0.016	0.251	-13.79		28.56	1339	34.4336130	-118.6461267	NSPS/EG CAI, NSPS/EG CAC, Positive Static Press, Increased Flow/Vacuum, Opened Valve 1/2 Turn or Less	
H-1763S	5/4/2026 11:26:50 AM	43.0	40.8	0.0	16.2				1.1	0.0	102.6	102.5	-0.41	-0.25	5.4	4.6	0.036	0.027	-9.15	-9.00	28.61	1319	34.4323963	-118.6460432	Valve Adjustment: Decreased Flow/Vacuum	
H-1764N	5/28/2026 12:39:39 PM	54.1	40.7	0.0	5.2				1.3	0.0	116.8	117.8	-4.20	-4.76	3.1	2.6	0.208	0.149	-14.48	-15.76	28.52	1367	34.4331603	-118.6456347	Valve Comment: RES SEM, Valve Adjustment: Audible Flow, Increased Flow/Vacuum	
H-1764N	5/5/2026 1:16:30 PM	53.8	39.4	0.0	6.8				1.4	0.0	117.3	116.7	-3.77	-3.99	1.1	2.1	0.025	0.092	-13.78	-13.67	28.52	1369	34.4331572	-118.6456352	Valve Comment: RES SEM, Valve Adjustment: Audible Flow, Increased Flow/Vacuum	
H-1764N	5/4/2026 11:45:03 AM	55.1	40.1	0.0	4.8				1.4	0.0	117.2	117.5	-4.13	-4.47	3.6	4.8	0.278	0.488	-13.62	-13.42	28.55	1357	34.4331618	-118.6456243	Valve Adjustment: Audible Flow, Increased Flow/Vacuum	
H-1764S	5/4/2026 11:08:05 AM	48.3	45.4	0.0	6.3				1.1	0.0	91.0	94.2	-1.75	-1.70	5.7	5.5	0.197	0.183	-14.09	-14.15	28.63	1295	34.4321740	-118.6454062		
H-1767N	5/11/2026 9:51:22 AM	39.0	54.5	0.0	6.5				0.7	0.0	101.8	102.4	-1.89	-1.62	19.9	18.5	0.934	0.801	-13.53		28.62	1224	34.4326290	-118.6435573		
H-1769N	5/19/2026 8:53:05 AM	24.1	65.8	0.0	10.1				0.4	0.0	107.8	105.1	-0.08	-0.03	21.0	20.5	1.175	1.115	-7.01	-6.78	28.59	1365	34.4370255	-118.6494768	Valve Adjustment: Audible Flow, Barely Open	
H-1769N	5/1/2026 2:30:15 PM	20.8	52.8	0.9	25.5				0.4	28.3	110.1	110.2	-0.45	-0.49	36.7	38.8	3.638	4.054	-7.49	-8.25	28.46	1358	34.4370625	-118.6495027		
H-1770N	5/19/2026 9:18:49 AM	36.3	61.0	0.0	2.7				0.6	0.0	99.2	98.4	-0.44	-0.37	14.2	6.5	4.118	0.866	-6.73	-5.92	28.59	1368	34.4368203	-118.6500283	Valve Adjustment: Decreased Flow/Vacuum, Barely Open	
H-1770N	5/4/2026 8:50:00 AM																									Air Tech Lab; [User entered 1.2%]
H-1770N	5/1/2026 2:42:44 PM	35.3	62.8	0.0	1.9				0.6	0.0	100.2	100.2	-0.68	-0.60	9.9	9.2	2.030	1.743	-6.48	-6.39	28.45	1342	34.4368195	-118.6500292	Valve Adjustment: Barely Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
H-1770S	5/19/2026 12:50:46 PM	31.2	59.0	0.0	9.8				0.5	0.0	102.4	102.4	-0.18	-0.18	1.1	0.9	0.026	0.017	-4.80	-4.79	28.63	1315	34.4331262	-118.6501585	Valve Adjustment: Barely Open	
H-1770S	5/1/2026 10:34:30 AM	17.2	41.1	1.6	40.1				0.4	25.1	101.2	101.9	-0.39	-0.33	1.6	1.2	0.051	0.032	-6.81	-6.73	28.6	1320	34.4331097	-118.6501593	Valve Adjustment: Decreased Flow/Vacuum	
H-1771A	5/11/2026 2:21:58 PM	43.9	39.4	0.0	16.7				1.1	0.0	113.2	113.2	-0.48	-0.48	9.3	9.3	0.530	0.527	-4.99		28.5	1381	34.4363332	-118.6436398		
H-1771B	5/13/2026 11:22:20 AM	45.2	53.4	0.0	1.4				0.8	0.0	130.4	130.5	-3.08	-2.96	4.0	3.3	0.343	0.234	-11.09	-9.94	28.67	1392	34.4355247	-118.6466602	Valve Adjustment: NSPS/EG CAI, High Temp	
H-1771B	5/13/2026 11:19:01 AM	40.2	59.1	0.0	0.7				0.7	0.0	132.7	132.6	-4.92	-4.05	4.4	2.4	0.423	0.129	-11.13	-10.87	30	1397	34.4355318	-118.6466588	Valve Adjustment: NSPS/EG CAI, High Temp, Decreased Flow/Vacuum	
H-1771B	5/11/2026 1:05:25 PM	51.3	46.2	0.0	2.5				1.1	0.0	104.5	104.5	0.02	0.07	1.6	0.7	0.052	0.010	0.89	0.67	28.52	1379	34.4355532	-118.6466608	Valve Adjustment: Positive Static Press, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
H-1771B	5/11/2026 1:04:43 PM	50.8	46.8	0.0	2.4				1.1	0.0	104.3	104.4	0.02	0.04	1.0	0.9	0.020	0.018	0.44	0.67	28.52	1380	34.4355432	-118.6466587	Valve Adjustment: NSPS/EG CAI, Positive Static Press, Valve 100% Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
H-1774N	5/19/2026 9:58:15 AM	29.2	68.7	0.0	2.1				0.4	0.0	115.8	116.0	-0.11	-0.07	8.4	8.9	1.484	1.677	-5.71	-5.81	28.62	1352	34.4367243	-118.6508037	Valve Adjustment: Barely Open	
H-1774N	5/12/2026 10:34:14 AM	29.8	70.2	0.0	0.0				0.4	0.0	115.8	115.8	-0.82	-0.72	24.8	32.9	0.907	1.596	-6.40		28.59	1355	34.4366473	-118.6509118		
H-1801S	5/11/2026 11:15:54 AM	42.9	33.8	2.5	20.8				1.3	8.3	101.8	101.8	-0.20	-0.20	0.0	0.0	-0.105	-0.100	-12.22		28.66	1299	34.4338058	-118.6441812	No Adjustment Made	
H-1802S	5/1/2026 2:44:17 PM	54.5	41.1	0.0	4.4				1.3	0.0	104.8	114.0	-0.02	-0.42	7.2	5.4	0.066	0.037	-11.24	-11.22	28.51	1350	34.4335672	-118.6447667	Valve Adjustment: Increased Flow/Vacuum	
H-1803N	5/26/2026 9:42:57 AM	4.0	76.7	0.0	19.3				0.1	0.0	196.0	196.0	-1.69	-0.89	39.7	29.7	2.347	1.312	0.34	0.31	28.47	1373	34.4370350	-118.6485700	Valve Adjustment: No Flow Measurement, High Temp, Surging Liquid in Well (Watered In)	
H-1803N	5/18/2026 10:00:00 AM																									AtmAA
H-1803N	5/18/2026 9:58:45 AM	17.7	72.4	0.0	9.9				0.2	0.0	196.5	196.4	-0.27	-0.11	21.8	17.5	0.700	0.450	0.34	0.34	28.52	1354	34.4370325	-118.6485770	Valve Adjustment: No Flow Measurement, High Temp, Surging Liquid in Well (Watered In)	

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
H-1803N	5/12/2026 9:08:34 AM	15.5	77.5	0.0	7.0			0.2	0.0	196.4	196.4	-2.79	-2.79	43.4	43.4	2.806	2.806	0.68	0.68	28.55	1345	34.4370158	-118.6486076	Valve Adjustment:No Flow Measurement,High Temp,Valve 100% Open	
H-1803N	5/12/2026 9:05:00 AM					242																			AtmAA
H-1803N	5/5/2026 9:07:24 AM	5.3	78.3	0.0	16.4			0.1	0.0	196.0	196.0	-2.95	-2.52	46.7	43.8	3.260	2.858	0.00	0.00	28.51	1349	34.4370299	-118.6486000	Valve Comment:ACTIVE PLR;Valve Adjustment:No Flow Measurement,High Temp	
H-1803N	5/5/2026 9:00:00 AM					1840																			AtmAA
H-1803N	5/5/2026 9:00:00 AM						170700																		AtmAA; [User entered 17.07%]
H-1804B	5/1/2026 10:39:08 AM	54.1	44.4	0.0	1.5			1.2	0.0	108.4	108.5	-10.92	-11.22	12.6	16.3	0.955	1.618	-12.91		28.46	1391	34.4342722	-118.6456027		
H-1804N	5/8/2026 9:11:50 AM	59.4	39.5	0.0	1.1			1.5	0.0	88.4	90.8	-1.00	-0.99	0.0	0.0	-0.063	-0.021	-1.42		28.61	1348	34.4363567	-118.6457242	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
H-1804S	5/4/2026 11:47:34 AM	56.1	41.6	0.0	2.3			1.3	0.0	98.1	99.8	-4.58	-5.79	8.4	8.7	0.435	0.473	-10.88	-11.32	28.56	1365	34.4330883	-118.6456972	Valve Adjustment:Increased Flow/Vacuum,Surging Liquid in Header	
H-1805A	5/1/2026 11:19:57 AM	42.5	52.7	0.1	4.7			0.8	47.0	102.6	98.3	-2.19	-2.07	3.6	3.0	1.420	0.996	-13.55		28.46	1368	34.4351310	-118.6450843		
H-1805B	5/4/2026 11:52:01 AM	49.7	42.8	0.0	7.5			1.2	0.0	70.9	71.2	-0.43	-0.43	2.4	2.5	0.116	0.116	-13.66	-13.57	28.53	1379	34.4337287	-118.6451562		
H-1805S	5/4/2026 11:39:55 AM	53.5	43.6	0.0	2.9			1.2	0.0	127.6	127.9	-4.88	-4.89	17.6	18.0	0.736	0.772	-13.69	-13.74	28.59	1326	34.4329170	-118.6451598	Valve Adjustment:Audible Flow	
H-1806A	5/1/2026 11:08:54 AM	47.7	38.6	0.0	13.7			1.2	0.0	98.8	98.9	-0.31	-0.32	1.7	1.7	0.057	0.058	-12.14		28.46	1385	34.4353900	-118.6442890		
H-1806B	5/1/2026 2:52:26 PM	17.6	27.9	0.0	54.5			0.6	0.0	114.0	115.7	-0.03	-0.08	0.5	2.8	0.006	0.162	-12.22	-12.04	28.48	1365	34.4339000	-118.6444555		
H-1806N	5/1/2026 11:37:48 AM	44.4	51.7	0.0	3.9			0.9	0.0	129.3	129.4	-3.18	-2.60	11.6	6.4	0.177	0.055	-9.02		28.52	1398	34.4364753	-118.6449213		
H-1806S	5/4/2026 10:39:51 AM	40.3	47.2	0.0	12.5			0.9	0.0	117.6	116.7	-4.73	-3.93	14.5	10.8	0.490	0.273	-13.81	-13.81	28.64	1285	34.4328797	-118.6444580	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum	
H-1807A	5/4/2026 1:18:09 PM	54.3	42.8	0.0	2.9			1.3	0.0	102.7	103.6	-8.49	-8.66	26.2	28.1	0.887	1.019	-10.90	-13.04	28.58	1344	34.4353387	-118.6436233	Valve Adjustment:Audible Flow,Increased Flow/Vacuum,Surging Liquid in Header	
H-1807N	5/29/2026 10:10:34 AM	28.3	33.1	0.0	38.6			0.9	0.0	80.6	80.6	-0.45	-0.43	0.0	0.0	-0.029	-0.028	-5.31		28.63	1325	34.4364860	-118.6435677	No Adjustment Made	
H-1807S	5/7/2026 11:08:13 AM	47.7	46.3	0.0	6.0			1.0	0.0	91.7	91.7	-0.13	-0.13	0.0	0.0	-0.064	-0.064	-4.72		28.67	1266	34.4337920	-118.6433665	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
H-1952S	5/21/2026 2:14:50 PM	54.3	45.7	0.0	0.0			1.2	0.0	126.2	126.1	-0.04	-0.04	7.0	6.9	1.058	1.013	-2.73	-2.80	28.41	1387	34.4338018	-118.6476160	Valve Adjustment:NSPS/EG CAC,Barely Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down	
H-1952S	5/21/2026 2:13:14 PM	54.9	45.1	0.0	0.0			1.2	0.0	125.3	125.9	0.26	-0.04	5.4	6.6	0.626	0.944	-2.46	-2.81	28.41	1386	34.4338123	-118.6476157	Valve Adjustment:NSPS/EG CAI,Positive Static Press.,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down	
H-1952S	5/4/2026 2:04:02 PM	50.4	48.2	0.0	1.4			1.0	0.0	121.7	122.3	-0.34	-0.58	6.4	7.2	0.861	1.112	-8.23	-8.35	28.49	1364	34.4338018	-118.6476148	Valve Adjustment:Increased Flow/Vacuum	
H-1955C	5/1/2026 11:26:41 AM	29.9	28.7	4.5	36.9			1.0	8.2	82.4	82.6	-0.48	-0.49	7.9	7.9	1.209	1.211	-13.30		28.44	1388	34.4350727	-118.6454042		
H-1955N	5/8/2026 9:07:44 AM	52.9	41.9	0.1	5.1			1.3	51.0	88.3	88.6	-0.03	-0.03	0.0	0.0	-0.025	-0.009	-1.38		28.62	1339	34.4364617	-118.6455018	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
H-1956B	5/1/2026 10:44:44 AM	35.7	53.3	0.0	11.0			0.7	0.0	120.7	119.3	-1.89	-1.29	13.1	5.8	0.420	0.081	-12.25		28.46	1391	34.4342613	-118.6447408		
H-1956N	5/1/2026 11:40:47 AM	52.5	43.8	0.0	3.7			1.2	0.0	107.0	107.3	-0.23	-0.33	3.2	4.5	0.061	0.118	-6.20		28.53	1329	34.4365163	-118.6449683	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
H-1956S	5/1/2026 2:39:31 PM	45.8	38.4	0.0	15.8			1.2	0.0	112.1	111.8	-11.04	-10.52	3.7	3.5	1.535	1.321	-12.99	-12.56	28.54	1338	34.4332363	-118.6448778	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum	
H-1957B	5/6/2026 2:10:22 PM	50.9	40.5	0.0	8.6			1.3	0.0	101.1	102.8	-0.15	-0.10	19.3	18.9	2.304	2.215	-9.70	-9.77	28.61	1381	34.4345577	-118.6440863		
H-1957B	5/1/2026 2:13:12 PM	41.5	37.0	0.0	21.5			1.1	0.0	102.6	102.7	-0.12	-0.11	14.1	14.2	1.234	1.249	-12.58	-12.58	28.48	1374	34.4345740	-118.6440963		
H-1957N	5/11/2026 11:33:03 AM	45.0	42.2	0.0	12.8			1.1	0.0	121.9	121.8	-2.42	-2.12	6.1	0.0	0.231	-0.019	-7.94		28.54	1342	34.4364202	-118.6443038		
H-1957S	5/11/2026 11:18:08 AM	37.9	49.6	0.1	12.4			0.8	124.0	114.6	114.9	-0.46	-0.41	0.0	0.0	-0.083	-0.076	-11.49		28.61	1339	34.4338067	-118.6441572		
H-1958C	5/4/2026 1:20:33 PM	51.1	40.6	0.0	8.3			1.3	0.0	122.5	123.0	-0.88	-0.91	4.8	5.9	0.149	0.225	-12.87	-12.96	28.59	1333	34.4353942	-118.6434847	Valve Adjustment:Audible Flow	
H-1958N	5/28/2026 1:56:37 PM	57.8	42.2	0.0	0.0			1.4	0.0	90.6	90.7	-0.01	-0.01	33.9	43.8	1.428	2.380	-4.34	-4.19	28.52	1354	34.4364505	-118.6435238	Valve Adjustment:Barely Open	
H-1958S	5/7/2026 11:03:31 AM	48.9	39.0	0.0	12.1			1.3	0.0	122.4	122.7	-0.41	-0.39	6.7	7.0	0.283	0.295	-4.69		28.67	1299	34.4339642	-118.6433052	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less	
H-1962N	5/19/2026 9:28:05 AM	22.8	52.2	4.5	20.5			0.4	4.6	123.2	122.8	-0.43	-0.31			0.042	0.033	-5.73	-5.99	28.59	1369	34.4366552	-118.6501363	Valve Adjustment:Decreased Flow/Vacuum	
H-1962N	5/19/2026 9:26:00 AM	23.4	53.4	4.1	19.1			0.4	4.7	127.1	124.9	-0.64	-0.58			0.058	0.043	-5.81	-5.84	28.6	1364	34.4366772	-118.6501218	Valve Adjustment:Decreased Flow/Vacuum	
H-1962N	5/1/2026 2:46:00 PM	15.4	69.2	0.0	15.4			0.2	0.0	113.7	126.9	-0.02	-0.03			0.000	0.000	-6.42	-6.76	28.45	1347	34.4366583	-118.6501298	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
H-1963N	5/19/2026 8:46:36 AM	23.4	68.5	0.0	8.1			0.3	0.0	140.0	140.2	-0.07	-0.11	4.4	4.9	0.053	0.068	-6.73	-6.93	28.59	1378	34.4369248	-118.6495362	Valve Adjustment:NSPS/EG CAI,High Temp	
H-1963N	5/19/2026 8:44:46 AM	24.1	67.7	0.0	8.2			0.4	0.0	140.2	139.9	-0.24	-0.22	5.5	4.5	0.086	0.056	-6.87	-7.30	28.59	1379	34.4369250	-118.6495370	Valve Adjustment:NSPS/EG CAI,High Temp,Decreased Flow/Vacuum	
H-1963N	5/1/2026 12:06:22 PM	24.0	72.5	0.0	3.5			0.3	0.0	141.4	141.6	-0.31	-0.30	8.2	8.2	0.190	0.189	-8.11	-7.82	28.49	1383	34.4369102	-118.6495877	Valve Adjustment:NSPS/EG CAC,High Temp,Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
H-1963N	5/1/2026 12:04:32 PM	22.1	72.6	0.0	5.3			0.3	0.0	135.1	141.3	0.49	-0.23	2.6	9.3	0.019	0.246	-7.82	-7.86	28.51	1362	34.4368882	-118.6495335	Valve Adjustment:NSPS/EG CAI,High Temp,Positive Static Press.,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
H-1966N	5/19/2026 10:06:37 AM	46.8	50.3	0.0	2.9			0.9	0.0	105.5	105.4	-0.29	-0.30	3.7	3.6	1.442	1.416	-4.18	-4.11	28.62	1344	34.4365543	-118.6507988		

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
H-1966N	5/12/2026 10:42:28 AM	46.9	48.2	0.0	4.9			1.0	0.0	105.7	105.7	-0.29	-0.27	4.0	3.9	1.684	1.681	-4.50		28.59	1339	34.4365167	-118.6507485	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-1967E	5/7/2026 1:04:55 PM	52.6	40.6	0.0	6.8			1.3	0.0	105.5	105.5	-2.08	-2.10	2.9	2.8	0.009	0.009	-3.70		28.72	1152	34.4302350	-118.6459632	Reduced System Vacuum		
H-1967W	5/7/2026 9:49:11 AM	56.1	39.9	0.0	4.0			1.4	0.0	94.4	94.4	-0.15	-0.15	48.2	48.2	2.554	2.555	-3.45		28.71	1257	34.4298232	-118.6507763	Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-1967W	5/7/2026 9:47:56 AM	56.2	39.7	0.0	4.1			1.4	0.0	93.7	94.1	1.20	-0.07	32.9	49.0	1.182	2.624	-2.55		28.71	1201	34.4298152	-118.6507190	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2050E	5/14/2026 9:38:59 AM	55.2	41.0	0.3	3.5			1.3	11.7	85.0	86.5	-10.17	-10.30	0.0	0.0	-0.023	-0.009	-10.26		28.8	1119	34.4291773	-118.6475780	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2050W	5/5/2026 3:39:36 PM	47.7	41.7	0.0	10.6			1.1	0.0	100.7	100.5	-0.84	-0.73	5.7	6.8	0.639	0.911	-4.87		28.63	1188	34.4291558	-118.6491385	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2051W	5/7/2026 9:44:33 AM	56.7	40.5	0.0	2.8			1.4	0.0	85.2	85.8	-0.15	-1.35	0.0	3.2	-0.013	0.011	-3.43		28.61	1204	34.4299358	-118.6507733	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2053E	5/7/2026 1:13:15 PM	47.8	39.9	0.0	12.3			1.2	0.0	119.2	119.4	-2.16	-1.48	31.4	26.0	1.177	0.806	-4.01		28.73	1115	34.4302400	-118.6459330	Reduced System Vacuum		
H-2053W	5/13/2026 8:39:25 AM	60.0	38.5	0.0	1.5			1.6	0.0	91.3	91.6	-7.55	-7.81	20.7	22.1	0.534	0.612	-7.88	-7.91	28.81	1205	34.4310888	-118.6505722	Valve Adjustment:Increased Flow/Vacuum		
H-2055E	5/22/2026 10:10:19 AM	30.3	33.3	0.0	36.4			0.9	0.0	107.8	107.7	-1.34	-1.32	2.9	2.6	2.279	1.801	-11.77		28.55	1276	34.4318162	-118.6465767	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2055E	5/6/2026 3:07:33 PM	30.8	33.7	0.0	35.5			0.9	0.0	107.4	107.6	-1.27	-1.25	2.7	2.7	1.911	1.909	-11.91		28.63	1322	34.4319158	-118.6466957	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2056B	5/8/2026 3:07:26 PM	28.8	29.8	0.0	41.4			1.0	0.0	90.4	91.2	-1.33	-1.34	0.8	1.0	0.072	0.095	-4.44		28.68	1119	34.4297018	-118.6474618	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2056W	5/7/2026 9:41:29 AM	56.9	39.8	0.0	3.3			1.4	0.0	95.6	95.7	-0.05	-0.51	54.4	54.1	3.235	3.205	-3.64		28.66	1201	34.4299912	-118.6505983	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2057E	5/7/2026 1:10:46 PM	50.6	37.7	0.0	11.7			1.3	0.0	125.6	125.6	-1.32	-1.78	6.1	6.3	0.749	0.798	-4.35		28.72	1125	34.4302735	-118.6459342	Reduced System Vacuum		
H-2057W	5/28/2026 8:44:04 AM	55.9	37.4	1.0	5.7			1.5	5.7	80.9	82.1	-0.24	-0.66			0.319	0.690	-7.05	-7.02	28.7	1195	34.4306532	-118.6506315	Valve Comment:RES SEM,Valve Adjustment:Increased Flow/Vacuum		
H-2057W	5/13/2026 8:09:16 AM	46.0	31.6	3.6	18.8			1.5	5.2	80.3	79.4	-4.45	-4.48			4.417	4.465	-7.78	-7.92	28.82	1194	34.4306418	-118.6506340	Valve Adjustment:Barely Open,Well Repairs:Sample Port		
H-2057W	5/13/2026 8:05:12 AM	43.6	28.5	4.1	23.8			1.5	5.8	82.1	80.1	-7.28	-6.22			7.360	6.348	-7.97	-7.83	28.82	1193	34.4306693	-118.6506338	Valve Adjustment:NSPS/EG CAI,Decreased Flow/Vacuum:Well Repairs:Sample Port		
H-2058E	5/7/2026 1:22:33 PM	50.9	40.0	0.0	9.1			1.3	0.0	110.1	110.1	-1.20	-1.20	26.6	23.3	0.817	0.626	-2.15		28.72	1096	34.4300088	-118.6465828	Reduced System Vacuum		
H-2058W	5/7/2026 9:34:28 AM	55.9	39.8	0.0	4.3			1.4	0.0	94.7	94.7	-0.16	-0.15	24.0	23.9	0.633	0.628	-3.74		28.77	1211	34.4299087	-118.6508643	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2058W	5/7/2026 9:33:03 AM	57.3	38.9	0.1	3.7			1.5	37.0	93.7	94.1	0.36	-0.18	11.6	24.8	0.145	0.666	-3.33		28.77	1181	34.4299318	-118.6509787	NSPS/EG CAI,NSPS/EG CAI,Positive Static Press.,Reduced System Vacuum,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2059E	5/6/2026 12:36:07 PM	54.5	42.2	0.0	3.3			1.3	0.0	116.6	117.7	-9.28	-9.30	5.8	5.2	0.684	0.541	-10.03		28.75	1142	34.4306302	-118.6462412	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2059W	5/7/2026 10:12:44 AM	50.6	46.1	0.0	3.3			1.1	0.0	126.5	126.7	-1.02	-1.02	38.5	38.5	1.827	1.824	-3.03		28.67	1184	34.4311415	-118.6502280	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2161E	5/6/2026 12:32:34 PM	51.0	42.1	0.0	6.9			1.2	0.0	123.6	124.0	-2.77	-3.35	39.0	42.2	1.829	2.152	-9.76		28.73	1181	34.4308358	-118.6463493	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2161W	5/7/2026 10:08:23 AM	57.4	39.7	0.0	2.9			1.4	0.0	106.7	107.3	-3.37	-3.28	0.0	3.5	-0.001	0.013	-3.33		28.67	1283	34.4309113	-118.6502148	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2163C	5/22/2026 10:05:49 AM	50.3	44.1	0.0	5.6			1.1	0.0	90.0	90.0	-0.49	-0.48	0.8	0.9	0.072	0.078	-9.13		28.44	1296	34.4310082	-118.6486600	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2163C	5/4/2026 10:05:22 AM	51.8	44.1	0.0	4.1			1.2	0.0	83.7	83.7	-0.34	-0.34	0.4	0.4	0.019	0.020	-10.46		28.54	1293	34.4311252	-118.6486480	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2163W	5/7/2026 10:22:23 AM	39.4	58.7	0.0	1.9			0.7	0.0	125.5	125.5	-0.06	-0.06	17.8	17.8	2.214	2.210	-3.09		28.66	1240	34.4311995	-118.6498642	Reduced System Vacuum		
H-2164E	5/22/2026 10:41:07 AM	34.9	62.7	0.0	2.4			0.6	0.0	125.3	125.4	-0.04	-0.07	3.8	4.0	0.105	0.115	-5.30		28.55	1280	34.4318698	-118.6460668	No Adjustment Made		
H-2164E	5/6/2026 3:22:38 PM	31.3	68.7	0.0	0.0			0.5	0.0	127.2	127.2	-0.14	-0.13	7.5	7.5	0.426	0.428	-12.25		28.62	1276	34.4319407	-118.6460057	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2164E	5/6/2026 3:21:24 PM	32.1	67.9	0.0	0.0			0.5	0.0	124.4	126.2	0.01	-0.06	0.0	5.7	-0.022	0.240	-11.72		28.62	1296	34.4319637	-118.6460188	NSPS/EG CAI,NSPS/EG CAI,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2165E	5/4/2026 10:55:10 AM	48.3	46.7	0.0	5.0			1.0	0.0	109.8	109.5	-1.70	-1.54	12.3	13.9	0.955	1.216	-8.79	-8.82	28.67	1243	34.4318965	-118.6451208	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum		
H-2165W	5/20/2026 9:46:57 AM	12.9	79.8	0.0	7.3			0.2	0.0	119.8	120.0	-0.68	-0.55	4.5	3.9	0.127	0.096	-7.28	-7.30	28.63	1288	34.4321328	-118.6504533	Valve Adjustment:Decreased Flow/Vacuum,Surging Liquid in Header		
H-2165W	5/12/2026 7:45:00 AM									720															Air Tech Lab	
H-2165W	5/12/2026 7:45:00 AM										48000															Air Tech Lab: [User entered 4.8%]
H-2165W	5/1/2026 10:16:24 AM	10.9	86.4	0.0	2.7			0.1	0.0	118.0	117.5	-0.09	-0.05	2.2	2.5	0.032	0.040	-8.60	-8.63	28.64	1271	34.4321427	-118.6504262	Valve Adjustment:Barely Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)		
H-2166E	5/4/2026 1:12:58 PM	54.2	40.8	0.2	4.8			1.3	24.0	101.5	101.5	-0.36	-0.31	1.6	0.7	0.016	0.003	-2.12	-2.10	28.55	1371	34.4356305	-118.6438722	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2168C	5/1/2026 10:48:38 AM	56.3	41.3	0.0	2.4			1.4	0.0	84.9	85.4	-12.70	-12.64			0.010	0.016	-12.62		28.47	1375	34.4344292	-118.6448553	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2168E	5/28/2026 12:08:16 PM	37.9	37.6	0.0	24.5			1.0	0.0	118.3	120.1	-0.92	-1.00	5.8	6.0	0.218	0.233	-14.91	-15.02	28.52	1377	34.4345323	-118.6439110	Valve Comment:RES SEM,Valve Adjustment:Audible Flow,Increased Flow/Vacuum		
H-2168E	5/6/2026 2:36:05 PM	45.5	40.3	0.0	14.2			1.1	0.0	120.1	120.0	-0.16	-0.17	4.0	4.1	0.099	0.105	-13.97	-14.71	28.63	1372	34.4345347	-118.6439215	Valve Adjustment:Audible Flow,Well Condition:Fair		
H-2168E	5/5/2026 10:39:26 AM	39.5	34.5	0.2	25.8			1.1	129.0	71.4	71.5	-0.24	-0.24	6.4	6.5	0.237	0.244	0.13	0.14	28.51	1370	34.4345318	-118.6439165	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAC		
H-2168E	5/5/2026 10:37:49 AM	22.7	21.3	9.6	46.4			1.1	4.8	70.1	70.2	-0.23	-0.22	6.2	6.1	0.226	0.216	0.08	0.12	28.51	1375	34.4345350	-118.6438788	Valve Comment:RES SEM,Valve Adjustment:NSPS/EG CAI,Surging Liquid in Well (Watered In)		
H-2168E	5/1/2026 2:15:28 PM	42.4	38.7	0.0	18.9			1.1	0.0	120.0	120.2	-0.11	-0.11	4.2	4.2	0.113	0.113	-12.59	-12.59	28.48	1373	34.4345518	-118.6439033	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2169C	5/4/2026 11:55:39 AM	53.1	41.0	0.0	5.9			1.3	0.0	104.4	104.8	-2.56	-2.69	17.7	18.8	0.401	0.453	-12.16	-12.25	28.52	1394					

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4	CO2	O2	Bal Gas	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["/H2O]	Adj Stat Press ["/H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["/H2O]	Adj Diff Press ["/H2O]	Sys Pressure ["/H2O]	Adj Avail Press ["/H2O]	Baro Press ["/Hg]	Elev [ft]	Latitude	Longitude	Comments		
		[%]	[%]	[%]	[%]				[%]																	
H-2170N	5/4/2026 2:04:41 PM	51.0	40.4	0.0	8.6			1.3	0.0	117.3	117.2	-0.65	-0.66	14.1	15.2	1.266	1.472	-10.39	-10.55	28.63	1269	34.4358222	-118.6414655	Valve Adjustment:Audible Flow		
H-2170S	5/11/2026 8:29:12 AM	50.7	40.2	0.0	9.1			1.3	0.0	101.9	102.0	-2.15	-2.03	1.9	3.9	0.016	0.088	-13.92		28.69	1273	34.4336432	-118.6414673	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2171A	5/14/2026 8:58:08 AM	43.5	37.1	0.0	19.4			1.2	0.0	94.8	94.8	-0.70	-0.70	0.7	0.8	0.054	0.058	-1.60	-1.59	28.7	1280	34.4373700	-118.6425202	Valve Adjustment:Barely Open		
H-2171A	5/14/2026 8:54:11 AM	43.8	36.9	0.0	19.3			1.2	0.0	95.9	94.4	-0.80	-0.69	2.7	0.7	0.778	0.049	-1.26	-1.59	28.69	1274	34.4373835	-118.6425463	Valve Adjustment:Orifice Plate Changed (See OP Log),Decreased Flow/Vacuum		
H-2171A	5/13/2026 10:13:53 AM	43.2	38.0	0.0	18.7			1.1	0.0	94.7	94.5	-0.88	-0.88	2.4	2.4	0.035	0.035	-1.98	-2.03	28.78	1255	34.4374078	-118.6425213	Valve Adjustment:Decreased Flow/Vacuum		
H-2171A	5/13/2026 10:08:18 AM	43.1	37.0	0.0	19.9			1.2	0.0	97.6	96.6	-1.07	-0.92	4.2	1.3	0.108	0.011	-1.19	-1.62	28.79	1248	34.4373908	-118.6425195	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2171A	5/7/2026 9:32:22 AM	50.6	38.4	0.0	11.0			1.3	0.0	91.9	93.3	-0.76	-0.76	0.0	0.0	-0.016	-0.033	-0.72		28.72	1250	34.4373920	-118.6425143	Valve Adjustment:Decreased Flow/Vacuum		
H-2171B	5/13/2026 2:00:46 PM	51.0	40.8	0.0	8.2			1.2	0.0	119.6	119.7	-1.16	-1.16	16.3	16.0	1.690	1.619	-2.44	-2.26	28.76	1274	34.4364970	-118.6416663	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2171N	5/7/2026 9:22:04 AM	43.3	37.9	0.0	18.8			1.1	0.0	108.4	111.0	-0.03	-0.09	0.0	3.2	-0.073	0.061	-3.61		28.71	1214	34.4380093	-118.6432513	Valve Adjustment:Decreased Flow/Vacuum		
H-2171S	5/4/2026 2:02:33 PM	48.7	41.7	0.0	9.6			1.2	0.0	119.2	119.2	-1.27	-1.15	21.2	19.1	2.864	2.341	-10.59	-10.85	28.64	1271	34.4358292	-118.6414683	Valve Adjustment:Decreased Flow/Vacuum		
H-2272W	5/19/2026 10:27:12 AM	38.3	43.8	0.0	17.9			0.9	0.0	124.4	124.1	-0.57	-0.57	7.0	6.9	1.049	1.003	-6.71	-6.71	28.68	1287	34.4317278	-118.6497595			
H-2272W	5/4/2026 9:50:05 AM	33.4	40.5	0.0	26.2			0.8	0.0	122.9	122.9	-0.55	-0.56	5.5	5.5	0.632	0.633	-8.46	-8.60	28.63	1277	34.4317415	-118.6497550	Valve Adjustment:Increased Flow/Vacuum,Barely Open		
H-2272W	5/4/2026 9:47:59 AM	34.8	39.9	0.0	25.3			0.9	0.0	122.0	122.7	-0.56	-0.59	4.6	6.0	0.455	0.759	-8.44	-8.57	28.63	1279	34.4317347	-118.6497605	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum		
H-2273W	5/20/2026 8:21:56 AM	25.2	50.1	0.0	24.7			0.5	0.0	129.9	129.3	-0.77	-0.67	10.7	10.1	0.749	0.665	-8.30	-8.16	28.59	1306	34.4321578	-118.6499555	Valve Adjustment:Decreased Flow/Vacuum		
H-2273W	5/13/2026 12:42:00 PM	17.2	42.0	0.1	40.7			0.4	407.0	125.4	127.0	-0.53	-0.64	1.2	5.0	0.010	0.176	-7.48		28.65	1322	34.4321628	-118.6499317	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2273W	5/12/2026 7:50:00 AM					76																			Air Tech Lab	
H-2273W	5/12/2026 7:50:00 AM						5900																			Air Tech Lab; [User entered 0.59%]
H-2274B	5/20/2026 2:09:49 PM	50.6	46.7	0.1	2.6			1.1	26.0	96.3	96.2	-0.78	-0.80	10.8	10.8	0.399	0.298	-7.77		28.58	1362	34.4327818	-118.6469517			
H-2274B	5/4/2026 1:23:52 PM	49.7	45.6	0.0	4.7			1.1	0.0	82.5	82.5	-1.96	-1.96	2.5	2.5	0.015	0.015	-8.60		28.49	1322	34.4326350	-118.6469175			
H-2274W	5/19/2026 1:17:54 PM	27.7	68.7	0.0	3.6			0.4	0.0	125.2	125.3	-0.22	-0.20	1.7	2.1	0.020	0.029	-2.88	-2.67	28.63	1294	34.4327928	-118.6503735	Valve Adjustment:Barely Open		
H-2274W	5/1/2026 10:22:35 AM	24.0	60.6	0.3	15.1			0.4	50.3	129.9	129.6	-0.45	-0.36	8.4	5.5	0.458	0.193	-8.39	-6.58	28.63	1298	34.4327832	-118.6503647	Valve Adjustment:Decreased Flow/Vacuum,Barely Open		
H-2275E	5/4/2026 11:24:01 AM	38.1	59.7	0.0	2.2			0.6	0.0	121.7	121.8	-1.01	-0.70	6.3	1.5	0.253	0.015	-8.83	-8.96	28.59	1322	34.4324075	-118.6461940	Valve Adjustment:Decreased Flow/Vacuum		
H-2275W	5/20/2026 7:50:11 AM	15.6	33.8	1.9	48.7			0.5	25.6	126.0	122.8	-0.93	-0.85	12.1	11.5	0.944	0.846	-9.28	-9.20	28.55	1325	34.4322360	-118.6493985	Valve Adjustment:Audible Flow,Decreased Flow/Vacuum		
H-2275W	5/8/2026 11:15:19 AM	33.9	63.2	0.0	2.9			0.5	0.0	112.5	112.5	-0.08	-0.08	2.5	2.5	0.148	0.146	-4.76		28.55	1329	34.4321810	-118.6493895			
H-2275W	5/8/2026 11:13:59 AM	34.3	64.3	0.0	1.4			0.5	0.0	82.9	116.4	0.26	-0.13	4.0	1.0	0.355	0.026	-4.77		28.55	1306	34.4322273	-118.6494392	NSPS/EG CAI,NSPS/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn		
H-2276A	5/20/2026 1:13:04 PM	38.5	36.8	0.1	24.6			1.0	223.6	108.2	107.9	-2.91	-2.87	13.0	12.8	0.216	0.212	-3.30	-3.28	28.5	1377	34.4328658	-118.6483068	Valve Adjustment:Reduce Sys. Vac. - Flare Down		
H-2276A	5/11/2026 1:32:34 PM	41.1	37.1	0.0	21.8			1.1	0.0	106.7	106.7	-4.99	-4.92	20.5	20.2	0.544	0.525	-5.72	-5.58	28.57	1380	34.4328820	-118.6482900	Valve Adjustment:Reduce Sys. Vac. - Flare Down		
H-2276B	5/20/2026 2:22:12 PM	51.4	43.3	0.0	5.3			1.2	0.0	117.5	118.3	-2.11	-2.16	17.0	19.4	0.625	0.822	-7.61		28.41	1316	34.4329953	-118.6468977	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2276B	5/4/2026 2:06:44 PM	53.5	41.4	0.0	5.1			1.3	0.0	114.0	114.3	-2.00	-2.21	14.2	19.5	0.427	0.806	-8.27		28.46	1407	34.4328373	-118.6468900	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less		
H-2276E	5/4/2026 11:37:57 AM	46.8	41.4	0.0	11.8			1.1	0.0	116.2	115.6	-0.55	-0.53	10.0	7.7	0.129	0.076	-13.75	-14.05	28.59	1341	34.4328007	-118.6453388	Valve Adjustment:Barely Open		
H-2276W	5/20/2026 8:32:50 AM	37.9	54.7	0.0	7.4			0.7	0.0	92.8	92.7	-5.75	-4.89	10.5	9.2	0.675	0.519	-7.71	-7.68	28.58	1320	34.4326735	-118.6499695	Valve Adjustment:Decreased Flow/Vacuum		
H-2276W	5/1/2026 10:16:43 AM	24.8	62.0	0.0	13.2			0.4	0.0	101.3	102.9	-6.28	-5.79	14.9	12.7	1.388	1.011	-7.54	-7.30	28.59	1305	34.4326583	-118.6499853	Valve Adjustment:Decreased Flow/Vacuum		
H-2277A	5/21/2026 9:41:03 AM	46.0	54.0	0.0	0.0			0.9	0.0	92.3	93.8	-0.14	-0.11	1.5	1.5	0.013	0.014	-3.79	-3.86	28.48	1362	34.4330293	-118.6487417	Valve Adjustment:Barely Open,Reduce Sys. Vac. - Flare Down		
H-2277A	5/1/2026 11:04:15 AM	42.2	44.2	2.7	10.9			1.0	4.0	79.1	79.9	-7.45	-7.10	15.2	13.0	1.403	1.021	-7.38	-7.52	28.55	1351	34.4330352	-118.6487232	Valve Adjustment:NSPS/EG CAC,Decreased Flow/Vacuum;Well Condition:Good		
H-2277B	5/21/2026 9:35:16 AM	55.1	43.4	0.0	1.5			1.3	0.0	117.5	117.5	-2.16	-2.13	1.6	1.6	0.673	0.725	-5.27	-5.23	28.44	1389	34.4330752	-118.6469062	Valve Adjustment:Surging Liquid in Header		
H-2277B	5/4/2026 2:19:04 PM	48.2	40.6	0.0	11.2			1.2	0.0	115.3	115.5	-3.28	-2.60	19.9	16.6	2.414	1.673	-7.85		28.46	1473	34.4331148	-118.6469048			
H-23 (EXP-23)	5/13/2026 1:17:40 PM	8.0	4.3	17.8	69.9			1.9	3.9	93.9	94.1	-0.99	-0.90	1.9	2.1	0.004	0.006	-8.68	-8.71	28.76	1263	34.4370082	-118.6420873	Valve Adjustment:High O2,Plugged/Pinched Suspected		
H-23 (EXP-23)	5/13/2026 1:13:21 PM	8.1	4.1	17.7	70.1			1.9	4.0	91.9	92.2	-4.99	-4.99	0.4	0.1	0.003	0.000	-8.93	-8.69	28.76	1252	34.4370062	-118.6420955	Valve Comment:Clear liquid from flex hose;Valve Adjustment:Orifice Plate Changed (See OP Log),High O2		
H-23 (EXP-23)	5/13/2026 10:53:27 AM	7.4	4.7	18.0	69.8			1.6	3.9	85.0	86.9	-1.06	-0.91	0.2	0.6	0.001	0.006	-9.66	-9.39	28.79	1301	34.4370460	-118.6421150	Valve Adjustment:NSPS/EG CAI,Orifice Plate Changed (See OP Log),High O2,Decreased Flow/Vacuum		
H-23 (EXP-23)	5/13/2026 10:40:54 AM	5.5	4.6	18.9	71.0			1.2	3.8	76.3	77.4	-9.82	-9.65	3.5	2.7	0.027	0.016	-10.06	-10.09	28.79	1251	34.4370065	-118.6421048	Valve Adjustment:NSPS/EG CAI,High O2,Decreased Flow/Vacuum,Valve 100% Closed		
H-2301E	5/13/2026 9:05:55 AM	48.3	39.3	0.0	12.4			1.2	0.0	105.3	105.3	-3.31	-3.31	14.6	16.4	0.270	0.340	-9.93	-10.12	29.02	1035	34.4270647	-118.6479965			
H-2301W	5/15/2026 10:14:58 AM	23.6	19.3	11.2	45.9			1.2	4.1	73.0	73.0	-10.51	-10.46	0.0	0.0	-0.056	-0.039	-10.50		28.76	1165	34.4282912	-118.6508605	High O2		
H-2301W	5/15/2026 10:13:21 AM	22.3	16.5	11.2	50.0			1.4	4.5	72.6	72.5	-10.39	-10.37	0.0	0.0	-0.019	-0.022	-10.6								

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
H-2302E	5/8/2026 12:55:32 PM	55.9	40.9	0.1	3.1				1.4	31.0	105.2	105.2	-1.88	-1.87	31.7	31.6	1.136	1.130	-3.30		28.77	1010	34.4275620	-118.6473168	
H-2303E	5/8/2026 1:01:15 PM	55.3	41.8	0.0	2.9				1.3	0.0	88.8	88.7	-2.57	-2.57	0.0	0.0	-0.009	-0.009	-2.49		28.79	1086	34.4279038	-118.6470848	
H-2303N	5/7/2026 2:55:44 PM	54.3	41.9	0.0	3.8				1.3	0.0	102.4	102.5	-0.10	-0.21	12.9	16.6	3.195	5.298	-7.43		28.71	1270	34.4290517	-118.6485457	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2304E	5/8/2026 1:05:45 PM	56.4	41.7	0.0	1.9				1.4	0.0	95.6	95.6	-1.26	-1.27	40.9	32.9	0.366	0.236	-1.84		28.79	1066	34.4282910	-118.6469717	
H-2304S	5/8/2026 1:30:30 PM	54.0	43.5	0.0	2.5				1.2	0.0	123.3	123.8	-0.18	-0.29	18.0	19.7	6.591	7.878	-9.97		28.77	1102	34.4275005	-118.6489317	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2305N	5/7/2026 3:01:47 PM	54.7	41.3	0.0	4.0				1.3	0.0	97.5	98.7	-3.09	-3.64	3.6	4.6	0.027	0.043	-7.43		28.69	1234	34.4290775	-118.6486402	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2305S	5/8/2026 1:14:11 PM	54.8	43.0	0.0	2.2				1.3	0.0	125.8	126.4	-0.11	-0.24	21.2	23.5	2.715	3.344			28.78	1040	34.4274637	-118.6484590	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2306N	5/15/2026 10:33:03 AM	50.7	40.5	0.0	8.8				1.3	0.0	116.5	116.5	-2.83	-2.83	39.7	39.7	3.374	3.374	-11.44		28.74	1171	34.4294673	-118.6475270	
H-2307S	5/22/2026 11:53:04 AM	53.3	39.2	0.3	7.2				1.4	24.0	114.7	115.0	-2.02	-2.02	36.1	36.1	3.027	3.031	-9.85	-9.80	28.67	1127	34.4282258	-118.6498862	Valve Adjustment:Audible Flow
H-2307S	5/7/2026 2:41:47 PM	52.4	43.3	0.0	4.3				1.2	0.0	119.9	120.0	-0.23	-0.22	37.7	38.2	3.066	3.148	-6.93		28.72	1184	34.4283230	-118.6499335	
H-2307S	5/7/2026 2:40:20 PM	53.9	42.6	0.0	3.5				1.3	0.0	114.6	118.6	0.84	-0.04	10.2	38.5	0.218	3.157	-6.80		28.72	1214	34.4282598	-118.6498622	NSP/EG CAT,NSP/EG CAC,Positive Static Press.,Increased Flow/Vacuum,Opened Valve 1/2 to 1 Turn
H-2308S	5/7/2026 2:29:52 PM	50.8	42.0	0.0	7.2				1.2	0.0	118.8	120.3	-1.54	-1.44	42.9	39.9	2.189	1.903	-7.18		28.72	1109	34.4283483	-118.6498983	Reduced System Vacuum
H-2309N	5/4/2026 10:13:40 AM	51.4	43.8	0.0	4.8				1.2	0.0	83.6	83.7	-1.30	-1.29	0.0	0.0	-0.157	-0.158	-10.55		28.55	1312	34.4316015	-118.6489425	
H-2309S	5/8/2026 1:53:32 PM	55.0	42.5	0.0	2.5				1.3	0.0	108.9	109.3	-0.19	-0.40	18.4	23.2	0.388	0.622	-11.11		28.74	1099	34.4281668	-118.6488530	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2310N	5/8/2026 3:03:25 PM	54.5	40.5	0.0	5.0				1.3	0.0	109.7	110.2	-0.41	-0.52	7.3	13.1	0.306	0.998	-4.08		28.68	1115	34.4299800	-118.6478832	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2310S	5/22/2026 12:06:57 PM	52.1	39.4	0.0	8.5				1.3	0.0	102.7	102.8	-1.16	-0.55	2.3	1.3	0.552	0.180	-10.32	-10.02	28.71	1120	34.4291798	-118.6475352	Valve Adjustment:Decreased Flow/Vacuum,Barely Open
H-2310S	5/14/2026 9:47:40 AM	40.7	37.1	0.2	22.0				1.1	110.0	101.3	100.9	-2.64	-1.71			0.193	0.091	-10.07		28.8	1102	34.4291448	-118.6476128	
H-2401S	5/7/2026 11:32:52 AM	54.8	42.7	0.0	2.5				1.3	0.0	108.7	108.8	-1.35	-1.62	4.6	5.7	0.424	0.638	-3.74		28.68	1178	34.4289090	-118.6512467	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2402N	5/8/2026 9:47:00 AM	47.4	43.4	0.0	9.2				1.1	0.0	105.9	105.9	-0.34	-0.33	1.5	1.5	0.239	0.238	-4.36		28.71	1237	34.4290415	-118.6501617	
H-2402S	5/8/2026 9:58:19 AM	52.1	40.8	0.0	7.1				1.3	0.0	109.5	109.7	-0.39	-0.50	15.8	19.5	0.288	0.439	-4.72		28.7	1184	34.4287787	-118.6504880	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2403N	5/8/2026 9:51:09 AM	53.4	42.6	0.0	4.0				1.3	0.0	110.9	112.3	-0.03	-0.13	0.0	4.1	-0.126	0.339	-4.34		28.68	1178	34.4293443	-118.6502303	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2403S	5/8/2026 9:35:34 AM	39.5	33.9	3.3	23.3				1.2	7.1	80.3	80.3	-0.53	-0.51	1.3	1.3	0.169	0.174	-4.16		28.74	1191	34.4287068	-118.6498640	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2404N	5/5/2026 3:35:40 PM	53.3	42.6	0.0	4.1				1.3	0.0	107.6	109.0	-1.26	-2.14	7.2	11.0	1.019	2.417	-9.28		28.63	1217	34.4292643	-118.6494898	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-2404S	5/8/2026 8:59:38 AM	56.7	41.0	0.1	2.2				1.4	22.0	111.3	111.4	-3.40	-3.49	6.9	25.8	0.054	0.762	-3.81		28.77	1191	34.4287530	-118.6493000	
H-2405N	5/5/2026 2:23:59 PM	22.7	31.6	0.0	45.7				0.7	0.0	111.7	111.8	-0.59	-0.58	14.0	14.0	4.131	4.133	-8.69		28.56	1247	34.4299727	-118.6495100	
H-29	5/29/2026 12:05:20 PM	17.4	45.3	0.0	37.3				0.4	0.0	92.4	84.1	-0.10	-0.10	1.0	0.9	0.019	0.017	-10.76	-10.76	28.67	1283	34.4354267	-118.6417648	Valve Adjustment:NSP/EG CAC
H-29	5/29/2026 12:00:31 PM	17.5	44.9	0.0	37.6				0.4	0.0	78.6	89.1	0.93	-0.13	2.3	3.7	0.101	0.271	-10.71	-11.09	28.7	1281	34.4354368	-118.6417790	Valve Comment:RES SEM,Valve Adjustment:NSP/EG CAC,Positive Static Press.,Increased Flow/Vacuum
H-29	5/4/2026 1:58:42 PM	19.9	47.7	0.0	32.4				0.4	0.0	71.3	71.0	-0.31	-0.31	1.0	1.0	0.020	0.020	-11.23	-11.23	28.63	1273	34.4354442	-118.6417735	Valve Adjustment:NSP/EG CAC,Positive Static Press.,Increased Flow/Vacuum
H-29	5/4/2026 1:55:50 PM	20.0	45.7	0.0	34.3				0.4	0.0	78.8	71.1	1.61	-0.20	2.5	6.0	0.119	0.706	-11.13	-11.23	28.63	1278	34.4354300	-118.6417690	Valve Adjustment:NSP/EG CAC,Positive Static Press.,Increased Flow/Vacuum
H-72	5/29/2026 9:51:57 AM	52.9	41.3	0.4	5.4				1.3	13.5	80.9	82.2	-0.37	-0.45	0.0	0.0	-0.096	-0.016	-4.60		28.67	1325	34.4368798	-118.6448662	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
H-74	5/11/2026 11:20:34 AM	52.5	41.8	0.0	5.7				1.3	0.0	101.6	101.6	-1.20	-1.23	5.2	6.2	0.534	0.755	0.02		28.57	1257	34.4370635	-118.6431107	
H-75	5/14/2026 11:59:28 AM	46.1	46.1	0.0	7.8				1.0	0.0	90.5	90.5	-0.23	-0.23	2.2	2.2	1.230	1.233	-10.58		28.59	1345	34.4363457	-118.6420747	
H-79	5/15/2026 11:24:44 AM	45.6	48.2	0.1	6.1				0.9	61.0	128.7	128.6	-2.71	-2.70	2.4	1.9	0.007	0.005	-14.33		28.65	1325	34.4340572	-118.6428650	No Adjustment Made,Audible Flow
P-02R	5/13/2026 8:15:30 AM	28.4	31.1	0.0	40.5				0.9	0.0	82.2	82.2	-0.65	-0.64	8.9	10.4	0.465	0.644	-20.57	-21.01	28.87	1157	34.4297442	-118.6439258	
P-03R	5/13/2026 8:26:58 AM	37.8	33.0	0.0	29.1				1.1	0.0	87.6	87.7	-1.65	-1.65	3.0	2.9	0.899	0.873	-19.68	-19.72	28.87	1173	34.4298598	-118.6442158	
P-04	5/5/2026 7:38:51 AM	52.6	39.3	0.0	8.1				1.3	0.0	91.5	91.5	-0.50	-0.50			0.502	0.503	-17.63	-17.65	28.71	1176	34.4294557	-118.6445353	
P-05	5/5/2026 7:46:02 AM	35.6	35.8	0.0	28.6				1.0	0.0	102.6	102.1	-0.27	-0.27			0.272	0.272	-16.42	-16.56	28.73	1146	34.4291723	-118.6447730	Well Condition:Fair,Well Repairs:Flex Hose
P-06R	5/5/2026 7:49:46 AM	41.8	36.3	0.0	21.9				1.2	0.0	105.9	106.2	-0.69	-0.69	0.2	0.3	0.003	0.011	-15.79	-15.62	28.72	1139	34.4288705	-118.6450635	Well Condition:Fair
P-07R	5/12/2026 8:59:48 AM	32.9	30.2	0.0	36.9				1.1	0.0	83.4	83.4	-0.88	-0.88	4.5	4.5	2.046	2.066	-19.06	-19.13	28.72	1169	34.4293722	-118.6432867	
P-08R	5/11/2026 10:46:01 AM	53.4	37.2	0.0	9.4				1.4	0.0	101.8	101.9	-15.23	-15.52	1.7	5.9	0.018	0.220	-16.37	-16.59	28.86	1153	34.4294120	-118.6437068	Valve Adjustment:Audible Flow
P-09	5/5/2026 8:01:21 AM	46.5	38.0	0.0	15.5				1.2	0.0	94.6	94.5	-0.61	-0.61			0.609	0.608	-11.96	-11.91	28.71	1162	34.4290035	-118.6442565	Valve Adjustment:Audible Flow,Well Condition:Fair,Well Repairs:Flex Hose
P-10	5/5/2026 7:56:04 AM	42.5	36.6	0.0	20.9				1.2	0.0	85.8	85.8	-0.34	-0.33	3.1	3.1	0.983	1.007	-11.51	-11.93	28.71	1145	34.4287117	-118.6446435	Well Condition:Good
P-11	5/12/2026 9:25:09 AM	48.6	37.1	0.0	14.4				1.3	0.0	104.3	104.2	-0.43	-0.43	6.3	6.4	4.248	4.419	-11.64	-12.06	28.76	1134	34.4285110	-118.6449670	
P-12	5/15/2026 7:59:36 AM	57.4	40.4	0.0	2.2				1.4	0.0	74.1	74.1	-11.34	-11.89	4.0	1.4	0.292	0.036	-14.20		28.82	1115	34.4288363	-118.6456393	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
P-13	5/15/2026 8:05:44 AM	47.7	34.6	0.0	17.7				1.4	0.0	78.0	78.1	-1.24	-1.26	8.3	8.3	1.250	1.266	-14.84		28.83	1135	34.4285183	-118.6457337	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
P-14	5/5/2026 8:13:25 AM	24.8	28.2	0.7	46.3				0.9	66.1	73.0	73.0	-0.40	-0.34			0.394	0.342	-13.69	-13.02	28.78	1106	34.4280348	-118.6460672	Valve Adjustment:Decreased Flow/Vacuum
P-15R	5/5/2026 8:17:20 AM	48.7	36.8	0.0	14.5				1.3	0.0	70.6	71.3	-1.20	-1.21	0.8	0.9	0.066	0.075	-12.57	-12.71	28.77	1107	34.4277893	-118.6459260	
P-16	5/5/2026 8:25:52 AM	51.0	36.4	0.0	12.6				1.4	0.0	79.9	79													

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments
P-18RS	5/5/2026 8:36:36 AM	38.7	35.6	0.0	25.7			1.1	0.0	91.1	91.2	-1.43	-1.42	5.3	5.2	2.871	2.769	-11.48	-11.00	28.78	1099	34.4271123	-118.6450190	
P-19	5/4/2026 11:16:30 AM	33.6	28.9	0.0	37.5			1.2	0.0	84.0	84.0	-1.13	-1.07	7.6	5.8	0.325	0.189	-11.82		28.84	1089	34.4268377	-118.6451812	
P-20R	5/5/2026 8:45:27 AM	48.6	37.5	0.0	13.9			1.3	0.0	96.3	96.2	-1.36	-1.36	8.2	8.3	7.101	7.187	-10.85	-10.90	28.78	1101	34.4268247	-118.6448280	
P-21	5/5/2026 8:49:59 AM	34.2	33.5	0.0	32.3			1.0	0.0	89.6	89.3	-0.67	-0.67			0.666	0.665	-10.65	-10.38	28.78	1110	34.4265067	-118.6447967	
P-21RD	5/4/2026 10:03:26 AM	39.4	33.8	0.1	26.7			1.2	267.0	99.0	98.9	-4.27	-4.27	21.0	20.7	2.614	2.525	-8.94		28.81	1142	34.4263675	-118.6443280	No Adjustment Made
P-21RS	5/4/2026 10:00:38 AM	47.7	30.3	0.3	21.7			1.6	72.3	107.1	107.1	-4.23	-4.23	11.2	11.2	0.712	0.714	-9.22		28.83	1138	34.4264085	-118.6443853	
P-22RD	5/4/2026 10:32:00 AM	54.0	43.0	0.0	3.0			1.3	0.0	114.4	114.2	-4.38	-4.37	4.5	4.4	5.289	5.075	-8.95		28.77	1171	34.4269110	-118.6438215	Increased Flow/Vacuum
P-22RS	5/4/2026 10:28:52 AM	29.5	29.6	0.0	40.9			1.0	0.0	119.2	119.1	-1.28	-1.25	40.5	39.3	1.946	1.828	-9.30		28.76	1178	34.4269142	-118.6437452	
P-23	5/5/2026 8:59:25 AM	3.1	22.0	0.8	74.1			0.1	92.6	82.3	82.4	-0.68	-0.68	6.3	6.3	0.250	0.253	-9.81	-9.79	28.78	1110	34.4261428	-118.6447117	Valve Adjustment:Orifice Plate Changed (See OP Log)
P-24	5/6/2026 8:17:07 AM	19.2	25.1	0.0	55.7			0.8	0.0	88.3	88.3	-2.34	-2.32	11.7	11.2	2.738	2.506	-10.03		28.91	1109	34.4260808	-118.6442818	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
P-26	5/6/2026 8:34:09 AM	43.9	34.3	0.0	21.8			1.3	0.0	80.7	80.9	-6.27	-6.31	0.0	0.0	6.235	6.447			28.89	1148	34.4265393	-118.6431935	
P-27	5/6/2026 8:43:29 AM	4.9	18.8	1.2	75.1			0.3	62.6	73.0	72.3	-0.94	-0.84	0.0	0.0	0.961	0.820			28.89	1155	34.4268782	-118.6427508	
P-28	5/6/2026 8:51:00 AM	31.8	31.0	0.0	37.2			1.0	0.0	95.1	95.1	-5.34	-5.27	0.0	0.0	5.370	5.256			28.88	1148	34.4270348	-118.6422415	
P-29R	5/6/2026 8:57:44 AM	19.9	26.6	0.4	53.1			0.7	132.8	90.8	90.8	-1.53	-1.53	1.5	0.6	0.014	0.002	-7.84		28.87	1171	34.4271623	-118.6418718	
P-30R	5/6/2026 9:04:44 AM	16.4	24.2	0.0	59.4			0.7	0.0	83.5	83.5	-6.22	-6.14	10.2	9.9	2.085	1.984	-7.66		28.87	1184	34.4274230	-118.6415790	
P-32R1	5/6/2026 9:10:45 AM	22.0	28.8	0.4	48.8			0.8	122.0	109.6	109.7	-1.92	-1.89	2.8	2.3	8.334	5.730	-7.14		28.85	1161	34.4282355	-118.6410790	
P-32R2	5/6/2026 9:14:09 AM	23.8	28.8	0.3	47.1			0.8	157.0	110.8	110.5	-2.36	-2.32	11.3	10.1	2.670	2.131	-7.35		28.85	1175	34.4284572	-118.6410243	
P-33	5/6/2026 9:19:40 AM	30.5	30.1	2.0	37.4			1.0	18.7	93.1	93.1	-2.79	-2.69	0.0	0.0	2.778	2.631			28.84	1211	34.4287705	-118.6407780	No Flow Measurement
P-36	5/6/2026 9:31:05 AM	21.1	23.8	0.4	54.7			0.9	136.8	69.7	69.6	-0.44	-0.47	0.0	0.0	0.513	0.513			28.83	1217	34.4302865	-118.6400428	No Adjustment Made
P-37	5/6/2026 9:35:20 AM	9.1	22.3	0.8	67.8			0.4	84.8	82.6	84.4	-0.50	-0.47	0.9	0.9	0.232	0.233	-4.56		28.81	1243	34.4305062	-118.6400412	
P-38RD	5/6/2026 9:48:07 AM	38.9	33.9	0.0	27.2			1.1	0.0	106.4	106.4	-4.18	-4.19	32.6	17.1	1.255	0.346	-4.19		28.8	1207	34.4299553	-118.6406215	No Adjustment Made
P-38RS	5/6/2026 9:44:32 AM	31.4	28.9	0.0	39.7			1.1	0.0	104.3	104.4	-1.44	-1.40	10.7	12.3	0.688	0.897	-4.30		28.81	1217	34.4299980	-118.6406513	
P-39	5/6/2026 9:55:17 AM	43.5	36.9	0.8	18.8			1.2	23.5	78.9	78.9	-6.11	-6.96	2.2	0.0	0.094	-0.016	-7.06		28.81	1220	34.4294320	-118.6409958	No Adjustment Made
P-41	5/6/2026 10:07:48 AM	14.8	16.3	8.2	60.7			0.9	7.4	108.3	108.2	-2.99	-2.89	0.0	0.0	-0.154	-0.007			28.81	1214	34.4288583	-118.6413945	NSPS/EG CAI,High O2
P-41	5/6/2026 10:06:10 AM	14.7	16.3	8.2	60.8			0.9	7.4	108.6	108.6	-3.22	-3.14	0.0	0.0	-0.019	0.139			28.81	1240	34.4288862	-118.6414418	NSPS/EG CAI,High O2
P-42R	5/6/2026 10:15:47 AM	51.6	36.1	0.2	12.1			1.4	60.5	111.5	111.6	-6.82	-6.76	3.6	3.1	1.292	0.951	-8.60		28.81	1194	34.4284612	-118.6417320	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
P-43	5/6/2026 10:22:56 AM	20.6	24.0	0.8	54.6			0.9	68.3	116.8	116.6	-4.38	-4.34	0.0	0.0	4.403	4.303			28.82	1224	34.4282822	-118.6418015	
P-44RD	5/6/2026 10:37:00 AM	47.3	33.6	0.0	19.1			1.4	0.0	90.1	90.4	-7.70	-7.71	0.0	0.0	-0.038	-0.020	-8.41		28.81	1155	34.4280457	-118.6421608	Increased Flow/Vacuum
P-44RS	5/6/2026 10:33:49 AM	18.5	22.4	0.1	59.0			0.8	590.0	121.7	121.8	-5.71	-5.69	18.4	18.6	2.145	2.188	-7.72		28.82	1188	34.4281768	-118.6418202	
P-45RD	5/6/2026 10:50:26 AM	40.0	34.6	0.0	25.4			1.2	0.0	114.9	114.9	-7.01	-7.06	3.7	3.5	0.287	0.247	-7.72		28.82	1204	34.4276827	-118.6424397	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
P-45RS	5/6/2026 10:47:34 AM	2.9	17.7	0.1	79.3			0.2	793.0	90.4	92.2	-0.64	-0.61	0.0	0.0	-0.084	-0.003	-7.62		28.81	1184	34.4277275	-118.6424702	
P-46RD	5/6/2026 11:02:37 AM	48.2	34.9	0.0	16.9			1.4	0.0	99.1	102.4	-7.60	-7.66	2.0	0.8	0.023	0.003	-7.60		28.81	1201	34.4277323	-118.6427357	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
P-46RS	5/6/2026 10:55:16 AM	15.2	21.5	0.0	63.3			0.7	0.0	120.7	120.7	-2.42	-2.34	24.6	21.9	3.805	3.028	-7.77		28.82	1211	34.4276638	-118.6426433	
P-47	5/4/2026 10:21:39 AM	10.6	21.7	1.2	66.5			0.5	55.4	96.4	96.9	-0.16	-0.12	0.0	0.0	0.170	0.166			28.73	1214	34.4274452	-118.6432183	No Flow Measurement
P-48	5/4/2026 10:38:03 AM	17.3	24.8	0.0	57.9			0.7	0.0	113.0	111.5	-0.17	-0.12	0.0	0.0	0.011	0.000			28.74	1204	34.4275840	-118.6435617	
P-49RD	5/4/2026 10:58:34 AM	52.0	38.1	0.4	9.5			1.4	23.8	112.6	112.8	-10.02	-10.06	16.0	16.4	1.525	1.595	-11.71		28.74	1201	34.4279272	-118.6438430	Increased Flow/Vacuum
P-49RS	5/4/2026 10:55:41 AM	33.7	28.3	0.2	37.8			1.2	189.0	113.8	113.7	-1.23	-1.18	18.1	18.7	0.699	0.745	-12.10		28.74	1194	34.4279627	-118.6438450	
P-52	5/28/2026 2:38:45 PM	33.1	33.7	0.0	33.2			1.0	0.0	117.0	117.0	-0.42	-0.38			0.000	0.000	-13.73	-13.98	28.64	1219	34.4287193	-118.6432857	Valve Adjustment:Barely Open
P-53	5/15/2026 8:37:53 AM	20.7	25.3	0.0	54.0			0.8	0.0	114.6	114.6	-2.32	-2.20	0.0	0.0	-0.013	-0.009	-17.38		28.73	1234	34.4291410	-118.6431228	Audible Flow
P-54	5/15/2026 8:35:38 AM	29.8	31.3	0.0	38.9			1.0	0.0	100.9	100.8	-1.22	-1.14	0.0	0.0	1.161	0.999			28.72	1220	34.4292002	-118.6431255	
P-55	5/15/2026 8:24:48 AM	29.5	29.5	0.0	41.0			1.0	0.0	93.9	94.0	-0.74	-0.65	0.0	0.0	0.710	0.695			28.71	1234	34.4297752	-118.6426818	Audible Flow,No Flow Measurement
P-56	5/26/2026 9:15:49 AM	19.8	28.9	0.0	51.3			0.7	0.0	101.7	101.8	-0.31	-0.31			0.302	0.301	-15.62	-15.63	28.57	1220	34.4300997	-118.6428133	
P-57	5/13/2026 9:14:04 AM	17.1	22.5	4.0	56.4			0.8	14.2	76.5	76.4	-0.54	-0.53	3.6	3.4	0.015	0.014	-19.39	-19.13	28.8	1253	34.4299728	-118.6424557	
P-60R	5/7/2026 8:52:45 AM	13.9	9.1	15.5	61.5			1.5	4.0	76.0	76.5	-2.40	-2.29	0.0	0.0	-0.060	-0.075	-2.82		28.74	1263	34.4307783	-118.6415790	NSPS/EG CAI,High O2
P-60R	5/7/2026 8:48:07 AM	3.4	3.5	19.3	73.8			1.0	3.8	75.1	75.5	-2.46	-2.37	0.0	0.0	0.000	-0.014	-2.78		28.74	1207	34.4307893	-118.6415645	NSPS/EG CAI,High O2
P-61	5/7/2026 8:30:07 AM	41.3	35.7	0.0	23.0			1.2	0.0	83.4	83.4	-0.34	-0.31	5.0	5.0	2.472	2.502	-2.75		28.72	1289	34.4311355	-118.6411517	Increased Flow/Vacuum,Opened Valve 1/2 Turn or Less
P-65	5/7/2026 8:25:21 AM	29.5	27.2	0.0	43.3			1.1	0.0	71.4	71.5	-0.61	-0.62	2.0	1.9	0.999	0.853	-2.88		28.76	1263	34.4304160	-118.6409915	
P-71	5/4/2026 10:47:48 AM	30.4	27.4	0.2	42.0			1.1	210.0	72.3	72.3	-0.39	-0.38	0.0	0.0	0.373	0.377			28.73	1220	34.4279280	-118.6431523	No Adjustment Made
P-75	5/6/2026 11:19:49 AM	51.7	33.5	0.0	14.8			1.5	0.0	92.0	92.0	-3.99	-4.02	17.4	17.5	1.669	1.689	-4.37		28.8	1217	34.4302853	-118.6415073	No Adjustment Made,Increased Flow/Vacuum
P-76	5/6/2026 9:41:27 AM	17.4	22.8	0.1	59.7			0.8	597.0	91.4	97.2	-1.85	-1.78	0.0	0.0	-1.760	-1.750	-4.17		28.8	1230	34.4300573	-118.6406	

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments		
SC-2501E	5/18/2026 9:29:29 AM	15.4	75.0	0.0	9.6				0.2	0.0	190.7	190.6	1.07	-0.76	20.4	16.6	1.086	0.722	-2.01	-2.32	28.53	1357	34.4366436	-118.6478826	Valve Adjustment: NSPS/EG CAI, No Flow Measurement, High Temp, Decreased Flow/Vacuum, Reduce Sys. Vac. - Flare Down	
SC-2501E	5/12/2026 9:13:45 AM	21.2	78.8	0.0	0.0				0.3	0.0	188.9	188.9	-1.07	-1.13	53.0	52.5	7.423	7.294	-8.18	-8.02	28.55	1341	34.4367005	-118.6479329	Valve Adjustment: High Temp	
SC-2501E	5/12/2026 9:10:00 AM					743																				AtmAA
SC-2501E	5/5/2026 8:56:40 AM	5.0	80.7	0.0	14.3				0.1	0.0	188.8	188.8	-1.63	-1.63	52.3	51.7	7.247	7.078	-8.76	-8.66	28.52	1344	34.4366786	-118.6479108	Valve Adjustment: High Temp	
SC-2501E	5/5/2026 8:51:59 AM	4.7	82.8	0.0	12.5				0.1	0.0	188.5	188.6	-0.64	-1.24	38.7	32.1	10.915	7.472	-9.63	-8.78	28.51	1341	34.4366711	-118.6479123	Valve Adjustment: Orifice Plate Changed [See OP Log], High Temp	
SC-2501E	5/5/2026 8:50:00 AM					1400																				AtmAA
SC-2501E	5/5/2026 8:50:00 AM						17700																			AtmAA; [User entered 17.77%]
SC-2501W	5/5/2026 9:19:42 AM	6.2	76.9	0.0	16.9				0.1	0.0	91.3	94.4	-0.04	-0.01	3.7	3.2	0.083	0.064	-7.23	-7.22	28.51	1358	34.4367915	-118.6485240	Valve Comment: Bad well head valve does not open; Valve Adjustment: NSPS/EG CAC, Increased Flow/Vacuum, Valve 100% Open	
SW-10	5/28/2026 9:37:50 AM	35.2	33.3	1.5	30.0				1.1	20.0	71.5	71.4	-7.45	-7.43			0.975	0.954	-7.45	-7.32	28.57	1343	34.4370242	-118.6503695		
SW-115	5/11/2026 8:59:04 AM	48.4	39.9	0.0	11.7				1.2	0.0	87.1	88.6	-6.65	-6.61	12.4	14.1	0.892	1.160	-11.97		28.73	1214	34.4348128	-118.6412347		
SW-1445	5/22/2026 7:39:28 AM	26.5	29.3	0.0	44.2				0.9	0.0	61.8	61.4	-0.03	-0.03	5.3	4.9	0.033	0.028	0.22	0.21	28.59	1228	34.4325033	-118.6519762		
SW-1445	5/4/2026 7:53:57 AM	0.9	12.6	17.2	69.3				0.1	4.0	80.8	80.9	-5.41	-5.41	22.8	23.1	0.640	0.653	-5.26	-5.17	28.7	1216	34.4325060	-118.6520183		
SW-1455	5/22/2026 7:44:18 AM	19.4	26.2	0.0	54.4				0.7	0.0	66.3	67.3	0.02	0.02	2.1	2.3	0.005	0.006	0.32	0.08	28.59	1204	34.4323960	-118.6519070		
SW-1455	5/4/2026 7:57:56 AM	8.6	11.3	15.1	65.0				0.8	4.3	83.4	83.5	-5.75	-5.75	25.4	25.0	0.795	0.772	-5.37	-5.42	28.7	1199	34.4324083	-118.6519080		
SW-154	5/15/2026 9:34:29 AM	0.0	1.1	20.0	78.9				0.0	3.9	66.7	66.8	-8.39	-8.34	0.0	0.0	8.477	8.394			28.7	1243	34.4379895	-118.6456350	NSPS/EG CAI, No Flow Measurement, High O2	
SW-154	5/15/2026 9:31:56 AM	0.1	1.7	19.7	78.5				0.1	4.0	67.1	67.0	-8.11	-8.06	0.0	0.0	8.020	8.115			28.7	1289	34.4379950	-118.6456550	NSPS/EG CAI, No Flow Measurement, High O2	
SW-17-135	5/22/2026 7:41:29 AM	30.1	29.3	0.0	40.6				1.0	0.0	65.4	65.9	-0.06	-0.05	8.1	7.4	0.077	0.065	0.29	0.30	28.59	1195	34.4324443	-118.6519940		
SW-17-135	5/4/2026 7:56:03 AM	19.5	19.6	5.3	55.6				1.0	10.5	72.2	72.4	-5.36	-5.39	23.3	22.9	0.655	0.635	-5.22	-5.27	28.7	1216	34.4324535	-118.6520098		
SW-187	5/4/2026 9:31:29 AM	15.9	27.5	5.5	51.1				0.6	9.3	81.2	81.6	-7.79	-7.79	69.8	68.8	1.149	1.115	-7.52	-7.54	28.6	1319	34.4372602	-118.6473498		
SW-1930	5/1/2026 7:51:05 AM	33.2	51.7	2.7	12.4				0.6	4.6	81.3	81.3	-8.39	-8.45	81.4	81.2	8.347	8.317	-8.44	-8.44	28.6	1265	34.4353082	-118.6516128	Valve Adjustment: Audible Flow	
SW-20	5/12/2026 9:06:57 AM	0.0	5.4	14.0	80.6				0.0	5.8	80.3	80.3	-0.07	-0.06	0.4	0.4	0.016	0.013	-19.34	-19.19	28.72	1168	34.4302393	-118.6436463		
SW-25	5/1/2026 7:53:15 AM	0.6	0.6	21.5	77.3				1.0	3.6	65.8	65.9	-0.81	-0.81	25.9	25.7	0.791	0.782	-8.44	-8.39	28.63	1253	34.4351710	-118.6516867	Valve Adjustment: Valve 100% Closed	
SW-2501D	5/29/2026 7:21:12 AM	21.1	76.6	0.0	2.3				0.3	0.0	71.9	72.0	-7.73	-7.72	7.6	8.6	0.069	0.090	-7.44	-7.19	28.77	1208	34.4335080	-118.6519720	Valve Adjustment: Valve 100% Open	
SW-2501D	5/28/2026 6:16:27 AM	22.8	76.5	0.0	0.7				0.3	0.0	71.6	71.7	-8.11	-8.11	2.5	2.5	0.643	0.628	-8.29	-8.29	28.63	1212	34.4335467	-118.6519558		
SW-2501D	5/27/2026 6:04:20 AM	23.7	76.3	0.0	0.0				0.3	0.0	68.6	68.7	-5.23	-5.22	2.5	2.5	0.649	0.647	-5.09	-5.09	28.52	1214	34.4334993	-118.6519592	Valve Adjustment: Reduce Sys. Vac. - Flare Down	
SW-2501D	5/26/2026 6:11:29 AM	23.0	76.3	0.0	0.7				0.3	0.0	72.6	72.7	-6.63	-6.63	3.0	3.0	0.941	0.935	-6.31	-6.40	28.59	1194	34.4335195	-118.6519752		
SW-2501D	5/22/2026 6:19:43 AM	21.1	77.0	0.0	1.9				0.3	0.0	70.5	70.5	-8.32	-8.32	2.9	2.9	0.835	0.839	-8.18	-8.15	28.56	1198	34.4335292	-118.6519572		
SW-2501D	5/21/2026 6:35:47 AM	21.4	78.0	0.0	0.6				0.3	0.0	76.9	77.0	-7.73	-7.73	2.2	2.3	0.519	0.528	-7.74	-7.74	28.61	1204	34.4335218	-118.6519610		
SW-2501D	5/20/2026 8:30:45 AM	22.8	77.2	0.0	0.0				0.3	0.0	78.9	78.9	-7.46	-7.43	0.7	0.5	0.048	0.024	-7.59	-7.45	28.67	1199	34.4334947	-118.6519580	Valve Adjustment: Valve 100% Open	
SW-2501D	5/19/2026 9:01:29 AM	20.3	79.4	0.0	0.3				0.3	0.0	80.0	79.8	-6.08	-6.08	0.4	0.4	0.018	0.015	-6.08	-6.08	28.75	1209	34.4334962	-118.6519523	Valve Adjustment: Valve 100% Open	
SW-2501D	5/18/2026 8:44:45 AM	20.8	74.8	0.0	4.4				0.3	0.0	76.1	76.1	-4.74	-4.74	0.4	0.5	0.017	0.024	-4.85	-4.82	28.66	1207	34.4335105	-118.6519608		
SW-2501D	5/15/2026 9:25:43 AM	14.5	33.0	11.9	40.6				0.4	3.4	77.8	77.9	-7.43	-7.14	1.5	0.4	0.239	0.015	-7.12	-7.41	28.71	1211	34.4335195	-118.6519642		
SW-2501D	5/14/2026 8:19:05 AM	20.5	78.2	0.0	1.3				0.3	0.0	75.4	75.6	-6.67	-6.67	0.7	0.7	0.052	0.053	-6.74	-6.74	28.75	1202	34.4335260	-118.6519660	Valve Adjustment: Valve 100% Open	
SW-2501D	5/13/2026 8:08:49 AM	21.3	78.4	0.0	0.3				0.3	0.0	75.4	75.6	-7.62	-7.77	0.5	0.4	0.021	0.016	-7.69	-7.88	28.82	1202	34.4334913	-118.6519685	Valve Adjustment: Valve 100% Open, Surging Liquid in Header, Surging Liquid in Well (Watered In)	
SW-2501D	5/12/2026 9:15:23 AM	20.9	78.5	0.0	0.6				0.3	0.0	79.4	79.3	-6.64	-6.76	0.8	0.8	0.061	0.070	-6.76	-6.76	28.67	1208	34.4335090	-118.6519602	Valve Adjustment: Valve 100% Open, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down	
SW-2501D	5/11/2026 8:24:00 AM	21.0	77.7	0.0	1.3				0.3	0.0	77.2	77.2	-5.46	-5.11	1.1	0.8	0.120	0.070	-5.40	-5.21	28.71	1220	34.4335182	-118.6519562	Valve Adjustment: Valve 100% Open, Surging Liquid in Header, Surging Liquid in Well (Watered In), Reduce Sys. Vac. - Flare Down	
SW-2501D	5/8/2026 9:35:42 AM	20.6	79.4	0.0	0.0				0.3	0.0	75.7	75.7	-3.41	-3.29	0.6	0.4	0.040	0.013	-3.22	-3.16	28.71	1205	34.4334960	-118.6519422	Valve Adjustment: Valve 100% Open, Surging Liquid in Header, Reduce Sys. Vac. - Flare Down	
SW-2501D	5/7/2026 8:55:20 AM	20.7	79.2	0.0	0.1				0.3	0.0	74.7	74.7	-3.60	-3.68	0.8	0.8	0.061	0.063	-3.17	-3.22	28.75	1202	34.4335105	-118.6519538	Valve Adjustment: Valve 100% Open, Surging Liquid in Header, Reduce Sys. Vac. - Flare Down	
SW-2501D	5/6/2026 8:47:06 AM	20.5	79.5	0.0	0.0				0.3	0.0	72.8	72.8	-7.47	-7.43	2.7	2.7	0.737	0.732	-7.62	-7.68	28.78	1230	34.4335140	-118.6519823	Valve Adjustment: Valve 100% Open, Surging Liquid in Header	
SW-2501D	5/5/2026 8:31:57 AM	20.3	78.4	0.0	1.3				0.3	0.0	72.1	72.1	-8.28	-8.32	1.2	0.7	0.154	0.050	-8.14	-8.08	28.67	1209	34.4335015	-118.6519653	Valve Adjustment: Barely Open, Surging Liquid in Header	
SW-2501D	5/4/2026 8:20:15 AM	22.6	72.7	0.0	4.7				0.3	0.0	71.3	71.5	-8.15	-8.11	3.7	3.8	1.430	1.432	-7.97	-7.95	28.7	1188	34.4335058	-118.6519633	Valve Adjustment: Audible Flow	
SW-2501D	5/1/2026 8:28:56 AM	26.9	73.1	0.0	0.0				0.4	0.0	71.7	71.9	-8.31	-8.35	9.0	9.1	8.452	8.495	-8.41	-8.42	28.68	1206	34.4335202	-118.6519598	Valve Adjustment: Audible Flow, Well Condition: Good	
SW-2501M	5/29/2026 7:24:25 AM	29.9	57.8	0.2	12.1				0.5	60.5	61.8	62.3	-7.56	-7.72	2.7	0.8	0.009	0.001	-7.40	-7.52	28.78	1212	34.4335182	-118.6519538	Valve Adjustment: Valve 100% Open	
SW-2501M	5/28/2026 6:12:29 AM																									

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments
SW-2501M	5/22/2026 6:14:16 AM	33.5	52.7	0.3	13.5			0.6	45.0	64.4	64.9	-8.27	-8.27	2.4	2.4	0.577	0.579	-8.18	-8.17	28.56	1206	34.4335062	-118.6519473	
SW-2501M	5/21/2026 6:30:13 AM	33.2	55.4	0.2	11.2			0.6	56.0	69.4	69.6	-7.73	-7.73	2.7	2.7	0.742	0.762	-7.68	-7.40	28.63	1202	34.4335080	-118.6519493	
SW-2501M	5/20/2026 8:25:51 AM	33.7	58.2	0.5	7.6			0.6	15.2	76.7	76.4	-7.46	-7.43	0.2	0.2	0.003	0.004	-7.44	-7.36	28.7	1205	34.4335122	-118.6519752	Valve Adjustment:Valve 100% Open
SW-2501M	5/19/2026 8:55:12 AM	30.6	56.0	0.4	13.0			0.5	32.5	76.3	76.2	-6.13	-6.23	0.4	0.2	0.016	0.002	-6.26	-6.40	28.75	1216	34.4335108	-118.6519538	Valve Adjustment:Valve 100% Open
SW-2501M	5/18/2026 8:38:11 AM	36.4	0.0	0.0	63.6			0.0	73.9	73.8	-4.97	-5.00	0.5	0.4	0.027	0.018	-4.66	-4.88	28.63	1208	34.4335058	-118.6519498		
SW-2501M	5/15/2026 9:19:11 AM	33.3	58.4	0.5	7.8			0.6	15.6	71.9	72.0	-7.43	-7.24	0.9	0.8	0.080	0.059	-7.41	-7.31	28.72	1216	34.4335352	-118.6519838	
SW-2501M	5/14/2026 8:13:12 AM	32.4	54.9	0.4	12.3			0.6	30.8	71.6	71.6	-6.68	-6.68	0.8	0.8	0.069	0.070	-6.69	-6.69	28.75	1232	34.4335345	-118.6519475	
SW-2501M	5/13/2026 8:03:42 AM	31.3	55.3	0.6	12.8			0.6	21.3	70.4	70.9	-7.74	-7.73	0.7	0.4	0.050	0.016	-7.53	-7.53	28.79	1202	34.4335012	-118.6519710	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2501M	5/12/2026 9:11:04 AM	32.2	57.2	0.2	10.4			0.6	52.0	76.0	75.7	-6.77	-6.76	0.1	0.1	0.001	0.001	-6.85	-6.76	28.67	1208	34.4335005	-118.6519717	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2501M	5/11/2026 8:20:03 AM	32.1	59.0	0.0	8.9			0.5	0.0	78.4	77.8	-5.11	-5.19	0.4	0.4	0.017	0.014	-4.85	-4.90	28.71	1241	34.4335292	-118.6519752	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2501M	5/8/2026 9:30:13 AM	33.7	61.9	0.0	4.4			0.5	0.0	75.7	73.5	-3.41	-3.42	0.1	0.5	0.001	0.025	-3.22	-3.18	28.71	1205	34.4334985	-118.6519497	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2501M	5/7/2026 8:50:28 AM	36.4	61.4	0.0	2.2			0.6	0.0	73.4	73.3	-3.77	-3.68	1.0	0.6	0.109	0.032	-3.27	-3.28	28.75	1205	34.4335083	-118.6519487	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2501M	5/6/2026 8:42:31 AM	31.6	57.5	0.4	10.5			0.5	26.3	66.5	66.6	-7.47	-7.72	0.4	0.3	0.012	0.011	-7.67	-7.92	28.78	1236	34.4335165	-118.6519673	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2501M	5/5/2026 8:23:44 AM	30.0	58.9	0.6	10.5			0.5	17.5	64.8	64.9	-8.43	-8.40	1.0	0.3	0.099	0.008	-8.14	-8.34	28.67	1213	34.4335072	-118.6519787	Valve Adjustment:Barely Open,Surging Liquid in Header
SW-2501M	5/4/2026 8:14:55 AM	33.3	53.2	0.4	13.1			0.6	32.8	67.6	67.6	-8.11	-8.11	3.7	3.6	1.368	1.273	-7.95	-7.99	28.7	1195	34.4335072	-118.6519662	Valve Adjustment:Audible Flow
SW-2501M	5/1/2026 8:25:32 AM	39.5	53.8	0.6	6.1			0.7	10.2	66.1	66.4	-8.26	-8.28	9.1	9.1	8.403	8.471	-8.39	-8.44	28.7	1213	34.4335257	-118.6519562	Valve Adjustment:Audible Flow,Well Condition-Good
SW-2501MD	5/29/2026 7:15:49 AM	13.2	40.0	11.4	35.4			0.3	3.1	76.5	76.6	-7.78	-7.72	0.8	1.2	0.004	0.009	-7.69	-7.52	28.76	1214	34.4335063	-118.6519613	Valve Adjustment:Valve 100% Open
SW-2501MD	5/28/2026 6:14:16 AM	15.7	38.7	10.7	34.9			0.4	3.3	74.9	74.9	-8.35	-8.36	13.0	13.0	1.010	1.009	-8.27	-8.27	28.63	1216	34.4335208	-118.6519582	
SW-2501MD	5/27/2026 6:02:25 AM	17.8	40.7	9.7	31.8			0.4	3.3	75.7	75.8	-5.35	-5.36	10.3	10.3	0.637	0.636	-5.17	-5.17	28.52	1210	34.4335200	-118.6519492	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-2501MD	5/26/2026 6:05:27 AM	15.9	40.1	10.0	34.0			0.4	3.4	72.4	72.5	-6.63	-6.68	12.7	12.6	0.957	0.952	-6.74	-6.54	28.59	1216	34.4335238	-118.6519560	
SW-2501MD	5/22/2026 6:16:46 AM	15.0	38.1	10.3	36.6			0.4	3.6	70.5	70.6	-8.34	-8.33	13.1	13.1	1.030	1.032	-8.16	-8.15	28.56	1204	34.4335067	-118.6519538	
SW-2501MD	5/21/2026 6:32:26 AM	14.7	39.6	10.1	35.6			0.4	3.5	76.6	76.8	-7.71	-7.71	9.1	9.2	0.495	0.508	-7.45	-7.43	28.6	1215	34.4335160	-118.6519452	
SW-2501MD	5/20/2026 8:28:56 AM	17.0	39.6	9.9	33.5			0.4	3.4	78.9	79.0	-7.43	-7.43	2.2	0.6	0.030	0.002	-7.57	-7.56	28.7	1197	34.4335013	-118.6519777	Valve Adjustment:Valve 100% Open
SW-2501MD	5/19/2026 8:58:19 AM	12.8	36.0	10.5	40.7			0.4	3.9	79.9	80.0	-6.08	-6.08	0.7	0.7	0.003	0.003	-6.15	-6.15	28.75	1205	34.4335145	-118.6519443	Valve Adjustment:Valve 100% Open
SW-2501MD	5/18/2026 8:41:43 AM	13.1	36.2	11.1	39.6			0.4	3.6	77.5	77.9	-4.78	-4.78	0.5	0.5	0.002	0.002	-4.72	-4.72	28.65	1211	34.4335008	-118.6519532	
SW-2501MD	5/14/2026 8:16:25 AM	13.8	38.5	10.0	37.7			0.4	3.8	77.9	78.1	-6.50	-6.49	1.2	1.2	0.008	0.008	-6.72	-6.72	28.75	1220	34.4335148	-118.6519580	Valve Adjustment:High O2,Valve 100% Open
SW-2501MD	5/13/2026 8:06:36 AM	11.7	31.3	12.5	44.5			0.4	3.6	77.1	77.1	-7.47	-7.60	1.9	1.7	0.021	0.018	-7.67	-7.73	28.82	1209	34.4335015	-118.6519472	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2501MD	5/12/2026 9:12:49 AM	13.1	32.7	11.1	43.1			0.4	3.9	77.3	77.4	-6.74	-6.76	2.2	4.9	0.030	0.141	-6.94	-6.88	28.67	1208	34.4335060	-118.6519697	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2501MD	5/11/2026 8:21:50 AM	11.6	31.1	11.8	45.5			0.4	3.9	78.1	78.2	-4.92	-4.74	1.9	1.5	0.021	0.013	-4.67	-4.55	28.71	1233	34.4335238	-118.6519727	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2501MD	5/8/2026 9:32:28 AM	13.3	36.4	10.9	39.4			0.4	3.6	76.7	76.8	-3.40	-3.45	1.4	1.9	0.012	0.022	-3.27	-3.31	28.75	1204	34.4334947	-118.6519282	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2501MD	5/7/2026 8:53:13 AM	13.9	37.1	10.4	38.6			0.4	3.7	77.1	77.2	-3.65	-3.57	3.0	0.0	0.054	0.000	-3.29	-3.30	28.75	1206	34.4335125	-118.6519475	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2501MD	5/6/2026 8:45:13 AM	11.7	31.4	12.5	44.4			0.4	3.6	76.6	76.6	-7.70	-7.62	2.3	0.9	0.032	0.004	-7.77	-7.81	28.78	1238	34.4335165	-118.6519718	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2501MD	5/5/2026 8:27:56 AM	12.1	33.1	12.4	42.4			0.4	3.4	76.4	76.5	-8.39	-8.40	4.2	1.1	0.107	0.007	-8.18	-8.13	28.67	1203	34.4335097	-118.6519517	Valve Adjustment:Valve 100% Closed,Surging Liquid in Header
SW-2501MD	5/4/2026 8:17:07 AM	12.4	32.3	12.3	43.0			0.4	3.5	76.4	76.4	-8.11	-8.15	12.6	12.9	0.957	0.998	-8.01	-7.99	28.67	1207	34.4335143	-118.6519833	Valve Adjustment:Audible Flow
SW-2501MD	5/1/2026 8:27:27 AM	16.5	31.0	12.2	40.3			0.5	3.3	76.7	76.8	-8.11	-8.11	36.8	36.8	8.244	8.247	-8.16	-8.18	28.67	1204	34.4335243	-118.6519692	Valve Adjustment:Audible Flow,Well Condition-Good
SW-2501S	5/29/2026 7:18:48 AM	0.4	7.1	21.0	71.5			0.1	3.4	66.2	66.2	-7.61	-7.58	12.5	11.8	0.186	0.167	-7.66	-7.57	28.78	1207	34.4335062	-118.6519753	Valve Adjustment:Valve 100% Open
SW-2501S	5/28/2026 6:18:35 AM	0.2	0.3	22.3	77.2			0.7	3.5	65.4	65.4	-8.11	-8.11	2.9	3.0	0.855	0.884	-8.29	-8.29	28.63	1202	34.4335115	-118.6519555	
SW-2501S	5/27/2026 6:06:12 AM	0.4	0.9	21.4	77.3			0.4	3.6	68.3	68.4	-5.11	-5.11	2.6	2.6	0.662	0.662	-5.32	-5.32	28.52	1202	34.4335105	-118.6519705	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-2501S	5/26/2026 6:14:28 AM	0.1	0.3	21.9	77.7			0.3	3.5	68.3	68.3	-6.63	-6.71	3.1	3.1	0.940	0.957	-6.59	-6.74	28.59	1210	34.4335415	-118.6519715	
SW-2501S	5/22/2026 6:22:20 AM	0.0	1.4	21.8	76.8			0.0	3.5	69.5	69.5	-7.98	-7.96	2.1	2.1	0.464	0.449	-8.08	-8.10	28.56	1203	34.4335172	-118.6519550	
SW-2501S	5/21/2026 6:38:09 AM	0.1	1.5	21.4	77.0			0.1	3.6	71.2	71.2	-7.63	-7.64	1.9	1.7	0.361	0.293	-7.51	-7.49	28.61	1201	34.4334975	-118.6519645	
SW-2501S	5/20/2026 6:33:18 AM	0.4	0.3	20.7	78.6			1.3	3.8	72.6	72.5	-7.09	-7.09	1.2	1.3	0.144	0.162	-7.41	-7.45	28.67	1201	34.4335063	-118.6519662	Valve Adjustment:Valve 100% Open
SW-2501S	5/19/2026 9:04:28 AM	0.1	5.2	19.6	75.1			0.0	3.8	72.4	72.4	-5.74	-5.74	1.2	1.1	0.139	0.129	-6.03	-6.06	28.75	1210	34.4335102	-118.6519533	Valve Adjustment:Valve 100% Open

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments
SW-2501S	5/18/2026 8:47:27 AM	0.1	5.5	20.3	74.1			0.0	3.7	70.4	70.4	-4.72	-4.72	1.0	1.0	0.106	0.106	-4.47	-4.49	28.66	1210	34.4335008	-118.6519640	
SW-2501S	5/15/2026 9:27:58 AM	23.0	75.7	0.0	1.3			0.3	0.0	75.8	75.8	-7.77	-7.66	0.8	0.7	0.059	0.048	-8.08	-7.75	28.71	1209	34.4335302	-118.6519562	
SW-2501S	5/15/2026 9:22:25 AM	1.0	5.0	21.2	72.8			0.2	3.4	71.8	71.8	-6.42	-6.42	0.7	1.2	0.052	0.138	-6.40	-6.74	28.71	1201	34.4335372	-118.6519382	Valve Adjustment:High O2,Valve 100% Open
SW-2501S	5/14/2026 8:22:49 AM	0.1	7.0	19.4	73.5			0.0	3.8	71.3	71.3	-6.09	-6.10	1.2	1.2	0.154	0.153	-6.44	-6.47	28.75	1213	34.4335095	-118.6519472	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2501S	5/13/2026 8:12:06 AM	0.0	1.9	21.5	76.6			0.0	3.6	72.6	72.6	-7.40	-7.45	1.4	1.4	0.189	0.189	-7.74	-7.74	28.81	1205	34.4335047	-118.6519632	Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2501S	5/12/2026 9:17:43 AM	0.1	2.3	20.4	77.2			0.0	3.8	74.8	74.8	-6.51	-6.52	1.0	1.3	0.107	0.166	-6.76	-6.76	28.67	1205	34.4334968	-118.6519437	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2501S	5/11/2026 8:26:36 AM	0.1	3.1	20.5	76.3			0.0	3.7	73.3	73.3	-5.07	-5.01	0.6	1.0	0.038	0.103	-5.39	-5.23	28.71	1223	34.4335232	-118.6519632	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2501S	5/8/2026 9:39:11 AM	0.1	0.8	21.1	78.0			0.1	3.7	73.0	73.0	-3.39	-3.31	0.5	0.8	0.027	0.069	-3.22	-3.17	28.73	1208	34.4334922	-118.6519465	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2501S	5/7/2026 9:00:17 AM	0.0	0.3	21.1	78.6			0.0	3.7	70.2	70.2	-3.45	-3.47	0.7	0.7	0.056	0.053	-3.05	-3.08	28.75	1206	34.4335225	-118.6519500	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2501S	5/6/2026 8:51:41 AM	0.0	1.5	21.6	76.9			0.0	3.6	66.4	66.3	-7.30	-7.43	1.3	1.3	0.173	0.179	-7.64	-7.75	28.78	1227	34.4335092	-118.6519708	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2501S	5/5/2026 8:36:07 AM	0.0	2.6	21.8	75.6			0.0	3.5	66.3	66.3	-8.07	-8.07	1.2	1.4	0.136	0.189	-8.10	-8.08	28.67	1212	34.4335002	-118.6519537	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2501S	5/4/2026 8:22:18 AM	0.2	7.4	20.6	71.8			0.0	3.5	67.3	67.3	-7.84	-7.83	2.6	2.6	0.686	0.694	-8.06	-8.01	28.68	1205	34.4335283	-118.6519558	Valve Adjustment:Audible Flow
SW-2501S	5/1/2026 8:30:42 AM	0.5	0.7	21.2	77.6			0.7	3.7	68.6	68.5	-8.05	-8.11	8.9	8.9	8.112	8.154	-8.39	-8.39	28.69	1206	34.4335170	-118.6519717	Valve Adjustment:Audible Flow,Well Condition:Good
SW-2502D	5/29/2026 7:02:56 AM	9.9	87.3	0.0	2.8			0.1	0.0	71.6	71.6	-7.88	-7.88	0.7	0.7	0.044	0.044	-7.71	-7.71	28.78	1203	34.4337180	-118.6518868	Valve Adjustment:Valve 100% Open
SW-2502D	5/28/2026 6:27:56 AM	9.1	72.6	1.0	17.3			0.1	17.3	64.5	64.5	-8.11	-8.09	3.1	3.1	0.953	0.952	-8.08	-8.12	28.63	1217	34.4337880	-118.6518905	Valve Adjustment:Valve 100% Open
SW-2502D	5/27/2026 6:15:12 AM	12.4	86.3	0.0	1.3			0.1	0.0	70.4	70.6	-5.07	-5.07	2.1	2.1	0.447	0.435	-5.24	-5.26	28.51	1217	34.4337258	-118.6518730	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-2502D	5/26/2026 6:28:54 AM	11.6	85.6	0.0	2.8			0.1	0.0	69.2	69.5	-6.78	-6.79	2.4	2.4	0.579	0.559	-6.57	-6.59	28.59	1212	34.4337275	-118.6518903	Valve Adjustment:Valve 100% Open
SW-2502D	5/22/2026 6:34:30 AM	10.6	86.3	0.0	3.1			0.1	0.0	68.6	68.7	-8.33	-8.32	2.7	2.7	0.726	0.724	-8.01	-8.02	28.59	1214	34.4337385	-118.6518817	Valve Adjustment:Valve 100% Open
SW-2502D	5/21/2026 6:50:59 AM	10.8	86.3	0.0	2.9			0.1	0.0	71.1	71.1	-7.61	-7.64	2.3	2.2	0.553	0.496	-7.29	-7.40	28.62	1207	34.4337337	-118.6518865	Valve Adjustment:Valve 100% Open
SW-2502D	5/20/2026 8:15:28 AM	11.8	88.2	0.0	0.0			0.1	0.0	75.0	75.1	-7.50	-7.46	0.5	0.4	0.026	0.018	-7.28	-7.33	28.69	1206	34.4337277	-118.6518858	Valve Adjustment:Valve 100% Open
SW-2502D	5/19/2026 9:17:49 AM	9.5	88.5	0.0	2.0			0.1	0.0	77.8	77.8	-5.78	-5.79	0.5	0.1	0.025	0.001	-5.88	-5.89	28.75	1216	34.4337280	-118.6518860	Valve Adjustment:Valve 100% Open
SW-2502D	5/18/2026 8:59:18 AM	9.9	85.2	0.0	4.9			0.1	0.0	74.1	74.1	-4.90	-4.85	0.5	0.5	0.025	0.026	-4.54	-4.48	28.63	1216	34.4337255	-118.6518978	Valve Adjustment:Valve 100% Open
SW-2502D	5/15/2026 9:08:52 AM	11.8	88.2	0.0	0.0			0.1	0.0	73.2	73.2	-5.74	-5.76	0.9	0.8	0.077	0.067	-5.77	-5.92	28.71	1216	34.4337363	-118.6518468	Valve Adjustment:Valve 100% Open
SW-2502D	5/14/2026 8:37:14 AM	10.0	87.2	0.0	2.8			0.1	0.0	72.3	72.5	-6.42	-6.42	0.6	0.9	0.033	0.081	-6.41	-6.40	28.75	1214	34.4337347	-118.6518788	Valve Adjustment:Valve 100% Open
SW-2502D	5/13/2026 8:21:57 AM	10.1	89.5	0.0	0.4			0.1	0.0	74.4	74.7	-7.77	-7.77	0.3	0.2	0.011	0.006	-7.76	-7.91	28.82	1219	34.4337202	-118.6519083	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2502D	5/12/2026 9:27:18 AM	10.7	87.7	0.0	1.6			0.1	0.0	77.1	77.2	-6.74	-6.76	0.8	0.6	0.061	0.033	-6.75	-6.76	28.67	1213	34.4337305	-118.6518858	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2502D	5/11/2026 8:36:30 AM	9.8	87.9	0.0	2.3			0.1	0.0	76.6	76.6	-5.11	-5.07	0.5	0.5	0.027	0.030	-5.09	-5.18	28.71	1210	34.4337307	-118.6518923	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2502D	5/8/2026 9:49:11 AM	9.9	89.8	0.0	0.3			0.1	0.0	74.6	74.6	-3.68	-3.64	0.7	0.3	0.046	0.010	-3.63	-3.64	28.72	1214	34.4337170	-118.6518773	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502D	5/7/2026 9:13:11 AM	10.0	88.9	0.0	1.1			0.1	0.0	74.3	74.4	-3.53	-3.45	0.8	0.6	0.068	0.041	-3.04	-3.02	28.75	1212	34.4337435	-118.6519035	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502D	5/6/2026 9:03:29 AM	9.9	90.1	0.0	0.0			0.1	0.0	72.1	72.2	-7.45	-7.63	0.8	1.1	0.062	0.132	-7.47	-7.46	28.79	1223	34.4337280	-118.6518957	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2502D	5/5/2026 8:48:17 AM	10.1	88.4	0.0	1.5			0.1	0.0	72.4	72.6	-8.14	-8.34	0.6	0.6	0.042	0.040	-7.99	-8.08	28.67	1230	34.4337398	-118.6518983	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2502D	5/4/2026 8:29:47 AM	11.1	80.2	0.0	8.7			0.1	0.0	69.9	70.0	-8.45	-8.45	3.4	3.5	1.158	1.215	-8.21	-8.14	28.67	1205	34.4337345	-118.6518757	Valve Adjustment:Audible Flow
SW-2502D	5/1/2026 8:39:01 AM	15.4	84.2	0.0	0.4			0.2	0.0	72.6	72.7	-8.17	-8.16	9.0	9.0	8.328	8.326	-8.33	-8.33	28.67	1214	34.4337297	-118.6518810	Valve Adjustment:Audible Flow,Well Condition:Good
SW-2502M	5/29/2026 6:58:21 AM	16.0	73.8	0.0	10.2			0.2	0.0	72.9	73.3	-7.91	-7.93	0.8	0.8	0.071	0.071	-7.83	-7.83	28.77	1216	34.4337387	-118.6518822	Valve Adjustment:Valve 100% Open
SW-2502M	5/28/2026 6:26:04 AM	16.6	75.4	0.0	8.0			0.2	0.0	71.9	72.6	-8.11	-8.11	2.4	2.5	0.568	0.625	-8.29	-8.29	28.63	1218	34.4337358	-118.6518773	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-2502M	5/27/2026 6:13:20 AM	18.0	75.9	0.0	6.1			0.2	0.0	73.9	73.9	-5.31	-5.38	2.5	2.5	0.632	0.632	-5.21	-5.16	28.52	1205	34.4337292	-118.6518858	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-2502M	5/26/2026 6:25:59 AM	16.8	76.1	0.0	7.1			0.2	0.0	76.0	76.0	-6.65	-6.63	2.4	2.3	0.585	0.538	-6.36	-6.57	28.59	1213	34.4337368	-118.6518747	Valve Adjustment:Valve 100% Open
SW-2502M	5/22/2026 6:31:26 AM	16.0	76.2	0.0	7.8			0.2	0.0	70.3	70.2	-8.32	-8.32	2.7	2.6	0.721	0.705	-8.08	-8.12	28.56	1203	34.4337455	-118.6518742	Valve Adjustment:Valve 100% Open
SW-2502M	5/21/2026 6:48:59 AM	17.1	77.0	0.0	5.9			0.2	0.0	77.6	77.7	-7.98	-7.98	2.4	2.3	0.583	0.565	-7.74	-7.74	28.61	1210	34.4337555	-118.6518850	Valve Adjustment:Valve 100% Open
SW-2502M	5/20/2026 8:13:58 AM	18.1	81.3	0.0	0.6			0.2	0.0	77.7	77.9	-6.80	-6.76	0.6	0.3	0.032	0.010	-6.85	-6.85	28.68	1214	34.4337308	-118.6519055	Valve Adjustment:Valve 100% Open
SW-2502M	5/19/2026 9:14:46 AM	15.2	83.9	0.0	0.9			0.2	0.0	79.8	79.9	-5.75	-5.75	0.8	0.7	0.058	0.056	-5.76	-5.77	28.75	1220	34.4337343	-118.6518632	Valve Adjustment:Valve 100% Open
SW-2502M	5/18/2026 8:56:28 AM	15.4	79.4	0.0	5.2			0.2	0.0	76.6	76.7	-4.87	-4.97	0.8	0.8	0.063	0.060	-4.42	-4.46	28.63	1209	34.4337413	-118.6518853	Valve Adjustment:Valve 100% Open
SW-2502M	5/15/2026 9:04:47 AM	17.5	82.5	0.0	0.0			0.2	0.0	75.9	75.9	-7.43	-7.22	1.5	0.5	0.221	0.028	-7.58	-7.42	28.71	1217	34.4337558	-118.6518752	Valve Adjustment:Valve 100% Open

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments	
SW-2502M	5/14/2026 8:34:30 AM	16.2	79.3	0.0	4.5				0.2	0.0	76.3	76.7	-6.42	-6.42	0.7	0.6	0.048	0.033	-6.48	-6.44	28.75	1219	34.4337393	-118.6518742	Valve Adjustment:Valve 100% Open Valve Adjustment:Valve 100% Open,Surg Liquid in Well (Watered In)
SW-2502M	5/13/2026 8:19:53 AM	16.1	82.2	0.0	1.7				0.2	0.0	77.1	77.2	-7.62	-7.64	0.6	0.2	0.031	0.002	-7.66	-7.86	28.81	1213	34.4337283	-118.6518945	Valve Adjustment:Valve 100% Open,Surg Liquid in Well (Watered In)
SW-2502M	5/12/2026 9:25:33 AM	16.2	82.8	0.0	1.0				0.2	0.0	78.7	78.8	-6.59	-6.64	0.6	0.6	0.037	0.031	-6.74	-6.74	28.67	1214	34.4337280	-118.6518818	Valve Adjustment:Valve 100% Open,Surg Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2502M	5/11/2026 8:34:43 AM	15.5	82.6	0.0	1.9				0.2	0.0	77.3	77.3	-5.07	-5.07	1.0	0.6	0.097	0.038	-5.05	-5.07	28.71	1220	34.4337318	-118.6518887	Valve Adjustment:Valve 100% Open,Surg Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2502M	5/8/2026 9:47:15 AM	15.4	84.5	0.0	0.1				0.2	0.0	74.7	74.8	-3.45	-3.50	0.8	0.6	0.072	0.035	-3.37	-3.46	28.73	1211	34.4337167	-118.6518817	Valve Adjustment:Valve 100% Open,Surg Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502M	5/7/2026 9:10:36 AM	16.1	82.5	0.0	1.4				0.2	0.0	72.4	72.4	-3.55	-3.52	0.9	0.8	0.080	0.068	-3.07	-3.05	28.75	1215	34.4337353	-118.6519033	Valve Adjustment:Valve 100% Open,Surg Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502M	5/6/2026 9:01:23 AM	16.5	82.0	0.0	1.5				0.2	0.0	71.0	71.2	-7.42	-7.44	1.0	0.7	0.096	0.052	-7.56	-7.53	28.79	1220	34.4337372	-118.6518923	Valve Adjustment:Valve 100% Open,Surg Liquid in Header
SW-2502M	5/5/2026 8:46:24 AM	16.1	82.3	0.0	1.6				0.2	0.0	71.8	71.8	-8.29	-8.29	1.0	0.9	0.101	0.089	-8.00	-8.07	28.67	1228	34.4337390	-118.6518992	Valve Adjustment:Valve 100% Open,Surg Liquid in Header
SW-2502M	5/4/2026 8:28:19 AM	17.1	79.1	0.0	3.8				0.2	0.0	71.9	71.9	-8.40	-8.41	3.4	3.4	1.202	1.174	-7.98	-7.98	28.69	1203	34.4337417	-118.6518647	Valve Adjustment:Audible Flow
SW-2502M	5/1/2026 8:36:49 AM	22.4	76.5	0.0	1.1				0.3	0.0	72.2	72.5	-8.23	-8.23	9.0	9.0	8.407	8.403	-8.39	-8.39	28.67	1203	34.4337415	-118.6518992	Valve Adjustment:Audible Flow,Well Condition:Good
SW-2502MD	5/29/2026 7:08:57 AM	7.6	39.7	12.2	40.5				0.2	3.3	77.6	77.7	-21.95	-21.88	11.2	11.1	13.657	13.520	-7.81	-8.21	28.75	1204	34.4337250	-118.6518942	Valve Adjustment:Valve 100% Open
SW-2502MD	5/28/2026 6:29:56 AM	9.6	37.6	11.3	41.5				0.3	3.7	75.6	75.5	-7.77	-7.77	2.2	2.2	0.514	0.510	-7.93	-7.91	28.63	1219	34.4337292	-118.6518797	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-2502MD	5/27/2026 6:16:47 AM	11.6	43.5	9.2	35.7				0.3	3.9	75.2	75.4	-5.42	-5.41	2.6	2.6	0.704	0.681	-5.30	-5.18	28.49	1215	34.4337263	-118.6518863	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-2502MD	5/26/2026 6:31:21 AM	10.0	42.2	10.0	37.8				0.2	3.8	77.6	77.6	-6.67	-6.67	2.3	2.3	0.560	0.558	-6.48	-6.47	28.59	1210	34.4337317	-118.6518855	Valve Adjustment:Valve 100% Open
SW-2502MD	5/22/2026 6:36:17 AM	9.1	41.7	10.5	38.7				0.2	3.7	76.9	77.0	-8.33	-8.32	2.7	2.6	0.746	0.684	-8.08	-8.16	28.59	1209	34.4337372	-118.6518950	Valve Adjustment:Valve 100% Open
SW-2502MD	5/21/2026 6:52:38 AM	9.0	40.5	10.4	40.1				0.2	3.9	77.0	77.1	-7.86	-7.83	2.7	2.7	0.777	0.763	-7.63	-7.60	28.61	1206	34.4337335	-118.6518958	Valve Adjustment:Valve 100% Open
SW-2502MD	5/20/2026 8:17:46 AM	10.3	42.1	9.8	37.8				0.2	3.9	79.6	80.0	-7.47	-7.46	0.0	0.2	0.000	0.005	-7.38	-7.37	28.68	1214	34.4337253	-118.6518992	Valve Adjustment:Valve 100% Open
SW-2502MD	5/19/2026 9:20:34 AM	7.7	43.5	10.4	38.4				0.2	3.7	82.2	82.3	-5.73	-5.73	0.2	0.2	0.004	0.004	-5.76	-5.76	28.75	1211	34.4337235	-118.6518815	Valve Adjustment:Valve 100% Open
SW-2502MD	5/18/2026 9:02:05 AM	6.5	39.1	11.7	42.7				0.2	3.6	79.7	80.0	-4.98	-4.89	0.2	0.1	0.003	0.001	-4.66	-4.48	28.63	1206	34.4337208	-118.6518838	Valve Adjustment:Valve 100% Open
SW-2502MD	5/15/2026 9:12:10 AM	7.1	33.5	13.6	45.8				0.2	3.4	78.8	78.8	-7.43	-7.32	0.7	0.3	0.053	0.010	-7.41	-7.34	28.71	1204	34.4337573	-118.6518592	Valve Adjustment:Valve 100% Open
SW-2502MD	5/14/2026 8:39:47 AM	8.7	44.9	9.3	37.1				0.2	4.0	79.1	79.2	-6.55	-6.54	0.4	0.4	0.016	0.015	-6.71	-6.71	28.75	1210	34.4337373	-118.6518768	Valve Adjustment:Valve 100% Open
SW-2502MD	5/13/2026 8:24:00 AM	5.2	33.1	13.7	48.0				0.2	3.5	78.8	79.0	-7.77	-7.77	0.4	0.6	0.013	0.040	-7.74	-7.78	28.81	1219	34.4337222	-118.6518988	Valve Adjustment:Valve 100% Open,Surg Liquid in Well (Watered In)
SW-2502MD	5/12/2026 9:28:53 AM	6.7	38.1	11.6	43.6				0.2	3.8	80.0	80.2	-6.77	-6.65	0.4	0.5	0.017	0.021	-6.85	-6.90	28.67	1206	34.4337260	-118.6518780	Valve Adjustment:Valve 100% Open,Surg Liquid in Well (Watered In)
SW-2502MD	5/11/2026 8:38:07 AM	6.4	40.6	11.1	41.9				0.2	3.8	78.9	79.0	-5.11	-5.08	0.7	0.2	0.044	0.005	-5.15	-5.15	28.71	1215	34.4337275	-118.6518900	Valve Adjustment:Valve 100% Open,Surg Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2502MD	5/8/2026 9:51:10 AM	8.8	49.1	9.3	32.8				0.2	3.5	79.1	79.3	-3.82	-3.80	0.3	0.4	0.009	0.013	-3.68	-3.68	28.73	1209	34.4337140	-118.6518795	Valve Adjustment:Valve 100% Open,Surg Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502MD	5/7/2026 9:14:39 AM	9.0	53.0	8.6	29.4				0.2	3.4	77.2	77.6	-3.60	-3.55	0.5	0.1	0.024	0.002	-3.07	-3.06	28.75	1214	34.4337330	-118.6518933	Valve Adjustment:Valve 100% Open,Surg Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502MD	5/6/2026 9:05:22 AM	5.5	34.6	13.2	46.7				0.2	3.5	77.1	77.2	-7.40	-7.47	0.7	0.2	0.049	0.002	-7.42	-7.54	28.8	1218	34.4337258	-118.6518817	Valve Adjustment:Valve 100% Open,Surg Liquid in Header
SW-2502MD	5/5/2026 8:50:15 AM	5.8	35.0	13.2	46.0				0.2	3.5	77.5	77.6	-8.31	-8.46	0.6	0.0	0.040	0.000	-8.07	-8.19	28.67	1215	34.4337330	-118.6519118	Valve Adjustment:Valve 100% Open
SW-2502MD	5/4/2026 8:31:32 AM	5.8	36.0	12.9	45.3				0.2	3.5	77.9	78.0	-8.11	-8.11	2.9	2.9	0.875	0.882	-8.29	-7.99	28.68	1207	34.4337338	-118.6518708	Valve Adjustment:Audible Flow
SW-2502MD	5/1/2026 8:41:00 AM	9.1	32.9	13.1	44.9				0.3	3.4	77.8	77.9	-7.93	-7.94	8.8	8.8	8.091	8.094	-7.98	-7.98	28.68	1208	34.4337288	-118.6518977	Valve Adjustment:Audible Flow,Well Condition:Good
SW-25025	5/29/2026 6:54:54 AM	0.1	9.6	20.8	69.5				0.0	3.3	73.3	73.1	-21.47	-21.66	11.0	11.4	13.144	13.994	-8.54	-10.89	28.74	1212	34.4337433	-118.6518830	Valve Adjustment:Valve 100% Open
SW-25025	5/28/2026 6:24:10 AM	0.2	0.1	22.2	77.5				2.0	3.5	65.1	65.5	-7.83	-7.83	2.1	2.1	0.439	0.431	-8.17	-8.17	28.61	1248	34.4337530	-118.6518642	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-25025	5/27/2026 6:11:24 AM	0.4	0.2	21.4	78.0				2.0	3.6	70.6	71.6	-5.07	-5.08	2.1	2.2	0.448	0.486	-5.21	-5.32	28.52	1207	34.4337375	-118.6518813	Valve Adjustment:Reduce Sys. Vac. - Flare Down
SW-25025	5/26/2026 6:23:43 AM	0.1	0.1	21.9	77.9				1.0	3.6	70.5	70.8	-6.51	-6.53	1.9	1.9	0.356	0.356	-6.49	-6.50	28.59	1210	34.4337423	-118.6518857	Valve Adjustment:Valve 100% Open
SW-25025	5/22/2026 6:29:06 AM	0.0	0.3	21.9	77.8				0.0	3.6	69.4	69.9	-7.96	-7.96	2.1	2.1	0.436	0.428	-8.00	-8.01	28.56	1208	34.4337463	-118.6518768	Valve Adjustment:Valve 100% Open
SW-25025	5/21/2026 6:47:21 AM	0.0	0.2	21.7	78.1				0.0	3.6	75.0	75.3	-7.47	-7.46	1.3	1.3	0.168	0.166	-7.72	-7.69	28.6	1216	34.4337362	-118.6518680	Valve Adjustment:Valve 100% Open
SW-25025	5/20/2026 8:12:10 AM	0.3	0.9	20.6	78.2				0.3	3.8	73.8	73.8	-6.42	-6.42	1.6	1.6	0.244	0.230	-6.51	-6.54	28.67	1206	34.4337157	-118.6519175	Valve Adjustment:Valve 100% Open
SW-25025	5/19/2026 9:11:46 AM	0.0	0.8	20.4	78.8				0.0	3.9	73.4	73.4	-5.53	-5.53	1.5	1.5	0.216	0.213	-5.89	-5.81	28.75	1211	34.4337440	-118.6518923	Valve Adjustment:Valve 100% Open
SW-25025	5/18/2026 8:53:31 AM	0.0	1.1	21.1	77.8				0.0	3.7	74.8	74.8	-4.92	-4.95	1.2	1.2	0.153	0.152	-4.73	-4.76	28.64	1216	34.4337287	-118.6518823	Valve Adjustment:Valve 100% Open
SW-25025	5/15/2026 9:00:33 AM	0.2	0.6	21.8	77.4				0.3	3.6	74.8	74.8	-6.78	-6.90	1.6	1.7	0.267	0.294	-7.29	-7.42	28.71	1219	34.4337487	-118.6518757	Valve Adjustment:Valve 100% Open
SW-25025	5/14/2026 8:31:19 AM	0.0	1.6	20.3	78.1				0.0	3.8	74.6	74.6	-6.08	-6.08	1.5	1.5	0.236	0.231	-6.54	-6.65	28.75				

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["Hg]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments
SW-2502S	5/12/2026 9:23:35 AM	0.0	0.4	20.6	79.0			0.0	3.8	75.0	75.0	-6.42	-6.76	1.5	1.6	0.230	0.250	-7.09	-7.09	28.67	1211	34.4337322	-118.6518982	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2502S	5/11/2026 8:32:32 AM	0.0	1.0	20.7	78.3			0.0	3.8	75.6	75.4	-4.90	-4.77	1.4	1.3	0.190	0.166	-5.22	-5.05	28.71	1220	34.4337297	-118.6518908	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2502S	5/8/2026 9:44:33 AM	0.1	0.3	21.2	78.4			0.3	3.7	73.8	73.7	-3.29	-3.41	0.6	1.0	0.036	0.092	-3.16	-3.43	28.72	1221	34.4337133	-118.6518933	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502S	5/7/2026 9:08:55 AM	0.0	0.1	21.1	78.8			0.0	3.7	71.8	71.8	-3.66	-3.61	0.8	0.8	0.064	0.068	-3.37	-3.13	28.75	1215	34.4337305	-118.6518963	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-2502S	5/6/2026 8:59:15 AM	0.0	0.4	21.7	77.9			0.0	3.6	68.9	68.7	-7.37	-6.76	1.5	1.5	0.232	0.215	-7.81	-7.12	28.79	1224	34.4337393	-118.6518947	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2502S	5/5/2026 8:44:34 AM	0.0	1.5	21.8	76.7			0.0	3.5	68.8	69.1	-7.84	-7.88	1.8	1.7	0.315	0.307	-8.06	-8.07	28.67	1233	34.4337382	-118.6519108	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-2502S	5/4/2026 8:26:37 AM	0.0	2.0	21.4	76.6			0.0	3.6	69.0	69.1	-7.58	-7.56	2.3	2.2	0.550	0.499	-7.85	-7.99	28.67	1210	34.4337507	-118.6518850	Valve Adjustment:Audible Flow
SW-2502S	5/1/2026 8:35:09 AM	0.6	0.2	21.1	78.1			3.0	3.7	68.7	68.7	-7.77	-7.77	8.8	8.8	7.864	7.891	-8.10	-8.10	28.68	1219	34.4337523	-118.6518728	Valve Adjustment:Audible Flow;Well Condition:Good
SW-2503D	5/12/2026 8:21:40 AM	3.9	6.6	18.6	70.9			0.6	3.8	80.5	80.8	-6.59	-6.47	0.4	0.3	0.014	0.012	-6.38	-6.34	28.64	1264	34.4351480	-118.6516022	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2503D	5/4/2026 8:56:42 AM	13.2	9.3	10.4	67.1			1.4	6.5	69.8	70.0	-7.69	-7.69	2.9	2.9	0.824	0.824	-7.61	-7.61	28.64	1255	34.4351298	-118.6516002	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2503M	5/12/2026 8:27:21 AM	25.9	53.2	0.0	20.9			0.5	0.0	75.2	75.3	-6.63	-6.57	0.7	0.8	0.053	0.059	-6.59	-6.59	28.64	1281	34.4351567	-118.6516085	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2503M	5/4/2026 9:01:03 AM	23.9	45.6	0.0	30.5			0.5	0.0	73.9	73.8	-7.77	-7.77	2.9	2.9	0.849	0.848	-7.61	-7.61	28.65	1252	34.4351233	-118.6516122	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2503MD	5/12/2026 8:24:48 AM	15.9	7.2	9.0	67.9			2.2	7.5	77.0	76.9	-6.49	-6.44	0.7	0.3	0.047	0.011	-6.53	-6.63	28.64	1288	34.4351615	-118.6515915	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2503MD	5/4/2026 8:58:22 AM	4.0	5.2	19.5	71.3			0.8	3.7	76.2	76.4	-7.81	-7.80	3.2	3.2	1.063	1.021	-7.61	-7.61	28.64	1250	34.4351277	-118.6516077	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2503S	5/12/2026 8:35:33 AM	0.2	0.6	20.5	78.7			0.3	3.8	80.5	81.0	-6.53	-6.55	0.2	0.4	0.003	0.020	-6.70	-6.69	28.64	1268	34.4351488	-118.6516155	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2503S	5/4/2026 9:03:12 AM	0.6	5.7	20.4	73.3			0.1	3.6	79.7	79.7	-7.47	-7.47	2.6	2.6	0.675	0.686	-7.61	-7.61	28.66	1253	34.4351183	-118.6515878	Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2504D	5/12/2026 8:47:37 AM	0.1	0.5	20.3	79.1			0.2	3.9	82.3	82.3	-6.69	-6.44	0.6	0.6	0.007	0.007	-6.73	-6.69	28.63	1258	34.4353063	-118.6516675	Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2504D	5/4/2026 9:08:28 AM	0.1	1.2	21.1	77.6			0.1	3.7	78.9	79.3	-7.47	-7.47	6.1	6.0	0.756	0.723	-7.44	-7.61	28.64	1273	34.4353260	-118.6516635	Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2504M	5/12/2026 8:49:55 AM	25.6	3.3	9.5	61.6			7.8	6.5	79.9	79.9	-6.76	-6.76			0.086	0.054	-6.69	-6.69	28.64	1254	34.4353062	-118.6516587	Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2504M	5/4/2026 9:18:12 AM	21.4	2.4	11.6	64.6			8.9	5.6	80.5	80.4	-7.32	-7.30			1.177	1.171	-7.21	-7.22	28.66	1261	34.4353227	-118.6516630	Valve Adjustment:Valve 100% Open,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-2504MD	5/20/2026 1:56:54 PM	13.0	62.0	1.3	23.7			0.2	18.2	132.1	132.4	-0.48	-0.38	4.6	4.2	0.451	0.393	-9.04	-8.87	28.41	1395	34.4358698	-118.6469320	Valve Adjustment:High Temp,Barely Open
SW-2504MD	5/12/2026 8:55:07 AM	2.1	8.3	16.9	72.7			0.3	4.3	78.2	78.2	-6.59	-6.46	1.2	1.4	0.028	0.037	-6.54	-6.69	28.63	1260	34.4353003	-118.6516498	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2504MD	5/4/2026 9:22:21 AM	1.4	7.1	18.1	73.4			0.2	4.1	73.0	73.1	-7.45	-7.43	7.4	7.2	1.076	1.027	-7.33	-7.28	28.63	1266	34.4353153	-118.6516580	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2504S	5/12/2026 8:51:59 AM	3.1	0.8	19.3	76.8			3.9	4.0	81.1	81.2	-6.57	-6.57	1.0	1.5	0.021	0.043	-6.56	-6.63	28.63	1252	34.4353105	-118.6516642	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-2504S	5/4/2026 9:20:08 AM	2.6	0.7	20.4	76.3			3.7	3.7	75.4	75.4	-7.42	-7.47	7.8	7.5	1.213	1.123	-7.28	-7.49	28.66	1262	34.4353177	-118.6516593	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-30	5/22/2026 6:43:04 AM	3.2	22.7	16.3	57.8			0.1	3.5	52.9	52.8	-0.17	-0.16	12.1	12.0	0.168	0.166	0.00	0.00	28.56	1216	34.4336823	-118.6519708	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-30	5/21/2026 7:02:29 AM	7.9	46.6	10.6	34.9			0.2	3.3	60.0	59.8	-0.08	-0.08	2.0	1.9	0.005	0.004	0.04	0.04	28.62	1207	34.4336915	-118.6519930	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-30	5/20/2026 8:03:41 AM	5.9	25.8	14.5	53.8			0.2	3.7	73.3	74.0	0.00	0.00	0.0	0.0	0.000	0.000	0.01	0.00	28.67	1212	34.4336927	-118.6519757	Valve Comment:no system vacuum
SW-30	5/19/2026 9:31:23 AM	0.0	0.6	20.7	78.7			0.0	3.8	83.3	83.3	-0.19	-0.18	0.9	1.1	0.001	0.001	0.34	0.34	28.75	1208	34.4336892	-118.6519593	Valve Adjustment:Valve 100% Open
SW-30	5/18/2026 9:09:16 AM	12.7	54.3	1.1	31.9			0.2	29.0	79.8	79.9	-4.70	-4.71	1.6	1.1	0.003	0.002	-4.29	-4.33	28.63	1220	34.4336838	-118.6519710	Valve Adjustment:Valve 100% Open
SW-30	5/15/2026 8:48:17 AM	13.5	55.0	1.6	29.9			0.2	18.7	71.6	71.5	-6.79	-6.63	2.0	1.7	0.005	0.004	-6.95	-6.77	28.71	1225	34.4336832	-118.6519693	Valve Adjustment:High O2,Valve 100% Open
SW-30	5/14/2026 8:48:35 AM	2.3	24.5	15.8	57.4			0.1	3.6	75.7	75.8	0.00	0.00	4.8	4.7	0.028	0.027	0.36	0.34	28.75	1214	34.4336768	-118.6519695	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-30	5/13/2026 8:34:30 AM	11.3	52.2	1.6	34.9			0.2	21.8	67.7	67.9	-7.14	-7.14	8.7	5.2	0.090	0.033	-7.40	-7.40	28.82	1212	34.4336890	-118.6519803	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-30	5/12/2026 9:39:11 AM	12.2	53.2	1.5	33.1			0.2	22.1	81.8	82.1	-6.53	-6.42	6.1	4.1	0.046	0.021	-6.53	-6.39	28.67	1214	34.4336703	-118.6519803	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-30	5/11/2026 8:48:10 AM	11.6	51.2	1.5	35.7			0.2	23.8	85.6	85.5	-3.91	-3.93	3.3	3.0	0.013	0.011	-3.71	-3.73	28.71	1211	34.4336732	-118.6519857	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-30	5/8/2026 10:07:17 AM	12.3	55.3	1.3	31.1			0.2	23.9	83.2	83.3	-3.63	-3.57	6.7	3.5	0.055	0.015	-3.67	-3.68	28.72	1197	34.4336805	-118.6519480	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
SW-30	5/7/2026 9:27:26 AM	11.2	54.6	1.4	32.8				0.2	23.4	85.5	85.9	-3.06	-3.17	3.5	4.1	0.015	0.021	-3.11	-3.11	28.75	1209	34.4336878	-118.6519507	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-30	5/6/2026 9:14:39 AM	10.1	52.9	1.9	35.1				0.2	18.5	78.3	78.5	-7.18	-7.11	6.2	10.6	0.047	0.136	-7.30	-7.14	28.8	1212	34.4336675	-118.6519720	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-30	5/5/2026 9:02:34 AM	10.1	51.9	2.0	36.0				0.2	18.0	66.8	67.1	-8.01	-8.01	4.0	4.0	0.019	0.019	-7.94	-7.94	28.67	1228	34.4336890	-118.6519735	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-30	5/4/2026 8:36:47 AM	11.0	44.9	2.0	42.1				0.2	21.1	69.8	69.9	-8.11	-8.11	26.5	26.6	0.848	0.860	-8.17	-7.95	28.67	1208	34.4336903	-118.6519523	Valve Adjustment:Audible Flow
SW-30	5/1/2026 8:52:33 AM	13.8	46.8	2.0	37.4				0.3	18.7	75.3	78.3	-8.08	-8.11	27.8	27.0	0.947	0.899	-8.08	-8.10	28.69	1202	34.4336797	-118.6519770	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-32	5/22/2026 6:47:07 AM	38.9	49.8	2.7	8.7				0.8	3.2	52.4	53.2	-0.14	-0.14			0.140	0.142	0.00	0.00	28.56	1214	34.4335298	-118.6520503	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-32	5/21/2026 7:10:28 AM	40.3	50.7	1.4	7.6				0.8	5.4	69.1	68.7	-0.16	-0.16			0.160	0.158	0.00	0.00	28.63	1217	34.4335582	-118.6520647	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-32	5/20/2026 7:45:31 AM	28.3	35.3	8.5	27.9				0.8	3.3	73.0	73.0	0.00	0.00			0.004	0.004	0.00	-0.01	28.67	1212	34.4335388	-118.6520643	Valve Comment:no system vacuum
SW-32	5/19/2026 9:36:21 AM	1.4	1.6	19.8	77.2				0.9	3.9	90.2	90.3	-0.18	-0.19			0.180	0.160	0.34	0.34	28.77	1212	34.4335622	-118.6520468	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-32	5/18/2026 9:14:33 AM	39.4	52.2	0.8	7.6				0.8	9.5	83.5	83.6	-4.82	-4.83			4.790	4.789	-4.35	-4.38	28.67	1213	34.4335360	-118.6520607	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-32	5/15/2026 8:38:38 AM	40.8	54.3	1.0	3.9				0.8	3.9	71.0	71.0	-6.66	-6.86			7.032	7.202	-6.83	-6.94	28.71	1223	34.4335537	-118.6520568	Valve Adjustment:High O2,Valve 100% Open
SW-32	5/14/2026 8:53:16 AM	11.2	16.5	13.6	58.7				0.7	4.3	82.8	83.6	-0.02	-0.02			0.022	0.021	0.34	0.34	28.75	1197	34.4335608	-118.6520255	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-32	5/13/2026 8:29:37 AM	31.4	47.0	2.3	19.3				0.7	8.4	64.2	64.4	-7.71	-7.87			7.719	7.932	-7.68	-7.95	28.82	1210	34.4335567	-118.6520807	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-32	5/12/2026 9:35:51 AM	38.7	52.2	1.1	8.0				0.7	7.3	86.0	77.2	-6.71	-6.46			6.844	6.826	-6.76	-6.76	28.67	1207	34.4335182	-118.6520840	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-32	5/11/2026 8:43:32 AM	36.0	53.6	1.2	9.2				0.7	7.7	76.0	78.3	-4.26	-4.28			4.190	4.176	-4.06	-4.08	28.71	1215	34.4335192	-118.6520655	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-32	5/8/2026 10:02:48 AM	36.5	52.7	1.4	9.4				0.7	6.7	85.0	85.0	-3.41	-3.36			3.348	3.277	-3.36	-3.49	28.74	1204	34.4335547	-118.6520470	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-32	5/7/2026 9:20:49 AM	33.4	50.9	0.9	14.8				0.7	16.4	88.0	81.6	-3.06	-3.17			2.996	3.113	-3.01	-3.11	28.75	1211	34.4335408	-118.6520157	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down
SW-32	5/6/2026 9:10:33 AM	13.3	34.6	5.4	46.7				0.4	8.6	80.0	81.4	-7.15	-7.12			7.552	7.494	-7.28	-7.24	28.78	1212	34.4335333	-118.6520437	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-32	5/5/2026 8:56:30 AM	29.4	45.3	2.9	22.4				0.6	7.7	62.9	60.6	-8.01	-7.98			8.112	8.045	-7.80	-7.77	28.67	1242	34.4335462	-118.6520752	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-32	5/4/2026 8:41:26 AM	33.7	47.7	1.0	17.6				0.7	17.6	82.3	82.7	-8.17	-8.11			8.452	8.398	-7.97	-7.99	28.7	1210	34.4335462	-118.6520488	Valve Adjustment:Audible Flow
SW-32	5/1/2026 8:45:18 AM	35.3	43.3	2.6	18.8				0.8	7.2	75.0	74.4	-7.88	-7.87			8.147	8.149	-7.99	-7.99	28.7	1213	34.4335513	-118.6520683	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/22/2026 6:40:52 AM	14.0	81.6	0.2	4.2				0.2	21.0	55.3	55.0	-0.13	-0.12	10.4	10.1	0.125	0.119	0.02	0.00	28.56	1213	34.4336812	-118.6519742	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/21/2026 6:58:46 AM	14.0	82.9	0.1	3.0				0.2	30.0	62.7	62.3	-0.20	-0.20	4.5	4.2	0.023	0.021	0.00	0.00	28.63	1212	34.4336817	-118.6519637	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/20/2026 8:05:22 AM	15.9	83.3	0.8	0.0				0.2	0.0	75.2	75.2	0.00	0.00	1.6	1.4	0.003	0.002	-0.03	0.01	28.68	1211	34.4336778	-118.6519713	Valve Comment:no system vacuum
SW-64	5/19/2026 9:28:23 AM	0.6	3.6	19.7	76.1				0.2	3.9	88.2	88.3	-0.20	-0.20	2.3	2.3	0.007	0.006	0.34	0.34	28.75	1215	34.4336788	-118.6519550	Valve Adjustment:Valve 100% Open
SW-64	5/18/2026 9:06:40 AM	10.5	66.2	4.7	18.6				0.2	4.0	78.7	78.7	-4.78	-4.77	5.4	5.5	0.035	0.037	-4.32	-4.30	28.64	1217	34.4336830	-118.6519823	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/15/2026 8:53:43 AM	11.0	65.5	5.6	17.9				0.2	3.2	67.8	67.8	-6.78	-6.98	2.1	2.3	0.005	0.007	-6.99	-7.07	28.72	1221	34.4336715	-118.6519645	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/15/2026 8:43:20 AM	11.2	65.1	5.5	18.2				0.2	3.3	68.3		-6.67		8.1		0.079		-6.84		28.71	1211	34.4336890	-118.6519610	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/14/2026 8:44:43 AM	13.6	81.2	0.9	4.3				0.2	4.8	77.6	77.9	-0.09	-0.09	7.1	7.1	0.060	0.060	0.35	0.35	28.75	1215	34.4336845	-118.6519588	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-64	5/13/2026 8:36:34 AM	7.7	54.1	8.4	29.8				0.1	3.5	64.9	65.0	-7.65	-7.14	5.6	1.6	0.038	0.003	-7.68	-7.32	28.82	1224	34.4336830	-118.6519827	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-64	5/12/2026 9:41:18 AM	9.2	57.2	6.8	26.8				0.2	3.9	86.0	86.5	-6.42	-6.42	2.8	3.1	0.010	0.012	-6.51	-6.42	28.67	1222	34.4336523	-118.6520035	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)
SW-64	5/11/2026 8:51:06 AM	7.9	54.4	7.7	30.0				0.1	3.9	88.6	89.5	-3.88	-3.87	4.4	6.6	0.024	0.053	-3.71	-3.71	28.71	1209	34.4336463	-118.6519725	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-64	5/8/2026 10:09:00 AM	9.1	61.0	6.2	23.7				0.1	3.8	84.0	84.2	-3.31	-3.40	7.0	6.1	0.060	0.045	-3.35	-3.35	28.73	1200	34.4336888	-118.6519588	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-64	5/7/2026 9:29:18 AM	8.9	60.9	6.4	23.8				0.1	3.7	86.9	87.8	-3.16	-3.08	0.6	2.1	0.000	0.005	-3.09	-3.11	28.75	1211	34.4336797	-118.6519615	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down
SW-64	5/6/2026 9:16:27 AM	7.4	52.5	9.6	30.5				0.1	3.2	78.6	79.1	-6.42	-6.42	2.3	0.6	0.007	0.000	-6.57	-6.54	28.78	1212	34.4336663	-118.6519708	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/5/2026 9:04:48 AM	7.8	55.6	8.0	28.6				0.1	3.6	64.0	64.0	-8.12	-8.17	3.9	6.5	0.018	0.050	-8.14	-8.13	28.67	1217	34.4336845	-118.6519618	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/4/2026 8:34:50 AM	7.9	47.7	9.1	35.3				0.2	3.9	66.7	66.8	-8.00	-8.00	27.5	27.5	0.910	0.910	-7.94	-7.94	28.7	1205	34.4337058	-118.6519478	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-64	5/1/2026 8:47:28 AM	9.8	46.9	9.8	33.5				0.2	3.4	76.3	76.7	-8.11	-8.11	81.5	81.7	8.253	8.308	-8.39	-8.10	28.7	1208	34.4336820	-118.6519668	Valve Adjustment:Valve 100% Open,Surging Liquid in Header
SW-65	5/11/2026 9:04:20 AM	49.8	37.6	0.0	12.6				1.3	0.0	86.8	87.2	-10.99	-10.91	0.9	0.8	0.005	0.003	-12.38		28.72	1230	34.4348140	-118.6412388	NSPS/EG CAI,No Flow Measurement,High O2
SW-66	5/15/2026 9:29:15 AM	12.3	14.8	9.9	63.0				0.8	6.4	86.2	86.2	-7.79	-7.80	0.0	0.0	7.831	7.879			28.7	1224	34.4380090	-118.6456853	NSPS/EG CAI,No Flow Measurement,High O2
SW-66	5/15/2026 9:27:52 AM	12.2	14.8	9.9	63.1				0.8	6.4	86.3	86.3	-8.19	-8.11	0.0	0.0	8.302	7.972			28.7	1224	34.4379907	-118.6456665	NSPS/EG CAI,No Flow Measurement,High O2
SW-68	5/22/2026 6:45:28 AM	10.3	43.5	10.0	36.2				0.2																

**All LFG Extraction Wells - May 2026**  
**Chiquita Canyon Landfill**

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2 [%]	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press [\"H2O]	Adj Stat Press [\"H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press [\"H2O]	Adj Diff Press [\"H2O]	Sys Pressure [\"H2O]	Adj Avail Press [\"H2O]	Baro Press [\"Hg]	Elev [ft]	Latitude	Longitude	Comments	
SW-68	5/21/2026 7:08:10 AM	8.8	30.1	13.1	48.0			0.3	3.7	65.1	63.5	-0.13	-0.13	2.5	1.6	0.007	0.003	0.00	0.00	28.63	1220	34.4335510	-118.6520482		
SW-68	5/20/2026 7:47:12 AM	3.7	10.4	18.6	67.3			0.4	3.6	72.0	72.4	0.00	0.00	2.4	2.8	0.007	0.009	0.01	0.03	28.67	1219	34.4335522	-118.6520465	Valve Comment:no system vacuum	
SW-68	5/19/2026 9:34:10 AM	0.0	0.3	20.7	79.0			0.0	3.8	88.3	88.4	-0.19	-0.19	1.0	0.0	0.001	0.000	0.34	0.34	28.76	1204	34.4335455	-118.6520410		
SW-68	5/18/2026 9:11:53 AM	22.7	72.6	0.0	4.7			0.3	0.0	78.5	78.8	-4.71	-4.70	5.3	1.6	0.035	0.003	-4.28	-4.29	28.67	1214	34.4335280	-118.6520707		
SW-68	5/15/2026 8:34:05 AM	25.3	74.2	0.3	0.2			0.3	0.7	72.3	72.3	-6.91	-6.95	1.6	3.4	0.003	0.014	-7.05	-7.10	28.71	1222	34.4335485	-118.6520492		
SW-68	5/14/2026 8:50:57 AM	1.2	9.5	18.8	70.5			0.1	3.8	80.7	80.7	-0.02	-0.02	3.3	3.3	0.013	0.013	0.36	0.34	28.75	1219	34.4335452	-118.6520222	Valve Adjustment:Valve 100% Open	
SW-68	5/13/2026 8:31:50 AM	22.2	73.8	0.1	3.9			0.3	39.0	68.7	68.7	-7.77	-7.77	0.0	1.9	0.000	0.004	-7.74	-7.78	28.82	1214	34.4335455	-118.6520567	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
SW-68	5/12/2026 9:37:18 AM	23.7	72.0	0.1	4.2			0.3	42.0	80.7	81.4	-6.46	-6.59	5.6	10.7	0.038	0.141	-6.51	-6.46	28.67	1206	34.4335397	-118.6520948	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In)	
SW-68	5/11/2026 8:45:53 AM	21.9	71.8	0.5	5.8			0.3	11.6	83.4	84.2	-4.19	-4.21	6.4	2.9	0.049	0.010	-4.03	-4.01	28.71	1207	34.4335247	-118.6520480	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Surging Liquid in Well (Watered In),Reduce Sys. Vac. - Flare Down	
SW-68	5/8/2026 10:04:26 AM	23.0	75.2	0.0	1.8			0.3	0.0	82.4	82.7	-3.32	-3.33	8.3	7.9	0.084	0.076	-3.25	-3.35	28.72	1199	34.4335387	-118.6520443	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down	
SW-68	5/7/2026 9:24:55 AM	22.2	76.5	0.0	1.3			0.3	0.0	84.4	86.5	-3.27	-3.30	3.8	3.1	0.018	0.012	-3.15	-3.11	28.75	1209	34.4335365	-118.6520248	Valve Adjustment:Valve 100% Open,Surging Liquid in Header,Reduce Sys. Vac. - Flare Down	
SW-68	5/6/2026 9:12:20 AM	22.8	74.8	0.1	2.3			0.3	23.0	78.9	79.1	-7.28	-7.43	6.8	7.2	0.056	0.064	-7.42	-7.41	28.8	1210	34.4335297	-118.6520338	Valve Adjustment:Valve 100% Open,Surging Liquid in Header	
SW-68	5/5/2026 8:59:48 AM	21.8	74.4	0.5	3.3			0.3	6.6	67.9	68.1	-8.07	-8.07	5.4	2.4	0.036	0.007	-8.08	-8.08	28.67	1264	34.4335412	-118.6520715	Valve Adjustment:Valve 100% Open,Surging Liquid in Header	
SW-68	5/4/2026 8:39:10 AM	23.3	70.8	0.5	5.4			0.3	10.8	70.5	70.5	-8.11	-8.11	29.2	29.1	1.033	1.025	-7.89	-7.91	28.7	1217	34.4335490	-118.6520633	Valve Adjustment:Audible Flow	
SW-68	5/1/2026 8:43:53 AM	28.6	67.6	0.3	3.5			0.4	11.7	75.4	75.7	-8.02	-8.03	81.2	81.2	8.191	8.199	-8.16	-8.15	28.67	1199	34.4335320	-118.6520537		
SW-7	5/1/2026 7:54:58 AM	0.6	0.5	20.9	78.0			1.2	3.7	66.7	66.9	-0.20	-0.20	13.2	13.0	0.204	0.198	-8.46	-8.46	28.63	1260	34.4352020	-118.6517087	Valve Adjustment:Valve 100% Closed	
SW-70	5/4/2026 9:33:46 AM	17.0	68.8	0.0	14.2			0.2	0.0	73.2	72.6	-7.74	-7.74	62.4	62.1	0.902	0.895	-7.58	-7.58	28.59	1305	34.4372625	-118.6473485		
SW-71	5/6/2026 8:31:08 AM	10.7	17.4	7.2	64.7			0.6	9.0	73.2	73.0	-5.74	-5.70	2.1	1.9	0.435	0.356	-10.24		28.89	1148	34.4264685	-118.6431520	NSPS/EG CAI,High O2	
SW-71	5/6/2026 8:23:03 AM	11.1	18.8	7.1	63.0			0.6	8.9	73.3	73.2	-5.74	-5.67	1.9	2.0	0.386	0.397	-9.33		28.89	1161	34.4260092	-118.6437895	NSPS/EG CAI,High O2	
SW-72	5/6/2026 9:25:28 AM	6.8	18.9	3.3	71.0			0.4	21.5	78.8	79.8	-1.36	-1.28	0.0	0.0	0.030	0.026	-3.64		28.82	1207	34.4296255	-118.6402233		
SW-80	5/12/2026 1:23:15 PM	34.2	32.0	0.0	33.8			1.1	1691.0	82.8	82.8	-6.04	-6.04	1.4	1.5	0.040	0.046	-8.61	-8.54	28.72	1200	34.4383478	-118.6433552		
SW-9	5/4/2026 9:35:40 AM	1.8	28.1	10.0	60.1			0.1	6.0	81.4	81.4	-7.72	-7.68	66.2	65.8	1.033	1.021	-7.59	-7.59	28.59	1301	34.4372647	-118.6473453	Valve Adjustment:Decreased Flow/Vacuum	
TC-1961C	5/4/2026 11:11:27 AM	27.3	36.3	0.0	36.4			0.8	0.0	92.5	93.9	-0.50	-0.35	4.9	4.6	0.053	0.047	-14.09	-14.28	28.63	1293	34.4321622	-118.6454215	Valve Adjustment:Audible Flow;Well Condition:Good	
TC-1961E	5/4/2026 10:42:18 AM	51.9	44.5	0.0	3.6			1.2	0.0	114.5	114.6	-1.72	-1.69	8.9	10.5	0.182	0.254	-14.36	-14.09	28.65	1279	34.4328602	-118.6444918	Valve Adjustment:High Temp Measurement,High Temp,Valve 100% Open,Reduce Sys. Vac. - Flare Down	
TC-2174	5/26/2026 9:02:15 AM	2.6	76.4	0.0	21.0			0.0	0.0	183.1	183.2	-1.18	-1.20			3.904	4.034	-1.61	-1.68	28.47	1361	34.4367612	-118.6476127	Valve Adjustment:High Temp Measurement,High Temp,Valve 100% Open,Reduce Sys. Vac. - Flare Down	
TC-2174	5/18/2026 9:25:30 AM	18.3	75.6	0.0	6.1			0.2	0.0	182.9	182.9	-0.04	-0.07			3.111	3.007	-0.46	-0.55	28.52	1358	34.4367364	-118.6476178	AtmAA	
TC-2174	5/18/2026 9:25:00 AM					1900																			Valve Adjustment:No Flow Measurement,High Temp,Positive Static Press.,Reduce Sys. Vac. - Flare Down
TC-2174	5/18/2026 9:24:46 AM	19.0	75.0	0.0	6.0			0.3	0.0	183.2	182.9	0.91	0.00			2.560	3.348	-1.42	-0.49	28.53	1359	34.4367335	-118.6476142	AtmAA	
TC-2174	5/12/2026 9:30:00 AM					854																			AtmAA
TC-2174	5/12/2026 9:24:37 AM	21.9	78.1	0.0	0.0			0.3	0.0	183.1	183.1	-1.35	-1.33			4.089	4.047	-4.98	-4.61	28.55	1375	34.4367281	-118.6476308	Valve Adjustment:High Temp	
TC-2174	5/5/2026 8:40:00 AM					2130																			AtmAA
TC-2174	5/5/2026 8:40:00 AM					159000																			AtmAA: [User entered 15.9%]
TC-2174	5/5/2026 8:34:39 AM	4.5	81.5	0.0	14.0			0.1	0.0	182.7	182.7	-2.63	-2.45			6.162	6.051	-5.01	-5.36	28.55	1331	34.4367353	-118.6476258	Valve Adjustment:High Temp	
VL-02	5/28/2026 3:26:30 PM	53.9	35.0	2.4	8.7			1.5	3.6	88.4	91.0	-14.89	-14.86	14.3	14.9	0.251	0.274	-14.61	-15.20	28.67	1199	34.4311807	-118.6442960	Valve Adjustment:Surging Liquid in Header,Surging Liquid in Well (Watered In)	
WTD-01	5/21/2026 5:51:51 AM	15.3	33.9	10.4	40.4			0.5	3.9	139.9	140.0	-3.65	-3.65			3.622	3.618	-7.40	-7.36	28.52	1245	34.4350053	-118.6514630	Valve Adjustment:NSPS/EG CAI,High Temp,High O2	
WTD-01	5/21/2026 5:51:17 AM	15.5	32.4	10.5	41.6			0.5	4.0	140.0	139.9	-3.71	-3.70			3.709	3.695	-7.24	-7.27	28.52	1247	34.4350058	-118.6514597	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,High O2	
WTD-01	5/1/2026 7:48:21 AM	20.7	38.7	8.5	32.1			0.5	3.8	141.4	141.4	-4.94	-4.93			4.892	4.881	-8.39	-8.34	28.62	1262	34.4350075	-118.6514362	Valve Adjustment:NSPS/EG CAI,Audible Flow,High Temp,High O2,Surging Liquid in Header	
WTD-01	5/1/2026 7:47:42 AM	20.5	37.5	8.5	33.5			0.5	3.9	141.3	141.3	-4.93	-4.93			4.887	4.884	-8.41	-8.41	28.62	1255	34.4350090	-118.6514338	Valve Adjustment:NSPS/EG CAI,High Temp,High O2,Surging Liquid in Header	
WTD-02	5/21/2026 5:58:44 AM	9.4	47.2	7.5	35.9			0.2	4.8	155.3	155.4	-3.90	-3.89			3.865	3.866	-3.76	-3.79	28.56	1256	34.4346255	-118.6513182	Valve Adjustment:NSPS/EG CAI,High Temp,High O2	
WTD-02	5/21/2026 5:58:19 AM	9.4	45.7	7.5	37.4			0.2	5.0	155.3	155.3	-3.90	-3.91			3.874	3.872	-3.74	-3.74	28.56	1238	34.4346337	-118.6512968	Valve Comment:Enhanced Monitoring;Valve Adjustment:NSPS/EG CAI,High Temp,High O2	
WTD-02	5/13/2026 1:51:34 PM	11.2	46.7	7.2	34.9			0.2	4.8	154.9	154.8	-3.63	-3.62			3.635	3.620	0.00	0.00	28.77	1318	34.4345837	-118.6513707	Valve Adjustment:No Flow Measurement,High Temp	
WTD-02	5/13/2026 1:50:30 PM	11.0	46.5	7.3	35.2			0.2	4.8	154.8	154.8	-3.61	-3.61			3.587	3.588	0.00	0.00	28.77	1320	34.4345898	-118.6513641	Valve Adjustment:No Flow Measurement,High Temp	

All LFG Extraction Wells - May 2026  
Chiquita Canyon Landfill

Point Name	Record Date	CH4 [%]	CO2 [%]	O2 [%]	Bal Gas [%]	CO Reading [ppmv]	H2 Reading [ppmv]	CH4:CO2	BalO2 [%]	Init Temp [°F]	Adj Temp [°F]	Init Stat Press ["H2O]	Adj Stat Press ["H2O]	Init Flow [scfm]	Adj Flow [scfm]	Init Diff Press ["H2O]	Adj Diff Press ["H2O]	Sys Pressure ["H2O]	Adj Avail Press ["H2O]	Baro Press ["Hg]	Elev [ft]	Latitude	Longitude	Comments	
WTD-02	5/6/2026 1:50:52 PM	13.2	52.4	5.2	29.2			0.3	5.6	156.2	156.2	-1.76	-1.79			1.739	1.758	0.00	0.00	28.7	1248	34.4346817	-118.6513428	Valve Adjustment:High Temp,High O2,Valve 100% Open	
WTD-02	5/6/2026 1:50:00 PM					1080																			AtmAA
WTD-02	5/6/2026 1:50:00 PM						76800																		AtmAA, [User entered 7.68%]
WTD-02	5/6/2026 1:49:41 PM	13.5	52.1	5.2	29.2			0.3	5.6	156.2	82.9	-1.74	-1.69			1.726	1.647	-0.01	0.00	28.7	1247	34.4346819	-118.6513428	Valve Adjustment:High Temp,High O2	
WTD-03	5/21/2026 6:07:17 AM	1.5	11.6	18.2	68.7			0.1	3.8	112.5	112.5	-4.20	-4.20			4.169	4.164	-4.14	-4.11	28.56	1239	34.4344147	-118.6514263	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-03	5/21/2026 6:06:19 AM	1.5	12.3	18.5	67.7			0.1	3.7	112.5	112.5	-4.20	-4.20			4.173	4.177	-4.27	-4.26	28.56	1243	34.4344167	-118.6514338	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-03	5/1/2026 8:09:37 AM	4.1	11.7	17.9	66.3			0.4	3.7	119.0	119.0	-5.11	-5.11			5.367	5.385	-5.41	-5.36	28.63	1245	34.4344027	-118.6514297	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-03	5/1/2026 8:08:56 AM	4.0	11.2	18.0	66.8			0.4	3.7	118.8	118.8	-5.21	-5.11			5.430	5.385	-5.36	-5.36	28.63	1245	34.4343962	-118.6514357	Valve Adjustment:NSPS/EG CAI,High O2,Surgling Liquid in Header	
WTD-04	5/21/2026 6:19:17 AM	0.3	1.4	20.9	77.4			0.2	3.7	60.1	60.1	-3.87	-3.87			3.842	3.855	-5.38	-5.43	28.59	1223	34.4340143	-118.6516873	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-04	5/21/2026 6:16:55 AM	0.3	1.4	21.1	77.2			0.2	3.7	60.2	60.1	-3.87	-3.87			3.843	3.842	-5.43	-5.38	28.59	1217	34.4340173	-118.6516852	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-04	5/1/2026 8:15:02 AM	0.6	0.8	21.2	77.4			0.8	3.7	64.3	64.4	-4.77	-4.77			4.990	4.996	-6.39	-6.37	28.67	1215	34.4340045	-118.6516995	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-04	5/1/2026 8:14:32 AM	0.6	0.8	21.2	77.4			0.8	3.7	63.9	64.0	-4.97	-4.98			4.984	4.978	-6.40	-6.39	28.66	1215	34.4340052	-118.6517005	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-05	5/21/2026 6:13:19 AM	0.9	4.1	19.8	75.2			0.2	3.8	67.3	67.4	-3.87	-3.87			3.840	3.840	-5.33	-5.34	28.59	1222	34.4339415	-118.6517192	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-05	5/21/2026 6:12:45 AM	0.9	4.0	19.9	75.2			0.2	3.8	67.2	67.4	-3.87	-3.87			3.845	3.843	-5.32	-5.33	28.59	1233	34.4339420	-118.6517235	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-05	5/1/2026 8:12:57 AM	2.0	3.4	20.0	74.6			0.6	3.7	71.9	73.8	-4.79	-4.77			4.946	4.995	-6.23	-6.23	28.66	1199	34.4339320	-118.6517167	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-05	5/1/2026 8:12:16 AM	1.8	2.7	20.0	75.5			0.7	3.8	72.6	72.8	-4.79	-4.78			4.928	4.951	-6.28	-6.22	28.63	1216	34.4339352	-118.6517073	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-06	5/21/2026 6:21:19 AM	2.4	6.6	18.1	72.9			0.4	4.0	110.8	110.8	-3.94	-3.94			3.897	3.899	-5.47	-5.51	28.6	1214	34.4335052	-118.6519012	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-06	5/21/2026 6:20:59 AM	2.3	6.3	18.2	73.2			0.4	4.0	110.8	110.8	-3.92	-3.93			3.892	3.897	-5.47	-5.51	28.6	1215	34.4334972	-118.6518953	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-06	5/1/2026 8:20:07 AM	5.2	9.7	17.2	67.9			0.5	3.9	116.8	117.1	-4.96	-4.90			5.164	5.090	-6.79	-6.90	28.67	1196	34.4334278	-118.6518478	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-06	5/1/2026 8:17:56 AM	5.1	9.2	17.3	68.4			0.6	4.0	116.6	116.7	-5.00	-4.86			5.105	5.023	-6.85	-6.71	28.67	1202	34.4335033	-118.6518977	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-07	5/21/2026 6:25:15 AM	0.0	0.0	21.5	78.5			3.7	67.4	67.4		-5.62	-5.62			5.578	5.593	-5.60	-5.57	28.59	1215	34.4334962	-118.6519032	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-07	5/21/2026 6:24:46 AM	0.0	0.0	21.6	78.4			3.6	67.5	67.5		-5.60	-5.61			5.498	5.525	-5.41	-5.41	28.6	1210	34.4334957	-118.6518975	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-07	5/1/2026 8:22:32 AM	1.7	2.3	20.2	75.8			0.7	3.8	65.8	65.8	-6.76	-6.76			6.974	6.986	-6.74	-6.73	28.67	1207	34.4334967	-118.6518982	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-07	5/1/2026 8:21:58 AM	1.5	2.2	20.4	75.9			0.7	3.7	65.6	65.7	-6.76	-6.76			6.929	6.928	-6.72	-6.73	28.67	1207	34.4334967	-118.6518982	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-10	5/21/2026 7:17:44 AM	15.7	25.4	10.4	48.5			0.6	4.7	110.2	110.2	-3.99	-3.99			3.974	3.948	-6.30	-6.23	28.63	1203	34.4324603	-118.6518485	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-10	5/21/2026 7:17:13 AM	15.7	25.0	10.4	48.9			0.6	4.7	110.1	110.2	-4.00	-4.01			3.968	3.950	-6.31	-6.23	28.63	1211	34.4324672	-118.6518500	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-10	5/4/2026 8:01:28 AM	16.9	26.8	10.0	46.3			0.6	4.6	106.3	106.3	-4.77	-4.77			5.005	5.018	-7.28	-7.26	28.69	1224	34.4324627	-118.6518968	Valve Adjustment:NSPS/EG CAI,High O2	
WTD-10	5/4/2026 8:00:56 AM	16.9	26.0	10.1	47.0			0.7	4.7	106.4	106.3	-4.77	-4.77			5.032	5.018	-7.24	-7.11	28.7	1210	34.4324545	-118.6518852	Valve Adjustment:NSPS/EG CAI,High O2	