

21 de julio de 2026
Archivo No. 01204123.21

Dr. Muntu Davis, M.D., M.P.H.
Funcionario de Salud
Departamento de Salud Pública Salud
Ambiental
5050 Commerce Drive
Baldwin Park, California 91706

Asunto: Datos del Programa Mensual Mejorado de Monitoreo del Aire, Junio de 2026, Vertedero de Chiquita Canyon

Estimado Dr. Davis:

Esta presentación fue elaborada por el Departamento de Salud Pública (DPH) del Condado de Los Ángeles, por **SCS Engineers** (SCS) en nombre de Chiquita Canyon, LLC (Chiquita) como parte de la recomendación de elaborar informes mensuales detallada en la carta del 15 de agosto de 2023 que le entregó Chiquita al DPH (Plan de Trabajo).

Según el Plan de Trabajo, SCS preparó esta presentación que contiene datos analíticos de ambas muestras semanales y datos del monitoreo continuo de las estaciones de monitoreo mejoradas (10 unidades micro-GC). A continuación, se proporciona una descripción de los datos incluidos en la presentación.

Datos de las Tomas de Muestras Semanales

Se toman muestras semanales de 24 horas de los compuestos en cada uno de los siete lugares donde se encuentran las estaciones de monitoreo fuera del sitio (MS-06 a MS-12). Se analizaron las muestras con una lista ampliada de compuestos orgánicos volátiles (VOCs) utilizando el Método 15 (TO-15) de la Agencia de Protección Ambiental (EPA) de EE.UU. y de compuestos de azufre utilizando el Método 307.91 del Distrito de Gestión de la Calidad del Aire de la Costa Sur (SCAQMD). Los resultados de las muestras tomadas cada 24 horas de junio de 2026 se encuentran en el **Adjunto A**.

Datos del Monitoreo Continuo Mejorado

En agosto de 2023, SCS instaló módulos de monitoreo de aire continuo en las estaciones existentes MS-04 y MS-12. Los monitores analizan benceno, tolueno, etilbenceno y xilenos totales (BTEX), como también el azufre total reducido (TRS). La intención de la instalación del nuevo módulo de monitores fue evaluar los datos para determinar si estos módulos deberían ser incorporados en las estaciones de monitoreo de aire existentes de forma permanente, comparando los datos con los datos de laboratorio y cargando los datos para ver cómo los datos en tiempo real se correlacionan con los datos de laboratorio de las muestras tomadas en el mismo momento.

Las unidades BTEX y TRS desde ese entonces fueron retiradas de todas las estaciones, consistentes con el Plan de Trabajo para la Modificación del Programa Mejorado de Monitoreo del Aire con fecha 29 de enero de 2024 presentado al DPH y al SCAQMD.

En respuesta a la Orden de Depuración Estipulada (SOFA) emitida por el SCAQMD el 17 de enero de 2024, se instalaron dos unidades micro-GC en MS-10 y MS-12 para la fecha límite del 1 de mayo de 2024. Los resultados del monitoreo continuo del aire se encuentran online en el sitio web de Chiquita. En septiembre de 2024 se pusieron en línea ocho micro-GC más como parte de una expansión del Programa de Monitoreo del Aire Mejorado,




dando un total de 10 unidades micro-GC. A continuación se encuentra un enlace a los datos continuos en tiempo real:

<https://chiquitacanyon.com/reports/community-air-monitoring-program/>

Si tiene alguna pregunta con respecto a esta presentación, por favor, comuníquese con uno de los firmantes llamando al (562) 426-9544.

Atentamente,



Stipe Markotic
Científico
SCS Engineers




Raymond H. Huff, REPA
Director del Proyecto
SCS Engineers

adjuntos

cc (con adjuntos):

Victor Yip (SCAQMD)
Pablo Sánchez-Soria (Onterris)
Departamento de Planificación Regional del Condado de LA
David Nguyen (PW)
Douglas Cross (Junta para el Control de Recursos de Agua)
Shikari Nakagawa-Ota (DPH)
Liza Frias (DPH)
Nichole Quick (DPH)
Joshua Bobrowsky (DPH)
Jacob Kraemer (DPH)
Robert Ragland (DPH)
Blaine McPhillips (Asesor del Condado),
Kevin Green (CCL)

FIGURE 1
MAP OF AIR MONITORING LOCATIONS



Legend

- Micro-GC
- Off-Site Station
- On-Site Station

Community Air Monitoring Program
Continuous Air Monitoring Stations

MS-11

1 mi

N

ATTACHMENT A

WEEKLY 24HR SAMPLE LABORATORY ANALYTICAL DATA

Sample Summary

Raymond Huff	Lab Job #:	560694
SCS Engineers - Long	Project No:	CHIQUITA WEEKLY AIR
Beach	Location:	Chiquita Canyon Landfill Air/Odor Sampling
3900 Kilroy Airport Way	Date Received:	06/02/26
Suite 300		
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	560694-001	06/02/26 07:55	Air
MS-12	560694-002	06/02/26 08:09	Air
MS-08	560694-003	06/02/26 08:16	Air
MS-09	560694-004	06/02/26 08:25	Air
MS-10	560694-005	06/02/26 08:35	Air
MS-06	560694-006	06/02/26 08:53	Air
MS-11	560694-007	06/02/26 09:10	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 560694
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 06/02/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 06/02/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.



CUSTOMER INFORMATION			PROJECT INFORMATION		
Company:	SCS Engineers		Name:	Whittaker Canyon landfill Air/odor Sampling	
Report To:	Ray Huff		Number:		
Email:	rhuff@scsengineers.com		Address:	Voloencia, CA	
Address:	3900 Kijoy Airport Way Suite 300 Long Beach, CA		Global ID:		
Phone:	562-355-6334	Fax:	562 427-0805	Sampled By:	Aiden Sanchez-Ortiz
Special Instructions:					

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)			
1 MS-07	A	C70223	6L	A70616	6/1/26	0709	-29	6/2/26 0755	X	Extended list to-15
2 MS-12	A	C70443	6L	A70527	6/1/26	0726	-30	6/2/26 0809	X	
3 MS-08	A	C70294	6L	A70277	6/1/26	0737	-28	6/2/26 0816	X	
4 MS-09	A	C70843	6L	A70076	6/1/26	0751	-28	6/2/26 0825	X	
5 MS-10	A	C70917	6L	A70175	6/1/26	0806	-29	6/2/26 0835	X	
6 MS-06	A	C70669	6L	A70504	6/1/26	0830	-30	6/2/26 0853	X	
7 MS-11	A	C71096	6L	A70588	6/1/26	0855	-29	6/2/26 0910	X	
8										
9										
10										
11										
12										
13										
14										
15										




Login 560694



RELINQUISHED BY:		PRINT NAME	Aiden Sanchez-Ortiz	COMPANY/TITLE	RES	DATE / TIME	6/2/26 1236
RECEIVED BY:			JXR		ORC		6/2/26 1236
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST

Section 1: General Info			
Date Received: <u>6/2/26</u> Job#: <u>560694</u> Client: <u>SCSLB</u>			
Section 2: Shipping / Custody			
Are custody seals present? ☐ Yes ☒ No			
Custody seals intact on arrival? ☒ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples			
☐ Courier ☒ Walk-In ☐ Field Sampling ☐ Shipping Info: _____			
Section 3a: Condition / Packaging			
☐ Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)			
Date Opened <u>6/2/26</u> By (initials) <u>JXR</u> Type of ice used: ☐ Wet ☐ Blue/Gel ☒ None			
☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)			
☒ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)			
If no cooler: Observed/Corrected Temp (°C): _____ / _____ Thermometer/IR Gun ID: _____ CF: _____			
Cooler Temp (obs/corr) (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____			
Section 3b: Microbiology Samples			
☒ No microbiology samples submitted (skip 3b)			
☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.			
☐ Adequate headspace for microbiology analysis.			
Section 3c: Air Samples			
☐ No air samples submitted (skip 3c)			
☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____			
Tedlar Bags received protected from light (ASTM D5504 Sulfur only)? ☐ N/A ☐ Yes ☐ No			
Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	✓		
2) Is the sampler's name present on the CoC?	✓		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	✓		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			✓
5) Were all of, and only, the correct samples received?	✓		
6) Are sample labels present, legible, and in agreement with the CoC?	✓		
7) Does the container count match the CoC?	✓		
8) Was sufficient sample volume / mass received for the analyses requested?	✓		
9) Were samples received in proper containers for the analyses requested?	✓		
10) Were samples received with > 1/2 holding time remaining?	✓		
11) Are samples properly preserved as indicated by CoC / labels?	✓		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			✓
13) Are VOA vials free from headspace/bubbles > 6mm?			✓
Section 5: Explanations / Comments			
(If no comments are made, then no discrepancies noted.)			
☐ No additional discrepancies			
Form Completed By (print): <u>NCM</u> (sign): 			
Date Labeled: <u>6/2/26</u> By (print): <u>STF</u> (sign): 			

Analysis Results for 560694

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 560694
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 06/02/26

Sample ID: MS-07

Lab ID: 560694-001

Collected: 06/02/26 07:55

Matrix: Air

560694-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Freon 12	0.37		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Chloromethane	0.49		ppbv	0.050	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Freon 114	0.013		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Bromomethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Chloroethane	0.054		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Trichlorofluoromethane	0.16		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Methylene Chloride	0.30		ppbv	0.050	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Freon 113	0.053		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Chloroform	0.017		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Benzene	0.068		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Carbon Tetrachloride	0.063		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Trichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Toluene	0.17		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Ethylbenzene	0.013		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
m,p-Xylenes	0.035		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Bromoform	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Styrene	0.024		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
o-Xylene	0.014		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,2,4-Trimethylbenzene	0.012		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 560694

560694-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Hexachlorobutadiene	ND		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Xylene (total)	0.050		ppbv	0.010	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ
Surrogates				Limits					
Bromofluorobenzene	94%		%REC	60-140	1	405437	06/03/26 19:06	06/03/26 19:06	ZNZ

Analysis Results for 560694

Sample ID: MS-12	Lab ID: 560694-002	Collected: 06/02/26 08:09
	Matrix: Air	

560694-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Freon 12	0.37		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Chloromethane	0.50		ppbv	0.050	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Freon 114	0.013		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Bromomethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Chloroethane	0.013		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Trichlorofluoromethane	0.16		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Methylene Chloride	0.26		ppbv	0.050	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Freon 113	0.053		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Chloroform	0.017		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Benzene	0.061		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Carbon Tetrachloride	0.063		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Trichloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Toluene	0.17		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Ethylbenzene	0.017		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
m,p-Xylenes	0.052		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Bromoform	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Styrene	0.020		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
o-Xylene	0.022		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,2,4-Trimethylbenzene	0.016		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 560694

560694-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Xylene (total)	0.073		ppbv	0.010	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ
Surrogates	Limits								
Bromofluorobenzene	96%		%REC	60-140	1	405437	06/03/26 19:59	06/03/26 19:59	ZNZ

Analysis Results for 560694

Sample ID: MS-08
Lab ID: 560694-003
Collected: 06/02/26 08:16
Matrix: Air

560694-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Freon 12	0.37		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Chloromethane	0.51		ppbv	0.057	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Freon 114	0.013		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Chloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Trichlorofluoromethane	0.16		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Methylene Chloride	0.11		ppbv	0.057	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Freon 113	0.053		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Chloroform	0.017		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Benzene	0.073		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Carbon Tetrachloride	0.064		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Toluene	0.26		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Ethylbenzene	0.014		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
m,p-Xylenes	0.038		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Bromoform	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Styrene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
o-Xylene	0.015		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,2,4-Trimethylbenzene	0.013		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 560694

560694-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Xylene (total)	0.053		ppbv	0.011	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ
Surrogates	Limits								
Bromofluorobenzene	94%		%REC	60-140	1.1	405437	06/03/26 20:52	06/03/26 20:52	ZNZ

Analysis Results for 560694

Sample ID: MS-09	Lab ID: 560694-004	Collected: 06/02/26 08:25
	Matrix: Air	

560694-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Freon 12	0.38		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Chloromethane	0.52		ppbv	0.054	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Freon 114	0.013		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Chloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Trichlorofluoromethane	0.16		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Methylene Chloride	0.15		ppbv	0.054	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Freon 113	0.054		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Chloroform	0.023		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,2-Dichloroethane	0.015		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Benzene	0.069		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Carbon Tetrachloride	0.064		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Toluene	0.18		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Ethylbenzene	0.017		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
m,p-Xylenes	0.046		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Bromoform	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Styrene	0.042		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
o-Xylene	0.018		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,2,4-Trimethylbenzene	0.019		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 560694

560694-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Xylene (total)	0.064		ppbv	0.011	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ
Surrogates	Limits								
Bromofluorobenzene	95%		%REC	60-140	1.1	405437	06/03/26 21:45	06/03/26 21:45	ZNZ

Analysis Results for 560694

Sample ID: MS-10	Lab ID: 560694-005	Collected: 06/02/26 08:35
	Matrix: Air	

560694-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Freon 12	0.37		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Chloromethane	0.50		ppbv	0.056	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Freon 114	0.013		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Chloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Trichlorofluoromethane	0.16		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Methylene Chloride	0.15		ppbv	0.056	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Freon 113	0.053		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Chloroform	0.019		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Benzene	0.073		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Carbon Tetrachloride	0.063		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Toluene	0.13		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Ethylbenzene	0.014		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
m,p-Xylenes	0.033		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Bromoform	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Styrene	0.035		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
o-Xylene	0.014		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 560694

560694-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Xylene (total)	0.047		ppbv	0.011	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ
Surrogates	Limits								
Bromofluorobenzene	92%		%REC	60-140	1.1	405437	06/03/26 22:37	06/03/26 22:37	ZNZ

Analysis Results for 560694

Sample ID: MS-06	Lab ID: 560694-006	Collected: 06/02/26 08:53
	Matrix: Air	

560694-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Freon 12	0.37		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Chloromethane	0.49		ppbv	0.058	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Freon 114	0.013		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Vinyl Chloride	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Bromomethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Chloroethane	0.024		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Vinyl bromide	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Trichlorofluoromethane	0.16		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,1-Dichloroethene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Methylene Chloride	0.33		ppbv	0.058	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Freon 113	0.053		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,1-Dichloroethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Chloroform	0.017		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Benzene	0.075		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Carbon Tetrachloride	0.064		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,2-Dichloropropane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Bromodichloromethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Trichloroethene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Toluene	0.40		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Dibromochloromethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,2-Dibromoethane	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Tetrachloroethene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Chlorobenzene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Ethylbenzene	0.015		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
m,p-Xylenes	0.041		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Bromoform	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Styrene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
o-Xylene	0.016		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
2-Chlorotoluene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,2,4-Trimethylbenzene	0.020		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Benzyl chloride	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 560694

560694-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Xylene (total)	0.058		ppbv	0.012	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ
Surrogates	Limits								
Bromofluorobenzene	92%		%REC	60-140	1.2	405437	06/03/26 23:30	06/03/26 23:30	ZNZ

Analysis Results for 560694

Sample ID: MS-11
Lab ID: 560694-007
Collected: 06/02/26 09:10
Matrix: Air

560694-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Freon 12	0.37		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Chloromethane	0.50		ppbv	0.054	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Freon 114	0.013		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Chloroethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Trichlorofluoromethane	0.16		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Methylene Chloride	0.15		ppbv	0.054	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Freon 113	0.053		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Chloroform	0.020		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Benzene	0.045		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Carbon Tetrachloride	0.064		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Toluene	0.080		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Ethylbenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
m,p-Xylenes	0.022		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Bromoform	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Styrene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
o-Xylene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 560694

560694-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Xylene (total)	0.022		ppbv	0.011	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ
Surrogates	Limits								
Bromofluorobenzene	92%		%REC	60-140	1.1	405437	06/04/26 00:23	06/04/26 00:23	ZNZ

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1376703	Batch: 405437
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1376703 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	203.5	200.0	pptv	102%		70-130
1,1,1,2-Tetrachloroethane	194.3	200.0	pptv	97%		70-130
Freon 12	189.3	200.0	pptv	95%		70-130
Chloromethane	198.1	200.0	pptv	99%		70-130
Freon 114	184.9	200.0	pptv	92%		70-130
Vinyl Chloride	187.5	200.0	pptv	94%		70-130
Bromomethane	176.0	200.0	pptv	88%		70-130
Chloroethane	197.0	200.0	pptv	99%		70-130
Vinyl bromide	193.7	200.0	pptv	97%		70-130
Trichlorofluoromethane	194.6	200.0	pptv	97%		70-130
1,1-Dichloroethene	194.1	200.0	pptv	97%		70-130
Methylene Chloride	194.7	200.0	pptv	97%		70-130
Freon 113	196.9	200.0	pptv	98%		70-130
trans-1,2-Dichloroethene	200.6	200.0	pptv	100%		70-130
1,1-Dichloroethane	203.5	200.0	pptv	102%		70-130
cis-1,2-Dichloroethene	199.0	200.0	pptv	100%		70-130
Chloroform	197.8	200.0	pptv	99%		70-130
1,2-Dichloroethane	193.1	200.0	pptv	97%		70-130
1,1,1-Trichloroethane	188.0	200.0	pptv	94%		70-130
Benzene	175.2	200.0	pptv	88%		70-130
Carbon Tetrachloride	193.7	200.0	pptv	97%		70-130
1,2-Dichloropropane	211.3	200.0	pptv	106%		70-130
Bromodichloromethane	213.5	200.0	pptv	107%		70-130
Trichloroethene	197.5	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	188.4	200.0	pptv	94%		70-130
trans-1,3-Dichloropropene	182.5	200.0	pptv	91%		70-130
1,1,2-Trichloroethane	203.1	200.0	pptv	102%		70-130
Toluene	180.2	200.0	pptv	90%		70-130
Dibromochloromethane	225.5	200.0	pptv	113%		70-130
1,2-Dibromoethane	185.4	200.0	pptv	93%		70-130
Tetrachloroethene	188.6	200.0	pptv	94%		70-130
Chlorobenzene	179.5	200.0	pptv	90%		70-130
Ethylbenzene	173.7	200.0	pptv	87%		70-130
m,p-Xylenes	363.4	400.0	pptv	91%		70-130
Bromoform	232.9	200.0	pptv	116%		70-130
Styrene	161.7	200.0	pptv	81%		70-130
o-Xylene	180.8	200.0	pptv	90%		70-130
2-Chlorotoluene	179.6	200.0	pptv	90%		70-130
1,3,5-Trimethylbenzene	178.9	200.0	pptv	89%		70-130
1,2,4-Trimethylbenzene	179.1	200.0	pptv	90%		70-130
Benzyl chloride	149.8	200.0	pptv	75%		70-130
1,3-Dichlorobenzene	174.0	200.0	pptv	87%		70-130
1,4-Dichlorobenzene	166.1	200.0	pptv	83%		70-130
1,2-Dichlorobenzene	178.5	200.0	pptv	89%		70-130
1,2,4-Trichlorobenzene	159.6	200.0	pptv	80%		70-130
Hexachlorobutadiene	182.1	200.0	pptv	91%		70-130
Surrogates						

Batch QC

QC1376703 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	240.2	250.0	pptv	96%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1376704	Batch: 405437
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1376704 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	202.0	200.0	pptv	101%		70-130	1	25
1,1,1,2-Tetrachloroethane	192.0	200.0	pptv	96%		70-130	1	25
Freon 12	186.7	200.0	pptv	93%		70-130	1	25
Chloromethane	196.6	200.0	pptv	98%		70-130	1	25
Freon 114	182.9	200.0	pptv	91%		70-130	1	25
Vinyl Chloride	184.9	200.0	pptv	92%		70-130	1	25
Bromomethane	175.1	200.0	pptv	88%		70-130	1	25
Chloroethane	195.1	200.0	pptv	98%		70-130	1	25
Vinyl bromide	191.4	200.0	pptv	96%		70-130	1	25
Trichlorofluoromethane	192.5	200.0	pptv	96%		70-130	1	25
1,1-Dichloroethene	191.9	200.0	pptv	96%		70-130	1	25
Methylene Chloride	193.2	200.0	pptv	97%		70-130	1	25
Freon 113	194.2	200.0	pptv	97%		70-130	1	25
trans-1,2-Dichloroethene	198.4	200.0	pptv	99%		70-130	1	25
1,1-Dichloroethane	201.3	200.0	pptv	101%		70-130	1	25
cis-1,2-Dichloroethene	197.1	200.0	pptv	99%		70-130	1	25
Chloroform	196.1	200.0	pptv	98%		70-130	1	25
1,2-Dichloroethane	190.9	200.0	pptv	95%		70-130	1	25
1,1,1-Trichloroethane	186.2	200.0	pptv	93%		70-130	1	25
Benzene	173.5	200.0	pptv	87%		70-130	1	25
Carbon Tetrachloride	191.3	200.0	pptv	96%		70-130	1	25
1,2-Dichloropropane	210.7	200.0	pptv	105%		70-130	0	25
Bromodichloromethane	213.5	200.0	pptv	107%		70-130	0	25
Trichloroethene	195.5	200.0	pptv	98%		70-130	1	25
cis-1,3-Dichloropropene	188.5	200.0	pptv	94%		70-130	0	25
trans-1,3-Dichloropropene	181.2	200.0	pptv	91%		70-130	1	25
1,1,2-Trichloroethane	201.5	200.0	pptv	101%		70-130	1	25
Toluene	180.1	200.0	pptv	90%		70-130	0	25
Dibromochloromethane	223.9	200.0	pptv	112%		70-130	1	25
1,2-Dibromoethane	185.3	200.0	pptv	93%		70-130	0	25
Tetrachloroethene	186.7	200.0	pptv	93%		70-130	1	25
Chlorobenzene	177.0	200.0	pptv	89%		70-130	1	25
Ethylbenzene	172.5	200.0	pptv	86%		70-130	1	25
m,p-Xylenes	359.4	400.0	pptv	90%		70-130	1	25
Bromoform	231.4	200.0	pptv	116%		70-130	1	25
Styrene	160.9	200.0	pptv	80%		70-130	1	25
o-Xylene	182.0	200.0	pptv	91%		70-130	1	25
2-Chlorotoluene	178.0	200.0	pptv	89%		70-130	1	25
1,3,5-Trimethylbenzene	177.5	200.0	pptv	89%		70-130	1	25
1,2,4-Trimethylbenzene	177.4	200.0	pptv	89%		70-130	1	25
Benzyl chloride	151.8	200.0	pptv	76%		70-130	1	25
1,3-Dichlorobenzene	171.7	200.0	pptv	86%		70-130	1	25
1,4-Dichlorobenzene	164.3	200.0	pptv	82%		70-130	1	25
1,2-Dichlorobenzene	176.9	200.0	pptv	88%		70-130	1	25
1,2,4-Trichlorobenzene	157.3	200.0	pptv	79%		70-130	1	25
Hexachlorobutadiene	180.4	200.0	pptv	90%		70-130	1	25

Batch QC

QC1376704 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	239.2	250.0	pptv	96%		70-130		

Batch QC


Type: Blank	Lab ID: QC1376705	Batch: 405437
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1376705 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,1,1,2-Tetrachloroethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Freon 12	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Chloromethane	ND		pptv	50	06/03/26 12:24	06/03/26 12:24
Freon 114	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Vinyl Chloride	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Bromomethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Chloroethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Vinyl bromide	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Trichlorofluoromethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,1-Dichloroethene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Methylene Chloride	ND		pptv	50	06/03/26 12:24	06/03/26 12:24
Freon 113	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
trans-1,2-Dichloroethene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,1-Dichloroethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
cis-1,2-Dichloroethene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Chloroform	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,2-Dichloroethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,1,1-Trichloroethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Benzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Carbon Tetrachloride	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,2-Dichloropropane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Bromodichloromethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Trichloroethene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
cis-1,3-Dichloropropene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
trans-1,3-Dichloropropene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,1,2-Trichloroethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Toluene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Dibromochloromethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,2-Dibromoethane	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Tetrachloroethene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Chlorobenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Ethylbenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
m,p-Xylenes	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Bromoform	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Styrene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
o-Xylene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
2-Chlorotoluene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,3,5-Trimethylbenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,2,4-Trimethylbenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Benzyl chloride	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,3-Dichlorobenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,4-Dichlorobenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,2-Dichlorobenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
1,2,4-Trichlorobenzene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Hexachlorobutadiene	ND		pptv	10	06/03/26 12:24	06/03/26 12:24
Xylene (total)	ND		pptv	10	06/03/26 12:24	06/03/26 12:24

Batch QC

QC1376705 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	86%		%REC	70-130	06/03/26 12:24	06/03/26 12:24

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 261316
REPORT DATE : 06/09/2026


On June 2nd, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	261316-90612
MS-12	261316-90613
MS-08	261316-90614
MS-09	261316-90615
MS-10	261316-90616
MS-06	261316-90617
MS-11	261316-90618


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261316
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/01-02/2026
RECEIVING DATE : 06/02/2026
ANALYSIS DATE : 06/02/2026
REPORT DATE : 06/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	261316-90612	261316-90613	261316-90614	261316-90615
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261316
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/01-02/2026
RECEIVING DATE : 06/02/2026
ANALYSIS DATE : 06/02/2026
REPORT DATE : 06/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	261316-90616	261316-90617	261316-90618
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 6/2/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 05/14/2026

Opening Calibration Verification Standard

0.501 ppmV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3418	0.499	99.6	1.3
Duplicate	3506	0.512	102.2	1.2
Triplicate	3466	0.506	101.0	0.1

0.513 ppmV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3353	0.491	95.7	1.9
Duplicate	3459	0.506	98.7	1.2
Triplicate	3441	0.504	98.2	0.7

0.522 ppmV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3682	0.506	96.8	1.8
Duplicate	3782	0.520	99.5	0.9
Triplicate	3783	0.520	99.5	0.9

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260895-88782

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260895-88782 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.251	0.274	0.274	109.3	109.3	0.0
MeSH	<PQL	0.257	0.268	0.271	104.4	105.6	1.1
DMS	<PQL	0.261	0.276	0.282	105.7	108.0	2.2

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.501	0.542	108.2
MeSH	0.513	0.524	102.1
DMS	0.522	0.531	101.7

* Must be 95-105%, ** Must be 90-110%, *** Must be <10%, **** Must be <5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 261316

Client/Project Name <i>SCS Engineers / Chivita Lateral Air/soil sampling</i>		Project Location <i>Valencia</i>		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) <i>Aiden Sanchez-Oliv</i>		(Signature) <i>[Signature]</i>		No. Of Containers <i>7</i>		3079154411	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	6-1/2-26	0709-0755	90612	10 Liter Bag	X		
MS-12	6-1/2-26	0726-0809	90613	10 Liter Bag	X		
MS-08	6-1/2-26	0737-0816	90614	10 Liter Bag	X		
MS-09	6-1/2-26	0751-0825	90615	10 Liter Bag	X		
MS-10	6-1/2-26	0806-0835	90616	10 Liter Bag	X		
MS-06	6-1/2-26	0830-0853	90617	10 Liter Bag	X		
MS-11	6-1/2-26	0855-0910	90618	10 Liter Bag	X		
Relinquished by: (Signature) <i>[Signature]</i>		Date <i>6/2/26</i>	Time <i>1050</i>	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <i>[Signature]</i>		Date <i>6/2/26</i>	Time <i>1050</i>
Sample Disposal Method:		Disposed of by: (Signature)					
Sample Collector		Analytical Laboratory <i>AAC Ventura</i>					


RTS
Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Sample Summary

Raymond Huff	Lab Job #:	561156
SCS Engineers - Long	Project No:	CHIQUITA WEEKLY AIR
Beach	Location:	Chiquita Canyon Landfill Air/Odor Sampling
3900 Kilroy Airport Way	Date Received:	06/09/26
Suite 300		
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	561156-001	06/09/26 07:17	Air
MS-12	561156-002	06/09/26 07:32	Air
MS-08	561156-003	06/09/26 07:43	Air
MS-09	561156-004	06/09/26 07:58	Air
MS-10	561156-005	06/09/26 08:10	Air
MS-06	561156-006	06/09/26 08:33	Air
MS-11	561156-007	06/09/26 08:56	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 561156
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 06/09/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 06/09/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

Onterris
Effective April 22, 2026, Enthalpy Analytical, LLC is now
Onterris Laboratories, LLC

831 W. Barkley Ave., Orange, CA 92668
Phone: (714) 771-6900 Fax: (714) 771-9833

Billing: Onterris Laboratories
c/o Onterris Inc.
P.O. Box 741137, Los Angeles, CA 90074-1137

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS Engineers	Name:	Chaito Company (Offical Air/soil sampling)
Report To:	Ray Huff	Number:	
Email:	ruff@scsengineers.com	Address:	Volencio-CA
Address:	3900 Lilroy Airport Way Suite 300 Long Beach, CA	Global ID:	
Phone:	562-355-6334	Sampled By:	Aiden Sanchez-one
Fax:	562 427-0805		

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)			
1 MS-07	A	C70913	6L	A70661	6/8/26	0717	-29	6/9/26 0717	-6	X
2 MS-12	A	C70280	6L	A70671	6/8/26	0732	-19	6/9/26 0732	-0	X
3 MS-08	A	C71133	6L	A70540	6/8/26	0743	-29	6/9/26 0743	-5	X
4 MS-09	A	C70700	6L	A70094	6/8/26	0756	-29	6/9/26 0758	-8	X
5 MS-10	A	C71128	6L	A70674	6/8/26	0810	-27	6/9/26 0810	-5	X
6 MS-06	A	C71142	6L	A70437	6/8/26	0833	-29	6/9/26 0833	-6	X
7 MS-11	A	C70777	6L	A70606	6/8/26	0856	-28	6/9/26 0856	-5	X
8										
9										
10										
11										
12										
13										
14										
15										

RELINQUISHED BY:	SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
		Aiden Sanchez-one	RES	6/9/26 1218
RECEIVED BY:			ORG	6/9/26 1218
RELINQUISHED BY:				
RECEIVED BY:				

SAMPLE RECEIPT CHECKLIST

Section 1: General Info			
Date Received: <u>6/9/26</u> Job#: <u>561156</u> Client: <u>SCS Engineering</u>			
Section 2: Shipping / Custody			
Are custody seals present? ☐ Yes ☒ No			
Custody seals intact on arrival? ☒ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples			
☐ Courier ☒ Walk-In ☐ Field Sampling ☐ Shipping Info: _____			
Section 3a: Condition / Packaging			
☐ Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)			
Date Opened <u>6/9/26</u> By (initials) <u>JXR</u> Type of ice used: ☒ Wet ☐ Blue/Gel ☐ None			
☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)			
☐ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)			
If no cooler: Observed/Corrected Temp (°C): _____ / _____ Thermometer/IR Gun ID: _____ CF: _____			
Cooler Temp (obs/corr) (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____			
Section 3b: Microbiology Samples			
☒ No microbiology samples submitted (skip 3b)			
☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.			
☐ Adequate headspace for microbiology analysis.			
Section 3c: Air Samples			
☐ No air samples submitted (skip 3c)			
☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____			
Tedlar Bags received protected from light (ASTM D5504 Sulfur only)? ☐ N/A ☐ Yes ☐ No			
Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	✓		
2) Is the sampler's name present on the CoC?	✓		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	✓		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			✓
5) Were all of, and only, the correct samples received?	✓		
6) Are sample labels present, legible, and in agreement with the CoC?	✓		
7) Does the container count match the CoC?	✓		
8) Was sufficient sample volume / mass received for the analyses requested?	✓		
9) Were samples received in proper containers for the analyses requested?	✓		
10) Were samples received with > 1/2 holding time remaining?	✓		
11) Are samples properly preserved as indicated by CoC / labels?	✓		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			✓
13) Are VOA vials free from headspace/bubbles > 6mm?			✓
Section 5: Explanations / Comments			
(If no comments are made, then no discrepancies noted.)			
☐ No additional discrepancies			
Form Completed By (print): <u>GCK</u> (sign): 			
Date Labeled: <u>6/9/26</u> By (print): <u>Orange</u> (sign): 			

Analysis Results for 561156

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 561156
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 06/09/26

Sample ID: MS-07

Lab ID: 561156-001

Collected: 06/09/26 07:17

Matrix: Air

561156-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Freon 12	0.39		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Chloromethane	3.7		ppbv	0.11	2.2	406620	06/15/26 13:12	06/15/26 13:12	OHD
Freon 114	0.013		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Bromomethane	0.013		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Chloroethane	0.12		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Methylene Chloride	0.11		ppbv	0.055	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Freon 113	0.056		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Chloroform	0.018		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Benzene	1.0		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Carbon Tetrachloride	0.068		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Toluene	0.31		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Ethylbenzene	0.011		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
m,p-Xylenes	0.030		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Bromoform	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Styrene	0.015		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
o-Xylene	0.013		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,2,4-Trimethylbenzene	0.011		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561156

561156-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Xylene (total)	0.042		ppbv	0.011	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD
Surrogates				Limits					
Bromofluorobenzene	88%		%REC	60-140	1.1	406246	06/10/26 18:20	06/10/26 18:20	OHD

Analysis Results for 561156

Sample ID: MS-12	Lab ID: 561156-002	Collected: 06/09/26 07:32
Matrix: Air		

561156-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Freon 12	0.39		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Chloromethane	0.52		ppbv	0.054	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Freon 114	0.013		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Bromomethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Chloroethane	0.056		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Trichlorofluoromethane	0.17		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Methylene Chloride	0.099		ppbv	0.054	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Freon 113	0.057		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Chloroform	0.018		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Benzene	0.055		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Carbon Tetrachloride	0.068		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Toluene	0.11		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Ethylbenzene	0.011		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
m,p-Xylenes	0.032		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Bromoform	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Styrene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
o-Xylene	0.013		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,2,4-Trimethylbenzene	0.013		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561156

561156-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Xylene (total)	0.045		ppbv	0.011	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD
Surrogates	Limits								
Bromofluorobenzene	87%		%REC	60-140	1.1	406246	06/10/26 19:13	06/10/26 19:13	OHD

Analysis Results for 561156

Sample ID: MS-08
Lab ID: 561156-003
Collected: 06/09/26 07:43
Matrix: Air

561156-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Freon 12	0.39		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Chloromethane	0.52		ppbv	0.050	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Freon 114	0.013		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Vinyl Chloride	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Bromomethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Chloroethane	0.030		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Vinyl bromide	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Trichlorofluoromethane	0.18		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Methylene Chloride	0.097		ppbv	0.050	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Freon 113	0.057		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Chloroform	0.019		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,2-Dichloroethane	0.014		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Benzene	0.050		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Carbon Tetrachloride	0.069		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Bromodichloromethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Trichloroethene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Toluene	0.16		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Dibromochloromethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Tetrachloroethene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Chlorobenzene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Ethylbenzene	0.013		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
m,p-Xylenes	0.038		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Bromoform	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Styrene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
o-Xylene	0.015		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,2,4-Trimethylbenzene	0.011		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Benzyl chloride	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561156

561156-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Xylene (total)	0.052		ppbv	0.010	1	406246	06/10/26 20:05	06/10/26 20:05	OHD
Surrogates	Limits								
Bromofluorobenzene	87%		%REC	60-140	1	406246	06/10/26 20:05	06/10/26 20:05	OHD

Analysis Results for 561156

Sample ID: MS-09
Lab ID: 561156-004
Collected: 06/09/26 07:58
Matrix: Air

561156-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Freon 12	0.40		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Chloromethane	0.54		ppbv	0.054	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Freon 114	0.014		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Bromomethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Chloroethane	0.037		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Methylene Chloride	0.10		ppbv	0.054	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Freon 113	0.058		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Chloroform	0.025		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,2-Dichloroethane	0.015		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Benzene	0.066		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Carbon Tetrachloride	0.071		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Toluene	0.13		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Ethylbenzene	0.014		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
m,p-Xylenes	0.035		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Bromoform	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Styrene	0.027		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
o-Xylene	0.015		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,2,4-Trimethylbenzene	0.012		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561156

561156-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Xylene (total)	0.050		ppbv	0.011	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD
Surrogates	Limits								
Bromofluorobenzene	88%		%REC	60-140	1.1	406246	06/10/26 20:58	06/10/26 20:58	OHD

Analysis Results for 561156

Sample ID: MS-10	Lab ID: 561156-005	Collected: 06/09/26 08:10
Matrix: Air		

561156-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Freon 12	0.40		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Chloromethane	0.53		ppbv	0.056	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Freon 114	0.014		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Bromomethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Chloroethane	0.090		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Methylene Chloride	0.097		ppbv	0.056	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Freon 113	0.058		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Chloroform	0.028		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Benzene	0.072		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Carbon Tetrachloride	0.070		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Toluene	0.12		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
m,p-Xylenes	0.028		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Bromoform	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Styrene	0.028		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
o-Xylene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561156

561156-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Xylene (total)	0.028		ppbv	0.011	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD
Surrogates	Limits								
Bromofluorobenzene	87%		%REC	60-140	1.1	406246	06/10/26 21:51	06/10/26 21:51	OHD

Analysis Results for 561156

Sample ID: MS-06
Lab ID: 561156-006
Collected: 06/09/26 08:33
Matrix: Air

561156-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Freon 12	0.41		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Chloromethane	0.54		ppbv	0.054	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Freon 114	0.014		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Bromomethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Chloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Methylene Chloride	0.10		ppbv	0.054	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Freon 113	0.059		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Chloroform	0.020		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Benzene	0.082		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Carbon Tetrachloride	0.071		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Toluene	0.10		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Ethylbenzene	0.012		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
m,p-Xylenes	0.025		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Bromoform	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Styrene	0.011		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
o-Xylene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561156

561156-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Xylene (total)	0.025		ppbv	0.011	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD
Surrogates	Limits								
Bromofluorobenzene	87%		%REC	60-140	1.1	406246	06/10/26 22:43	06/10/26 22:43	OHD

Analysis Results for 561156

Sample ID: MS-11	Lab ID: 561156-007	Collected: 06/09/26 08:56
Matrix: Air		

561156-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Freon 12	0.40		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Chloromethane	0.60		ppbv	0.054	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Freon 114	0.014		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Bromomethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Chloroethane	0.079		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Trichlorofluoromethane	0.18		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Methylene Chloride	0.11		ppbv	0.054	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Freon 113	0.058		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Chloroform	0.022		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Benzene	0.094		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Carbon Tetrachloride	0.071		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Toluene	0.14		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Ethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
m,p-Xylenes	0.027		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Bromoform	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Styrene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
o-Xylene	0.012		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,2,4-Trimethylbenzene	0.018		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561156

561156-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Xylene (total)	0.039		ppbv	0.011	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD
Surrogates	Limits								
Bromofluorobenzene	87%		%REC	60-140	1.1	406246	06/10/26 23:36	06/10/26 23:36	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1379392	Batch: 406246
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1379392 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	192.5	200.0	pptv	96%		70-130
1,1,1,2-Tetrachloroethane	188.7	200.0	pptv	94%		70-130
Freon 12	180.9	200.0	pptv	90%		70-130
Chloromethane	188.7	200.0	pptv	94%		70-130
Freon 114	172.9	200.0	pptv	86%		70-130
Vinyl Chloride	175.6	200.0	pptv	88%		70-130
Bromomethane	163.4	200.0	pptv	82%		70-130
Chloroethane	195.9	200.0	pptv	98%		70-130
Vinyl bromide	185.8	200.0	pptv	93%		70-130
Trichlorofluoromethane	192.2	200.0	pptv	96%		70-130
1,1-Dichloroethene	184.3	200.0	pptv	92%		70-130
Methylene Chloride	190.9	200.0	pptv	95%		70-130
Freon 113	193.5	200.0	pptv	97%		70-130
trans-1,2-Dichloroethene	194.0	200.0	pptv	97%		70-130
1,1-Dichloroethane	200.0	200.0	pptv	100%		70-130
cis-1,2-Dichloroethene	190.1	200.0	pptv	95%		70-130
Chloroform	193.4	200.0	pptv	97%		70-130
1,2-Dichloroethane	189.7	200.0	pptv	95%		70-130
1,1,1-Trichloroethane	183.7	200.0	pptv	92%		70-130
Benzene	166.2	200.0	pptv	83%		70-130
Carbon Tetrachloride	191.1	200.0	pptv	96%		70-130
1,2-Dichloropropane	215.9	200.0	pptv	108%		70-130
Bromodichloromethane	216.4	200.0	pptv	108%		70-130
Trichloroethene	197.4	200.0	pptv	99%		70-130
cis-1,3-Dichloropropene	183.2	200.0	pptv	92%		70-130
trans-1,3-Dichloropropene	178.3	200.0	pptv	89%		70-130
1,1,2-Trichloroethane	205.2	200.0	pptv	103%		70-130
Toluene	173.5	200.0	pptv	87%		70-130
Dibromochloromethane	223.0	200.0	pptv	111%		70-130
1,2-Dibromoethane	183.8	200.0	pptv	92%		70-130
Tetrachloroethene	184.7	200.0	pptv	92%		70-130
Chlorobenzene	167.7	200.0	pptv	84%		70-130
Ethylbenzene	155.6	200.0	pptv	78%		70-130
m,p-Xylenes	316.3	400.0	pptv	79%		70-130
Bromoform	214.6	200.0	pptv	107%		70-130
Styrene	144.6	200.0	pptv	72%		70-130
o-Xylene	164.9	200.0	pptv	82%		70-130
2-Chlorotoluene	163.1	200.0	pptv	82%		70-130
1,3,5-Trimethylbenzene	165.6	200.0	pptv	83%		70-130
1,2,4-Trimethylbenzene	161.9	200.0	pptv	81%		70-130
Benzyl chloride	159.4	200.0	pptv	80%		70-130
1,3-Dichlorobenzene	164.7	200.0	pptv	82%		70-130
1,4-Dichlorobenzene	161.4	200.0	pptv	81%		70-130
1,2-Dichlorobenzene	171.3	200.0	pptv	86%		70-130
1,2,4-Trichlorobenzene	149.6	200.0	pptv	75%		70-130
Hexachlorobutadiene	178.7	200.0	pptv	89%		70-130
Surrogates						

Batch QC

QC1379392 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	235.1	250.0	pptv	94%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1379393	Batch: 406246
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1379393 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	196.0	200.0	pptv	98%		70-130	2	25
1,1,1,2-Tetrachloroethane	191.7	200.0	pptv	96%		70-130	2	25
Freon 12	182.4	200.0	pptv	91%		70-130	1	25
Chloromethane	190.4	200.0	pptv	95%		70-130	1	25
Freon 114	175.2	200.0	pptv	88%		70-130	1	25
Vinyl Chloride	177.2	200.0	pptv	89%		70-130	1	25
Bromomethane	166.0	200.0	pptv	83%		70-130	2	25
Chloroethane	195.6	200.0	pptv	98%		70-130	0	25
Vinyl bromide	186.4	200.0	pptv	93%		70-130	0	25
Trichlorofluoromethane	192.1	200.0	pptv	96%		70-130	0	25
1,1-Dichloroethene	186.0	200.0	pptv	93%		70-130	1	25
Methylene Chloride	191.1	200.0	pptv	96%		70-130	0	25
Freon 113	193.9	200.0	pptv	97%		70-130	0	25
trans-1,2-Dichloroethene	193.6	200.0	pptv	97%		70-130	0	25
1,1-Dichloroethane	200.6	200.0	pptv	100%		70-130	0	25
cis-1,2-Dichloroethene	190.9	200.0	pptv	95%		70-130	0	25
Chloroform	194.6	200.0	pptv	97%		70-130	1	25
1,2-Dichloroethane	189.8	200.0	pptv	95%		70-130	0	25
1,1,1-Trichloroethane	185.4	200.0	pptv	93%		70-130	1	25
Benzene	167.4	200.0	pptv	84%		70-130	1	25
Carbon Tetrachloride	192.8	200.0	pptv	96%		70-130	1	25
1,2-Dichloropropane	215.7	200.0	pptv	108%		70-130	0	25
Bromodichloromethane	217.6	200.0	pptv	109%		70-130	1	25
Trichloroethene	197.7	200.0	pptv	99%		70-130	0	25
cis-1,3-Dichloropropene	185.8	200.0	pptv	93%		70-130	1	25
trans-1,3-Dichloropropene	180.5	200.0	pptv	90%		70-130	1	25
1,1,2-Trichloroethane	205.6	200.0	pptv	103%		70-130	0	25
Toluene	175.2	200.0	pptv	88%		70-130	1	25
Dibromochloromethane	224.4	200.0	pptv	112%		70-130	1	25
1,2-Dibromoethane	184.3	200.0	pptv	92%		70-130	0	25
Tetrachloroethene	186.0	200.0	pptv	93%		70-130	1	25
Chlorobenzene	170.4	200.0	pptv	85%		70-130	2	25
Ethylbenzene	157.8	200.0	pptv	79%		70-130	1	25
m,p-Xylenes	317.6	400.0	pptv	79%		70-130	0	25
Bromoform	218.4	200.0	pptv	109%		70-130	2	25
Styrene	147.5	200.0	pptv	74%		70-130	2	25
o-Xylene	169.3	200.0	pptv	85%		70-130	3	25
2-Chlorotoluene	165.5	200.0	pptv	83%		70-130	1	25
1,3,5-Trimethylbenzene	165.4	200.0	pptv	83%		70-130	0	25
1,2,4-Trimethylbenzene	164.0	200.0	pptv	82%		70-130	1	25
Benzyl chloride	162.7	200.0	pptv	81%		70-130	2	25
1,3-Dichlorobenzene	170.9	200.0	pptv	85%		70-130	4	25
1,4-Dichlorobenzene	161.1	200.0	pptv	81%		70-130	0	25
1,2-Dichlorobenzene	173.6	200.0	pptv	87%		70-130	1	25
1,2,4-Trichlorobenzene	153.8	200.0	pptv	77%		70-130	3	25
Hexachlorobutadiene	182.8	200.0	pptv	91%		70-130	2	25

Batch QC

QC1379393 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	236.0	250.0	pptv	94%		70-130		

Batch QC

Type: Blank	Lab ID: QC1379394	Batch: 406246
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1379394 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,1,1,2-Tetrachloroethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Freon 12	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Chloromethane	ND		pptv	50	06/10/26 17:27	06/10/26 17:27
Freon 114	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Vinyl Chloride	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Bromomethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Chloroethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Vinyl bromide	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Trichlorofluoromethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,1-Dichloroethene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Methylene Chloride	ND		pptv	50	06/10/26 17:27	06/10/26 17:27
Freon 113	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
trans-1,2-Dichloroethene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,1-Dichloroethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
cis-1,2-Dichloroethene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Chloroform	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,2-Dichloroethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,1,1-Trichloroethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Benzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Carbon Tetrachloride	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,2-Dichloropropane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Bromodichloromethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Trichloroethene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
cis-1,3-Dichloropropene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
trans-1,3-Dichloropropene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,1,2-Trichloroethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Toluene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Dibromochloromethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,2-Dibromoethane	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Tetrachloroethene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Chlorobenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Ethylbenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
m,p-Xylenes	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Bromoform	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Styrene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
o-Xylene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
2-Chlorotoluene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,3,5-Trimethylbenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,2,4-Trimethylbenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Benzyl chloride	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,3-Dichlorobenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,4-Dichlorobenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,2-Dichlorobenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
1,2,4-Trichlorobenzene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Hexachlorobutadiene	ND		pptv	10	06/10/26 17:27	06/10/26 17:27
Xylene (total)	ND		pptv	10	06/10/26 17:27	06/10/26 17:27

Batch QC

QC1379394 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	82%		%REC	70-130	06/10/26 17:27	06/10/26 17:27

Type: Lab Control Sample	Lab ID: QC1380800	Batch: 406620
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1380800 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Chloromethane	222.3	200.0	pptv	111%		70-130
Surrogates						
Bromofluorobenzene	250.3	250.0	pptv	100%		70-130


Type: Lab Control Sample Duplicate	Lab ID: QC1380801	Batch: 406620
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1380801 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Chloromethane	225.1	200.0	pptv	113%		70-130	1	25
Surrogates								
Bromofluorobenzene	246.1	250.0	pptv	98%		70-130		

Type: Blank	Lab ID: QC1380802	Batch: 406620
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1380802 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Chloromethane	ND		pptv	50	06/15/26 11:29	06/15/26 11:29
Surrogates				Limits		
Bromofluorobenzene	85%		%REC	70-130	06/15/26 11:29	06/15/26 11:29

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 261364
REPORT DATE : 06/15/2026

On June 9th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	261364-90847
MS-12	261364-90848
MS-08	261364-90849
MS-09	261364-90850
MS-10	261364-90851
MS-06	261364-90852
MS-11	261364-90853


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261364
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/08-09/2026
RECEIVING DATE : 06/09/2026
ANALYSIS DATE : 06/09/2026
REPORT DATE : 06/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	261364-90847	261364-90848	261364-90849	261364-90850
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 261364
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 06/08-09/2026
RECEIVING DATE : 06/09/2026
ANALYSIS DATE : 06/09/2026
REPORT DATE : 06/15/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	261364-90851	261364-90852	261364-90853
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 6/9/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 06/01/2026

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	11330	479	95.7	0.0
Duplicate	11333	480	95.7	0.0
Triplicate	11325	479	95.6	0.0

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	11449	508	98.9	1.0
Duplicate	11181	496	96.6	1.4
Triplicate	11385	505	98.3	0.4

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	12908	545	104.4	2.6
Duplicate	12257	518	99.1	2.6
Triplicate	12593	532	101.8	0.1

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260895-88782

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260895-88782 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	263.5	255.7	105.1	102.0	3.0
MeSH	<PQL	256.6	266.8	275.8	103.9	107.5	3.3
DMS	<PQL	261.1	279.4	282.1	107.0	108.0	0.9

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	455.2	90.8
MeSH	513.3	476.5	92.8
DMS	522.3	502.4	96.2

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 50.0 ppbV

Client/Project Name		Project Location		ANALYSES	
CHICUITO-CONDILL AIRPORT SAMPLING		VOLCANO-CA			
Project No.		Field Logbook No.			
Sampler: (Print)		(Signature)		No. Of Containers	
Aiden Sanchez-Osme				7	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks
MS-07	6-8/9-26	0717-0717	90847	10 Liter Bag	X
MS-12	6-8/9-26	0732-0732	90848	10 Liter Bag	X
MS-08	6-8/9-26	0743-0743	90849	10 Liter Bag	X
MS-09	6-8/9-26	0758-0758	90850	10 Liter Bag	X
MS-10	6-8/9-26	0810-0810	90851	10 Liter Bag	X
MS-06	6-8/9-26	0833-0833	90852	10 Liter Bag	X
MS-11	6-8/9-26	0856-0856	90853	10 Liter Bag	X
30791 Sulfur					
Relinquished by: (Signature)		Date		Time	
		6/9/26		1014	
Relinquished by: (Signature)		Date		Time	
Relinquished by: (Signature)		Date		Time	
Sample Disposal Method:		Disposed of by: (Signature)		Time	
				6/9/26 1014	
Sample Collector		Analytical Laboratory		Time	
 RTS Environmental Inc. 865 Via Lata • Colton, California 92324 (909) 422-1001 Fax (909) 422-0707		AAC Ventura			

Sample Summary

Raymond Huff	Lab Job #:	561640
SCS Engineers - Long	Project No:	CHIQUITA WEEKLY AIR
Beach	Location:	Chiquita Canyon Landfill Air/Odor Sampling
3900 Kilroy Airport Way	Date Received:	06/16/26
Suite 300		
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	561640-001	06/16/26 07:40	Air
MS-12	561640-002	06/16/26 07:55	Air
MS-08	561640-003	06/16/26 08:05	Air
MS-09	561640-004	06/16/26 08:19	Air
MS-10	561640-005	06/16/26 08:30	Air
MS-06	561640-006	06/16/26 08:50	Air
MS-11	561640-007	06/16/26 09:15	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 561640
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 06/16/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 06/16/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

Lab Job No. _____

Page 1 of 1

CUSTOMER INFORMATION		PROJECT INFORMATION	
Company:	SCS Engineers	Name:	Chubita Canyon landfill Air/soil sampling
Report To:	Roy Huff	Number:	
Email:	rhuff@scsengineers.com	Address:	VO-ENCIO-CA
Address:	3900 Kilroy Airport Way Suite 300 Long Beach, CA	Global ID:	
Phone:	562-355-6334	Sampled By:	Aiden Sanchez-orue
	Fax: 562 427-0805		

Special Instructions:																	
Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information			Start Sampling Information			Stop Sampling Information			Canister Pressure (in. Hg)	Comments	4 Day ☐	72 Hour ☐	48 Hour ☐	24 Hour ☐	
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Canister Pressure (in. Hg)	Date	Time								
1	MS-07	A	C70675	6L	A70614	6/15/26	0740	-29	5/16/26	0740	-6	X	Extended 1.5h				
2	MS-12	A	C70919	6L	A70413	6/15/26	0755	-30	5/16/26	0755	-6	X					
3	MS-08	A	C70894	6L	A70078	6/15/26	0805	-30	5/16/26	0805	-8	X					
4	MS-09	A	C70790	6L	A70248	6/15/26	0819	-29	5/16/26	0819	-7	X					
5	MS-10	A	C71073	6L	A70573	6/15/26	0830	-22	5/16/26	0830	-8	X					
6	MS-06	A	C70787	6L	A70655	6/15/26	0850	-28	5/16/26	0850	-6	X					
7	MS-11	A	C70664	6L	A70041	6/15/26	0915	-29	5/16/26	0915	-5	X					
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	

RELINQUISHED BY:		PRINT NAME	Aiden Sanchez-orue	COMPANY/TITLE	RES	DATE / TIME	6/16/26 1237
RECEIVED BY:			JXR		ORC		6/16/26 1237
RELINQUISHED BY:							
RECEIVED BY:							

SAMPLE RECEIPT CHECKLIST

Section 1: General Info			
Date Received: <u>06.16.2024</u> Job#: <u>561640</u> Client: <u>SCS Engineers / Chiquita Canyon</u>			
Section 2: Shipping / Custody			
Are custody seals present? ☐ Yes ☒ No			
Custody seals intact on arrival? ☒ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples			
☐ Courier ☒ Walk-In ☐ Field Sampling ☒ Shipping Info: <u>Intrastate GCK 06.16.24</u>			
Section 3a: Condition / Packaging			
☐ Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)			
Date Opened <u>06.16.24</u> By (initials) <u>JXR</u> Type of ice used: ☐ Wet ☐ Blue/Gel ☒ None			
☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)			
☒ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)			
If no cooler: Observed/Corrected Temp (°C): _____ / _____ Thermometer/IR Gun ID: _____ CF: _____			
Cooler Temp (obs/corr) (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____			
Section 3b: Microbiology Samples			
☒ No microbiology samples submitted (skip 3b)			
☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.			
☐ Adequate headspace for microbiology analysis.			
Section 3c: Air Samples			
☐ No air samples submitted (skip 3c)			
☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____			
☐ Tedlar Bags were received with secondary containment – unexposed to light			
Section 4: Containers / Labels / Samples			
	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	X		
2) Is the sampler's name present on the CoC?	X		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	X		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			X
5) Were all of, and only, the correct samples received?	X		
6) Are sample labels present, legible, and in agreement with the CoC?	X		
7) Does the container count match the CoC?	X		
8) Was sufficient sample volume / mass received for the analyses requested?	X		
9) Were samples received in proper containers for the analyses requested?	X		
10) Were samples received with > 1/2 holding time remaining?	X		
11) Are samples properly preserved as indicated by CoC / labels?	X		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			X
13) Are VOA vials free from headspace/bubbles > 6mm?			X
Section 5: Explanations / Comments			
(If no comments are made, then no discrepancies noted.)			
☐ No additional discrepancies			
Form Completed By (print): <u>GCK</u> (sign): <u>[Signature]</u>			
Date Labeled: <u>06.16.24</u> By (print): <u>STF</u> (sign): <u>[Signature] for STF</u>			

Analysis Results for 561640

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 561640
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 06/16/26

Sample ID: MS-07

Lab ID: 561640-001

Collected: 06/16/26 07:40

Matrix: Air

561640-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Freon 12	0.50		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Chloromethane	0.66		ppbv	0.055	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Freon 114	0.017		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Bromomethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Chloroethane	0.11		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Methylene Chloride	0.11		ppbv	0.055	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Freon 113	0.069		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Chloroform	0.019		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,2-Dichloroethane	0.015		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Benzene	0.29		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Carbon Tetrachloride	0.084		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Toluene	0.18		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Ethylbenzene	0.012		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
m,p-Xylenes	0.029		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Bromoform	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Styrene	0.019		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
o-Xylene	0.012		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561640

561640-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Xylene (total)	0.041		ppbv	0.011	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD
Surrogates				Limits					
Bromofluorobenzene	88%		%REC	60-140	1.1	406979	06/18/26 11:15	06/18/26 11:15	OHD

Analysis Results for 561640

Sample ID: MS-12	Lab ID: 561640-002	Collected: 06/16/26 07:55
Matrix: Air		

561640-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Freon 12	0.48		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Chloromethane	0.62		ppbv	0.051	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Freon 114	0.017		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Vinyl Chloride	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Bromomethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Chloroethane	0.013		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Vinyl bromide	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Methylene Chloride	0.11		ppbv	0.051	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Freon 113	0.067		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Chloroform	0.019		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,2-Dichloroethane	0.015		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Benzene	0.068		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Carbon Tetrachloride	0.081		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Bromodichloromethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Trichloroethene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Toluene	0.13		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Dibromochloromethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Tetrachloroethene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Chlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Ethylbenzene	0.016		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
m,p-Xylenes	0.045		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Bromoform	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Styrene	0.017		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
o-Xylene	0.019		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,2,4-Trimethylbenzene	0.019		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Benzyl chloride	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561640

561640-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Xylene (total)	0.064		ppbv	0.010	1	406979	06/18/26 12:03	06/18/26 12:03	OHD
Surrogates	Limits								
Bromofluorobenzene	88%		%REC	60-140	1	406979	06/18/26 12:03	06/18/26 12:03	OHD

Analysis Results for 561640

Sample ID: MS-08	Lab ID: 561640-003	Collected: 06/16/26 08:05
	Matrix: Air	

561640-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Freon 12	0.49		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Chloromethane	0.62		ppbv	0.056	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Freon 114	0.017		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Bromomethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Chloroethane	0.026		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Methylene Chloride	0.10		ppbv	0.056	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Freon 113	0.068		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Chloroform	0.019		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Benzene	0.052		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Carbon Tetrachloride	0.081		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Toluene	0.11		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Ethylbenzene	0.013		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
m,p-Xylenes	0.036		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Bromoform	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Styrene	0.015		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
o-Xylene	0.015		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,2,4-Trimethylbenzene	0.014		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561640

561640-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Xylene (total)	0.050		ppbv	0.011	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD
Surrogates	Limits								
Bromofluorobenzene	89%		%REC	60-140	1.1	406979	06/18/26 12:55	06/18/26 12:55	OHD

Analysis Results for 561640

Sample ID: MS-09

Lab ID: 561640-004

Collected: 06/16/26 08:19

Matrix: Air

561640-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Freon 12	0.49		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Chloromethane	0.64		ppbv	0.054	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Freon 114	0.017		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Bromomethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Chloroethane	0.038		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Trichlorofluoromethane	0.21		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Methylene Chloride	0.11		ppbv	0.054	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Freon 113	0.067		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Chloroform	0.033		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Benzene	0.079		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Carbon Tetrachloride	0.082		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Toluene	0.19		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Ethylbenzene	0.020		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
m,p-Xylenes	0.054		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Bromoform	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Styrene	0.054		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
o-Xylene	0.024		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,2,4-Trimethylbenzene	0.026		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561640

561640-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Xylene (total)	0.077		ppbv	0.011	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD
Surrogates	Limits								
Bromofluorobenzene	89%		%REC	60-140	1.1	406979	06/18/26 13:44	06/18/26 13:44	OHD

Analysis Results for 561640

Sample ID: MS-10
Lab ID: 561640-005
Collected: 06/16/26 08:30
Matrix: Air

561640-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Freon 12	0.50		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Chloromethane	0.63		ppbv	0.057	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Freon 114	0.017		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Bromomethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Chloroethane	0.014		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Methylene Chloride	0.22		ppbv	0.057	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Freon 113	0.069		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Chloroform	0.036		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,2-Dichloroethane	0.015		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Benzene	0.10		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Carbon Tetrachloride	0.083		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Toluene	0.20		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Ethylbenzene	0.016		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
m,p-Xylenes	0.042		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Bromoform	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Styrene	0.032		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
o-Xylene	0.017		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,2,4-Trimethylbenzene	0.017		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561640

561640-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Xylene (total)	0.060		ppbv	0.011	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD
Surrogates	Limits								
Bromofluorobenzene	87%		%REC	60-140	1.1	406979	06/18/26 14:32	06/18/26 14:32	OHD

Analysis Results for 561640

Sample ID: MS-06
Lab ID: 561640-006
Collected: 06/16/26 08:50
Matrix: Air

561640-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Freon 12	0.49		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Chloromethane	0.61		ppbv	0.053	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Freon 114	0.016		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Bromomethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Chloroethane	0.046		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Methylene Chloride	0.13		ppbv	0.053	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Freon 113	0.067		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Chloroform	0.023		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,2-Dichloroethane	0.016		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Benzene	0.11		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Carbon Tetrachloride	0.082		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Trichloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Toluene	0.19		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Ethylbenzene	0.022		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
m,p-Xylenes	0.055		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Bromoform	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Styrene	0.078		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
o-Xylene	0.024		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,2,4-Trimethylbenzene	0.025		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561640

561640-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Xylene (total)	0.079		ppbv	0.011	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD
Surrogates	Limits								
Bromofluorobenzene	87%		%REC	60-140	1.1	406979	06/18/26 15:21	06/18/26 15:21	OHD

Analysis Results for 561640

Sample ID: MS-11
Lab ID: 561640-007
Collected: 06/16/26 09:15
Matrix: Air

561640-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Freon 12	0.49		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Chloromethane	0.60		ppbv	0.052	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Freon 114	0.017		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Vinyl Chloride	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Bromomethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Chloroethane	0.015		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Vinyl bromide	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Methylene Chloride	0.11		ppbv	0.052	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Freon 113	0.068		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Chloroform	0.041		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,2-Dichloroethane	0.015		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Benzene	0.068		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Carbon Tetrachloride	0.081		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Bromodichloromethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Trichloroethene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Toluene	0.14		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Dibromochloromethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Tetrachloroethene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Chlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Ethylbenzene	0.017		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
m,p-Xylenes	0.042		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Bromoform	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Styrene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
o-Xylene	0.018		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,2,4-Trimethylbenzene	0.015		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Benzyl chloride	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 561640

561640-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Xylene (total)	0.060		ppbv	0.010	1	406979	06/18/26 16:10	06/18/26 16:10	OHD
Surrogates	Limits								
Bromofluorobenzene	90%		%REC	60-140	1	406979	06/18/26 16:10	06/18/26 16:10	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1382109	Batch: 406979
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1382109 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	178.1	200.0	pptv	89%		70-130
1,1,1,2-Tetrachloroethane	173.8	200.0	pptv	87%		70-130
Freon 12	200.8	200.0	pptv	100%		70-130
Chloromethane	196.1	200.0	pptv	98%		70-130
Freon 114	196.5	200.0	pptv	98%		70-130
Vinyl Chloride	202.2	200.0	pptv	101%		70-130
Bromomethane	197.1	200.0	pptv	99%		70-130
Chloroethane	201.1	200.0	pptv	101%		70-130
Vinyl bromide	203.7	200.0	pptv	102%		70-130
Trichlorofluoromethane	210.9	200.0	pptv	105%		70-130
1,1-Dichloroethene	202.1	200.0	pptv	101%		70-130
Methylene Chloride	201.4	200.0	pptv	101%		70-130
Freon 113	205.9	200.0	pptv	103%		70-130
trans-1,2-Dichloroethene	207.2	200.0	pptv	104%		70-130
1,1-Dichloroethane	211.0	200.0	pptv	105%		70-130
cis-1,2-Dichloroethene	205.3	200.0	pptv	103%		70-130
Chloroform	207.2	200.0	pptv	104%		70-130
1,2-Dichloroethane	211.6	200.0	pptv	106%		70-130
1,1,1-Trichloroethane	212.8	200.0	pptv	106%		70-130
Benzene	195.6	200.0	pptv	98%		70-130
Carbon Tetrachloride	209.3	200.0	pptv	105%		70-130
1,2-Dichloropropane	202.6	200.0	pptv	101%		70-130
Bromodichloromethane	195.9	200.0	pptv	98%		70-130
Trichloroethene	195.6	200.0	pptv	98%		70-130
cis-1,3-Dichloropropene	197.5	200.0	pptv	99%		70-130
trans-1,3-Dichloropropene	203.4	200.0	pptv	102%		70-130
1,1,2-Trichloroethane	200.9	200.0	pptv	100%		70-130
Toluene	194.0	200.0	pptv	97%		70-130
Dibromochloromethane	189.9	200.0	pptv	95%		70-130
1,2-Dibromoethane	203.9	200.0	pptv	102%		70-130
Tetrachloroethene	206.1	200.0	pptv	103%		70-130
Chlorobenzene	175.4	200.0	pptv	88%		70-130
Ethylbenzene	169.6	200.0	pptv	85%		70-130
m,p-Xylenes	347.5	400.0	pptv	87%		70-130
Bromoform	147.5	200.0	pptv	74%		70-130
Styrene	171.1	200.0	pptv	86%		70-130
o-Xylene	179.2	200.0	pptv	90%		70-130
2-Chlorotoluene	169.4	200.0	pptv	85%		70-130
1,3,5-Trimethylbenzene	177.4	200.0	pptv	89%		70-130
1,2,4-Trimethylbenzene	175.6	200.0	pptv	88%		70-130
Benzyl chloride	183.0	200.0	pptv	91%		70-130
1,3-Dichlorobenzene	178.1	200.0	pptv	89%		70-130
1,4-Dichlorobenzene	180.3	200.0	pptv	90%		70-130
1,2-Dichlorobenzene	170.7	200.0	pptv	85%		70-130
1,2,4-Trichlorobenzene	149.1	200.0	pptv	75%		70-130
Hexachlorobutadiene	167.7	200.0	pptv	84%		70-130
Surrogates						

Batch QC

QC1382109 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	248.0	250.0	pptv	99%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1382110	Batch: 406979
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1382110 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	187.3	200.0	pptv	94%		70-130	5	25
1,1,1,2-Tetrachloroethane	181.3	200.0	pptv	91%		70-130	4	25
Freon 12	216.2	200.0	pptv	108%		70-130	7	25
Chloromethane	210.2	200.0	pptv	105%		70-130	7	25
Freon 114	206.9	200.0	pptv	103%		70-130	5	25
Vinyl Chloride	212.3	200.0	pptv	106%		70-130	5	25
Bromomethane	207.5	200.0	pptv	104%		70-130	5	25
Chloroethane	207.8	200.0	pptv	104%		70-130	3	25
Vinyl bromide	211.4	200.0	pptv	106%		70-130	4	25
Trichlorofluoromethane	221.2	200.0	pptv	111%		70-130	5	25
1,1-Dichloroethene	211.5	200.0	pptv	106%		70-130	5	25
Methylene Chloride	210.2	200.0	pptv	105%		70-130	4	25
Freon 113	214.7	200.0	pptv	107%		70-130	4	25
trans-1,2-Dichloroethene	216.8	200.0	pptv	108%		70-130	5	25
1,1-Dichloroethane	220.5	200.0	pptv	110%		70-130	4	25
cis-1,2-Dichloroethene	215.5	200.0	pptv	108%		70-130	5	25
Chloroform	217.5	200.0	pptv	109%		70-130	5	25
1,2-Dichloroethane	222.6	200.0	pptv	111%		70-130	5	25
1,1,1-Trichloroethane	223.0	200.0	pptv	111%		70-130	5	25
Benzene	204.4	200.0	pptv	102%		70-130	4	25
Carbon Tetrachloride	219.3	200.0	pptv	110%		70-130	5	25
1,2-Dichloropropane	210.2	200.0	pptv	105%		70-130	4	25
Bromodichloromethane	204.1	200.0	pptv	102%		70-130	4	25
Trichloroethene	203.5	200.0	pptv	102%		70-130	4	25
cis-1,3-Dichloropropene	205.9	200.0	pptv	103%		70-130	4	25
trans-1,3-Dichloropropene	211.6	200.0	pptv	106%		70-130	4	25
1,1,2-Trichloroethane	208.7	200.0	pptv	104%		70-130	4	25
Toluene	202.7	200.0	pptv	101%		70-130	4	25
Dibromochloromethane	197.8	200.0	pptv	99%		70-130	4	25
1,2-Dibromoethane	212.6	200.0	pptv	106%		70-130	4	25
Tetrachloroethene	214.4	200.0	pptv	107%		70-130	4	25
Chlorobenzene	182.7	200.0	pptv	91%		70-130	4	25
Ethylbenzene	176.9	200.0	pptv	88%		70-130	4	25
m,p-Xylenes	365.3	400.0	pptv	91%		70-130	5	25
Bromoform	155.2	200.0	pptv	78%		70-130	5	25
Styrene	179.8	200.0	pptv	90%		70-130	5	25
o-Xylene	187.0	200.0	pptv	94%		70-130	4	25
2-Chlorotoluene	178.2	200.0	pptv	89%		70-130	5	25
1,3,5-Trimethylbenzene	187.5	200.0	pptv	94%		70-130	6	25
1,2,4-Trimethylbenzene	184.2	200.0	pptv	92%		70-130	5	25
Benzyl chloride	193.5	200.0	pptv	97%		70-130	6	25
1,3-Dichlorobenzene	190.3	200.0	pptv	95%		70-130	7	25
1,4-Dichlorobenzene	187.3	200.0	pptv	94%		70-130	4	25
1,2-Dichlorobenzene	180.2	200.0	pptv	90%		70-130	5	25
1,2,4-Trichlorobenzene	159.0	200.0	pptv	80%		70-130	6	25
Hexachlorobutadiene	176.2	200.0	pptv	88%		70-130	5	25

Batch QC

QC1382110 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	244.8	250.0	pptv	98%		70-130		

Batch QC


Type: Blank	Lab ID: QC1382111	Batch: 406979
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1382111 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,1,1,2-Tetrachloroethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Freon 12	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Chloromethane	ND		pptv	50	06/18/26 09:42	06/18/26 09:42
Freon 114	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Vinyl Chloride	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Bromomethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Chloroethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Vinyl bromide	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Trichlorofluoromethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,1-Dichloroethene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Methylene Chloride	ND		pptv	50	06/18/26 09:42	06/18/26 09:42
Freon 113	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
trans-1,2-Dichloroethene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,1-Dichloroethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
cis-1,2-Dichloroethene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Chloroform	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,2-Dichloroethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,1,1-Trichloroethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Benzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Carbon Tetrachloride	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,2-Dichloropropane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Bromodichloromethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Trichloroethene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
cis-1,3-Dichloropropene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
trans-1,3-Dichloropropene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,1,2-Trichloroethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Toluene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Dibromochloromethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,2-Dibromoethane	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Tetrachloroethene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Chlorobenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Ethylbenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
m,p-Xylenes	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Bromoform	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Styrene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
o-Xylene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
2-Chlorotoluene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,3,5-Trimethylbenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,2,4-Trimethylbenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Benzyl chloride	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,3-Dichlorobenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,4-Dichlorobenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,2-Dichlorobenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
1,2,4-Trichlorobenzene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Hexachlorobutadiene	ND		pptv	10	06/18/26 09:42	06/18/26 09:42
Xylene (total)	ND		pptv	10	06/18/26 09:42	06/18/26 09:42

Batch QC

QC1382111 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	80%		%REC	70-130	06/18/26 09:42	06/18/26 09:42

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 261438
REPORT DATE : 06/22/2026


On June 16th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	261438-91206
MS-12	261438-91207
MS-08	261438-91208
MS-09	261438-91209
MS-10	261438-91210
MS-06	261438-91211
MS-11	261438-91212


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sudha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261438
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/15-16/2026
RECEIVING DATE : 06/16/2026
ANALYSIS DATE : 06/16/2026
REPORT DATE : 06/22/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	261438-91206	261438-91207	261438-91208	261438-91209
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261438
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/15-16/2026
RECEIVING DATE : 06/16/2026
ANALYSIS DATE : 06/16/2026
REPORT DATE : 06/22/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	261438-91210	261438-91211	261438-91212
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 6/16/2026
Analyst: NR/RSF
Units: ppmV

Instrument ID : SCD-BTU
Initial Cal Date : 05/14/2026

Opening Calibration Verification Standard

0.501 ppmV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3425	0.500	99.8	2.8
Duplicate	3600	0.526	104.9	2.1
Triplicate	3547	0.518	103.4	0.7

0.513 ppmV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3349	0.490	95.5	3.2
Duplicate	3490	0.511	99.6	0.9
Triplicate	3541	0.518	101.0	2.3

0.522 ppmV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3697	0.508	97.3	3.3
Duplicate	3864	0.531	101.6	1.1
Triplicate	3909	0.537	102.8	2.2

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260895-88782

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260895-88782 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.251	0.273	0.249	108.9	99.4	9.2
MeSH	<PQL	0.257	0.251	0.242	97.8	94.3	3.7
DMS	<PQL	0.261	0.264	0.256	101.1	98.0	3.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.501	0.517	103.1
MeSH	0.513	0.513	100.0
DMS	0.522	0.522	100.0

* Must be 95-105%, ** Must be 90-110%, *** Must be < 10%, **** Must be < 5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 2-6-1938

Client/Project Name <u>SCS ENGINEERS/</u> <u>CHICAGO LAWFILL AIRPORT SAMPLING</u>		Project Location <u>VALENCIAS CA</u>		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) <u>Aiden Sanchez-Olue</u>		(Signature) <u>[Signature]</u>		No. Of Containers <u>7</u>		<u>307.915411</u>	
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
MS-07	6-15/16-26	0740-0740	91206	10 Liter Bag	X		
MS-12	6-15/16-26	0755-0755	91207	10 Liter Bag	X		
MS-08	6-15/16-26	0805-0805	91208	10 Liter Bag	X		
MS-09	6-15/16-26	0819-0819	91209	10 Liter Bag	X		
MS-10	6-15/16-26	0830-0830	91210	10 Liter Bag	X		
MS-06	6-15/16-26	0850-0850	91211	10 Liter Bag	X		
MS-11	6-15/16-26	0915-0915	91212	10 Liter Bag	X		
Relinquished by: (Signature) <u>[Signature]</u>		Date 6/16/26	Time 1032	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <u>[Signature]</u>		Date 6/16/26	Time 1032
Sample Disposal Method:		Disposed of by: (Signature)					
Sample Collector		Analytical Laboratory <u>AAC Ventura</u>					

RTS
Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Sample Summary

Raymond Huff	Lab Job #:	562100
SCS Engineers - Long	Project No:	CHIQUITA WEEKLY AIR
Beach	Location:	Chiquita Canyon Landfill Air/Odor Sampling
3900 Kilroy Airport Way	Date Received:	06/23/26
Suite 300		
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	562100-001	06/23/26 07:20	Air
MS-12	562100-002	06/23/26 07:33	Air
MS-08	562100-003	06/23/26 07:41	Air
MS-09	562100-004	06/23/26 07:51	Air
MS-10	562100-005	06/23/26 08:02	Air
MS-06	562100-006	06/23/26 08:25	Air
MS-11	562100-007	06/23/26 08:55	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 562100
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 06/23/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 06/23/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.


CUSTOMER INFORMATION Company: <u>SCS Engineers</u> Report To: <u>ROY HUFF</u> Email: <u>rhuff@scsengineers.com</u> Address: <u>3900 Kilroy Airport way suite 300</u> <u>Long Beach, CA</u> Phone: <u>562-355-6334</u> Fax: <u>562 427-0805</u> Special Instructions:		PROJECT INFORMATION Name: <u>Chiquita Canyon Landfill Air/odor Sampling</u> Number: <u>10-10-10</u> Address: <u>10-10-10, CA</u> Global ID: <u>Aiden Sanchez-Orue</u> Sampled By:	
--	--	---	--

Sample ID	Air Type (I) Indoor (A) Ambient (SV) Soil Vapor	Equipment Information		Start Sampling Information		Stop Sampling Information		Canister Pressure (in. Hg)	Analysis Request	Required Turnaround Time	Comments
		Canister ID	Canister Size (6L or 1L)	Flow Controller ID	Date	Time	Date	Time			
1 MS-07	A	C70941	6L	A70631	6/22/26	0711	6/23/26	0720	-5	Extended list to -15	
2 MS-12	A	C71076	6L	A70616	6/22/26	0724	6/23/26	0733	-6		
3 MS-08	A	C71070	6L	A70657	6/22/26	0735	6/23/26	0741	-5		
4 MS-09	A	C70652	6L	A70466	6/22/26	0749	6/23/26	0751	-7		
5 MS-10	A	C71078	6L	A70462	6/22/26	0802	6/23/26	0802	-7		
6 MS-06	A	C70875	6L	A70568	6/22/26	0825	6/23/26	0825	-7		
7 MS-11	A	C70789	6L	A70272	6/22/26	0850	6/23/26	0855	-5		
8											
9											
10											
11											
12											
13											
14											
15											



RELINQUISHED BY: <u>[Signature]</u>	PRINT NAME: <u>Aiden Sanchez-Orue</u>	COMPANY/TITLE: <u>RES</u>	DATE / TIME: <u>6/23/26 1229</u>
RECEIVED BY: <u>[Signature]</u>	JETHI CO	ONTEERRIS	06/23/26 1230
RELINQUISHED BY:			
RECEIVED BY:			

SAMPLE RECEIPT CHECKLIST

Section 1: General Info			
Date Received: <u>6/23/26</u>		Job#: <u>562100</u> Client: <u>SCSLB</u>	
Section 2: Shipping / Custody		Are custody seals present? ☐ Yes ☒ No	
Custody seals intact on arrival? ☒ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples			
☐ Courier ☒ Walk-In ☐ Field Sampling ☐ Shipping Info: _____			
Section 3a: Condition / Packaging		☐ Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)	
Date Opened <u>6/23/26</u> By (initials) <u>JKC</u>		Type of ice used: ☐ Wet ☐ Blue/Gel ☒ None	
☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)			
☒ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)			
If no cooler: Observed/Corrected Temp (°C): _____ / _____		Thermometer/IR Gun ID: _____ CF: _____	
Cooler Temp (obs/corr) (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____			
Section 3b: Microbiology Samples		☒ No microbiology samples submitted (skip 3b)	
☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.			
☐ Adequate headspace for microbiology analysis.			
Section 3c: Air Samples		☐ No air samples submitted (skip 3c)	
☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____			
Tedlar Bags received protected from light (ASTM D5504 Sulfur only)? ☐ N/A ☐ Yes ☐ No			
Section 4: Containers / Labels / Samples	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	✓		
2) Is the sampler's name present on the CoC?	✓		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	✓		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			✓
5) Were all of, and only, the correct samples received?	✓		
6) Are sample labels present, legible, and in agreement with the CoC?	✓		
7) Does the container count match the CoC?	✓		
8) Was sufficient sample volume / mass received for the analyses requested?	✓		
9) Were samples received in proper containers for the analyses requested?	✓		
10) Were samples received with > 1/2 holding time remaining?	✓		
11) Are samples properly preserved as indicated by CoC / labels?	✓		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			✓
13) Are VOA vials free from headspace/bubbles > 6mm?			✓
Section 5: Explanations / Comments			
(If no comments are made, then no discrepancies noted.)			
☐ No additional discrepancies			
Form Completed By (print): <u>NCM</u>		(sign): 	
Date Labeled: <u>6/23/26</u> By (print): <u>NIG</u>		(sign):  for NIG	

Analysis Results for 562100

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 562100
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 06/23/26

Sample ID: MS-07

Lab ID: 562100-001

Collected: 06/23/26 07:20

Matrix: Air

562100-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Freon 12	0.50		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Chloromethane	0.48		ppbv	0.053	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Freon 114	0.017		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Bromomethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Chloroethane	0.088		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Methylene Chloride	0.15		ppbv	0.053	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Freon 113	0.068		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Chloroform	0.023		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Benzene	0.14		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Carbon Tetrachloride	0.085		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Trichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Toluene	0.16		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Ethylbenzene	0.020		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
m,p-Xylenes	0.045		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Bromoform	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Styrene	0.020		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
o-Xylene	0.019		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,2,4-Trimethylbenzene	0.020		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562100

562100-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Hexachlorobutadiene	ND		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Xylene (total)	0.064		ppbv	0.011	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD
Surrogates				Limits					
Bromofluorobenzene	98%		%REC	60-140	1.1	407715	06/25/26 15:22	06/25/26 15:22	OHD

Analysis Results for 562100

Sample ID: MS-12
Lab ID: 562100-002
Collected: 06/23/26 07:33
Matrix: Air

562100-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Freon 12	0.50		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Chloromethane	0.48		ppbv	0.050	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Freon 114	0.017		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Vinyl Chloride	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Bromomethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Chloroethane	0.029		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Vinyl bromide	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Trichlorofluoromethane	0.22		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,1-Dichloroethene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Methylene Chloride	0.15		ppbv	0.050	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Freon 113	0.068		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,1-Dichloroethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Chloroform	0.024		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,2-Dichloroethane	0.014		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,1,1-Trichloroethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Benzene	0.10		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Carbon Tetrachloride	0.085		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,2-Dichloropropane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Bromodichloromethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Trichloroethene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,1,2-Trichloroethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Toluene	0.26		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Dibromochloromethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,2-Dibromoethane	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Tetrachloroethene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Chlorobenzene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Ethylbenzene	0.023		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
m,p-Xylenes	0.061		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Bromoform	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Styrene	0.037		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
o-Xylene	0.025		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
2-Chlorotoluene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,2,4-Trimethylbenzene	0.026		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Benzyl chloride	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,3-Dichlorobenzene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,4-Dichlorobenzene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,2-Dichlorobenzene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562100

562100-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Xylene (total)	0.085		ppbv	0.010	1	407715	06/25/26 16:10	06/25/26 16:10	OHD
Surrogates	Limits								
Bromofluorobenzene	98%		%REC	60-140	1	407715	06/25/26 16:10	06/25/26 16:10	OHD

Analysis Results for 562100

Sample ID: MS-08	Lab ID: 562100-003	Collected: 06/23/26 07:41
Matrix: Air		

562100-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Freon 12	0.51		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Chloromethane	0.54		ppbv	0.056	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Freon 114	0.017		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Bromomethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Chloroethane	0.19		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Trichlorofluoromethane	0.23		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Methylene Chloride	0.14		ppbv	0.056	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Freon 113	0.068		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Chloroform	0.023		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Benzene	0.12		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Carbon Tetrachloride	0.085		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Trichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Toluene	0.15		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Ethylbenzene	0.015		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
m,p-Xylenes	0.039		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Bromoform	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Styrene	0.032		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
o-Xylene	0.017		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,2,4-Trimethylbenzene	0.016		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562100

562100-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Xylene (total)	0.056		ppbv	0.011	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD
Surrogates	Limits								
Bromofluorobenzene	99%		%REC	60-140	1.1	407715	06/25/26 16:59	06/25/26 16:59	OHD

Analysis Results for 562100

Sample ID: MS-09
Lab ID: 562100-004
Collected: 06/23/26 07:51
Matrix: Air

562100-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Freon 12	0.51		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Chloromethane	0.49		ppbv	0.055	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Freon 114	0.017		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Bromomethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Chloroethane	0.013		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Trichlorofluoromethane	0.23		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Methylene Chloride	0.11		ppbv	0.055	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Freon 113	0.069		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Chloroform	0.036		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,2-Dichloroethane	0.015		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Benzene	0.088		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Carbon Tetrachloride	0.085		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Trichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Toluene	0.19		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Ethylbenzene	0.021		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
m,p-Xylenes	0.051		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Bromoform	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Styrene	0.013		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
o-Xylene	0.022		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,2,4-Trimethylbenzene	0.023		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562100

562100-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Xylene (total)	0.074		ppbv	0.011	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD
Surrogates	Limits								
Bromofluorobenzene	97%		%REC	60-140	1.1	407715	06/25/26 17:47	06/25/26 17:47	OHD

Analysis Results for 562100

Sample ID: MS-10	Lab ID: 562100-005	Collected: 06/23/26 08:02
Matrix: Air		

562100-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Freon 12	0.51		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Chloromethane	0.48		ppbv	0.055	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Freon 114	0.017		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Bromomethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Chloroethane	0.016		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Trichlorofluoromethane	0.23		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Methylene Chloride	0.10		ppbv	0.055	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Freon 113	0.068		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Chloroform	0.033		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,2-Dichloroethane	0.015		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Benzene	0.16		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Carbon Tetrachloride	0.086		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Trichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Toluene	0.25		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Ethylbenzene	0.022		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
m,p-Xylenes	0.056		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Bromoform	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Styrene	0.034		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
o-Xylene	0.024		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,2,4-Trimethylbenzene	0.021		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562100

562100-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Xylene (total)	0.080		ppbv	0.011	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD
Surrogates	Limits								
Bromofluorobenzene	100%		%REC	60-140	1.1	407715	06/25/26 18:36	06/25/26 18:36	OHD

Analysis Results for 562100

Sample ID: MS-06	Lab ID: 562100-006	Collected: 06/23/26 08:25
Matrix: Air		

562100-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Freon 12	0.50		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Chloromethane	1.2		ppbv	0.056	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Freon 114	0.017		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Vinyl Chloride	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Bromomethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Chloroethane	0.050		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Vinyl bromide	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Trichlorofluoromethane	0.22		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,1-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Methylene Chloride	0.13		ppbv	0.056	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Freon 113	0.068		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,1-Dichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Chloroform	0.026		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,2-Dichloroethane	0.015		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Benzene	0.83		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Carbon Tetrachloride	0.086		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,2-Dichloropropane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Bromodichloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Trichloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Toluene	0.39		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Dibromochloromethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,2-Dibromoethane	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Tetrachloroethene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Chlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Ethylbenzene	0.033		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
m,p-Xylenes	0.061		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Bromoform	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Styrene	0.064		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
o-Xylene	0.026		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
2-Chlorotoluene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,2,4-Trimethylbenzene	0.023		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Benzyl chloride	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562100

562100-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Xylene (total)	0.088		ppbv	0.011	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD
Surrogates	Limits								
Bromofluorobenzene	98%		%REC	60-140	1.1	407715	06/25/26 19:24	06/25/26 19:24	OHD

Analysis Results for 562100

Sample ID: MS-11	Lab ID: 562100-007	Collected: 06/23/26 08:55
Matrix: Air		

562100-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,1,1,2-Tetrachloroethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Freon 12	0.51		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Chloromethane	0.46		ppbv	0.061	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Freon 114	0.017		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Vinyl Chloride	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Bromomethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Chloroethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Vinyl bromide	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Trichlorofluoromethane	0.23		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,1-Dichloroethene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Methylene Chloride	0.13		ppbv	0.061	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Freon 113	0.069		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
trans-1,2-Dichloroethene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,1-Dichloroethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
cis-1,2-Dichloroethene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Chloroform	0.036		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,2-Dichloroethane	0.014		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,1,1-Trichloroethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Benzene	0.074		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Carbon Tetrachloride	0.085		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,2-Dichloropropane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Bromodichloromethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Trichloroethene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
cis-1,3-Dichloropropene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
trans-1,3-Dichloropropene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,1,2-Trichloroethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Toluene	0.13		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Dibromochloromethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,2-Dibromoethane	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Tetrachloroethene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Chlorobenzene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Ethylbenzene	0.019		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
m,p-Xylenes	0.045		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Bromoform	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Styrene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
o-Xylene	0.019		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
2-Chlorotoluene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,3,5-Trimethylbenzene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,2,4-Trimethylbenzene	0.018		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Benzyl chloride	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,3-Dichlorobenzene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,4-Dichlorobenzene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,2-Dichlorobenzene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
1,2,4-Trichlorobenzene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562100

562100-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Xylene (total)	0.064		ppbv	0.012	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD
Surrogates	Limits								
Bromofluorobenzene	96%		%REC	60-140	1.2	407715	06/25/26 20:12	06/25/26 20:12	OHD

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1384933	Batch: 407715
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1384933 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	224.5	200.0	pptv	112%		70-130
1,1,1,2-Tetrachloroethane	225.8	200.0	pptv	113%		70-130
Freon 12	217.7	200.0	pptv	109%		70-130
Chloromethane	164.9	200.0	pptv	82%		70-130
Freon 114	211.6	200.0	pptv	106%		70-130
Vinyl Chloride	179.6	200.0	pptv	90%		70-130
Bromomethane	209.6	200.0	pptv	105%		70-130
Chloroethane	188.6	200.0	pptv	94%		70-130
Vinyl bromide	214.7	200.0	pptv	107%		70-130
Trichlorofluoromethane	233.8	200.0	pptv	117%		70-130
1,1-Dichloroethene	211.9	200.0	pptv	106%		70-130
Methylene Chloride	214.2	200.0	pptv	107%		70-130
Freon 113	221.6	200.0	pptv	111%		70-130
trans-1,2-Dichloroethene	191.2	200.0	pptv	96%		70-130
1,1-Dichloroethane	199.7	200.0	pptv	100%		70-130
cis-1,2-Dichloroethene	188.3	200.0	pptv	94%		70-130
Chloroform	224.8	200.0	pptv	112%		70-130
1,2-Dichloroethane	214.0	200.0	pptv	107%		70-130
1,1,1-Trichloroethane	234.5	200.0	pptv	117%		70-130
Benzene	200.9	200.0	pptv	100%		70-130
Carbon Tetrachloride	231.9	200.0	pptv	116%		70-130
1,2-Dichloropropane	190.9	200.0	pptv	95%		70-130
Bromodichloromethane	222.3	200.0	pptv	111%		70-130
Trichloroethene	213.1	200.0	pptv	107%		70-130
cis-1,3-Dichloropropene	214.0	200.0	pptv	107%		70-130
trans-1,3-Dichloropropene	218.7	200.0	pptv	109%		70-130
1,1,2-Trichloroethane	219.4	200.0	pptv	110%		70-130
Toluene	204.1	200.0	pptv	102%		70-130
Dibromochloromethane	224.1	200.0	pptv	112%		70-130
1,2-Dibromoethane	223.4	200.0	pptv	112%		70-130
Tetrachloroethene	232.6	200.0	pptv	116%		70-130
Chlorobenzene	214.3	200.0	pptv	107%		70-130
Ethylbenzene	201.2	200.0	pptv	101%		70-130
m,p-Xylenes	425.2	400.0	pptv	106%		70-130
Bromoform	233.7	200.0	pptv	117%		70-130
Styrene	204.0	200.0	pptv	102%		70-130
o-Xylene	217.8	200.0	pptv	109%		70-130
2-Chlorotoluene	205.9	200.0	pptv	103%		70-130
1,3,5-Trimethylbenzene	217.7	200.0	pptv	109%		70-130
1,2,4-Trimethylbenzene	215.1	200.0	pptv	108%		70-130
Benzyl chloride	233.1	200.0	pptv	117%		70-130
1,3-Dichlorobenzene	227.8	200.0	pptv	114%		70-130
1,4-Dichlorobenzene	228.0	200.0	pptv	114%		70-130
1,2-Dichlorobenzene	216.7	200.0	pptv	108%		70-130
1,2,4-Trichlorobenzene	154.0	200.0	pptv	77%		70-130
Hexachlorobutadiene	212.4	200.0	pptv	106%		70-130
Surrogates						

Batch QC

QC1384933 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	285.3	250.0	pptv	114%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1384934	Batch: 407715
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1384934 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	229.4	200.0	pptv	115%		70-130	2	25
1,1,1,2-Tetrachloroethane	231.2	200.0	pptv	116%		70-130	2	25
Freon 12	226.9	200.0	pptv	113%		70-130	4	25
Chloromethane	169.6	200.0	pptv	85%		70-130	3	25
Freon 114	213.9	200.0	pptv	107%		70-130	1	25
Vinyl Chloride	180.9	200.0	pptv	90%		70-130	1	25
Bromomethane	209.0	200.0	pptv	104%		70-130	0	25
Chloroethane	185.1	200.0	pptv	93%		70-130	2	25
Vinyl bromide	216.0	200.0	pptv	108%		70-130	1	25
Trichlorofluoromethane	236.2	200.0	pptv	118%		70-130	1	25
1,1-Dichloroethene	215.1	200.0	pptv	108%		70-130	1	25
Methylene Chloride	214.8	200.0	pptv	107%		70-130	0	25
Freon 113	222.2	200.0	pptv	111%		70-130	0	25
trans-1,2-Dichloroethene	196.6	200.0	pptv	98%		70-130	3	25
1,1-Dichloroethane	203.1	200.0	pptv	102%		70-130	2	25
cis-1,2-Dichloroethene	191.2	200.0	pptv	96%		70-130	2	25
Chloroform	227.0	200.0	pptv	114%		70-130	1	25
1,2-Dichloroethane	215.8	200.0	pptv	108%		70-130	1	25
1,1,1-Trichloroethane	236.1	200.0	pptv	118%		70-130	1	25
Benzene	202.6	200.0	pptv	101%		70-130	1	25
Carbon Tetrachloride	233.8	200.0	pptv	117%		70-130	1	25
1,2-Dichloropropane	194.2	200.0	pptv	97%		70-130	2	25
Bromodichloromethane	224.7	200.0	pptv	112%		70-130	1	25
Trichloroethene	215.4	200.0	pptv	108%		70-130	1	25
cis-1,3-Dichloropropene	217.4	200.0	pptv	109%		70-130	2	25
trans-1,3-Dichloropropene	223.1	200.0	pptv	112%		70-130	2	25
1,1,2-Trichloroethane	222.0	200.0	pptv	111%		70-130	1	25
Toluene	206.4	200.0	pptv	103%		70-130	1	25
Dibromochloromethane	228.0	200.0	pptv	114%		70-130	2	25
1,2-Dibromoethane	227.2	200.0	pptv	114%		70-130	2	25
Tetrachloroethene	234.3	200.0	pptv	117%		70-130	1	25
Chlorobenzene	218.4	200.0	pptv	109%		70-130	2	25
Ethylbenzene	202.7	200.0	pptv	101%		70-130	1	25
m,p-Xylenes	429.0	400.0	pptv	107%		70-130	1	25
Bromoform	239.4	200.0	pptv	120%		70-130	2	25
Styrene	207.6	200.0	pptv	104%		70-130	2	25
o-Xylene	220.7	200.0	pptv	110%		70-130	1	25
2-Chlorotoluene	209.8	200.0	pptv	105%		70-130	2	25
1,3,5-Trimethylbenzene	221.4	200.0	pptv	111%		70-130	2	25
1,2,4-Trimethylbenzene	218.6	200.0	pptv	109%		70-130	2	25
Benzyl chloride	236.9	200.0	pptv	118%		70-130	2	25
1,3-Dichlorobenzene	237.2	200.0	pptv	119%		70-130	4	25
1,4-Dichlorobenzene	231.0	200.0	pptv	115%		70-130	1	25
1,2-Dichlorobenzene	221.7	200.0	pptv	111%		70-130	2	25
1,2,4-Trichlorobenzene	190.5	200.0	pptv	95%		70-130	21	25
Hexachlorobutadiene	224.3	200.0	pptv	112%		70-130	5	25

Batch QC

QC1384934 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	282.5	250.0	pptv	113%		70-130		

Batch QC


Type: Blank	Lab ID: QC1384935	Batch: 407715
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1384935 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,1,1,2-Tetrachloroethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Freon 12	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Chloromethane	ND		pptv	50	06/25/26 11:42	06/25/26 11:42
Freon 114	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Vinyl Chloride	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Bromomethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Chloroethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Vinyl bromide	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Trichlorofluoromethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,1-Dichloroethene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Methylene Chloride	ND		pptv	50	06/25/26 11:42	06/25/26 11:42
Freon 113	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
trans-1,2-Dichloroethene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,1-Dichloroethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
cis-1,2-Dichloroethene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Chloroform	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,2-Dichloroethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,1,1-Trichloroethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Benzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Carbon Tetrachloride	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,2-Dichloropropane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Bromodichloromethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Trichloroethene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
cis-1,3-Dichloropropene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
trans-1,3-Dichloropropene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,1,2-Trichloroethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Toluene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Dibromochloromethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,2-Dibromoethane	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Tetrachloroethene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Chlorobenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Ethylbenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
m,p-Xylenes	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Bromoform	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Styrene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
o-Xylene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
2-Chlorotoluene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,3,5-Trimethylbenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,2,4-Trimethylbenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Benzyl chloride	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,3-Dichlorobenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,4-Dichlorobenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,2-Dichlorobenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
1,2,4-Trichlorobenzene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Hexachlorobutadiene	ND		pptv	10	06/25/26 11:42	06/25/26 11:42
Xylene (total)	ND		pptv	10	06/25/26 11:42	06/25/26 11:42

Batch QC

QC1384935 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	88%		%REC	70-130	06/25/26 11:42	06/25/26 11:42

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 261486
REPORT DATE : 06/30/2026


On June 23rd 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	261486-91445
MS-12	261486-91446
MS-08	261486-91447
MS-09	261486-91448
MS-10	261486-91449
MS-06	261486-91450
MS-11	261486-91451


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacalab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261486
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/22-23/2026
RECEIVING DATE : 06/23/2026
ANALYSIS DATE : 06/23/2026
REPORT DATE : 06/30/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	261486-91445	261486-91446	261486-91447	261486-91448
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT


CLIENT : SCS Engineers
PROJECT NO. : 261486
MATRIX : AIR
UNITS : ppmv

SAMPLING DATE : 06/22-23/2026
RECEIVING DATE : 06/23/2026
ANALYSIS DATE : 06/23/2026
REPORT DATE : 06/30/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	261486-91449	261486-91450	261486-91451
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)
Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report

SCAQMD 307.91

Cal Verification Date: 6/23/2026

Analyst: NR/RSF

Units: ppmV

Instrument ID : SCD-BTU

Initial Cal Date : 05/14/2026

Opening Calibration Verification Standard

0.501 ppmV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3533	0.516	103.0	2.3
Duplicate	3391	0.495	98.8	1.8
Triplicate	3436	0.502	100.1	0.5

0.513 ppmV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3442	0.504	98.2	1.5
Duplicate	3368	0.493	96.1	0.7
Triplicate	3364	0.493	96.0	0.8

0.522 ppmV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	3725	0.512	98.0	0.3
Duplicate	3778	0.519	99.4	1.1
Triplicate	3709	0.510	97.6	0.8

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260895-88782

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.000	0.0
MeSH	<PQL	<PQL	0.000	0.0
DMS	<PQL	<PQL	0.000	0.0

Matrix Spike & Duplicate

Sample ID 260895-88782 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	0.251	0.270	0.272	107.7	108.5	0.7
MeSH	<PQL	0.257	0.253	0.264	98.6	102.9	4.3
DMS	<PQL	0.261	0.259	0.268	99.2	102.6	3.4

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	0.501	0.495	98.8
MeSH	0.513	0.483	94.1
DMS	0.522	0.480	91.9

* Must be 95-105%, ** Must be 90-110%, *** Must be <10%, **** Must be <5% RPD from Mean result.

PQL = 0.05 ppmV

CHAIN OF CUSTODY RECORD 261486

Client/Project Name: <u>SCS Engineers /</u> <u>Chivito landfill Airfall sampling</u>		Project Location <u>Venezuela</u>		ANALYSES			
Project No.		Field Logbook No.					
Sampler: (Print) <u>Aiden Sanchez-Osue</u>		(Signature) <u>[Signature]</u>		No. Of Containers <u>7</u>			
Sample No./ Identification	Date	Time	Lab Sample Number	Type of Sample	Remarks		
M5-07	6-22/23-26	0711-0720	91445	10 Liter Bag	X		
M5-12	6-22/23-26	0724-0733	91446	10 Liter Bag	X		
M5-08	6-22/23-26	0735-0741	91447	10 Liter Bag	X		
M5-09	6-22/23-26	0749-0751	91448	10 Liter Bag	X		
M5-10	6-22/23-26	0802-0802	91449	10 Liter Bag	X		
M5-06	6-22/23-26	0825-0825	91450	10 Liter Bag	X		
M5-11	6-22/23-26	0850-0855	91451	10 Liter Bag	X		
30791 SW/4M							
Relinquished by: (Signature) <u>[Signature]</u>		Date <u>6/23/26</u>	Time <u>1020</u>	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		Date	Time
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <u>[Signature]</u>		Date <u>6/23/26</u>	Time <u>1020</u>
Sample Disposal Method:		Disposed of by: (Signature)					
Sample Collector		Analytical Laboratory <u>AAC Ventura</u>					

RTS 
Environmental Inc.
 865 Via Lata • Colton, California 92324
 (909) 422-1001 Fax (909) 422-0707

Sample Summary

Raymond Huff	Lab Job #:	562652
SCS Engineers - Long	Project No:	CHIQUITA WEEKLY AIR
Beach	Location:	Chiquita Canyon Landfill Air/Odor Sampling
3900 Kilroy Airport Way	Date Received:	06/30/26
Suite 300		
Long Beach, CA 90806		

Sample ID	Lab ID	Collected	Matrix
MS-07	562652-001	06/30/26 08:18	Air
MS-12	562652-002	06/30/26 08:32	Air
MS-08	562652-003	06/30/26 08:44	Air
MS-09	562652-004	06/30/26 08:57	Air
MS-10	562652-005	06/30/26 09:07	Air
MS-06	562652-006	06/30/26 09:31	Air
MS-11	562652-007	06/30/26 09:52	Air

Case Narrative

SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806
Raymond Huff

Lab Job Number: 562652
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor
Sampling
Date Received: 06/30/26

- This data package contains sample and QC results for seven air samples, requested for the above referenced project on 06/30/26. The samples were received in good condition.
- Analyses were performed at 2532 E Cerritos Ave., Anaheim, CA, 92806.

Volatile Organics in Air by MS (EPA TO-15 SIM):

No analytical problems were encountered.

331 W. Barkley Ave., Orange, CA 92668
Phone: (714) 771-6900 Fax: (714) 771-9833

Billing: Onterris Laboratories
c/o Onterris Inc.
P.O. Box 741137, Los Angeles, CA 90074-1137

[illegible]

SIGNATURE	PRINT NAME	COMPANY/TITLE	DATE / TIME
	Aiden Sanchez	RES	6/30/26 1312
	ASR	ORG	6/30/26 1312
RELINQUISHED BY:			
RECEIVED BY:			
RELINQUISHED BY:			
RECEIVED BY:			

SAMPLE RECEIPT CHECKLIST

Section 1: General Info			
Date Received: <u>6/30/26</u> Job#: <u>562652</u> Client: <u>SCSLB</u>			
Section 2: Shipping / Custody			
			Are custody seals present? ☐ Yes ☒ No
Custody seals intact on arrival? ☒ N/A ☐ Yes ☐ No ☐ On cooler / box ☐ On samples			
☐ Courier ☒ Walk-In ☐ Field Sampling ☐ Shipping Info: _____			
Section 3a: Condition / Packaging			
			☐ Outside 0.0 - 6.0°C (0.0 - 10.0°C for microbiology) (PM notified)
Date Opened <u>6/30/26</u> By (initials) <u>JXR</u> Type of ice used: ☐ Wet ☐ Blue/Gel ☒ None			
☐ Samples received on ice directly from the field; cooling process had begun. (if checked, skip temperatures)			
☒ Sample matrix doesn't require cooling (e.g. air, bulk PCB). (if checked, skip temperatures)			
If no cooler: Observed/Corrected Temp (°C): _____ / _____ Thermometer/IR Gun ID: _____ CF: _____			
Cooler Temp (obs/corr) (°C) #1: _____ / _____ #2: _____ / _____ #3: _____ / _____ #4: _____ / _____ #5: _____ / _____ #6: _____ / _____			
Section 3b: Microbiology Samples			
			☒ No microbiology samples submitted (skip 3b)
☐ Within temp range 0.0 - 10.0°C or received on ice directly from field.			
☐ Adequate headspace for microbiology analysis.			
Section 3c: Air Samples			
			☐ No air samples submitted (skip 3c)
☐ 1.4L Canisters ☒ 6L Canisters ☐ Tedlar Bags ☐ MCE Cassettes ☐ Sorbent Tubes ☐ Other _____			
Tedlar Bags received protected from light (ASTM D5504 Sulfur only)? ☐ N/A ☐ Yes ☐ No			
Section 4: Containers / Labels / Samples			
	YES	NO	N/A
1) Were custody papers present, filled properly, and legible?	✓		
2) Is the sampler's name present on the CoC?	✓		
3) Were containers received in good condition (unbroken / unopened / uncompromised)?	✓		
4) Were the samples bagged? (required for microbiology samples; recommended for soil samples)			✓
5) Were all of, and only, the correct samples received?	✓		
6) Are sample labels present, legible, and in agreement with the CoC?	✓		
7) Does the container count match the CoC?	✓		
8) Was sufficient sample volume / mass received for the analyses requested?	✓		
9) Were samples received in proper containers for the analyses requested?	✓		
10) Were samples received with > 1/2 holding time remaining?	✓		
11) Are samples properly preserved as indicated by CoC / labels?	✓		
12) Unpreserved VOAs received - If necessary, was the hold time changed in LIMS?			✓
13) Are VOA vials free from headspace/bubbles > 6mm?			✓
Section 5: Explanations / Comments			
(If no comments are made, then no discrepancies noted.)			
<u>4.6 no sampling dates or times on sample labels</u>			
☐ No additional discrepancies			
Form Completed By (print): <u>NCM</u> (sign): 			
Date Labeled: <u>6/30/26</u> By (print): <u>AJR</u> (sign): 			

Analysis Results for 562652

Raymond Huff
SCS Engineers - Long Beach
3900 Kilroy Airport Way
Suite 300
Long Beach, CA 90806

Lab Job #: 562652
Project No: CHIQUITA WEEKLY AIR
Location: Chiquita Canyon Landfill Air/Odor Sampling
Date Received: 06/30/26

Sample ID: MS-07

Lab ID: 562652-001

Collected: 06/30/26 08:18

Matrix: Air

562652-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Freon 12	0.49		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Chloromethane	0.44		ppbv	0.050	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Freon 114	0.017		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Bromomethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Chloroethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Trichlorofluoromethane	0.23		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Methylene Chloride	0.10		ppbv	0.050	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Freon 113	0.067		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Chloroform	0.016		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,2-Dichloroethane	0.013		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Benzene	0.037		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Carbon Tetrachloride	0.086		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Trichloroethene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Toluene	0.068		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Ethylbenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
m,p-Xylenes	0.018		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Bromoform	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Styrene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
o-Xylene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562652

562652-001 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Benzyl chloride	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Hexachlorobutadiene	ND		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Xylene (total)	0.018		ppbv	0.010	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ
Surrogates			Limits						
Bromofluorobenzene	101%		%REC	60-140	1	408251	07/01/26 10:49	07/01/26 10:49	ZNZ

Analysis Results for 562652

Sample ID: MS-12	Lab ID: 562652-002	Collected: 06/30/26 08:32
	Matrix: Air	

562652-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Freon 12	0.50		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Chloromethane	0.44		ppbv	0.056	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Freon 114	0.017		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Chloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Trichlorofluoromethane	0.23		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Methylene Chloride	0.11		ppbv	0.056	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Freon 113	0.069		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Chloroform	0.017		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Benzene	0.041		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Carbon Tetrachloride	0.087		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Toluene	0.072		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Ethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
m,p-Xylenes	0.021		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Bromoform	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Styrene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
o-Xylene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562652

562652-002 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Xylene (total)	0.021		ppbv	0.011	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ
Surrogates	Limits								
Bromofluorobenzene	98%		%REC	60-140	1.1	408251	07/01/26 11:37	07/01/26 11:37	ZNZ

Analysis Results for 562652

Sample ID: MS-08

Lab ID: 562652-003

Collected: 06/30/26 08:44

Matrix: Air

562652-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Freon 12	0.51		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Chloromethane	0.44		ppbv	0.053	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Freon 114	0.018		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Chloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Trichlorofluoromethane	0.23		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Methylene Chloride	0.11		ppbv	0.053	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Freon 113	0.069		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Chloroform	0.017		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Benzene	0.040		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Carbon Tetrachloride	0.089		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Toluene	0.077		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Ethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
m,p-Xylenes	0.022		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Bromoform	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Styrene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
o-Xylene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562652

562652-003 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Xylene (total)	0.022		ppbv	0.011	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ
Surrogates	Limits								
Bromofluorobenzene	101%		%REC	60-140	1.1	408251	07/01/26 12:26	07/01/26 12:26	ZNZ

Analysis Results for 562652

Sample ID: MS-09
Lab ID: 562652-004
Collected: 06/30/26 08:57
Matrix: Air

562652-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Freon 12	0.51		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Chloromethane	0.47		ppbv	0.053	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Freon 114	0.018		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Chloroethane	0.031		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Trichlorofluoromethane	0.23		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Methylene Chloride	0.11		ppbv	0.053	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Freon 113	0.069		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Chloroform	0.021		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Benzene	0.057		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Carbon Tetrachloride	0.088		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Toluene	0.098		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Ethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
m,p-Xylenes	0.022		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Bromoform	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Styrene	0.017		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
o-Xylene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,2,4-Trimethylbenzene	0.011		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562652

562652-004 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Xylene (total)	0.022		ppbv	0.011	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ
Surrogates	Limits								
Bromofluorobenzene	95%		%REC	60-140	1.1	408251	07/01/26 13:14	07/01/26 13:14	ZNZ

Analysis Results for 562652

Sample ID: MS-10
Lab ID: 562652-005
Collected: 06/30/26 09:07
Matrix: Air

562652-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Freon 12	0.50		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Chloromethane	0.45		ppbv	0.052	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Freon 114	0.017		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Bromomethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Chloroethane	0.079		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Trichlorofluoromethane	0.23		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Methylene Chloride	0.12		ppbv	0.052	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Freon 113	0.068		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Chloroform	0.020		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,2-Dichloroethane	0.013		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Benzene	0.063		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Carbon Tetrachloride	0.086		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Trichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Toluene	0.082		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Ethylbenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
m,p-Xylenes	0.022		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Bromoform	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Styrene	0.064		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
o-Xylene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,2,4-Trimethylbenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562652

562652-005 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Xylene (total)	0.022		ppbv	0.010	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ
Surrogates	Limits								
Bromofluorobenzene	95%		%REC	60-140	1	408251	07/01/26 14:03	07/01/26 14:03	ZNZ

Analysis Results for 562652

Sample ID: MS-06
Lab ID: 562652-006
Collected: 06/30/26 09:31
Matrix: Air

562652-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Freon 12	0.51		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Chloromethane	0.45		ppbv	0.050	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Freon 114	0.018		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Vinyl Chloride	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Bromomethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Chloroethane	0.016		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Vinyl bromide	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Trichlorofluoromethane	0.23		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,1-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Methylene Chloride	0.11		ppbv	0.050	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Freon 113	0.070		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,1-Dichloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Chloroform	0.018		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Benzene	0.059		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Carbon Tetrachloride	0.089		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,2-Dichloropropane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Bromodichloromethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Trichloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Toluene	0.092		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Dibromochloromethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,2-Dibromoethane	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Tetrachloroethene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Chlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Ethylbenzene	0.017		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
m,p-Xylenes	0.043		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Bromoform	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Styrene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
o-Xylene	0.019		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
2-Chlorotoluene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,2,4-Trimethylbenzene	0.021		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Benzyl chloride	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562652

562652-006 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Xylene (total)	0.062		ppbv	0.010	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ
Surrogates	Limits								
Bromofluorobenzene	100%		%REC	60-140	1	408251	07/01/26 14:52	07/01/26 14:52	ZNZ

Analysis Results for 562652

Sample ID: MS-11
Lab ID: 562652-007
Collected: 06/30/26 09:52
Matrix: Air

562652-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Method: EPA TO-15 SIM									
Prep Method: METHOD									
1,1,2,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,1,1,2-Tetrachloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Freon 12	0.51		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Chloromethane	0.45		ppbv	0.053	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Freon 114	0.017		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Vinyl Chloride	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Bromomethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Chloroethane	0.18		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Vinyl bromide	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Trichlorofluoromethane	0.23		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,1-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Methylene Chloride	0.12		ppbv	0.053	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Freon 113	0.069		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
trans-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,1-Dichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
cis-1,2-Dichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Chloroform	0.021		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,2-Dichloroethane	0.014		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,1,1-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Benzene	0.035		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Carbon Tetrachloride	0.087		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,2-Dichloropropane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Bromodichloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Trichloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
cis-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
trans-1,3-Dichloropropene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,1,2-Trichloroethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Toluene	0.095		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Dibromochloromethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,2-Dibromoethane	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Tetrachloroethene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Chlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Ethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
m,p-Xylenes	0.019		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Bromoform	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Styrene	0.014		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
o-Xylene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
2-Chlorotoluene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,3,5-Trimethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,2,4-Trimethylbenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Benzyl chloride	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,3-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,4-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,2-Dichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
1,2,4-Trichlorobenzene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ

Results for any subcontracted analyses are not included in this section.

Analysis Results for 562652

562652-007 Analyte	Result	Qual	Units	RL	DF	Batch	Prepared	Analyzed	Chemist
Hexachlorobutadiene	ND		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Xylene (total)	0.019		ppbv	0.011	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ
Surrogates	Limits								
Bromofluorobenzene	93%		%REC	60-140	1.1	408251	07/01/26 15:40	07/01/26 15:40	ZNZ

ND Not Detected

Batch QC

Type: Lab Control Sample	Lab ID: QC1386912	Batch: 408251
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1386912 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
1,1,2,2-Tetrachloroethane	217.8	200.0	pptv	109%		70-130
1,1,1,2-Tetrachloroethane	227.9	200.0	pptv	114%		70-130
Freon 12	206.2	200.0	pptv	103%		70-130
Chloromethane	156.1	200.0	pptv	78%		70-130
Freon 114	205.4	200.0	pptv	103%		70-130
Vinyl Chloride	171.2	200.0	pptv	86%		70-130
Bromomethane	200.2	200.0	pptv	100%		70-130
Chloroethane	174.5	200.0	pptv	87%		70-130
Vinyl bromide	199.8	200.0	pptv	100%		70-130
Trichlorofluoromethane	225.8	200.0	pptv	113%		70-130
1,1-Dichloroethene	192.4	200.0	pptv	96%		70-130
Methylene Chloride	199.5	200.0	pptv	100%		70-130
Freon 113	209.5	200.0	pptv	105%		70-130
trans-1,2-Dichloroethene	173.1	200.0	pptv	87%		70-130
1,1-Dichloroethane	185.1	200.0	pptv	93%		70-130
cis-1,2-Dichloroethene	170.5	200.0	pptv	85%		70-130
Chloroform	213.2	200.0	pptv	107%		70-130
1,2-Dichloroethane	201.0	200.0	pptv	100%		70-130
1,1,1-Trichloroethane	225.0	200.0	pptv	112%		70-130
Benzene	181.1	200.0	pptv	91%		70-130
Carbon Tetrachloride	228.0	200.0	pptv	114%		70-130
1,2-Dichloropropane	183.4	200.0	pptv	92%		70-130
Bromodichloromethane	222.7	200.0	pptv	111%		70-130
Trichloroethene	208.0	200.0	pptv	104%		70-130
cis-1,3-Dichloropropene	206.9	200.0	pptv	103%		70-130
trans-1,3-Dichloropropene	212.4	200.0	pptv	106%		70-130
1,1,2-Trichloroethane	215.2	200.0	pptv	108%		70-130
Toluene	190.0	200.0	pptv	95%		70-130
Dibromochloromethane	227.9	200.0	pptv	114%		70-130
1,2-Dibromoethane	214.4	200.0	pptv	107%		70-130
Tetrachloroethene	220.8	200.0	pptv	110%		70-130
Chlorobenzene	202.8	200.0	pptv	101%		70-130
Ethylbenzene	184.5	200.0	pptv	92%		70-130
m,p-Xylenes	391.6	400.0	pptv	98%		70-130
Bromoform	235.6	200.0	pptv	118%		70-130
Styrene	188.1	200.0	pptv	94%		70-130
o-Xylene	200.6	200.0	pptv	100%		70-130
2-Chlorotoluene	193.7	200.0	pptv	97%		70-130
1,3,5-Trimethylbenzene	200.9	200.0	pptv	100%		70-130
1,2,4-Trimethylbenzene	196.5	200.0	pptv	98%		70-130
Benzyl chloride	233.8	200.0	pptv	117%		70-130
1,3-Dichlorobenzene	219.8	200.0	pptv	110%		70-130
1,4-Dichlorobenzene	219.2	200.0	pptv	110%		70-130
1,2-Dichlorobenzene	209.0	200.0	pptv	105%		70-130
1,2,4-Trichlorobenzene	178.2	200.0	pptv	89%		70-130
Hexachlorobutadiene	213.9	200.0	pptv	107%		70-130
Surrogates						

Batch QC

QC1386912 Analyte	Result	Spiked	Units	Recovery	Qual	Limits
Bromofluorobenzene	285.0	250.0	pptv	114%		70-130

Batch QC

Type: Lab Control Sample Duplicate	Lab ID: QC1386913	Batch: 408251
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1386913 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
1,1,2,2-Tetrachloroethane	216.4	200.0	pptv	108%		70-130	1	25
1,1,1,2-Tetrachloroethane	224.8	200.0	pptv	112%		70-130	1	25
Freon 12	211.6	200.0	pptv	106%		70-130	3	25
Chloromethane	156.8	200.0	pptv	78%		70-130	0	25
Freon 114	205.6	200.0	pptv	103%		70-130	0	25
Vinyl Chloride	170.1	200.0	pptv	85%		70-130	1	25
Bromomethane	198.4	200.0	pptv	99%		70-130	1	25
Chloroethane	176.9	200.0	pptv	88%		70-130	1	25
Vinyl bromide	198.4	200.0	pptv	99%		70-130	1	25
Trichlorofluoromethane	223.2	200.0	pptv	112%		70-130	1	25
1,1-Dichloroethene	193.1	200.0	pptv	97%		70-130	0	25
Methylene Chloride	198.3	200.0	pptv	99%		70-130	1	25
Freon 113	207.9	200.0	pptv	104%		70-130	1	25
trans-1,2-Dichloroethene	174.3	200.0	pptv	87%		70-130	1	25
1,1-Dichloroethane	184.0	200.0	pptv	92%		70-130	1	25
cis-1,2-Dichloroethene	169.8	200.0	pptv	85%		70-130	0	25
Chloroform	211.4	200.0	pptv	106%		70-130	1	25
1,2-Dichloroethane	199.9	200.0	pptv	100%		70-130	1	25
1,1,1-Trichloroethane	223.6	200.0	pptv	112%		70-130	1	25
Benzene	181.3	200.0	pptv	91%		70-130	0	25
Carbon Tetrachloride	225.9	200.0	pptv	113%		70-130	1	25
1,2-Dichloropropane	182.8	200.0	pptv	91%		70-130	0	25
Bromodichloromethane	220.5	200.0	pptv	110%		70-130	1	25
Trichloroethene	206.8	200.0	pptv	103%		70-130	1	25
cis-1,3-Dichloropropene	205.6	200.0	pptv	103%		70-130	1	25
trans-1,3-Dichloropropene	213.7	200.0	pptv	107%		70-130	1	25
1,1,2-Trichloroethane	213.1	200.0	pptv	107%		70-130	1	25
Toluene	189.5	200.0	pptv	95%		70-130	0	25
Dibromochloromethane	225.0	200.0	pptv	113%		70-130	1	25
1,2-Dibromoethane	212.5	200.0	pptv	106%		70-130	1	25
Tetrachloroethene	218.3	200.0	pptv	109%		70-130	1	25
Chlorobenzene	203.2	200.0	pptv	102%		70-130	0	25
Ethylbenzene	185.1	200.0	pptv	93%		70-130	0	25
m,p-Xylenes	392.3	400.0	pptv	98%		70-130	0	25
Bromoform	234.1	200.0	pptv	117%		70-130	1	25
Styrene	188.1	200.0	pptv	94%		70-130	0	25
o-Xylene	199.4	200.0	pptv	100%		70-130	1	25
2-Chlorotoluene	192.5	200.0	pptv	96%		70-130	1	25
1,3,5-Trimethylbenzene	200.9	200.0	pptv	100%		70-130	0	25
1,2,4-Trimethylbenzene	195.9	200.0	pptv	98%		70-130	0	25
Benzyl chloride	231.8	200.0	pptv	116%		70-130	1	25
1,3-Dichlorobenzene	220.0	200.0	pptv	110%		70-130	0	25
1,4-Dichlorobenzene	219.0	200.0	pptv	110%		70-130	0	25
1,2-Dichlorobenzene	207.4	200.0	pptv	104%		70-130	1	25
1,2,4-Trichlorobenzene	177.0	200.0	pptv	88%		70-130	1	25
Hexachlorobutadiene	213.3	200.0	pptv	107%		70-130	0	25

Batch QC

QC1386913 Analyte	Result	Spiked	Units	Recovery	Qual	Limits	RPD	RPD Lim
Surrogates								
Bromofluorobenzene	281.9	250.0	pptv	113%		70-130		

Batch QC


Type: Blank	Lab ID: QC1386914	Batch: 408251
Matrix: Air	Method: EPA TO-15 SIM	Prep Method: METHOD

QC1386914 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
1,1,2,2-Tetrachloroethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,1,1,2-Tetrachloroethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Freon 12	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Chloromethane	ND		pptv	50	07/01/26 09:34	07/01/26 09:34
Freon 114	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Vinyl Chloride	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Bromomethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Chloroethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Vinyl bromide	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Trichlorofluoromethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,1-Dichloroethene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Methylene Chloride	ND		pptv	50	07/01/26 09:34	07/01/26 09:34
Freon 113	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
trans-1,2-Dichloroethene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,1-Dichloroethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
cis-1,2-Dichloroethene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Chloroform	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,2-Dichloroethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,1,1-Trichloroethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Benzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Carbon Tetrachloride	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,2-Dichloropropane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Bromodichloromethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Trichloroethene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
cis-1,3-Dichloropropene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
trans-1,3-Dichloropropene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,1,2-Trichloroethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Toluene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Dibromochloromethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,2-Dibromoethane	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Tetrachloroethene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Chlorobenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Ethylbenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
m,p-Xylenes	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Bromoform	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Styrene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
o-Xylene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
2-Chlorotoluene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,3,5-Trimethylbenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,2,4-Trimethylbenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Benzyl chloride	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,3-Dichlorobenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,4-Dichlorobenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,2-Dichlorobenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
1,2,4-Trichlorobenzene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Hexachlorobutadiene	ND		pptv	10	07/01/26 09:34	07/01/26 09:34
Xylene (total)	ND		pptv	10	07/01/26 09:34	07/01/26 09:34

Batch QC

QC1386914 Analyte	Result	Qual	Units	RL	Prepared	Analyzed
Surrogates				Limits		
Bromofluorobenzene	89%		%REC	70-130	07/01/26 09:34	07/01/26 09:34

ND Not Detected



Atmospheric Analysis & Consulting, Inc.

CLIENT : SCS Engineers
PROJECT NAME : Chiquita Canyon Landfill Air/Odor Sampling
AAC PROJECT NO. : 261559
REPORT DATE : 07/09/2026


On June 30th, 2026, Atmospheric Analysis & Consulting, Inc. received seven (7) Tedlar Bags for Total Reduced Sulfur analysis by SCAQMD 307.91. Upon receipt, the samples were assigned unique Laboratory ID numbers as follows:

Client ID	Lab No.
MS-07	261559-91890
MS-12	261559-91891
MS-08	261559-91892
MS-09	261559-91893
MS-10	261559-91894
MS-06	261559-91895
MS-11	261559-91896


This analysis is performed in accordance with AAC's Quality Manual. Test results apply to the sample(s) as received. For detailed information pertaining to specific EPA, NCASI, ASTM and SCAQMD accreditations (Methods & Analytes), please visit our website at www.aacclab.com.

I certify that this data is technically accurate, complete, and in compliance with the terms and conditions of the contract. No problems were encountered during receiving, preparation, and/or analysis of these samples. The Technical Director or his/her designee, as verified by the following signature, has authorized release of the data.

If you have any questions or require further explanation of data results, please contact the undersigned.


Sucha Parmar, Ph.D.
Technical Director

This report consists of 5 pages.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261559
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/29-30/2026
RECEIVING DATE : 06/30/2026
ANALYSIS DATE : 06/30/2026
REPORT DATE : 07/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-07	MS-12	MS-08	MS-09
AAC ID	261559-91890	261559-91891	261559-91892	261559-91893
Analyte	Result	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

LABORATORY ANALYSIS REPORT

CLIENT : SCS Engineers
PROJECT NO. : 261559
MATRIX : AIR
UNITS : ppmv


SAMPLING DATE : 06/29-30/2026
RECEIVING DATE : 06/30/2026
ANALYSIS DATE : 06/30/2026
REPORT DATE : 07/09/2026

Total Reduced Sulfur Compounds by SCAQMD 307.91

Client ID	MS-10	MS-06	MS-11
AAC ID	261559-91894	261559-91895	261559-91896
Analyte	Result	Result	Result
Hydrogen Sulfide	< 0.005	< 0.005	< 0.005
COS / SO ₂	< 0.005	< 0.005	< 0.005
Methyl Mercaptan	< 0.005	< 0.005	< 0.005
Ethyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Sulfide	< 0.005	< 0.005	< 0.005
Carbon Disulfide	< 0.005	< 0.005	< 0.005
Isopropyl Mercaptan	< 0.005	< 0.005	< 0.005
tert-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
n-Propyl Mercaptan	< 0.005	< 0.005	< 0.005
Methylethylsulfide	< 0.005	< 0.005	< 0.005
sec-Butyl Mercaptan / Thiophene	< 0.005	< 0.005	< 0.005
iso-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Diethyl Sulfide	< 0.005	< 0.005	< 0.005
n-Butyl Mercaptan	< 0.005	< 0.005	< 0.005
Dimethyl Disulfide	< 0.005	< 0.005	< 0.005
2-Methylthiophene	< 0.005	< 0.005	< 0.005
3-Methylthiophene	< 0.005	< 0.005	< 0.005
Tetrahydrothiophene	< 0.005	< 0.005	< 0.005
Bromothiophene	< 0.005	< 0.005	< 0.005
Thiophenol	< 0.005	< 0.005	< 0.005
Diethyl Disulfide	< 0.005	< 0.005	< 0.005
Total Unidentified Sulfur	< 0.005	< 0.005	< 0.005
Total Reduced Sulfurs	< 0.005	< 0.005	< 0.005

All unidentified compound's concentrations expressed in terms of H₂S (TRS does not include COS and SO₂)

Sample Reporting Limit (SRL) is equal to Reporting Limit x Analysis Dil. Fac.



Atmospheric Analysis & Consulting, Inc.

Quality Control/Quality Assurance Report SCAQMD 307.91

Cal Verification Date: 6/30/2026
Analyst: NR/RSF
Units: ppbV

Instrument ID : SCD#10
Initial Cal Date : 06/01/2026

Opening Calibration Verification Standard

501.3 ppbV H₂S (GC-031226-01)

H ₂ S	Resp. (area)	Result	% Rec *	% RPD ****
Initial	12057	510	101.8	3.5
Duplicate	11575	490	97.7	0.6
TriPLICATE	11307	479	95.5	2.9

513.3 ppbV MeSH (GC-031226-01)

MeSH	Resp. (area)	Result	% Rec *	% RPD ****
Initial	11801	523	101.9	4.1
Duplicate	11011	488	95.1	2.8
TriPLICATE	11189	496	96.7	1.3

522.3 ppbV DMS (GC-031226-01)

DMS	Resp. (area)	Result	% Rec *	% RPD ****
Initial	12892	545	104.3	3.3
Duplicate	12114	512	98.0	2.9
TriPLICATE	12419	525	100.4	0.4

Method Blank

Analyte	Result
H ₂ S	<PQL
MeSH	<PQL
DMS	<PQL

Duplicate Analysis

Sample ID 260895-88782

Analyte	Sample Result	Duplicate Result	Mean	% RPD ***
H ₂ S	<PQL	<PQL	0.0	0.0
MeSH	<PQL	<PQL	0.0	0.0
DMS	<PQL	<PQL	0.0	0.0

Matrix Spike & Duplicate

Sample ID 260895-88782 x2

Analyte	Sample Conc.	Spike Added	MS Result	MSD Result	MS % Rec **	MSD % Rec **	% RPD ***
H ₂ S	<PQL	250.6	254.7	254.2	101.6	101.4	0.2
MeSH	<PQL	256.6	257.2	258.1	100.2	100.6	0.4
DMS	<PQL	261.1	279.6	271.1	107.1	103.8	3.1

Closing Calibration Verification Standard

Analyte	Std. Conc.	Result	% Rec **
H ₂ S	501.3	481.7	96.1
MeSH	513.3	499.2	97.3
DMS	522.3	514.7	98.6

* Must be 95-105%, ** Must be 90-110%, *** Must be <10%, **** Must be <5% RPD from Mean result.

PQL = 50.0 ppbV

CHAIN OF CUSTODY RECORD 261559

Client/Project Name <i>SES ENGINEERS/ Chualar Landfill Air/Odor Sampling</i>		Project Location <i>Valencia, CA</i>		ANALYSES		
Project No.	Field Logbook No.	No. Of Containers <i>7</i>		Remarks		
Sampler: (Print) <i>AJEN SANCHEZ-ORTEGA</i>		(Signature) <i>[Signature]</i>		307.9154141		
Sample No./ Identification	Date	Time	Lab Sample Number			Type of Sample
MS-07	6-29/30-26	0818-0818	91890			10 Liter Bag
MS-12	6-29/30-26	0832-0832	91891			10 Liter Bag
MS-08	6-29/30-26	0844-0844	91892			10 Liter Bag
MS-09	6-29/30-26	0857-0857	91893			10 Liter Bag
MS-10	6-29/30-26	0907-0907	91894			10 Liter Bag
MS-06	6-29/30-26	0931-0931	91895			10 Liter Bag
MS-11	6-29/30-26	0952-0952	91896	10 Liter Bag		
Relinquished by: (Signature) <i>[Signature]</i>		Date 6/30/26	Time 1115	Received by: (Signature)		
Relinquished by: (Signature)		Date	Time	Received by: (Signature)		
Relinquished by: (Signature)		Date	Time	Received for Laboratory: (Signature) <i>[Signature]</i>		
Sample Disposal Method:		Disposed of by: (Signature)				
Sample Collector		Analytical Laboratory <i>AAC Ventura</i>				



Environmental Inc.

865 Via Lata • Colton, California 92324
(909) 422-1001 Fax (909) 422-0707