

From: Rainey, Chuck <CRainey@scsengineers.com>
Sent: Tuesday, August 11, 2026 7:44 PM
To: Baitong Chen; Christina Ojeda; Nathaniel Dickel
Cc: Fong, Cornelius; Stephens, Gabrielle; Sullivan, Pat; Viswanathan, Srividhya; Steve Cassulo; Dylan Smith; John Perkey; Heidi P. Knight; Leigh S. Barton; Kevin Green; Bill Haley; Lauren M. Murvihill
Subject: RE: Chiquita SOFA Monthly Report - June 2026 - Submittal
Attachments: 2026 May and June_SOFA Condition 8(m) Liquid Level Report_2026.08.11.xlsx; 2026-08-11_CCLF SOFA Condition 8(m) Map - JUNE.pdf; 2026-08-11_CCLF SOFA Condition 8(m) Map - MAY.pdf

[EXTERNAL SENDER: Use caution with links/attachments]

Good Evening Chris,

Please find attached the updated Liquid Level Reports, and the required maps displaying the wellfield, for the May 2026 and June 2026 Monthly SOFA Reports.

If you have any further questions, do not hesitate to ask.

Thank you,

Chuck Rainey, PE
Project Professional
SCS Engineers
3900 Kilroy Airport Way, Suite 300
Long Beach, CA 90806 USA
601-331-2059
crainey@scsengineers.com

Driven by Client Success
www.scsengineers.com

From: Baitong Chen <bchen@aqmd.gov>
Sent: Tuesday, August 4, 2026 4:24 PM
To: Rainey, Chuck <CRainey@scsengineers.com>; Christina Ojeda <cojeda@aqmd.gov>; Nathaniel Dickel <NDickel@aqmd.gov>
Cc: Fong, Cornelius <CFong@scsengineers.com>; Stephens, Gabrielle <gstephens@scsengineers.com>; Sullivan, Pat <PSullivan@SCSEngineers.com>; Viswanathan, Srividhya <SViswanathan@scsengineers.com>; Steve Cassulo <Steven.Cassulo@WasteConnections.com>; Dylan Smith <Dylan.Smith@WasteConnections.com>; John Perkey <John.Perkey@wasteconnections.com>; Heidi P. Knight <hknight@bdlaw.com>; Leigh S. Barton <LBarton@bdlaw.com>; Kevin Green <Kevin.Green@WasteConnections.com>; Bill Haley <william.haley@wasteconnections.com>; Lauren M. Murvihill <lmurvihill@bdlaw.com>
Subject: RE: Chiquita SOFA Monthly Report - June 2026 - Submittal

This email originated from outside of SCS Engineers. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Good Afternoon Chuck,

Thank you very much for providing the Monthly Reports for May (submitted June) and June (submitted July) 2026. We have the following questions regarding the fulfillment of the requirements of revised Condition 8(m) of the Order for Abatement.

Revised Condition 8(m) requires, amongst other items, *“a table in Microsoft Excel format, detailing vertical extraction well IDs, installation dates, desired and/or required drill depth per Condition 15(b), drill depth achieved, if the well has a dewatering pump, and, to the extent available, the most recent liquid level readings (date, time, values); and a map displaying the as-built wellfield, with visual indication of wells which are and are not at desired depths.”*

- The provided Excel sheets titled “Liquid Level Report” do not appear to include the following:
 - o Well installation dates
 - o Desired and/or required drill depth per Condition 15(b)
- Additionally, each monthly report seems to be missing the required map displaying the as-built wellfield, with visual indication of wells which are and are not at desired depths.

Please provide updated Excel files, and the required maps for the May and June 2026 Monthly Reports by **August 11, 2026**.

Thanks,
Chris

Chiquita Canyon Landfill
Castaic, Ca
May 2026 Liquid Level Report

Well ID	Well Installation Date	Desired/Required Drill Depth (ft)	Drill Depth Achieved (ft)	Liquid Level Data Collection Date and Time	TOC to Depth to liquid (ft)	Pump Installed (Y/N)
CV-108-52	Not Available	Not Available	Not Available	5/18/26 11:07	17.0	N
CV-113	Not Available	Not Available	58	5/18/26 13:09	31.0	N
CV-114	Not Available	Not Available	45	N/A	N/A	N
CV-1532A	Not Available	105.2	92	5/4/26 14:39	25.0	N
CV-1534A-PLR	Not Available	129.0	90	N/A	N/A	N
CV-1535	7/9/2015	132.9	133	5/18/26 16:00	49.0	N
CV-1601D	9/18/2016	147.4	149	5/19/26 11:15	86.0	N
CV-1601S	9/18/2016	147.4	149	5/19/26 11:16	54.0	N
CV-1901	Not Available	Not Available	100	5/1/26 0:00	37.2	N
CV-1902A	Not Available	152.0	74	Not Available	Not Available	Y
CV-2001	9/22/2020	88.0	88	Not Available	Not Available	Y
CV-2002	9/23/2020	118.0	91	5/1/26 0:00	59.3	N
CV-2003	9/28/2020	156.0	95	5/18/26 11:27	36.0	N
CV-2006	9/30/2020	134.0	112	N/A	N/A	N
CV-2007	9/21/2020	197.0	119	N/A	N/A	N
CV-2201-PLR	8/24/2022	250.0	123	N/A	N/A	N
CV-2204-PLR	Not Available	Not Available	240	N/A	N/A	N
CV-2301	8/2/2023	302.6	202	5/13/26 8:39	55.0	N
CV-2302	9/14/2023	292.7	150	Not Available	Not Available	Y
CV-2303	8/16/2023	246.4	120	5/1/26 0:00	113.6	Y
CV-2304-PLR	8/1/2023	292.4	145	N/A	N/A	N
CV-2305	7/21/2023	318.4	183	Not Available	Not Available	Y
CV-2306	9/8/2023	169.2	147	5/1/26 0:00	144.3	N
CV-2308-PLR	8/4/2023	208.7	100	N/A	N/A	N
CV-2310-PLR	8/3/2023	277.1	162	N/A	N/A	N
CV-2311	8/10/2023	119.1	117	Not Available	Not Available	Y
CV-2312	7/20/2023	316.4	197	5/1/26 0:00	194.0	N
CV-2314-PLR	7/18/2023	315.7	203	Not Available	Not Available	Y
CV-2315	9/7/2023	295.0	180	5/4/26 14:41	63.0	N
CV-2322	9/6/2023	305.9	185	N/A	N/A	N
CV-2326	8/11/2023	126.7	127	Not Available	Not Available	Y
CV-2327	9/13/2023	305.8	185	5/12/26 11:15	19.0	N
CV-2328	9/12/2023	304.7	171	Not Available	Not Available	Y
CV-2333	9/12/2023	115.3	115	Not Available	Not Available	Y
CV-2335	9/20/2023	65.0	62	N/A	N/A	N
CV-2336	9/20/2023	98.0	97	Not Available	Not Available	Y
CV-2337	9/22/2023	114.0	112	Not Available	Not Available	Y
CV-2338	10/4/2026	135.0	90	Not Available	Not Available	Y
CV-2339	9/18/2023	161.0	100	Not Available	Not Available	Y
CV-2341	9/14/2023	221.0	120	Not Available	Not Available	Y
CV-2342A-PLR	Not Available	73.0	69	N/A	N/A	N
CV-2343-PLR	10/3/2023	169.0	167	5/18/26 15:59	17.0	Y
CV-2344	10/6/2023	213.0	147	Not Available	Not Available	Y
CV-2345	10/9/2023	211.0	110	Not Available	Not Available	Y
CV-2346	9/26/2023	212.0	183	N/A	N/A	N
CV-2347	9/29/2023	211.0	174	N/A	N/A	N
CV-2348	9/19/2023	226.0	169	Not Available	Not Available	Y
CV-2349	9/29/2023	94.0	92	Not Available	Not Available	Y
CV-2350	9/28/2023	134.0	120	N/A	N/A	N
CV-2351	9/25/2023	37.0	36	N/A	N/A	N
CV-2352	9/25/2023	46.0	42	Not Available	Not Available	Y
CV-2353-PLR	9/27/2023	55.0	52	5/4/26 14:41	23.0	N

Chiquita Canyon Landfill
Castaic, Ca
May 2026 Liquid Level Report

Well ID	Well Installation Date	Desired/Required Drill Depth (ft)	Drill Depth Achieved (ft)	Liquid Level Data Collection Date and Time	TOC to Depth to liquid (ft)	Pump Installed (Y/N)
CV-2354	10/2/2023	47.9	47	Not Available	Not Available	Y
CV-24001	12/29/2023	38.9	52	N/A	N/A	N
CV-24002	1/16/2024	32.7	47	5/1/26 0:00	36.1	N
CV-24003	1/17/2024	29.4	42	N/A	N/A	N
CV-24004	1/17/2024	28.8	42	N/A	N/A	N
CV-24006	1/10/2024	101.6	102	5/13/26 12:45	52.0	Y
CV-24007	1/5/2024	88.2	92	5/13/26 14:11	52.0	Y
CV-24008	1/11/2024	82.6	82	Not Available	Not Available	Y
CV-24009	1/25/2024	77.7	77	Not Available	Not Available	Y
CV-24010	1/16/2024	20.2	32	N/A	N/A	N
CV-24011	4/17/2024	129.6	137	N/A	N/A	N
CV-24012	5/21/2024	161.7	71	Not Available	Not Available	Y
CV-24013	2/14/2024	106.3	95	N/A	N/A	N
CV-24014	4/11/2024	80.1	82	N/A	N/A	N
CV-24015	1/12/2024	37.9	42	Not Available	Not Available	Y
CV-24016	4/20/2024	157.3	110	5/14/26 15:23	48.0	Y
CV-24017	4/23/2024	154.3	122	Not Available	Not Available	Y
CV-24018	4/25/2024	207.5	130	Not Available	Not Available	Y
CV-24019	4/26/2024	195.8	105	N/A	N/A	N
CV-24020	6/3/2024	185.5	40	N/A	N/A	N
CV-24021	4/16/2024	164.2	42	N/A	N/A	N
CV-24022-PLR	1/18/2024	110.6	112	Not Available	Not Available	Y
CV-24023	1/19/2024	75.3	75	Not Available	Not Available	Y
CV-24024-PLR	1/12/2024	19.2	32	Not Available	Not Available	Y
CV-24025	6/5/2024	240.1	125	Not Available	Not Available	Y
CV-24026	6/11/2024	228.9	60	Not Available	Not Available	Y
CV-24027	5/21/2024	160.9	42	Not Available	Not Available	Y
CV-24028	1/25/2024	126.9	102	Not Available	Not Available	Y
CV-24029	1/29/2024	96.6	97	N/A	N/A	N
CV-24030	1/11/2024	44.6	52	Not Available	Not Available	Y
CV-24031	6/10/2024	241.8	120	5/27/26 10:14	41.0	Y
CV-24032	6/6/2024	273.7	108	5/19/26 11:59	29.0	Y
CV-24033	6/6/2024	264.7	96	Not Available	Not Available	Y
CV-24034	5/20/2024	155.0	55	Not Available	Not Available	Y
CV-24035-PLR	3/11/2024	117.4	123	N/A	N/A	N
CV-24036	6/7/2024	230.7	71	Not Available	Not Available	Y
CV-24037	5/30/2024	273.4	114	Not Available	Not Available	Y
CV-24038	5/31/2024	276.7	50	N/A	N/A	N
CV-24039	5/31/2024	269.9	50	Not Available	Not Available	Y
CV-24040	6/3/2024	220.7	57	Not Available	Not Available	Y
CV-24041	5/7/2024	199.3	55	Not Available	Not Available	Y
CV-24042	4/16/2024	156.3	133	N/A	N/A	N
CV-24043	5/28/2024	237.4	90	5/29/26 12:36	52.0	Y
CV-24044	6/10/2024	262.3	122	Not Available	Not Available	Y
CV-24045	5/30/2024	280.3	70	Not Available	Not Available	Y
CV-24046	6/11/2024	274.5	80	Not Available	Not Available	Y
CV-24048	6/17/2024	255.9	72	5/12/26 12:52	25.0	N
CV-24049	4/30/2024	223.9	148	Not Available	Not Available	Y
CV-24050	5/28/2024	232.2	97	N/A	N/A	N
CV-24051	6/10/2024	277.9	73	Not Available	Not Available	Y
CV-24052	6/4/2024	293.8	73	5/12/26 11:02	33.0	Y
CV-24053	1/29/2024	289.2	112	Not Available	Not Available	Y

Chiquita Canyon Landfill
Castaic, Ca
May 2026 Liquid Level Report

Well ID	Well Installation Date	Desired/Required Drill Depth (ft)	Drill Depth Achieved (ft)	Liquid Level Data Collection Date and Time	TOC to Depth to liquid (ft)	Pump Installed (Y/N)
CV-24054	7/26/2024	274.2	100	Not Available	Not Available	Y
CV-24055	4/3/2024	244.4	195	Not Available	Not Available	Y
CV-24056	5/24/2024	248.3	114	Not Available	Not Available	Y
CV-24057	5/29/2024	284.6	135	Not Available	Not Available	Y
CV-24058	5/29/2024	280.1	90	Not Available	Not Available	Y
CV-24059	5/17/2024	291.2	120	Not Available	Not Available	Y
CV-24060	4/30/2024	294.0	164	Not Available	Not Available	Y
CV-24061	5/1/2024	295.7	137	Not Available	Not Available	Y
CV-24062	5/2/2024	296.5	103	Not Available	Not Available	Y
CV-24063	5/3/2024	304.4	150	Not Available	Not Available	Y
CV-24064-PLR	5/2/2024	307.5	170	N/A	N/A	N
CV-24065-TP17	2/28/2024	287.9	135	Not Available	Not Available	Y
CV-24066	5/22/2024	280.3	124	Not Available	Not Available	Y
CV-24067	6/13/2024	282.2	132	Not Available	Not Available	Y
CV-24068	7/25/2024	296.9	170	N/A	N/A	N
CV-24069	4/19/2024	299.6	186	Not Available	Not Available	Y
CV-24070	5/16/2024	300.6	148	Not Available	Not Available	Y
CV-24071	4/25/2024	301.7	110	Not Available	Not Available	Y
CV-24072	5/6/2024	304.4	120	Not Available	Not Available	Y
CV-24073-TP13	3/12/2024	307.0	166	Not Available	Not Available	Y
CV-24074	5/3/2024	310.2	147	Not Available	Not Available	Y
CV-24075-TP15	3/13/2024	313.1	170	Not Available	Not Available	Y
CV-24076	5/7/2024	311.4	165	5/1/26 0:00	27.8	N
CV-24077	4/12/2024	288.7	179	5/22/26 15:33	47.0	Y
CV-24078	5/23/2024	284.9	134	Not Available	Not Available	Y
CV-24079-TP8	4/10/2024	297.1	180	Not Available	Not Available	Y
CV-24080	5/18/2024	310.7	173	5/13/26 9:32	69.0	N
CV-24081-TP10	3/19/2024	309.9	130	5/13/26 12:15	67.0	Y
CV-24082	4/18/2024	308.6	140	Not Available	Not Available	Y
CV-24083	4/27/2024	307.9	132	Not Available	Not Available	Y
CV-24084-TP11	3/15/2024	304.8	158	Not Available	Not Available	Y
CV-24085	5/24/2024	288.2	132	Not Available	Not Available	Y
CV-24086	5/16/2024	315.2	135	5/14/26 15:28	93.0	N
CV-24087	5/17/2024	321.7	128	N/A	N/A	N
CV-24088	4/24/2024	305.0	130	N/A	N/A	N
CV-24089	5/29/2024	295.4	147	Not Available	Not Available	Y
CV-24090	5/31/2024	309.7	177	Not Available	Not Available	Y
CV-24091	5/14/2024	325.0	170	Not Available	Not Available	Y
CV-24093	5/11/2024	319.5	135	Not Available	Not Available	Y
CV-24094	5/10/2024	312.7	140	5/1/26 0:00	137.0	N
CV-24095	1/8/2024	73.8	82	N/A	N/A	N
CV-24096	12/13/2023	45.3	52	N/A	N/A	N
CV-24097	12/8/2023	52.6	62	N/A	N/A	N
CV-24098	12/6/2023	54.1	57	Not Available	Not Available	Y
CV-24099	12/6/2023	64.1	67	N/A	N/A	N
CV-24100	12/7/2023	74.7	77	Not Available	Not Available	Y
CV-24101	12/7/2023	83.1	87	Not Available	Not Available	Y
CV-24102	4/10/2024	158.1	162	Not Available	Not Available	Y
CV-24103	6/5/2024	228.0	113	5/22/26 14:00	46.0	N
CV-24104	6/4/2024	239.1	170	N/A	N/A	N
CV-24105	5/31/2024	248.0	144	N/A	N/A	N
CV-24106	5/29/2024	257.0	117	5/26/26 16:08	105.0	N

Chiquita Canyon Landfill
Castaic, Ca
May 2026 Liquid Level Report

Well ID	Well Installation Date	Desired/Required Drill Depth (ft)	Drill Depth Achieved (ft)	Liquid Level Data Collection Date and Time	TOC to Depth to liquid (ft)	Pump Installed (Y/N)
CV-24120	1/15/2024	48.8	57	Not Available	Not Available	Y
CV-24121	1/15/2024	56.6	62	N/A	N/A	N
CV-24122	4/9/2024	44.8	47	N/A	N/A	N
CV-24126	3/29/2024	147.8	137	Not Available	Not Available	Y
CV-24138	12/12/2023	19.8	32	Not Available	Not Available	Y
CV-24139	12/14/2023	21.3	32	Not Available	Not Available	Y
CV-24140	12/14/2023	29.5	42	Not Available	Not Available	Y
CV-24141	12/29/2023	19.3	32	5/13/26 15:15	16.0	N
CV-24142	12/13/2023	30.7	42	5/20/26 16:12	24.0	Y
CV-24143	12/15/2023	25.2	37	Not Available	Not Available	Y
CV-24144	1/9/2024	37.6	47	Not Available	Not Available	Y
CV-24145	6/5/2024	147.3	80	N/A	N/A	N
CV-24146	6/20/2024	32.5	47	N/A	N/A	N
CV-24147	6/12/2024	26.6	42	N/A	N/A	N
CV-24148	7/30/2024	313.0	129	Not Available	Not Available	Y
CV-24149	7/24/2024	311.3	140	5/1/26 0:00	7.4	N
CV-24150	8/16/2024	295.7	109	Not Available	Not Available	Y
CV-24151	7/16/2024	307.2	116	Not Available	Not Available	Y
CV-24152	7/17/2024	312.1	155	Not Available	Not Available	Y
CV-24153	8/7/2024	312.0	123	Not Available	Not Available	Y
CV-24154	8/8/2024	293.7	110	Not Available	Not Available	Y
CV-24155	7/19/2024	311.3	132	Not Available	Not Available	Y
CV-24156	7/12/2024	308.5	139	Not Available	Not Available	Y
CV-24157	8/5/2024	308.6	101	Not Available	Not Available	Y
CV-24158	7/11/2024	316.2	137	Not Available	Not Available	Y
CV-24159	7/9/2024	318.6	161	Not Available	Not Available	Y
CV-24160	7/3/2024	308.7	122	Not Available	Not Available	Y
CV-24164	7/31/2024	309.3	114	Not Available	Not Available	Y
CV-24165	7/15/2024	317.6	175	5/1/26 12:52	83.0	Y
CV-24166	7/10/2024	319.7	174	Not Available	Not Available	Y
CV-24167	7/11/2024	306.2	163	Not Available	Not Available	Y
CV-24168	7/12/2024	315.6	172	Not Available	Not Available	Y
CV-24169	8/6/2024	321.0	137	5/1/26 0:00	Not Available	N
CV-24170	6/4/2024	314.4	172	Not Available	Not Available	Y
CV-24171	7/18/2024	316.6	178	Not Available	Not Available	Y
CV-24172	6/14/2024	325.6	142	Not Available	Not Available	Y
CV-24173	7/24/2024	322.8	166	Not Available	Not Available	Y
CV-24174	6/7/2024	321.6	180	Not Available	Not Available	Y
CV-24175	6/5/2024	318.0	172	Not Available	Not Available	Y
CV-24176	8/15/2024	299.7	143	Not Available	Not Available	Y
CV-24177	11/16/2024	243.0	127	Not Available	Not Available	Y
CV-24178	8/14/2024	287.3	152	Not Available	Not Available	Y
CV-24179	11/14/2024	256.0	178	N/A	N/A	N
CV-24180	11/12/2024	265.0	150	Not Available	Not Available	Y
CV-24181	11/11/2024	270.0	148	5/1/26 0:00	73.0	N
CV-24182	11/8/2024	275.0	137	N/A	N/A	N
CV-24183	11/19/2024	280.0	130	5/20/26 16:13	98.0	N
CV-24184	11/7/2024	288.0	149	N/A	N/A	N
CV-24185	10/29/2024	295.0	145	Not Available	Not Available	Y
CV-24186	10/28/2024	293.0	144	Not Available	Not Available	Y
CV-24187	11/18/2024	199.0	130	5/1/26 0:00	103.2	N
CV-24188	6/18/2024	88.5	102	5/1/26 0:00	62.6	N

Chiquita Canyon Landfill
Castaic, Ca
May 2026 Liquid Level Report

Well ID	Well Installation Date	Desired/Required Drill Depth (ft)	Drill Depth Achieved (ft)	Liquid Level Data Collection Date and Time	TOC to Depth to liquid (ft)	Pump Installed (Y/N)
CV-24189	6/17/2024	95.8	107	N/A	N/A	N
CV-24190	6/21/2024	181.8	101	N/A	N/A	N
CV-24192	6/25/2024	162.1	132	N/A	N/A	N
CV-24193	6/28/2024	204.7	115	5/22/26 13:59	88.0	N
CV-24194	6/19/2024	234.2	138	N/A	N/A	N
CV-24195	6/18/2024	243.6	150	5/26/26 16:07	71.0	N
CV-24196	6/14/2024	253.2	143	5/22/26 13:57	117.0	N
CV-24197	6/12/2024	259.1	110	Not Available	Not Available	Y
CV-24198	12/3/2024	274.5	168	5/22/26 13:58	71.0	N
CV-24199	12/4/2024	273.1	150	5/22/26 13:57	137.0	N
CV-24200	12/5/2024	231.4	135	5/22/26 14:51	96.0	N
CV-24201	10/17/2024	215.6	117	5/21/26 8:37	65.0	Y
CV-24202	10/16/2024	202.4	156	Not Available	Not Available	Y
CV-24203	6/24/2024	88.2	97	Not Available	Not Available	Y
CV-24204	6/21/2024	115.2	122	Not Available	Not Available	Y
CV-24205	6/19/2024	115.1	110	Not Available	Not Available	Y
CV-24206	10/18/2024	216.0	188	5/21/26 16:07	81.0	N
CV-24207	7/17/2024	317.1	187	Not Available	Not Available	Y
CV-24219	9/6/2024	299.3	163	Not Available	Not Available	Y
CV-25100D	9/10/2025	178.9	115	Not Available	Not Available	Y
CV-25100S	9/10/2025	178.9	115	N/A	N/A	N
CV-25101D	9/11/2025	238.3	140	N/A	N/A	N
CV-25101S	9/11/2025	238.3	140	N/A	N/A	N
CV-25102	9/22/2025	245.9	70	N/A	N/A	N
CV-25103	Not Available	276.2	76	N/A	N/A	N
CV-25104D	9/17/2025	283.5	115	N/A	N/A	N
CV-25104S	9/17/2025	283.5	115	N/A	N/A	N
CV-25105D	9/16/2025	297.6	140	N/A	N/A	N
CV-25105S	9/16/2025	297.6	140	N/A	N/A	N
CV-25106D	9/12/2025	292.7	92	N/A	N/A	N
CV-25106S	9/12/2025	292.7	92	N/A	N/A	N
CV-2539	10/9/2025	253.8	175	N/A	N/A	N
CV-2540	6/20/2025	308.0	195	Not Available	Not Available	Y
CV-2541	6/19/2025	282.0	165	5/13/26 8:53	57.0	N
CV-2542	7/9/2025	310.0	150	N/A	N/A	N
CV-2543-PLR	6/24/2025	286.0	181	Not Available	Not Available	Y
CV-2544	7/16/2025	303.6	170	Not Available	Not Available	Y
CV-2545	6/27/2025	306.0	147	Not Available	Not Available	Y
CV-2546	7/8/2025	305.0	129	Not Available	Not Available	Y
CV-2550	8/18/2025	307.5	170	N/A	N/A	N
CV-2552	7/17/2025	307.4	136	N/A	N/A	N
CV-2553	6/23/2025	275.0	134	5/13/26 8:19	24.0	Y
CV-2554	6/25/2025	274.0	131	5/12/26 12:27	37.0	N
CV-2555	7/10/2025	282.0	108	Not Available	Not Available	Y
CV-2556-PLR	7/14/2025	291.0	161	N/A	N/A	N
CV-2557	8/22/2025	296.7	160	Not Available	Not Available	Y
CV-2558-PLR	8/20/2025	298.1	175	N/A	N/A	N
CV-2560	9/23/2025	259.0	175	N/A	N/A	N
CV-2564	8/7/2025	295.1	142	5/13/26 9:17	91.0	Y
CV-2565	10/29/2025	267.0	171	N/A	N/A	N
CV-2566	11/13/2025	268.0	173	N/A	N/A	N
CV-2567	10/28/2025	288.0	195	N/A	N/A	N

Chiquita Canyon Landfill
Castaic, Ca
May 2026 Liquid Level Report

Well ID	Well Installation Date	Desired/Required Drill Depth (ft)	Drill Depth Achieved (ft)	Liquid Level Data Collection Date and Time	TOC to Depth to liquid (ft)	Pump Installed (Y/N)
CV-2568	10/24/2025	285.0	186	5/21/26 16:09	102.0	N
CV-2569	10/22/2025	283.0	195	5/5/26 9:52	98.0	N
CV-2570	10/21/2025	278.0	190	5/21/26 16:08	81.0	N



