

Beginning June 8th, 2026, and every Monday thereafter, respondent shall provide a weekly summary of the landfill's air monitoring network to sdutz@aqmd.gov and ahaar@aqmd.gov. The summary shall include:

- (1) a listing of instrument downtime from the prior week for H₂S, methane, VOC, and meteorological parameters;
- (2) cause, corrective action, and recurrence mitigation efforts for any period of downtime;
- (3) weekly average concentration, standard deviation, and range compared with the prior three months of data for H₂S, methane, and speciated VOC for each site; and
- (4) chiquitacanyon.com air monitoring data portal reporting status and data completeness for each instrument and site for the prior week.

Start	Stop	Compound	Location	Cause	Corrective Action	Recurrence Mitigation
2026-08-24 05:00:00	2026-08-24 05:00:00	Benzene	MS-11	These events represent a single issue. The machine only reports data every other hour. The cause is unknown.	Technican will be onsite as soon as possible to address this issue.	Awaiting technician response.
2026-08-23 23:00:00	2026-08-23 23:00:00	Benzene	MS-11			
2026-08-23 21:00:00	2026-08-23 21:00:00	Benzene	MS-11			
2026-08-23 19:00:00	2026-08-23 19:00:00	Benzene	MS-11			
2026-08-23 17:00:00	2026-08-23 17:00:00	Benzene	MS-11			
2026-08-23 15:00:00	2026-08-23 15:00:00	Benzene	MS-11			
2026-08-23 13:00:00	2026-08-23 13:00:00	Benzene	MS-11			
2026-08-23 11:00:00	2026-08-23 11:00:00	Benzene	MS-11			
2026-08-23 09:00:00	2026-08-23 09:00:00	Benzene	MS-11			
2026-08-23 07:00:00	2026-08-23 07:00:00	Benzene	MS-11			
2026-08-23 05:00:00	2026-08-23 05:00:00	Benzene	MS-11			
2026-08-22 22:00:00	2026-08-22 22:00:00	Benzene	MS-11			
2026-08-22 20:00:00	2026-08-22 20:00:00	Benzene	MS-11			
2026-08-22 18:00:00	2026-08-22 18:00:00	Benzene	MS-11			
2026-08-22 16:00:00	2026-08-22 16:00:00	Benzene	MS-11			
2026-08-22 14:00:00	2026-08-22 14:00:00	Benzene	MS-11			
2026-08-22 12:00:00	2026-08-22 12:00:00	Benzene	MS-11			
2026-08-22 10:00:00	2026-08-22 10:00:00	Benzene	MS-11			
2026-08-22 08:00:00	2026-08-22 08:00:00	Benzene	MS-11			
2026-08-22 06:00:00	2026-08-22 06:00:00	Benzene	MS-11			
2026-08-22 04:00:00	2026-08-22 04:00:00	Benzene	MS-11			
2026-08-20 12:00:00	2026-08-22 00:00:00	Benzene	MS-11	Maintenance	Annual GC sensor maintenance	Required downtime
2026-08-19 14:00:00	2026-08-20 05:00:00	Benzene	MS-07	Maintenance	Annual GC sensor maintenance	Required downtime
2026-08-19 09:00:00	2026-08-19 10:00:00	Benzene	MS-12	Clock Sync Issue	Resolved by technician restart	Occasional issues are unaviodable due to complications.
2026-08-18 14:00:00	2026-08-19 05:00:00	Benzene	MS-10	Maintenance	Annual GC sensor maintenance	Required downtime
2026-08-18 11:00:00	2026-08-18 11:00:00	CH4	MS-06	AQM Calibration		
2026-08-18 11:00:00	2026-08-18 11:00:00	H2S	MS-06	AQM Calibration		
2026-08-17 15:00:00	2026-08-17 15:00:00	H2S	MS-01	AQM Calibration		
2026-08-17 15:00:00	2026-08-17 15:00:00	CH4	MS-05	AQM Calibration		
2026-08-19 13:00:00	2026-08-19 13:00:00	H2S	MS-01	AQM Calibration		
2026-08-17 15:00:00	2026-08-17 15:00:00	CH4	MS-01	AQM Calibration		
2026-08-19 13:00:00	2026-08-19 13:00:00	CH4	MS-01	AQM Calibration		
2026-08-18 09:00:00	2026-08-18 09:00:00	H2S	MS-02	AQM Calibration		
2026-08-19 16:00:00	2026-08-19 16:00:00	H2S	MS-02	AQM Calibration		
2026-08-18 09:00:00	2026-08-18 09:00:00	CH4	MS-02	AQM Calibration		
2026-08-19 16:00:00	2026-08-19 16:00:00	CH4	MS-02	AQM Calibration		
2026-08-19 11:00:00	2026-08-19 11:00:00	CH4	MS-05	AQM Calibration		
2026-08-17 11:00:00	2026-08-17 12:00:00	CH4	MS-05	AQM Calibration		
2026-08-18 12:00:00	2026-08-18 13:00:00	CH4	MS-03	AQM Calibration		
2026-08-17 17:00:00	2026-08-17 17:00:00	H2S	MS-04	AQM Calibration		
2026-08-18 15:00:00	2026-08-18 15:00:00	H2S	MS-04	AQM Calibration		
2026-08-17 17:00:00	2026-08-17 17:00:00	CH4	MS-04	AQM Calibration		
2026-08-18 15:00:00	2026-08-18 15:00:00	CH4	MS-04	AQM Calibration		
2026-08-17 11:00:00	2026-08-17 12:00:00	H2S	MS-05	AQM Calibration		

2026-08-17 15:00:00	2026-08-17 15:00:00	H2S	MS-05	AQM Calibration		
2026-08-19 11:00:00	2026-08-19 11:00:00	H2S	MS-05	AQM Calibration		
2026-08-18 12:00:00	2026-08-18 13:00:00	H2S	MS-03	AQM Calibration		
2026-08-23 00:00:00	2026-08-23 03:00:00	Benzene	MS-11	GC Calibration		
2026-08-24 03:00:00	2026-08-24 03:00:00	Benzene	MS-11	GC Calibration		
2026-08-18 01:00:00	2026-08-18 03:00:00	Benzene	MS-12	GC Calibration		
2026-08-24 01:00:00	2026-08-24 01:00:00	Benzene	MS-11	GC Calibration		
2026-08-17 01:00:00	2026-08-17 03:00:00	Benzene	MS-08	GC Calibration		
2026-08-19 01:00:00	2026-08-19 03:00:00	Benzene	MS-11	GC Calibration		
2026-08-17 01:00:00	2026-08-17 03:00:00	Benzene	MS-01	GC Calibration		
2026-08-20 01:00:00	2026-08-20 03:00:00	Benzene	MS-01	GC Calibration		
2026-08-24 01:00:00	2026-08-24 03:00:00	Benzene	MS-01	GC Calibration		
2026-08-18 01:00:00	2026-08-18 03:00:00	Benzene	MS-02	GC Calibration		
2026-08-21 01:00:00	2026-08-21 03:00:00	Benzene	MS-02	GC Calibration		
2026-08-19 01:00:00	2026-08-19 03:00:00	Benzene	MS-03	GC Calibration		
2026-08-23 01:00:00	2026-08-23 03:00:00	Benzene	MS-03	GC Calibration		
2026-08-22 02:00:00	2026-08-22 02:00:00	Benzene	MS-11	GC Calibration		
2026-08-21 01:00:00	2026-08-21 03:00:00	Benzene	MS-04	GC Calibration		
2026-08-23 01:00:00	2026-08-23 03:00:00	Benzene	MS-06	GC Calibration		
2026-08-19 01:00:00	2026-08-19 03:00:00	Benzene	MS-07	GC Calibration		
2026-08-23 01:00:00	2026-08-23 03:00:00	Benzene	MS-07	GC Calibration		
2026-08-20 01:00:00	2026-08-20 03:00:00	Benzene	MS-08	GC Calibration		
2026-08-24 01:00:00	2026-08-24 03:00:00	Benzene	MS-08	GC Calibration		
2026-08-17 01:00:00	2026-08-17 03:00:00	Benzene	MS-10	GC Calibration		
2026-08-20 01:00:00	2026-08-20 03:00:00	Benzene	MS-10	GC Calibration		
2026-08-19 01:00:00	2026-08-19 03:00:00	Benzene	MS-06	GC Calibration		
2026-08-21 01:00:00	2026-08-21 03:00:00	Benzene	MS-12	GC Calibration		

Monitoring Station	Compound	Weekly Average	3 Month Average	Weekly Std	3 Month Std	Weekly Min	3 Month Min	Weekly Max	3 Month Max
MS-01	Propene	0.06	0.1	0.05	0.12	0	0	0.26	1.42
	Ethanol	1.73	0.89	1.55	1.33	0	0	9.69	16.01
	Acetone	1.67	0.54	1.32	1.67	0	0	5.6	28.64
	DMS	0	0	0	0	0	0	0	0
	IPA	1.4	0.6	1.17	0.9	0	0	6.56	7.78
	2-Butanone	0.01	0.16	0.04	0.16	0	0	0.26	1.55
	THF	0.14	0.11	0.08	0.17	0	0	0.57	1.77
	Benzene	0.11	0.13	0.05	0.13	0.03	0	0.36	3.35
	Toluene	0.07	0.05	0.09	0.08	0	0	0.51	1.08
	Ethylbenzene	0.02	0.02	0.08	0.06	0	0	0.48	0.75
	m,p-Xylene	0.02	0.02	0.07	0.06	0	0	0.51	0.81
	Isopropyltoluene	0.02	0.07	0.04	0.47	0	0	0.25	13.29
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.04	0.02	0.03	0.03	0	0	0.31	0.38
	Hexane	0.01	0.01	0.03	0.05	0	0	0.24	0.63
	Styrene	0.02	0.02	0.09	0.08	0	0	0.73	1.31
	Acrolein	0.06	0.03	0.04	0.08	0	0	0.23	1.94
	CH4	3966	4426	683	1309	3030	1920	8220	17220
	H2S	1.54	1.51	1.08	0.92	0	0	9	9
	SO2	2.69	2.77	2.5	2.76	0	0	11	23
	PM2.5	2.13	2.18	0.95	1.2	0.68	0.37	6.36	14.41
	PM10	4.41	4.07	3.31	3.55	1.32	0.57	23.93	60.47
MS-02	Propene	0.05	0.07	0.15	0.15	0	0	1.2	1.86
	Ethanol	1.31	0.53	1.66	1.08	0	0	5.99	5.99
	Acetone	1.93	1.13	0.84	1.13	0.82	0	5	6.78
	DMS	0	0	0	0	0	0	0	0
	IPA	0.96	0.47	0.47	0.46	0.19	0	2.4	3.67
	2-Butanone	0.18	0.14	0.09	0.11	0.01	0	0.49	0.88
	THF	0.08	0.04	0.06	0.07	0	0	0.39	0.92
	Benzene	0.11	0.06	0.08	0.07	0.02	0	0.77	0.77
	Toluene	0.06	0.04	0.07	0.05	0	0	0.37	0.67
	Ethylbenzene	0.03	0.01	0.04	0.03	0	0	0.28	0.7
	m,p-Xylene	0.02	0.01	0.04	0.05	0	0	0.33	0.93
	Isopropyltoluene	0.01	0.02	0.03	0.07	0	0	0.17	0.99
	Methanol	0.02	0.01	0.09	0.07	0	0	0.51	2.12
	Carbon Disulfide	0	0	0.03	0.03	0	0	0.28	0.34
	Hexane	0.01	0.01	0.03	0.04	0	0	0.27	0.6

	Styrene	0.01	0.01	0.04	0.04	0	0	0.37	0.8
	Acrolein	0	0	0	0.05	0	0	0	1.79
	CH4	6127	4658	3448	2436	3720	2740	20690	25900
	H2S	0.99	0.51	0.99	0.69	0	0	4	4
	SO2	0.21	0.16	0.6	0.62	0	0	4	10
	PM2.5	2.41	1.71	1.16	1.44	0.73	0	8.32	15.69
	PM10	4.7	3.14	3.18	3.92	1.43	0	21.5	119.12
MS-03	Propene	0.28	0.16	0.37	0.27	0	0	1.62	3.97
	Ethanol	1	0.46	1.28	1.11	0	0	3.92	18.01
	Acetone	0	0	0	0	0	0	0	0.11
	DMS	0	0	0	0	0	0	0	0
	IPA	0.63	0.41	0.31	0.29	0.14	0	2.12	2.65
	2-Butanone	0.19	0.08	0.29	0.21	0	0	0.95	1.18
	THF	0.02	0.01	0.06	0.05	0	0	0.43	0.45
	Benzene	0.09	0.07	0.07	0.06	0	0	0.35	0.88
	Toluene	0.1	0.06	0.12	0.08	0	0	0.6	0.63
	Ethylbenzene	0.03	0.02	0.05	0.05	0	0	0.46	0.46
	m,p-Xylene	0.02	0.02	0.07	0.06	0	0	0.58	0.59
	Isopropyltoluene	0.06	0.19	0.13	0.61	0	0	0.92	6.83
	Methanol	0	0	0	0.01	0	0	0	0.21
	Carbon Disulfide	0	0	0.02	0.04	0	0	0.2	1.2
	Hexane	0.01	0	0.05	0.04	0	0	0.35	0.58
	Styrene	0.01	0.01	0.04	0.04	0	0	0.34	0.34
	Acrolein	0	0	0	0.15	0	0	0	7.13
	CH4	2904	2763	209	186	2600	2490	3660	3950
	H2S	0.49	0.59	0.7	0.73	0	0	3	6
	SO2	0.34	0.22	0.59	0.63	0	0	4	14
	PM2.5	4.39	5.04	1.56	2.52	1.32	0.86	10.12	29.36
	PM10	6.7	7.02	3.25	3.85	2.13	1.07	19.98	30.79
	Propene	0.13	0.13	0.15	0.21	0	0	0.75	2.64
	Ethanol	0	0.17	0	1.14	0	0	0	17.92
	Acetone	1.54	1.59	2.73	2.97	0	0	10.61	38.28
	DMS	0	0	0	0	0	0	0	0
	IPA	0.45	0.44	0.39	0.43	0.08	0	2.01	3.7
	2-Butanone	0.03	0.1	0.09	0.21	0	0	0.49	3.6
	THF	0	0.02	0.01	0.07	0	0	0.08	1.23
	Benzene	0.02	0.06	0.04	0.21	0	0	0.21	5.41
	Toluene	0.03	0.02	0.04	0.04	0	0	0.25	0.5

MS-04	Ethylbenzene	0.03	0.02	0.07	0.06	0	0	0.67	0.68
	m.p-Xylene	0.01	0.01	0.02	0.04	0	0	0.18	0.63
	Isopropyltoluene	0.03	0.07	0.09	0.55	0	0	0.62	19.61
	Methanol	0	0	0	0.07	0	0	0	2.31
	Carbon Disulfide	0.02	0.03	0.02	0.03	0	0	0.14	0.24
	Hexane	0.03	0.03	0.13	0.13	0	0	0.77	1.83
	Styrene	0	0	0.02	0.03	0	0	0.1	0.58
	Acrolein	0	0.03	0	0.24	0	0	0	7.26
	CH4	3530	3561	336	825	2810	1810	5330	18030
	H2S	0.42	0.46	0.57	0.64	0	0	2	6
	SO2	1.22	0.86	4.11	2.64	0	0	32	32
	PM2.5	3.03	24.64	1.33	1031.14	1.03	0.61	11.39	49893.64
	PM10	6.29	26.68	5.04	1031.11	2.03	0.86	45.58	49894.18
MS-05	CH4	3371	2853	693	661	2570	0	9420	10520
	H2S	0.92	0.56	0.97	1.12	0	0	4	27
	SO2	0.38	1.69	0.71	2.01	0	0	6	13
	PM2.5	2.81	3.57	0.79	2.02	0.89	0.56	5.24	20.23
	PM10	4.65	4.93	1.83	2.5	1.55	0.73	12.37	50.42
MS-06	Propene	0.14	0.08	0.14	0.1	0	0	0.95	0.95
	Ethanol	1.19	0.59	1.45	1	0	0	5.99	9.01
	Acetone	4.22	1.99	2.82	2.66	0	0	25.86	28.11
	DMS	0	0	0	0	0	0	0	0
	IPA	1.26	0.65	0.96	0.71	0.05	0.04	4.28	5.33
	2-Butanone	0.27	0.21	0.13	0.15	0.05	0	1.08	1.3
	THF	0.01	0.01	0.07	0.07	0	0	0.64	0.72
	Benzene	0.07	0.07	0.04	0.06	0.02	0	0.26	0.8
	Toluene	0.08	0.05	0.08	0.07	0	0	0.56	1.08
	Ethylbenzene	0.03	0.02	0.07	0.06	0	0	0.55	1.27
	m.p-Xylene	0.02	0.01	0.06	0.05	0	0	0.54	0.54
	Isopropyltoluene	0.03	0.04	0.09	0.17	0	0	0.62	2.97
	Methanol	0	0	0	0	0	0	0	0.01
	Carbon Disulfide	0	0	0.03	0.03	0	0	0.23	0.26
	Hexane	0	0	0.03	0.03	0	0	0.42	0.72
	Styrene	0.02	0.02	0.08	0.15	0	0	0.91	6.12
	Acrolein	0	0	0	0.02	0	0	0	0.86
	CH4	4203	4196	403	988	3820	3250	6640	14820
	H2S	1.86	1.7	0.77	0.83	0	0	5	6
	SO2	1.19	1.23	1.35	1.49	0	0	6	19

	PM2.5	1.63	1.79	0.53	0.81	0.56	0.34	3.49	8.28
	PM10	3.65	3.15	1.97	1.55	1.32	0.51	11.13	19.68
MS-07	Propene	0.05	0.08	0.09	0.2	0	0	0.34	2.6
	Ethanol	0.41	0.08	0.68	0.46	0	0	2.74	4.45
	Acetone	1.11	1.28	1.14	0.64	0	0	4.89	5.67
	DMS	0.12	0.01	0.38	0.1	0	0	1.72	1.72
	IPA	1.02	0.43	1.59	0.8	0	0	8.65	9.77
	2-Butanone	0.15	0.18	0.16	0.16	0	0	1.12	1.12
	THF	0.01	0.02	0.1	0.07	0	0	0.96	0.96
	Benzene	0.11	0.13	0.1	0.1	0	0	0.4	1.53
	Toluene	0.04	0.06	0.06	0.06	0	0	0.37	0.51
	Ethylbenzene	0.01	0.01	0.04	0.03	0	0	0.36	0.36
	m,p-Xylene	0.04	0.02	0.05	0.04	0	0	0.5	0.5
	Isopropyltoluene	0.04	0.03	0.07	0.09	0	0	0.3	1.74
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.01	0.01	0.03	0.02	0	0	0.14	0.14
	Hexane	0.01	0	0.04	0.02	0	0	0.23	0.46
	Styrene	0.03	0	0.06	0.02	0	0	0.49	0.49
	Acrolein	0	0	0	0	0	0	0	0
	CH4	3191	2732	205	580	2930	1770	4140	6490
	H2S	0	0.02	0	0.14	0	0	0	1
	SO2	0.24	0.21	0.94	0.91	0	0	7	10
	PM2.5	3.6	4.19	1.03	2.14	1.43	0.65	7.11	46.31
	PM10	5.56	5.85	2.24	4.04	2.45	0.74	23.49	65.25
MS-08	Propene	0.11	0.17	0.13	0.24	0	0	0.71	2.32
	Ethanol	1.5	0.21	0.86	0.56	0	0	7.49	7.49
	Acetone	3.51	1.93	1.29	2.1	0	0	8.53	11.71
	DMS	0	0	0	0	0	0	0	0
	IPA	0.83	0.48	0.6	0.41	0.19	0	2.23	7.54
	2-Butanone	0.22	0.54	0.14	5.7	0	0	0.84	225.35
	THF	0.25	0.26	0.09	3.94	0.04	0	0.7	118.29
	Benzene	0.04	0.09	0.04	0.58	0.01	0	0.36	17.73
	Toluene	0.02	0.13	0.04	2.01	0	0	0.27	72.49
	Ethylbenzene	0.01	0.02	0.04	0.19	0	0	0.29	5.59
	m,p-Xylene	0.01	0.04	0.05	0.59	0	0	0.44	25.13
	Isopropyltoluene	0.01	0.16	0.03	1.82	0	0	0.17	56.94
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0	0.05	0.03	0.08	0	0	0.22	0.82

	Hexane	0	0.4	0.04	7.25	0	0	0.43	200.61
	Styrene	0.02	0.09	0.05	1.55	0	0	0.39	45.65
	Acrolein	0	0	0	0	0	0	0	0
	CH4	2943	2911	154	190	2670	2410	3570	4450
	H2S	0.01	0.04	0.11	0.19	0	0	1	1
	SO2	1.1	1.17	1.06	0.97	0	0	9	13
	PM2.5	2.57	3.7	0.75	2.05	1.09	0.69	4.74	22.16
	PM10	4.54	5.45	1.47	5.06	2.22	1.13	11.05	220.39
MS-09	CH4	3255	3196	127	370	3000	2160	3810	7360
	H2S	0.34	0.38	0.6	0.53	0	0	4	4
	SO2	0.71	0.88	0.93	1.33	0	0	6	15
	PM2.5	5.31	3.54	1.48	2.67	1.98	0	9.25	14.72
	PM10	8.91	5.42	2.51	3.78	3.26	0	16.51	21.09
MS-10	Propene	0.08	0.21	0.13	0.15	0	0	0.61	1.52
	Ethanol	1.5	0.64	1.31	1.66	0	0	5.05	11.26
	Acetone	3	0.4	2.2	1.36	0	0	17.04	41.35
	DMS	0	0	0	0	0	0	0	0
	IPA	1.36	0.76	0.89	0.62	0	0	5.87	5.87
	2-Butanone	0.06	0.19	0.13	0.15	0	0	0.79	0.95
	THF	0.21	0.04	0.12	0.08	0	0	0.6	0.66
	Benzene	0.17	0.1	0.16	0.12	0.03	0	0.99	0.99
	Toluene	0.22	0.11	0.19	0.15	0.02	0	1.23	1.76
	Ethylbenzene	0.05	0.03	0.07	0.09	0	0	0.41	2.04
	m,p-Xylene	0.06	0.02	0.08	0.06	0	0	0.56	0.68
	Isopropyltoluene	0.04	0.03	0.11	0.1	0	0	0.64	1.34
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.04	0	0.03	0.02	0	0	0.21	0.23
	Hexane	0.14	0.01	0.3	0.09	0	0	1.57	1.57
	Styrene	0.04	0.01	0.07	0.04	0	0	0.41	0.46
	Acrolein	0	0	0	0	0	0	0	0
	CH4	3878	3555	393	410	3300	2630	5560	8280
	H2S	0.52	0.63	0.79	0.87	0	0	4	5
	SO2	0.47	0.62	0.6	0.84	0	0	2	7
	PM2.5	2.35	3.57	0.64	2.35	1	0.59	3.8	23.67
	PM10	3.6	4.76	1.05	2.63	1.66	0.88	6.23	27.18
	Propene	0.08	0.07	0.28	0.11	0	0	2.91	2.91
	Ethanol	0.19	0.06	0.6	0.42	0	0	2.86	7.19
	Acetone	2.46	0.97	0.7	1.26	1.29	0	4.94	6.33

MS-11	DMS	0	0	0	0	0	0	0	0
	IPA	0.43	0.37	0.26	0.29	0.04	0	1.24	3.56
	2-Butanone	0.12	0.19	0.18	0.15	0	0	0.77	1.16
	THF	0.09	0.01	0.17	0.06	0	0	0.73	0.73
	Benzene	0.07	0.05	0.25	0.07	0	0	2.61	2.61
	Toluene	0.04	0.04	0.09	0.07	0	0	0.61	0.71
	Ethylbenzene	0.02	0.02	0.05	0.06	0	0	0.45	0.7
	m,p-Xylene	0.03	0.02	0.07	0.07	0	0	0.57	0.83
	Isopropyltoluene	0	0.02	0	0.08	0	0	0	1.01
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.05	0.01	0.08	0.05	0	0	0.33	0.97
	Hexane	0.01	0	0.06	0.04	0	0	0.33	0.54
	Styrene	0.01	0.01	0.05	0.04	0	0	0.47	0.55
	Acrolein	0	0	0	0	0	0	0	0
	CH4	2816	2872	205	291	2580	2440	3510	4430
	H2S	2.87	1.67	1.14	1.11	1	0	8	8
	SO2	0.02	0.01	0.23	0.13	0	0	3	4
	PM2.5	5.51	5.22	6.3	2.8	1.68	0.7	82.41	82.41
	PM10	7.5	6.74	6.4	4.95	2.54	1.02	83.9	181.07
MS-12	Propene	0.08	0.07	0.19	0.17	0	0	0.89	1.22
	Ethanol	0.32	0.18	1.33	0.94	0	0	7.86	10.57
	Acetone	4.65	4.81	1.84	2.4	1.84	0	14.04	21.55
	DMS	0	0	0	0	0	0	0	0
	IPA	1.72	1.11	0.81	0.78	0.19	0	3.97	4.5
	2-Butanone	0.43	0.29	0.22	0.27	0	0	1.08	1.24
	THF	0	0	0	0.01	0	0	0	0.29
	Benzene	0.11	0.08	0.04	0.06	0	0	0.24	0.52
	Toluene	0.09	0.06	0.08	0.07	0	0	0.35	1.16
	Ethylbenzene	0.02	0.01	0.07	0.04	0	0	0.64	0.64
	m,p-Xylene	0.01	0.01	0.04	0.03	0	0	0.19	0.69
	Isopropyltoluene	0.06	0.05	0.18	0.2	0	0	1.58	3.31
	Methanol	0	0	0	0	0	0	0	0.01
	Carbon Disulfide	0	0	0	0	0	0	0	0
	Hexane	0	0	0	0.02	0	0	0	0.74
	Styrene	0	0	0.01	0.01	0	0	0.06	0.18
	Acrolein	0	0	0	0	0	0	0	0
	CH4	2695	3153	169	991	2510	2120	3590	7920
	H2S	0.13	0.17	0.34	0.38	0	0	1	2

	SO2	0.37	0.2	1.8	1.1	0	0	14	14
	PM2.5	1.48	1.7	0.41	0.8	0.61	0.29	2.92	13.4
	PM10	2.72	2.65	0.85	1.94	1.17	0.45	7.6	74.55

Monitoring Station	Air Monitor	Currently Online	Weekly Data Completeness (%)
MS-01	AQM	TRUE	99
	GC	TRUE	95
MS-02	AQM	TRUE	99
	GC	TRUE	97
MS-03	AQM	TRUE	99
	GC	TRUE	97
MS-04	AQM	TRUE	99
	GC	TRUE	98
MS-05	AQM	TRUE	98
MS-06	AQM	TRUE	99
	GC	TRUE	97
MS-07	AQM	TRUE	100
	GC	TRUE	87
MS-08	AQM	TRUE	100
	GC	TRUE	95
MS-09	AQM	TRUE	100
MS-10	AQM	TRUE	100
	GC	TRUE	87
MS-11	AQM	TRUE	100
	GC	PARTIAL	61
MS-12	AQM	TRUE	100
	GC	TRUE	95