

From: Rainey, Chuck <CRainey@scsengineers.com>
Sent: Saturday, August 29, 2026 8:12 AM
To: Johnson, Cage; bchen@aqmd.gov; Christina Ojeda; Larry Israel; ndickel@aqmd.gov
Cc: Nancy Bahena-Hernandez; Sarah Phillips; christopher.fear@wasteconnections.com; Kevin Green; matthew.breuer@wasteconnections.com; Stephens, Gabrielle; Kim, James; Simmons, Mollie; Kim, Jenny; Ambriz, Antonio; Chavez, Fabian; Estrada, Erick; Jones, Art; Bill Haley; Dave Jappert; Fong, Cornelius; Huber, Rachelle; Bryan Martinez; Nancy Rodriguez-Flores; Dez Carter
Subject: RE: Chiquita Canyon Landfill (Facility ID 119219) - Planned Shutdown Notification
Attachments: Chiquita Canyon Landfill (Facility ID 119219) - Planned Shutdown Notification; Paragraph v - Landfill Gas Flow Data.xlsx; Paragraph iv - Meteorological Data.xlsx; CCL Condition 82(b) Shutdown Log - 2026-08-29T101049.302.xlsx

To Whom It May Concern:

In accordance with the August 27, 2024 Modified SOFA requirements as outlined in the new Condition 82, Chiquita is required to notify the District, in relevant part, of any scheduled downtime of any landfill gas collection or control equipment at the Chiquita Canyon Landfill (Facility ID 119219) prior to commencement of the work if any individual control device has downtime which is anticipated to last 30 minutes or more or if the downtime of any combination of landfill gas collection equipment is planned to result in a reduction of gas flow to control devices by 10% or more and the downtime is anticipated to last 30 minutes or more. This notification and written report follow the notices submitted on August 25 & 26, 2026, regarding two planned shutdowns:

From Condition No. 82: "This notification shall include an initial notification 24 hours prior to the planned shutdown event, unless the event is planned less than 24 hours before the planned downtime, Respondent shall provide the notification as soon as possible, within 1-hour of finalizing plans for the downtime. For unplanned downtime, notification shall occur within 1-hour of reasonable discovery of any control equipment issue resulting in unplanned downtime. Respondent shall also provide a subsequent additional notification and follow-up written report within 48 hours of startup and operation of the equipment after the downtime event is corrected. The initial notification, and subsequent notifications/follow-up report shall include the following items, unless otherwise noted below:

i. **Reason(s) for the downtime,**

The planned shutdowns occurred on August 27, 2026, at the Hero thermal oxidizer (Hero TOx), to take out and inspect the actuator block valve; then, Flares 1, 2, and 3 were shut down for monthly alarm testing. After work was performed, the devices were restarted and resumed operation. Specific downtime is listed below in paragraph (iii).

ii. **Specification of whether the event was planned or unplanned event,**

The shutdown event was planned.

iii. **Estimated (initial notification) and actual (subsequent notification/follow-up report) start and end dates and times of the downtime event,**

Flare 1: 8/27/2026 1:54 pm – 1:59 pm

Flare 2: 8/27/2026 1:54 pm – 3:21 pm

Flare 3: 8/27/2026 1:11 pm – 1:35 pm

Hero TOx: 8/27/2026 8:59 am – 11:45 am

iv. **Meteorological data (15-minute averaged), including wind direction(s) and wind speed(s), starting from 48 hours prior to the downtime event, and, if possible, extending until 24 hours after associated equipment start-up and resumed operation during the period of downtime (subsequent notification/follow-up report only)**

Meteorological data from 8/25/26, 8:45 am, until 8/28/26, 12:00 am, including 15-minute average-calculated wind directions in degrees and wind speeds in miles per hour, are attached in the Excel spreadsheet labeled 'Paragraph iv – Meteorological Data.'

v. **Facility-wide minute by minute landfill gas flow data, in Microsoft Excel format, starting from 48 hours prior to the downtime event, and extending until 24 hours after associated equipment start-up and resumed operation. (subsequent notification/follow-up report only)**

Landfill gas flow data at all facility control devices, including Flares 1, 2, and 3, as well as the Zeeco TOx, Parnel TOx, and Hero TOx on a minute-by-minute basis from 8/25/26, 8:59 am, until 8/28/26, 3:21 pm, are attached in the Excel spreadsheet labeled 'Paragraph v – Landfill Gas Flow Data.'

vi. **A running log of all combustion equipment downtime events reported pursuant to Condition 82, including the equipment name (e.g., Flares 1, 2, 3, or Zeeco unit), planned or unplanned event, estimated (initial notification) and actual (subsequent notification/follow-up report) start date and time of each event, estimated (initial notification) and actual (subsequent notification/follow-up report) end date and time of each event, estimated (initial notification) and actual (subsequent notification/follow-up report) duration of downtime in minutes, and reason(s) for downtime in an Excel format. The information shall be clearly displayed for all downtime events and combustion equipment in rows within one Excel sheet, allowing quick determination of the downtime details for any equipment or combination of equipment, including simultaneous downtime events.**

A spreadsheet containing all downtime events at Flares 1, 2, 3, as well as the Zeeco TOx, Parnel TOx, and Hero TOx, reported pursuant to Condition 82, are included in the attached Excel document titled 'CCL Condition 82(b) Shutdown Log.'

Chuck Rainey, PE
Project Professional
SCS Engineers
3900 Kilroy Airport Way, Suite 300
Long Beach, CA 90806 USA
601-331-2059
crainey@scsengineers.com

Driven by Client Success

From: Johnson, Cage <CageJohnson@scsengineers.com>

Sent: Tuesday, August 25, 2026 11:52 AM

To: bchen@aqmd.gov; Christina Ojeda <cojeda@aqmd.gov>; Larry Israel <lisrael@aqmd.gov>; ndickel@aqmd.gov

Cc: Nancy Bahena-Hernandez <Nancy.Bahena-Hernandez@WasteConnections.com>; Dylan Smith

<Dylan.Smith@WasteConnections.com>; Sarah Phillips <Sarah.Phillips@WasteConnections.com>;

christopher.fear@wasteconnections.com; Kevin Green <Kevin.Green@WasteConnections.com>;

matthew.breuer@wasteconnections.com; Stephens, Gabrielle <gstephens@scsengineers.com>; Rainey, Chuck

<CRainey@scsengineers.com>; Kim, James <JKim@scsengineers.com>; Simmons, Mollie

<MSimmons@scsengineers.com>; Kim, Jenny <JennyKim@scsengineers.com>; Ambriz, Antonio

<AAmbriz@scsengineers.com>; Chavez, Fabian <FChavez@scsengineers.com>; Estrada, Erick

<EEstrada@scsengineers.com>; Jones, Art <AJones@scsengineers.com>; Bill Haley

<william.haley@wasteconnections.com>; Dave Jappert <david.jappert@wasteconnections.com>; Fong, Cornelius

<CFong@scsengineers.com>; Huber, Rachelle <RHuber@scsengineers.com>; Bryan Martinez

<bryan.martinez@wasteconnections.com>; Nancy Rodriguez-Flores <nancy.rodriguez-flores@wasteconnections.com>;

Dez Carter <dcarter@continuumenv.com>

Subject: Chiquita Canyon Landfill (Facility ID 119219) - Planned Shutdown Notification

Apologies as I missed a couple of individuals that require this notification.

To whom it may concern:

In accordance with the August 27, 2024 Modified SOFA requirements as outlined in the new Condition 82, Chiquita is required to notify the District, in relevant part, of any scheduled downtime of any landfill gas collection or control equipment at the Chiquita Canyon Landfill (Facility ID 119219) prior to commencement of the work if any individual control device has downtime which is anticipated to last 30 minutes or more or if the downtime of any combination of landfill gas collection equipment is planned to result in a reduction of gas flow to control devices by 10% or more and the downtime is anticipated to last 30 minutes or more.

This notification is provided to the District to inform you of the possible downtime of **Flare 1, 2, and 3** to perform monthly alarm testing.

It is anticipated that this work will occur **Thursday, 8/27/2026**, from approximately **12:00pm – 2:30pm**, for a total duration of up to **2.5 hours**. ***To clarify, this shutdown will not require all three flares to be down at once. The planned process would include shutting down the individual flare to perform the missing alarms that need to be tested along with any maintenance required to the individual units. Once testing and maintenance have been completed on the individual flare, the unit will be restarted and remain online.***

A follow up report of the start and end dates and times of the downtime event and total downtime, meteorological data/weather conditions, facility landfill gas flow data and description of activities performed will be provided within 48 hours of the completion of the work and startup and operation of the equipment.

Thank you,

Cage Johnson

OM&M Project Foreman

C: (562) 533 - 5132

SCS ENGINEERS

3900 Kilroy Airport Way, Suite 300

Long Beach, CA 90806

cagejohnson@scsengineers.com



Driven by Client Success

From: Johnson, Cage <CageJohnson@scsengineers.com>
Sent: Wednesday, August 26, 2026 4:24 PM
To: bchen@aqmd.gov; Christina Ojeda; Larry Israel; ndickel@aqmd.gov
Cc: Nancy Bahena-Hernandez; Dylan Smith; Sarah Phillips; christopher.fear@wasteconnections.com; Kevin Green; matthew.breuer@wasteconnections.com; Stephens, Gabrielle; Rainey, Chuck; Kim, James; Simmons, Mollie; Kim, Jenny; Ambriz, Antonio; Chavez, Fabian; Estrada, Erick; Jones, Art; Bill Haley; Dave Jappert; Fong, Cornelius; Huber, Rachelle; Bryan Martinez; Nancy Rodriguez-Flores
Subject: Chiquita Canyon Landfill (Facility ID 119219) - Planned Shutdown Notification
Attachments: CCL Condition 82(b) Shutdown Log.xlsx

To whom it may concern:

In accordance with the August 27, 2024 Modified SOFA requirements as outlined in the new Condition 82, Chiquita is required to notify the District, in relevant part, of any scheduled downtime of any landfill gas collection or control equipment at the Chiquita Canyon Landfill (Facility ID 119219) prior to commencement of the work if any individual control device has downtime which is anticipated to last 30 minutes or more or if the downtime of any combination of landfill gas collection equipment is planned to result in a reduction of gas flow to control devices by 10% or more and the downtime is anticipated to last 30 minutes or more.

This notification is provided to the District to inform you of the possible downtime of the **Hero TOx** to remove and inspection actuator block valve.

It is anticipated that this work will occur **Thursday, 8/27/2026**, from approximately **9:00am – 10:30am**, for a total duration of up to **1.5 hours**.

A follow up report of the start and end dates and times of the downtime event and total downtime, meteorological data/weather conditions, facility landfill gas flow data and description of activities performed will be provided within 48 hours of the completion of the work and startup and operation of the equipment.

Thank you,

Cage Johnson
OM&M Project Foreman
C: (562) 533 - 5132
SCS ENGINEERS
3900 Kilroy Airport Way, Suite 300
Long Beach, CA 90806
cagejohnson@scsengineers.com



Driven by Client Success

Date/Time (PST)	LFG Flow, Flare 1 (SCFM)	LFG Flow, Flare 2 (SCFM)	LFG Flow, Flare 3 (SCFM)	Parnel, Thermal Oxidizer (SCFM)	Hero, Thermal Oxidizer (SCFM)	Zeeco #1, Thermal Oxidizer (SCFM)	Zeeco #6, Thermal Oxidizer (SCFM)	Zeeco #7, Thermal Oxidizer (SCFM)
8/25/2026 8:59	2912	3242	5013	944	1955	1112	558	1201
8/25/2026 9:00	2912	3242	5013	945	1950	1112	558	1201
8/25/2026 9:01	2899	3252	5044	945	1950	743	841	1188
8/25/2026 9:02	2899	3252	5044	937	1939	743	841	1188
8/25/2026 9:03	2908	3248	5019	937	1939	1103	830	1196
8/25/2026 9:04	2908	3248	5019	935	1947	1103	830	1196
8/25/2026 9:05	2911	3231	5027	935	1947	1104	580	831
8/25/2026 9:06	2911	3231	5027	937	1944	1104	580	831
8/25/2026 9:07	2924	3259	5028	937	1944	790	720	1189
8/25/2026 9:08	2924	3259	5028	943	1929	790	720	1189
8/25/2026 9:09	2930	3246	5025	943	1929	1067	831	1194
8/25/2026 9:10	2930	3246	5025	946	100	1067	831	1194
8/25/2026 9:11	2916	3241	5039	946	100	1045	838	1188
8/25/2026 9:12	2916	3241	5039	933	1934	1045	838	1188
8/25/2026 9:13	2916	3250	5038	933	1934	1067	825	885
8/25/2026 9:14	2916	3250	5038	913	1957	1067	825	885
8/25/2026 9:15	2939	3260	5036	913	1957	1097	726	1186
8/25/2026 9:16	2939	3260	5036	931	1947	1097	726	1186
8/25/2026 9:17	2930	3237	5013	931	1947	1091	818	1193
8/25/2026 9:18	2930	3237	5013	934	1943	1091	818	1193
8/25/2026 9:19	2929	3251	5004	934	1943	1092	767	1193
8/25/2026 9:20	2929	3251	5004	928	1946	1092	767	1193
8/25/2026 9:21	2920	3239	5019	928	1946	801	818	1183
8/25/2026 9:22	2920	3239	5019	930	1926	1282	818	1183
8/25/2026 9:23	2925	3243	4998	930	1926	1093	784	1178
8/25/2026 9:24	2925	3243	4998	917	1922	1243	1111	1178
8/25/2026 9:25	2942	3232	5012	917	1922	1107	824	949
8/25/2026 9:26	2942	3232	5012	913	1937	1259	1124	949
8/25/2026 9:27	2940	3236	5039	913	1937	1013	756	1010
8/25/2026 9:28	2940	3236	5039	906	1941	1265	1117	1010
8/25/2026 9:29	2949	3267	5036	906	1941	1106	826	1191
8/25/2026 9:30	2949	3267	5036	913	1946	1286	1115	1191
8/25/2026 9:31	2961	3266	5044	913	1946	1073	573	1198
8/25/2026 9:32	2961	3266	5044	898	740	1300	1112	1198
8/25/2026 9:33	2939	3255	5039	898	740	1098	717	1190
8/25/2026 9:34	2939	3255	5039	903	1934	1253	1113	1190
8/25/2026 9:35	2963	3266	5019	903	1934	1098	829	1199
8/25/2026 9:36	2963	3266	5019	887	1926	1175	1115	1199
8/25/2026 9:37	2967	3276	5014	887	1926	983	831	1225
8/25/2026 9:38	2967	3276	5014	891	1921	1186	1118	1225
8/25/2026 9:39	2972	3246	5034	891	1921	1092	831	1170
8/25/2026 9:40	2972	3246	5034	890	1921	1138	1065	1170
8/25/2026 9:41	2969	3267	5035	890	1921	1108	824	1195
8/25/2026 9:42	2969	3267	5035	898	1919	1019	1080	1195
8/25/2026 9:43	2974	3278	5034	898	1919	814	773	1168
8/25/2026 9:44	2974	3278	5034	889	1924	1075	1088	1168
8/25/2026 9:45	2968	3254	4998	889	1924	931	552	1172
8/25/2026 9:46	2968	3254	4998	888	1918	1250	1111	1172
8/25/2026 9:47	2974	3273	5006	888	1918	929	795	1169
8/25/2026 9:48	2974	3273	5006	872	1935	1287	1103	1169
8/25/2026 9:49	2963	3256	5001	872	1935	843	816	867

8/25/2026 9:50	2963	3256	5001	882	1935	1285	1113	867
8/25/2026 9:51	2982	3238	5023	882	1935	1054	830	1206
8/25/2026 9:52	2982	3238	5023	861	684	1259	1005	1206
8/25/2026 9:53	2985	3243	5013	861	684	1087	670	1176
8/25/2026 9:54	2985	3243	5013	851	1922	1288	808	1176
8/25/2026 9:55	2992	3267	4991	851	1922	1108	814	1160
8/25/2026 9:56	2992	3267	4991	867	1938	999	814	1160
8/25/2026 9:57	2994	3257	5006	867	1938	1092	584	1157
8/25/2026 9:58	2994	3257	5006	863	768	1296	584	1157
8/25/2026 9:59	3013	3272	5008	863	768	1050	619	1175
8/25/2026 10:00	3013	3272	5008	864	1941	969	619	1175
8/25/2026 10:01	2995	3258	5003	864	1941	1086	568	1199
8/25/2026 10:02	2995	3258	5003	861	1746	1299	568	1199
8/25/2026 10:03	3009	3245	5018	861	1746	1070	828	1165
8/25/2026 10:04	3009	3245	5018	868	1921	1287	828	1165
8/25/2026 10:05	3007	3266	5011	868	1921	1082	834	1176
8/25/2026 10:06	3007	3266	5011	867	1934	1270	834	1176
8/25/2026 10:07	3018	3251	5004	867	1934	1075	831	1173
8/25/2026 10:08	3018	3251	5004	865	1912	1298	831	1173
8/25/2026 10:09	3025	3241	5003	865	1912	1094	810	1175
8/25/2026 10:10	3025	3241	5003	864	1893	928	810	1175
8/25/2026 10:11	3009	3234	5008	864	1893	1101	558	967
8/25/2026 10:12	3009	3234	5008	867	1893	1270	558	967
8/25/2026 10:13	3003	3238	5009	867	1893	1034	813	1167
8/25/2026 10:14	3003	3238	5009	869	1945	914	813	1167
8/25/2026 10:15	3014	3254	5021	869	1945	1106	796	1173
8/25/2026 10:16	3014	3254	5021	888	1929	1250	796	1173
8/25/2026 10:17	3056	3287	5089	888	1929	149	106	1189
8/25/2026 10:18	3056	3287	5089	907	1966	1291	106	1189
8/25/2026 10:19	3056	3302	5078	907	1966	20	185	1210
8/25/2026 10:20	3056	3302	5078	914	1978	1282	185	1210
8/25/2026 10:21	3059	3295	5088	914	1978	31	177	1215
8/25/2026 10:22	3059	3295	5088	910	1998	976	177	1215
8/25/2026 10:23	3059	3326	5073	910	1998	41	174	1201
8/25/2026 10:24	3059	3326	5073	1	1994	1255	174	1201
8/25/2026 10:25	3112	3349	5162	1	1994	10	169	1199
8/25/2026 10:26	3112	3349	5162	805	1995	1270	169	1199
8/25/2026 10:27	3102	3311	5174	805	1995	232	168	1198
8/25/2026 10:28	3102	3311	5174	1	1996	1242	168	1198
8/25/2026 10:29	3111	3337	5164	1	1996	22	160	1205
8/25/2026 10:30	3111	3337	5164	32	2005	1272	160	1205
8/25/2026 10:31	3062	3295	5113	32	2005	229	166	1206
8/25/2026 10:32	3062	3295	5113	923	2004	1300	166	1206
8/25/2026 10:33	3038	3287	5065	923	2004	235	147	1196
8/25/2026 10:34	3038	3287	5065	49	1960	1229	147	1196
8/25/2026 10:35	3058	3281	5072	49	1960	-200	950	1176
8/25/2026 10:36	3058	3281	5072	1	1928	969	950	1176
8/25/2026 10:37	3017	3243	5087	1	1928	1292	0	1201
8/25/2026 10:38	3017	3243	5087	808	1945	1022	0	1201
8/25/2026 10:39	3126	3381	5183	808	1945	235	180	1224
8/25/2026 10:40	3126	3381	5183	8	1972	1291	180	1224
8/25/2026 10:41	3128	3346	5185	8	1972	253	199	1242
8/25/2026 10:42	3128	3346	5185	635	1946	1273	199	1242

8/25/2026 10:43	3063	3287	5109	635	1946	878	4109	1199
8/25/2026 10:44	3063	3287	5109	1	1935	1306	4109	1199
8/25/2026 10:45	3049	3297	5104	1	1935	1370	2248	1232
8/25/2026 10:46	3049	3297	5104	36	1954	1292	2248	1232
8/25/2026 10:47	3133	3359	5243	36	1954	242	211	1223
8/25/2026 10:48	3133	3359	5243	852	1946	1231	211	1223
8/25/2026 10:49	3064	3298	5099	852	1946	1368	1193	1181
8/25/2026 10:50	3064	3298	5099	25	1933	1065	1193	1181
8/25/2026 10:51	3078	3310	5108	25	1933	1060	1173	1211
8/25/2026 10:52	3078	3310	5108	890	1915	1288	1173	1211
8/25/2026 10:53	3087	3294	5128	890	1915	1332	1199	1210
8/25/2026 10:54	3087	3294	5128	1	1908	860	1199	1210
8/25/2026 10:55	3091	3296	5141	1	1908	1328	1162	1213
8/25/2026 10:56	3091	3296	5141	23	1911	1226	1162	1213
8/25/2026 10:57	3069	3295	5110	23	1911	1148	1169	1195
8/25/2026 10:58	3069	3295	5110	310	1905	1154	1169	1195
8/25/2026 10:59	3061	3290	5082	310	1905	1123	1162	1200
8/25/2026 11:00	3061	3290	5082	876	1912	1292	1162	1200
8/25/2026 11:01	3042	3245	5037	876	1912	1314	1148	1297
8/25/2026 11:02	3042	3245	5037	885	1895	1229	1148	1297
8/25/2026 11:03	3015	3231	5041	885	1895	1301	1098	1181
8/25/2026 11:04	3015	3231	5041	877	1897	1268	1098	1181
8/25/2026 11:05	3009	3238	5023	877	1897	1297	1153	1199
8/25/2026 11:06	3009	3238	5023	880	1879	1272	1153	1199
8/25/2026 11:07	3059	3273	5020	880	1879	1154	1106	1206
8/25/2026 11:08	3059	3273	5020	1	1908	1210	1106	1206
8/25/2026 11:09	3075	3291	5104	1	1908	1297	1132	1222
8/25/2026 11:10	3075	3291	5104	781	1894	1286	1132	1222
8/25/2026 11:11	3055	3249	5028	781	1894	1270	1141	1204
8/25/2026 11:12	3055	3249	5028	782	1902	1318	1141	1204
8/25/2026 11:13	3044	3253	5053	782	1902	1153	1142	1065
8/25/2026 11:14	3044	3253	5053	811	1911	1283	1142	1065
8/25/2026 11:15	3019	3239	5020	811	1911	1293	1141	1209
8/25/2026 11:16	3019	3239	5020	1	1891	1257	1141	1209
8/25/2026 11:17	3067	3287	5073	1	1891	1292	1143	1203
8/25/2026 11:18	3067	3287	5073	759	1899	1262	1143	1203
8/25/2026 11:19	3044	3234	5019	759	1899	1285	1139	1215
8/25/2026 11:20	3044	3234	5019	74	1906	1112	1139	1215
8/25/2026 11:21	3035	3264	5090	74	1906	1057	934	1204
8/25/2026 11:22	3035	3264	5090	719	1900	1162	934	1204
8/25/2026 11:23	3029	3236	5047	719	1900	1273	1147	1200
8/25/2026 11:24	3029	3236	5047	872	1487	1308	1147	1200
8/25/2026 11:25	3016	3255	5013	872	1487	1287	1090	1189
8/25/2026 11:26	3016	3255	5013	41	1900	1319	1090	1189
8/25/2026 11:27	3083	3282	5089	41	1900	1285	1146	1205
8/25/2026 11:28	3083	3282	5089	1	1891	1306	1146	1205
8/25/2026 11:29	3076	3296	5106	1	1891	1295	1132	1265
8/25/2026 11:30	3076	3296	5106	20	1904	1214	1132	1265
8/25/2026 11:31	3079	3284	5038	20	1904	1289	1146	1210
8/25/2026 11:32	3079	3284	5038	103	1916	1280	1146	1210
8/25/2026 11:33	3074	3289	5091	103	1916	1287	905	1209
8/25/2026 11:34	3074	3289	5091	682	1904	919	905	1209
8/25/2026 11:35	3077	3306	5084	682	1904	1076	918	1201

8/25/2026 11:36	3077	3306	5084	337	403	1309	918	1201
8/25/2026 11:37	3084	3316	5082	337	403	1290	1143	1212
8/25/2026 11:38	3084	3316	5082	1	204	1296	1143	1212
8/25/2026 11:39	3122	3317	5139	1	204	1296	1081	1255
8/25/2026 11:40	3122	3317	5139	17	204	1283	1081	1255
8/25/2026 11:41	3122	3360	5168	17	204	1009	1159	1267
8/25/2026 11:42	3122	3360	5168	1	204	1195	1159	1267
8/25/2026 11:43	3154	3363	5168	1	204	1352	1169	1199
8/25/2026 11:44	3154	3363	5168	1	204	1292	1169	1199
8/25/2026 11:45	3137	3364	5177	1	204	1324	1169	1270
8/25/2026 11:46	3137	3364	5177	1	201	1294	1169	1270
8/25/2026 11:47	3164	3355	5161	1	201	1248	1169	1271
8/25/2026 11:48	3164	3355	5161	1	205	990	1169	1271
8/25/2026 11:49	3132	3348	5163	1	205	984	1153	1255
8/25/2026 11:50	3132	3348	5163	1	208	1244	1153	1255
8/25/2026 11:51	3147	3347	5168	1	208	1325	1162	1255
8/25/2026 11:52	3147	3347	5168	1	201	1272	1162	1255
8/25/2026 11:53	3137	3360	5189	1	201	1066	1149	1255
8/25/2026 11:54	3137	3360	5189	471	214	1312	1149	1255
8/25/2026 11:55	3100	3298	5108	471	214	1323	1154	1247
8/25/2026 11:56	3100	3298	5108	27	208	886	1154	1247
8/25/2026 11:57	3131	3339	5173	27	208	1324	1051	1240
8/25/2026 11:58	3131	3339	5173	727	215	1244	1051	1240
8/25/2026 11:59	3153	3354	5170	727	215	1319	1132	1253
8/25/2026 12:00	3153	3354	5170	13	205	1029	1132	1253
8/25/2026 12:01	3150	3347	5183	13	205	1324	1118	1247
8/25/2026 12:02	3150	3347	5183	1	316	1306	1118	1247
8/25/2026 12:03	3118	3345	5136	1	316	1332	1141	1246
8/25/2026 12:04	3118	3345	5136	11	1927	1241	1141	1246
8/25/2026 12:05	3121	3323	5151	11	1927	1286	1005	1223
8/25/2026 12:06	3121	3323	5151	1	197	1186	1005	1223
8/25/2026 12:07	3138	3338	5153	1	197	1301	691	1215
8/25/2026 12:08	3138	3338	5153	1084	1065	1232	691	1215
8/25/2026 12:09	3059	3250	5030	1084	1065	954	985	1053
8/25/2026 12:10	3059	3250	5030	1106	2046	873	985	1053
8/25/2026 12:11	3087	3272	5056	1106	2046	1273	984	1185
8/25/2026 12:12	3087	3272	5056	1100	2029	911	984	1185
8/25/2026 12:13	3038	3235	5016	1100	2029	1281	1077	1193
8/25/2026 12:14	3038	3235	5016	1112	115	1281	1077	1193
8/25/2026 12:15	3067	3263	5036	1112	115	1277	1026	1148
8/25/2026 12:16	3067	3263	5036	1126	0	1277	1026	1148
8/25/2026 12:17	3068	3260	5047	1126	0	1295	993	1236
8/25/2026 12:18	3068	3260	5047	1	145	1295	993	1236
8/25/2026 12:19	3169	3350	5187	1	145	1318	1136	1255
8/25/2026 12:20	3169	3350	5187	1096	160	1318	1136	1255
8/25/2026 12:21	3094	3282	5093	1096	160	1301	1137	1236
8/25/2026 12:22	3094	3282	5093	1106	159	1301	1137	1236
8/25/2026 12:23	3073	3276	5088	1106	159	1160	1125	958
8/25/2026 12:24	3073	3276	5088	1116	171	1160	1125	958
8/25/2026 12:25	3061	3263	5071	1116	171	1302	877	1226
8/25/2026 12:26	3061	3263	5071	1108	73	1302	877	1226
8/25/2026 12:27	3091	3280	5081	1108	73	1312	1134	1226
8/25/2026 12:28	3091	3280	5081	1146	0	1312	1134	1226

8/25/2026 12:29	3093	3260	5056	1146	0	1301	1112	1251
8/25/2026 12:30	3093	3260	5056	1126	0	1301	1112	1251
8/25/2026 12:31	3091	3289	5066	1126	0	1303	1066	1239
8/25/2026 12:32	3091	3289	5066	1121	0	1303	1066	1239
8/25/2026 12:33	3084	3258	5081	1121	0	1295	1108	1249
8/25/2026 12:34	3084	3258	5081	1142	0	1295	1108	1249
8/25/2026 12:35	3100	3307	5071	1142	0	1112	1105	1224
8/25/2026 12:36	3100	3307	5071	1098	2049	1112	1105	1224
8/25/2026 12:37	3061	3249	5034	1098	2049	1000	1111	1200
8/25/2026 12:38	3061	3249	5034	1115	728	1000	1111	1200
8/25/2026 12:39	3056	3242	5050	1115	728	1262	1085	1186
8/25/2026 12:40	3056	3242	5050	1130	37	1262	1085	1186
8/25/2026 12:41	3083	3234	5051	1130	37	1278	1064	1209
8/25/2026 12:42	3083	3234	5051	1102	1526	1278	1064	1209
8/25/2026 12:43	3056	3250	5011	1102	1526	1275	1075	1206
8/25/2026 12:44	3056	3250	5011	1106	2023	1275	1075	1206
8/25/2026 12:45	3059	3241	5013	1106	2023	965	1079	1196
8/25/2026 12:46	3059	3241	5013	1095	2024	965	1079	1196
8/25/2026 12:47	3024	3239	5009	1095	2024	1262	1093	1204
8/25/2026 12:48	3024	3239	5009	1118	136	1262	1093	1204
8/25/2026 12:49	3065	3260	5034	1118	136	955	1090	1217
8/25/2026 12:50	3065	3260	5034	1099	60	955	1090	1217
8/25/2026 12:51	3087	3289	5057	1099	60	1020	1101	1246
8/25/2026 12:52	3087	3289	5057	1106	76	1020	1101	1246
8/25/2026 12:53	3122	3293	5083	1106	76	1250	1100	1270
8/25/2026 12:54	3122	3293	5083	1071	62	1250	1100	1270
8/25/2026 12:55	3104	3298	5082	1071	62	1307	1092	862
8/25/2026 12:56	3104	3298	5082	1116	73	1307	1092	862
8/25/2026 12:57	3103	3295	5056	1116	73	1297	1090	1250
8/25/2026 12:58	3103	3295	5056	1098	74	1297	1090	1250
8/25/2026 12:59	3095	3283	5093	1098	74	1317	1098	773
8/25/2026 13:00	3095	3283	5093	1140	70	1317	1098	773
8/25/2026 13:01	3086	3283	5078	1140	70	1280	1107	1227
8/25/2026 13:02	3086	3283	5078	1111	1893	1280	1107	1227
8/25/2026 13:03	3061	3267	5046	1111	1893	1123	1019	1101
8/25/2026 13:04	3061	3267	5046	1106	2054	1123	1019	1101
8/25/2026 13:05	3059	3248	5019	1106	2054	1265	1082	1185
8/25/2026 13:06	3059	3248	5019	1101	0	1265	1082	1185
8/25/2026 13:07	3032	3213	4995	1101	0	1263	1091	1198
8/25/2026 13:08	3032	3213	4995	1097	2028	1263	1091	1198
8/25/2026 13:09	3047	3245	5007	1097	2028	1190	1077	1198
8/25/2026 13:10	3047	3245	5007	1112	110	1190	1077	1198
8/25/2026 13:11	3051	3276	5039	1112	110	1275	1085	1227
8/25/2026 13:12	3051	3276	5039	1130	110	1275	1085	1227
8/25/2026 13:13	3068	3281	5090	1130	110	1164	1103	1240
8/25/2026 13:14	3068	3281	5090	1123	112	1164	1103	1240
8/25/2026 13:15	3089	3280	5086	1123	112	1286	1103	1254
8/25/2026 13:16	3089	3280	5086	1116	116	1286	1103	1254
8/25/2026 13:17	3077	3271	5083	1116	116	1204	1095	1250
8/25/2026 13:18	3077	3271	5083	1127	116	1204	1095	1250
8/25/2026 13:19	3067	3284	5106	1127	116	1305	1112	1254
8/25/2026 13:20	3067	3284	5106	1116	117	1305	1112	1254
8/25/2026 13:21	3099	3297	5086	1116	117	1313	1106	1256

8/25/2026 13:22	3099	3297	5086	1119	111	1313	1106	1256
8/25/2026 13:23	3073	0	5088	1119	111	1276	1108	1240
8/25/2026 13:24	3073	3284	5088	1101	123	1276	1108	1240
8/25/2026 13:25	3082	3284	5072	1101	123	1210	1102	1237
8/25/2026 13:26	3082	3280	5072	1126	114	1210	1102	1237
8/25/2026 13:27	3072	3280	5068	1126	114	1207	823	1236
8/25/2026 13:28	3072	3260	5068	1117	118	1207	823	1236
8/25/2026 13:29	3078	3260	5092	1117	118	0	1112	1247
8/25/2026 13:30	3078	3291	5092	1098	117	1304	1112	1247
8/25/2026 13:31	3087	3291	5095	1098	117	1304	1103	1242
8/25/2026 13:32	3087	3267	5095	1109	110	1230	1103	1242
8/25/2026 13:33	3080	3267	5068	1109	110	1230	1031	1242
8/25/2026 13:34	3080	3278	5068	1126	120	1312	1031	1242
8/25/2026 13:35	3092	3278	5076	1126	120	1312	1100	1241
8/25/2026 13:36	3092	3284	5076	1111	117	1300	1100	1241
8/25/2026 13:37	3076	3284	5081	1111	117	1300	1110	1251
8/25/2026 13:38	3076	3279	5081	1121	118	1193	1110	1251
8/25/2026 13:39	3083	3279	5093	1121	118	1193	1082	1236
8/25/2026 13:40	3083	3288	5093	1107	115	1286	1082	1236
8/25/2026 13:41	3077	3288	5079	1107	115	1286	1091	1230
8/25/2026 13:42	3077	3269	5079	1117	125	1019	1091	1230
8/25/2026 13:43	3081	3269	5068	1117	125	1019	0	1160
8/25/2026 13:44	3081	3265	5068	1104	1700	942	983	1160
8/25/2026 13:45	3052	3265	5023	1104	1700	942	983	1133
8/25/2026 13:46	3052	3224	5023	1103	2139	983	1086	1133
8/25/2026 13:47	3034	3224	5033	1103	2139	983	1086	1198
8/25/2026 13:48	3034	3241	5033	1103	2031	1272	1086	1198
8/25/2026 13:49	3034	3241	5010	1103	2031	1272	1086	1180
8/25/2026 13:50	3034	3214	5010	1111	308	918	1046	1180
8/25/2026 13:51	3063	3214	5040	1111	308	918	1046	1206
8/25/2026 13:52	3063	3236	5040	1132	132	1276	1080	1206
8/25/2026 13:53	3077	3236	5042	1132	132	1276	1080	886
8/25/2026 13:54	3077	3242	5042	1121	123	1230	1077	886
8/25/2026 13:55	3070	3242	5079	1121	123	1230	1077	1246
8/25/2026 13:56	3070	3271	5079	672	128	1292	1036	1246
8/25/2026 13:57	3134	3271	5169	672	128	1292	1036	1258
8/25/2026 13:58	3134	3326	5169	10	114	1308	1103	1258
8/25/2026 13:59	3146	3326	5172	10	114	1308	1103	1260
8/25/2026 14:00	3146	3339	5172	10	114	1303	1008	1260
8/25/2026 14:01	3167	3339	5189	10	114	1303	1008	1278
8/25/2026 14:02	3167	3336	5189	1	116	1306	1080	1278
8/25/2026 14:03	3165	3336	5176	1	116	1306	1080	1265
8/25/2026 14:04	3165	3348	5176	1	116	989	1110	1265
8/25/2026 14:05	3165	3348	5191	1	116	989	1110	1265
8/25/2026 14:06	3165	3324	5191	1	111	1309	896	1265
8/25/2026 14:07	3165	3324	5180	1	111	1309	896	1280
8/25/2026 14:08	3165	3330	5180	1	92	1317	1074	1280
8/25/2026 14:09	3150	3330	5157	1	92	1317	1074	1273
8/25/2026 14:10	3150	3317	5157	1	104	1049	1111	1273
8/25/2026 14:11	3192	3317	5148	1	104	1049	1111	1271
8/25/2026 14:12	3192	3357	5148	1	104	1209	959	1271
8/25/2026 14:13	3170	3357	5158	1	104	1209	959	1261
8/25/2026 14:14	3170	3348	5158	1	101	1324	959	1261

8/25/2026 14:15	3178	3348	5177	1	101	1324	959	1265
8/25/2026 14:16	3178	3329	5177	1	110	1306	1087	1265
8/25/2026 14:17	3177	3329	5164	1	110	1306	1087	1256
8/25/2026 14:18	3177	3336	5164	1	112	1297	1105	1256
8/25/2026 14:19	3192	3336	5174	1	112	1297	1105	1257
8/25/2026 14:20	3192	3349	5174	1	115	1314	1102	1257
8/25/2026 14:21	3194	3349	5159	1	115	1314	1102	1280
8/25/2026 14:22	3194	3345	5159	1	115	1309	1101	1280
8/25/2026 14:23	3185	3345	5175	1	115	1309	1101	1265
8/25/2026 14:24	3185	3345	5175	1	111	1318	905	1265
8/25/2026 14:25	3189	3345	5181	1	111	1318	905	1267
8/25/2026 14:26	3189	3353	5181	1	118	1308	962	1267
8/25/2026 14:27	3185	3353	5200	1	118	1308	962	1262
8/25/2026 14:28	3185	3344	5200	1	112	1322	1116	1262
8/25/2026 14:29	3199	3344	5188	1	112	1322	1116	1265
8/25/2026 14:30	3199	3367	5188	1	118	963	848	1265
8/25/2026 14:31	3215	3367	5198	1	118	963	848	1256
8/25/2026 14:32	3215	3344	5198	1	118	1297	1110	1256
8/25/2026 14:33	3201	3344	5178	1	118	1297	1110	1266
8/25/2026 14:34	3201	3359	5178	1	1858	1321	1112	1266
8/25/2026 14:35	3198	3359	5126	1	1858	1321	1112	1241
8/25/2026 14:36	3198	3348	5126	1	3172	1289	871	1241
8/25/2026 14:37	3186	3348	5147	1	3172	1289	871	1235
8/25/2026 14:38	3186	3336	5147	1	2265	957	1073	1235
8/25/2026 14:39	3165	3336	5132	1	2265	957	1073	1214
8/25/2026 14:40	3165	3318	5132	1	2023	1261	1073	1214
8/25/2026 14:41	3153	3318	5123	1	2023	1261	1073	1318
8/25/2026 14:42	3153	3303	5123	1	1968	1268	800	1318
8/25/2026 14:43	3168	3303	5131	1	1968	1268	800	1225
8/25/2026 14:44	3168	3311	5131	1	1947	1266	995	1225
8/25/2026 14:45	3148	3311	5125	1	1947	1266	995	1220
8/25/2026 14:46	3148	3306	5125	1	1940	1282	1076	1220
8/25/2026 14:47	3173	3306	5117	1	1940	1282	1076	1138
8/25/2026 14:48	3173	3321	5117	1	1946	927	1061	1138
8/25/2026 14:49	3173	3321	5122	1	1946	927	1061	1215
8/25/2026 14:50	3173	3304	5122	1	1934	1271	1044	1215
8/25/2026 14:51	3165	3304	5122	1	1934	1271	1044	1206
8/25/2026 14:52	3165	3308	5122	1	1921	1277	1010	1206
8/25/2026 14:53	3163	3308	5129	1	1921	1277	1010	1224
8/25/2026 14:54	3163	3311	5129	1	1930	1065	1080	1224
8/25/2026 14:55	3165	3311	5138	1	1930	1065	1080	1221
8/25/2026 14:56	3165	3307	5138	1	1929	1128	821	1221
8/25/2026 14:57	3169	3307	5143	1	1929	1128	821	1215
8/25/2026 14:58	3169	3307	5143	1	1916	955	1081	1215
8/25/2026 14:59	3194	3307	5127	1	1916	955	1081	1211
8/25/2026 15:00	3194	3304	5127	1	1917	1268	1077	1211
8/25/2026 15:01	3165	3304	5122	1	1917	1268	1077	1221
8/25/2026 15:02	3165	3304	5122	1	1915	1283	1076	1221
8/25/2026 15:03	3186	3304	5118	1	1915	1283	1076	1222
8/25/2026 15:04	3186	3316	5118	1	1911	1262	1087	1222
8/25/2026 15:05	3158	3316	5135	1	1911	1262	1087	1215
8/25/2026 15:06	3158	3306	5135	1	1911	1273	1082	1215
8/25/2026 15:07	3171	3306	5123	1	1911	1273	1082	1222

8/25/2026 15:08	3171	3297	5123	1	1918	1098	1040	1222
8/25/2026 15:09	3175	3297	5108	1	1918	1098	1040	1220
8/25/2026 15:10	3175	3294	5108	1	1922	1268	1045	1220
8/25/2026 15:11	3178	3294	5119	1	1922	1268	1045	1231
8/25/2026 15:12	3178	3311	5119	1	1331	1270	1076	1231
8/25/2026 15:13	3178	3311	5109	1	1331	1270	1076	1227
8/25/2026 15:14	3178	3314	5109	1	1908	1268	1070	1227
8/25/2026 15:15	3167	3314	5118	1	1908	1268	1070	1227
8/25/2026 15:16	3167	3302	5118	1	1912	1266	1077	1227
8/25/2026 15:17	3160	3302	5105	1	1912	1266	1077	1219
8/25/2026 15:18	3160	3284	5105	1	1907	1276	1082	1219
8/25/2026 15:19	3156	3284	5130	1	1907	1276	1082	1209
8/25/2026 15:20	3156	3280	5130	1	1893	1268	1066	1209
8/25/2026 15:21	3174	3280	5151	1	1893	1268	1066	1231
8/25/2026 15:22	3174	3300	5151	1	1861	1091	1077	1231
8/25/2026 15:23	3174	3300	5126	1	1861	1091	1077	1215
8/25/2026 15:24	3174	3308	5126	1	1907	1263	773	1215
8/25/2026 15:25	3162	3308	5121	1	1907	1263	773	1235
8/25/2026 15:26	3162	3289	5121	1	1904	1271	1082	1235
8/25/2026 15:27	3149	3289	5128	1	1904	1271	1082	1229
8/25/2026 15:28	3149	3311	5128	1	1902	995	897	1229
8/25/2026 15:29	3169	3311	5139	1	1902	995	897	1224
8/25/2026 15:30	3169	3305	5139	1	1602	1104	1083	1224
8/25/2026 15:31	3152	3305	5118	1	1602	1104	1083	1224
8/25/2026 15:32	3152	3294	5118	1	1911	1272	1084	1224
8/25/2026 15:33	3136	3294	5128	1	1911	1272	1084	1225
8/25/2026 15:34	3136	3286	5128	1	1902	1163	875	1225
8/25/2026 15:35	3160	3286	5130	1	1902	1163	875	1225
8/25/2026 15:36	3160	3296	5130	1	1896	1075	1078	1225
8/25/2026 15:37	3153	3296	5123	1	1896	1075	1078	1235
8/25/2026 15:38	3153	3323	5123	1	1484	1256	1082	1235
8/25/2026 15:39	3173	3323	5119	1	1484	1256	1082	747
8/25/2026 15:40	3173	3315	5119	1	1921	1270	1082	747
8/25/2026 15:41	3150	3315	5118	1	1921	1270	1082	1235
8/25/2026 15:42	3150	3326	5118	1	1905	1087	1077	1235
8/25/2026 15:43	3164	3326	5121	1	1905	1087	1077	1216
8/25/2026 15:44	3164	3296	5121	1059	1912	1251	1081	1216
8/25/2026 15:45	3064	3296	4994	1059	1912	1251	1081	1041
8/25/2026 15:46	3064	3216	4994	1143	1265	1256	1075	1041
8/25/2026 15:47	3061	3216	5004	1143	1265	1256	1075	1196
8/25/2026 15:48	3061	3219	5004	1148	1900	1263	1064	1196
8/25/2026 15:49	3069	3219	5000	1148	1900	1263	1064	1204
8/25/2026 15:50	3069	3230	5000	1151	1915	1255	799	1204
8/25/2026 15:51	3067	3230	4985	1151	1915	1255	799	1208
8/25/2026 15:52	3067	3214	4985	1136	1902	1249	1039	1208
8/25/2026 15:53	3070	3214	5001	1136	1902	1249	1039	1211
8/25/2026 15:54	3070	3214	5001	968	1902	1250	1073	1211
8/25/2026 15:55	3067	3214	5030	968	1902	1250	1073	1204
8/25/2026 15:56	3067	3222	5030	964	1098	1121	1070	1204
8/25/2026 15:57	3062	3222	5005	964	1098	1121	1070	1190
8/25/2026 15:58	3062	3223	5005	961	1900	1096	916	1190
8/25/2026 15:59	3063	3223	5017	961	1900	1096	916	1185
8/25/2026 16:00	3063	3220	5017	969	1906	1061	1004	1185

8/25/2026 16:01	3075	3220	5032	969	1906	1061	1004	1149
8/25/2026 16:02	3075	3236	5032	965	1894	1268	1014	1149
8/25/2026 16:03	3078	3236	5030	965	1894	1268	1014	1195
8/25/2026 16:04	3078	3222	5030	958	1906	1053	1064	1195
8/25/2026 16:05	3059	3222	4984	958	1906	1053	1064	1204
8/25/2026 16:06	3059	3239	4984	963	1896	1260	1071	1204
8/25/2026 16:07	3072	3239	5006	963	1896	1260	1071	1201
8/25/2026 16:08	3072	3218	5006	961	1902	1261	1076	1201
8/25/2026 16:09	3057	3218	5023	961	1902	1261	1076	1205
8/25/2026 16:10	3057	3229	5023	961	1894	1249	1083	1205
8/25/2026 16:11	3070	3229	5029	961	1894	1249	1083	1201
8/25/2026 16:12	3070	3229	5029	959	1900	1256	1006	1201
8/25/2026 16:13	3056	3229	5043	959	1900	1256	1006	1201
8/25/2026 16:14	3056	3231	5043	962	1900	1260	1071	1201
8/25/2026 16:15	3083	3231	5032	962	1900	1260	1071	1204
8/25/2026 16:16	3083	3240	5032	970	1900	1229	994	1204
8/25/2026 16:17	3049	3240	5053	970	1900	1229	994	1209
8/25/2026 16:18	3049	3224	5053	958	1819	1227	844	1209
8/25/2026 16:19	3056	3224	5005	958	1819	1227	844	1199
8/25/2026 16:20	3056	3229	5005	955	1900	1258	1072	1199
8/25/2026 16:21	3078	3229	5028	955	1900	1258	1072	1193
8/25/2026 16:22	3078	3239	5028	968	1897	934	990	1193
8/25/2026 16:23	3048	3239	5034	968	1897	934	990	1203
8/25/2026 16:24	3048	3223	5034	967	1901	923	1075	1203
8/25/2026 16:25	3047	3223	5027	967	1901	923	1075	1189
8/25/2026 16:26	3047	3230	5027	967	1897	1018	1080	1189
8/25/2026 16:27	3039	3230	5027	967	1897	1018	1080	1186
8/25/2026 16:28	3039	3191	5027	967	1904	1247	1072	1186
8/25/2026 16:29	3057	3191	5008	967	1904	1247	1072	1204
8/25/2026 16:30	3057	3211	5008	957	1429	1257	1070	1204
8/25/2026 16:31	3045	3211	5022	957	1429	1257	1070	1195
8/25/2026 16:32	3045	3227	5022	958	1573	1270	1020	1195
8/25/2026 16:33	3045	3227	5017	958	1573	1270	1020	1210
8/25/2026 16:34	3045	3242	5017	971	1901	1255	1070	1210
8/25/2026 16:35	3050	3242	5018	971	1901	1255	1070	1195
8/25/2026 16:36	3050	3228	5018	969	1905	1264	1072	1195
8/25/2026 16:37	3050	3228	5027	969	1905	1264	1072	1183
8/25/2026 16:38	3050	3207	5027	938	1897	913	1070	1183
8/25/2026 16:39	3041	3207	5003	938	1897	913	1070	1205
8/25/2026 16:40	3041	3211	5003	960	397	918	1071	1205
8/25/2026 16:41	3032	3211	5037	960	397	918	1071	1134
8/25/2026 16:42	3032	3208	5037	967	1906	1240	1066	1134
8/25/2026 16:43	3053	3208	5044	967	1906	1240	1066	1194
8/25/2026 16:44	3053	3213	5044	960	1897	1263	780	1194
8/25/2026 16:45	3022	3213	5037	960	1897	1263	780	1204
8/25/2026 16:46	3022	3223	5037	966	1902	1256	911	1204
8/25/2026 16:47	3039	3223	5014	966	1902	1256	911	1191
8/25/2026 16:48	3039	3207	5014	972	1916	1258	1071	1191
8/25/2026 16:49	3022	3207	5037	972	1916	1258	1071	1195
8/25/2026 16:50	3022	3203	5037	968	1908	1255	1077	1195
8/25/2026 16:51	3044	3203	5043	968	1908	1255	1077	1210
8/25/2026 16:52	3044	3209	5043	946	1895	1260	1069	1210
8/25/2026 16:53	3020	3209	5037	946	1895	1260	1069	1186

8/25/2026 16:54	3020	3212	5037	953	1913	1247	1077	1186
8/25/2026 16:55	3038	3212	5007	953	1913	1247	1077	1206
8/25/2026 16:56	3038	3208	5007	952	1908	1256	1074	1206
8/25/2026 16:57	2996	3208	5009	952	1908	1256	1074	1199
8/25/2026 16:58	2996	3211	5009	929	1810	1265	1077	1199
8/25/2026 16:59	3036	3211	5016	929	1810	1265	1077	1201
8/25/2026 17:00	3036	3222	5016	930	1916	1209	1071	1201
8/25/2026 17:01	3021	3222	5011	930	1916	1209	1071	1206
8/25/2026 17:02	3021	3202	5011	930	1913	968	1083	1206
8/25/2026 17:03	3021	3202	5009	930	1913	968	1083	931
8/25/2026 17:04	3021	3211	5009	945	1921	1240	838	931
8/25/2026 17:05	3012	3211	5046	945	1921	1240	838	1195
8/25/2026 17:06	3012	3217	5046	947	1871	1241	1075	1195
8/25/2026 17:07	3024	3217	5033	947	1871	1241	1075	1203
8/25/2026 17:08	3024	3211	5033	931	1913	1262	1076	1203
8/25/2026 17:09	3036	3211	5016	931	1913	1262	1076	1210
8/25/2026 17:10	3036	3209	5016	945	1913	1271	1071	1210
8/25/2026 17:11	3041	3209	5033	945	1913	1271	1071	1200
8/25/2026 17:12	3041	3222	5033	939	1911	1180	1083	1200
8/25/2026 17:13	3018	3222	5013	939	1911	1180	1083	1196
8/25/2026 17:14	3018	3204	5013	953	1912	1252	1080	1196
8/25/2026 17:15	3013	3204	5015	953	1912	1252	1080	1206
8/25/2026 17:16	3013	3221	5015	945	1900	1225	1072	1206
8/25/2026 17:17	3030	3221	5061	945	1900	1225	1072	1205
8/25/2026 17:18	3030	3236	5061	957	61	1218	1080	1205
8/25/2026 17:19	3036	3236	5029	957	61	1218	1080	1195
8/25/2026 17:20	3036	3228	5029	946	1912	1250	1076	1195
8/25/2026 17:21	3025	3228	5021	946	1912	1250	1076	1199
8/25/2026 17:22	3025	3224	5021	958	1912	1076	1075	1199
8/25/2026 17:23	3033	3224	5012	958	1912	1076	1075	1205
8/25/2026 17:24	3033	3214	5012	953	1908	924	1075	1205
8/25/2026 17:25	3018	3214	5047	953	1908	924	1075	1196
8/25/2026 17:26	3018	3223	5047	941	1915	1220	1074	1196
8/25/2026 17:27	3018	3223	5024	941	1915	1220	1074	1210
8/25/2026 17:28	3018	3238	5024	939	1905	1255	948	1210
8/25/2026 17:29	3024	3238	5023	939	1905	1255	948	1195
8/25/2026 17:30	3024	3234	5023	950	1923	1255	1072	1195
8/25/2026 17:31	3010	3234	5020	950	1923	1255	1072	1200
8/25/2026 17:32	3010	3227	5020	958	1908	1232	1079	1200
8/25/2026 17:33	3035	3227	5008	958	1908	1232	1079	1194
8/25/2026 17:34	3035	3224	5008	943	1902	1255	978	1194
8/25/2026 17:35	3025	3224	5028	943	1902	1255	978	1200
8/25/2026 17:36	3025	3215	5028	954	1915	1253	1083	1200
8/25/2026 17:37	3010	3215	5040	954	1915	1253	1083	1196
8/25/2026 17:38	3010	3221	5040	969	1906	1256	1031	1196
8/25/2026 17:39	3002	3221	5027	969	1906	1256	1031	948
8/25/2026 17:40	3002	3201	5027	947	1907	1241	1072	948
8/25/2026 17:41	3012	3201	5008	947	1907	1241	1072	1195
8/25/2026 17:42	3012	3228	5008	955	1911	1256	1083	1195
8/25/2026 17:43	3005	3228	5024	955	1911	1256	1083	1104
8/25/2026 17:44	3005	3218	5024	939	1902	1251	1074	1104
8/25/2026 17:45	2993	3218	5034	939	1902	1251	1074	1209
8/25/2026 17:46	2993	3231	5034	944	1901	1242	1083	1209

8/25/2026 17:47	3006	3231	5028	944	1901	1242	1083	1181
8/25/2026 17:48	3006	3206	5028	964	1912	1257	979	1181
8/25/2026 17:49	3012	3206	5028	964	1912	1257	979	1198
8/25/2026 17:50	3012	3222	5028	955	1918	1215	1085	1198
8/25/2026 17:51	2998	3222	5033	955	1918	1215	1085	1191
8/25/2026 17:52	2998	3224	5033	951	1910	1241	1074	1191
8/25/2026 17:53	2973	3224	5014	951	1910	1241	1074	1198
8/25/2026 17:54	2973	3233	5014	955	1912	1219	1075	1198
8/25/2026 17:55	2985	3233	5034	955	1912	1219	1075	1204
8/25/2026 17:56	2985	3209	5034	951	1915	1141	963	1204
8/25/2026 17:57	2994	3209	5038	951	1915	1141	963	1190
8/25/2026 17:58	2994	3215	5038	946	1916	1248	1040	1190
8/25/2026 17:59	3001	3215	5028	946	1916	1248	1040	999
8/25/2026 18:00	3001	3249	5028	943	1893	1236	1083	999
8/25/2026 18:01	2980	3249	5010	943	1893	1236	1083	1201
8/25/2026 18:02	2980	3214	5010	947	1904	1246	1016	1201
8/25/2026 18:03	3003	3214	5034	947	1904	1246	1016	1193
8/25/2026 18:04	3003	3232	5034	949	1913	968	944	1193
8/25/2026 18:05	2996	3232	5039	949	1913	968	944	1188
8/25/2026 18:06	2996	3205	5039	931	1921	1239	1071	1188
8/25/2026 18:07	3005	3205	4998	931	1921	1239	1071	1200
8/25/2026 18:08	3005	3236	4998	948	1912	1229	1081	1200
8/25/2026 18:09	2969	3236	4994	948	1912	1229	1081	1095
8/25/2026 18:10	2969	3226	4994	951	1922	949	1084	1095
8/25/2026 18:11	2972	3226	5026	951	1922	949	1084	1195
8/25/2026 18:12	2972	3233	5026	937	31	1222	1079	1195
8/25/2026 18:13	2958	3233	4994	937	31	1222	1079	1190
8/25/2026 18:14	2958	3229	4994	945	1911	1256	1072	1190
8/25/2026 18:15	2966	3229	5017	945	1911	1256	1072	1200
8/25/2026 18:16	2966	3220	5017	935	1900	1132	1076	1200
8/25/2026 18:17	2970	3220	5041	935	1900	1132	1076	1194
8/25/2026 18:18	2970	3224	5041	913	866	1058	972	1194
8/25/2026 18:19	2972	3224	5011	913	866	1058	972	1180
8/25/2026 18:20	2972	3226	5011	912	866	975	1076	1180
8/25/2026 18:21	2982	3226	5006	912	866	975	1076	902
8/25/2026 18:22	2982	3242	5006	929	1930	978	857	902
8/25/2026 18:23	2975	3242	5008	929	1930	978	857	1203
8/25/2026 18:24	2975	3234	5008	927	1050	1273	1082	1203
8/25/2026 18:25	2970	3234	5026	927	1050	1273	1082	1195
8/25/2026 18:26	2970	3235	5026	927	1904	1262	1088	1195
8/25/2026 18:27	2977	3235	5022	927	1904	1262	1088	1204
8/25/2026 18:28	2977	3240	5022	923	1915	926	910	1204
8/25/2026 18:29	2955	3240	5009	923	1915	926	910	1145
8/25/2026 18:30	2955	3245	5009	924	1919	904	876	1145
8/25/2026 18:31	2959	3245	5008	924	1919	904	876	1196
8/25/2026 18:32	2959	3248	5008	930	1911	1240	1079	1196
8/25/2026 18:33	2953	3248	5021	930	1911	1240	1079	1199
8/25/2026 18:34	2953	3247	5021	946	1907	1266	974	1199
8/25/2026 18:35	2949	3247	5027	946	1907	1266	974	1190
8/25/2026 18:36	2949	3260	5027	950	1712	1232	1076	1190
8/25/2026 18:37	2960	3260	5018	950	1712	1232	1076	1201
8/25/2026 18:38	2960	3253	5018	939	1917	1266	1082	1201
8/25/2026 18:39	2999	3253	5038	939	1917	1266	1082	1195

8/25/2026 18:40	2999	3259	5038	939	1919	1176	846	1195
8/25/2026 18:41	2954	3259	5011	939	1919	1176	846	1194
8/25/2026 18:42	2954	3251	5011	946	1912	1073	980	1194
8/25/2026 18:43	2967	3251	5022	946	1912	1073	980	1194
8/25/2026 18:44	2967	3226	5022	944	1919	1225	1081	1194
8/25/2026 18:45	2977	3226	5028	944	1919	1225	1081	1170
8/25/2026 18:46	2977	3235	5028	932	1910	1227	1085	1170
8/25/2026 18:47	2974	3235	5034	932	1910	1227	1085	1195
8/25/2026 18:48	2974	3253	5034	945	1916	938	1087	1195
8/25/2026 18:49	2972	3253	5037	945	1916	938	1087	1195
8/25/2026 18:50	2972	3259	5037	950	1899	1267	1087	1195
8/25/2026 18:51	2957	3259	5035	950	1899	1267	1087	1190
8/25/2026 18:52	2957	3242	5035	939	1635	1132	1091	1190
8/25/2026 18:53	2942	3242	5017	939	1635	1132	1091	1191
8/25/2026 18:54	2942	3257	5017	937	1910	1163	1097	1191
8/25/2026 18:55	2962	3257	5017	937	1910	1163	1097	1200
8/25/2026 18:56	2962	3256	5017	943	1912	1035	992	1200
8/25/2026 18:57	2962	3256	5004	943	1912	1035	992	775
8/25/2026 18:58	2962	3227	5004	942	1904	1262	854	775
8/25/2026 18:59	2945	3227	5018	942	1904	1262	854	1190
8/25/2026 19:00	2945	3228	5018	957	1901	1256	1088	1190
8/25/2026 19:01	2951	3228	5031	957	1901	1256	1088	1206
8/25/2026 19:02	2951	3248	5031	942	1906	980	1092	1206
8/25/2026 19:03	2952	3248	5031	942	1906	980	1092	1189
8/25/2026 19:04	2952	3235	5031	962	1907	1271	1083	1189
8/25/2026 19:05	2930	3235	5021	962	1907	1271	1083	1189
8/25/2026 19:06	2930	3238	5021	961	1902	1261	1082	1189
8/25/2026 19:07	2948	3238	5009	961	1902	1261	1082	1203
8/25/2026 19:08	2948	3238	5009	952	1923	996	1088	1203
8/25/2026 19:09	2942	3238	5003	952	1923	996	1088	1214
8/25/2026 19:10	2942	3226	5003	955	1901	1263	829	1214
8/25/2026 19:11	2934	3226	5023	955	1901	1263	829	1193
8/25/2026 19:12	2934	3228	5023	964	1912	1261	1097	1193
8/25/2026 19:13	2919	3228	4991	964	1912	1261	1097	1026
8/25/2026 19:14	2919	3211	4991	953	1919	1266	928	1026
8/25/2026 19:15	2932	3211	5001	953	1919	1266	928	1199
8/25/2026 19:16	2932	3220	5001	960	1905	1260	970	1199
8/25/2026 19:17	2932	3220	4998	960	1905	1260	970	1169
8/25/2026 19:18	2932	3236	4998	976	1916	964	1097	1169
8/25/2026 19:19	2919	3236	5009	976	1916	964	1097	1196
8/25/2026 19:20	2919	3194	5009	971	1910	1242	993	1196
8/25/2026 19:21	2910	3194	5028	971	1910	1242	993	1308
8/25/2026 19:22	2910	3213	5028	974	1915	1281	741	1308
8/25/2026 19:23	2891	3213	5013	974	1915	1281	741	1194
8/25/2026 19:24	2891	3223	5013	964	1913	1261	1085	1194
8/25/2026 19:25	2920	3223	5009	964	1913	1261	1085	1206
8/25/2026 19:26	2920	3223	5009	958	1932	1032	1108	1206
8/25/2026 19:27	2932	3223	5009	958	1932	1032	1108	1186
8/25/2026 19:28	2932	3215	5009	978	1938	1047	1093	1186
8/25/2026 19:29	2927	3215	5017	978	1938	1047	1093	1133
8/25/2026 19:30	2927	3232	5017	968	1908	1214	1096	1133
8/25/2026 19:31	2918	3232	5012	968	1908	1214	1096	1209
8/25/2026 19:32	2918	3217	5012	963	1924	1224	1050	1209

8/25/2026 19:33	2909	3217	5014	963	1924	1224	1050	1201
8/25/2026 19:34	2909	3205	5014	958	1933	1175	980	1201
8/25/2026 19:35	2892	3205	4982	958	1933	1175	980	1133
8/25/2026 19:36	2892	3188	4982	970	595	1268	897	1133
8/25/2026 19:37	2880	3188	5009	970	595	1268	897	1211
8/25/2026 19:38	2880	3217	5009	957	1829	1272	1090	1211
8/25/2026 19:39	2891	3217	5012	957	1829	1272	1090	1204
8/25/2026 19:40	2891	3204	5012	951	1832	1283	1102	1204
8/25/2026 19:41	2897	3204	5018	951	1832	1283	1102	1210
8/25/2026 19:42	2897	3222	5018	957	1924	1234	1103	1210
8/25/2026 19:43	2908	3222	5008	957	1924	1234	1103	1067
8/25/2026 19:44	2908	3233	5008	954	1938	1270	803	1067
8/25/2026 19:45	2894	3233	4990	954	1938	1270	803	1209
8/25/2026 19:46	2894	3207	4990	962	1955	1266	1097	1209
8/25/2026 19:47	2881	3207	5031	962	1955	1266	1097	1199
8/25/2026 19:48	2881	3217	5031	967	1938	1106	1097	1199
8/25/2026 19:49	2919	3217	5006	967	1938	1106	1097	1203
8/25/2026 19:50	2919	3204	5006	975	1932	1094	1092	1203
8/25/2026 19:51	2884	3204	5008	975	1932	1094	1092	1214
8/25/2026 19:52	2884	3218	5008	978	1938	1268	1100	1214
8/25/2026 19:53	2906	3218	5029	978	1938	1268	1100	1212
8/25/2026 19:54	2906	3206	5029	974	1935	1200	686	1212
8/25/2026 19:55	2892	3206	5026	974	1935	1200	686	1205
8/25/2026 19:56	2892	3196	5026	964	1943	1275	1102	1205
8/25/2026 19:57	2897	3196	5031	964	1943	1275	1102	1207
8/25/2026 19:58	2897	3212	5031	979	1177	1278	1103	1207
8/25/2026 19:59	2889	3212	5011	979	1177	1278	1103	1206
8/25/2026 20:00	2889	3196	5011	969	1930	1271	801	1206
8/25/2026 20:01	2874	3196	5016	969	1930	1271	801	1206
8/25/2026 20:02	2874	3213	5016	968	1923	1287	793	1206
8/25/2026 20:03	2888	3213	5014	968	1923	1287	793	1206
8/25/2026 20:04	2888	3218	5014	977	1939	990	1111	1206
8/25/2026 20:05	2868	3218	5011	977	1939	990	1111	1211
8/25/2026 20:06	2868	3226	5011	954	1926	1282	1092	1211
8/25/2026 20:07	2868	3226	5000	954	1926	1282	1092	1203
8/25/2026 20:08	2868	3197	5000	958	1923	1207	1085	1203
8/25/2026 20:09	2872	3197	5008	958	1923	1207	1085	1203
8/25/2026 20:10	2872	3217	5008	971	1916	1268	1105	1203
8/25/2026 20:11	2861	3217	5002	971	1916	1268	1105	1212
8/25/2026 20:12	2861	3204	5002	974	1922	1277	872	1212
8/25/2026 20:13	2884	3204	5014	974	1922	1277	872	1213
8/25/2026 20:14	2884	3194	5014	987	1921	1283	859	1213
8/25/2026 20:15	2868	3194	5000	987	1921	1283	859	1190
8/25/2026 20:16	2868	3213	5000	973	1928	1280	1103	1190
8/25/2026 20:17	2865	3213	5008	973	1928	1280	1103	1186
8/25/2026 20:18	2865	3209	5008	987	1938	1046	898	1186
8/25/2026 20:19	2870	3209	5014	987	1938	1046	898	1203
8/25/2026 20:20	2870	3186	5014	981	1930	1273	923	1203
8/25/2026 20:21	2857	3186	5011	981	1930	1273	923	1215
8/25/2026 20:22	2857	3200	5011	973	1851	1270	806	1215
8/25/2026 20:23	2835	3200	5031	973	1851	1270	806	1200
8/25/2026 20:24	2835	3195	5031	980	1929	1272	1103	1200
8/25/2026 20:25	2849	3195	5019	980	1929	1272	1103	733

8/25/2026 20:26	2849	3191	5019	985	1640	1239	772	733
8/25/2026 20:27	2863	3191	5017	985	1640	1239	772	1198
8/25/2026 20:28	2863	3198	5017	991	1921	1210	1103	1198
8/25/2026 20:29	2846	3198	5018	991	1921	1210	1103	1200
8/25/2026 20:30	2846	3195	5018	982	1923	1072	1097	1200
8/25/2026 20:31	2857	3195	5010	982	1923	1072	1097	1191
8/25/2026 20:32	2857	0	5010	980	1934	1281	1110	1191
8/25/2026 20:33	2840	0	4999	980	1934	1281	1110	1216
8/25/2026 20:34	2840	3197	4999	1000	1926	1247	966	1216
8/25/2026 20:35	2845	3197	5004	1000	1926	1247	966	1938
8/25/2026 20:36	2845	3214	5004	971	1923	1255	1110	1938
8/25/2026 20:37	2856	3214	5011	971	1923	1255	1110	1219
8/25/2026 20:38	2856	3204	5011	991	1935	1244	1110	1219
8/25/2026 20:39	2863	3204	5026	991	1935	1244	1110	1195
8/25/2026 20:40	2863	3204	5026	986	1922	1012	1101	1195
8/25/2026 20:41	2840	3204	5005	986	1922	1012	1101	1206
8/25/2026 20:42	2840	3216	5005	991	1912	1232	1100	1206
8/25/2026 20:43	2828	3216	5009	991	1912	1232	1100	1191
8/25/2026 20:44	2828	3217	5009	1014	1924	1252	1100	1191
8/25/2026 20:45	2850	3217	5009	1014	1924	1252	1100	1201
8/25/2026 20:46	2850	3202	5009	998	1932	1275	1102	1201
8/25/2026 20:47	2840	3202	5034	998	1932	1275	1102	1206
8/25/2026 20:48	2840	3193	5034	989	1934	1278	1102	1206
8/25/2026 20:49	2844	3193	5014	989	1934	1278	1102	1037
8/25/2026 20:50	2844	3202	5014	989	1933	1281	1107	1037
8/25/2026 20:51	2839	3202	5006	989	1933	1281	1107	1206
8/25/2026 20:52	2839	3201	5006	991	1934	1267	1106	1206
8/25/2026 20:53	2860	3201	4997	991	1934	1267	1106	1210
8/25/2026 20:54	2860	3182	4997	983	1940	1155	1107	1210
8/25/2026 20:55	2839	3182	5013	983	1940	1155	1107	1214
8/25/2026 20:56	2839	3193	5013	984	1933	0	869	1214
8/25/2026 20:57	2837	3193	4994	984	1933	1272	869	1205
8/25/2026 20:58	2837	3200	4994	970	1923	1272	1116	1205
8/25/2026 20:59	2856	3200	5006	970	1923	1286	1116	1205
8/25/2026 21:00	2856	3218	5006	965	1928	1286	1116	1205
8/25/2026 21:01	2848	3218	5009	965	1928	1276	1116	1204
8/25/2026 21:02	2848	3204	5009	963	1952	1276	1107	1204
8/25/2026 21:03	2863	3204	5013	963	1952	1261	1107	1219
8/25/2026 21:04	2863	0	5013	957	1929	1261	1110	1219
8/25/2026 21:05	2850	3173	5011	957	1929	1286	1110	1215
8/25/2026 21:06	2850	3173	5011	972	1938	1286	1103	1215
8/25/2026 21:07	2848	3218	4996	972	1938	1123	1103	1168
8/25/2026 21:08	2848	3218	4996	961	1935	1123	802	1168
8/25/2026 21:09	2823	3192	5008	961	1935	1290	802	1196
8/25/2026 21:10	2823	3192	5008	966	1938	1290	1086	1196
8/25/2026 21:11	2845	3196	5011	966	1938	1025	1086	1209
8/25/2026 21:12	2845	3196	5011	969	1943	1025	1110	1209
8/25/2026 21:13	2829	3196	5005	969	1943	927	1110	1216
8/25/2026 21:14	2829	3196	5005	984	1927	927	0	1216
8/25/2026 21:15	2844	3197	5019	984	1927	1257	1107	1210
8/25/2026 21:16	2844	3197	5019	979	1938	1257	1107	1210
8/25/2026 21:17	2855	3196	5036	979	1938	1286	1111	1198
8/25/2026 21:18	2855	3196	5036	974	1930	1286	1111	1198

8/25/2026 21:19	2883	3189	5015	974	1930	1281	1110	1214
8/25/2026 21:20	2883	3189	5015	973	1945	1281	1110	1214
8/25/2026 21:21	2850	3196	5030	973	1945	1174	1116	1201
8/25/2026 21:22	2850	3196	5030	967	1937	1174	1116	1201
8/25/2026 21:23	2846	3193	4999	967	1937	1019	1113	1206
8/25/2026 21:24	2846	3193	4999	968	0	1019	1113	1206
8/25/2026 21:25	2861	3207	5021	968	0	1229	1119	1195
8/25/2026 21:26	2861	3207	5021	974	1935	1229	1119	1195
8/25/2026 21:27	2845	3208	5034	974	1935	1288	782	1209
8/25/2026 21:28	2845	3208	5034	960	1926	1288	782	1209
8/25/2026 21:29	2834	3210	5019	960	1926	888	1041	1204
8/25/2026 21:30	2834	3210	5019	959	1918	888	1041	1204
8/25/2026 21:31	2848	3196	5022	959	1918	1286	1111	1204
8/25/2026 21:32	2848	3196	5022	977	1932	1286	1111	1204
8/25/2026 21:33	2856	3186	5006	977	1932	888	1004	1200
8/25/2026 21:34	2856	3186	5006	978	1893	888	1004	1200
8/25/2026 21:35	2852	3192	5034	978	1893	1290	1051	1205
8/25/2026 21:36	2852	3192	5034	966	1835	1290	1051	1205
8/25/2026 21:37	2855	3220	5037	966	1835	1287	1110	903
8/25/2026 21:38	2855	3220	5037	971	1923	1287	1110	903
8/25/2026 21:39	2855	3197	5016	971	1923	1262	1112	1206
8/25/2026 21:40	2855	3197	5016	967	1922	1262	1112	1206
8/25/2026 21:41	2846	3182	5015	967	1922	1287	1110	1235
8/25/2026 21:42	2846	3182	5015	969	1915	1287	1110	1235
8/25/2026 21:43	2829	3193	5027	969	1915	913	934	856
8/25/2026 21:44	2829	3193	5027	975	1830	913	934	856
8/25/2026 21:45	2844	3186	5011	975	1830	1073	1106	1209
8/25/2026 21:46	2844	3186	5011	955	1531	1073	1106	1209
8/25/2026 21:47	2848	3198	5018	955	1531	1291	1112	1198
8/25/2026 21:48	2848	3198	5018	977	1926	1291	1112	1198
8/25/2026 21:49	2842	3203	5043	977	1926	1266	1116	1214
8/25/2026 21:50	2842	3203	5043	959	1922	1266	1116	1214
8/25/2026 21:51	2831	3197	4999	959	1922	1246	1076	1210
8/25/2026 21:52	2831	3197	4999	957	1930	1246	1076	1210
8/25/2026 21:53	2848	3197	5022	957	1930	1054	1086	1198
8/25/2026 21:54	2848	3197	5022	969	1926	1054	1086	1198
8/25/2026 21:55	2853	3200	5013	969	1926	993	1110	1201
8/25/2026 21:56	2853	3200	5013	974	1917	993	1110	1201
8/25/2026 21:57	2839	3205	5034	974	1917	1273	856	1198
8/25/2026 21:58	2839	3205	5034	956	1921	1273	856	1198
8/25/2026 21:59	2841	3197	5033	956	1921	1278	1107	1206
8/25/2026 22:00	2841	3197	5033	968	0	1278	1107	1206
8/25/2026 22:01	2844	3189	5028	968	0	896	1120	1208
8/25/2026 22:02	2844	3189	5028	977	0	896	1120	1208
8/25/2026 22:03	2864	3202	5027	977	0	1242	1113	1193
8/25/2026 22:04	2864	3202	5027	965	1929	1242	1113	1193
8/25/2026 22:05	2847	3185	5021	965	1929	1275	1080	1198
8/25/2026 22:06	2847	3185	5021	973	0	1275	1080	1198
8/25/2026 22:07	2846	3182	5026	973	0	1287	908	1205
8/25/2026 22:08	2846	3182	5026	971	1916	1287	908	1205
8/25/2026 22:09	2868	3199	5040	971	1916	1264	1106	1214
8/25/2026 22:10	2868	3199	5040	975	1928	1264	1106	1214
8/25/2026 22:11	2853	3187	5023	975	1928	1258	1044	1201

8/25/2026 22:12	2853	3187	5023	976	1917	1258	1044	1201
8/25/2026 22:13	2850	3171	5011	976	1917	1276	1114	1200
8/25/2026 22:14	2850	3171	5011	973	1905	1276	1114	1200
8/25/2026 22:15	2840	3184	5023	973	1905	1254	1101	1198
8/25/2026 22:16	2840	3184	5023	964	1926	1254	1101	1198
8/25/2026 22:17	2809	3174	4988	964	1926	1278	1108	1190
8/25/2026 22:18	2809	3174	4988	961	1908	1278	1108	1190
8/25/2026 22:19	2814	3179	4997	961	1908	1272	1056	1220
8/25/2026 22:20	2814	3179	4997	949	1923	1272	1056	1220
8/25/2026 22:21	2847	3182	4997	949	1923	1225	762	1199
8/25/2026 22:22	2847	3182	4997	952	1929	1225	762	1199
8/25/2026 22:23	2831	3162	5011	952	1929	1277	1117	1204
8/25/2026 22:24	2831	3162	5011	956	1927	1277	1117	1204
8/25/2026 22:25	2842	3184	5019	956	1927	1273	1114	1191
8/25/2026 22:26	2842	3184	5019	950	1905	1273	1114	1191
8/25/2026 22:27	2854	3219	5008	950	1905	1297	1116	1196
8/25/2026 22:28	2854	3219	5008	953	1923	1297	1116	1196
8/25/2026 22:29	2830	3178	5016	953	1923	1313	783	1205
8/25/2026 22:30	2830	3178	5016	947	1921	1313	783	1205
8/25/2026 22:31	2836	3213	5007	947	1921	1287	1112	1179
8/25/2026 22:32	2836	3213	5007	953	1941	1287	1112	1179
8/25/2026 22:33	2852	3182	5021	953	1941	1277	849	1199
8/25/2026 22:34	2852	3182	5021	948	1912	1277	849	1199
8/25/2026 22:35	2870	3194	5010	948	1912	1296	826	1200
8/25/2026 22:36	2870	3194	5010	950	1923	1296	826	1200
8/25/2026 22:37	2838	3180	5037	950	1923	1271	1105	1111
8/25/2026 22:38	2838	3180	5037	955	1923	1271	1105	1111
8/25/2026 22:39	2850	3182	5028	955	1923	1265	790	1183
8/25/2026 22:40	2850	3182	5028	962	1910	1265	790	1183
8/25/2026 22:41	2843	3185	5020	962	1910	1261	951	1208
8/25/2026 22:42	2843	3185	5020	964	1929	1261	951	1208
8/25/2026 22:43	2857	3194	5010	964	1929	1308	1107	1184
8/25/2026 22:44	2857	3194	5010	956	1911	1308	1107	1184
8/25/2026 22:45	2844	3185	5024	956	1911	1303	839	912
8/25/2026 22:46	2844	3185	5024	957	1902	1303	839	912
8/25/2026 22:47	2834	3175	5015	957	1902	1294	1120	1193
8/25/2026 22:48	2834	3175	5015	952	1916	1294	1120	1193
8/25/2026 22:49	2835	3183	5025	952	1916	1277	1121	1200
8/25/2026 22:50	2835	3183	5025	958	1917	1277	1121	1200
8/25/2026 22:51	2851	3181	5027	958	1917	1057	871	1193
8/25/2026 22:52	2851	3181	5027	948	1927	1057	871	1193
8/25/2026 22:53	2836	3189	5021	948	1927	1163	1121	1050
8/25/2026 22:54	2836	3189	5021	955	1921	1163	1121	1050
8/25/2026 22:55	2835	3175	5043	955	1921	1302	1113	1195
8/25/2026 22:56	2835	3175	5043	948	1922	1302	1113	1195
8/25/2026 22:57	2854	3189	5003	948	1922	1145	1120	1210
8/25/2026 22:58	2854	3189	5003	981	1927	1145	1120	1210
8/25/2026 22:59	2848	3170	5067	981	1927	906	1118	1209
8/25/2026 23:00	2848	3170	5067	949	1911	906	1118	1209
8/25/2026 23:01	2834	3184	5001	949	1911	1294	865	1201
8/25/2026 23:02	2834	3184	5001	952	1770	1294	865	1201
8/25/2026 23:03	2837	3199	5020	952	1770	934	1120	1209
8/25/2026 23:04	2837	3199	5020	960	1911	934	1120	1209

8/25/2026 23:05	2844	3191	5001	960	1911	1230	752	1201
8/25/2026 23:06	2844	3191	5001	957	1919	1230	752	1201
8/25/2026 23:07	2834	3194	5019	957	1919	943	1050	1204
8/25/2026 23:08	2834	3194	5019	940	1922	943	1050	1204
8/25/2026 23:09	2843	3189	5031	940	1922	1260	1108	1211
8/25/2026 23:10	2843	3189	5031	955	1916	1260	1108	1211
8/25/2026 23:11	2860	3179	5017	955	1916	1311	1103	1205
8/25/2026 23:12	2860	3179	5017	945	1910	1311	1103	1205
8/25/2026 23:13	2832	3196	5004	945	1910	1300	1120	1199
8/25/2026 23:14	2832	3196	5004	973	1916	1300	1120	1199
8/25/2026 23:15	2855	3199	5021	973	1916	1281	1013	1204
8/25/2026 23:16	2855	3199	5021	952	1935	1281	1013	1204
8/25/2026 23:17	2856	3187	5019	952	1935	1288	1115	1198
8/25/2026 23:18	2856	3187	5019	955	1916	1288	1115	1198
8/25/2026 23:19	2887	3199	5023	955	1916	985	759	1194
8/25/2026 23:20	2887	3199	5023	964	1916	985	759	1194
8/25/2026 23:21	2827	3190	5006	964	1916	1286	1120	1198
8/25/2026 23:22	2827	3190	5006	956	991	1286	1120	1198
8/25/2026 23:23	2844	3196	5032	956	991	1116	1116	1191
8/25/2026 23:24	2844	3196	5032	968	1906	1116	1116	1191
8/25/2026 23:25	2850	3202	5016	968	1927	0	0	1188
8/25/2026 23:26	2850	3202	5016	968	1927	0	0	1188
8/25/2026 23:27	2822	3190	4991	957	1922	0	0	1205
8/25/2026 23:28	2822	3190	4991	957	1922	0	0	1205
8/25/2026 23:29	2837	3174	5016	964	1924	0	0	836
8/25/2026 23:30	2837	3174	5016	964	1924	0	0	836
8/25/2026 23:31	2841	3175	5022	948	1930	0	0	1204
8/25/2026 23:32	2841	3175	5022	948	1930	0	0	1204
8/25/2026 23:33	2848	3166	4980	946	1934	0	0	1195
8/25/2026 23:34	2848	3166	4980	946	1934	0	0	1195
8/25/2026 23:35	2800	3168	5003	967	1938	0	0	1206
8/25/2026 23:36	2800	3168	5003	967	1938	0	0	1206
8/25/2026 23:37	2825	3161	5013	957	1916	0	0	1191
8/25/2026 23:38	2825	3161	5013	957	1916	0	0	1191
8/25/2026 23:39	2812	3171	5005	948	1932	0	0	1188
8/25/2026 23:40	2812	3171	5005	948	1932	0	0	1188
8/25/2026 23:41	2817	3167	5000	940	1929	0	0	1211
8/25/2026 23:42	2817	3167	5000	940	1929	0	0	1211
8/25/2026 23:43	2829	3193	5012	940	1930	0	0	1191
8/25/2026 23:44	2829	3193	5012	940	1930	0	0	1191
8/25/2026 23:45	2845	3222	5014	946	1891	0	0	1206
8/25/2026 23:46	2845	3222	5014	946	1891	0	0	1206
8/25/2026 23:47	2847	3180	5009	956	1921	0	0	1205
8/25/2026 23:48	2847	3180	5009	956	1921	0	0	1205
8/25/2026 23:49	2837	3192	5027	955	1919	0	0	1158
8/25/2026 23:50	2837	3192	5027	955	1919	0	0	1158
8/25/2026 23:51	2844	3171	5034	954	1926	0	0	1190
8/25/2026 23:52	2844	3171	5034	954	1926	0	0	1190
8/25/2026 23:53	2868	3181	5041	960	1928	0	0	1205
8/25/2026 23:54	2868	3181	5041	960	1928	0	0	1205
8/25/2026 23:55	2842	3180	5032	946	1915	0	0	1204
8/25/2026 23:56	2842	3180	5032	946	1915	0	0	1204
8/25/2026 23:57	2838	3185	5022	960	1912	0	0	1193

8/25/2026 23:58	2838	3185	5022	960	1912	0	1113	1193
8/25/2026 23:59	2822	3190	5030	960	1912	0	1113	1268
8/26/2026 0:00	2822	3190	5030	960	1912	0	805	1268
8/26/2026 0:01	2822	3216	5013	950	1932	0	805	1208
8/26/2026 0:02	2822	3216	5013	950	1932	0	1121	1208
8/26/2026 0:03	2822	3166	5013	959	1926	0	1121	1261
8/26/2026 0:04	2822	3166	5013	959	1926	0	1112	1261
8/26/2026 0:05	2837	3180	5012	959	1929	0	1112	1206
8/26/2026 0:06	2837	3180	5012	959	1929	0	1047	1206
8/26/2026 0:07	2826	3179	5042	982	1919	0	1047	1196
8/26/2026 0:08	2826	3179	5042	982	1919	0	1107	1196
8/26/2026 0:09	2829	3160	5019	960	1926	0	1107	1178
8/26/2026 0:10	2829	3160	5019	960	1926	0	1107	1178
8/26/2026 0:11	2840	3179	5040	966	1926	0	1107	1195
8/26/2026 0:12	2840	3179	5040	966	1926	0	1111	1195
8/26/2026 0:13	2833	3179	5034	969	1919	0	1111	1158
8/26/2026 0:14	2833	3179	5034	969	1919	0	1090	1158
8/26/2026 0:15	2814	3198	5023	967	1929	0	1090	1179
8/26/2026 0:16	2814	3198	5023	967	1929	0	1117	1179
8/26/2026 0:17	2842	3179	5012	968	1929	0	1117	1205
8/26/2026 0:18	2842	3179	5012	968	1929	0	1118	1205
8/26/2026 0:19	2815	3189	5034	979	1918	0	1118	1201
8/26/2026 0:20	2815	3189	5034	979	1918	0	1111	1201
8/26/2026 0:21	2833	3196	5011	986	1928	0	1111	1011
8/26/2026 0:22	2833	3196	5011	986	1928	0	1116	1011
8/26/2026 0:23	2815	3182	5010	971	1915	0	1116	1205
8/26/2026 0:24	2815	3182	5010	971	1915	0	1050	1205
8/26/2026 0:25	2832	3184	5012	983	1915	0	1050	1173
8/26/2026 0:26	2832	3184	5012	983	1915	0	816	1173
8/26/2026 0:27	2809	3194	5003	983	1934	0	816	1199
8/26/2026 0:28	2809	3194	5003	983	1934	0	1118	1199
8/26/2026 0:29	2821	3191	5028	971	1917	0	1118	1191
8/26/2026 0:30	2821	3191	5028	971	1917	0	1108	1191
8/26/2026 0:31	2818	3183	5008	960	1926	0	1108	1183
8/26/2026 0:32	2818	3183	5008	960	1926	0	923	1183
8/26/2026 0:33	2796	3183	5014	979	1778	0	923	1201
8/26/2026 0:34	2796	3183	5014	979	1778	0	1102	1201
8/26/2026 0:35	2815	3165	5036	987	1922	0	1102	1211
8/26/2026 0:36	2815	3165	5036	987	1922	0	809	1211
8/26/2026 0:37	2821	3176	5018	987	1806	0	809	1201
8/26/2026 0:38	2821	3176	5018	987	1806	0	1040	1201
8/26/2026 0:39	2804	3170	5009	974	1932	0	1040	1201
8/26/2026 0:40	2804	3170	5009	974	1932	0	797	1201
8/26/2026 0:41	2790	3178	5038	986	1927	0	797	1205
8/26/2026 0:42	2790	3178	5038	986	1927	0	1073	1205
8/26/2026 0:43	2822	3171	5040	993	1929	0	1073	1201
8/26/2026 0:44	2822	3171	5040	993	1929	0	1116	1201
8/26/2026 0:45	2831	3163	5021	981	1932	0	1116	1203
8/26/2026 0:46	2831	3163	5021	981	1932	0	895	1203
8/26/2026 0:47	2798	3191	5010	994	1933	0	895	1200
8/26/2026 0:48	2798	3191	5010	994	1933	0	1100	1200
8/26/2026 0:49	2799	3172	5004	985	1929	0	1100	809
8/26/2026 0:50	2799	3172	5004	985	1929	0	1111	809

8/26/2026 0:51	2797	3145	4998	972	1840	0	1111	1196
8/26/2026 0:52	2797	3145	4998	972	1840	0	736	1196
8/26/2026 0:53	2787	3161	4994	984	1930	0	736	1215
8/26/2026 0:54	2787	3161	4994	984	1930	0	965	1215
8/26/2026 0:55	2797	3152	4999	968	1921	0	965	1203
8/26/2026 0:56	2797	3152	4999	968	1921	0	0	1203
8/26/2026 0:57	2805	3159	5011	970	1926	0	1081	1193
8/26/2026 0:58	2805	3159	5011	970	1926	0	1081	1193
8/26/2026 0:59	2783	3166	5027	963	1940	0	1070	1206
8/26/2026 1:00	2783	3166	5027	963	1940	0	1070	1206
8/26/2026 1:01	2804	3170	5003	971	1945	0	1116	1195
8/26/2026 1:02	2804	3170	5003	971	1945	0	1116	1195
8/26/2026 1:03	2798	3170	5018	974	1946	0	1108	1200
8/26/2026 1:04	2798	3170	5018	974	1946	0	1108	1200
8/26/2026 1:05	2804	3176	4993	974	1943	0	1021	1204
8/26/2026 1:06	2804	3176	4993	974	1943	0	1021	1204
8/26/2026 1:07	2810	3171	5013	983	1932	0	1095	916
8/26/2026 1:08	2810	3171	5013	983	1932	0	1095	916
8/26/2026 1:09	2789	3174	5018	983	1935	0	779	1203
8/26/2026 1:10	2789	3174	5018	983	1935	0	779	1203
8/26/2026 1:11	2815	3158	5023	979	1934	0	957	1214
8/26/2026 1:12	2815	3158	5023	979	1934	0	957	1214
8/26/2026 1:13	2819	3182	5013	978	148	0	1107	1200
8/26/2026 1:14	2819	3182	5013	978	148	0	1107	1200
8/26/2026 1:15	2636	3496	4669	1019	1949	0	1102	1220
8/26/2026 1:16	2636	3496	4669	1019	1949	0	1102	1220
8/26/2026 1:17	2799	3386	5041	981	1950	0	1106	1203
8/26/2026 1:18	2799	3386	5041	981	1950	0	1106	1203
8/26/2026 1:19	2764	3171	5012	968	1880	0	767	1211
8/26/2026 1:20	2764	3171	5012	968	1880	0	767	1211
8/26/2026 1:21	2784	3169	5020	989	1938	0	1020	1190
8/26/2026 1:22	2784	3169	5020	989	1938	0	1020	1190
8/26/2026 1:23	2777	3162	5001	974	1935	0	876	1136
8/26/2026 1:24	2777	3162	5001	974	1935	0	876	1136
8/26/2026 1:25	2806	3173	5018	982	1929	0	880	1208
8/26/2026 1:26	2806	3173	5018	982	1929	0	880	1208
8/26/2026 1:27	2798	3169	5009	986	1934	0	942	1287
8/26/2026 1:28	2798	3169	5009	986	1934	0	942	1287
8/26/2026 1:29	2787	3165	4989	981	1940	0	1116	1193
8/26/2026 1:30	2787	3165	4989	981	1940	0	1116	1193
8/26/2026 1:31	2811	3164	4990	977	1934	0	1112	1200
8/26/2026 1:32	2811	3164	4990	977	1934	0	1112	1200
8/26/2026 1:33	2809	3173	5006	982	1927	0	1050	1203
8/26/2026 1:34	2809	3173	5006	982	1927	0	1050	1203
8/26/2026 1:35	2797	3169	4998	980	1923	0	1102	1206
8/26/2026 1:36	2797	3169	4998	980	1923	0	1102	1206
8/26/2026 1:37	2791	3172	4997	987	1921	0	1111	1123
8/26/2026 1:38	2791	3172	4997	987	1921	0	1111	1123
8/26/2026 1:39	2781	3164	5035	990	1867	0	860	1203
8/26/2026 1:40	2781	3164	5035	990	1867	0	860	1203
8/26/2026 1:41	2773	3160	5013	979	1946	0	1105	1191
8/26/2026 1:42	2773	3160	5013	979	1946	0	1105	1191
8/26/2026 1:43	2784	3153	4990	980	1943	0	977	1203

8/26/2026 1:44	2784	3153	4990	980	1943	0	977	1203
8/26/2026 1:45	2795	3170	5029	981	1934	0	1024	1216
8/26/2026 1:46	2795	3170	5029	981	1934	0	1024	1216
8/26/2026 1:47	2809	3152	5006	978	1934	0	1115	1212
8/26/2026 1:48	2809	3152	5006	978	1934	0	1115	1212
8/26/2026 1:49	2778	3164	5011	979	1922	0	1103	1210
8/26/2026 1:50	2778	3164	5011	979	1922	0	1103	1210
8/26/2026 1:51	2803	3159	5001	996	1941	0	1066	1191
8/26/2026 1:52	2803	3159	5001	996	1941	0	1066	1191
8/26/2026 1:53	2797	3166	5003	990	1940	0	1071	1204
8/26/2026 1:54	2797	3166	5003	990	1940	0	1071	1204
8/26/2026 1:55	2777	3169	5020	991	1938	0	1028	1200
8/26/2026 1:56	2777	3169	5020	991	1938	0	1028	1200
8/26/2026 1:57	2785	3178	5014	989	1934	0	1024	1194
8/26/2026 1:58	2785	3178	5014	989	1934	0	1024	1194
8/26/2026 1:59	2798	3173	4993	987	1940	0	1106	1204
8/26/2026 2:00	2798	3173	4993	987	1940	0	1106	1204
8/26/2026 2:01	2767	3163	4999	1005	1934	0	1059	1204
8/26/2026 2:02	2767	3163	4999	1005	1934	0	1059	1204
8/26/2026 2:03	2767	3183	4995	980	1934	0	815	1200
8/26/2026 2:04	2767	3183	4995	980	1934	0	815	1200
8/26/2026 2:05	2776	3175	5002	985	1934	0	1102	1180
8/26/2026 2:06	2776	3175	5002	985	1934	0	1102	1180
8/26/2026 2:07	2751	3170	5002	986	1940	0	1070	1204
8/26/2026 2:08	2751	3170	5002	986	1940	0	1070	1204
8/26/2026 2:09	2769	3136	4975	978	1947	0	860	1200
8/26/2026 2:10	2769	3136	4975	978	1947	0	860	1200
8/26/2026 2:11	2797	3152	4999	968	1943	0	1095	1041
8/26/2026 2:12	2797	3152	4999	968	1943	0	1095	1041
8/26/2026 2:13	2787	3169	4995	971	1951	0	1115	1205
8/26/2026 2:14	2787	3169	4995	971	1951	0	1115	1205
8/26/2026 2:15	2798	3169	4993	908	1935	0	1108	1209
8/26/2026 2:16	2798	3169	4993	908	1935	0	1108	1209
8/26/2026 2:17	2810	3173	5001	978	1955	0	1010	1209
8/26/2026 2:18	2810	3173	5001	978	1955	1004	1010	1209
8/26/2026 2:19	2781	3177	5002	978	1954	1004	1072	1206
8/26/2026 2:20	2781	3177	5002	978	1954	898	1072	1206
8/26/2026 2:21	2796	3159	5004	965	1937	898	1103	1190
8/26/2026 2:22	2796	3159	5004	965	1937	1307	1103	1190
8/26/2026 2:23	2769	3156	4998	971	1938	1307	1128	1191
8/26/2026 2:24	2769	3156	4998	971	1938	1263	1128	1191
8/26/2026 2:25	2799	3185	4989	983	1940	1263	1107	1213
8/26/2026 2:26	2799	3185	4989	983	1940	1306	1107	1213
8/26/2026 2:27	2783	3163	5021	979	1834	1306	1116	1200
8/26/2026 2:28	2783	3163	5021	979	1834	837	1116	1200
8/26/2026 2:29	2797	3165	4990	970	1929	837	1039	1206
8/26/2026 2:30	2797	3165	4990	970	1929	1001	1039	1206
8/26/2026 2:31	2786	3170	5038	977	1933	1001	1077	1205
8/26/2026 2:32	2786	3170	5038	977	1933	1304	1077	1205
8/26/2026 2:33	2778	3174	5007	983	1930	1304	1108	1206
8/26/2026 2:34	2778	3174	5007	983	1930	1303	1108	1206
8/26/2026 2:35	2773	3177	5029	981	1938	1303	923	1212
8/26/2026 2:36	2773	3177	5029	981	1938	1306	923	1212

8/26/2026 2:37	2807	3176	5011	972	1944	1306	1108	1220
8/26/2026 2:38	2807	3176	5011	972	1944	1292	1108	1220
8/26/2026 2:39	2792	3149	5009	799	1946	1292	1106	1200
8/26/2026 2:40	2792	3149	5009	799	1946	1165	1106	1200
8/26/2026 2:41	2799	3180	5018	995	1939	1165	1040	1216
8/26/2026 2:42	2799	3180	5018	995	1939	1210	1040	1216
8/26/2026 2:43	2775	3158	5026	983	1958	1210	1092	1179
8/26/2026 2:44	2775	3158	5026	983	1958	1298	1092	1179
8/26/2026 2:45	2795	3191	5008	981	1939	1298	1107	1214
8/26/2026 2:46	2795	3191	5008	981	1939	1313	1107	1214
8/26/2026 2:47	2784	3166	5008	981	1939	1313	830	1203
8/26/2026 2:48	2784	3166	5008	981	1939	1044	830	1203
8/26/2026 2:49	2775	3171	5026	986	1938	1044	1113	1208
8/26/2026 2:50	2775	3171	5026	986	1938	1175	1113	1208
8/26/2026 2:51	2809	3178	5014	981	1943	1175	829	1208
8/26/2026 2:52	2809	3178	5014	981	1943	893	829	1208
8/26/2026 2:53	2792	3164	5021	985	1939	893	767	1204
8/26/2026 2:54	2792	3164	5021	985	1939	855	767	1204
8/26/2026 2:55	2767	3175	4996	995	1938	855	1013	1200
8/26/2026 2:56	2767	3175	4996	995	1938	1260	1013	1200
8/26/2026 2:57	2815	3165	5046	981	1941	1260	1100	1201
8/26/2026 2:58	2815	3165	5046	981	1941	1304	1100	1201
8/26/2026 2:59	2797	3189	5010	974	1938	1304	1113	1111
8/26/2026 3:00	2797	3189	5010	974	1938	1272	1113	1111
8/26/2026 3:01	2778	3179	5018	981	1927	1272	1020	718
8/26/2026 3:02	2778	3179	5018	981	1927	964	1020	718
8/26/2026 3:03	2789	3167	4994	978	1930	964	1102	1209
8/26/2026 3:04	2789	3167	4994	978	1930	1242	1102	1209
8/26/2026 3:05	2792	3163	4993	984	1927	1242	1072	1198
8/26/2026 3:06	2792	3163	4993	984	1927	1303	1072	1198
8/26/2026 3:07	2792	3171	5013	980	1933	1303	1108	1194
8/26/2026 3:08	2792	3171	5013	980	1933	1319	1108	1194
8/26/2026 3:09	2785	3166	4999	995	1940	1319	1096	1204
8/26/2026 3:10	2785	3166	4999	995	1940	1288	1096	1204
8/26/2026 3:11	2787	3169	5020	996	1932	1288	1095	1206
8/26/2026 3:12	2787	3169	5020	996	1932	1213	1095	1206
8/26/2026 3:13	2793	3160	5004	981	1932	1213	1049	1170
8/26/2026 3:14	2793	3160	5004	981	1932	1289	1049	1170
8/26/2026 3:15	2798	3168	5011	993	1947	1289	1098	1203
8/26/2026 3:16	2798	3168	5011	993	1947	1292	1098	1203
8/26/2026 3:17	2799	3178	5011	986	1946	1292	1110	1211
8/26/2026 3:18	2799	3178	5011	986	1946	944	1110	1211
8/26/2026 3:19	2800	3160	5024	979	1926	944	1083	1198
8/26/2026 3:20	2800	3160	5024	979	1926	1280	1083	1198
8/26/2026 3:21	2779	3182	5006	974	1922	1280	1100	1201
8/26/2026 3:22	2779	3182	5006	974	1922	949	1100	1201
8/26/2026 3:23	2800	3174	4995	975	1922	949	1105	1193
8/26/2026 3:24	2800	3174	4995	975	1922	965	1105	1193
8/26/2026 3:25	2772	3144	4976	974	1940	965	1081	1206
8/26/2026 3:26	2772	3144	4976	974	1940	0	1081	1206
8/26/2026 3:27	2783	3173	5015	969	1939	1044	921	1204
8/26/2026 3:28	2783	3173	5015	969	1939	1044	921	1204
8/26/2026 3:29	2775	3161	5009	958	1946	1290	1116	1210

8/26/2026 3:30	2775	3161	5009	958	1946	1290	1116	1210
8/26/2026 3:31	2767	3192	5011	968	1937	1304	1066	1199
8/26/2026 3:32	2767	3192	5011	968	1937	1304	1066	1199
8/26/2026 3:33	2781	3147	5006	970	1963	1241	1024	1189
8/26/2026 3:34	2781	3147	5006	970	1963	1241	1024	1189
8/26/2026 3:35	2811	3176	5020	965	1935	932	1074	1199
8/26/2026 3:36	2811	3176	5020	965	1935	932	1074	1199
8/26/2026 3:37	2782	3153	5001	978	1946	1198	1088	1210
8/26/2026 3:38	2782	3153	5001	978	1946	1198	1088	1210
8/26/2026 3:39	2784	3168	5002	979	1937	922	1066	1200
8/26/2026 3:40	2784	3168	5002	979	1937	922	1066	1200
8/26/2026 3:41	2820	3153	5018	982	1940	1280	1116	1097
8/26/2026 3:42	2820	3153	5018	982	1940	1280	1116	1097
8/26/2026 3:43	2796	3187	5021	977	1928	1313	849	1204
8/26/2026 3:44	2796	3187	5021	977	1928	1313	849	1204
8/26/2026 3:45	2795	3163	4996	984	1940	862	1087	1183
8/26/2026 3:46	2795	3163	4996	984	1940	862	1087	1183
8/26/2026 3:47	2792	3170	5011	975	1916	1230	1040	1210
8/26/2026 3:48	2792	3170	5011	975	1916	1230	1040	1210
8/26/2026 3:49	2785	3155	5014	969	1574	1273	1108	1198
8/26/2026 3:50	2785	3155	5014	969	1574	1273	1108	1198
8/26/2026 3:51	2773	3192	5013	969	1944	1318	931	1193
8/26/2026 3:52	2773	3192	5013	969	1944	1318	931	1193
8/26/2026 3:53	2767	3174	4984	980	1935	999	1095	1205
8/26/2026 3:54	2767	3174	4984	980	1935	999	1095	1205
8/26/2026 3:55	2804	3168	5031	990	1929	1065	1096	1182
8/26/2026 3:56	2804	3168	5031	990	1929	1065	1096	1182
8/26/2026 3:57	2798	3179	5015	974	1932	1286	1103	1205
8/26/2026 3:58	2798	3179	5015	974	1932	1286	1103	1205
8/26/2026 3:59	2775	3180	5016	961	1889	1111	974	1195
8/26/2026 4:00	2775	3180	5016	961	1889	1111	974	1195
8/26/2026 4:01	2767	3182	5021	982	1915	1265	1077	1173
8/26/2026 4:02	2767	3182	5021	982	1915	1265	1077	1173
8/26/2026 4:03	2781	3170	5011	980	1928	1160	993	1209
8/26/2026 4:04	2781	3170	5011	980	1928	1160	993	1209
8/26/2026 4:05	2798	3158	5003	980	1930	1301	880	1195
8/26/2026 4:06	2798	3158	5003	980	1930	1301	880	1195
8/26/2026 4:07	2808	3158	4983	980	1918	1276	1093	1206
8/26/2026 4:08	2808	3158	4983	980	1918	1276	1093	1206
8/26/2026 4:09	2803	0	5021	971	1927	1248	1066	1188
8/26/2026 4:10	2803	3186	5021	971	1927	1248	1066	1188
8/26/2026 4:11	2799	3186	5023	986	1924	1179	1028	1212
8/26/2026 4:12	2799	3170	5023	986	1924	1179	1028	1212
8/26/2026 4:13	2788	3170	5005	980	1946	1308	1101	929
8/26/2026 4:14	2788	3175	5005	980	1946	1308	1101	929
8/26/2026 4:15	2789	3175	5023	981	1928	1308	1112	852
8/26/2026 4:16	2789	3183	5023	981	1928	1308	1112	852
8/26/2026 4:17	2802	3183	5019	978	1930	1257	1083	1194
8/26/2026 4:18	2802	3174	5019	978	1930	1257	1083	1194
8/26/2026 4:19	2784	3174	5038	969	1927	975	784	1193
8/26/2026 4:20	2784	3183	5038	969	1927	975	784	1193
8/26/2026 4:21	2803	3183	5017	983	1932	1306	1119	1204
8/26/2026 4:22	2803	3186	5017	983	1932	1306	1119	1204

8/26/2026 4:23	2792	3186	5024	990	1921	1077	1091	1198
8/26/2026 4:24	2792	3182	5024	990	1921	1077	1091	1198
8/26/2026 4:25	2799	3182	5026	984	1924	1165	1036	1214
8/26/2026 4:26	2799	3194	5026	984	1924	1165	1036	1214
8/26/2026 4:27	2778	3194	5013	979	0	1309	1110	1190
8/26/2026 4:28	2778	3174	5013	979	0	1309	1110	1190
8/26/2026 4:29	2770	3174	5014	970	1930	1229	1111	1180
8/26/2026 4:30	2770	3172	5014	970	1930	1229	1111	1180
8/26/2026 4:31	2778	3172	5013	975	1574	1285	1097	1111
8/26/2026 4:32	2778	3197	5013	975	1574	1285	1097	1111
8/26/2026 4:33	2793	3197	5009	975	1922	1262	1067	1195
8/26/2026 4:34	2793	3186	5009	975	1922	1262	1067	1195
8/26/2026 4:35	2798	3186	5003	973	1937	1296	1046	1189
8/26/2026 4:36	2798	3174	5003	973	1937	1296	1046	1189
8/26/2026 4:37	2810	3174	5018	981	1923	944	1050	1200
8/26/2026 4:38	2810	3188	5018	981	1923	944	1050	1200
8/26/2026 4:39	2768	3188	5002	979	1928	1240	1061	1204
8/26/2026 4:40	2768	3177	5002	979	1928	1240	1061	1204
8/26/2026 4:41	2779	3177	5000	971	1923	1312	1106	1191
8/26/2026 4:42	2779	3156	5000	971	1923	1312	1106	1191
8/26/2026 4:43	2785	3156	4995	961	1935	1203	1107	1205
8/26/2026 4:44	2785	3161	4995	961	1935	1203	1107	1205
8/26/2026 4:45	2779	3161	4998	972	0	1306	1119	1190
8/26/2026 4:46	2779	3157	4998	972	0	1306	1119	1190
8/26/2026 4:47	2772	3157	5004	974	1923	1296	1093	1204
8/26/2026 4:48	2772	3181	5004	974	1923	1296	1093	1204
8/26/2026 4:49	2773	3181	5005	978	0	1267	1108	1200
8/26/2026 4:50	2773	3172	5005	978	0	1267	1108	1200
8/26/2026 4:51	2797	3172	5013	964	1922	1302	1095	1201
8/26/2026 4:52	2797	3160	5013	964	1922	1302	1095	1201
8/26/2026 4:53	2774	3160	5035	969	1921	1224	932	1201
8/26/2026 4:54	2774	3160	5035	969	1921	1224	932	1201
8/26/2026 4:55	2784	3160	5001	969	1767	1036	1110	1186
8/26/2026 4:56	2784	3171	5001	969	1767	1036	1110	1186
8/26/2026 4:57	2758	3171	5014	985	1937	1295	1106	1179
8/26/2026 4:58	2758	3164	5014	985	1937	1295	1106	1179
8/26/2026 4:59	2792	3164	5006	982	1921	1262	800	1200
8/26/2026 5:00	2792	3186	5006	982	1921	1262	800	1200
8/26/2026 5:01	2796	3186	5019	973	1910	950	1106	1200
8/26/2026 5:02	2796	3160	5019	973	1910	950	1106	1200
8/26/2026 5:03	2798	3160	5001	961	1941	1217	1056	1199
8/26/2026 5:04	2798	3186	5001	961	1941	1217	1056	1199
8/26/2026 5:05	2806	3186	5019	974	1578	1265	1095	1195
8/26/2026 5:06	2806	3197	5019	974	1578	1265	1095	1195
8/26/2026 5:07	2804	3197	5003	979	1929	1295	1106	1195
8/26/2026 5:08	2804	3170	5003	979	1929	1295	1106	1195
8/26/2026 5:09	2763	3170	4993	978	1926	1242	829	1195
8/26/2026 5:10	2763	3175	4993	978	1926	1242	829	1195
8/26/2026 5:11	2799	3175	5021	985	1926	1210	1095	1201
8/26/2026 5:12	2799	3164	5021	985	1926	1210	1095	1201
8/26/2026 5:13	2778	3164	5001	972	1924	1168	1066	1205
8/26/2026 5:14	2778	3182	5001	972	1924	1168	1066	1205
8/26/2026 5:15	2782	3182	5000	979	1930	1000	1117	1195

8/26/2026 5:16	2782	3180	5000	979	1930	1000	1117	1195
8/26/2026 5:17	2792	3180	5004	980	1944	1041	1098	1200
8/26/2026 5:18	2792	3195	5004	980	1944	1041	1098	1200
8/26/2026 5:19	2781	3195	5010	963	1930	1283	928	1200
8/26/2026 5:20	2781	3172	5010	963	1930	1283	928	1200
8/26/2026 5:21	2790	3172	5010	985	1912	1198	865	1201
8/26/2026 5:22	2790	3183	5010	985	1912	1198	865	1201
8/26/2026 5:23	2795	3183	5008	984	1850	1225	1047	1185
8/26/2026 5:24	2795	3178	5008	984	1850	1225	1047	1185
8/26/2026 5:25	2776	3178	5001	972	1939	1316	1107	1185
8/26/2026 5:26	2776	3180	5001	972	1939	1316	1107	1185
8/26/2026 5:27	2782	3180	4993	966	1915	1275	1003	1204
8/26/2026 5:28	2782	3164	4993	966	1915	1275	1003	1204
8/26/2026 5:29	2790	3164	5009	968	1934	1230	733	1200
8/26/2026 5:30	2790	3175	5009	968	1934	1230	733	1200
8/26/2026 5:31	2784	3175	4987	974	28	1298	751	1191
8/26/2026 5:32	2784	3186	4987	974	28	1298	751	1191
8/26/2026 5:33	2772	3186	5011	976	1926	1262	1097	1200
8/26/2026 5:34	2772	3169	5011	976	1926	1262	1097	1200
8/26/2026 5:35	2777	3169	4996	979	1926	897	1049	1205
8/26/2026 5:36	2777	3180	4996	979	1926	897	1049	1205
8/26/2026 5:37	2765	3180	5013	975	1916	1297	1096	1195
8/26/2026 5:38	2765	3157	5013	975	1916	1297	1096	1195
8/26/2026 5:39	2788	3157	5001	981	1910	1292	1108	1206
8/26/2026 5:40	2788	3190	5001	981	1910	1292	1108	1206
8/26/2026 5:41	2769	3190	5009	970	1913	1199	1009	1198
8/26/2026 5:42	2769	3170	5009	970	1913	1199	1009	1198
8/26/2026 5:43	2778	3170	4993	986	1929	1128	743	1186
8/26/2026 5:44	2778	3171	4993	986	1929	1128	743	1186
8/26/2026 5:45	2781	3171	5008	981	1917	1091	926	1143
8/26/2026 5:46	2781	3195	5008	981	1917	1091	926	1143
8/26/2026 5:47	2807	3195	4996	985	1939	1240	748	1195
8/26/2026 5:48	2807	3174	4996	985	1939	1240	748	1195
8/26/2026 5:49	2797	3174	5026	983	1905	1050	826	1183
8/26/2026 5:50	2797	3159	5026	983	1905	1050	826	1183
8/26/2026 5:51	2793	3159	4993	974	1919	815	975	1204
8/26/2026 5:52	2793	3173	4993	974	1919	815	975	1204
8/26/2026 5:53	2776	3173	4986	981	1932	1153	1110	1196
8/26/2026 5:54	2776	3185	4986	981	1932	1153	1110	1196
8/26/2026 5:55	2766	3185	4999	980	1929	1232	1029	1193
8/26/2026 5:56	2766	3167	4999	980	1929	1232	1029	1193
8/26/2026 5:57	2773	3167	4994	964	1921	1235	1018	1194
8/26/2026 5:58	2773	3195	4994	964	1921	1235	1018	1194
8/26/2026 5:59	2763	3195	4971	964	1926	1290	1097	1129
8/26/2026 6:00	2763	3175	4971	964	1926	1290	1097	1129
8/26/2026 6:01	2809	3175	4996	959	1928	1277	1103	1200
8/26/2026 6:02	2809	3646	4996	959	1928	1277	1103	1200
8/26/2026 6:03	2790	3646	5011	960	1932	1314	796	1200
8/26/2026 6:04	2790	3193	5011	960	1932	1314	796	1200
8/26/2026 6:05	2780	3193	5009	983	1930	1272	1067	1020
8/26/2026 6:06	2780	3216	5009	983	1930	1272	1067	1020
8/26/2026 6:07	2780	3216	4996	972	1918	1265	1070	1203
8/26/2026 6:08	2780	3182	4996	972	1918	1265	1070	1203

8/26/2026 6:09	2782	3182	5023	967	1935	1284	893	1203
8/26/2026 6:10	2782	3187	5023	967	1935	1284	893	1203
8/26/2026 6:11	2778	3187	4989	972	1938	1177	1040	1195
8/26/2026 6:12	2778	3165	4989	972	1938	1177	1040	1195
8/26/2026 6:13	2773	3165	5000	974	1928	1104	997	1195
8/26/2026 6:14	2773	3157	5000	974	1928	1104	997	1195
8/26/2026 6:15	2798	3157	5003	973	1923	1229	1040	1203
8/26/2026 6:16	2798	3179	5003	973	1923	1229	1040	1203
8/26/2026 6:17	2789	3179	5020	982	1926	1283	1051	1198
8/26/2026 6:18	2789	3171	5020	982	1926	1283	1051	1198
8/26/2026 6:19	2758	3171	5001	962	1930	1286	799	1152
8/26/2026 6:20	2758	3183	5001	962	1930	1286	799	1152
8/26/2026 6:21	2774	3183	5015	980	1897	1302	1098	1198
8/26/2026 6:22	2774	3199	5015	980	1897	1302	1098	1198
8/26/2026 6:23	2784	3199	4991	973	1938	1201	1106	1199
8/26/2026 6:24	2784	3177	4991	973	1938	1201	1106	1199
8/26/2026 6:25	2783	3177	5009	969	1921	1232	1056	1196
8/26/2026 6:26	2783	3182	5009	969	1921	1232	1056	1196
8/26/2026 6:27	2759	3182	5009	983	1926	1257	1067	1205
8/26/2026 6:28	2759	3168	5009	983	1926	1257	1067	1205
8/26/2026 6:29	2772	3168	4980	991	1937	1305	772	1194
8/26/2026 6:30	2772	3168	4980	991	1937	1305	772	1194
8/26/2026 6:31	2756	3168	4972	985	1915	914	1111	1190
8/26/2026 6:32	2756	3180	4972	985	1915	914	1111	1190
8/26/2026 6:33	2754	3180	4996	982	591	1271	1081	1195
8/26/2026 6:34	2754	3161	4996	982	591	1271	1081	1195
8/26/2026 6:35	2753	3161	4978	981	1924	950	1102	1200
8/26/2026 6:36	2753	3169	4978	981	1924	950	1102	1200
8/26/2026 6:37	2758	3169	4996	978	1917	1029	1035	1203
8/26/2026 6:38	2758	3176	4996	978	1917	1029	1035	1203
8/26/2026 6:39	2749	3176	5006	976	1856	1292	1108	1190
8/26/2026 6:40	2749	3162	5006	976	1856	1292	1108	1190
8/26/2026 6:41	2739	3162	4991	980	1926	1193	1024	1180
8/26/2026 6:42	2739	3161	4991	980	1926	1193	1024	1180
8/26/2026 6:43	2727	3161	4976	979	1932	1207	1102	1191
8/26/2026 6:44	2727	3141	4976	979	1932	1207	1102	1191
8/26/2026 6:45	2745	3141	4981	967	1927	1240	1080	1195
8/26/2026 6:46	2745	3148	4981	967	1927	1240	1080	1195
8/26/2026 6:47	2736	3148	4988	969	1918	1298	1107	1198
8/26/2026 6:48	2736	3147	4988	969	1918	1298	1107	1198
8/26/2026 6:49	2744	3147	4979	975	1915	1250	1061	1203
8/26/2026 6:50	2744	3169	4979	975	1915	1250	1061	1203
8/26/2026 6:51	2745	3169	4962	967	1935	1296	1098	811
8/26/2026 6:52	2745	3162	4962	967	1935	1296	1098	811
8/26/2026 6:53	2760	3162	4986	962	1934	1190	1016	1180
8/26/2026 6:54	2760	3158	4986	962	1934	1190	1016	1180
8/26/2026 6:55	2751	3158	4993	969	1923	1311	921	1191
8/26/2026 6:56	2751	3174	4993	969	1923	1311	921	1191
8/26/2026 6:57	2766	3174	4982	969	1906	1210	1082	1199
8/26/2026 6:58	2766	3177	4982	969	1906	1210	1082	1199
8/26/2026 6:59	2765	3177	4979	975	1906	1291	982	1186
8/26/2026 7:00	2765	3164	4979	975	1906	1291	982	1186
8/26/2026 7:01	2760	3164	4993	976	1910	1139	1057	752

8/26/2026 7:02	2760	3172	4993	976	1910	1139	1057	752
8/26/2026 7:03	2757	3172	4998	976	1928	916	1019	1190
8/26/2026 7:04	2757	3172	4998	976	1928	916	1019	1190
8/26/2026 7:05	2748	3172	4990	959	1910	1258	875	1121
8/26/2026 7:06	2748	3179	4990	959	1910	1258	875	1121
8/26/2026 7:07	2778	3179	5009	974	1896	1262	845	1195
8/26/2026 7:08	2778	3181	5009	974	1896	1262	845	1195
8/26/2026 7:09	2761	3181	5008	970	1911	1311	1100	1182
8/26/2026 7:10	2761	3167	5008	970	1911	1311	1100	1182
8/26/2026 7:11	2758	3167	4999	976	1918	1260	1107	1185
8/26/2026 7:12	2758	3166	4999	976	1918	1260	1107	1185
8/26/2026 7:13	2767	3166	5009	959	1912	1225	1009	1196
8/26/2026 7:14	2767	3144	5009	959	1912	1225	1009	1196
8/26/2026 7:15	2748	3144	4976	954	1918	1264	1097	1083
8/26/2026 7:16	2748	3147	4976	954	1918	1264	1097	1083
8/26/2026 7:17	2736	3147	4973	950	1864	1213	1060	1199
8/26/2026 7:18	2736	3165	4973	950	1864	1213	1060	1199
8/26/2026 7:19	2759	3165	4988	956	1917	1275	1071	1189
8/26/2026 7:20	2759	3146	4988	956	1917	1275	1071	1189
8/26/2026 7:21	2743	3146	4976	973	1917	1266	1051	1205
8/26/2026 7:22	2743	3142	4976	973	1917	1266	1051	1205
8/26/2026 7:23	2748	3142	4998	973	1911	1282	782	1193
8/26/2026 7:24	2748	3145	4998	973	1911	1282	782	1193
8/26/2026 7:25	2748	3145	4992	960	1907	938	1064	1193
8/26/2026 7:26	2748	3174	4992	960	1907	938	1064	1193
8/26/2026 7:27	2740	3174	4990	947	1916	1306	989	1195
8/26/2026 7:28	2740	3162	4990	947	1916	1306	989	1195
8/26/2026 7:29	2736	3162	4994	942	1913	1237	1095	1186
8/26/2026 7:30	2736	3154	4994	942	1913	1237	1095	1186
8/26/2026 7:31	2767	3154	4998	962	1927	1178	852	1203
8/26/2026 7:32	2767	3165	4998	962	1927	1178	852	1203
8/26/2026 7:33	2766	3165	4996	950	1915	1162	984	1200
8/26/2026 7:34	2766	3176	4996	950	1915	1162	984	1200
8/26/2026 7:35	2764	3176	4999	976	1926	1286	752	1181
8/26/2026 7:36	2764	3172	4999	976	1926	1286	752	1181
8/26/2026 7:37	2773	3172	5004	969	1923	1282	1086	1173
8/26/2026 7:38	2773	3167	5004	969	1923	1282	1086	1173
8/26/2026 7:39	2778	3167	5038	974	1901	1206	753	1200
8/26/2026 7:40	2778	3184	5038	974	1901	1206	753	1200
8/26/2026 7:41	2821	3184	5039	989	1913	1092	828	1190
8/26/2026 7:42	2821	3190	5039	989	1913	1092	828	1190
8/26/2026 7:43	2787	3190	5008	984	1916	1133	1095	809
8/26/2026 7:44	2787	3184	5008	984	1916	1133	1095	809
8/26/2026 7:45	2803	3184	4990	979	1919	1201	0	1181
8/26/2026 7:46	2803	3172	4990	979	1919	1201	974	1181
8/26/2026 7:47	2802	3172	5041	1003	1900	1282	974	1178
8/26/2026 7:48	2802	3185	5041	1003	1900	1282	1064	1178
8/26/2026 7:49	2803	3185	5036	997	1907	1286	1064	1116
8/26/2026 7:50	2803	3206	5036	997	1907	1286	1103	1116
8/26/2026 7:51	2806	3206	5044	1007	1900	1098	1103	1169
8/26/2026 7:52	2806	3194	5044	1007	1900	1098	1091	1169
8/26/2026 7:53	2815	3194	5030	1024	1885	1290	1091	1179
8/26/2026 7:54	2815	3113	5030	1024	1885	1290	1086	1179

8/26/2026 7:55	2816	3113	5054	1005	1879	1298	1086	1185
8/26/2026 7:56	2816	3207	5054	1005	1879	1298	1085	1185
8/26/2026 7:57	2809	3207	5040	1001	1893	1143	1085	989
8/26/2026 7:58	2809	3186	5040	1001	1893	1143	992	989
8/26/2026 7:59	2829	3186	5056	1003	1901	1286	992	892
8/26/2026 8:00	2829	3195	5056	1003	1901	1286	856	892
8/26/2026 8:01	2822	3195	5057	1011	1893	1286	856	1189
8/26/2026 8:02	2822	3202	5057	1011	1893	1286	1098	1189
8/26/2026 8:03	2844	3202	5050	996	1884	1190	1098	1180
8/26/2026 8:04	2844	3227	5050	996	1884	1190	1036	1180
8/26/2026 8:05	2834	3227	5021	994	1894	1150	1036	1173
8/26/2026 8:06	2834	3210	5021	994	1894	1150	839	1173
8/26/2026 8:07	2838	3210	5029	1012	836	1287	839	1179
8/26/2026 8:08	2838	3190	5029	1012	836	1287	1106	1179
8/26/2026 8:09	2853	3190	5034	1001	1883	1283	1106	1169
8/26/2026 8:10	2853	3242	5034	1001	1883	1283	1074	1169
8/26/2026 8:11	2840	3242	5034	996	1880	1237	1074	1327
8/26/2026 8:12	2840	3209	5034	996	1880	1237	934	1327
8/26/2026 8:13	2847	3209	5077	1024	1884	1292	934	1188
8/26/2026 8:14	2847	3209	5077	1024	1884	1292	892	1188
8/26/2026 8:15	2840	3209	5014	1009	1899	1288	892	1180
8/26/2026 8:16	2840	3233	5014	1009	1899	1288	1076	1180
8/26/2026 8:17	2851	3233	5059	1009	1884	1277	1076	1188
8/26/2026 8:18	2851	3254	5059	1009	1884	1277	1082	1188
8/26/2026 8:19	2876	3254	5029	1011	1863	1108	1082	1170
8/26/2026 8:20	2876	3242	5029	1011	1863	1108	1077	1170
8/26/2026 8:21	2884	3242	5041	1045	1856	1157	1077	1174
8/26/2026 8:22	2884	3236	5041	1045	1856	1157	1076	1174
8/26/2026 8:23	2901	3236	5087	1016	1719	1289	1076	1180
8/26/2026 8:24	2901	3275	5087	1016	1719	1289	1059	1180
8/26/2026 8:25	2905	3275	5049	1045	1878	1276	1059	1184
8/26/2026 8:26	2905	3263	5049	1045	1878	1276	936	1184
8/26/2026 8:27	2884	3263	5091	1016	1873	878	936	1165
8/26/2026 8:28	2884	3251	5091	1016	1873	878	1000	1165
8/26/2026 8:29	2895	3251	5068	1032	1871	1211	1000	1153
8/26/2026 8:30	2895	3247	5068	1032	1871	1211	1069	1153
8/26/2026 8:31	2899	3247	5056	1029	1852	1277	1069	1170
8/26/2026 8:32	2899	3276	5056	1029	1852	1277	1085	1170
8/26/2026 8:33	2905	3276	5076	1024	1847	1203	1085	1163
8/26/2026 8:34	2905	3281	5076	1024	1847	1203	1000	1163
8/26/2026 8:35	2907	3281	5086	1002	1857	988	1000	1128
8/26/2026 8:36	2907	3273	5086	1002	1857	988	1070	1128
8/26/2026 8:37	2896	3273	5067	1042	1834	1251	1070	1153
8/26/2026 8:38	2896	3262	5067	1042	1834	1251	1080	1153
8/26/2026 8:39	2883	3262	5074	1039	1838	1148	1080	1150
8/26/2026 8:40	2883	3249	5074	1039	1838	1148	814	1150
8/26/2026 8:41	2915	3249	5074	1029	1856	1259	814	1170
8/26/2026 8:42	2915	3266	5074	1029	1856	1259	1062	1170
8/26/2026 8:43	2910	3266	5055	1001	1851	878	1062	1173
8/26/2026 8:44	2910	3259	5055	1001	1851	878	1050	1173
8/26/2026 8:45	2909	3259	5054	1005	1842	1215	1050	1168
8/26/2026 8:46	2909	3267	5054	1005	1842	1215	1050	1168
8/26/2026 8:47	2871	3267	5031	1012	1869	835	1050	1162

8/26/2026 8:48	2871	3241	5031	1012	1869	835	1013	1162
8/26/2026 8:49	2922	3241	5030	1008	1838	1237	1013	1169
8/26/2026 8:50	2922	3272	5030	1008	1838	1237	1059	1169
8/26/2026 8:51	2893	3272	5028	1014	1857	1227	1059	1164
8/26/2026 8:52	2893	3241	5028	1014	1857	1227	1076	1164
8/26/2026 8:53	2928	3241	5054	1010	1855	1277	1076	1163
8/26/2026 8:54	2928	3256	5054	1010	1855	1277	984	1163
8/26/2026 8:55	2943	3256	5063	1016	1835	804	984	1149
8/26/2026 8:56	2943	3285	5063	1016	1835	804	1020	1149
8/26/2026 8:57	2938	3285	5035	1013	1857	1236	1020	1155
8/26/2026 8:58	2938	3298	5035	1013	1857	1236	985	1155
8/26/2026 8:59	2933	3298	5088	1036	1827	1245	985	1173
8/26/2026 9:00	2933	3287	5088	1036	1827	1245	809	1173
8/26/2026 9:01	2946	3287	5080	1018	1813	1117	809	1162
8/26/2026 9:02	2946	3259	5080	1018	1813	1117	808	1162
8/26/2026 9:03	2921	3259	5058	1018	1855	1222	808	1168
8/26/2026 9:04	2921	3269	5058	1018	1855	1222	1031	1168
8/26/2026 9:05	2933	3269	5081	999	1832	1121	1031	1148
8/26/2026 9:06	2933	3295	5081	999	1832	1121	882	1148
8/26/2026 9:07	2925	3295	5067	997	1840	1261	882	1173
8/26/2026 9:08	2925	3266	5067	997	1840	1261	1075	1173
8/26/2026 9:09	2925	3266	5077	995	1824	1270	1075	1168
8/26/2026 9:10	2925	3276	5077	995	1824	1270	1067	1168
8/26/2026 9:11	2937	3276	5047	997	1823	1221	1067	1162
8/26/2026 9:12	2937	3291	5047	997	1823	1221	948	1162
8/26/2026 9:13	2940	3291	5076	984	1847	1220	948	1070
8/26/2026 9:14	2940	3256	5076	984	1847	1220	927	1070
8/26/2026 9:15	2952	3256	5050	1001	1828	1256	927	1170
8/26/2026 9:16	2952	3293	5050	1001	1828	1256	1071	1170
8/26/2026 9:17	2961	3293	5099	982	1841	933	1071	1175
8/26/2026 9:18	2961	3299	5099	982	1841	933	782	1175
8/26/2026 9:19	2971	3299	5101	978	1839	1256	782	1096
8/26/2026 9:20	2971	3275	5101	978	1839	1256	1052	1096
8/26/2026 9:21	2972	3275	5061	971	1844	1262	1052	1170
8/26/2026 9:22	2972	3313	5061	971	1844	1262	1061	1170
8/26/2026 9:23	2982	3313	5074	975	553	1145	1061	1168
8/26/2026 9:24	2982	3267	5074	975	553	1145	1052	1168
8/26/2026 9:25	3002	3267	5091	938	1438	1154	1052	1178
8/26/2026 9:26	3002	3305	5091	938	1438	1154	951	1178
8/26/2026 9:27	2974	3305	5059	947	1839	1240	951	1165
8/26/2026 9:28	2974	3296	5059	947	1839	1240	978	1165
8/26/2026 9:29	3007	3296	5059	941	1833	1254	978	1362
8/26/2026 9:30	3007	3298	5059	941	1833	1254	1050	1362
8/26/2026 9:31	3006	3298	5099	926	1827	1267	1050	1058
8/26/2026 9:32	3006	3292	5099	926	1827	1267	1056	1058
8/26/2026 9:33	3002	3292	5088	938	705	1281	1056	1179
8/26/2026 9:34	3002	3291	5088	938	705	1281	1034	1179
8/26/2026 9:35	3027	3291	5086	916	1819	1242	1034	1097
8/26/2026 9:36	3027	3296	5086	916	1819	1242	1065	1097
8/26/2026 9:37	3019	3296	5084	935	1824	1251	1065	1163
8/26/2026 9:38	3019	3316	5084	935	1824	1251	1052	1163
8/26/2026 9:39	3039	3316	5144	1	1828	1273	1052	1193
8/26/2026 9:40	3039	3336	5144	1	1828	1273	1066	1193

8/26/2026 9:41	3024	3336	5044	957	1814	1211	1066	1165
8/26/2026 9:42	3024	3294	5044	957	1814	1211	1060	1165
8/26/2026 9:43	2991	3294	5069	926	1827	1138	1060	957
8/26/2026 9:44	2991	3300	5069	926	1827	1138	713	957
8/26/2026 9:45	3027	3300	5088	932	1829	1212	713	1159
8/26/2026 9:46	3027	3280	5088	932	1829	1212	1016	1159
8/26/2026 9:47	3041	3280	5047	947	1813	1147	1016	1170
8/26/2026 9:48	3041	3320	5047	947	1813	1147	1036	1170
8/26/2026 9:49	3044	3320	5052	938	1812	1021	1036	1143
8/26/2026 9:50	3044	3308	5052	938	1812	1021	1057	1143
8/26/2026 9:51	3101	3308	5143	1	1838	1260	1057	1181
8/26/2026 9:52	3101	3365	5143	1	1838	1260	784	1181
8/26/2026 9:53	3036	3365	5102	917	1813	1254	784	1177
8/26/2026 9:54	3036	3307	5102	917	1813	1254	1049	1177
8/26/2026 9:55	3056	3307	5080	926	0	1270	1049	1154
8/26/2026 9:56	3056	3284	5080	926	0	1270	1060	1154
8/26/2026 9:57	3052	3284	5069	918	1836	940	1060	1159
8/26/2026 9:58	3052	3314	5069	918	1836	940	737	1159
8/26/2026 9:59	3040	3314	5076	896	1803	1243	737	1155
8/26/2026 10:00	3040	3295	5076	896	1803	1243	1044	1155
8/26/2026 10:01	3041	3295	5066	924	1792	1251	1044	1139
8/26/2026 10:02	3041	3287	5066	924	1792	1251	882	1139
8/26/2026 10:03	3090	3287	5120	1	1817	1181	882	1179
8/26/2026 10:04	3090	3370	5120	1	1817	1181	990	1179
8/26/2026 10:05	3041	3370	5071	907	1779	1000	990	1160
8/26/2026 10:06	3041	3313	5071	907	1779	1000	804	1160
8/26/2026 10:07	3072	3313	5097	929	1824	1280	804	1175
8/26/2026 10:08	3072	0	5097	929	1824	1280	1061	1175
8/26/2026 10:09	3088	0	5091	887	1755	1257	1061	1163
8/26/2026 10:10	3088	3298	5091	887	1755	1257	974	1163
8/26/2026 10:11	3056	3298	5049	912	1806	1260	974	1165
8/26/2026 10:12	3056	3303	5049	912	1806	1260	860	1165
8/26/2026 10:13	3066	3303	5089	868	1470	1265	860	1144
8/26/2026 10:14	3066	3326	5089	868	1470	1265	1045	1144
8/26/2026 10:15	3093	3326	5134	1	1789	1295	1045	1183
8/26/2026 10:16	3093	3291	5134	1	1789	1295	1067	1183
8/26/2026 10:17	3081	3291	5048	892	1784	1022	1067	1153
8/26/2026 10:18	3081	3272	5048	892	1784	1022	927	1153
8/26/2026 10:19	3031	3272	5060	894	1818	1266	927	1154
8/26/2026 10:20	3031	3285	5060	894	1818	1266	1049	1154
8/26/2026 10:21	3044	3285	5033	910	1795	0	1049	1153
8/26/2026 10:22	3044	3270	5033	910	1795	1241	1064	1153
8/26/2026 10:23	3041	3270	5063	896	1796	1241	1064	1148
8/26/2026 10:24	3041	3298	5063	896	1796	993	1044	1148
8/26/2026 10:25	3054	3298	5056	903	1811	993	1044	820
8/26/2026 10:26	3054	3323	5056	903	1811	1139	978	820
8/26/2026 10:27	3117	3323	5118	1	1812	1139	978	1186
8/26/2026 10:28	3117	3292	5118	1	1812	1201	814	1186
8/26/2026 10:29	3080	3292	5101	882	1783	1201	814	1172
8/26/2026 10:30	3080	3267	5101	882	1783	1001	1040	1172
8/26/2026 10:31	3078	3265	5076	882	1777	1001	1040	1191
8/26/2026 10:32	3078	3265	5076	882	1777	943	1034	1191
8/26/2026 10:33	3061	3265	5055	876	1823	943	1034	1180

8/26/2026 10:34	3061	3278	5055	876	1823	1231	1018	1180
8/26/2026 10:35	3063	3278	5061	873	1805	1231	1018	1039
8/26/2026 10:36	3063	3266	5061	873	1805	1261	1047	1039
8/26/2026 10:37	3087	3266	5030	873	1797	1261	1047	1157
8/26/2026 10:38	3087	3318	5030	873	1797	1195	1055	1157
8/26/2026 10:39	3135	3318	5116	1	1812	1195	1055	1185
8/26/2026 10:40	3135	3319	5116	1	1812	1278	1054	1185
8/26/2026 10:41	3103	3319	5127	8	1807	1278	1054	1181
8/26/2026 10:42	3103	3335	5127	8	1807	1102	1070	1181
8/26/2026 10:43	3095	3335	5134	803	1807	1102	1070	1174
8/26/2026 10:44	3095	3270	5134	803	1807	1167	979	1174
8/26/2026 10:45	3075	3270	5047	885	1807	1167	979	1180
8/26/2026 10:46	3075	3285	5047	885	1807	1221	854	1180
8/26/2026 10:47	3096	3285	5053	884	1800	1221	854	1173
8/26/2026 10:48	3096	3274	5053	884	1800	1231	814	1173
8/26/2026 10:49	3084	3274	5029	67	1803	1231	814	1176
8/26/2026 10:50	3084	3311	5029	67	1803	875	787	1176
8/26/2026 10:51	3136	3311	5105	480	1819	875	787	1179
8/26/2026 10:52	3136	3309	5105	480	1819	1160	1002	1179
8/26/2026 10:53	3127	3309	5103	1	1812	1160	1002	1191
8/26/2026 10:54	3127	3321	5103	1	1812	1232	789	1191
8/26/2026 10:55	3136	3321	5113	11	1812	1232	789	1164
8/26/2026 10:56	3136	3281	5113	11	1812	1222	1036	1164
8/26/2026 10:57	3104	3281	5065	71	1810	1222	1036	1191
8/26/2026 10:58	3104	3316	5065	71	1810	1234	960	1191
8/26/2026 10:59	3145	3316	5128	802	1808	1234	960	1178
8/26/2026 11:00	3145	3341	5128	802	1808	1261	1055	1178
8/26/2026 11:01	3158	3341	5093	1	1806	1261	1055	1389
8/26/2026 11:02	3158	3313	5093	1	1806	1270	1060	1389
8/26/2026 11:03	3142	3313	5103	1	1818	1270	1060	1158
8/26/2026 11:04	3142	0	5103	1	1818	1135	1004	1158
8/26/2026 11:05	3168	0	5108	1	1822	1135	1004	1184
8/26/2026 11:06	3168	3317	5108	1	1822	1168	1014	1184
8/26/2026 11:07	3157	3317	5117	1	1814	1168	1014	1178
8/26/2026 11:08	3157	3328	5117	1	1814	1239	922	1178
8/26/2026 11:09	3152	3328	5118	747	1736	1239	922	1169
8/26/2026 11:10	3152	3342	5118	747	1736	1188	1014	1169
8/26/2026 11:11	3131	3342	5069	19	1018	1188	1014	1177
8/26/2026 11:12	3131	3298	5069	19	1018	1211	993	1177
8/26/2026 11:13	3121	3298	5078	380	1808	1211	993	1174
8/26/2026 11:14	3121	3276	5078	380	1808	906	1004	1174
8/26/2026 11:15	3091	3276	5004	1008	1389	906	1004	1162
8/26/2026 11:16	3091	3278	5004	1008	1389	1195	928	1162
8/26/2026 11:17	3111	3278	5018	1028	1789	1195	928	1167
8/26/2026 11:18	3111	3281	5018	1028	1789	1225	893	1167
8/26/2026 11:19	3098	3281	5032	1017	1794	1225	893	1159
8/26/2026 11:20	3098	3265	5032	1017	1794	1174	1013	1159
8/26/2026 11:21	3093	3265	5026	1031	1797	1174	1013	1150
8/26/2026 11:22	3093	3264	5026	1031	1797	1239	768	1150
8/26/2026 11:23	3113	3264	5009	1016	1811	1239	768	1159
8/26/2026 11:24	3113	3330	5009	1016	1811	1235	1005	1159
8/26/2026 11:25	3170	3330	5106	1	1803	1235	1005	1421
8/26/2026 11:26	3170	3294	5106	1	1803	1149	999	1421

8/26/2026 11:27	3144	3294	5103	905	1807	1149	999	1165
8/26/2026 11:28	3144	0	5103	905	1807	1123	1055	1165
8/26/2026 11:29	3096	0	5037	1023	1792	1123	1055	798
8/26/2026 11:30	3096	3267	5037	1023	1792	1265	1045	798
8/26/2026 11:31	3115	3267	5016	992	1807	1265	1045	1158
8/26/2026 11:32	3115	3269	5016	992	1807	1159	938	1158
8/26/2026 11:33	3098	3269	5023	980	1806	1159	938	1148
8/26/2026 11:34	3098	3257	5023	980	1806	1234	1041	1148
8/26/2026 11:35	3100	3257	5004	981	1794	1234	1041	1170
8/26/2026 11:36	3100	3268	5004	981	1794	1220	1028	1170
8/26/2026 11:37	3093	3268	5031	978	1797	1220	1028	1159
8/26/2026 11:38	3093	3278	5031	978	1797	1205	1036	1159
8/26/2026 11:39	3105	3278	5016	991	1791	1205	1036	1168
8/26/2026 11:40	3105	3262	5016	991	1791	1211	1015	1168
8/26/2026 11:41	3107	3262	5007	969	1799	1211	1015	1149
8/26/2026 11:42	3107	3282	5007	969	1799	1229	1019	1149
8/26/2026 11:43	3109	3282	5029	976	1788	1229	1019	1163
8/26/2026 11:44	3109	3263	5029	976	1788	1263	795	1163
8/26/2026 11:45	3104	3263	5007	973	1802	1263	795	1163
8/26/2026 11:46	3104	3258	5007	973	1802	1276	1046	1163
8/26/2026 11:47	3113	3258	5005	976	1797	1276	1046	1158
8/26/2026 11:48	3113	3273	5005	976	1797	1266	1000	1158
8/26/2026 11:49	3134	3273	5048	992	1796	1266	1000	1162
8/26/2026 11:50	3134	3257	5048	992	1796	1113	1004	1162
8/26/2026 11:51	3115	3257	5017	994	1801	1113	1004	1149
8/26/2026 11:52	3115	3270	5017	994	1801	1145	974	1149
8/26/2026 11:53	3118	3270	5020	1000	1788	1145	974	1160
8/26/2026 11:54	3118	3279	5020	1000	1788	1138	758	1160
8/26/2026 11:55	3118	3279	5015	992	1803	1138	758	1152
8/26/2026 11:56	3118	3268	5015	992	1803	1036	997	1152
8/26/2026 11:57	3116	3268	5014	1003	1786	1036	997	1168
8/26/2026 11:58	3116	3267	5014	1003	1786	1163	887	1168
8/26/2026 11:59	3118	3267	5019	1002	1799	1163	887	1160
8/26/2026 12:00	3118	3260	5019	1002	1799	1036	1035	1160
8/26/2026 12:01	3109	3260	5021	1011	1802	1036	1035	1159
8/26/2026 12:02	3109	3277	5021	1011	1802	1170	887	1159
8/26/2026 12:03	3116	3277	5032	1011	1806	1170	887	1132
8/26/2026 12:04	3116	3269	5032	1011	1806	1208	845	1132
8/26/2026 12:05	3117	3269	5008	1004	1756	1208	845	1170
8/26/2026 12:06	3117	3250	5008	1004	1756	1134	944	1170
8/26/2026 12:07	3118	3250	5023	1027	1799	1134	944	1160
8/26/2026 12:08	3118	3269	5023	1027	1799	1204	797	1160
8/26/2026 12:09	3153	3269	5030	1026	1805	1204	797	1116
8/26/2026 12:10	3153	3317	5030	1026	1805	1261	1036	1116
8/26/2026 12:11	3174	3317	5096	634	1811	1261	1036	1150
8/26/2026 12:12	3174	3257	5096	634	1811	1263	1013	1150
8/26/2026 12:13	3101	3257	5023	1015	1810	1263	1013	1145
8/26/2026 12:14	3101	3273	5023	1015	1810	1024	1004	1145
8/26/2026 12:15	3108	3273	5001	1034	1807	1024	1004	1159
8/26/2026 12:16	3108	3257	5001	1034	1807	1083	960	1159
8/26/2026 12:17	3108	3257	4990	1044	1802	1083	960	1162
8/26/2026 12:18	3108	3271	4990	1044	1802	1235	998	1162
8/26/2026 12:19	3139	3271	5017	1035	1812	1235	998	1149

8/26/2026 12:20	3139	3255	5017	1035	1812	1249	1033	1149
8/26/2026 12:21	3104	3255	5030	1027	1797	1249	1033	891
8/26/2026 12:22	3104	3259	5030	1027	1797	1191	992	891
8/26/2026 12:23	3113	3259	5039	1031	1808	1191	992	1157
8/26/2026 12:24	3113	3244	5039	1031	1808	1229	852	1157
8/26/2026 12:25	3102	3244	5039	1033	1807	1229	852	1162
8/26/2026 12:26	3102	3241	5039	1033	1807	1236	1031	1162
8/26/2026 12:27	3127	3241	5027	1048	1818	1236	1031	1163
8/26/2026 12:28	3127	0	5027	1048	1818	1159	953	1163
8/26/2026 12:29	3112	3245	5009	1040	1806	1159	953	1155
8/26/2026 12:30	3112	3245	5009	1040	1806	1123	1016	1155
8/26/2026 12:31	3115	3277	5024	1046	1803	1123	1016	1147
8/26/2026 12:32	3115	3277	5024	1046	1803	923	1000	1147
8/26/2026 12:33	3098	3253	5016	1053	1819	923	1000	1155
8/26/2026 12:34	3098	3253	5016	1053	1819	1201	814	1155
8/26/2026 12:35	3118	3272	5041	1037	1819	1201	814	1060
8/26/2026 12:36	3118	3272	5041	1037	1819	1242	1038	1060
8/26/2026 12:37	3131	3240	5014	1050	1817	1242	1038	1159
8/26/2026 12:38	3131	3240	5014	1050	1817	1235	851	1159
8/26/2026 12:39	3109	3252	5016	1051	1819	1235	851	1170
8/26/2026 12:40	3109	3252	5016	1051	1819	1224	1020	1170
8/26/2026 12:41	3091	3230	5016	1064	1825	1224	1020	1165
8/26/2026 12:42	3091	3230	5016	1064	1825	1255	1033	1165
8/26/2026 12:43	3089	3257	5006	1055	1830	1255	1033	1163
8/26/2026 12:44	3089	3257	5006	1055	1830	1189	830	1163
8/26/2026 12:45	3081	3233	5006	1038	1773	1189	830	1154
8/26/2026 12:46	3081	3233	5006	1038	1773	1113	1030	1154
8/26/2026 12:47	3115	3230	5023	1059	1833	1113	1030	1147
8/26/2026 12:48	3115	3230	5023	1059	1833	1179	1008	1147
8/26/2026 12:49	3114	3237	5014	1052	1834	1179	1008	1152
8/26/2026 12:50	3114	3237	5014	1052	1834	1200	892	1152
8/26/2026 12:51	3103	3225	5014	1064	1838	1200	892	1145
8/26/2026 12:52	3103	3225	5014	1064	1838	1229	1009	1145
8/26/2026 12:53	3124	3248	5020	1047	1823	1229	1009	1057
8/26/2026 12:54	3124	3248	5020	1047	1823	1220	1028	1057
8/26/2026 12:55	3123	3266	5009	1048	1823	1220	1028	1163
8/26/2026 12:56	3123	3266	5009	1048	1823	1091	949	1163
8/26/2026 12:57	3114	3240	5011	1045	1842	1091	949	1158
8/26/2026 12:58	3114	3240	5011	1045	1842	1219	1021	1158
8/26/2026 12:59	3096	3244	5007	1037	1812	1219	1021	1159
8/26/2026 13:00	3096	3244	5007	1037	1812	1116	1030	1159
8/26/2026 13:01	3113	3262	5019	1039	1813	1116	1030	1097
8/26/2026 13:02	3113	3262	5019	1039	1813	1101	954	1097
8/26/2026 13:03	3118	3252	5029	1059	1824	1101	954	1168
8/26/2026 13:04	3118	3252	5029	1059	1824	1253	1025	1168
8/26/2026 13:05	3090	3263	5007	1060	1821	1253	1025	1160
8/26/2026 13:06	3090	3263	5007	1060	1821	908	1015	1160
8/26/2026 13:07	3115	3262	5050	1048	1822	908	1015	1150
8/26/2026 13:08	3115	3262	5050	1048	1822	1184	737	1150
8/26/2026 13:09	3106	3266	5058	1067	1827	1184	737	1154
8/26/2026 13:10	3106	3266	5058	1067	1827	1086	1032	1154
8/26/2026 13:11	3083	3242	5032	1060	1830	1086	1032	1155
8/26/2026 13:12	3083	3242	5032	1060	1830	1232	815	1155

8/26/2026 13:13	3121	3272	5048	1042	1827	1232	815	1159
8/26/2026 13:14	3121	3272	5048	1042	1827	1163	975	1159
8/26/2026 13:15	3126	3250	5026	1058	1828	1163	975	1159
8/26/2026 13:16	3126	3250	5026	1058	1828	1249	999	1159
8/26/2026 13:17	3102	3258	5050	1076	1780	1249	999	1296
8/26/2026 13:18	3102	3258	5050	1076	1780	1231	1000	1296
8/26/2026 13:19	3103	3280	5033	1061	1518	1231	1000	958
8/26/2026 13:20	3103	3280	5033	1061	1518	1001	1019	958
8/26/2026 13:21	3105	3293	5036	1064	1817	1001	1019	1160
8/26/2026 13:22	3105	3293	5036	1064	1817	934	842	1160
8/26/2026 13:23	3108	3256	5027	1074	1821	934	842	1167
8/26/2026 13:24	3108	3256	5027	1074	1821	1193	975	1167
8/26/2026 13:25	3157	3324	5128	10	1171	1193	975	1140
8/26/2026 13:26	3157	3324	5128	10	1171	1133	1028	1140
8/26/2026 13:27	3146	3333	5120	21	1825	1133	1028	1170
8/26/2026 13:28	3146	3333	5120	21	1825	1252	883	1170
8/26/2026 13:29	3161	3329	5121	11	1194	1252	883	1191
8/26/2026 13:30	3161	3329	5121	11	1194	1232	952	1191
8/26/2026 13:31	3162	3337	5134	1	1821	1232	952	1167
8/26/2026 13:32	3162	3337	5134	1	1821	825	1039	1167
8/26/2026 13:33	3172	3342	5132	1	1832	825	1039	922
8/26/2026 13:34	3172	3342	5132	1	1832	1250	852	922
8/26/2026 13:35	3182	3331	5128	1	1828	1250	852	1180
8/26/2026 13:36	3182	3331	5128	1	1828	1209	860	1180
8/26/2026 13:37	3164	3341	5118	1	1833	1209	860	1183
8/26/2026 13:38	3164	3341	5118	1	1833	1143	1000	1183
8/26/2026 13:39	3154	3343	5134	1	1828	1143	1000	1183
8/26/2026 13:40	3154	3343	5134	1	1828	897	880	1183
8/26/2026 13:41	3152	3331	5143	1	1842	897	880	1182
8/26/2026 13:42	3152	3331	5143	1	1842	1267	810	1182
8/26/2026 13:43	3192	3351	5119	1	1828	1267	810	1179
8/26/2026 13:44	3192	3351	5119	1	1828	1211	947	1179
8/26/2026 13:45	3198	3324	5119	1	1827	1211	947	1184
8/26/2026 13:46	3198	3324	5119	1	1827	1158	903	1184
8/26/2026 13:47	3174	3331	5126	1	1840	1158	903	1183
8/26/2026 13:48	3174	3331	5126	1	1840	906	913	1183
8/26/2026 13:49	3184	3321	5122	1	1818	906	913	1182
8/26/2026 13:50	3184	3321	5122	1	1818	1247	1019	1182
8/26/2026 13:51	3184	3331	5141	1	1834	1247	1019	1067
8/26/2026 13:52	3184	3331	5141	1	1834	1231	1030	1067
8/26/2026 13:53	3176	3330	5141	1	899	1231	1030	1271
8/26/2026 13:54	3176	3330	5141	1	899	1262	974	1271
8/26/2026 13:55	3188	3348	5143	1	1825	1262	974	1175
8/26/2026 13:56	3188	3348	5143	1	1825	1164	1014	1175
8/26/2026 13:57	3137	3282	5008	1079	1830	1164	1014	1170
8/26/2026 13:58	3137	3282	5008	1079	1830	909	1019	1170
8/26/2026 13:59	3105	3263	5057	1112	1827	909	1019	1173
8/26/2026 14:00	3105	3263	5057	1112	1827	1249	983	1173
8/26/2026 14:01	3103	3298	5030	1092	1823	1249	983	1155
8/26/2026 14:02	3103	3298	5030	1092	1823	836	1023	1155
8/26/2026 14:03	3110	3286	5059	1100	1816	836	1023	1157
8/26/2026 14:04	3110	3286	5059	1100	1816	1240	946	1157
8/26/2026 14:05	3096	3270	5036	1087	1823	1240	946	1157

8/26/2026 14:06	3096	3270	5036	1087	1823	827	962	1157
8/26/2026 14:07	3108	3254	5063	1094	1818	827	962	1168
8/26/2026 14:08	3108	3254	5063	1094	1818	897	977	1168
8/26/2026 14:09	3097	3279	5038	1089	1194	897	977	1174
8/26/2026 14:10	3097	3279	5038	1089	1194	830	809	1174
8/26/2026 14:11	3101	3251	5013	1056	1827	830	809	1162
8/26/2026 14:12	3101	3251	5013	1056	1827	1128	1025	1162
8/26/2026 14:13	3102	3264	5034	1094	1825	1128	1025	1162
8/26/2026 14:14	3102	3264	5034	1094	1825	1250	1031	1162
8/26/2026 14:15	3108	3247	5049	1080	1827	1250	1031	1150
8/26/2026 14:16	3108	3247	5049	1080	1827	1226	1015	1150
8/26/2026 14:17	3101	3273	5027	1029	1823	1226	1015	1177
8/26/2026 14:18	3101	3273	5027	1029	1823	1245	775	1177
8/26/2026 14:19	3132	3263	5031	987	1847	1245	775	1175
8/26/2026 14:20	3132	3263	5031	987	1847	979	998	1175
8/26/2026 14:21	3177	3319	5121	767	1830	979	998	1169
8/26/2026 14:22	3177	3319	5121	767	1830	1246	942	1169
8/26/2026 14:23	3146	3269	5056	1093	1828	1246	942	1177
8/26/2026 14:24	3146	3269	5056	1093	1828	1024	1026	1177
8/26/2026 14:25	3125	3255	5027	1086	1822	1024	1026	1173
8/26/2026 14:26	3125	3255	5027	1086	1822	933	1023	1173
8/26/2026 14:27	3125	3255	5009	1082	1847	933	1023	1157
8/26/2026 14:28	3125	3255	5009	1082	1847	1227	856	1157
8/26/2026 14:29	3117	3232	5036	1072	1844	1227	856	1169
8/26/2026 14:30	3117	3232	5036	1072	1844	1205	1018	1169
8/26/2026 14:31	3122	3242	5054	1071	1847	1205	1018	1169
8/26/2026 14:32	3122	3242	5054	1071	1847	1206	1020	1169
8/26/2026 14:33	3126	3260	5051	1075	1844	1206	1020	1170
8/26/2026 14:34	3126	3260	5051	1075	1844	1244	1018	1170
8/26/2026 14:35	3113	3282	5031	1069	1839	1244	1018	1173
8/26/2026 14:36	3113	3282	5031	1069	1839	1240	1024	1173
8/26/2026 14:37	3154	3253	5047	1093	1855	1240	1024	1168
8/26/2026 14:38	3154	3253	5047	1093	1855	1244	0	1168
8/26/2026 14:39	3144	3264	5038	58	1829	1244	1026	1190
8/26/2026 14:40	3144	3264	5038	58	1829	1225	1026	1190
8/26/2026 14:41	3142	3296	5037	1096	1844	1225	1020	1168
8/26/2026 14:42	3142	3296	5037	1096	1844	1239	1020	1168
8/26/2026 14:43	3116	3254	5036	1087	1845	1239	1031	1170
8/26/2026 14:44	3116	3254	5036	1087	1845	1254	1031	1170
8/26/2026 14:45	3146	3258	5021	1103	1850	1254	1030	1178
8/26/2026 14:46	3146	3258	5021	1103	1850	1251	1030	1178
8/26/2026 14:47	3128	3248	5058	1116	1850	1251	972	1183
8/26/2026 14:48	3128	3248	5058	1116	1850	1219	972	1183
8/26/2026 14:49	3126	3239	5019	1105	1834	1219	1014	1170
8/26/2026 14:50	3126	3239	5019	1105	1834	1241	1014	1170
8/26/2026 14:51	3156	3255	5009	1117	1866	1241	1016	1158
8/26/2026 14:52	3156	3255	5009	1117	1866	1213	1016	1158
8/26/2026 14:53	3122	3272	5041	1087	1783	1213	924	1087
8/26/2026 14:54	3122	3272	5041	1087	1783	862	924	1087
8/26/2026 14:55	3119	3248	5056	1087	1855	862	1028	882
8/26/2026 14:56	3119	3248	5056	1087	1855	1250	1028	882
8/26/2026 14:57	3122	3259	5027	1125	1846	1250	1021	1118
8/26/2026 14:58	3122	3259	5027	1125	1846	1235	1021	1118

8/26/2026 14:59	3123	3242	5007	1108	812	1235	1014	1168
8/26/2026 15:00	3123	3242	5007	1108	812	1221	1014	1168
8/26/2026 15:01	3122	3253	5022	1083	1853	1221	1024	1164
8/26/2026 15:02	3122	3253	5022	1083	1853	1215	1024	1164
8/26/2026 15:03	3131	3244	5062	1100	1864	1215	959	1165
8/26/2026 15:04	3131	3244	5062	1100	1864	851	959	1165
8/26/2026 15:05	3141	3247	5015	1112	1824	851	1026	1159
8/26/2026 15:06	3141	3247	5015	1112	1824	1236	1026	1159
8/26/2026 15:07	3108	3238	5018	1106	1853	1236	1023	1147
8/26/2026 15:08	3108	3238	5018	1106	1853	1219	1023	1147
8/26/2026 15:09	3127	3241	5028	1119	1866	1219	831	1089
8/26/2026 15:10	3127	3241	5028	1119	1866	1071	831	1089
8/26/2026 15:11	3125	3246	5026	1110	1861	1071	854	1150
8/26/2026 15:12	3125	3246	5026	1110	1861	984	854	1150
8/26/2026 15:13	3119	3264	5032	1112	1862	984	876	1149
8/26/2026 15:14	3119	3264	5032	1112	1862	1139	876	1149
8/26/2026 15:15	3118	3237	5014	1109	1869	1139	988	1149
8/26/2026 15:16	3118	3237	5014	1109	1869	1155	988	1149
8/26/2026 15:17	3133	3225	5023	1105	1860	1155	1051	1138
8/26/2026 15:18	3133	3225	5023	1105	1860	1230	1051	1138
8/26/2026 15:19	3104	3225	5018	1115	1872	1230	1004	1142
8/26/2026 15:20	3104	3225	5018	1115	1872	1235	1004	1142
8/26/2026 15:21	3130	3246	5021	1134	1884	1235	1031	1144
8/26/2026 15:22	3130	3246	5021	1134	1884	1247	1031	1144
8/26/2026 15:23	3115	3244	5036	1104	1830	1247	949	1142
8/26/2026 15:24	3115	3244	5036	1104	1830	1009	949	1142
8/26/2026 15:25	3124	3239	5040	1127	1877	1009	1038	947
8/26/2026 15:26	3124	3239	5040	1127	1877	1227	1038	947
8/26/2026 15:27	3120	3240	5018	1113	1875	1227	1013	1147
8/26/2026 15:28	3120	3240	5018	1113	1875	1205	1013	1147
8/26/2026 15:29	3130	3257	5036	1129	1862	1205	1040	1246
8/26/2026 15:30	3130	3257	5036	1129	1862	1116	1040	1246
8/26/2026 15:31	3099	3239	5039	1140	1878	1116	746	1153
8/26/2026 15:32	3099	3239	5039	1140	1878	1241	746	1153
8/26/2026 15:33	3111	3255	5028	1120	1877	1241	1048	1153
8/26/2026 15:34	3111	3255	5028	1120	1877	748	1048	1153
8/26/2026 15:35	3122	3263	5019	1128	1886	748	917	1150
8/26/2026 15:36	3122	3263	5019	1128	1886	952	917	1150
8/26/2026 15:37	3135	3247	5040	1130	1907	952	773	1159
8/26/2026 15:38	3135	3247	5040	1130	1907	1219	773	1159
8/26/2026 15:39	3105	3255	5019	1138	1872	1219	703	1148
8/26/2026 15:40	3105	3255	5019	1138	1872	1244	703	1148
8/26/2026 15:41	3087	3231	5033	1135	1853	1244	1023	1147
8/26/2026 15:42	3087	3231	5033	1135	1853	1255	1023	1147
8/26/2026 15:43	3111	3225	5043	1116	1882	1255	997	1158
8/26/2026 15:44	3111	3225	5043	1116	1882	962	997	1158
8/26/2026 15:45	3099	3264	5033	1127	1866	962	994	727
8/26/2026 15:46	3099	3264	5033	1127	1866	1199	994	727
8/26/2026 15:47	3110	3242	5046	1116	1873	1199	1025	1147
8/26/2026 15:48	3110	3242	5046	1116	1873	1234	1025	1147
8/26/2026 15:49	3089	3236	5028	1124	1883	1234	1042	1159
8/26/2026 15:50	3089	3236	5028	1124	1883	1241	1042	1159
8/26/2026 15:51	3086	3233	5014	1112	1880	1241	990	1153

8/26/2026 15:52	3086	3233	5014	1112	1880	1163	990	1153
8/26/2026 15:53	3083	3239	4999	1113	1877	1163	1015	1155
8/26/2026 15:54	3083	3239	4999	1113	1877	984	1015	1155
8/26/2026 15:55	3100	3225	5040	1104	1884	984	1041	803
8/26/2026 15:56	3100	3225	5040	1104	1884	1220	1041	803
8/26/2026 15:57	3103	3244	5021	1092	1863	1220	1024	1035
8/26/2026 15:58	3103	3244	5021	1092	1863	939	1024	1035
8/26/2026 15:59	3170	3306	5134	1	1874	939	995	1180
8/26/2026 16:00	3170	3306	5134	1	1874	1045	995	1180
8/26/2026 16:01	3169	3314	5141	11	1896	1045	1028	1209
8/26/2026 16:02	3169	3314	5141	11	1896	1263	1028	1209
8/26/2026 16:03	3160	3314	5111	1	1873	1263	1039	1024
8/26/2026 16:04	3160	3314	5111	1	1873	933	1039	1024
8/26/2026 16:05	3168	3304	5115	1	1890	933	1041	1195
8/26/2026 16:06	3168	3304	5115	1	1890	1184	1041	1195
8/26/2026 16:07	3162	3326	5116	1	1885	1184	1031	1184
8/26/2026 16:08	3162	3326	5116	1	1885	1260	1031	1184
8/26/2026 16:09	3169	3315	5120	1	1883	1260	890	1193
8/26/2026 16:10	3169	3315	5120	1	1883	1183	890	1193
8/26/2026 16:11	3170	3309	5128	1	1894	1183	1028	1206
8/26/2026 16:12	3170	3309	5128	1	1894	1255	1028	1206
8/26/2026 16:13	3154	3304	5128	1	1852	1255	1019	1918
8/26/2026 16:14	3154	3304	5128	1	1852	1055	1019	1918
8/26/2026 16:15	3193	3344	5123	1	1897	1055	756	1193
8/26/2026 16:16	3193	3344	5123	1	1897	1230	756	1193
8/26/2026 16:17	3209	3316	5133	1	1885	1230	1036	1214
8/26/2026 16:18	3209	3316	5133	1	1885	1199	1036	1214
8/26/2026 16:19	3147	3287	5086	966	1901	1199	1024	1179
8/26/2026 16:20	3147	3287	5086	966	1901	1214	1024	1179
8/26/2026 16:21	3089	3246	5069	1180	1510	1214	1052	1188
8/26/2026 16:22	3089	3246	5069	1180	1510	1231	1052	1188
8/26/2026 16:23	3131	3268	5068	951	1889	1231	1043	1183
8/26/2026 16:24	3131	3268	5068	951	1889	1204	1043	1183
8/26/2026 16:25	3131	3252	5070	918	961	1204	1011	1180
8/26/2026 16:26	3131	3252	5070	918	961	1063	1011	1180
8/26/2026 16:27	3100	3251	5069	899	197	1063	765	1180
8/26/2026 16:28	3100	3251	5069	899	197	939	765	1180
8/26/2026 16:29	3114	3266	5076	882	1888	939	1031	1174
8/26/2026 16:30	3114	3266	5076	882	1888	1143	1031	1174
8/26/2026 16:31	3124	3255	5077	848	1874	1143	990	1178
8/26/2026 16:32	3124	3255	5077	848	1874	1265	990	1178
8/26/2026 16:33	3127	3270	5059	847	1886	1265	777	1188
8/26/2026 16:34	3127	3270	5059	847	1886	1236	777	1188
8/26/2026 16:35	3126	3268	5058	839	1868	1236	1021	1184
8/26/2026 16:36	3126	3268	5058	839	1868	1235	1021	1184
8/26/2026 16:37	3134	3246	5061	854	1869	1235	820	1191
8/26/2026 16:38	3134	3246	5061	854	1869	1249	820	1191
8/26/2026 16:39	3110	3248	5051	850	1779	1249	1034	1360
8/26/2026 16:40	3110	3248	5051	850	1779	924	1034	1360
8/26/2026 16:41	3116	3246	5073	852	1866	924	1034	1174
8/26/2026 16:42	3116	3246	5073	852	1866	1183	1034	1174
8/26/2026 16:43	3126	3264	5057	844	1354	1183	969	1201
8/26/2026 16:44	3126	3264	5057	844	1354	945	969	1201

8/26/2026 16:45	3113	3247	5081	845	1899	945	1034	1180
8/26/2026 16:46	3113	3247	5081	845	1899	1252	1034	1180
8/26/2026 16:47	3112	3248	5086	842	1878	1252	1026	1184
8/26/2026 16:48	3112	3248	5086	842	1878	1254	1026	1184
8/26/2026 16:49	3108	3257	5065	851	1872	1254	1028	1191
8/26/2026 16:50	3108	3257	5065	851	1872	991	1028	1191
8/26/2026 16:51	3114	3249	5080	843	1884	991	1045	1188
8/26/2026 16:52	3114	3249	5080	843	1884	1085	1045	1188
8/26/2026 16:53	3114	3247	5036	833	1884	1085	1026	1184
8/26/2026 16:54	3114	3247	5036	833	1884	1135	1026	1184
8/26/2026 16:55	3105	3239	5063	849	1888	1135	764	1176
8/26/2026 16:56	3105	3239	5063	849	1888	1060	764	1176
8/26/2026 16:57	3111	3259	5054	853	1646	1060	963	1176
8/26/2026 16:58	3111	3259	5054	853	1646	1198	963	1176
8/26/2026 16:59	3096	3258	5068	841	1867	1198	1004	1168
8/26/2026 17:00	3096	3258	5068	841	1867	1201	1004	1168
8/26/2026 17:01	3082	3244	5078	846	1893	1201	693	1184
8/26/2026 17:02	3082	3244	5078	846	1893	1123	693	1184
8/26/2026 17:03	3102	3250	5050	852	1897	1123	1036	1242
8/26/2026 17:04	3102	3250	5050	852	1897	964	1036	1242
8/26/2026 17:05	3122	3248	5087	839	105	964	1023	1180
8/26/2026 17:06	3122	3248	5087	839	105	1262	1023	1180
8/26/2026 17:07	3120	3262	5062	830	1885	1262	1039	1099
8/26/2026 17:08	3120	3262	5062	830	1885	1256	1039	1099
8/26/2026 17:09	3103	3230	5067	837	1869	1256	856	1183
8/26/2026 17:10	3103	3230	5067	837	1869	1210	856	1183
8/26/2026 17:11	3122	3270	5063	845	1851	1210	1045	733
8/26/2026 17:12	3122	3270	5063	845	1851	1263	1045	733
8/26/2026 17:13	3087	3269	5068	844	1878	1263	1004	1184
8/26/2026 17:14	3087	3269	5068	844	1878	892	1004	1184
8/26/2026 17:15	3094	3252	5057	836	1874	892	1014	1183
8/26/2026 17:16	3094	3252	5057	836	1874	1209	1014	1183
8/26/2026 17:17	3089	3239	5064	826	1873	1209	764	1169
8/26/2026 17:18	3089	3239	5064	826	1873	0	764	1169
8/26/2026 17:19	3095	3240	5048	817	1720	1121	865	1182
8/26/2026 17:20	3095	3240	5048	817	1720	1121	865	1182
8/26/2026 17:21	3081	3252	5079	817	1883	959	1035	1190
8/26/2026 17:22	3081	3252	5079	817	1883	959	1035	1190
8/26/2026 17:23	3088	3253	5076	822	1864	1203	1034	1176
8/26/2026 17:24	3088	3253	5076	822	1864	1203	1034	1176
8/26/2026 17:25	3090	3237	5073	828	1873	1256	996	1126
8/26/2026 17:26	3090	3237	5073	828	1873	1256	996	1126
8/26/2026 17:27	3064	3232	5074	834	1875	1235	1036	1193
8/26/2026 17:28	3064	3232	5074	834	1875	1235	1036	1193
8/26/2026 17:29	3081	3257	5069	827	392	1138	1036	1175
8/26/2026 17:30	3081	3257	5069	827	392	1138	1036	1175
8/26/2026 17:31	3094	3266	5058	831	1894	1209	1034	1183
8/26/2026 17:32	3094	3266	5058	831	1894	1209	1034	1183
8/26/2026 17:33	3079	3258	5064	839	1839	1244	1023	1185
8/26/2026 17:34	3079	3258	5064	839	1839	1244	1023	1185
8/26/2026 17:35	3072	3256	5050	834	1786	1237	818	1184
8/26/2026 17:36	3072	3256	5050	834	1786	1237	818	1184
8/26/2026 17:37	3100	3266	5056	829	1882	1237	1015	1160

8/26/2026 17:38	3100	3266	5056	829	1882	1237	1015	1160
8/26/2026 17:39	3071	3254	5059	826	1894	1174	1016	1190
8/26/2026 17:40	3071	3254	5059	826	1894	1174	1016	1190
8/26/2026 17:41	3084	3264	5054	834	1897	1256	1045	1168
8/26/2026 17:42	3084	3264	5054	834	1897	1256	1045	1168
8/26/2026 17:43	3069	3244	5062	830	1884	1242	1040	1188
8/26/2026 17:44	3069	3244	5062	830	1884	1242	1040	1188
8/26/2026 17:45	3057	3272	5058	829	1884	959	798	1179
8/26/2026 17:46	3057	3272	5058	829	1884	959	798	1179
8/26/2026 17:47	3037	3263	5031	823	1888	1236	1014	1179
8/26/2026 17:48	3037	3263	5031	823	1888	1236	1014	1179
8/26/2026 17:49	3048	3274	5051	836	1897	950	1045	1178
8/26/2026 17:50	3048	3274	5051	836	1897	950	1045	1178
8/26/2026 17:51	3071	3271	5076	834	1883	1242	1015	1170
8/26/2026 17:52	3071	3271	5076	834	1883	1242	1015	1170
8/26/2026 17:53	3048	3263	5048	826	1890	1245	1036	1189
8/26/2026 17:54	3048	3263	5048	826	1890	1245	1036	1189
8/26/2026 17:55	3057	3264	5053	843	1880	1273	1040	1185
8/26/2026 17:56	3057	3264	5053	843	1880	1273	1040	1185
8/26/2026 17:57	3041	3268	5076	824	1883	1179	1044	1171
8/26/2026 17:58	3041	3268	5076	824	1883	1179	1044	1171
8/26/2026 17:59	3056	3283	5058	828	1891	1234	1016	1184
8/26/2026 18:00	3056	3283	5058	828	1891	1234	1016	1184
8/26/2026 18:01	3015	3241	5041	824	1889	1147	774	1183
8/26/2026 18:02	3015	3241	5041	824	1889	1147	774	1183
8/26/2026 18:03	3046	3253	5051	819	1878	1252	790	1190
8/26/2026 18:04	3046	3253	5051	819	1878	1252	790	1190
8/26/2026 18:05	3041	3266	5036	841	89	1185	1010	1189
8/26/2026 18:06	3041	3266	5036	841	89	1185	1010	1189
8/26/2026 18:07	3017	3285	5041	846	1880	1179	1005	1185
8/26/2026 18:08	3017	3285	5041	846	1880	1179	1005	1185
8/26/2026 18:09	3026	3273	5046	838	1904	1257	985	1193
8/26/2026 18:10	3026	3273	5046	838	1904	1257	985	1193
8/26/2026 18:11	3000	3270	5038	838	1911	999	1054	1176
8/26/2026 18:12	3000	3270	5038	838	1911	999	1054	1176
8/26/2026 18:13	3004	3248	5036	839	1894	1246	1059	1184
8/26/2026 18:14	3004	3248	5036	839	1894	1246	1059	1184
8/26/2026 18:15	2983	3278	5025	829	1900	1262	1021	1185
8/26/2026 18:16	2983	3278	5025	829	1900	1262	1021	1185
8/26/2026 18:17	3015	3278	5044	839	1525	1042	993	1170
8/26/2026 18:18	3015	3278	5044	839	1525	1042	993	1170
8/26/2026 18:19	3014	3288	5065	833	1891	1247	1040	1166
8/26/2026 18:20	3014	3288	5065	833	1891	1247	1040	1166
8/26/2026 18:21	2996	3265	5046	832	1912	1251	1047	1173
8/26/2026 18:22	2996	3265	5046	832	1912	1251	1047	1173
8/26/2026 18:23	3011	3287	5053	836	1902	1208	1013	1183
8/26/2026 18:24	3011	3287	5053	836	1902	1208	1013	1183
8/26/2026 18:25	2999	3291	5042	838	1911	1251	973	1178
8/26/2026 18:26	2999	3291	5042	838	1911	1251	973	1178
8/26/2026 18:27	2996	3284	5042	841	460	1275	1069	1165
8/26/2026 18:28	2996	3284	5042	841	460	1275	1069	1165
8/26/2026 18:29	2992	3292	5046	838	460	1034	1051	1169
8/26/2026 18:30	2992	3292	5046	838	460	1034	1051	1169

8/26/2026 18:31	2966	3276	5051	836	1838	1257	1045	1179
8/26/2026 18:32	2966	3276	5051	836	1838	1257	1045	1179
8/26/2026 18:33	2983	3314	5027	830	1923	1267	1054	1184
8/26/2026 18:34	2983	3314	5027	830	1923	1267	1054	1184
8/26/2026 18:35	2990	3281	5033	840	1890	1103	1060	1175
8/26/2026 18:36	2990	3281	5033	840	1890	1103	1060	1175
8/26/2026 18:37	2968	3261	5044	839	1912	1260	896	1155
8/26/2026 18:38	2968	3261	5044	839	1912	1260	896	1155
8/26/2026 18:39	2999	3283	5030	833	1902	1206	949	1184
8/26/2026 18:40	2999	3283	5030	833	1902	1206	949	1184
8/26/2026 18:41	2975	3264	5043	830	192	1241	1046	1186
8/26/2026 18:42	2975	3264	5043	830	192	1241	1046	1186
8/26/2026 18:43	2973	3283	5047	836	1899	1267	1056	1188
8/26/2026 18:44	2973	3283	5047	836	1899	1267	1056	1188
8/26/2026 18:45	2988	3254	5063	827	1896	1288	1072	1193
8/26/2026 18:46	2988	3254	5063	827	1896	1288	1072	1193
8/26/2026 18:47	2995	3286	5042	836	1905	1275	1030	1152
8/26/2026 18:48	2995	3286	5042	836	1905	1275	1030	1152
8/26/2026 18:49	2957	3292	5040	830	1926	928	1044	1170
8/26/2026 18:50	2957	3292	5040	830	1926	928	1044	1170
8/26/2026 18:51	2982	3292	5066	849	414	1196	1029	932
8/26/2026 18:52	2982	3292	5066	849	414	1196	1029	932
8/26/2026 18:53	2973	3268	5031	837	1926	1237	1059	1184
8/26/2026 18:54	2973	3268	5031	837	1926	1237	1059	1184
8/26/2026 18:55	2965	3281	5019	848	1902	1254	896	1179
8/26/2026 18:56	2965	3281	5019	848	1902	1254	896	1179
8/26/2026 18:57	2971	3277	5044	847	1902	1239	1054	1181
8/26/2026 18:58	2971	3277	5044	847	1902	1239	1054	1181
8/26/2026 18:59	2958	3379	5063	850	1915	947	1064	1195
8/26/2026 19:00	2958	3379	5063	850	1915	947	1064	1195
8/26/2026 19:01	2954	3292	5035	845	1902	917	1062	1178
8/26/2026 19:02	2954	3292	5035	845	1902	917	1062	1178
8/26/2026 19:03	2954	3283	5044	849	1910	1214	1015	1182
8/26/2026 19:04	2954	3283	5044	849	1910	1214	1015	1182
8/26/2026 19:05	2954	3266	5042	848	1917	1270	1051	1196
8/26/2026 19:06	2954	3266	5042	848	1917	1270	1051	1196
8/26/2026 19:07	2957	3278	5024	863	1922	1260	1031	912
8/26/2026 19:08	2957	3278	5024	863	1922	1260	1031	912
8/26/2026 19:09	2936	3285	5038	850	1918	1208	1011	1194
8/26/2026 19:10	2936	3285	5038	850	1918	1208	1011	1194
8/26/2026 19:11	2962	3286	5028	852	1906	1247	1060	990
8/26/2026 19:12	2962	3286	5028	852	1906	1247	1060	990
8/26/2026 19:13	2954	3261	5038	853	1928	1263	1064	1195
8/26/2026 19:14	2954	3261	5038	853	1928	1263	1064	1195
8/26/2026 19:15	2977	3275	5053	862	1904	1272	739	1195
8/26/2026 19:16	2977	3275	5053	862	1904	1272	739	1195
8/26/2026 19:17	2954	3284	5048	852	1915	1286	736	1173
8/26/2026 19:18	2954	3284	5048	852	1915	1286	736	1173
8/26/2026 19:19	2941	3281	5064	843	1929	1267	1056	1167
8/26/2026 19:20	2941	3281	5064	843	1929	1267	1056	1167
8/26/2026 19:21	2943	3270	5025	847	1911	1273	1040	1201
8/26/2026 19:22	2943	3270	5025	847	1911	1273	1040	1201
8/26/2026 19:23	2962	3272	5018	847	1924	1271	1064	1191

8/26/2026 19:24	2962	3272	5018	847	1924	1271	1064	1191
8/26/2026 19:25	2957	3285	5066	858	1907	1253	994	1182
8/26/2026 19:26	2957	3285	5066	858	1907	1253	994	1182
8/26/2026 19:27	2937	3258	5023	850	1921	1286	1059	1196
8/26/2026 19:28	2937	3258	5023	850	1921	1286	1059	1196
8/26/2026 19:29	2925	3281	5038	849	1945	1209	703	1181
8/26/2026 19:30	2925	3281	5038	849	1945	1209	703	1181
8/26/2026 19:31	2950	3270	5059	849	1933	1257	791	1179
8/26/2026 19:32	2950	3270	5059	849	1933	1257	791	1179
8/26/2026 19:33	2970	3264	5048	863	1941	1082	836	1189
8/26/2026 19:34	2970	3264	5048	863	1941	1082	836	1189
8/26/2026 19:35	2941	3281	5053	852	1928	1244	1066	1116
8/26/2026 19:36	2941	3281	5053	852	1928	1244	1066	1116
8/26/2026 19:37	2954	3272	5037	854	1939	1242	1031	1194
8/26/2026 19:38	2954	3272	5037	854	1939	1242	1031	1194
8/26/2026 19:39	2925	3271	5054	861	1935	1029	1067	1176
8/26/2026 19:40	2925	3271	5054	861	1935	1029	1067	1176
8/26/2026 19:41	2935	3261	5049	863	1928	1232	1055	1190
8/26/2026 19:42	2935	3261	5049	863	1928	1232	1055	1190
8/26/2026 19:43	2918	3263	5048	866	1924	898	1042	1113
8/26/2026 19:44	2918	3263	5048	866	1924	898	1042	1113
8/26/2026 19:45	2942	3257	5039	858	1918	980	1036	1189
8/26/2026 19:46	2942	3257	5039	858	1918	980	1036	1189
8/26/2026 19:47	2903	3274	5051	844	1932	1222	763	1205
8/26/2026 19:48	2903	3274	5051	844	1932	1222	763	1205
8/26/2026 19:49	2931	0	5043	862	1928	1257	1069	1183
8/26/2026 19:50	2931	3254	5043	862	1928	1257	1069	1183
8/26/2026 19:51	2921	3254	5046	869	1939	1286	1072	1009
8/26/2026 19:52	2921	3274	5046	869	1939	1286	1072	1009
8/26/2026 19:53	2910	3274	5064	854	1927	1281	1061	1199
8/26/2026 19:54	2910	3266	5064	854	1927	1281	1061	1199
8/26/2026 19:55	2940	3266	5049	860	1930	1196	1019	881
8/26/2026 19:56	2940	3251	5049	860	1930	1196	1019	881
8/26/2026 19:57	2936	3251	5069	872	1924	1206	998	1199
8/26/2026 19:58	2936	3270	5069	872	1924	1206	998	1199
8/26/2026 19:59	2915	3270	5046	859	1918	1288	1083	902
8/26/2026 20:00	2915	3249	5046	859	1918	1288	1083	902
8/26/2026 20:01	2922	3249	5050	869	1934	1234	1075	1193
8/26/2026 20:02	2922	3242	5050	869	1934	1234	1075	1193
8/26/2026 20:03	2943	3242	5056	869	1921	1287	1069	1196
8/26/2026 20:04	2943	3249	5056	869	1921	1287	1069	1196
8/26/2026 20:05	2916	3249	5051	855	1921	1288	763	1178
8/26/2026 20:06	2916	3239	5051	855	1921	1288	763	1178
8/26/2026 20:07	2912	3239	5056	879	1918	1286	1066	1198
8/26/2026 20:08	2912	3254	5056	879	1918	1286	1066	1198
8/26/2026 20:09	2934	3254	5041	839	1929	1288	905	1204
8/26/2026 20:10	2934	3251	5041	839	1929	1288	905	1204
8/26/2026 20:11	2898	3251	5049	855	1911	1282	818	1209
8/26/2026 20:12	2898	3252	5049	855	1911	1282	818	1209
8/26/2026 20:13	2946	3252	5073	863	1910	1088	1018	1195
8/26/2026 20:14	2946	3268	5073	863	1910	1088	1018	1195
8/26/2026 20:15	2931	3268	5071	843	1915	1256	758	1082
8/26/2026 20:16	2931	3256	5071	843	1915	1256	758	1082

8/26/2026 20:17	2907	3256	5066	862	1921	995	972	1210
8/26/2026 20:18	2907	3257	5066	862	1921	995	972	1210
8/26/2026 20:19	2920	3257	5034	847	1930	1119	1030	1195
8/26/2026 20:20	2920	3252	5034	847	1930	1119	1030	1195
8/26/2026 20:21	2909	3252	5064	860	1927	986	816	1199
8/26/2026 20:22	2909	3258	5064	860	1927	986	816	1199
8/26/2026 20:23	2924	3258	5056	861	1919	1289	1069	1204
8/26/2026 20:24	2924	3248	5056	861	1919	1289	1069	1204
8/26/2026 20:25	2925	3248	5049	856	1926	1280	1076	1189
8/26/2026 20:26	2925	3250	5049	856	1926	1280	1076	1189
8/26/2026 20:27	2936	3250	5029	860	1938	1287	725	1186
8/26/2026 20:28	2936	3265	5029	860	1938	1287	725	1186
8/26/2026 20:29	2923	3265	5054	862	1777	1169	746	1198
8/26/2026 20:30	2923	3268	5054	862	1777	1169	746	1198
8/26/2026 20:31	2928	3268	5049	859	1917	1296	1077	1198
8/26/2026 20:32	2928	3252	5049	859	1917	1296	1077	1198
8/26/2026 20:33	2924	3252	5056	866	1922	1282	1044	1203
8/26/2026 20:34	2924	3246	5056	866	1922	1282	1044	1203
8/26/2026 20:35	2898	3246	5052	856	1918	1159	1076	1184
8/26/2026 20:36	2898	3266	5052	856	1918	1159	1076	1184
8/26/2026 20:37	2920	3266	5056	861	536	1260	903	1186
8/26/2026 20:38	2920	3251	5056	861	536	1260	903	1186
8/26/2026 20:39	2910	3251	5059	866	536	1027	1040	1196
8/26/2026 20:40	2910	3243	5059	866	536	1027	1040	1196
8/26/2026 20:41	2925	3243	5064	854	1910	1268	1077	1189
8/26/2026 20:42	2925	3237	5064	854	1910	1268	1077	1189
8/26/2026 20:43	2919	3237	5071	851	1933	1180	1077	1190
8/26/2026 20:44	2919	3245	5071	851	1933	1180	1077	1190
8/26/2026 20:45	2921	3245	5053	856	1919	1280	1071	1198
8/26/2026 20:46	2921	3247	5053	856	1919	1280	1071	1198
8/26/2026 20:47	2896	3247	5068	863	1917	1049	1075	1189
8/26/2026 20:48	2896	3248	5068	863	1917	1049	1075	1189
8/26/2026 20:49	2908	3248	5043	849	1917	994	1070	1185
8/26/2026 20:50	2908	3253	5043	849	1917	994	1070	1185
8/26/2026 20:51	2902	3253	5045	853	1929	1128	962	1183
8/26/2026 20:52	2902	3239	5045	853	1929	1128	962	1183
8/26/2026 20:53	2890	3239	5061	849	1919	1240	1069	1205
8/26/2026 20:54	2890	3237	5061	849	1919	1240	1069	1205
8/26/2026 20:55	2882	3237	5059	874	1930	1282	757	1609
8/26/2026 20:56	2882	3231	5059	874	1930	1282	757	1609
8/26/2026 20:57	2879	3231	5055	865	1930	1276	953	1193
8/26/2026 20:58	2879	3252	5055	865	1930	1276	953	1193
8/26/2026 20:59	2893	3252	5074	872	1934	1273	1055	1188
8/26/2026 21:00	2893	3250	5074	872	1934	1273	1055	1188
8/26/2026 21:01	2918	3250	5079	875	1917	1287	1041	1204
8/26/2026 21:02	2918	3231	5079	875	1917	1287	1041	1204
8/26/2026 21:03	2901	3231	5065	855	1913	993	1067	1193
8/26/2026 21:04	2901	3256	5065	855	1913	993	1067	1193
8/26/2026 21:05	2891	3256	5056	856	1923	1293	923	1190
8/26/2026 21:06	2891	3243	5056	856	1923	1293	923	1190
8/26/2026 21:07	2887	3243	5026	869	1932	1294	1083	1183
8/26/2026 21:08	2887	3235	5026	869	1932	1294	1083	1183
8/26/2026 21:09	2697	3235	4513	882	1929	1288	1095	1210

8/26/2026 21:10	2697	3436	4513	882	1929	1288	1095	1210
8/26/2026 21:11	2881	3436	5057	868	1930	1270	930	1196
8/26/2026 21:12	2881	3231	5057	868	1930	1270	930	1196
8/26/2026 21:13	2896	3231	5036	875	1499	1201	1038	1190
8/26/2026 21:14	2896	3216	5036	875	1499	1201	1038	1190
8/26/2026 21:15	2882	3216	5043	875	1937	1170	998	1154
8/26/2026 21:16	2882	3229	5043	875	1937	1170	998	1154
8/26/2026 21:17	2870	3229	5066	872	1933	952	1082	1201
8/26/2026 21:18	2870	3212	5066	872	1933	952	1082	1201
8/26/2026 21:19	2890	3212	5066	874	1891	1295	1077	918
8/26/2026 21:20	2890	3219	5066	874	1891	1295	1077	918
8/26/2026 21:21	2890	3219	5050	861	1933	1291	1065	1198
8/26/2026 21:22	2890	3207	5050	861	1933	1291	1065	1198
8/26/2026 21:23	2905	3207	5061	865	1540	1204	1095	1200
8/26/2026 21:24	2905	3234	5061	865	1540	1204	1095	1200
8/26/2026 21:25	2876	3234	5073	858	977	1254	1049	1190
8/26/2026 21:26	2876	3208	5073	858	977	1254	1049	1190
8/26/2026 21:27	2893	3208	5050	856	1905	1215	728	1205
8/26/2026 21:28	2893	3214	5050	856	1905	1215	728	1205
8/26/2026 21:29	2893	3214	5056	872	1940	949	1087	1083
8/26/2026 21:30	2893	3232	5056	872	1940	949	1087	1083
8/26/2026 21:31	2886	3232	5063	852	1934	1298	1081	1195
8/26/2026 21:32	2886	3249	5063	852	1934	1298	1081	1195
8/26/2026 21:33	2873	3249	5061	865	1941	1281	1090	1205
8/26/2026 21:34	2873	3219	5061	865	1941	1281	1090	1205
8/26/2026 21:35	2872	3219	5083	835	1929	964	1091	1196
8/26/2026 21:36	2872	3219	5083	835	1929	964	1091	1196
8/26/2026 21:37	2904	3219	5081	874	1926	1301	1087	1201
8/26/2026 21:38	2904	3221	5081	874	1926	1301	1087	1201
8/26/2026 21:39	2889	3221	5068	861	1934	1291	1070	1108
8/26/2026 21:40	2889	3229	5068	861	1934	1291	1070	1108
8/26/2026 21:41	2887	3229	5076	857	1913	1255	883	1189
8/26/2026 21:42	2887	3208	5076	857	1913	1255	883	1189
8/26/2026 21:43	2884	3208	5066	863	1929	1237	1066	1194
8/26/2026 21:44	2884	3231	5066	863	1929	1237	1066	1194
8/26/2026 21:45	2659	3231	5073	901	1954	1293	1067	1223
8/26/2026 21:46	2659	3565	5073	901	1954	1293	1067	1223
8/26/2026 21:47	2817	3565	4848	871	1932	1326	1059	1196
8/26/2026 21:48	2817	3327	4848	871	1932	1326	1059	1196
8/26/2026 21:49	2882	3327	5091	846	1935	1305	1056	1040
8/26/2026 21:50	2882	3232	5091	846	1935	1305	1056	1040
8/26/2026 21:51	2894	3232	5071	865	1928	1307	1101	1215
8/26/2026 21:52	2894	3220	5071	865	1928	1307	1101	1215
8/26/2026 21:53	2885	3220	5087	875	1923	926	1059	1204
8/26/2026 21:54	2885	3237	5087	875	1923	926	1059	1204
8/26/2026 21:55	2879	3237	5084	859	1937	1288	1062	1198
8/26/2026 21:56	2879	3250	5084	859	1937	1288	1062	1198
8/26/2026 21:57	2875	3250	5065	855	1689	1302	1087	1200
8/26/2026 21:58	2875	3221	5065	855	1689	1302	1087	1200
8/26/2026 21:59	2864	3221	5071	867	1932	1200	1072	1194
8/26/2026 22:00	2864	3222	5071	867	1932	1200	1072	1194
8/26/2026 22:01	2886	3222	5071	874	1916	1303	1087	1191
8/26/2026 22:02	2886	3221	5071	874	1916	1303	1087	1191

8/26/2026 22:03	2899	3221	5078	861	1933	1291	1082	1201
8/26/2026 22:04	2899	3223	5078	861	1933	1291	1082	1201
8/26/2026 22:05	2875	3223	5059	860	1932	1276	0	1191
8/26/2026 22:06	2875	3225	5059	860	1932	1276	1040	1191
8/26/2026 22:07	2862	3225	5059	865	1928	901	1040	1193
8/26/2026 22:08	2862	3228	5059	865	1928	901	1087	1193
8/26/2026 22:09	2881	3228	5061	865	1912	1113	1087	1186
8/26/2026 22:10	2881	3219	5061	865	1912	1113	1035	1186
8/26/2026 22:11	2919	3219	5037	871	0	1302	1035	1201
8/26/2026 22:12	2919	3240	5037	871	0	1302	1078	1201
8/26/2026 22:13	2885	3240	5053	855	1899	1301	1078	1201
8/26/2026 22:14	2885	3237	5053	855	1899	1301	1090	1201
8/26/2026 22:15	2877	3237	5045	864	1928	1306	1090	1212
8/26/2026 22:16	2877	3212	5045	864	1928	1306	1087	1212
8/26/2026 22:17	2881	3212	5071	861	1930	897	1087	1191
8/26/2026 22:18	2881	3224	5071	861	1930	897	1096	1191
8/26/2026 22:19	2869	3224	5081	857	1919	1291	1096	1198
8/26/2026 22:20	2869	3244	5081	857	1919	1291	1084	1198
8/26/2026 22:21	2908	3244	5059	859	1385	948	1084	1193
8/26/2026 22:22	2908	3233	5059	859	1385	948	1044	1193
8/26/2026 22:23	2894	3233	5080	858	1927	1293	1044	1209
8/26/2026 22:24	2894	3242	5080	858	1927	1293	718	1209
8/26/2026 22:25	2896	3242	5065	861	0	1257	718	990
8/26/2026 22:26	2896	3237	5065	861	0	1257	1056	990
8/26/2026 22:27	2883	3237	5041	848	1918	1270	1056	1182
8/26/2026 22:28	2883	3240	5041	848	1918	1270	1086	1182
8/26/2026 22:29	2874	3240	5077	846	1911	1239	1086	1198
8/26/2026 22:30	2874	3229	5077	846	1911	1239	896	1198
8/26/2026 22:31	2861	3229	5066	863	1922	1301	896	1185
8/26/2026 22:32	2861	3219	5066	863	1922	1301	848	1185
8/26/2026 22:33	2895	3219	5074	860	1922	1309	848	1206
8/26/2026 22:34	2895	3227	5074	860	1922	1309	1080	1206
8/26/2026 22:35	2863	3227	5079	857	1923	1201	1080	1208
8/26/2026 22:36	2863	3236	5079	857	1923	1201	1091	1208
8/26/2026 22:37	2875	3236	5061	868	1915	1313	1091	954
8/26/2026 22:38	2875	3224	5061	868	1915	1313	926	954
8/26/2026 22:39	2891	3224	5073	877	1921	1309	926	1194
8/26/2026 22:40	2891	3229	5073	877	1921	1309	875	1194
8/26/2026 22:41	2897	3229	5079	869	1930	1298	875	1196
8/26/2026 22:42	2897	3233	5079	869	1930	1298	1093	1196
8/26/2026 22:43	2862	3233	5064	852	1451	1318	1093	1195
8/26/2026 22:44	2862	3216	5064	852	1451	1318	967	1195
8/26/2026 22:45	2873	3216	5051	845	1895	1311	967	826
8/26/2026 22:46	2873	3214	5051	845	1895	1311	1098	826
8/26/2026 22:47	2850	3214	5054	846	1928	1313	1098	1194
8/26/2026 22:48	2850	3217	5054	846	1928	1313	1091	1194
8/26/2026 22:49	2873	3217	5066	852	1910	1196	1091	1204
8/26/2026 22:50	2873	3212	5066	852	1910	1196	992	1204
8/26/2026 22:51	2883	3212	5074	848	1923	1103	992	1201
8/26/2026 22:52	2883	3234	5074	848	1923	1103	806	1201
8/26/2026 22:53	2874	3234	5085	838	1894	1313	806	1198
8/26/2026 22:54	2874	3212	5085	838	1894	1313	1090	1198
8/26/2026 22:55	2863	3212	5064	842	1921	1314	1090	1195

8/26/2026 22:56	2863	3212	5064	842	1921	1314	1090	1195
8/26/2026 22:57	2851	3212	5042	845	1912	1312	1090	1188
8/26/2026 22:58	2851	3205	5042	845	1912	1312	1067	1188
8/26/2026 22:59	2859	3205	5056	842	1906	1167	1067	1191
8/26/2026 23:00	2859	3223	5056	842	1906	1167	1093	1191
8/26/2026 23:01	2872	3223	5063	858	1902	1235	1093	1199
8/26/2026 23:02	2872	3210	5063	858	1902	1235	1010	1199
8/26/2026 23:03	2878	3210	5081	861	1924	1301	1010	1215
8/26/2026 23:04	2878	3229	5081	861	1924	1301	896	1215
8/26/2026 23:05	2893	3229	5081	853	1924	1313	896	1193
8/26/2026 23:06	2893	3217	5081	853	1924	1313	921	1193
8/26/2026 23:07	2850	3217	5093	855	1563	1314	921	1194
8/26/2026 23:08	2850	3239	5093	855	1563	1314	887	1194
8/26/2026 23:09	2857	3239	5052	850	1919	1293	887	1198
8/26/2026 23:10	2857	3225	5052	850	1919	1293	1087	1198
8/26/2026 23:11	2869	3225	5068	855	1878	1236	1087	937
8/26/2026 23:12	2869	3227	5068	855	1878	1236	1031	937
8/26/2026 23:13	2874	3227	5078	854	1913	1301	1031	1201
8/26/2026 23:14	2874	3230	5078	854	1913	1301	1091	1201
8/26/2026 23:15	2851	3230	5061	859	1928	1321	1091	1208
8/26/2026 23:16	2851	3226	5061	859	1928	1321	1085	1208
8/26/2026 23:17	2852	3226	5059	857	1939	1260	1085	1199
8/26/2026 23:18	2852	3219	5059	857	1939	1260	1032	1199
8/26/2026 23:19	2864	3219	5051	853	1921	1242	1032	1209
8/26/2026 23:20	2864	3217	5051	853	1921	1242	1043	1209
8/26/2026 23:21	2859	3217	5055	865	1932	1314	1043	1194
8/26/2026 23:22	2859	3228	5055	865	1932	1314	962	1194
8/26/2026 23:23	2832	3228	5071	862	1930	1326	962	1205
8/26/2026 23:24	2832	3222	5071	862	1930	1326	1100	1205
8/26/2026 23:25	2851	3222	5052	864	1930	1299	1100	1200
8/26/2026 23:26	2851	3208	5052	864	1930	1299	1085	1200
8/26/2026 23:27	2844	3208	5072	870	1940	952	1085	1198
8/26/2026 23:28	2844	3235	5072	870	1940	952	800	1198
8/26/2026 23:29	2848	3235	5055	865	1915	1196	800	1203
8/26/2026 23:30	2848	3212	5055	865	1915	1196	1004	1203
8/26/2026 23:31	2868	3212	5059	864	1850	912	1004	1194
8/26/2026 23:32	2868	3196	5059	864	1850	912	1076	1194
8/26/2026 23:33	2867	3196	5088	870	1933	1319	1076	1189
8/26/2026 23:34	2867	3230	5088	870	1933	1319	912	1189
8/26/2026 23:35	2834	3230	5086	855	1940	1307	912	1178
8/26/2026 23:36	2834	3225	5086	855	1940	1307	922	1178
8/26/2026 23:37	2851	3225	5071	873	1913	1214	922	1179
8/26/2026 23:38	2851	3231	5071	873	1913	1214	1034	1179
8/26/2026 23:39	2851	3231	5063	866	121	1301	1034	1193
8/26/2026 23:40	2851	3219	5063	866	121	1301	1092	1193
8/26/2026 23:41	2864	3219	5067	864	1941	1305	1092	894
8/26/2026 23:42	2864	3228	5067	864	1941	1305	1090	894
8/26/2026 23:43	2859	3228	5054	847	0	1305	1090	1176
8/26/2026 23:44	2859	3222	5054	847	0	1305	900	1176
8/26/2026 23:45	2866	3222	5084	866	1933	1272	900	1200
8/26/2026 23:46	2866	3216	5084	866	1933	1272	1071	1200
8/26/2026 23:47	2856	3216	5103	864	1915	1314	1071	1191
8/26/2026 23:48	2856	3223	5103	864	1915	1314	1093	1191

8/26/2026 23:49	2852	3223	5081	853	1924	1268	1093	1193
8/26/2026 23:50	2852	3229	5081	853	1924	1268	1080	1193
8/26/2026 23:51	2839	3229	5054	857	1935	1317	1080	1189
8/26/2026 23:52	2839	3221	5054	857	1935	1317	1081	1189
8/26/2026 23:53	2833	3221	5039	878	0	1309	1081	1195
8/26/2026 23:54	2833	3204	5039	878	0	1309	1078	1195
8/26/2026 23:55	2831	3204	5044	880	1939	1334	1078	867
8/26/2026 23:56	2831	3198	5044	880	1939	1334	1100	867
8/26/2026 23:57	2870	3198	5049	874	1918	1293	1100	1194
8/26/2026 23:58	2870	3214	5049	874	1918	1293	1075	1194
8/26/2026 23:59	2854	3214	5073	871	1935	1244	1075	1200
8/27/2026 0:00	2854	3224	5073	871	1935	1244	942	1200
8/27/2026 0:01	2823	3224	5068	856	1911	1316	942	1195
8/27/2026 0:02	2823	3222	5068	856	1911	1316	1092	1195
8/27/2026 0:03	2842	3222	5091	867	1927	912	1092	1188
8/27/2026 0:04	2842	3202	5091	867	1927	912	1096	1188
8/27/2026 0:05	2834	3202	5077	853	1927	896	1096	1184
8/27/2026 0:06	2834	3213	5077	853	1927	896	1096	1184
8/27/2026 0:07	2836	3213	5051	862	1838	1249	1096	1201
8/27/2026 0:08	2836	3205	5051	862	1838	1249	1055	1201
8/27/2026 0:09	2839	3205	5049	859	1935	1147	1055	1214
8/27/2026 0:10	2839	3204	5049	859	1935	1147	1014	1214
8/27/2026 0:11	2860	3204	5063	861	1777	1298	1014	1205
8/27/2026 0:12	2860	3204	5063	861	1777	1298	1026	1205
8/27/2026 0:13	2833	3204	5076	859	1945	1281	1026	1191
8/27/2026 0:14	2833	3217	5076	859	1945	1281	1100	1191
8/27/2026 0:15	2841	3217	5044	857	1952	1162	1100	1205
8/27/2026 0:16	2841	3198	5044	857	1952	1162	855	1205
8/27/2026 0:17	2834	3198	5057	849	1927	1324	855	1195
8/27/2026 0:18	2834	3224	5057	849	1927	1324	785	1195
8/27/2026 0:19	2827	3224	5076	858	725	1237	785	1174
8/27/2026 0:20	2827	3207	5076	858	725	1237	1086	1174
8/27/2026 0:21	2829	3207	5068	814	1551	1303	1086	1092
8/27/2026 0:22	2829	3217	5068	814	1551	1303	992	1092
8/27/2026 0:23	2831	3217	5086	865	1917	1288	992	1215
8/27/2026 0:24	2831	3222	5086	865	1917	1288	1081	1215
8/27/2026 0:25	2836	3222	5088	853	1841	939	1081	1183
8/27/2026 0:26	2836	3202	5088	853	1841	939	1056	1183
8/27/2026 0:27	2844	3202	5068	853	1932	1133	1056	1201
8/27/2026 0:28	2844	3216	5068	853	1932	1133	1065	1201
8/27/2026 0:29	2858	3216	5064	863	1915	1313	1065	1191
8/27/2026 0:30	2858	3209	5064	863	1915	1313	1087	1191
8/27/2026 0:31	2822	3209	5054	863	1907	1240	1087	1041
8/27/2026 0:32	2822	3227	5054	863	1907	1240	1040	1041
8/27/2026 0:33	2845	3227	5059	862	1932	1024	1040	1442
8/27/2026 0:34	2845	3207	5059	862	1932	1024	856	1442
8/27/2026 0:35	2816	3207	5049	856	1867	1268	856	954
8/27/2026 0:36	2816	3214	5049	856	1867	1268	1046	954
8/27/2026 0:37	2842	3214	5060	858	1922	1314	1046	1209
8/27/2026 0:38	2842	3198	5060	858	1922	1314	1074	1209
8/27/2026 0:39	2832	3198	5064	862	1966	1322	1074	1201
8/27/2026 0:40	2832	3206	5064	862	1966	1322	1105	1201
8/27/2026 0:41	2848	3206	5069	868	1934	1290	1105	1190

8/27/2026 0:42	2848	3205	5069	868	1934	1290	797	1190
8/27/2026 0:43	2846	3205	5058	874	1928	0	797	1206
8/27/2026 0:44	2846	3216	5058	874	1928	1022	1073	1206
8/27/2026 0:45	2841	3216	5056	862	0	1022	1073	1193
8/27/2026 0:46	2841	3208	5056	862	0	1277	1072	1193
8/27/2026 0:47	2856	3208	5054	870	1932	1277	1072	1201
8/27/2026 0:48	2856	3223	5054	870	1932	1302	1082	1201
8/27/2026 0:49	2829	3223	5064	849	1662	1302	1082	1199
8/27/2026 0:50	2829	3196	5064	849	1662	1284	1069	1199
8/27/2026 0:51	2839	3196	5059	874	266	1284	1069	1198
8/27/2026 0:52	2839	3204	5059	874	266	1262	1043	1198
8/27/2026 0:53	2838	3204	5051	863	0	1262	1043	1201
8/27/2026 0:54	2838	3206	5051	863	0	1273	1087	1201
8/27/2026 0:55	2805	3206	5071	855	0	1273	1087	1200
8/27/2026 0:56	2805	3216	5071	855	0	1322	820	1200
8/27/2026 0:57	2878	3216	5079	854	1956	1322	820	1200
8/27/2026 0:58	2878	3196	5079	854	1956	1302	1102	1200
8/27/2026 0:59	2844	3196	5056	855	1939	1302	1102	1201
8/27/2026 1:00	2844	3220	5056	855	1939	1253	1061	1201
8/27/2026 1:01	2852	3220	5061	856	1949	1253	1061	1180
8/27/2026 1:02	2852	3202	5061	856	1949	1294	1091	1180
8/27/2026 1:03	2857	3202	5066	848	1917	1294	1091	1201
8/27/2026 1:04	2857	3230	5066	848	1917	1298	1070	1201
8/27/2026 1:05	2854	3230	5083	873	1937	1298	1070	1200
8/27/2026 1:06	2854	3205	5083	873	1937	918	1031	1200
8/27/2026 1:07	2836	3205	5087	863	1928	918	1031	1209
8/27/2026 1:08	2836	3256	5087	863	1928	1057	1070	1209
8/27/2026 1:09	2850	3256	5074	856	1691	1057	1070	1208
8/27/2026 1:10	2850	3209	5074	856	1691	1314	1081	1208
8/27/2026 1:11	2846	3209	5076	862	1940	1314	1081	1194
8/27/2026 1:12	2846	3228	5076	862	1940	1294	1055	1194
8/27/2026 1:13	2840	3228	5066	853	1945	1294	1055	1208
8/27/2026 1:14	2840	3195	5066	853	1945	1225	1077	1208
8/27/2026 1:15	2842	3195	5081	855	1940	1225	1077	1201
8/27/2026 1:16	2842	3209	5081	855	1940	1301	1069	1201
8/27/2026 1:17	2844	3209	5071	858	1939	1301	1069	1193
8/27/2026 1:18	2844	3197	5071	858	1939	1256	830	1193
8/27/2026 1:19	2853	3197	5060	857	1922	1256	830	1193
8/27/2026 1:20	2853	3209	5060	857	1922	1270	1062	1193
8/27/2026 1:21	2853	3209	5061	852	1932	1270	1062	1199
8/27/2026 1:22	2853	3209	5061	852	1932	1316	1085	1199
8/27/2026 1:23	2840	3209	5068	840	1926	1316	1085	1203
8/27/2026 1:24	2840	3199	5068	840	1926	1066	865	1203
8/27/2026 1:25	2844	3199	5043	843	1927	1066	865	1201
8/27/2026 1:26	2844	3190	5043	843	1927	1277	913	1201
8/27/2026 1:27	2850	3190	5059	840	1927	1277	913	1201
8/27/2026 1:28	2850	3205	5059	840	1927	1314	1090	1201
8/27/2026 1:29	2871	3205	5070	851	1943	1314	1090	1191
8/27/2026 1:30	2871	3200	5070	851	1943	1316	1065	1191
8/27/2026 1:31	2838	3200	5046	850	1926	1316	1065	1188
8/27/2026 1:32	2838	3196	5046	850	1926	1268	1010	1188
8/27/2026 1:33	2847	3196	5073	847	1938	1268	1010	1201
8/27/2026 1:34	2847	3210	5073	847	1938	1232	1025	1201

8/27/2026 1:35	2852	3210	5060	839	1933	1232	1025	836
8/27/2026 1:36	2852	3208	5060	839	1933	1078	1076	836
8/27/2026 1:37	2852	3208	5083	846	1938	1078	1076	1204
8/27/2026 1:38	2852	3224	5083	846	1938	1240	1067	1204
8/27/2026 1:39	2861	3224	5062	839	0	1240	1067	1206
8/27/2026 1:40	2861	3198	5062	839	0	1258	1054	1206
8/27/2026 1:41	2859	3198	5077	845	1932	1258	1054	1184
8/27/2026 1:42	2859	3197	5077	845	1932	1317	1090	1184
8/27/2026 1:43	2824	3197	5061	844	1934	1317	1090	1213
8/27/2026 1:44	2824	3195	5061	844	1934	912	1082	1213
8/27/2026 1:45	2834	3195	5074	854	1906	912	1082	1095
8/27/2026 1:46	2834	3200	5074	854	1906	1225	1039	1095
8/27/2026 1:47	2842	3200	5061	836	1926	1225	1039	1201
8/27/2026 1:48	2842	0	5061	836	1926	1309	1086	1201
8/27/2026 1:49	2843	0	5074	844	1938	1309	1086	1405
8/27/2026 1:50	2843	3200	5074	844	1938	1309	1091	1405
8/27/2026 1:51	2838	3200	5074	840	1932	1309	1091	1190
8/27/2026 1:52	2838	0	5074	840	1932	1309	790	1190
8/27/2026 1:53	2863	0	5046	849	1939	1309	790	1193
8/27/2026 1:54	2863	3184	5046	849	1939	1260	826	1193
8/27/2026 1:55	2845	3184	5071	847	1919	1260	826	1194
8/27/2026 1:56	2845	3212	5071	847	1919	1294	1065	1194
8/27/2026 1:57	2836	3212	5053	855	1924	1294	1065	1215
8/27/2026 1:58	2836	3197	5053	855	1924	1317	905	1215
8/27/2026 1:59	2860	3197	5046	860	1917	1317	905	1196
8/27/2026 2:00	2860	3207	5046	860	1917	1319	1093	1196
8/27/2026 2:01	2835	3207	5081	851	1928	1319	1093	779
8/27/2026 2:02	2835	3196	5081	851	1928	1211	1035	779
8/27/2026 2:03	2856	3196	5066	846	1929	1211	1035	1196
8/27/2026 2:04	2856	3212	5066	846	1929	1241	1075	1196
8/27/2026 2:05	2832	3212	5074	854	1922	1241	1075	1354
8/27/2026 2:06	2832	3192	5074	854	1922	1302	1098	1354
8/27/2026 2:07	2847	3192	5072	856	1940	1302	1098	1188
8/27/2026 2:08	2847	3207	5072	856	1940	1261	872	1188
8/27/2026 2:09	2842	3207	5070	860	1926	1261	872	1194
8/27/2026 2:10	2842	3205	5070	860	1926	1314	1082	1194
8/27/2026 2:11	2850	3205	5068	867	1926	1314	1082	1180
8/27/2026 2:12	2850	3215	5068	867	1926	1031	1093	1180
8/27/2026 2:13	2840	3215	5088	868	1493	1031	1093	1199
8/27/2026 2:14	2840	3208	5088	868	1493	1227	1057	1199
8/27/2026 2:15	2826	3208	5057	864	1933	1227	1057	1217
8/27/2026 2:16	2826	3202	5057	864	1933	1316	865	1217
8/27/2026 2:17	2824	3202	5069	854	0	1316	865	1195
8/27/2026 2:18	2824	3215	5069	854	0	1317	1091	1195
8/27/2026 2:19	2840	3215	5061	844	1934	1317	1091	1196
8/27/2026 2:20	2840	3217	5061	844	1934	1294	880	1196
8/27/2026 2:21	2834	3217	5057	853	1932	1294	880	917
8/27/2026 2:22	2834	3198	5057	853	1932	1312	1086	917
8/27/2026 2:23	2829	3198	5063	866	1940	1312	1086	1205
8/27/2026 2:24	2829	3214	5063	866	1940	1319	1093	1205
8/27/2026 2:25	2835	3214	5068	856	1940	1319	1093	1195
8/27/2026 2:26	2835	3191	5068	856	1940	1328	1097	1195
8/27/2026 2:27	2834	3191	5077	858	1893	1328	1097	1179

8/27/2026 2:28	2834	3220	5077	858	1893	1144	1052	1179
8/27/2026 2:29	2835	3220	5065	856	1929	1144	1052	1196
8/27/2026 2:30	2835	3185	5065	856	1929	988	1070	1196
8/27/2026 2:31	2836	3185	5058	870	1938	988	1070	1200
8/27/2026 2:32	2836	3193	5058	870	1938	1313	820	1200
8/27/2026 2:33	2850	3193	5059	860	1915	1313	820	1206
8/27/2026 2:34	2850	3184	5059	860	1915	1324	731	1206
8/27/2026 2:35	2843	3184	5060	848	1937	1324	731	1185
8/27/2026 2:36	2843	3201	5060	848	1937	1067	1071	1185
8/27/2026 2:37	2813	3201	5055	858	1944	1067	1071	1204
8/27/2026 2:38	2813	3216	5055	858	1944	1272	1035	1204
8/27/2026 2:39	2812	3216	5066	853	1922	1272	1035	1215
8/27/2026 2:40	2812	3218	5066	853	1922	1313	871	1215
8/27/2026 2:41	2826	3218	5087	858	1933	1313	871	1048
8/27/2026 2:42	2826	3213	5087	858	1933	1220	854	1048
8/27/2026 2:43	2829	3213	5078	851	1924	1220	854	1211
8/27/2026 2:44	2829	3218	5078	851	1924	903	1065	1211
8/27/2026 2:45	2813	3218	5076	847	1928	903	1065	1199
8/27/2026 2:46	2813	3208	5076	847	1928	1121	1072	1199
8/27/2026 2:47	2836	3208	5076	850	1935	1121	1072	906
8/27/2026 2:48	2836	3197	5076	850	1935	1312	1054	906
8/27/2026 2:49	2823	3197	5069	854	1935	1312	1054	1173
8/27/2026 2:50	2823	3211	5069	854	1935	1271	1088	1173
8/27/2026 2:51	2838	3211	5052	843	1915	1271	1088	1189
8/27/2026 2:52	2838	3200	5052	843	1915	1321	938	1189
8/27/2026 2:53	2840	3200	5062	858	1921	1321	938	1196
8/27/2026 2:54	2840	3207	5062	858	1921	1242	957	1196
8/27/2026 2:55	2831	3207	5079	846	1938	1242	957	1195
8/27/2026 2:56	2831	3215	5079	846	1938	1314	778	1195
8/27/2026 2:57	2822	3215	5078	861	1928	1314	778	1194
8/27/2026 2:58	2822	3201	5078	861	1928	1311	1098	1194
8/27/2026 2:59	2839	3201	5063	856	1927	1311	1098	1194
8/27/2026 3:00	2839	3200	5063	856	1927	1239	1077	1194
8/27/2026 3:01	2823	3200	5079	847	1938	1239	1077	1209
8/27/2026 3:02	2823	3207	5079	847	1938	1293	723	1209
8/27/2026 3:03	2820	3207	5099	855	1844	1293	723	1193
8/27/2026 3:04	2820	3202	5099	855	1844	1258	1092	1193
8/27/2026 3:05	2836	3202	5058	860	120	1258	1092	1193
8/27/2026 3:06	2836	3203	5058	860	120	1209	1049	1193
8/27/2026 3:07	2808	3203	5046	869	1929	1209	1049	1100
8/27/2026 3:08	2808	3194	5046	869	1929	1041	1097	1100
8/27/2026 3:09	2825	3194	5061	844	1913	1041	1097	1204
8/27/2026 3:10	2825	3206	5061	844	1913	1327	1088	1204
8/27/2026 3:11	2797	3206	5063	855	1924	1327	1088	1190
8/27/2026 3:12	2797	3204	5063	855	1924	994	805	1190
8/27/2026 3:13	2826	3204	5050	865	1929	994	805	1199
8/27/2026 3:14	2826	3201	5050	865	1929	1227	1025	1199
8/27/2026 3:15	2845	3201	5062	858	1929	1227	1025	1199
8/27/2026 3:16	2845	3208	5062	858	1929	1328	1079	1199
8/27/2026 3:17	2825	3208	5047	852	1917	1328	1079	1195
8/27/2026 3:18	2825	3217	5047	852	1917	949	994	1195
8/27/2026 3:19	2800	3217	5065	858	1922	949	994	1201
8/27/2026 3:20	2800	3208	5065	858	1922	1326	788	1201

8/27/2026 3:21	2809	3208	5056	851	1924	1326	788	1199
8/27/2026 3:22	2809	3210	5056	851	1924	1324	1088	1199
8/27/2026 3:23	2823	3210	5090	866	1922	1324	1088	1204
8/27/2026 3:24	2823	3185	5090	866	1922	1281	1060	1204
8/27/2026 3:25	2818	3185	5057	874	1930	1281	1060	1186
8/27/2026 3:26	2818	0	5057	874	1930	1286	1077	1186
8/27/2026 3:27	2841	3188	5068	855	1913	1286	1077	1190
8/27/2026 3:28	2841	3188	5068	855	1913	1293	815	1190
8/27/2026 3:29	2813	3208	5081	854	1933	1293	815	1204
8/27/2026 3:30	2813	3208	5081	854	1933	1322	1051	1204
8/27/2026 3:31	2806	3186	5059	862	864	1322	1051	1162
8/27/2026 3:32	2806	3186	5059	862	864	1201	1083	1162
8/27/2026 3:33	2815	3210	5064	857	1928	1201	1083	721
8/27/2026 3:34	2815	3210	5064	857	1928	1322	840	721
8/27/2026 3:35	2823	3190	5066	853	1940	1322	840	1208
8/27/2026 3:36	2823	3190	5066	853	1940	1327	1096	1208
8/27/2026 3:37	2804	3193	5087	860	1913	1327	1096	1193
8/27/2026 3:38	2804	3193	5087	860	1913	1216	770	1193
8/27/2026 3:39	2820	3187	5054	857	1924	1216	770	1199
8/27/2026 3:40	2820	3187	5054	857	1924	1308	939	1199
8/27/2026 3:41	2818	3178	5062	863	1928	1308	939	1206
8/27/2026 3:42	2818	3178	5062	863	1928	1199	1014	1206
8/27/2026 3:43	2832	3184	5079	861	1930	1199	1014	1194
8/27/2026 3:44	2832	3184	5079	861	1930	1240	855	1194
8/27/2026 3:45	2817	3173	5066	867	1926	1240	855	1199
8/27/2026 3:46	2817	3173	5066	867	1926	1071	1035	1199
8/27/2026 3:47	2825	3192	5058	862	1913	1071	1035	1199
8/27/2026 3:48	2825	3192	5058	862	1913	1200	1075	1199
8/27/2026 3:49	2812	3203	5053	860	1927	1200	1075	1179
8/27/2026 3:50	2812	3203	5053	860	1927	1152	1086	1179
8/27/2026 3:51	2819	3190	5063	856	1938	1152	1086	1199
8/27/2026 3:52	2819	3190	5063	856	1938	1304	1054	1199
8/27/2026 3:53	2820	3181	5061	866	1943	1304	1054	1204
8/27/2026 3:54	2820	3181	5061	866	1943	1313	1073	1204
8/27/2026 3:55	2791	3179	5053	858	1935	1313	1073	1195
8/27/2026 3:56	2791	3179	5053	858	1935	1225	1079	1195
8/27/2026 3:57	2811	3174	5034	849	1929	1225	1079	1196
8/27/2026 3:58	2811	3174	5034	849	1929	1307	1077	1196
8/27/2026 3:59	2805	3190	5046	852	1929	1307	1077	1203
8/27/2026 4:00	2805	3190	5046	852	1929	1166	1035	1203
8/27/2026 4:01	2807	3178	5056	842	1934	1166	1035	1206
8/27/2026 4:02	2807	3178	5056	842	1934	1234	798	1206
8/27/2026 4:03	2848	3192	5061	669	1932	1234	798	1113
8/27/2026 4:04	2848	3192	5061	669	1932	1293	1090	1113
8/27/2026 4:05	2822	3175	5049	854	1935	1293	1090	1201
8/27/2026 4:06	2822	3175	5049	854	1935	1318	968	1201
8/27/2026 4:07	2831	3193	5073	844	1933	1318	968	1201
8/27/2026 4:08	2831	3193	5073	844	1933	1255	955	1201
8/27/2026 4:09	2809	3219	5034	866	1937	1255	955	1199
8/27/2026 4:10	2809	3219	5034	866	1937	1308	1075	1199
8/27/2026 4:11	2791	3190	5052	853	1937	1308	1075	1193
8/27/2026 4:12	2791	3190	5052	853	1937	1270	1080	1193
8/27/2026 4:13	2794	3177	5062	858	1923	1270	1080	1144

8/27/2026 4:14	2794	3177	5062	858	1923	1301	761	1144
8/27/2026 4:15	2808	3177	5051	860	1933	1301	761	1195
8/27/2026 4:16	2808	3177	5051	860	1933	1317	1000	1195
8/27/2026 4:17	2812	3193	5062	857	1926	1317	1000	1198
8/27/2026 4:18	2812	3193	5062	857	1926	1250	1077	1198
8/27/2026 4:19	2800	3194	5068	852	1922	1250	1077	1214
8/27/2026 4:20	2800	3194	5068	852	1922	1015	1036	1214
8/27/2026 4:21	2823	3190	5058	855	1923	1015	1036	1195
8/27/2026 4:22	2823	3190	5058	855	1923	1306	1016	1195
8/27/2026 4:23	2876	3182	5061	859	1919	1306	1016	1190
8/27/2026 4:24	2876	3182	5061	859	1919	1244	1030	1190
8/27/2026 4:25	2818	3200	5042	855	1926	1244	1030	1170
8/27/2026 4:26	2818	3200	5042	855	1926	1252	1080	1170
8/27/2026 4:27	2838	3174	5057	869	1938	1252	1080	1203
8/27/2026 4:28	2838	3174	5057	869	1938	1327	834	1203
8/27/2026 4:29	2815	3180	5044	846	1840	1327	834	1189
8/27/2026 4:30	2815	3180	5044	846	1840	1169	1052	1189
8/27/2026 4:31	2813	3200	5061	863	1944	1169	1052	1210
8/27/2026 4:32	2813	3200	5061	863	1944	1255	1064	1210
8/27/2026 4:33	2815	3199	5049	859	1921	1255	1064	1195
8/27/2026 4:34	2815	3199	5049	859	1921	1304	1101	1195
8/27/2026 4:35	2829	3204	5056	857	1927	1304	1101	1204
8/27/2026 4:36	2829	3204	5056	857	1927	1073	1062	1204
8/27/2026 4:37	2834	3207	5037	862	1949	1073	1062	1199
8/27/2026 4:38	2834	3207	5037	862	1949	1239	825	1199
8/27/2026 4:39	2828	3196	5044	860	1921	1239	825	1081
8/27/2026 4:40	2828	3196	5044	860	1921	1230	1086	1081
8/27/2026 4:41	2843	3220	5051	862	1928	1230	1086	1013
8/27/2026 4:42	2843	3220	5051	862	1928	1303	813	1013
8/27/2026 4:43	2826	3196	5041	854	1935	1303	813	1193
8/27/2026 4:44	2826	3196	5041	854	1935	1324	1086	1193
8/27/2026 4:45	2834	3196	5052	863	1913	1324	1086	1188
8/27/2026 4:46	2834	3196	5052	863	1913	1088	987	1188
8/27/2026 4:47	2818	3184	5062	868	1932	1088	987	1195
8/27/2026 4:48	2818	3184	5062	868	1932	1152	1086	1195
8/27/2026 4:49	2830	3191	5059	861	1944	1152	1086	1196
8/27/2026 4:50	2830	3191	5059	861	1944	1321	1075	1196
8/27/2026 4:51	2828	3204	5063	853	1930	1321	1075	1201
8/27/2026 4:52	2828	3204	5063	853	1930	1307	1034	1201
8/27/2026 4:53	2834	3186	5062	847	1926	1307	1034	1199
8/27/2026 4:54	2834	3186	5062	847	1926	1237	1077	1199
8/27/2026 4:55	2843	3193	5066	857	1921	1237	1077	1155
8/27/2026 4:56	2843	3193	5066	857	1921	1303	1086	1155
8/27/2026 4:57	2820	3192	5053	859	1941	1303	1086	1204
8/27/2026 4:58	2820	3192	5053	859	1941	1327	821	1204
8/27/2026 4:59	2822	3173	5053	857	1915	1327	821	1184
8/27/2026 5:00	2822	3173	5053	857	1915	1118	912	1184
8/27/2026 5:01	2837	3184	5066	865	1933	1118	912	1193
8/27/2026 5:02	2837	3184	5066	865	1933	1250	1100	1193
8/27/2026 5:03	2827	3174	5054	865	1943	1250	1100	1198
8/27/2026 5:04	2827	3174	5054	865	1943	1339	1036	1198
8/27/2026 5:05	2823	3186	5068	867	1927	1339	1036	1196
8/27/2026 5:06	2823	3186	5068	867	1927	1231	987	1196

8/27/2026 5:07	2815	3189	5070	859	1945	1231	987	1203
8/27/2026 5:08	2815	3189	5070	859	1945	1116	1026	1203
8/27/2026 5:09	2852	3201	5061	865	1943	1116	1026	1204
8/27/2026 5:10	2852	3201	5061	865	1943	1321	1088	1204
8/27/2026 5:11	2840	3206	5043	859	1918	1321	1088	1193
8/27/2026 5:12	2840	3206	5043	859	1918	1308	695	1193
8/27/2026 5:13	2821	3186	5049	851	1932	1308	695	1175
8/27/2026 5:14	2821	3186	5049	851	1932	1203	1085	1175
8/27/2026 5:15	2827	3208	5053	858	1932	1203	1085	1196
8/27/2026 5:16	2827	3208	5053	858	1932	1318	1078	1196
8/27/2026 5:17	2817	3216	5048	862	1934	1318	1078	1201
8/27/2026 5:18	2817	3216	5048	862	1934	1287	0	1201
8/27/2026 5:19	2844	3211	5067	848	1933	1287	1019	1195
8/27/2026 5:20	2844	3211	5067	848	1933	1195	1019	1195
8/27/2026 5:21	2844	3201	5065	847	1935	1195	907	1199
8/27/2026 5:22	2844	3201	5065	847	1935	1309	907	1199
8/27/2026 5:23	2833	3186	5059	856	1950	1309	973	1201
8/27/2026 5:24	2833	3186	5059	856	1950	960	973	1201
8/27/2026 5:25	2852	3216	5061	846	1946	960	1092	1195
8/27/2026 5:26	2852	3216	5061	846	1946	1138	1092	1195
8/27/2026 5:27	2839	3242	5071	846	1930	1138	1064	1204
8/27/2026 5:28	2839	3242	5071	846	1930	1308	1064	1204
8/27/2026 5:29	2833	3196	5058	852	1935	1308	855	1205
8/27/2026 5:30	2833	3196	5058	852	1935	1114	855	1205
8/27/2026 5:31	2850	3192	5068	854	1932	1114	1060	1178
8/27/2026 5:32	2850	3192	5068	854	1932	1055	1060	1178
8/27/2026 5:33	2867	3203	5063	850	1944	1055	1040	1086
8/27/2026 5:34	2867	3203	5063	850	1944	1057	1040	1086
8/27/2026 5:35	2833	3211	5062	845	1928	1057	1080	1189
8/27/2026 5:36	2833	3211	5062	845	1928	1323	1080	1189
8/27/2026 5:37	2856	3217	5078	852	1941	1323	1092	1185
8/27/2026 5:38	2856	3217	5078	852	1941	1246	1092	1185
8/27/2026 5:39	2842	3187	5058	850	1917	1246	1087	1183
8/27/2026 5:40	2842	3187	5058	850	1917	1317	1087	1183
8/27/2026 5:41	2826	3207	5069	850	1916	1317	864	1195
8/27/2026 5:42	2826	3207	5069	850	1916	1237	864	1195
8/27/2026 5:43	2841	3209	5085	843	1927	1237	1085	1203
8/27/2026 5:44	2841	3209	5085	843	1927	1323	1085	1203
8/27/2026 5:45	2825	3206	5060	855	1933	1323	938	1194
8/27/2026 5:46	2825	3206	5060	855	1933	1207	938	1194
8/27/2026 5:47	2831	3229	5066	840	1924	1207	1090	1190
8/27/2026 5:48	2831	3229	5066	840	1924	1345	1090	1190
8/27/2026 5:49	2827	3193	5060	843	1924	1345	1069	970
8/27/2026 5:50	2827	3193	5060	843	1924	1270	1069	970
8/27/2026 5:51	2848	3223	5046	853	1935	1270	1077	872
8/27/2026 5:52	2848	3223	5046	853	1935	1306	1077	872
8/27/2026 5:53	2822	3218	5048	837	1900	1306	1062	1178
8/27/2026 5:54	2822	3218	5048	837	1900	1292	1062	1178
8/27/2026 5:55	2829	3210	5065	840	1924	1292	1036	1162
8/27/2026 5:56	2829	3210	5065	840	1924	1294	1036	1162
8/27/2026 5:57	2819	3203	5044	844	739	1294	1074	1194
8/27/2026 5:58	2819	3203	5044	844	739	1273	1074	1194
8/27/2026 5:59	2825	3209	5071	863	1932	1273	1013	1203

8/27/2026 6:00	2825	3209	5071	863	1932	1321	1013	1203
8/27/2026 6:01	2830	3187	5043	851	1927	1321	984	1194
8/27/2026 6:02	2830	3187	5043	851	1927	1144	984	1194
8/27/2026 6:03	2838	3196	5056	856	1929	1144	1020	1194
8/27/2026 6:04	2838	3196	5056	856	1929	1276	1020	1194
8/27/2026 6:05	2822	3182	5074	843	1929	1276	1006	1180
8/27/2026 6:06	2822	3182	5074	843	1929	860	1006	1180
8/27/2026 6:07	2826	3190	5050	854	1910	860	1071	1188
8/27/2026 6:08	2826	3190	5050	854	1910	1302	1071	1188
8/27/2026 6:09	2821	3204	5051	852	1906	1302	1081	1195
8/27/2026 6:10	2821	3204	5051	852	1906	1196	1081	1195
8/27/2026 6:11	2815	3200	5024	853	1907	1196	1090	1189
8/27/2026 6:12	2815	3200	5024	853	1907	937	1090	1189
8/27/2026 6:13	2807	3200	5052	860	1924	937	1077	1188
8/27/2026 6:14	2807	3200	5052	860	1924	1319	1077	1188
8/27/2026 6:15	2862	3223	5029	846	1930	1319	1086	1188
8/27/2026 6:16	2862	3223	5029	846	1930	1319	1086	1188
8/27/2026 6:17	2819	3210	5051	848	1933	1319	897	1170
8/27/2026 6:18	2819	3210	5051	848	1933	1227	897	1170
8/27/2026 6:19	2803	3197	5036	850	1919	1227	1030	1185
8/27/2026 6:20	2803	3197	5036	850	1919	973	1030	1185
8/27/2026 6:21	2803	3187	5051	841	1915	973	1045	1194
8/27/2026 6:22	2803	3187	5051	841	1915	1321	1045	1194
8/27/2026 6:23	2834	3204	5078	863	1923	1321	1072	1200
8/27/2026 6:24	2834	3204	5078	863	1923	1314	1072	1200
8/27/2026 6:25	2827	3213	5059	855	1923	1314	893	1188
8/27/2026 6:26	2827	3213	5059	855	1923	1210	893	1188
8/27/2026 6:27	2818	3211	5047	858	1915	1210	1051	1188
8/27/2026 6:28	2818	3211	5047	858	1915	1263	1051	1188
8/27/2026 6:29	2837	3210	5061	849	1913	1263	1040	1184
8/27/2026 6:30	2837	3210	5061	849	1913	1220	1040	1184
8/27/2026 6:31	2848	3203	5048	853	1921	1220	1075	1199
8/27/2026 6:32	2848	3203	5048	853	1921	1286	1075	1199
8/27/2026 6:33	2800	3194	5050	848	1864	1286	1054	1196
8/27/2026 6:34	2800	3194	5050	848	1864	1246	1054	1196
8/27/2026 6:35	2821	3181	5038	845	0	1246	938	1204
8/27/2026 6:36	2821	3181	5038	845	0	1260	938	1204
8/27/2026 6:37	2821	3189	5048	839	1912	1260	1080	1185
8/27/2026 6:38	2821	3189	5048	839	1912	954	1080	1185
8/27/2026 6:39	2844	3199	5062	834	1921	954	979	1035
8/27/2026 6:40	2844	3199	5062	834	1921	1307	979	1035
8/27/2026 6:41	2833	3179	5045	834	1921	1307	1076	1194
8/27/2026 6:42	2833	3179	5045	834	1921	1317	1076	1194
8/27/2026 6:43	2831	3196	5063	852	1938	1317	1080	1199
8/27/2026 6:44	2831	3196	5063	852	1938	1211	1080	1199
8/27/2026 6:45	2847	3189	5080	835	1918	1211	1011	1178
8/27/2026 6:46	2847	3189	5080	835	1918	1319	1011	1178
8/27/2026 6:47	2812	3213	5050	838	457	1319	1073	1193
8/27/2026 6:48	2812	3213	5050	838	457	1308	1073	1193
8/27/2026 6:49	2810	3190	5034	835	1918	1308	1003	1183
8/27/2026 6:50	2810	3190	5034	835	1918	1303	1003	1183
8/27/2026 6:51	2836	3191	5058	836	1907	1303	1072	1215
8/27/2026 6:52	2836	3191	5058	836	1907	906	1072	1215

8/27/2026 6:53	2831	3178	5029	836	1919	906	995	1176
8/27/2026 6:54	2831	3178	5029	836	1919	1316	995	1176
8/27/2026 6:55	2814	3193	5058	841	1922	1316	999	1201
8/27/2026 6:56	2814	3193	5058	841	1922	1298	999	1201
8/27/2026 6:57	2809	3204	5053	834	1901	1298	739	1185
8/27/2026 6:58	2809	3204	5053	834	1901	1313	739	1185
8/27/2026 6:59	2815	3201	5061	846	858	1313	752	1229
8/27/2026 7:00	2815	3201	5061	846	858	928	752	1229
8/27/2026 7:01	2844	3216	5063	832	1919	928	1067	1193
8/27/2026 7:02	2844	3216	5063	832	1919	1223	1067	1193
8/27/2026 7:03	2836	3196	5048	844	1917	1223	1049	1183
8/27/2026 7:04	2836	3196	5048	844	1917	1251	1049	1183
8/27/2026 7:05	2831	3207	5033	839	1923	1251	1020	1199
8/27/2026 7:06	2831	3207	5033	839	1923	1300	1020	1199
8/27/2026 7:07	2839	3181	5038	838	1922	1300	1078	1180
8/27/2026 7:08	2839	3181	5038	838	1922	1313	1078	1180
8/27/2026 7:09	2829	3201	5054	844	1906	1313	1075	1181
8/27/2026 7:10	2829	3201	5054	844	1906	1255	1075	1181
8/27/2026 7:11	2833	3204	5061	843	1913	1255	963	1184
8/27/2026 7:12	2833	3204	5061	843	1913	1246	963	1184
8/27/2026 7:13	2842	3196	5053	827	1916	1246	741	1196
8/27/2026 7:14	2842	3196	5053	827	1916	1250	741	1196
8/27/2026 7:15	2826	3200	5051	833	1916	1250	1035	1179
8/27/2026 7:16	2826	3200	5051	833	1916	1268	1035	1179
8/27/2026 7:17	2830	3225	5057	829	1907	1268	1070	1183
8/27/2026 7:18	2830	3225	5057	829	1907	1157	1070	1183
8/27/2026 7:19	2842	3200	5053	833	1905	1157	1000	1174
8/27/2026 7:20	2842	3200	5053	833	1905	1311	1000	1174
8/27/2026 7:21	2834	3198	5062	830	1908	1311	774	1193
8/27/2026 7:22	2834	3198	5062	830	1908	1317	774	1193
8/27/2026 7:23	2852	3201	5056	834	1917	1317	1080	1179
8/27/2026 7:24	2852	3201	5056	834	1917	1268	1080	1179
8/27/2026 7:25	2854	3196	5063	839	1900	1268	1060	1174
8/27/2026 7:26	2854	3196	5063	839	1900	949	1060	1174
8/27/2026 7:27	2856	3199	5054	841	1904	949	1050	1180
8/27/2026 7:28	2856	3199	5054	841	1904	1314	1050	1180
8/27/2026 7:29	2838	3199	5068	837	1913	1314	1062	1194
8/27/2026 7:30	2838	3199	5068	837	1913	968	1062	1194
8/27/2026 7:31	2840	3192	5064	842	1921	968	1029	804
8/27/2026 7:32	2840	3192	5064	842	1921	1244	1029	804
8/27/2026 7:33	2848	3194	5036	844	1921	1244	1043	1199
8/27/2026 7:34	2848	3194	5036	844	1921	1065	1043	1199
8/27/2026 7:35	2818	3215	5049	840	1921	1065	1066	1183
8/27/2026 7:36	2818	3215	5049	840	1921	1287	1066	1183
8/27/2026 7:37	2820	3216	5032	847	1906	1287	987	1196
8/27/2026 7:38	2820	3216	5032	847	1906	1303	987	1196
8/27/2026 7:39	2803	3207	5057	845	1912	1303	1067	1189
8/27/2026 7:40	2803	3207	5057	845	1912	953	1067	1189
8/27/2026 7:41	2817	3197	5037	839	1929	953	1071	1185
8/27/2026 7:42	2817	3197	5037	839	1929	1282	1071	1185
8/27/2026 7:43	2822	3194	5016	842	1916	1282	1080	1188
8/27/2026 7:44	2822	3194	5016	842	1916	1297	1080	1188
8/27/2026 7:45	2803	3196	5021	844	1910	1297	1070	1188

8/27/2026 7:46	2803	3196	5021	844	1910	1301	1070	1188
8/27/2026 7:47	2837	3213	5039	850	1919	1301	944	1176
8/27/2026 7:48	2837	3213	5039	850	1919	1261	944	1176
8/27/2026 7:49	2840	3181	5022	833	1911	1261	1013	1191
8/27/2026 7:50	2840	3181	5022	833	1911	1298	1013	1191
8/27/2026 7:51	2823	3183	5014	839	1918	1298	1062	1154
8/27/2026 7:52	2823	3183	5014	839	1918	1337	1062	1154
8/27/2026 7:53	2843	3212	5029	836	1883	1337	1080	1195
8/27/2026 7:54	2843	3212	5029	836	1883	1312	1080	1195
8/27/2026 7:55	2838	3188	5036	827	1915	1312	1066	1193
8/27/2026 7:56	2838	3188	5036	827	1915	1313	1066	1193
8/27/2026 7:57	2839	3200	5057	839	1915	1313	984	1195
8/27/2026 7:58	2839	3200	5057	839	1915	1179	984	1195
8/27/2026 7:59	2817	3204	5048	837	1926	1179	960	1194
8/27/2026 8:00	2817	3204	5048	837	1926	1236	960	1194
8/27/2026 8:01	2836	3207	5013	833	1921	1236	1036	1180
8/27/2026 8:02	2836	3207	5013	833	1921	878	1036	1180
8/27/2026 8:03	2825	3197	5041	834	1928	878	821	1191
8/27/2026 8:04	2825	3197	5041	834	1928	1282	821	1191
8/27/2026 8:05	2833	3198	5034	831	1916	1282	722	1196
8/27/2026 8:06	2833	3198	5034	831	1916	1188	722	1196
8/27/2026 8:07	2839	3183	5032	847	1926	1188	918	1196
8/27/2026 8:08	2839	3183	5032	847	1926	1302	918	1196
8/27/2026 8:09	2846	3215	5040	835	1923	1302	1076	1180
8/27/2026 8:10	2846	3215	5040	835	1923	1235	1076	1180
8/27/2026 8:11	2847	3196	5046	835	1846	1235	769	1181
8/27/2026 8:12	2847	3196	5046	835	1846	1006	769	1181
8/27/2026 8:13	2842	3196	5043	835	1911	1006	1067	1194
8/27/2026 8:14	2842	3196	5043	835	1911	0	1067	1194
8/27/2026 8:15	2842	3218	5050	838	1908	949	1071	1184
8/27/2026 8:16	2842	3218	5050	838	1908	949	1071	1184
8/27/2026 8:17	2852	3205	5095	853	1907	1312	851	1190
8/27/2026 8:18	2852	3205	5095	853	1907	1312	851	1190
8/27/2026 8:19	2855	3215	5073	840	1918	1174	985	1174
8/27/2026 8:20	2855	3215	5073	840	1918	1174	985	1174
8/27/2026 8:21	2840	3205	5061	832	1926	1199	565	1186
8/27/2026 8:22	2840	3205	5061	832	1926	1199	565	1186
8/27/2026 8:23	2852	3198	5053	829	1908	827	918	1111
8/27/2026 8:24	2852	3198	5053	829	1908	827	918	1111
8/27/2026 8:25	2849	3190	5034	835	1922	919	795	952
8/27/2026 8:26	2849	3190	5034	835	1922	919	795	952
8/27/2026 8:27	2855	3194	5032	840	1911	1327	1037	1183
8/27/2026 8:28	2855	3194	5032	840	1911	1327	1037	1183
8/27/2026 8:29	2846	3197	5039	848	1842	1294	1019	1185
8/27/2026 8:30	2846	3197	5039	848	1842	1294	1019	1185
8/27/2026 8:31	2839	3221	5025	842	1907	1267	1059	1179
8/27/2026 8:32	2839	3221	5025	842	1907	1267	1059	1179
8/27/2026 8:33	2856	3226	5034	847	1912	1216	718	1181
8/27/2026 8:34	2856	3226	5034	847	1912	1216	718	1181
8/27/2026 8:35	2859	3191	5024	841	1915	1283	1026	1198
8/27/2026 8:36	2859	3191	5024	841	1915	1283	1026	1198
8/27/2026 8:37	2852	3227	5042	838	1924	1216	987	1178
8/27/2026 8:38	2852	3227	5042	838	1924	1216	987	1178

8/27/2026 8:39	2857	3212	5039	837	1900	1272	1066	1174
8/27/2026 8:40	2857	3212	5039	837	1900	1272	1066	1174
8/27/2026 8:41	2849	3214	5040	839	1923	1214	1000	883
8/27/2026 8:42	2849	3214	5040	839	1923	1214	1000	883
8/27/2026 8:43	2839	3186	5026	820	1908	1302	1015	1181
8/27/2026 8:44	2839	3186	5026	820	1908	1302	1015	1181
8/27/2026 8:45	2853	3198	5056	833	1911	1273	1077	1168
8/27/2026 8:46	2853	3198	5056	833	1911	1273	1077	1168
8/27/2026 8:47	2832	3214	5043	827	1908	1211	1033	1172
8/27/2026 8:48	2832	3214	5043	827	1908	1211	1033	1172
8/27/2026 8:49	2850	3216	5046	834	1901	896	980	1188
8/27/2026 8:50	2850	3216	5046	834	1901	896	980	1188
8/27/2026 8:51	2823	3203	5036	838	1901	1299	1013	1175
8/27/2026 8:52	2823	3203	5036	838	1901	1299	1013	1175
8/27/2026 8:53	2830	3200	5034	835	1912	1299	917	1175
8/27/2026 8:54	2830	3200	5034	835	1912	1299	917	1175
8/27/2026 8:55	2860	3222	5024	829	1904	1205	1018	1178
8/27/2026 8:56	2860	3222	5024	829	1904	1205	1018	1178
8/27/2026 8:57	2856	3204	5032	833	1900	1224	1030	1188
8/27/2026 8:58	2856	3204	5032	833	1900	1224	1030	1188
8/27/2026 8:59	2866	3224	5062	838	1	1271	795	1180
8/27/2026 9:00	2866	3224	5062	838	1	1271	795	1180
8/27/2026 9:01	2872	3219	5064	863	1	1333	1076	1138
8/27/2026 9:02	2872	3219	5064	863	1	1333	1076	1138
8/27/2026 9:03	2908	3257	5101	865	0	926	1085	1194
8/27/2026 9:04	2908	3257	5101	865	0	926	1085	1194
8/27/2026 9:05	2911	3275	5133	858	0	1342	1096	1242
8/27/2026 9:06	2911	3275	5133	858	0	1342	1096	1242
8/27/2026 9:07	2910	3267	5124	870	0	1316	983	1304
8/27/2026 9:08	2910	3267	5124	870	0	1316	983	1304
8/27/2026 9:09	2912	3298	5156	870	0	1333	1087	1231
8/27/2026 9:10	2912	3298	5156	870	0	1333	1087	1231
8/27/2026 9:11	2923	3258	5176	866	0	1230	1015	1230
8/27/2026 9:12	2923	3258	5176	866	0	1230	1015	1230
8/27/2026 9:13	2920	3274	5138	876	0	1292	854	1235
8/27/2026 9:14	2920	3274	5138	876	0	1292	854	1235
8/27/2026 9:15	2919	3270	5140	901	2	1290	798	1241
8/27/2026 9:16	2919	3270	5140	901	2	1290	798	1241
8/27/2026 9:17	2937	3283	5167	889	0	923	1005	1252
8/27/2026 9:18	2937	3283	5167	889	0	923	1005	1252
8/27/2026 9:19	2896	3395	5097	938	2	846	695	1235
8/27/2026 9:20	2896	3395	5097	938	2	846	695	1235
8/27/2026 9:21	3500	182	5666	972	1	1359	1106	1280
8/27/2026 9:22	3500	182	5666	972	1	1359	1106	1280
8/27/2026 9:23	3509	148	5348	970	2	1390	1124	1290
8/27/2026 9:24	3509	148	5348	970	2	1390	1124	1290
8/27/2026 9:25	3497	143	5451	961	0	1252	1055	1306
8/27/2026 9:26	3497	143	5451	961	0	1252	1055	1306
8/27/2026 9:27	3506	133	5311	968	2	1256	1026	1307
8/27/2026 9:28	3506	133	5311	968	2	1256	1026	1307
8/27/2026 9:29	3511	-3	5434	958	0	1335	1039	1297
8/27/2026 9:30	3511	-3	5434	958	0	1335	1039	1297
8/27/2026 9:31	3518	145	5485	965	0	1254	1040	1302

8/27/2026 9:32	3518	145	5485	965	0	1254	1040	1302
8/27/2026 9:33	3510	-3	5384	971	0	1133	1077	1314
8/27/2026 9:34	3510	-3	5384	971	0	1133	1077	1314
8/27/2026 9:35	2946	3243	5127	907	0	891	1004	1270
8/27/2026 9:36	2946	3243	5127	907	0	891	1004	1270
8/27/2026 9:37	2936	3351	5158	887	0	1347	1095	1254
8/27/2026 9:38	2936	3351	5158	887	0	1347	1095	1254
8/27/2026 9:39	2969	3318	5188	870	0	1343	1097	1250
8/27/2026 9:40	2969	3318	5188	870	0	1343	1097	1250
8/27/2026 9:41	2954	3362	5196	891	0	1280	910	1266
8/27/2026 9:42	2954	3362	5196	891	0	1280	910	1266
8/27/2026 9:43	2909	3414	5113	888	2	1009	795	1248
8/27/2026 9:44	2909	3414	5113	888	2	1009	795	1248
8/27/2026 9:45	2985	3372	5174	896	0	1306	1038	1241
8/27/2026 9:46	2985	3372	5174	896	0	1306	1038	1241
8/27/2026 9:47	2944	3319	5184	894	0	1319	912	1242
8/27/2026 9:48	2944	3319	5184	894	0	1319	912	1242
8/27/2026 9:49	2961	3297	5167	901	0	1256	1029	1247
8/27/2026 9:50	2961	3297	5167	901	0	1256	1029	1247
8/27/2026 9:51	2987	3331	5197	909	0	1248	727	1251
8/27/2026 9:52	2987	3331	5197	909	0	1248	727	1251
8/27/2026 9:53	3016	3316	5201	885	0	1332	783	1236
8/27/2026 9:54	3016	3316	5201	885	0	1332	783	1236
8/27/2026 9:55	2992	3326	5200	909	0	1016	1106	1241
8/27/2026 9:56	2992	3326	5200	909	0	1016	1106	1241
8/27/2026 9:57	2975	3323	5170	877	0	1338	1070	1230
8/27/2026 9:58	2975	3323	5170	877	0	1338	1070	1230
8/27/2026 9:59	2986	3338	5206	901	0	1336	1087	1240
8/27/2026 10:00	2986	3338	5206	901	0	1336	1087	1240
8/27/2026 10:01	2990	3326	5183	913	0	1232	831	1244
8/27/2026 10:02	2990	3326	5183	913	0	1232	831	1244
8/27/2026 10:03	3011	3351	5183	900	0	1246	1076	1241
8/27/2026 10:04	3011	3351	5183	900	0	1246	1076	1241
8/27/2026 10:05	3009	3329	5228	881	0	1302	1066	1236
8/27/2026 10:06	3009	3329	5228	881	0	1302	1066	1236
8/27/2026 10:07	2990	3329	5223	889	0	1042	1079	1246
8/27/2026 10:08	2990	3329	5223	889	0	1042	1079	1246
8/27/2026 10:09	3002	3341	5194	888	0	909	829	1237
8/27/2026 10:10	3002	3341	5194	888	0	909	829	1237
8/27/2026 10:11	3006	3331	5205	905	0	1337	1081	1036
8/27/2026 10:12	3006	3331	5205	905	0	1337	1081	1036
8/27/2026 10:13	3009	3312	5198	885	0	1285	1078	1241
8/27/2026 10:14	3009	3312	5198	885	0	1285	1078	1241
8/27/2026 10:15	3000	3309	5206	902	0	1219	777	1237
8/27/2026 10:16	3000	3309	5206	902	0	1219	777	1237
8/27/2026 10:17	3013	3310	5192	884	0	1225	1036	995
8/27/2026 10:18	3013	3310	5192	884	0	1225	1036	995
8/27/2026 10:19	2984	3437	5158	882	1	1327	1077	861
8/27/2026 10:20	2984	3437	5158	882	1	1327	1077	861
8/27/2026 10:21	3506	166	5563	976	1	1278	1095	1282
8/27/2026 10:22	3506	166	5563	976	1	1278	1095	1282
8/27/2026 10:23	3510	137	5471	965	0	1256	1062	1278
8/27/2026 10:24	3510	137	5471	965	0	1256	1062	1278

8/27/2026 10:25	3493	-3	5353	970	0	1317	824	1292
8/27/2026 10:26	3493	-3	5353	970	0	1317	824	1292
8/27/2026 10:27	3508	-3	5539	971	0	1286	949	1313
8/27/2026 10:28	3508	-3	5539	971	0	1286	949	1313
8/27/2026 10:29	3510	-3	5471	963	0	1318	1081	1296
8/27/2026 10:30	3510	-3	5471	963	0	1318	1081	1296
8/27/2026 10:31	3507	-3	5357	976	0	1311	1014	1290
8/27/2026 10:32	3507	-3	5357	976	0	1311	1014	1290
8/27/2026 10:33	3508	-3	5378	964	0	1306	1029	1308
8/27/2026 10:34	3508	-3	5378	964	0	1306	1029	1308
8/27/2026 10:35	3492	-3	5385	950	0	1375	1107	1293
8/27/2026 10:36	3492	-3	5385	950	0	1375	1107	1293
8/27/2026 10:37	2998	3308	5161	880	0	1321	1090	1030
8/27/2026 10:38	2998	3308	5161	880	0	1321	1090	1030
8/27/2026 10:39	3042	0	5229	879	0	1331	985	970
8/27/2026 10:40	3042	3327	5229	879	0	1331	985	970
8/27/2026 10:41	3011	3327	5199	895	0	1072	1046	1240
8/27/2026 10:42	3011	3320	5199	895	0	1072	1046	1240
8/27/2026 10:43	3002	3320	5188	879	0	1201	941	1219
8/27/2026 10:44	3002	3353	5188	879	0	1201	941	1219
8/27/2026 10:45	3009	3353	5178	858	0	1081	721	1231
8/27/2026 10:46	3009	3306	5178	858	0	1081	721	1231
8/27/2026 10:47	3002	3306	5154	864	0	1323	1052	1229
8/27/2026 10:48	3002	3323	5154	864	0	1323	1052	1229
8/27/2026 10:49	3014	3323	5162	885	11	1308	1081	1231
8/27/2026 10:50	3014	3311	5162	885	11	1308	1081	1231
8/27/2026 10:51	3028	3311	5197	892	11	1308	811	1236
8/27/2026 10:52	3028	3347	5197	892	11	1308	811	1236
8/27/2026 10:53	3011	3347	5190	874	5	1303	1070	1224
8/27/2026 10:54	3011	3325	5190	874	5	1303	1070	1224
8/27/2026 10:55	3011	3325	5193	876	0	1324	960	1221
8/27/2026 10:56	3011	3331	5193	876	0	1324	960	1221
8/27/2026 10:57	3010	3331	5189	890	0	1312	1074	1231
8/27/2026 10:58	3010	3310	5189	890	0	1312	1074	1231
8/27/2026 10:59	3032	3310	5215	889	0	1319	1070	1222
8/27/2026 11:00	3032	3326	5215	889	0	1319	1070	1222
8/27/2026 11:01	3024	3326	5164	900	0	1196	998	1226
8/27/2026 11:02	3024	3316	5164	900	0	1196	998	1226
8/27/2026 11:03	3013	3316	5230	904	0	1327	1066	1220
8/27/2026 11:04	3013	3333	5230	904	0	1327	1066	1220
8/27/2026 11:05	3021	3333	5230	876	0	1308	967	1237
8/27/2026 11:06	3021	3321	5230	876	0	1308	967	1237
8/27/2026 11:07	3008	3321	5183	881	0	1273	1079	1242
8/27/2026 11:08	3008	3315	5183	881	0	1273	1079	1242
8/27/2026 11:09	3035	3315	5219	862	0	1083	1011	1219
8/27/2026 11:10	3035	3293	5219	862	0	1083	1011	1219
8/27/2026 11:11	3043	3293	5170	885	1	1349	1075	1223
8/27/2026 11:12	3043	3337	5170	885	1	1349	1075	1223
8/27/2026 11:13	3021	3337	5182	881	0	1307	975	1211
8/27/2026 11:14	3021	3339	5182	881	0	1307	975	1211
8/27/2026 11:15	3035	3339	5183	877	0	1210	959	1235
8/27/2026 11:16	3035	3332	5183	877	0	1210	959	1235
8/27/2026 11:17	3041	3332	5221	887	0	1047	1064	1240

8/27/2026 11:18	3041	3340	5221	887	0	1047	1064	1240
8/27/2026 11:19	3055	3340	5198	867	0	1124	993	1236
8/27/2026 11:20	3055	3350	5198	867	0	1124	993	1236
8/27/2026 11:21	3058	3350	5211	860	0	1329	1071	1226
8/27/2026 11:22	3058	3348	5211	860	0	1329	1071	1226
8/27/2026 11:23	3085	3348	5239	867	0	1313	1043	1328
8/27/2026 11:24	3085	3340	5239	867	0	1313	1043	1328
8/27/2026 11:25	3081	3340	5189	871	0	1295	1019	1214
8/27/2026 11:26	3081	3348	5189	871	0	1295	1019	1214
8/27/2026 11:27	3077	3348	5218	855	0	1275	1025	1219
8/27/2026 11:28	3077	3346	5218	855	0	1275	1025	1219
8/27/2026 11:29	3111	3346	5193	871	0	1271	1020	1200
8/27/2026 11:30	3111	3346	5193	871	0	1271	1020	1200
8/27/2026 11:31	3092	3346	5179	853	0	1158	1020	1221
8/27/2026 11:32	3092	3376	5179	853	0	1158	944	1221
8/27/2026 11:33	3076	3376	5189	862	0	1314	944	1204
8/27/2026 11:34	3076	3351	5189	862	0	1314	993	1204
8/27/2026 11:35	3091	3351	5180	870	0	1275	993	1214
8/27/2026 11:36	3091	3326	5180	870	0	1275	1040	1214
8/27/2026 11:37	3075	3326	5216	863	0	1314	1040	1229
8/27/2026 11:38	3075	3354	5216	863	0	1314	1057	1229
8/27/2026 11:39	3067	3354	5166	877	0	1301	1057	1224
8/27/2026 11:40	3067	3331	5166	877	0	1301	872	1224
8/27/2026 11:41	3066	3331	5171	879	0	1144	872	1219
8/27/2026 11:42	3066	3332	5171	879	0	1144	942	1219
8/27/2026 11:43	3086	3332	5189	852	0	1195	942	1229
8/27/2026 11:44	3086	3361	5189	852	0	1195	1067	1229
8/27/2026 11:45	3065	3361	5183	853	1131	1329	1067	1209
8/27/2026 11:46	3065	3338	5183	853	1131	1329	1015	1209
8/27/2026 11:47	3018	3338	5098	848	4000	1236	1015	1173
8/27/2026 11:48	3018	3266	5098	848	4000	1236	978	1173
8/27/2026 11:49	3032	3266	5091	826	2600	1286	978	1172
8/27/2026 11:50	3032	3292	5091	826	2600	1286	1041	1172
8/27/2026 11:51	3005	3292	5104	834	2287	1211	1041	1157
8/27/2026 11:52	3005	3269	5104	834	2287	1211	990	1157
8/27/2026 11:53	3016	3269	5091	841	1919	1165	990	1166
8/27/2026 11:54	3016	3278	5091	841	1919	1165	969	1166
8/27/2026 11:55	3019	3278	5071	858	1901	1229	969	1147
8/27/2026 11:56	3019	3278	5071	858	1901	1229	1019	1147
8/27/2026 11:57	3013	3278	5101	832	1886	1211	1019	1145
8/27/2026 11:58	3013	3284	5101	832	1886	1211	973	1145
8/27/2026 11:59	3002	3284	5056	862	1852	1185	973	1157
8/27/2026 12:00	3002	3255	5056	862	1852	1185	977	1157
8/27/2026 12:01	2982	3255	5066	824	1869	1277	977	1153
8/27/2026 12:02	2982	3272	5066	824	1869	1277	1035	1153
8/27/2026 12:03	2996	3272	5079	831	1851	943	1035	1158
8/27/2026 12:04	2996	3279	5079	831	1851	943	1004	1158
8/27/2026 12:05	2979	3279	5054	841	1840	1265	1004	1163
8/27/2026 12:06	2979	3266	5054	841	1840	1265	1003	1163
8/27/2026 12:07	3004	3266	5069	833	1823	1277	1003	1159
8/27/2026 12:08	3004	3269	5069	833	1823	1277	1029	1159
8/27/2026 12:09	3011	3269	5096	824	1849	1257	1029	1159
8/27/2026 12:10	3011	3266	5096	824	1849	1257	1011	1159

8/27/2026 12:11	3003	3266	5065	839	1840	1241	1011	1180
8/27/2026 12:12	3003	3259	5065	839	1840	1241	1034	1180
8/27/2026 12:13	3006	3259	5086	832	551	1260	1034	1153
8/27/2026 12:14	3006	3280	5086	832	551	1260	1014	1153
8/27/2026 12:15	3018	3280	5105	829	1828	1242	1014	1174
8/27/2026 12:16	3018	3268	5105	829	1828	1242	1018	1174
8/27/2026 12:17	3012	3268	5128	840	1824	1209	1018	1014
8/27/2026 12:18	3012	3303	5128	840	1824	1209	1039	1014
8/27/2026 12:19	2980	3303	5087	842	1652	1142	1039	1154
8/27/2026 12:20	2980	3273	5087	842	1652	1142	696	1154
8/27/2026 12:21	2974	3273	5099	861	1810	1174	696	1125
8/27/2026 12:22	2974	3274	5099	861	1810	1174	926	1125
8/27/2026 12:23	3003	3274	5062	843	1829	1229	926	1139
8/27/2026 12:24	3003	3264	5062	843	1829	1229	1005	1139
8/27/2026 12:25	2967	3264	5068	836	1838	0	1005	973
8/27/2026 12:26	2967	3257	5068	836	1838	1205	997	973
8/27/2026 12:27	2966	3257	5065	845	1823	1205	997	1148
8/27/2026 12:28	2966	3280	5065	845	1823	1246	977	1148
8/27/2026 12:29	2972	3280	5073	835	1829	1246	977	1138
8/27/2026 12:30	2972	3287	5073	835	1829	1291	1028	1138
8/27/2026 12:31	2972	3287	5076	842	1818	1291	1028	1160
8/27/2026 12:32	2972	3265	5076	842	1818	1286	1050	1160
8/27/2026 12:33	2987	3265	5074	850	1801	1286	1050	1149
8/27/2026 12:34	2987	3273	5074	850	1801	1263	1038	1149
8/27/2026 12:35	2967	3273	5083	842	1810	1263	1038	1138
8/27/2026 12:36	2967	3283	5083	842	1810	1036	1034	1138
8/27/2026 12:37	2982	3283	5063	839	1799	1036	1034	1140
8/27/2026 12:38	2982	3281	5063	839	1799	1296	886	1140
8/27/2026 12:39	3008	3281	5075	850	1785	1296	886	1142
8/27/2026 12:40	3008	3284	5075	850	1785	1268	969	1142
8/27/2026 12:41	2957	3284	5086	850	1810	1268	969	1159
8/27/2026 12:42	2957	3285	5086	850	1810	1066	982	1159
8/27/2026 12:43	2940	3285	5069	831	1814	1066	982	1139
8/27/2026 12:44	2940	3268	5069	831	1814	1250	1019	1139
8/27/2026 12:45	2950	3268	5077	843	1778	1250	1019	1147
8/27/2026 12:46	2950	3259	5077	843	1778	1288	936	1147
8/27/2026 12:47	2975	3259	5105	845	1808	1288	936	1157
8/27/2026 12:48	2975	3292	5105	845	1808	1188	958	1157
8/27/2026 12:49	2956	3292	5070	834	1806	1188	958	1147
8/27/2026 12:50	2956	3295	5070	834	1806	1289	1044	1147
8/27/2026 12:51	2969	3295	5053	839	1777	1289	1044	1153
8/27/2026 12:52	2969	3270	5053	839	1777	1289	1044	1153
8/27/2026 12:53	2967	3270	5108	844	1801	1289	1044	979
8/27/2026 12:54	2967	3332	5108	844	1801	1200	983	979
8/27/2026 12:55	2988	3332	5088	831	399	1200	983	1143
8/27/2026 12:56	2988	3292	5088	831	399	1271	1040	1143
8/27/2026 12:57	2990	3292	5093	833	1806	1271	1040	1158
8/27/2026 12:58	2990	3292	5093	833	1806	1295	1051	1158
8/27/2026 12:59	2970	3292	5119	835	1808	1295	1051	1148
8/27/2026 13:00	2970	3284	5119	835	1808	1278	1036	1148
8/27/2026 13:01	2977	3284	5089	850	1794	1278	1036	1145
8/27/2026 13:02	2977	3274	5089	850	1794	1083	979	1145
8/27/2026 13:03	2979	3274	5101	839	1736	1083	979	1087

8/27/2026 13:04	2979	3310	5101	839	1736	1262	1021	1087
8/27/2026 13:05	2975	3310	5086	845	1513	1262	1021	1136
8/27/2026 13:06	2975	3266	5086	845	1513	1268	1040	1136
8/27/2026 13:07	2976	3266	5092	840	1794	1268	1040	1145
8/27/2026 13:08	2976	3291	5092	840	1794	1239	1033	1145
8/27/2026 13:09	2984	3291	5073	840	1799	1239	1033	1180
8/27/2026 13:10	2984	3267	5073	840	1799	1045	979	1180
8/27/2026 13:11	3221	3267	5	995	1847	1045	979	1236
8/27/2026 13:12	3221	3497	5	995	1847	1333	1080	1236
8/27/2026 13:13	3218	3497	5	1013	1851	1333	1080	1248
8/27/2026 13:14	3218	3500	5	1013	1851	914	1059	1248
8/27/2026 13:15	3216	3500	5	1021	1863	914	1059	1227
8/27/2026 13:16	3216	3500	5	1021	1863	1373	1069	1227
8/27/2026 13:17	3238	3500	5	1024	1858	1373	1069	1252
8/27/2026 13:18	3238	3507	5	1024	1858	1217	920	1252
8/27/2026 13:19	3229	3507	5	1021	1861	1217	920	1254
8/27/2026 13:20	3229	3490	5	1021	1861	1338	1062	1254
8/27/2026 13:21	3229	3490	2406	953	552	1338	1062	1236
8/27/2026 13:22	3229	3500	2406	953	552	1321	770	1236
8/27/2026 13:23	3208	3500	4	1019	1860	1321	770	1255
8/27/2026 13:24	3208	3497	4	1019	1860	1276	1033	1255
8/27/2026 13:25	3190	3497	5	1029	1867	1276	1033	1261
8/27/2026 13:26	3190	3495	5	1029	1867	1316	823	1261
8/27/2026 13:27	3120	3495	4	999	32	1316	823	1247
8/27/2026 13:28	3120	3318	4	999	32	1294	844	1247
8/27/2026 13:29	3190	3318	4	1028	1868	1294	844	1275
8/27/2026 13:30	3190	3472	4	1028	1868	1301	1083	1275
8/27/2026 13:31	3217	3472	5	1015	105	1301	1083	1292
8/27/2026 13:32	3217	3494	5	1015	105	1290	1082	1292
8/27/2026 13:33	3215	3494	4	1022	1864	1290	1082	1292
8/27/2026 13:34	3215	3494	4	1022	1864	1298	1096	1292
8/27/2026 13:35	3241	3494	2866	939	1830	1298	1096	1222
8/27/2026 13:36	3241	3493	2866	939	1830	1334	1070	1222
8/27/2026 13:37	3197	3493	2879	914	1823	1334	1070	1229
8/27/2026 13:38	3197	3489	2879	914	1823	1236	761	1229
8/27/2026 13:39	3134	3489	4170	874	1795	1236	761	1224
8/27/2026 13:40	3134	3441	4170	874	1795	1290	906	1224
8/27/2026 13:41	2070	3441	3361	961	1834	1290	906	1250
8/27/2026 13:42	2070	2433	3361	961	1834	1324	1065	1250
8/27/2026 13:43	3202	2433	4	1000	1850	1324	1065	1234
8/27/2026 13:44	3202	3514	4	1000	1850	1335	1070	1234
8/27/2026 13:45	3181	3514	2463	949	1850	1335	1070	1242
8/27/2026 13:46	3181	3550	2463	949	1850	1240	1009	1242
8/27/2026 13:47	3209	3550	3381	906	1827	1240	1009	1248
8/27/2026 13:48	3209	3494	3381	906	1827	1241	1019	1248
8/27/2026 13:49	3191	3494	4233	867	1818	1241	1019	1211
8/27/2026 13:50	3191	3499	4233	867	1818	1224	905	1211
8/27/2026 13:51	3032	3499	4583	848	1813	1224	905	1195
8/27/2026 13:52	3032	3343	4583	848	1813	1251	1055	1195
8/27/2026 13:53	657	3343	244	1076	1883	1251	1055	1337
8/27/2026 13:54	657	-3	244	1076	1883	1343	903	1337
8/27/2026 13:55	2	-3	4	1126	1901	1343	903	1410
8/27/2026 13:56	2	-3	4	1126	1901	1010	1129	1410

8/27/2026 13:57	2	-3	1558	1109	1670	1010	1129	1401
8/27/2026 13:58	2	-3	1558	1109	1670	972	1000	1401
8/27/2026 13:59	177	-3	3924	1085	1917	972	1000	1347
8/27/2026 14:00	177	-3	3924	1085	1917	1285	1069	1347
8/27/2026 14:01	233	-3	4198	1069	1902	1285	1069	1328
8/27/2026 14:02	233	-3	4198	1069	1902	1354	1081	1328
8/27/2026 14:03	155	-3	4349	1062	1912	1354	1081	1334
8/27/2026 14:04	155	-3	4349	1062	1912	1349	984	1334
8/27/2026 14:05	1596	-3	3672	1049	1888	1349	984	1319
8/27/2026 14:06	1596	-3	3672	1049	1888	1183	1077	1319
8/27/2026 14:07	134	-3	4923	1049	1617	1183	1077	1331
8/27/2026 14:08	134	-3	4923	1049	1617	1368	829	1331
8/27/2026 14:09	1255	-3	4081	1039	1889	1368	829	1322
8/27/2026 14:10	1255	-3	4081	1039	1889	1373	1101	1322
8/27/2026 14:11	2263	-3	4241	1037	1871	1373	1101	1286
8/27/2026 14:12	2263	-3	4241	1037	1871	1020	1102	1286
8/27/2026 14:13	2757	-3	4960	985	1197	1020	1102	815
8/27/2026 14:14	2757	-3	4960	985	1197	1090	1087	815
8/27/2026 14:15	279	-3	4808	1061	1891	1090	1087	1314
8/27/2026 14:16	279	-3	4808	1061	1891	1278	1051	1314
8/27/2026 14:17	2	-3	4910	1061	1891	1278	1051	1312
8/27/2026 14:18	2	-3	4910	1061	1891	1362	1102	1312
8/27/2026 14:19	2	-3	4966	1055	1908	1362	1102	1333
8/27/2026 14:20	2	-3	4966	1055	1908	1280	1111	1333
8/27/2026 14:21	1822	-3	3659	1040	1897	1280	1111	1319
8/27/2026 14:22	1822	-3	3659	1040	1897	1380	847	1319
8/27/2026 14:23	2320	-3	4269	1025	1894	1380	847	1309
8/27/2026 14:24	2320	-3	4269	1025	1894	1216	1054	1309
8/27/2026 14:25	2794	-3	5016	989	1882	1216	1054	1277
8/27/2026 14:26	2794	-3	5016	989	1882	1293	1065	1277
8/27/2026 14:27	3033	-3	5332	995	1863	1293	1065	1265
8/27/2026 14:28	3033	-3	5332	995	1863	1348	844	1265
8/27/2026 14:29	3263	-3	5609	977	1861	1348	844	1246
8/27/2026 14:30	3263	-3	5609	977	1861	1307	1052	1246
8/27/2026 14:31	3718	-3	5663	942	1422	1307	1052	1250
8/27/2026 14:32	3718	-3	5663	942	1422	1322	841	1250
8/27/2026 14:33	3493	-3	5436	949	1858	1322	841	1232
8/27/2026 14:34	3493	-3	5436	949	1858	1075	974	1232
8/27/2026 14:35	3514	-3	5322	965	1871	1075	974	1242
8/27/2026 14:36	3514	-3	5322	965	1871	1349	1077	1242
8/27/2026 14:37	3500	-3	5400	969	1844	1349	1077	1251
8/27/2026 14:38	3500	-3	5400	969	1844	1317	1082	1251
8/27/2026 14:39	3490	-3	5362	971	1864	1317	1082	1247
8/27/2026 14:40	3490	-3	5362	971	1864	1347	1077	1247
8/27/2026 14:41	3514	-3	5483	961	1869	1347	1077	1252
8/27/2026 14:42	3514	-3	5483	961	1869	1272	1056	1252
8/27/2026 14:43	3495	-3	5394	967	1882	1272	1056	1511
8/27/2026 14:44	3495	-3	5394	967	1882	1112	1070	1511
8/27/2026 14:45	3502	-3	5341	970	1851	1112	1070	1204
8/27/2026 14:46	3502	-3	5341	970	1851	1301	893	1204
8/27/2026 14:47	3485	-3	5386	977	808	1301	893	1252
8/27/2026 14:48	3485	-3	5386	977	808	1333	1080	1252
8/27/2026 14:49	3500	-3	5434	968	1874	1333	1080	1260

8/27/2026 14:50	3500	-3	5434	968	1874	1340	1084	1260
8/27/2026 14:51	3496	-3	5381	969	1861	1340	1084	1265
8/27/2026 14:52	3496	-3	5381	969	1861	1317	1092	1265
8/27/2026 14:53	3494	-3	5423	969	402	1317	1092	1253
8/27/2026 14:54	3494	-3	5423	969	402	1235	988	1253
8/27/2026 14:55	3477	-3	5428	961	1879	1235	988	1245
8/27/2026 14:56	3477	-3	5428	961	1879	1338	1081	1245
8/27/2026 14:57	3519	-3	5373	976	607	1338	1081	1266
8/27/2026 14:58	3519	-3	5373	976	607	1339	1035	1266
8/27/2026 14:59	3509	-3	5446	957	1882	1339	1035	1266
8/27/2026 15:00	3509	-3	5446	957	1882	1242	1030	1266
8/27/2026 15:01	3495	-3	5438	943	1874	1242	1030	1263
8/27/2026 15:02	3495	-3	5438	943	1874	1343	1050	1263
8/27/2026 15:03	3501	-3	5355	952	1878	1343	1050	1268
8/27/2026 15:04	3501	0	5355	952	1878	1236	1044	1268
8/27/2026 15:05	3511	-3	5444	946	1867	1236	1044	1265
8/27/2026 15:06	3511	-3	5444	946	1867	1158	784	1265
8/27/2026 15:07	3526	-3	5390	959	1872	1158	784	1271
8/27/2026 15:08	3526	-3	5390	959	1872	1265	1087	1271
8/27/2026 15:09	3507	-3	5436	946	1869	1265	1087	1251
8/27/2026 15:10	3507	-3	5436	946	1869	1333	1066	1251
8/27/2026 15:11	3489	-3	5409	963	1858	1333	1066	1226
8/27/2026 15:12	3489	-3	5409	963	1858	1328	1082	1226
8/27/2026 15:13	3496	-3	5398	944	1858	1328	1082	1235
8/27/2026 15:14	3496	-3	5398	944	1858	977	1055	1235
8/27/2026 15:15	3732	-3	5726	945	1860	977	1055	1273
8/27/2026 15:16	3732	-3	5726	945	1860	1319	1081	1273
8/27/2026 15:17	3504	185	5416	948	1874	1319	1081	1266
8/27/2026 15:18	3504	185	5416	948	1874	1072	1029	1266
8/27/2026 15:19	2840	-3	4427	902	1844	1072	1029	1225
8/27/2026 15:20	2840	-3	4427	902	1844	1332	1072	1225
8/27/2026 15:21	2655	2758	4669	885	1068	1332	1072	1229
8/27/2026 15:22	2655	2758	4669	885	1068	1167	1078	1229
8/27/2026 15:23	2723	3307	4785	886	1835	1167	1078	984
8/27/2026 15:24	2723	3307	4785	886	1835	1245	1055	984
8/27/2026 15:25	2831	3015	4913	859	1648	1245	1055	1214
8/27/2026 15:26	2831	3015	4913	859	1648	1302	962	1214
8/27/2026 15:27	2893	3151	4981	858	1827	1302	962	1208
8/27/2026 15:28	2893	3151	4981	858	1827	1250	1046	1208
8/27/2026 15:29	2882	3205	4988	868	1810	1250	1046	1201
8/27/2026 15:30	2882	3205	4988	868	1810	1220	1035	1201
8/27/2026 15:31	2962	3200	5065	860	1814	1220	1035	1073
8/27/2026 15:32	2962	3200	5065	860	1814	1295	1045	1073
8/27/2026 15:33	2969	3248	5063	865	1823	1295	1045	778
8/27/2026 15:34	2969	3248	5063	865	1823	991	1051	778
8/27/2026 15:35	2988	3233	5104	863	1828	991	1051	1209
8/27/2026 15:36	2988	3233	5104	863	1828	1316	1056	1209
8/27/2026 15:37	3035	3124	5204	841	1828	1316	1056	1199
8/27/2026 15:38	3035	3124	5204	841	1828	1270	956	1199
8/27/2026 15:39	3046	3182	5183	842	1835	1270	956	1199
8/27/2026 15:40	3046	3182	5183	842	1835	1252	987	1199
8/27/2026 15:41	3058	3177	5183	843	1821	1252	987	1198
8/27/2026 15:42	3058	3177	5183	843	1821	1103	943	1198

8/27/2026 15:43	3039	3172	5168	843	1825	1103	943	1198
8/27/2026 15:44	3039	3172	5168	843	1825	1311	1059	1198
8/27/2026 15:45	3063	3167	5144	840	1833	1311	1059	1188
8/27/2026 15:46	3063	3167	5144	840	1833	1293	1061	1188
8/27/2026 15:47	3049	3169	5148	835	1822	1293	1061	1209
8/27/2026 15:48	3049	3169	5148	835	1822	1278	1056	1209
8/27/2026 15:49	3072	0	5161	841	1824	1278	1056	1186
8/27/2026 15:50	3072	0	5161	841	1824	1286	1055	1186
8/27/2026 15:51	3044	3147	5164	842	1656	1286	1055	1195
8/27/2026 15:52	3044	3147	5164	842	1656	1213	1021	1195
8/27/2026 15:53	3053	3163	5153	848	1656	1213	1021	1200
8/27/2026 15:54	3053	3163	5153	848	1656	960	1039	1200
8/27/2026 15:55	3065	3167	5173	839	1833	960	1039	1199
8/27/2026 15:56	3065	3167	5173	839	1833	1294	1051	1199
8/27/2026 15:57	3033	3170	5156	825	1824	1294	1051	1201
8/27/2026 15:58	3033	3170	5156	825	1824	1265	1056	1201
8/27/2026 15:59	3030	3136	5135	834	1836	1265	1056	1188
8/27/2026 16:00	3030	3136	5135	834	1836	1262	995	1188
8/27/2026 16:01	3038	3133	5132	729	1829	1262	995	1204
8/27/2026 16:02	3038	3133	5132	729	1829	969	1049	1204
8/27/2026 16:03	3064	0	5161	853	1797	969	1049	1203
8/27/2026 16:04	3064	0	5161	853	1797	1292	764	1203
8/27/2026 16:05	3055	3152	5173	838	1845	1292	764	1189
8/27/2026 16:06	3055	3152	5173	838	1845	1292	1054	1189
8/27/2026 16:07	3077	3150	5166	844	1768	1292	1054	1199
8/27/2026 16:08	3077	3150	5166	844	1768	1287	1041	1199
8/27/2026 16:09	3084	3173	5167	827	1835	1287	1041	1183
8/27/2026 16:10	3084	3173	5167	827	1835	1281	1030	1183
8/27/2026 16:11	3061	0	5179	851	328	1281	1030	1205
8/27/2026 16:12	3061	0	5179	851	328	1247	1044	1205
8/27/2026 16:13	3078	3169	5181	837	1675	1247	1044	1183
8/27/2026 16:14	3078	3169	5181	837	1675	996	887	1183
8/27/2026 16:15	3100	3173	5186	839	1812	996	887	1186
8/27/2026 16:16	3100	3173	5186	839	1812	1270	779	1186
8/27/2026 16:17	3080	3164	5168	825	1816	1270	779	1188
8/27/2026 16:18	3080	3164	5168	825	1816	1186	997	1188
8/27/2026 16:19	3061	0	5158	840	1812	1186	997	1190
8/27/2026 16:20	3061	0	5158	840	1812	958	1046	1190
8/27/2026 16:21	3082	3143	5164	829	1819	958	1046	1191
8/27/2026 16:22	3082	3143	5164	829	1819	1155	1026	1191
8/27/2026 16:23	3091	3170	5173	823	1796	1155	1026	1194
8/27/2026 16:24	3091	3170	5173	823	1796	1229	778	1194
8/27/2026 16:25	3058	3168	5139	815	1821	1229	778	1206
8/27/2026 16:26	3058	3168	5139	815	1821	1006	1041	1206
8/27/2026 16:27	3085	3184	5168	814	1817	1006	1041	934
8/27/2026 16:28	3085	3184	5168	814	1817	1292	1041	934
8/27/2026 16:29	3074	3150	5153	810	814	1292	1041	1175
8/27/2026 16:30	3074	3150	5153	810	814	1225	1016	1175
8/27/2026 16:31	3082	3149	5159	821	1801	1225	1016	1184
8/27/2026 16:32	3082	3149	5159	821	1801	1154	1031	1184
8/27/2026 16:33	3077	3176	5161	826	1802	1154	1031	1195
8/27/2026 16:34	3077	3176	5161	826	1802	1254	1046	1195
8/27/2026 16:35	3076	3156	5169	823	1802	1254	1046	1188

8/27/2026 16:36	3076	3156	5169	823	1802	1282	1043	1188
8/27/2026 16:37	3086	3163	5167	828	1816	1282	1043	1189
8/27/2026 16:38	3086	3163	5167	828	1816	1215	988	1189
8/27/2026 16:39	3119	3174	5155	826	1785	1215	988	1189
8/27/2026 16:40	3119	3174	5155	826	1785	1292	901	1189
8/27/2026 16:41	3090	3158	5139	828	1830	1292	901	1184
8/27/2026 16:42	3090	3158	5139	828	1830	1281	1041	1184
8/27/2026 16:43	3089	0	5158	820	1808	1281	1041	1206
8/27/2026 16:44	3089	0	5158	820	1808	1267	1034	1206
8/27/2026 16:45	3098	3168	5156	828	1819	1267	1034	1185
8/27/2026 16:46	3098	3168	5156	828	1819	1272	1043	1185
8/27/2026 16:47	3086	3168	5138	839	0	1272	1043	1186
8/27/2026 16:48	3086	3168	5138	839	0	1209	949	1186
8/27/2026 16:49	3107	3144	5161	818	1780	1209	949	1155
8/27/2026 16:50	3107	3144	5161	818	1780	1296	0	1155
8/27/2026 16:51	3107	3161	5143	817	1803	1296	1044	1179
8/27/2026 16:52	3107	3161	5143	817	1803	1286	1044	1179
8/27/2026 16:53	3101	3164	5164	837	1812	1286	1062	1193
8/27/2026 16:54	3101	3164	5164	837	1812	1283	1062	1193
8/27/2026 16:55	3115	3171	5191	813	1801	1283	957	1122
8/27/2026 16:56	3115	3171	5191	813	1801	1234	957	1122
8/27/2026 16:57	3111	3166	5161	827	1810	1234	990	1170
8/27/2026 16:58	3111	3166	5161	827	1810	1235	990	1170
8/27/2026 16:59	3118	3167	5182	835	1785	1235	1049	1179
8/27/2026 17:00	3118	3167	5182	835	1785	1272	1049	1179
8/27/2026 17:01	3094	3155	5150	831	1821	1272	1043	1193
8/27/2026 17:02	3094	3155	5150	831	1821	1256	1043	1193
8/27/2026 17:03	3116	3184	5183	828	1822	1256	1046	1170
8/27/2026 17:04	3116	3184	5183	828	1822	1286	1046	1170
8/27/2026 17:05	3110	3162	5163	839	1781	1286	865	1178
8/27/2026 17:06	3110	3162	5163	839	1781	1239	865	1178
8/27/2026 17:07	3111	3156	5145	823	1802	1239	1000	1147
8/27/2026 17:08	3111	3156	5145	823	1802	1262	1000	1147
8/27/2026 17:09	3108	3178	5161	824	1818	1262	989	1173
8/27/2026 17:10	3108	3178	5161	824	1818	1241	989	1173
8/27/2026 17:11	3088	3173	5150	828	1819	1241	1013	1173
8/27/2026 17:12	3088	3173	5150	828	1819	1275	1013	1173
8/27/2026 17:13	3100	3170	5163	839	1810	1275	1041	1201
8/27/2026 17:14	3100	3170	5163	839	1810	1011	1041	1201
8/27/2026 17:15	3078	3185	5134	823	1805	1011	1015	1184
8/27/2026 17:16	3078	3185	5134	823	1805	1254	1015	1184
8/27/2026 17:17	3076	3041	5113	826	1813	1254	1045	1165
8/27/2026 17:18	3076	3041	5113	826	1813	1267	1045	1165
8/27/2026 17:19	3112	3162	5115	826	1802	1267	731	1179
8/27/2026 17:20	3112	3162	5115	826	1802	1186	731	1179
8/27/2026 17:21	3067	3158	5124	824	1816	1186	993	1183
8/27/2026 17:22	3067	3158	5124	824	1816	1036	993	1183
8/27/2026 17:23	3038	3178	5116	835	1818	1036	901	1185
8/27/2026 17:24	3038	3178	5116	835	1818	1266	901	1185
8/27/2026 17:25	3048	3170	5142	837	1818	1266	1047	1185
8/27/2026 17:26	3048	3170	5142	837	1818	1261	1047	1185
8/27/2026 17:27	3065	3172	5130	839	1803	1261	847	1170
8/27/2026 17:28	3065	3172	5130	839	1803	1193	847	1170

8/27/2026 17:29	3068	3155	5136	833	1816	1193	954	1189
8/27/2026 17:30	3068	3155	5136	833	1816	1286	954	1189
8/27/2026 17:31	3061	3150	5142	823	1824	1286	1055	1158
8/27/2026 17:32	3061	3150	5142	823	1824	1249	1055	1158
8/27/2026 17:33	3062	3150	5130	827	1830	1249	744	1190
8/27/2026 17:34	3062	3150	5130	827	1830	1266	744	1190
8/27/2026 17:35	3040	3160	5138	833	1846	1266	984	1174
8/27/2026 17:36	3040	3160	5138	833	1846	1034	984	1174
8/27/2026 17:37	3055	3167	5133	852	1832	1034	1032	1179
8/27/2026 17:38	3055	3167	5133	852	1832	1284	1032	1179
8/27/2026 17:39	3054	3163	5123	827	1829	1284	1041	914
8/27/2026 17:40	3054	3163	5123	827	1829	1275	1041	914
8/27/2026 17:41	3050	3153	5120	823	1828	1275	1046	1186
8/27/2026 17:42	3050	3153	5120	823	1828	1292	1046	1186
8/27/2026 17:43	3043	3139	5107	831	1810	1292	1039	1193
8/27/2026 17:44	3043	3139	5107	831	1810	984	1039	1193
8/27/2026 17:45	3020	3147	5123	817	1824	984	879	1179
8/27/2026 17:46	3020	3147	5123	817	1824	1148	879	1179
8/27/2026 17:47	3057	3155	5120	827	1840	1148	1059	1195
8/27/2026 17:48	3057	3155	5120	827	1840	1301	1059	1195
8/27/2026 17:49	3018	3157	5111	829	1841	1301	1050	1195
8/27/2026 17:50	3018	3157	5111	829	1841	1180	1050	1195
8/27/2026 17:51	3048	3155	5122	831	1836	1180	1026	1181
8/27/2026 17:52	3048	3155	5122	831	1836	1276	1026	1181
8/27/2026 17:53	3019	3153	5155	840	1830	1276	788	1167
8/27/2026 17:54	3019	3153	5155	840	1830	1294	788	1167
8/27/2026 17:55	3029	3156	5132	830	1832	1294	714	1188
8/27/2026 17:56	3029	3156	5132	830	1832	1297	714	1188
8/27/2026 17:57	3035	3155	5132	835	1830	1297	1033	1193
8/27/2026 17:58	3035	3155	5132	835	1830	1260	1033	1193
8/27/2026 17:59	3027	3163	5121	839	1833	1260	760	1183
8/27/2026 18:00	3027	3163	5121	839	1833	1160	760	1183
8/27/2026 18:01	3021	3145	5117	836	1853	1160	1042	1184
8/27/2026 18:02	3021	3145	5117	836	1853	1004	1042	1184
8/27/2026 18:03	3014	3166	5126	835	1846	1004	852	1179
8/27/2026 18:04	3014	3166	5126	835	1846	1285	852	1179
8/27/2026 18:05	3041	3156	5128	843	1846	1285	1042	1179
8/27/2026 18:06	3041	3156	5128	843	1846	1285	1042	1179
8/27/2026 18:07	3266	3462	5	1013	1885	1285	1009	1266
8/27/2026 18:08	3266	3462	5	1013	1885	1354	1009	1266
8/27/2026 18:09	3439	3494	4	1028	1896	1354	912	1291
8/27/2026 18:10	3439	3494	4	1028	1896	1363	912	1291
8/27/2026 18:11	3417	3497	4	1032	1913	1363	1102	1288
8/27/2026 18:12	3417	3497	4	1032	1913	1342	1102	1288
8/27/2026 18:13	3397	3497	4	1028	1923	1342	892	1317
8/27/2026 18:14	3397	3497	4	1028	1923	1298	892	1317
8/27/2026 18:15	3415	3492	4	1042	1933	1298	789	1270
8/27/2026 18:16	3415	3492	4	1042	1933	1379	789	1270
8/27/2026 18:17	3375	3494	4	1035	1919	1379	1088	1297
8/27/2026 18:18	3375	3494	4	1035	1919	1370	1088	1297
8/27/2026 18:19	3410	3490	4	1042	1923	1370	1013	1303
8/27/2026 18:20	3410	3490	4	1042	1923	1217	1013	1303
8/27/2026 18:21	3415	3499	4	1048	1934	1217	1085	1307

8/27/2026 18:22	3415	3499	4	1048	1934	1342	1085	1307
8/27/2026 18:23	3402	3501	4	1043	1927	1342	1103	1250
8/27/2026 18:24	3402	3501	4	1043	1927	1258	1103	1250
8/27/2026 18:25	3413	3501	4	1045	1932	1258	1108	1304
8/27/2026 18:26	3413	3501	4	1045	1932	1124	1108	1304
8/27/2026 18:27	3387	3506	4	1042	1938	1124	1075	1298
8/27/2026 18:28	3387	3506	4	1042	1938	1138	1075	1298
8/27/2026 18:29	3385	3499	4	1041	1939	1138	1059	1316
8/27/2026 18:30	3385	3499	4	1041	1939	1009	1059	1316
8/27/2026 18:31	3399	3493	4	1044	1932	1009	1006	1247
8/27/2026 18:32	3399	3493	4	1044	1932	1216	1006	1247
8/27/2026 18:33	3403	3496	4	1040	1940	1216	1092	975
8/27/2026 18:34	3403	3496	4	1040	1940	1369	1092	975
8/27/2026 18:35	3396	3509	4	1037	1950	1369	1095	1309
8/27/2026 18:36	3396	3509	4	1037	1950	1307	1095	1309
8/27/2026 18:37	3400	3494	4	1008	1950	1307	1110	867
8/27/2026 18:38	3400	3494	4	1008	1950	1055	1110	867
8/27/2026 18:39	3473	3495	4	1050	1938	1055	1086	1294
8/27/2026 18:40	3473	3495	4	1050	1938	1348	1086	1294
8/27/2026 18:41	3402	3495	4	1058	1939	1348	782	1321
8/27/2026 18:42	3402	3495	4	1058	1939	1360	782	1321
8/27/2026 18:43	3387	3499	4	1058	1941	1360	798	1313
8/27/2026 18:44	3387	3499	4	1058	1941	1234	798	1313
8/27/2026 18:45	3378	3498	4	1052	1961	1234	713	1247
8/27/2026 18:46	3378	3498	4	1052	1961	1321	713	1247
8/27/2026 18:47	3411	3498	4	1051	1956	1321	759	1313
8/27/2026 18:48	3411	3498	4	1051	1956	1395	759	1313
8/27/2026 18:49	3380	3485	4	1066	1943	1395	917	1210
8/27/2026 18:50	3380	3485	4	1066	1943	1385	917	1210
8/27/2026 18:51	3399	3510	4	1058	1951	1385	732	1311
8/27/2026 18:52	3399	3510	4	1058	1951	1001	732	1311
8/27/2026 18:53	3402	3506	4	1051	1940	1001	1000	1311
8/27/2026 18:54	3402	3506	4	1051	1940	1355	1000	1311
8/27/2026 18:55	3389	3499	4	1054	1950	1355	1122	1307
8/27/2026 18:56	3389	3499	4	1054	1950	1376	1122	1307
8/27/2026 18:57	3442	3494	4	1051	1962	1376	1127	1327
8/27/2026 18:58	3442	3494	4	1051	1962	1030	1127	1327
8/27/2026 18:59	3387	3495	4	1050	1957	1030	987	1304
8/27/2026 19:00	3387	3495	4	1050	1957	1072	987	1304
8/27/2026 19:01	3382	3503	4	1059	1772	1072	901	1237
8/27/2026 19:02	3382	3503	4	1059	1772	1384	901	1237
8/27/2026 19:03	2776	2938	1256	990	1939	1384	1086	1278
8/27/2026 19:04	2776	2938	1256	990	1939	934	1086	1278
8/27/2026 19:05	3396	3495	3115	961	1906	934	1020	1239
8/27/2026 19:06	3396	3495	3115	961	1906	1262	1020	1239
8/27/2026 19:07	3379	3501	3084	952	1910	1262	918	1255
8/27/2026 19:08	3379	3501	3084	952	1910	1348	918	1255
8/27/2026 19:09	3179	3295	4836	868	1895	1348	1072	1210
8/27/2026 19:10	3179	3295	4836	868	1895	1309	1072	1210
8/27/2026 19:11	2970	3136	5147	862	1846	1309	1057	1211
8/27/2026 19:12	2970	3136	5147	862	1846	1275	1057	1211
8/27/2026 19:13	2970	3127	5211	858	1866	1275	671	1211
8/27/2026 19:14	2970	3127	5211	858	1866	1158	671	1211

8/27/2026 19:15	3381	3500	4	1023	1897	1158	1103	1307
8/27/2026 19:16	3381	3500	4	1023	1897	1374	1103	1307
8/27/2026 19:17	3434	3497	4	1035	1934	1374	1116	1560
8/27/2026 19:18	3434	3497	4	1035	1934	1384	1116	1560
8/27/2026 19:19	2818	2958	1059	989	711	1384	1126	1280
8/27/2026 19:20	2818	2958	1059	989	711	1133	1126	1280
8/27/2026 19:21	3365	3495	3043	956	1915	1133	1095	1250
8/27/2026 19:22	3365	3495	3043	956	1915	1337	1095	1250
8/27/2026 19:23	3387	3502	3049	936	1905	1337	1081	1236
8/27/2026 19:24	3387	3502	3049	936	1905	1143	1081	1236
8/27/2026 19:25	3149	3286	4851	873	1862	1143	1013	1205
8/27/2026 19:26	3149	3286	4851	873	1862	1245	1013	1205
8/27/2026 19:27	2975	3119	5148	852	1885	1245	799	1215
8/27/2026 19:28	2975	3119	5148	852	1885	1303	799	1215
8/27/2026 19:29	2983	3125	5191	862	1869	1303	1057	1216
8/27/2026 19:30	2983	3125	5191	862	1869	1308	1057	1216
8/27/2026 19:31	3393	3505	4	1047	1918	1308	1100	1301
8/27/2026 19:32	3393	3505	4	1047	1918	1133	1100	1301
8/27/2026 19:33	3365	3498	4	1042	1921	1133	1040	1318
8/27/2026 19:34	3365	3498	4	1042	1921	1246	1040	1318
8/27/2026 19:35	3364	3493	4	1043	1946	1246	1116	1308
8/27/2026 19:36	3364	3493	4	1043	1946	0	1116	1308
8/27/2026 19:37	3385	3503	4	1047	1944	1389	1082	1300
8/27/2026 19:38	3385	3503	4	1047	1944	1389	1082	1300
8/27/2026 19:39	3378	3506	4	1058	1952	1267	1035	1322
8/27/2026 19:40	3378	3506	4	1058	1952	1267	1035	1322
8/27/2026 19:41	3405	3498	4	1061	1945	1355	854	1302
8/27/2026 19:42	3405	3498	4	1061	1945	1355	854	1302
8/27/2026 19:43	3399	3506	4	1066	1941	1395	1049	1312
8/27/2026 19:44	3399	3506	4	1066	1941	1395	1049	1312
8/27/2026 19:45	3380	3487	4	1032	1945	1268	939	1278
8/27/2026 19:46	3380	3487	4	1032	1945	1268	939	1278
8/27/2026 19:47	3374	3515	3041	964	1918	1359	1100	1312
8/27/2026 19:48	3374	3515	3041	964	1918	1359	1100	1312
8/27/2026 19:49	3356	3505	3033	956	1906	1342	1085	1262
8/27/2026 19:50	3356	3505	3033	956	1906	1342	1085	1262
8/27/2026 19:51	3105	3247	4588	911	1900	1318	990	1225
8/27/2026 19:52	3105	3247	4588	911	1900	1318	990	1225
8/27/2026 19:53	3116	3258	4502	908	1908	1191	804	1206
8/27/2026 19:54	3116	3258	4502	908	1908	1191	804	1206
8/27/2026 19:55	3115	3241	4504	897	1866	1311	1047	1218
8/27/2026 19:56	3115	3241	4504	897	1866	1311	1047	1218
8/27/2026 19:57	3423	3509	4	1040	1922	1285	1060	1302
8/27/2026 19:58	3423	3509	4	1040	1922	1285	1060	1302
8/27/2026 19:59	3358	3499	4	1056	1938	1229	1092	1293
8/27/2026 20:00	3358	3499	4	1056	1938	1229	1092	1293
8/27/2026 20:01	3399	3509	4	1065	1934	1333	1105	892
8/27/2026 20:02	3399	3509	4	1065	1934	1333	1105	892
8/27/2026 20:03	3378	3499	3009	961	1904	1235	752	1262
8/27/2026 20:04	3378	3499	3009	961	1904	1235	752	1262
8/27/2026 20:05	3332	3498	3018	956	1911	1328	1077	1239
8/27/2026 20:06	3332	3498	3018	956	1911	1328	1077	1239
8/27/2026 20:07	3128	3243	4547	908	1891	1344	1079	1225

8/27/2026 20:08	3128	3243	4547	908	1891	1344	1079	1225
8/27/2026 20:09	3129	3267	4522	909	1885	918	1019	1214
8/27/2026 20:10	3129	3267	4522	909	1885	918	1019	1214
8/27/2026 20:11	3141	3284	4544	900	1879	1296	972	1214
8/27/2026 20:12	3141	3284	4544	900	1879	1296	972	1214
8/27/2026 20:13	3032	3220	4681	898	1884	1213	1013	1224
8/27/2026 20:14	3032	3220	4681	898	1884	1213	1013	1224
8/27/2026 20:15	3051	3210	4669	897	1875	1215	1044	1200
8/27/2026 20:16	3051	3210	4669	897	1875	1215	1044	1200
8/27/2026 20:17	2956	3102	4958	895	1886	1198	1071	1224
8/27/2026 20:18	2956	3102	4958	895	1886	1198	1071	1224
8/27/2026 20:19	2859	3055	5131	884	1878	1032	1060	1209
8/27/2026 20:20	2859	3055	5131	884	1878	1032	1060	1209
8/27/2026 20:21	2904	3075	5121	863	1880	1319	779	1204
8/27/2026 20:22	2904	3075	5121	863	1880	1319	779	1204
8/27/2026 20:23	2888	3082	5138	868	1874	1251	1021	1208
8/27/2026 20:24	2888	3082	5138	868	1874	1251	1021	1208
8/27/2026 20:25	2902	3111	5118	868	1877	1205	1064	1221
8/27/2026 20:26	2902	3111	5118	868	1877	1205	1064	1221
8/27/2026 20:27	2909	3091	5119	867	1873	1309	1061	1211
8/27/2026 20:28	2909	3091	5119	867	1873	1309	1061	1211
8/27/2026 20:29	2893	3092	5113	870	1874	1121	773	1209
8/27/2026 20:30	2893	3092	5113	870	1874	1121	773	1209
8/27/2026 20:31	2901	3082	5134	886	1872	1270	982	1219
8/27/2026 20:32	2901	3082	5134	886	1872	1270	982	1219
8/27/2026 20:33	2892	3082	5127	862	1890	1304	780	1214
8/27/2026 20:34	2892	3082	5127	862	1890	1304	780	1214
8/27/2026 20:35	2905	3067	5101	873	1873	1304	1056	1224
8/27/2026 20:36	2905	3067	5101	873	1873	1304	1056	1224
8/27/2026 20:37	2872	3081	5129	873	1852	1297	1025	1203
8/27/2026 20:38	2872	3081	5129	873	1852	1297	1025	1203
8/27/2026 20:39	2885	3073	5099	862	1868	1248	828	1214
8/27/2026 20:40	2885	3073	5099	862	1868	1248	828	1214
8/27/2026 20:41	2870	3056	5097	862	1883	1251	998	1199
8/27/2026 20:42	2870	3056	5097	862	1883	1251	998	1199
8/27/2026 20:43	2877	3072	5106	875	1885	1297	1049	1208
8/27/2026 20:44	2877	3072	5106	875	1885	1297	1049	1208
8/27/2026 20:45	2878	3078	5094	877	1871	1313	723	1199
8/27/2026 20:46	2878	3078	5094	877	1871	1313	723	1199
8/27/2026 20:47	2893	3080	5109	866	866	1313	1060	1214
8/27/2026 20:48	2893	3080	5109	866	866	1313	1060	1214
8/27/2026 20:49	2878	3070	5094	866	1866	1261	1031	1200
8/27/2026 20:50	2878	3070	5094	866	1866	1261	1031	1200
8/27/2026 20:51	2836	3066	5151	869	1879	1263	1004	1198
8/27/2026 20:52	2836	3066	5151	869	1879	1263	1004	1198
8/27/2026 20:53	2881	3067	5106	870	1882	1322	1016	1207
8/27/2026 20:54	2881	3067	5106	870	1882	1322	1016	1207
8/27/2026 20:55	2868	3062	5109	864	1875	1319	1061	806
8/27/2026 20:56	2868	3062	5109	864	1875	1319	1061	806
8/27/2026 20:57	2863	3073	5124	865	1875	1106	1055	1076
8/27/2026 20:58	2863	3073	5124	865	1875	1106	1055	1076
8/27/2026 20:59	2889	3088	5086	855	1868	1263	727	1087
8/27/2026 21:00	2889	3088	5086	855	1868	1263	727	1087

8/27/2026 21:01	2908	3061	5101	866	1873	1291	1046	1210
8/27/2026 21:02	2908	3061	5101	866	1873	1291	1046	1210
8/27/2026 21:03	2874	3070	5122	860	1868	1309	836	1501
8/27/2026 21:04	2874	3070	5122	860	1868	1309	836	1501
8/27/2026 21:05	2890	3080	5110	861	1874	1006	1055	1211
8/27/2026 21:06	2890	3080	5110	861	1874	1006	1055	1211
8/27/2026 21:07	2881	3060	5112	862	1795	1232	912	1193
8/27/2026 21:08	2881	3060	5112	862	1795	1232	912	1193
8/27/2026 21:09	2876	3078	5131	854	1842	1256	784	1195
8/27/2026 21:10	2876	3078	5131	854	1842	1256	784	1195
8/27/2026 21:11	2898	3047	5121	870	1878	1309	1060	1200
8/27/2026 21:12	2898	3047	5121	870	1878	1309	1060	1200
8/27/2026 21:13	2874	3056	5113	869	1860	1307	1064	1196
8/27/2026 21:14	2874	3056	5113	869	1860	1307	1064	1196
8/27/2026 21:15	2892	3078	5109	861	1850	1231	1024	1188
8/27/2026 21:16	2892	3078	5109	861	1850	1231	1024	1188
8/27/2026 21:17	2889	3076	5110	863	1874	1240	703	1203
8/27/2026 21:18	2889	3076	5110	863	1874	1240	703	1203
8/27/2026 21:19	2843	3060	5095	882	1869	1027	1060	1204
8/27/2026 21:20	2843	3060	5095	882	1869	1027	1060	1204
8/27/2026 21:21	2890	3054	5107	876	1872	1124	727	1186
8/27/2026 21:22	2890	3054	5107	876	1872	1124	727	1186
8/27/2026 21:23	2898	3056	5127	851	1869	1303	1059	1196
8/27/2026 21:24	2898	3056	5127	851	1869	1303	1059	1196
8/27/2026 21:25	2865	3056	5114	868	1861	1314	901	1096
8/27/2026 21:26	2865	3056	5114	868	1861	1314	901	1096
8/27/2026 21:27	2861	3038	5101	851	1853	1088	1026	1196
8/27/2026 21:28	2861	3038	5101	851	1853	1088	1026	1196
8/27/2026 21:29	2859	3071	5066	862	1856	937	1047	1194
8/27/2026 21:30	2859	3071	5066	862	1856	937	1047	1194
8/27/2026 21:31	2858	3064	5080	867	1863	1190	844	1200
8/27/2026 21:32	2858	3064	5080	867	1863	1190	844	1200
8/27/2026 21:33	2878	3064	5098	868	1871	1304	846	1199
8/27/2026 21:34	2878	3064	5098	868	1871	1304	846	1199
8/27/2026 21:35	2873	3053	5096	863	1873	1263	1049	1201
8/27/2026 21:36	2873	3053	5096	863	1873	1263	1049	1201
8/27/2026 21:37	2866	3043	5098	853	1872	1317	736	1193
8/27/2026 21:38	2866	3043	5098	853	1872	1317	736	1193
8/27/2026 21:39	2882	3032	5087	864	1873	1276	1030	1193
8/27/2026 21:40	2882	3032	5087	864	1873	1276	1030	1193
8/27/2026 21:41	2859	3043	5082	854	1872	1251	1049	1215
8/27/2026 21:42	2859	3043	5082	854	1872	1251	1049	1215
8/27/2026 21:43	2874	3044	5079	862	1879	1199	711	1206
8/27/2026 21:44	2874	3044	5079	862	1879	1199	711	1206
8/27/2026 21:45	2877	3059	5092	852	1878	1163	1019	1209
8/27/2026 21:46	2877	3059	5092	852	1878	1163	1019	1209
8/27/2026 21:47	2850	3045	5110	855	1889	1316	729	1204
8/27/2026 21:48	2850	3045	5110	855	1889	1316	729	1204
8/27/2026 21:49	2865	3081	5108	842	1879	1291	1055	1201
8/27/2026 21:50	2865	3081	5108	842	1879	1291	1055	1201
8/27/2026 21:51	2861	3050	5088	851	1869	1287	1009	1174
8/27/2026 21:52	2861	3050	5088	851	1869	1287	1009	1174
8/27/2026 21:53	2876	3071	5099	865	1885	904	1050	1209

8/27/2026 21:54	2876	3071	5099	865	1885	904	1050	1209
8/27/2026 21:55	2865	3053	5077	849	1863	1259	1055	1057
8/27/2026 21:56	2865	3053	5077	849	1863	1259	1055	1057
8/27/2026 21:57	2867	3051	5072	854	1867	1131	967	1199
8/27/2026 21:58	2867	3051	5072	854	1867	1131	967	1199
8/27/2026 21:59	2855	3055	5074	858	1885	914	1054	1208
8/27/2026 22:00	2855	3055	5074	858	1885	914	1054	1208
8/27/2026 22:01	2856	3079	5079	861	1861	1319	848	1199
8/27/2026 22:02	2856	3079	5079	861	1861	1319	848	1199
8/27/2026 22:03	2861	3061	5105	871	1877	1247	1067	1193
8/27/2026 22:04	2861	3061	5105	871	1877	1247	1067	1193
8/27/2026 22:05	2853	3049	5103	854	1868	1321	819	1207
8/27/2026 22:06	2853	3049	5103	854	1868	1321	819	1207
8/27/2026 22:07	2865	3061	5101	852	1885	1309	1069	1190
8/27/2026 22:08	2865	3061	5101	852	1885	1309	1069	1190
8/27/2026 22:09	2862	3046	5095	856	1873	1307	1071	1162
8/27/2026 22:10	2862	3046	5095	856	1873	1307	1071	1162
8/27/2026 22:11	2865	3035	5081	858	1872	1278	835	1205
8/27/2026 22:12	2865	3035	5081	858	1872	1278	835	1205
8/27/2026 22:13	2860	3056	5097	863	1871	1296	989	1211
8/27/2026 22:14	2860	3056	5097	863	1871	1296	989	1211
8/27/2026 22:15	2859	3063	5110	857	1874	1296	1060	1216
8/27/2026 22:16	2859	3063	5110	857	1874	1296	1060	1216
8/27/2026 22:17	2873	3056	5084	862	1882	1302	862	1183
8/27/2026 22:18	2873	3056	5084	862	1882	1302	862	1183
8/27/2026 22:19	2875	3065	5091	853	1871	1217	994	1194
8/27/2026 22:20	2875	3065	5091	853	1871	1217	994	1194
8/27/2026 22:21	2865	3054	5113	861	1871	1307	1071	1201
8/27/2026 22:22	2865	3054	5113	861	1871	1307	1071	1201
8/27/2026 22:23	2881	3068	5090	852	1874	1311	974	1080
8/27/2026 22:24	2881	3068	5090	852	1874	1311	974	1080
8/27/2026 22:25	2889	3075	5118	847	1863	1286	1067	1209
8/27/2026 22:26	2889	3075	5118	847	1863	1286	1067	1209
8/27/2026 22:27	2875	3063	5093	854	1868	1240	1031	1189
8/27/2026 22:28	2875	3063	5093	854	1868	1240	1031	1189
8/27/2026 22:29	2898	3054	5112	854	1860	1267	1062	1188
8/27/2026 22:30	2898	3054	5112	854	1860	1267	1062	1188
8/27/2026 22:31	2874	3060	5091	845	1853	1295	1067	1163
8/27/2026 22:32	2874	3060	5091	845	1853	1295	1067	1163
8/27/2026 22:33	2863	3031	5124	843	1880	1298	718	1200
8/27/2026 22:34	2863	3031	5124	843	1880	1298	718	1200
8/27/2026 22:35	2884	3065	5084	843	1880	1232	870	1198
8/27/2026 22:36	2884	3065	5084	843	1880	1232	870	1198
8/27/2026 22:37	2902	3055	5102	857	1873	1312	1036	893
8/27/2026 22:38	2902	3055	5102	857	1873	1312	1036	893
8/27/2026 22:39	2913	3063	5126	851	1872	1302	1059	1201
8/27/2026 22:40	2913	3063	5126	851	1872	1302	1059	1201
8/27/2026 22:41	2867	3043	5065	854	1851	1236	1062	1179
8/27/2026 22:42	2867	3043	5065	854	1851	1236	1062	1179
8/27/2026 22:43	2859	3066	5106	842	1864	1184	941	914
8/27/2026 22:44	2859	3066	5106	842	1864	1184	941	914
8/27/2026 22:45	2870	3067	5111	842	1856	1306	733	1198
8/27/2026 22:46	2870	3067	5111	842	1856	1306	733	1198

8/27/2026 22:47	2876	3040	5087	854	1877	1219	1059	1198
8/27/2026 22:48	2876	3040	5087	854	1877	1219	1059	1198
8/27/2026 22:49	2869	3047	5076	847	1850	1284	1051	1184
8/27/2026 22:50	2869	3047	5076	847	1850	1284	1051	1184
8/27/2026 22:51	2866	3054	5108	852	1857	1280	1020	1206
8/27/2026 22:52	2866	3054	5108	852	1857	1280	1020	1206
8/27/2026 22:53	2874	3051	5084	851	1855	949	1036	1194
8/27/2026 22:54	2874	3051	5084	851	1855	949	1036	1194
8/27/2026 22:55	2865	3060	5136	857	1856	944	1061	1213
8/27/2026 22:56	2865	3060	5136	857	1856	944	1061	1213
8/27/2026 22:57	2894	3033	5104	862	1841	1302	1062	1185
8/27/2026 22:58	2894	3033	5104	862	1841	1302	1062	1185
8/27/2026 22:59	2853	3039	5108	840	1857	1272	1003	1175
8/27/2026 23:00	2853	3039	5108	840	1857	1272	1003	1175
8/27/2026 23:01	2859	3028	5097	845	1855	1304	1061	953
8/27/2026 23:02	2859	3028	5097	845	1855	1304	1061	953
8/27/2026 23:03	2861	3049	5088	835	1873	1298	743	1196
8/27/2026 23:04	2861	3049	5088	835	1873	1298	743	1196
8/27/2026 23:05	2891	3038	5119	842	1851	1273	1047	1198
8/27/2026 23:06	2891	3038	5119	842	1851	1273	1047	1198
8/27/2026 23:07	2884	3026	5103	829	1861	1165	951	1198
8/27/2026 23:08	2884	3026	5103	829	1861	1165	951	1198
8/27/2026 23:09	2875	3037	5108	834	1844	936	933	1065
8/27/2026 23:10	2875	3037	5108	834	1844	936	933	1065
8/27/2026 23:11	2876	3045	5121	833	1857	1316	1041	1214
8/27/2026 23:12	2876	3045	5121	833	1857	1316	1041	1214
8/27/2026 23:13	2860	3047	5107	835	1863	1245	744	1193
8/27/2026 23:14	2860	3047	5107	835	1863	1245	744	1193
8/27/2026 23:15	2867	3040	5089	842	1847	1243	1005	1193
8/27/2026 23:16	2867	3040	5089	842	1847	1243	1005	1193
8/27/2026 23:17	2887	3029	5129	840	1857	1260	979	1194
8/27/2026 23:18	2887	3029	5129	840	1857	1260	979	1194
8/27/2026 23:19	2888	3040	5092	846	1568	1293	748	1250
8/27/2026 23:20	2888	3040	5092	846	1568	1293	748	1250
8/27/2026 23:21	2888	3059	5078	829	1872	1313	1059	1198
8/27/2026 23:22	2888	3059	5078	829	1872	1313	1059	1198
8/27/2026 23:23	2866	3040	5111	837	1857	1332	1059	1204
8/27/2026 23:24	2866	3040	5111	837	1857	1332	1059	1204
8/27/2026 23:25	2867	3037	5077	849	1867	1214	1075	1918
8/27/2026 23:26	2867	3037	5077	849	1867	1214	1075	1918
8/27/2026 23:27	2875	0	5081	840	1855	1215	826	1196
8/27/2026 23:28	2875	3048	5081	840	1855	1215	826	1196
8/27/2026 23:29	2876	3048	5102	848	1855	1284	1071	1204
8/27/2026 23:30	2876	3053	5102	848	1855	1284	1071	1204
8/27/2026 23:31	2885	3053	5091	861	1861	1287	1072	1204
8/27/2026 23:32	2885	3049	5091	861	1861	1287	1072	1204
8/27/2026 23:33	2866	3049	5075	852	1842	1180	983	1180
8/27/2026 23:34	2866	3051	5075	852	1842	1180	983	1180
8/27/2026 23:35	2873	3051	5114	845	1839	1081	942	1190
8/27/2026 23:36	2873	3045	5114	845	1839	1081	942	1190
8/27/2026 23:37	2878	3045	5094	847	1828	1272	1000	1204
8/27/2026 23:38	2878	3051	5094	847	1828	1272	1000	1204
8/27/2026 23:39	2871	3051	5113	852	348	1256	1034	1183

8/27/2026 23:40	2871	3052	5113	852	348	1256	1034	1183
8/27/2026 23:41	2884	3052	5086	861	1832	1294	1026	1174
8/27/2026 23:42	2884	3047	5086	861	1832	1294	1026	1174
8/27/2026 23:43	2877	3047	5063	849	1766	1316	1050	1195
8/27/2026 23:44	2877	3052	5063	849	1766	1316	1050	1195
8/27/2026 23:45	2870	3052	5088	853	1856	1345	1028	985
8/27/2026 23:46	2870	3046	5088	853	1856	1345	1028	985
8/27/2026 23:47	2870	3046	5118	848	1844	1219	902	1194
8/27/2026 23:48	2870	3037	5118	848	1844	1219	902	1194
8/27/2026 23:49	2874	3037	5088	845	1750	1299	966	1184
8/27/2026 23:50	2874	3025	5088	845	1750	1299	966	1184
8/27/2026 23:51	2876	3025	5088	860	1860	1237	1040	1184
8/27/2026 23:52	2876	3057	5088	860	1860	1237	1040	1184
8/27/2026 23:53	2877	3057	5093	840	1875	1298	1057	1193
8/27/2026 23:54	2877	3050	5093	840	1875	1298	1057	1193
8/27/2026 23:55	2872	3050	5125	846	1855	1311	1057	1206
8/27/2026 23:56	2872	3047	5125	846	1855	1311	1057	1206
8/27/2026 23:57	2873	3047	5076	844	1851	1311	1006	1190
8/27/2026 23:58	2873	3045	5076	844	1851	1311	1006	1190
8/27/2026 23:59	2881	3045	5109	842	1239	1221	801	1287
8/28/2026 0:00	2881	3042	5109	842	1239	1221	801	1287
8/28/2026 0:01	2857	3042	5088	853	1856	1185	1069	1072
8/28/2026 0:02	2857	3045	5088	853	1856	1185	1069	1072
8/28/2026 0:03	2891	3045	5086	851	1872	957	1045	1201
8/28/2026 0:04	2891	3037	5086	851	1872	957	1045	1201
8/28/2026 0:05	2881	3037	5092	867	1860	1296	1056	1185
8/28/2026 0:06	2881	3055	5092	867	1860	1296	1056	1185
8/28/2026 0:07	2870	3055	5103	863	1663	1178	985	1178
8/28/2026 0:08	2870	3029	5103	863	1663	1178	985	1178
8/28/2026 0:09	2848	3029	5079	856	976	1324	1065	1205
8/28/2026 0:10	2848	3034	5079	856	976	1324	1065	1205
8/28/2026 0:11	2887	3034	5102	861	608	1312	967	1198
8/28/2026 0:12	2887	3059	5102	861	608	1312	967	1198
8/28/2026 0:13	2889	3059	5091	865	1847	1314	0	1193
8/28/2026 0:14	2889	3050	5091	865	1847	1314	1065	1193
8/28/2026 0:15	2898	3050	5098	857	1855	932	1065	1183
8/28/2026 0:16	2898	3057	5098	857	1855	932	1060	1183
8/28/2026 0:17	2888	3057	5090	861	1855	1245	1060	1178
8/28/2026 0:18	2888	3056	5090	861	1855	1245	1062	1178
8/28/2026 0:19	2901	3056	5080	856	1867	1265	1062	853
8/28/2026 0:20	2901	3049	5080	856	1867	1265	1066	853
8/28/2026 0:21	2860	3049	5108	854	1840	902	1066	1124
8/28/2026 0:22	2860	3036	5108	854	1840	902	1035	1124
8/28/2026 0:23	2873	3036	5075	858	1851	1220	1035	1189
8/28/2026 0:24	2873	3053	5075	858	1851	1220	984	1189
8/28/2026 0:25	2868	3053	5105	840	1841	1260	984	1195
8/28/2026 0:26	2868	3034	5105	840	1841	1260	1041	1195
8/28/2026 0:27	2864	3034	5076	835	167	1327	1041	1184
8/28/2026 0:28	2864	3035	5076	835	167	1327	842	1184
8/28/2026 0:29	2884	3035	5089	840	1835	1312	842	1195
8/28/2026 0:30	2884	3048	5089	840	1835	1312	1043	1195
8/28/2026 0:31	2884	3048	5088	844	1853	1314	1043	1191
8/28/2026 0:32	2884	3044	5088	844	1853	1314	1059	1191

8/28/2026 0:33	2851	3044	5102	838	1844	1319	1059	1201
8/28/2026 0:34	2851	3033	5102	838	1844	1319	1070	1201
8/28/2026 0:35	2871	3033	5080	852	1685	1245	1070	1189
8/28/2026 0:36	2871	3041	5080	852	1685	1245	1021	1189
8/28/2026 0:37	2862	3041	5106	842	1842	1307	1021	1204
8/28/2026 0:38	2862	3041	5106	842	1842	1307	1041	1204
8/28/2026 0:39	2850	3041	5092	854	24	1324	1041	1186
8/28/2026 0:40	2850	3119	5092	854	24	1324	1059	1186
8/28/2026 0:41	2863	3119	5099	853	1784	945	1059	1206
8/28/2026 0:42	2863	3040	5099	853	1784	945	1029	1206
8/28/2026 0:43	2878	3040	5099	850	1784	1288	1029	1189
8/28/2026 0:44	2878	3039	5099	850	1784	1288	999	1189
8/28/2026 0:45	2860	3039	5086	846	1858	1319	999	1210
8/28/2026 0:46	2860	3040	5086	846	1858	1319	1026	1210
8/28/2026 0:47	2854	3040	5071	850	1860	1267	1026	1201
8/28/2026 0:48	2854	3035	5071	850	1860	1267	1070	1201
8/28/2026 0:49	2844	3035	5064	863	1853	1324	1070	1196
8/28/2026 0:50	2844	3031	5064	863	1853	1324	1059	1196
8/28/2026 0:51	2848	3031	5104	856	162	1188	1059	1191
8/28/2026 0:52	2848	3035	5104	856	162	1188	1018	1191
8/28/2026 0:53	2849	3035	5092	852	1858	1323	1018	1170
8/28/2026 0:54	2849	3031	5092	852	1858	1323	1065	1170
8/28/2026 0:55	2819	3031	5077	851	1853	1268	1065	1198
8/28/2026 0:56	2819	3024	5077	851	1853	1268	952	1198
8/28/2026 0:57	2825	3024	5063	870	1853	1323	952	1195
8/28/2026 0:58	2825	3040	5063	870	1853	1323	1057	1195
8/28/2026 0:59	2832	3040	5089	862	1853	1229	1057	1204
8/28/2026 1:00	2832	3031	5089	862	1853	1229	1037	1204
8/28/2026 1:01	2837	3031	5071	862	1847	1313	1037	1189
8/28/2026 1:02	2837	3045	5071	862	1847	1313	819	1189
8/28/2026 1:03	2842	3045	5093	862	1860	1312	819	1193
8/28/2026 1:04	2842	3039	5093	862	1860	1312	1059	1193
8/28/2026 1:05	2844	3039	5070	868	1862	1270	1059	1205
8/28/2026 1:06	2844	3035	5070	868	1862	1270	1013	1205
8/28/2026 1:07	2833	3035	5089	877	1862	1259	1013	1204
8/28/2026 1:08	2833	3029	5089	877	1862	1259	831	1204
8/28/2026 1:09	2851	3029	5079	880	1869	1323	831	1189
8/28/2026 1:10	2851	3046	5079	880	1869	1323	1066	1189
8/28/2026 1:11	2836	3046	5088	878	1875	1334	1066	1214
8/28/2026 1:12	2836	3024	5088	878	1875	1334	1050	1214
8/28/2026 1:13	2826	3024	5081	869	1875	1201	1050	1184
8/28/2026 1:14	2826	3034	5081	869	1875	1201	865	1184
8/28/2026 1:15	2841	3034	5081	860	1862	1329	865	1191
8/28/2026 1:16	2841	3034	5081	860	1862	1329	1065	1191
8/28/2026 1:17	2833	3034	5083	863	1866	1256	1065	1199
8/28/2026 1:18	2833	3039	5083	863	1866	1256	849	1199
8/28/2026 1:19	2831	3039	5084	858	1869	1226	849	1175
8/28/2026 1:20	2831	3044	5084	858	1869	1226	1039	1175
8/28/2026 1:21	2840	3044	5084	875	1878	1322	1039	1203
8/28/2026 1:22	2840	3033	5084	875	1878	1322	1066	1203
8/28/2026 1:23	2838	3033	5086	869	1880	1316	1066	1201
8/28/2026 1:24	2838	3045	5086	869	1880	1316	1046	1201
8/28/2026 1:25	2851	3045	5086	870	1877	1277	1046	1189

8/28/2026 1:26	2851	3042	5086	870	1877	1277	1061	1189
8/28/2026 1:27	2818	3042	5067	878	1847	1285	1061	1189
8/28/2026 1:28	2818	3046	5067	878	1847	1285	1008	1189
8/28/2026 1:29	2811	3046	5079	885	1867	1280	1008	1200
8/28/2026 1:30	2811	3046	5079	885	1867	1280	1052	1200
8/28/2026 1:31	2826	3046	5071	867	1873	1297	1052	1193
8/28/2026 1:32	2826	3040	5071	867	1873	1297	1024	1193
8/28/2026 1:33	2802	3040	5096	864	1862	1298	1024	1123
8/28/2026 1:34	2802	3044	5096	864	1862	1298	1056	1123
8/28/2026 1:35	2843	3044	5073	879	1868	1225	1056	1189
8/28/2026 1:36	2843	3032	5073	879	1868	1225	971	1189
8/28/2026 1:37	2827	3032	5090	875	1853	1226	971	901
8/28/2026 1:38	2827	3029	5090	875	1853	1226	739	901
8/28/2026 1:39	2815	3029	5071	866	1863	1322	739	1195
8/28/2026 1:40	2815	3042	5071	866	1863	1322	1060	1195
8/28/2026 1:41	2830	3042	5099	866	1875	1337	1060	1205
8/28/2026 1:42	2830	3021	5099	866	1875	1337	1075	1205
8/28/2026 1:43	2830	3021	5066	859	1864	1316	1075	1201
8/28/2026 1:44	2830	3024	5066	859	1864	1316	918	1201
8/28/2026 1:45	2849	3024	5068	855	1858	1324	918	1199
8/28/2026 1:46	2849	3026	5068	855	1858	1324	1059	1199
8/28/2026 1:47	2826	3026	5091	868	1686	1216	1059	1200
8/28/2026 1:48	2826	3044	5091	868	1686	1216	1028	1200
8/28/2026 1:49	2809	3044	5090	864	1847	1229	1028	1184
8/28/2026 1:50	2809	3033	5090	864	1847	1229	733	1184
8/28/2026 1:51	2814	3033	5091	839	0	1326	733	962
8/28/2026 1:52	2814	3028	5091	839	0	1326	1054	962
8/28/2026 1:53	2817	3028	5083	850	1861	1326	1054	1191
8/28/2026 1:54	2817	3032	5083	850	1861	1326	1065	1191
8/28/2026 1:55	2821	3032	5091	857	1855	996	1065	1191
8/28/2026 1:56	2821	3048	5091	857	1855	996	965	1191
8/28/2026 1:57	2830	3048	5079	855	1873	737	965	964
8/28/2026 1:58	2830	3047	5079	855	1873	737	1067	964
8/28/2026 1:59	2850	3047	5106	869	1864	1042	1067	1199
8/28/2026 2:00	2850	3041	5106	869	1864	1042	971	1199
8/28/2026 2:01	2825	3041	5089	853	1866	1222	971	1193
8/28/2026 2:02	2825	3045	5089	853	1866	1222	1045	1193
8/28/2026 2:03	2814	3045	5101	857	1852	1287	1045	1201
8/28/2026 2:04	2814	3041	5101	857	1852	1287	1054	1201
8/28/2026 2:05	2854	3041	5072	854	1852	1035	1054	1173
8/28/2026 2:06	2854	3044	5072	854	1852	1035	1062	1173
8/28/2026 2:07	2822	3044	5092	848	1864	1317	1062	1188
8/28/2026 2:08	2822	3033	5092	848	1864	1317	983	1188
8/28/2026 2:09	2827	3033	5090	870	1851	953	983	1154
8/28/2026 2:10	2827	3040	5090	870	1851	953	1064	1154
8/28/2026 2:11	2836	3040	5075	862	1846	1312	1064	1140
8/28/2026 2:12	2836	3031	5075	862	1846	1312	1016	1140
8/28/2026 2:13	2866	3031	5099	852	1866	1305	1016	1193
8/28/2026 2:14	2866	3050	5099	852	1866	1305	925	1193
8/28/2026 2:15	2818	3050	5083	851	1862	1292	925	1193
8/28/2026 2:16	2818	3017	5083	851	1862	1292	1035	1193
8/28/2026 2:17	2815	3017	5073	860	1857	1322	1035	1193
8/28/2026 2:18	2815	3053	5073	860	1857	1322	1043	1193

8/28/2026 2:19	2817	3053	5103	849	1867	1077	1043	1196
8/28/2026 2:20	2817	3071	5103	849	1867	1077	1062	1196
8/28/2026 2:21	2834	3071	5097	852	1858	1282	1062	1188
8/28/2026 2:22	2834	3046	5097	852	1858	1282	782	1188
8/28/2026 2:23	2838	3046	5101	864	1857	1311	782	1216
8/28/2026 2:24	2838	3035	5101	864	1857	1311	1054	1216
8/28/2026 2:25	2812	3035	5109	862	1846	1015	1054	1184
8/28/2026 2:26	2812	3034	5109	862	1846	1015	1064	1184
8/28/2026 2:27	2828	3034	5102	860	1864	1290	1064	1201
8/28/2026 2:28	2828	3059	5102	860	1864	1290	1057	1201
8/28/2026 2:29	2829	3059	5071	844	1841	1285	1057	1185
8/28/2026 2:30	2829	3050	5071	844	1841	1285	1030	1185
8/28/2026 2:31	2820	3050	5103	865	1855	1323	1030	1185
8/28/2026 2:32	2820	3041	5103	865	1855	1323	1050	1185
8/28/2026 2:33	2801	3041	5112	858	1867	1319	1050	1208
8/28/2026 2:34	2801	3059	5112	858	1867	1319	959	1208
8/28/2026 2:35	2819	3059	5060	867	1176	1250	959	1198
8/28/2026 2:36	2819	3040	5060	867	1176	1250	936	1198
8/28/2026 2:37	2807	3040	5089	861	1853	1214	936	1193
8/28/2026 2:38	2807	3031	5089	861	1853	1214	1014	1193
8/28/2026 2:39	2819	3031	5105	857	1873	1319	1014	1191
8/28/2026 2:40	2819	3038	5105	857	1873	1319	1055	1191
8/28/2026 2:41	2824	3038	5083	848	1842	1190	1055	1180
8/28/2026 2:42	2824	3054	5083	848	1842	1190	994	1180
8/28/2026 2:43	2820	3054	5099	857	1855	903	994	1205
8/28/2026 2:44	2820	3032	5099	857	1855	903	1046	1205
8/28/2026 2:45	2846	3032	5082	853	1852	1195	1046	1199
8/28/2026 2:46	2846	3024	5082	853	1852	1195	1001	1199
8/28/2026 2:47	2822	3024	5083	851	1857	1221	1001	1201
8/28/2026 2:48	2822	3037	5083	851	1857	1221	1005	1201
8/28/2026 2:49	2821	3037	5098	862	1841	1259	1005	1194
8/28/2026 2:50	2821	3043	5098	862	1841	1259	845	1194
8/28/2026 2:51	2816	3043	5091	855	1857	1271	845	1194
8/28/2026 2:52	2816	3024	5091	855	1857	1271	1073	1194
8/28/2026 2:53	2823	3024	5076	865	1871	1335	1073	1190
8/28/2026 2:54	2823	3035	5076	865	1871	1335	1059	1190
8/28/2026 2:55	2821	3035	5058	858	1860	1306	1059	1114
8/28/2026 2:56	2821	3031	5058	858	1860	1306	785	1114
8/28/2026 2:57	2810	3031	5074	866	1860	0	785	1185
8/28/2026 2:58	2810	3043	5074	866	1860	1180	941	1185
8/28/2026 2:59	2806	3043	5048	855	1858	1180	941	1195
8/28/2026 3:00	2806	3022	5048	855	1858	1281	756	1195
8/28/2026 3:01	2829	3022	5066	866	1850	1281	756	1070
8/28/2026 3:02	2829	3021	5066	866	1850	1288	1033	1070
8/28/2026 3:03	2829	3021	5072	855	1255	1288	1033	1196
8/28/2026 3:04	2829	3011	5072	855	1255	1133	1049	1196
8/28/2026 3:05	2831	3011	5084	847	1856	1133	1049	1204
8/28/2026 3:06	2831	3019	5084	847	1856	1229	995	1204
8/28/2026 3:07	2832	3019	5069	856	1867	1229	995	1201
8/28/2026 3:08	2832	3038	5069	856	1867	1312	1062	1201
8/28/2026 3:09	2805	3038	5091	850	1874	1312	1062	1191
8/28/2026 3:10	2805	3035	5091	850	1874	1323	1061	1191
8/28/2026 3:11	2815	3035	5086	870	1851	1323	1061	1188

8/28/2026 3:12	2815	3028	5086	870	1851	945	849	1188
8/28/2026 3:13	2818	3028	5041	861	1856	945	849	1195
8/28/2026 3:14	2818	3044	5041	861	1856	1271	736	1195
8/28/2026 3:15	2817	3044	5062	856	1862	1271	736	1200
8/28/2026 3:16	2817	3040	5062	856	1862	1300	1028	1200
8/28/2026 3:17	2841	3040	5069	849	1856	1300	1028	768
8/28/2026 3:18	2841	3049	5069	849	1856	1319	842	768
8/28/2026 3:19	2806	3049	5093	865	1856	1319	842	1194
8/28/2026 3:20	2806	3041	5093	865	1856	1309	1054	1194
8/28/2026 3:21	2789	3041	5088	853	1867	1309	1054	1179
8/28/2026 3:22	2789	3044	5088	853	1867	1292	1056	1179
8/28/2026 3:23	2797	3044	5091	851	1873	1292	1056	1183
8/28/2026 3:24	2797	3028	5091	851	1873	1298	1008	1183
8/28/2026 3:25	2822	3028	5072	852	1845	1298	1008	1182
8/28/2026 3:26	2822	3035	5072	852	1845	968	978	1182
8/28/2026 3:27	2811	3035	5064	859	1861	968	978	1190
8/28/2026 3:28	2811	3040	5064	859	1861	1263	1024	1190
8/28/2026 3:29	2813	3040	5071	876	1860	1263	1024	1193
8/28/2026 3:30	2813	3039	5071	876	1860	1268	1055	1193
8/28/2026 3:31	2810	3039	5058	859	1877	1268	1055	1201
8/28/2026 3:32	2810	3033	5058	859	1877	1255	1030	1201
8/28/2026 3:33	2807	3033	5055	851	1857	1255	1030	1193
8/28/2026 3:34	2807	3025	5055	851	1857	1300	1049	1193
8/28/2026 3:35	2798	3025	5084	852	1852	1300	1049	1198
8/28/2026 3:36	2798	3026	5084	852	1852	1268	1020	1198
8/28/2026 3:37	2805	3026	5078	859	1862	1268	1020	1109
8/28/2026 3:38	2805	3022	5078	859	1862	1291	942	1109
8/28/2026 3:39	2822	3022	5074	859	1871	1291	942	1193
8/28/2026 3:40	2822	3024	5074	859	1871	1034	1035	1193
8/28/2026 3:41	2819	3024	5078	874	1862	1034	1035	1189
8/28/2026 3:42	2819	3043	5078	874	1862	1255	1028	1189
8/28/2026 3:43	2821	3043	5086	863	1849	1255	1028	1204
8/28/2026 3:44	2821	3037	5086	863	1849	1323	936	1204
8/28/2026 3:45	2807	3037	5055	862	1867	1323	936	1193
8/28/2026 3:46	2807	3036	5055	862	1867	1174	1056	1193
8/28/2026 3:47	2787	3036	5086	864	1877	1174	1056	1193
8/28/2026 3:48	2787	3025	5086	864	1877	1247	1014	1193
8/28/2026 3:49	2797	3025	5056	863	1851	1247	1014	1181
8/28/2026 3:50	2797	3029	5056	863	1851	1180	1003	1181
8/28/2026 3:51	2819	3029	5075	864	1852	1180	1003	1199
8/28/2026 3:52	2819	3043	5075	864	1852	1288	1064	1199
8/28/2026 3:53	2823	3043	5083	861	1430	1288	1064	1195
8/28/2026 3:54	2823	3022	5083	861	1430	1324	1079	1195
8/28/2026 3:55	2796	3022	5072	862	1853	1324	1079	1201
8/28/2026 3:56	2796	3033	5072	862	1853	1318	1029	1201
8/28/2026 3:57	2804	3033	5084	854	1873	1318	1029	832
8/28/2026 3:58	2804	3017	5084	854	1873	1077	948	832
8/28/2026 3:59	2809	3017	5100	866	1852	1077	948	1194
8/28/2026 4:00	2809	3033	5100	866	1852	1319	1045	1194
8/28/2026 4:01	2814	3033	5082	851	1891	1319	1045	1196
8/28/2026 4:02	2814	3022	5082	851	1891	1318	983	1196
8/28/2026 4:03	2824	3022	5101	856	1855	1318	983	1203
8/28/2026 4:04	2824	3026	5101	856	1855	1013	1056	1203

8/28/2026 4:05	2829	3026	5105	864	1860	1013	1056	1208
8/28/2026 4:06	2829	3038	5105	864	1860	1302	1066	1208
8/28/2026 4:07	2828	3038	5093	853	1864	1302	1066	1194
8/28/2026 4:08	2828	3045	5093	853	1864	1291	1060	1194
8/28/2026 4:09	2824	3045	5091	868	1862	1291	1060	1184
8/28/2026 4:10	2824	3029	5091	868	1862	1335	1064	1184
8/28/2026 4:11	2845	3029	5070	853	1861	1335	1064	1198
8/28/2026 4:12	2845	3049	5070	853	1861	1194	936	1198
8/28/2026 4:13	2844	3049	5071	854	1868	1194	936	1180
8/28/2026 4:14	2844	3030	5071	854	1868	1301	1054	1180
8/28/2026 4:15	2842	3030	5086	859	1871	1301	1054	1188
8/28/2026 4:16	2842	3040	5086	859	1871	1015	1021	1188
8/28/2026 4:17	2820	3040	5079	855	1833	1015	1021	1188
8/28/2026 4:18	2820	3058	5079	855	1833	1260	824	1188
8/28/2026 4:19	2829	3058	5076	864	1855	1260	824	1191
8/28/2026 4:20	2829	3048	5076	864	1855	1307	1060	1191
8/28/2026 4:21	2795	3048	5060	866	1886	1307	1060	1097
8/28/2026 4:22	2795	3034	5060	866	1886	1322	1067	1097
8/28/2026 4:23	2821	3034	5084	846	1861	1322	1067	1181
8/28/2026 4:24	2821	3032	5084	846	1861	1211	1008	1181
8/28/2026 4:25	2818	3032	5093	857	1855	1211	1008	1194
8/28/2026 4:26	2818	3045	5093	857	1855	1313	1036	1194
8/28/2026 4:27	2849	3045	5099	852	1867	1313	1036	1201
8/28/2026 4:28	2849	3059	5099	852	1867	945	1066	1201
8/28/2026 4:29	2847	3059	5089	851	1861	945	1066	1191
8/28/2026 4:30	2847	3055	5089	851	1861	1321	824	1191
8/28/2026 4:31	2849	3055	5094	853	1874	1321	824	1196
8/28/2026 4:32	2849	3038	5094	853	1874	1169	1029	1196
8/28/2026 4:33	2842	3038	5079	858	1853	1169	1029	1195
8/28/2026 4:34	2842	3039	5079	858	1853	1306	1073	1195
8/28/2026 4:35	2852	3039	5078	859	1860	1306	1073	747
8/28/2026 4:36	2852	3038	5078	859	1860	1301	1052	747
8/28/2026 4:37	2823	3038	5063	857	1862	1301	1052	1185
8/28/2026 4:38	2823	3044	5063	857	1862	1301	1059	1185
8/28/2026 4:39	2816	3044	5081	847	1860	1301	1059	1184
8/28/2026 4:40	2816	3040	5081	847	1860	1215	902	1184
8/28/2026 4:41	2827	3040	5085	857	1847	1215	902	1193
8/28/2026 4:42	2827	3053	5085	857	1847	980	1004	1193
8/28/2026 4:43	2821	3053	5076	858	1875	980	1004	1201
8/28/2026 4:44	2821	3040	5076	858	1875	1128	1064	1201
8/28/2026 4:45	2816	3040	5084	855	1862	1128	1064	1199
8/28/2026 4:46	2816	3023	5084	855	1862	1291	995	1199
8/28/2026 4:47	2804	3023	5068	851	1851	1291	995	1188
8/28/2026 4:48	2804	3045	5068	851	1851	1071	1015	1188
8/28/2026 4:49	2808	3045	5076	842	1852	1071	1015	1194
8/28/2026 4:50	2808	3040	5076	842	1852	1311	1064	1194
8/28/2026 4:51	2810	3040	5058	858	1857	1311	1064	1182
8/28/2026 4:52	2810	3037	5058	858	1857	1306	1065	1182
8/28/2026 4:53	2825	3037	5054	867	1742	1306	1065	1185
8/28/2026 4:54	2825	3043	5054	867	1742	1316	1070	1185
8/28/2026 4:55	2809	3043	5086	853	741	1316	1070	1199
8/28/2026 4:56	2809	3043	5086	853	741	1010	1000	1199
8/28/2026 4:57	2846	3043	5081	853	1861	1010	1000	1179

8/28/2026 4:58	2846	3054	5081	853	1861	804	975	1179
8/28/2026 4:59	2845	3054	5088	858	1861	804	975	1195
8/28/2026 5:00	2845	3046	5088	858	1861	1322	1056	1195
8/28/2026 5:01	2811	3046	5090	864	1873	1322	1056	1199
8/28/2026 5:02	2811	3023	5090	864	1873	1322	1064	1199
8/28/2026 5:03	2815	3023	5084	869	1863	1322	1064	1200
8/28/2026 5:04	2815	3044	5084	869	1863	1287	1066	1200
8/28/2026 5:05	2815	3044	5083	861	1851	1287	1066	1184
8/28/2026 5:06	2815	3034	5083	861	1851	1245	1051	1184
8/28/2026 5:07	2814	3034	5071	858	1846	1245	1051	1183
8/28/2026 5:08	2814	3064	5071	858	1846	1319	1066	1183
8/28/2026 5:09	2832	3064	5056	871	1866	1319	1066	1195
8/28/2026 5:10	2832	3058	5056	871	1866	1307	839	1195
8/28/2026 5:11	2822	3058	5090	867	1851	1307	839	1190
8/28/2026 5:12	2822	3040	5090	867	1851	1256	1055	1190
8/28/2026 5:13	2829	3040	5057	857	1864	1256	1055	1123
8/28/2026 5:14	2829	3045	5057	857	1864	1265	815	1123
8/28/2026 5:15	2825	3045	5080	859	1878	1265	815	1185
8/28/2026 5:16	2825	3024	5080	859	1878	1273	916	1185
8/28/2026 5:17	2842	3024	5082	854	1871	1273	916	1203
8/28/2026 5:18	2842	3033	5082	854	1871	1164	1067	1203
8/28/2026 5:19	2833	3033	5081	860	1846	1164	1067	1203
8/28/2026 5:20	2833	3056	5081	860	1846	1301	1055	1203
8/28/2026 5:21	2840	3056	5079	854	1857	1301	1055	1173
8/28/2026 5:22	2840	3047	5079	854	1857	1230	1003	1173
8/28/2026 5:23	2808	3047	5076	848	1442	1230	1003	1092
8/28/2026 5:24	2808	3050	5076	848	1442	1288	1041	1092
8/28/2026 5:25	2815	3050	5055	853	1872	1288	1041	1193
8/28/2026 5:26	2815	3040	5055	853	1872	1292	970	1193
8/28/2026 5:27	2814	3040	5091	865	1855	1292	970	1184
8/28/2026 5:28	2814	3029	5091	865	1855	1296	980	1184
8/28/2026 5:29	2822	3029	5091	858	1857	1296	980	1195
8/28/2026 5:30	2822	3033	5091	858	1857	1312	1029	1195
8/28/2026 5:31	2805	3033	5073	868	1857	1312	1029	1088
8/28/2026 5:32	2805	3045	5073	868	1857	1216	1028	1088
8/28/2026 5:33	2810	3045	5072	856	1855	1216	1028	1186
8/28/2026 5:34	2810	3043	5072	856	1855	1303	1015	1186
8/28/2026 5:35	2807	3043	5093	867	1853	1303	1015	1195
8/28/2026 5:36	2807	3035	5093	867	1853	1032	1059	1195
8/28/2026 5:37	2825	3035	5078	862	1858	1032	1059	1191
8/28/2026 5:38	2825	3051	5078	862	1858	1226	985	1191
8/28/2026 5:39	2810	3051	5094	855	1861	1226	985	1195
8/28/2026 5:40	2810	3027	5094	855	1861	1259	1032	1195
8/28/2026 5:41	2827	3027	5080	847	1861	1259	1032	1157
8/28/2026 5:42	2827	3041	5080	847	1861	1248	1051	1157
8/28/2026 5:43	2807	3041	5079	843	1877	1248	1051	1209
8/28/2026 5:44	2807	3020	5079	843	1877	1321	1056	1209
8/28/2026 5:45	2818	3020	5076	850	1869	1321	1056	1188
8/28/2026 5:46	2818	3033	5076	850	1869	1308	869	1188
8/28/2026 5:47	2812	3033	5080	858	1872	1308	869	1102
8/28/2026 5:48	2812	3015	5080	858	1872	1221	831	1102
8/28/2026 5:49	2804	3015	5074	850	1872	1221	831	1199
8/28/2026 5:50	2804	3018	5074	850	1872	1318	809	1199

8/28/2026 5:51	2815	3018	5081	846	1822	1318	809	932
8/28/2026 5:52	2815	3039	5081	846	1822	1312	1040	932
8/28/2026 5:53	2814	3039	5088	863	114	1312	1040	1199
8/28/2026 5:54	2814	3028	5088	863	114	1251	880	1199
8/28/2026 5:55	2826	3028	5077	847	1871	1251	880	1182
8/28/2026 5:56	2826	3049	5077	847	1871	1300	890	1182
8/28/2026 5:57	2806	3049	5086	844	1866	1300	890	1193
8/28/2026 5:58	2806	3026	5086	844	1866	1307	879	1193
8/28/2026 5:59	2819	3026	5066	851	1862	1307	879	1198
8/28/2026 6:00	2819	3042	5066	851	1862	1313	1067	1198
8/28/2026 6:01	2807	3042	5078	845	669	1313	1067	1184
8/28/2026 6:02	2807	3044	5078	845	669	1180	979	1184
8/28/2026 6:03	2819	3044	5105	842	1856	1180	979	1193
8/28/2026 6:04	2819	3047	5105	842	1856	1291	1067	1193
8/28/2026 6:05	2815	3047	5066	857	1869	1291	1067	1188
8/28/2026 6:06	2815	3026	5066	857	1869	1267	1064	1188
8/28/2026 6:07	2815	3026	5051	850	1861	1267	1064	1180
8/28/2026 6:08	2815	3034	5051	850	1861	1270	1020	1180
8/28/2026 6:09	2820	3034	5078	856	1866	1270	1020	1190
8/28/2026 6:10	2820	3023	5078	856	1866	1302	1060	1190
8/28/2026 6:11	2801	3023	5069	858	1861	1302	1060	1191
8/28/2026 6:12	2801	3024	5069	858	1861	928	1064	1191
8/28/2026 6:13	2801	3024	5033	853	1867	928	1064	1184
8/28/2026 6:14	2801	3023	5033	853	1867	1062	1014	1184
8/28/2026 6:15	2822	3023	5078	849	1785	1062	1014	1184
8/28/2026 6:16	2822	3022	5078	849	1785	1323	852	1184
8/28/2026 6:17	2818	3022	5054	840	1856	1323	852	1184
8/28/2026 6:18	2818	3014	5054	840	1856	1324	1047	1184
8/28/2026 6:19	2795	3014	5056	857	1855	1324	1047	1189
8/28/2026 6:20	2795	3012	5056	857	1855	1122	964	1189
8/28/2026 6:21	2819	3012	5060	862	1867	1122	964	1182
8/28/2026 6:22	2819	3025	5060	862	1867	1312	1052	1182
8/28/2026 6:23	2798	3025	5065	855	1858	1312	1052	1199
8/28/2026 6:24	2798	3028	5065	855	1858	1316	1065	1199
8/28/2026 6:25	2811	3028	5083	865	1860	1316	1065	1189
8/28/2026 6:26	2811	3050	5083	865	1860	1300	1018	1189
8/28/2026 6:27	2791	3050	5076	868	1864	1300	1018	1195
8/28/2026 6:28	2791	3029	5076	868	1864	1036	784	1195
8/28/2026 6:29	2793	3029	5059	864	1873	1036	784	1190
8/28/2026 6:30	2793	3010	5059	864	1873	1308	1050	1190
8/28/2026 6:31	2795	3010	5083	863	1849	1308	1050	1191
8/28/2026 6:32	2795	3017	5083	863	1849	1306	1019	1191
8/28/2026 6:33	2796	3017	5057	859	1863	1306	1019	1176
8/28/2026 6:34	2796	3033	5057	859	1863	1277	1024	1176
8/28/2026 6:35	2805	3033	5072	859	1857	1277	1024	923
8/28/2026 6:36	2805	3019	5072	859	1857	1308	1062	923
8/28/2026 6:37	2789	3019	5074	861	1863	1308	1062	1199
8/28/2026 6:38	2789	3017	5074	861	1863	1257	736	1199
8/28/2026 6:39	2793	3017	5051	868	1860	1257	736	1193
8/28/2026 6:40	2793	3021	5051	868	1860	1175	1044	1193
8/28/2026 6:41	2787	3021	5049	863	1875	1175	1044	1186
8/28/2026 6:42	2787	3024	5049	863	1875	978	1074	1186
8/28/2026 6:43	2787	3024	5057	871	1846	978	1074	1189

8/28/2026 6:44	2787	0	5057	871	1846	1173	993	1189
8/28/2026 6:45	2776	3009	5064	880	1852	1173	993	1185
8/28/2026 6:46	2776	3009	5064	880	1852	1292	1057	1185
8/28/2026 6:47	2804	3038	5076	863	1852	1292	1057	1129
8/28/2026 6:48	2804	3038	5076	863	1852	1296	1054	1129
8/28/2026 6:49	2795	3016	5056	860	1841	1296	1054	1179
8/28/2026 6:50	2795	3016	5056	860	1841	1281	1039	1179
8/28/2026 6:51	2790	3032	5076	864	1857	1281	1039	1173
8/28/2026 6:52	2790	3032	5076	864	1857	1027	747	1173
8/28/2026 6:53	2772	3019	5049	869	1852	1027	747	1191
8/28/2026 6:54	2772	3019	5049	869	1852	990	1051	1191
8/28/2026 6:55	2780	3024	5059	866	1860	990	1051	1037
8/28/2026 6:56	2780	3024	5059	866	1860	1311	718	1037
8/28/2026 6:57	2780	3014	5079	857	1861	1311	718	1194
8/28/2026 6:58	2780	3014	5079	857	1861	1296	815	1194
8/28/2026 6:59	2781	3005	5083	852	1866	1296	815	1199
8/28/2026 7:00	2781	3005	5083	852	1866	1278	992	1199
8/28/2026 7:01	2819	3028	5077	846	1857	1278	992	1107
8/28/2026 7:02	2819	3028	5077	846	1857	1301	990	1107
8/28/2026 7:03	2794	3011	5063	848	1852	1301	990	1184
8/28/2026 7:04	2794	3011	5063	848	1852	1259	788	1184
8/28/2026 7:05	2780	3023	5034	848	1866	1259	788	1167
8/28/2026 7:06	2780	3023	5034	848	1866	1244	999	1167
8/28/2026 7:07	2798	3031	5064	841	1861	1244	999	1195
8/28/2026 7:08	2798	3031	5064	841	1861	1128	1047	1195
8/28/2026 7:09	2810	3011	5046	845	1858	1128	1047	1173
8/28/2026 7:10	2810	3011	5046	845	1858	1167	1051	1173
8/28/2026 7:11	2795	3014	5054	856	1823	1167	1051	1170
8/28/2026 7:12	2795	3014	5054	856	1823	1244	984	1170
8/28/2026 7:13	2790	3030	5069	852	1852	1244	984	1176
8/28/2026 7:14	2790	3030	5069	852	1852	1301	749	1176
8/28/2026 7:15	2790	3018	5041	840	1862	1301	749	1188
8/28/2026 7:16	2790	3018	5041	840	1862	1317	1064	1188
8/28/2026 7:17	2772	0	5039	847	1862	1317	1064	1179
8/28/2026 7:18	2772	0	5039	847	1862	1282	998	1179
8/28/2026 7:19	2801	3024	5044	843	1856	1282	998	1190
8/28/2026 7:20	2801	3024	5044	843	1856	1306	1067	1190
8/28/2026 7:21	2808	0	5029	851	1841	1306	1067	1175
8/28/2026 7:22	2808	0	5029	851	1841	1297	814	1175
8/28/2026 7:23	2790	3022	5069	867	1860	1297	814	1180
8/28/2026 7:24	2790	3022	5069	867	1860	1193	973	1180
8/28/2026 7:25	2793	3025	5043	846	1851	1193	973	1193
8/28/2026 7:26	2793	3025	5043	846	1851	1200	1009	1193
8/28/2026 7:27	2846	3062	5120	877	1872	1200	1009	1191
8/28/2026 7:28	2846	3062	5120	877	1872	1339	947	1191
8/28/2026 7:29	2741	3047	4962	852	1871	1339	947	1179
8/28/2026 7:30	2741	3047	4962	852	1871	1158	968	1179
8/28/2026 7:31	3513	177	5572	926	1866	1158	968	1142
8/28/2026 7:32	3513	177	5572	926	1866	1339	1044	1142
8/28/2026 7:33	3499	156	5390	940	1878	1339	1044	1220
8/28/2026 7:34	3499	156	5390	940	1878	1149	1059	1220
8/28/2026 7:35	3491	156	5535	909	1853	1149	1059	1182
8/28/2026 7:36	3491	156	5535	909	1853	1298	1060	1182

8/28/2026 7:37	2826	3023	5011	859	1849	1298	1060	1189
8/28/2026 7:38	2826	3023	5011	859	1849	1159	0	1189
8/28/2026 7:39	2805	3026	5074	858	1862	1159	883	1198
8/28/2026 7:40	2805	3026	5074	858	1862	1313	883	1198
8/28/2026 7:41	2787	3022	5055	856	1863	1313	893	1196
8/28/2026 7:42	2787	3022	5055	856	1863	1263	893	1196
8/28/2026 7:43	2764	3084	5022	852	1838	1263	1021	1206
8/28/2026 7:44	2764	3084	5022	852	1838	930	1021	1206
8/28/2026 7:45	2789	3102	5024	854	1864	930	1040	1199
8/28/2026 7:46	2789	3102	5024	854	1864	1268	1040	1199
8/28/2026 7:47	3302	860	6039	876	1810	1268	1054	1204
8/28/2026 7:48	3302	860	6039	876	1810	1293	1054	1204
8/28/2026 7:49	3518	171	5523	931	1862	1293	1057	1231
8/28/2026 7:50	3518	171	5523	931	1862	1272	1057	1231
8/28/2026 7:51	3492	155	5501	932	1871	1272	1066	1230
8/28/2026 7:52	3492	155	5501	932	1871	1349	1066	1230
8/28/2026 7:53	3498	163	5303	942	1884	1349	1051	1065
8/28/2026 7:54	3498	163	5303	942	1884	1077	1051	1065
8/28/2026 7:55	2835	3076	4940	864	1862	1077	984	1205
8/28/2026 7:56	2835	3076	4940	864	1862	1299	984	1205
8/28/2026 7:57	2801	3116	5032	846	1856	1299	998	1191
8/28/2026 7:58	2801	3116	5032	846	1856	1288	998	1191
8/28/2026 7:59	2800	3108	5006	852	1847	1288	1024	1185
8/28/2026 8:00	2800	3108	5006	852	1847	989	1024	1185
8/28/2026 8:01	2772	3122	5013	874	1851	989	1026	1193
8/28/2026 8:02	2772	3122	5013	874	1851	1273	1026	1193
8/28/2026 8:03	2780	3107	5015	856	1861	1273	1042	1183
8/28/2026 8:04	2780	3107	5015	856	1861	1178	1042	1183
8/28/2026 8:05	2802	3127	5024	852	1869	1178	906	1198
8/28/2026 8:06	2802	3127	5024	852	1869	1232	906	1198
8/28/2026 8:07	2802	3128	5031	860	1841	1232	990	887
8/28/2026 8:08	2802	3128	5031	860	1841	1255	990	887
8/28/2026 8:09	2792	3120	4999	849	1858	1255	952	1200
8/28/2026 8:10	2792	3120	4999	849	1858	1314	952	1200
8/28/2026 8:11	2788	3112	4989	841	1858	1314	1062	1179
8/28/2026 8:12	2788	3112	4989	841	1858	1311	1062	1179
8/28/2026 8:13	2814	3130	4999	845	1842	1311	1045	1210
8/28/2026 8:14	2814	3130	4999	845	1842	1287	1045	1210
8/28/2026 8:15	2820	3135	5002	846	1833	1287	818	1195
8/28/2026 8:16	2820	3135	5002	846	1833	1138	818	1195
8/28/2026 8:17	2834	3147	5028	833	1857	1138	763	1188
8/28/2026 8:18	2834	3147	5028	833	1857	1239	763	1188
8/28/2026 8:19	2822	3132	4983	835	1861	1239	1023	1199
8/28/2026 8:20	2822	3132	4983	835	1861	1237	1023	1199
8/28/2026 8:21	2834	3129	5015	828	1838	1237	1013	1185
8/28/2026 8:22	2834	3129	5015	828	1838	1230	1013	1185
8/28/2026 8:23	2827	3116	5018	833	1849	1230	1023	1195
8/28/2026 8:24	2827	3116	5018	833	1849	1267	1023	1195
8/28/2026 8:25	2855	3137	5017	833	1853	1267	854	1188
8/28/2026 8:26	2855	3137	5017	833	1853	1306	854	1188
8/28/2026 8:27	2822	3138	5018	826	1849	1306	1051	1195
8/28/2026 8:28	2822	3138	5018	826	1849	1312	1051	1195
8/28/2026 8:29	2822	3146	4998	831	1839	1312	994	1188

8/28/2026 8:30	2822	3146	4998	831	1839	1278	994	1188
8/28/2026 8:31	2830	3139	5014	837	1844	1278	1020	1035
8/28/2026 8:32	2830	3139	5014	837	1844	1252	1020	1035
8/28/2026 8:33	2841	3151	5018	831	1851	1252	871	1180
8/28/2026 8:34	2841	3151	5018	831	1851	1169	871	1180
8/28/2026 8:35	2863	3147	4994	837	1841	1169	1020	1185
8/28/2026 8:36	2863	3147	4994	837	1841	1309	1020	1185
8/28/2026 8:37	2847	3142	5008	839	1844	1309	999	1184
8/28/2026 8:38	2847	3142	5008	839	1844	1281	999	1184
8/28/2026 8:39	2845	3141	5004	832	1833	1281	1018	1200
8/28/2026 8:40	2845	3141	5004	832	1833	1298	1018	1200
8/28/2026 8:41	2841	3145	4993	833	1847	1298	1041	1180
8/28/2026 8:42	2841	3145	4993	833	1847	1307	1041	1180
8/28/2026 8:43	2840	3160	4998	827	1840	1307	1036	1180
8/28/2026 8:44	2840	3160	4998	827	1840	1246	1036	1180
8/28/2026 8:45	2852	3158	5008	829	1853	1246	968	1188
8/28/2026 8:46	2852	3158	5008	829	1853	1263	968	1188
8/28/2026 8:47	2832	3191	4986	831	1840	1263	1024	1191
8/28/2026 8:48	2832	3191	4986	831	1840	1205	1024	1191
8/28/2026 8:49	2860	3218	5005	839	1847	1205	856	1189
8/28/2026 8:50	2860	3218	5005	839	1847	1296	856	1189
8/28/2026 8:51	2864	3165	5014	839	1834	1296	1034	1147
8/28/2026 8:52	2864	3165	5014	839	1834	1216	1034	1147
8/28/2026 8:53	2858	3161	5022	835	1861	1216	1040	1185
8/28/2026 8:54	2858	3161	5022	835	1861	1070	1040	1185
8/28/2026 8:55	2852	3130	4984	842	1844	1070	1034	1188
8/28/2026 8:56	2852	3130	4984	842	1844	947	1034	1188
8/28/2026 8:57	2871	3152	5004	838	1830	947	834	1132
8/28/2026 8:58	2871	3152	5004	838	1830	1175	834	1132
8/28/2026 8:59	2843	3160	5005	828	1834	1175	938	1186
8/28/2026 9:00	2843	3160	5005	828	1834	1316	938	1186
8/28/2026 9:01	2846	3156	5008	813	1827	1316	968	1153
8/28/2026 9:02	2846	3156	5008	813	1827	1205	968	1153
8/28/2026 9:03	2853	3156	5003	835	1842	1205	1036	1180
8/28/2026 9:04	2853	3156	5003	835	1842	1291	1036	1180
8/28/2026 9:05	2864	3174	5008	824	1845	1291	785	1180
8/28/2026 9:06	2864	3174	5008	824	1845	1184	785	1180
8/28/2026 9:07	2871	3152	5003	820	1828	1184	1034	1174
8/28/2026 9:08	2871	3152	5003	820	1828	1016	1034	1174
8/28/2026 9:09	2871	3164	5003	823	1827	1016	1032	1179
8/28/2026 9:10	2871	3164	5003	823	1827	1294	1032	1179
8/28/2026 9:11	2892	3155	5017	818	1819	1294	995	1170
8/28/2026 9:12	2892	3155	5017	818	1819	1270	995	1170
8/28/2026 9:13	2906	3152	5010	817	1835	1270	1047	1173
8/28/2026 9:14	2906	3152	5010	817	1835	1282	1047	1173
8/28/2026 9:15	2882	3163	4993	819	1840	1282	780	1176
8/28/2026 9:16	2882	3163	4993	819	1840	1227	780	1176
8/28/2026 9:17	2885	3164	5006	812	1827	1227	780	1167
8/28/2026 9:18	2885	3164	5006	812	1827	1232	780	1167
8/28/2026 9:19	2893	3040	4999	824	1829	1232	1039	1010
8/28/2026 9:20	2893	3040	4999	824	1829	1020	1039	1010
8/28/2026 9:21	2898	3171	5014	809	1810	1020	1036	1168
8/28/2026 9:22	2898	3171	5014	809	1810	1267	1036	1168

8/28/2026 9:23	2906	3155	5011	806	1825	1267	1045	1182
8/28/2026 9:24	2906	3155	5011	806	1825	1273	1045	1182
8/28/2026 9:25	2905	3166	5018	814	1822	1273	696	1178
8/28/2026 9:26	2905	3166	5018	814	1822	1179	696	1178
8/28/2026 9:27	2900	3187	5019	800	1822	1179	1044	1175
8/28/2026 9:28	2900	3187	5019	800	1822	1280	1044	1175
8/28/2026 9:29	2897	3159	5001	796	1811	1280	1008	1177
8/28/2026 9:30	2897	3159	5001	796	1811	1211	1008	1177
8/28/2026 9:31	2924	3166	5041	803	1822	1211	1021	1173
8/28/2026 9:32	2924	3166	5041	803	1822	1232	1021	1173
8/28/2026 9:33	2906	3159	5005	796	1799	1232	1014	1159
8/28/2026 9:34	2906	3159	5005	796	1799	1301	1014	1159
8/28/2026 9:35	2910	3181	5016	792	1821	1301	1010	1178
8/28/2026 9:36	2910	3181	5016	792	1821	1178	1010	1178
8/28/2026 9:37	2924	3171	5022	795	1830	1178	988	1160
8/28/2026 9:38	2924	3171	5022	795	1830	892	988	1160
8/28/2026 9:39	2925	3162	5026	794	1828	892	974	1173
8/28/2026 9:40	2925	3162	5026	794	1828	1267	974	1173
8/28/2026 9:41	2939	3174	5008	782	1836	1267	1052	1180
8/28/2026 9:42	2939	3174	5008	782	1836	1211	1052	1180
8/28/2026 9:43	2937	3169	5019	782	1827	1211	999	1176
8/28/2026 9:44	2937	3169	5019	782	1827	1292	999	1176
8/28/2026 9:45	2940	3168	5000	779	1800	1292	1014	1176
8/28/2026 9:46	2940	3168	5000	779	1800	1216	1014	1176
8/28/2026 9:47	2952	3179	5011	773	1827	1216	1041	1163
8/28/2026 9:48	2952	3179	5011	773	1827	1282	1041	1163
8/28/2026 9:49	2957	3187	5015	783	1814	1282	721	1165
8/28/2026 9:50	2957	3187	5015	783	1814	1273	721	1165
8/28/2026 9:51	2926	3207	5029	784	1811	1273	1025	1168
8/28/2026 9:52	2926	3207	5029	784	1811	963	1025	1168
8/28/2026 9:53	2954	3171	5005	780	1817	963	1035	1169
8/28/2026 9:54	2954	3171	5005	780	1817	1247	1035	1169
8/28/2026 9:55	2944	3190	5001	772	1812	1247	915	1165
8/28/2026 9:56	2944	3190	5001	772	1812	1283	915	1165
8/28/2026 9:57	2933	3161	4979	781	1805	1283	1034	1155
8/28/2026 9:58	2933	3161	4979	781	1805	1256	1034	1155
8/28/2026 9:59	2949	3170	5006	765	1751	1256	1046	1176
8/28/2026 10:00	2949	3170	5006	765	1751	1253	1046	1176
8/28/2026 10:01	2944	3186	4988	775	1799	1253	749	1168
8/28/2026 10:02	2944	3186	4988	775	1799	1199	749	1168
8/28/2026 10:03	2951	3166	4980	780	1800	1199	1044	1180
8/28/2026 10:04	2951	3166	4980	780	1800	1290	1044	1180
8/28/2026 10:05	2960	3164	5010	772	1789	1290	680	1168
8/28/2026 10:06	2960	3164	5010	772	1789	1191	680	1168
8/28/2026 10:07	2943	3171	4993	774	1802	1191	1031	1188
8/28/2026 10:08	2943	3171	4993	774	1802	1287	1031	1188
8/28/2026 10:09	2960	3166	4992	772	278	1287	1034	1181
8/28/2026 10:10	2960	3166	4992	772	278	983	1034	1181
8/28/2026 10:11	2967	3165	4993	779	1794	983	1047	1176
8/28/2026 10:12	2967	3165	4993	779	1794	1283	1047	1176
8/28/2026 10:13	2946	3151	4986	768	1789	1283	988	1060
8/28/2026 10:14	2946	3151	4986	768	1789	1209	988	1060
8/28/2026 10:15	2967	3192	4994	770	1783	1209	1030	1166

8/28/2026 10:16	2967	3192	4994	770	1783	1196	1030	1166
8/28/2026 10:17	2971	3164	5009	766	1784	1196	995	1172
8/28/2026 10:18	2971	3164	5009	766	1784	952	995	1172
8/28/2026 10:19	2952	3150	4989	771	1794	952	977	876
8/28/2026 10:20	2952	3150	4989	771	1794	0	977	876
8/28/2026 10:21	2974	3157	4990	761	1789	1178	1045	1181
8/28/2026 10:22	2974	3157	4990	761	1789	1178	1045	1181
8/28/2026 10:23	2968	3159	4983	773	1764	1270	1028	1174
8/28/2026 10:24	2968	3159	4983	773	1764	1270	1028	1174
8/28/2026 10:25	2965	3159	5001	773	1783	1276	906	1173
8/28/2026 10:26	2965	3159	5001	773	1783	1276	906	1173
8/28/2026 10:27	2974	3136	4984	765	1789	1214	864	1133
8/28/2026 10:28	2974	3136	4984	765	1789	1214	864	1133
8/28/2026 10:29	2958	3177	5006	758	1778	1275	1026	1159
8/28/2026 10:30	2958	3177	5006	758	1778	1275	1026	1159
8/28/2026 10:31	2976	3151	5010	764	1785	982	1015	1158
8/28/2026 10:32	2976	3151	5010	764	1785	982	1015	1158
8/28/2026 10:33	2970	3168	5003	766	1774	1298	1038	1157
8/28/2026 10:34	2970	3168	5003	766	1774	1298	1038	1157
8/28/2026 10:35	2957	3158	5009	770	1788	1291	1025	959
8/28/2026 10:36	2957	3158	5009	770	1788	1291	1025	959
8/28/2026 10:37	2993	3157	4981	755	1784	1239	956	1159
8/28/2026 10:38	2993	3157	4981	755	1784	1239	956	1159
8/28/2026 10:39	2953	2746	4963	764	1778	1292	968	1176
8/28/2026 10:40	2953	2746	4963	764	1778	1292	968	1176
8/28/2026 10:41	2987	3126	5001	763	1773	1221	1018	1109
8/28/2026 10:42	2987	3126	5001	763	1773	1221	1018	1109
8/28/2026 10:43	3001	3161	4997	757	1775	1268	969	1168
8/28/2026 10:44	3001	3161	4997	757	1775	1268	969	1168
8/28/2026 10:45	3000	3154	4989	771	1790	1106	1042	919
8/28/2026 10:46	3000	3154	4989	771	1790	1106	1042	919
8/28/2026 10:47	2979	3169	4993	750	1780	1282	954	1170
8/28/2026 10:48	2979	3169	4993	750	1780	1282	954	1170
8/28/2026 10:49	2975	3185	5008	756	1779	1185	1013	1175
8/28/2026 10:50	2975	3185	5008	756	1779	1185	1013	1175
8/28/2026 10:51	2988	3148	5011	759	1795	1224	1039	1179
8/28/2026 10:52	2988	3148	5011	759	1795	1224	1039	1179
8/28/2026 10:53	3011	3169	4999	753	1784	1283	977	1159
8/28/2026 10:54	3011	3169	4999	753	1784	1283	977	1159
8/28/2026 10:55	3009	3164	4985	744	1777	1278	1042	1162
8/28/2026 10:56	3009	3164	4985	744	1777	1278	1042	1162
8/28/2026 10:57	3019	3205	5009	754	1783	1276	1045	1172
8/28/2026 10:58	3019	3205	5009	754	1783	1276	1045	1172
8/28/2026 10:59	3009	3183	4993	753	1775	1184	974	1169
8/28/2026 11:00	3009	3183	4993	753	1775	1184	974	1169
8/28/2026 11:01	3027	3182	5001	755	1786	1012	1036	1164
8/28/2026 11:02	3027	3182	5001	755	1786	1012	1036	1164
8/28/2026 11:03	3013	3182	4981	757	1777	1300	997	1158
8/28/2026 11:04	3013	3182	4981	757	1777	1300	997	1158
8/28/2026 11:05	3023	3175	5012	758	1766	1273	1029	1114
8/28/2026 11:06	3023	3175	5012	758	1766	1273	1029	1114
8/28/2026 11:07	3020	3166	4998	750	1773	1082	1038	1168
8/28/2026 11:08	3020	3166	4998	750	1773	1082	1038	1168

8/28/2026 11:09	3016	3165	4989	755	1788	1272	830	1169
8/28/2026 11:10	3016	3165	4989	755	1788	1272	830	1169
8/28/2026 11:11	3019	3172	5024	749	1764	1213	1003	722
8/28/2026 11:12	3019	3172	5024	749	1764	1213	1003	722
8/28/2026 11:13	3037	3177	5011	763	1781	1280	1025	1170
8/28/2026 11:14	3037	3177	5011	763	1781	1280	1025	1170
8/28/2026 11:15	3023	3159	4999	757	1777	1009	1033	1170
8/28/2026 11:16	3023	3159	4999	757	1777	1009	1033	1170
8/28/2026 11:17	3039	3174	5000	765	1780	1196	950	1174
8/28/2026 11:18	3039	3174	5000	765	1780	1196	950	1174
8/28/2026 11:19	3041	3179	4987	761	1786	1298	1033	1164
8/28/2026 11:20	3041	3179	4987	761	1786	1298	1033	1164
8/28/2026 11:21	3049	3206	4998	765	1766	1284	1040	740
8/28/2026 11:22	3049	3206	4998	765	1766	1284	1040	740
8/28/2026 11:23	3030	3182	5000	770	1773	1189	985	1163
8/28/2026 11:24	3030	3182	5000	770	1773	1189	985	1163
8/28/2026 11:25	3034	3178	5001	768	1770	1291	1045	1185
8/28/2026 11:26	3034	3178	5001	768	1770	1291	1045	1185
8/28/2026 11:27	3013	3182	5024	767	1781	1273	881	1177
8/28/2026 11:28	3013	3182	5024	767	1781	1273	881	1177
8/28/2026 11:29	3026	3201	4975	771	1780	1280	1039	1165
8/28/2026 11:30	3026	3201	4975	771	1780	1280	1039	1165
8/28/2026 11:31	3018	3187	4987	769	1767	940	985	1170
8/28/2026 11:32	3018	3187	4987	769	1767	940	985	1170
8/28/2026 11:33	3039	3185	4999	765	1775	1303	916	952
8/28/2026 11:34	3039	3185	4999	765	1775	1303	916	952
8/28/2026 11:35	3011	3193	5013	765	1773	1191	925	1154
8/28/2026 11:36	3011	3193	5013	765	1773	1191	925	1154
8/28/2026 11:37	3025	3178	4974	775	1786	1256	1028	1162
8/28/2026 11:38	3025	3178	4974	775	1786	1256	1028	1162
8/28/2026 11:39	3026	3178	5011	772	0	1283	1010	1174
8/28/2026 11:40	3026	3178	5011	772	0	1283	1010	1174
8/28/2026 11:41	3037	3165	4996	775	1794	978	1005	1163
8/28/2026 11:42	3037	3165	4996	775	1794	978	1005	1163
8/28/2026 11:43	3033	3180	4981	785	1675	1210	1020	1167
8/28/2026 11:44	3033	3180	4981	785	1675	1210	1020	1167
8/28/2026 11:45	3024	3194	4995	793	1799	1078	1018	1077
8/28/2026 11:46	3024	3194	4995	793	1799	1078	1018	1077
8/28/2026 11:47	3041	3173	4984	796	1791	1271	834	1165
8/28/2026 11:48	3041	3173	4984	796	1791	1271	834	1165
8/28/2026 11:49	3041	3183	4999	801	1790	1083	985	1164
8/28/2026 11:50	3041	3183	4999	801	1790	1083	985	1164
8/28/2026 11:51	3035	3174	4990	790	832	1213	1018	1178
8/28/2026 11:52	3035	3174	4990	790	832	1213	1018	1178
8/28/2026 11:53	3037	3183	4976	797	1807	1133	988	911
8/28/2026 11:54	3037	3183	4976	797	1807	1133	988	911
8/28/2026 11:55	3028	3186	4994	799	1786	1291	1016	1163
8/28/2026 11:56	3028	3186	4994	799	1786	1291	1016	1163
8/28/2026 11:57	3037	3186	5000	804	1795	1287	1039	1173
8/28/2026 11:58	3037	3186	5000	804	1795	1287	1039	1173
8/28/2026 11:59	3042	3173	4998	803	1795	1230	952	1173
8/28/2026 12:00	3042	3173	4998	803	1795	1230	952	1173
8/28/2026 12:01	3040	3189	4986	811	1714	898	1023	1175

8/28/2026 12:02	3040	3189	4986	811	1714	898	1023	1175
8/28/2026 12:03	3028	3186	4987	807	1802	1235	1030	1168
8/28/2026 12:04	3028	3186	4987	807	1802	1235	1030	1168
8/28/2026 12:05	3028	3179	4996	812	1802	1285	911	1180
8/28/2026 12:06	3028	3179	4996	812	1802	1285	911	1180
8/28/2026 12:07	3042	3186	4996	803	1799	1286	1041	1178
8/28/2026 12:08	3042	3186	4996	803	1799	1286	1041	1178
8/28/2026 12:09	3020	3174	4996	816	1811	1211	961	1163
8/28/2026 12:10	3020	3174	4996	816	1811	1211	961	1163
8/28/2026 12:11	3001	3157	5005	801	1818	1276	1035	1182
8/28/2026 12:12	3001	3157	5005	801	1818	1276	1035	1182
8/28/2026 12:13	3036	3185	4999	805	1810	1297	1031	1179
8/28/2026 12:14	3036	3185	4999	805	1810	1297	1031	1179
8/28/2026 12:15	3025	3188	5015	804	1333	1237	1031	1175
8/28/2026 12:16	3025	3188	5015	804	1333	1237	1031	1175
8/28/2026 12:17	3031	3172	4990	804	1812	1265	872	1174
8/28/2026 12:18	3031	3172	4990	804	1812	1265	872	1174
8/28/2026 12:19	3030	3193	5004	813	1805	1199	828	1168
8/28/2026 12:20	3030	3193	5004	813	1805	1199	828	1168
8/28/2026 12:21	3024	3186	4993	805	1816	1285	1003	878
8/28/2026 12:22	3024	3186	4993	805	1816	1285	1003	878
8/28/2026 12:23	3033	3174	5009	813	1813	1298	1021	1179
8/28/2026 12:24	3033	3174	5009	813	1813	1298	1021	1179
8/28/2026 12:25	3025	3180	4991	807	968	1285	888	1173
8/28/2026 12:26	3025	3180	4991	807	968	1285	888	1173
8/28/2026 12:27	3041	3181	4992	811	1805	1149	948	1183
8/28/2026 12:28	3041	3181	4992	811	1805	1149	948	1183
8/28/2026 12:29	3030	3184	4998	821	1806	1265	808	1179
8/28/2026 12:30	3030	3184	4998	821	1806	1265	808	1179
8/28/2026 12:31	3034	3189	4990	831	1821	1288	1034	899
8/28/2026 12:32	3034	3189	4990	831	1821	1288	1034	899
8/28/2026 12:33	3044	3182	5016	803	1822	1166	999	1174
8/28/2026 12:34	3044	3182	5016	803	1822	1166	999	1174
8/28/2026 12:35	3012	3181	5001	819	1821	1276	1018	1181
8/28/2026 12:36	3012	3181	5001	819	1821	1276	1018	1181
8/28/2026 12:37	3018	3174	4984	824	1803	1182	963	1175
8/28/2026 12:38	3018	3174	4984	824	1803	1182	963	1175
8/28/2026 12:39	3031	3188	4979	817	1802	1050	1034	1188
8/28/2026 12:40	3031	3188	4979	817	1802	1050	1034	1188
8/28/2026 12:41	3015	3168	5003	826	1805	1272	1025	1169
8/28/2026 12:42	3015	3168	5003	826	1805	1272	1025	1169
8/28/2026 12:43	3035	3171	5010	825	1805	1137	782	1179
8/28/2026 12:44	3035	3171	5010	825	1805	1137	782	1179
8/28/2026 12:45	3001	3189	5007	807	468	1222	969	1055
8/28/2026 12:46	3001	3189	5007	807	468	1222	969	1055
8/28/2026 12:47	3023	3182	5006	821	48	1262	1044	1179
8/28/2026 12:48	3023	3182	5006	821	48	1262	1044	1179
8/28/2026 12:49	3026	3194	5010	819	1814	1121	924	1173
8/28/2026 12:50	3026	3194	5010	819	1814	1121	924	1173
8/28/2026 12:51	3032	3170	5020	826	1836	1258	966	1041
8/28/2026 12:52	3032	3170	5020	826	1836	1258	966	1041
8/28/2026 12:53	3044	3187	4991	820	1819	1242	993	1175
8/28/2026 12:54	3044	3187	4991	820	1819	1242	993	1175

8/28/2026 12:55	3048	3189	5007	820	961	1179	804	1172
8/28/2026 12:56	3048	3189	5007	820	961	1179	804	1172
8/28/2026 12:57	2999	3180	5009	833	1802	1254	941	1191
8/28/2026 12:58	2999	3180	5009	833	1802	1254	941	1191
8/28/2026 12:59	3016	3188	4999	825	1812	1167	963	1174
8/28/2026 13:00	3016	3188	4999	825	1812	1167	963	1174
8/28/2026 13:01	2997	3186	4995	829	1808	1245	983	1176
8/28/2026 13:02	2997	3186	4995	829	1808	1245	983	1176
8/28/2026 13:03	2988	3170	5012	834	1818	1280	866	1168
8/28/2026 13:04	2988	3170	5012	834	1818	1280	866	1168
8/28/2026 13:05	2989	3191	4981	832	973	1061	974	1168
8/28/2026 13:06	2989	3191	4981	832	973	1061	974	1168
8/28/2026 13:07	3007	3185	5009	831	878	1034	1036	1182
8/28/2026 13:08	3007	3185	5009	831	878	1034	1036	1182
8/28/2026 13:09	3003	3176	4991	827	1822	1290	1030	1179
8/28/2026 13:10	3003	3176	4991	827	1822	1290	1030	1179
8/28/2026 13:11	3012	3204	5002	826	1818	1271	1039	1180
8/28/2026 13:12	3012	3204	5002	826	1818	1271	1039	1180
8/28/2026 13:13	3003	3185	4974	830	1816	1247	1011	1184
8/28/2026 13:14	3003	3185	4974	830	1816	1247	1011	1184
8/28/2026 13:15	2998	3177	4998	830	1823	1204	1023	1186
8/28/2026 13:16	2998	3177	4998	830	1823	1204	1023	1186
8/28/2026 13:17	2986	3178	5006	815	1844	1221	1010	1449
8/28/2026 13:18	2986	3178	5006	815	1844	1221	1010	1449
8/28/2026 13:19	3007	3181	5014	830	1758	1273	1035	1173
8/28/2026 13:20	3007	3181	5014	830	1758	1273	1035	1173
8/28/2026 13:21	3013	3193	5008	825	1816	1175	996	1169
8/28/2026 13:22	3013	3193	5008	825	1816	1175	996	1169
8/28/2026 13:23	3024	3193	5043	826	1821	901	772	1180
8/28/2026 13:24	3024	3193	5043	826	1821	901	772	1180
8/28/2026 13:25	3040	3191	5004	838	578	1155	790	1176
8/28/2026 13:26	3040	3191	5004	838	578	1155	790	1176
8/28/2026 13:27	2999	3184	5027	821	1816	1208	1029	1180
8/28/2026 13:28	2999	3184	5027	821	1816	1208	1029	1180
8/28/2026 13:29	2994	3187	5010	825	1829	1251	1024	1183
8/28/2026 13:30	2994	3187	5010	825	1829	1251	1024	1183
8/28/2026 13:31	3007	3207	5003	827	1822	1232	1020	1199
8/28/2026 13:32	3007	3207	5003	827	1822	1232	1020	1199
8/28/2026 13:33	3007	3179	5017	821	1818	1257	1009	1184
8/28/2026 13:34	3007	3179	5017	821	1818	1257	1009	1184
8/28/2026 13:35	2993	3185	4981	822	1824	1160	1018	1181
8/28/2026 13:36	2993	3185	4981	822	1824	1160	1018	1181
8/28/2026 13:37	3009	3196	5004	813	1832	1232	994	1176
8/28/2026 13:38	3009	3196	5004	813	1832	1232	994	1176
8/28/2026 13:39	3014	3184	5012	809	1814	1267	1029	1168
8/28/2026 13:40	3014	3184	5012	809	1814	1267	1029	1168
8/28/2026 13:41	3024	3205	5045	819	1835	1257	1028	1174
8/28/2026 13:42	3024	3205	5045	819	1835	1257	1028	1174
8/28/2026 13:43	2999	3190	5021	818	1817	1284	816	1180
8/28/2026 13:44	2999	3190	5021	818	1817	1284	816	1180
8/28/2026 13:45	3022	3189	5018	813	1829	922	1029	1183
8/28/2026 13:46	3022	3189	5018	813	1829	922	1029	1183
8/28/2026 13:47	3015	3202	4990	810	1824	969	785	1188

8/28/2026 13:48	3015	3202	4990	810	1824	969	785	1188
8/28/2026 13:49	3003	3182	5010	820	1836	1273	1004	1168
8/28/2026 13:50	3003	3182	5010	820	1836	1273	1004	1168
8/28/2026 13:51	3001	3174	5009	814	1832	1245	1016	1181
8/28/2026 13:52	3001	3174	5009	814	1832	1245	1016	1181
8/28/2026 13:53	3001	3194	4998	818	1817	1265	867	1169
8/28/2026 13:54	3001	3194	4998	818	1817	1265	867	1169
8/28/2026 13:55	3016	0	4991	810	1835	1241	0	1176
8/28/2026 13:56	3016	3174	4991	810	1835	1241	958	1176
8/28/2026 13:57	3009	3174	4994	821	1828	1254	958	1165
8/28/2026 13:58	3009	3175	4994	821	1828	1254	821	1165
8/28/2026 13:59	3014	3175	4998	815	1821	1277	821	1178
8/28/2026 14:00	3014	3193	4998	815	1821	1277	1003	1178
8/28/2026 14:01	2997	3193	4985	813	1814	1288	1003	1184
8/28/2026 14:02	2997	3192	4985	813	1814	1288	1025	1184
8/28/2026 14:03	3014	3192	4989	820	1824	1251	1025	1178
8/28/2026 14:04	3014	3186	4989	820	1824	1251	1014	1178
8/28/2026 14:05	2992	3186	4979	824	1834	1198	1014	1175
8/28/2026 14:06	2992	3186	4979	824	1834	1198	968	1175
8/28/2026 14:07	2978	3186	4994	821	1832	1232	968	1175
8/28/2026 14:08	2978	3186	4994	821	1832	1232	1020	1175
8/28/2026 14:09	3011	3186	4991	818	1834	1266	1020	1170
8/28/2026 14:10	3011	3170	4991	818	1834	1266	1026	1170
8/28/2026 14:11	2987	3170	5019	820	1830	1194	1026	1165
8/28/2026 14:12	2987	3167	5019	820	1830	1194	1009	1165
8/28/2026 14:13	2992	3167	4986	832	1838	1275	1009	1188
8/28/2026 14:14	2992	3186	4986	832	1838	1275	1024	1188
8/28/2026 14:15	2989	3186	4993	826	1851	1281	1024	1185
8/28/2026 14:16	2989	3169	4993	826	1851	1281	1025	1185
8/28/2026 14:17	3013	3169	5007	831	1839	1147	1025	1178
8/28/2026 14:18	3013	3175	5007	831	1839	1147	992	1178
8/28/2026 14:19	2991	3175	5001	829	1706	1278	992	1180
8/28/2026 14:20	2991	3191	5001	829	1706	1278	1019	1180
8/28/2026 14:21	2991	3191	5023	841	1839	1267	1019	1198
8/28/2026 14:22	2991	3182	5023	841	1839	1267	1019	1198
8/28/2026 14:23	3000	3182	4989	837	1856	1247	1019	1188
8/28/2026 14:24	3000	3192	4989	837	1856	1247	1019	1188
8/28/2026 14:25	3019	3192	5003	834	1851	1173	1019	1177
8/28/2026 14:26	3019	3168	5003	834	1851	1173	995	1177
8/28/2026 14:27	3001	3168	5028	836	1844	1277	995	1190
8/28/2026 14:28	3001	3189	5028	836	1844	1277	1029	1190
8/28/2026 14:29	2988	3189	5003	835	1855	929	1029	1180
8/28/2026 14:30	2988	3185	5003	835	1855	929	988	1180
8/28/2026 14:31	3000	3185	4990	829	1852	1152	988	1182
8/28/2026 14:32	3000	3171	4990	829	1852	1152	914	1182
8/28/2026 14:33	3020	3171	5019	842	1860	1272	914	1171
8/28/2026 14:34	3020	3195	5019	842	1860	1272	1024	1171
8/28/2026 14:35	3007	3195	4984	836	1846	934	1024	1188
8/28/2026 14:36	3007	3180	4984	836	1846	934	1031	1188
8/28/2026 14:37	3016	3180	4985	830	1849	991	1031	1189
8/28/2026 14:38	3016	3152	4985	830	1849	991	1013	1189
8/28/2026 14:39	2996	3152	4996	848	1857	891	1013	1190
8/28/2026 14:40	2996	3175	4996	848	1857	891	999	1190

8/28/2026 14:41	3013	3175	5009	834	1851	969	999	1190
8/28/2026 14:42	3013	3163	5009	834	1851	969	932	1190
8/28/2026 14:43	3020	3163	4997	838	127	1222	932	1174
8/28/2026 14:44	3020	3168	4997	838	127	1222	927	1174
8/28/2026 14:45	2989	3168	4983	828	156	1270	927	1188
8/28/2026 14:46	2989	3178	4983	828	156	1270	799	1188
8/28/2026 14:47	3004	3178	5014	832	1846	821	799	1188
8/28/2026 14:48	3004	3177	5014	832	1846	821	930	1188
8/28/2026 14:49	3014	3177	5022	842	1841	1267	930	1182
8/28/2026 14:50	3014	3198	5022	842	1841	1267	1030	1182
8/28/2026 14:51	3005	3198	4986	828	1852	1246	1030	1189
8/28/2026 14:52	3005	3169	4986	828	1852	1246	1021	1189
8/28/2026 14:53	2999	3169	5001	835	1860	1275	1021	1179
8/28/2026 14:54	2999	3153	5001	835	1860	1275	1004	1179
8/28/2026 14:55	3022	3153	4997	818	125	1271	1004	1185
8/28/2026 14:56	3022	3168	4997	818	125	1271	1014	1185
8/28/2026 14:57	3001	3168	5001	819	1867	1189	1014	1183
8/28/2026 14:58	3001	3180	5001	819	1867	1189	1011	1183
8/28/2026 14:59	3024	3180	5002	821	1845	1273	1011	929
8/28/2026 15:00	3024	3166	5002	821	1845	1273	803	929
8/28/2026 15:01	3009	3166	5028	835	1664	1280	803	1188
8/28/2026 15:02	3009	3156	5028	835	1664	1280	1036	1188
8/28/2026 15:03	3014	3156	5014	825	1850	1251	1036	1180
8/28/2026 15:04	3014	3163	5014	825	1850	1251	1030	1180
8/28/2026 15:05	3000	3163	5008	818	1850	1285	1030	1178
8/28/2026 15:06	3000	3160	5008	818	1850	1285	1030	1178
8/28/2026 15:07	3000	3160	4993	828	1857	1285	1030	1186
8/28/2026 15:08	3000	3168	4993	828	1857	1285	1015	1186
8/28/2026 15:09	3008	3168	5007	830	1852	1124	1015	1159
8/28/2026 15:10	3008	3157	5007	830	1852	1124	967	1159
8/28/2026 15:11	3001	3157	5009	831	1862	1213	967	1180
8/28/2026 15:12	3001	3158	5009	831	1862	1213	1025	1180
8/28/2026 15:13	3032	3158	5009	827	1850	944	1025	1178
8/28/2026 15:14	3032	3165	5009	827	1850	944	1026	1178
8/28/2026 15:15	3027	3165	5015	833	1852	1250	1026	1185
8/28/2026 15:16	3027	3171	5015	833	1852	1250	1025	1185
8/28/2026 15:17	3021	3171	5024	826	1857	983	1025	1173
8/28/2026 15:18	3021	3169	5024	826	1857	983	973	1173
8/28/2026 15:19	2997	3169	5016	830	1845	1204	973	1186
8/28/2026 15:20	2997	3172	5016	830	1845	1204	1031	1186
8/28/2026 15:21	3014	3172	4995	827	1847	1260	1031	1185

Date & Time (in 15-min averages)	Average Wind Speed (mph)	Average Wind Direction (degrees)
8/25/2026 8:45	3.3	82
8/25/2026 9:00	2.7	82
8/25/2026 9:15	0.3	65
8/25/2026 9:30	0.7	99
8/25/2026 9:45	0.7	135
8/25/2026 10:00	2	172
8/25/2026 10:15	2	163
8/25/2026 10:30	3.7	203
8/25/2026 10:45	3.7	188
8/25/2026 11:00	5.3	188
8/25/2026 11:15	7	203
8/25/2026 11:30	7.3	218
8/25/2026 11:45	9	212
8/25/2026 12:00	12	225
8/25/2026 12:15	11.7	255
8/25/2026 12:30	13.7	305
8/25/2026 12:45	14	305
8/25/2026 13:00	11.7	205
8/25/2026 13:15	13.7	218
8/25/2026 13:30	15	225
8/25/2026 13:45	12	212
8/25/2026 14:00	14	210
8/25/2026 14:15	15.7	225
8/25/2026 14:30	16.7	305
8/25/2026 14:45	18.3	305
8/25/2026 15:00	17.3	335
8/25/2026 15:15	16.3	335
8/25/2026 15:30	17	335
8/25/2026 15:45	16.7	335
8/25/2026 16:00	17	255
8/25/2026 16:15	17.3	225
8/25/2026 16:30	18	225
8/25/2026 16:45	16.3	225
8/25/2026 17:00	16.7	225
8/25/2026 17:15	16	255
8/25/2026 17:30	14	305
8/25/2026 17:45	12.7	335
8/25/2026 18:00	11.3	305
8/25/2026 18:15	11.7	225
8/25/2026 18:30	9	305
8/25/2026 18:45	6.7	305

8/25/2026 19:00	5.3	305
8/25/2026 19:15	6.7	246
8/25/2026 19:30	4.7	225
8/25/2026 19:45	5.3	218
8/25/2026 20:00	3	246
8/25/2026 20:15	3	197
8/25/2026 20:30	0	205
8/25/2026 20:45	1	155
8/25/2026 21:00	0.3	168
8/25/2026 21:15	0.3	180
8/25/2026 21:30	0.3	295
8/25/2026 21:45	0	--
8/25/2026 22:00	0	--
8/25/2026 22:15	0	--
8/25/2026 22:30	1.7	65
8/25/2026 22:45	1.3	65
8/25/2026 23:00	1	55
8/25/2026 23:15	1.7	44
8/25/2026 23:30	1.7	52
8/25/2026 23:45	0.7	45
8/26/2026 0:00	1	45
8/26/2026 0:00	2	55
8/26/2026 0:15	1.7	45
8/26/2026 0:30	5.3	58
8/26/2026 0:45	5	38
8/26/2026 1:00	6	45
8/26/2026 1:15	6	45
8/26/2026 1:30	6	45
8/26/2026 1:45	6.7	45
8/26/2026 2:00	7.3	45
8/26/2026 2:15	6.7	45
8/26/2026 2:30	5.3	38
8/26/2026 2:45	3.7	45
8/26/2026 3:00	4	45
8/26/2026 3:15	4.3	38
8/26/2026 3:30	2.7	45
8/26/2026 3:45	3.7	45
8/26/2026 4:00	0.3	45
8/26/2026 4:15	1.7	45
8/26/2026 4:30	1.7	58
8/26/2026 4:45	2.3	38
8/26/2026 5:00	3.7	65
8/26/2026 5:15	3.7	65
8/26/2026 5:30	3.3	52

8/26/2026 5:45	3.7	65
8/26/2026 6:00	3.3	65
8/26/2026 6:15	4	58
8/26/2026 6:30	2.3	45
8/26/2026 6:45	3	65
8/26/2026 7:00	4.3	58
8/26/2026 7:15	3.3	45
8/26/2026 7:30	5.7	58
8/26/2026 7:45	5.7	58
8/26/2026 8:00	5.3	65
8/26/2026 8:15	4.3	65
8/26/2026 8:30	4	65
8/26/2026 8:45	5	65
8/26/2026 9:00	3	73
8/26/2026 9:15	0	90
8/26/2026 9:30	0.3	90
8/26/2026 9:45	2	195
8/26/2026 10:00	1	225
8/26/2026 10:15	1.7	178
8/26/2026 10:30	1.3	155
8/26/2026 10:45	1.3	157
8/26/2026 11:00	1.3	150
8/26/2026 11:15	3.3	183
8/26/2026 11:30	2.3	125
8/26/2026 11:45	5	188
8/26/2026 12:00	8	225
8/26/2026 12:15	8	225
8/26/2026 12:30	10.7	255
8/26/2026 12:45	11.7	225
8/26/2026 13:00	8.7	296
8/26/2026 13:15	9.7	210
8/26/2026 13:30	10.3	240
8/26/2026 13:45	12.7	255
8/26/2026 14:00	14.3	225
8/26/2026 14:15	14	225
8/26/2026 14:30	16	225
8/26/2026 14:45	16.7	255
8/26/2026 15:00	17.3	335
8/26/2026 15:15	16	255
8/26/2026 15:30	16	225
8/26/2026 15:45	17.7	255
8/26/2026 16:00	15.7	255
8/26/2026 16:15	13.7	305
8/26/2026 16:30	12.3	305

8/26/2026 16:45	13.3	225
8/26/2026 17:00	11.7	255
8/26/2026 17:15	12.3	255
8/26/2026 17:30	11.7	335
8/26/2026 17:45	10	218
8/26/2026 18:00	10	335
8/26/2026 18:15	11	335
8/26/2026 18:30	11.7	225
8/26/2026 18:45	11.3	255
8/26/2026 19:00	8	305
8/26/2026 19:15	7.7	255
8/26/2026 19:30	9.7	305
8/26/2026 19:45	4.7	218
8/26/2026 20:00	1.3	270
8/26/2026 20:15	2	255
8/26/2026 20:30	1.3	293
8/26/2026 20:45	2.3	243
8/26/2026 21:00	2.3	217
8/26/2026 21:15	2.3	291
8/26/2026 21:30	0.7	270
8/26/2026 21:45	1	270
8/26/2026 22:00	0.3	270
8/26/2026 22:15	0.3	270
8/26/2026 22:30	0	270
8/26/2026 22:45	3.3	60
8/26/2026 23:00	1.7	65
8/26/2026 23:15	4.7	52
8/26/2026 23:30	4	45
8/26/2026 23:45	4.7	45
8/27/2026 0:00	7	45
8/27/2026 0:00	8	45
8/27/2026 0:15	5.7	38
8/27/2026 0:30	7	25
8/27/2026 0:45	6.7	25
8/27/2026 1:00	5.7	17
8/27/2026 1:15	3.7	58
8/27/2026 1:30	1.3	65
8/27/2026 1:45	1.3	75
8/27/2026 2:00	3.3	73
8/27/2026 2:15	4.7	65
8/27/2026 2:30	6	67
8/27/2026 2:45	5.7	73
8/27/2026 3:00	5.7	65
8/27/2026 3:15	5.3	65

8/27/2026 3:30	5	65
8/27/2026 3:45	4	65
8/27/2026 4:00	4	65
8/27/2026 4:15	5.3	45
8/27/2026 4:30	5.3	52
8/27/2026 4:45	3.3	52
8/27/2026 5:00	5	38
8/27/2026 5:15	3	52
8/27/2026 5:30	1.3	25
8/27/2026 5:45	3.3	58
8/27/2026 6:00	3.3	45
8/27/2026 6:15	2	73
8/27/2026 6:30	0	--
8/27/2026 6:45	0	--
8/27/2026 7:00	0	--
8/27/2026 7:15	4	322
8/27/2026 7:30	5.7	299
8/27/2026 7:45	1	135
8/27/2026 8:00	0	--
8/27/2026 8:15	0.7	198
8/27/2026 8:30	3.3	67
8/27/2026 8:45	3	357
8/27/2026 9:00	6.3	58
8/27/2026 9:15	7.7	52
8/27/2026 9:30	5.7	45
8/27/2026 9:45	5.7	52
8/27/2026 10:00	4.3	45
8/27/2026 10:15	3.3	205
8/27/2026 10:30	7	203
8/27/2026 10:45	8.3	218
8/27/2026 11:00	7.3	225
8/27/2026 11:15	7.7	225
8/27/2026 11:30	10.3	225
8/27/2026 11:45	10.3	255
8/27/2026 12:00	8.7	305
8/27/2026 12:15	9.3	225
8/27/2026 12:30	8.7	305
8/27/2026 12:45	8.7	225
8/27/2026 13:00	9	225
8/27/2026 13:15	8.3	225
8/27/2026 13:30	7.3	218
8/27/2026 13:45	7.7	180
8/27/2026 14:00	7.7	180
8/27/2026 14:15	4	306

8/27/2026 14:30	6	165
8/27/2026 14:45	2.3	205
8/27/2026 15:00	3.7	80
8/27/2026 15:15	4.7	98
8/27/2026 15:30	5	99
8/27/2026 15:45	5	90
8/27/2026 16:00	9	90
8/27/2026 16:15	6.3	129
8/27/2026 16:30	7.3	106
8/27/2026 16:45	8.7	127
8/27/2026 17:00	8.3	174
8/27/2026 17:15	7.3	128
8/27/2026 17:30	6.7	165
8/27/2026 17:45	7.3	58
8/27/2026 18:00	5.7	45
8/27/2026 18:15	6	57
8/27/2026 18:30	5.7	90
8/27/2026 18:45	3	87
8/27/2026 19:00	3	135
8/27/2026 19:15	6.3	98
8/27/2026 19:30	7.7	90
8/27/2026 19:45	7.3	90
8/27/2026 20:00	4	98
8/27/2026 20:15	5	90
8/27/2026 20:30	2.7	233
8/27/2026 20:45	2.7	99
8/27/2026 21:00	5.7	90
8/27/2026 21:15	6.7	73
8/27/2026 21:30	3	339
8/27/2026 21:45	2	215
8/27/2026 22:00	1.7	50
8/27/2026 22:15	1.7	73
8/27/2026 22:30	0.3	90
8/27/2026 22:45	0.7	65
8/27/2026 23:00	0.3	45
8/27/2026 23:15	0	45
8/27/2026 23:30	0.3	45
8/27/2026 23:45	0	--
8/28/2026 0:00	2	225

Instructions - Check Flare that is impacted. Note Shutdown Start and End Date/Time. Check whether Planned or Unplanned. Finally note cause or reason for shutdown.

Flare 1 - 1995	Flare 2- 2009	Flare 3 - 2023	Zeeco #1 TOx	Zeeco #6 TOx	Zeeco #7 TOx	Parnel TOx	Hero TOx	Planned	Unplanned	Anticipated Shutdown Start Date/Time	Anticipated Shutdown End Date/Time	Anticipated Estimated Downtime Duration (mins)	Actual Shutdown Start Date/Time	Actual Shutdown End Date/Time	Actual Shutdown Duration (mins)	Reason
x								x					8/31/2024 10:10	8/31/2024 15:09	299.00	FL-1995 manual shutdown to perform generator service
x									x				9/2/2024 9:14	9/2/2024 11:56	162.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/3/2024 10:05	9/3/2024 10:17	12.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/3/2024 16:41	9/3/2024 17:41	60.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/4/2024 12:07	9/4/2024 12:14	7.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/5/2024 2:49	9/5/2024 4:29	100.00	FL-1995 shutdown due to high flow
x									x				9/8/2024 12:38	9/8/2024 13:05	27.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/9/2024 12:00	9/9/2024 12:26	26.00	FL-1995 shutdown due to high flow
x									x				9/9/2024 12:40	9/9/2024 12:58	18.00	FL-1995 shutdown due to high flow
x									x				9/11/2024 13:49	9/11/2024 13:57	8.00	FL-1995 shutdown due to high flow
x									x				9/13/2024 13:51	9/13/2024 13:59	8.00	FL-1995 shutdown due to high flow
x									x				9/14/2024 8:15	9/14/2024 10:14	119.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 10:31	9/14/2024 10:56	25.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 11:29	9/14/2024 11:34	5.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 11:54	9/14/2024 11:59	5.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 12:09	9/14/2024 14:15	126.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 19:26	9/14/2024 22:31	185.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 22:38	9/14/2024 22:50	12.00	FL-1995 shutdown due to low temperature
x									x				9/15/2024 0:42	9/15/2024 1:04	22.00	FL-1995 shutdown due to high flow
x									x				9/15/2024 1:36	9/15/2024 1:44	8.00	FL-1995 shutdown due to high flow
x									x				9/16/2024 16:09	9/16/2024 16:24	15.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/17/2024 20:54	9/17/2024 21:53	59.00	FL-1995 shutdown due to high flow
x									x				9/23/2024 21:27	9/23/2024 23:21	114.00	FL-1995 shutdown due to high flow
x									x				9/24/2024 1:07	9/24/2024 1:32	25.00	FL-1995 shutdown due to high flow
x									x				9/24/2024 15:59	9/24/2024 16:35	36.00	FL-1995 shutdown due to high flow
x									x				9/25/2024 15:42	9/25/2024 16:12	30.00	FL-1995 shutdown due to low temperature
x									x				9/26/2024 10:14	9/26/2024 10:25	11.00	FL-1995 shutdown due to low temperature
x									x				9/28/2024 8:41	9/28/2024 8:58	17.00	FL-1995 shutdown due to low temperature
x									x				9/28/2024 12:48	9/28/2024 13:08	20.00	FL-1995 shutdown due to low temperature
x								x					10/12/2024 8:07	10/12/2024 8:23	16.00	FL-1995 manual shutdown for generator repair
x									x				10/14/2024 4:58	10/14/2024 5:15	17.00	FL-1995 shutdown due to low temperature
x									x				10/20/2024 2:05	10/20/2024 8:30	385.00	FL-1995 shutdown due to main flame failure
x									x				10/20/2024 12:31	10/20/2024 13:04	33.00	FL-1995 shutdown due to main flame failure
x									x				10/23/2024 14:33	10/23/2024 14:54	21.00	FL-1995 shutdown due to site generator failure
x									x				10/24/2024 6:22	10/24/2024 6:31	9.00	FL-1995 shutdown due to low temperature
x									x				10/24/2024 11:16	10/24/2024 11:22	6.00	FL-1995 shutdown due to low temperature
x									x				10/25/2024 13:33	10/25/2024 13:45	12.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x									x				10/25/2024 13:53	10/25/2024 13:58	5.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x									x				10/27/2024 18:57	10/28/2024 4:40	583.00	FL-1995 shutdown due to generator failure
x									x				10/28/2024 10:08	10/28/2024 10:30	22.00	FL-1995 shutdown due to high flow
x									x				11/1/2024 4:21	11/1/2024 4:52	31.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x									x				11/1/2024 9:48	11/1/2024 10:30	42.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x									x				11/1/2024 10:42	11/1/2024 14:08	206.00	FL-1995 shutdown due to BL-107 Gas Blower Failure & replacement
x								x					11/2/2024 4:55	11/2/2024 6:20	85.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/2/2024 7:35	11/2/2024 7:52	17.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/2/2024 7:57	11/2/2024 8:11	14.00	FL-1995 manual shutdown for power swap during generator maintenance
x								x					11/2/2024 8:27	11/2/2024 8:37	10.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/4/2024 15:41	11/4/2024 15:48	7.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 1:27	11/8/2024 4:30	183.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 8:13	11/8/2024 8:36	23.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 16:40	11/8/2024 16:46	6.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 16:57	11/8/2024 17:04	7.00	FL-1995 shutdown due to low temperature
x									x				11/9/2024 10:54	11/9/2024 11:12	18.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/9/2024 16:11	11/9/2024 16:27	16.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/12/2024 14:18	11/12/2024 14:29	11.00	FL-1995 shutdown due to high flow
x									x				11/14/2024 0:27	11/14/2024 6:57	390.00	FL-1995 shutdown due to generator failure
	x							x					8/31/2024 10:10	8/31/2024 11:47	97.00	FL-2009 manual shutdown to perform generator service
	x								x				8/31/2024 13:08	8/31/2024 15:00	112.00	FL-2009 manual shutdown to perform generator service
	x								x				9/2/2024 9:13	9/2/2024 10:27	74.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/3/2024 10:05	9/3/2024 10:37	32.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/3/2024 16:47	9/3/2024 17:22	35.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/4/2024 11:55	9/4/2024 12:25	30.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/9/2024 11:59	9/9/2024 17:19	320.00	FL-2009 shutdown due to pilot failure
	x								x				9/14/2024 8:15	9/16/2024 8:53	2918.00	FL-2009 shutdown due to pilot failure
	x								x				9/16/2024 16:09	9/16/2024 16:55	46.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x							x					9/21/2024 8:24	9/21/2024 19:26	662.00	FL-2009 manual shutdown to perform generator service
	x								x				9/23/2024 21:26	9/23/2024 23:57	151.00	FL-2009 shutdown due to high temperature
	x								x				9/24/2024 0:42	9/24/2024 1:21	39.00	FL-2009 shutdown due to high flow

	x								x					9/25/2024 0:44	9/25/2024 11:15	631.00	FL-2009 shutdown due to pilot failure
	x								x					9/28/2024 8:41	9/28/2024 9:11	30.00	FL-2009 shutdown due to high flow
	x								x					9/28/2024 12:47	9/28/2024 13:48	61.00	FL-2009 shutdown due to pilot failure
	x								x					10/7/2024 3:14	10/7/2024 4:36	82.00	FL-2009 shutdown due to high flow
	x								x					10/9/2024 21:48	10/9/2024 22:42	54.00	FL-2009 shutdown due to high flow
	x							x						10/12/2024 8:06	10/12/2024 8:21	15.00	FL-2009 manual shutdown for generator repair
	x								x					10/12/2024 18:50	10/12/2024 19:34	44.00	FL-2009 shutdown due to high flow
	x								x					10/20/2024 2:05	10/20/2024 12:21	616.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/20/2024 12:31	10/21/2024 9:38	1267.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/23/2024 11:07	10/23/2024 12:24	77.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/23/2024 14:33	10/23/2024 15:19	46.00	FL-2009 shutdown due to site generator failure
	x								x					10/23/2024 18:49	10/24/2024 12:07	1038.00	FL-2009 shutdown due to combustion air blower and pilot failure
	x								x					10/24/2024 17:48	10/24/2024 19:05	77.00	FL-2009 shutdown due to main flame failure
	x								x					10/25/2024 13:32	10/25/2024 14:09	37.00	FL-2009 shutdown due to BL-106 Gas Blower Failure
	x								x					10/27/2024 18:57	10/28/2024 12:26	1049.00	FL-2009 shutdown due to generator failure
	x								x					10/28/2024 13:04	10/28/2024 13:42	38.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/28/2024 17:39	10/28/2024 17:55	16.00	FL-2009 shutdown due to high flow
	x								x					11/1/2024 9:46	11/1/2024 12:56	190.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	x								x					11/1/2024 13:14	11/1/2024 13:40	26.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	x							x						11/2/2024 7:31	11/2/2024 10:17	166.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/2/2024 10:42	11/2/2024 11:51	69.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/9/2024 10:51	11/9/2024 13:25	154.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/9/2024 16:09	11/9/2024 16:44	35.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/14/2024 0:27	11/14/2024 13:19	772.00	FL-2009 shutdown due to generator failure & pilot combustion failure
	x								x					3/22/2024 11:55	3/22/2024 12:21	26.00	FL-2009 shutdown due to high flow
		x							x					8/31/2024 8:17	8/31/2024 10:19	122.00	FL-2023 manual shutdown to perform generator service
		x							x					8/31/2024 13:06	8/31/2024 15:44	158.00	FL-2023 manual shutdown to perform generator service
		x							x					9/2/2024 9:13	9/2/2024 10:03	50.00	FL-2023 shutdown due to main flame failure
		x							x					9/2/2024 10:22	9/2/2024 12:14	112.00	FL-2023 shutdown due to combustion low flow
		x							x					9/3/2024 10:03	9/3/2024 10:16	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/3/2024 10:33	9/3/2024 10:44	11.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/3/2024 16:55	9/3/2024 17:22	27.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/6/2024 12:39	9/6/2024 14:48	129.00	FL-2023 shutdown due to combustion blower failure
		x							x					9/9/2024 11:54	9/9/2024 12:23	29.00	FL-2023 shutdown due to main flame failure
		x							x					9/10/2024 8:51	9/10/2024 9:04	13.00	FL-2023 shutdown due to main flame failure
		x							x					9/14/2024 8:14	9/14/2024 8:40	26.00	FL-2023 shutdown due to main flame failure
		x							x					9/14/2024 9:25	9/14/2024 9:49	24.00	FL-2023 shutdown due to main flame failure
		x							x					9/14/2024 12:04	9/14/2024 14:05	121.00	FL-2023 shutdown due to main flame failure
		x							x					9/22/2024 16:10	9/22/2024 16:51	41.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/23/2024 20:10	9/24/2024 9:40	810.00	FL-2023 shutdown due to generator failure
		x							x					9/24/2024 18:21	9/24/2024 18:50	29.00	FL-2023 shutdown due to generator failure
		x							x					9/25/2024 2:09	9/25/2024 4:51	162.00	FL-2023 shutdown due to main flame failure
		x							x					9/26/2024 17:49	9/26/2024 18:18	29.00	FL-2023 manual shutdown to swap from rented generator to site generator
		x							x					9/28/2024 16:06	9/28/2024 16:19	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					10/12/2024 8:07	10/12/2024 8:47	40.00	FL-2023 manual shutdown for generator service
		x							x					10/20/2024 2:07	10/20/2024 2:18	11.00	FL-2023 shutdown due to generator failure
		x							x					10/20/2024 3:31	10/20/2024 6:49	198.00	FL-2023 shutdown due to generator failure
		x							x					10/20/2024 12:15	10/20/2024 12:33	18.00	FL-2023 shutdown due to main flame failure
		x							x					10/21/2024 11:14	10/21/2024 11:25	11.00	FL-2023 shutdown due to block valve failure
		x							x					10/21/2024 14:49	10/21/2024 20:55	366.00	FL-2023 shutdown due to generator failure
		x							x					10/23/2024 4:58	10/23/2024 5:58	60.00	FL-2023 shutdown due to generator out of fuel
		x							x					10/23/2024 14:37	10/23/2024 14:49	12.00	FL-2023 shutdown due to running out of fuel
		x							x					10/24/2024 5:35	10/24/2024 6:25	50.00	FL-2023 shutdown due to running out of fuel
		x							x					10/25/2024 13:35	10/25/2024 13:47	12.00	FL-2023 shutdown due to flow spike
		x							x					10/27/2024 6:46	10/27/2024 8:31	105.00	FL-2023 shutdown due to air compressor power loss
		x							x					10/27/2024 19:02	10/27/2024 20:05	63.00	FL-2023 shutdown due to main flame failure
		x							x					10/27/2024 21:03	10/28/2024 4:06	423.00	FL-2023 shutdown due to declining gas flow as a result of a watered in sump
		x							x					10/28/2024 10:08	10/28/2024 10:24	16.00	FL-2023 shutdown due to generator issue
		x							x					10/30/2024 14:43	10/30/2024 14:58	15.00	FL-2023 shutdown due to block valve failure
		x							x					11/9/2024 7:30	11/9/2024 8:07	37.00	FL-2023 manual shutdown for power swap during generator maintenance
		x							x					11/9/2024 10:15	11/9/2024 10:44	29.00	FL-2023 manual shutdown for power swap during generator maintenance
		x							x					11/14/2024 0:31	11/14/2024 2:26	115.00	FL-2023 shutdown due to flow spike
		x							x					11/14/2024 5:13	11/14/2024 5:26	13.00	FL-2023 shutdown due to flow spike
						x			x					8/31/2024 7:07	9/1/2024 15:04	1916.56	Zeeco manual shutdown to perform generator service
						x			x					9/1/2024 15:59	9/1/2024 17:03	64.01	Zeeco shutdown due to pilot failure
						x			x					9/4/2024 18:48	9/4/2024 19:18	30.00	Zeeco shutdown due to main flame failure
						x			x					9/12/2024 17:59	9/12/2024 19:48	109.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
						x			x					9/13/2024 16:30	9/13/2024 16:49	19.00	Zeeco manual shutdown to clean flow meter
						x			x					9/19/2024 5:13	9/19/2024 8:43	209.86	Zeeco shutdown due to pilot failure
						x			x					9/22/2024 7:46	9/22/2024 9:48	122.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
						x			x					9/28/2024 8:47	9/28/2024 9:07	20.00	Zeeco shutdown due to main flame failure
						x			x					10/3/2024 21:29	10/4/2024 7:29	599.75	Zeeco manual shutdown due to upgrade on electrical system
						x			x					10/5/2024 7:17	10/5/2024 10:58	221.02	Zeeco manual shutdown to perform cleaning on DA and flow meter
						x			x					11/6/2024 11:00	11/6/2024 18:43	463.15	Public Safety Power Shutdown

					x			x						11/8/2024 13:12	11/8/2024 13:30	17.69	Return to Line Power
					x			x						11/14/2024 8:32	11/14/2024 11:46	193.26	Installation of electrical disconnect and cleaning of flame arrestor element
	x							x			11/22/2024 4:30	11/22/2024 18:00	810.00	11/22/2024 5:14	11/22/2024 20:42	928.00	FL-2009 manual shutdown to perform cleaning on FA and burner tips
			x					x			11/25/2024 4:30	11/25/2024 18:00	810.00	11/25/2024 5:28	11/25/2024 17:46	738.00	FL-2023 manual shutdown to perform cleaning on Flame Arrestor and burner tips. SCE electrical tie in to grid power.
x									x					11/22/2024 0:52	11/22/2024 2:07	75.00	FL-1995 shutdown due to high flow spike
			x						x					11/24/2024 7:11	11/24/2024 8:29	78.00	FL-2023 shutdown due to high flow spike
	x								x					11/24/2024 19:41	11/24/2024 21:06	85.00	FL-2009 shutdown due to high flow spike
x									x					11/25/2024 7:15	11/25/2024 9:24	129.00	FL-1995 shutdown due to accidental power shutoff
	x								x					11/25/2024 7:15	11/25/2024 9:50	155.00	FL-2009 shutdown due to accidental power shutoff
x								x			11/30/2024 8:00	11/30/2024 14:30	390.00	11/30/2024 8:16	11/30/2024 8:34	18.00	FL-1995 manual shutdown to perform generator service
	x							x			11/30/2024 8:00	11/30/2024 14:30	390.00	11/30/2024 8:13	11/30/2024 10:22	129.00	FL-2009 manual shutdown to perform generator service
x								x			12/2/2024 8:00	12/2/2024 12:00	240.00	12/2/2024 9:52	12/2/2024 10:38	46.00	FL-1995 manual shutdown to perform service on the flame arrestor
x	x	x							x					11/27/2024 8:30	11/27/2024 14:06	336.00	Flares 1, 2 and 3 manual shutdown due to electrical meter installation, installer requested a complete shutdown for extra precaution
					x			x			12/4/2024 8:00	12/4/2024 15:00	435	12/4/2024 11:12	12/4/2024 16:06	294.00	Zeeco Tox Manual shutdown for new main header tie in
x									x					12/2/2024 0:38	12/2/2024 1:11	33.00	FL-1995 shutdown due to high flow
x	x	x						x			12/7/2024 8:00	12/7/2024 12:00	240.00	12/7/2024 8:06	12/7/2024 8:18	12.00	Flares-1, 2 and 33 manual shutdown to perform generator service
x	x	x	x					x			12/7/2024 8:00	12/7/2024 12:00	240.00	12/7/2024 11:08	12/7/2024 11:18	10.00	Flares-1, 2 and 33 manual shutdown to perform generator service
					x			x						12/5/2024 5:10	12/5/2024 15:52	642.00	Zeeco TOX shutdown due to a failed actuator
					x			x						12/6/2024 22:42	12/6/2024 2:52	250.00	Zeeco TOX shutdown due to a flame failure
					x			x						12/6/2024 4:09	12/6/2024 4:25	16.00	Zeeco TOX shutdown due to main flame failure
					x			x						12/6/2024 14:54	12/6/2024 16:42	108.00	Zeeco TOX shutdown due to a failed actuator
					x			x						12/6/2024 7:22	12/6/2024 7:56	34.00	Zeeco TOX shutdown due to a failed actuator
					x			x						12/6/2024 10:32	12/6/2024 10:54	22.00	Zeeco TOX shutdown due to a failed actuator
x		x	x					x			12/10/2024 7:00	12/10/2024 16:00	540.00	See below for each flare			Shutdown of flare station for Ongoing electrical upgrades
x								x						12/10/2024 7:36	12/10/2024 17:54	618.00	Shutdown of flare station for Ongoing electrical upgrades
x								x						12/10/2024 19:46	12/10/2024 20:08	22.00	Shutdown of flare station for Ongoing electrical upgrades
									x								originally shutdown for electrical upgrades. Then could not be re-started due to blower issues until VFD was replaced.
														12/10/2024 7:36	12/13/2024 13:02	4646.00	
			x					x						12/10/2024 8:14	12/10/2024 10:06	112.00	Shutdown of flare station for Ongoing electrical upgrades
					x				x					12/10/2024 11:31	12/10/2024 12:10	39.00	Zeeco TOX shutdown due to gas vapor blower failure
x		x	x					x			12/13/2024 16:12	12/13/2024 17:46	94.00	12/13/2024 17:46		94.00	Flare station shutdown due to needing to swap to upsized generator
					x			x			12/16/2024 8:00	12/16/2024 11:00	180.00	12/16/2024 8:54	12/16/2024 12:24	210.00	Zeeco TOX manual shutdown due to remove and clean detonation arrestor
			x						x		12/16/2024 12:00	12/16/2024 14:00	120.00	12/16/2024 14:04	12/16/2024 15:04	60.00	FL-2009 manual shutdown to remove and clean flame arrestor
			x						x		12/16/2024 14:00	12/16/2024 16:00	120.00	12/16/2024 15:06	12/16/2024 15:20	14.00	FL-2023 manual shutdown to remove and replace combustion blower filter elements
x	x	x	x					x			12/19/2024 0:00	12/19/2024 0:00	0.00	Shutdown not needed			Full station shut down to perform electrical work. Duration of work is unknown.
x	x	x	x					x			12/20/2024 7:00	12/20/2024 20:00	780.00	See below for each flare			Full station shut down to perform electrical work. Duration of work is unknown.
x								x						12/20/2024 11:48	12/20/2024 15:54	246.00	Full station shut down to perform electrical connection
								x						12/20/2024 11:48	12/20/2024 16:02	254.00	Full station shut down to perform electrical connection
			x											12/20/2024 11:48	12/20/2024 15:26	218.00	Full station shut down to perform electrical connection
					x			x			12/23/2024 8:00	12/23/2024 12:00	240.00	12/23/2024 9:06	12/23/2024 11:48	162.00	Zeeco TOX manual shut down to perform maintenance on detonation arrestor
x	x	x	x					x			12/23/2024 13:00	12/23/2024 15:00	120.00	See below for each flare			Full station shut down to perform electrical work. Duration of work is unknown.
x														12/23/2024 13:54	12/23/2024 15:54	120.00	Full station shut down to perform electrical connection
			x											12/23/2024 13:54	12/23/2024 15:34	100.00	Full station shut down to perform electrical connection
								x						12/23/2024 13:54	12/23/2024 15:24	90.00	Full station shut down to perform electrical connection
x	x	x	x					x		x	1/7/2024 11:47	1/7/2024 12:15	28.00	See below for each flare			Sitewide Public Safety Power Shutdown
x								x						1/7/2024 11:51	1/7/2024 12:18	27.00	Restart upon Generator activation
		x						x						1/7/2024 11:51	1/7/2024 13:47	116.00	Restart upon Generator start up and Thermocouple replacement
			x					x						1/7/2024 11:52	1/7/2024 12:13	21.00	Restart upon Generator activation
								x		x				1/7/2024 11:48	1/7/2024 12:37	49.00	Restart upon Generator activation
			x						x		1/9/2025 7:45	1/9/2025 14:00	375.00	1/9/2025 7:47	1/9/2025 14:45	418.00	Shutdown for flare inspection for structural testing
x									x		1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:43	1/10/2025 6:29	46.00	Shutdown during power restoration from Public Safety Power Shutdown
			x						x		1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:43	1/10/2025 6:18	35.00	Shutdown during power restoration from Public Safety Power Shutdown
					x				x		1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:34	1/10/2025 6:53	79.00	Shutdown during power restoration from Public Safety Power Shutdown
			x						x		1/10/2025 5:35	1/10/2025 5:45	10.00	1/10/2025 5:42	1/10/2025 5:48	6.00	Shutdown during power restoration from Public Safety Power Shutdown/Autorestart
x									x		1/13/2025 2:54	1/13/2025 5:04	130.00	1/13/2025 2:57	1/13/2025 5:09	132.00	Suspected flame failure due to high flow
x	x	x	x					x			1/13/2025 9:53	1/13/2025 10:53	60.00	1/13/2025 9:53	1/13/2025 11:06	73.00	Sitewide Public Safety Power Shutdown
					x				x		1/13/2025 20:49	1/14/2025 7:57	668.00	1/13/2025 20:52	1/14/2025 7:58	666.00	Power restored. Breaker tripped
x	x	x	x						x		1/16/2025 13:30	1/16/2025 14:30	60.00	1/16/2025 13:47	1/16/2025 14:41	54.00	Power restored - switching to line power
x	x	x	x						x					1/18/2025 14:38	1/18/2025 15:19	41.00	Electrical glitch at flare station
x	x	x	x					x						1/22/2025 12:26	1/22/2025 13:17	51.00	Switch to generator power as a wild fire near the site broke out forcing evacuations
x									x		1/25/2025 8:45	1/25/2025 9:14	29.00	1/25/2025 8:45		29.00	Manual shutdown to switch from generator power to utility power
x									x		1/28/2025 18:17	1/28/2025 19:47	90.00	1/28/2025 18:17	1/28/2025 19:04	47.00	FL-1995 shutdown due to high flow
		x							x					2/7/2025 13:20	2/7/2025 13:51	31.00	Suspected utility power surge
x									x					2/8/2025 15:48	2/8/2025 21:00	312.00	Backed up liquid in main header
									x					2/8/2025 17:43	2/8/2025 12:49	1146.00	Backed up liquid in main header
									x					2/11/2025 10:13	2/11/2025 16:56	403.00	Pulled flame arrestor to clean
			x						x		2/12/2025 9:10	2/12/2025 11:30	140.00	2/12/2025 8:58	2/12/2025 11:32	153.99	Clogged flame arrestor causing declining flow and poor flame signal
x									x		2/17/2025 7:00	2/17/2025 15:00	480.00	2/17/2025 8:07	2/18/2025 12:18	1691.00	Manual shutdown to clean flare burner assembly and flame arrestor
		x	x						x		2/14/2025 8:30	2/14/2025 12:30	240.00	2/14/2025 9:02	2/14/2025 12:07	185.00	Manual shutdown to clean flare burner assembly and flame arrestor
	x	x	x						x		2/16/2025 8:00	2/16/2025 12:30	270.00	2/17/2025 8:58	2/17/2025 19:36	638.00	Manual shutdown to clean flare burner assembly and flame arrestor
x									x					2/19/2025 12:26	2/19/2025 13:18	52.00	Flare shutdown due to computer programming glitch
		x							x					2/19/2025 12:26	2/19/2025 14:00	94.00	Flare shutdown due to computer programming glitch

x									x	2/20/2025 17:26	2/20/2025 18:56	90.00	2/20/2025 17:25	2/20/2025 17:51	26.00	Hi flow shutdown due to liquids/debris impacting flow meter
		x						x		2/21/2025 8:00	2/21/2025 12:00	240.00	2/21/2025 9:17	2/21/2025 11:26	129.00	Manual shutdown to pull and clean the flame arrestor
	x								x				2/21/2025 11:48	2/21/2025 12:17	29.00	flare failure during restart of flare 3, less than 30 minutes
		x							x				2/21/2025 13:14	2/21/2025 15:06	112.00	Shutdown 2023 to reseal the gasket on the flame arrestor
x									x				2/22/2025 4:38	2/22/2025 5:15	37.00	Flare shutdown due to low temperature
	x								x				2/22/2025 4:21	2/22/2025 5:45	84.00	Flare shutdown due to main flame failure
	x								x	2/22/2025 17:16	2/22/2025 20:00	164.00	2/22/2025 17:17	2/22/2025 20:34	197.00	Flare shutdown due to backed up liquids in the header restricting gas flow
		x							x				2/22/2025 18:57	2/22/2025 20:21	84.00	Flame failure during restart of flare 2
	x								x	2/23/2025 0:35	2/23/2025 12:00	685.00	2/23/2025 0:36	2/23/2025 11:56	680.00	High flow shutdown due to debris/liquid hitting flow meter. Cleaned flame arrestor prior to restart
		x							x	2/23/2025 16:31	2/23/2025 20:00	209.00	2/23/2025 16:37	2/23/2025 17:38	35.00	Flare shutdown due high burner tip
				x				x		2/24/2025 13:00	2/24/2025 15:00	120.00	2/24/2025 9:35	2/24/2025 11:39	124.00	Manual shutdown to pull and clean the flow meter
	x								x	2/25/2025 13:15	2/25/2025 16:00	165.00	2/25/2025 13:15	2/25/2025 14:50	95.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)
		x								2/25/2025 13:30	2/25/2025 17:00	210.00	2/25/2025 13:33	2/25/2025 16:50	197.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)
				x					x	2/26/2025 4:50	2/26/2025 10:00	310.00	2/26/2025 4:52	2/26/2025 7:02	130.00	Flame failure. Pilot needed to be cleaned and flame scanner re-aligned
	x								x	2/27/2025 9:15	2/27/2025 11:30	135.00	2/27/2025 9:16	2/27/2025 9:48	32.00	Manual shutdown to clean flame arrestor due to unexpected high differential pressure
		x							x				3/1/2025 13:27	3/1/2025 15:17	110.00	Flare shutdown due main flame failure
			x						x	3/2/2025 2:30	3/2/2025 12:00	570.00	3/2/2025 2:30	3/2/2025 8:21	351.00	Flare shutdown due main flame failure
		x						x					3/4/2025 5:00	3/4/2025 18:00	780.00	Manual shutdown to perform flare cleaning and maintenance
	x								x	3/7/2025 10:27	3/7/2025 11:11	44.00	3/7/2025 10:31	3/7/2025 11:13	42.00	Flare shutdown due to main flame failure
x									x	3/7/2025 10:33	3/7/2025 10:44	11.00	3/7/2025 10:38	3/7/2025 10:51	13.00	Flare shutdown due to high flow
x	x								x	3/10/2025 11:19	3/10/2025 12:45	86.00	See below for individual flare downtimes			Flares shutdown during pipeline construction work
x									x				3/10/2025 11:29	3/10/2025 11:48	19.00	Flares shutdown during pipeline construction work
	x								x				3/10/2025 11:19	3/10/2025 11:42	23.00	Flares shutdown during pipeline construction work
x									x				3/10/2025 17:55	3/10/2025 17:59	4.00	Flare shutdown during construction. No notification required
	x												3/10/2025 17:49	3/10/2025 18:06	17.00	Flare shutdown during construction. No notification required
x													3/13/2025 5:25	3/13/2025 6:09	44.00	Flame failure shutdown
x									x				3/14/2025 9:06	3/14/2025 11:04	118.00	Flares shutdown during pipeline construction work
									x				3/14/2025 8:57	3/14/2025 10:52	115.00	Flares shutdown during pipeline construction work
x	x	x						x		3/27/2025 9:00	3/27/2025 11:00	120.00	See below for individual flare downtimes			Planned shutdown to perform monthly alarm tests
x								x					3/27/2025 11:02	3/27/2025 11:14	12.00	Planned shutdown to perform monthly alarm tests
	x							x					3/27/2025 11:02	3/27/2025 12:10	68.00	Planned shutdown to perform monthly alarm tests
x	x	x						x		3/31/2025 9:00	3/31/2025 11:00	120.00	**EVENT DID NOT TAKE PLACE**			Planned potential shutdown to perform main header work
		x							x	3/31/2025 16:48	3/31/2025 17:20	32.00	3/31/2025 16:52	3/31/2025 17:37	45.00	Flare shutdown due to combustion blower failure
		x							x	4/2/2025 16:48	4/2/2025 16:58	10.00	4/2/2025 16:46	4/2/2025 16:58	12.00	Flare shutdown due to combustion blower failure
x									x	4/2/2025 17:04	4/2/2025 17:14	10.00	4/2/2025 17:04	4/2/2025 17:14	10.00	Flare shutdown due to high flow
		x							x	4/2/2025 17:04	4/2/2025 17:32	28.00	4/2/2025 17:04	4/2/2025 17:32	28.00	Flare shutdown due to combustion air low flow
		x							x				4/4/2025 9:33	4/4/2025 9:44	11.00	Flare shutdown during construction. No notification required
		x							x				4/4/2025 9:47	4/4/2025 10:03	16.00	Flare shutdown during construction. No notification required
		x							x				4/4/2025 10:05	4/4/2025 10:17	12.00	Flare shutdown during construction. No notification required
		x							x				4/4/2025 10:19	4/4/2025 10:23	4.00	Flare shutdown during construction. No notification required
		x							x				4/4/2025 10:52	4/4/2025 11:04	12.00	Flare shutdown due low temp
x	x	x						x		4/7/2025 9:00	4/7/2025 11:00	120.00	See below for individual flare downtime			Planned potential shutdown to perform main header work
		x						x					4/7/2025 11:02	4/7/2025 13:46	164.00	Planned shutdown to perform main header work
	x								x	4/7/2025 15:38	4/7/2025 16:01	23.00	4/7/2025 15:52	4/7/2025 16:04	12.00	Flare shutdown due to high burner temp
		x							x	4/7/2025 19:11	4/7/2025 20:11	60.00	4/7/2025 19:12	4/7/2025 21:42	150.00	Flare shutdown due to high burner temp
				x					x				4/8/2025 9:52	4/8/2025 10:21	29.00	Zeeco shutdown due to header pipe work and clogged pilot orifice preventing restart
			x					x		4/10/2025 9:00	4/10/2025 10:00	60.00	4/10/2025 13:08	4/10/2025 13:22	14.00	Planned potential shutdown to swap out propane tanks
		x							x				4/11/2025 23:00	4/12/2025 3:54	294.00	Flare shutdown due to flame failure
	x								x	4/14/2025 5:24	4/14/2025 17:00	720.00	4/14/2025 5:24	4/14/2025 23:48	1104.00	Planned shutdown to perform cleaning and maintenance
		x							x				4/16/2025 16:33	4/16/2025 16:41	8.00	Flare down due to VFD faults on the combustion blower and gas blowers
		x							x	4/19/2025 3:07	4/19/2025 3:54	47.00	4/19/2025 3:07	4/19/2025 3:54	47.00	Flare shutdown due main flame failure
	x								x	4/19/2025 4:05	4/19/2025 4:36	31.00	4/19/2025 4:32	4/19/2025 4:44	12.00	Flare shutdown due low temperature
x									x	4/19/2025 4:32	4/19/2025 4:44	12.00	4/19/2025 7:23	4/19/2025 8:02	39.00	Flare shutdown due low temperature
x									x	4/19/2025 7:23	4/19/2025 8:02	39.00	4/19/2025 8:14	4/19/2025 8:34	20.00	Flare shutdown due low temperature
		x							x	4/19/2025 7:12	4/19/2025 8:17	65.00	4/19/2025 7:12	4/19/2025 8:17	65.00	Flare shutdown due main flame failure
		x							x	4/19/2025 7:26	4/19/2025 7:33	7.00	4/19/2025 7:26	4/19/2025 7:33	7.00	Flare shutdown due flame failure
		x							x	4/19/2025 7:40	4/19/2025 7:45	5.00	4/19/2025 7:40	4/19/2025 7:45	5.00	Flare shutdown due flame failure
x	x	x							x	4/19/2025 19:18	4/19/2025 21:00	102.00	See below for individual flare downtime			
x									x				4/19/2025 19:16	4/19/2025 20:24	68.00	Flare shutdown due to high flow
		x							x				4/19/2025 19:16	4/19/2025 20:34	78.00	Flare shutdown due to main flame failure
									x				4/19/2025 19:18	4/19/2025 20:12	54.00	Flare shutdown due to high flow
x									x	4/19/2025 22:50	4/19/2025 23:50	60.00	4/19/2025 23:04	4/19/2025 23:16	12.00	Flare shutdown due to main flame failure
	x								x	4/19/2025 22:50	4/19/2025 23:50	60.00	4/19/2025 22:52	4/20/2025 11:54	782.00	Flare shutdown due to low temperature
		x							x	4/20/2025 12:38	4/20/2025 13:15	37.00	4/20/2025 12:38	4/20/2025 13:15	37.00	Flare shutdown due to main flame failure
		x						x		4/22/2025 9:00	4/22/2025 11:00	120.00	4/22/2025 14:36	4/22/2025 15:22	46.00	Planned potential shutdown to perform main header work
									x	4/22/2025 14:21	4/22/2025 14:59	38.00	4/22/2025 14:21	4/22/2025 14:59	38.00	Flare shutdown due to header work.
x									x	4/22/2025 14:20	4/22/2025 15:07	47.00	4/22/2025 14:20	4/22/2025 15:07	47.00	Flare shutdown due to header work.
									x	4/22/2025 14:36	4/22/2025 15:24	48.00	4/22/2025 14:36	4/22/2025 15:24	48.00	Flare shutdown due to header work.
		x						x		4/25/2025 8:00	4/25/2025 11:00	180.00	4/25/2025 8:30	4/25/2025 11:08	158.00	Planned shutdown to clean flame arrestor
				x					x	4/25/2025 13:00	4/25/2025 15:00	120.00	4/25/2025 13:36	4/25/2025 15:42	126.00	Planned shutdown to clean detonation arrestor and swap flow meters
x	x	x			x				x				See below for individual flare downtime			

x								x						4/26/2025 11:32	4/26/2025 12:47	75.00	Shutdown due SCE power outage/glitch
	x							x						4/26/2025 11:32	4/26/2025 12:56	84.00	Shutdown due SCE power outage/glitch
		x						x						4/26/2025 11:32	4/26/2025 11:39	7.00	Shutdown due SCE power outage/glitch
								x						4/26/2025 11:32	4/26/2025 16:48	316.00	Shutdown due SCE power outage/glitch. Electrical issue on control panel. Switch went bad. Confirmed by electricians.
		x						x						4/29/2025 4:49	4/29/2025 6:07	78.00	Flare shutdown due to main flame failure
		x						x						4/29/2025 11:54	4/29/2025 13:00	66.00	Flare shutdown due to Burner D high temperature. Need to replace thermocouple.
x								x						4/30/2025 8:00	4/30/2025 12:00	240.00	Planned shutdown to perform monthly alarm tests
	x							x						5/4/2025 11:01	5/4/2025 12:34	93.00	Flare shutdown due to main flame failure
	x							x						5/4/2025 14:21	5/4/2025 15:05	44.00	Flare shutdown due to low temp
	x							x						5/4/2025 15:58	5/5/2025 12:00	1202.00	Flare shutdown due to flame failure. Flame arrestor clogged due to carbon media break through
x	x	x						x						5/5/2025 7:00	5/5/2025 13:00	360.00	See below for individual flare downtime
								x						5/5/2025 7:00	5/5/2025 13:00	360.00	5/5/2025 8:15
								x						5/5/2025 7:00	5/5/2025 13:00	360.00	5/5/2025 8:15
x								x						5/8/2025 18:22	5/8/2025 18:45	23.00	5/8/2025 18:24
								x						5/13/2025 20:42	5/13/2025 22:12	90.00	5/13/2025 20:40
		x						x						5/14/2025 13:00	5/14/2025 14:30	90.00	5/14/2025 13:45
	x							x						5/15/2025 13:00	5/15/2025 14:30	90.00	5/15/2025 13:45
								x						5/15/2025 13:57	5/15/2025 14:18	21.00	5/15/2025 13:57
								x						5/19/2025 5:30	5/19/2025 13:00	450.00	5/19/2025 5:48
	x							x						5/19/2025 13:00	5/19/2025 14:30	90.00	5/19/2025 16:49
								x						6/2/2025 5:00	6/2/2025 18:00	780.00	6/2/2025 5:23
	x							x						6/9/2025 11:38	6/9/2025 13:30	112.00	6/9/2025 11:38
x								x						6/9/2025 11:49	6/9/2025 12:10	21.00	6/9/2025 11:49
								x						6/9/2025 19:29	6/9/2025 20:59	90.00	6/9/2025 19:29
		x						x						6/10/2025 13:30	6/10/2025 15:00	90.00	6/10/2025 14:39
	x	x						x						6/10/2025 19:30	6/10/2025 21:30	120.00	6/10/2025 19:40
	x							x						6/10/2025 19:30	6/10/2025 21:30	120.00	6/10/2025 19:52
								x						6/11/2025 20:40	6/11/2025 22:00	80.00	6/11/2025 20:55
		x						x						6/15/2025 18:26	6/15/2025 21:26	180.00	6/15/2025 18:31
	x							x						6/17/2025 21:02	6/17/2025 22:32	90.00	6/17/2025 21:08
	x	x	x					x						6/18/2025 17:27	6/18/2025 18:57	90.00	6/18/2025 17:28
		x						x						6/18/2025 17:27	6/18/2025 18:57	90.00	6/18/2025 17:28
								x						6/18/2025 17:35	6/18/2025 18:57	82.00	6/18/2025 17:40
x								x						6/18/2025 17:38	6/18/2025 18:57	79.00	6/18/2025 17:42
								x						6/19/2025 13:00	6/19/2025 14:00	60.00	6/19/2025 12:45
								x						6/19/2025 20:09	6/19/2025 21:39	90.00	6/19/2025 20:14
x								x						6/21/2025 19:48	6/21/2025 21:18	90.00	6/21/2025 19:53
								x						6/26/2025 14:10	6/26/2025 15:45	95.00	6/26/2025 13:59
x	x	x						x						6/27/2025 12:30	6/27/2025 15:00	150.00	6/27/2025 15:41
x	x	x	x											6/26/2025 14:00			**EVENT DID NOT TAKE PLACE**
								x						6/27/2025 1:18	6/27/2025 6:30	312.00	6/27/2025 1:24
								x						6/27/2025 20:10	6/27/2025 21:30	80.00	6/27/2025 20:18
								x						6/29/2025 3:36	6/29/2025 4:12	36.00	6/29/2025 3:41
								x						6/29/2025 20:21	6/29/2025 21:36	75.00	6/29/2025 20:26
								x						7/1/2025 22:14	7/2/2025 0:14	120.00	7/1/2025 22:19
	x							x						7/7/2025 4:05	7/7/2025 5:35	90.00	7/7/2025 4:11
x	x	x						x						7/8/2025 14:20	7/8/2025 15:14	54.00	7/8/2025 14:20
	x	x	x					x						7/9/2025 5:30	7/9/2025 7:30	120.00	7/9/2025 5:30
								x						7/9/2025 18:39	7/9/2025 20:09	90.00	7/9/2025 18:44
								x						7/24/2025 5:00	7/24/2025 15:00	600.00	7/24/2025 5:14
		x						x						7/24/2025 10:00	7/24/2025 14:00	240.00	7/24/2025 10:00
		x						x						7/24/2025 10:00	7/24/2025 14:00	240.00	7/24/2025 11:15
	x							x						7/23/2025 11:04	7/23/2025 11:04	40.00	7/23/2025 11:04
x								x						7/23/2025 11:04	7/23/2025 11:34	30.00	7/23/2025 11:04
		x						x						7/23/2025 11:00	7/23/2025 11:53	53.00	7/23/2025 11:00
								x						7/23/2025 11:00	7/23/2025 11:33	33.00	7/23/2025 11:00
		x						x						7/23/2025 13:53	7/23/2025 14:20	27.00	7/23/2025 13:53
x								x						7/23/2025 13:55	7/23/2025 14:05	10.00	7/23/2025 13:55
		x						x						7/23/2025 13:50	7/23/2025 14:06	16.00	7/23/2025 13:50
								x						7/23/2025 13:45	7/23/2025 13:58	13.00	7/23/2025 13:45
								x						7/27/2025 8:18	7/27/2025 9:30	72.00	7/27/2025 8:18
								x						7/27/2025 12:29	7/27/2025 13:04	35.00	7/27/2025 12:29
								x						7/30/2025 9:00	7/30/2025 13:00	240.00	7/30/2025 8:33
x	x	x						x						7/31/2025 10:00	7/31/2025 14:00	240.00	7/31/2025 10:00
								x						8/5/2025 16:53	8/6/2025 10:00	1027.00	8/5/2025 16:59
								x						8/6/2025 10:41	8/6/2025 12:00	79.00	8/6/2025 10:46
	x	x	x					x						8/7/2025 9:00	8/7/2025 14:00	300.00	8/7/2025 9:00
								x						8/7/2025 10:16	8/7/2025 13:48	212.00	8/7/2025 10:16
		x						x						8/7/2025 10:14	8/7/2025 13:21	187.00	8/7/2025 10:14
x		x	x					x						8/9/2025 6:30	8/9/2025 9:00	150.00	8/9/2025 6:30
x								x						8/9/2025 6:36	8/9/2025 9:37	181.00	8/9/2025 6:36

	x									x					8/9/2025 6:36	8/9/2025 14:06	450.00	Sitewide Power Failure due to wildfire
		x								x					8/9/2025 6:33	8/9/2025 9:13	160.00	Sitewide Power Failure due to wildfire
										x					8/9/2025 6:32	8/9/2025 8:08	96.00	Sitewide Power Failure due to wildfire
										x					8/9/2025 9:44	8/9/2025 11:06	82.00	Sitewide Power Failure due to wildfire
	x	x								x					8/10/2025 18:26	8/10/2025 20:30	124.00	Unplanned shutdown due to blower failure
x										x					8/10/2025 19:43	8/10/2025 21:30	107.00	Unplanned shutdown due to low temperature
	x									x					8/13/2025 1:47	8/13/2025 4:00	133.00	Unplanned shutdown due to combustion air blower failure
										x					8/13/2025 4:45	8/13/2025 9:00	255.00	Unplanned shutdown due to combustion air blower failure
x										x					8/13/2025 4:57	8/13/2025 5:57	60.00	Unplanned shutdown due to low temperature
	x									x					8/14/2025 0:30	8/14/2025 6:15	345.00	Unplanned shutdown due to combustion air blower failure
										x					8/15/2025 0:00	8/15/2025 5:00	300.00	Unplanned shutdown due to combustion air blower failure
x										x					8/15/2025 9:00	8/15/2025 10:00	60.00	Shutdown to perform an immediate flame arrestor swap due to clogging and declining gas flow
										x					8/21/2025 8:00	8/21/2025 11:00	180.00	Planned shutdown to perform maind header tie in as well as blower installation
x	x	x								x					8/21/2025 11:28	8/21/2025 13:28	120.00	Loss of compressed air pressure and block valve closure
x										x					8/21/2025 11:32	8/21/2025 13:28		Loss of compressed air pressure and block valve closure
	x									x					8/21/2025 11:32	8/21/2025 13:28		Loss of compressed air pressure and block valve closure
		x								x					8/21/2025 11:28	8/21/2025 11:55		Loss of compressed air pressure and block valve closure
x	x	x								x					8/24/2025 15:44	8/24/2025 17:14	90.00	Loss of compressed air pressure and block valve closure
										x					8/24/2025 16:00	8/24/2025 16:30	26.00	Loss of compressed air pressure and block valve closure
x		x								x					8/24/2025 15:55	8/24/2025 17:14		Loss of compressed air pressure and block valve closure
			x							x					8/24/2025 15:44	8/24/2025 17:14		Loss of compressed air pressure and block valve closure
										x					8/26/2025 6:00	8/26/2025 14:00	480.00	Planned shutdown to clean burner assembly
x	x	x								x					8/29/2025 10:00	8/29/2025 12:30	150.00	Planned shutdown to perform monthly alarm testing
x										x					8/29/2025 10:21	8/29/2025 10:28	7.00	Planned shutdown to perform monthly alarm testing
	x									x					8/29/2025 10:21	8/29/2025 11:05	44.00	Planned shutdown to perform monthly alarm testing
										x					8/30/2025 12:03	8/30/2025 12:38	36.00	Unplanned shutdown due to loss of flame signal or low temperature
		x								x					9/8/2025 13:00	9/8/2025 14:00	60.00	Planned shutdown to swap out flame arrestor
										x					9/16/2025 7:00	UNKNOWN		Planned shutdown to begin moving unit to a different location of the site.
										x					9/17/2025 10:27	9/17/2025 11:09	42.00	Unplanned shutdown due to program glitch
x										x					9/18/2025 7:23	9/18/2025 9:13	110.00	Unplanned manual shutdown due to a failed flow meter
x	x	x								x					9/25/2025 12:30	9/25/2025 14:30	120.00	Planned shutdown of Flare 2 for flame arrestor swap. Potential shutdown of flare station to perform a main header tie in.
										x					9/29/2025 8:00	9/29/2025 11:30	210.00	Planned shutdown to pull and clean detonation arrestor
x	x	x								x					9/30/2025 6:00	9/30/2025 9:00	180.00	Planned shutdown to perform monthly alarm testing
x										x					9/30/25 6:22	9/30/25 10:08	226.00	Planned shutdown to perform monthly alarm testing
		x								x					9/30/25 5:44	9/30/25 6:16	32.00	Planned shutdown to perform monthly alarm testing
										x					9/30/2025 6:00	9/30/2025 8:00	120.00	Unplanned shutdown due to high temperature
x										x					10/1/2025 13:00	10/1/2025 14:30	90.00	Planned manual shutdown to replace a gasket for the flame arrestor
x										x					10/6/2025 5:00	10/6/2025 14:30	570.00	Planned manual shutdown to remove and clean burners
		x								x					10/7/2025 11:30	10/7/2025 13:00	90.00	Planned manual shutdown to remove and clean burners
x	x	x								x					10/9/2025 8:00	10/9/2025 12:00	240.00	Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage
x										x					10/9/2025 9:12	10/9/2025 10:02	50.00	Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage
		x								x					10/9/2025 9:51	10/9/2025 11:46	115.00	Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage
										x					10/9/2025 9:14	10/9/2025 10:36	82.00	Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage
										x					10/8/2025 13:23	10/8/2025 16:30	187.00	Unplanned shutdown due to programming issue
x										x					10/16/2025 12:00	10/16/2025 14:00	120.00	Planned shutdown to swap flow meter on Flare 3
		x								x					10/16/2025 12:00	10/16/2025 14:00	120.00	Planned shutdown to swap flow meter on Flare 3
										x					10/21/2025 23:15	10/22/2025 9:29	614.00	Unplanned shutdown due to electical fail in the VFD cabinet for the gas blower
x	x	x								x					10/31/2025 9:30	10/31/2025 10:27	57.00	Planned shutdown to perform monthly alarm testing
x	x	x								x					11/5/2025 8:30	11/5/2025 10:30	120.00	Planned potential shutdown to install new 24" valve on H2S vessel 3
										x					11/5/2025 10:00	11/5/2025 14:00	240.00	Unplanned shutdown due to low flow
										x	x				11/6/2025 8:00	11/6/2025 11:30	210.00	Planned shutdown to remove and clean detonation arrestor due to declining gas flow
										x					11/7/2025 8:30	11/7/2025 10:30	120.00	Unplanned manual shutdown for gas blower maintenance and repair
										x					11/14/2025 23:31	11/15/2025 10:00	629.00	Unplanned shutdown due to block valve failure
										x					11/15/2025 7:20	11/15/2025 10:00	160.00	Unplanned shutdown due to pilot failure
										x					11/15/2025 21:30	11/16/2025 8:00	630.00	Unplanned shutdown due to low flow
										x					11/18/2025 5:00	11/18/2025 11:00	360.00	Planned shutdown to remove and clean burner tips due to declining gas flow
	x									x					11/19/2025 5:00	11/19/2025 12:00	420.00	Planned shutdown to clean burner tips and flame arrestor along with swapping out combustion blower element and flow meters
x										x					11/19/2025 12:30	11/19/2025 15:00	150.00	Planned shutdown to clean flame arrestor
										x					11/26/2025 7:00	11/26/2025 11:00	240.00	Planned shutdown to clean liquid knock out chamber and detonation arrestor
		x								x					11/23/2025 6:47	11/23/2025 8:15	88.00	unplanned shutdown due to blower shutdown
	x									x					11/23/2025 6:47	11/23/2025 6:58	84.00	unplanned shutdown due to blower shutdown
x										x					11/23/2025 6:57	11/23/2025 7:07	10.00	unplanned shutdown due to blower shutdown
		x								x					11/23/2025 20:20	11/23/2025 21:30	70.00	Unplanned shutdown due to combustion blower failure
										x					11/24/2025 9:33	11/24/2025 12:00	147.00	Unplanned shutdown due to electrical failure
										x					11/25/2025 10:24	11/25/2025 15:30	306.00	Unplanned shutdown due to declining gas flow
x	x	x								x					11/29/2025 8:00	11/29/2025 11:00	180.00	Planned shutdown to perform monthly alarm testing
										x	x				12/1/2025 9:00	12/1/2025 11:00	120.00	Planned shutdown to perform electrical work
	x									x					11/28/2025 21:10	11/28/2025 22:00	50.00	Unplanned shutdown due to loss of flame signal

x									x	11/28/2025 21:21	11/28/2025 22:00	39.00	11/28/2025 21:20	11/28/2025 22:00	40.00	Unplanned shutdown due to low temperature
x					x				x	12/2/2025 3:18	12/2/2025 6:30	192.00	12/2/2025 3:19	12/2/2025 8:59	340.00	Unplanned shutdown due to pilot failure
						x			x	12/10/2025 8:00	12/10/2025 12:00	240.00	12/10/2025 8:06	12/10/2025 12:36	270.00	Planned manual shutdown to perform header work
							x	x	x	12/15/2025 7:00	12/15/2025 11:00	240.00	12/15/2025 7:30	12/15/2025 12:02	272.00	Planned manual shutdown to remove and clean detonation arrestor due to declining gas flow
x	x								x	12/13/2025 21:44	12/14/2025 0:00	136.00	12/13/2025 21:45	12/13/2025 23:43	118.00	Unplanned shutdown due to flame failure
		x							x	12/13/2025 21:54	12/14/2025 0:00	126.00	12/13/2025 21:54	12/13/2025 22:44	50.00	Unplanned shutdown due to low temperature
x	x	x			x				x	12/13/2025 21:55	12/14/2025 0:00	125.00	12/13/2025 21:56	12/13/2025 23:06	70.00	Unplanned shutdown due to flame failure
										12/14/2025 8:28	12/14/2025 12:30	242.00	Individual shutdown times below			Unplanned shutdown due to Southern California Edison utility Pole Replacement
x									x				12/14/2025 10:51	12/15/2025 10:21	1410.00	Unplanned shutdown due to Southern California Edison utility Pole Replacement
	x								x				12/14/2025 10:39	12/15/2025 10:15	1416.00	Unplanned shutdown due to Southern California Edison utility Pole Replacement
		x							x				12/14/2025 10:51	12/14/2025 12:38	107.00	Unplanned shutdown due to Southern California Edison utility Pole Replacement
					x				x				12/14/2025 9:19	12/14/2025 14:33	314.00	Unplanned shutdown due to Southern California Edison utility Pole Replacement
x	x								x	12/16/2025 21:18	12/16/2025 23:18	120.00	12/16/2025 21:18	12/16/2025 23:19	121.00	Unplanned shutdown due to loss of flame signal
x	x	x							x	12/19/2025 7:00	12/19/2025 10:00	180.00	Individual shutdown times below			Planned shutdown to perform monthly alarm testing
x									x				12/19/2025 7:35	12/19/2025 8:09	34.00	Planned shutdown to perform monthly alarm testing
x	x								x				12/19/2025 7:45	12/19/2025 8:33	48.00	Planned shutdown to perform monthly alarm testing
		x							x				12/19/2025 7:01	12/19/2025 7:17	16.00	Planned shutdown to perform monthly alarm testing
	x								x	12/19/2025 19:45	12/19/2025 22:00	135.00	12/19/2025 19:48	12/19/2025 22:40	172.00	Unplanned shutdown due to flame failure
					x				x	12/22/2025 7:52	12/22/2025 13:00	308.00	12/22/2025 7:37	12/22/2025 16:49	552.00	Unplanned shutdown due to electrical issue and generator failure
									x	12/23/2025 14:23	TBD	Unknown	12/23/2025 14:19	12/24/2025 10:37	1218.00	Unplanned shutdown due to low temperature and unable to maintain temperature. Unknown time to restart due to severe weather.
					x				x	12/27/2025 12:45	12/28/2025 12:00	1395.00				Unplanned manual shutdown to declining gas quality and unable to sustain operations
x									x	12/27/2025 18:07	12/27/2025 21:00	173.00				Unplanned shutdown due to poor flame signal
					x				x	1/7/2025 7:00	1/7/2025 12:00	300.00				Planned shutdown to remove and clean detonation arrestor due to declining gas flow
x	x								x	1/8/2025 19:58	1/8/2025 22:00	122.00	1/8/2026 19:58	1/8/2026 22:14	136.00	Unplanned shutdown due to poor flame signal
x	x								x	1/13/2026 8:00	1/13/2026 16:00	480.00	1/13/2026 10:27	1/13/2026 10:45	18.00	Planned potential shutdown while replacing BL-107
		x							x	1/13/2026 8:00	1/13/2026 16:00	480.00	1/13/2026 11:45	1/13/2026 12:23	38.00	Unplanned shutdown during replacement of BL-107
					x				x	1/14/2026 8:00	1/14/2026 12:00	240.00	1/14/2026 8:33	1/14/2026 12:33	240.00	Planned shutdown to perform needed servicing on the gas blower
						x	x		x	1/14/2026 13:00	1/14/2026 15:30	150.00	1/14/2026 14:42	1/14/2026 16:18	96.00	Planned shutdown to perform servicing on the gas blower
	x								x	1/16/2026 10:37	1/16/2026 14:37	240.00	1/16/2026 10:36	1/16/2026 13:56	200.00	Unplanned shutdown due to restricted flame arrestor resulting in declining gas flow
x	x	x							x	1/16/2026 22:00	1/17/2026 2:00	240.00	Shutdown times are shown below for each flare			Unplanned shutdown due to high temp burner F on Flare 3, combustion blower failure on Flare 2 and high temp on Flare 1
x									x				1/16/2026 22:09	1/23/2026 16:34	9745.00	Unplanned shutdown due to high temp
	x								x				1/16/2026 21:41	1/23/2026 17:30	9829.00	Unplanned shutdown due to combustion blower failure
		x							x				1/16/2026 22:01	1/22/2026 14:25	8184.00	Unplanned shutdown due to high temp burner F
							x		x	1/20/2026 8:30	1/20/2026 11:30	180.00	1/20/2026 8:51	1/20/2026 12:05	194.00	Unplanned manual shutdown due to dirty detonation arrestor resulting in declining gas flow
					x				x	1/25/2026 0:21	1/25/2026 2:00	98.00	1/25/2026 0:22	1/25/2026 2:14	112.00	Unplanned shutdown due to actuator valve failure
x									x	1/25/2026 0:34	1/25/2026 2:00	86.00	1/25/2026 0:35	1/26/2026 10:42	2047.00	Unplanned shutdown due to flame failure
						x			x	1/26/2026 13:30	1/26/2026 16:00	150.00	1/26/2026 13:28	1/26/2026 17:32	244.00	Unplanned shutdown due to restricted flame arrestor resulting in declining gas flow
		x							x	1/27/2026 5:00	1/30/2026 13:50	4850.00	1/27/2026 5:40	1/30/2026 14:15	4835.00	Planned shutdown to perform flare cleaning; high Burner F temperature after restarts delayed full operation
					x			x	x	1/29/2026 7:00	1/29/2026 10:30	210.00	Device did not shut down during this time period			Planned shutdown to perform burner cleaning
x									x	2/1/2026 3:01	2/1/2026 11:50	529.00	2/1/2026 2:42	2/1/2026 11:51	549.00	Unplanned shutdown due to flame failure
x									x	2/1/2026 18:56	2/1/2026 22:00	184.00	2/1/2026 18:56	2/2/2026 7:45	769.00	Unplanned shutdown due to flame failure
x									x	2/2/2026 18:05	2/2/2026 20:00	115.00	2/2/2026 18:05	2/2/2026 19:41	96.00	Unplanned shutdown due to flame failure
		x							x	2/2/2026 18:06	2/2/2026 20:00	114.00	2/2/2026 18:06	2/2/2026 19:08	62.00	Unplanned shutdown due to high flow
x									x	2/2/2026 23:20	2/3/2026 8:00	520.00	2/2/2026 22:26	2/3/2026 7:25	539.00	Unplanned shutdown due to flame failure
x									x	2/3/2026 18:14	2/3/2026 20:00	106.00	2/3/2026 18:12	2/3/2026 19:12	60.00	Unplanned shutdown due to flame failure
x									x	2/4/2026 0:21	2/4/2026 9:00	519.00	2/4/2026 0:20	2/4/2026 7:21	421.00	Unplanned shutdown due to flame failure
									x	2/4/2026 20:28	2/5/2026 8:00	692.00	2/4/2026 20:27	2/4/2026 23:51	204.00	Unplanned shutdown due to flame failure
x									x	2/4/2026 20:28	2/5/2026 8:00	692.00	2/5/2026 3:07	2/5/2026 12:19	552.00	Unplanned shutdown due to flame failure
x									x	2/6/2026 18:00	2/6/2026 20:00	120.00	2/6/2026 18:00	2/7/2026 9:53	953.00	Unplanned shutdown due to flame failure
x									x	2/7/2026 17:25	2/8/2026 10:00	995.00	2/7/2026 17:24	2/9/2026 9:14	2390.00	Unplanned shutdown due to flame failure
					x				x	2/8/2026 15:22	2/8/2026 22:00	398.00	2/8/2026 15:21	2/9/2026 7:03	942.00	Unplanned shutdown due to flame failure
						x			x	2/9/2026 10:24	2/9/2026 13:30	186.00	2/9/2026 10:23	2/9/2026 12:29	126.00	Inlet sump high liquid level and main header modifications
x									x	2/9/2026 21:46	2/10/2026 8:30	644.00	2/9/2026 20:59	2/10/2026 7:14	615.00	Unplanned shutdown due to flame failure
						x			x	2/17/2026 23:54	2/18/2026 9:00	546.00	2/17/2026 23:53	2/18/2026 9:13	560.00	Unplanned shutdown due to blower failure
						x			x	2/20/2026 1:24	2/20/2026 2:24	60.00	2/20/2026 1:21	2/20/2026 2:11	50.00	Unplanned shutdown due to loss of air pressure closing block valve
x	x	x							x	2/23/2026 7:30	2/23/2026 13:30	360.00	Downtime below for each device			Planned shutdown to perform monthly alarm testing and maintenance
x								x					2/23/2026 12:24	2/23/2026 12:56	32.00	Planned shutdown to perform monthly alarm testing and maintenance
	x								x				2/23/2026 11:17	2/23/2026 12:29	72.00	Planned shutdown to perform monthly alarm testing and maintenance
		x							x				2/23/2026 9:22	2/23/2026 10:30	68.00	Planned shutdown to perform monthly alarm testing and maintenance
					x				x	2/24/2026 8:00	2/24/2026 10:00	120.00	2/24/2026 8:42	2/24/2026 10:28	106.00	Planned shutdown to perform blower maintenance
					x				x	2/25/2026 7:00	2/25/2026 11:00	240.00	2/25/2026 7:00	2/25/2026 14:26	446.00	Planned shutdown to perform blower swap
					x				x	2/25/2026 7:00	2/25/2026 11:00	240.00	2/25/2026 14:42	2/26/2026 9:54	1152.00	Planned shutdown to perform blower swap
						x			x	3/4/2026 8:30	3/4/2026 8:30	30.00	Did not occur, due to unplanned shutdown below			Planned shutdown to grease blower
					x				x				3/3/2026 19:42	3/4/2026 7:03	681.00	Unplanned shutdown due to actuator failure
						x			x	3/11/2026 16:06	3/11/2026 18:06	120.00	3/11/2026 16:14	3/11/2026 16:50	36.00	Unplanned shutdown due to block valve malfunction
						x			x	3/12/2026 0:36	3/12/2026 8:00	444.00	3/12/2026 0:50	3/12/2026 7:04	374.00	Unplanned shutdown due to block valve malfunction
							x	x	x	3/23/2026 8:00	3/23/2026 11:30	210.00	3/23/2026 8:29	3/23/2026 10:01	92.00	Planned manual shutdown to clean the detonation arrestor
					x				x	3/20/2026 12:24	3/20/2026 13:24	60.00	3/20/2026 11:39	3/20/2026 13:21	102.00	Unplanned shutdown due to flame failure
						x			x	3/26/2026 6:00	3/26/2026 12:30	390.00	3/26/2026 6:14	3/26/2026 11:22	308.00	Planned manual shutdown to clean the burners and flame arrestor
							x		x	3/24/2026 14:56	3/24/2026 17:00	124.00	3/24/2026 14:02	3/24/2026 16:14	132.00	Unplanned shutdown due to liquid forcemain becoming clogged resulting in sump to flood and cause declining gas flow
					x			x		3/30/2026 7:30	3/30/2026 11:30	240.00	3/30/2026 9:11	3/30/2026 11:57	166.00	Planned manual shutdown to clean the detonation arrestor

x	x	x						x		3/31/2026 7:30	3/31/2026 11:30	240.00	Shutdown times are shown below for each flare	--	Planned shutdown to perform monthly alarm testing and maintenance	
x								x		3/31/2026 7:30	3/31/2026 11:30	240.00	3/31/2026 9:07	3/31/2026 9:55	48.00	Planned shutdown to perform monthly alarm testing and maintenance
	x								x	3/31/2026 7:30	3/31/2026 11:30	240.00	3/31/2026 9:28	3/31/2026 10:22	54.00	Planned shutdown to perform monthly alarm testing and maintenance
		x							x	3/31/2026 7:30	3/31/2026 11:30	240.00	3/31/2026 8:13	3/31/2026 8:43	30.00	Planned shutdown to perform monthly alarm testing and maintenance
	x								x	4/7/2026 1:15	4/7/2026 3:00	105.00	4/7/2026 1:15	4/7/2026 2:53	98.00	Unplanned shutdown due to flame failure
		x							x	4/7/2026 1:15	4/7/2026 8:00	405.00	4/7/2026 1:15	4/7/2026 6:55	340.00	Unplanned shutdown due to flame failure
	x								x	4/7/2026 5:21	4/7/2026 8:00	159.00	4/7/2026 5:21	4/7/2026 8:13	172.00	Unplanned shutdown due to Air blower filter
							x		x	4/7/2026 14:47	4/8/2026 8:00	1033.00	4/7/2026 15:06	4/8/2026 10:28	1162.00	Unplanned shutdown due to sump and forcemain issue
									x	4/7/2026 22:39	4/8/2026 0:00	81.00	4/7/2026 22:39	4/8/2026 0:29	110.00	Unplanned shutdown due to flame failure
	x								x	4/8/2026 3:48	4/8/2026 9:00	312.00	4/8/2026 3:57	4/8/2026 9:13	316.00	Unplanned shutdown due to flame failure as a result of poor gas quality
						x		x		4/8/2026 12:00	4/8/2026 13:00	60.00	4/8/2026 14:28	4/8/2026 14:45	17.00	Planned shutdown to perform blower maintenance
							x		x	4/8/2026 13:00	4/8/2026 15:00	120.00	4/8/2026 10:07	4/8/2026 10:29	22.00	Planned shutdown to perform cleaning of detonation arrestor
	x								x	4/8/2026 22:54	4/9/2026 9:00	606.00	4/8/2026 22:53	4/9/2026 17:57	1144.00	Unplanned shutdown due to flame failure as a result of poor gas quality- restarted after sump work complete
		x							x	4/9/2026 0:12	4/9/2026 9:00	528.00	4/9/2026 0:09	4/9/2026 7:07	418.00	Unplanned shutdown due to flame failure as a result of poor gas quality
x	x	x						x		4/9/2026 8:00	4/9/2026 16:00	480.00	Shutdown times are shown below for each flare		Planned shutdown to perform header modification and sump cleaning due to declining gas flow	
													4/9/2026 8:09	4/9/2026 17:47	578.00	Planned shutdown to perform header modification and sump cleaning due to declining gas flow
x		x											4/9/2026 8:09	4/9/2026 17:29	560.00	Planned shutdown to perform header modification and sump cleaning due to declining gas flow
		x							x	4/10/2026 20:06	4/10/2026 23:00	174.00	4/10/2026 20:01	4/10/2026 22:45	164.00	Unplanned shut down due to combustion blower failure
									x	4/13/2026 13:33	4/13/2026 16:33	180.00	4/13/2026 13:34	4/13/2026 14:56	82.00	Unplanned shutdown due to a sump/forcemain issue
							x	x		4/14/2026 7:00	4/14/2026 9:00	120.00	4/14/2026 7:47	4/14/2026 8:33	46.00	Planned manual shutdown to perform cleaning of the detonation arrestor due to declining gas flow
x	x	x				x	x	x		4/15/2026 7:15	4/15/2026 8:30	75.00	See below for individual flare downtimes		Unplanned shutdown due to sitewide power issue	
x									x				4/15/2026 7:13	4/15/2026 7:19	6.00	Unplanned shutdown due to sitewide power issue- normal restart
	x								x				4/15/2026 7:13	4/15/2026 7:32	19.00	Unplanned shutdown due to sitewide power issue- normal restart
		x							x				4/15/2026 7:13	4/15/2026 7:37	24.00	Unplanned shutdown due to sitewide power issue- normal restart
									x				4/15/2026 7:13	4/15/2026 7:31	18.00	Unplanned shutdown due to sitewide power issue- normal restart
							x		x				4/15/2026 7:13	4/15/2026 9:22	129.00	Unplanned shutdown due to sitewide power issue - VFD had to be swapped to restore operation
									x				4/15/2026 7:13	4/15/2026 7:35	22.00	Unplanned shutdown due to sitewide power issue- normal restart
						x	x	x	x	4/20/2026 7:00	4/20/2026 10:00	180.00	Did not occur		Planned shutdown to swap from grid power to generator power	
		x						x		4/21/2026 5:00	4/21/2026 17:00	720.00	4/21/2026 5:29	4/21/2026 17:21	712.00	Planned shutdown to perform header modification and flare maintenance
	x								x	4/24/2026 10:25	4/24/2026 14:00	215.00	4/24/2026 10:25	4/24/2026 13:59	214.00	Unplanned shutdown due to restriction with the flame arrestor
	x								x	4/24/2026 15:23	4/24/2026 17:00	97.00	4/24/2026 15:24	4/24/2026 16:32	68.00	Unplanned shutdown due to restriction with the flame arrestor
x	x	x						x		4/28/2026 12:30	4/28/2026 16:00	210.00	See below for individual flare downtimes		Planned shutdown to perform monthly alarm testing	
x								x					4/28/2026 13:54	4/28/2026 14:20	26.00	Planned shutdown to perform monthly alarm testing
	x								x				4/28/2026 13:17	4/28/2026 13:29	12.00	Planned shutdown to perform monthly alarm testing
		x							x				4/28/2026 12:52	4/28/2026 13:02	10.00	Planned shutdown to perform monthly alarm testing
							x	x		4/30/2026 7:00	4/30/2026 9:00	120.00	4/30/2026 7:33	4/30/2026 9:27	114.00	Planned shutdown to perform repair and maintenance
							x	x		5/5/2026 8:00	5/5/2026 10:00	120.00	No downtime	--	Planned shutdown to perform header modification	
						x		x		5/5/2026 13:30	5/5/2026 14:10	40.00	5/5/2026 13:28	5/5/2026 14:10	42.00	Unplanned shutdown due to pilot failure
	x								x	5/6/2026 12:38	5/6/2026 14:38	120.00	5/6/2026 12:38	5/6/2026 13:48	70.00	Unplanned shutdown due to restriction with the flame arrestor
	x								x	5/6/2026 19:58	5/7/2026 10:00	842.00	5/6/2026 20:35	5/7/2026 12:10	935.00	Unplanned shutdown due to restriction with the flame arrestor
									x	5/7/2026 12:56	5/7/2026 14:00	64.00	5/7/2026 12:41	5/7/2026 14:15	94.00	Unplanned shutdown due low temperature as a result of declining gas flow
x								x		5/8/2026 7:30	5/8/2026 11:30	240.00	5/8/2026 7:24	5/8/2026 11:03	219.00	Planned shutdown to pull and clean flame arrestor
							x		x	5/8/2026 7:25	5/8/2026 11:25	240.00	5/8/2026 9:53	5/8/2026 12:13	140.00	Unplanned shutdown due to a sump issue
x								x		5/11/2026 6:00	5/11/2026 14:00	480.00	Did not occur	--	Planned shutdown to clean the burner assemblies inside the flare	
							x	x		5/11/2026 6:00	5/11/2026 12:00	360.00	5/11/2026 6:57	5/11/2026 17:49	652.00	Planned shutdown to perform header modifications
							x		x	5/11/2026 6:00	5/11/2026 8:00	120.00	5/11/2026 6:24	5/11/2026 6:34	10.00	Planned shutdown to perform a swap from grid power to generator power due to electrical work on power lines
							x		x	5/11/2026 6:00	5/11/2026 8:00	120.00	5/11/2026 6:46	5/11/2026 6:50	4.00	Planned shutdown to perform a swap from grid power to generator power due to electrical work on power lines
	x								x	5/8/2026 17:00	5/9/2026 8:00	900.00	5/8/2026 17:02	5/9/2026 8:34	932.00	Unplanned shutdown due to clogged flame arrestor resulting in declining gas flow
	x								x	5/16/2026 0:09	5/16/2026 10:00	591.00	5/16/2026 0:09	5/16/2026 10:50	641.00	Blower shutdown and low flow
		x							x	5/16/2026 11:15	5/16/2026 12:15	60.00	5/16/2026 11:14	5/16/2026 11:52	38.00	Shutdown to switch flame arrestor due to backpressure
	x								x	5/16/2026 13:17	5/16/2026 16:00	163.00	5/16/2026 13:20	5/16/2026 15:31	131.00	Unplanned shutdown due to flame failure
	x	x							x	5/15/2026 0:09	5/16/2026 10:00	2031.00	5/17/2026 8:26	5/17/2026 9:10	44.00	Blower shutdown and low flow
x								x		5/18/2026 6:00	5/18/2026 14:00	480.00	5/18/2026 6:18	5/18/2026 16:30	612.00	Planned shutdown to clean the burner assemblies inside the flare
	x								x	5/18/2026 15:30	5/18/2026 17:30	120.00	5/18/2026 15:29	5/18/2026 17:11	102.00	Shutdown to switch flame arrestor due to backpressure
									x	5/18/2026 17:34	5/18/2026 19:00	86.00	5/18/2026 17:34	5/18/2026 19:38	124.00	Unplanned shutdown due to low temperature as a result of declining gas flow
							x		x	5/19/2026 13:40	5/19/2026 14:40	60.00	5/19/2026 13:38	5/19/2026 14:32	54.00	Unplanned shutdown due to low flow from high back pressure at the detonation arrestor
							x		x	5/21/2026 7:00	5/21/2026 11:00	240.00	5/21/2026 9:02	5/21/2026 16:12	430.00	Planned shutdown to remove and clean the detonation arrestor
		x							x	5/25/2026 4:52	5/25/2026 8:00	188.00	5/25/2026 4:55	5/25/2026 6:13	78.00	Unplanned shutdown due to flame failure
							x	x		5/26/2026 7:00	5/26/2026 9:00	120.00	5/26/2026 9:33	5/26/2026 10:15	42.00	Planned shutdown to remove and swap detonation arrestor due to excessive back pressure
							x		x	5/26/2026 14:00	5/26/2026 20:00	360.00	did not occur		Planned manual shutdown to start up new Tank Farm 7 Zeeco Station	
		x						x		5/27/2026 4:00	5/27/2026 16:00	720.00	5/27/2026 4:18	5/27/2026 20:44	986.00	Planned shutdown to remove and clean burner tips inside of the flare
							x		x	6/1/2026 14:34	Unknown		6/1/2026 14:34	6/3/2026 8:55	2541.00	Shutdown to start up new TOX units in Tank Farm 7
									x	6/3/2026 0:32	6/3/2026 6:30	358.00	6/3/2026 0:35	6/3/2026 5:59	324.00	Unplanned shutdown due to flame failure
		x							x	6/3/2026 21:23	6/4/2026 1:00	217.00	6/3/2026 21:02	6/4/2026 0:38	216.00	Unplanned shutdown due to flame failure
								x				0				start up of new TOX unit
								x				0				start up of new TOX unit
							x		x	6/5/2026 8:50						shutdown of Tox unit
x								x		6/5/2026 20:49	6/6/2026 10:00	791.00	6/5/26 20:49	6/6/2026 10:09	800.00	Unplanned shutdown due to flame failure
x									x	6/6/2026 19:36	6/7/2026 8:00	744.00	6/6/2026 19:36	6/7/2026 7:05	689.00	Unplanned shutdown due to flame failure
x									x	6/9/2026 21:34	6/9/2026 23:16	102.00	6/9/2026 21:37	6/9/2026 23:35	118.00	Unplanned shutdown due to flame failure
x									x	6/10/2026 20:56	6/10/2026 21:25	29.00	6/10/2026 20:56	6/10/2026 21:25	29.00	Unplanned shutdown due to flame failure
x									x	6/10/2026 21:38	6/10/2026 21:55	17.00	6/10/2026 21:38	6/10/2026 21:55	17.00	Unplanned shutdown due to flame failure
x									x	6/10/2026 22:06	6/11/2026 12:00	834.00	6/10/2026 22:06	6/11/2026 5:22	436.00	Unplanned shutdown due to flame failure
x									x	6/11/2026 5:29	6/11/2026 5:39	10.00	6/11/2026 5:29	6/11/2026		

	x								x	6/11/2026 5:47	6/11/2026 5:57	10.00	6/11/2026 5:47	6/11/2026 5:57	10.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:05	6/11/2026 6:14	9.00	6/11/2026 6:05	6/11/2026 6:14	9.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:18	6/11/2026 6:22	4.00	6/11/2026 6:18	6/11/2026 6:22	4.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:28	6/11/2026 12:00	332.00	6/11/2026 6:28	6/11/2026 12:29	361.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 21:30	6/11/2026 23:15	105.00	6/11/2026 21:29	6/11/2026 23:15	106.00	Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station
	x								x	6/12/2026 21:53	6/14/2026 12:00	2287.00	6/12/2026 22:10	6/13/2026 9:50	700.00	Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station and in field; unable to restart due to high liquid level alarm in Knockout Pot V-101
x									x	6/13/2026 8:19	6/14/2026 12:00	1661.00	6/13/2026 8:19	6/13/2026 8:33	14.00	High liquid level alarm in V-101
	x								x	6/13/2026 21:54	6/14/2026 8:00	606.00	6/13/2026 22:11	6/14/2026 7:58	587.00	Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station and in field (failed attempts to restart around 12:00 AM - 12:20 AM)
	x								x	6/14/2026 22:31	6/15/2026 6:40	489.00	6/14/2026 22:31	6/15/2026 6:40	489.00	Unplanned shutdown due to flame failure - Swapped out combustion filter element
						x		x		6/17/2026 7:30	6/17/2026 11:30	240.00	did not occur		0.00	Planned manual shutdown to swap from grid power to generator power for modifications to main power lines
							x	x		6/17/2026 7:30	6/17/2026 11:30	240.00	did not occur		0.00	Planned manual shutdown to swap from grid power to generator power for modifications to main power lines
x								x		6/18/2026 7:00	6/18/2026 13:00	360.00	6/18/2026 10:07	6/18/2026 17:59	472.00	Planned manual shutdown to access and clean second knock out pot at the flare station
	x							x		6/18/2026 7:00	6/18/2026 13:00	360.00	6/18/2026 10:07	6/18/2026 18:11	484.00	Planned manual shutdown to access and clean second knock out pot at the flare station
	x								x	6/16/2026 21:02	6/16/2026 21:45	43.00	6/16/2026 21:02	6/16/2026 21:45	43.00	Unplanned shutdown due to flame failure
	x								x	6/16/2026 21:59	6/16/2026 22:27	28.00	6/16/2026 21:59	6/16/2026 22:27	28.00	Unplanned shutdown due to flame failure
	x								x	6/16/2026 22:48	6/17/2026 5:20	392.00	6/16/2026 22:48	6/17/2026 7:42	534.00	Unplanned shutdown due to flame failure
x	x	x	x	x		x	x		x	6/19/2026 2:49	6/19/2026 9:00	371.00	see below for individual restart times			Unplanned shutdown due to sitewide power failure
x									x				6/19/2026 2:49	6/19/2026 3:51	62.00	Restarted by SCS
			x						x				6/19/2026 2:49	6/19/2026 5:31	162.00	Restarted by SCS
				x					x				6/19/2026 2:49	6/19/2026 5:33	164.00	Restarted by SCS
							x		x				6/19/2026 2:49	6/19/2026 4:53	124.00	Restarted by SCS
	x								x				6/19/2026 2:49	6/19/2026 5:59	190.00	Restarted by SCS
		x							x				6/19/2026 2:49	6/19/2026 7:33	284.00	Restarted by SCS after filter replacment
	x								x	6/19/2026 7:35	6/19/2026 8:10	35.00	6/19/2026 7:39	6/19/2026 8:09	30.00	Flare shutdown during work being performed on Flare 3
	x								x	6/20/2026 0:13	6/20/2026 10:00	587.00	6/20/2026 0:13	6/20/2026 7:58	465.00	Unplanned shutdown due to flame failure
	x								x	6/22/2026 2:13	6/22/2026 5:15	182.00	See below for multiple restarts			Unplanned shutdown due to flame failure
	x								x				6/22/2026 2:13	6/22/2026 3:15	62.00	Restarted by SCS
													6/22/2026 4:01	6/22/2026 5:11	70.00	Restarted by SCS
x	x	x	x	x		x	x		x	6/22/2026 14:51	6/22/2026 16:00	69.00	see below for start up and other shutdown times for each flare			Unplanned shutdown due to sitewide power failure
x									x				6/22/2026 14:51	6/22/2026 18:39	228.00	Restart on Generator power
x									x				6/23/2026 5:19	6/23/2026 6:35	76.00	return system to Line power and shut down Generator
	x								x				6/22/2026 14:51	6/22/2026 16:47	116.00	Restart on Generator power
	x								x				6/22/2026 17:09	6/22/2026 18:41	92.00	Flame Failure restart
	x								x				6/23/2026 5:19	6/23/2026 6:47	88.00	return system to Line power and shut down Generator
		x							x				6/22/2026 14:51	6/22/2026 15:29	38.00	Restart on Generator power
		x							x				6/22/2026 17:17	6/22/2026 17:51	34.00	Flame Failure restart
		x							x				6/22/2026 18:03	6/22/2026 18:39	36.00	Flame Failure restart
		x							x				6/22/2026 21:49	6/23/2026 6:23	514.00	Flame Failure restart
						x			x				6/22/2026 14:51	6/22/2026 18:23	92.00	Restart on Generator power
						x			x				6/23/2026 1:45	6/23/2026 8:15	390.00	flame failure restart on line power
			x						x				6/22/2026 14:51	6/22/2026 20:31	340.00	Restart on Generator power
			x						x				6/22/2026 23:34	6/23/2026 4:39	305.00	return system to Line power and shut down Generator
				x					x				6/22/2026 14:51	6/22/2026 20:31	340.00	Restart on Generator power
				x					x				6/22/2026 23:34	6/23/2026 4:39	305.00	return system to Line power and shut down Generator
					x			x					6/5/2026 8:50	6/22/2026 16:41	24951.00	Zeeco 7 started during sitewide power issues for backup capacity only
					x			x					6/22/2026 19:47			Zeeco 7 shutdown after other flare restarted - remains off line
		x							x				6/23/2026 21:01	6/23/2026 21:54	53.00	Unplanned shutdown due to flame failure
		x							x				6/23/2026 22:20	6/24/2026 5:39	439.00	Unplanned shutdown due to flame failure
					x			x					6/24/2026 6:49	6/24/2026 7:10	21.00	Planned startup due to flare station blower work
x									x	6/24/2026 12:08	6/24/2026 13:04	56.00	6/24/2026 12:13	6/24/2026 13:05	52.00	Unplanned shutdown due to high liquid levels in the knock out pot
	x								x	6/24/2026 12:10	6/24/2026 13:30	80.00	6/24/2026 12:11	6/24/2026 13:31	80.00	Unplanned shutdown due to high liquid levels in the knock out pot
		x							x	6/26/2026 5:29	6/26/2026 6:16	47.00	6/26/2026 5:29	6/26/2026 6:18	49.00	Unplanned shutdown due to flame failure
		x							x	6/26/2026 20:50	6/26/2026 23:30	160.00	6/26/2026 20:54	6/26/2026 22:58	124.00	Unplanned shutdown due to flame failure
		x							x	6/27/2026 2:50	6/27/2026 8:30	340.00	6/27/2026 2:57	6/27/2026 8:26	329.00	Unplanned shutdown due to flame failure
		x							x	6/27/2026 18:22	6/27/2026 20:22	120.00	6/27/2026 18:22	6/27/2026 20:22	120.00	Unplanned shutdown due to flame failure
									x	6/28/2026 0:10	6/28/2026 6:20	370.00	6/28/2026 0:10	6/28/2026 6:20	370.00	Unplanned shutdown due to flame failure Blower speeds adjusted higher
						x			x	6/28/2026 11:35	6/29/2026 15:00	1645.00	6/28/2026 7:41	6/29/2026 14:48	1867.00	Unplanned shutdown due to flow meter electrical issue.
				x				x		6/30/2026 5:00	6/30/2026 6:00	60.00	6/30/2026 6:00	6/30/2026 6:48	48.00	Planned manual shutdown to swap detonation arrestor due to excessive back pressure

			x					x		7/1/2026 5:00	7/1/2026 6:00	60.00	7/1/2026 5:04	7/1/2026 6:39	95.00	Planned manual shutdown to swap detonation arrestor due to excessive back pressure
				x				x		7/2/2026 7:00	7/2/2026 11:00	240.00	CANCELED			Planned manual shutdown to remove and clean detonation arrestor due to excessive back pressure
		x							x	6/30/2026 18:11	6/30/2026 20:00	109.00	6/30/2026 18:15	6/30/2026 20:01	106.00	Unplanned shutdown due to flame failure as a result of a flow spike on the other flares. Blower speeds reduced.
				x					x	7/1/2026 5:02	7/1/2026 6:36	94.00	7/1/2026 5:04	7/1/26 6:38	94.00	Unplanned shutdown due finding a leak on the flow meter at Zeeco 1 that required immediate repair.
		x							x	7/3/2026 3:55	7/3/2026 5:54	119.00	7/3/2026 3:55	7/3/2026 5:54	119.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
	x								x	7/3/2026 9:47	7/3/2026 10:32	45.00	7/3/2026 9:47	7/3/2026 10:32	45.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
					x				x	7/3/2026 11:51	7/3/2026 16:00	249.00	7/3/2026 11:51	7/3/2026 16:00	249.00	Unplanned shutdown due to blower failure.
		x							x	7/4/2026 0:45	7/4/2026 7:43	418.00	7/4/2026 0:45	7/4/2026 7:43	418.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
		x							x	7/4/2026 8:13	7/4/2026 10:30	137.00	7/4/2026 8:13	7/4/2026 10:30	137.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
					x				x	7/4/2026 10:37	7/6/2026 12:00	2963.00	7/4/2026 10:37	7/5/2026 8:13	1296.00	Unplanned shutdown due to pilot failure
		x							x	7/4/2026 10:58	7/4/2026 12:23	85.00	7/4/2026 10:58	7/4/2026 12:23	85.00	Unplanned shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
x									x	7/4/2026 11:01	7/4/2026 12:38	97.00	7/4/2026 11:01	7/4/2026 12:38	97.00	Unplanned shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
	x								x	7/4/2026 11:02	7/4/2026 12:45	103.00	7/4/2026 11:02	7/4/2026 12:45	103.00	Unplanned shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
		x							x	7/4/2026 15:27	7/5/2026 6:08	881.00	7/4/2026 15:27	7/5/2026 6:08	881.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
		x							x	7/5/2026 22:39	7/5/2026 23:21	42.00	7/5/2026 22:41	7/5/2026 23:23	42.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
					x				x	7/5/2026 22:49	7/5/2026 23:54	65.00	7/5/2026 22:49	7/5/2026 23:53	64.00	Unplanned shutdown due to flame failure
					x				x	7/5/2026 22:49	7/5/2026 23:54	65.00	7/6/2026 10:01	7/6/2026 11:10	69.00	Unplanned shutdown due to flame failure
		x							x	7/6/2026 20:50	7/7/2026 8:50	720.00	7/6/2026 20:50	7/7/2026 8:50	720.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made and flowmeter inspected/replaced.
		x							x	7/7/2026 14:03	7/7/2026 16:07	124.00	7/7/2026 14:03	7/7/2026 16:07	124.00	Unplanned shutdown due to ongoing troubleshooting. Replaced flow meter
		x						x		7/9/2026 7:00	7/9/2026 8:00	60.00	7/9/2026 8:05	7/9/2026 8:36	31.00	Planned shutdown to perform calibration of combustion blower flow meter
		x							x	7/9/2026 19:40	7/9/2026 21:30	110.00	7/9/2026 19:42	7/9/2026 21:30	108.00	Unplanned shutdown due to flame failure
		x							x	7/10/2026 2:38	7/10/2026 3:10	32.00	7/10/2026 2:38	7/10/2026 3:00	22.00	Unplanned shutdown due to flame failure - mix chamber flows required adjustment
	x								x	7/10/2026 2:40	7/10/2026 3:10	30.00	7/10/2026 2:38	7/10/2026 3:06	28.00	Unplanned shutdown due to flame failure caused by flare 3 shutdown
	x								x	7/10/2026 4:50	7/10/2026 7:00	130.00	7/10/2026 5:57	7/10/2026 6:33	36.00	Unplanned shutdown due to flame failure during flare station adjustments
		x							x	7/10/2026 5:50	7/10/2026 7:00	70.00	7/10/2026 5:57	7/10/2026 6:33	36.00	Unplanned shutdown due to flame failure during flare station adjustments
					x				x	7/10/2026 11:06	7/10/2026 14:10	184.00	7/10/2026 11:04	7/10/2026 13:46	162.00	Unplanned shutdown due to flame failure due to mechanical failures
									x	7/10/2026 22:56	7/10/2026 23:30	34.00	7/10/2026 22:57	7/10/2026 23:31	34.00	Unplanned shutdown due to flame failure
					x				x	7/11/2026 14:46	7/11/2026 17:30	164.00	7/11/2026 14:44	7/11/2026 16:44	120.00	Unplanned shutdown due to flame failure
x									x	7/12/2026 15:46	7/12/2026 17:30	104.00	7/12/2026 15:46	7/12/2026 16:36	50.00	Unplanned shutdown due to flame failure due to flow loss
	x								x	7/12/2026 15:46	7/12/2026 17:30	104.00	7/12/2026 15:46	7/12/2026 16:54	68.00	Unplanned shutdown due to flame failure due to flow loss
		x							x	7/12/2026 15:46	7/12/2026 17:30	104.00	7/12/2026 15:46	7/12/2026 16:34	48.00	Unplanned shutdown due to flame failure due to flow loss
					x				x	7/13/2026 11:00	7/13/2026 11:40	40.00	7/13/2026 11:00	7/13/2026 11:39	39.00	Unplanned shutdown due to flame failure
					x				x	7/13/2026 12:11	7/13/2026 15:00	169.00	7/13/2026 12:11	7/14/2026 8:21	1210.00	Unplanned shutdown due to flame failure - cleaning of UV sensor and Pilot system and demistor pad- tested system for an hour had to shut back off
		x							x	7/14/2026 3:53	7/14/2026 5:19	86.00	7/14/2026 3:53	7/14/2026 5:19	86.00	Unplanned shutdown due to flame failure - 2 restarts
					x				x	7/14/2026 9:29	7/14/2026 15:00	331.00	7/14/2026 9:29	7/14/2026 13:53	264.00	Unplanned - Working with tox rental agency on repairs
		x							x	7/15/2026 3:43	7/15/2026 4:29	46.00	7/15/2026 3:43	7/15/2026 4:29	46.00	Unplanned shutdown due to flame failure
		x							x	7/16/2026 1:19	7/16/2026 2:07	48.00	7/16/2026 1:19	7/16/2026 2:07	48.00	Unplanned shutdown due to blower vibration, restarted
		x							x	7/16/2026 18:26	7/16/2026 19:54	88.00	7/16/2026 18:26	7/16/2026 19:54	88.00	Unplanned shutdown due to flame failure, blower vibration, restarted
		x							x	7/16/2026 22:15	7/16/2026 23:34	79.00	7/16/2026 22:15	7/16/2026 23:34	79.00	Unplanned shutdown due to flame failure, blower vibration, restarted
		x							x	7/17/2026 3:00	7/17/2026 4:08	68.00	7/17/2026 3:00	7/17/2026 4:08	68.00	Unplanned shutdown due to flame failure, blower vibration, restarted
		x							x	7/17/2026 10:28	7/17/2026 11:40	72.00	7/17/2026 10:28	7/17/2026 11:40	72.00	Unplanned shutdown due to block valve malfunction
					x				x	7/17/2026 10:44	7/17/2026 13:16	152.00	7/17/2026 10:44	7/17/2026 13:16	152.00	Unplanned shutdown due to flame failure
					x				x	7/17/2026 14:03	7/17/2026 15:14	71.00	7/17/2026 14:03	7/17/2026 15:14	71.00	Unplanned shutdown due to flame failure
		x							x	7/17/2026 19:10	7/17/2026 22:01	171.00	7/17/2026 19:10	7/17/2026 22:01	171.00	Unplanned shutdown due to block valve malfunction
		x							x	7/18/2026 10:25	7/18/2026 12:51	146.00	7/18/2026 10:25	7/18/2026 12:51	146.00	Unplanned shutdown due to block valve malfunction
					x				x	7/18/2026 11:47	7/18/2026 14:41	174.00	7/18/2026 11:47	7/18/2026 14:41	174.00	Unplanned shutdown due to flame failure
		x							x	7/18/2026 14:14	7/18/2026 15:08	54.00	7/18/2026 14:14	7/18/2026 15:08	54.00	Unplanned shutdown due to block valve malfunction
		x							x	7/19/2026 4:21	7/19/2026 4:52	31.00	7/19/2026 4:21	7/19/2026 4:52	31.00	Unplanned shutdown due to flame failure
					x			x		7/20/2026 13:04	7/20/2026 15:00	116.00	7/20/2026 13:04	7/20/2026 15:00	116.00	Unplanned shutdown due to flame failure
	x	x							x	7/21/2026 0:56	7/21/2026 2:30	94.00	See below for start times			Unplanned shutdown due to flame failure
		x								7/21/2026 0:54			7/21/2026 0:54	7/21/2026 1:44	50.00	Unplanned shutdown due to flame failure
		x								7/21/2026 0:54			7/21/2026 0:54	7/21/2026 4:18	204.00	Unplanned shutdown due to flame failure
					x			x		7/22/2026 8:00	7/22/2026 12:00	240.00	7/22/2026 9:52	7/22/2026 12:04	132.00	Planned manual shutdown for overhead electrical line modifications
					x				x	7/22/2026 9:10	7/22/2026 11:00	110.00	7/22/2026 9:10	7/22/2026 11:00	110.00	Unplanned shutdown due to flame failure
		x							x	7/22/2026 19:56	7/22/2026 21:46	110.00	7/22/2026 19:56	7/22/2026 21:46	110.00	Unplanned shutdown due to flame failure
		x							x	7/22/2026 22:35	7/23/2026 4:57	382.00	7/22/2026 22:35	7/23/2026 4:57	382.00	Unplanned shutdown due to flame failure
x								x		7/25/2026 4:00	7/25/2026 12:00	480.00	7/25/2026 4:15	7/25/2026 10:41	386.00	Planned manual shutdown to clean burner tips and flame arrestor
					x				x	7/23/2026 10:22	7/23/2026 12:30	128.00	7/23/2026 10:22	7/23/2026 12:30	128.00	Unplanned shutdown due to liquid issues
		x							x	7/23/2026 23:25	7/24/2026 0:50	85.00	7/23/2026 23:25	7/24/2026 0:50	85.00	Unplanned shutdown due to flame failure
		x							x	7/24/2026 4:44	7/24/2026 5:20	36.00	7/24/2026 4:44	7/24/2026 5:20	36.00	Unplanned shutdown due to flame failure
									x	7/24/2026 16:22	7/25/2026 5:00	758.00	7/24/2026 16:22	7/25/2026 5:00	758.00	Unplanned shutdown due to poor flame quality
		x							x	7/24/2026 20:20	7/24/2026 22:00	100.00	7/24/2026 20:20	7/24/2026 22:00	100.00	Unplanned shutdown due to flame failure
					x				x	7/27/2026 3:24	7/27/2026 7:24	240.00	7/27/2026 3:24	7/27/2026 7:24	240.00	Unplanned shutdown due to VFD tripping
x									x	7/27/2026 3:41	7/27/2026 4:50	69.00	7/27/2026 3:41	7/27/2026 4:50	69.00	Unplanned shutdown due to flame failure

						x			x	7/27/2026 12:13	7/27/2026 14:00	107.00	7/27/2026 12:13	7/27/2026 14:00	107.00	Unplanned shutdown due to flame failure
						x			x	8/3/2026 15:39	8/3/2026 16:29	50.00	8/3/2026 15:37	8/3/2026 16:27	50.00	Unplanned shutdown due to backed up liquids in the header
	x								x	8/3/2026 23:56	8/4/2026 4:46	290.00	8/3/2026 23:39	8/4/2026 4:58	319.00	Unplanned shutdown due to pilot failure
	x								x	8/4/2026 7:26	8/4/2026 9:30	124.00	8/4/2026 7:02	8/4/2026 9:02	120.00	Unplanned shutdown due to combustion air blower failure
						x			x	8/5/2026 11:58	8/5/2026 13:58	120.00	8/5/2026 11:58	8/5/2026 12:41	43.00	Unplanned shutdown due to flame failure
						x			x	8/6/2026 11:56	8/6/2026 13:56	120.00	8/6/2026 11:48	8/6/2026 12:55	67.00	Unplanned shutdown due to flame failure
						x			x	8/8/2026 11:06	8/10/2026 10:00	2814.00	8/8/2026 11:06	8/10/2026 10:41	2855.00	Unplanned shutdown due to flame failure
					x				x	8/10/2026 4:04	8/10/2026 9:30	326.00	8/10/2026 4:04	8/10/2026 10:03	359.00	Unplanned shutdown due to blower failure
x	x	x	x	x	x			x	x	8/14/2026 17:58	8/14/2026 21:00	182.00	See below for individual device downtime duration			Unplanned shutdown due to grid power outage
x													8/14/2026 18:59	8/14/2026 19:56	57.00	
		x											8/14/2026 18:59	8/14/2026 19:43	44.00	
			x										8/14/2026 18:59	8/14/2026 20:00	61.00	
				x									8/14/2026 18:59	8/14/2026 20:00	61.00	
					x								8/14/2026 18:59	8/14/2026 19:43	44.00	
						x							8/14/2026 19:02	8/14/2026 21:07	125.00	
	x							x		8/15/2026 10:08	8/15/2026 10:49	41.00	8/15/2026 10:06	8/15/2026 10:48	42.00	Unplanned shutdown due to flame failure
	x								x	8/16/2026 21:15	8/16/2026 22:11	56.00	8/16/2026 21:15	8/16/2026 22:11	56.00	Unplanned shutdown due to flame failure
					x				x	8/19/2026 11:41	8/19/2026 12:57	76.00	8/19/2026 11:39	8/19/2026 12:56	77.00	Unplanned shutdown due to flame failure
							x	x		8/20/2026 7:00	8/20/2026 15:00	480.00	8/20/2026 7:12	8/20/2026 9:34	142.00	Planned shutdown for DA maintenance
				x					x	8/20/2026 20:00	8/20/2026 21:50	110.00	8/20/2026 20:00	8/20/2026 21:50	110.00	Unplanned shutdown due to VFD tripping
					x				x	8/21/2026 13:37	8/21/2026 14:12	35.00	8/21/2026 13:01	8/21/2026 14:09	68.00	Unplanned shutdown due to flame failure
					x				x	8/21/2026 15:21	8/22/2026 10:00	1119.00	8/21/2026 15:29	8/22/2026 7:53	984.00	Unplanned shutdown due to flame failure
					x				x	8/21/2026 19:50	8/22/2026 8:24	754.00	8/21/2026 19:48	8/22/2026 8:21	753.00	Unplanned shutdown due to flame failure
x									x	8/22/2026 2:19	8/22/2026 10:00	461.00	8/22/2026 2:11	8/22/2026 9:19	428.00	Unplanned shutdown due to flame failure
					x				x	8/22/2026 13:15	8/23/2026 6:35	1040.00	8/22/2026 13:48	8/23/2026 6:25	997.00	Unplanned shutdown due to flame failure
x									x	8/22/2026 23:06	8/23/2026 6:12	426.00	8/22/2026 23:06	8/23/2026 6:09	423.00	Unplanned shutdown due to flame failure
x									x	8/23/2026 6:38	8/23/2026 7:08	30.00	8/23/2026 6:40	8/23/2026 7:05	25.00	Unplanned shutdown after initial start up
x									x	8/23/2026 7:45	8/23/2026 10:00	135.00	8/23/2026 7:39	8/23/2026 8:14	35.00	Unplanned shutdown after initial start up
					x				x	8/24/2026 14:16	8/24/2026 16:30	134.00	8/24/2026 14:15	8/24/2026 15:41	86.00	Unplanned shutdown due to flame failure
						x			x	8/24/2026 14:45	8/24/2026 17:00	135.00	8/24/2026 14:41	8/24/2026 15:45	64.00	Unplanned shutdown due to VFD tripping
					x				x	8/25/2026 10:28	8/25/2026 12:12	104.00	8/25/2026 10:22	8/25/2026 12:08	106.00	Unplanned shutdown due to flame failure
						x			x	8/25/2026 11:34	8/25/2026 13:00	86.00	8/25/2026 11:34	8/25/2026 13:01	87.00	Unplanned shutdown due to flame failure
					x				x	8/25/2026 14:00	8/25/2026 15:46	106.00	8/25/2026 14:02	8/25/2026 15:44	102.00	Unplanned shutdown due to flame failure
					x				x	8/26/2026 9:40	8/26/2026 11:29	109.00	8/26/2026 9:40	8/26/2026 11:29	109.00	Unplanned shutdown due to low temperature
x	x	x						x		8/27/2026 12:00	8/27/2026 14:30	150.00			0.00	Actual downtimes listed below
x								x					8/27/2026 13:54	8/27/2026 13:59	5.00	Planned shutdown for monthly alarm testing
	x							x					8/27/2026 13:54	8/27/2026 15:21	87.00	Planned shutdown for monthly alarm testing
		x						x					8/27/2026 13:11	8/27/2026 13:35	24.00	Planned shutdown for monthly alarm testing
						x	x			8/27/2026 9:00	8/27/2026 10:30	90.00	8/27/2026 8:59	8/27/2026 11:45	166.00	Planned shutdown to remove and inspect actuator block valve
		x						x		8/27/2026 18:09	8/27/2026 20:09	120.00	8/27/2026 18:09	8/27/2026 20:09	120.00	Unplanned shutdown due to flame failure

Instructions - Check Flare that is impacted. Note Shutdown Start and End Date/Time. Check whether Planned or Unplanned. Finally note cause or reason for shutdown.

Flare 1 - 1995	Flare 2- 2009	Flare 3 - 2023	Zeeco #1 TOx	Zeeco #6 TOx	Zeeco #7 TOx	Parnel TOx	Hero TOx	Planned	Unplanned	Anticipated Shutdown Start Date/Time	Anticipated Shutdown End Date/Time	Anticipated Estimated Downtime Duration (mins)	Actual Shutdown Start Date/Time	Actual Shutdown End Date/Time	Actual Shutdown Duration (mins)	Reason
x								x					8/31/2024 10:10	8/31/2024 15:09	299.00	FL-1995 manual shutdown to perform generator service
x									x				9/2/2024 9:14	9/2/2024 11:56	162.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/3/2024 10:05	9/3/2024 10:17	12.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/3/2024 16:41	9/3/2024 17:41	60.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/4/2024 12:07	9/4/2024 12:14	7.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/5/2024 2:49	9/5/2024 4:29	100.00	FL-1995 shutdown due to high flow
x									x				9/8/2024 12:38	9/8/2024 13:05	27.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/9/2024 12:00	9/9/2024 12:26	26.00	FL-1995 shutdown due to high flow
x									x				9/9/2024 12:40	9/9/2024 12:58	18.00	FL-1995 shutdown due to high flow
x									x				9/11/2024 13:49	9/11/2024 13:57	8.00	FL-1995 shutdown due to high flow
x									x				9/13/2024 13:51	9/13/2024 13:59	8.00	FL-1995 shutdown due to high flow
x									x				9/14/2024 8:15	9/14/2024 10:14	119.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 10:31	9/14/2024 10:56	25.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 11:29	9/14/2024 11:34	5.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 11:54	9/14/2024 11:59	5.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 12:09	9/14/2024 14:15	126.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 19:26	9/14/2024 22:31	185.00	FL-1995 shutdown due to low temperature
x									x				9/14/2024 22:38	9/14/2024 22:50	12.00	FL-1995 shutdown due to low temperature
x									x				9/15/2024 0:42	9/15/2024 1:04	22.00	FL-1995 shutdown due to high flow
x									x				9/15/2024 1:36	9/15/2024 1:44	8.00	FL-1995 shutdown due to high flow
x									x				9/16/2024 16:09	9/16/2024 16:24	15.00	FL-1995 shutdown due to Automatic Block Valve Fail
x									x				9/17/2024 20:54	9/17/2024 21:53	59.00	FL-1995 shutdown due to high flow
x									x				9/23/2024 21:27	9/23/2024 23:21	114.00	FL-1995 shutdown due to high flow
x									x				9/24/2024 1:07	9/24/2024 1:32	25.00	FL-1995 shutdown due to high flow
x									x				9/24/2024 15:59	9/24/2024 16:35	36.00	FL-1995 shutdown due to high flow
x									x				9/25/2024 15:42	9/25/2024 16:12	30.00	FL-1995 shutdown due to low temperature
x									x				9/26/2024 10:14	9/26/2024 10:25	11.00	FL-1995 shutdown due to low temperature
x									x				9/28/2024 8:41	9/28/2024 8:58	17.00	FL-1995 shutdown due to low temperature
x									x				9/28/2024 12:48	9/28/2024 13:08	20.00	FL-1995 shutdown due to low temperature
x								x					10/12/2024 8:07	10/12/2024 8:23	16.00	FL-1995 manual shutdown for generator repair
x									x				10/14/2024 4:58	10/14/2024 5:15	17.00	FL-1995 shutdown due to low temperature
x									x				10/20/2024 2:05	10/20/2024 8:30	385.00	FL-1995 shutdown due to main flame failure
x									x				10/20/2024 12:31	10/20/2024 13:04	33.00	FL-1995 shutdown due to main flame failure
x									x				10/23/2024 14:33	10/23/2024 14:54	21.00	FL-1995 shutdown due to site generator failure
x									x				10/24/2024 6:22	10/24/2024 6:31	9.00	FL-1995 shutdown due to low temperature
x									x				10/24/2024 11:16	10/24/2024 11:22	6.00	FL-1995 shutdown due to low temperature
x									x				10/25/2024 13:33	10/25/2024 13:45	12.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x									x				10/25/2024 13:53	10/25/2024 13:58	5.00	FL-1995 shutdown due to BL-106 Gas Blower Failure
x									x				10/27/2024 18:57	10/28/2024 4:40	583.00	FL-1995 shutdown due to generator failure
x									x				10/28/2024 10:08	10/28/2024 10:30	22.00	FL-1995 shutdown due to high flow
x									x				11/1/2024 4:21	11/1/2024 4:52	31.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x									x				11/1/2024 9:48	11/1/2024 10:30	42.00	FL-1995 shutdown due to BL-107 Gas Blower Failure
x									x				11/1/2024 10:42	11/1/2024 14:08	206.00	FL-1995 shutdown due to BL-107 Gas Blower Failure & replacement
x								x					11/2/2024 4:55	11/2/2024 6:20	85.00	FL-1995 manual shutdown for power swap during generator maintenance
x								x					11/2/2024 7:35	11/2/2024 7:52	17.00	FL-1995 manual shutdown for power swap during generator maintenance
x								x					11/2/2024 7:57	11/2/2024 8:11	14.00	FL-1995 manual shutdown for power swap during generator maintenance
x								x					11/2/2024 8:27	11/2/2024 8:37	10.00	FL-1995 manual shutdown for power swap during generator maintenance
x													11/4/2024 15:41	11/4/2024 15:48	7.00	FL-1995 shutdown due to low temperature
x									x				11/8/2024 1:27	11/8/2024 4:30	183.00	FL-1995 shutdown due to low temperature
x													11/8/2024 8:13	11/8/2024 8:36	23.00	FL-1995 shutdown due to low temperature
x													11/8/2024 16:40	11/8/2024 16:46	6.00	FL-1995 shutdown due to low temperature
x													11/8/2024 16:57	11/8/2024 17:04	7.00	FL-1995 shutdown due to low temperature
x								x					11/9/2024 10:54	11/9/2024 11:12	18.00	FL-1995 manual shutdown for power swap during generator maintenance
x								x					11/9/2024 16:11	11/9/2024 16:27	16.00	FL-1995 manual shutdown for power swap during generator maintenance
x									x				11/12/2024 14:18	11/12/2024 14:29	11.00	FL-1995 shutdown due to high flow
x									x				11/14/2024 0:27	11/14/2024 6:57	390.00	FL-1995 shutdown due to generator failure
	x							x					8/31/2024 10:10	8/31/2024 11:47	97.00	FL-2009 manual shutdown to perform generator service
	x							x					8/31/2024 13:08	8/31/2024 15:00	112.00	FL-2009 manual shutdown to perform generator service
	x								x				9/2/2024 9:13	9/2/2024 10:27	74.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/3/2024 10:05	9/3/2024 10:37	32.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/3/2024 16:47	9/3/2024 17:22	35.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/4/2024 11:55	9/4/2024 12:25	30.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x								x				9/9/2024 11:59	9/9/2024 17:19	320.00	FL-2009 shutdown due to pilot failure
	x								x				9/14/2024 8:15	9/16/2024 8:53	2918.00	FL-2009 shutdown due to pilot failure
	x								x				9/16/2024 16:09	9/16/2024 16:55	46.00	FL-2009 shutdown due to Automatic Block Valve Fail
	x							x					9/21/2024 8:24	9/21/2024 19:26	662.00	FL-2009 manual shutdown to perform generator service
	x								x				9/23/2024 21:26	9/23/2024 23:57	151.00	FL-2009 shutdown due to high temperature
	x								x				9/24/2024 0:42	9/24/2024 1:21	39.00	FL-2009 shutdown due to high flow

	x								x					9/25/2024 0:44	9/25/2024 11:15	631.00	FL-2009 shutdown due to pilot failure
	x								x					9/28/2024 8:41	9/28/2024 9:11	30.00	FL-2009 shutdown due to high flow
	x								x					9/28/2024 12:47	9/28/2024 13:48	61.00	FL-2009 shutdown due to pilot failure
	x								x					10/7/2024 3:14	10/7/2024 4:36	82.00	FL-2009 shutdown due to high flow
	x								x					10/9/2024 21:48	10/9/2024 22:42	54.00	FL-2009 shutdown due to high flow
	x							x						10/12/2024 8:06	10/12/2024 8:21	15.00	FL-2009 manual shutdown for generator repair
	x								x					10/12/2024 18:50	10/12/2024 19:34	44.00	FL-2009 shutdown due to high flow
	x								x					10/20/2024 2:05	10/20/2024 12:21	616.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/20/2024 12:31	10/21/2024 9:38	1267.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/23/2024 11:07	10/23/2024 12:24	77.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/23/2024 14:33	10/23/2024 15:19	46.00	FL-2009 shutdown due to site generator failure
	x								x					10/23/2024 18:49	10/24/2024 12:07	1038.00	FL-2009 shutdown due to combustion air blower and pilot failure
	x								x					10/24/2024 17:48	10/24/2024 19:05	77.00	FL-2009 shutdown due to main flame failure
	x								x					10/25/2024 13:32	10/25/2024 14:09	37.00	FL-2009 shutdown due to BL-106 Gas Blower Failure
	x								x					10/27/2024 18:57	10/28/2024 12:26	1049.00	FL-2009 shutdown due to generator failure
	x								x					10/28/2024 13:04	10/28/2024 13:42	38.00	FL-2009 shutdown due to combustion air blower failure
	x								x					10/28/2024 17:39	10/28/2024 17:55	16.00	FL-2009 shutdown due to high flow
	x								x					11/1/2024 9:46	11/1/2024 12:56	190.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	x								x					11/1/2024 13:14	11/1/2024 13:40	26.00	FL-2009 shutdown due to blower failure (BL-107) & replacement
	x							x						11/2/2024 7:31	11/2/2024 10:17	166.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/2/2024 10:42	11/2/2024 11:51	69.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/9/2024 10:51	11/9/2024 13:25	154.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/9/2024 16:09	11/9/2024 16:44	35.00	FL-2009 manual shutdown for power swap during generator maintenance
	x								x					11/14/2024 0:27	11/14/2024 13:19	772.00	FL-2009 shutdown due to generator failure & pilot combustion failure
	x								x					3/22/2024 11:55	3/22/2024 12:21	26.00	FL-2009 shutdown due to high flow
		x							x					8/31/2024 8:17	8/31/2024 10:19	122.00	FL-2023 manual shutdown to perform generator service
		x							x					8/31/2024 13:06	8/31/2024 15:44	158.00	FL-2023 manual shutdown to perform generator service
		x							x					9/2/2024 9:13	9/2/2024 10:03	50.00	FL-2023 shutdown due to main flame failure
		x							x					9/2/2024 10:22	9/2/2024 12:14	112.00	FL-2023 shutdown due to combustion low flow
		x							x					9/3/2024 10:03	9/3/2024 10:16	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/3/2024 10:33	9/3/2024 10:44	11.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/3/2024 16:55	9/3/2024 17:22	27.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/6/2024 12:39	9/6/2024 14:48	129.00	FL-2023 shutdown due to combustion blower failure
		x							x					9/9/2024 11:54	9/9/2024 12:23	29.00	FL-2023 shutdown due to main flame failure
		x							x					9/10/2024 8:51	9/10/2024 9:04	13.00	FL-2023 shutdown due to main flame failure
		x							x					9/14/2024 8:14	9/14/2024 8:40	26.00	FL-2023 shutdown due to main flame failure
		x							x					9/14/2024 9:25	9/14/2024 9:49	24.00	FL-2023 shutdown due to main flame failure
		x							x					9/14/2024 12:04	9/14/2024 14:05	121.00	FL-2023 shutdown due to main flame failure
		x							x					9/22/2024 16:10	9/22/2024 16:51	41.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					9/23/2024 20:10	9/24/2024 9:40	810.00	FL-2023 shutdown due to generator failure
		x							x					9/24/2024 18:21	9/24/2024 18:50	29.00	FL-2023 shutdown due to generator failure
		x							x					9/25/2024 2:09	9/25/2024 4:51	162.00	FL-2023 shutdown due to main flame failure
		x							x					9/26/2024 17:49	9/26/2024 18:18	29.00	FL-2023 manual shutdown to swap from rented generator to site generator
		x							x					9/28/2024 16:06	9/28/2024 16:19	13.00	FL-2023 shutdown due to Automatic Block Valve Fail
		x							x					10/12/2024 8:07	10/12/2024 8:47	40.00	FL-2023 manual shutdown for generator service
		x							x					10/20/2024 2:07	10/20/2024 2:18	11.00	FL-2023 shutdown due to generator failure
		x							x					10/20/2024 3:31	10/20/2024 6:49	198.00	FL-2023 shutdown due to generator failure
		x							x					10/20/2024 12:15	10/20/2024 12:33	18.00	FL-2023 shutdown due to main flame failure
		x							x					10/21/2024 11:14	10/21/2024 11:25	11.00	FL-2023 shutdown due to block valve failure
		x							x					10/21/2024 14:49	10/21/2024 20:55	366.00	FL-2023 shutdown due to generator failure
		x							x					10/23/2024 4:58	10/23/2024 5:58	60.00	FL-2023 shutdown due to generator out of fuel
		x							x					10/23/2024 14:37	10/23/2024 14:49	12.00	FL-2023 shutdown due to running out of fuel
		x							x					10/24/2024 5:35	10/24/2024 6:25	50.00	FL-2023 shutdown due to running out of fuel
		x							x					10/25/2024 13:35	10/25/2024 13:47	12.00	FL-2023 shutdown due to flow spike
		x							x					10/27/2024 6:46	10/27/2024 8:31	105.00	FL-2023 shutdown due to air compressor power loss
		x							x					10/27/2024 19:02	10/27/2024 20:05	63.00	FL-2023 shutdown due to main flame failure
		x							x					10/27/2024 21:03	10/28/2024 4:06	423.00	FL-2023 shutdown due to declining gas flow as a result of a watered in sump
		x							x					10/28/2024 10:08	10/28/2024 10:24	16.00	FL-2023 shutdown due to generator issue
		x							x					10/30/2024 14:43	10/30/2024 14:58	15.00	FL-2023 shutdown due to block valve failure
		x							x					11/9/2024 7:30	11/9/2024 8:07	37.00	FL-2023 manual shutdown for power swap during generator maintenance
		x							x					11/9/2024 10:15	11/9/2024 10:44	29.00	FL-2023 manual shutdown for power swap during generator maintenance
		x							x					11/14/2024 0:31	11/14/2024 2:26	115.00	FL-2023 shutdown due to flow spike
		x							x					11/14/2024 5:13	11/14/2024 5:26	13.00	FL-2023 shutdown due to flow spike
									x					8/31/2024 7:07	9/1/2024 15:04	1916.56	Zeeco manual shutdown to perform generator service
									x					9/1/2024 15:59	9/1/2024 17:03	64.01	Zeeco shutdown due to pilot failure
									x					9/4/2024 18:48	9/4/2024 19:18	30.00	Zeeco shutdown due to main flame failure
									x					9/12/2024 17:59	9/12/2024 19:48	109.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
									x					9/13/2024 16:30	9/13/2024 16:49	19.00	Zeeco manual shutdown to clean flow meter
									x					9/19/2024 5:13	9/19/2024 8:43	209.86	Zeeco shutdown due to pilot failure
									x					9/22/2024 7:46	9/22/2024 9:48	122.00	Zeeco manual shutdown to perform cleaning on DA and flow meter
									x					9/28/2024 8:47	9/28/2024 9:07	20.00	Zeeco shutdown due to main flame failure
									x					10/3/2024 21:29	10/4/2024 7:29	599.75	Zeeco manual shutdown due to upgrade on electrical system
									x					10/5/2024 7:17	10/5/2024 10:58	221.02	Zeeco manual shutdown to perform cleaning on DA and flow meter
									x					11/6/2024 11:00	11/6/2024 18:43	463.15	Public Safety Power Shutdown

					x			x					11/8/2024 13:12	11/8/2024 13:30	17.69	Return to Line Power
					x			x					11/14/2024 8:32	11/14/2024 11:46	193.26	Installation of electrical disconnect and cleaning of flame arrestor element
	x							x		11/22/2024 4:30	11/22/2024 18:00	810.00	11/22/2024 5:14	11/22/2024 20:42	928.00	FL-2009 manual shutdown to perform cleaning on FA and burner tips
		x						x		11/25/2024 4:30	11/25/2024 18:00	810.00	11/25/2024 5:28	11/25/2024 17:46	738.00	FL-2023 manual shutdown to perform cleaning on Flame Arrestor and burner tips. SCE electrical tie in to grid power.
x								x					11/22/2024 0:52	11/22/2024 2:07	75.00	FL-1995 shutdown due to high flow spike
		x						x					11/24/2024 7:11	11/24/2024 8:29	78.00	FL-2023 shutdown due to high flow spike
	x							x					11/24/2024 19:41	11/24/2024 21:06	85.00	FL-2009 shutdown due to high flow spike
x								x					11/25/2024 7:15	11/25/2024 9:24	129.00	FL-1995 shutdown due to accidental power shutoff
	x							x					11/25/2024 7:15	11/25/2024 9:50	155.00	FL-2009 shutdown due to accidental power shutoff
x								x		11/30/2024 8:00	11/30/2024 14:30	390.00	11/30/2024 8:16	11/30/2024 8:34	18.00	FL-1995 manual shutdown to perform generator service
	x							x		11/30/2024 8:00	11/30/2024 14:30	390.00	11/30/2024 8:13	11/30/2024 10:22	129.00	FL-2009 manual shutdown to perform generator service
x								x		12/2/2024 8:00	12/2/2024 12:00	240.00	12/2/2024 9:52	12/2/2024 10:38	46.00	FL-1995 manual shutdown to perform service on the flame arrestor
x	x	x						x					11/27/2024 8:30	11/27/2024 14:06	336.00	Flares 1, 2 and 3 manual shutdown due to electrical meter installation, installer requested a complete shutdown for extra precaution
					x			x		12/4/2024 8:00	12/4/2024 15:00	435	12/4/2024 11:12	12/4/2024 16:06	294.00	Zeeco Tox Manual shutdown for new main header tie in
x								x					12/2/2024 0:38	12/2/2024 1:11	33.00	FL-1995 shutdown due to high flow
x	x	x						x		12/7/2024 8:00	12/7/2024 12:00	240.00	12/7/2024 8:06	12/7/2024 8:18	12.00	Flares-1, 2 and 33 manual shutdown to perform generator service
x	x	x	x					x		12/7/2024 8:00	12/7/2024 12:00	240.00	12/7/2024 11:08	12/7/2024 11:18	10.00	Flares-1, 2 and 33 manual shutdown to perform generator service
					x			x					12/5/2024 5:10	12/5/2024 15:52	642.00	Zeeco TOX shutdown due to a failed actuator
					x			x					12/5/2024 22:42	12/6/2024 2:52	250.00	Zeeco TOX shutdown due to a flame failure
					x			x					12/6/2024 4:09	12/6/2024 4:25	16.00	Zeeco TOX shutdown due to main flame failure
					x			x					12/6/2024 14:54	12/6/2024 16:42	108.00	Zeeco TOX shutdown due to a failed actuator
					x			x					12/6/2024 7:22	12/6/2024 7:56	34.00	Zeeco TOX shutdown due to a failed actuator
					x			x					12/6/2024 10:32	12/6/2024 10:54	22.00	Zeeco TOX shutdown due to a failed actuator
x	x	x						x		12/10/2024 7:00	12/10/2024 16:00	540.00	See below for each flare			Shutdown of flare station for Ongoing electrical upgrades
x								x					12/10/2024 7:36	12/10/2024 17:54	618.00	Shutdown of flare station for Ongoing electrical upgrades
x								x					12/10/2024 19:46	12/10/2024 20:08	22.00	Shutdown of flare station for Ongoing electrical upgrades
		x						x					12/10/2024 7:36	12/13/2024 13:02	4646.00	originally shutdown for electrical upgrades. Then could not be re-started due to blower issues until VFD was replaced.
		x						x					12/10/2024 8:14	12/10/2024 10:06	112.00	Shutdown of flare station for Ongoing electrical upgrades
					x			x					12/10/2024 11:31	12/10/2024 12:10	39.00	Zeeco TOX shutdown due to gas vapor blower failure
x	x	x	x					x		12/13/2024 16:12	12/13/2024 17:46	94.00	12/13/2024 16:12	12/13/2024 17:46	94.00	Flare station shutdown due to needing to swap to upsized generator
		x			x			x		12/16/2024 8:00	12/16/2024 11:00	180.00	12/16/2024 8:54	12/16/2024 12:24	210.00	Zeeco TOX manual shutdown due to remove and clean detonation arrestor
		x						x		12/16/2024 12:00	12/16/2024 14:00	120.00	12/16/2024 14:04	12/16/2024 15:04	60.00	FL-2009 manual shutdown to remove and clean flame arrestor
		x	x					x		12/16/2024 14:00	12/16/2024 16:00	120.00	12/16/2024 15:06	12/16/2024 15:20	14.00	FL-2023 manual shutdown to remove and replace combustion blower filter elements
x	x	x	x					x		12/19/2024 0:00	12/19/2024 0:00	0.00	Shutdown not needed			Full station shut down to perform electrical work. Duration of work is unknown.
x	x	x	x					x		12/20/2024 7:00	12/20/2024 20:00	780.00	See below for each flare			Full station shut down to perform electrical work. Duration of work is unknown.
x								x					12/20/2024 11:48	12/20/2024 15:54	246.00	Full station shut down to perform electrical connection
		x						x					12/20/2024 11:48	12/20/2024 16:02	254.00	Full station shut down to perform electrical connection
			x										12/20/2024 11:48	12/20/2024 15:26	218.00	Full station shut down to perform electrical connection
					x			x		12/23/2024 8:00	12/23/2024 12:00	240.00	12/23/2024 9:06	12/23/2024 11:48	162.00	Zeeco TOX manual shut down to perform maintenance on detonation arrestor
x	x	x	x					x		12/23/2024 13:00	12/23/2024 15:00	120.00	See below for each flare			Full station shut down to perform electrical work. Duration of work is unknown.
x													12/23/2024 13:54	12/23/2024 15:54	120.00	Full station shut down to perform electrical connection
		x											12/23/2024 13:54	12/23/2024 15:34	100.00	Full station shut down to perform electrical connection
			x					x					12/23/2024 13:54	12/23/2024 15:24	90.00	Full station shut down to perform electrical connection
x	x	x	x		x			x		1/7/2024 11:47	1/7/2024 12:15	28.00	See below for each flare			Sitewide Public Safety Power Shutdown
x								x					1/7/2024 11:51	1/7/2024 12:18	27.00	Restart upon Generator activation
		x						x					1/7/2024 11:51	1/7/2024 13:47	116.00	Restart upon Generator start up and Thermocouple replacement
			x					x					1/7/2024 11:52	1/7/2024 12:13	21.00	Restart upon Generator activation
					x			x					1/7/2024 11:48	1/7/2024 12:37	49.00	Restart upon Generator activation
		x						x		1/9/2025 7:45	1/9/2025 14:00	375.00	1/9/2025 7:47	1/9/2025 14:45	418.00	Shutdown for flare inspection for structural testing
x								x		1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:43	1/10/2025 6:29	46.00	Shutdown during power restoration from Public Safety Power Shutdown
		x						x		1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:43	1/10/2025 6:18	35.00	Shutdown during power restoration from Public Safety Power Shutdown
					x			x		1/10/2025 5:35	1/10/2025 6:30	55.00	1/10/2025 5:34	1/10/2025 6:53	79.00	Shutdown during power restoration from Public Safety Power Shutdown
			x					x		1/10/2025 5:35	1/10/2025 5:45	10.00	1/10/2025 5:42	1/10/2025 5:48	6.00	Shutdown during power restoration from Public safety Power Shutdown/Autorestart
x								x		1/13/2025 2:54	1/13/2025 5:04	130.00	1/13/2025 2:57	1/13/2025 5:09	132.00	Suspected flame failure due to high flow
x	x	x	x		x			x		1/13/2025 9:53	1/13/2025 10:53	60.00	1/13/2025 9:53	1/13/2025 11:06	73.00	Sitewide Public Safety Power Shutoff
					x			x		1/13/2025 20:49	1/14/2025 7:57	668.00	1/13/2025 20:52	1/14/2025 7:58	666.00	Power restored, Breaker tripped
x	x	x	x					x		1/16/2025 13:30	1/16/2025 14:30	60.00	1/16/2025 13:47	1/16/2025 14:41	54.00	Power restored - switching to line power
x	x	x	x					x					1/18/2025 14:38	1/18/2025 15:19	41.00	Electrical glitch at flare station
x	x	x	x		x			x					1/22/2025 12:26	1/22/2025 13:17	51.00	Switch to generator power as a wild fire near the site broke out forcing evacuations
x	x	x	x					x					1/25/2025 8:45	1/25/2025 9:14	29.00	Manual shutdown to switch from generator power to utility power
x								x		1/28/2025 18:17	1/28/2025 19:47	90.00	1/28/2025 18:17	1/28/2025 19:04	47.00	FL-1995 shutdown due to high flow
		x											2/7/2025 13:20	2/7/2025 13:51	31.00	Suspected utility power surge
x								x					2/8/2025 15:48	2/8/2025 21:00	312.00	Backed up liquid in main header
								x					2/8/2025 17:43	2/9/2025 12:49	1146.00	Backed up liquid in main header
			x					x					2/11/2025 10:13	2/11/2025 16:56	403.00	Pulled flame arrestor to clean
			x					x		2/12/2025 9:10	2/12/2025 11:30	140.00	2/12/2025 8:58	2/12/2025 11:32	153.99	Clogged flame arrestor causing declining flow and poor flame signal
x								x		2/17/2025 7:00	2/17/2025 15:00	480.00	2/17/2025 8:07	2/18/2025 12:18	1691.00	Manual shutdown to clean flare burner assembly and flame arrestor
		x	x					x		2/14/2025 8:30	2/14/2025 12:30	240.00	2/14/2025 9:02	2/14/2025 12:07	185.00	Manual shutdown to clean flare burner assembly and flame arrestor
		x	x					x		2/16/2025 8:00	2/16/2025 12:30	270.00	2/17/2025 8:58	2/17/2025 19:36	638.00	Manual shutdown to clean flare burner assembly and flame arrestor
x								x					2/19/2025 12:26	2/19/2025 13:18	52.00	Flare shutdown due to computer programming glitch
		x						x					2/19/2025 12:26	2/19/2025 14:00	94.00	Flare shutdown due to computer programming glitch

x										x	2/20/2025 17:26	2/20/2025 18:56	90.00	2/20/2025 17:25	2/20/2025 17:51	26.00	Hi flow shutdown due to liquids/debris impacting flow meter
		x							x		2/21/2025 8:00	2/21/2025 12:00	240.00	2/21/2025 9:17	2/21/2025 11:26	129.00	Manual shutdown to pull and clean the flame arrestor
	x									x				2/21/2025 11:48	2/21/2025 12:17	29.00	flare failure during restart of flare 3, less than 30 minutes
		x								x				2/21/2025 13:14	2/21/2025 15:06	112.00	Shutdown 2023 to resat the gasket on the flame arrestor
x										x				2/22/2025 4:38	2/22/2025 5:15	37.00	Flare shutdown due to low temperature
	x									x				2/22/2025 4:21	2/22/2025 5:45	84.00	Flare shutdown due to main flame failure
	x									x	2/22/2025 17:16	2/22/2025 20:00	164.00	2/22/2025 17:17	2/22/2025 20:34	197.00	Flare shutdown due to backed up liquids in the header restricting gas flow
		x								x				2/22/2025 18:57	2/22/2025 20:21	84.00	Flame failure during restart of flare 2
	x									x	2/23/2025 0:35	2/23/2025 12:00	685.00	2/23/2025 0:36	2/23/2025 11:56	680.00	High flow shutdown due to debris/liquid hitting flow meter. Cleaned flame arrestor prior to restart
		x								x	2/23/2025 16:31	2/23/2025 20:00	209.00	2/23/2025 16:37	2/23/2025 17:38	35.00	Flare shutdown due high burner tip
					x				x		2/24/2025 13:00	2/24/2025 15:00	120.00	2/24/2025 9:35	2/24/2025 11:39	124.00	Manual shutdown to pull and clean the flow meter
	x									x	2/25/2025 13:15	2/25/2025 16:00	165.00	2/25/2025 13:15	2/25/2025 14:50	95.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)
		x									2/25/2025 13:30	2/25/2025 17:00	210.00	2/25/2025 13:33	2/25/2025 16:50	197.00	Flare shutdown due to touch screen issues. Touch screen had to be reset (Note touch screen replaced 2-26-2025 no shutdown required)
					x					x	2/26/2025 4:50	2/26/2025 10:00	310.00	2/26/2025 4:52	2/26/2025 7:02	130.00	Flame failure. Pilot needed to be cleaned and flame scanner re-aligned
	x									x	2/27/2025 9:15	2/27/2025 11:30	135.00	2/27/2025 9:16	2/27/2025 9:48	32.00	Manual shutdown to clean flame arrestor due to unexpected high differential pressure
		x								x				3/1/2025 13:27	3/1/2025 15:17	110.00	Flare shutdown due main flame failure
			x							x				3/2/2025 2:30	3/2/2025 8:21	351.00	Flare shutdown due main flame failure
		x							x					3/4/2025 5:00	3/4/2025 18:00	780.00	Manual shutdown to perform flare cleaning and maintenance
		x								x	3/7/2025 10:27	3/7/2025 11:11	44.00	3/7/2025 10:31	3/7/2025 11:13	42.00	Flare shutdown due to main flame failure
x										x	3/7/2025 10:33	3/7/2025 10:44	11.00	3/7/2025 10:38	3/7/2025 10:51	13.00	Flare shutdown due to high flow
x		x								x	3/10/2025 11:19	3/10/2025 12:45	86.00	See below for individual flare downtimes			Flares shutdown during pipeline construction work
x										x				3/10/2025 11:29	3/10/2025 11:48	19.00	Flares shutdown during pipeline construction work
		x								x				3/10/2025 11:19	3/10/2025 11:42	23.00	Flares shutdown during pipeline construction work
x										x				3/10/2025 17:55	3/10/2025 17:59	4.00	Flare shutdown during construction. No notification required
		x												3/10/2025 17:49	3/10/2025 18:06	17.00	Flare shutdown during construction. No notification required
x														3/13/2025 5:25	3/13/2025 6:09	44.00	Flame failure shutdown
x										x				3/14/2025 9:06	3/14/2025 11:04	118.00	Flares shutdown during pipeline construction work
										x				3/14/2025 8:57	3/14/2025 10:52	115.00	Flares shutdown during pipeline construction work
x	x	x							x		3/27/2025 9:00	3/27/2025 11:00	120.00	See below for individual flare downtimes			Planned shutdown to perform monthly alarm tests
x									x					3/27/2025 11:02	3/27/2025 11:14	12.00	Planned shutdown to perform monthly alarm tests
	x								x					3/27/2025 11:02	3/27/2025 12:10	68.00	Planned shutdown to perform monthly alarm tests
x	x	x							x		3/31/2025 9:00	3/31/2025 11:00	120.00	**EVENT DID NOT TAKE PLACE**			Planned potential shutdown to perform main header work
		x							x		3/31/2025 16:48	3/31/2025 17:20	32.00	3/31/2025 16:52	3/31/2025 17:37	45.00	Flare shutdown due to combustion blower failure
			x						x		4/2/2025 16:48	4/2/2025 16:58	10.00	4/2/2025 16:46	4/2/2025 16:58	12.00	Flare shutdown due to combustion blower failure
x									x		4/2/2025 17:04	4/2/2025 17:14	10.00	4/2/2025 17:04	4/2/2025 17:14	10.00	Flare shutdown due to high flow
		x							x		4/2/2025 17:04	4/2/2025 17:32	28.00	4/2/2025 17:04	4/2/2025 17:32	28.00	Flare shutdown due to combustion air low flow
		x							x					4/4/2025 9:33	4/4/2025 9:44	11.00	Flare shutdown during construction. No notification required
		x							x					4/4/2025 9:47	4/4/2025 10:03	16.00	Flare shutdown during construction. No notification required
		x							x					4/4/2025 10:05	4/4/2025 10:17	12.00	Flare shutdown during construction. No notification required
		x							x					4/4/2025 10:19	4/4/2025 10:23	4.00	Flare shutdown during construction. No notification required
		x							x					4/4/2025 10:52	4/4/2025 11:04	12.00	Flare shutdown due low temp
x	x	x							x		4/7/2025 9:00	4/7/2025 11:00	120.00	See below for individual flare downtime			Planned potential shutdown to perform main header work
		x							x					4/7/2025 11:02	4/7/2025 13:46	164.00	Planned shutdown to perform main header work
		x							x		4/7/2025 15:38	4/7/2025 16:01	23.00	4/7/2025 15:52	4/7/2025 16:04	12.00	Flare shutdown due to high burner temp
									x		4/7/2025 19:11	4/7/2025 20:11	60.00	4/7/2025 19:12	4/7/2025 21:42	150.00	Flare shutdown due to high burner temp
									x					4/8/2025 9:52	4/8/2025 10:21	29.00	Zeeco shutdown due to header pipe work and clogged pilot orifice preventing restart
			x						x		4/10/2025 9:00	4/10/2025 10:00	60.00	4/10/2025 13:08	4/10/2025 13:22	14.00	Planned potential shutdown to swap out propane tanks
		x							x					4/11/2025 23:00	4/12/2025 3:54	294.00	Flare shutdown due to flame failure
									x		4/14/2025 5:00	4/14/2025 17:00	720.00	4/14/2025 5:24	4/14/2025 23:48	1104.00	Planned shutdown to perform cleaning and maintenance
		x							x					4/16/2025 16:33	4/16/2025 16:41	8.00	Flare down due to VFD faults on the combustion blower and gas blowers
		x								x				4/19/2025 3:07	4/19/2025 3:54	47.00	Flare shutdown due main flame failure
		x								x				4/19/2025 4:05	4/19/2025 4:36	31.00	Flare shutdown due low temperature
x										x				4/19/2025 4:32	4/19/2025 4:44	12.00	Flare shutdown due low temperature
x										x				4/19/2025 7:23	4/19/2025 8:02	39.00	Flare shutdown due low temperature
x										x				4/19/2025 8:14	4/19/2025 8:34	20.00	Flare shutdown due low temperature
		x								x				4/19/2025 7:12	4/19/2025 8:17	65.00	Flare shutdown due main flame failure
		x								x				4/19/2025 7:26	4/19/2025 7:33	7.00	Flare shutdown due flame failure
		x								x				4/19/2025 7:40	4/19/2025 7:45	5.00	Flare shutdown due flame failure
x	x	x								x	4/19/2025 19:18	4/19/2025 21:00	102.00	See below for individual flare downtime			
x										x				4/19/2025 19:16	4/19/2025 20:24	68.00	Flare shutdown due to high flow
		x								x				4/19/2025 19:16	4/19/2025 20:34	78.00	Flare shutdown due to main flame failure
										x				4/19/2025 19:18	4/19/2025 20:12	54.00	Flare shutdown due to high flow
x										x	4/19/2025 22:50	4/19/2025 23:50	60.00	4/19/2025 23:04	4/19/2025 23:16	12.00	Flare shutdown due to main flame failure
		x								x	4/19/2025 22:50	4/19/2025 23:50	60.00	4/19/2025 22:52	4/20/2025 11:54	782.00	Flare shutdown due to low temperature
			x							x				4/20/2025 12:38	4/20/2025 13:15	37.00	Flare shutdown due to main flame failure
		x							x		4/22/2025 9:00	4/22/2025 11:00	120.00	4/22/2025 14:36	4/22/2025 15:22	46.00	Planned potential shutdown to perform main header work
										x				4/22/2025 14:21	4/22/2025 14:59	38.00	Flare shutdown due to header work.
x										x				4/22/2025 14:20	4/22/2025 15:07	47.00	Flare shutdown due to header work.
										x				4/22/2025 14:36	4/22/2025 15:24	48.00	Flare shutdown due to header work.
		x							x		4/25/2025 8:00	4/25/2025 11:00	180.00	4/25/2025 8:30	4/25/2025 11:08	158.00	Planned shutdown to clean flame arrestor
						x				x	4/25/2025 13:00	4/25/2025 15:00	120.00	4/25/2025 13:36	4/25/2025 15:42	126.00	Planned shutdown to clean detonation arrestor and swap flow meters
x	x	x			x					x				See below for individual flare downtime			

A															4/26/2025 11:32	4/26/2025 12:47	75.00	Shutdown due SCE power outage/glitch
	X														4/26/2025 11:32	4/26/2025 12:56	84.00	Shutdown due SCE power outage/glitch
			X												4/26/2025 11:32	4/26/2025 11:39	7.00	Shutdown due SCE power outage/glitch
															4/26/2025 11:32	4/26/2025 16:48	316.00	Shutdown due SCE power outage/glitch. Electrical issue on control panel. Switch went bad. Confirmed by electricians.
															4/29/2025 4:49	4/29/2025 6:07	78.00	Flare shutdown due to main flame failure
			X												4/29/2025 11:57	4/29/2025 13:28	91.00	Flare shutdown due to Burner D high temperature. Need to replace thermocouple.
X															4/30/2025 8:42	4/30/2025 10:50	128.00	Planned shutdown to perform monthly alarm tests
															5/4/2025 11:01	5/4/2025 12:34	93.00	Flare shutdown due to main flame failure
			X												5/4/2025 14:21	5/4/2025 15:05	44.00	Flare shutdown due to low temp
			X												5/4/2025 15:58	5/5/2025 14:10	1332.00	Flare shutdown due to flame failure. Flame arrestor clogged due to carbon media break through
X	X		X												5/5/2025 7:00	5/5/2025 13:00	360.00	See below for individual flare downtime
X															5/5/2025 8:15	5/5/2025 13:05	290.00	Planned shutdown to perform emergency cleaning of flare station main header due to carbon break through
			X												5/5/2025 8:15	5/5/2025 12:35	260.00	Planned shutdown to perform emergency cleaning of flare station main header due to carbon break through
X															5/8/2025 18:22	5/8/2025 18:40	16.00	Flare shutdown due to high flow
															5/13/2025 20:40	5/13/2025 21:29	49.00	Flare shutdown due to low temp
															5/14/2025 13:45	5/14/2025 14:59	74.00	Planned shutdown to swap flame arrestor
			X												5/15/2025 13:45	5/15/2025 14:22	37.00	Planned shutdown to swap flow meter and flame arrestor. Postponed flame arrestor swap.
X															5/15/2025 13:57	5/15/2025 14:18	21.00	Flare shutdown due to electrical issue
X															5/19/2025 5:48	5/19/2025 16:39	651.00	Planned shutdown to perform flare burner cleaning
	X														5/19/2025 16:49	5/19/2025 17:20	31.00	Planned shutdown to swap flame arrestor
			X												6/2/2025 5:23	6/2/2025 15:40	617.00	Planned shutdown to perform a flare cleaning
															6/9/2025 11:38	6/9/2025 13:30	112.00	Shutdown due to flame main flame failure
X															6/9/2025 11:49	6/9/2025 12:10	21.00	Shutdown due to low temperature
X															6/9/2025 19:29	6/9/2025 20:19	50.00	Shutdown due to low temperature
			X												6/10/2025 14:39	6/10/2025 15:09	30.00	Planned shutdown to swap flame arrestor
X	X														6/10/2025 19:52	6/10/2025 20:32	40.00	Shutdown due to low temperature
	X														6/10/2025 19:40	6/10/2025 20:46	66.00	Shutdown due to high flow
X															6/10/2025 19:30	6/10/2025 21:30	120.00	Shutdown due to high flow and low temp
															6/11/2025 20:55	6/11/2025 21:28	33.00	Shutdown due to low temperature
X															6/15/2025 18:31	6/15/2025 20:50	139.00	Shutdown due to high flow
X															6/17/2025 21:08	6/17/2025 21:49	41.00	Shutdown due to high flow
X	X		X												6/18/2025 17:27	6/18/2025 18:57	90.00	See below for individual flare downtime
			X												6/18/2025 17:27	6/18/2025 17:59	31.00	Shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
	X														6/18/2025 17:35	6/18/2025 18:22	42.00	Shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
X															6/18/2025 17:38	6/18/2025 18:14	32.00	Shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
															6/19/2025 13:00	6/19/2025 13:08	23.00	Planned shutdown to swap flow meter
X															6/19/2025 20:09	6/19/2025 20:56	42.00	Shutdown due to high flow
X															6/21/2025 19:48	6/21/2025 20:55	62.00	Shutdown due to high flow
															6/26/2025 14:10	6/26/2025 15:46	107.00	Power shutdown due to active fire
X	X		X												6/27/2025 12:30	6/27/2025 15:58	17.00	Planned shutdown to perform monthly alarm test
X	X	X													6/26/2025 14:00			Fire did not shutdown Flares 1, 2 and 3
															6/27/2025 1:18	6/27/2025 6:30	312.00	Shutdown due to high flow
X															6/27/2025 20:10	6/27/2025 21:11	53.00	Shutdown due to high flow
															6/29/2025 3:36	6/29/2025 4:17	36.00	Shutdown due to high flow
X															6/29/2025 20:21	6/29/2025 21:38	72.00	Shutdown due to high flow
															7/1/2025 22:14	7/1/2025 23:24	65.00	Shutdown due to high flow
	X														7/7/2025 4:05	7/7/2025 4:54	43.00	Shutdown due to flame failure
X	X	X													7/8/2025 14:20	7/8/2025 15:14	54.00	Full site shutdown due to SCE PSPS as wildfire appeared near the site. Running on generator power.
X	X	X													7/9/2025 5:30	7/9/2025 7:30	120.00	**EVENT DID NOT TAKE PLACE**
															7/9/2025 18:39	7/9/2025 20:09	90.00	Shutdown due to high flow
															7/24/2025 5:00	7/24/2025 5:14	950.00	Planned shutdown to perform burner cleaning
X			X												7/24/2025 10:00	7/24/2025 14:00	240.00	See below for individual flare downtime
															7/24/2025 10:00	7/24/2025 14:00	240.00	Planned shutdown to perform work on the main header
			X												7/24/2025 10:00	7/24/2025 14:00	240.00	Planned shutdown to perform work on the main header
	X														7/23/2025 11:04	7/23/2025 11:44	40.00	Unplanned shutdown due to loss of grid power
X															7/23/2025 11:04	7/23/2025 11:34	30.00	Unplanned shutdown due to loss of grid power
			X												7/23/2025 11:00	7/23/2025 11:53	53.00	Unplanned shutdown due to loss of grid power
															7/23/2025 11:00	7/23/2025 11:33	33.00	Unplanned shutdown due to loss of grid power
	X														7/23/2025 13:53	7/23/2025 14:20	27.00	Unplanned shutdown due to loss of grid power
X															7/23/2025 13:55	7/23/2025 14:05	10.00	Unplanned shutdown due to loss of grid power
			X												7/23/2025 13:50	7/23/2025 14:06	16.00	Unplanned shutdown due to loss of grid power
															7/23/2025 13:45	7/23/2025 13:58	13.00	Unplanned shutdown due to loss of grid power
															7/27/2025 8:18	7/27/2025 10:26	128.00	Unplanned shutdown due to pilot failure
															7/27/2025 12:29	7/27/2025 13:04	35.00	Unplanned shutdown due to pilot failure
															7/30/2025 9:00	7/30/2025 13:00	240.00	Planned shutdown to remove and clean the detonation arrestor
X	X	X													7/31/2025 10:00	7/31/2025 14:00	240.00	Planned shutdown to perform monthly alarm test
	X														8/5/2025 16:53	8/6/2025 10:00	1027.00	Unplanned shutdown due to clogged flame arrestor resulting in declining gas flow
	X														8/6/2025 10:41	8/6/2025 12:00	79.00	Unplanned shutdown due to clogged flame arrestor resulting in declining gas flow
X	X	X													8/7/2025 9:00	8/7/2025 14:00	300.00	See below for individual flare downtimes
X															8/7/2025 10:16	8/7/2025 13:48	212.00	Planned full flare station shutdown to perform a main header flushing due to media breakthrough
			X												8/7/2025 10:14	8/7/2025 13:21	187.00	Planned full flare station shutdown to perform a main header flushing due to media breakthrough
X	X	X													8/9/2025 6:30	8/9/2025 9:00	150.00	See below for individual flare downtimes
X															8/9/2025 6:36	8/9/2025 9:37	181.00	Sitewide Power Failure due to wildfire

	X								X						8/9/2025 6:36	8/9/2025 14:06	450.00	Sitewide Power Failure due to wildfire
		X							X						8/9/2025 6:33	8/9/2025 9:13	160.00	Sitewide Power Failure due to wildfire
						X			X						8/9/2025 6:32	8/9/2025 8:08	96.00	Sitewide Power Failure due to wildfire
						X			X						8/9/2025 9:44	8/9/2025 11:06	82.00	Sitewide Power Failure due to wildfire
	X								X		8/10/2025 18:26	8/10/2025 20:30	124.00	8/10/2025 18:33	8/10/2025 20:39	126.00	Unplanned shutdown due to blower failure	
X									X		8/10/2025 19:43	8/10/2025 21:30	107.00	8/10/2025 19:48	8/10/2025 20:34	46.00	Unplanned shutdown due to low temperature	
	X								X		8/13/2025 1:47	8/13/2025 4:00	133.00	8/13/2025 1:53	8/13/2025 4:03	130.00	Unplanned shutdown due to combustion air blower failure	
	X								X		8/13/2025 4:45	8/13/2025 9:00	255.00	8/13/2025 4:52	8/13/2025 9:47	295.00	Unplanned shutdown due to combustion air blower failure	
X									X		8/13/2025 4:57	8/13/2025 5:57	60.00	8/13/2025 5:05	8/13/2025 5:40	35.00	Unplanned shutdown due to low temperature	
	X								X		8/14/2025 0:30	8/14/2025 6:15	345.00	8/14/2025 0:33	8/14/2025 6:18	345.00	Unplanned shutdown due to combustion air blower failure	
	X								X		8/15/2025 0:00	8/15/2025 5:00	300.00	8/15/2025 0:00	8/15/2025 2:09	129.00	Unplanned shutdown due to combustion air blower failure	
	X							X			8/15/2025 9:00	8/15/2025 10:00	60.00	8/15/2025 9:03	8/15/2025 9:39	36.00	Shutdown to perform an immediate flame arrestor swap due to clogging and declining gas flow	
					X			X			8/21/2025 8:00	8/21/2025 11:00	180.00	8/21/2025 10:26	8/21/2025 15:26	300.00	Planned shutdown to perform maind header tie in as well as blower installation	
X	X	X							X		8/21/2025 11:28	8/21/2025 13:28	120.00	See below for individual flare downtimes			Loss of compressed air pressure and block valve closure	
X									X		8/21/2025 11:32	8/21/2025 13:28		8/21/2025 11:37	8/21/2025 12:36	59.00	Loss of compressed air pressure and block valve closure	
	X								X		8/21/2025 11:32	8/21/2025 13:28		8/21/2025 11:36	8/21/2025 12:24	48.00	Loss of compressed air pressure and block valve closure	
		X							X		8/21/2025 11:28	8/21/2025 11:55		8/21/2025 11:29	8/21/2025 11:55	26.00	Loss of compressed air pressure and block valve closure	
X	X	X							X		8/24/2025 15:44	8/24/2025 17:14	90.00	See below for individual flare downtimes			Loss of compressed air pressure and block valve closure	
X									X		8/24/2025 16:00	8/24/2025 17:14		8/24/2025 16:04	8/24/2025 16:30	26.00	Loss of compressed air pressure and block valve closure	
	X								X		8/24/2025 15:55	8/24/2025 17:14		8/24/2025 16:00	8/24/2025 17:13	73.00	Loss of compressed air pressure and block valve closure	
		X							X		8/24/2025 15:44	8/24/2025 17:14		8/24/2025 15:46	8/24/2025 16:34	48.00	Loss of compressed air pressure and block valve closure	
X								X			8/26/2025 6:00	8/26/2025 14:00	480.00	8/26/2025 5:45	8/26/2025 14:34	529.00	Planned shutdown to clean burner assembly	
X	X	X						X			8/29/2025 10:00	8/29/2025 12:30	150.00	See below for individual flare downtimes			Planned shutdown to perform monthly alarm testing	
X								X						8/29/2025 10:21	8/29/2025 10:28	7.00	Planned shutdown to perform monthly alarm testing	
	X							X						8/29/2025 10:21	8/29/2025 11:05	44.00	Planned shutdown to perform monthly alarm testing	
		X						X			8/30/2025 12:03	8/30/2025 12:41	38.00	8/30/2025 12:02	8/30/2025 12:38	36.00	Unplanned shutdown due to loss of flame signal or low temperature	
								X			9/8/2025 13:00	9/8/2025 14:00	60.00	Under 30 minutes		--	Planned shutdown to swap out flame arrestor	
						X		X			9/16/2025 7:00	UNKNOWN		9/16/2025 6:47	9/16/2025 15:49	542.00	Planned shutdown to begin moving unit to a different location of the site.	
					X			X		X	9/17/2025 10:27	9/17/2025 11:09	42.00	9/17/2025 10:31	9/17/2025 11:32	61.00	Unplanned shutdown due to program glitch	
X								X			9/18/2025 7:23	9/18/2025 9:13	110.00	9/18/2025 2:54	9/18/2025 9:36	402.00	Unplanned manual shutdown due to a failed flow meter	
X	X	X						X			9/25/2025 12:30	9/25/2025 14:30	120.00	9/25/2025 13:13	9/25/2025 13:57	44.00	Planned shutdown of Flare 2 for flame arrestor swap. Potential shutdown of flare station to perform a main header tie in.	
								X	X		9/29/2025 8:00	9/29/2025 11:30	210.00	9/29/2025 7:48	9/29/2025 9:56	128.00	Planned shutdown to pull and clean detonation arrestor	
X	X	X						X			9/30/2025 6:00	9/30/2025 9:00	180.00	See below for individual flare downtimes			Planned shutdown to perform monthly alarm testing	
X								X						9/30/25 6:22	9/30/25 10:08	226.00	Planned shutdown to perform monthly alarm testing	
		X												9/30/25 5:44	9/30/25 6:16	32.00	Planned shutdown to perform monthly alarm testing	
						X		X			9/30/2025 6:00	9/30/2025 8:00	120.00	9/30/2025 5:55	9/30/2025 7:37	102.00	Unplanned shutdown due to high temperature	
X								X			10/1/2025 13:00	10/1/2025 14:30	90.00	10/1/2025 13:17	10/1/2025 14:11	54.00	Planned manual shutdown to replace a gasket for the flame arrestor	
X								X			10/6/2025 5:00	10/6/2025 14:30	570.00	10/6/2025 5:40	10/6/2025 15:10	570.00	Planned manual shutdown to remove and clean burners	
	X							X			10/7/2025 11:30	10/7/2025 13:00	90.00	10/7/2025 11:34	10/7/2025 12:04	30.00	Planned manual shutdown to remove and clean burners	
X	X	X						X			10/9/2025 8:00	10/9/2025 12:00	240.00	See below for individual flare downtimes			Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage	
X								X						10/9/2025 9:12	10/9/2025 10:02	50.00	Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage	
	X							X						10/9/2025 9:51	10/9/2025 11:46	115.00	Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage	
		X						X						10/9/2025 9:14	10/9/2025 10:36	82.00	Planned manual full flare station shutdown to remove and replace valve on carbon vessel 4 (ST4) outlet due to damage	
						X		X		X	10/8/2025 13:23	10/8/2025 16:30	187.00	10/8/2025 13:24	10/8/2025 17:38	254.00	Unplanned shutdown due to programming issue	
X								X			10/16/2025 12:00	10/16/2025 14:00	120.00	10/16/2025 12:59	10/16/2025 13:37	38.00	Planned shutdown to swap flow meter on Flare 3	
		X						X			10/16/2025 12:00	10/16/2025 14:00	120.00	10/16/2025 12:56	10/16/2025 13:27	31.00	Planned shutdown to swap flow meter on Flare 3	
					X			X			10/21/2025 23:15	10/22/2025 9:29	614.00	10/21/2025 23:17	10/22/2025 9:41	624.00	Unplanned shutdown due to electrical fail in the VFD cabinet for the gas blower	
X	X	X						X			10/31/2025 9:30	10/31/2025 10:27	57.00	10/31/2025 10:28	10/31/2025 11:11	43.00	Planned shutdown to perform monthly alarm testing	
X	X	X						X			11/5/2025 8:30	11/5/2025 10:30	120.00	No downtime		0.00	Planned potential shutdown to install new 24" valve on H2S vessel 3	
								X		X	11/5/2025 10:00	11/5/2025 14:00	240.00	11/5/2025 10:00	11/5/2025 15:56	356.00	Unplanned shutdown due to low flow	
								X	X		11/6/2025 8:00	11/6/2025 11:30	210.00	11/6/2025 8:38	11/7/2025 12:51	1693.00	Planned shutdown to remove and clean detonation arrestor due to declining gas flow	
								X		X	11/7/2025 8:30	11/7/2025 10:30	120.00	11/7/2025 8:51	11/7/2025 10:30	99.00	Unplanned manual shutdown for gas blower maintenance and repair	
						X		X		X	11/14/2025 23:31	11/15/2025 10:00	629.00	11/14/2025 23:33	11/15/2025 7:57	504.00	Unplanned shutdown due to block valve failure	
							X	X		X	11/15/2025 7:20	11/15/2025 10:00	160.00	11/15/2025 7:31	11/15/2025 8:15	44.00	Unplanned shutdown due to pilot failure	
							X	X		X	11/15/2025 21:30	11/16/2025 8:00	630.00	11/15/2025 21:15	11/16/2025 8:07	652.00	Unplanned shutdown due to low flow	
							X	X		X	11/18/2025 5:00	11/18/2025 11:00	360.00	11/18/2025 5:17	11/18/2025 13:21	484.00	Planned shutdown to remove and clean burner tips due to declining gas flow	
	X							X			11/19/2025 5:00	11/19/2025 12:00	420.00	11/19/2025 5:37	11/19/2025 13:54	497.00	Planned shutdown to clean burner tips and flame arrestor along with swapping out combustion blower element and flow meters	
X								X			11/19/2025 12:30	11/19/2025 15:00	150.00	11/19/2025 12:49	11/19/2025 15:57	68.00	Planned shutdown to clean flame arrestor	
								X			11/26/2025 7:00	11/26/2025 11:00	240.00	No shutdown occurred.		0.00	Planned shutdown to clean liquid knock out chamber and detonation arrestor	
		X						X			11/23/2025 6:47	11/23/2025 8:15	88.00	11/23/2025 6:49	11/23/2025 7:19	30.00	unplanned shutdown due to blower shutdown	
								X			11/23/2025 6:47	11/23/2025 8:11	84.00	11/23/2025 6:47	11/23/2025 6:58	11.00	unplanned shutdown due to blower shutdown	
X								X			11/23/2025 6:57	11/23/2025 7:07	10.00	11/23/2025 7:01	11/23/2025 7:07	6.00	unplanned shutdown due to blower shutdown	
	X							X			11/23/2025 20:20	11/23/2025 21:30	70.00	11/23/2025 20:18	11/24/2025 9:43	805.00	Unplanned shutdown due to combustion blower failure	
								X		X	11/24/2025 9:33	11/24/2025 12:00	147.00	11/24/2025 9:33	11/24/2025 12:13	160.00	Unplanned shutdown due to electrical failure	
								X	X		11/25/2025 10:24	11/25/2025 15:30	306.00	11/25/2025 10:25	11/25/2025 16:23	358.00	Unplanned shutdown due to declining gas flow	
X	X	X						X			11/29/2025 8:00	11/29/2025 11:00	180.00			0.00	Planned shutdown to perform monthly alarm testing	
								X	X		12/1/2025 9:00	12/1/2025 11:00	120.00	12/1/2025 12:15	12/1/2025 13:35	80.00	Planned shutdown to perform electrical work	
	X							X			11/28/2025 21:10	11/28/2025 22:00	50.00	11/28/2025 21:10	11/28/2025 21:44	34.00	Unplanned shutdown due to loss of flame signal	

A																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

x	x								x		3/31/2026 7:30	3/31/2026 11:30	240.00	Shutdown times are shown below for each flare	--	Planned shutdown to perform monthly alarm testing and maintenance	
x									x		3/31/2026 7:30	3/31/2026 11:30	240.00	3/31/2026 9:07	3/31/2026 9:55	48.00	Planned shutdown to perform monthly alarm testing and maintenance
	x								x		3/31/2026 7:30	3/31/2026 11:30	240.00	3/31/2026 9:28	3/31/2026 10:22	54.00	Planned shutdown to perform monthly alarm testing and maintenance
		x							x		3/31/2026 7:30	3/31/2026 11:30	240.00	3/31/2026 8:13	3/31/2026 8:43	30.00	Planned shutdown to perform monthly alarm testing and maintenance
			x						x		4/7/2026 1:15	4/7/2026 3:00	105.00	4/7/2026 1:15	4/7/2026 2:53	98.00	Unplanned shutdown due to flame failure
				x					x		4/7/2026 1:15	4/7/2026 8:00	405.00	4/7/2026 1:15	4/7/2026 6:55	340.00	Unplanned shutdown due to flame failure
									x		4/7/2026 5:21	4/7/2026 8:00	159.00	4/7/2026 5:21	4/7/2026 8:13	172.00	Unplanned shutdown due to Air blower filter
								x	x		4/7/2026 14:47	4/8/2026 8:00	1033.00	4/7/2026 15:06	4/8/2026 10:28	1162.00	Unplanned shutdown due to sump and forcemain issue
									x		4/7/2026 22:39	4/8/2026 0:00	81.00	4/7/2026 22:39	4/8/2026 0:29	110.00	Unplanned shutdown due to flame failure
									x		4/8/2026 3:48	4/8/2026 9:00	312.00	4/8/2026 3:57	4/8/2026 9:13	316.00	Unplanned shutdown due to flame failure as a result of poor gas quality
						x		x			4/8/2026 12:00	4/8/2026 13:00	60.00	4/8/2026 14:28	4/8/2026 14:45	17.00	Planned shutdown to perform blower maintenance
							x				4/8/2026 13:00	4/8/2026 15:00	120.00	4/8/2026 10:07	4/8/2026 10:29	22.00	Planned shutdown to perform cleaning of detonation arrestor
									x		4/8/2026 22:54	4/9/2026 9:00	606.00	4/8/2026 22:53	4/9/2026 17:57	1144.00	Unplanned shutdown due to flame failure as a result of poor gas quality- restarted after sump work complete
									x		4/9/2026 0:12	4/9/2026 9:00	528.00	4/9/2026 0:09	4/9/2026 7:07	418.00	Unplanned shutdown due to flame failure as a result of poor gas quality
x	x		x						x		4/9/2026 8:00	4/9/2026 16:00	480.00	Shutdown times are shown below for each flare		Planned shutdown to perform header modification and sump cleaning due to declining gas flow	
									x					4/9/2026 8:09	4/9/2026 17:47	578.00	Planned shutdown to perform header modification and sump cleaning due to declining gas flow
									x					4/9/2026 8:09	4/9/2026 17:29	560.00	Planned shutdown to perform header modification and sump cleaning due to declining gas flow
									x		4/10/2026 20:06	4/10/2026 23:00	174.00	4/10/2026 20:01	4/10/2026 22:45	164.00	Unplanned shut down due to combustion blower failure
									x		4/13/2026 13:33	4/13/2026 16:33	180.00	4/13/2026 13:34	4/13/2026 14:56	82.00	Unplanned shutdown due to a sump/forcemain issue
									x	x	4/14/2026 7:00	4/14/2026 9:00	120.00	4/14/2026 7:47	4/14/2026 8:33	46.00	Planned manual shutdown to perform cleaning of the detonation arrestor due to declining gas flow
x	x	x			x	x	x	x			4/15/2026 7:15	4/15/2026 8:30	75.00	See below for individual flare downtimes		Unplanned shutdown due to sitewide power issue	
x									x					4/15/2026 7:13	4/15/2026 7:19	6.00	Unplanned shutdown due to sitewide power issue- normal restart
	x								x					4/15/2026 7:13	4/15/2026 7:32	19.00	Unplanned shutdown due to sitewide power issue- normal restart
		x							x					4/15/2026 7:13	4/15/2026 7:37	24.00	Unplanned shutdown due to sitewide power issue- normal restart
						x			x					4/15/2026 7:13	4/15/2026 7:31	18.00	Unplanned shutdown due to sitewide power issue- normal restart
							x							4/15/2026 7:13	4/15/2026 9:22	129.00	Unplanned shutdown due to sitewide power issue - VFD had to be swapped to restore operation
								x						4/15/2026 7:13	4/15/2026 7:35	22.00	Unplanned shutdown due to sitewide power issue- normal restart
						x		x	x		4/20/2026 7:00	4/20/2026 10:00	180.00	Did not occur		Planned shutdown to swap from grid power to generator power	
							x		x		4/21/2026 5:00	4/21/2026 17:00	720.00	4/21/2026 5:29	4/21/2026 17:21	712.00	Planned shutdown to perform header modification and flare maintenance
	x								x		4/24/2026 10:25	4/24/2026 14:00	215.00	4/24/2026 10:25	4/24/2026 13:59	214.00	Unplanned shutdown due to restriction with the flame arrestor
	x								x		4/24/2026 15:23	4/24/2026 17:00	97.00	4/24/2026 15:24	4/24/2026 16:32	68.00	Unplanned shutdown due to restriction with the flame arrestor
x	x	x							x		4/28/2026 12:30	4/28/2026 16:00	210.00	See below for individual flare downtimes		Planned shutdown to perform monthly alarm testing	
x									x					4/28/2026 13:54	4/28/2026 14:20	26.00	Planned shutdown to perform monthly alarm testing
	x								x					4/28/2026 13:17	4/28/2026 13:29	12.00	Planned shutdown to perform monthly alarm testing
		x							x					4/28/2026 12:52	4/28/2026 13:02	10.00	Planned shutdown to perform monthly alarm testing
							x	x			4/30/2026 7:00	4/30/2026 9:00	120.00	4/30/2026 7:33	4/30/2026 9:27	114.00	Planned shutdown to perform repair and maintenance
								x	x		5/5/2026 8:00	5/5/2026 10:00	120.00	No downtime	--	Planned shutdown to perform header modification	
									x		5/5/2026 13:30	5/5/2026 14:10	40.00	5/5/2026 13:28	5/5/2026 14:10	42.00	Unplanned shutdown due to pilot failure
	x								x		5/6/2026 12:38	5/6/2026 14:38	120.00	5/6/2026 12:38	5/6/2026 13:48	70.00	Unplanned shutdown due to restriction with the flame arrestor
	x								x		5/6/2026 19:58	5/7/2026 10:00	842.00	5/6/2026 20:35	5/7/2026 12:10	935.00	Unplanned shutdown due to restriction with the flame arrestor
			x						x		5/7/2026 12:56	5/7/2026 14:00	64.00	5/7/2026 12:41	5/7/2026 14:15	94.00	Unplanned shutdown due low temperature as a result of declining gas flow
x									x		5/8/2026 7:30	5/8/2026 11:30	240.00	5/8/2026 7:24	5/8/2026 11:03	219.00	Planned shutdown to pull and clean flame arrestor
									x		5/8/2026 7:25	5/8/2026 11:25	240.00	5/8/2026 9:53	5/8/2026 12:13	140.00	Unplanned shutdown due to a sump issue
x									x		5/11/2026 6:00	5/11/2026 14:00	480.00	Did not occur	--	Planned shutdown to clean the burner assemblies inside the flare	
									x		5/11/2026 6:00	5/11/2026 12:00	360.00	5/11/2026 6:57	5/11/2026 17:49	652.00	Planned shutdown to perform header modifications
									x		5/11/2026 6:00	5/11/2026 8:00	120.00	5/11/2026 6:24	5/11/2026 6:34	10.00	Planned shutdown to perform a swap from grid power to generator power due to electrical work on power lines
									x		5/11/2026 6:00	5/11/2026 8:00	120.00	5/11/2026 6:46	5/11/2026 6:50	4.00	Planned shutdown to perform a swap from grid power to generator power due to electrical work on power lines
	x								x		5/8/2026 17:00	5/9/2026 8:00	900.00	5/8/2026 17:02	5/9/2026 8:34	932.00	Unplanned shutdown due to clogged flame arrestor resulting in declining gas flow
	x								x		5/16/2026 0:09	5/16/2026 10:00	591.00	5/16/2026 0:09	5/16/2026 10:50	641.00	Blower shutdown and low flow
			x						x		5/16/2026 11:15	5/16/2026 12:15	60.00	5/16/2026 11:14	5/16/2026 11:52	38.00	Shutdown to switch flame arrestor due to backpressure
									x		5/16/2026 13:17	5/16/2026 16:00	163.00	5/16/2026 13:20	5/16/2026 15:31	131.00	Unplanned shutdown due to flame failure
	x	x							x		5/15/2026 0:09	5/16/2026 10:00	2031.00	5/17/2026 8:26	5/17/2026 9:10	44.00	Blower shutdown and low flow
x									x		5/18/2026 6:00	5/18/2026 14:00	480.00	5/18/2026 6:18	5/18/2026 16:30	612.00	Planned shutdown to clean the burner assemblies inside the flare
	x								x		5/18/2026 15:30	5/18/2026 17:30	120.00	5/18/2026 15:29	5/18/2026 17:11	102.00	Shutdown to switch flame arrestor due to backpressure
									x		5/18/2026 17:34	5/18/2026 19:00	86.00	5/18/2026 17:34	5/18/2026 19:38	124.00	Unplanned shutdown due to low temperature as a result of declining gas flow
									x		5/19/2026 13:40	5/19/2026 14:40	60.00	5/19/2026 13:38	5/19/2026 14:32	54.00	Unplanned shutdown due to low flow from high back pressure at the detonation arrestor
									x		5/21/2026 7:00	5/21/2026 11:00	240.00	5/21/2026 9:02	5/21/2026 16:12	430.00	Planned shutdown to remove and clean the detonation arrestor
									x		5/25/2026 4:52	5/25/2026 8:00	188.00	5/25/2026 4:55	5/25/2026 6:13	78.00	Unplanned shutdown due to flame failure
									x		5/26/2026 7:00	5/26/2026 9:00	120.00	5/26/2026 9:33	5/26/2026 10:15	42.00	Planned shutdown to remove and swap detonation arrestor due to excessive back pressure
									x		5/26/2026 14:00	5/26/2026 20:00	360.00	did not occur		Planned manual shutdown to start up new Tank Farm 7 Zeeco Station	
									x		5/27/2026 4:00	5/27/2026 16:00	720.00	5/27/2026 4:18	5/27/2026 20:44	986.00	Planned shutdown to remove and clean burner tips inside of the flare
									x		6/1/2026 14:34	Unknown		6/1/2026 14:34	6/3/2026 8:55	2541.00	Shutdown to start up new TOX units in Tank Farm 7
									x		6/3/2026 0:32	6/3/2026 6:30	358.00	6/3/2026 0:35	6/3/2026 5:59	324.00	Unplanned shutdown due to flame failure
									x		6/3/2026 21:23	6/4/2026 1:00	217.00	6/3/2026 21:02	6/4/2026 0:38	216.00	Unplanned shutdown due to flame failure
									x			6/5/2026 8:59	0				start up of new TOX unit
									x			6/5/2026 8:57	0				start up of new TOX unit
									x		6/5/2026 8:50						shutdown of Tox unit
x									x		6/5/2026 20:49	6/6/2026 10:00	791.00	6/5/26 20:49	6/6/2026 10:09	800.00	Unplanned shutdown due to flame failure
x									x		6/6/2026 19:36	6/7/2026 8:00	744.00	6/6/2026 19:36	6/7/2026 7:05	689.00	Unplanned shutdown due to flame failure
	x								x		6/9/2026 21:34	6/9/2026 23:16	102.00	6/9/2026 21:37	6/9/2026 23:35	118.00	Unplanned shutdown due to flame failure
									x		6/10/2026 20:56	6/10/2026 21:25	29.00	6/10/2026 20:56	6/10/2026 21:25	29.00	Unplanned shutdown due to flame failure
	x								x		6/10/2026 21:38	6/10/2026 21:55					

	x								x	6/11/2026 5:47	6/11/2026 5:57	10.00	6/11/2026 5:47	6/11/2026 5:57	10.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:05	6/11/2026 6:14	9.00	6/11/2026 6:05	6/11/2026 6:14	9.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:18	6/11/2026 6:22	4.00	6/11/2026 6:18	6/11/2026 6:22	4.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 6:28	6/11/2026 12:00	332.00	6/11/2026 6:28	6/11/2026 12:29	361.00	Unplanned shutdown due to flame failure
	x								x	6/11/2026 21:30	6/11/2026 23:15	105.00	6/11/2026 21:29	6/11/2026 23:15	106.00	Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station
	x								x	6/12/2026 21:53	6/14/2026 12:00	2287.00	6/12/2026 22:10	6/13/2026 9:50	700.00	Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station and in field; unable to restart due to high liquid level alarm in Knockout Pot V-101
x									x	6/13/2026 8:19	6/14/2026 12:00	1661.00	6/13/2026 8:19	6/13/2026 8:33	14.00	High liquid level alarm in V-101
	x								x	6/13/2026 21:54	6/14/2026 8:00	606.00	6/13/2026 22:11	6/14/2026 7:58	587.00	Unplanned shutdown due to flame failure - Vacuum and flow adjusted at Flare Station and in field (failed attempts to restart around 12:00 AM - 12:20 AM)
	x								x	6/14/2026 22:31	6/15/2026 6:40	489.00	6/14/2026 22:31	6/15/2026 6:40	489.00	Unplanned shutdown due to flame failure - Swapped out combustion filter element
					x			x		6/17/2026 7:30	6/17/2026 11:30	240.00	did not occur		0.00	Planned manual shutdown to swap from grid power to generator power for modifications to main power lines
						x	x			6/17/2026 7:30	6/17/2026 11:30	240.00	did not occur		0.00	Planned manual shutdown to swap from grid power to generator power for modifications to main power lines
x								x		6/18/2026 7:00	6/18/2026 13:00	360.00	6/18/2026 10:07	6/18/2026 17:59	472.00	Planned manual shutdown to access and clean second knock out pot at the flare station
	x							x		6/18/2026 7:00	6/18/2026 13:00	360.00	6/18/2026 10:07	6/18/2026 18:11	484.00	Planned manual shutdown to access and clean second knock out pot at the flare station
	x							x		6/16/2026 21:02	6/16/2026 21:45	43.00	6/16/2026 21:02	6/16/2026 21:45	43.00	Unplanned shutdown due to flame failure
	x							x		6/16/2026 21:59	6/16/2026 22:27	28.00	6/16/2026 21:59	6/16/2026 22:27	28.00	Unplanned shutdown due to flame failure
	x							x		6/16/2026 22:48	6/17/2026 5:20	392.00	6/16/2026 22:48	6/17/2026 7:42	534.00	Unplanned shutdown due to flame failure
x	x	x	x	x		x	x		x	6/19/2026 2:49	6/19/2026 9:00	371.00	see below for individual restart times			Unplanned shutdown due to sitewide power failure
x									x				6/19/2026 2:49	6/19/2026 3:51	62.00	Restarted by SCS
			x						x				6/19/2026 2:49	6/19/2026 5:31	162.00	Restarted by SCS
				x					x				6/19/2026 2:49	6/19/2026 5:33	164.00	Restarted by SCS
							x		x				6/19/2026 2:49	6/19/2026 4:53	124.00	Restarted by SCS
	x								x				6/19/2026 2:49	6/19/2026 5:59	190.00	Restarted by SCS
		x							x				6/19/2026 2:49	6/19/2026 7:33	284.00	Restarted by SCS after filter replacment
	x								x	6/19/2026 7:35	6/19/2026 8:10	35.00	6/19/2026 7:39	6/19/2026 8:09	30.00	Flare shutdown during work being performed on Flare 3
	x								x	6/20/2026 0:13	6/20/2026 10:00	587.00	6/20/2026 0:13	6/20/2026 7:58	465.00	Unplanned shutdown due to flame failure
	x								x	6/22/2026 2:13	6/22/2026 5:15	182.00	See below for multiple restarts			Unplanned shutdown due to flame failure
	x								x				6/22/2026 2:13	6/22/2026 3:15	62.00	Restarted by SCS
													6/22/2026 4:01	6/22/2026 5:11	70.00	Restarted by SCS
x	x	x	x	x		x	x		x	6/22/2026 14:51	6/22/2026 16:00	69.00	see below for start up and other shutdown times for each flare			Unplanned shutdown due to sitewide power failure
x									x				6/22/2026 14:51	6/22/2026 18:39	228.00	Restart on Generator power
x									x				6/23/2026 5:19	6/23/2026 6:35	76.00	return system to Line power and shut down Generator
	x								x				6/22/2026 14:51	6/22/2026 16:47	116.00	Restart on Generator power
	x								x				6/22/2026 17:09	6/22/2026 18:41	92.00	Flame Failure restart
	x								x				6/23/2026 5:19	6/23/2026 6:47	88.00	return system to Line power and shut down Generator
		x							x				6/22/2026 14:51	6/22/2026 15:29	38.00	Restart on Generator power
		x							x				6/22/2026 17:17	6/22/2026 17:51	34.00	Flame Failure restart
		x							x				6/22/2026 18:03	6/22/2026 18:39	36.00	Flame Failure restart
		x							x				6/22/2026 21:49	6/23/2026 6:23	514.00	Flame Failure restart
						x			x				6/22/2026 14:51	6/22/2026 16:23	92.00	Restart on Generator power
						x			x				6/23/2026 1:45	6/23/2026 8:15	390.00	flame failure restart on line power
			x						x				6/22/2026 14:51	6/22/2026 20:31	340.00	Restart on Generator power
			x						x				6/22/2026 23:34	6/23/2026 4:39	305.00	return system to Line power and shut down Generator
				x					x				6/22/2026 14:51	6/22/2026 20:31	340.00	Restart on Generator power
				x					x				6/22/2026 23:34	6/23/2026 4:39	305.00	return system to Line power and shut down Generator
					x				x				6/5/2026 8:50	6/22/2026 16:41	24951.00	Zeeco 7 started during sitewide power issues for backup capacity only
					x				x				6/22/2026 19:47			Zeeco 7 shutdown after other flare restarted - remains off line
	x								x				6/23/2026 21:01	6/23/2026 21:54	53.00	Unplanned shutdown due to flame failure
	x								x				6/23/2026 22:20	6/24/2026 5:39	439.00	Unplanned shutdown due to flame failure
				x					x				6/24/2026 6:49	6/24/2026 7:10	21.00	Planned startup due to flare station blower work
x									x	6/24/2026 12:08	6/24/2026 13:04	56.00	6/24/2026 12:13	6/24/2026 13:05	52.00	Unplanned shutdown due to high liquid levels in the knock out pot
	x								x	6/24/2026 12:10	6/24/2026 13:30	80.00	6/24/2026 12:11	6/24/2026 13:31	80.00	Unplanned shutdown due to high liquid levels in the knock out pot
		x							x	6/26/2026 5:29	6/26/2026 6:16	47.00	6/26/2026 5:29	6/26/2026 6:18	49.00	Unplanned shutdown due to flame failure
		x							x	6/26/2026 20:50	6/26/2026 23:30	160.00	6/26/2026 20:54	6/26/2026 22:58	124.00	Unplanned shutdown due to flame failure
		x							x	6/27/2026 2:50	6/27/2026 8:30	340.00	6/27/2026 2:57	6/27/2026 8:26	329.00	Unplanned shutdown due to flame failure
	x								x	6/27/2026 18:22	6/27/2026 20:22	120.00	6/27/2026 18:22	6/27/2026 20:22	120.00	Unplanned shutdown due to flame failure
		x							x	6/28/2026 0:10	6/28/2026 6:20	370.00	6/28/2026 0:10	6/28/2026 6:20	370.00	Unplanned shutdown due to flame failure Blower speeds adjusted higher
					x				x	6/28/2026 11:35	6/29/2026 15:00	1645.00	6/28/2026 7:41	6/29/2026 14:48	1867.00	Unplanned shutdown due to flow meter electrical issue.
				x				x		6/30/2026 5:00	6/30/2026 6:00	60.00	6/30/2026 6:00	6/30/2026 6:48	48.00	Planned manual shutdown to swap detonation arrestor due to excessive back pressure

			x						x			7/1/2026 5:00	7/1/2026 6:00	60.00		7/1/2026 5:04	7/1/2026 6:39	95.00	Planned manual shutdown to swap detonation arrestor due to excessive back pressure
				x					x			7/2/2026 7:00	7/2/2026 11:00	240.00		CANCELED			Planned manual shutdown to remove and clean detonation arrestor due to excessive back pressure
		x								x		6/30/2026 18:11	6/30/2026 20:00	109.00		6/30/2026 18:15	6/30/2026 20:01	106.00	Unplanned shutdown due to flame failure as a result of a flow spike on the other flares. Blower speeds reduced.
			x							x		7/1/2026 5:02	7/1/2026 6:36	94.00		7/1/2026 5:04	7/1/26 6:36	94.00	Unplanned shutdown due finding a leak on the flow meter at Zeeco 1 that required immediate repair.
		x								x		7/3/2026 3:55	7/3/2026 5:54	119.00		7/3/2026 3:55	7/3/2026 5:54	119.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
	x									x		7/3/2026 9:47	7/3/2026 10:32	45.00		7/3/2026 9:47	7/3/2026 10:32	45.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
						x				x		7/3/2026 11:51	7/3/2026 16:00	249.00		7/3/2026 11:51	7/3/2026 16:00	249.00	Unplanned shutdown due to blower failure.
		x								x		7/4/2026 0:45	7/4/2026 7:43	418.00		7/4/2026 0:45	7/4/2026 7:43	418.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
		x								x		7/4/2026 8:13	7/4/2026 10:30	137.00		7/4/2026 8:13	7/4/2026 10:30	137.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
						x				x		7/4/2026 10:37	7/6/2026 12:00	2963.00		7/4/2026 10:37	7/5/2026 8:13	1296.00	Unplanned shutdown due to pilot failure
		x								x		7/4/2026 10:58	7/4/2026 12:23	85.00		7/4/2026 10:58	7/4/2026 12:23	85.00	Unplanned shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
x										x		7/4/2026 11:01	7/4/2026 12:38	97.00		7/4/2026 11:01	7/4/2026 12:38	97.00	Unplanned shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
	x									x		7/4/2026 11:02	7/4/2026 12:45	103.00		7/4/2026 11:02	7/4/2026 12:45	103.00	Unplanned shutdown due to pneumatic inlet valve closing from loss of compressed air pressure
										x		7/4/2026 15:27	7/5/2026 6:08	881.00		7/4/2026 15:27	7/5/2026 6:08	881.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
		x								x		7/5/2026 22:39	7/5/2026 23:21	42.00		7/5/2026 22:41	7/5/2026 23:23	42.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made.
						x				x		7/5/2026 22:49	7/5/2026 23:54	65.00		7/5/2026 22:49	7/5/2026 23:53	64.00	Unplanned shutdown due to flame failure
						x				x		7/5/2026 22:49	7/5/2026 23:54	65.00		7/6/2026 10:01	7/6/2026 11:10	69.00	Unplanned shutdown due to flame failure
		x								x		7/6/2026 20:50	7/7/2026 8:50	720.00		7/6/2026 20:50	7/7/2026 8:50	720.00	Unplanned shutdown due to flame failure attributed to the ongoing system rebalancing. Blower adjustments made and flowmeter inspected/replaced.
		x								x		7/7/2026 14:03	7/7/2026 16:07	124.00		7/7/2026 14:03	7/7/2026 16:07	124.00	Unplanned shutdown due to ongoing troubleshooting. Replaced flow meter
		x							x			7/9/2026 7:00	7/9/2026 8:00	60.00		7/9/2026 8:05	7/9/2026 8:36	31.00	Planned shutdown to perform calibration of combustion blower flow meter
		x								x		7/9/2026 19:40	7/9/2026 21:30	110.00		7/9/2026 19:42	7/9/2026 21:30	108.00	Unplanned shutdown due to flame failure
		x								x		7/10/2026 2:38	7/10/2026 3:10	32.00		7/10/2026 2:38	7/10/2026 3:00	22.00	Unplanned shutdown due to flame failure - mix chamber flows required adjustment
	x									x		7/10/2026 2:40	7/10/2026 3:10	30.00		7/10/2026 2:38	7/10/2026 3:06	28.00	Unplanned shutdown due to flame failure caused by flare 3 shutdown
	x									x		7/10/2026 4:50	7/10/2026 7:00	130.00		7/10/2026 5:57	7/10/2026 6:33	36.00	Unplanned shutdown due to flame failure during flare station adjustments
		x								x		7/10/2026 5:50	7/10/2026 7:00	70.00		7/10/2026 5:57	7/10/2026 6:33	36.00	Unplanned shutdown due to flame failure during flare station adjustments
						x				x		7/10/2026 11:06	7/10/2026 14:10	184.00		7/10/2026 11:04	7/10/2026 13:46	162.00	Unplanned shutdown due to flame failure due to mechanical failures
										x		7/10/2026 22:56	7/10/2026 23:30	34.00		7/10/2026 22:57	7/10/2026 23:31	34.00	Unplanned shutdown due to flame failure
						x				x		7/11/2026 14:46	7/11/2026 17:30	164.00		7/11/2026 14:44	7/11/2026 16:44	120.00	Unplanned shutdown due to flame failure
x										x		7/12/2026 15:46	7/12/2026 17:30	104.00		7/12/2026 15:46	7/12/2026 16:36	50.00	Unplanned shutdown due to flame failure due to flow loss
	x									x		7/12/2026 15:46	7/12/2026 17:30	104.00		7/12/2026 15:46	7/12/2026 16:54	68.00	Unplanned shutdown due to flame failure due to flow loss
		x								x		7/12/2026 15:46	7/12/2026 17:30	104.00		7/12/2026 15:46	7/12/2026 16:34	48.00	Unplanned shutdown due to flame failure due to flow loss
						x				x		7/13/2026 11:00	7/13/2026 11:40	40.00		7/13/2026 11:00	7/13/2026 11:39	39.00	Unplanned shutdown due to flame failure
						x				x		7/13/2026 12:11	7/13/2026 15:00	169.00		7/13/2026 12:11	7/14/2026 8:21	1210.00	Unplanned shutdown due to flame failure - cleaning of UV sensor and Pilot system and demistor pad- tested system for an hour had to shut back off
		x								x		7/14/2026 3:53	7/14/2026 5:19	86.00		7/14/2026 3:53	7/14/2026 5:19	86.00	Unplanned shutdown due to flame failure - 2 restarts
						x				x		7/14/2026 9:29	7/14/2026 15:00	331.00		7/14/2026 9:29	7/14/2026 13:53	264.00	unplanned - Working with tox rental agency on repairs
		x								x		7/15/2026 3:43	7/15/2026 4:29	46.00		7/15/2026 3:43	7/15/2026 4:29	46.00	Unplanned shutdown due to flame failure
		x								x		7/16/2026 1:19	7/16/2026 2:07	48.00		7/16/2026 1:19	7/16/2026 2:07	48.00	Unplanned shutdown due to blower vibration, restarted
		x								x		7/16/2026 18:26	7/16/2026 19:54	88.00		7/16/2026 18:26	7/16/2026 19:54	88.00	Unplanned shutdown due to flame failure, blower vibration, restarted
		x								x		7/16/2026 22:15	7/16/2026 23:34	79.00		7/16/2026 22:15	7/16/2026 23:34	79.00	Unplanned shutdown due to flame failure, blower vibration, restarted
		x								x		7/17/2026 3:00	7/17/2026 4:08	68.00		7/17/2026 3:00	7/17/2026 4:08	68.00	Unplanned shutdown due to flame failure, blower vibration, restarted
		x								x		7/17/2026 10:28	7/17/2026 11:40	72.00		7/17/2026 10:28	7/17/2026 11:40	72.00	Unplanned shutdown due to block valve malfunction
						x				x		7/17/2026 10:44	7/17/2026 13:16	152.00		7/17/2026 10:44	7/17/2026 13:16	152.00	Unplanned shutdown due to flame failure
						x				x		7/17/2026 14:03	7/17/2026 15:14	71.00		7/17/2026 14:03	7/17/2026 15:14	71.00	Unplanned shutdown due to flame failure
		x								x		7/17/2026 19:10	7/17/2026 22:01	171.00		7/17/2026 19:10	7/17/2026 22:01	171.00	Unplanned shutdown due to block valve malfunction
		x								x		7/18/2026 10:25	7/18/2026 12:51	146.00		7/18/2026 10:25	7/18/2026 12:51	146.00	Unplanned shutdown due to block valve malfunction
						x				x		7/18/2026 11:47	7/18/2026 14:41	174.00		7/18/2026 11:47	7/18/2026 14:41	174.00	Unplanned shutdown due to flame failure
		x								x		7/18/2026 14:14	7/18/2026 15:08	54.00		7/18/2026 14:14	7/18/2026 15:08	54.00	Unplanned shutdown due to block valve malfunction
		x								x		7/19/2026 4:21	7/19/2026 4:52	31.00		7/19/2026 4:21	7/19/2026 4:52	31.00	Unplanned shutdown due to flame failure
						x			x			7/20/2026 13:04	7/20/2026 15:00	116.00		7/20/2026 13:04	7/20/2026 15:00	116.00	Unplanned shutdown due to flame failure
	x	x								x		7/21/2026 0:56	7/21/2026 2:30	94.00	See below for start times				Unplanned shutdown due to flame failure
		x										7/21/2026 0:54				7/21/2026 0:54	7/21/2026 1:44	50.00	Unplanned shutdown due to flame failure
	x											7/21/2026 0:54				7/21/2026 0:54	7/21/2026 4:18	204.00	Unplanned shutdown due to flame failure
					x				x			7/22/2026 8:00	7/22/2026 12:00	240.00		7/22/2026 9:52	7/22/2026 12:04	132.00	Planned manual shutdown for overhead electrical line modifications
					x					x		7/22/2026 9:10	7/22/2026 11:00	110.00		7/22/2026 9:10	7/22/2026 11:00	110.00	Unplanned shutdown due to flame failure
		x								x		7/22/2026 19:56	7/22/2026 21:46	110.00		7/22/2026 19:56	7/22/2026 21:46	110.00	Unplanned shutdown due to flame failure
		x								x		7/22/2026 22:35	7/23/2026 4:57	382.00		7/22/2026 22:35	7/23/2026 4:57	382.00	Unplanned shutdown due to flame failure
x									x			7/25/2026 4:00	7/25/2026 12:00	480.00		7/25/2026 4:15	7/25/2026 10:41	386.00	Planned manual shutdown to clean burner tips and flame arrestor
						x				x		7/23/2026 10:22	7/23/2026 12:30	128.00		7/23/2026 10:22	7/23/2026 12:30	128.00	Unplanned shutdown due to liquid issues
		x								x		7/23/2026 23:25	7/24/2026 0:50	85.00		7/23/2026 23:25	7/24/2026 0:50	85.00	Unplanned shutdown due to flame failure
		x								x		7/24/2026 4:44	7/24/2026 5:20	36.00		7/24/2026 4:44	7/24/2026 5:20	36.00	Unplanned shutdown due to flame failure
										x		7/24/2026 16:22	7/25/2026 5:00	758.00		7/24/2026 16:22	7/25/2026 5:00	758.00	Unplanned shutdown due to poor flame quality
		x								x		7/24/2026 20:20	7/24/2026 22:00	100.00		7/24/2026 20:20	7/24/2026 22:00	100.00	Unplanned shutdown due to flame failure
						x				x		7/27/2026 3:24	7/27/2026 7:24	240.00		7/27/2026 3:24	7/27/2026 7:24	240.00	Unplanned shutdown due to VFD tripping
x										x		7/27/2026 3:41	7/27/2026 4:50	69.00		7/27/2026 3:41	7/27/2026 4:50	69.00	Unplanned shutdown due to flame failure

						x			x	7/27/2026 12:13	7/27/2026 14:00	107.00	7/27/2026 12:13	7/27/2026 14:00	107.00	Unplanned shutdown due to flame failure
						x			x	8/3/2026 15:39	8/3/2026 16:29	50.00	8/3/2026 15:37	8/3/2026 16:27	50.00	Unplanned shutdown due to backed up liquids in the header
	x								x	8/3/2026 23:56	8/4/2026 4:46	290.00	8/3/2026 23:39	8/4/2026 4:58	319.00	Unplanned shutdown due to pilot failure
	x								x	8/4/2026 7:26	8/4/2026 9:30	124.00	8/4/2026 7:02	8/4/2026 9:02	120.00	Unplanned shutdown due to combustion air blower failure
						x			x	8/5/2026 11:58	8/5/2026 13:58	120.00	8/5/2026 11:58	8/5/2026 12:41	43.00	Unplanned shutdown due to flame failure
						x			x	8/6/2026 11:56	8/6/2026 13:56	120.00	8/6/2026 11:48	8/6/2026 12:55	67.00	Unplanned shutdown due to flame failure
						x			x	8/8/2026 11:06	8/10/2026 10:00	2814.00	8/8/2026 11:06	8/10/2026 10:41	2855.00	Unplanned shutdown due to flame failure
					x				x	8/10/2026 4:04	8/10/2026 9:30	326.00	8/10/2026 4:04	8/10/2026 10:03	359.00	Unplanned shutdown due to blower failure
x	x	x	x	x	x		x		x	8/14/2026 17:58	8/14/2026 21:00	182.00	See below for individual device downtime duration			Unplanned shutdown due to grid power outage
x													8/14/2026 18:59	8/14/2026 19:56	57.00	
		x											8/14/2026 18:59	8/14/2026 19:43	44.00	
			x										8/14/2026 18:59	8/14/2026 20:00	61.00	
				x									8/14/2026 18:59	8/14/2026 20:00	61.00	
					x								8/14/2026 18:59	8/14/2026 19:43	44.00	
						x							8/14/2026 19:02	8/14/2026 21:07	125.00	
	x								x	8/15/2026 10:08	8/15/2026 10:49	41.00	8/15/2026 10:06	8/15/2026 10:48	42.00	Unplanned shutdown due to flame failure
	x								x	8/16/2026 21:15	8/16/2026 22:11	56.00	8/16/2026 21:15	8/16/2026 22:11	56.00	Unplanned shutdown due to flame failure
						x			x	8/19/2026 11:41	8/19/2026 12:57	76.00	8/19/2026 11:39	8/19/2026 12:56	77.00	Unplanned shutdown due to flame failure
							x	x		8/20/2026 7:00	8/20/2026 15:00	480.00	8/20/2026 7:12	8/20/2026 9:34	142.00	Planned shutdown for DA maintenance
				x				x		8/20/2026 20:00	8/20/2026 21:50	110.00	8/20/2026 20:00	8/20/2026 21:50	110.00	Unplanned shutdown due to VFD tripping
						x			x	8/21/2026 13:37	8/21/2026 14:12	35.00	8/21/2026 13:01	8/21/2026 14:09	68.00	Unplanned shutdown due to flame failure
						x			x	8/21/2026 15:21	8/22/2026 10:00	1119.00	8/21/2026 15:29	8/22/2026 7:53	984.00	Unplanned shutdown due to flame failure
					x				x	8/21/2026 19:50	8/22/2026 8:24	754.00	8/21/2026 19:48	8/22/2026 8:21	753.00	Unplanned shutdown due to flame failure
x									x	8/22/2026 2:19	8/22/2026 10:00	461.00	8/22/2026 2:11	8/22/2026 9:19	428.00	Unplanned shutdown due to flame failure
						x			x	8/22/2026 13:15	8/23/2026 6:35	1040.00	8/22/2026 13:48	8/23/2026 6:25	997.00	Unplanned shutdown due to flame failure
x									x	8/22/2026 23:06	8/23/2026 6:12	426.00	8/22/2026 23:06	8/23/2026 6:09	423.00	Unplanned shutdown due to flame failure
x									x	8/23/2026 6:38	8/23/2026 7:08	30.00	8/23/2026 6:40	8/23/2026 7:05	25.00	Unplanned shutdown after initial start up
x									x	8/23/2026 7:45	8/23/2026 10:00	135.00	8/23/2026 7:39	8/23/2026 8:14	35.00	Unplanned shutdown after initial start up
the						x			x	8/24/2026 14:16	8/24/2026 16:30	134.00	8/24/2026 14:15	8/24/2026 15:41	86.00	Unplanned shutdown due to flame failure
							x		x	8/24/2026 14:45	8/24/2026 17:00	135.00	8/24/2026 14:41	8/24/2026 15:45	64.00	Unplanned shutdown due to VFD tripping
						x			x	8/25/2026 10:28	8/25/2026 12:12	104.00				Unplanned shutdown due to flame failure
							x		x	8/25/2026 11:34	8/25/2026 13:00	86.00				Unplanned shutdown due to flame failure
						x			x	8/25/2026 14:00	8/25/2026 15:46	106.00				Unplanned shutdown due to flame failure
						x			x	8/26/2026 9:40	8/26/2026 11:29	109.00				Unplanned shutdown due to low temperature
x	x	x						x		8/27/2026 12:00	8/27/2026 14:30	150.00				Planned shutdown to perform monthly alarm testing
							x	x		8/27/2026 9:00	8/27/2026 10:30	90.00				Planned shutdown to remove and inspect actuator block valve