

Beginning June 8th, 2026, and every Monday thereafter, respondent shall provide a weekly summary of the landfill's air monitoring network to sdutz@aqmd.gov and ahaar@aqmd.gov. The summary shall include:

- (1) a listing of instrument downtime from the prior week for H₂S, methane, VOC, and meteorological parameters;
- (2) cause, corrective action, and recurrence mitigation efforts for any period of downtime;
- (3) weekly average concentration, standard deviation, and range compared with the prior three months of data for H₂S, methane, and speciated VOC for each site; and
- (4) chiquitacanyon.com air monitoring data portal reporting status and data completeness for each instrument and site for the prior week.

Start	Stop	Duration (Hrs)	Compound	Location	Cause	Corrective Action	Recurrence Mitigation
2026-09-28 05:00:00	2026-09-28 05:00:00	1.00	Benzene	MS-08	Unknown	None	We are awaiting confirmation, but this brief downtime is likely related to monitor restarts and setting changes made by TCT. If this behavior continues, quality investigation will be initiated.
2026-09-22 23:00:00	2026-09-23 03:00:00	5.00	Benzene	MS-08	Manual GC Calibration	Manual calibration performed to adjust calibration schedule.	None
2026-09-21 17:00:00	2026-09-21 17:00:00	1.00	Benzene	MS-08	Unknown	None	We are awaiting confirmation, but this brief downtime is likely related to monitor restarts and setting changes made by TCT. If this behavior continues, quality investigation will be initiated.
2026-09-23 22:00:00	2026-09-24 04:00:00	7.00	Benzene	MS-03	Maintenance	Annual GC sensor maintenance	Required downtime
2026-09-23 18:00:00	2026-09-23 20:00:00	3.00	Benzene	MS-03			
2026-09-23 14:00:00	2026-09-23 16:00:00	3.00	Benzene	MS-03			
2026-09-22 10:00:00	2026-09-23 06:00:00	21.00	Benzene	MS-03			
2026-09-21 02:00:00	2026-09-21 05:00:00	4.00	Benzene	MS-10	Manual GC Calibration	Manual calibration performed to adjust calibration schedule.	None
2026-09-24 08:00:00	2026-09-24 11:00:00	4.00	CH4	MS-09	AQM Calibration		
2026-09-24 08:00:00	2026-09-24 11:00:00	4.00	H2S	MS-09	AQM Calibration		
2026-09-23 17:00:00	2026-09-23 18:00:00	2.00	H2S	MS-08	AQM Calibration		
2026-09-24 13:00:00	2026-09-24 13:00:00	1.00	H2S	MS-08	AQM Calibration		
2026-09-23 17:00:00	2026-09-23 18:00:00	2.00	CH4	MS-08	AQM Calibration		
2026-09-24 13:00:00	2026-09-24 13:00:00	1.00	CH4	MS-08	AQM Calibration		
2026-09-22 10:00:00	2026-09-22 11:00:00	2.00	CH4	MS-06	AQM Calibration		
2026-09-22 10:00:00	2026-09-22 11:00:00	2.00	H2S	MS-06	AQM Calibration		
2026-09-25 10:00:00	2026-09-25 10:00:00	1.00	H2S	MS-01	AQM Calibration		
2026-09-24 10:00:00	2026-09-24 10:00:00	1.00	CH4	MS-02	AQM Calibration		
2026-09-22 14:00:00	2026-09-22 14:00:00	1.00	CH4	MS-02	AQM Calibration		
2026-09-24 10:00:00	2026-09-24 10:00:00	1.00	H2S	MS-02	AQM Calibration		
2026-09-22 14:00:00	2026-09-22 14:00:00	1.00	H2S	MS-02	AQM Calibration		
2026-09-23 13:00:00	2026-09-23 15:00:00	3.00	H2S	MS-12	AQM Calibration		
2026-09-23 13:00:00	2026-09-23 15:00:00	3.00	CH4	MS-12	AQM Calibration		
2026-09-25 10:00:00	2026-09-25 10:00:00	1.00	CH4	MS-01	AQM Calibration		
2026-09-24 12:00:00	2026-09-24 12:00:00	1.00	H2S	MS-04	AQM Calibration		
2026-09-24 12:00:00	2026-09-24 12:00:00	1.00	CH4	MS-04	AQM Calibration		
2026-09-24 01:00:00	2026-09-24 03:00:00	3.00	Benzene	MS-10	GC Calibration		
2026-09-28 01:00:00	2026-09-28 03:00:00	3.00	Benzene	MS-10	GC Calibration		
2026-09-23 01:00:00	2026-09-23 03:00:00	3.00	Benzene	MS-11	GC Calibration		
2026-09-28 01:00:00	2026-09-28 03:00:00	3.00	Benzene	MS-08	GC Calibration		
2026-09-27 01:00:00	2026-09-27 03:00:00	3.00	Benzene	MS-11	GC Calibration		
2026-09-24 01:00:00	2026-09-24 03:00:00	3.00	Benzene	MS-08	GC Calibration		
2026-09-23 01:00:00	2026-09-23 03:00:00	3.00	Benzene	MS-06	GC Calibration		
2026-09-27 01:00:00	2026-09-27 03:00:00	3.00	Benzene	MS-07	GC Calibration		
2026-09-23 01:00:00	2026-09-23 03:00:00	3.00	Benzene	MS-07	GC Calibration		
2026-09-27 01:00:00	2026-09-27 03:00:00	3.00	Benzene	MS-06	GC Calibration		
2026-09-22 01:00:00	2026-09-22 03:00:00	3.00	Benzene	MS-12	GC Calibration		
2026-09-25 01:00:00	2026-09-25 03:00:00	3.00	Benzene	MS-04	GC Calibration		
2026-09-22 01:00:00	2026-09-22 03:00:00	3.00	Benzene	MS-04	GC Calibration		
2026-09-27 01:00:00	2026-09-27 03:00:00	3.00	Benzene	MS-03	GC Calibration		
2026-09-25 01:00:00	2026-09-25 03:00:00	3.00	Benzene	MS-02	GC Calibration		
2026-09-22 01:00:00	2026-09-22 03:00:00	3.00	Benzene	MS-02	GC Calibration		
2026-09-28 01:00:00	2026-09-28 03:00:00	3.00	Benzene	MS-01	GC Calibration		
2026-09-24 01:00:00	2026-09-24 03:00:00	3.00	Benzene	MS-01	GC Calibration		
2026-09-21 01:00:00	2026-09-21 03:00:00	3.00	Benzene	MS-01	GC Calibration		
2026-09-21 01:00:00	2026-09-21 03:00:00	3.00	Benzene	MS-08	GC Calibration		
2026-09-25 01:00:00	2026-09-25 03:00:00	3.00	Benzene	MS-12	GC Calibration		

Monitoring Station	Compound	Weekly Average	3 Month Average	Weekly Std	3 Month Std	Weekly Min	3 Month Min	Weekly Max	3 Month Max
MS-01	Propene	0.05	0.07	0.08	0.1	0	0	0.47	1.42
	Ethanol	1.41	1.23	1.23	1.36	0.16	0	9.08	16.01
	Acetone	1.89	1.19	1.18	1.67	0	0	7.22	24.11
	DMS	0	0	0	0	0	0	0	0
	IPA	1.27	1.03	1.3	1.05	0.15	0	8.25	9.44
	2-Butanone	0.01	0.09	0.09	0.17	0	0	1.09	1.55
	THF	0.07	0.13	0.09	0.16	0	0	0.63	1.77
	Benzene	0.1	0.13	0.05	0.12	0.03	0	0.33	3.35
	Toluene	0.07	0.06	0.1	0.08	0	0	0.67	1.08
	Ethylbenzene	0.02	0.02	0.08	0.07	0	0	0.49	0.75
	m.p-Xylene	0.02	0.02	0.06	0.07	0	0	0.51	1.05
	Isopropyltoluene	0.14	0.08	0.51	0.41	0	0	3.53	7.66
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.04	0.03	0.03	0.03	0.02	0	0.32	0.38
	Hexane	0.01	0.01	0.04	0.05	0	0	0.26	0.63
	Styrene	0.03	0.02	0.12	0.08	0	0	0.98	1.31
	Acrolein	0.03	0.04	0.03	0.08	0	0	0.18	1.94
	CH4	3994	4373	738	1239	2850	2850	7190	17220
	H2S	1.72	1.49	1	0.93	0	0	6	9
	SO2	2.14	2.77	2.32	2.79	0	0	11	23
	PM2.5	1.4	2.17	0.48	1.22	0.51	0.27	2.84	14.41
	PM10	2.26	4.12	1.16	3.93	0.68	0.57	7.47	61.81
MS-02	Propene	0	0.05	0.01	0.15	0	0	0.1	2.54
	Ethanol	0.61	0.74	1.08	1.29	0	0	4.41	6.67
	Acetone	0.88	1.44	0.45	1.12	0.23	0	3.3	11.67
	DMS	0	0	0	0	0	0	0	0
	IPA	0.54	0.64	0.38	0.5	0.07	0	2.04	3.67
	2-Butanone	0.13	0.16	0.08	0.11	0	0	0.56	0.88
	THF	0.06	0.07	0.05	0.07	0	0	0.36	0.92
	Benzene	0.08	0.08	0.05	0.08	0.02	0	0.27	0.77
	Toluene	0.05	0.05	0.06	0.06	0	0	0.33	0.67
	Ethylbenzene	0.03	0.02	0.04	0.04	0	0	0.28	0.7
	m.p-Xylene	0.01	0.02	0.04	0.05	0	0	0.34	0.93
	Isopropyltoluene	0.03	0.04	0.08	0.22	0	0	0.51	4.53
	Methanol	0.05	0.02	0.14	0.1	0	0	0.55	2.12
	Carbon Disulfide	0	0.01	0.03	0.04	0	0	0.26	0.92
	Hexane	0.01	0.01	0.03	0.05	0	0	0.31	0.61
	Styrene	0.01	0.01	0.04	0.05	0	0	0.28	0.8

	Acrolein	0	0	0	0.02	0	0	0	0.73
	CH4	5332	5173	1940	2654	3730	3130	12630	25900
	H2S	0.78	0.62	0.9	0.76	0	0	4	4
	SO2	0.19	0.2	0.55	0.66	0	0	3	10
	PM2.5	1.85	2.31	0.65	1.1	0.24	0.24	3.61	15.69
	PM10	3.28	4.18	1.53	3.58	0.83	0.59	8.32	119.12
MS-03	Propene	0.19	0.17	0.24	0.35	0	0	0.98	11.22
	Ethanol	0.35	0.52	0.82	1.23	0	0	4.43	18.01
	Acetone	2.41	0.31	2.04	1.24	0	0	11.7	11.7
	DMS	0	0	0	0	0	0	0	0
	IPA	0.49	0.51	0.38	0.93	0	0	1.77	40.98
	2-Butanone	0.01	0.1	0.04	0.24	0	0	0.23	2.33
	THF	0.01	0.01	0.07	0.05	0	0	0.75	0.75
	Benzene	0.08	0.08	0.09	0.07	0	0	0.73	0.88
	Toluene	0.1	0.08	0.2	0.1	0	0	1.66	1.66
	Ethylbenzene	0.03	0.02	0.09	0.06	0	0	0.76	0.76
	m.p-Xylene	0.04	0.02	0.13	0.07	0	0	1.08	1.08
	Isopropyltoluene	0.04	0.18	0.11	0.56	0	0	0.77	6.37
	Methanol	0	0	0	0.01	0	0	0	0.21
	Carbon Disulfide	0	0	0.03	0.04	0	0	0.29	1.2
	Hexane	0.01	0.01	0.07	0.05	0	0	0.51	0.58
	Styrene	0.01	0.01	0.06	0.04	0	0	0.65	0.65
	Acrolein	0	0	0	0.15	0	0	0	7.13
	CH4	3220	2864	168	260	2960	2410	3880	4810
	H2S	0.3	0.59	0.51	0.74	0	0	2	6
	SO2	0.32	0.33	0.51	0.69	0	0	3	14
	PM2.5	3.65	4.71	1.96	2.3	0.54	0.54	14.71	29.36
	PM10	5.59	6.72	4.04	3.79	1.59	0.85	28.62	30.79
MS-04	Propene	0.19	0.16	0.57	0.25	0	0	3.22	3.22
	Ethanol	0.33	0.18	0.86	1.1	0	0	5.18	17.92
	Acetone	1.88	1.78	2.08	4.71	0	0	14.46	51.8
	DMS	0.06	0.02	0.32	0.2	0	0	2.2	2.27
	IPA	0.41	0.5	0.44	0.45	0	0	2.4	3.7
	2-Butanone	0.02	0.05	0.06	0.15	0	0	0.42	2.54
	THF	0.02	0.02	0.06	0.06	0	0	0.49	0.97
	Benzene	0.02	0.04	0.04	0.14	0	0	0.31	4.21
	Toluene	0.01	0.02	0.01	0.04	0	0	0.09	0.53
	Ethylbenzene	0.03	0.02	0.07	0.06	0	0	0.34	0.68
	m.p-Xylene	0.01	0.01	0.03	0.03	0	0	0.21	0.48

MS-04	Isopropyltoluene	0.08	0.09	0.73	0.63	0	0	8.77	19.61
	Methanol	0	0	0	0.07	0	0	0	2.31
	Carbon Disulfide	0	0.03	0	0.03	0	0	0	0.21
	Hexane	0.02	0.05	0.06	0.2	0	0	0.35	2.87
	Styrene	0.01	0	0.04	0.02	0	0	0.32	0.58
	Acrolein	0	0.01	0	0.11	0	0	0	3.04
	CH4	3825	3645	394	692	3060	2580	5350	11670
	H2S	0.4	0.5	0.56	0.63	0	0	2	5
	SO2	0.75	0.91	2.03	2.85	0	0	16	32
	PM2.5	2.34	24.59	0.98	1032.9	0.79	0.4	8.32	49893.64
	PM10	4.08	26.9	3.2	1032.87	1.13	0.62	29.1	49894.18
MS-05	CH4	3154	3029	375	679	2640	0	5860	14120
	H2S	0.82	0.64	0.93	0.83	0	0	4	9
	SO2	0.24	0.32	0.78	0.91	0	0	7	14
	PM2.5	2.11	2.83	0.63	1.24	0.56	0.39	4.11	20.23
	PM10	3.2	4.16	1.1	1.76	1.27	0.73	7.76	21.64
MS-06	Propene	0.01	0.09	0.05	0.11	0	0	0.41	0.95
	Ethanol	0.17	0.66	0.69	1.18	0	0	3.79	10.27
	Acetone	0.8	2.71	0.44	2.79	0.2	0	3.08	28.11
	DMS	0	0	0	0	0	0	0	0
	IPA	0.99	0.88	0.8	0.84	0.16	0.03	4.22	6.38
	2-Butanone	0	0.22	0	0.17	0	0	0	1.5
	THF	0.03	0.01	0.12	0.08	0	0	0.93	0.94
	Benzene	0.1	0.08	0.07	0.07	0	0	0.65	0.9
	Toluene	0.09	0.07	0.09	0.1	0	0	0.47	3.27
	Ethylbenzene	0.04	0.02	0.09	0.07	0	0	0.66	1.27
	m.p-Xylene	0.03	0.02	0.07	0.07	0	0	0.6	1.68
	Isopropyltoluene	0.04	0.07	0.15	0.32	0	0	1.38	4.81
	Methanol	0	0	0	0	0	0	0	0.01
	Carbon Disulfide	0.03	0.01	0.02	0.03	0.01	0	0.23	0.26
	Hexane	0.01	0	0.05	0.04	0	0	0.3	0.77
	Styrene	0.03	0.02	0.1	0.15	0	0	0.91	6.12
	Acrolein	0.02	0	0.11	0.04	0	0	1.08	1.08
	CH4	4368	4283	538	929	3550	3350	6370	14820
	H2S	2.05	1.76	1.32	0.91	0	0	7	7
	SO2	0.69	1.2	0.96	1.51	0	0	4	19
	PM2.5	1.25	1.65	0.38	0.67	0.46	0.25	2.34	8.28
	PM10	2.39	3.05	1.25	1.53	0.78	0.51	12.65	14.41
	Propene	0	0.05	0	0.16	0	0	0.02	2.6

MS-07	Ethanol	0.06	0.17	0.36	0.63	0	0	2.87	4.58
	Acetone	1.79	1.44	0.65	0.92	0.68	0	5.86	8.83
	DMS	0	0.18	0	0.6	0	0	0	6.01
	IPA	0.52	0.52	0.28	0.8	0.16	0	1.92	9.77
	2-Butanone	0.19	0.2	0.09	0.17	0	0	0.91	1.37
	THF	0.01	0.02	0.09	0.08	0	0	0.69	0.97
	Benzene	0.12	0.14	0.07	0.11	0	0	0.34	1.53
	Toluene	0.06	0.06	0.04	0.06	0	0	0.28	0.51
	Ethylbenzene	0.01	0.01	0.02	0.03	0	0	0.22	0.36
	m.p-Xylene	0.03	0.02	0.03	0.04	0	0	0.3	0.5
	Isopropyltoluene	0.04	0.03	0.11	0.1	0	0	0.82	1.74
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0	0.01	0.02	0.02	0	0	0.19	0.21
	Hexane	0.01	0.01	0.04	0.03	0	0	0.34	0.34
	Styrene	0.01	0.01	0.04	0.03	0	0	0.36	0.49
	Acrolein	0	0	0	0	0	0	0	0.05
	CH4	3330	3042	179	503	3030	1790	4070	6490
	H2S	0.03	0.02	0.18	0.16	0	0	1	1
	SO2	0.79	0.31	1.86	1.16	0	0	10	15
	PM2.5	2.92	3.95	0.96	1.88	0.43	0.43	5.59	46.31
	PM10	3.86	5.51	1.17	3.31	1.09	1.01	7.82	51.72
MS-08	Propene	0.2	0.17	0.26	0.24	0	0	1.16	2.32
	Ethanol	0.85	0.54	1.32	1.01	0	0	5.07	11.86
	Acetone	3.19	2.89	1.71	1.89	0	0	7.72	11.71
	DMS	0.51	0.12	1.78	0.82	0	0	8.72	8.72
	IPA	0.64	0.56	0.52	0.41	0	0	2.26	4.29
	2-Butanone	0.33	0.57	0.27	5.73	0	0	2.69	225.35
	THF	0.11	0.29	0.26	3.96	0	0	2.9	118.29
	Benzene	0.08	0.09	0.13	0.56	0	0	1.58	17.73
	Toluene	0.09	0.13	0.22	2.02	0	0	2.42	72.49
	Ethylbenzene	0.04	0.02	0.21	0.19	0	0	2.48	5.59
	m.p-Xylene	0.05	0.04	0.24	0.59	0	0	2.78	25.13
	Isopropyltoluene	0.15	0.18	0.37	1.9	0	0	3.58	56.94
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.03	0.05	0.18	0.1	0	0	2.06	2.06
	Hexane	0.04	0.4	0.37	7.28	0	0	4.4	200.61
	Styrene	0.07	0.1	0.24	1.56	0	0	2.06	45.65
	Acrolein	0.01	0	0.16	0.06	0	0	2.04	2.04
	CH4	3331	3029	169	233	3070	2330	4080	4450

	H2S	0.01	0.02	0.08	0.14	0	0	1	1
	SO2	0.98	1.07	0.68	0.91	0	0	4	11
	PM2.5	2.07	2.96	0.72	1.2	0.4	0.4	4.38	15.46
	PM10	3.13	4.6	0.97	1.78	1.29	0.8	8.25	21.57
MS-09	CH4	3542	3374	146	286	3140	2870	3970	5540
	H2S	0.28	0.4	0.46	0.54	0	0	2	4
	SO2	0.39	0.79	0.72	1.23	0	0	5	15
	PM2.5	4.54	4.74	1.68	2.83	0.67	0	9.81	18.72
	PM10	6.66	7.08	1.95	3.89	1.95	0	11.65	22.14
MS-10	Propene	0.03	0.15	0.17	0.18	0	0	2.01	2.01
	Ethanol	1	0.84	1.37	1.57	0	0	5.82	10.33
	Acetone	2.72	1.33	1.06	2.11	0.67	0	8.8	41.35
	DMS	0	0.12	0	0.47	0	0	0	3.98
	IPA	1.29	1.01	0.94	0.84	0.23	0	6.04	9.06
	2-Butanone	0	0.15	0.03	0.17	0	0	0.28	0.95
	THF	0.1	0.07	0.06	0.1	0	0	0.39	1.16
	Benzene	0.15	0.13	0.14	0.14	0	0	0.85	2.66
	Toluene	0.14	0.13	0.14	0.15	0	0	0.74	1.76
	Ethylbenzene	0.04	0.04	0.05	0.13	0	0	0.33	4.12
	m.p-Xylene	0.05	0.03	0.07	0.06	0	0	0.41	0.68
	Isopropyltoluene	0.04	0.03	0.13	0.1	0	0	1.19	1.32
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.18	0.06	0.05	0.08	0.02	0	0.35	0.42
	Hexane	0.05	0.04	0.18	0.16	0	0	1.24	1.58
	Styrene	0.01	0.01	0.03	0.05	0	0	0.24	0.73
	Acrolein	0	0	0	0	0	0	0	0
	CH4	4289	3756	397	468	3610	2720	6130	6130
	H2S	0.98	0.74	1.2	0.98	0	0	5	6
	SO2	0.39	0.6	0.62	0.82	0	0	3	7
	PM2.5	1.86	2.63	0.75	1.37	0.4	0.34	8.09	22.91
	PM10	2.61	3.63	1.19	1.74	1.03	0.63	14.7	27.18
	Propene	0	0.05	0.01	0.1	0	0	0.11	2.91
	Ethanol	0.25	0.18	0.79	0.68	0	0	4	7.84
	Acetone	1.93	1.62	0.64	1.36	0.5	0	3.92	7.95
	DMS	0	0.07	0	0.28	0	0	0	1.91
	IPA	0.37	0.4	0.26	0.31	0.08	0	1.92	4.8
	2-Butanone	0.19	0.2	0.13	0.16	0	0	0.64	1.16
	THF	0.05	0.05	0.08	0.1	0	0	0.46	0.73
	Benzene	0.07	0.06	0.05	0.08	0	0	0.47	2.61

MS-11	Toluene	0.07	0.05	0.09	0.07	0	0	0.69	0.71
	Ethylbenzene	0.02	0.02	0.05	0.06	0	0	0.42	0.7
	m.p-Xylene	0.03	0.02	0.07	0.07	0	0	0.54	0.83
	Isopropyltoluene	0.02	0.01	0.08	0.07	0	0	0.64	0.85
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.08	0.04	0.03	0.07	0.04	0	0.25	0.97
	Hexane	0.01	0	0.04	0.04	0	0	0.38	0.81
	Styrene	0.01	0.01	0.04	0.04	0	0	0.37	0.5
	Acrolein	0	0	0	0	0	0	0	0
	CH4	2777	2876	163	270	2580	2390	3410	4070
	H2S	2.52	2.04	1.02	1.12	1	0	6	8
	SO2	0	0.01	0	0.12	0	0	0	4
	PM2.5	4.22	5.19	1.64	2.73	0.43	0.43	9.82	82.41
	PM10	5.42	6.79	1.92	4.75	0.74	0.74	12.48	181.07
MS-12	Propene	0.11	0.08	0.23	0.19	0	0	1.72	1.72
	Ethanol	0.57	0.27	1.35	1.13	0	0	6.13	10.57
	Acetone	3.57	5.01	1.53	2.47	1.1	0	11.24	21.55
	DMS	0	0	0	0	0	0	0	0
	IPA	0.97	1.35	0.54	0.8	0	0	3.25	4.67
	2-Butanone	0.12	0.37	0.21	0.31	0	0	0.69	3.66
	THF	0	0	0.01	0.02	0	0	0.14	0.41
	Benzene	0.1	0.1	0.06	0.06	0	0	0.39	0.52
	Toluene	0.1	0.08	0.08	0.08	0	0	0.42	1.16
	Ethylbenzene	0.03	0.01	0.05	0.04	0	0	0.33	0.64
	m.p-Xylene	0.03	0.01	0.04	0.04	0	0	0.2	0.69
	Isopropyltoluene	0.14	0.15	0.41	0.67	0	0	3.21	10.51
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0	0	0	0	0	0	0	0
	Hexane	0	0	0	0.02	0	0	0	0.74
	Styrene	0.01	0	0.02	0.01	0	0	0.13	0.21
	Acrolein	0	0	0	0	0	0	0	0
	CH4	3156	3292	130	892	2950	2170	3800	7920
	H2S	0.15	0.15	0.36	0.36	0	0	1	2
	SO2	0.1	0.2	0.59	1.12	0	0	5	14
	PM2.5	1.27	1.65	0.4	0.65	0.22	0.22	2.42	9.3
	PM10	2.05	2.64	0.59	1.02	0.79	0.55	4.55	21.7

Monitoring Station	Air Monitor	Currently Online	Weekly Data Completeness (%)
MS-01	AQM	TRUE	99
	GC	TRUE	95
MS-02	AQM	TRUE	99
	GC	TRUE	97
MS-03	AQM	TRUE	100
	GC	TRUE	79
MS-04	AQM	TRUE	99
	GC	TRUE	91
MS-05	AQM	TRUE	100
MS-06	AQM	TRUE	99
	GC	TRUE	97
MS-07	AQM	TRUE	100
	GC	TRUE	97
MS-08	AQM	TRUE	98
	GC	TRUE	89
MS-09	AQM	TRUE	98
MS-10	AQM	TRUE	100
	GC	TRUE	94
MS-11	AQM	TRUE	100
	GC	TRUE	97
MS-12	AQM	TRUE	98
	GC	TRUE	97