Beginning June 8th, 2026, and every Monday thereafter, respondent shall provide a weekly summary of the landfill's air monitoring network to sdutz@aqmd.gov and ahaar@aqmd.gov. The summary shall include:

(1) a listing of instrument downtime from the prior week for H2S, methane, VOC, and meteorological parameters;
(2) cause, corrective action, and recurrence mitigation efforts for any period of downtime;

(3) weekly average concentration, standard deviation, and range compared with the prior three months of data for H2S, methane, and speciated VOC for each site; and

(4) chiquitacanyon.com air monitoring data portal reporting status and data completeness for each instrument and site for the prior week.

Start	Stop	Duration (Hours)	Compound	Location	Cause	Corrective Action	Recurrence Mitigation	Notification Email and Banner
2026-10-28 14:00:00	2026-10-28 15:00:00	2	Benzene	MS-10	Restart during maintenance testing	Technician restart	Technicians were onsite to test the the automatic cannister sampling as required under Condition 34(g). Monitor was restarted during testing and data for the period was lost.	Occurred before Condition 34(a)(iv)
2026-10-30 09:00:00	2026-10-30 16:00:00	8	Benzene	MS-08	Flow error caused shutdown	Technician restart	Insufficient flower was detected, so the GC shutdown. A technician will check the flow path and sample filter to ensure sufficient flow moving forward.	Email/banner issued 2026-10-30
2026-10-31 19:00:00	2026-11-01 07:00:00	13	Benzene	MS-07	Automatic reporting system failure	Technician restart	A technician will check on the reporting system and backfill data is possible.	Email/banner issued 2026-10-30
2026-10-31 23:00:00	2026-11-01 08:00:00	10	Benzene	MS-03	Power Offline	None, power restored automatically. A technician will be onsite as soon as possible to check the batteries and recharge them if needed.	Station runs on solar power, so the power outage is most likely due to cloud cover and rain over the past week. This is an expected possibility.	Email/banner issued 2026-11-01
2026-11-01 00:00:00	2026-11-01 07:00:00	8	H2S	MS-03				
2026-11-01 00:00:00	2026-11-01 07:00:00	8	CH4	MS-03				
2026-11-01 03:00:00	2026-11-02 06:00:00	28	H2S	MS-05	Power Offline	Technician will be onsite as soon as possible to check the batteries and recharge them if possible.	Station runs on solar power, so the power outage is most likely due to cloud cover and rain over the past week. This is an expected	Email/banner issued 2026-11-01
2026-11-01 03:00:00	2026-11-02 06:00:00	28	CH4	MS-05				
2026-11-02 02:00:00	2026-11-02 06:00:00	5	H2S	MS-09	Power Offline	Technician will be onsite as soon as possible to check the batteries and recharge them if possible.	Station runs on solar power, so the power outage is most likely due to cloud cover and rain over the past week. This is an expected	Email/banner issued 2026-11-02
2026-11-02 02:00:00	2026-11-02 06:00:00	5	CH4	MS-09				
2026-10-27 15:00:00	2026-10-27 15:00:00	1	H2S	MS-05	AQM Calibration			
2026-10-27 15:00:00	2026-10-27 15:00:00	1	CH4	MS-05	AQM Calibration			
2026-10-28 09:00:00	2026-10-28 11:00:00	3	H2S	MS-08	AQM Calibration			
2026-10-28 09:00:00	2026-10-28 11:00:00	3	CH4	MS-08	AQM Calibration			
2026-10-28 15:00:00	2026-10-28 17:00:00	3	H2S	MS-06	AQM Calibration			
2026-10-28 15:00:00	2026-10-28 17:00:00	3	CH4	MS-06	AQM Calibration			
2026-10-29 13:00:00	2026-10-29 14:00:00	2	H2S	MS-02	AQM Calibration			
2026-10-29 13:00:00	2026-10-29 14:00:00	2	CH4	MS-02	AQM Calibration			
2026-10-29 13:00:00	2026-10-29 14:00:00	2	H2S	MS-04	AQM Calibration			
2026-10-29 13:00:00	2026-10-29 14:00:00	2	CH4	MS-04	AQM Calibration			
2026-10-29 18:00:00	2026-10-29 18:00:00	1	H2S	MS-06	AQM Calibration			
2026-10-29 18:00:00	2026-10-29 18:00:00	1	CH4	MS-06	AQM Calibration			
2026-10-26 01:00:00	2026-10-26 03:00:00	3	Benzene	MS-01	GC Calibration			
2026-10-26 01:00:00	2026-10-26 03:00:00	3	Benzene	MS-08	GC Calibration			
2026-10-26 01:00:00	2026-10-26 03:00:00	3	Benzene	MS-10	GC Calibration			
2026-10-27 01:00:00	2026-10-27 03:00:00	3	Benzene	MS-02	GC Calibration			
2026-10-27 01:00:00	2026-10-27 03:00:00	3	Benzene	MS-04	GC Calibration			
2026-10-27 01:00:00	2026-10-27 03:00:00	3	Benzene	MS-12	GC Calibration			
2026-10-28 01:00:00	2026-10-28 03:00:00	3	Benzene	MS-03	GC Calibration			
2026-10-28 01:00:00	2026-10-28 03:00:00	3	Benzene	MS-06	GC Calibration			
2026-10-28 01:00:00	2026-10-28 03:00:00	3	Benzene	MS-07	GC Calibration			
2026-10-28 01:00:00	2026-10-28 03:00:00	3	Benzene	MS-11	GC Calibration			
2026-10-29 01:00:00	2026-10-29 03:00:00	3	Benzene	MS-01	GC Calibration			
2026-10-29 01:00:00	2026-10-29 03:00:00	3	Benzene	MS-08	GC Calibration			
2026-10-29 01:00:00	2026-10-29 03:00:00	3	Benzene	MS-10	GC Calibration			
2026-10-30 01:00:00	2026-10-30 03:00:00	3	Benzene	MS-02	GC Calibration			
2026-10-30 01:00:00	2026-10-30 03:00:00	3	Benzene	MS-04	GC Calibration			
2026-10-30 01:00:00	2026-10-30 03:00:00	3	Benzene	MS-12	GC Calibration			
2026-11-01 01:00:00	2026-11-01 01:00:00	1	Benzene	MS-01	GC Calibration			
2026-11-01 01:00:00	2026-11-01 01:00:00	1	Benzene	MS-02	GC Calibration			
2026-11-01 01:00:00	2026-11-01 02:00:00	2	Benzene	MS-06	GC Calibration			
2026-11-01 01:00:00	2026-11-01 02:00:00	2	Benzene	MS-11	GC Calibration			
2026-11-01 01:00:00	2026-11-01 01:00:00	1	Benzene	MS-12	GC Calibration			
2026-11-02 01:00:00	2026-11-02 03:00:00	3	Benzene	MS-01	GC Calibration			
2026-11-02 01:00:00	2026-11-02 03:00:00	3	Benzene	MS-08	GC Calibration			
2026-11-02 01:00:00	2026-11-02 03:00:00	3	Benzene	MS-10	GC Calibration			

Monitoring Station	Compound	Weekly Average	3 Month Average	Weekly Std	3 Month Std	Weekly Min	3 Month Min	Weekly Max	3 Month Max
MS-01	Propene	0.04	0.05	0.05	0.06	0	0	0.33	0.54
	Ethanol	0.78	1.41	0.67	1.44	0.17	0	6.87	25.33
	Acetone	1.56	1.42	1.61	1.35	0.44	0	14.18	14.18
	DMS	0	0	0	0	0	0	0	0
	IPA	1	1.14	1.21	1.09	0.09	0	8.11	10.49
	2-Butanone	0	0.02	0.04	0.1	0	0	0.48	1.1
	THF	0.03	0.1	0.07	0.12	0	0	0.42	1
	Benzene	0.08	0.1	0.06	0.07	0.02	0	0.46	0.89
	Toluene	0.04	0.06	0.07	0.07	0	0	0.44	0.67
	Ethylbenzene	0.02	0.02	0.06	0.06	0	0	0.45	0.74
	m.p-Xylene	0.02	0.02	0.05	0.07	0	0	0.39	1.05
	Isopropyltoluene	0.06	0.06	0.21	0.29	0	0	1.58	5.99
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.03	0.03	0.02	0.03	0.01	0	0.2	0.32
	Hexane	0	0.01	0.02	0.03	0	0	0.21	0.54
	Styrene	0.04	0.02	0.27	0.13	0	0	3.42	3.42
	Acrolein	0.01	0.03	0.03	0.04	0	0	0.3	0.3
	CH4	3851	4054	406	1003	3270	0	5670	13540
	H2S	1.47	1.45	0.86	0.91	0	0	4	9
	SO2	1.25	2.36	1.3	2.72	0	0	8	27
	PM2.5	0.73	1.65	0.31	1.1	0.17	0.1	1.73	14.41
	PM10	0.92	3.09	0.46	3.51	0.28	0.19	4.8	61.81
MS-02	Propene	0.01	0.03	0.04	0.11	0	0	0.31	2.54
	Ethanol	0.08	0.81	0.43	1.4	0	0	2.7	13.65
	Acetone	0.69	1.37	0.51	0.97	0.27	0	4.87	11.67
	DMS	0	0	0	0	0	0	0	0
	IPA	0.37	0.66	0.35	0.49	0.04	0	1.6	3.36
	2-Butanone	0.06	0.15	0.06	0.11	0	0	0.32	0.78
	THF	0.03	0.07	0.04	0.06	0	0	0.2	0.8
	Benzene	0.09	0.09	0.05	0.07	0	0	0.27	0.77
	Toluene	0.03	0.05	0.04	0.06	0	0	0.22	0.56
	Ethylbenzene	0.02	0.02	0.06	0.04	0	0	0.68	0.68
	m.p-Xylene	0.01	0.01	0.03	0.04	0	0	0.23	0.54
	Isopropyltoluene	0.02	0.04	0.06	0.22	0	0	0.43	4.53
	Methanol	0.09	0.03	0.09	0.1	0	0	0.21	0.57
	Carbon Disulfide	0	0.01	0.03	0.04	0	0	0.27	0.92
	Hexane	0.03	0.01	0.1	0.06	0	0	0.52	0.61
	Styrene	0.01	0.01	0.04	0.05	0	0	0.4	0.88

	Acrolein	0	0	0	0	0	0	0	0.01
	CH4	4553	5409	965	2561	3570	0	8260	25720
	H2S	0.63	0.73	0.75	0.83	0	0	3	4
	SO2	0.12	0.34	0.37	1.05	0	0	2	14
	PM2.5	0.98	1.98	0.44	1.11	0.2	0.17	2.51	12.96
	PM10	1.56	3.87	0.91	4.04	0.41	0.29	5.5	119.12
MS-03	Propene	0.1	0.17	0.17	0.33	0	0	1.05	11.22
	Ethanol	0.07	0.6	0.34	1.18	0	0	2.33	5.84
	Acetone	2.33	1.41	1.68	2.11	0.94	0	17.34	17.34
	DMS	0	0	0	0	0	0	0	0
	IPA	0.32	0.54	0.33	0.96	0.03	0	2.25	40.98
	2-Butanone	0.04	0.07	0.05	0.21	0	0	0.28	2.33
	THF	0	0.01	0.01	0.05	0	0	0.14	0.75
	Benzene	0.06	0.09	0.05	0.47	0	0	0.23	16.03
	Toluene	0.04	0.08	0.06	0.11	0	0	0.4	1.66
	Ethylbenzene	0.01	0.02	0.03	0.05	0	0	0.24	0.76
	m.p-Xylene	0.01	0.02	0.02	0.06	0	0	0.23	1.08
	Isopropyltoluene	0.03	0.13	0.09	0.48	0	0	0.66	6.37
	Methanol	0	0	0	0	0	0	0	0.07
	Carbon Disulfide	0	0	0.01	0.02	0	0	0.14	0.29
	Hexane	0	0.01	0.01	0.04	0	0	0.12	0.58
	Styrene	0	0.01	0.01	0.04	0	0	0.16	0.65
	Acrolein	0	0	0	0	0	0	0	0
	CH4	2864	2750	324	522	2500	1340	4380	4810
	H2S	0.7	0.61	0.81	0.82	0	0	4	6
	SO2	0.04	0.25	0.19	0.58	0	0	1	13
	PM2.5	1.48	3.64	0.54	2.23	0.3	0.19	3.08	35.53
	PM10	1.8	5.62	0.63	5.49	0.37	0.37	4.09	144.33
	Propene	1.34	0.45	2.13	1.29	0	0	7.83	9.56
	Ethanol	0.05	0.07	0.31	0.49	0	0	2.44	9.16
	Acetone	1.1	2.17	0.97	5.38	0	0	10.15	51.8
	DMS	0.05	0.06	0.23	0.29	0	0	1.87	2.9
	IPA	0.41	0.37	0.42	0.39	0.07	0	2.9	2.9
	2-Butanone	0	0.05	0.02	0.18	0	0	0.13	1.81
	THF	0.01	0.02	0.03	0.06	0	0	0.17	0.82
	Benzene	0.03	0.03	0.07	0.09	0	0	0.59	1.03
	Toluene	0.01	0.02	0.03	0.03	0	0	0.27	0.53
	Ethylbenzene	0.01	0.03	0.04	0.1	0	0	0.31	0.91
MS-04	m.p-Xylene	0	0.01	0.01	0.02	0	0	0.11	0.23

MS-04	Isopropyltoluene	0.04	0.08	0.11	0.57	0	0	1.02	19.61
	Methanol	1.05	0.28	0.64	0.54	0.24	0	2.98	2.98
	Carbon Disulfide	0	0.02	0.01	0.02	0	0	0.1	0.15
	Hexane	0.02	0.07	0.06	0.27	0	0	0.42	2.87
	Styrene	0.02	0.01	0.15	0.05	0	0	1.98	1.98
	Acrolein	0	0	0	0	0	0	0	0
	CH4	3206	3552	224	664	2830	0	4620	8830
	H2S	0.31	0.41	0.5	0.58	0	0	2	4
	SO2	0.09	1.08	0.54	3.27	0	0	6	32
	PM2.5	1.11	2.52	0.5	1.57	0.25	0.11	3.12	18.65
	PM10	1.48	4.63	0.66	4.86	0.44	0.26	3.91	76.26
MS-05	CH4	3262	3135	292	672	2730	0	4240	14120
	H2S	0.78	0.76	0.85	0.9	0	0	4	9
	SO2	0.22	0.33	0.43	0.85	0	0	2	14
	PM2.5	1.27	2.28	0.4	1.09	0.33	0.18	2.35	7.34
	PM10	1.69	3.63	0.63	2.1	0.73	0.27	4.22	29.06
MS-06	Propene	0.02	0.07	0.06	0.12	0	0	0.62	0.95
	Ethanol	0.02	0.61	0.21	1.24	0	0	2.01	12.5
	Acetone	0.64	2.11	0.54	2.57	0.22	0	4.57	28.11
	DMS	0	0	0	0	0	0	0	0
	IPA	0.73	1	0.72	0.92	0.09	0.03	3.99	6.38
	2-Butanone	0	0.14	0	0.18	0	0	0	1.5
	THF	0.01	0.01	0.07	0.08	0	0	0.67	0.94
	Benzene	0.08	0.08	0.05	0.06	0	0	0.26	0.9
	Toluene	0.06	0.07	0.07	0.11	0	0	0.44	3.27
	Ethylbenzene	0.03	0.03	0.14	0.08	0	0	1.72	1.72
	m.p-Xylene	0.02	0.02	0.05	0.07	0	0	0.45	1.68
	Isopropyltoluene	0.06	0.08	0.19	0.32	0	0	1.62	4.81
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.02	0.01	0.02	0.03	0.01	0	0.17	0.26
	Hexane	0.01	0.01	0.05	0.05	0	0	0.42	0.77
	Styrene	0.02	0.03	0.13	0.19	0	0	1.2	6.12
	Acrolein	0	0	0.03	0.05	0	0	0.44	1.08
	CH4	3976	4257	327	645	3440	3420	5680	9500
	H2S	1.91	1.78	0.9	0.95	0	0	5	12
	SO2	0.32	0.95	0.63	1.39	0	0	3	19
	PM2.5	0.72	1.38	0.28	0.71	0.15	0.11	1.5	10.94
	PM10	0.98	2.71	0.37	2.13	0.24	0.22	2.33	54.99
	Propene	0.07	0.03	0.19	0.12	0	0	1.68	1.68

MS-07	Ethanol	0	0.18	0	0.64	0	0	0	4.58
	Acetone	0.81	1.4	1.12	1.18	0	0	5.14	8.83
	DMS	0	0.2	0	0.62	0	0	0	6.01
	IPA	0.26	0.56	0.2	0.8	0.07	0	1.33	9.77
	2-Butanone	0.13	0.17	0.1	0.15	0	0	1.06	1.37
	THF	0.12	0.03	0.16	0.1	0	0	1.02	1.02
	Benzene	0.04	0.1	0.03	0.1	0	0	0.24	0.61
	Toluene	0.02	0.05	0.03	0.05	0	0	0.26	0.37
	Ethylbenzene	0	0.01	0.02	0.02	0	0	0.2	0.36
	m.p-Xylene	0	0.02	0.02	0.04	0	0	0.19	0.5
	Isopropyltoluene	0.01	0.03	0.04	0.1	0	0	0.3	1.74
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0	0	0.03	0.02	0	0	0.29	0.29
	Hexane	0.01	0.01	0.04	0.04	0	0	0.3	0.34
	Styrene	0	0.01	0	0.03	0	0	0.04	0.49
	Acrolein	0	0	0	0	0	0	0	0.08
	CH4	3277	3275	156	271	2950	2660	3730	6490
	H2S	0	0.02	0	0.12	0	0	0	1
	SO2	0.33	0.53	1.14	1.52	0	0	9	15
	PM2.5	1.46	3.03	0.62	1.67	0.36	0.19	3.06	13.85
	PM10	1.76	4.42	0.68	2.98	0.54	0.34	3.85	43.37
MS-08	Propene	0.05	0.12	0.1	0.2	0	0	0.52	1.88
	Ethanol	0.11	0.74	0.45	1.11	0	0	2.43	11.86
	Acetone	2.19	2.82	1.04	1.69	0.95	0	7.56	10.52
	DMS	0	0.17	0	0.94	0	0	0	8.72
	IPA	0.3	0.49	0.35	0.46	0	0	3.22	3.22
	2-Butanone	0.07	0.49	0.13	5.77	0	0	0.63	225.35
	THF	0.02	0.27	0.08	3.99	0	0	0.42	118.29
	Benzene	0.04	0.08	0.06	0.57	0	0	0.36	17.73
	Toluene	0.04	0.11	0.07	2.03	0	0	0.41	72.49
	Ethylbenzene	0.01	0.02	0.04	0.11	0	0	0.3	2.93
	m.p-Xylene	0.02	0.04	0.05	0.59	0	0	0.34	25.13
	Isopropyltoluene	0.1	0.18	0.21	1.92	0	0	1.15	56.94
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.01	0.02	0.06	0.08	0	0	0.39	2.06
	Hexane	0	0.38	0	7.23	0	0	0	200.61
	Styrene	0.01	0.1	0.05	1.55	0	0	0.32	45.65
	Acrolein	0	0	0	0.06	0	0	0	2.04
	CH4	3315	3182	233	268	2870	2330	4080	4320

	H2S	0	0.01	0	0.07	0	0	0	1
	SO2	0.28	0.9	0.51	0.81	0	0	3	11
	PM2.5	1.13	2.27	0.48	1.22	0.3	0.16	2.37	8.77
	PM10	1.44	3.75	0.55	2.01	0.44	0.3	3.16	21.57
MS-09	CH4	3620	3427	173	268	3240	2870	4310	5540
	H2S	0.2	0.33	0.43	0.51	0	0	2	4
	SO2	0.23	0.54	0.46	1	0	0	2	12
	PM2.5	2.67	4.69	1.12	2.5	0.47	0.29	5.81	18.72
	PM10	3.44	7.26	1.31	3.34	0.91	0.61	8.15	22.14
MS-10	Propene	0.01	0.07	0.1	0.15	0	0	1.15	2.01
	Ethanol	0.39	1.02	0.87	1.42	0	0	6.37	7.07
	Acetone	2.55	2.21	1.16	2.42	0	0	7.07	41.35
	DMS	0	0.12	0	0.47	0	0	0	3.98
	IPA	0.81	1.11	0.57	0.96	0.07	0	3.08	9.06
	2-Butanone	0.01	0.07	0.04	0.14	0	0	0.39	0.95
	THF	0.08	0.1	0.06	0.09	0	0	0.35	1.16
	Benzene	0.16	0.14	0.15	0.14	0.03	0	0.96	2.66
	Toluene	0.1	0.13	0.09	0.14	0	0	0.43	1.23
	Ethylbenzene	0.03	0.04	0.05	0.15	0	0	0.26	4.12
	m.p-Xylene	0.03	0.03	0.05	0.06	0	0	0.33	0.56
	Isopropyltoluene	0.08	0.05	0.15	0.15	0	0	0.75	1.32
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.05	0.09	0.03	0.08	0	0	0.19	0.42
	Hexane	0.01	0.05	0.06	0.18	0	0	0.69	1.58
	Styrene	0.01	0.02	0.03	0.07	0	0	0.21	1.68
	Acrolein	0.01	0	0.02	0.01	0	0	0.14	0.14
	CH4	2393	3769	155	1036	2140	1370	3010	7540
	H2S	0.99	0.77	1.31	1.1	0	0	5	6
	SO2	0.1	0.43	0.33	0.71	0	0	2	7
	PM2.5	1.03	1.98	0.38	0.99	0.26	0.19	2.47	8.09
	PM10	1.25	2.89	0.46	1.46	0.33	0.33	3.69	14.7
	Propene	0.01	0.03	0.08	0.1	0	0	0.64	2.91
	Ethanol	0	0.2	0	0.73	0	0	0	7.84
	Acetone	1.9	1.7	0.65	1.36	0.92	0	3.58	7.95
	DMS	0	0.07	0	0.28	0	0	0	1.91
	IPA	0.19	0.34	0.15	0.28	0.04	0.03	0.73	4.8
	2-Butanone	0.03	0.14	0.07	0.16	0	0	0.46	1.03
	THF	0.01	0.06	0.05	0.1	0	0	0.38	0.73
	Benzene	0.08	0.07	0.05	0.09	0	0	0.37	2.61

MS-11	Toluene	0.05	0.05	0.06	0.07	0	0	0.35	0.91
	Ethylbenzene	0.01	0.02	0.04	0.05	0	0	0.34	0.62
	m.p-Xylene	0.02	0.02	0.06	0.06	0	0	0.46	0.72
	Isopropyltoluene	0.02	0.02	0.08	0.07	0	0	0.66	0.79
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0.13	0.08	0.06	0.07	0	0	0.28	0.97
	Hexane	0	0	0.02	0.03	0	0	0.24	0.81
	Styrene	0.01	0.01	0.04	0.03	0	0	0.34	0.47
	Acrolein	0	0	0	0.01	0	0	0	0.41
	CH4	2719	2747	118	191	2540	2390	3280	4070
	H2S	2.27	2.34	0.88	1.01	1	0	6	9
	SO2	0	0	0	0.11	0	0	0	4
	PM2.5	2.29	4.18	1.09	2.93	0.44	0.3	6.75	82.41
	PM10	2.71	5.64	1.24	3.46	0.75	0.52	8.17	83.9
MS-12	Propene	0.03	0.1	0.06	0.19	0	0	0.29	1.72
	Ethanol	0.01	0.39	0.18	1.22	0	0	2.38	10.57
	Acetone	2.55	3.98	1.48	1.99	1.25	0	10.85	17.23
	DMS	0	0	0	0	0	0	0	0
	IPA	0.57	1.25	0.36	0.81	0.1	0	2.22	4.67
	2-Butanone	0	0.28	0	0.33	0	0	0	3.66
	THF	0	0	0	0.02	0	0	0	0.41
	Benzene	0.09	0.1	0.04	0.06	0.02	0	0.26	0.93
	Toluene	0.08	0.09	0.06	0.08	0	0	0.32	1.16
	Ethylbenzene	0.03	0.01	0.08	0.04	0	0	0.7	0.7
	m.p-Xylene	0.02	0.02	0.03	0.04	0	0	0.13	0.69
	Isopropyltoluene	0.13	0.19	0.32	0.71	0	0	2.45	10.51
	Methanol	0	0	0	0	0	0	0	0
	Carbon Disulfide	0	0	0	0	0	0	0	0
	Hexane	0	0	0	0.01	0	0	0	0.34
	Styrene	0	0	0.02	0.02	0	0	0.15	0.21
	Acrolein	0	0	0	0	0	0	0	0
	CH4	2749	2890	112	298	2520	2170	3070	4750
	H2S	0.03	0.11	0.18	0.32	0	0	1	2
	SO2	0.02	0.14	0.23	0.93	0	0	3	14
	PM2.5	0.74	1.35	0.29	0.69	0.2	0.11	1.58	6.97
	PM10	0.98	2.29	0.37	1.22	0.32	0.21	2.34	21.7

Monitoring Station	Air Monitor	Currently Online	Weekly Data Completeness (%)
MS-01	AQM	TRUE	100
	GC	FALSE	94
MS-02	AQM	TRUE	99
	GC	TRUE	96
MS-03	AQM	TRUE	95
	GC	TRUE	93
MS-04	AQM	TRUE	99
	GC	TRUE	97
MS-05	AQM	TRUE	83
MS-06	AQM	TRUE	98
	GC	TRUE	97
MS-07	AQM	TRUE	100
	GC	FALSE	91
MS-08	AQM	TRUE	98
	GC	TRUE	90
MS-09	AQM	TRUE	97
MS-10	AQM	TRUE	100
	GC	TRUE	94
MS-11	AQM	TRUE	100
	GC	TRUE	97
MS-12	AQM	TRUE	100
	GC	TRUE	96