



PROTECTIVE INDUSTRIAL PRODUCTS

22-600 Specification Sheet

GLOVES MADE FROM STAINLESS STEEL ENGINEERED YARNS

PRODUCT DESCRIPTION:

Kut-Gard®, 7 gauge, 3 strands stainless steel wire core yarn wrapped with polyester, antimicrobial, heavy duty, white color.

- Yarns constructed of flexible steel core strands offer exceptional cut and slash resistance.
- Seamless construction provides the comfort, fit and dexterity of a knit glove.
- Features patented NSF/ANSI Standard 51 Conformant and FDA & EPA Antimicrobial Fibers. Inhibits the growth of microorganisms such as bacteria and mold that come in contact with the fiber up to 99.9%.
- Made from component materials that comply with Federal Regulations for food contact 21CFR, 170-199.
- White color to show dirt.

Applications:

Ideal for any application where sharp cutting instruments are used, such as food service, food processing, and glass and metal handling.



TECHNICAL DATA:

Material: Stainless steel and synthetic fibers

Construction: 7 gauge seamless knit reversible

Color: White

Cuff Style: Knitted elasticized wrist

Available Sizes: XS - XL

Packaging: 24 each per case

Case Dimensions (cm): 30.5 X 15.3 X 15.3 / (in): 12.0 x 6.0 x 6.0

Case Weight: (XS-XL) 3.9 lbs / 1.8 kg

Shelf Life: 5 years in cool, covered conditions

Country of Origin/Harmonization Code: USA/6116.93.8800US

Laundering Instructions:


Machine wash in warm water with Detergent. Rinse well and spin extract using low speed. Tumble dry on Low to Medium heat setting. Temperature settings not to exceed 65° C. Can be Dry-Cleaned.

CUT RESISTANCE PROPERTIES:

- Method ASTM F1790-04
- 6600 ± 500 grams
- ANSI/ISEA 105-2000 Level 5 Cut Resistance

DIMENSIONS:

<u>Size Available</u>	<u>XS</u>	<u>S</u>	<u>M</u>	<u>L</u>	<u>XL</u>
Over Length (cm) – A (in)	21.6 8.5	22.9 9.0	25.4 10.0	26.7 10.5	27.9 11.0
Palm Width (cm) – B (in)	9.5 3.75	10.2 4.0	11.4 4.5	11.4 4.5	12.1 4.75
Hem Color	Black	Yellow	Blue	White	Green



<u>BARCODE #</u>	<u>DOZEN</u>	<u>CASE</u>
22-600/XL	01616314017452	02616314017452
22-600/L	01616314017445	02616314017445
22-600/M	01616314017438	02616314017438
22-600/S	01616314017421	02616314017421
22-600/XS	01616314017414	02616314017414

This document is the property of PIP and the information contained herein is proprietary to PIP.