

Introduction au Support Cisco

Le support **Cisco** est essentiel pour toute entreprise qui utilise des technologies Cisco. Les *techniciens sur le terrain* sont souvent les premiers à intervenir lors de problèmes techniques. Une bonne formation est donc indispensable pour garantir un service de qualité.

Pourquoi choisir une formation Cisco ?

Une formation Cisco permet d'acquérir des compétences précises sur les **réseaux Cisco**. Cela inclut la configuration, la gestion et le dépannage des équipements. Les techniciens peuvent ainsi répondre rapidement aux demandes des clients et améliorer leur expertise, notamment sur des plateformes comme [la certification Cisco 800-150](#).

Les technologies Cisco dans la formation

Les technologies proposées par Cisco évoluent constamment. Une formation à jour garantit que les techniciens maîtrisent les dernières innovations et améliorent leur efficacité sur le terrain. C'est un avantage considérable pour les entreprises. En suivant des cours de formation, vous aurez également l'occasion de vous familiariser avec [les ressources Cisco](#) qui vous aideront à vous préparer efficacement.

Le rôle du technicien terrain Cisco

Les techniciens sont souvent confrontés à des situations imprévues. Leur formation leur permet de résoudre des problèmes rapidement. Une bonne connaissance des équipements Cisco est essentielle pour réussir dans ce métier.

Les avantages de la certification Cisco

Obtenir une **certification Cisco** renforce les compétences des techniciens. Cela prouve leur expertise et peut influencer les opportunités d'emploi. De plus, les employeurs recherchent souvent des personnes certifiées pour garantir un support de qualité.

Les différents niveaux de formation Cisco

Cisco propose plusieurs niveaux de formation. Que vous soyez débutant ou expert, il y a une

formation adaptée à votre niveau. Cela permet à chacun de progresser à son rythme et d'améliorer ses compétences.

Comment choisir la meilleure formation ?

Pour choisir la bonne formation, il est important de considérer vos objectifs professionnels. Recherchez les programmes qui offrent une formation pratique et théorique. Les témoignages d'anciens élèves peuvent également vous aider à prendre votre décision.

Conclusion

Réaliser une formation Cisco est un investissement précieux pour les techniciens sur le terrain. Avec des compétences à jour, vous serez capable de proposer un support exceptionnel et de mieux répondre aux besoins des clients. Embarquez dans cette aventure pour développer vos compétences et réussir dans le domaine des **réseaux Cisco** !



Cisco

800-150 Exam

Supporting Cisco Devices for Field Technicians

Thank you for Downloading 800-150 exam PDF Demo

You can buy Latest 800-150 Full Version Download

<https://www.certkillers.net/Exam/800-150>

<https://www.certkillers.net>

Version: 4.0

Question: 1

[Cisco Equipment and Related Hardware]

What is the primary role of a switch in a local area network?

- A. to route data packets between different networks
- B. to encrypt data transmissions for security
- C. to divide the network into separate collision domains
- D. to provide wireless connectivity to LAN devices

Answer: C

Explanation:

In a local area network (LAN), the primary function of a switch is to operate at Layer 2 (Data Link Layer) of the OSI model. Switches use MAC addresses to forward frames to the appropriate destination ports. This targeted forwarding mechanism divides the network into separate collision domains for each switch port. By isolating collision domains, switches significantly reduce the chance of collisions, enhancing the performance and efficiency of the network.

Unlike hubs, which forward all traffic to all ports (thus creating a single collision domain), switches intelligently forward only the necessary traffic to the correct port. This capability allows multiple simultaneous conversations on different switch ports without interference.

Routers, which operate at Layer 3 (Network Layer), are used to route packets between different networks, not within the same LAN. Wireless connectivity is provided by wireless access points (WAPs), not switches. Encryption is typically handled by security protocols or devices such as firewalls and not by switches directly.

Reference: Supporting Cisco Devices for Field Technicians (FLDTEC) – Cisco Equipment and Related Hardware

Question: 2

[Cisco Equipment and Related Hardware]

Which Layer 2 technology extends to access layer devices, allowing individual switch ports to be assigned for network and traffic management in an enterprise network?

- A. BGP
- B. VLANs
- C. OSPF
- D. MPLS

Answer: B

Explanation:

In an enterprise network, Virtual Local Area Networks (VLANs) are the key Layer 2 technology used to logically segment a network into multiple broadcast domains. VLANs allow network administrators to assign individual switch ports to specific VLANs, enabling effective network segmentation and traffic management.

This configuration extends to access layer devices, such as switches where end-user devices connect. By isolating traffic into VLANs, administrators can improve network performance, enhance security by separating sensitive departments (such as finance and HR), and simplify network management.

Unlike routing protocols such as BGP and OSPF, which operate at Layer 3, or MPLS, which is a Layer 2.5 forwarding technology used primarily in service provider networks, VLANs are explicitly designed for Layer 2 segmentation within LAN environments.

Reference: Supporting Cisco Devices for Field Technicians (FLDTEC) – Cisco Equipment and Related Hardware

Question: 3

DRAG DROP

[Device Configuration and Verification]

Drag and drop the network connectivity and management tools used to ensure connectivity from the left onto the description on the right.

SSH	sends ICMP echo request packets to verify connectivity
Telnet	allows virtual terminal connections with unencrypted traffic
PING	provides secure, encrypted remote access to network devices
IP address configuration	requires the PC and Cisco device to be in the same subnet for direct connection

Answer:

PING → Sends ICMP echo request packets to verify connectivity

Telnet → Allows virtual terminal connections with unencrypted traffic

SSH → Provides secure, encrypted remote access to network devices

IP address configuration → Requires the PC and Cisco device to be in the same subnet for direct connection

These tools and their functions are covered under “Device Configuration and Verification” in the FLDTEC course:

PING: Utilized to test basic network connectivity using ICMP echo request/reply messages. It confirms whether a device is reachable and measures the round-trip time.

Telnet: A protocol that allows for remote device access but transmits data in plaintext, which makes it insecure. It's typically disabled by default on modern Cisco devices due to security concerns.

SSH (Secure Shell): Replaces Telnet as the preferred method for secure CLI access. It encrypts the session, protecting sensitive information such as login credentials.

IP Address Configuration: For direct device access via the same local network, both the PC and the Cisco device must be in the same subnet. This allows the use of tools like browser-based GUIs or terminal emulators when connecting directly.

Question: 4

[Troubleshooting Methodologies]

Which scenario would result in a speed mismatch when configuring Ethernet devices with different speed settings?

- A. One end is manually set to 1 Gbps, and the other end is manually set to 100 Mbps
- B. Both ends are manually set to the same speed
- C. One end is manually set to 100 Mbps, and the other end is set to auto-negotiation

D. Both ends are set to auto-negotiation and fail, reverting to their lowest speeds

Answer: A

Explanation:

A speed mismatch occurs when two connected Ethernet devices are configured to operate at different speeds. In scenario A, one device is manually set to 1 Gbps, while the other is set to 100 Mbps. Since both ends are hard-coded to different speeds, they cannot successfully negotiate a common speed, leading to a mismatch and resulting in a failed or unstable link.

In contrast, scenario B, where both ends are manually set to the same speed, ensures compatibility and stable communication. Scenario C can lead to a duplex mismatch rather than a speed mismatch; the auto-negotiating end may default to half-duplex if it cannot determine the duplex setting of the manually configured end. Scenario D is less common; if auto-negotiation fails, devices may revert to their lowest common speed, but this typically results in reduced performance rather than a complete mismatch.

Reference: Supporting Cisco Devices for Field Technicians (FLDTEC) – Troubleshooting Methodologies
=====

Question: 5

[Cisco IOS Software Basics]

Which layer of the OSI model provides error detection and defines how access to the media is controlled?

- A. Presentation layer
- B. Physical layer
- C. Network layer
- D. Data link layer

Answer: D

Explanation:

The Data Link Layer (Layer 2) of the OSI model is responsible for node-to-node data transfer and plays a crucial role in error detection and media access control. It ensures that data frames are transmitted to the correct device on a local network segment.

This layer is divided into two sublayers:

Logical Link Control (LLC): Manages frame synchronization, flow control, and error checking.

Media Access Control (MAC): Controls how devices on the network gain access to the medium and permission to transmit data.

Together, these sublayers ensure reliable data transmission by detecting and possibly correcting errors that may occur in the Physical Layer. They also manage how devices share the transmission medium, preventing collisions and ensuring orderly communication.

Reference: Supporting Cisco Devices for Field Technicians (FLDTEC) – Cisco IOS Software Basics

Thank You for trying 800-150 PDF Demo

To Buy New 800-150 Full Version Download visit link below

<https://www.certkillers.net/Exam/800-150>

Start Your 800-150 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 800-150 preparation with actual exam questions.

<https://www.certkillers.net>