


750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Laboratory Report

for

Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081



Utah ELCP CA00006

L6NW: Rachelle Arada
Project Manager

Report: 895382
Project: BW
Group: 50 state annual

* Accredited in accordance with TNI 2016 and ISO/IEC 17025:2017.

* Laboratory certifies that the test results meet all **TNI 2016 and ISO/IEC 17025:2017** requirements unless noted under the individual analysis.

* Following the cover page are State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms, as applicable.

* Test results relate only to the sample(s) tested.

* Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

* This report shall not be reproduced except in full, without the written approval of the laboratory.

* This report includes ISO/IEC 17025 and non-ISO 17025 accredited methods.

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
Primary Inorganics			
Antimony, Total, ICAP/MS	EPA 200.8	0.001	ND
Arsenic, Total, ICAP/MS	EPA 200.8	0.002	ND
Asbestos by TEM - >10 microns, MFL	EPA 100.2	0.2	ND
Barium, Total, ICAP/MS	EPA 200.8	0.002	ND
Beryllium, Total, ICAP/MS	EPA 200.8	0.001	ND
Cadmium, Total, ICAP/MS	EPA 200.8	0.0005	ND
Chromium, Total, ICAP/MS	EPA 200.8	0.005	ND
Cyanide	SM4500CN-F	0.025	ND
Fluoride	SM 4500F-C	0.05	ND
Lead, Total, ICAP/MS	EPA 200.8	0.0005	ND
Mercury	EPA 200.8	0.0002	ND
Nickel, Total, ICAP/MS	EPA 200.8	0.005	ND
Nitrate as Nitrogen by IC	EPA 300.0	0.1	0.25
Nitrite, Nitrogen by IC	EPA 300.0	0.05	ND
Total Nitrate and Nitrite	EPA 300.0	0.1	0.25
Selenium, Total, ICAP/MS	EPA 200.8	0.005	ND
Thallium, Total, ICAP/MS	EPA 200.8	0.001	ND
Secondary Inorganics			
Alkalinity in CaCO3 units	SM 2320B	2	2.8
Aluminum, Total, ICAP/MS	EPA 200.8	0.02	ND
Bicarb.Alkalinity as HCO3,calc	SM2330B	2	3.4
Bromide	EPA 300.0	0.005	ND
Calcium, Total, ICAP	EPA 200.7	1	ND
Carbonate as CO3, Calculated	SM2330B	2	ND
Carbon Dioxide,Free(25C)-Calc	SM4500-CO2-D	2	ND
Chloride	EPA 300.0	0.5	2.1
Copper, Total, ICAP/MS	EPA 200.8	0.002	ND
Corrosivity, Units	SM 2330B	-14	-4.5
Foaming Agents (MBAS)	SM 5540C/EPA 425.1	0.1	ND
Hardness, Total	SM 2340B	3	ND
Hydroxide as OH, Calculated	SM2330B	2	ND
Iron, Total, ICAP	EPA 200.7	0.02	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
Magnesium, Total, ICAP	EPA 200.7	0.1	ND
Manganese, Total, ICAP/MS	EPA 200.8	0.002	ND
pH Bottled Water (units)	4500HB/ E 150	0.1	6.7
Phenolic Compounds-low level	EPA 420.4	0.001	ND
Potassium, Total, ICAP	EPA 200.7	1	ND
Silver, Total, ICAP/MS	EPA 200.8	0.0005	ND
Sodium, Total, ICAP	EPA 200.7	1	4.2
Specific Conductance, umho/cm	SM2510B	2	21
Sulfate	EPA 300.0	0.5	1.8
Total Dissolved Solids (TDS)	E160.1/SM2540C	10	14
Uranium, Total, ICAP/MS	EPA 200.8	0.001	ND
Uranium, Total, ICAP/MS as pCi/L	EPA 200.8	0.7	ND
Zinc, Total, ICAP/MS	EPA 200.8	0.02	ND
Physical			
Color (ACU)	SM 2120B	3	ND
Odor at 60C (TON)	SM 2150B	1	ND
Turbidity (NTU)	EPA 180.1	0.1	0.26
Volatile Organic Compounds			
Benzene	EPA 524.2	0.0005	ND
Bromobenzene	EPA 524.2	0.0005	ND
Bromochloromethane	EPA 524.2	0.0005	ND
Bromodichloromethane	EPA 524.2	0.0005	0.0016
Bromoform	EPA 524.2	0.0005	ND
Bromomethane	EPA 524.2	0.0005	ND
n-Butylbenzene	EPA 524.2	0.0005	ND
sec-Butylbenzene	EPA 524.2	0.0005	ND
tert-Butylbenzene	EPA 524.2	0.0005	ND
Carbon Tetrachloride	EPA 524.2	0.0005	ND
Chlorobenzene	EPA 524.2	0.0005	ND
Chloroethane	EPA 524.2	0.0005	ND
Chloroform (Trichloromethane)	EPA 524.2	0.0005	0.0019
Chloromethane(Methyl Chloride)	EPA 524.2	0.0005	ND
2-Chlorotoluene	EPA 524.2	0.0005	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
4-Chlorotoluene	EPA 524.2	0.0005	ND
Chlorodibromomethane	EPA 524.2	0.0005	0.0012
Dibromomethane	EPA 524.2	0.0005	ND
1,2-Dichlorobenzene (1,2-DCB)	EPA 524.2	0.0005	ND
1,3-Dichlorobenzene	EPA 524.2	0.0005	ND
1,4-Dichlorobenzene	EPA 524.2	0.0005	ND
Dichlorodifluoromethane	EPA 524.2	0.0005	ND
1,1-Dichloroethane	EPA 524.2	0.0005	ND
1,2-Dichloroethane	EPA 524.2	0.0005	ND
1,1-Dichloroethylene	EPA 524.2	0.0005	ND
cis-1,2-Dichloroethylene	EPA 524.2	0.0005	ND
trans-1,2-Dichloroethylene	EPA 524.2	0.0005	ND
1,2-Dichloropropane	EPA 524.2	0.0005	ND
1,3-Dichloropropane	EPA 524.2	0.0005	ND
2,2-Dichloropropane	EPA 524.2	0.0005	ND
1,1-Dichloropropene	EPA 524.2	0.0005	ND
cis-1,3-Dichloropropene	EPA 524.2	0.0005	ND
trans-1,3-Dichloropropene	EPA 524.2	0.0005	ND
Di-Isopropyl ether	EPA 524.2	0.003	ND
Ethyl benzene	EPA 524.2	0.0005	ND
Hexachlorobutadiene	EPA 524.2	0.0005	ND
Isopropylbenzene	EPA 524.2	0.0005	ND
4-Isopropyltoluene	EPA 524.2	0.0005	ND
4-Methyl-2-Pentanone (MIBK)	EPA 524.2	0.005	ND
Methyl Tert-butyl ether (MTBE)	EPA 524.2	0.0005	ND
Methyl Ethyl Ketone (MEK)	EPA 524.2	0.005	ND
Methylene Chloride (Dichloromethane)	EPA 524.2	0.0005	ND
Naphthalene	EPA 524.2	0.0005	ND
n-Propylbenzene	EPA 524.2	0.0005	ND
Styrene	EPA 524.2	0.0005	ND
Tert-Amyl Methyl Ether (TAME)	EPA 524.2	0.003	ND
Tert-Butyl Ethyl Ether (TBEE)	EPA 524.2	0.003	ND
1,1,1,2-Tetrachloroethane	EPA 524.2	0.0005	ND
1,1,2,2-Tetrachloroethane	EPA 524.2	0.0005	ND
Tetrachloroethylene (PCE)	EPA 524.2	0.0005	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
Toluene	EPA 524.2	0.0005	ND
1,2,3-Trichlorobenzene	EPA 524.2	0.0005	ND
1,2,4-Trichlorobenzene	EPA 524.2	0.0005	ND
1,1,1-Trichloroethane	EPA 524.2	0.0005	ND
1,1,2-Trichloroethane	EPA 524.2	0.0005	ND
Trichloroethylene (TCE)	EPA 524.2	0.0005	ND
Trichlorofluoromethane (Freon 11)	EPA 524.2	0.0005	ND
Trichlorotrifluoroethane(Freon 113)	EPA 524.2	0.0005	ND
1,2,3-Trichloropropane	EPA 524.2	0.0005	ND
1,2,4-Trimethylbenzene	EPA 524.2	0.0005	ND
1,3,5-Trimethylbenzene	EPA 524.2	0.0005	ND
Vinyl chloride (VC)	EPA 524.2	0.0003	ND
Total xylenes	EPA 524.2	0.0005	ND
m,p-Xylenes	EPA 524.2	0.0005	ND
o-Xylene	EPA 524.2	0.0005	ND
Carbon Disulfide	EPA 524.2	0.0005	ND
EDB and DBCP			
Dibromochloropropane (DBCP)	EPA 504.1	0.00001	ND
Ethylene Dibromide (EDB)	EPA 504.1	0.00001	ND
1,2,3-Trichloropropane	EPA 504.1	0.00002	ND
Pesticides and PCBs			
Alachlor (Alanex)	EPA 505	0.0001	ND
Aldrin	EPA 505	0.00001	ND
Chlordane	EPA 505	0.0001	ND
Dieldrin	EPA 505	0.00001	ND
Endrin	EPA 505	0.00001	ND
Heptachlor	EPA 505	0.00001	ND
Heptachlor Epoxide	EPA 505	0.00001	ND
Lindane (gamma-BHC)	EPA 505	0.00001	ND
Methoxychlor	EPA 505	0.00005	ND
Total PCBs	EPA 505	0.0001	ND
PCB 1016 Aroclor	EPA 505	0.00008	ND
PCB 1221 Aroclor	EPA 505	0.0001	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
PCB 1232 Aroclor	EPA 505	0.0001	ND
PCB 1242 Aroclor	EPA 505	0.0001	ND
PCB 1248 Aroclor	EPA 505	0.0001	ND
PCB 1254 Aroclor	EPA 505	0.0001	ND
PCB 1260 Aroclor	EPA 505	0.0001	ND
Toxaphene	EPA 505	0.0005	ND
Herbicides			
2,4,5-T	EPA 515.4	0.0002	ND
2,4,5-TP (Silvex)	EPA 515.4	0.0002	ND
2,4-D	EPA 515.4	0.0001	ND
2,4-DB	EPA 515.4	0.002	ND
Dichlorprop	EPA 515.4	0.0005	ND
Acifluorfen	EPA 515.4	0.0002	ND
Bentazon	EPA 515.4	0.0005	ND
Dalapon	EPA 515.4	0.001	ND
3,5-Dichlorobenzoic acid	EPA 515.4	0.0005	ND
Tot DCPA Mono&Diacid Degradate	EPA 515.4	0.0001	ND
Dicamba	EPA 515.4	0.0001	ND
Dinoseb	EPA 515.4	0.0002	ND
Pentachlorophenol	EPA 515.4	0.00004	ND
Picloram	EPA 515.4	0.0001	ND
Semivolatile Organic Compounds			
Acenaphthene	EPA 525.2	0.0001	ND
Acenaphthylene	EPA 525.2	0.0001	ND
Acetochlor	EPA 525.2	0.0001	ND
Alpha-BHC	EPA 525.2	0.0001	ND
alpha-Chlordane	EPA 525.2	0.00005	ND
Anthracene	EPA 525.2	0.00002	ND
Atrazine	EPA 525.2	0.00005	ND
Benz(a)Anthracene	EPA 525.2	0.00005	ND
Benzo(a)pyrene	EPA 525.2	0.00002	ND
Benzo(g,h,i)Perylene	EPA 525.2	0.00005	ND
Benzo(b)Fluoranthene	EPA 525.2	0.00002	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
Benzo(k)Fluoranthene	EPA 525.2	0.00002	ND
Beta BHC	EPA 525.2	0.0001	ND
Butachlor	EPA 525.2	0.00005	ND
Butylbenzylphthalate	EPA 525.2	0.0005	ND
Caffeine	EPA 525.2	0.00005	ND
Chlorobenzilate	EPA 525.2	0.0001	ND
Chloroneb	EPA 525.2	0.0001	ND
Chlorothalonil	EPA 525.2	0.0001	ND
Chlorpyrifos	EPA 525.2	0.00005	ND
Chrysene	EPA 525.2	0.00002	ND
Bromacil	EPA 525.2	0.0001	ND
4,4-DDD	EPA 525.2	0.0001	ND
4,4-DDE	EPA 525.2	0.0001	ND
4,4-DDT	EPA 525.2	0.0001	ND
Delta BHC	EPA 525.2	0.0001	ND
Dibenz(a,h)Anthracene	EPA 525.2	0.00005	ND
Diethylphthalate	EPA 525.2	0.0005	ND
Di(2-Ethylhexyl)phthalate	EPA 525.2	0.0006	ND
Diazinon (Qualitative)	EPA 525.2	0.0001	ND
Dieldrin	EPA 525.2	0.0002	ND
Dichlorvos (DDVP)	EPA 525.2	0.00005	ND
Dimethoate	EPA 525.2	0.0001	ND
Di-n-Butylphthalate	EPA 525.2	0.001	ND
2,4-Dinitrotoluene	EPA 525.2	0.0001	ND
Di-n-octylphthalate	EPA 525.2	0.0001	ND
2,6-Dinitrotoluene	EPA 525.2	0.0001	ND
Di-(2-Ethylhexyl)adipate	EPA 525.2	0.0006	ND
Dimethylphthalate	EPA 525.2	0.0005	ND
Endosulfan I (Alpha)	EPA 525.2	0.0001	ND
Endosulfan II (Beta)	EPA 525.2	0.0001	ND
Endosulfan Sulfate	EPA 525.2	0.0001	ND
Endrin Aldehyde	EPA 525.2	0.0001	ND
EPTC	EPA 525.2	0.0001	ND
Fluoranthene	EPA 525.2	0.0001	ND
Fluorene	EPA 525.2	0.00005	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
gamma-Chlordane	EPA 525.2	0.00005	ND
Heptachlor	EPA 525.2	0.00004	ND
Hexachlorobenzene	EPA 525.2	0.00005	ND
Hexachlorocyclopentadiene	EPA 525.2	0.00005	ND
Indeno(1,2,3,c,d)Pyrene	EPA 525.2	0.00005	ND
Isophorone	EPA 525.2	0.0005	ND
Malathion	EPA 525.2	0.0001	ND
Metolachlor	EPA 525.2	0.00005	ND
Metribuzin	EPA 525.2	0.00005	ND
Molinate	EPA 525.2	0.0001	ND
Naphthalene	EPA 525.2	0.0003	ND
trans-Nonachlor	EPA 525.2	0.00005	ND
Parathion	EPA 525.2	0.0001	ND
Pendimethalin	EPA 525.2	0.0001	ND
Permethrin	EPA 525.2	0.0002	ND
Phenanthrene	EPA 525.2	0.00004	ND
Propachlor	EPA 525.2	0.00005	ND
Pyrene	EPA 525.2	0.00005	ND
Simazine	EPA 525.2	0.00005	ND
Terbutylazine	EPA 525.2	0.0001	ND
Terbacil	EPA 525.2	0.0001	ND
Thiobencarb	EPA 525.2	0.0002	ND
Trifluralin	EPA 525.2	0.0001	ND
Carbamates			
Aldicarb (Temik)	EPA 531.2	0.0005	ND
Aldicarb sulfone	EPA 531.2	0.0005	ND
Aldicarb sulfoxide	EPA 531.2	0.0005	ND
Baygon (Propoxur)	EPA 531.2	0.0005	ND
Carbaryl	EPA 531.2	0.0005	ND
Carbofuran (Furadan)	EPA 531.2	0.0005	ND
3 Hydroxycarbofuran	EPA 531.2	0.0005	ND
Methiocarb	EPA 531.2	0.0005	ND
Methomyl	EPA 531.2	0.0005	ND
Oxamyl (Vydate)	EPA 531.2	0.0005	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
Other Organics			
Glyphosate	EPA 547	0.006	ND
Endothall	EPA 548.1	0.005	ND
Diquat	EPA 549.2	0.0004	ND
Paraquat	EPA 549.2	0.002	ND
Disinfection By-products			
Bromate	EPA 317	0.005	0.0088
Chlorite	EPA 300.0	0.01	ND
Total Haloacetic Acids	SM 6251B	0.002	ND
Total Haloacetic Acids	SM 6251B	0.002	ND
Bromochloroacetic acid	SM 6251B	0.001	ND
Dibromoacetic acid	SM 6251B	0.001	ND
Dichloroacetic acid	SM 6251B	0.001	ND
Monobromoacetic acid	SM 6251B	0.001	ND
Monochloroacetic acid	SM 6251B	0.002	ND
Trichloroacetic acid	SM 6251B	0.001	ND
Total Trihalomethanes	EPA 524.2	0.0005	0.0047
Total Chlorine Residual	SM 4500-CL G	0.1	ND
Chloramines	SM 4500CL-G/HACH	0.1	ND
Chlorine Dioxide	SM 4500-CLO2-D/HACH	0.24	ND
Free Chlorine Residual	SM 4500CL-G/HACH	0.1	ND
Other Compounds			
Perchlorate	EPA 331.0	0.002	ND
Alpha, Gross, pCi/L	EPA 900.0	3	ND
Beta, Gross, pCi/L	EPA 900.0	3	ND
Radium 226, pCi/L	Ra-226 GA	1	ND
Radium 228, pCi/L	RA-228 GA	1	ND
2,3,7,8-TCDD	EPA 1613B	0.000000005	ND
Combined Radium 226, 228, pCi/L	CALCULATION	2	ND
11-chloroeicosafuoro-3-oxaundecane-sulfonic acid	EPA 537.1	0.000002	ND
9-chlorohexadecafluoro-3-oxanone-sulfonic acid	EPA 537.1	0.000002	ND
4,8-dioxa-3H-perfluorononanoic acid (ADONA)	EPA 537.1	0.000002	ND

750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
Hexafluoropropylene oxide dimer acid (HFPO-DA)	EPA 537.1	0.000005	ND
N-ethyl Perfluorooctanesulfonamidoacetic acid	EPA 537.1	0.000002	ND
N-methyl Perfluorooctanesulfonamidoacetic acid	EPA 537.1	0.000002	ND
Perfluorobutanesulfonic acid (PFBS)	EPA 537.1	0.000002	ND
Perfluorodecanoic acid (PFDA)	EPA 537.1	0.000002	ND
Perfluorododecanoic acid (PFDoA)	EPA 537.1	0.000002	ND
Perfluoroheptanoic acid (PFHpA)	EPA 537.1	0.000002	ND
Perfluorohexanesulfonic acid (PFHxS)	EPA 537.1	0.000002	ND
Perfluorohexanoic acid (PFHxA)	EPA 537.1	0.000002	ND
Perfluorononanoic acid (PFNA)	EPA 537.1	0.000002	ND
Perfluorooctanesulfonic acid (PFOS)	EPA 537.1	0.000002	ND
Perfluorooctanoic acid (PFOA)	EPA 537.1	0.000002	ND
Perfluorotetradecanoic acid (PFTA)	EPA 537.1	0.000002	ND
Perfluorotridecanoic acid (PFTrDA)	EPA 537.1	0.000002	ND
Perfluoroundecanoic acid (PFUnA)	EPA 537.1	0.000002	ND
Anion Sum - Calculated	SM 1030E	0.001	0.17
Cation Sum - Calculated	SM 1030E	0.001	0.18



750 Royal Oaks Drive, Suite 100
Monrovia, California 91016-3629
Tel: (626) 386-1100
Fax: (866) 988-3757
1 800 566 LABS (1 800 566 5227)

Client: Ready America, Inc.
1399 Specialty Drive
Vista, CA 92081

Report Date: 10/26/2020

Parameter	Method	Reporting Limit	Result
Sample ID: 50 state annual			Sample #: 202009300155
Microbiologicals			
Heterotrophic Plate Count, CFU/ml	SM 9215B	1	ND
Total Coliform Bacteria, MPN/100 ml	SM 9223B	1	ND
E. Coli Bacteria, MPN/100 ml	SM 9223B	1	ND