

2023 BOTTLED WATER QUALITY REPORT
"Mayday" Emergency Drinking Water

Bottler's Name: Mayday Industries, Division of Ready America, Inc.

Address: 1399 Specialty Dr; Vista, CA 92081

Telephone Number: 760-295-0234

Source(s): Vista Irrigation District

Treatment process: Carbon Filtration, Micron Filtration, Reverse Osmosis, Ozonation (disinfection)

DEFINITIONS:

- **Statement of quality:** The quality standards of bottled water provide the maximum legal limits for a variety of substances that are allowed in bottled water, along with their monitoring requirements. The substances include microbiological contaminants, pesticides, inorganic contaminants, organic contaminants, radiological contaminants, and others. The standards have been established by the United States Food and Drug Administration (FDA), based on the public drinking water standards of the United States Environmental Protection Agency (USEPA). CDPH adopts the FDA regulations pertinent to the quality standards of bottled water.
- **Maximum contaminant level (MCL):** MCL is the maximum level of a contaminant allowed in public drinking water.
- **Primary drinking water standards (PDWS):** PDWS are set to provide the maximum feasible protection to public health. The goal of setting PDWS is to identify MCLs, along with their monitoring and reporting requirements, which prevent adverse health effects. PDWS are established as close to the public health goal (PHG) or the maximum contaminant level goal (MCLG) as is economically and technologically feasible.
- **Public health goal (PHG):** PHG is the level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

SOURCE WATER:

The sources of bottled water include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water naturally travels over the surface of the land or through the ground, it can pick up naturally occurring substances as well as substances that are present due to animal and human activity. Substances that may be present in the source water include any of the following:

- (1) Inorganic substances, including, but not limited to, salts and metals, that can be naturally occurring or result from farming, urban storm water runoff, industrial or domestic wastewater discharges, or oil and gas production.
- (2) Pesticides and herbicides that may come from a variety of sources, including, but not limited to, agriculture, urban storm water runoff, and residential uses.
- (3) Organic substances that are byproducts of industrial processes and petroleum production and can also come from gas stations, urban storm water runoff, agricultural application, and septic systems.
- (4) Microbial organisms that may come from wildlife, agricultural livestock operations, sewage treatment plants, and septic systems.
- (5) Substances with radioactive properties that can be naturally occurring or be the result of oil and gas production and mining activities."

CONTAMINANTS IN WATER:

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the United States Food and Drug Administration, Food and Cosmetic Hotline (1-888-723-3366). In order to ensure that bottled water is safe to drink, the United States Food and Drug Administration and the State Department of Public Health prescribe laws and regulations that limit the amount of certain contaminants in water provided by bottled water companies.

Some persons may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons, including, but not limited to, persons with cancer who are undergoing chemotherapy, persons who have undergone organ transplants, persons with HIV/AIDS or other immune system disorders, some elderly persons, and infants can be particularly at risk from infections. These persons should seek advice about drinking water from their health care providers. The United States Environmental Protection Agency and the Centers for Disease Control and Prevention guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

INFORMATION on PRODUCT RECALLS:

If you would like to know whether a particular bottled water product has been recalled or is being recalled, please visit the FDA's website <http://www.fda.gov/opacom/7alerts.html>.

ADDITIONAL STATEMENTS, IF APPLICABLE:

If applicable, include the following statements in the bottled water report.

1. If your bottled water contains nitrate (NO₃) levels above 23 parts per million (ppm or mg/L) but below 45 ppm [the Maximum Contaminant Level for nitrate (NO₃)]:

"Nitrate in drinking water at levels above 45 mg/L is a health risk for infants of less than six months of age. These nitrate levels in drinking water can interfere with the capacity of the infant's blood to carry oxygen, resulting in a serious illness. Symptoms include shortness of breath and blueness of the skin. Nitrate levels above 45 mg/L may also affect the ability of the blood to carry oxygen in other individuals, including, but not limited to, pregnant women and those with certain specific enzyme deficiencies. If you are caring for an infant, or you are pregnant, you should ask advice from your health care provider."

2. If your bottled water contains arsenic levels above 5 parts per billion (ppb or ug/L), but below 10 ppb [the Maximum Contaminant Level for arsenic]:

"Arsenic levels above 5 ppb and up to 10 ppb are present in your drinking water. While your drinking water meets the current EPA standard for arsenic, it does contain low levels of arsenic. The standard balances the current understanding of arsenic's possible health effects against the costs of removing arsenic from drinking water. The State Department of Public Health continues to research the health effects of low levels of arsenic, which is a mineral known to cause cancer in humans at high concentrations and is linked to other health effects, including, but not limited to, skin damage and circulatory problems."

ANALYTICAL REPORT

PREPARED FOR

Attn: Angelica Alvarez
Ready America
1399 Specialty Drive
Vista, California 92081

Generated 3/1/2023 3:14:14 PM

JOB DESCRIPTION

Mayday Water Testing

JOB NUMBER

380-32279-1

Eurofins Drinking Water Testing Pomona

Job Notes

Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis.

Following the cover page are State Certification List, ISO 17025 Accredited Method List, Acknowledgement of Samples Received, Comments, Hits Report, Data Report, QC Summary, QC Report and Regulatory Forms, as applicable.

Test results relate only to the sample(s) tested.

Test results apply to the sample(s) as received, unless otherwise noted in the comments report (ISO/IEC 17025:2017).

This report shall not be reproduced except in full, without the written approval of the laboratory.

This report includes ISO/IEC 17025 and non-ISO 17025 accredited methods.

Compliance Statement

1. Laboratory is accredited in accordance with TNI 2016 Standards and ISO/IEC 17025:2017.
2. Laboratory certifies that the test results meet all TNI 2016 and ISO/IEC 17025:2017 requirements unless noted under the individual analysis
3. Test results relate only to the sample(s) tested.
4. This report shall not be reproduced except in full, without the written approval of the laboratory.
5. Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.
(DW, Water matrices)

Authorization



Generated
3/1/2023 3:14:14 PM

Authorized for release by
Bethany Crim, Project Mgmt. Assistant
Bethany.Crim@et.eurofinsus.com
(626)386-1100

Definitions/Glossary

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Qualifiers

GC/MS VOA

| Qualifier | Qualifier Description |
|-----------|--|
| F1 | MS and/or MSD recovery exceeds control limits. |
| H | Sample was prepped or analyzed beyond the specified holding time |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| ^3+ | Reporting Limit Check Standard is outside acceptance limits, high biased |
| F1 | MS and/or MSD recovery exceeds control limits. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

GC Semi VOA

| Qualifier | Qualifier Description |
|-----------|--|
| *3 | ISTD response or retention time outside acceptable limits. |
| F2 | MS/MSD RPD exceeds control limits |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |
| S1+ | Surrogate recovery exceeds control limits, high biased. |

HPLC/IC

| Qualifier | Qualifier Description |
|-----------|--|
| ^+ | LCS and/or LCSD is outside acceptance limits, high biased. |
| F1 | MS and/or MSD recovery exceeds control limits. |
| H | Sample was prepped or analyzed beyond the specified holding time |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

LCMS

| Qualifier | Qualifier Description |
|-----------|--|
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

Metals

| Qualifier | Qualifier Description |
|-----------|--|
| ^2 | Calibration Blank (ICB and/or CCB) is outside acceptance limits. |
| ^5- | Linear Range Check (LRC) is outside acceptance limits, low biased. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

General Chemistry

| Qualifier | Qualifier Description |
|-----------|--|
| ^2 | Calibration Blank (ICB and/or CCB) is outside acceptance limits. |
| H | Sample was prepped or analyzed beyond the specified holding time |
| HF | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request. |
| J | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| D | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CFU | Colony Forming Unit |
| CNF | Contains No Free Liquid |
| DER | Duplicate Error Ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL | Detection Limit (DoD/DOE) |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision Level Concentration (Radiochemistry) |
| EDL | Estimated Detection Limit (Dioxin) |
| LOD | Limit of Detection (DoD/DOE) |
| LOQ | Limit of Quantitation (DoD/DOE) |

Definitions/Glossary

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Glossary (Continued)

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|--------------|--|
| MCL | EPA recommended "Maximum Contaminant Level" |
| MDA | Minimum Detectable Activity (Radiochemistry) |
| MDC | Minimum Detectable Concentration (Radiochemistry) |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| MPN | Most Probable Number |
| MQL | Method Quantitation Limit |
| NC | Not Calculated |
| ND | Not Detected at the reporting limit (or MDL or EDL if shown) |
| NEG | Negative / Absent |
| POS | Positive / Present |
| PQL | Practical Quantitation Limit |
| PRES | Presumptive |
| QC | Quality Control |
| RER | Relative Error Ratio (Radiochemistry) |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |
| TNTC | Too Numerous To Count |

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1
Matrix: Drinking Water

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------------|------------|-----------|------|------|---|----------|----------------|---------|
| 1,1,1,2-Tetrachloroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Chloromethane (methyl chloride) | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Vinyl Chloride (VC) | ND | | 0.30 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Bromomethane (Methyl Bromide) | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Chloroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Trichlorofluoromethane (Freon 11) | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1-Dichlorethylene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1-Dichloroethene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 1,1-Dichloropropene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Bromoethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2,3-Trichlorobenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Trichlorotrifluoroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2,3-Trichloropropane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Carbon disulfide | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2,4-Trichlorobenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Dichloromethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2,4-Trimethylbenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| trans-1,2-Dichloroethylene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2-Dichlorobenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Methyl-tert-butyl Ether (MTBE) | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1-Dichloroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 2-Butanone (MEK) | ND | | 5.0 | ug/L | | | 01/03/23 19:13 | 1 |
| Diisopropyl ether | ND | | 3.0 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2-Dichloropropane | ND | | 0.25 | ug/L | | | 12/30/22 20:03 | 1 |
| cis-1,2-Dichloroethylene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,3,5-Trimethylbenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 2,2-Dichloropropane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,3-Dichlorobenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Bromochloromethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,3-Dichloropropane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Chloroform (Trichloromethane) | 1.5 | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,4-Dichlorobenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Tert-butyl ethyl ether | ND | | 3.0 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1,1-Trichloroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 2,2-Dichloropropane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 1,2-Dichloroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 2-Butanone (MEK) | ND | | 5.0 | ug/L | | | 12/30/22 20:03 | 1 |
| 1,1-Dichloropropene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 2-Chlorotoluene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Benzene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 4-Chlorotoluene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Carbon tetrachloride | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |

Eurofins Drinking Water Testing Pomona

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1

Matrix: Drinking Water

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------------|------------|-----------|------|------|---|----------|----------------|---------|
| 4-Isopropyltoluene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Tert-amyl methyl ether | ND | | 3.0 | ug/L | | | 01/03/23 19:13 | 1 |
| 4-Methyl-2-pentanone (MIBK) | ND | | 2.0 | ug/L | | | 12/30/22 20:03 | 1 |
| Trichloroethylene (TCE) | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,2-Dichloropropane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Benzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Bromobenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Dibromomethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Bromodichloromethane | 1.4 | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Bromoform | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Bromomethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| cis-1,3-Dichloropropene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Bromodichloromethane | 1.4 | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| trans-1,3-Dichloropropene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Carbon disulfide | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Toluene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| 1,1,2-Trichloroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Carbon tetrachloride | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 2-Hexanone | ND | | 10 | ug/L | | | 01/03/23 19:13 | 1 |
| Chlorobenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 1,3-Dichloropropane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Chloroethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Chloroform | 1.5 | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Dibromochloromethane | 1.0 | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Chloromethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Tetrachloroethene (PCE) | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Chlorobenzene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| cis-1,2-Dichloroethylene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 1,1,1,2-Tetrachloroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| cis-1,3-Dichloropropylene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Dibromochloromethane | 1.1 | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Dibromomethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| m,p-Xylenes | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Dichlorodifluoromethane | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Styrene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Isopropyl ether | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Bromoform | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Ethylbenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Hexachlorobutadiene | ND | | 0.25 | ug/L | | | 12/30/22 20:03 | 1 |
| 1,2,3-Trichloropropane | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Isopropylbenzene | ND | | 0.25 | ug/L | | | 12/30/22 20:03 | 1 |
| Isopropylbenzene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| Methyl-tert-butyl Ether (MTBE) | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| Bromobenzene | ND | | 0.50 | ug/L | | | 01/03/23 19:13 | 1 |
| n-Butylbenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |
| N-Propylbenzene | ND | | 0.50 | ug/L | | | 12/30/22 20:03 | 1 |

Eurofins Drinking Water Testing Pomona

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1

Matrix: Drinking Water

Method: EPA-DW 524.2 - Volatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|-----------|------|------|---|----------------|----------|---------|
| N-Propylbenzene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| Naphthalene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| o-Chlorotoluene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| o-Xylene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| p-Chlorotoluene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| 1,3,5-Trimethylbenzene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| m-Xylene & p-Xylene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| sec-Butylbenzene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| tert-Butylbenzene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| 1,2,4-Trimethylbenzene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| Styrene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| sec-Butylbenzene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| t-Amyl methyl ether | ND | | 3.0 | ug/L | | 12/30/22 20:03 | | 1 |
| Ethyl tert-butyl ether | ND | | 2.0 | ug/L | | 12/30/22 20:03 | | 1 |
| m-Dichlorobenzene (1,3-DCB) | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| p-Dichlorobenzene (1,4-DCB) | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| tert-Butylbenzene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| p-Isopropyltoluene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| Tetrachloroethene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| o-Dichlorobenzene (1,2-DCB) | ND H | | 0.50 | ug/L | | 01/07/23 00:18 | | 1 |
| Toluene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| n-Butylbenzene | ND H | | 0.50 | ug/L | | 01/07/23 00:18 | | 1 |
| 1,2,4-Trichlorobenzene | ND H | | 0.50 | ug/L | | 01/07/23 00:18 | | 1 |
| trans-1,2-Dichloroethylene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| Naphthalene | ND H | | 0.50 | ug/L | | 01/07/23 00:18 | | 1 |
| trans-1,3-Dichloropropylene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| Hexachlorobutadiene | ND | | 0.50 | ug/L | | 01/03/23 19:13 | | 1 |
| Trichloroethylene | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| 1,2,3-Trichlorobenzene | ND H | | 0.50 | ug/L | | 01/07/23 00:18 | | 1 |
| Trichlorofluoromethane | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| Vinyl chloride | ND | | 0.20 | ug/L | | 12/30/22 20:03 | | 1 |
| Bromoethane | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| Bromochloromethane | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |
| Dichloromethane | ND | | 0.50 | ug/L | | 12/30/22 20:03 | | 1 |

| Surrogate | %Recovery | Qualifier | Limits | Prepared | Analyzed | Dil Fac |
|-------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichlorobenzene-d4 (Surr) | 80 | | 70 - 130 | | 12/30/22 20:03 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 103 | | 70 - 130 | | 12/30/22 20:03 | 1 |
| 4-Bromofluorobenzene (Surr) | 87 | | 70 - 130 | | 12/30/22 20:03 | 1 |
| Toluene-d8 (Surr) | 104 | | 70 - 130 | | 12/30/22 20:03 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 118 | | 70 - 130 | | 01/03/23 19:13 | 1 |
| 1,2-Dichloroethane-d4 (Surr) | 112 | | 70 - 130 | | 01/07/23 00:18 | 1 |
| 4-Bromofluorobenzene (Surr) | 92 | | 70 - 130 | | 01/03/23 19:13 | 1 |
| 4-Bromofluorobenzene (Surr) | 97 | | 70 - 130 | | 01/07/23 00:18 | 1 |
| Toluene-d8 (Surr) | 80 | | 70 - 130 | | 01/03/23 19:13 | 1 |
| Toluene-d8 (Surr) | 79 | | 70 - 130 | | 01/07/23 00:18 | 1 |

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------|--------|-----------|-------|------|---|----------------|----------------|---------|
| Pyrene | ND | | 0.052 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |

Eurofins Drinking Water Testing Pomona

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1
Matrix: Drinking Water

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|-----------|-------|------|----------------|----------------|----------|---------|
| Terbacil | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Trifluralin | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Thiobencarb | ND | | 0.21 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| trans-Nonachlor | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| 4,4'-DDD | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| 4,4'-DDE | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Acetochlor | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Benzo[g,h,i]perylene | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Butachlor | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Chlorothalonil (Draconil, Bravo) | ND | ^3+ | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Chrysene | ND | | 0.021 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Diethylphthalate | ND | | 0.52 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Dimethoate | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Endosulfan II (Beta) | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| gamma-Chlordane | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Lindane | ND | | 0.042 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Parathion | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Fluorene | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Hexachlorocyclopentadiene | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Malathion | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Metribuzin | ND | ^3+ | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Molinate | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Propachlor | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Terbutylazine | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Alachlor (Alanex) | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Atrazine | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Benz(a)anthracene | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Benzo[k]fluoranthene | ND | | 0.021 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Caffeine | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| delta-BHC | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Dibenz(a,h)anthracene | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Dieldrin | ND | | 0.21 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Dimethylphthalate | ND | | 0.52 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Di-n-butyl phthalate | ND | | 1.0 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Endosulfan I (Alpha) | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| 2,4-Dinitrotoluene | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| 2,6-Dinitrotoluene | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| alpha-Chlordane | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Benzo[a]pyrene | ND | | 0.021 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Benzo[b]fluoranthene | ND | | 0.021 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Chlorobenzilate | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Chlorpyrifos | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Di(2-ethylhexyl)adipate | ND | ^3+ | 0.63 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Bis(2-ethylhexyl) phthalate | ND | | 0.63 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Di-n-octyl phthalate | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Endosulfan sulfate | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| EPTC | ND | | 0.10 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Indeno[1,2,3-cd]pyrene | ND | | 0.052 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |
| Isophorone | ND | | 0.52 | ug/L | 12/29/22 06:13 | 12/30/22 19:56 | | 1 |

Eurofins Drinking Water Testing Pomona

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1

Matrix: Drinking Water

Method: EPA 525.2 - Semivolatile Organic Compounds (GC/MS) (Continued)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|--------|------------------|------------------|---------------|---|-----------------|-----------------|----------------|
| Pendimethalin (Penoxaline) | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Phenanthrene | ND | | 0.042 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| 4,4'-DDT | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Acenaphthene | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Acenaphthylene | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| alpha-BHC | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Anthracene | ND | | 0.021 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| beta-BHC | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Bromacil | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Butylbenzylphthalate | ND | | 0.52 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Chloroneb | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Diazinon (Qualitative) | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Diclorvos (DDVP) | ND | | 0.052 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Endrin | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Endrin aldehyde | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Fluoranthene | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Heptachlor | ND | | 0.042 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Heptachlor epoxide (isomer B) | ND | ^3+ | 0.052 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Hexachlorobenzene | ND | | 0.052 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Methoxychlor | ND | | 0.10 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Naphthalene | ND | | 0.31 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Total Permethrin (mixed isomers) | ND | | 0.21 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Simazine | ND | | 0.052 | ug/L | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Surrogate | | %Recovery | Qualifier | Limits | | Prepared | Analyzed | Dil Fac |
| Triphenylphosphate | | 113 | | 70 - 130 | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| Perylene-d12 | | 88 | | 70 - 130 | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |
| 2-Nitro-m-xylene | | 102 | | 70 - 130 | | 12/29/22 06:13 | 12/30/22 19:56 | 1 |

Method: EPA 548.1 - Endothall (GC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------|--------|-----------|-----|------|---|----------------|----------------|---------|
| Endothall | ND | | 5.0 | ug/L | | 12/28/22 16:54 | 12/30/22 13:22 | 1 |

Method: EPA-DW 504.1 - EDB, DBCP and 1,2,3-TCP (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|--------|------------------|------------------|---------------|---|-----------------|-----------------|----------------|
| 1,2,3-Trichloropropane | ND | | 0.020 | ug/L | | 01/03/23 13:17 | 01/03/23 20:37 | 1 |
| 1,2-Dibromo-3-Chloropropane | ND | | 0.010 | ug/L | | 01/03/23 13:17 | 01/03/23 20:37 | 1 |
| 1,2-Dibromoethane | ND | | 0.010 | ug/L | | 01/03/23 13:17 | 01/03/23 20:37 | 1 |
| Surrogate | | %Recovery | Qualifier | Limits | | Prepared | Analyzed | Dil Fac |
| 1,2-Dibromopropane (Surr) | | 110 | | 60 - 140 | | 01/03/23 13:17 | 01/03/23 20:37 | 1 |

Method: EPA 505 - Organochlorine Pesticides/PCBs (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|--------|-----------|-------|------|---|----------------|----------------|---------|
| Aldrin | ND | | 0.010 | ug/L | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |
| Alachlor (Alanex) | ND | | 0.10 | ug/L | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |
| Lindane | ND | | 0.010 | ug/L | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |
| Chlordane | ND | | 0.10 | ug/L | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |
| Endrin | ND | | 0.010 | ug/L | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |
| Heptachlor | ND | | 0.010 | ug/L | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |
| Heptachlor epoxide (isomer B) | ND | | 0.010 | ug/L | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |

Eurofins Drinking Water Testing Pomona

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1
Matrix: Drinking Water

Method: EPA 505 - Organochlorine Pesticides/PCBs (GC) (Continued)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------------------------|------------------|------------------|---------------|------|----------------|-----------------|-----------------|----------------|
| Methoxychlor | ND | | 0.051 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| Dieldrin | ND | | 0.010 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| Toxaphene | ND | | 0.51 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| PCB-1016 | ND | | 0.071 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| PCB-1221 | ND | | 0.10 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| PCB-1232 | ND | | 0.10 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| PCB-1242 | ND | | 0.10 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| PCB-1248 | ND | | 0.10 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| PCB-1254 | ND | | 0.10 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| PCB-1260 | ND | | 0.071 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| Polychlorinated biphenyls, Total | ND | | 0.10 | ug/L | 12/28/22 20:09 | 12/29/22 08:04 | | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Tetrachloro-m-xylene | 110 | | 70 - 130 | | | 12/28/22 20:09 | 12/29/22 08:04 | 1 |

Method: EPA 515.3 - Herbicides (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-------------------------------|------------------|------------------|---------------|------|----------------|-----------------|-----------------|----------------|
| 2,4,5-T | ND | | 0.50 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| 2,4,5-TP (Silvex) | ND | | 0.10 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| 2,4-D | ND | | 0.10 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| 2,4-DB | ND | | 2.0 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| 3,5-Dichlorobenzoic acid | ND | | 0.50 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Acifluorfen | ND | | 1.0 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Bentazon | ND | | 0.50 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Chloramben | ND | | 2.0 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| DCPA (acid degradates) | ND | | 0.50 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Dalapon | ND | | 1.0 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Dicamba | ND | | 0.10 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Dichlorprop | ND | | 2.0 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Dinoseb | ND | | 0.10 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Pentachlorophenol | ND | | 0.040 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Picloram | ND | | 0.10 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Triclopyr | ND | | 0.50 | ug/L | 01/04/23 08:45 | 01/13/23 19:01 | | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 2,4-Dichlorophenylacetic acid | 134 | S1+ | 70 - 130 | | | 01/04/23 08:45 | 01/13/23 19:01 | 1 |

Method: EPA 551.1 - Chlorinated Disinfection Byproducts and Solvents (GC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|------------------|------------------|---------------|------|----------------|-----------------|-----------------|----------------|
| Dichloroacetonitrile | ND | | 0.50 | ug/L | 01/04/23 10:17 | 01/05/23 04:06 | | 1 |
| Dibromoacetonitrile | ND | | 0.50 | ug/L | 01/04/23 10:17 | 01/05/23 04:06 | | 1 |
| 1,1-Dichloro-2-propanone | ND | | 0.50 | ug/L | 01/04/23 10:17 | 01/05/23 04:06 | | 1 |
| Trichloroacetonitrile | ND | | 0.50 | ug/L | 01/04/23 10:17 | 01/05/23 04:06 | | 1 |
| Chloropicrin | ND | | 0.50 | ug/L | 01/04/23 10:17 | 01/05/23 04:06 | | 1 |
| Bromochloroacetonitrile | ND | | 0.50 | ug/L | 01/04/23 10:17 | 01/05/23 04:06 | | 1 |
| 1,1,1-Trichloro-2-propanone | ND | | 0.50 | ug/L | 01/04/23 10:17 | 01/05/23 04:06 | | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| 1,2-Dibromopropane | 114 | | | | | 01/04/23 10:17 | 01/05/23 04:06 | 1 |

Eurofins Drinking Water Testing Pomona

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1

Matrix: Drinking Water

Method: EPA 300.0 - Anions, Ion Chromatography

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|-----------------------------|-------------|-----------|-------|------|---|----------------|----------|---------|
| Bromide | ND | | 5.0 | ug/L | | 01/04/23 00:29 | | 1 |
| Chloride | 1.7 | | 0.50 | mg/L | | 12/22/22 21:01 | | 1 |
| Chlorite | ND | | 10 | ug/L | | 01/04/23 00:29 | | 1 |
| Nitrate as N | 0.22 | | 0.050 | mg/L | | 12/22/22 21:01 | | 1 |
| Nitrate Nitrite as N | 0.22 | | 0.050 | mg/L | | 12/22/22 21:01 | | 1 |
| Nitrite as N | ND | | 0.050 | mg/L | | 12/22/22 21:01 | | 1 |
| Chlorate | 15 | | 10 | ug/L | | 01/04/23 00:29 | | 1 |
| Sulfate | ND | | 0.25 | mg/L | | 12/22/22 21:01 | | 1 |

Method: EPA 317 - Bromate, Ion Chromatography

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|------------|-----------|-----|------|---|----------------|----------|---------|
| Bromate | 1.4 | | 1.0 | ug/L | | 01/04/23 07:18 | | 1 |

Method: EPA 531.2 - Carbamate Pesticides (HPLC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------|------------------|------------------|-----------------|------|---|-----------------------|-----------------------|----------------|
| 3-Hydroxycarbofuran | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Aldicarb | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Aldicarb sulfone | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Aldicarb sulfoxide | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Baygon | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Carbaryl | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Carbofuran | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Methiocarb | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Methomyl | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Oxamyl | ND | | 0.50 | ug/L | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| BDMC | 100 | | 70 - 130 | | | 01/11/23 16:18 | 01/12/23 08:51 | 1 |

Method: EPA 547 - Glyphosate (DAI HPLC) - Dissolved

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------|--------|-----------|-----|------|---|----------|----------------|---------|
| Glyphosate | ND | H *+ | 6.0 | ug/L | | | 01/12/23 21:13 | 1 |

Method: EPA 549.2 - Diquat and Paraquat (HPLC)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------|--------|-----------|------|------|---|----------------|----------------|---------|
| Paraquat | ND | H | 0.40 | ug/L | | 01/04/23 10:09 | 01/05/23 17:45 | 1 |
| Diquat | ND | H | 0.40 | ug/L | | 01/04/23 10:09 | 01/05/23 17:45 | 1 |

Method: EPA 331.0 - Perchlorate (LC/MS/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------|--------------|-----------|-------|------|---|----------------|----------|---------|
| Perchlorate | 0.088 | | 0.050 | ug/L | | 01/12/23 09:47 | | 1 |

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|--|--------|-----------|-----|------|---|----------------|----------------|---------|
| Hexafluoropropylene Oxide Dimer Acid (HFPO-DA/GenX) | ND | | 2.0 | ng/L | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |
| Perfluorooctanesulfonic acid (PFOS) | ND | | 2.0 | ng/L | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |
| Perfluoroundecanoic acid (PFUnA) | ND | | 2.0 | ng/L | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |
| N-methylperfluorooctanesulfonamidoacetic acid (NMeFOSAA) | ND | | 2.0 | ng/L | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |
| N-ethylperfluorooctanesulfonamidoacetic acid (NEtFOSAA) | ND | | 2.0 | ng/L | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Lab Sample ID: 380-32279-1

Matrix: Drinking Water

Method: EPA 537.1 - Perfluorinated Alkyl Acids (LC/MS) (Continued)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|------------------|------------------|---------------|------|----------------|-----------------|-----------------|----------------|
| Perfluorohexanoic acid (PFHxA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluorododecanoic acid (PFDoA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluoroctanoic acid (PFOA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluorodecanoic acid (PFDA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluorohexanesulfonic acid (PFHxS) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluorobutanesulfonic acid (PFBS) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluoroheptanoic acid (PFHpA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluorononanoic acid (PFNA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluorotetradecanoic acid (PFTA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Perfluorotridecanoic acid (PFTDA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| 9-Chlorohexadecafluoro-3-oxanonan e-1-sulfonic acid(9Cl-PF3ONS) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| 11-Chloroeicosafafluoro-3-oxaundecan e-1-sulfonic acid (11Cl-PF3OUdS) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| 4,8-Dioxa-3H-perfluorononanoic acid (ADONA) | ND | | 2.0 | ng/L | 12/29/22 05:13 | 12/30/22 21:32 | | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| d5-NEtFOSAA | 97 | | 70 - 130 | | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |
| 13C2 PFHxA | 111 | | 70 - 130 | | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |
| 13C2 PFDA | 108 | | 70 - 130 | | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |
| 13C3-GenX | 115 | | 70 - 130 | | | 12/29/22 05:13 | 12/30/22 21:32 | 1 |

Method: EPA 200.7 - Metals (ICP) - Total Recoverable

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------|------------|------------|-------|------|----------------|----------------|----------|---------|
| Iron | ND | | 0.010 | mg/L | 12/29/22 11:26 | 01/11/23 16:41 | | 1 |
| Potassium | ND | | 1.0 | mg/L | 12/29/22 11:26 | 01/11/23 16:41 | | 1 |
| Sodium | 2.0 | ^5- | 1.0 | mg/L | 12/29/22 11:26 | 01/11/23 16:41 | | 1 |
| Calcium | ND | | 1.0 | mg/L | 12/29/22 11:26 | 01/11/23 16:41 | | 1 |
| Magnesium | ND | | 0.10 | mg/L | 12/29/22 11:26 | 01/11/23 16:41 | | 1 |

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|----------------|---------------|------------------|-----------|-------------|----------------|-----------------|-----------------|----------------|
| Barium | ND | | 2.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Lead | ND | | 0.50 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Nickel | ND | | 5.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Uranium | ND | | 1.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Cadmium | ND | | 0.50 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Copper | ND | | 2.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Manganese | ND | | 2.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Aluminum | ND | | 20 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Antimony | ND | | 1.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Silver | ND | ^2 | 0.50 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Beryllium | ND | | 1.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Selenium | ND | | 5.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Arsenic | ND | | 1.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Chromium | ND | | 1.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Thallium | ND | | 1.0 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Zinc | ND | | 20 | ug/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |
| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
| Uranium | ND | | 0.67 | pCi/L | 12/29/22 14:22 | 12/30/22 22:17 | | 1 |

Eurofins Drinking Water Testing Pomona

Client Sample Results

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Lab Sample ID: 380-32279-1

Date Collected: 12/21/22 12:00
Date Received: 12/22/22 10:00

Matrix: Drinking Water

Method: SM 2340B - Total Hardness (as CaCO₃) by calculation

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|--------|-----------|------|------|---|----------|----------------|---------|
| Hardness (as CaCO ₃) | ND | | 3.0 | mg/L | | | 01/12/23 21:50 | 1 |
| Calcium hardness as CaCO ₃ | ND | | 2.5 | mg/L | | | 01/12/23 21:50 | 1 |
| Magnesium hardness as calcium carbonate | ND | | 0.80 | mg/L | | | 01/12/23 21:50 | 1 |

General Chemistry

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|---|-------------|-----------|--------|-------------|----------------|----------------|----------------|---------|
| Turbidity (EPA 180.1) | 0.35 | | 0.10 | NTU | | | 12/22/22 17:26 | 1 |
| Cyanide, Total (EPA 335.4) | ND | | 0.0050 | mg/L | 01/03/23 13:01 | 01/03/23 15:20 | 1 | 9 |
| Chlorine dioxide (SM 4500 ClO ₂ D) | ND | HF | 0.24 | mg/L | | | 12/22/22 18:39 | 1 |
| pH of CaCO₃ saturation (25C) (Lab SOP None) | 8 | | | SU | | | 01/20/23 21:34 | 1 |
| Langelier Index at 25C (Lab SOP None) | -8 | | | LangSU | | | 01/20/23 21:34 | 1 |
| Color, Apparent (SM 2120B) | ND | | 2.0 | Color Units | | | 12/22/22 18:34 | 1 |
| Odor (SM 2150B) | 2.0 | H | 1.0 | T.O.N. | | | 12/22/22 18:08 | 1 |
| Alkalinity (SM 2320B) | ND | | 2.0 | mg/L | | | 01/04/23 15:25 | 1 |
| Bicarbonate Alkalinity as CaCO₃ (SM 2320B) | 3.1 | ^2 | 2.0 | mg/L | | | 01/04/23 15:25 | 1 |
| Carbonate Alkalinity as CaCO ₃ (SM 2320B) | ND | | 2.0 | mg/L | | | 01/04/23 15:25 | 1 |
| Hydroxide Alkalinity (SM 2320B) | ND | | 2.0 | mg/L | | | 01/04/23 15:25 | 1 |
| Phenolphthalein Alkalinity (SM 2320B) | ND | | 2.0 | mg/L | | | 01/04/23 15:25 | 1 |
| Specific Conductance (SM 2510B) | 11 | | 2.0 | umhos/cm | | | 01/04/23 15:25 | 1 |
| Total Dissolved Solids (SM 2540C) | 14 | | 10 | mg/L | | | 12/28/22 19:55 | 1 |
| Total Suspended Solids (SM 2540D LL) | ND | | 10 | mg/L | | | 12/28/22 20:08 | 1 |
| Chlorine, Total Residual (SM 4500 Cl G) | ND | HF | 0.050 | mg/L | | | 12/22/22 18:32 | 1 |
| Chloramines, Total (SM 4500 Cl G) | ND | HF | 0.050 | mg/L | | | 12/22/22 18:32 | 1 |
| Chlorine, free (SM 4500 Cl G) | ND | HF | 0.050 | mg/L | | | 12/22/22 18:32 | 1 |
| Fluoride (SM 4500 F C) | ND | | 0.050 | mg/L | | | 01/04/23 15:11 | 1 |
| pH (SM 4500 H+ B) | 6.3 | HF | | SU | | | 01/04/23 15:25 | 1 |
| Sulfide (SM 4500 S2 D) | ND | | 0.050 | mg/L | | | 12/28/22 20:20 | 1 |

Method: SM 9223B - Coliforms, Total, and E.Coli (Colilert - Quanti Tray)

| Analyte | Result | Qualifier | RL | Unit | D | Prepared | Analyzed | Dil Fac |
|------------------|--------|-----------|-----|-----------|---|----------|----------------|---------|
| Coliform, Total | <1.0 | | 1.0 | MPN/100mL | | | 12/22/22 15:45 | 1 |
| Escherichia coli | <1.0 | | 1.0 | MPN/100mL | | | 12/22/22 15:45 | 1 |

Action Limit Summary

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing

Lab Sample ID: 380-32279-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

| Analyte | Result | Qualifier | Unit | FDA SOQ | | Prep Type |
|-----------------------------|--------|-----------|------|---------|-------|-----------|
| | | | | Limit | RL | |
| 1,1,1-Trichloroethane | ND | | ug/L | 200.0 | 0.50 | 524.2 |
| Vinyl Chloride (VC) | ND | | ug/L | 2.000 | 0.30 | 524.2 |
| 1,1,2-Trichloroethane | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| 1,1-Dichloroethylene | ND | | ug/L | 7.000 | 0.50 | 524.2 |
| 1,1-Dichloroethene | ND | | ug/L | 7.000 | 0.50 | 524.2 |
| 1,2,4-Trichlorobenzene | ND | | ug/L | 70.00 | 0.50 | 524.2 |
| Dichloromethane | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| trans-1,2-Dichloroethylene | ND | | ug/L | 100.0 | 0.50 | 524.2 |
| 1,2-Dichlorobenzene | ND | | ug/L | 600.0 | 0.50 | 524.2 |
| 1,2-Dichloroethane | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| 1,2-Dichloropropane | ND | | ug/L | 5.000 | 0.25 | 524.2 |
| cis-1,2-Dichloroethylene | ND | | ug/L | 70.00 | 0.50 | 524.2 |
| 1,4-Dichlorobenzene | ND | | ug/L | 75.000 | 0.50 | 524.2 |
| 1,1,1-Trichloroethane | ND | | ug/L | 200.0 | 0.50 | 524.2 |
| 1,2-Dichloroethane | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Benzene | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Carbon tetrachloride | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Trichloroethylene (TCE) | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| 1,2-Dichloropropane | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Benzene | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Toluene | ND | | ug/L | 1000 | 0.50 | 524.2 |
| 1,1,2-Trichloroethane | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Carbon tetrachloride | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Chlorobenzene | ND | | ug/L | 100.0 | 0.50 | 524.2 |
| Tetrachloroethylene (PCE) | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Chlorobenzene | ND | | ug/L | 100.0 | 0.50 | 524.2 |
| cis-1,2-Dichloroethylene | ND | | ug/L | 70.00 | 0.50 | 524.2 |
| Ethylbenzene | ND | | ug/L | 700.0 | 0.50 | 524.2 |
| Styrene | ND | | ug/L | 100.0 | 0.50 | 524.2 |
| Ethylbenzene | ND | | ug/L | 700.0 | 0.50 | 524.2 |
| Styrene | ND | | ug/L | 100.0 | 0.50 | 524.2 |
| p-Dichlorobenzene (1,4-DCB) | ND | | ug/L | 75.000 | 0.50 | 524.2 |
| Tetrachloroethylene | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| o-Dichlorobenzene (1,2-DCB) | ND H | | ug/L | 600.0 | 0.50 | 524.2 |
| Toluene | ND | | ug/L | 1000 | 0.50 | 524.2 |
| 1,2,4-Trichlorobenzene | ND H | | ug/L | 70.00 | 0.50 | 524.2 |
| trans-1,2-Dichloroethylene | ND | | ug/L | 100.0 | 0.50 | 524.2 |
| Trichloroethylene | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Vinyl chloride | ND | | ug/L | 2.000 | 0.20 | 524.2 |
| Dichloromethane | ND | | ug/L | 5.000 | 0.50 | 524.2 |
| Lindane | ND | | ug/L | 0.2000 | 0.042 | 525.2 |
| Hexachlorocyclopentadiene | ND | | ug/L | 50.00 | 0.052 | 525.2 |
| Aalachlor (Alanex) | ND | | ug/L | 2.000 | 0.052 | 525.2 |
| Atrazine | ND | | ug/L | 3.000 | 0.052 | 525.2 |
| Benzo[a]pyrene | ND | | ug/L | 0.2000 | 0.021 | 525.2 |
| Di(2-ethylhexyl)adipate | ND ^3+ | | ug/L | 400.0 | 0.63 | 525.2 |
| Bis(2-ethylhexyl) phthalate | ND | | ug/L | 6.000 | 0.63 | 525.2 |
| Endrin | ND | | ug/L | 2.000 | 0.10 | 525.2 |

Eurofins Drinking Water Testing Pomona

Action Limit Summary

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing (Continued)

Lab Sample ID: 380-32279-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

| Analyte | Result | Qualifier | Unit | FDA SOQ | | | Prep Type |
|----------------------------------|--------|-----------|-------|---------|-------|--------|-------------------|
| | | | | Limit | RL | Method | |
| Heptachlor | ND | | ug/L | 0.4000 | 0.042 | 525.2 | Total/NA |
| Heptachlor epoxide (isomer B) | ND | ^3+ | ug/L | 0.2000 | 0.052 | 525.2 | Total/NA |
| Hexachlorobenzene | ND | | ug/L | 1.000 | 0.052 | 525.2 | Total/NA |
| Methoxychlor | ND | | ug/L | 40.00 | 0.10 | 525.2 | Total/NA |
| Simazine | ND | | ug/L | 4.000 | 0.052 | 525.2 | Total/NA |
| Endothall | ND | | ug/L | 100.0 | 5.0 | 548.1 | Total/NA |
| 1,2-Dibromo-3-Chloropropane | ND | | ug/L | 0.2000 | 0.010 | 504.1 | Total/NA |
| 1,2-Dibromoethane | ND | | ug/L | 0.05 | 0.010 | 504.1 | Total/NA |
| Alachlor (Alanex) | ND | | ug/L | 2.000 | 0.10 | 505 | Total/NA |
| Lindane | ND | | ug/L | 0.2000 | 0.010 | 505 | Total/NA |
| Chlordane | ND | | ug/L | 2.000 | 0.10 | 505 | Total/NA |
| Endrin | ND | | ug/L | 2.000 | 0.010 | 505 | Total/NA |
| Heptachlor | ND | | ug/L | 0.4000 | 0.010 | 505 | Total/NA |
| Heptachlor epoxide (isomer B) | ND | | ug/L | 0.2000 | 0.010 | 505 | Total/NA |
| Methoxychlor | ND | | ug/L | 40.00 | 0.051 | 505 | Total/NA |
| Toxaphene | ND | | ug/L | 3.000 | 0.51 | 505 | Total/NA |
| Polychlorinated biphenyls, Total | ND | | ug/L | 0.5000 | 0.10 | 505 | Total/NA |
| 2,4,5-TP (Silvex) | ND | | ug/L | 50.00 | 0.10 | 515.3 | Total/NA |
| 2,4-D | ND | | ug/L | 70.00 | 0.10 | 515.3 | Total/NA |
| Dalapon | ND | | ug/L | 200.0 | 1.0 | 515.3 | Total/NA |
| Dinoseb | ND | | ug/L | 7.000 | 0.10 | 515.3 | Total/NA |
| Pentachlorophenol | ND | | ug/L | 1.000 | 0.040 | 515.3 | Total/NA |
| Picloram | ND | | ug/L | 500.0 | 0.10 | 515.3 | Total/NA |
| Chloride | 1.7 | | mg/L | 250 | 0.50 | 300.0 | Total/NA |
| Chlorite | ND | | ug/L | 1000 | 10 | 300.0 | Total/NA |
| Nitrate as N | 0.22 | | mg/L | 10 | 0.050 | 300.0 | Total/NA |
| Nitrate Nitrite as N | 0.22 | | mg/L | 10 | 0.050 | 300.0 | Total/NA |
| Nitrite as N | ND | | mg/L | 1 | 0.050 | 300.0 | Total/NA |
| Sulfate | ND | | mg/L | 250 | 0.25 | 300.0 | Total/NA |
| Bromate | 1.4 | | ug/L | 10.00 | 1.0 | 317 | Total/NA |
| Carbofuran | ND | | ug/L | 40.00 | 0.50 | 531.2 | Total/NA |
| Oxamyl | ND | | ug/L | 200.0 | 0.50 | 531.2 | Total/NA |
| Glyphosate | ND | H *+ | ug/L | 700.0 | 6.0 | 547 | Dissolved |
| Diquat | ND | H | ug/L | 20.00 | 0.40 | 549.2 | Total/NA |
| Iron | ND | | mg/L | 0.3 | 0.010 | 200.7 | Total Recoverable |
| Barium | ND | | ug/L | 2000 | 2.0 | 200.8 | Total Recoverable |
| Lead | ND | | ug/L | 5.000 | 0.50 | 200.8 | Total Recoverable |
| Nickel | ND | | ug/L | 100.0 | 5.0 | 200.8 | Total Recoverable |
| Uranium | ND | | ug/L | 30.00 | 1.0 | 200.8 | Total Recoverable |
| Uranium | ND | | pCi/L | 30.00 | 0.67 | 200.8 | Total Recoverable |
| Cadmium | ND | | ug/L | 5.000 | 0.50 | 200.8 | Total Recoverable |
| Copper | ND | | ug/L | 1000 | 2.0 | 200.8 | Total Recoverable |

Eurofins Drinking Water Testing Pomona

Action Limit Summary

Client: Ready America
Project/Site: Mayday Water Testing

Job ID: 380-32279-1

Client Sample ID: Mayday 2022 Title 21 Testing (Continued)

Lab Sample ID: 380-32279-1

Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

| Analyte | Result | Qualifier | Unit | FDA SOQ | | RL | Method | Prep Type |
|------------------------|--------|-----------|--------|---------|--|--------|--------------|-------------------|
| | | | | Limit | | | | |
| Manganese | ND | | ug/L | 50.00 | | 2.0 | 200.8 | Total Recoverable |
| Aluminum | ND | | ug/L | 200.0 | | 20 | 200.8 | Total Recoverable |
| Antimony | ND | | ug/L | 6.000 | | 1.0 | 200.8 | Total Recoverable |
| Silver | ND ^2 | | ug/L | 100.0 | | 0.50 | 200.8 | Total Recoverable |
| Beryllium | ND | | ug/L | 4.000 | | 1.0 | 200.8 | Total Recoverable |
| Selenium | ND | | ug/L | 50.00 | | 5.0 | 200.8 | Total Recoverable |
| Arsenic | ND | | ug/L | 10.00 | | 1.0 | 200.8 | Total Recoverable |
| Chromium | ND | | ug/L | 100.0 | | 1.0 | 200.8 | Total Recoverable |
| Thallium | ND | | ug/L | 2.000 | | 1.0 | 200.8 | Total Recoverable |
| Zinc | ND | | ug/L | 5000 | | 20 | 200.8 | Total Recoverable |
| Turbidity | 0.35 | | NTU | 5 | | 0.10 | 180.1 | Total/NA |
| Cyanide, Total | ND | | mg/L | 0.2 | | 0.0050 | 335.4 | Total/NA |
| Chlorine dioxide | ND HF | | mg/L | 0.8 | | 0.24 | 4500 ClO2 D | Total/NA |
| Odor | 2.0 H | | T.O.N. | 3 | | 1.0 | SM 2150B | Total/NA |
| Total Dissolved Solids | 14 | | mg/L | 500 | | 10 | SM 2540C | Total/NA |
| Chloramines, Total | ND HF | | mg/L | 4 | | 0.050 | SM 4500 Cl G | Total/NA |
| Chlorine, free | ND HF | | mg/L | 4 | | 0.050 | SM 4500 Cl G | Total/NA |
| Fluoride | ND | | mg/L | 4 | | 0.050 | SM 4500 F C | Total/NA |