

# ***Buddha's Brain:***

---

## ***The Practical Neuroscience of Happiness, Love, and Wisdom***

PESI Seminars, 2012

**Rick Hanson, Ph.D.**

The Wellspring Institute for Neuroscience and Contemplative Wisdom

[www.WiseBrain.org](http://www.WiseBrain.org)

[www.RickHanson.net](http://www.RickHanson.net)

[drh@comcast.net](mailto:drh@comcast.net)

# Topics


---

- **Perspectives**
- **Self-directed neuroplasticity**
- **The evolving brain**
- **The negativity bias**
- **Threat reactivity**
- **Implicit memory and inner resources**
- **“Taking in the good” (TIG)**
- **Using TIG to heal emotional pain**
- **Natural happiness**



# Perspectives

# Common - and Fertile - Ground



---

***"We ask, 'What is a thought?'***


***We don't know,***

***yet we are thinking continually."***


Venerable Ani Tenzin Palmo



# **Self-Directed Neuroplasticity**



# A Neuron



© 2000 John Wiley & Sons, Inc.



---

*All cells have specialized functions. Brain cells have particular ways of processing information and communicating with each other. Nerve cells form complete circuits that carry and transform information.*

*Electrical signaling represents the language of mind, the means whereby nerve cells, the building blocks of the brain, communicate with one another over great distances. Nerve cells generate electricity as a means of producing messages.*

*All animals have some form of mental life that reflects the architecture of their nervous system.*

Eric R. Kandel

# Fact #1

As your brain changes, your mind changes.



# Ways That Brain Can Change Mind

---

## ■ For better:

- A little caffeine: more alertness
- Thicker insula: more self-awareness, empathy
- More left prefrontal activation: more happiness

## ■ For worse:

- Intoxication; imbalances in neurotransmitters
- Concussion, stroke, tumor, Alzheimer's
- Cortisol-based shrinkage of hippocampus: less capacity for contextual memory

# Fact #2

---

## **As your mind changes, your brain changes.**

Immaterial mental activity maps to material neural activity.

This produces temporary changes in your brain and lasting ones.

*Temporary* changes include:

- Alterations in brainwaves (= changes in the firing patterns of synchronized neurons)
- Increased or decreased use of oxygen and glucose
- Ebbs and flows of neurochemicals

# Tibetan Monk, Boundless Compassion






# Mind Changes Brain in Lasting Ways

---

- What flows through the mind sculpts your brain.  
Immaterial experience leaves material traces behind.
- Increased blood/nutrient flow to active regions
- Altered epigenetics (gene expression)
- “Neurons that fire together wire together.”
  - Increasing excitability of active neurons
  - Strengthening existing synapses
  - Building new synapses; thickening cortex
  - Neuronal “pruning” - “use it or lose it”



Lazar, et al. 2005.  
Meditation  
experience is  
associated  
with increased  
cortical thickness.  
*Neuroreport*, 16,  
1893-1897.



# Honoring Experience

---

**One's experience *matters*.**

**Both for how it feels in the moment  
and for the lasting residues it leaves behind,  
woven into the fabric of a person's brain and being.**



# Fact #3

---

You can use your mind  
to change your brain  
to change your mind for the better.

**This is self-directed neuroplasticity.**

***How to do this, in skillful ways?***

# The Power of Mindfulness

---

- Attention is like a spotlight, illuminating what it rests upon.
- Because neuroplasticity is heightened for what's in the field of focused awareness, attention is also like a vacuum cleaner, sucking its contents into the brain.
- Directing attention skillfully is therefore a fundamental way to shape the brain - and one's life over time.

*The education of attention  
would be an education par excellence.*

William James

---

*The good life, as I conceive it, is a happy life.  
I do not mean that if you are good you will be happy;  
I mean that if you are happy you will be good.*

Bertrand Russell

# Self-Compassion

---


- Compassion is the wish that a being not suffer, combined with sympathetic concern. Self-compassion simply applies that to oneself. It is not self-pity, complaining, or wallowing in pain.
- Studies show that self-compassion buffers stress and increases resilience and self-worth.
- But self-compassion is hard for many people, due to feelings of unworthiness, self-criticism, or “internalized oppression.” To encourage the neural substrates of self-compassion:
  - Get the sense of being cared about by someone else.
  - Bring to mind someone you naturally feel compassion for
  - Sink into the experience of compassion in your body
  - Then shift the compassion to yourself, perhaps with phrases like: “May I not suffer. May the pain of this moment pass.”

# “Anthem”

---

*Ring the bells that still can ring  
Forget your perfect offering  
There is a crack in everything  
That's how the light gets in  
That's how the light gets in*

Leonard Cohen




# **The Evolving Brain - and Its Challenges**

# Evolution

---

- ~ 4+ billion years of earth
- 3.5 billion years of life
- 650 million years of multi-celled organisms
- 600 million years of nervous system
- ~ 200 million years of mammals
- ~ 60 million years of primates
- ~ 6 million years ago: last common ancestor with chimpanzees, our closest relative among the “great apes” (gorillas, orangutans, chimpanzees, bonobos, humans)
- 2.5 million years of tool-making (starting with brains 1/3 our size)
- ~ 150,000 years of *homo sapiens*
- ~ 50,000 years of modern humans
- ~ 5000 years of blue, green, hazel eyes

# Evolutionary History



## The Triune Brain



# Three Stages of Brain Evolution

---

## ■ Reptilian:


- Brainstem, cerebellum, hypothalamus
- Reactive and reflexive
- **Avoid** hazards

## ■ Mammalian:

- Limbic system, cingulate, early cortex
- Memory, emotion, social behavior
- **Approach** rewards

## ■ Human:

- Massive cerebral cortex
- Abstract thought, language, cooperative planning, empathy
- **Attach** to “us”



r Brain  
el 3





© 2011 Victor Yalom/Psychotherapy.net

**"With all due respects, I find your disparaging remarks about the 'reptilian brain' unnecessary"**

# Home Base of the Human Brain


---

*When not threatened, ill, in pain, hungry, upset, or chemically disturbed, most people settle into being:*

- **Peaceful** (the Avoid system)
- **Happy** (the Approach system)
- **Loving** (the Attach system)

This is the brain in its natural, ***responsive*** mode.

# The Responsive Mode



# Some Benefits of Responsive Mode

---

- Recovery from “mobilizations” for survival:
  - Refueling after depleting outpourings
  - Restoring equilibrium to perturbed systems
  - Reinterpreting negative events in a positive frame
  - Reconciling after separations and conflicts
  
- Promotes prosocial behaviors:
  - Experiencing safety decreases aggression.
  - Experiencing sufficiency decreases envy.
  - Experiencing connection decreases jealousy.
  - We're more generous when our own cup runneth over.


# But to Cope with Urgent Needs, We Leave Home . . .

---

- **Avoid:** When we feel threatened or harmed
- **Approach:** When we can't attain important goals
- **Attach:** When we feel isolated, disconnected, unseen, unappreciated, unloved

This is the brain in its ***reactive*** mode of functioning  
- a kind of inner homelessness.

# The Reactive Mode





# Reactive Dysfunctions in Each System

---

- **Avoid** - Anxiety disorders; PTSD; panic, terror; rage; violence
- **Approach** - Addiction; over-drinking, -eating, -gambling; compulsion; hoarding; driving for goals at great cost; spiritual materialism
- **Attach** - Borderline, narcissistic, antisocial PD; symbiosis; *folie a deux*; “looking for love in all the wrong places”



# **The Negativity Bias**

# Negativity Bias: Causes in Evolution

---

- “Sticks” - Predators, natural hazards, social aggression, pain (physical and psychological)
- “Carrots” - Food, sex, shelter, social support, pleasure (physical and psychological)
- During evolution, avoiding “sticks” usually had more effects on survival than approaching “carrots.”
  - Urgency - Usually, sticks must be dealt with immediately, while carrots allow a longer approach.
  - Impact - Sticks usually determine mortality, carrots not; if you fail to get a carrot today, you’ll likely have a chance at a carrot tomorrow; but if you fail to avoid a stick today - whap!<sup>35</sup>  
- no more carrots forever.

# Negativity Bias: Some Consequences

---

- Negative stimuli get more attention and processing.
- We generally learn faster from pain than pleasure.
- People work harder to avoid a loss than attain an equal gain (“endowment effect”)
- Easy to create learned helplessness, hard to undo
- Negative interactions: more powerful than positive
- Negative experiences sift into implicit memory.

# Negative Experiences Can Have Benefits

---

- There's a place for negative emotions:
  - Anxiety alerts us to inner and outer threats
  - Sorrow opens the heart
  - Remorse helps us steer a virtuous course
  - Anger highlights mistreatment; energizes to handle it
  
- Negative experiences can:
  - Increase tolerance for stress, emotional pain
  - Build grit, resilience, confidence
  - Increase compassion and tolerance for others

*But is there really any shortage of negative experiences?*

# Health Consequences of Chronic Stress

---

## ■ Physical:

- Weakened immune system
- Inhibits GI system; reduced nutrient absorption
- Reduced, dysregulated reproductive hormones
- Increased vulnerabilities in cardiovascular system
- Disturbed nervous system


## ■ Mental:

- Lowers mood; increases pessimism
- Increases anxiety and irritability
- Increases learned helplessness (especially if no escape)
- Often reduces approach behaviors (less for women)
- Primes aversion (SNS-HPAA negativity bias)

# One Neural Consequence of Negative Experiences

---

- Amygdala (“alarm bell”) initiates stress response
- Hippocampus:
  - Forms and retrieves contextual memories
  - Inhibits the amygdala
  - Inhibits cortisol production
- Cortisol:
  - Stimulates and sensitizes the amygdala
  - Inhibits and can shrink the hippocampus
- Consequently, chronic negative experiences:
  - Sensitize the amygdala alarm bell
  - Weaken the hippocampus: this reduces memory capacities and the inhibition of amygdala and cortisol production.
  - Thus creating vicious cycles in the NS, behavior, and mind





# One Neural Consequence of Negative Experiences

---

- Amygdala (“alarm bell”) initiates stress response
- Hippocampus:
  - Forms and retrieves contextual memories
  - Inhibits the amygdala
  - Inhibits cortisol production
- Cortisol:
  - Stimulates and sensitizes the amygdala
  - Inhibits and can shrink the hippocampus
- Consequently, chronic negative experiences:
  - Sensitize the amygdala alarm bell
  - Weaken the hippocampus: this reduces memory capacities and the inhibition of amygdala and cortisol production.
  - Thus creating vicious cycles in the NS, behavior, and mind



# Threat Reactivity

# A Major Result of the Negativity Bias: Threat Reactivity

---

- Two mistakes:
  - Thinking there is a tiger in the bushes when there isn't one.
  - Thinking there is no tiger in the bushes when there is one.
- We evolved to make the first mistake a hundred times to avoid making the second mistake even once.
- This evolutionary tendency is intensified by temperament, personal history, culture, and politics.
- Threat reactivity affects individuals, couples, families, organizations, nations, and the world as a whole.

# Results of Threat Reactivity

## (Personal, Organizational, National)

---

- Our initial appraisals are mistaken:
  - Overestimating threats
  - Underestimating opportunities
  - Underestimating inner and outer resources
- We update these appraisals with information that confirms them; we ignore, devalue, or alter information that doesn't.
- Thus we end up with views of ourselves, others, and the world that are ignorant, selective, and distorted.

# Costs of Threat Reactivity

## (Personal, Organizational, National)

---

- Feeling threatened feels bad, and triggers stress consequences.
- We over-invest in threat protection.
- The boy who cried tiger: flooding with paper tigers makes it harder to see the real ones.
- Acting while feeling threatened leads to over-reactions, makes others feel threatened, and creates vicious cycles.
- The Approach system is inhibited, so we don't pursue opportunities, play small, or give up too soon.
- In the Attach system, we bond tighter to "us," with more fear and anger toward "them."

# A Poignant Truth


---

Mother Nature is tilted toward producing gene copies.

But tilted against personal quality of life.

And at the societal level, we have caveman/cavewoman brains armed with nuclear weapons.

*What shall we do?*



*We can deliberately use the mind  
to change the brain for the better.*



# **Implicit Memory and Inner Resources**



# Learning and Memory

---

- The sculpting of the brain by experience is memory:
  - Explicit - Personal recollections; semantic memory
  - Implicit - Bodily states; emotional residues; “views” (expectations, object relations, perspectives); behavioral repertoire and inclinations; what it feels like to be “me”
- Implicit memory is much larger than explicit memory. Resources are embedded mainly in implicit memory.
- Therefore, the key target is implicit memory. So what matters most is not the explicit recollection of positive *events* but the implicit emotional residue of positive *experiences*.

# The Importance of Inner Resources


---

## ■ Examples:


- Freud's "positive introjects"
- Internalization of "corrective emotional experiences" during psychotherapy
- "Learned optimism"

## ■ Benefits

- Increase positive emotions: many physical and mental health benefits
- Improve self-soothing
- Improve outlook on world, self, and future
- Increase resilience, determination



**In essence, how can we actively internalize resources in implicit memory - making the brain like Velcro for positive experiences, but Teflon for negative ones?**



# **Taking in the Good**



**Just having positive experiences is not enough.**

**They pass through the brain like water through a sieve, while negative experiences are caught.**

**We need to engage positive experiences actively to weave them into the brain.**

# Being with, Releasing, Replacing

---

- There are three phases of psychological healing and personal growth (and spiritual practice):
  - Be mindful of, release, replace.
  - Let be, let go, let in.
- Mindfulness is key to the second and third phase, sometimes curative on its own, and always beneficial in strengthening its neural substrates. But often it is not enough by itself.
- And sometimes you need to skip to the third phase to build resources for mindfulness.

# How to Take in the Good

---

1. Look for positive **facts**, and let them become positive experiences.
2. Savor the positive experience:
  - Sustain it for 10-20-30 seconds.
  - Feel it in your body and emotions.
  - Intensify it.
3. Sense and intend that the positive experience is soaking into your brain and body - registering deeply in emotional memory.

# Targets of TIG

---

- Bodily states - healthy arousal; PNS; vitality
- Emotions - both feelings and mood
- Views - expectations; object relations; perspectives on self, world, past and future
- Behaviors - repertoire; inclinations



# Kinds of “Good” to Take in

---

- The small pleasures of ordinary life
- The satisfaction of attaining goals or recognizing accomplishments - especially small, everyday ones
- Feeling grateful, contented, and fulfilled
  
- Things are alright; nothing is wrong; there is no threat
- Feeling safe and strong
- The peace and relief of forgiveness
  
- Being included, valued, liked, respected, loved by others
- The good feelings that come from being kind, fair, generous
- Feeling loving
  
- Recognizing your positive character traits
- Spiritual or existential realizations

# Why It's Good to Take in the Good

---

- Rights an unfair imbalance, given the negativity bias
- Gives oneself today the caring and support one should have received as a child, but perhaps didn't get in full measure; an inherent, implicit benefit
- Increases positive resources, such as:
  - Positive emotions
  - Capacity to manage stress and negative experiences
- Can help bring in missing “supplies” (e.g., love, strength, worth)
- Can help painful, even traumatic experiences

# Promoting Client Motivation

---

- During therapy, but mainly between sessions, notice:
  - When learning from therapy works well
  - New insights
  - When things happen consistent with therapist's realistic view of you, the world, the future
  - Good qualities in yourself emphasized by therapist
- Then practice three, sometimes four, steps of TIG.
- Can be formalized in daily reflections, journaling
- In general: take appropriate risks of “dreaded experiences,” notice the (usually) good results, and then take those in.

# TIG and Children


---

- All kids benefit from TIG.
- Particular benefits for mistreated, anxious, spirited/ADHD, or LD children.
- Adaptations:
  - Brief
  - Concrete
  - Natural occasions (e.g., bedtimes)

# Potential Synergies of TIG and MBSR

---

- Improved mindfulness from MBSR enhances TIG.
- TIG increases general resources for MBSR (e.g., heighten the PNS activation that promotes stable attention).
- TIG increases specific factors of MBSR (e.g., self-acceptance, self-compassion, tolerance of negative affect)
- TIG heightens internalization of key MBSR experiences:
  - The sense of stable mindfulness itself
  - Confidence that awareness itself is not in pain, upset, etc.
  - Presence of supportive others (e.g., MBSR groups)
  - Peacefulness of realizing that experiences come and go



# **Healing Old Pain**

# Using Memory Mechanisms to Help Heal Painful Experiences

---

- The machinery of memory:
  - When explicit or implicit memory is re-activated, it is re-built from schematic elements, not retrieved *in toto*.
  - When attention moves on, elements of the memory get re-consolidated.
- The open processes of memory activation and consolidation create a window of opportunity for shaping your internal world.
- Activated memory tends to associate with other things in awareness (e.g., thoughts, sensations), esp. if they are prominent and lasting.
- When memory goes back into storage, it takes associations with it.
- You can imbue implicit and explicit memory with positive associations.

# The Fourth Step of TIG

---

- When you are having a positive experience:
  - Sense the current positive experience sinking down into old pain, and soothing and replacing it.
- When you are having a negative experience:
  - Bring to mind a positive experience that is its antidote.
- In both cases, have the positive experience be big and strong, in the forefront of awareness, while the negative experience is small and in the background.
- You are not resisting negative experiences or getting attached to positive ones. You are being kind to yourself and cultivating positive resources in your mind.



# Psychological Antidotes

---

## Approaching Opportunities

- Satisfaction, fulfillment --> Frustration, disappointment
- Gladness, gratitude --> Sadness, discontentment, “blues”

## Affiliating with “Us”

- Attunement, inclusion --> Not seen, rejected, left out
- Recognition, acknowledgement --> Inadequacy, shame
- Friendship, love --> Abandonment, feeling unloved or unlovable

## Avoiding Threats

- Strength, efficacy --> Weakness, helplessness, pessimism
- Safety, security --> Alarm, anxiety
- Compassion for oneself and others --> Resentment, anger

# The Tip of the Root

---

- For the fourth step of TIG, try to get at the youngest, most vulnerable layer of painful material.
- The “tip of the root” is commonly in childhood. In general, the brain is most responsive to negative experiences in early childhood.
- Prerequisites
  - Understanding the need to get at younger layers
  - Compassion and support for the inner child
  - Capacity to “presence” young material without flooding

# TIG and Trauma

---


- General considerations:
  - People vary in their resources and their traumas.
  - Often the major action is with “failed protectors.”
  - Cautions for awareness of internal states, including positive
  - Respect “yellow lights” and the client’s pace.
- The first three steps of TIG are generally safe. Use them to build resources for tackling the trauma directly.
- As indicated, use the fourth step of TIG to address the peripheral features and themes of the trauma.
- Then, with care, use the fourth step to get at the heart of the trauma.

*First of all, do no harm.*




# **Natural Happiness**

# Choices . . .



**Reactive Mode**

Or?



**Responsive Mode**


# Coming Home . . .

---

**Peaceful**

**Happy**

**Loving**



*Penetrative insight  
joined with calm abiding  
utterly eradicates  
afflicted states.*

Shantideva

# Great Books

---

See [www.RickHanson.net](http://www.RickHanson.net) for other great books.

- Austin, J. 2009. *Selfless Insight*. MIT Press.
- Begley, S. 2007. *Train Your Mind, Change Your Brain*. Ballantine.
- Carter, C. 2010. *Raising Happiness*. Ballantine.
- Hanson, R. (with R. Mendius). 2009. *Buddha's Brain: The Practical Neuroscience of Happiness, Love, and Wisdom*. New Harbinger.
- Johnson, S. 2005. *Mind Wide Open*. Scribner.
- Keltner, D. 2009. *Born to Be Good*. Norton.
- Kornfield, J. 2009. *The Wise Heart*. Bantam.
- LeDoux, J. 2003. *Synaptic Self*. Penguin.
- Linden, D. 2008. *The Accidental Mind*. Belknap.
- Sapolsky, R. 2004. *Why Zebras Don't Get Ulcers*. Holt.
- Siegel, D. 2007. *The Mindful Brain*. Norton.
- Thompson, E. 2007. *Mind in Life*. Belknap.



# Key Papers - 1

---

See [www.RickHanson.net](http://www.RickHanson.net) for other scientific papers.

- Atmanspacher, H. & Graben, P. 2007. Contextual emergence of mental states from neurodynamics. *Chaos & Complexity Letters*, 2:151-168.
- Baumeister, R., Bratlavsky, E., Finkenauer, C. & Vohs, K. 2001. Bad is stronger than good. *Review of General Psychology*, 5:323-370.
- Braver, T. & Cohen, J. 2000. On the control of control: The role of dopamine in regulating prefrontal function and working memory; in *Control of Cognitive Processes: Attention and Performance XVIII*. Monsel, S. & Driver, J. (eds.). MIT Press.
- Carter, O.L., Callistemon, C., Ungerer, Y., Liu, G.B., & Pettigrew, J.D. 2005. Meditation skills of Buddhist monks yield clues to brain's regulation of attention. *Current Biology*. 15:412-413.

# Key Papers - 2

---

- Davidson, R.J. 2004. Well-being and affective style: neural substrates and biobehavioural correlates. *Philosophical Transactions of the Royal Society*. 359:1395-1411.
- Farb, N.A.S., Segal, Z.V., Mayberg, H., Bean, J., McKeon, D., Fatima, Z., and Anderson, A.K. 2007. Attending to the present: Mindfulness meditation reveals distinct neural modes of self-reflection. *SCAN*, 2, 313-322.
- Gillihan, S.J. & Farah, M.J. 2005. Is self special? A critical review of evidence from experimental psychology and cognitive neuroscience. *Psychological Bulletin*, 131:76-97.
- Hagmann, P., Cammoun, L., Gigandet, X., Meuli, R., Honey, C.J., Wedeen, V.J., & Sporns, O. 2008. Mapping the structural core of human cerebral cortex. *PLoS Biology*. 6:1479-1493.
- Hanson, R. 2008. Seven facts about the brain that incline the mind to joy. In *Measuring the immeasurable: The scientific case for spirituality*. Sounds True. 74

# Key Papers - 3

---

- Lazar, S., Kerr, C., Wasserman, R., Gray, J., Greve, D., Treadway, M., McGarvey, M., Quinn, B., Dusek, J., Benson, H., Rauch, S., Moore, C., & Fischl, B. 2005. Meditation experience is associated with increased cortical thickness. *Neuroreport*. 16:1893-1897.
- Lewis, M.D. & Todd, R.M. 2007. The self-regulating brain: Cortical-subcortical feedback and the development of intelligent action. *Cognitive Development*, 22:406-430.
- Lieberman, M.D. & Eisenberger, N.I. 2009. Pains and pleasures of social life. *Science*. 323:890-891.
- Lutz, A., Greischar, L., Rawlings, N., Ricard, M. and Davidson, R. 2004. Long-term meditators self-induce high-amplitude gamma synchrony during mental practice. *PNAS*. 101:16369-16373.
- Lutz, A., Slager, H.A., Dunne, J.D., & Davidson, R. J. 2008. Attention regulation and monitoring in meditation. *Trends in Cognitive Sciences*. 12:163-169.

# Key Papers - 4

---

- Rozin, P. & Royzman, E.B. 2001. Negativity bias, negativity dominance, and contagion. *Personality and Social Psychology Review*, 5:296-320.
- Takahashi, H., Kato, M., Matsuura, M., Mobbs, D., Suhara, T., & Okubo, Y. 2009. When your gain is my pain and your pain is my gain: Neural correlates of envy and schadenfreude. *Science*, 323:937-939.
- Tang, Y.-Y., Ma, Y., Wang, J., Fan, Y., Feng, S., Lu, Q., Yu, Q., Sui, D., Rothbart, M.K., Fan, M., & Posner, M. 2007. Short-term meditation training improves attention and self-regulation. *PNAS*, 104:17152-17156.
- Thompson, E. & Varela F.J. 2001. Radical embodiment: Neural dynamics and consciousness. *Trends in Cognitive Sciences*, 5:418-425.
- Walsh, R. & Shapiro, S. L. 2006. The meeting of meditative disciplines and Western psychology: A mutually enriching dialogue. *American Psychologist*, 61:227-239.


## ***Where to Find Rick Hanson Online***

---



<http://www.youtube.com/BuddhasBrain>

<http://www.facebook.com/BuddhasBrain>



[www.RickHanson.net](http://www.RickHanson.net)  
[www.WiseBrain.org](http://www.WiseBrain.org)