

SUMMARY

This report summarizes July 2025 groundwater storage, recharge, pumping, and level conditions for the Santa Clara Subbasin (the Santa Clara Plain and Coyote Valley groundwater management areas) and the Llagas Subbasin.

Groundwater conditions remain healthy throughout the county. Groundwater levels in most of the regional monitoring wells are lower than last month due to normal, seasonal declines. While most of the water levels are lower relative to July 2024, all except two are higher than the prior five-year average for July. The end of 2025 groundwater storage is projected to be in Stage 1 (Normal) of the Water Shortage Contingency Plan.

- July 2025 managed recharge is 111% to 134% of the five-year average.
- June 2025 pumping is 96% to 106% of the five-year average.
- Groundwater levels in index wells for July 2025 range from 11 feet lower to 6 feet lower compared to July levels of 2024.

Table 1. Summary of Current Groundwater Conditions

	Santa Clara Subbasin		Llagas Subbasin
	Santa Clara Plain	Coyote Valley	
July 2025 managed recharge estimate	6,800	1,500	1,800
YTD managed recharge estimate	35,700	10,400	12,800
July 2025 managed recharge as % of five-year average	111%	134%	119%
June 2025 pumping estimate	6,800	1,200	3,600
YTD pumping estimate	33,100	5,900	12,900
YTD pumping as % of five-year average	104%	106%	96%
Current index well groundwater levels compared to July 2024	11 feet lower	6 feet lower	8 feet lower

All volumes are in acre-feet. All data is for 2025 except where noted. YTD = Year-to-date.

Contact Us For questions, contact
Scott Elkins at (408) 630-2885



August 2025 Groundwater Condition Report

Groundwater Recharge

- Figures 1, 2, and 3 show the cumulative managed recharge for 2025 compared to the average of the previous five years (2020 – 2024).
- Compared to the average of the previous five years, managed recharge for July 2025 was higher in the Santa Clara Plain, Coyote Valley, and the Llagas Subbasin.
- Managed recharge depends on many factors, including water demand and availability, regulatory needs, groundwater storage, and facility maintenance.

Figure 1. Estimated Cumulative Managed Recharge in the Santa Clara Plain




Figure 2. Estimated Cumulative Managed Recharge in the Coyote Valley





Figure 3. Estimated Cumulative Managed Recharge in the Llagas Subbasin



August 2025 Groundwater Condition Report

Groundwater Pumping

- Figures 4, 5, and 6 show the cumulative groundwater pumping for 2025 compared to the average of the previous five years (2020 – 2024).
- Pumping estimates for June 2025 include monthly pumping data reported by water retailers and non-monthly pumping, primarily from domestic and agricultural uses.
- Compared to the average of the previous five years, pumping for June 2025 was higher in the Santa Clara Plain and Coyote Valley, and lower in the Llagas Subbasin.

Figure 4. Estimated Cumulative Santa Clara Plain Pumping




Figure 5. Estimated Cumulative Coyote Valley Pumping






Figure 6. Estimated Cumulative Llagas Subbasin Pumping



Groundwater Levels

Groundwater levels in most regional monitoring wells¹ have decreased since last month due to normal, seasonal declines. While most of the water levels are lower relative to July 2024, all except two are higher than the prior five-year average for July. Table 2 summarizes current groundwater levels with historical comparisons for 11 regional monitoring wells that are distributed across the three management areas, as shown in Figure 7.

Figure 7. Locations of Regional Water Level Monitoring Wells



This section intentionally left blank

¹ **Note:** While this report summarizes water levels from the 11 combined key and index wells of the regional network (Figure 7), Valley Water monitors groundwater levels from over 230 wells each month and these levels are publicly available at <https://gis.valleywater.org/Wells.html>.

August 2025 Groundwater Condition Report

Table 2. Comparisons to July 2025 Depth to Water (DTW) in Regional Wells

Location	State Well ID	July 2025 DTW (feet)	Difference in July 2025 DTW (feet) Compared to:			
			June 2025	July 2024	Prior 5-year Average for July	Maximum DTW during 2012–2016 drought
Milpitas	06S01W24H015	-17 (artesian)	-2	-7	2	38
Sunnyvale	06S02W24C008	-42 (artesian)	1	0	9	21
San Jose	07S01W25L001	84	0	-11	10	53
Santa Clara	07S01W02G024	24	-6	-14	5	67
S. Santa Clara	07S01W08D003	68	1	-1	15	77
Campbell	07S01W27P009	118	1	-11	15	79
S. San Jose	08S02E18L001	27	-3	-4	1	43
Coyote Valley	09S02E02J002	25	-3	-6	-4	13
Morgan Hill	09S03E22P007	61	-3	-13	-1	35
San Martin	10S03E01N005	36	-6	-8	12	44
Gilroy	11S04E10D004	38	-9	-2	7	25

Notes: Depth to water is measured to the hundredth of a foot but data shown here are rounded to the nearest foot. Negative values in the last 4 columns indicate current groundwater levels are lower than the comparison time. Well 09S03E22P005 was replaced with well 09S03E22P007; water level data from well 09S03E22P005 were used for historical comparison calculations. The (artesian) indicates aquifer pressure conditions that push water level elevations higher than land surface. The maximum DTW during the 2012–2016 drought occurred between July 2014 and December 2015, depending on the well, and reflect some of the lowest water levels over the past 25 years.

Figures 8 through 18 show ten-year hydrographs for each of the eleven regional monitoring wells.

Figure 8. Milpitas Well Hydrograph




Figure 9. Sunnyvale Well Hydrograph




Figure 10. San Jose Well Hydrograph (Index Well for the Santa Clara Plain)




Figure 11. Santa Clara Well Hydrograph




Figure 12. South Santa Clara Well Hydrograph





Figure 13. Campbell Well Hydrograph



The Campbell index well was replaced in August 2015 with a nearby well with similar water levels.

Figure 14. South San Jose Well Hydrograph




Figure 15. Coyote Valley Well Hydrograph (Index Well for the Coyote Valley)





Figure 16. Morgan Hill Well Hydrograph



The Morgan Hill well 09S03E22P005 is no longer accessible and was replaced by well 09S03E22P007 in September 2022. Water levels from May 2022 to September 2022, represented by the dotted line, are estimated.

Figure 17. San Martin Well Hydrograph (Index Well for the Llagas Subbasin)




Figure 18. Gilroy Well Hydrograph

