

WAKE COUNTY INSPECTIONS & PERMITS

336 Fayetteville Street Suite 101 Raleigh, N.C. 27601

Phone: 919-856-6222 Email: Wake.Permitting@wakegov.com Website www.wakegov.com

Wake County Residential Building Code Summary

| PLANS DESIGNED TO THE 2018 NORTH CAROLINA RESIDENTIAL CODE. |
|---|
| PLANS DESIGNED FOR 115 MPH 3 SECOND GUST (89 MPH FASTEST WIND), EXPOSURE B |
| ANCHOR BOLTS SHALL BE MIN. 1/2" DIAMETER & SHALL EXTEND A MINIMUM OF 7" INTO MASONRY OR CONCRETE. ANCHOR BOLTS TO BE NO MORE THAN 6' O.C. AND WITHIN 12" OF THE CORNER. |
| MEAN ROOF HEIGHT |
| WALL BRACING IS REQUIRED. THE DESIGNER MUST SPECIFY METHOD OF BRACING PER SECTION R602 OF THE NORTH CAROLINA 2018 RESIDENTIAL BUILDING CODE AND PROVIDE DETAIL. |
| COMPONENT & CLADDING FOR THESE PLANS DESIGNED TO MEET SECTION R301.2.1, TABLE R301.2(2) AND R301.2(6) ADJUSTED FOR MEAN ROOF HEIGHT AND EXPOSURE. |
| MINIMUM VALUES FOR ENERGY COMPLIANCE: |
| ZONE 4 |
| MAX. GLAZING U-FACTOR = 0.35 |
| CEILING: R-38, WALLS: R-15, FLOORS: R-19, SLABS: R-10 |
| HEATED SQUARE FOOTAGE |
| FINISHED BASEMENT |
| FIRST FLOOR |
| SECOND FLOOR |
| THIRD FLOOR |
| TOTAL HEATED SQFT |
| UNHEATED SQUARE FOOTAGE |
| UNFIN BASEMENT |
| GARAGE |
| LINEIN CTORACE |

| UNFIN BASEMENT | |
|----------------|--|
| GARAGE | |
| UNFIN STORAGE | |